

TABLE 1. Estimated percent of current<sup>1</sup> and former<sup>2</sup> asthma status among children<sup>3</sup> ever diagnosed with asthma by state/territory - BRFSS Asthma Call-back Survey, United States, 2006-2010

State/Territory	Sample size <sup>±</sup>	Current				Former			
		Sample size	%	SE <sup>§</sup>	95% CI <sup>†</sup>	Sample size	%	SE	95% CI
Arizona	194	126	64.3	5.9	(52.7 - 75.9)	68	35.7	5.9	(24.1 - 47.3)
California	275	178	61.6	3.9	(54.0 - 69.2)	97	38.4	3.9	(30.8 - 46.0)
Connecticut	535	360	67.0	2.6	(61.9 - 72.1)	175	33.0	2.6	(27.9 - 38.1)
District of Columbia	174	122	74.7	3.9	(67.1 - 82.3)	52	25.3	3.9	(17.7 - 32.9)
Georgia	536	360	68.3	2.6	(63.2 - 73.4)	176	31.7	2.6	(26.6 - 36.8)
Hawaii	683	428	64.0	2.3	(59.5 - 68.5)	255	36.0	2.3	(31.5 - 40.5)
Illinois	257	172	70.9	3.6	(63.8 - 78.0)	85	29.1	3.6	(22.0 - 36.2)
Indiana	490	355	70.3	2.8	(64.8 - 75.8)	135	29.7	2.8	(24.2 - 35.2)
Iowa	370	255	69.1	3.0	(63.2 - 75.0)	115	30.9	3.0	(25.0 - 36.8)
Kansas	813	609	76.1	1.8	(72.6 - 79.6)	204	23.9	1.8	(20.4 - 27.4)
Louisiana	158	107	71.0	4.1	(63.0 - 79.0)	51	29.0	4.1	(21.0 - 37.0)
Maine	430	294	67.4	2.8	(61.9 - 72.9)	136	32.6	2.8	(27.1 - 38.1)
Maryland	598	397	66.4	2.5	(61.5 - 71.3)	201	33.6	2.5	(28.7 - 38.5)
Massachusetts	415	276	69.3	3.2	(63.0 - 75.6)	139	30.7	3.2	(24.4 - 37.0)
Michigan	663	493	76.4	2.2	(72.1 - 80.7)	170	23.6	2.2	(19.3 - 27.9)
Mississippi	111	81	77.6	4.5	(68.8 - 86.4)	30	22.4	4.5	(13.6 - 31.2)
Missouri	323	234	69.9	3.7	(62.6 - 77.2)	89	30.1	3.7	(22.8 - 37.4)
Montana	330	216	68.4	3.2	(62.1 - 74.7)	114	31.6	3.2	(25.3 - 37.9)
Nebraska	698	489	73.1	2.7	(67.8 - 78.4)	209	26.9	2.7	(21.6 - 32.2)
New Hampshire	228	156	71.1	3.5	(64.2 - 78.0)	72	28.9	3.5	(22.0 - 35.8)
New Jersey	456	308	65.8	3.5	(58.9 - 72.7)	148	34.2	3.5	(27.3 - 41.1)
New Mexico	349	241	72.6	3.0	(66.7 - 78.5)	108	27.4	3.0	(21.5 - 33.3)
New York	436	287	69.7	2.9	(64.0 - 75.4)	149	30.3	2.9	(24.6 - 36.0)
North Dakota	153	102	65.7	4.6	(56.7 - 74.7)	51	34.3	4.6	(25.3 - 43.3)
Ohio	336	229	64.5	4.1	(56.5 - 72.5)	107	35.5	4.1	(27.5 - 43.5)
Oklahoma	332	258	79.6	2.5	(74.7 - 84.5)	74	20.4	2.5	(15.5 - 25.3)
Oregon	317	198	67.7	3.2	(61.4 - 74.0)	119	32.3	3.2	(26.0 - 38.6)
Pennsylvania	201	135	69.5	4.6	(60.5 - 78.5)	66	30.5	4.6	(21.5 - 39.5)
Rhode Island	225	161	73.9	3.4	(67.2 - 80.6)	64	26.1	3.4	(19.4 - 32.8)
Texas	760	496	62.8	3.0	(56.9 - 68.7)	264	37.2	3.0	(31.3 - 43.1)
Utah	553	380	71.4	2.5	(66.5 - 76.3)	173	28.6	2.5	(23.7 - 33.5)
Vermont	581	395	69.0	2.3	(64.5 - 73.5)	186	31.0	2.3	(26.5 - 35.5)
Virginia	141	88	62.2	6.4	(49.7 - 74.7)	53	37.8	6.4	(25.3 - 50.3)
Washington	572	351	57.8	2.7	(52.5 - 63.1)	221	42.2	2.7	(36.9 - 47.5)
West Virginia	272	204	77.5	2.8	(72.0 - 83.0)	68	22.5	2.8	(17.0 - 28.0)
Wisconsin	269	148	55.5	4.0	(47.7 - 63.3)	121	44.5	4.0	(36.7 - 52.3)
36 state total	14,234	9,689	67.0	0.9	(65.2 - 68.8)	4,545	33.0	0.9	(31.2 - 34.8)
Median			69.2				30.8		
Range			55.5-79.6				20.4-44.5		

<sup>1</sup> "Yes" response to "Do you still have asthma?"

<sup>2</sup> "No" response to "Do you still have asthma?"

<sup>3</sup> Aged < 18 years

<sup>±</sup> Sample size is for multiple years of participation. Responses of "Don't Know" and "Refused" are excluded.

<sup>§</sup> Standard error

<sup>†</sup> Confidence interval