

Table C7
Adult Self-Reported Current Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Income and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

| State | Income | Sample Size | Prevalence (percent) | Standard Error | Lower 95% CI | Upper 95% CI | Prevalence (number) | Lower 95% CI | Upper 95% CI |
|----------|---------------|-------------|----------------------|----------------|--------------|--------------|---------------------|--------------|--------------|
| US Total | < \$15,000 | 18,167 | 9.9 | 0.42 | 9.1 | 10.8 | 1,907,610 | 1,743,386 | 2,071,835 |
| | \$15-\$24,999 | 29,721 | 8.1 | 0.27 | 7.5 | 8.6 | 2,600,886 | 2,427,317 | 2,774,456 |
| | \$25-\$49,999 | 54,598 | 7.1 | 0.19 | 6.7 | 7.4 | 4,277,045 | 4,040,112 | 4,513,978 |
| | \$50-\$74,999 | 25,276 | 6.3 | 0.24 | 5.8 | 6.7 | 1,940,043 | 1,791,492 | 2,088,594 |
| | >=\$75,000 | 24,584 | 5.9 | 0.26 | 5.4 | 6.4 | 1,917,378 | 1,747,107 | 2,087,648 |
| AL | < \$15,000 | 357 | 7.4 | 1.43 | 4.6 | 10.3 | 34,130 | 21,239 | 47,022 |
| | \$15-\$24,999 | 390 | 10.2 | 1.85 | 6.5 | 13.8 | 58,015 | 36,221 | 79,808 |
| | \$25-\$49,999 | 687 | 6.1 | 1.01 | 4.1 | 8.1 | 63,038 | 42,186 | 83,890 |
| | \$50-\$74,999 | 275 | 3.5 | 1.06 | 1.5 | 5.6 | 15,564 | 6,283 | 24,845 |
| | >=\$75,000 | 273 | 1.5 | | | | 6,255 | | |
| AK | < \$15,000 | 169 | 8.5 | 2.49 | 3.6 | 13.5 | 2,785 | 1,239 | 4,331 |
| | \$15-\$24,999 | 311 | 10.9 | 3.58 | 3.8 | 17.9 | 6,461 | 1,909 | 11,014 |
| | \$25-\$49,999 | 646 | 7.0 | 1.41 | 4.2 | 9.7 | 9,414 | 5,570 | 13,257 |
| | \$50-\$74,999 | 373 | 3.5 | 1.08 | 1.3 | 5.6 | 2,564 | 985 | 4,143 |
| | >=\$75,000 | 413 | 5.2 | 1.25 | 2.7 | 7.7 | 5,217 | 2,739 | 7,696 |
| AZ | < \$15,000 | 188 | 17.7 | 9.83 | 0.0 | 37.0 | 46,307 | 0 | 104,972 |
| | \$15-\$24,999 | 608 | 7.2 | 1.65 | 4.0 | 10.5 | 50,472 | 27,300 | 73,644 |
| | \$25-\$49,999 | 848 | 7.9 | 1.45 | 5.0 | 10.7 | 86,978 | 54,843 | 119,112 |
| | \$50-\$74,999 | 304 | 7.0 | 2.72 | 1.6 | 12.4 | 36,239 | 7,314 | 65,164 |
| | >=\$75,000 | 223 | 9.4 | 3.21 | 3.1 | 15.8 | 33,619 | 9,945 | 57,293 |
| AR | < \$15,000 | 418 | 12.6 | 1.90 | 8.9 | 16.4 | 27,844 | 19,152 | 36,535 |
| | \$15-\$24,999 | 621 | 5.2 | 0.99 | 3.2 | 7.1 | 19,618 | 12,059 | 27,177 |
| | \$25-\$49,999 | 979 | 6.2 | 0.87 | 4.5 | 7.9 | 41,237 | 29,618 | 52,855 |
| | \$50-\$74,999 | 362 | 5.4 | 1.22 | 3.0 | 7.8 | 12,997 | 7,061 | 18,933 |
| | >=\$75,000 | 292 | 5.7 | 1.71 | 2.3 | 9.0 | 11,102 | 4,268 | 17,936 |
| CA | < \$15,000 | 566 | 7.9 | 1.21 | 5.5 | 10.3 | 307,699 | 212,921 | 402,478 |
| | \$15-\$24,999 | 556 | 7.0 | 1.05 | 4.9 | 9.0 | 265,336 | 186,671 | 344,002 |
| | \$25-\$49,999 | 965 | 8.1 | 1.05 | 6.1 | 10.2 | 494,251 | 364,279 | 624,223 |
| | \$50-\$74,999 | 651 | 6.4 | 1.01 | 4.4 | 8.4 | 244,632 | 167,100 | 322,164 |
| | >=\$75,000 | 882 | 7.8 | 1.17 | 5.5 | 10.1 | 393,199 | 272,743 | 513,655 |
| CO | < \$15,000 | 278 | 10.0 | 2.84 | 4.4 | 15.6 | 24,203 | 10,009 | 38,397 |
| | \$15-\$24,999 | 509 | 6.9 | 1.58 | 3.8 | 10.0 | 29,752 | 16,157 | 43,347 |
| | \$25-\$49,999 | 1,027 | 6.6 | 1.07 | 4.5 | 8.7 | 61,893 | 41,906 | 81,879 |
| | \$50-\$74,999 | 491 | 6.1 | 1.27 | 3.7 | 8.6 | 35,595 | 20,898 | 50,293 |
| | >=\$75,000 | 490 | 3.6 | 0.86 | 1.9 | 5.3 | 21,915 | 11,576 | 32,253 |

Table C7
Adult Self-Reported Current Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Income and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

| State | Income | Sample Size | Prevalence (percent) | Standard Error | Lower 95% CI | Upper 95% CI | Prevalence (number) | Lower 95% CI | Upper 95% CI |
|----------|---------------|-------------|----------------------|----------------|--------------|--------------|---------------------|--------------|--------------|
| US Total | < \$15,000 | 18,167 | 9.9 | 0.42 | 9.1 | 10.8 | 1,907,610 | 1,743,386 | 2,071,835 |
| | \$15-\$24,999 | 29,721 | 8.1 | 0.27 | 7.5 | 8.6 | 2,600,886 | 2,427,317 | 2,774,456 |
| | \$25-\$49,999 | 54,598 | 7.1 | 0.19 | 6.7 | 7.4 | 4,277,045 | 4,040,112 | 4,513,978 |
| | \$50-\$74,999 | 25,276 | 6.3 | 0.24 | 5.8 | 6.7 | 1,940,043 | 1,791,492 | 2,088,594 |
| | >=\$75,000 | 24,584 | 5.9 | 0.26 | 5.4 | 6.4 | 1,917,378 | 1,747,107 | 2,087,648 |
| CT | < \$15,000 | 240 | 10.7 | 2.13 | 6.5 | 14.9 | 14,878 | 8,823 | 20,933 |
| | \$15-\$24,999 | 429 | 9.2 | 1.50 | 6.3 | 12.2 | 25,221 | 16,843 | 33,599 |
| | \$25-\$49,999 | 941 | 8.2 | 0.99 | 6.3 | 10.1 | 48,902 | 36,949 | 60,854 |
| | \$50-\$74,999 | 618 | 7.4 | 1.23 | 5.0 | 9.8 | 28,699 | 18,934 | 38,464 |
| | >=\$75,000 | 968 | 6.9 | 0.99 | 5.0 | 8.8 | 43,314 | 30,667 | 55,961 |
| DE | < \$15,000 | 186 | 5.6 | 1.94 | 1.7 | 9.4 | 1,502 | 454 | 2,549 |
| | \$15-\$24,999 | 429 | 9.0 | 1.91 | 5.2 | 12.7 | 6,743 | 3,796 | 9,691 |
| | \$25-\$49,999 | 830 | 7.6 | 1.17 | 5.4 | 9.9 | 12,107 | 8,394 | 15,821 |
| | \$50-\$74,999 | 432 | 5.1 | 1.16 | 2.8 | 7.4 | 4,891 | 2,671 | 7,111 |
| | >=\$75,000 | 452 | 8.0 | 1.83 | 4.4 | 11.6 | 9,697 | 5,131 | 14,264 |
| DC | < \$15,000 | 166 | 10.4 | 2.81 | 4.9 | 16.0 | 3,981 | 1,734 | 6,228 |
| | \$15-\$24,999 | 264 | 10.2 | 2.31 | 5.7 | 14.7 | 6,337 | 3,341 | 9,333 |
| | \$25-\$49,999 | 487 | 8.7 | 1.54 | 5.7 | 11.7 | 9,741 | 6,225 | 13,258 |
| | \$50-\$74,999 | 254 | 5.4 | 1.36 | 2.7 | 8.1 | 3,159 | 1,586 | 4,732 |
| | >=\$75,000 | 324 | 7.0 | 1.53 | 4.0 | 10.0 | 5,576 | 3,101 | 8,050 |
| FL | < \$15,000 | 563 | 7.7 | 1.22 | 5.3 | 10.1 | 89,014 | 60,566 | 117,463 |
| | \$15-\$24,999 | 943 | 6.8 | 1.01 | 4.9 | 8.8 | 141,585 | 99,085 | 184,084 |
| | \$25-\$49,999 | 1,670 | 5.9 | 0.67 | 4.6 | 7.2 | 225,597 | 173,973 | 277,221 |
| | \$50-\$74,999 | 675 | 3.6 | 0.73 | 2.2 | 5.1 | 58,405 | 35,291 | 81,520 |
| | >=\$75,000 | 704 | 4.0 | 0.81 | 2.4 | 5.6 | 63,859 | 37,930 | 89,788 |
| GA | < \$15,000 | 427 | 12.0 | 1.96 | 8.1 | 15.8 | 58,637 | 38,702 | 78,571 |
| | \$15-\$24,999 | 660 | 6.8 | 1.18 | 4.5 | 9.1 | 60,077 | 39,065 | 81,089 |
| | \$25-\$49,999 | 1,234 | 5.1 | 0.67 | 3.8 | 6.5 | 85,172 | 63,161 | 107,184 |
| | \$50-\$74,999 | 612 | 5.1 | 1.03 | 3.1 | 7.2 | 48,109 | 28,858 | 67,360 |
| | >=\$75,000 | 548 | 5.2 | 1.47 | 2.4 | 8.1 | 51,060 | 21,962 | 80,157 |
| HI | < \$15,000 | 753 | 10.5 | 1.56 | 7.5 | 13.6 | 9,695 | 6,749 | 12,641 |
| | \$15-\$24,999 | 799 | 7.6 | 1.26 | 5.1 | 10.0 | 8,224 | 5,435 | 11,013 |
| | \$25-\$49,999 | 1,834 | 6.7 | 0.83 | 5.1 | 8.3 | 18,026 | 13,503 | 22,550 |
| | \$50-\$74,999 | 837 | 6.3 | 1.09 | 4.2 | 8.5 | 7,942 | 5,181 | 10,703 |
| | >=\$75,000 | 795 | 4.9 | 0.98 | 3.0 | 6.9 | 6,432 | 3,858 | 9,007 |

Table C7
Adult Self-Reported Current Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Income and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

| State | Income | Sample Size | Prevalence (percent) | Standard Error | Lower 95% CI | Upper 95% CI | Prevalence (number) | Lower 95% CI | Upper 95% CI |
|----------|---------------|-------------|----------------------|----------------|--------------|--------------|---------------------|--------------|--------------|
| US Total | < \$15,000 | 18,167 | 9.9 | 0.42 | 9.1 | 10.8 | 1,907,610 | 1,743,386 | 2,071,835 |
| | \$15-\$24,999 | 29,721 | 8.1 | 0.27 | 7.5 | 8.6 | 2,600,886 | 2,427,317 | 2,774,456 |
| | \$25-\$49,999 | 54,598 | 7.1 | 0.19 | 6.7 | 7.4 | 4,277,045 | 4,040,112 | 4,513,978 |
| | \$50-\$74,999 | 25,276 | 6.3 | 0.24 | 5.8 | 6.7 | 1,940,043 | 1,791,492 | 2,088,594 |
| | >=\$75,000 | 24,584 | 5.9 | 0.26 | 5.4 | 6.4 | 1,917,378 | 1,747,107 | 2,087,648 |
| ID | < \$15,000 | 618 | 12.1 | 1.48 | 9.2 | 15.0 | 11,080 | 8,291 | 13,870 |
| | \$15-\$24,999 | 1,018 | 7.9 | 0.91 | 6.1 | 9.7 | 13,548 | 10,394 | 16,702 |
| | \$25-\$49,999 | 1,810 | 6.9 | 0.73 | 5.4 | 8.3 | 22,885 | 17,954 | 27,817 |
| | \$50-\$74,999 | 693 | 5.7 | 0.99 | 3.8 | 7.7 | 7,480 | 4,889 | 10,070 |
| | >=\$75,000 | 433 | 6.8 | 1.39 | 4.1 | 9.5 | 5,902 | 3,465 | 8,338 |
| IL | < \$15,000 | 148 | 13.6 | 3.69 | 6.3 | 20.9 | 97,835 | 40,445 | 155,226 |
| | \$15-\$24,999 | 256 | 7.1 | 1.77 | 3.6 | 10.6 | 97,122 | 48,145 | 146,098 |
| | \$25-\$49,999 | 565 | 7.1 | 1.11 | 4.9 | 9.3 | 192,728 | 132,709 | 252,747 |
| | \$50-\$74,999 | 304 | 7.3 | 1.60 | 4.2 | 10.5 | 107,400 | 59,970 | 154,830 |
| | >=\$75,000 | 367 | 4.7 | 1.14 | 2.5 | 7.0 | 77,984 | 40,692 | 115,277 |
| IN | < \$15,000 | 264 | 14.2 | 2.30 | 9.7 | 18.8 | 46,947 | 31,244 | 62,651 |
| | \$15-\$24,999 | 468 | 9.3 | 1.63 | 6.1 | 12.5 | 61,359 | 39,041 | 83,677 |
| | \$25-\$49,999 | 920 | 8.4 | 1.07 | 6.3 | 10.5 | 116,181 | 85,899 | 146,463 |
| | \$50-\$74,999 | 508 | 6.1 | 1.16 | 3.8 | 8.4 | 50,356 | 31,031 | 69,680 |
| | >=\$75,000 | 410 | 6.2 | 1.52 | 3.2 | 9.2 | 41,115 | 20,405 | 61,825 |
| IA | < \$15,000 | 354 | 7.6 | 1.43 | 4.8 | 10.4 | 13,153 | 8,192 | 18,114 |
| | \$15-\$24,999 | 656 | 7.0 | 1.18 | 4.7 | 9.3 | 25,548 | 16,810 | 34,285 |
| | \$25-\$49,999 | 1,286 | 7.0 | 0.86 | 5.3 | 8.7 | 53,543 | 40,167 | 66,919 |
| | \$50-\$74,999 | 504 | 6.3 | 1.16 | 4.0 | 8.6 | 20,616 | 12,921 | 28,311 |
| | >=\$75,000 | 406 | 2.9 | 0.90 | 1.1 | 4.7 | 7,655 | 2,879 | 12,431 |
| KS | < \$15,000 | 283 | 13.1 | 2.24 | 8.7 | 17.5 | 15,005 | 9,680 | 20,331 |
| | \$15-\$24,999 | 712 | 9.7 | 1.39 | 7.0 | 12.4 | 28,921 | 20,307 | 37,534 |
| | \$25-\$49,999 | 1,274 | 7.6 | 0.81 | 6.0 | 9.2 | 46,063 | 36,204 | 55,923 |
| | \$50-\$74,999 | 612 | 8.2 | 1.25 | 5.8 | 10.7 | 24,911 | 17,139 | 32,683 |
| | >=\$75,000 | 474 | 5.7 | 1.12 | 3.5 | 7.9 | 13,381 | 8,162 | 18,600 |
| KY | < \$15,000 | 902 | 14.8 | 1.56 | 11.7 | 17.9 | 42,445 | 33,129 | 51,760 |
| | \$15-\$24,999 | 1,299 | 9.2 | 1.31 | 6.6 | 11.7 | 50,090 | 35,207 | 64,972 |
| | \$25-\$49,999 | 1,729 | 5.7 | 0.66 | 4.4 | 7.0 | 48,732 | 37,608 | 59,857 |
| | \$50-\$74,999 | 569 | 5.1 | 1.28 | 2.6 | 7.6 | 16,568 | 8,241 | 24,895 |
| | >=\$75,000 | 386 | 5.8 | 1.53 | 2.8 | 8.8 | 14,025 | 6,506 | 21,544 |

Table C7
Adult Self-Reported Current Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Income and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

| State | Income | Sample Size | Prevalence (percent) | Standard Error | Lower 95% CI | Upper 95% CI | Prevalence (number) | Lower 95% CI | Upper 95% CI |
|----------|---------------|-------------|----------------------|----------------|--------------|--------------|---------------------|--------------|--------------|
| US Total | < \$15,000 | 18,167 | 9.9 | 0.42 | 9.1 | 10.8 | 1,907,610 | 1,743,386 | 2,071,835 |
| | \$15-\$24,999 | 29,721 | 8.1 | 0.27 | 7.5 | 8.6 | 2,600,886 | 2,427,317 | 2,774,456 |
| | \$25-\$49,999 | 54,598 | 7.1 | 0.19 | 6.7 | 7.4 | 4,277,045 | 4,040,112 | 4,513,978 |
| | \$50-\$74,999 | 25,276 | 6.3 | 0.24 | 5.8 | 6.7 | 1,940,043 | 1,791,492 | 2,088,594 |
| | >=\$75,000 | 24,584 | 5.9 | 0.26 | 5.4 | 6.4 | 1,917,378 | 1,747,107 | 2,087,648 |
| LA | < \$15,000 | 723 | 9.8 | 1.26 | 7.3 | 12.2 | 39,118 | 28,882 | 49,353 |
| | \$15-\$24,999 | 985 | 5.0 | 0.81 | 3.4 | 6.6 | 30,460 | 20,612 | 40,308 |
| | \$25-\$49,999 | 1,444 | 3.7 | 0.52 | 2.7 | 4.7 | 34,793 | 25,043 | 44,544 |
| | \$50-\$74,999 | 572 | 4.1 | 0.88 | 2.4 | 5.8 | 15,258 | 8,672 | 21,844 |
| | >=\$75,000 | 521 | 3.3 | 1.08 | 1.2 | 5.4 | 11,029 | 3,729 | 18,328 |
| ME | < \$15,000 | 561 | 12.9 | 2.30 | 8.4 | 17.4 | 12,449 | 7,871 | 17,028 |
| | \$15-\$24,999 | 855 | 11.6 | 2.08 | 7.5 | 15.7 | 20,684 | 12,963 | 28,405 |
| | \$25-\$49,999 | 1,527 | 7.2 | 1.08 | 5.1 | 9.3 | 22,334 | 15,615 | 29,053 |
| | \$50-\$74,999 | 639 | 6.1 | 1.33 | 3.5 | 8.7 | 8,909 | 5,040 | 12,778 |
| | >=\$75,000 | 440 | 11.2 | 2.47 | 6.4 | 16.1 | 11,217 | 6,058 | 16,376 |
| MD | < \$15,000 | 268 | 11.9 | 2.43 | 7.1 | 16.7 | 24,503 | 14,321 | 34,685 |
| | \$15-\$24,999 | 547 | 6.6 | 1.18 | 4.2 | 8.9 | 29,464 | 18,916 | 40,013 |
| | \$25-\$49,999 | 1,263 | 10.0 | 1.12 | 7.8 | 12.2 | 102,245 | 78,738 | 125,752 |
| | \$50-\$74,999 | 830 | 6.2 | 1.07 | 4.1 | 8.3 | 44,314 | 28,688 | 59,939 |
| | >=\$75,000 | 1,052 | 5.0 | 0.78 | 3.5 | 6.6 | 48,369 | 33,458 | 63,280 |
| MA | < \$15,000 | 647 | 10.7 | 1.38 | 8.0 | 13.4 | 31,628 | 23,439 | 39,817 |
| | \$15-\$24,999 | 1,003 | 10.6 | 1.18 | 8.3 | 12.9 | 52,418 | 40,441 | 64,395 |
| | \$25-\$49,999 | 2,058 | 8.6 | 0.74 | 7.1 | 10.0 | 100,115 | 82,591 | 117,640 |
| | \$50-\$74,999 | 1,228 | 7.7 | 0.88 | 6.0 | 9.4 | 59,428 | 45,634 | 73,223 |
| | >=\$75,000 | 1,667 | 7.7 | 0.79 | 6.1 | 9.2 | 85,241 | 67,372 | 103,110 |
| MI | < \$15,000 | 201 | 12.9 | 3.38 | 6.2 | 19.6 | 68,345 | 29,859 | 106,830 |
| | \$15-\$24,999 | 392 | 8.8 | 1.76 | 5.3 | 12.3 | 89,680 | 52,424 | 126,936 |
| | \$25-\$49,999 | 790 | 5.9 | 1.06 | 3.8 | 8.0 | 130,293 | 82,972 | 177,615 |
| | \$50-\$74,999 | 429 | 7.8 | 1.37 | 5.1 | 10.5 | 98,570 | 63,409 | 133,730 |
| | >=\$75,000 | 446 | 6.1 | 1.16 | 3.8 | 8.4 | 79,898 | 49,536 | 110,259 |
| MN | < \$15,000 | 177 | 15.8 | 3.13 | 9.6 | 22.0 | 26,890 | 15,613 | 38,168 |
| | \$15-\$24,999 | 396 | 8.8 | 1.82 | 5.2 | 12.4 | 36,910 | 21,164 | 52,657 |
| | \$25-\$49,999 | 1,027 | 6.4 | 0.85 | 4.8 | 8.1 | 81,347 | 59,774 | 102,920 |
| | \$50-\$74,999 | 502 | 6.0 | 1.12 | 3.8 | 8.2 | 39,459 | 24,623 | 54,296 |
| | >=\$75,000 | 446 | 5.9 | 1.36 | 3.3 | 8.6 | 34,638 | 18,466 | 50,810 |

Table C7
Adult Self-Reported Current Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Income and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

| State | Income | Sample Size | Prevalence (percent) | Standard Error | Lower 95% CI | Upper 95% CI | Prevalence (number) | Lower 95% CI | Upper 95% CI |
|----------|---------------|-------------|----------------------|----------------|--------------|--------------|---------------------|--------------|--------------|
| US Total | < \$15,000 | 18,167 | 9.9 | 0.42 | 9.1 | 10.8 | 1,907,610 | 1,743,386 | 2,071,835 |
| | \$15-\$24,999 | 29,721 | 8.1 | 0.27 | 7.5 | 8.6 | 2,600,886 | 2,427,317 | 2,774,456 |
| | \$25-\$49,999 | 54,598 | 7.1 | 0.19 | 6.7 | 7.4 | 4,277,045 | 4,040,112 | 4,513,978 |
| | \$50-\$74,999 | 25,276 | 6.3 | 0.24 | 5.8 | 6.7 | 1,940,043 | 1,791,492 | 2,088,594 |
| | >=\$75,000 | 24,584 | 5.9 | 0.26 | 5.4 | 6.4 | 1,917,378 | 1,747,107 | 2,087,648 |
| MS | < \$15,000 | 324 | 9.7 | 1.95 | 5.9 | 13.6 | 26,604 | 15,626 | 37,582 |
| | \$15-\$24,999 | 439 | 7.2 | 1.38 | 4.5 | 9.9 | 29,587 | 18,137 | 41,038 |
| | \$25-\$49,999 | 657 | 6.6 | 1.14 | 4.4 | 8.8 | 38,811 | 25,217 | 52,404 |
| | \$50-\$74,999 | 241 | 3.1 | 1.12 | 0.9 | 5.3 | 6,837 | 1,913 | 11,761 |
| | >=\$75,000 | 187 | 2.5 | | | | 4,335 | | |
| MO | < \$15,000 | 771 | 10.9 | 1.53 | 7.9 | 13.9 | 63,308 | 45,008 | 81,607 |
| | \$15-\$24,999 | 762 | 7.4 | 1.23 | 5.0 | 9.8 | 47,039 | 31,158 | 62,919 |
| | \$25-\$49,999 | 1,292 | 6.9 | 1.02 | 4.9 | 8.9 | 86,360 | 60,611 | 112,110 |
| | \$50-\$74,999 | 594 | 5.9 | 1.29 | 3.4 | 8.4 | 36,700 | 20,552 | 52,847 |
| | >=\$75,000 | 382 | 7.4 | 1.74 | 4.0 | 10.9 | 36,294 | 19,062 | 53,526 |
| MT | < \$15,000 | 288 | 11.1 | 2.29 | 6.6 | 15.7 | 5,693 | 3,323 | 8,064 |
| | \$15-\$24,999 | 634 | 8.1 | 1.37 | 5.4 | 10.8 | 9,335 | 6,140 | 12,529 |
| | \$25-\$49,999 | 900 | 7.3 | 1.09 | 5.2 | 9.5 | 15,050 | 10,556 | 19,545 |
| | \$50-\$74,999 | 319 | 6.3 | 1.89 | 2.6 | 10.0 | 4,333 | 1,685 | 6,981 |
| | >=\$75,000 | 200 | 11.3 | 3.11 | 5.2 | 17.5 | 5,675 | 2,402 | 8,949 |
| NE | < \$15,000 | 242 | 9.4 | 1.93 | 5.6 | 13.2 | 6,817 | 3,968 | 9,665 |
| | \$15-\$24,999 | 530 | 7.5 | 1.71 | 4.2 | 10.9 | 14,528 | 7,684 | 21,373 |
| | \$25-\$49,999 | 1,032 | 7.8 | 0.98 | 5.9 | 9.7 | 32,160 | 23,938 | 40,381 |
| | \$50-\$74,999 | 401 | 3.8 | 0.96 | 1.9 | 5.7 | 6,733 | 3,354 | 10,111 |
| | >=\$75,000 | 306 | 4.9 | 1.35 | 2.2 | 7.5 | 6,090 | 2,675 | 9,505 |
| NV | < \$15,000 | 146 | 9.7 | 3.65 | 2.5 | 16.9 | 8,909 | 2,069 | 15,749 |
| | \$15-\$24,999 | 305 | 7.7 | 1.68 | 4.4 | 11.0 | 15,890 | 9,083 | 22,696 |
| | \$25-\$49,999 | 704 | 9.2 | 1.61 | 6.1 | 12.4 | 43,768 | 28,028 | 59,508 |
| | \$50-\$74,999 | 372 | 9.6 | 2.26 | 5.2 | 14.1 | 25,493 | 13,263 | 37,722 |
| | >=\$75,000 | 373 | 3.5 | 0.94 | 1.6 | 5.3 | 8,652 | 4,014 | 13,289 |
| NH | < \$15,000 | 107 | 12.4 | 3.44 | 5.6 | 19.2 | 5,508 | 2,387 | 8,629 |
| | \$15-\$24,999 | 252 | 13.6 | 2.56 | 8.5 | 18.6 | 16,734 | 10,172 | 23,296 |
| | \$25-\$49,999 | 573 | 7.0 | 1.08 | 4.9 | 9.1 | 18,681 | 12,923 | 24,440 |
| | \$50-\$74,999 | 356 | 9.3 | 1.71 | 6.0 | 12.7 | 15,409 | 9,628 | 21,190 |
| | >=\$75,000 | 363 | 5.0 | 1.35 | 2.4 | 7.7 | 8,119 | 3,703 | 12,535 |

Table C7
Adult Self-Reported Current Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Income and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

| State | Income | Sample Size | Prevalence (percent) | Standard Error | Lower 95% CI | Upper 95% CI | Prevalence (number) | Lower 95% CI | Upper 95% CI |
|----------|---------------|-------------|----------------------|----------------|--------------|--------------|---------------------|--------------|--------------|
| US Total | < \$15,000 | 18,167 | 9.9 | 0.42 | 9.1 | 10.8 | 1,907,610 | 1,743,386 | 2,071,835 |
| | \$15-\$24,999 | 29,721 | 8.1 | 0.27 | 7.5 | 8.6 | 2,600,886 | 2,427,317 | 2,774,456 |
| | \$25-\$49,999 | 54,598 | 7.1 | 0.19 | 6.7 | 7.4 | 4,277,045 | 4,040,112 | 4,513,978 |
| | \$50-\$74,999 | 25,276 | 6.3 | 0.24 | 5.8 | 6.7 | 1,940,043 | 1,791,492 | 2,088,594 |
| | >=\$75,000 | 24,584 | 5.9 | 0.26 | 5.4 | 6.4 | 1,917,378 | 1,747,107 | 2,087,648 |
| NJ | < \$15,000 | 230 | 8.5 | 1.98 | 4.6 | 12.4 | 28,214 | 14,874 | 41,554 |
| | \$15-\$24,999 | 442 | 9.1 | 1.57 | 6.0 | 12.2 | 66,936 | 43,467 | 90,404 |
| | \$25-\$49,999 | 920 | 5.7 | 0.91 | 3.9 | 7.5 | 86,222 | 58,431 | 114,014 |
| | \$50-\$74,999 | 558 | 5.6 | 1.00 | 3.6 | 7.5 | 50,438 | 32,390 | 68,486 |
| | >=\$75,000 | 947 | 5.2 | 0.73 | 3.7 | 6.6 | 76,752 | 55,263 | 98,241 |
| NM | < \$15,000 | 481 | 8.0 | 1.30 | 5.5 | 10.6 | 13,198 | 8,888 | 17,507 |
| | \$15-\$24,999 | 693 | 6.6 | 1.04 | 4.6 | 8.7 | 17,505 | 11,969 | 23,041 |
| | \$25-\$49,999 | 1,024 | 8.3 | 0.92 | 6.5 | 10.1 | 33,538 | 26,084 | 40,992 |
| | \$50-\$74,999 | 374 | 4.9 | 1.17 | 2.6 | 7.2 | 7,244 | 3,764 | 10,723 |
| | >=\$75,000 | 374 | 4.2 | 1.15 | 1.9 | 6.4 | 5,849 | 2,620 | 9,078 |
| NY | < \$15,000 | 259 | 6.5 | 1.71 | 3.1 | 9.8 | 71,302 | 33,417 | 109,187 |
| | \$15-\$24,999 | 491 | 9.7 | 1.50 | 6.8 | 12.7 | 200,820 | 137,404 | 264,235 |
| | \$25-\$49,999 | 924 | 9.0 | 1.12 | 6.8 | 11.2 | 333,270 | 248,191 | 418,349 |
| | \$50-\$74,999 | 465 | 7.6 | 1.25 | 5.1 | 10.0 | 142,997 | 95,687 | 190,307 |
| | >=\$75,000 | 656 | 5.8 | 0.93 | 3.9 | 7.6 | 146,922 | 99,511 | 194,334 |
| NC | < \$15,000 | 338 | 11.6 | 1.98 | 7.7 | 15.5 | 62,892 | 40,642 | 85,141 |
| | \$15-\$24,999 | 557 | 9.3 | 1.42 | 6.5 | 12.1 | 96,702 | 66,580 | 126,824 |
| | \$25-\$49,999 | 866 | 5.5 | 0.82 | 3.9 | 7.1 | 96,795 | 68,279 | 125,311 |
| | \$50-\$74,999 | 416 | 5.3 | 1.15 | 3.0 | 7.6 | 48,179 | 27,319 | 69,039 |
| | >=\$75,000 | 356 | 4.9 | 1.44 | 2.1 | 7.8 | 35,307 | 14,522 | 56,091 |
| ND | < \$15,000 | 238 | 11.0 | 2.49 | 6.1 | 15.9 | 5,276 | 2,777 | 7,774 |
| | \$15-\$24,999 | 333 | 8.7 | 1.70 | 5.3 | 12.0 | 6,732 | 4,058 | 9,406 |
| | \$25-\$49,999 | 675 | 6.9 | 1.13 | 4.7 | 9.1 | 11,767 | 7,834 | 15,701 |
| | \$50-\$74,999 | 238 | 4.9 | 1.41 | 2.1 | 7.6 | 3,096 | 1,299 | 4,893 |
| | >=\$75,000 | 144 | 2.7 | | | | 929 | | |
| OH | < \$15,000 | 275 | 13.7 | 3.04 | 7.7 | 19.7 | 69,637 | 37,121 | 102,153 |
| | \$15-\$24,999 | 545 | 13.4 | 2.07 | 9.3 | 17.5 | 172,818 | 117,392 | 228,243 |
| | \$25-\$49,999 | 995 | 7.8 | 1.30 | 5.2 | 10.3 | 202,542 | 133,658 | 271,426 |
| | \$50-\$74,999 | 515 | 7.7 | 1.52 | 4.7 | 10.7 | 109,876 | 66,052 | 153,700 |
| | >=\$75,000 | 422 | 4.8 | 1.34 | 2.1 | 7.4 | 52,566 | 23,023 | 82,109 |

Table C7
Adult Self-Reported Current Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Income and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

| State | Income | Sample Size | Prevalence (percent) | Standard Error | Lower 95% CI | Upper 95% CI | Prevalence (number) | Lower 95% CI | Upper 95% CI |
|----------|---------------|-------------|----------------------|----------------|--------------|--------------|---------------------|--------------|--------------|
| US Total | < \$15,000 | 18,167 | 9.9 | 0.42 | 9.1 | 10.8 | 1,907,610 | 1,743,386 | 2,071,835 |
| | \$15-\$24,999 | 29,721 | 8.1 | 0.27 | 7.5 | 8.6 | 2,600,886 | 2,427,317 | 2,774,456 |
| | \$25-\$49,999 | 54,598 | 7.1 | 0.19 | 6.7 | 7.4 | 4,277,045 | 4,040,112 | 4,513,978 |
| | \$50-\$74,999 | 25,276 | 6.3 | 0.24 | 5.8 | 6.7 | 1,940,043 | 1,791,492 | 2,088,594 |
| | >=\$75,000 | 24,584 | 5.9 | 0.26 | 5.4 | 6.4 | 1,917,378 | 1,747,107 | 2,087,648 |
| OK | < \$15,000 | 373 | 9.4 | 1.55 | 6.4 | 12.5 | 21,704 | 14,545 | 28,863 |
| | \$15-\$24,999 | 740 | 7.2 | 0.99 | 5.2 | 9.1 | 34,785 | 25,210 | 44,359 |
| | \$25-\$49,999 | 1,134 | 7.2 | 0.85 | 5.6 | 8.9 | 56,595 | 43,187 | 70,003 |
| | \$50-\$74,999 | 424 | 4.1 | 1.02 | 2.1 | 6.1 | 12,136 | 6,074 | 18,198 |
| | >=\$75,000 | 256 | 4.4 | 1.43 | 1.6 | 7.2 | 7,582 | 2,662 | 12,502 |
| OR | < \$15,000 | 464 | 12.3 | 1.65 | 9.1 | 15.6 | 35,968 | 26,150 | 45,786 |
| | \$15-\$24,999 | 635 | 7.4 | 1.09 | 5.2 | 9.5 | 31,285 | 22,006 | 40,563 |
| | \$25-\$49,999 | 1,253 | 9.2 | 0.89 | 7.5 | 11.0 | 76,199 | 61,304 | 91,095 |
| | \$50-\$74,999 | 558 | 7.3 | 1.14 | 5.0 | 9.5 | 28,833 | 19,724 | 37,943 |
| | >=\$75,000 | 502 | 7.2 | 1.18 | 4.9 | 9.5 | 23,894 | 16,037 | 31,751 |
| PA | < \$15,000 | 348 | 10.3 | 1.94 | 6.5 | 14.1 | 81,901 | 50,010 | 113,792 |
| | \$15-\$24,999 | 593 | 7.7 | 1.22 | 5.3 | 10.1 | 119,912 | 81,503 | 158,321 |
| | \$25-\$49,999 | 1,089 | 5.7 | 0.72 | 4.3 | 7.2 | 165,629 | 124,124 | 207,135 |
| | \$50-\$74,999 | 548 | 5.0 | 0.93 | 3.1 | 6.8 | 72,463 | 45,285 | 99,640 |
| | >=\$75,000 | 544 | 6.1 | 1.10 | 3.9 | 8.3 | 82,857 | 52,712 | 113,002 |
| RI | < \$15,000 | 331 | 11.9 | 1.99 | 8.0 | 15.8 | 7,233 | 4,756 | 9,710 |
| | \$15-\$24,999 | 546 | 8.6 | 1.26 | 6.1 | 11.1 | 10,041 | 7,067 | 13,016 |
| | \$25-\$49,999 | 953 | 7.4 | 0.91 | 5.7 | 9.2 | 15,397 | 11,630 | 19,164 |
| | \$50-\$74,999 | 529 | 11.9 | 1.60 | 8.8 | 15.1 | 13,591 | 9,796 | 17,386 |
| | >=\$75,000 | 584 | 7.0 | 1.14 | 4.7 | 9.2 | 8,647 | 5,784 | 11,511 |
| SC | < \$15,000 | 337 | 10.7 | 1.65 | 7.4 | 13.9 | 28,294 | 19,551 | 37,036 |
| | \$15-\$24,999 | 550 | 8.2 | 1.33 | 5.6 | 10.9 | 39,330 | 26,453 | 52,207 |
| | \$25-\$49,999 | 1,098 | 6.3 | 0.79 | 4.8 | 7.9 | 60,952 | 45,799 | 76,105 |
| | \$50-\$74,999 | 441 | 5.2 | 1.15 | 2.9 | 7.5 | 20,436 | 11,374 | 29,499 |
| | >=\$75,000 | 411 | 4.7 | 1.14 | 2.5 | 6.9 | 17,131 | 8,802 | 25,460 |
| SD | < \$15,000 | 465 | 8.4 | 1.32 | 5.8 | 11.0 | 3,581 | 2,457 | 4,705 |
| | \$15-\$24,999 | 933 | 7.0 | 0.92 | 5.2 | 8.8 | 6,583 | 4,838 | 8,328 |
| | \$25-\$49,999 | 1,726 | 4.5 | 0.57 | 3.4 | 5.7 | 8,501 | 6,366 | 10,636 |
| | \$50-\$74,999 | 648 | 6.2 | 1.12 | 4.0 | 8.4 | 4,556 | 2,885 | 6,227 |
| | >=\$75,000 | 418 | 5.2 | 1.38 | 2.4 | 7.9 | 2,380 | 1,084 | 3,676 |

Table C7
Adult Self-Reported Current Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Income and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

| State | Income | Sample Size | Prevalence (percent) | Standard Error | Lower 95% CI | Upper 95% CI | Prevalence (number) | Lower 95% CI | Upper 95% CI |
|----------|---------------|-------------|----------------------|----------------|--------------|--------------|---------------------|--------------|--------------|
| US Total | < \$15,000 | 18,167 | 9.9 | 0.42 | 9.1 | 10.8 | 1,907,610 | 1,743,386 | 2,071,835 |
| | \$15-\$24,999 | 29,721 | 8.1 | 0.27 | 7.5 | 8.6 | 2,600,886 | 2,427,317 | 2,774,456 |
| | \$25-\$49,999 | 54,598 | 7.1 | 0.19 | 6.7 | 7.4 | 4,277,045 | 4,040,112 | 4,513,978 |
| | \$50-\$74,999 | 25,276 | 6.3 | 0.24 | 5.8 | 6.7 | 1,940,043 | 1,791,492 | 2,088,594 |
| | >=\$75,000 | 24,584 | 5.9 | 0.26 | 5.4 | 6.4 | 1,917,378 | 1,747,107 | 2,087,648 |
| TN | < \$15,000 | 250 | 11.9 | 2.17 | 7.6 | 16.2 | 34,329 | 21,590 | 47,068 |
| | \$15-\$24,999 | 518 | 10.3 | 1.58 | 7.2 | 13.4 | 70,169 | 47,726 | 92,613 |
| | \$25-\$49,999 | 857 | 5.3 | 0.86 | 3.6 | 7.0 | 65,725 | 44,399 | 87,051 |
| | \$50-\$74,999 | 319 | 4.7 | 1.23 | 2.2 | 7.1 | 21,488 | 10,078 | 32,897 |
| | >=\$75,000 | 264 | 5.2 | 1.47 | 2.3 | 8.1 | 20,434 | 8,880 | 31,988 |
| TX | < \$15,000 | 558 | 7.4 | 1.15 | 5.2 | 9.7 | 122,636 | 84,977 | 160,296 |
| | \$15-\$24,999 | 909 | 5.4 | 0.82 | 3.8 | 7.0 | 148,433 | 103,471 | 193,394 |
| | \$25-\$49,999 | 1,545 | 7.6 | 0.76 | 6.2 | 9.1 | 337,595 | 269,631 | 405,558 |
| | \$50-\$74,999 | 685 | 6.1 | 0.90 | 4.3 | 7.9 | 118,765 | 83,399 | 154,131 |
| | >=\$75,000 | 748 | 5.1 | 0.88 | 3.4 | 6.9 | 106,350 | 69,808 | 142,892 |
| UT | < \$15,000 | 222 | 13.6 | 2.72 | 8.3 | 19.0 | 10,422 | 6,125 | 14,719 |
| | \$15-\$24,999 | 433 | 8.5 | 1.68 | 5.2 | 11.8 | 16,520 | 9,875 | 23,166 |
| | \$25-\$49,999 | 996 | 7.1 | 1.02 | 5.1 | 9.1 | 34,219 | 24,335 | 44,103 |
| | \$50-\$74,999 | 496 | 5.4 | 1.49 | 2.5 | 8.3 | 14,125 | 6,209 | 22,040 |
| | >=\$75,000 | 454 | 5.8 | 1.45 | 3.0 | 8.7 | 13,451 | 6,676 | 20,226 |
| VT | < \$15,000 | 332 | 10.2 | 1.77 | 6.7 | 13.7 | 3,576 | 2,370 | 4,781 |
| | \$15-\$24,999 | 621 | 7.3 | 1.17 | 5.0 | 9.6 | 5,443 | 3,671 | 7,215 |
| | \$25-\$49,999 | 1,169 | 7.1 | 0.82 | 5.5 | 8.8 | 10,293 | 7,919 | 12,667 |
| | \$50-\$74,999 | 546 | 5.8 | 1.11 | 3.7 | 8.0 | 4,164 | 2,561 | 5,766 |
| | >=\$75,000 | 474 | 4.2 | 0.93 | 2.4 | 6.1 | 2,598 | 1,464 | 3,731 |
| VA | < \$15,000 | 143 | 9.4 | 2.88 | 3.7 | 15.1 | 32,942 | 11,817 | 54,066 |
| | \$15-\$24,999 | 251 | 9.3 | 1.95 | 5.5 | 13.2 | 62,880 | 36,216 | 89,544 |
| | \$25-\$49,999 | 563 | 6.4 | 1.37 | 3.7 | 9.1 | 96,429 | 54,623 | 138,234 |
| | \$50-\$74,999 | 321 | 6.5 | 1.50 | 3.5 | 9.4 | 56,383 | 29,935 | 82,832 |
| | >=\$75,000 | 461 | 6.6 | 1.26 | 4.2 | 9.1 | 75,140 | 46,400 | 103,880 |
| WA | < \$15,000 | 309 | 17.3 | 2.53 | 12.4 | 22.3 | 54,921 | 37,596 | 72,246 |
| | \$15-\$24,999 | 488 | 9.1 | 1.35 | 6.4 | 11.7 | 49,400 | 34,462 | 64,338 |
| | \$25-\$49,999 | 1,152 | 7.0 | 0.81 | 5.4 | 8.6 | 96,057 | 73,891 | 118,223 |
| | \$50-\$74,999 | 595 | 8.8 | 1.26 | 6.4 | 11.3 | 66,959 | 47,382 | 86,536 |
| | >=\$75,000 | 624 | 5.5 | 0.90 | 3.8 | 7.3 | 44,169 | 29,760 | 58,578 |

Table C7
Adult Self-Reported Current Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Income and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

| State | Income | Sample Size | Prevalence (percent) | Standard Error | Lower 95% CI | Upper 95% CI | Prevalence (number) | Lower 95% CI | Upper 95% CI |
|----------|---------------|-------------|----------------------|----------------|--------------|--------------|---------------------|--------------|--------------|
| US Total | < \$15,000 | 18,167 | 9.9 | 0.42 | 9.1 | 10.8 | 1,907,610 | 1,743,386 | 2,071,835 |
| | \$15-\$24,999 | 29,721 | 8.1 | 0.27 | 7.5 | 8.6 | 2,600,886 | 2,427,317 | 2,774,456 |
| | \$25-\$49,999 | 54,598 | 7.1 | 0.19 | 6.7 | 7.4 | 4,277,045 | 4,040,112 | 4,513,978 |
| | \$50-\$74,999 | 25,276 | 6.3 | 0.24 | 5.8 | 6.7 | 1,940,043 | 1,791,492 | 2,088,594 |
| | >=\$75,000 | 24,584 | 5.9 | 0.26 | 5.4 | 6.4 | 1,917,378 | 1,747,107 | 2,087,648 |
| WV | < \$15,000 | 442 | 13.3 | 1.80 | 9.8 | 16.8 | 29,908 | 21,498 | 38,319 |
| | \$15-\$24,999 | 510 | 8.3 | 1.27 | 5.8 | 10.8 | 24,189 | 16,689 | 31,688 |
| | \$25-\$49,999 | 719 | 6.4 | 0.97 | 4.5 | 8.3 | 28,667 | 19,989 | 37,344 |
| | \$50-\$74,999 | 255 | 6.2 | 1.70 | 2.9 | 9.6 | 9,610 | 4,267 | 14,952 |
| | >=\$75,000 | 157 | 8.2 | 2.46 | 3.4 | 13.1 | 7,571 | 2,888 | 12,254 |
| WI | < \$15,000 | 163 | 8.9 | 2.26 | 4.5 | 13.4 | 18,561 | 9,006 | 28,116 |
| | \$15-\$24,999 | 457 | 9.9 | 1.75 | 6.5 | 13.3 | 67,680 | 42,716 | 92,643 |
| | \$25-\$49,999 | 1,054 | 7.2 | 0.85 | 5.5 | 8.9 | 107,987 | 82,402 | 133,572 |
| | \$50-\$74,999 | 435 | 6.8 | 1.31 | 4.3 | 9.4 | 42,030 | 25,739 | 58,321 |
| | >=\$75,000 | 321 | 7.1 | 1.90 | 3.4 | 10.9 | 33,504 | 15,016 | 51,992 |
| WY | < \$15,000 | 274 | 12.6 | 2.12 | 8.4 | 16.8 | 4,205 | 2,753 | 5,656 |
| | \$15-\$24,999 | 448 | 9.0 | 1.48 | 6.1 | 11.9 | 5,567 | 3,703 | 7,430 |
| | \$25-\$49,999 | 887 | 7.8 | 1.00 | 5.8 | 9.8 | 10,219 | 7,562 | 12,876 |
| | \$50-\$74,999 | 353 | 9.7 | 1.71 | 6.3 | 13.1 | 5,110 | 3,246 | 6,974 |
| | >=\$75,000 | 244 | 6.9 | 1.71 | 3.6 | 10.3 | 2,481 | 1,243 | 3,720 |
| PR | < \$15,000 | 2,242 | 8.9 | 0.73 | 7.5 | 10.4 | 105,960 | 88,731 | 123,189 |
| | \$15-\$24,999 | 840 | 7.7 | 1.16 | 5.4 | 10.0 | 47,978 | 33,376 | 62,580 |
| | \$25-\$49,999 | 446 | 7.5 | 1.48 | 4.6 | 10.4 | 28,118 | 16,878 | 39,358 |
| | \$50-\$74,999 | 62 | 4.0 | | | | 2,509 | | |
| | >=\$75,000 | 43 | 2.0 | | | | 1,011 | | |

Footnote 1: If values for the standard error and the 95% confidence intervals are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

Footnote 2: When the sample size is less than 50, estimates are not precise and should be interpreted with caution.