

**Table L5**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2001**

State	Race/Ethnicity	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	    	Prevalence (number)	95% CI* (number)
U.S. Total*	White NH	160,858	11.0	0.13	(10.7 - 11.2)		16,508,377	(16,112,174 - 16,904,580)
U.S. Total*	Black NH	16,086	13.2	0.44	(12.3 - 14.0)		2,637,503	(2,451,501 - 2,823,504)
U.S. Total*	Other NH	9,423	9.4	0.57	(8.3 - 10.5)		980,150	(858,934 - 1,101,367)
U.S. Total*	Multirace NH	3,314	17.7	1.18	(15.4 - 20.1)		553,221	(473,695 - 632,748)
U.S. Total*	Hispanic	12,936	9.4	0.43	(8.5 - 10.2)		2,315,940	(2,098,924 - 2,532,956)
AL	White NH	2,001	9.7	0.72	(8.3 - 11.1)		232,564	(198,337 - 266,792)
AL	Black NH	601	9.5	1.36	(6.8 - 12.1)		65,844	(46,711 - 84,977)
AL	Other NH	78	9.0	3.24	(2.6 - 15.5)		9,532	(2,598 - 16,465)
AL	Multirace NH	20	14.5				3,769	
AL	Hispanic	52	10.1	4.22	(1.6 - 18.6)		6,607	(842 - 12,371)
AK	White NH	1,925	11.9	1.13	(9.7 - 14.1)		37,294	(30,334 - 44,254)
AK	Black NH	50	14.0	7.62	(0.0 - 29.4)		1,322	(0 - 2,898)
AK	Other NH	645	5.8	1.02	(3.8 - 7.8)		4,699	(3,098 - 6,299)
AK	Multirace NH	96	27.9	7.39	(13.2 - 42.5)		4,833	(1,771 - 7,894)
AK	Hispanic	78	10.9	4.29	(2.4 - 19.5)		1,335	(241 - 2,428)
AZ	White NH	2,342	13.4	0.99	(11.4 - 15.3)		356,432	(303,033 - 409,831)
AZ	Black NH	71	30.4	11.36	(7.7 - 53.0)		38,461	(1,510 - 75,413)
AZ	Other NH	220	11.7	3.27	(5.3 - 18.1)		25,221	(10,624 - 39,819)
AZ	Multirace NH	32	12.2				5,278	
AZ	Hispanic	541	5.9	1.08	(3.7 - 8.0)		41,898	(26,669 - 57,127)
AR	White NH	2,359	10.8	0.75	(9.4 - 12.3)		177,405	(152,601 - 202,210)
AR	Black NH	339	7.9	1.79	(4.4 - 11.4)		17,126	(9,166 - 25,086)
AR	Other NH	65	8.1	3.73	(0.6 - 15.6)		3,511	(141 - 6,881)
AR	Multirace NH	64	5.7				2,133	
AR	Hispanic	69	17.6	5.96	(5.7 - 29.5)		9,284	(2,207 - 16,362)
CA	White NH	2,571	14.6	0.83	(13.0 - 16.3)		1,830,950	(1,615,875 - 2,046,024)
CA	Black NH	226	15.1	2.56	(10.0 - 20.1)		204,756	(131,748 - 277,763)
CA	Other NH	320	7.4	1.59	(4.2 - 10.5)		183,989	(103,893 - 264,084)
CA	Multirace NH	88	25.6	5.25	(15.2 - 36.1)		126,654	(68,152 - 185,157)
CA	Hispanic	958	9.1	1.05	(7.0 - 11.1)		688,162	(527,526 - 848,798)
CO	White NH	1,594	11.8	0.89	(10.0 - 13.5)		293,780	(249,127 - 338,432)
CO	Black NH	64	24.6	6.61	(11.4 - 37.8)		24,139	(9,087 - 39,190)

Notes:

\*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L5**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2001**

State	Race/Ethnicity	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
CO	Other NH	57	16.6	5.74	(5.1 - 28.1)		15,493	(3,632 - 27,354)
CO	Multirace NH	38	13.7	5.50	(2.6 - 24.8)		7,942	(1,133 - 14,752)
CO	Hispanic	258	10.7	1.98	(6.8 - 14.6)		50,848	(31,726 - 69,971)
CT	White NH	6,453	11.7	0.50	(10.7 - 12.6)		243,738	(222,852 - 264,625)
CT	Black NH	402	14.5	2.03	(10.5 - 18.5)		22,603	(15,970 - 29,236)
CT	Other NH	266	11.3	2.40	(6.6 - 16.0)		12,113	(6,749 - 17,477)
CT	Multirace NH	30	17.5	7.70	(1.7 - 33.2)		1,857	(46 - 3,668)
CT	Hispanic	504	17.4	1.99	(13.5 - 21.3)		37,930	(28,675 - 47,185)
DE	White NH	2,746	10.8	0.81	(9.2 - 12.4)		48,986	(41,499 - 56,474)
DE	Black NH	482	15.9	2.44	(11.1 - 20.7)		14,119	(9,437 - 18,801)
DE	Other NH	104	9.6	3.35	(2.9 - 16.2)		2,093	(597 - 3,589)
DE	Multirace NH	51	12.2	4.75	(2.7 - 21.8)		888	(189 - 1,587)
DE	Hispanic	97	24.7	5.98	(12.8 - 36.5)		4,715	(2,093 - 7,338)
DC	White NH	759	11.7	1.28	(9.2 - 14.2)		16,963	(13,219 - 20,706)
DC	Black NH	888	13.0	1.36	(10.3 - 15.7)		30,378	(23,811 - 36,944)
DC	Other NH	97	8.0	2.85	(2.3 - 13.6)		2,161	(616 - 3,706)
DC	Multirace NH	9	46.1				900	
DC	Hispanic	99	7.3	3.11	(1.1 - 13.5)		2,677	(325 - 5,029)
FL	White NH	3,271	9.8	0.59	(8.7 - 11.0)		833,899	(734,972 - 932,825)
FL	Black NH	422	10.7	1.60	(7.6 - 13.9)		120,181	(83,755 - 156,608)
FL	Other NH	160	7.5	2.18	(3.2 - 11.8)		34,275	(14,334 - 54,215)
FL	Multirace NH	18	13.0				6,070	
FL	Hispanic	753	9.6	1.19	(7.3 - 12.0)		224,528	(168,807 - 280,249)
GA	White NH	3,045	10.1	0.66	(8.8 - 11.4)		396,564	(344,533 - 448,596)
GA	Black NH	1,172	12.9	1.43	(10.1 - 15.7)		214,365	(164,423 - 264,307)
GA	Other NH	127	12.6	4.49	(3.7 - 21.5)		33,741	(7,859 - 59,624)
GA	Multirace NH	46	19.6	7.12	(5.3 - 34.0)		11,296	(2,172 - 20,419)
GA	Hispanic	79	8.7	2.85	(3.0 - 14.3)		11,985	(4,293 - 19,676)
HI	White NH	1,621	10.9	1.03	(8.9 - 12.9)		28,566	(23,037 - 34,096)
HI	Black NH	55	6.4				995	
HI	Other NH	1,801	11.3	1.10	(9.1 - 13.5)		48,249	(38,650 - 57,847)
HI	Multirace NH	677	16.2	1.95	(12.4 - 20.1)		22,811	(16,990 - 28,632)

Notes:

\*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L5**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2001**

State	Race/Ethnicity	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
HI	Hispanic	292	16.2	3.03	(10.3 - 22.2)		10,855	(6,505 - 15,205)
ID	White NH	4,390	11.4	0.56	(10.3 - 12.5)		95,796	(86,492 - 105,099)
ID	Other NH	113	16.3	4.32	(7.8 - 24.9)		3,623	(1,527 - 5,718)
ID	Multirace NH	79	9.8	3.26	(3.3 - 16.3)		1,550	(498 - 2,601)
ID	Hispanic	189	15.6	3.54	(8.6 - 22.6)		6,168	(3,091 - 9,246)
IL	White NH	2,977	10.8	0.63	(9.6 - 12.1)		699,751	(617,639 - 781,863)
IL	Black NH	456	13.7	1.92	(9.9 - 17.5)		147,992	(104,287 - 191,696)
IL	Other NH	153	14.2	2.97	(8.4 - 20.1)		65,056	(36,841 - 93,270)
IL	Multirace NH	116	15.6	4.08	(7.5 - 23.7)		41,255	(17,695 - 64,814)
IL	Hispanic	295	9.4	1.95	(5.6 - 13.3)		95,297	(54,913 - 135,680)
IN	White NH	3,482	11.3	0.59	(10.1 - 12.4)		441,664	(395,951 - 487,377)
IN	Black NH	232	12.6	2.42	(7.9 - 17.4)		33,525	(20,095 - 46,955)
IN	Other NH	73	0.7				669	
IN	Multirace NH	56	26.1	6.34	(13.4 - 38.8)		15,666	(6,946 - 24,387)
IN	Hispanic	117	11.0	3.13	(4.8 - 17.2)		19,826	(8,050 - 31,603)
IA	White NH	3,437	9.3	0.58	(8.1 - 10.4)		191,924	(168,279 - 215,569)
IA	Black NH	39	24.8	8.59	(7.4 - 42.2)		6,513	(1,096 - 11,930)
IA	Other NH	37	14.9	6.36	(2.0 - 27.8)		3,544	(258 - 6,830)
IA	Multirace NH	28	28.6	9.69	(8.8 - 48.5)		5,133	(835 - 9,432)
IA	Hispanic	67	8.0	3.48	(1.1 - 15.0)		3,296	(386 - 6,205)
KS	White NH	4,027	11.2	0.60	(10.0 - 12.4)		194,438	(173,443 - 215,432)
KS	Black NH	175	18.7	3.42	(12.0 - 25.5)		12,787	(7,620 - 17,953)
KS	Other NH	118	20.0	4.21	(11.7 - 28.4)		10,767	(5,793 - 15,740)
KS	Multirace NH	51	23.4	6.48	(10.4 - 36.4)		5,188	(1,910 - 8,466)
KS	Hispanic	200	7.5	2.08	(3.4 - 11.6)		7,445	(3,210 - 11,680)
KY	White NH	6,858	10.7	0.52	(9.7 - 11.7)		290,771	(262,883 - 318,660)
KY	Black NH	369	12.1	2.20	(7.8 - 16.4)		24,506	(15,294 - 33,717)
KY	Other NH	59	8.3				2,891	
KY	Multirace NH	48	25.6	8.61	(8.2 - 42.9)		5,246	(973 - 9,519)
KY	Hispanic	110	11.0	4.25	(2.6 - 19.4)		4,654	(866 - 8,442)
LA	White NH	3,219	8.1	0.52	(7.1 - 9.2)		163,349	(142,489 - 184,209)
LA	Black NH	1,294	10.5	1.00	(8.5 - 12.4)		90,551	(72,696 - 108,405)

Notes:

\*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L5**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2001**

State	Race/Ethnicity	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
LA	Other NH	154	8.9	2.59	(3.7 - 14.0)		10,220	(4,027 - 16,413)
LA	Multirace NH	38	15.8	7.28	(1.1 - 30.6)		3,847	(0 - 7,802)
LA	Hispanic	115	17.0	3.75	(9.6 - 24.5)		15,571	(8,436 - 22,706)
ME	White NH	2,266	12.1	0.78	(10.6 - 13.7)		109,426	(95,225 - 123,627)
ME	Black NH	17	4.8				431	
ME	Other NH	64	22.4	6.09	(10.2 - 34.5)		5,494	(2,080 - 8,907)
ME	Multirace NH	11	22.3				844	
ME	Hispanic	29	28.5	9.35	(9.3 - 47.6)		3,461	(799 - 6,124)
MD	White NH	3,268	10.9	0.68	(9.5 - 12.2)		274,683	(239,696 - 309,670)
MD	Black NH	763	13.8	2.08	(9.8 - 17.9)		129,560	(87,463 - 171,656)
MD	Other NH	173	7.6	1.99	(3.7 - 11.6)		16,952	(8,047 - 25,856)
MD	Multirace NH	22	22.9	11.37	(0.0 - 46.6)		7,849	(0 - 17,271)
MD	Hispanic	158	6.9	2.23	(2.5 - 11.3)		16,550	(5,820 - 27,279)
MA	White NH	6,932	13.2	0.51	(12.2 - 14.2)		535,714	(493,539 - 577,889)
MA	Black NH	404	12.1	1.79	(8.6 - 15.6)		20,125	(14,090 - 26,161)
MA	Other NH	367	11.2	1.98	(7.3 - 15.1)		24,009	(15,226 - 32,792)
MA	Multirace NH	42	10.1				2,246	
MA	Hispanic	780	13.4	1.53	(10.4 - 16.4)		50,498	(38,495 - 62,501)
MI	White NH	3,006	11.8	0.73	(10.3 - 13.2)		684,685	(597,969 - 771,400)
MI	Black NH	415	16.4	2.22	(12.0 - 20.8)		122,697	(86,901 - 158,493)
MI	Other NH	142	7.8	2.18	(3.5 - 12.1)		26,436	(11,766 - 41,106)
MI	Multirace NH	109	14.9	3.59	(7.8 - 22.0)		29,101	(14,254 - 43,947)
MI	Hispanic	104	20.4	4.57	(11.3 - 29.4)		43,298	(21,561 - 65,035)
MN	White NH	3,651	9.8	0.55	(8.7 - 10.9)		325,676	(288,929 - 362,424)
MN	Black NH	98	20.0	4.68	(10.7 - 29.3)		18,147	(9,016 - 27,279)
MN	Other NH	111	10.0	3.06	(3.9 - 16.0)		12,313	(4,479 - 20,147)
MN	Multirace NH	26	16.7				3,923	
MN	Hispanic	57	9.9	4.06	(1.8 - 18.0)		6,127	(920 - 11,333)
MS	White NH	1,998	8.2	0.69	(6.8 - 9.5)		107,368	(89,196 - 125,540)
MS	Black NH	864	10.1	1.24	(7.7 - 12.6)		62,615	(46,830 - 78,400)
MS	Other NH	50	23.6	7.65	(8.2 - 39.0)		9,508	(2,271 - 16,745)
MS	Multirace NH	44	14.0	5.29	(3.3 - 24.6)		4,540	(934 - 8,145)

Notes:

\*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L5**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2001**

State	Race/Ethnicity	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
MS	Hispanic	54	10.7	5.13	(0.4 - 21.0)	4,370	(0 - 8,817)
MO	White NH	3,664	11.4	0.71	(10.0 - 12.8)	407,924	(357,401 - 458,448)
MO	Black NH	229	20.0	3.80	(12.5 - 27.5)	64,909	(37,486 - 92,331)
MO	Other NH	92	7.3	2.83	(1.6 - 12.9)	7,696	(1,644 - 13,748)
MO	Multirace NH	56	14.8	5.14	(4.5 - 25.1)	10,444	(2,923 - 17,965)
MO	Hispanic	68	10.2	4.19	(1.9 - 18.6)	6,504	(1,080 - 11,928)
MT	White NH	2,789	11.7	0.81	(10.1 - 13.3)	69,985	(60,346 - 79,624)
MT	Black NH	4	17.0			145	
MT	Other NH	391	14.5	2.59	(9.4 - 19.5)	5,281	(3,279 - 7,283)
MT	Multirace NH	47	5.0			449	
MT	Hispanic	82	12.9	4.41	(4.1 - 21.7)	1,966	(581 - 3,350)
NE	White NH	3,312	8.3	0.56	(7.2 - 9.4)	92,451	(79,920 - 104,982)
NE	Black NH	90	24.4	10.76	(3.0 - 45.7)	6,691	(0 - 14,268)
NE	Other NH	57	9.2	5.19	(0.0 - 19.6)	2,017	(0 - 4,439)
NE	Multirace NH	23	11.4			705	
NE	Hispanic	203	4.5	1.50	(1.5 - 7.4)	3,768	(1,236 - 6,301)
NV	White NH	1,964	13.4	1.10	(11.3 - 15.6)	145,119	(120,933 - 169,305)
NV	Black NH	76	8.2	3.25	(1.7 - 14.6)	5,197	(963 - 9,431)
NV	Other NH	114	14.1	4.35	(5.5 - 22.7)	10,753	(3,709 - 17,797)
NV	Multirace NH	194	19.4	3.79	(11.9 - 26.9)	24,193	(13,940 - 34,446)
NV	Hispanic	201	9.1	2.62	(3.9 - 14.3)	16,258	(6,924 - 25,592)
NH	White NH	3,802	12.3	0.63	(11.1 - 13.5)	107,550	(96,544 - 118,556)
NH	Other NH	122	12.9	3.84	(5.3 - 20.5)	3,952	(1,432 - 6,472)
NH	Multirace NH	16	27.9			1,385	
NH	Hispanic	62	15.0	4.57	(5.8 - 24.1)	2,529	(904 - 4,154)
NJ	White NH	3,681	9.1	0.60	(7.9 - 10.3)	396,807	(345,084 - 448,530)
NJ	Black NH	794	9.7	1.16	(7.4 - 12.0)	67,479	(51,440 - 83,518)
NJ	Other NH	404	8.0	1.79	(4.5 - 11.5)	37,365	(20,294 - 54,437)
NJ	Multirace NH	30	20.5	10.69	(0.0 - 42.3)	6,204	(0 - 13,895)
NJ	Hispanic	1,020	11.5	1.27	(9.0 - 14.0)	95,966	(74,582 - 117,349)
NM	White NH	1,897	12.9	0.92	(11.1 - 14.7)	81,624	(69,739 - 93,509)
NM	Black NH	55	19.6	6.58	(6.4 - 32.8)	4,850	(1,276 - 8,424)

Notes:

\*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L5**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2001**

State	Race/Ethnicity	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NM	Other NH	227	4.6	1.38	(1.9 - 7.4)		4,518	(1,848 - 7,189)
NM	Multirace NH	47	21.8	9.49	(2.7 - 40.9)		4,599	(0 - 9,456)
NM	Hispanic	1,345	8.5	0.86	(6.8 - 10.2)		44,313	(35,285 - 53,341)
NY	White NH	2,768	9.5	0.62	(8.3 - 10.8)		879,022	(763,965 - 994,080)
NY	Black NH	364	16.6	2.54	(11.6 - 21.6)		266,722	(177,146 - 356,297)
NY	Other NH	207	10.7	2.68	(5.4 - 16.0)		100,127	(47,429 - 152,826)
NY	Multirace NH	17	23.8				16,280	
NY	Hispanic	480	13.7	1.82	(10.1 - 17.3)		334,804	(242,468 - 427,139)
NC	White NH	4,594	9.6	0.71	(8.2 - 11.0)		427,724	(364,129 - 491,319)
NC	Black NH	1,100	12.1	1.72	(8.8 - 15.5)		142,481	(99,653 - 185,309)
NC	Other NH	185	9.2	2.57	(4.2 - 14.3)		22,819	(10,189 - 35,449)
NC	Multirace NH	60	16.7	7.72	(1.3 - 32.2)		9,037	(0 - 18,205)
NC	Hispanic	173	8.2	2.93	(2.4 - 14.0)		17,888	(4,983 - 30,794)
ND	White NH	2,333	9.0	0.64	(7.7 - 10.3)		39,575	(33,975 - 45,176)
ND	Other NH	92	11.5	3.82	(3.9 - 19.1)		1,885	(566 - 3,203)
ND	Multirace NH	17	12.6				322	
ND	Hispanic	38	11.9				879	
OH	White NH	2,845	9.6	0.62	(8.4 - 10.8)		697,559	(608,864 - 786,254)
OH	Black NH	367	12.4	1.94	(8.6 - 16.3)		83,003	(56,314 - 109,691)
OH	Other NH	85	9.5	4.04	(1.4 - 17.5)		19,296	(1,958 - 36,635)
OH	Multirace NH	19	6.7				3,466	
OH	Hispanic	83	7.5	3.06	(1.4 - 13.6)		17,404	(2,898 - 31,911)
OK	White NH	3,613	10.2	0.64	(8.9 - 11.4)		203,565	(177,875 - 229,254)
OK	Black NH	194	8.3	2.08	(4.2 - 12.4)		10,740	(5,360 - 16,120)
OK	Other NH	406	11.1	1.83	(7.5 - 14.7)		24,846	(16,536 - 33,156)
OK	Multirace NH	85	18.3	5.08	(8.2 - 28.4)		6,702	(2,586 - 10,818)
OK	Hispanic	234	8.0	2.07	(3.9 - 12.0)		13,880	(6,698 - 21,062)
OR	White NH	2,165	13.5	0.79	(11.9 - 15.0)		291,811	(257,693 - 325,928)
OR	Black NH	16	13.8				2,017	
OR	Other NH	95	11.7	3.35	(5.1 - 18.4)		12,202	(4,957 - 19,448)
OR	Multirace NH	84	11.4	3.39	(4.6 - 18.1)		10,269	(3,994 - 16,545)
OR	Hispanic	157	6.9	2.13	(2.7 - 11.1)		13,826	(5,121 - 22,531)

Notes:

\*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L5**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2001**

State	Race/Ethnicity	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
PA	White NH	3,186	10.4	0.67	(9.1 - 11.7)		826,020	(718,795 - 933,245)
PA	Black NH	240	12.5	2.49	(7.6 - 17.4)		87,111	(50,692 - 123,530)
PA	Other NH	72	14.2	4.39	(5.5 - 23.0)		40,468	(14,425 - 66,512)
PA	Multirace NH	50	19.7	6.16	(7.3 - 32.1)		23,926	(7,298 - 40,554)
PA	Hispanic	77	8.2	3.61	(1.0 - 15.4)		22,866	(1,986 - 43,747)
RI	White NH	3,500	11.8	0.65	(10.5 - 13.1)		77,963	(69,272 - 86,654)
RI	Black NH	120	17.0	4.07	(9.0 - 25.1)		5,146	(2,566 - 7,726)
RI	Other NH	130	13.8	3.75	(6.3 - 21.2)		3,810	(1,597 - 6,023)
RI	Multirace NH	18	45.3	14.37	(14.9 - 75.6)		1,837	(283 - 3,391)
RI	Hispanic	291	11.2	2.23	(6.8 - 15.6)		8,477	(5,014 - 11,939)
SC	White NH	2,324	10.3	0.71	(8.9 - 11.7)		210,700	(181,498 - 239,903)
SC	Black NH	658	9.6	1.32	(7.0 - 12.2)		69,705	(50,123 - 89,287)
SC	Other NH	75	13.2	3.99	(5.3 - 21.2)		10,586	(3,907 - 17,266)
SC	Multirace NH	10	27.9				2,280	
SC	Hispanic	82	24.4	6.60	(11.2 - 37.5)		24,920	(8,649 - 41,191)
SD	White NH	4,751	7.4	0.44	(6.6 - 8.3)		37,717	(33,270 - 42,164)
SD	Other NH	191	12.8	2.86	(7.2 - 18.5)		2,695	(1,426 - 3,964)
SD	Multirace NH	56	8.9				562	
SD	Hispanic	82	12.2	4.84	(2.6 - 21.8)		1,095	(159 - 2,030)
TN	White NH	2,412	9.2	0.66	(8.0 - 10.5)		325,902	(280,083 - 371,721)
TN	Black NH	385	10.3	1.80	(6.8 - 13.8)		62,581	(40,179 - 84,983)
TN	Other NH	44	5.7				4,582	
TN	Multirace NH	16	8.1				2,115	
TN	Hispanic	53	10.2	5.92	(0.0 - 22.0)		9,986	(0 - 22,276)
TX	White NH	3,556	11.1	0.60	(9.9 - 12.3)		943,604	(838,912 - 1,048,296)
TX	Black NH	555	15.0	1.84	(11.4 - 18.7)		198,588	(146,603 - 250,573)
TX	Other NH	200	7.3	1.97	(3.5 - 11.2)		42,633	(19,448 - 65,817)
TX	Multirace NH	106	11.9	3.23	(5.5 - 18.3)		29,869	(12,975 - 46,763)
TX	Hispanic	1,429	5.3	0.62	(4.1 - 6.5)		232,768	(178,572 - 286,965)
UT	White NH	3,293	10.8	0.71	(9.5 - 12.2)		141,519	(123,007 - 160,032)
UT	Black NH	17	11.0				820	
UT	Other NH	84	10.3	4.47	(1.4 - 19.2)		4,464	(348 - 8,579)

Notes:

\*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L5**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2001**

State	Race/Ethnicity	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
UT	Multirace NH	36	2.5				481	
UT	Hispanic	187	10.0	2.55	(5.0 - 15.0)		8,385	(4,066 - 12,704)
VT	White NH	4,088	11.8	0.58	(10.7 - 13.0)		51,765	(46,698 - 56,832)
VT	Black NH	14	5.2				86	
VT	Other NH	87	19.4	5.00	(9.5 - 29.4)		1,916	(813 - 3,019)
VT	Multirace NH	22	13.9				294	
VT	Hispanic	45	15.1	6.69	(1.6 - 28.5)		723	(11 - 1,436)
VA	White NH	2,155	11.0	0.76	(9.5 - 12.5)		432,714	(372,682 - 492,746)
VA	Black NH	448	12.2	1.76	(8.7 - 15.7)		96,801	(67,705 - 125,897)
VA	Other NH	107	4.9	1.80	(1.4 - 8.5)		11,772	(3,400 - 20,144)
VA	Multirace NH	81	14.2	4.39	(5.4 - 22.9)		21,185	(7,036 - 35,335)
VA	Hispanic	90	18.8	7.32	(4.3 - 33.3)		40,064	(4,529 - 75,598)
WA	White NH	3,568	12.0	0.60	(10.8 - 13.2)		448,275	(403,238 - 493,312)
WA	Black NH	83	17.2	4.49	(8.3 - 26.1)		12,976	(5,648 - 20,304)
WA	Other NH	199	7.9	2.40	(3.2 - 12.6)		17,204	(6,360 - 28,048)
WA	Multirace NH	136	21.2	4.01	(13.3 - 29.2)		32,219	(18,491 - 45,947)
WA	Hispanic	155	7.5	2.04	(3.5 - 11.6)		13,755	(6,394 - 21,116)
WV	White NH	2,753	12.3	0.70	(10.9 - 13.7)		152,967	(135,444 - 170,489)
WV	Black NH	76	10.6	3.47	(3.7 - 17.5)		3,163	(1,066 - 5,261)
WV	Other NH	35	7.0				1,239	
WV	Multirace NH	166	18.3	3.16	(12.1 - 24.6)		13,243	(8,368 - 18,118)
WV	Hispanic	42	7.9				1,570	
WI	White NH	2,866	10.4	0.69	(9.0 - 11.7)		369,282	(319,882 - 418,682)
WI	Black NH	240	17.8	3.20	(11.5 - 24.1)		22,289	(13,738 - 30,840)
WI	Other NH	110	12.4	4.46	(3.6 - 21.3)		18,098	(3,997 - 32,200)
WI	Multirace NH	41	18.2	6.76	(4.5 - 31.9)		9,480	(1,727 - 17,233)
WI	Hispanic	76	12.8	4.27	(4.3 - 21.3)		12,060	(3,543 - 20,578)
WY	White NH	2,781	11.4	0.69	(10.0 - 12.7)		36,845	(32,343 - 41,346)
WY	Black NH	13	16.8				266	
WY	Other NH	58	18.8	5.78	(7.2 - 30.4)		1,370	(431 - 2,309)
WY	Multirace NH	42	18.9	6.76	(5.2 - 32.5)		857	(170 - 1,545)
WY	Hispanic	126	12.8	3.12	(6.6 - 19.0)		1,901	(925 - 2,877)

Notes:

\*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.



**Table L5**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2001**

State	Race/Ethnicity	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
Territories								
GU	White NH	140	8.3	2.39	(3.5 - 13.0)		1,036	(426 - 1,646)
GU	Black NH	23	7.2				141	
GU	Other NH	570	7.0	1.17	(4.7 - 9.2)		4,462	(2,971 - 5,952)
GU	Multirace NH	5	30.0				113	
GU	Hispanic	106	9.5	2.74	(4.0 - 14.9)		1,168	(487 - 1,850)
PR	White NH	24	35.2	12.14	(10.1 - 60.3)		4,014	(639 - 7,390)
PR	Multirace NH	1	100.0				521	
PR	Hispanic	4,200	19.6	0.93	(17.8 - 21.4)		539,346	(486,146 - 592,545)
VI	White NH	400	11.3	2.52	(6.4 - 16.3)		1,267	(668 - 1,867)
VI	Black NH	1,353	8.5	1.02	(6.5 - 10.5)		3,742	(2,832 - 4,652)
VI	Other NH	111	4.9	2.31	(0.4 - 9.5)		196	(11 - 382)
VI	Multirace NH	54	5.2				77	
VI	Hispanic	299	11.3	2.25	(6.9 - 15.8)		1,316	(772 - 1,860)

Notes:

\*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.