

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2002

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	 	Prevalence (number)	95% CI* (number)
U.S. Total**	18-24	18,200	15.1	0.44	(14.2 - 16.0)		4,247,196	(3,987,027 - 4,507,364)
U.S. Total**	25-34	38,723	12.4	0.28	(11.9 - 13.0)		4,891,874	(4,662,017 - 5,121,731)
U.S. Total**	35-44	48,880	11.2	0.25	(10.7 - 11.7)		4,944,894	(4,719,980 - 5,169,808)
U.S. Total**	45-54	48,138	11.7	0.25	(11.2 - 12.1)		4,519,784	(4,319,528 - 4,720,040)
U.S. Total**	55-64	34,823	11.2	0.29	(10.6 - 11.8)		2,957,521	(2,799,205 - 3,115,836)
U.S. Total**	65+	49,787	10.0	0.28	(9.4 - 10.5)		3,498,334	(3,295,090 - 3,701,578)
AL	18-24	221	9.1	2.02	(5.1 - 13.1)		40,905	(22,348 - 59,461)
AL	25-34	487	12.4	1.68	(9.1 - 15.7)		72,396	(52,338 - 92,453)
AL	35-44	582	10.0	1.38	(7.3 - 12.7)		66,652	(47,951 - 85,354)
AL	45-54	610	14.0	1.56	(10.9 - 17.0)		85,347	(65,458 - 105,237)
AL	55-64	484	11.8	1.65	(8.6 - 15.1)		52,789	(37,440 - 68,138)
AL	65+	688	8.8	1.19	(6.5 - 11.1)		50,648	(36,741 - 64,554)
AK	18-24	245	12.3	3.58	(5.2 - 19.3)		7,288	(2,729 - 11,848)
AK	25-34	494	9.9	1.63	(6.7 - 13.1)		8,629	(5,805 - 11,454)
AK	35-44	663	10.1	1.75	(6.7 - 13.6)		11,047	(7,139 - 14,955)
AK	45-54	636	15.2	2.66	(9.9 - 20.4)		15,084	(9,338 - 20,830)
AK	55-64	346	12.7	2.44	(7.9 - 17.5)		6,189	(3,791 - 8,586)
AK	65+	292	9.3	2.15	(5.1 - 13.5)		3,310	(1,776 - 4,843)
AZ	18-24	253	25.7	4.25	(17.3 - 34.1)		141,590	(86,961 - 196,219)
AZ	25-34	419	11.9	1.96	(8.1 - 15.8)		90,586	(60,950 - 120,222)
AZ	35-44	547	12.9	2.02	(8.9 - 16.9)		100,697	(68,135 - 133,258)
AZ	45-54	590	14.7	2.00	(10.8 - 18.6)		99,170	(71,314 - 127,026)
AZ	55-64	539	10.5	1.71	(7.2 - 13.9)		52,136	(35,564 - 68,707)
AZ	65+	856	9.3	1.28	(6.7 - 11.8)		64,503	(46,434 - 82,571)
AR	18-24	272	13.0	2.23	(8.6 - 17.4)		35,138	(22,633 - 47,642)
AR	25-34	586	13.4	1.76	(9.9 - 16.9)		46,230	(33,346 - 59,114)
AR	35-44	666	10.6	1.37	(7.9 - 13.3)		41,198	(30,244 - 52,151)
AR	45-54	777	13.2	1.42	(10.4 - 16.0)		47,389	(36,739 - 58,039)
AR	55-64	651	10.8	1.42	(8.0 - 13.6)		30,077	(21,865 - 38,288)
AR	65+	921	11.4	1.16	(9.1 - 13.7)		42,728	(33,735 - 51,721)
CA	18-24	380	15.2	2.08	(11.1 - 19.3)		538,485	(383,988 - 692,982)
CA	25-34	776	12.4	1.32	(9.8 - 15.0)		646,895	(505,783 - 788,007)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2002

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
CA	35-44	957	12.7	1.19	(10.4 - 15.0)		693,067	(560,072 - 826,062)
CA	45-54	786	11.8	1.24	(9.4 - 14.3)		544,449	(428,164 - 660,735)
CA	55-64	562	11.4	1.45	(8.6 - 14.2)		327,228	(243,335 - 411,122)
CA	65+	746	12.5	1.88	(8.9 - 16.2)		459,105	(311,871 - 606,338)
CO	18-24	358	13.6	1.98	(9.7 - 17.4)		61,869	(43,139 - 80,599)
CO	25-34	749	12.9	1.45	(10.1 - 15.8)		86,549	(66,272 - 106,826)
CO	35-44	826	12.2	1.21	(9.8 - 14.5)		89,950	(71,494 - 108,406)
CO	45-54	862	13.1	1.30	(10.5 - 15.6)		85,481	(68,020 - 102,942)
CO	55-64	565	12.2	1.53	(9.2 - 15.2)		46,233	(34,315 - 58,150)
CO	65+	666	7.7	1.10	(5.6 - 9.9)		32,998	(23,612 - 42,384)
CT	18-24	326	21.8	2.90	(16.1 - 27.5)		58,849	(41,828 - 75,870)
CT	25-34	856	15.6	1.50	(12.6 - 18.5)		69,862	(55,810 - 83,915)
CT	35-44	1,207	12.8	1.13	(10.6 - 15.0)		71,470	(58,499 - 84,441)
CT	45-54	1,161	12.1	1.15	(9.9 - 14.4)		57,158	(45,988 - 68,328)
CT	55-64	814	11.6	1.49	(8.7 - 14.5)		38,541	(28,177 - 48,904)
CT	65+	1,096	8.8	0.96	(6.9 - 10.7)		41,233	(32,173 - 50,292)
DE	18-24	309	15.1	3.00	(9.2 - 21.0)		11,848	(6,949 - 16,747)
DE	25-34	612	12.0	1.75	(8.5 - 15.4)		12,911	(9,038 - 16,784)
DE	35-44	834	11.0	1.47	(8.1 - 13.9)		13,727	(9,966 - 17,488)
DE	45-54	705	10.3	1.45	(7.4 - 13.1)		11,185	(8,003 - 14,367)
DE	55-64	621	13.4	2.07	(9.3 - 17.5)		10,452	(7,000 - 13,904)
DE	65+	921	10.3	1.29	(7.8 - 12.9)		10,640	(7,909 - 13,370)
DC	18-24	174	17.6	3.43	(10.8 - 24.3)		13,042	(7,700 - 18,385)
DC	25-34	612	15.5	2.23	(11.1 - 19.9)		15,238	(10,451 - 20,025)
DC	35-44	462	16.6	2.35	(11.9 - 21.2)		13,718	(9,497 - 17,939)
DC	45-54	404	9.8	1.62	(6.6 - 13.0)		7,039	(4,723 - 9,356)
DC	55-64	301	14.2	2.38	(9.5 - 18.9)		7,565	(4,917 - 10,213)
DC	65+	405	12.3	1.93	(8.5 - 16.1)		8,556	(5,768 - 11,344)
FL	18-24	482	16.1	2.00	(12.1 - 20.0)		227,004	(166,797 - 287,211)
FL	25-34	857	11.1	1.25	(8.6 - 13.5)		232,080	(177,935 - 286,225)
FL	35-44	1,148	10.1	1.12	(8.0 - 12.3)		247,408	(191,048 - 303,768)
FL	45-54	1,084	10.6	1.10	(8.4 - 12.8)		227,916	(179,427 - 276,405)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2002

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
FL	55-64	942	9.6	1.16	(7.3 - 11.9)		166,368	(125,275 - 207,462)
FL	65+	1,547	8.3	0.79	(6.7 - 9.8)		237,883	(191,943 - 283,822)
GA	18-24	434	12.3	2.12	(8.1 - 16.5)		108,813	(71,570 - 146,055)
GA	25-34	926	13.4	1.47	(10.5 - 16.3)		175,059	(134,702 - 215,416)
GA	35-44	1,049	10.4	1.13	(8.2 - 12.7)		139,897	(109,130 - 170,664)
GA	45-54	988	11.8	1.33	(9.2 - 14.4)		132,799	(101,532 - 164,066)
GA	55-64	724	11.7	1.38	(9.0 - 14.4)		85,760	(64,955 - 106,566)
GA	65+	886	10.0	1.14	(7.7 - 12.2)		80,018	(61,469 - 98,566)
HI	18-24	451	13.8	2.04	(9.8 - 17.9)		16,499	(11,360 - 21,639)
HI	25-34	892	14.0	1.47	(11.2 - 16.9)		23,569	(18,429 - 28,710)
HI	35-44	1,157	13.5	1.18	(11.2 - 15.8)		25,369	(20,824 - 29,913)
HI	45-54	1,317	14.2	1.25	(11.7 - 16.6)		24,822	(20,262 - 29,382)
HI	55-64	889	16.0	1.78	(12.5 - 19.5)		18,547	(14,149 - 22,945)
HI	65+	1,247	9.8	1.21	(7.5 - 12.2)		15,876	(11,813 - 19,940)
ID	18-24	416	16.8	2.11	(12.6 - 20.9)		24,418	(17,933 - 30,904)
ID	25-34	833	13.7	1.43	(10.9 - 16.5)		23,134	(18,089 - 28,178)
ID	35-44	969	9.9	1.09	(7.7 - 12.0)		18,936	(14,669 - 23,202)
ID	45-54	1,002	11.4	1.18	(9.0 - 13.7)		19,877	(15,602 - 24,152)
ID	55-64	702	9.3	1.12	(7.1 - 11.5)		11,006	(8,348 - 13,664)
ID	65+	1,071	10.3	1.08	(8.2 - 12.4)		15,315	(12,019 - 18,610)
IL	18-24	464	15.6	1.87	(11.9 - 19.3)		193,947	(147,338 - 240,556)
IL	25-34	900	11.4	1.11	(9.2 - 13.6)		201,355	(161,350 - 241,361)
IL	35-44	1,155	7.3	0.83	(5.6 - 8.9)		139,992	(107,837 - 172,146)
IL	45-54	1,034	11.5	1.16	(9.3 - 13.8)		194,985	(154,954 - 235,016)
IL	55-64	684	10.3	1.28	(7.7 - 12.8)		114,620	(85,293 - 143,947)
IL	65+	990	9.8	1.07	(7.7 - 11.9)		145,895	(113,520 - 178,271)
IN	18-24	467	13.6	1.80	(10.1 - 17.2)		85,761	(61,940 - 109,582)
IN	25-34	981	12.7	1.20	(10.3 - 15.0)		102,539	(82,460 - 122,618)
IN	35-44	1,231	11.9	1.04	(9.9 - 14.0)		111,555	(91,396 - 131,714)
IN	45-54	1,153	10.6	1.00	(8.6 - 12.5)		87,166	(70,376 - 103,956)
IN	55-64	797	9.6	1.10	(7.5 - 11.8)		54,891	(42,124 - 67,659)
IN	65+	1,094	9.2	0.97	(7.3 - 11.1)		68,501	(53,793 - 83,209)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2002

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
IA	18-24	281	10.0	2.01	(6.0 - 14.0)		30,400	(17,817 - 42,983)
IA	25-34	532	10.1	1.47	(7.2 - 13.0)		35,367	(24,778 - 45,957)
IA	35-44	671	10.9	1.69	(7.6 - 14.2)		46,915	(31,556 - 62,274)
IA	45-54	716	8.0	1.06	(6.0 - 10.1)		31,888	(23,434 - 40,343)
IA	55-64	519	8.0	1.35	(5.4 - 10.7)		22,119	(14,514 - 29,723)
IA	65+	918	7.3	1.05	(5.2 - 9.4)		31,260	(22,120 - 40,400)
KS	18-24	344	18.2	2.24	(13.8 - 22.5)		50,782	(37,415 - 64,148)
KS	25-34	767	11.1	1.20	(8.8 - 13.5)		37,795	(29,456 - 46,134)
KS	35-44	957	11.0	1.09	(8.9 - 13.2)		44,922	(35,870 - 53,973)
KS	45-54	982	9.5	0.97	(7.6 - 11.4)		34,084	(27,063 - 41,104)
KS	55-64	617	10.5	1.28	(8.0 - 13.0)		24,847	(18,682 - 31,012)
KS	65+	890	8.1	1.02	(6.1 - 10.1)		28,279	(20,983 - 35,575)
KY	18-24	443	13.8	2.60	(8.7 - 18.9)		56,959	(34,474 - 79,444)
KY	25-34	972	13.5	1.91	(9.8 - 17.3)		74,215	(51,880 - 96,549)
KY	35-44	1,289	11.5	1.26	(9.0 - 14.0)		71,803	(55,663 - 87,942)
KY	45-54	1,346	13.9	1.34	(11.3 - 16.5)		79,362	(63,697 - 95,027)
KY	55-64	1,150	14.1	1.46	(11.3 - 17.0)		56,596	(44,505 - 68,688)
KY	65+	1,818	10.5	0.88	(8.8 - 12.2)		52,412	(43,584 - 61,240)
LA	18-24	516	16.8	1.99	(12.9 - 20.7)		81,058	(60,556 - 101,560)
LA	25-34	823	10.2	1.19	(7.9 - 12.6)		59,529	(45,436 - 73,621)
LA	35-44	956	9.3	1.12	(7.1 - 11.5)		62,272	(47,010 - 77,534)
LA	45-54	963	10.7	1.09	(8.5 - 12.8)		63,200	(50,023 - 76,377)
LA	55-64	715	9.2	1.21	(6.8 - 11.6)		37,306	(27,308 - 47,304)
LA	65+	1,026	7.1	0.88	(5.4 - 8.8)		36,176	(27,153 - 45,199)
ME	18-24	161	16.5	3.25	(10.1 - 22.9)		17,644	(10,149 - 25,140)
ME	25-34	351	15.6	2.11	(11.4 - 19.7)		24,014	(17,138 - 30,889)
ME	35-44	509	10.4	1.44	(7.6 - 13.2)		21,731	(15,592 - 27,870)
ME	45-54	544	14.5	1.67	(11.2 - 17.8)		28,453	(21,618 - 35,288)
ME	55-64	374	14.1	1.93	(10.4 - 17.9)		18,895	(13,512 - 24,278)
ME	65+	478	12.8	1.66	(9.5 - 16.0)		23,403	(17,067 - 29,739)
MD	18-24	311	16.9	2.46	(12.1 - 21.7)		74,235	(51,539 - 96,931)
MD	25-34	695	15.5	1.89	(11.7 - 19.2)		114,922	(84,917 - 144,926)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2002

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MD	35-44	996	10.1	1.20	(7.8 - 12.5)		92,167	(69,892 - 114,442)
MD	45-54	897	12.2	1.41	(9.4 - 15.0)		92,892	(70,635 - 115,150)
MD	55-64	669	10.2	1.30	(7.7 - 12.8)		53,114	(39,437 - 66,791)
MD	65+	767	11.0	1.52	(8.0 - 13.9)		66,205	(47,109 - 85,302)
MA	18-24	555	20.1	2.17	(15.8 - 24.3)		119,151	(91,010 - 147,293)
MA	25-34	1,371	15.2	1.26	(12.8 - 17.7)		136,970	(113,262 - 160,678)
MA	35-44	1,641	11.2	0.98	(9.3 - 13.1)		115,317	(94,609 - 136,025)
MA	45-54	1,428	13.0	1.08	(10.9 - 15.1)		113,227	(93,897 - 132,557)
MA	55-64	917	12.2	1.24	(9.7 - 14.6)		71,526	(56,576 - 86,475)
MA	65+	1,405	8.1	0.88	(6.4 - 9.8)		69,575	(54,280 - 84,869)
MI	18-24	433	16.9	2.02	(12.9 - 20.9)		161,870	(121,465 - 202,275)
MI	25-34	937	13.1	1.39	(10.3 - 15.8)		173,030	(135,065 - 210,996)
MI	35-44	1,249	12.0	1.15	(9.8 - 14.3)		186,128	(149,549 - 222,706)
MI	45-54	1,220	11.0	1.10	(8.8 - 13.1)		153,391	(122,124 - 184,659)
MI	55-64	879	14.2	1.54	(11.2 - 17.3)		132,256	(101,723 - 162,789)
MI	65+	1,174	11.6	1.14	(9.4 - 13.8)		140,557	(111,929 - 169,184)
MN	18-24	289	13.7	2.34	(9.1 - 18.3)		66,648	(42,970 - 90,325)
MN	25-34	747	13.8	1.43	(11.0 - 16.6)		91,164	(71,428 - 110,900)
MN	35-44	939	10.7	1.09	(8.6 - 12.9)		86,901	(68,876 - 104,925)
MN	45-54	934	10.1	1.09	(8.0 - 12.3)		70,908	(55,305 - 86,511)
MN	55-64	629	7.9	1.15	(5.7 - 10.2)		34,615	(24,408 - 44,821)
MN	65+	939	11.3	1.20	(8.9 - 13.6)		66,316	(51,578 - 81,053)
MS	18-24	314	10.6	2.14	(6.3 - 14.8)		33,693	(19,507 - 47,879)
MS	25-34	610	13.0	2.10	(8.8 - 17.1)		48,258	(31,436 - 65,081)
MS	35-44	779	8.9	1.21	(6.5 - 11.2)		36,795	(26,580 - 47,010)
MS	45-54	811	9.6	1.15	(7.3 - 11.9)		35,525	(26,807 - 44,243)
MS	55-64	645	11.6	1.41	(8.9 - 14.4)		30,942	(23,201 - 38,684)
MS	65+	895	10.8	1.18	(8.4 - 13.1)		36,871	(28,571 - 45,171)
MO	18-24	383	21.5	2.94	(15.7 - 27.3)		118,315	(82,615 - 154,016)
MO	25-34	702	13.2	1.64	(10.0 - 16.4)		94,956	(70,405 - 119,507)
MO	35-44	883	10.9	1.34	(8.3 - 13.6)		93,995	(70,482 - 117,509)
MO	45-54	875	12.5	1.38	(9.8 - 15.2)		94,386	(73,204 - 115,568)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2002

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MO	55-64	707	12.2	1.73	(8.8 - 15.6)		66,851	(47,206 - 86,495)
MO	65+	1,140	7.6	0.97	(5.7 - 9.5)		57,339	(42,743 - 71,935)
MT	18-24	305	17.2	2.90	(11.5 - 22.9)		15,071	(9,592 - 20,550)
MT	25-34	534	18.1	3.36	(11.5 - 24.7)		18,064	(10,349 - 25,779)
MT	35-44	786	12.7	1.72	(9.3 - 16.0)		17,432	(12,446 - 22,417)
MT	45-54	896	16.2	1.82	(12.6 - 19.8)		21,687	(16,421 - 26,953)
MT	55-64	629	12.2	1.75	(8.8 - 15.6)		11,179	(7,856 - 14,502)
MT	65+	843	11.2	1.47	(8.4 - 14.1)		13,356	(9,755 - 16,957)
NE	18-24	309	16.7	2.44	(11.9 - 21.5)		29,880	(20,748 - 39,013)
NE	25-34	689	9.4	1.26	(6.9 - 11.9)		20,444	(14,846 - 26,042)
NE	35-44	863	9.4	1.20	(7.0 - 11.8)		23,952	(17,669 - 30,236)
NE	45-54	806	8.9	1.10	(6.7 - 11.1)		20,666	(15,491 - 25,841)
NE	55-64	542	11.0	1.54	(8.0 - 14.0)		16,795	(11,912 - 21,679)
NE	65+	1,146	9.4	1.10	(7.2 - 11.5)		21,471	(16,243 - 26,698)
NV	18-24	263	11.3	2.71	(6.0 - 16.6)		22,418	(11,521 - 33,315)
NV	25-34	467	14.9	2.23	(10.5 - 19.3)		47,855	(32,861 - 62,849)
NV	35-44	693	12.0	1.75	(8.6 - 15.5)		40,417	(28,246 - 52,589)
NV	45-54	656	12.9	2.10	(8.8 - 17.0)		39,011	(25,630 - 52,393)
NV	55-64	468	14.9	2.19	(10.6 - 19.2)		32,966	(22,968 - 42,964)
NV	65+	603	7.9	1.50	(4.9 - 10.8)		18,475	(11,308 - 25,642)
NH	18-24	304	17.1	2.49	(12.2 - 22.0)		18,458	(12,725 - 24,192)
NH	25-34	754	16.9	1.52	(13.9 - 19.8)		26,822	(21,722 - 31,922)
NH	35-44	1,205	14.7	1.17	(12.4 - 17.0)		32,251	(26,849 - 37,653)
NH	45-54	1,064	13.1	1.16	(10.8 - 15.4)		24,288	(19,794 - 28,783)
NH	55-64	742	11.8	1.25	(9.3 - 14.2)		14,228	(11,140 - 17,316)
NH	65+	891	10.4	1.09	(8.3 - 12.6)		15,747	(12,374 - 19,120)
NJ	18-24	324	11.7	3.18	(5.4 - 17.9)		81,723	(35,902 - 127,544)
NJ	25-34	994	14.2	2.44	(9.4 - 19.0)		164,764	(104,524 - 225,003)
NJ	35-44	1,336	13.8	1.99	(9.9 - 17.7)		192,316	(134,208 - 250,423)
NJ	45-54	1,264	9.2	1.65	(5.9 - 12.4)		107,236	(68,208 - 146,264)
NJ	55-64	846	9.2	2.14	(5.0 - 13.4)		75,290	(39,293 - 111,287)
NJ	65+	1,302	11.2	1.95	(7.4 - 15.0)		124,954	(79,428 - 170,480)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2002

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NM	18-24	366	16.0	2.28	(11.6 - 20.5)		29,319	(20,449 - 38,188)
NM	25-34	644	11.9	1.51	(9.0 - 14.9)		27,301	(20,195 - 34,407)
NM	35-44	872	11.5	1.20	(9.2 - 13.9)		31,752	(24,985 - 38,519)
NM	45-54	994	10.4	1.10	(8.2 - 12.5)		26,447	(20,723 - 32,170)
NM	55-64	740	9.9	1.19	(7.5 - 12.2)		16,886	(12,729 - 21,044)
NM	65+	1,034	10.9	1.17	(8.6 - 13.2)		23,002	(17,913 - 28,091)
NY	18-24	332	14.1	2.13	(9.9 - 18.3)		255,006	(174,207 - 335,805)
NY	25-34	829	11.7	1.16	(9.4 - 14.0)		311,896	(249,696 - 374,096)
NY	35-44	932	12.0	1.27	(9.5 - 14.5)		349,805	(272,684 - 426,926)
NY	45-54	884	10.7	1.21	(8.3 - 13.1)		274,578	(211,055 - 338,100)
NY	55-64	598	11.4	1.44	(8.6 - 14.3)		206,811	(153,360 - 260,262)
NY	65+	820	9.7	1.24	(7.3 - 12.2)		236,243	(174,235 - 298,251)
NC	18-24	487	11.0	1.94	(7.2 - 14.8)		92,836	(59,847 - 125,825)
NC	25-34	1,138	8.8	1.11	(6.6 - 11.0)		105,528	(78,556 - 132,499)
NC	35-44	1,319	12.3	1.45	(9.4 - 15.1)		155,219	(116,492 - 193,946)
NC	45-54	1,327	13.2	1.52	(10.3 - 16.2)		146,859	(111,305 - 182,414)
NC	55-64	977	10.1	1.42	(7.3 - 12.9)		80,485	(57,210 - 103,760)
NC	65+	1,425	10.0	1.57	(6.9 - 13.0)		97,516	(64,956 - 130,076)
ND	18-24	303	13.8	2.18	(9.5 - 18.1)		10,213	(6,848 - 13,578)
ND	25-34	393	12.5	1.84	(8.8 - 16.1)		9,212	(6,369 - 12,055)
ND	35-44	617	9.6	1.25	(7.1 - 12.0)		8,967	(6,582 - 11,351)
ND	45-54	602	7.0	1.12	(4.8 - 9.2)		5,993	(4,054 - 7,933)
ND	55-64	414	10.5	1.63	(7.3 - 13.7)		5,960	(4,045 - 7,876)
ND	65+	644	9.2	1.28	(6.7 - 11.7)		8,416	(6,028 - 10,805)
OH	18-24	308	12.4	2.14	(8.2 - 16.6)		134,005	(85,962 - 182,047)
OH	25-34	662	11.8	1.36	(9.2 - 14.5)		174,186	(133,225 - 215,147)
OH	35-44	859	8.3	1.12	(6.1 - 10.5)		143,854	(104,194 - 183,514)
OH	45-54	872	10.2	1.17	(7.9 - 12.5)		159,926	(122,112 - 197,740)
OH	55-64	572	10.3	1.42	(7.5 - 13.1)		110,913	(79,503 - 142,323)
OH	65+	773	10.0	1.24	(7.5 - 12.4)		148,265	(110,836 - 185,695)
OK	18-24	482	14.1	1.89	(10.4 - 17.8)		51,778	(37,239 - 66,317)
OK	25-34	976	13.9	1.36	(11.3 - 16.6)		61,051	(48,441 - 73,661)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2002

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
OK	35-44	1,192	9.8	0.97	(7.9 - 11.7)		49,968	(39,901 - 60,036)
OK	45-54	1,236	10.1	1.00	(8.1 - 12.1)		46,814	(37,266 - 56,362)
OK	55-64	1,163	9.9	0.96	(8.0 - 11.8)		33,705	(27,074 - 40,337)
OK	65+	1,678	10.1	0.81	(8.5 - 11.7)		45,437	(37,967 - 52,906)
OR	18-24	224	15.6	2.67	(10.3 - 20.8)		53,300	(34,089 - 72,511)
OR	25-34	492	12.9	1.67	(9.6 - 16.1)		59,926	(43,846 - 76,006)
OR	35-44	589	11.9	1.39	(9.2 - 14.6)		61,631	(46,971 - 76,291)
OR	45-54	639	15.9	1.64	(12.7 - 19.2)		83,493	(65,461 - 101,526)
OR	55-64	487	15.4	1.83	(11.8 - 19.0)		51,099	(38,231 - 63,968)
OR	65+	621	12.7	1.45	(9.8 - 15.6)		56,352	(42,983 - 69,721)
PA	18-24	855	18.4	1.80	(14.9 - 22.0)		204,972	(162,138 - 247,807)
PA	25-34	2,041	12.9	0.99	(10.9 - 14.8)		193,794	(162,665 - 224,923)
PA	35-44	2,760	10.7	0.75	(9.2 - 12.1)		201,060	(172,166 - 229,955)
PA	45-54	2,732	10.8	0.80	(9.2 - 12.4)		183,526	(155,489 - 211,563)
PA	55-64	1,989	10.7	0.91	(8.9 - 12.5)		128,858	(106,180 - 151,536)
PA	65+	2,977	8.4	0.65	(7.1 - 9.7)		159,227	(134,032 - 184,423)
RI	18-24	282	19.4	2.63	(14.3 - 24.6)		21,336	(15,246 - 27,427)
RI	25-34	680	12.1	1.49	(9.2 - 15.0)		16,664	(12,419 - 20,908)
RI	35-44	845	12.7	1.23	(10.2 - 15.1)		21,042	(16,833 - 25,250)
RI	45-54	738	14.0	1.44	(11.2 - 16.8)		19,799	(15,543 - 24,056)
RI	55-64	493	10.8	1.47	(8.0 - 13.7)		10,474	(7,563 - 13,384)
RI	65+	750	9.4	1.15	(7.1 - 11.7)		14,473	(10,840 - 18,107)
SC	18-24	313	14.2	2.46	(9.3 - 19.0)		59,779	(38,023 - 81,534)
SC	25-34	745	9.7	1.66	(6.4 - 13.0)		53,585	(34,466 - 72,703)
SC	35-44	897	10.5	1.33	(7.9 - 13.2)		64,841	(47,970 - 81,713)
SC	45-54	888	10.2	1.40	(7.5 - 13.0)		57,630	(41,353 - 73,906)
SC	55-64	719	8.9	1.24	(6.5 - 11.3)		36,148	(26,001 - 46,296)
SC	65+	898	6.6	0.98	(4.7 - 8.6)		32,275	(22,692 - 41,859)
SD	18-24	319	12.0	2.16	(7.7 - 16.2)		9,468	(5,906 - 13,029)
SD	25-34	731	9.6	1.48	(6.7 - 12.5)		8,502	(5,784 - 11,220)
SD	35-44	934	8.6	1.00	(6.7 - 10.6)		9,658	(7,374 - 11,941)
SD	45-54	926	8.1	1.09	(6.0 - 10.3)		8,096	(5,864 - 10,329)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2002

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
SD	55-64	661	6.5	1.07	(4.4 - 8.6)		4,335	(2,880 - 5,791)
SD	65+	1,189	7.2	0.78	(5.6 - 8.7)		7,610	(5,934 - 9,286)
TN	18-24	246	12.4	2.42	(7.6 - 17.1)		70,152	(41,586 - 98,719)
TN	25-34	559	12.6	1.54	(9.6 - 15.6)		100,724	(75,637 - 125,811)
TN	35-44	612	13.8	1.53	(10.8 - 16.8)		121,506	(93,466 - 149,546)
TN	45-54	631	13.0	1.52	(10.1 - 16.0)		105,785	(80,190 - 131,381)
TN	55-64	465	11.0	1.64	(7.7 - 14.2)		63,165	(43,663 - 82,667)
TN	65+	672	9.8	1.26	(7.4 - 12.3)		69,236	(51,107 - 87,364)
TX	18-24	588	14.8	1.66	(11.5 - 18.0)		342,860	(262,138 - 423,582)
TX	25-34	1,234	10.5	0.99	(8.6 - 12.5)		333,986	(270,031 - 397,941)
TX	35-44	1,306	10.3	0.94	(8.5 - 12.2)		338,613	(275,683 - 401,543)
TX	45-54	1,130	12.2	1.09	(10.1 - 14.3)		335,275	(273,966 - 396,585)
TX	55-64	772	12.6	1.64	(9.4 - 15.8)		223,489	(163,232 - 283,745)
TX	65+	1,030	10.6	1.04	(8.6 - 12.6)		224,198	(179,614 - 268,783)
UT	18-24	466	13.9	2.11	(9.8 - 18.1)		46,257	(31,631 - 60,883)
UT	25-34	800	12.8	1.42	(10.0 - 15.6)		42,010	(32,447 - 51,574)
UT	35-44	842	11.2	1.65	(8.0 - 14.4)		33,053	(22,937 - 43,169)
UT	45-54	757	12.4	1.52	(9.5 - 15.4)		31,120	(23,278 - 38,962)
UT	55-64	510	12.0	1.85	(8.4 - 15.6)		18,343	(12,464 - 24,222)
UT	65+	686	10.3	1.38	(7.6 - 13.0)		20,273	(14,735 - 25,812)
VT	18-24	263	18.9	2.65	(13.7 - 24.1)		10,892	(7,576 - 14,208)
VT	25-34	645	15.4	1.50	(12.5 - 18.4)		11,189	(8,916 - 13,462)
VT	35-44	905	13.6	1.29	(11.1 - 16.1)		13,515	(10,824 - 16,205)
VT	45-54	951	8.8	0.96	(6.9 - 10.7)		8,414	(6,550 - 10,279)
VT	55-64	616	13.0	1.46	(10.1 - 15.8)		7,991	(6,118 - 9,864)
VT	65+	819	9.7	1.10	(7.5 - 11.8)		7,446	(5,709 - 9,183)
VA	18-24	331	15.3	2.61	(10.2 - 20.5)		108,478	(70,216 - 146,740)
VA	25-34	702	13.4	1.61	(10.3 - 16.6)		137,940	(104,059 - 171,821)
VA	35-44	950	11.0	1.31	(8.4 - 13.6)		130,679	(99,136 - 162,223)
VA	45-54	932	12.6	1.46	(9.7 - 15.5)		129,352	(99,132 - 159,573)
VA	55-64	638	11.6	1.59	(8.5 - 14.7)		79,976	(57,573 - 102,378)
VA	65+	805	8.8	1.23	(6.4 - 11.2)		70,492	(50,533 - 90,451)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2002

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
WA	18-24	393	15.1	2.24	(10.7 - 19.5)		87,924	(60,324 - 115,523)
WA	25-34	823	16.9	1.53	(13.9 - 19.9)		141,096	(114,446 - 167,745)
WA	35-44	1,011	13.6	1.27	(11.1 - 16.1)		131,556	(106,089 - 157,022)
WA	45-54	1,054	13.0	1.28	(10.4 - 15.5)		116,123	(92,320 - 139,926)
WA	55-64	676	12.8	1.56	(9.7 - 15.9)		69,715	(52,060 - 87,370)
WA	65+	920	14.2	1.41	(11.5 - 17.0)		95,281	(75,555 - 115,008)
WV	18-24	221	15.0	2.58	(9.9 - 20.1)		26,080	(16,615 - 35,545)
WV	25-34	470	15.6	1.79	(12.1 - 19.1)		34,229	(25,950 - 42,508)
WV	35-44	639	12.0	1.44	(9.2 - 14.8)		31,265	(23,476 - 39,053)
WV	45-54	638	13.7	1.49	(10.8 - 16.6)		37,432	(28,953 - 45,912)
WV	55-64	517	11.9	1.48	(9.0 - 14.8)		23,371	(17,437 - 29,305)
WV	65+	845	9.9	1.13	(7.6 - 12.1)		26,675	(20,431 - 32,920)
WI	18-24	346	15.5	2.42	(10.7 - 20.3)		81,157	(54,109 - 108,206)
WI	25-34	722	12.4	1.43	(9.6 - 15.2)		86,242	(65,587 - 106,897)
WI	35-44	934	10.5	1.29	(7.9 - 13.0)		89,397	(66,498 - 112,296)
WI	45-54	862	11.2	1.28	(8.7 - 13.7)		84,779	(64,751 - 104,808)
WI	55-64	615	12.0	1.52	(9.0 - 15.0)		59,162	(43,496 - 74,828)
WI	65+	846	10.2	1.19	(7.9 - 12.5)		71,524	(54,521 - 88,528)
WY	18-24	288	14.9	2.39	(10.2 - 19.6)		7,620	(5,053 - 10,187)
WY	25-34	512	13.2	1.61	(10.0 - 16.3)		7,614	(5,679 - 9,549)
WY	35-44	660	9.8	1.22	(7.5 - 12.2)		7,517	(5,627 - 9,407)
WY	45-54	834	10.9	1.28	(8.4 - 13.5)		8,270	(6,249 - 10,290)
WY	55-64	532	9.8	1.39	(7.1 - 12.5)		4,708	(3,358 - 6,058)
WY	65+	694	8.4	1.12	(6.2 - 10.6)		4,790	(3,498 - 6,083)
Territories								
GU	18-24	106	9.5	3.18	(3.2 - 15.8)		1,476	(453 - 2,499)
GU	25-34	231	19.9	3.01	(13.9 - 25.8)		3,837	(2,578 - 5,095)
GU	35-44	213	8.1	2.39	(3.4 - 12.8)		1,810	(706 - 2,914)
GU	45-54	143	7.9	2.17	(3.7 - 12.2)		1,465	(669 - 2,260)
GU	55-64	88	15.5	4.02	(7.5 - 23.5)		1,566	(714 - 2,418)
GU	65+	46	14.3	5.68	(2.8 - 25.7)		1,446	(210 - 2,682)
PR	18-24	405	25.9	2.52	(20.9 - 30.9)		124,625	(97,508 - 151,742)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2002

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
PR	25-34	624	16.6	1.73	(13.2 - 20.0)		88,540	(69,097 - 107,983)
PR	35-44	830	21.4	1.75	(18.0 - 24.9)		110,843	(90,973 - 130,714)
PR	45-54	721	17.7	1.68	(14.4 - 21.0)		81,183	(64,902 - 97,464)
PR	55-64	653	15.8	1.64	(12.6 - 19.1)		55,713	(43,752 - 67,675)
PR	65+	877	19.4	1.74	(16.0 - 22.9)		83,118	(66,968 - 99,268)
VI	18-24	157	14.7	3.38	(8.0 - 21.3)		1,596	(809 - 2,382)
VI	25-34	430	12.1	1.84	(8.5 - 15.7)		1,679	(1,150 - 2,208)
VI	35-44	505	10.4	1.59	(7.3 - 13.5)		1,504	(1,035 - 1,973)
VI	45-54	471	8.7	1.61	(5.6 - 11.9)		1,197	(747 - 1,646)
VI	55-64	404	4.6	1.13	(2.4 - 6.9)		405	(207 - 602)
VI	65+	264	4.7	1.60	(1.5 - 7.8)		506	(158 - 854)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.