

**Table L6**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Education and State or Territory: BRFSS 2003**

State	Education	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total**	HS Nongrad	27,254	12.9	0.39	(12.1 - 13.6)		3,367,517	(3,154,733 - 3,580,302)
U.S. Total**	HS Grad	78,551	11.5	0.23	(11.1 - 12.0)		7,622,750	(7,312,021 - 7,933,479)
U.S. Total**	Some Coll	69,844	12.6	0.24	(12.1 - 13.1)		7,330,455	(7,042,928 - 7,617,982)
U.S. Total**	Coll Grad	81,065	11.2	0.20	(10.8 - 11.6)		7,412,620	(7,148,198 - 7,677,043)
AL	HS Nongrad	498	13.8	1.78	(10.3 - 17.3)		67,390	(49,586 - 85,194)
AL	HS Grad	1,072	10.9	1.29	(8.4 - 13.5)		121,714	(91,683 - 151,746)
AL	Some Coll	969	11.1	1.19	(8.7 - 13.4)		113,497	(88,300 - 138,693)
AL	Coll Grad	795	11.8	1.40	(9.0 - 14.5)		89,069	(66,898 - 111,240)
AK	HS Nongrad	218	10.4	2.60	(5.3 - 15.6)		4,137	(2,050 - 6,225)
AK	HS Grad	827	9.5	1.37	(6.8 - 12.2)		12,753	(9,011 - 16,495)
AK	Some Coll	822	15.0	1.85	(11.4 - 18.7)		22,991	(17,046 - 28,936)
AK	Coll Grad	786	16.0	1.86	(12.4 - 19.7)		20,994	(15,871 - 26,117)
AZ	HS Nongrad	316	12.1	2.62	(6.9 - 17.2)		49,270	(27,245 - 71,294)
AZ	HS Grad	880	12.2	1.72	(8.8 - 15.6)		135,202	(96,394 - 174,010)
AZ	Some Coll	1,003	13.9	1.55	(10.9 - 16.9)		180,504	(138,906 - 222,103)
AZ	Coll Grad	1,023	11.4	1.40	(8.7 - 14.2)		145,399	(109,183 - 181,614)
AR	HS Nongrad	511	14.2	1.72	(10.9 - 17.6)		37,356	(28,024 - 46,687)
AR	HS Grad	1,546	10.0	0.91	(8.3 - 11.8)		75,897	(61,840 - 89,953)
AR	Some Coll	1,076	11.7	1.16	(9.4 - 14.0)		61,988	(49,275 - 74,702)
AR	Coll Grad	1,059	11.3	1.10	(9.1 - 13.4)		55,206	(44,035 - 66,378)
CA	HS Nongrad	464	11.1	1.64	(7.8 - 14.3)		426,292	(295,722 - 556,862)
CA	HS Grad	996	13.6	1.30	(11.0 - 16.1)		883,668	(707,905 - 1,059,431)
CA	Some Coll	1,313	15.0	1.21	(12.7 - 17.4)		1,086,160	(903,080 - 1,269,239)
CA	Coll Grad	1,686	13.0	0.93	(11.2 - 14.8)		1,074,577	(917,361 - 1,231,793)
CO	HS Nongrad	260	5.6	1.52	(2.6 - 8.6)		16,504	(7,484 - 25,525)
CO	HS Grad	1,002	11.8	1.18	(9.5 - 14.1)		104,224	(82,626 - 125,823)
CO	Some Coll	1,119	13.8	1.29	(11.2 - 16.3)		126,001	(100,978 - 151,024)
CO	Coll Grad	1,677	13.5	1.01	(11.5 - 15.5)		177,955	(150,151 - 205,760)
CT	HS Nongrad	384	14.1	1.98	(10.2 - 18.0)		29,908	(21,180 - 38,635)
CT	HS Grad	1,326	12.0	1.02	(10.0 - 14.1)		82,606	(68,169 - 97,043)
CT	Some Coll	1,215	13.4	1.09	(11.3 - 15.5)		81,319	(67,745 - 94,893)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L6**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Education and State or Territory: BRFSS 2003**

State	Education	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	    	Prevalence (number)	95% CI* (number)
CT	Coll Grad	2,370	11.2	0.75	(9.8 - 12.7)		125,010	(107,853 - 142,166)
DE	HS Nongrad	366	11.7	2.07	(7.6 - 15.7)		5,759	(3,699 - 7,820)
DE	HS Grad	1,369	10.9	1.19	(8.5 - 13.2)		22,657	(17,558 - 27,756)
DE	Some Coll	1,034	11.2	1.18	(8.9 - 13.5)		17,385	(13,704 - 21,066)
DE	Coll Grad	1,262	13.1	1.25	(10.7 - 15.6)		26,480	(21,295 - 31,666)
DC	HS Nongrad	134	15.8	3.72	(8.4 - 23.1)		6,317	(3,131 - 9,503)
DC	HS Grad	345	11.6	1.93	(7.8 - 15.4)		11,483	(7,575 - 15,390)
DC	Some Coll	352	13.8	2.27	(9.3 - 18.3)		13,602	(9,004 - 18,200)
DC	Coll Grad	1,202	12.3	1.21	(9.9 - 14.7)		26,716	(21,307 - 32,124)
FL	HS Nongrad	607	10.1	2.09	(6.0 - 14.2)		148,915	(85,321 - 212,508)
FL	HS Grad	1,669	10.5	1.21	(8.1 - 12.8)		434,292	(331,328 - 537,257)
FL	Some Coll	1,389	10.5	1.24	(8.1 - 12.9)		374,090	(284,093 - 464,088)
FL	Coll Grad	1,349	9.2	1.05	(7.1 - 11.2)		357,627	(275,097 - 440,157)
GA	HS Nongrad	1,167	16.3	1.68	(13.0 - 19.6)		135,342	(105,097 - 165,587)
GA	HS Grad	2,441	11.0	1.05	(9.0 - 13.1)		218,594	(174,879 - 262,309)
GA	Some Coll	1,954	12.3	1.12	(10.1 - 14.5)		200,837	(163,028 - 238,646)
GA	Coll Grad	2,059	10.4	1.04	(8.4 - 12.4)		202,720	(160,968 - 244,471)
HI	HS Nongrad	254	13.6	2.92	(7.8 - 19.3)		7,681	(4,201 - 11,161)
HI	HS Grad	1,227	10.9	1.10	(8.7 - 13.0)		31,433	(24,955 - 37,911)
HI	Some Coll	1,232	13.6	1.26	(11.1 - 16.1)		37,552	(30,274 - 44,829)
HI	Coll Grad	1,602	10.1	0.90	(8.4 - 11.9)		34,021	(27,967 - 40,074)
ID	HS Nongrad	435	9.7	1.57	(6.7 - 12.8)		8,265	(5,555 - 10,976)
ID	HS Grad	1,600	11.0	0.95	(9.1 - 12.9)		33,757	(27,831 - 39,684)
ID	Some Coll	1,602	13.3	1.07	(11.3 - 15.4)		41,966	(35,021 - 48,910)
ID	Coll Grad	1,348	11.1	1.01	(9.1 - 13.1)		30,130	(24,552 - 35,708)
IL	HS Nongrad	500	10.0	1.38	(7.3 - 12.7)		105,086	(75,755 - 134,418)
IL	HS Grad	1,508	10.5	0.89	(8.7 - 12.2)		288,793	(239,168 - 338,418)
IL	Some Coll	1,462	12.6	1.01	(10.6 - 14.6)		328,561	(274,090 - 383,031)
IL	Coll Grad	1,783	10.8	0.85	(9.2 - 12.5)		320,542	(269,261 - 371,823)
IN	HS Nongrad	585	15.8	1.75	(12.4 - 19.2)		83,488	(63,970 - 103,007)
IN	HS Grad	2,059	11.8	0.82	(10.2 - 13.4)		201,183	(172,541 - 229,825)

Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L6**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Education and State or Territory: BRFSS 2003**

State	Education	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	    	Prevalence (number)	95% CI* (number)
IN	Some Coll	1,402	11.9	0.97	(10.0 - 13.9)		146,101	(121,663 - 170,539)
IN	Coll Grad	1,418	10.7	0.87	(9.0 - 12.4)		122,190	(101,975 - 142,406)
IA	HS Nongrad	376	13.2	2.54	(8.2 - 18.2)		22,936	(13,478 - 32,395)
IA	HS Grad	1,837	9.3	0.93	(7.5 - 11.2)		74,899	(59,532 - 90,267)
IA	Some Coll	1,340	11.2	1.05	(9.2 - 13.3)		70,822	(57,249 - 84,396)
IA	Coll Grad	1,439	9.6	0.95	(7.8 - 11.5)		59,223	(47,196 - 71,249)
KS	HS Nongrad	279	11.2	2.94	(5.4 - 17.0)		15,553	(6,831 - 24,276)
KS	HS Grad	1,343	12.2	1.13	(10.0 - 14.4)		73,229	(59,163 - 87,295)
KS	Some Coll	1,403	11.8	1.07	(9.7 - 13.9)		72,931	(59,369 - 86,493)
KS	Coll Grad	1,578	10.7	0.87	(9.0 - 12.4)		70,172	(58,538 - 81,807)
KY	HS Nongrad	1,597	18.1	1.37	(15.4 - 20.8)		92,076	(77,522 - 106,630)
KY	HS Grad	2,945	11.2	0.90	(9.4 - 13.0)		134,567	(112,372 - 156,763)
KY	Some Coll	1,742	11.6	1.12	(9.4 - 13.8)		90,715	(72,894 - 108,536)
KY	Coll Grad	1,310	11.9	1.50	(9.0 - 14.9)		73,050	(53,773 - 92,327)
LA	HS Nongrad	751	12.9	1.45	(10.0 - 15.7)		65,517	(50,133 - 80,901)
LA	HS Grad	1,749	10.4	0.92	(8.6 - 12.2)		121,289	(99,398 - 143,181)
LA	Some Coll	1,241	10.3	0.97	(8.4 - 12.2)		84,678	(68,376 - 100,981)
LA	Coll Grad	1,321	8.2	0.87	(6.5 - 9.9)		64,935	(50,858 - 79,012)
ME	HS Nongrad	220	9.5	2.03	(5.5 - 13.5)		8,809	(4,970 - 12,648)
ME	HS Grad	805	13.6	1.45	(10.8 - 16.5)		47,539	(36,934 - 58,144)
ME	Some Coll	624	15.3	1.65	(12.1 - 18.5)		40,697	(31,546 - 49,847)
ME	Coll Grad	731	12.7	1.46	(9.9 - 15.6)		37,453	(28,496 - 46,410)
MD	HS Nongrad	305	12.1	2.23	(7.7 - 16.5)		37,807	(23,632 - 51,983)
MD	HS Grad	1,214	13.9	1.45	(11.1 - 16.8)		153,383	(119,274 - 187,492)
MD	Some Coll	1,092	13.3	1.37	(10.6 - 16.0)		135,625	(106,445 - 164,804)
MD	Coll Grad	1,816	10.7	0.91	(8.9 - 12.5)		180,810	(149,318 - 212,302)
MA	HS Nongrad	684	15.0	1.76	(11.5 - 18.4)		61,002	(46,050 - 75,955)
MA	HS Grad	1,928	14.3	1.10	(12.1 - 16.5)		182,790	(153,092 - 212,487)
MA	Some Coll	1,809	15.9	1.17	(13.7 - 18.2)		189,535	(159,956 - 219,114)
MA	Coll Grad	3,127	13.4	0.77	(11.9 - 14.9)		276,285	(243,919 - 308,652)
MI	HS Nongrad	361	17.6	2.57	(12.5 - 22.6)		153,283	(104,803 - 201,763)

Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L6**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Education and State or Territory: BRFSS 2003**

State	Education	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	    	Prevalence (number)	95% CI* (number)
MI	HS Grad	1,108	13.8	1.27	(11.3 - 16.2)		323,349	(261,119 - 385,579)
MI	Some Coll	999	13.8	1.20	(11.4 - 16.1)		292,901	(240,552 - 345,249)
MI	Coll Grad	1,068	11.6	1.09	(9.5 - 13.8)		248,746	(201,174 - 296,318)
MN	HS Nongrad	213	11.4	2.55	(6.4 - 16.4)		24,290	(12,932 - 35,648)
MN	HS Grad	1,028	9.3	1.16	(7.0 - 11.6)		92,906	(68,852 - 116,960)
MN	Some Coll	1,227	12.9	1.20	(10.5 - 15.2)		157,247	(126,568 - 187,926)
MN	Coll Grad	1,401	9.2	0.83	(7.5 - 10.8)		120,773	(98,625 - 142,921)
MS	HS Nongrad	793	15.9	1.64	(12.7 - 19.1)		60,344	(47,122 - 73,566)
MS	HS Grad	1,398	10.8	0.98	(8.9 - 12.7)		73,256	(59,708 - 86,805)
MS	Some Coll	1,144	9.7	1.04	(7.6 - 11.7)		54,180	(42,334 - 66,027)
MS	Coll Grad	1,073	8.7	1.06	(6.6 - 10.8)		43,109	(32,301 - 53,916)
MO	HS Nongrad	548	17.0	2.38	(12.3 - 21.6)		82,545	(57,781 - 107,310)
MO	HS Grad	1,571	9.6	1.11	(7.4 - 11.7)		142,939	(109,369 - 176,510)
MO	Some Coll	1,083	15.3	1.55	(12.3 - 18.3)		174,277	(137,005 - 211,550)
MO	Coll Grad	1,040	9.4	1.22	(7.0 - 11.8)		108,568	(79,857 - 137,279)
MT	HS Nongrad	368	15.7	2.71	(10.4 - 21.0)		9,111	(5,783 - 12,439)
MT	HS Grad	1,358	10.4	1.17	(8.1 - 12.7)		23,366	(17,967 - 28,765)
MT	Some Coll	1,140	12.1	1.33	(9.5 - 14.7)		23,644	(18,312 - 28,976)
MT	Coll Grad	1,148	9.5	1.07	(7.4 - 11.6)		20,121	(15,560 - 24,683)
NE	HS Nongrad	419	9.5	1.66	(6.3 - 12.8)		11,267	(7,243 - 15,291)
NE	HS Grad	1,674	10.0	0.90	(8.3 - 11.8)		41,943	(34,170 - 49,715)
NE	Some Coll	1,401	12.4	1.04	(10.4 - 14.5)		46,088	(38,093 - 54,083)
NE	Coll Grad	1,466	8.8	0.81	(7.3 - 10.4)		33,456	(27,241 - 39,671)
NV	HS Nongrad	305	9.9	2.38	(5.2 - 14.6)		23,261	(11,821 - 34,700)
NV	HS Grad	851	9.4	1.41	(6.7 - 12.2)		46,385	(32,369 - 60,401)
NV	Some Coll	939	13.0	1.50	(10.0 - 15.9)		63,649	(48,628 - 78,669)
NV	Coll Grad	863	13.1	1.69	(9.8 - 16.4)		56,095	(40,933 - 71,257)
NH	HS Nongrad	331	15.0	2.46	(10.2 - 19.8)		10,347	(6,710 - 13,984)
NH	HS Grad	1,423	13.7	1.16	(11.4 - 15.9)		38,885	(31,955 - 45,815)
NH	Some Coll	1,316	13.1	1.14	(10.9 - 15.3)		34,048	(27,866 - 40,230)
NH	Coll Grad	1,954	11.6	0.78	(10.1 - 13.1)		41,671	(35,954 - 47,388)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L6**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Education and State or Territory: BRFSS 2003**

State	Education	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NJ	HS Nongrad	888	11.0	1.21	(8.7 - 13.4)		73,645	(57,116 - 90,173)
NJ	HS Grad	3,084	10.1	0.72	(8.7 - 11.5)		182,900	(155,828 - 209,973)
NJ	Some Coll	2,637	12.7	0.80	(11.1 - 14.3)		196,332	(170,644 - 222,020)
NJ	Coll Grad	4,643	10.3	0.53	(9.3 - 11.4)		255,188	(228,179 - 282,197)
NM	HS Nongrad	739	8.0	1.23	(5.6 - 10.4)		15,898	(10,957 - 20,839)
NM	HS Grad	1,475	6.9	0.73	(5.5 - 8.3)		26,049	(20,566 - 31,531)
NM	Some Coll	1,491	13.7	1.13	(11.5 - 15.9)		52,068	(43,036 - 61,100)
NM	Coll Grad	1,760	12.1	0.89	(10.4 - 13.9)		48,555	(41,295 - 55,815)
NY	HS Nongrad	541	12.9	1.59	(9.8 - 16.1)		243,908	(182,686 - 305,130)
NY	HS Grad	1,557	13.1	1.03	(11.1 - 15.1)		564,965	(472,439 - 657,491)
NY	Some Coll	1,335	11.1	1.00	(9.1 - 13.0)		378,641	(308,662 - 448,621)
NY	Coll Grad	2,084	10.5	0.76	(9.0 - 12.0)		509,207	(434,195 - 584,219)
NC	HS Nongrad	1,599	11.7	1.08	(9.5 - 13.8)		124,361	(101,665 - 147,058)
NC	HS Grad	2,834	12.0	1.06	(9.9 - 14.1)		225,719	(184,445 - 266,992)
NC	Some Coll	2,349	11.4	1.15	(9.2 - 13.7)		191,261	(151,248 - 231,274)
NC	Coll Grad	2,635	10.3	0.85	(8.6 - 12.0)		178,598	(148,791 - 208,406)
ND	HS Nongrad	268	12.3	2.23	(7.9 - 16.7)		5,102	(3,173 - 7,031)
ND	HS Grad	931	10.7	1.15	(8.4 - 12.9)		15,942	(12,429 - 19,454)
ND	Some Coll	971	9.5	1.10	(7.4 - 11.7)		14,882	(11,383 - 18,381)
ND	Coll Grad	846	9.4	1.08	(7.2 - 11.5)		12,298	(9,424 - 15,173)
OH	HS Nongrad	339	18.1	2.91	(12.4 - 23.9)		150,573	(97,698 - 203,448)
OH	HS Grad	1,314	9.8	1.07	(7.7 - 11.9)		314,521	(244,830 - 384,212)
OH	Some Coll	922	11.0	1.21	(8.7 - 13.4)		220,305	(171,005 - 269,604)
OH	Coll Grad	1,236	9.6	1.02	(7.6 - 11.5)		244,169	(191,360 - 296,979)
OK	HS Nongrad	916	14.8	1.58	(11.7 - 17.9)		49,409	(38,118 - 60,701)
OK	HS Grad	2,622	11.6	0.80	(10.0 - 13.2)		108,466	(92,941 - 123,990)
OK	Some Coll	2,144	11.9	0.81	(10.3 - 13.4)		87,787	(75,497 - 100,078)
OK	Coll Grad	1,930	10.3	0.80	(8.7 - 11.9)		62,842	(52,781 - 72,904)
OR	HS Nongrad	330	12.9	2.00	(8.9 - 16.8)		36,372	(24,679 - 48,066)
OR	HS Grad	1,130	14.3	1.18	(12.0 - 16.6)		113,232	(93,833 - 132,631)
OR	Some Coll	1,228	14.5	1.16	(12.2 - 16.8)		116,709	(97,160 - 136,257)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L6**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Education and State or Territory: BRFSS 2003**

State	Education	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
OR	Coll Grad	1,316	15.9	1.13	(13.7 - 18.1)		128,031	(109,003 - 147,059)
PA	HS Nongrad	311	19.7	2.70	(14.3 - 25.0)		171,387	(119,575 - 223,200)
PA	HS Grad	1,372	11.1	1.00	(9.1 - 13.1)		403,180	(328,570 - 477,789)
PA	Some Coll	869	12.2	1.25	(9.7 - 14.6)		278,857	(219,638 - 338,076)
PA	Coll Grad	1,108	10.2	0.97	(8.3 - 12.1)		273,597	(220,750 - 326,443)
RI	HS Nongrad	439	16.2	2.34	(11.6 - 20.8)		14,064	(9,635 - 18,493)
RI	HS Grad	1,146	13.4	1.24	(11.0 - 15.8)		32,580	(26,306 - 38,854)
RI	Some Coll	1,021	16.9	1.55	(13.9 - 20.0)		36,910	(29,647 - 44,173)
RI	Coll Grad	1,425	12.8	1.00	(10.9 - 14.8)		34,760	(29,230 - 40,290)
SC	HS Nongrad	725	13.9	1.54	(10.9 - 16.9)		59,243	(45,436 - 73,050)
SC	HS Grad	1,822	9.5	0.85	(7.8 - 11.1)		96,888	(79,093 - 114,684)
SC	Some Coll	1,530	10.5	0.94	(8.7 - 12.4)		85,222	(69,641 - 100,803)
SC	Coll Grad	1,833	8.7	0.74	(7.3 - 10.2)		74,741	(61,900 - 87,582)
SD	HS Nongrad	555	14.1	2.16	(9.8 - 18.3)		7,976	(5,323 - 10,629)
SD	HS Grad	1,763	11.5	0.95	(9.7 - 13.4)		21,984	(18,251 - 25,718)
SD	Some Coll	1,530	10.6	1.16	(8.3 - 12.9)		18,086	(13,929 - 22,242)
SD	Coll Grad	1,396	8.4	0.89	(6.6 - 10.1)		12,194	(9,541 - 14,847)
TN	HS Nongrad	324	19.7	3.05	(13.7 - 25.7)		104,622	(68,037 - 141,207)
TN	HS Grad	875	11.6	1.44	(8.8 - 14.4)		175,078	(129,649 - 220,507)
TN	Some Coll	764	10.8	1.30	(8.3 - 13.4)		143,801	(108,695 - 178,907)
TN	Coll Grad	616	9.5	1.40	(6.8 - 12.3)		99,500	(69,505 - 129,494)
TX	HS Nongrad	924	8.5	1.05	(6.4 - 10.5)		244,841	(183,095 - 306,588)
TX	HS Grad	1,576	10.8	1.06	(8.7 - 12.8)		464,868	(369,214 - 560,522)
TX	Some Coll	1,606	11.8	0.95	(9.9 - 13.6)		490,808	(409,184 - 572,433)
TX	Coll Grad	1,901	13.1	0.86	(11.4 - 14.8)		587,661	(507,477 - 667,846)
UT	HS Nongrad	278	14.1	3.51	(7.1 - 21.0)		16,967	(7,825 - 26,109)
UT	HS Grad	1,205	12.9	1.49	(10.0 - 15.8)		60,123	(45,575 - 74,672)
UT	Some Coll	1,322	10.3	1.02	(8.3 - 12.3)		55,760	(44,656 - 66,863)
UT	Coll Grad	1,238	9.8	1.04	(7.8 - 11.8)		46,039	(36,165 - 55,913)
VT	HS Nongrad	307	13.2	2.24	(8.8 - 17.6)		4,879	(3,144 - 6,614)
VT	HS Grad	1,309	10.1	1.04	(8.1 - 12.1)		15,247	(12,020 - 18,475)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L6**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Education and State or Territory: BRFSS 2003**

State	Education	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
VT	Some Coll	996	14.8	1.41	(12.0 - 17.6)		16,935	(13,507 - 20,363)
VT	Coll Grad	1,623	12.1	0.92	(10.3 - 13.9)		20,907	(17,666 - 24,149)
VA	HS Nongrad	669	16.0	1.85	(12.4 - 19.6)		95,662	(72,316 - 119,007)
VA	HS Grad	1,631	13.1	1.29	(10.6 - 15.6)		211,374	(167,650 - 255,097)
VA	Some Coll	1,346	12.5	1.16	(10.2 - 14.7)		168,874	(136,606 - 201,142)
VA	Coll Grad	1,772	10.0	0.91	(8.3 - 11.8)		200,439	(163,992 - 236,885)
WA	HS Nongrad	1,617	14.5	1.07	(12.4 - 16.6)		60,143	(51,000 - 69,286)
WA	HS Grad	4,756	13.1	0.67	(11.8 - 14.4)		147,813	(132,135 - 163,491)
WA	Some Coll	6,137	15.6	0.62	(14.4 - 16.8)		228,244	(209,231 - 247,257)
WA	Coll Grad	6,056	12.6	0.51	(11.6 - 13.6)		197,657	(181,400 - 213,914)
WV	HS Nongrad	634	15.1	1.65	(11.9 - 18.4)		39,837	(30,726 - 48,949)
WV	HS Grad	1,321	11.5	1.00	(9.5 - 13.4)		64,680	(53,187 - 76,173)
WV	Some Coll	741	10.5	1.23	(8.1 - 12.9)		34,002	(25,912 - 42,093)
WV	Coll Grad	646	11.0	1.29	(8.4 - 13.5)		28,275	(21,488 - 35,062)
WI	HS Nongrad	327	11.9	2.26	(7.4 - 16.4)		36,126	(21,865 - 50,387)
WI	HS Grad	1,422	9.0	0.94	(7.2 - 10.9)		133,135	(105,028 - 161,242)
WI	Some Coll	1,158	11.8	1.21	(9.5 - 14.2)		137,457	(108,520 - 166,394)
WI	Coll Grad	1,138	12.4	1.27	(9.9 - 14.9)		144,332	(113,473 - 175,192)
WY	HS Nongrad	275	9.4	2.12	(5.3 - 13.6)		2,640	(1,418 - 3,861)
WY	HS Grad	1,307	11.9	1.04	(9.9 - 14.0)		15,023	(12,317 - 17,729)
WY	Some Coll	1,303	11.3	0.98	(9.3 - 13.2)		13,927	(11,455 - 16,399)
WY	Coll Grad	1,109	10.9	1.06	(8.8 - 12.9)		10,527	(8,414 - 12,640)
Territories								
GU	HS Nongrad	100	10.5	3.09	(4.4 - 16.6)		1,516	(604 - 2,428)
GU	HS Grad	289	12.7	2.18	(8.4 - 17.0)		5,204	(3,369 - 7,039)
GU	Some Coll	185	7.6	2.06	(3.5 - 11.7)		1,736	(787 - 2,685)
GU	Coll Grad	230	8.9	1.87	(5.3 - 12.6)		2,467	(1,435 - 3,498)
PR	HS Nongrad	1,353	18.9	1.43	(16.1 - 21.7)		139,219	(116,888 - 161,549)
PR	HS Grad	1,017	20.7	1.80	(17.2 - 24.2)		148,737	(120,043 - 177,430)
PR	Some Coll	848	22.5	1.86	(18.8 - 26.1)		144,212	(118,036 - 170,388)
PR	Coll Grad	943	20.8	1.71	(17.5 - 24.2)		149,593	(122,833 - 176,354)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L6**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Education and State or Territory: BRFSS 2003**

State	Education	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
VI	HS Nongrad	414	5.9	2.05	(1.8 - 9.9)		939	(263 - 1,616)
VI	HS Grad	669	10.7	1.82	(7.1 - 14.2)		2,748	(1,767 - 3,730)
VI	Some Coll	390	11.8	2.32	(7.2 - 16.3)		1,645	(968 - 2,322)
VI	Coll Grad	544	8.8	1.58	(5.7 - 11.9)		1,428	(905 - 1,951)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.