

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2005

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total**	18-24	17,686	9.1	0.35	(8.4 - 9.8)		2,620,445	(2,416,928 - 2,823,962)
U.S. Total**	25-34	45,567	7.6	0.21	(7.2 - 8.0)		3,018,985	(2,852,584 - 3,185,386)
U.S. Total**	35-44	61,888	7.5	0.18	(7.1 - 7.8)		3,253,722	(3,098,892 - 3,408,552)
U.S. Total**	45-54	71,644	7.7	0.19	(7.3 - 8.1)		3,145,514	(2,987,511 - 3,303,516)
U.S. Total**	55-64	62,910	8.4	0.20	(8.0 - 8.8)		2,477,399	(2,357,486 - 2,597,311)
U.S. Total**	65+	85,551	7.3	0.17	(7.0 - 7.6)		2,678,699	(2,552,876 - 2,804,521)
AL	18-24	148	11.1	2.98	(5.2 - 17.0)		50,642	(22,388 - 78,895)
AL	25-34	428	5.0	1.13	(2.8 - 7.2)		29,569	(16,236 - 42,903)
AL	35-44	523	5.4	0.98	(3.5 - 7.3)		34,382	(21,916 - 46,847)
AL	45-54	652	9.5	1.35	(6.9 - 12.2)		59,347	(42,104 - 76,590)
AL	55-64	605	6.9	1.08	(4.8 - 9.0)		33,100	(22,709 - 43,492)
AL	65+	800	5.8	0.90	(4.1 - 7.6)		35,160	(24,259 - 46,061)
AK	18-24	213	7.2	2.71	(1.9 - 12.6)		4,665	(1,105 - 8,226)
AK	25-34	459	6.3	1.53	(3.3 - 9.3)		5,392	(2,761 - 8,023)
AK	35-44	592	10.2	1.92	(6.5 - 14.0)		10,153	(6,206 - 14,100)
AK	45-54	740	6.8	1.29	(4.3 - 9.3)		7,197	(4,477 - 9,916)
AK	55-64	428	9.3	1.69	(6.0 - 12.6)		5,894	(3,739 - 8,049)
AK	65+	330	6.2	2.01	(2.3 - 10.2)		2,719	(927 - 4,511)
AZ	18-24	227	4.5	1.59	(1.3 - 7.6)		25,356	(7,995 - 42,718)
AZ	25-34	614	8.8	1.87	(5.1 - 12.5)		71,034	(40,463 - 101,605)
AZ	35-44	768	3.4	0.64	(2.1 - 4.6)		26,429	(16,763 - 36,095)
AZ	45-54	875	10.9	2.15	(6.7 - 15.2)		78,867	(46,189 - 111,546)
AZ	55-64	830	8.9	1.74	(5.4 - 12.3)		47,336	(28,212 - 66,460)
AZ	65+	1,334	7.9	1.04	(5.8 - 9.9)		58,717	(43,225 - 74,210)
AR	18-24	244	9.2	1.99	(5.2 - 13.1)		24,982	(13,800 - 36,163)
AR	25-34	624	6.4	1.13	(4.2 - 8.6)		22,676	(14,574 - 30,778)
AR	35-44	899	7.2	0.93	(5.3 - 9.0)		26,961	(19,870 - 34,053)
AR	45-54	1,018	7.3	0.90	(5.5 - 9.0)		26,299	(19,738 - 32,859)
AR	55-64	1,060	8.7	0.96	(6.8 - 10.6)		25,584	(19,820 - 31,347)
AR	65+	1,365	7.0	0.79	(5.5 - 8.6)		27,119	(20,952 - 33,287)
CA	18-24	420	7.6	1.32	(4.9 - 10.2)		272,944	(177,240 - 368,648)

Notes:
*CI denotes confidence interval.
**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2005

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	 	Prevalence (number)	95% CI* (number)
CA	25-34	984	6.8	0.88	(5.0 - 8.5)		355,753	(263,437 - 448,069)
CA	35-44	1,257	6.3	0.74	(4.9 - 7.8)		353,596	(271,192 - 436,000)
CA	45-54	1,204	7.9	1.00	(5.9 - 9.8)		389,572	(288,776 - 490,368)
CA	55-64	977	7.8	0.92	(6.0 - 9.6)		261,806	(201,293 - 322,320)
CA	65+	1,281	7.5	0.92	(5.7 - 9.3)		292,315	(220,908 - 363,723)
CO	18-24	305	9.9	1.89	(6.2 - 13.7)		45,055	(27,321 - 62,790)
CO	25-34	926	9.2	0.99	(7.3 - 11.1)		65,243	(51,101 - 79,385)
CO	35-44	1,177	7.6	0.82	(6.0 - 9.2)		53,857	(42,133 - 65,580)
CO	45-54	1,347	9.0	0.87	(7.3 - 10.7)		59,842	(48,017 - 71,667)
CO	55-64	990	6.3	0.78	(4.8 - 7.8)		27,880	(20,923 - 34,837)
CO	65+	1,162	6.9	0.79	(5.3 - 8.4)		31,441	(24,121 - 38,761)
CT	18-24	197	13.1	2.98	(7.2 - 19.0)		37,641	(19,879 - 55,404)
CT	25-34	626	8.6	1.36	(5.9 - 11.2)		35,833	(24,257 - 47,409)
CT	35-44	992	8.0	0.96	(6.1 - 9.8)		44,092	(33,398 - 54,785)
CT	45-54	1,120	6.6	0.79	(5.0 - 8.1)		33,696	(25,670 - 41,722)
CT	55-64	916	8.2	1.10	(6.0 - 10.3)		30,748	(22,373 - 39,124)
CT	65+	1,273	6.1	0.74	(4.6 - 7.6)		29,057	(22,014 - 36,100)
DE	18-24	270	14.8	3.00	(8.9 - 20.7)		12,224	(6,900 - 17,549)
DE	25-34	576	9.0	1.39	(6.2 - 11.7)		9,668	(6,635 - 12,702)
DE	35-44	740	6.6	1.07	(4.5 - 8.7)		8,149	(5,500 - 10,797)
DE	45-54	835	8.8	1.25	(6.4 - 11.3)		10,184	(7,259 - 13,108)
DE	55-64	777	7.1	1.36	(4.4 - 9.7)		6,176	(3,748 - 8,604)
DE	65+	937	6.3	0.96	(4.4 - 8.1)		6,930	(4,806 - 9,055)
DC	18-24	203	15.4	3.49	(8.6 - 22.3)		9,548	(4,884 - 14,211)
DC	25-34	716	8.4	1.21	(6.0 - 10.7)		8,720	(6,162 - 11,279)
DC	35-44	745	8.3	1.21	(5.9 - 10.6)		6,964	(4,898 - 9,030)
DC	45-54	655	8.3	1.23	(5.9 - 10.7)		5,601	(3,933 - 7,270)
DC	55-64	644	10.4	1.45	(7.5 - 13.2)		5,866	(4,183 - 7,548)
DC	65+	692	6.3	1.16	(4.0 - 8.6)		4,289	(2,695 - 5,883)
FL	18-24	404	7.2	1.66	(3.9 - 10.4)		109,530	(58,177 - 160,882)
FL	25-34	919	5.1	0.84	(3.5 - 6.7)		108,630	(73,424 - 143,837)

Notes:
*CI denotes confidence interval.
**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2005

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
FL	35-44	1,345	7.0	0.90	(5.2 - 8.8)		175,823	(130,420 - 221,226)
FL	45-54	1,485	6.8	0.82	(5.2 - 8.4)		160,690	(121,976 - 199,404)
FL	55-64	1,543	8.9	1.09	(6.7 - 11.0)		163,553	(122,074 - 205,032)
FL	65+	2,385	6.4	0.66	(5.1 - 7.7)		191,510	(151,485 - 231,534)
GA	18-24	343	8.9	2.09	(4.8 - 13.0)		79,809	(41,251 - 118,367)
GA	25-34	829	7.3	1.22	(4.9 - 9.7)		97,964	(64,698 - 131,229)
GA	35-44	1,026	6.5	0.97	(4.6 - 8.4)		89,426	(62,413 - 116,439)
GA	45-54	1,247	7.0	0.91	(5.2 - 8.8)		82,961	(61,326 - 104,596)
GA	55-64	1,062	7.4	0.89	(5.7 - 9.1)		61,546	(46,803 - 76,289)
GA	65+	1,483	7.3	0.81	(5.8 - 8.9)		63,575	(49,654 - 77,497)
HI	18-24	351	6.8	1.45	(4.0 - 9.7)		8,110	(4,667 - 11,552)
HI	25-34	797	9.9	1.42	(7.1 - 12.7)		16,619	(11,720 - 21,518)
HI	35-44	1,154	6.0	0.82	(4.4 - 7.6)		10,926	(7,960 - 13,893)
HI	45-54	1,360	6.9	0.84	(5.2 - 8.5)		12,481	(9,410 - 15,552)
HI	55-64	1,203	9.7	1.23	(7.3 - 12.1)		13,632	(10,070 - 17,194)
HI	65+	1,466	6.4	0.82	(4.8 - 8.0)		11,088	(8,205 - 13,971)
ID	18-24	331	7.2	1.56	(4.1 - 10.2)		10,946	(6,204 - 15,688)
ID	25-34	867	7.9	1.13	(5.7 - 10.1)		14,474	(10,272 - 18,677)
ID	35-44	986	7.5	0.98	(5.6 - 9.5)		14,105	(10,390 - 17,819)
ID	45-54	1,160	7.4	0.82	(5.8 - 9.0)		13,861	(10,817 - 16,905)
ID	55-64	997	8.1	0.98	(6.1 - 10.0)		10,999	(8,307 - 13,691)
ID	65+	1,318	5.7	0.70	(4.3 - 7.1)		9,180	(6,911 - 11,449)
IL	18-24	268	7.6	1.84	(4.0 - 11.2)		95,086	(48,426 - 141,746)
IL	25-34	702	6.6	0.90	(4.8 - 8.4)		116,028	(84,799 - 147,258)
IL	35-44	989	6.4	0.81	(4.8 - 8.0)		121,237	(90,649 - 151,826)
IL	45-54	1,054	7.6	0.97	(5.7 - 9.5)		136,152	(101,125 - 171,178)
IL	55-64	837	7.9	1.08	(5.8 - 10.0)		98,164	(70,836 - 125,492)
IL	65+	1,195	6.1	0.71	(4.7 - 7.5)		94,245	(72,479 - 116,010)
IN	18-24	330	8.1	1.60	(5.0 - 11.3)		52,269	(31,301 - 73,238)
IN	25-34	872	8.6	1.06	(6.5 - 10.7)		69,690	(52,232 - 87,149)
IN	35-44	1,094	7.7	0.86	(6.0 - 9.3)		68,262	(52,868 - 83,655)

Notes:
*CI denotes confidence interval.
**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2005

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
IN	45-54	1,145	8.6	0.93	(6.7 - 10.4)		73,375	(57,145 - 89,605)
IN	55-64	934	8.9	0.97	(7.0 - 10.8)		55,596	(43,270 - 67,922)
IN	65+	1,185	7.3	0.83	(5.7 - 9.0)		56,798	(43,772 - 69,825)
IA	18-24	225	9.7	2.09	(5.6 - 13.8)		27,904	(15,536 - 40,272)
IA	25-34	675	7.1	1.06	(5.0 - 9.1)		27,614	(19,254 - 35,974)
IA	35-44	819	7.2	1.09	(5.1 - 9.4)		29,233	(20,209 - 38,256)
IA	45-54	1,035	6.6	0.92	(4.8 - 8.4)		27,801	(19,950 - 35,651)
IA	55-64	873	7.2	1.00	(5.3 - 9.2)		21,774	(15,660 - 27,887)
IA	65+	1,366	6.6	0.77	(5.1 - 8.1)		28,758	(21,967 - 35,549)
KS	18-24	400	7.6	1.40	(4.9 - 10.4)		22,368	(14,039 - 30,697)
KS	25-34	1,062	7.1	0.85	(5.4 - 8.7)		24,984	(18,914 - 31,055)
KS	35-44	1,517	6.5	0.68	(5.1 - 7.8)		24,608	(19,386 - 29,829)
KS	45-54	1,755	7.6	0.68	(6.3 - 9.0)		29,312	(24,029 - 34,595)
KS	55-64	1,426	7.8	0.79	(6.3 - 9.4)		20,768	(16,512 - 25,023)
KS	65+	2,409	5.2	0.49	(4.2 - 6.2)		18,647	(15,104 - 22,190)
KY	18-24	284	8.4	2.07	(4.4 - 12.5)		34,127	(16,970 - 51,283)
KY	25-34	796	7.4	1.13	(5.2 - 9.6)		41,729	(28,896 - 54,562)
KY	35-44	1,125	9.0	1.11	(6.8 - 11.1)		54,668	(40,940 - 68,397)
KY	45-54	1,363	8.7	0.91	(6.9 - 10.5)		51,951	(41,060 - 62,841)
KY	55-64	1,215	9.8	1.07	(7.7 - 11.9)		43,392	(33,785 - 52,998)
KY	65+	1,785	9.8	0.84	(8.1 - 11.4)		51,290	(42,440 - 60,139)
LA	18-24	199	9.7	2.30	(5.2 - 14.3)		41,530	(21,314 - 61,745)
LA	25-34	436	3.4	0.93	(1.5 - 5.2)		17,090	(7,644 - 26,536)
LA	35-44	523	7.1	1.32	(4.5 - 9.7)		39,038	(24,354 - 53,722)
LA	45-54	650	4.5	0.86	(2.8 - 6.2)		25,633	(15,968 - 35,298)
LA	55-64	507	5.5	1.11	(3.3 - 7.7)		21,099	(12,566 - 29,633)
LA	65+	610	5.8	1.03	(3.8 - 7.9)		26,045	(16,797 - 35,294)
ME	18-24	162	17.8	3.48	(11.0 - 24.7)		21,827	(12,549 - 31,105)
ME	25-34	480	9.4	1.47	(6.5 - 12.3)		13,591	(9,246 - 17,935)
ME	35-44	716	11.1	1.39	(8.4 - 13.8)		21,981	(16,257 - 27,705)
ME	45-54	908	9.6	1.10	(7.4 - 11.7)		19,613	(15,020 - 24,206)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2005

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	 	Prevalence (number)	95% CI* (number)
ME	55-64	747	7.8	1.08	(5.7 - 9.9)		12,249	(8,818 - 15,680)
ME	65+	879	7.5	0.96	(5.6 - 9.3)		14,440	(10,703 - 18,177)
MD	18-24	389	11.6	2.04	(7.6 - 15.7)		54,358	(34,581 - 74,136)
MD	25-34	1,138	7.7	0.89	(6.0 - 9.5)		57,915	(44,352 - 71,477)
MD	35-44	1,708	8.8	0.86	(7.1 - 10.5)		78,377	(62,778 - 93,975)
MD	45-54	1,850	8.8	0.79	(7.3 - 10.4)		70,041	(57,238 - 82,843)
MD	55-64	1,576	7.9	0.81	(6.3 - 9.5)		46,521	(36,922 - 56,120)
MD	65+	1,807	6.1	0.66	(4.8 - 7.4)		39,385	(30,854 - 47,917)
MA	18-24	405	11.1	2.14	(6.9 - 15.3)		66,672	(39,824 - 93,521)
MA	25-34	1,196	11.3	1.18	(8.9 - 13.6)		95,523	(74,985 - 116,061)
MA	35-44	1,783	9.2	0.88	(7.4 - 10.9)		92,091	(74,044 - 110,138)
MA	45-54	1,864	9.4	0.85	(7.8 - 11.1)		83,373	(68,230 - 98,516)
MA	55-64	1,557	10.4	1.00	(8.4 - 12.3)		69,109	(55,349 - 82,869)
MA	65+	1,875	7.6	0.79	(6.1 - 9.2)		65,783	(51,877 - 79,688)
MI	18-24	580	10.3	1.38	(7.6 - 13.0)		101,519	(73,563 - 129,474)
MI	25-34	1,393	9.9	0.92	(8.1 - 11.7)		127,346	(102,896 - 151,797)
MI	35-44	2,105	9.6	0.73	(8.1 - 11.0)		142,424	(120,266 - 164,581)
MI	45-54	2,562	8.1	0.60	(6.9 - 9.3)		118,667	(100,850 - 136,483)
MI	55-64	2,268	8.1	0.62	(6.9 - 9.3)		84,771	(71,652 - 97,891)
MI	65+	3,070	8.7	0.63	(7.5 - 10.0)		109,738	(93,343 - 126,134)
MN	18-24	108	13.7	3.30	(7.2 - 20.3)		70,673	(35,259 - 106,087)
MN	25-34	378	8.3	1.49	(5.3 - 11.2)		55,196	(34,933 - 75,459)
MN	35-44	500	7.9	1.24	(5.5 - 10.4)		61,260	(41,884 - 80,637)
MN	45-54	614	5.0	0.86	(3.3 - 6.7)		37,940	(25,015 - 50,866)
MN	55-64	528	7.7	1.27	(5.2 - 10.2)		38,902	(25,881 - 51,923)
MN	65+	688	9.4	1.22	(7.0 - 11.8)		59,017	(43,466 - 74,569)
MS	18-24	220	4.3	1.51	(1.3 - 7.3)		13,885	(4,057 - 23,712)
MS	25-34	571	7.9	1.43	(5.0 - 10.7)		30,209	(18,886 - 41,532)
MS	35-44	733	7.0	1.03	(5.0 - 9.1)		27,791	(19,541 - 36,041)
MS	45-54	947	6.3	0.86	(4.6 - 8.0)		23,992	(17,433 - 30,551)
MS	55-64	828	10.4	1.25	(8.0 - 12.8)		29,428	(22,127 - 36,730)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2005

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MS	65+	1,091	7.8	0.95	(6.0 - 9.7)		27,898	(21,022 - 34,774)
MO	18-24	281	11.4	2.22	(7.0 - 15.8)		64,289	(39,572 - 89,005)
MO	25-34	639	8.8	1.56	(5.7 - 11.8)		64,052	(40,810 - 87,294)
MO	35-44	820	9.9	1.44	(7.0 - 12.7)		81,315	(56,904 - 105,726)
MO	45-54	1,028	6.5	0.85	(4.8 - 8.2)		51,578	(38,346 - 64,810)
MO	55-64	898	10.7	1.82	(7.1 - 14.3)		63,852	(40,968 - 86,736)
MO	65+	1,439	7.7	0.88	(6.0 - 9.4)		59,546	(45,948 - 73,144)
MT	18-24	256	10.2	2.40	(5.5 - 14.9)		9,637	(4,951 - 14,324)
MT	25-34	560	8.0	1.41	(5.2 - 10.8)		8,535	(5,483 - 11,588)
MT	35-44	857	7.1	1.09	(4.9 - 9.2)		8,664	(5,955 - 11,373)
MT	45-54	1,139	6.5	0.86	(4.8 - 8.1)		9,253	(6,798 - 11,709)
MT	55-64	959	9.3	1.19	(7.0 - 11.7)		9,898	(7,307 - 12,488)
MT	65+	1,136	7.2	0.94	(5.4 - 9.1)		9,270	(6,822 - 11,718)
NE	18-24	376	9.3	1.93	(5.5 - 13.1)		17,140	(9,786 - 24,493)
NE	25-34	1,013	6.5	0.93	(4.6 - 8.3)		14,608	(10,381 - 18,835)
NE	35-44	1,376	5.3	0.72	(3.9 - 6.8)		12,735	(9,299 - 16,171)
NE	45-54	1,721	6.9	0.72	(5.4 - 8.3)		16,736	(13,202 - 20,270)
NE	55-64	1,390	6.8	0.80	(5.2 - 8.4)		11,429	(8,718 - 14,141)
NE	65+	2,356	6.3	0.59	(5.1 - 7.4)		14,743	(11,950 - 17,537)
NV	18-24	218	7.0	2.39	(2.3 - 11.7)		14,420	(4,433 - 24,408)
NV	25-34	402	7.5	2.09	(3.4 - 11.6)		25,794	(11,056 - 40,533)
NV	35-44	553	6.9	1.52	(3.9 - 9.9)		24,310	(13,551 - 35,068)
NV	45-54	636	7.1	1.42	(4.3 - 9.9)		22,222	(13,273 - 31,171)
NV	55-64	617	8.2	1.80	(4.7 - 11.8)		19,869	(10,991 - 28,747)
NV	65+	696	5.8	1.12	(3.6 - 8.0)		15,647	(9,701 - 21,592)
NH	18-24	232	14.9	2.69	(9.6 - 20.2)		14,871	(9,212 - 20,529)
NH	25-34	751	11.0	1.24	(8.5 - 13.4)		18,695	(14,366 - 23,023)
NH	35-44	1,183	10.0	0.96	(8.1 - 11.8)		21,069	(16,915 - 25,224)
NH	45-54	1,367	10.1	0.92	(8.3 - 11.9)		20,343	(16,569 - 24,117)
NH	55-64	1,092	9.4	1.05	(7.4 - 11.5)		13,570	(10,462 - 16,677)
NH	65+	1,290	8.1	0.92	(6.3 - 9.9)		13,054	(10,051 - 16,057)

Notes:
*CI denotes confidence interval.
**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2005

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NJ	18-24	508	10.0	1.58	(6.9 - 13.1)		72,623	(49,062 - 96,184)
NJ	25-34	1,614	6.9	0.70	(5.5 - 8.2)		74,193	(59,228 - 89,157)
NJ	35-44	2,580	7.0	0.60	(5.9 - 8.2)		98,175	(81,467 - 114,884)
NJ	45-54	2,816	7.5	0.63	(6.2 - 8.7)		92,736	(76,799 - 108,674)
NJ	55-64	2,435	7.3	0.67	(6.0 - 8.6)		63,803	(52,092 - 75,514)
NJ	65+	3,398	7.1	0.60	(5.9 - 8.3)		81,878	(67,897 - 95,859)
NM	18-24	309	8.8	1.89	(5.1 - 12.5)		17,255	(9,658 - 24,851)
NM	25-34	713	8.3	1.26	(5.8 - 10.8)		19,464	(13,438 - 25,489)
NM	35-44	908	10.0	1.22	(7.6 - 12.4)		25,735	(19,306 - 32,164)
NM	45-54	1,097	8.0	0.92	(6.2 - 9.8)		21,535	(16,551 - 26,520)
NM	55-64	1,042	10.1	1.13	(7.9 - 12.3)		19,844	(15,306 - 24,381)
NM	65+	1,474	8.5	0.86	(6.8 - 10.2)		19,636	(15,558 - 23,713)
NY	18-24	338	14.2	2.26	(9.8 - 18.7)		257,422	(170,782 - 344,061)
NY	25-34	993	8.9	0.98	(7.0 - 10.8)		232,793	(181,216 - 284,369)
NY	35-44	1,517	8.6	0.80	(7.1 - 10.2)		255,329	(207,594 - 303,065)
NY	45-54	1,588	8.9	0.94	(7.0 - 10.7)		230,094	(180,064 - 280,124)
NY	55-64	1,360	8.3	0.84	(6.6 - 9.9)		166,182	(132,332 - 200,032)
NY	65+	1,835	8.3	0.98	(6.4 - 10.2)		210,133	(158,745 - 261,521)
NC	18-24	817	7.3	1.13	(5.1 - 9.5)		61,105	(41,880 - 80,330)
NC	25-34	2,397	6.1	0.62	(4.9 - 7.3)		74,040	(58,909 - 89,171)
NC	35-44	3,189	6.3	0.51	(5.3 - 7.3)		80,118	(67,098 - 93,138)
NC	45-54	3,320	6.9	0.52	(5.9 - 8.0)		80,151	(67,920 - 92,382)
NC	55-64	3,134	6.2	0.50	(5.2 - 7.2)		54,091	(45,343 - 62,840)
NC	65+	4,232	6.4	0.44	(5.5 - 7.3)		66,971	(57,705 - 76,237)
ND	18-24	211	10.5	2.47	(5.6 - 15.4)		7,796	(3,962 - 11,630)
ND	25-34	497	8.2	1.26	(5.7 - 10.7)		6,520	(4,482 - 8,558)
ND	35-44	717	6.7	1.06	(4.6 - 8.8)		5,477	(3,716 - 7,239)
ND	45-54	870	4.9	0.80	(3.3 - 6.4)		4,388	(2,952 - 5,824)
ND	55-64	647	6.7	1.04	(4.6 - 8.7)		4,200	(2,877 - 5,522)
ND	65+	1,009	7.3	0.86	(5.6 - 9.0)		6,820	(5,205 - 8,434)
OH	18-24	409	5.7	1.54	(2.7 - 8.8)		62,634	(29,135 - 96,134)

Notes:
*CI denotes confidence interval.
**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2005

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
OH	25-34	992	10.8	1.48	(7.9 - 13.7)		155,617	(111,889 - 199,346)
OH	35-44	1,284	7.8	1.14	(5.5 - 10.0)		126,789	(89,180 - 164,398)
OH	45-54	1,541	7.1	0.95	(5.2 - 9.0)		118,384	(86,396 - 150,371)
OH	55-64	1,319	10.2	1.33	(7.5 - 12.8)		120,393	(87,666 - 153,121)
OH	65+	1,841	6.4	0.85	(4.8 - 8.1)		99,088	(72,833 - 125,344)
OK	18-24	680	6.6	1.39	(3.9 - 9.3)		24,819	(14,320 - 35,319)
OK	25-34	1,627	9.8	1.08	(7.6 - 11.9)		45,311	(35,055 - 55,568)
OK	35-44	2,104	8.6	1.02	(6.6 - 10.6)		40,977	(31,014 - 50,941)
OK	45-54	2,579	7.2	0.65	(5.9 - 8.4)		34,705	(28,451 - 40,959)
OK	55-64	2,576	10.1	0.85	(8.4 - 11.7)		36,672	(30,385 - 42,959)
OK	65+	3,992	9.0	0.71	(7.6 - 10.3)		42,169	(35,426 - 48,912)
OR	18-24	609	14.4	1.57	(11.3 - 17.5)		49,714	(38,280 - 61,149)
OR	25-34	1,539	9.9	0.82	(8.2 - 11.5)		49,359	(40,961 - 57,757)
OR	35-44	1,871	9.8	0.75	(8.4 - 11.3)		50,013	(42,231 - 57,795)
OR	45-54	2,407	9.9	0.69	(8.5 - 11.3)		52,932	(45,328 - 60,536)
OR	55-64	2,452	9.7	0.64	(8.4 - 10.9)		37,877	(32,761 - 42,993)
OR	65+	3,056	8.3	0.53	(7.3 - 9.3)		38,728	(33,724 - 43,732)
PA	18-24	702	11.1	1.84	(7.5 - 14.7)		132,641	(87,025 - 178,257)
PA	25-34	1,672	9.0	1.00	(7.1 - 11.0)		131,075	(101,781 - 160,370)
PA	35-44	2,304	9.0	0.82	(7.4 - 10.6)		160,798	(130,968 - 190,627)
PA	45-54	2,616	7.8	0.75	(6.3 - 9.3)		138,459	(111,377 - 165,542)
PA	55-64	2,365	7.3	0.73	(5.9 - 8.7)		98,246	(78,312 - 118,180)
PA	65+	3,501	5.5	0.50	(4.5 - 6.5)		106,085	(86,967 - 125,204)
RI	18-24	187	15.3	2.95	(9.4 - 21.1)		17,522	(10,364 - 24,679)
RI	25-34	503	9.3	1.48	(6.4 - 12.2)		12,809	(8,631 - 16,987)
RI	35-44	766	12.2	1.38	(9.5 - 14.9)		19,932	(15,248 - 24,616)
RI	45-54	851	9.7	1.12	(7.5 - 11.9)		14,888	(11,417 - 18,359)
RI	55-64	657	8.9	1.18	(6.6 - 11.2)		10,076	(7,378 - 12,773)
RI	65+	945	9.7	1.06	(7.6 - 11.7)		14,801	(11,511 - 18,091)
SC	18-24	400	5.5	1.13	(3.3 - 7.7)		23,575	(13,890 - 33,259)
SC	25-34	1,024	6.0	0.82	(4.4 - 7.6)		33,696	(24,460 - 42,932)

Notes:
*CI denotes confidence interval.
**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2005

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
SC	35-44	1,479	6.3	0.71	(4.9 - 7.7)		38,085	(29,498 - 46,673)
SC	45-54	1,676	6.9	0.66	(5.6 - 8.2)		39,270	(31,694 - 46,845)
SC	55-64	1,637	8.1	0.76	(6.6 - 9.6)		36,753	(29,711 - 43,794)
SC	65+	2,105	6.8	0.63	(5.6 - 8.0)		36,001	(29,231 - 42,771)
SD	18-24	319	6.8	1.88	(3.1 - 10.5)		5,731	(2,477 - 8,985)
SD	25-34	868	6.6	0.97	(4.7 - 8.5)		6,107	(4,306 - 7,907)
SD	35-44	1,135	6.5	0.96	(4.6 - 8.4)		6,615	(4,627 - 8,603)
SD	45-54	1,350	7.8	0.83	(6.1 - 9.4)		8,355	(6,542 - 10,167)
SD	55-64	1,161	9.0	0.97	(7.1 - 10.9)		6,505	(5,067 - 7,943)
SD	65+	2,011	7.9	0.69	(6.6 - 9.3)		8,706	(7,176 - 10,236)
TN	18-24	232	6.8	1.89	(3.1 - 10.5)		38,967	(17,371 - 60,562)
TN	25-34	617	5.9	1.15	(3.6 - 8.2)		47,672	(29,283 - 66,062)
TN	35-44	853	7.9	1.16	(5.6 - 10.2)		69,294	(48,753 - 89,834)
TN	45-54	947	7.6	1.00	(5.6 - 9.5)		62,601	(46,022 - 79,180)
TN	55-64	883	10.4	1.22	(8.0 - 12.8)		66,158	(50,446 - 81,870)
TN	65+	1,169	8.0	1.01	(6.0 - 10.0)		60,184	(44,820 - 75,549)
TX	18-24	410	5.6	1.30	(3.1 - 8.2)		132,491	(71,138 - 193,844)
TX	25-34	1,006	6.0	0.86	(4.4 - 7.7)		199,455	(142,331 - 256,578)
TX	35-44	1,190	6.6	0.81	(5.0 - 8.2)		218,869	(165,190 - 272,547)
TX	45-54	1,221	6.7	0.80	(5.2 - 8.3)		195,636	(149,440 - 241,832)
TX	55-64	1,099	8.8	1.01	(6.8 - 10.8)		175,480	(134,214 - 216,746)
TX	65+	1,484	8.0	0.81	(6.4 - 9.6)		180,138	(142,710 - 217,567)
UT	18-24	419	10.1	1.77	(6.7 - 13.6)		30,449	(19,435 - 41,464)
UT	25-34	1,000	7.1	0.90	(5.3 - 8.9)		28,513	(21,230 - 35,795)
UT	35-44	926	5.9	0.87	(4.2 - 7.6)		17,343	(12,235 - 22,451)
UT	45-54	1,014	9.0	1.16	(6.7 - 11.2)		23,341	(17,167 - 29,514)
UT	55-64	728	9.3	1.24	(6.8 - 11.7)		15,987	(11,626 - 20,348)
UT	65+	997	6.8	1.03	(4.8 - 8.9)		14,276	(9,914 - 18,639)
VT	18-24	274	12.6	2.58	(7.6 - 17.7)		8,040	(4,514 - 11,566)
VT	25-34	764	11.0	1.17	(8.7 - 13.4)		7,793	(6,093 - 9,493)
VT	35-44	1,192	10.6	0.94	(8.8 - 12.4)		9,749	(7,973 - 11,524)

Notes:
*CI denotes confidence interval.
**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2005

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
VT	45-54	1,475	10.0	0.85	(8.3 - 11.7)		9,863	(8,157 - 11,570)
VT	55-64	1,301	7.1	0.73	(5.7 - 8.5)		5,228	(4,147 - 6,310)
VT	65+	1,645	7.5	0.69	(6.1 - 8.8)		6,166	(5,011 - 7,321)
VA	18-24	291	12.9	2.42	(8.1 - 17.6)		95,802	(58,349 - 133,255)
VA	25-34	679	8.5	1.32	(5.9 - 11.1)		85,356	(58,473 - 112,238)
VA	35-44	976	7.6	1.15	(5.3 - 9.9)		88,126	(61,015 - 115,237)
VA	45-54	1,189	7.3	1.06	(5.2 - 9.4)		79,012	(55,961 - 102,063)
VA	55-64	1,008	9.2	1.38	(6.4 - 11.9)		72,832	(50,272 - 95,392)
VA	65+	1,276	8.1	1.17	(5.8 - 10.4)		69,824	(49,251 - 90,397)
WA	18-24	1,245	12.3	1.18	(10.0 - 14.7)		75,599	(60,491 - 90,706)
WA	25-34	2,864	8.7	0.64	(7.4 - 9.9)		73,335	(62,242 - 84,428)
WA	35-44	3,985	8.1	0.51	(7.1 - 9.1)		75,589	(65,857 - 85,321)
WA	45-54	4,781	8.7	0.48	(7.8 - 9.7)		81,481	(72,462 - 90,500)
WA	55-64	4,524	9.2	0.55	(8.2 - 10.3)		59,646	(52,419 - 66,873)
WA	65+	5,673	9.2	0.47	(8.2 - 10.1)		65,041	(58,220 - 71,861)
WV	18-24	169	15.0	3.02	(9.0 - 20.9)		25,996	(14,803 - 37,188)
WV	25-34	463	5.9	1.12	(3.7 - 8.1)		13,253	(8,230 - 18,277)
WV	35-44	573	8.9	1.32	(6.3 - 11.4)		21,778	(15,141 - 28,415)
WV	45-54	738	8.1	0.99	(6.1 - 10.1)		22,218	(16,758 - 27,678)
WV	55-64	640	9.9	1.27	(7.4 - 12.3)		21,447	(15,799 - 27,094)
WV	65+	939	9.1	1.02	(7.1 - 11.1)		25,712	(19,851 - 31,573)
WI	18-24	282	10.9	2.09	(6.7 - 15.0)		60,708	(36,949 - 84,468)
WI	25-34	666	9.8	1.37	(7.1 - 12.5)		67,865	(48,428 - 87,301)
WI	35-44	891	9.4	1.10	(7.3 - 11.6)		76,484	(58,439 - 94,529)
WI	45-54	1,059	8.9	1.01	(6.9 - 10.9)		70,387	(54,262 - 86,512)
WI	55-64	808	8.4	1.18	(6.1 - 10.7)		47,251	(33,875 - 60,627)
WI	65+	1,112	7.6	0.98	(5.7 - 9.5)		54,602	(40,360 - 68,844)
WY	18-24	286	10.1	1.85	(6.5 - 13.8)		5,528	(3,459 - 7,597)
WY	25-34	640	7.5	1.08	(5.4 - 9.7)		4,584	(3,260 - 5,908)
WY	35-44	843	6.8	0.93	(5.0 - 8.6)		4,523	(3,276 - 5,770)
WY	45-54	1,173	8.1	0.88	(6.4 - 9.9)		6,499	(5,066 - 7,932)

Notes:
*CI denotes confidence interval.
**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2005

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
WY	55-64	850	7.4	0.99	(5.5 - 9.4)		4,217	(3,081 - 5,352)
WY	65+	1,154	7.0	0.82	(5.4 - 8.6)		4,334	(3,315 - 5,352)
Territories								
PR	18-24	277	12.5	2.13	(8.3 - 16.7)		51,745	(33,485 - 70,005)
PR	25-34	412	9.1	1.53	(6.1 - 12.1)		50,006	(33,106 - 66,906)
PR	35-44	656	6.2	0.96	(4.4 - 8.1)		32,875	(22,850 - 42,900)
PR	45-54	719	10.2	1.23	(7.8 - 12.6)		48,126	(36,533 - 59,719)
PR	55-64	740	6.0	0.97	(4.1 - 7.9)		23,975	(16,213 - 31,736)
PR	65+	959	9.2	1.06	(7.2 - 11.3)		43,844	(33,706 - 53,981)
VI	18-24	187	6.2	1.77	(2.7 - 9.7)		540	(232 - 849)
VI	25-34	382	6.2	1.71	(2.8 - 9.5)		846	(366 - 1,325)
VI	35-44	513	4.7	0.91	(2.9 - 6.5)		739	(456 - 1,023)
VI	45-54	527	3.3	0.83	(1.7 - 4.9)		469	(234 - 704)
VI	55-64	452	3.5	0.96	(1.7 - 5.4)		406	(187 - 624)
VI	65+	301	2.3	0.84	(0.6 - 3.9)		205	(55 - 356)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.