

Table C6
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Education and State or Territory, BRFSS 2005

| State | Education | Sample Size | Prevalence (percent) | Standard Error | 95% CI* (percent) | | Prevalence (number) | 95% CI* (number) |
|--------------|------------|-------------|----------------------|----------------|-------------------|--|---------------------|-------------------------|
| U.S. Total** | HS Nongrad | 36,331 | 8.7 | 0.28 | (8.2 - 9.3) | | 2,364,100 | (2,210,854 - 2,517,346) |
| U.S. Total** | HS Grad | 107,331 | 7.7 | 0.15 | (7.4 - 8.0) | | 5,035,882 | (4,834,974 - 5,236,790) |
| U.S. Total** | Some Coll | 91,473 | 8.4 | 0.18 | (8.1 - 8.8) | | 4,833,788 | (4,628,724 - 5,038,852) |
| U.S. Total** | Coll Grad | 111,834 | 7.2 | 0.14 | (6.9 - 7.5) | | 4,976,558 | (4,775,444 - 5,177,673) |
| AL | HS Nongrad | 508 | 10.9 | 1.75 | (7.5 - 14.4) | | 56,837 | (38,084 - 75,590) |
| AL | HS Grad | 1,034 | 6.1 | 0.85 | (4.4 - 7.7) | | 67,513 | (48,799 - 86,226) |
| AL | Some Coll | 846 | 6.7 | 1.16 | (4.4 - 8.9) | | 61,510 | (39,734 - 83,286) |
| AL | Coll Grad | 788 | 6.8 | 1.25 | (4.4 - 9.3) | | 57,514 | (35,943 - 79,084) |
| AK | HS Nongrad | 259 | 7.8 | 2.82 | (2.3 - 13.3) | | 3,359 | (881 - 5,836) |
| AK | HS Grad | 873 | 6.6 | 1.18 | (4.3 - 8.9) | | 9,464 | (6,057 - 12,871) |
| AK | Some Coll | 819 | 8.7 | 1.52 | (5.7 - 11.7) | | 12,343 | (7,993 - 16,692) |
| AK | Coll Grad | 826 | 8.0 | 1.33 | (5.4 - 10.7) | | 10,855 | (7,215 - 14,495) |
| AZ | HS Nongrad | 596 | 6.3 | 1.66 | (3.1 - 9.6) | | 32,261 | (16,136 - 48,386) |
| AZ | HS Grad | 1,333 | 5.5 | 0.94 | (3.7 - 7.4) | | 61,533 | (41,058 - 82,008) |
| AZ | Some Coll | 1,370 | 8.1 | 1.23 | (5.7 - 10.5) | | 102,568 | (71,143 - 133,993) |
| AZ | Coll Grad | 1,382 | 8.8 | 1.38 | (6.1 - 11.5) | | 113,817 | (77,374 - 150,260) |
| AR | HS Nongrad | 663 | 10.3 | 1.50 | (7.3 - 13.2) | | 27,559 | (19,249 - 35,870) |
| AR | HS Grad | 1,885 | 7.1 | 0.72 | (5.7 - 8.5) | | 53,093 | (42,210 - 63,975) |
| AR | Some Coll | 1,261 | 8.7 | 1.03 | (6.7 - 10.7) | | 42,407 | (32,169 - 52,645) |
| AR | Coll Grad | 1,426 | 5.5 | 0.70 | (4.1 - 6.8) | | 30,047 | (22,365 - 37,729) |
| CA | HS Nongrad | 812 | 5.0 | 0.79 | (3.4 - 6.5) | | 250,220 | (171,325 - 329,114) |
| CA | HS Grad | 1,307 | 6.2 | 0.73 | (4.8 - 7.6) | | 381,567 | (292,102 - 471,032) |
| CA | Some Coll | 1,709 | 8.6 | 0.84 | (7.0 - 10.2) | | 603,445 | (485,171 - 721,718) |
| CA | Coll Grad | 2,260 | 8.1 | 0.71 | (6.7 - 9.4) | | 662,738 | (545,671 - 779,805) |
| CO | HS Nongrad | 452 | 8.7 | 1.81 | (5.2 - 12.3) | | 31,165 | (17,810 - 44,521) |
| CO | HS Grad | 1,423 | 8.0 | 0.85 | (6.3 - 9.7) | | 67,939 | (53,348 - 82,530) |
| CO | Some Coll | 1,610 | 8.4 | 0.82 | (6.8 - 10.0) | | 78,635 | (63,155 - 94,115) |
| CO | Coll Grad | 2,459 | 8.0 | 0.60 | (6.8 - 9.2) | | 105,333 | (89,347 - 121,319) |
| CT | HS Nongrad | 426 | 12.0 | 2.24 | (7.5 - 16.4) | | 21,677 | (13,226 - 30,128) |
| CT | HS Grad | 1,366 | 9.0 | 1.15 | (6.8 - 11.3) | | 63,148 | (46,525 - 79,771) |
| CT | Some Coll | 1,176 | 8.8 | 1.16 | (6.6 - 11.1) | | 55,238 | (40,445 - 70,030) |

Notes:
*CI denotes confidence interval.
**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C6
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Education and State or Territory, BRFSS 2005

| State | Education | Sample Size | Prevalence (percent) | Standard Error | 95% CI* (percent) | | Prevalence (number) | 95% CI* (number) |
|-------|------------|-------------|----------------------|----------------|-------------------|------------|---------------------|---------------------|
| CT | Coll Grad | 2,233 | 6.2 | 0.58 | (5.1 - 7.4) | | 71,544 | (58,343 - 84,745) |
| DE | HS Nongrad | 353 | 18.7 | 3.54 | (11.7 - 25.6) | | 9,014 | (5,146 - 12,882) |
| DE | HS Grad | 1,375 | 9.6 | 1.15 | (7.3 - 11.9) | | 18,555 | (13,971 - 23,139) |
| DE | Some Coll | 1,010 | 7.2 | 1.13 | (5.0 - 9.4) | | 10,863 | (7,422 - 14,304) |
| DE | Coll Grad | 1,430 | 6.4 | 0.82 | (4.8 - 8.0) | | 15,220 | (11,306 - 19,135) |
| DC | HS Nongrad | 246 | 14.0 | 2.50 | (9.0 - 18.9) | | 5,249 | (3,326 - 7,171) |
| DC | HS Grad | 601 | 10.0 | 1.70 | (6.7 - 13.3) | | 9,151 | (5,920 - 12,383) |
| DC | Some Coll | 618 | 11.3 | 2.00 | (7.3 - 15.2) | | 10,133 | (6,347 - 13,919) |
| DC | Coll Grad | 2,244 | 7.3 | 0.75 | (5.9 - 8.8) | | 16,744 | (13,294 - 20,193) |
| FL | HS Nongrad | 944 | 8.7 | 1.43 | (5.9 - 11.5) | | 140,800 | (93,820 - 187,779) |
| FL | HS Grad | 2,539 | 6.7 | 0.66 | (5.4 - 8.0) | | 261,786 | (210,434 - 313,138) |
| FL | Some Coll | 2,249 | 7.6 | 0.80 | (6.1 - 9.2) | | 283,466 | (223,800 - 343,132) |
| FL | Coll Grad | 2,395 | 5.3 | 0.57 | (4.2 - 6.4) | | 221,125 | (173,687 - 268,562) |
| GA | HS Nongrad | 906 | 8.4 | 1.23 | (6.0 - 10.8) | | 69,942 | (49,765 - 90,119) |
| GA | HS Grad | 1,881 | 6.7 | 0.92 | (4.9 - 8.5) | | 140,042 | (101,424 - 178,660) |
| GA | Some Coll | 1,478 | 7.8 | 0.95 | (5.9 - 9.6) | | 124,113 | (93,371 - 154,855) |
| GA | Coll Grad | 1,752 | 7.2 | 0.90 | (5.5 - 9.0) | | 144,986 | (108,373 - 181,599) |
| HI | HS Nongrad | 384 | 13.1 | 2.51 | (8.2 - 18.1) | | 7,908 | (4,741 - 11,075) |
| HI | HS Grad | 1,735 | 7.0 | 0.77 | (5.5 - 8.5) | | 19,442 | (15,196 - 23,689) |
| HI | Some Coll | 1,841 | 7.3 | 0.75 | (5.8 - 8.8) | | 20,381 | (16,177 - 24,586) |
| HI | Coll Grad | 2,397 | 7.1 | 0.76 | (5.6 - 8.6) | | 24,768 | (19,420 - 30,115) |
| ID | HS Nongrad | 503 | 6.6 | 1.19 | (4.3 - 9.0) | | 6,487 | (4,253 - 8,720) |
| ID | HS Grad | 1,804 | 7.0 | 0.76 | (5.5 - 8.4) | | 22,389 | (17,526 - 27,251) |
| ID | Some Coll | 1,833 | 8.0 | 0.81 | (6.4 - 9.6) | | 25,151 | (20,049 - 30,254) |
| ID | Coll Grad | 1,548 | 7.0 | 0.80 | (5.5 - 8.6) | | 19,735 | (15,207 - 24,264) |
| IL | HS Nongrad | 391 | 8.8 | 1.71 | (5.5 - 12.2) | | 83,431 | (51,270 - 115,591) |
| IL | HS Grad | 1,453 | 5.8 | 0.67 | (4.5 - 7.1) | | 155,703 | (120,420 - 190,987) |
| IL | Some Coll | 1,383 | 8.5 | 0.94 | (6.7 - 10.4) | | 227,636 | (177,004 - 278,268) |
| IL | Coll Grad | 1,814 | 6.1 | 0.64 | (4.8 - 7.4) | | 193,125 | (152,715 - 233,535) |
| IN | HS Nongrad | 543 | 11.3 | 1.54 | (8.2 - 14.3) | | 57,773 | (41,658 - 73,889) |
| IN | HS Grad | 2,051 | 8.9 | 0.76 | (7.4 - 10.4) | | 151,650 | (125,443 - 177,857) |

Notes:
*CI denotes confidence interval.
**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C6
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Education and State or Territory, BRFSS 2005

| State | Education | Sample Size | Prevalence (percent) | Standard Error | 95% CI* (percent) | | Prevalence (number) | 95% CI* (number) |
|-------|------------|-------------|----------------------|----------------|-------------------|------------|---------------------|---------------------|
| IN | Some Coll | 1,422 | 7.7 | 0.80 | (6.1 - 9.2) | | 89,939 | (70,942 - 108,937) |
| IN | Coll Grad | 1,581 | 6.3 | 0.64 | (5.1 - 7.6) | | 78,659 | (62,836 - 94,482) |
| IA | HS Nongrad | 420 | 11.4 | 2.36 | (6.7 - 16.0) | | 22,883 | (12,800 - 32,966) |
| IA | HS Grad | 1,826 | 7.2 | 0.75 | (5.7 - 8.7) | | 57,272 | (45,208 - 69,336) |
| IA | Some Coll | 1,323 | 7.7 | 0.88 | (5.9 - 9.4) | | 47,397 | (36,363 - 58,432) |
| IA | Coll Grad | 1,449 | 5.5 | 0.67 | (4.2 - 6.8) | | 34,997 | (26,423 - 43,571) |
| KS | HS Nongrad | 648 | 8.2 | 1.42 | (5.4 - 11.0) | | 14,497 | (9,406 - 19,588) |
| KS | HS Grad | 2,678 | 6.2 | 0.59 | (5.1 - 7.4) | | 38,589 | (31,234 - 45,945) |
| KS | Some Coll | 2,409 | 7.6 | 0.66 | (6.3 - 8.9) | | 43,940 | (36,250 - 51,629) |
| KS | Coll Grad | 2,862 | 6.6 | 0.54 | (5.5 - 7.7) | | 43,916 | (36,725 - 51,108) |
| KY | HS Nongrad | 1,269 | 14.6 | 1.33 | (12.0 - 17.2) | | 70,806 | (57,853 - 83,759) |
| KY | HS Grad | 2,514 | 9.9 | 0.92 | (8.1 - 11.7) | | 117,843 | (95,421 - 140,265) |
| KY | Some Coll | 1,469 | 6.2 | 0.77 | (4.7 - 7.7) | | 46,484 | (35,199 - 57,770) |
| KY | Coll Grad | 1,296 | 5.8 | 0.79 | (4.2 - 7.3) | | 41,099 | (29,861 - 52,337) |
| LA | HS Nongrad | 410 | 8.6 | 1.70 | (5.3 - 12.0) | | 33,891 | (20,184 - 47,597) |
| LA | HS Grad | 1,023 | 6.1 | 0.95 | (4.3 - 8.0) | | 64,198 | (44,191 - 84,206) |
| LA | Some Coll | 679 | 5.2 | 1.02 | (3.2 - 7.2) | | 36,280 | (22,058 - 50,503) |
| LA | Coll Grad | 806 | 4.9 | 0.88 | (3.2 - 6.6) | | 36,066 | (23,132 - 49,000) |
| ME | HS Nongrad | 291 | 16.0 | 2.86 | (10.4 - 21.6) | | 13,982 | (8,685 - 19,279) |
| ME | HS Grad | 1,343 | 9.5 | 1.04 | (7.5 - 11.6) | | 33,882 | (26,313 - 41,452) |
| ME | Some Coll | 998 | 11.7 | 1.44 | (8.9 - 14.5) | | 31,435 | (23,314 - 39,556) |
| ME | Coll Grad | 1,298 | 8.3 | 0.91 | (6.5 - 10.1) | | 26,282 | (20,378 - 32,186) |
| MD | HS Nongrad | 524 | 10.5 | 1.63 | (7.3 - 13.7) | | 27,568 | (18,953 - 36,184) |
| MD | HS Grad | 2,329 | 9.8 | 0.89 | (8.0 - 11.5) | | 110,069 | (89,567 - 130,571) |
| MD | Some Coll | 2,042 | 7.9 | 0.80 | (6.3 - 9.5) | | 80,110 | (63,752 - 96,468) |
| MD | Coll Grad | 3,675 | 7.4 | 0.54 | (6.3 - 8.5) | | 131,431 | (111,983 - 150,879) |
| MA | HS Nongrad | 903 | 14.1 | 2.41 | (9.3 - 18.8) | | 57,040 | (35,806 - 78,274) |
| MA | HS Grad | 2,363 | 9.7 | 0.88 | (8.0 - 11.4) | | 122,759 | (99,969 - 145,549) |
| MA | Some Coll | 1,944 | 10.2 | 0.95 | (8.3 - 12.0) | | 114,389 | (92,597 - 136,180) |
| MA | Coll Grad | 3,612 | 8.4 | 0.58 | (7.2 - 9.5) | | 179,506 | (154,617 - 204,395) |
| MI | HS Nongrad | 947 | 11.4 | 1.28 | (8.9 - 13.9) | | 75,440 | (58,023 - 92,857) |

Notes:
*CI denotes confidence interval.
**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C6
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Education and State or Territory, BRFSS 2005

| State | Education | Sample Size | Prevalence (percent) | Standard Error | 95% CI* (percent) | | Prevalence (number) | 95% CI* (number) |
|-------|------------|-------------|----------------------|----------------|-------------------|------------|---------------------|---------------------|
| MI | HS Grad | 3,907 | 9.4 | 0.64 | (8.1 - 10.6) | | 226,740 | (195,113 - 258,367) |
| MI | Some Coll | 3,461 | 9.4 | 0.60 | (8.2 - 10.6) | | 205,929 | (179,010 - 232,848) |
| MI | Coll Grad | 3,695 | 7.8 | 0.53 | (6.8 - 8.9) | | 176,721 | (152,653 - 200,788) |
| MN | HS Nongrad | 150 | 5.3 | 2.23 | (0.9 - 9.7) | | 11,599 | (1,866 - 21,333) |
| MN | HS Grad | 778 | 8.3 | 1.37 | (5.6 - 11.0) | | 83,422 | (55,121 - 111,722) |
| MN | Some Coll | 898 | 8.8 | 1.16 | (6.5 - 11.0) | | 113,117 | (82,765 - 143,470) |
| MN | Coll Grad | 988 | 8.7 | 1.02 | (6.7 - 10.7) | | 114,851 | (87,319 - 142,384) |
| MS | HS Nongrad | 817 | 10.3 | 1.23 | (7.8 - 12.7) | | 38,650 | (29,272 - 48,028) |
| MS | HS Grad | 1,459 | 7.7 | 0.97 | (5.8 - 9.6) | | 57,973 | (43,170 - 72,776) |
| MS | Some Coll | 1,085 | 6.3 | 0.84 | (4.6 - 7.9) | | 32,883 | (24,130 - 41,635) |
| MS | Coll Grad | 1,041 | 5.0 | 0.74 | (3.5 - 6.4) | | 23,709 | (16,691 - 30,727) |
| MO | HS Nongrad | 653 | 15.4 | 2.16 | (11.2 - 19.7) | | 74,698 | (52,374 - 97,022) |
| MO | HS Grad | 1,910 | 7.5 | 0.83 | (5.9 - 9.2) | | 109,049 | (85,192 - 132,906) |
| MO | Some Coll | 1,291 | 10.5 | 1.36 | (7.9 - 13.2) | | 126,770 | (93,030 - 160,511) |
| MO | Coll Grad | 1,272 | 6.6 | 0.90 | (4.9 - 8.4) | | 77,459 | (56,361 - 98,557) |
| MT | HS Nongrad | 392 | 8.9 | 2.05 | (4.9 - 12.9) | | 5,516 | (2,944 - 8,089) |
| MT | HS Grad | 1,632 | 8.7 | 1.01 | (6.7 - 10.7) | | 20,275 | (15,485 - 25,065) |
| MT | Some Coll | 1,393 | 8.0 | 1.05 | (6.0 - 10.1) | | 15,304 | (11,218 - 19,390) |
| MT | Coll Grad | 1,525 | 6.7 | 0.75 | (5.2 - 8.1) | | 14,660 | (11,366 - 17,953) |
| NE | HS Nongrad | 729 | 6.5 | 1.36 | (3.8 - 9.2) | | 7,269 | (4,199 - 10,338) |
| NE | HS Grad | 2,907 | 7.5 | 0.71 | (6.1 - 8.9) | | 31,759 | (25,719 - 37,800) |
| NE | Some Coll | 2,356 | 6.2 | 0.70 | (4.8 - 7.6) | | 23,712 | (18,336 - 29,088) |
| NE | Coll Grad | 2,284 | 6.5 | 0.77 | (5.0 - 8.0) | | 25,111 | (19,108 - 31,114) |
| NV | HS Nongrad | 320 | 6.9 | 2.68 | (1.6 - 12.2) | | 16,419 | (3,278 - 29,560) |
| NV | HS Grad | 863 | 7.3 | 1.34 | (4.7 - 9.9) | | 35,865 | (22,559 - 49,171) |
| NV | Some Coll | 1,013 | 8.4 | 1.26 | (5.9 - 10.9) | | 43,684 | (30,511 - 56,858) |
| NV | Coll Grad | 923 | 5.6 | 1.06 | (3.5 - 7.7) | | 26,293 | (16,338 - 36,247) |
| NH | HS Nongrad | 386 | 16.7 | 2.40 | (12.0 - 21.5) | | 11,345 | (7,890 - 14,799) |
| NH | HS Grad | 1,801 | 10.3 | 0.89 | (8.5 - 12.0) | | 29,928 | (24,623 - 35,232) |
| NH | Some Coll | 1,464 | 12.1 | 1.11 | (9.9 - 14.2) | | 30,437 | (24,591 - 36,282) |
| NH | Coll Grad | 2,337 | 8.0 | 0.66 | (6.8 - 9.3) | | 30,950 | (25,846 - 36,053) |

Notes:
*CI denotes confidence interval.
**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C6
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Education and State or Territory, BRFSS 2005

| State | Education | Sample Size | Prevalence (percent) | Standard Error | 95% CI* (percent) | | Prevalence (number) | 95% CI* (number) |
|-------|------------|-------------|----------------------|----------------|-------------------|--|---------------------|---------------------|
| NJ | HS Nongrad | 1,189 | 6.9 | 0.95 | (5.0 - 8.8) | | 46,933 | (34,075 - 59,790) |
| NJ | HS Grad | 3,961 | 7.2 | 0.57 | (6.0 - 8.3) | | 134,252 | (112,618 - 155,886) |
| NJ | Some Coll | 3,064 | 8.7 | 0.73 | (7.2 - 10.1) | | 126,807 | (104,862 - 148,752) |
| NJ | Coll Grad | 5,336 | 7.2 | 0.46 | (6.3 - 8.1) | | 179,555 | (156,548 - 202,563) |
| NM | HS Nongrad | 824 | 6.2 | 1.02 | (4.1 - 8.2) | | 12,495 | (8,335 - 16,655) |
| NM | HS Grad | 1,493 | 7.1 | 0.79 | (5.5 - 8.6) | | 28,217 | (21,997 - 34,437) |
| NM | Some Coll | 1,447 | 9.9 | 1.10 | (7.7 - 12.0) | | 36,202 | (27,843 - 44,562) |
| NM | Coll Grad | 1,775 | 11.0 | 0.96 | (9.2 - 12.9) | | 46,206 | (37,924 - 54,487) |
| NY | HS Nongrad | 626 | 10.6 | 1.79 | (7.1 - 14.1) | | 170,953 | (110,633 - 231,273) |
| NY | HS Grad | 2,196 | 10.5 | 0.99 | (8.6 - 12.5) | | 447,040 | (358,634 - 535,445) |
| NY | Some Coll | 1,785 | 8.9 | 0.79 | (7.4 - 10.5) | | 305,253 | (251,188 - 359,319) |
| NY | Coll Grad | 3,101 | 8.3 | 0.61 | (7.1 - 9.4) | | 437,464 | (372,256 - 502,672) |
| NC | HS Nongrad | 2,709 | 8.0 | 0.77 | (6.5 - 9.5) | | 88,200 | (70,984 - 105,416) |
| NC | HS Grad | 5,175 | 6.1 | 0.45 | (5.2 - 7.0) | | 116,125 | (98,927 - 133,324) |
| NC | Some Coll | 4,188 | 6.5 | 0.48 | (5.6 - 7.4) | | 102,201 | (87,097 - 117,304) |
| NC | Coll Grad | 5,067 | 6.0 | 0.43 | (5.1 - 6.8) | | 110,266 | (94,362 - 126,169) |
| ND | HS Nongrad | 353 | 13.3 | 3.16 | (7.1 - 19.6) | | 5,406 | (2,595 - 8,216) |
| ND | HS Grad | 1,157 | 6.7 | 0.91 | (4.9 - 8.5) | | 9,277 | (6,740 - 11,814) |
| ND | Some Coll | 1,246 | 7.1 | 0.87 | (5.4 - 8.9) | | 11,056 | (8,326 - 13,786) |
| ND | Coll Grad | 1,226 | 6.4 | 0.84 | (4.8 - 8.1) | | 9,678 | (7,134 - 12,221) |
| OH | HS Nongrad | 705 | 12.8 | 2.06 | (8.8 - 16.9) | | 94,575 | (63,248 - 125,902) |
| OH | HS Grad | 2,504 | 6.1 | 0.67 | (4.8 - 7.4) | | 190,737 | (149,411 - 232,064) |
| OH | Some Coll | 1,790 | 8.7 | 1.08 | (6.6 - 10.8) | | 183,168 | (137,388 - 228,948) |
| OH | Coll Grad | 2,430 | 8.2 | 0.91 | (6.4 - 10.0) | | 217,414 | (168,324 - 266,504) |
| OK | HS Nongrad | 2,003 | 9.3 | 1.04 | (7.3 - 11.4) | | 34,368 | (26,790 - 41,945) |
| OK | HS Grad | 4,796 | 9.2 | 0.75 | (7.7 - 10.7) | | 82,164 | (68,535 - 95,793) |
| OK | Some Coll | 3,758 | 8.1 | 0.64 | (6.8 - 9.3) | | 60,206 | (50,737 - 69,675) |
| OK | Coll Grad | 3,004 | 7.7 | 0.80 | (6.1 - 9.2) | | 48,505 | (38,202 - 58,808) |
| OR | HS Nongrad | 1,000 | 12.3 | 1.17 | (10.0 - 14.6) | | 34,661 | (27,890 - 41,432) |
| OR | HS Grad | 3,344 | 10.2 | 0.68 | (8.8 - 11.5) | | 82,251 | (70,951 - 93,552) |
| OR | Some Coll | 3,608 | 11.1 | 0.65 | (9.8 - 12.4) | | 88,893 | (78,177 - 99,608) |

Notes:
*CI denotes confidence interval.
**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C6
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Education and State or Territory, BRFSS 2005

| State | Education | Sample Size | Prevalence (percent) | Standard Error | 95% CI* (percent) | | Prevalence (number) | 95% CI* (number) |
|-------|------------|-------------|----------------------|----------------|-------------------|--|---------------------|---------------------|
| OR | Coll Grad | 3,966 | 8.5 | 0.52 | (7.5 - 9.5) | | 72,470 | (63,565 - 81,375) |
| PA | HS Nongrad | 1,370 | 10.8 | 1.65 | (7.5 - 14.0) | | 98,384 | (66,696 - 130,072) |
| PA | HS Grad | 5,431 | 8.2 | 0.58 | (7.1 - 9.4) | | 305,747 | (262,375 - 349,120) |
| PA | Some Coll | 2,902 | 7.8 | 0.72 | (6.4 - 9.2) | | 170,448 | (138,827 - 202,068) |
| PA | Coll Grad | 3,562 | 7.3 | 0.68 | (5.9 - 8.6) | | 197,056 | (159,403 - 234,710) |
| RI | HS Nongrad | 456 | 14.6 | 2.69 | (9.4 - 19.9) | | 14,386 | (8,634 - 20,137) |
| RI | HS Grad | 1,116 | 10.1 | 1.15 | (7.9 - 12.4) | | 24,684 | (18,956 - 30,413) |
| RI | Some Coll | 964 | 12.3 | 1.29 | (9.8 - 14.8) | | 25,801 | (20,267 - 31,334) |
| RI | Coll Grad | 1,407 | 8.7 | 0.82 | (7.1 - 10.3) | | 25,216 | (20,424 - 30,008) |
| SC | HS Nongrad | 1,138 | 11.6 | 1.18 | (9.3 - 13.9) | | 46,860 | (37,012 - 56,708) |
| SC | HS Grad | 2,664 | 5.8 | 0.51 | (4.8 - 6.8) | | 61,327 | (50,644 - 72,010) |
| SC | Some Coll | 2,110 | 7.0 | 0.67 | (5.7 - 8.3) | | 58,582 | (47,275 - 69,889) |
| SC | Coll Grad | 2,460 | 4.9 | 0.48 | (4.0 - 5.8) | | 42,158 | (34,004 - 50,312) |
| SD | HS Nongrad | 724 | 10.0 | 1.83 | (6.4 - 13.6) | | 5,459 | (3,387 - 7,531) |
| SD | HS Grad | 2,193 | 7.0 | 0.68 | (5.7 - 8.4) | | 12,161 | (9,809 - 14,513) |
| SD | Some Coll | 1,976 | 7.2 | 0.87 | (5.5 - 8.9) | | 12,603 | (9,534 - 15,671) |
| SD | Coll Grad | 1,982 | 6.9 | 0.72 | (5.5 - 8.3) | | 11,797 | (9,337 - 14,256) |
| TN | HS Nongrad | 598 | 14.0 | 1.81 | (10.4 - 17.5) | | 72,181 | (53,178 - 91,184) |
| TN | HS Grad | 1,625 | 8.8 | 0.98 | (6.9 - 10.7) | | 141,671 | (110,222 - 173,120) |
| TN | Some Coll | 1,223 | 6.0 | 0.76 | (4.5 - 7.5) | | 72,161 | (54,275 - 90,047) |
| TN | Coll Grad | 1,270 | 5.3 | 0.77 | (3.8 - 6.8) | | 60,469 | (43,005 - 77,933) |
| TX | HS Nongrad | 1,157 | 5.8 | 0.89 | (4.1 - 7.6) | | 177,385 | (123,452 - 231,317) |
| TX | HS Grad | 1,718 | 6.2 | 0.69 | (4.9 - 7.6) | | 280,413 | (218,042 - 342,784) |
| TX | Some Coll | 1,677 | 8.1 | 0.79 | (6.5 - 9.6) | | 336,549 | (270,967 - 402,130) |
| TX | Coll Grad | 1,889 | 6.8 | 0.70 | (5.4 - 8.2) | | 302,908 | (240,535 - 365,281) |
| UT | HS Nongrad | 331 | 6.8 | 1.54 | (3.8 - 9.8) | | 7,636 | (4,192 - 11,080) |
| UT | HS Grad | 1,421 | 9.5 | 1.12 | (7.3 - 11.7) | | 43,861 | (33,148 - 54,575) |
| UT | Some Coll | 1,692 | 8.0 | 0.87 | (6.3 - 9.7) | | 44,670 | (34,894 - 54,445) |
| UT | Coll Grad | 1,662 | 6.8 | 0.72 | (5.3 - 8.2) | | 34,316 | (26,993 - 41,639) |
| VT | HS Nongrad | 457 | 13.2 | 2.28 | (8.7 - 17.7) | | 4,746 | (2,998 - 6,494) |
| VT | HS Grad | 2,103 | 10.4 | 1.00 | (8.5 - 12.4) | | 16,512 | (13,176 - 19,849) |

Notes:
*CI denotes confidence interval.
**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C6
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Education and State or Territory, BRFSS 2005

| State | Education | Sample Size | Prevalence (percent) | Standard Error | 95% CI* (percent) | | Prevalence (number) | 95% CI* (number) |
|-------------|------------|-------------|----------------------|----------------|-------------------|--|---------------------|---------------------|
| VT | Some Coll | 1,522 | 10.2 | 0.96 | (8.3 - 12.1) | | 11,343 | (9,141 - 13,545) |
| VT | Coll Grad | 2,635 | 8.2 | 0.61 | (7.0 - 9.4) | | 14,760 | (12,570 - 16,951) |
| VA | HS Nongrad | 601 | 11.3 | 1.86 | (7.6 - 14.9) | | 55,924 | (36,785 - 75,064) |
| VA | HS Grad | 1,610 | 9.3 | 1.13 | (7.1 - 11.5) | | 150,019 | (112,670 - 187,368) |
| VA | Some Coll | 1,289 | 10.2 | 1.30 | (7.7 - 12.8) | | 135,930 | (100,527 - 171,334) |
| VA | Coll Grad | 1,920 | 6.8 | 0.81 | (5.2 - 8.4) | | 150,871 | (115,079 - 186,664) |
| WA | HS Nongrad | 1,914 | 10.9 | 1.03 | (8.9 - 13.0) | | 47,949 | (38,654 - 57,244) |
| WA | HS Grad | 6,053 | 8.9 | 0.50 | (7.9 - 9.9) | | 104,018 | (92,085 - 115,950) |
| WA | Some Coll | 7,186 | 10.7 | 0.53 | (9.7 - 11.8) | | 152,792 | (137,070 - 168,514) |
| WA | Coll Grad | 7,886 | 7.6 | 0.36 | (6.9 - 8.3) | | 125,114 | (113,100 - 137,129) |
| WV | HS Nongrad | 626 | 12.8 | 1.58 | (9.7 - 15.9) | | 32,145 | (23,951 - 40,340) |
| WV | HS Grad | 1,415 | 7.5 | 0.80 | (6.0 - 9.1) | | 42,699 | (33,579 - 51,819) |
| WV | Some Coll | 750 | 10.5 | 1.43 | (7.7 - 13.4) | | 33,031 | (23,728 - 42,334) |
| WV | Coll Grad | 738 | 8.0 | 1.22 | (5.6 - 10.4) | | 23,183 | (15,960 - 30,407) |
| WI | HS Nongrad | 421 | 7.6 | 1.39 | (4.8 - 10.3) | | 25,010 | (15,969 - 34,050) |
| WI | HS Grad | 1,730 | 9.1 | 0.87 | (7.4 - 10.9) | | 130,259 | (105,189 - 155,329) |
| WI | Some Coll | 1,328 | 10.0 | 1.08 | (7.9 - 12.1) | | 116,702 | (91,065 - 142,338) |
| WI | Coll Grad | 1,383 | 8.9 | 0.93 | (7.1 - 10.7) | | 110,687 | (87,541 - 133,833) |
| WY | HS Nongrad | 284 | 12.8 | 2.37 | (8.2 - 17.5) | | 3,163 | (1,938 - 4,387) |
| WY | HS Grad | 1,633 | 7.7 | 0.82 | (6.1 - 9.3) | | 9,848 | (7,718 - 11,977) |
| WY | Some Coll | 1,518 | 8.3 | 0.80 | (6.8 - 9.9) | | 9,693 | (7,827 - 11,560) |
| WY | Coll Grad | 1,537 | 6.4 | 0.68 | (5.0 - 7.7) | | 7,205 | (5,656 - 8,754) |
| Territories | | | | | | | | |
| PR | HS Nongrad | 1,115 | 8.3 | 0.91 | (6.5 - 10.1) | | 54,010 | (42,366 - 65,653) |
| PR | HS Grad | 985 | 7.6 | 0.97 | (5.8 - 9.5) | | 58,319 | (43,596 - 73,041) |
| PR | Some Coll | 783 | 8.9 | 1.23 | (6.5 - 11.3) | | 62,457 | (44,899 - 80,015) |
| PR | Coll Grad | 892 | 10.4 | 1.26 | (7.9 - 12.8) | | 75,477 | (56,824 - 94,129) |
| VI | HS Nongrad | 417 | 2.0 | 0.81 | (0.4 - 3.6) | | 276 | (56 - 497) |
| VI | HS Grad | 848 | 4.7 | 0.94 | (2.8 - 6.5) | | 1,316 | (784 - 1,848) |
| VI | Some Coll | 449 | 4.0 | 0.93 | (2.2 - 5.9) | | 523 | (283 - 763) |
| VI | Coll Grad | 672 | 6.1 | 1.03 | (4.1 - 8.2) | | 1,123 | (746 - 1,501) |

Notes:
*CI denotes confidence interval.
**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.