

**Table C5**  
**Child Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2006**

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)	    	Prevalence (Number)	95% CI* (Number)
Total **	White NH ***	44,422	8.1	0.26	(7.5 - 8.6)		2,380,039	(2,223,552 - 2,536,526)
Total **	Black NH	5,572	13.7	0.85	(12.2 - 15.5)		765,220	(667,655 - 862,785)
Total **	Other NH	3,110	9.0	1.15	(7.0 - 11.5)		234,519	(172,779 - 296,260)
Total **	Multirace NH	2,337	12.8	1.77	(9.7 - 16.7)		193,343	(137,175 - 249,510)
Total **	Hispanic	6,591	8.5	0.71	(7.2 - 10.0)		965,218	(802,484 - 1,127,952)
AK	White NH	452	5.6	1.33	(3.5 - 8.8)		6,223	(3,318 - 9,129)
AK	Black NH	15	0.0				0	
AK	Other NH	216	6.0	2.08	(3.0 - 11.6)		2,469	(767 - 4,171)
AK	Multirace NH	60	16.3	7.24	(6.4 - 35.5)		2,140	(97 - 4,183)
AK	Hispanic	48	6.1				837	
AZ	White NH	622	10.0	1.96	(6.8 - 14.6)		77,496	(47,009 - 107,982)
AZ	Black NH	37	23.9	13.53	(6.8 - 57.4)		13,653	(0 - 32,148)
AZ	Other NH	104	8.2	2.58	(4.3 - 14.8)		7,309	(3,108 - 11,509)
AZ	Multirace NH	27	18.5				4,382	
AZ	Hispanic	599	8.5	3.03	(4.1 - 16.6)		51,184	(13,291 - 89,078)
CA	White NH	782	8.1	1.19	(6.1 - 10.8)		249,035	(175,151 - 322,918)
CA	Black NH	76	12.4	3.87	(6.6 - 22.2)		55,252	(20,200 - 90,303)
CA	Other NH	116	12.3	3.75	(6.7 - 21.7)		79,050	(28,413 - 129,686)
CA	Multirace NH	75	18.8	5.20	(10.6 - 31.1)		73,648	(29,757 - 117,538)
CA	Hispanic	684	6.7	1.13	(4.8 - 9.3)		329,217	(218,737 - 439,697)
DC	White NH	318	4.9	1.49	(2.7 - 8.8)		713	(279 - 1,147)
DC	Black NH	454	16.8	2.09	(13.1 - 21.3)		12,206	(9,102 - 15,309)
DC	Other NH	36	23.1	10.08	(9.0 - 47.7)		1,087	(0 - 2,213)
DC	Multirace NH	15	5.2				82	
DC	Hispanic	60	7.9				663	
GA	White NH	1,522	8.5	0.86	(6.9 - 10.3)		99,970	(79,791 - 120,149)
GA	Black NH	580	13.4	1.89	(10.1 - 17.5)		100,115	(70,761 - 129,469)

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.  
\*\*\* NH denotes Not Hispanic or Latino.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C5**  
**Child Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2006**

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)	Prevalence (Number)	95% CI* (Number)
GA	Other NH	102	10.5	4.08	(4.8 - 21.6)	16,989	(3,335 - 30,644)
GA	Multirace NH	26	0.0			0	
GA	Hispanic	112	9.9	3.96	(4.4 - 20.8)	15,924	(2,637 - 29,210)
HI	White NH	364	8.1	1.73	(5.3 - 12.2)	3,519	(2,000 - 5,039)
HI	Black NH	18	18.8			710	
HI	Other NH	539	10.6	1.61	(7.8 - 14.2)	8,971	(6,203 - 11,740)
HI	Multirace NH	919	13.9	1.50	(11.3 - 17.2)	16,473	(12,801 - 20,145)
HI	Hispanic	293	15.8	2.73	(11.2 - 21.9)	6,624	(4,212 - 9,035)
ID	White NH	1,535	5.8	0.68	(4.6 - 7.3)	17,870	(13,748 - 21,992)
ID	Black NH	16	18.0			625	
ID	Other NH	49	20.1	7.32	(9.3 - 38.0)	2,049	(394 - 3,704)
ID	Multirace NH	48	6.4			538	
ID	Hispanic	204	5.9	1.68	(3.4 - 10.2)	2,623	(1,148 - 4,098)
IN	White NH	1,568	8.2	0.81	(6.7 - 9.9)	99,236	(79,705 - 118,767)
IN	Black NH	221	14.6	3.20	(9.4 - 22.1)	19,988	(10,751 - 29,225)
IN	Other NH	41	0.0			0	
IN	Multirace NH	45	5.6			1,815	
IN	Hispanic	162	6.4	2.89	(2.5 - 15.0)	8,815	(624 - 17,005)
IA	White NH	1,453	5.6	0.68	(4.4 - 7.1)	33,226	(25,229 - 41,223)
IA	Black NH	32	19.8	9.78	(6.9 - 45.2)	2,797	(0 - 5,927)
IA	Other NH	31	0.0			0	
IA	Multirace NH	38	11.4			1,357	
IA	Hispanic	94	17.0	5.07	(9.2 - 29.3)	6,712	(2,346 - 11,078)
KS	White NH	1,999	9.4	0.73	(8.0 - 10.9)	49,050	(41,408 - 56,692)
KS	Black NH	103	16.6	4.20	(9.9 - 26.5)	4,605	(2,118 - 7,093)
KS	Other NH	53	2.2			325	
KS	Multirace NH	77	4.6			982	

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.  
\*\*\* NH denotes Not Hispanic or Latino.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C5**  
**Child Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2006**

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)	Prevalence (Number)	95% CI* (Number)
KS	Hispanic	282	8.1	2.25	(4.6 - 13.8)	7,009	(2,981 - 11,036)
KY	White NH	1,407	8.1	0.90	(6.5 - 10.0)	68,800	(53,775 - 83,825)
KY	Black NH	54	17.9	7.21	(7.7 - 36.3)	11,367	(1,480 - 21,253)
KY	Other NH	15	13.0			982	
KY	Multirace NH	27	4.7			1,050	
KY	Hispanic	28	31.5	12.15	(13.2 - 58.1)	6,474	(209 - 12,738)
ME	White NH	1,044	7.8	0.87	(6.2 - 9.7)	19,906	(15,547 - 24,266)
ME	Black NH	6	22.5			270	
ME	Other NH	38	24.0	9.41	(10.3 - 46.5)	2,416	(196 - 4,636)
ME	Multirace NH	10	39.5			854	
ME	Hispanic	21	10.6			513	
MD	White NH	1,849	7.1	0.74	(5.8 - 8.7)	48,973	(38,783 - 59,164)
MD	Black NH	463	9.9	1.56	(7.3 - 13.4)	42,071	(28,960 - 55,181)
MD	Other NH	151	12.1	3.27	(7.0 - 20.1)	13,904	(6,136 - 21,671)
MD	Multirace NH	36	17.2	8.68	(5.9 - 40.7)	4,435	(0 - 9,367)
MD	Hispanic	121	12.7	3.80	(6.9 - 22.2)	11,768	(4,384 - 19,153)
MI	White NH	1,407	8.1	0.82	(6.7 - 9.9)	140,755	(112,613 - 168,898)
MI	Black NH	188	12.2	3.30	(7.1 - 20.3)	53,110	(22,857 - 83,364)
MI	Other NH	51	4.5			4,167	
MI	Multirace NH	50	3.4			3,002	
MI	Hispanic	68	7.0			9,194	
MN	White NH	1,122	6.7	0.80	(5.3 - 8.5)	67,438	(51,578 - 83,298)
MN	Black NH	55	12.0	4.47	(5.6 - 23.8)	7,587	(1,848 - 13,327)
MN	Other NH	53	10.0	4.59	(4.0 - 23.2)	5,887	(375 - 11,400)
MN	Multirace NH	32	6.8			1,978	
MN	Hispanic	63	2.7			1,780	
MS	White NH	1,096	6.7	0.82	(5.3 - 8.5)	24,562	(18,617 - 30,506)

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.  
\*\*\* NH denotes Not Hispanic or Latino.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C5**  
**Child Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2006**

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)	Prevalence (Number)	95% CI* (Number)
MS	Black NH	709	14.9	1.61	(12.0 - 18.3)	46,475	(36,100 - 56,850)
MS	Other NH	47	3.1			615	
MS	Multirace NH	16	5.5			461	
MS	Hispanic	57	10.9	4.86	(4.4 - 24.6)	2,616	(201 - 5,030)
MO	White NH	1,244	9.6	1.32	(7.3 - 12.5)	100,531	(72,907 - 128,156)
MO	Black NH	167	11.8	3.91	(6.0 - 21.8)	17,704	(7,007 - 28,400)
MO	Other NH	43	16.0	7.33	(6.2 - 35.7)	5,704	(320 - 11,088)
MO	Multirace NH	43	4.6			2,617	
MO	Hispanic	67	9.1	5.15	(2.9 - 25.3)	5,888	(0 - 12,562)
MT	White NH	1,323	6.2	0.85	(4.8 - 8.1)	10,768	(7,849 - 13,687)
MT	Black NH	7	0.0			0	
MT	Other NH	249	9.6	2.57	(5.6 - 16.0)	2,117	(957 - 3,276)
MT	Multirace NH	18	4.0			84	
MT	Hispanic	66	5.4			414	
NE	White NH	2,043	6.1	0.67	(4.9 - 7.5)	21,571	(16,935 - 26,208)
NE	Black NH	55	27.7	6.91	(16.3 - 43.0)	4,729	(2,095 - 7,363)
NE	Other NH	51	7.3			827	
NE	Multirace NH	39	1.2			117	
NE	Hispanic	212	3.7	1.82	(1.4 - 9.4)	1,415	(10 - 2,820)
NV	White NH	676	6.9	1.40	(4.6 - 10.2)	21,314	(12,725 - 29,903)
NV	Black NH	32	8.0			2,177	
NV	Other NH	44	4.3			1,126	
NV	Multirace NH	96	12.1	4.58	(5.6 - 24.2)	6,392	(1,362 - 11,422)
NV	Hispanic	279	6.4	2.50	(2.9 - 13.4)	12,841	(2,533 - 23,150)
NH	White NH	1,654	8.5	0.83	(7.0 - 10.2)	22,865	(18,385 - 27,345)
NH	Black NH	18	2.4			67	
NH	Other NH	46	11.9	5.23	(4.8 - 26.4)	698	(64 - 1,331)

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.  
\*\*\* NH denotes Not Hispanic or Latino.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C5**  
**Child Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2006**

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)	    	Prevalence (Number)	95% CI* (Number)
NH	Multirace NH	33	22.8	9.20	(9.6 - 45.1)		1,352	(120 - 2,584)
NH	Hispanic	49	14.1	7.48	(4.7 - 35.5)		1,262	(0 - 2,699)
NJ	White NH	2,437	8.8	0.69	(7.5 - 10.2)		100,521	(84,805 - 116,237)
NJ	Black NH	426	15.6	2.19	(11.8 - 20.4)		48,025	(33,880 - 62,170)
NJ	Other NH	238	8.5	2.20	(5.0 - 13.9)		15,042	(7,061 - 23,023)
NJ	Multirace NH	39	13.4	6.81	(4.7 - 32.8)		4,499	(0 - 9,388)
NJ	Hispanic	594	12.1	1.98	(8.8 - 16.6)		53,138	(34,771 - 71,504)
NY	White NH	1,116	8.8	0.96	(7.1 - 10.9)		197,257	(154,393 - 240,120)
NY	Black NH	154	13.6	2.90	(8.9 - 20.3)		82,877	(47,093 - 118,661)
NY	Other NH	87	5.2				17,535	
NY	Multirace NH	34	15.4	7.41	(5.7 - 35.7)		25,516	(0 - 51,698)
NY	Hispanic	231	14.1	2.87	(9.4 - 20.7)		145,577	(82,881 - 208,272)
OH	White NH	1,108	7.1	1.34	(4.9 - 10.2)		157,610	(98,447 - 216,773)
OH	Black NH	360	13.6	4.18	(7.3 - 24.0)		42,957	(16,428 - 69,486)
OH	Other NH	42	12.2	8.02	(3.1 - 37.6)		4,222	(0 - 9,981)
OH	Multirace NH	47	14.1	8.63	(3.9 - 39.9)		5,589	(0 - 12,950)
OH	Hispanic	76	9.0	3.95	(3.7 - 20.3)		8,093	(1,586 - 14,600)
OK	White NH	1,366	8.2	0.80	(6.7 - 9.9)		43,298	(34,901 - 51,696)
OK	Black NH	128	19.6	4.58	(12.1 - 30.1)		11,129	(5,404 - 16,854)
OK	Other NH	210	8.5	1.85	(5.5 - 12.9)		7,663	(4,354 - 10,973)
OK	Multirace NH	139	8.7	2.23	(5.2 - 14.1)		4,705	(2,312 - 7,099)
OK	Hispanic	262	5.2	1.47	(3.0 - 9.0)		5,913	(2,610 - 9,217)
PA	White NH	2,805	7.2	0.80	(5.8 - 8.9)		146,836	(114,743 - 178,929)
PA	Black NH	450	13.3	3.79	(7.4 - 22.6)		38,109	(15,217 - 61,001)
PA	Other NH	78	4.1				4,241	
PA	Multirace NH	64	16.3	8.81	(5.2 - 40.9)		7,767	(0 - 16,778)
PA	Hispanic	157	12.2	4.53	(5.7 - 24.2)		29,965	(6,837 - 53,093)

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.  
\*\*\* NH denotes Not Hispanic or Latino.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C5**  
**Child Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2006**

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)		Prevalence (Number)	95% CI* (Number)
RI	White NH	960	10.0	1.09	(8.0 - 12.3)		17,127	(13,401 - 20,854)
RI	Black NH	51	17.6	6.38	(8.3 - 33.6)		1,469	(323 - 2,615)
RI	Other NH	62	12.7	4.83	(5.9 - 25.5)		1,377	(289 - 2,464)
RI	Multirace NH	16	10.7				350	
RI	Hispanic	196	10.9	2.65	(6.7 - 17.3)		3,762	(1,871 - 5,652)
TX	White NH	955	9.1	1.47	(6.6 - 12.4)		251,882	(170,562 - 333,202)
TX	Black NH	247	13.3	3.59	(7.7 - 22.0)		89,730	(39,793 - 139,668)
TX	Other NH	65	9.7	4.14	(4.1 - 21.3)		21,332	(3,462 - 39,203)
TX	Multirace NH	23	15.5				6,939	
TX	Hispanic	892	8.6	1.70	(5.8 - 12.6)		212,747	(127,841 - 297,652)
UT	White NH	1,885	6.5	0.71	(5.2 - 8.0)		40,002	(31,264 - 48,740)
UT	Black NH	17	14.5				772	
UT	Other NH	72	2.9				608	
UT	Multirace NH	42	10.3				1,477	
UT	Hispanic	254	7.0	1.66	(4.4 - 11.0)		6,220	(3,303 - 9,136)
VT	White NH	1,760	9.6	0.82	(8.1 - 11.4)		11,758	(9,755 - 13,761)
VT	Black NH	12	7.7				66	
VT	Other NH	40	1.6				39	
VT	Multirace NH	38	8.9				203	
VT	Hispanic	44	5.8				185	
VA	White NH	1,198	8.8	1.22	(6.7 - 11.5)		116,489	(84,632 - 148,345)
VA	Black NH	246	18.4	3.32	(12.8 - 25.8)		41,131	(25,466 - 56,797)
VA	Other NH	48	6.6				5,036	
VA	Multirace NH	63	11.5	5.29	(4.4 - 26.5)		8,701	(300 - 17,103)
VA	Hispanic	72	12.6	6.13	(4.6 - 30.0)		10,157	(0 - 20,762)
WV	White NH	930	7.8	0.96	(6.1 - 9.9)		26,307	(19,889 - 32,725)
WV	Black NH	24	15.9				1,288	

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.  
\*\*\* NH denotes Not Hispanic or Latino.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C5**  
**Child Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2006**

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)		Prevalence (Number)	95% CI* (Number)
WV	Other NH	10	0.0				0	
WV	Multirace NH	22	26.9	11.58	(10.4 - 53.9)		2,408	(0 - 4,828)
WV	Hispanic	35	8.3				1,077	
WI	White NH	1,161	7.3	0.93	(5.7 - 9.3)		78,694	(58,817 - 98,571)
WI	Black NH	145	19.9	4.38	(12.6 - 29.8)		12,158	(6,406 - 17,911)
WI	Other NH	31	1.3				425	
WI	Multirace NH	49	2.3				1,118	
WI	Hispanic	65	6.8				3,771	
WY	White NH	1,261	8.8	0.95	(7.1 - 10.8)		8,435	(6,601 - 10,268)
WY	Black NH	6	0.0				0	
WY	Other NH	52	6.1				307	
WY	Multirace NH	31	12.4				312	
WY	Hispanic	144	7.5	2.25	(4.1 - 13.3)		842	(332 - 1,353)
Territories								
PR	White NH	10	0.0				0	
PR	Black NH	0					0	
PR	Other NH	3	0.0				0	
PR	Multirace NH	0					0	
PR	Hispanic	1,462	16.4	1.11	(14.3 - 18.7)		168,052	(145,049 - 191,055)

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.  
\*\*\* NH denotes Not Hispanic or Latino.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.  
When the sample size is less than 50, estimates are not precise and should be interpreted with caution.