

**Table L2\_2**  
**Child Lifetime Asthma Prevalence Rate (Number)**  
**by Sex and State or Territory: BRFSS 2006**

State	Male Sample Size	Male Prevalence	Male 95% CI *	Female Sample Size	Female Prevalence	Female 95% CI *
Total **	32,117	3,875,317	(3,639,644 - 4,110,990)	30,385	2,671,701	(2,479,882 - 2,863,520)
AK	410	11,604	(7,683 - 15,525)	386	6,676	(3,660 - 9,693)
AZ	733	113,631	(76,072 - 151,191)	671	111,755	(64,991 - 158,519)
CA	880	741,648	(592,933 - 890,363)	860	444,664	(336,907 - 552,421)
DC	431	11,582	(8,658 - 14,506)	462	8,434	(5,810 - 11,058)
GA	1,242	198,954	(163,798 - 234,110)	1,120	131,335	(102,691 - 159,979)
HI	1,136	37,052	(31,548 - 42,556)	1,049	24,453	(19,473 - 29,432)
ID	1,001	20,855	(16,554 - 25,157)	875	14,931	(10,970 - 18,892)
IN	1,017	112,148	(91,015 - 133,282)	1,030	80,655	(62,906 - 98,404)
IA	839	37,642	(28,906 - 46,379)	814	23,876	(16,872 - 30,880)
KS	1,318	46,108	(38,076 - 54,140)	1,206	34,330	(27,893 - 40,768)
KY	770	81,126	(63,356 - 98,896)	762	47,052	(33,379 - 60,725)
ME	588	22,153	(17,236 - 27,070)	542	12,114	(8,633 - 15,594)
MD	1,380	105,814	(87,405 - 124,224)	1,282	74,136	(57,885 - 90,387)
MI	913	183,478	(141,176 - 225,780)	858	132,226	(98,610 - 165,842)
MN	702	76,524	(58,603 - 94,444)	628	39,282	(27,990 - 50,573)
MS	993	65,330	(53,803 - 76,858)	958	40,198	(31,102 - 49,295)
MO	800	93,111	(70,350 - 115,872)	767	94,109	(67,087 - 121,131)
MT	834	12,755	(9,564 - 15,947)	831	7,623	(5,546 - 9,699)
NE	1,273	24,863	(19,702 - 30,023)	1,141	18,983	(14,387 - 23,578)
NV	607	43,828	(31,534 - 56,123)	530	29,269	(15,282 - 43,255)
NH	911	23,017	(18,428 - 27,606)	898	15,995	(12,337 - 19,654)
NJ	1,972	186,619	(162,139 - 211,099)	1,792	138,063	(113,799 - 162,328)
NY	852	371,985	(293,275 - 450,695)	790	292,794	(222,959 - 362,630)
OH	828	146,080	(95,682 - 196,477)	813	116,958	(69,246 - 164,669)
OK	1,105	64,815	(53,837 - 75,793)	1,005	45,722	(36,887 - 54,557)
PA	1,783	196,520	(153,016 - 240,023)	1,783	131,865	(95,109 - 168,620)

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L2\_2**  
**Child Lifetime Asthma Prevalence Rate (Number)**  
**by Sex and State or Territory: BRFSS 2006**

State	Male Sample Size	Male Prevalence	Male 95% CI *		Female Sample Size	Female Prevalence	Female 95% CI *
RI	667	24,681	(20,132 - 29,229)		641	13,812	(9,986 - 17,637)
TX	1,134	514,031	(397,807 - 630,256)		1,059	319,596	(226,611 - 412,580)
UT	1,174	43,462	(34,690 - 52,233)		1,111	25,187	(18,789 - 31,585)
VT	958	9,493	(7,768 - 11,217)		947	7,427	(5,832 - 9,022)
VA	853	141,409	(109,077 - 173,740)		793	115,357	(87,074 - 143,639)
WV	518	23,887	(17,450 - 30,323)		509	18,245	(12,687 - 23,804)
WI	719	81,222	(60,648 - 101,796)		739	49,735	(34,320 - 65,149)
WY	776	7,891	(6,192 - 9,589)		733	4,846	(3,478 - 6,214)
Territories							
PR	758	181,429	(158,062 - 204,797)		720	122,699	(103,255 - 142,142)

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.