

**Table L3**  
**Child Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2006**

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	Prevalence (Number)	95% CI * (Number)
Total **	0-4	15,169	8.2	0.51	(7.2 - 9.2)	1,063,098	(928,044 - 1,198,152)
Total **	5-9	14,510	13.5	0.57	(12.5 - 14.7)	1,807,705	(1,650,732 - 1,964,677)
Total **	10-14	16,253	14.9	0.64	(13.7 - 16.2)	1,946,279	(1,772,052 - 2,120,506)
Total **	15-17	12,687	16.1	0.73	(14.8 - 17.6)	1,416,962	(1,281,543 - 1,552,381)
AK	0-4	201	5.8	1.85	(3.1 - 10.7)	2,556	(953 - 4,159)
AK	5-9	196	12.7	3.02	(7.9 - 19.9)	6,109	(3,163 - 9,055)
AK	10-14	192	7.8	2.45	(4.2 - 14.2)	3,848	(1,511 - 6,184)
AK	15-17	152	10.5	3.01	(5.9 - 18.0)	3,980	(1,681 - 6,279)
AZ	0-4	331	11.0	2.78	(6.6 - 17.7)	40,524	(19,236 - 61,812)
AZ	5-9	321	11.2	3.31	(6.2 - 19.5)	47,541	(18,478 - 76,603)
AZ	10-14	363	17.5	4.64	(10.1 - 28.4)	71,336	(29,944 - 112,728)
AZ	15-17	259	15.9	3.81	(9.7 - 24.8)	40,576	(19,945 - 61,206)
CA	0-4	432	6.7	1.68	(4.1 - 10.8)	178,010	(87,639 - 268,380)
CA	5-9	425	12.7	1.80	(9.6 - 16.7)	282,188	(199,774 - 364,602)
CA	10-14	446	14.9	2.02	(11.4 - 19.3)	392,588	(282,634 - 502,541)
CA	15-17	361	16.8	2.36	(12.7 - 22.0)	261,253	(184,849 - 337,657)
DC	0-4	272	12.2	3.22	(7.1 - 20.0)	3,997	(1,772 - 6,221)
DC	5-9	194	22.9	3.80	(16.3 - 31.2)	6,686	(4,232 - 9,140)
DC	10-14	191	23.8	3.76	(17.2 - 31.9)	4,710	(3,078 - 6,342)
DC	15-17	158	16.1	3.54	(10.3 - 24.3)	2,120	(1,144 - 3,095)
GA	0-4	587	11.1	2.05	(7.6 - 15.8)	63,606	(38,994 - 88,219)
GA	5-9	559	16.6	2.07	(12.9 - 21.1)	106,421	(78,322 - 134,519)
GA	10-14	589	15.7	1.71	(12.6 - 19.3)	88,903	(68,869 - 108,937)
GA	15-17	452	13.7	1.94	(10.3 - 17.9)	52,654	(37,257 - 68,052)
HI	0-4	547	13.0	1.94	(9.6 - 17.2)	9,060	(6,201 - 11,919)
HI	5-9	501	24.5	2.66	(19.6 - 30.0)	19,116	(14,471 - 23,760)
HI	10-14	588	24.8	2.32	(20.5 - 29.6)	19,583	(15,545 - 23,621)

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Child Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2006**

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
HI	15-17	417	21.8	2.61	(17.1 - 27.3)		11,421	(8,395 - 14,447)
ID	0-4	508	5.6	1.17	(3.7 - 8.4)		5,438	(3,202 - 7,674)
ID	5-9	456	9.6	1.52	(7.0 - 13.1)		9,172	(6,255 - 12,089)
ID	10-14	433	9.8	1.51	(7.3 - 13.2)		10,264	(7,124 - 13,404)
ID	15-17	373	13.9	2.20	(10.1 - 18.8)		9,214	(6,192 - 12,236)
IN	0-4	469	7.8	1.56	(5.3 - 11.5)		31,198	(18,489 - 43,907)
IN	5-9	491	13.9	1.78	(10.8 - 17.8)		60,829	(44,754 - 76,904)
IN	10-14	538	13.9	1.77	(10.8 - 17.7)		52,326	(38,466 - 66,185)
IN	15-17	426	14.9	2.09	(11.2 - 19.5)		39,193	(27,656 - 50,729)
IA	0-4	432	5.1	1.33	(3.0 - 8.4)		8,630	(4,075 - 13,185)
IA	5-9	372	10.8	1.77	(7.8 - 14.8)		19,387	(12,891 - 25,882)
IA	10-14	445	10.5	1.67	(7.7 - 14.3)		18,595	(12,552 - 24,637)
IA	15-17	329	10.4	1.94	(7.1 - 14.8)		12,955	(7,993 - 17,916)
KS	0-4	635	4.9	0.90	(3.4 - 7.0)		9,087	(5,775 - 12,400)
KS	5-9	609	10.0	1.37	(7.6 - 13.0)		18,508	(13,299 - 23,716)
KS	10-14	685	16.8	1.71	(13.7 - 20.4)		27,122	(21,190 - 33,055)
KS	15-17	497	19.5	2.17	(15.6 - 24.1)		23,530	(17,778 - 29,281)
KY	0-4	317	13.4	2.91	(8.6 - 20.2)		32,561	(17,488 - 47,635)
KY	5-9	400	11.8	1.76	(8.8 - 15.7)		31,583	(22,489 - 40,677)
KY	10-14	441	14.9	2.23	(11.1 - 19.8)		38,782	(26,752 - 50,812)
KY	15-17	315	12.3	2.09	(8.8 - 17.0)		20,828	(13,973 - 27,684)
ME	0-4	252	7.2	2.06	(4.1 - 12.4)		4,894	(2,031 - 7,758)
ME	5-9	269	12.3	2.12	(8.7 - 17.1)		8,615	(5,603 - 11,627)
ME	10-14	286	14.7	2.28	(10.8 - 19.8)		9,360	(6,365 - 12,356)
ME	15-17	252	17.2	2.64	(12.6 - 23.0)		9,927	(6,716 - 13,139)
MD	0-4	647	8.7	1.61	(6.0 - 12.4)		31,542	(19,563 - 43,522)
MD	5-9	612	15.0	1.85	(11.7 - 19.0)		49,690	(36,785 - 62,595)

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Child Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2006**

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
MD	10-14	674	14.4	1.85	(11.2 - 18.5)		50,927	(37,485 - 64,368)
MD	15-17	531	15.3	2.01	(11.7 - 19.6)		36,450	(26,759 - 46,142)
MI	0-4	563	6.8	1.28	(4.7 - 9.8)		40,557	(25,254 - 55,859)
MI	5-9	411	13.5	2.09	(9.9 - 18.1)		89,176	(60,220 - 118,132)
MI	10-14	414	13.8	2.33	(9.8 - 19.0)		100,646	(64,122 - 137,170)
MI	15-17	315	17.8	2.47	(13.4 - 23.2)		79,912	(56,800 - 103,025)
MN	0-4	337	3.2	1.06	(1.6 - 6.1)		10,129	(3,358 - 16,900)
MN	5-9	329	10.7	1.79	(7.6 - 14.7)		35,275	(23,213 - 47,337)
MN	10-14	355	11.5	1.78	(8.4 - 15.5)		35,550	(24,444 - 46,656)
MN	15-17	265	13.4	2.40	(9.3 - 18.8)		30,454	(19,026 - 41,882)
MS	0-4	424	13.6	2.00	(10.1 - 18.0)		28,396	(19,701 - 37,092)
MS	5-9	437	15.5	2.08	(11.8 - 20.0)		30,841	(22,049 - 39,633)
MS	10-14	547	14.2	1.71	(11.2 - 17.9)		23,761	(17,809 - 29,714)
MS	15-17	421	13.9	1.98	(10.4 - 18.2)		17,417	(12,239 - 22,595)
MO	0-4	353	10.3	2.39	(6.5 - 16.0)		36,835	(19,194 - 54,475)
MO	5-9	359	16.8	3.00	(11.7 - 23.5)		61,407	(39,856 - 82,958)
MO	10-14	447	12.0	2.36	(8.1 - 17.5)		42,448	(26,462 - 58,433)
MO	15-17	337	18.2	3.14	(12.9 - 25.2)		43,892	(27,892 - 59,892)
MT	0-4	408	4.0	1.24	(2.1 - 7.3)		1,922	(716 - 3,128)
MT	5-9	357	7.2	1.72	(4.5 - 11.4)		3,801	(1,960 - 5,642)
MT	10-14	448	12.1	1.74	(9.1 - 16.0)		6,235	(4,418 - 8,052)
MT	15-17	334	18.0	2.71	(13.3 - 23.9)		7,594	(5,099 - 10,089)
NE	0-4	572	4.4	1.08	(2.7 - 7.1)		5,420	(2,784 - 8,055)
NE	5-9	559	11.5	1.75	(8.5 - 15.3)		12,982	(8,888 - 17,076)
NE	10-14	668	12.9	1.69	(10.0 - 16.6)		13,257	(9,697 - 16,817)
NE	15-17	496	14.1	2.12	(10.4 - 18.8)		10,921	(7,491 - 14,350)
NV	0-4	257	9.6	3.38	(4.7 - 18.6)		17,179	(4,591 - 29,768)

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Child Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2006**

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
NV	5-9	254	9.0	2.38	(5.3 - 14.9)		15,226	(7,064 - 23,389)
NV	10-14	285	11.5	2.29	(7.7 - 16.8)		15,819	(9,495 - 22,143)
NV	15-17	250	21.3	4.32	(14.0 - 30.9)		20,202	(11,186 - 29,218)
NH	0-4	392	7.6	1.54	(5.1 - 11.2)		5,516	(3,242 - 7,790)
NH	5-9	431	11.6	1.87	(8.4 - 15.8)		9,046	(6,035 - 12,056)
NH	10-14	476	14.4	1.89	(11.1 - 18.5)		11,543	(8,403 - 14,683)
NH	15-17	402	21.4	2.69	(16.6 - 27.2)		11,101	(7,987 - 14,216)
NJ	0-4	902	8.8	1.11	(6.9 - 11.3)		44,390	(33,050 - 55,729)
NJ	5-9	843	16.6	1.53	(13.9 - 19.8)		95,327	(77,037 - 113,617)
NJ	10-14	939	16.2	1.67	(13.2 - 19.8)		81,720	(63,752 - 99,689)
NJ	15-17	716	22.9	2.32	(18.6 - 27.7)		86,124	(66,064 - 106,183)
NY	0-4	382	8.8	1.93	(5.7 - 13.4)		109,260	(60,252 - 158,267)
NY	5-9	359	18.2	2.65	(13.6 - 24.0)		219,330	(149,786 - 288,873)
NY	10-14	433	16.8	2.16	(13.0 - 21.5)		155,138	(113,205 - 197,070)
NY	15-17	334	18.6	2.66	(13.9 - 24.4)		142,170	(98,286 - 186,055)
OH	0-4	388	7.0	2.27	(3.7 - 13.0)		44,899	(15,647 - 74,150)
OH	5-9	361	8.1	2.34	(4.5 - 14.0)		59,661	(24,885 - 94,436)
OH	10-14	436	12.0	2.81	(7.5 - 18.7)		92,663	(48,567 - 136,758)
OH	15-17	356	14.5	3.31	(9.1 - 22.3)		63,241	(33,646 - 92,835)
OK	0-4	506	7.3	1.25	(5.2 - 10.1)		16,050	(10,533 - 21,567)
OK	5-9	491	13.5	1.72	(10.4 - 17.2)		30,989	(22,855 - 39,124)
OK	10-14	546	17.5	1.88	(14.1 - 21.5)		35,381	(27,393 - 43,369)
OK	15-17	444	14.3	1.89	(11.0 - 18.4)		21,420	(15,555 - 27,285)
PA	0-4	779	11.8	2.34	(7.9 - 17.2)		85,429	(49,866 - 120,992)
PA	5-9	867	12.4	2.13	(8.8 - 17.3)		89,968	(57,965 - 121,971)
PA	10-14	964	14.1	1.96	(10.7 - 18.4)		88,167	(63,093 - 113,242)
PA	15-17	737	10.7	1.82	(7.7 - 14.9)		55,654	(36,654 - 74,654)

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Child Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2006**

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	Prevalence (Number)	95% CI * (Number)
RI	0-4	302	13.1	2.70	(8.7 - 19.4)	8,068	(4,524 - 11,612)
RI	5-9	343	15.2	2.07	(11.6 - 19.7)	9,817	(7,060 - 12,574)
RI	10-14	343	18.2	2.47	(13.9 - 23.6)	9,787	(6,938 - 12,636)
RI	15-17	246	19.5	2.82	(14.5 - 25.6)	8,017	(5,599 - 10,434)
TX	0-4	564	8.7	1.96	(5.5 - 13.4)	109,876	(59,820 - 159,933)
TX	5-9	493	12.9	2.17	(9.2 - 17.7)	214,165	(141,391 - 286,938)
TX	10-14	549	17.1	2.55	(12.7 - 22.7)	294,716	(202,776 - 386,656)
TX	15-17	394	17.1	3.45	(11.3 - 24.9)	178,416	(99,676 - 257,155)
UT	0-4	652	5.2	1.02	(3.5 - 7.6)	9,977	(6,059 - 13,896)
UT	5-9	547	9.2	1.39	(6.8 - 12.3)	18,887	(13,139 - 24,635)
UT	10-14	539	12.3	1.71	(9.3 - 16.0)	24,389	(17,415 - 31,363)
UT	15-17	426	10.3	1.81	(7.3 - 14.4)	12,037	(7,742 - 16,333)
VT	0-4	423	4.3	1.07	(2.6 - 7.0)	1,379	(701 - 2,057)
VT	5-9	415	14.6	2.06	(11.0 - 19.1)	4,775	(3,353 - 6,197)
VT	10-14	517	15.0	1.68	(12.0 - 18.5)	4,944	(3,799 - 6,089)
VT	15-17	458	17.4	2.03	(13.7 - 21.7)	4,868	(3,654 - 6,082)
VA	0-4	408	6.6	1.38	(4.3 - 9.9)	31,580	(18,554 - 44,606)
VA	5-9	359	19.2	2.95	(14.1 - 25.7)	92,620	(61,855 - 123,385)
VA	10-14	437	18.7	2.33	(14.6 - 23.7)	71,619	(54,256 - 88,981)
VA	15-17	329	16.2	3.01	(11.1 - 22.9)	51,910	(31,412 - 72,409)
WV	0-4	241	6.6	1.79	(3.9 - 11.1)	6,510	(2,962 - 10,058)
WV	5-9	241	12.5	2.44	(8.4 - 18.1)	12,782	(7,596 - 17,969)
WV	10-14	267	14.1	2.34	(10.1 - 19.3)	12,837	(8,420 - 17,255)
WV	15-17	240	13.9	2.68	(9.4 - 20.0)	9,386	(5,580 - 13,192)
WI	0-4	335	7.8	1.94	(4.8 - 12.6)	26,616	(13,060 - 40,172)
WI	5-9	307	9.6	1.97	(6.4 - 14.2)	32,246	(18,921 - 45,572)
WI	10-14	408	11.0	1.94	(7.8 - 15.5)	34,409	(22,049 - 46,769)

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Child Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2006**

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
WI	15-17	320	14.3	2.45	(10.1 - 19.8)		34,379	(21,974 - 46,783)
WY	0-4	351	6.6	1.52	(4.1 - 10.2)		2,006	(1,069 - 2,944)
WY	5-9	342	11.7	2.04	(8.3 - 16.4)		3,541	(2,264 - 4,817)
WY	10-14	364	11.2	1.87	(8.1 - 15.4)		2,906	(1,915 - 3,898)
WY	15-17	345	16.1	2.28	(12.1 - 21.1)		3,746	(2,634 - 4,859)
Territories								
PR	0-4	285	16.1	2.33	(12.0 - 21.2)		43,312	(30,151 - 56,473)
PR	5-9	351	38.7	2.93	(33.1 - 44.6)		113,866	(92,751 - 134,981)
PR	10-14	431	33.5	2.54	(28.7 - 38.6)		84,900	(70,048 - 99,752)
PR	15-17	336	32.0	2.83	(26.8 - 37.8)		57,012	(45,524 - 68,500)

Notes:  
 \* CI denotes confidence interval.  
 \*\* Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.