

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2006

| State | Age Group | Sample Size | Prevalence (percent) | Standard Error | 95% CI* (percent) | | Prevalence (number) | 95% CI* (number) |
|--------------|-----------|-------------|----------------------|----------------|-------------------|--|---------------------|-------------------------|
| U.S. Total** | 18-24 | 14,853 | 9.3 | 0.48 | (8.4 - 10.3) | | 2,703,090 | (2,413,130 - 2,993,050) |
| U.S. Total** | 25-34 | 40,098 | 7.5 | 0.24 | (7.1 - 8.0) | | 3,008,203 | (2,817,631 - 3,198,776) |
| U.S. Total** | 35-44 | 58,667 | 7.9 | 0.22 | (7.5 - 8.4) | | 3,438,476 | (3,248,158 - 3,628,794) |
| U.S. Total** | 45-54 | 71,388 | 8.3 | 0.21 | (7.9 - 8.7) | | 3,431,690 | (3,258,940 - 3,604,439) |
| U.S. Total** | 55-64 | 66,957 | 9.0 | 0.23 | (8.5 - 9.4) | | 2,747,554 | (2,604,753 - 2,890,355) |
| U.S. Total** | 65+ | 90,368 | 7.6 | 0.18 | (7.3 - 8.0) | | 2,838,266 | (2,702,072 - 2,974,460) |
| AL | 18-24 | 109 | 10.1 | 3.25 | (3.7 - 16.6) | | 47,101 | (16,159 - 78,043) |
| AL | 25-34 | 374 | 8.1 | 1.54 | (5.1 - 11.2) | | 47,746 | (29,449 - 66,042) |
| AL | 35-44 | 533 | 8.4 | 1.69 | (5.1 - 11.7) | | 53,462 | (31,288 - 75,636) |
| AL | 45-54 | 668 | 6.9 | 1.04 | (4.9 - 8.9) | | 43,039 | (30,042 - 56,035) |
| AL | 55-64 | 713 | 11.3 | 1.33 | (8.7 - 14.0) | | 56,577 | (42,860 - 70,294) |
| AL | 65+ | 852 | 8.8 | 1.01 | (6.9 - 10.8) | | 54,238 | (41,699 - 66,776) |
| AK | 18-24 | 172 | 7.7 | 2.37 | (3.0 - 12.4) | | 5,400 | (2,042 - 8,758) |
| AK | 25-34 | 344 | 9.7 | 1.90 | (6.0 - 13.4) | | 7,978 | (4,816 - 11,139) |
| AK | 35-44 | 417 | 10.8 | 2.02 | (6.9 - 14.8) | | 10,519 | (6,485 - 14,553) |
| AK | 45-54 | 491 | 8.9 | 1.70 | (5.6 - 12.3) | | 9,151 | (5,632 - 12,669) |
| AK | 55-64 | 368 | 9.7 | 1.99 | (5.8 - 13.6) | | 6,557 | (3,869 - 9,246) |
| AK | 65+ | 276 | 9.6 | 2.11 | (5.5 - 13.8) | | 4,374 | (2,425 - 6,323) |
| AZ | 18-24 | 203 | 11.3 | 3.32 | (4.8 - 17.8) | | 60,657 | (24,291 - 97,022) |
| AZ | 25-34 | 518 | 4.6 | 1.27 | (2.1 - 7.1) | | 40,771 | (18,543 - 62,999) |
| AZ | 35-44 | 734 | 9.2 | 1.77 | (5.7 - 12.7) | | 74,176 | (45,298 - 103,054) |
| AZ | 45-54 | 870 | 10.0 | 1.82 | (6.4 - 13.6) | | 71,744 | (44,941 - 98,547) |
| AZ | 55-64 | 942 | 11.8 | 1.99 | (7.9 - 15.7) | | 67,401 | (43,690 - 91,112) |
| AZ | 65+ | 1,446 | 8.2 | 1.14 | (5.9 - 10.4) | | 62,425 | (44,845 - 80,004) |
| AR | 18-24 | 226 | 5.9 | 1.65 | (2.6 - 9.1) | | 16,695 | (7,240 - 26,149) |
| AR | 25-34 | 626 | 6.2 | 1.12 | (4.0 - 8.4) | | 22,084 | (14,049 - 30,120) |
| AR | 35-44 | 868 | 7.8 | 1.04 | (5.7 - 9.8) | | 29,444 | (21,432 - 37,456) |
| AR | 45-54 | 1,073 | 7.8 | 0.88 | (6.1 - 9.5) | | 28,479 | (21,968 - 34,990) |
| AR | 55-64 | 1,138 | 10.3 | 1.00 | (8.3 - 12.2) | | 31,401 | (25,163 - 37,639) |
| AR | 65+ | 1,583 | 7.6 | 0.72 | (6.2 - 9.0) | | 29,839 | (24,109 - 35,570) |
| CA | 18-24 | 308 | 6.1 | 1.47 | (3.2 - 9.0) | | 221,989 | (114,489 - 329,489) |

Notes:
*CI denotes confidence interval.
**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2006

| State | Age Group | Sample Size | Prevalence (percent) | Standard Error | 95% CI* (percent) | | Prevalence (number) | 95% CI* (number) |
|-------|-----------|-------------|----------------------|----------------|-------------------|--|---------------------|---------------------|
| CA | 25-34 | 791 | 5.1 | 0.77 | (3.6 - 6.6) | | 266,881 | (186,567 - 347,195) |
| CA | 35-44 | 1,060 | 7.1 | 0.83 | (5.4 - 8.7) | | 390,734 | (298,722 - 482,746) |
| CA | 45-54 | 1,158 | 9.4 | 1.07 | (7.3 - 11.4) | | 470,684 | (361,312 - 580,056) |
| CA | 55-64 | 1,041 | 10.6 | 1.21 | (8.2 - 12.9) | | 366,038 | (280,063 - 452,014) |
| CA | 65+ | 1,336 | 8.0 | 0.96 | (6.1 - 9.9) | | 315,131 | (238,613 - 391,648) |
| CO | 18-24 | 280 | 10.2 | 1.97 | (6.4 - 14.1) | | 47,174 | (28,457 - 65,890) |
| CO | 25-34 | 831 | 7.7 | 1.00 | (5.7 - 9.6) | | 53,365 | (39,242 - 67,489) |
| CO | 35-44 | 1,159 | 8.2 | 0.85 | (6.5 - 9.9) | | 57,850 | (45,706 - 69,994) |
| CO | 45-54 | 1,346 | 7.4 | 0.75 | (5.9 - 8.9) | | 48,721 | (38,701 - 58,740) |
| CO | 55-64 | 1,084 | 7.0 | 0.80 | (5.4 - 8.6) | | 32,425 | (24,950 - 39,900) |
| CO | 65+ | 1,299 | 7.3 | 0.76 | (5.8 - 8.8) | | 34,083 | (26,915 - 41,250) |
| CT | 18-24 | 326 | 11.6 | 2.06 | (7.5 - 15.7) | | 33,038 | (20,905 - 45,171) |
| CT | 25-34 | 903 | 10.5 | 1.22 | (8.1 - 12.9) | | 45,287 | (34,451 - 56,122) |
| CT | 35-44 | 1,480 | 7.5 | 0.79 | (5.9 - 9.0) | | 40,273 | (31,744 - 48,802) |
| CT | 45-54 | 1,736 | 10.0 | 0.84 | (8.3 - 11.6) | | 51,208 | (42,458 - 59,958) |
| CT | 55-64 | 1,541 | 9.4 | 0.85 | (7.7 - 11.0) | | 36,835 | (30,078 - 43,593) |
| CT | 65+ | 2,307 | 8.0 | 0.72 | (6.6 - 9.4) | | 38,653 | (31,491 - 45,816) |
| DE | 18-24 | 224 | 17.0 | 3.51 | (10.1 - 23.9) | | 14,187 | (7,905 - 20,470) |
| DE | 25-34 | 467 | 11.3 | 2.02 | (7.4 - 15.3) | | 12,660 | (7,978 - 17,342) |
| DE | 35-44 | 685 | 7.7 | 1.17 | (5.4 - 10.0) | | 9,722 | (6,749 - 12,694) |
| DE | 45-54 | 831 | 8.5 | 1.24 | (6.1 - 11.0) | | 10,240 | (7,246 - 13,234) |
| DE | 55-64 | 741 | 6.6 | 0.99 | (4.6 - 8.5) | | 6,095 | (4,280 - 7,911) |
| DE | 65+ | 1,011 | 8.0 | 1.09 | (5.8 - 10.1) | | 9,053 | (6,532 - 11,575) |
| DC | 18-24 | 198 | 15.2 | 3.09 | (9.1 - 21.3) | | 8,784 | (4,963 - 12,605) |
| DC | 25-34 | 664 | 11.8 | 1.52 | (8.8 - 14.7) | | 12,187 | (8,908 - 15,465) |
| DC | 35-44 | 757 | 7.5 | 1.08 | (5.4 - 9.6) | | 6,061 | (4,290 - 7,832) |
| DC | 45-54 | 742 | 10.5 | 1.35 | (7.8 - 13.1) | | 6,643 | (4,880 - 8,407) |
| DC | 55-64 | 710 | 6.6 | 1.02 | (4.6 - 8.6) | | 3,740 | (2,582 - 4,899) |
| DC | 65+ | 835 | 7.9 | 1.12 | (5.7 - 10.1) | | 5,320 | (3,787 - 6,852) |
| FL | 18-24 | 399 | 6.2 | 1.64 | (3.0 - 9.4) | | 98,577 | (45,963 - 151,192) |
| FL | 25-34 | 1,111 | 7.9 | 1.10 | (5.7 - 10.0) | | 167,764 | (120,068 - 215,459) |

Notes:
*CI denotes confidence interval.
**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2006

| State | Age Group | Sample Size | Prevalence (percent) | Standard Error | 95% CI* (percent) | | Prevalence (number) | 95% CI* (number) |
|-------|-----------|-------------|----------------------|----------------|-------------------|------------|---------------------|---------------------|
| FL | 35-44 | 1,624 | 7.6 | 0.91 | (5.8 - 9.4) | | 190,796 | (144,306 - 237,287) |
| FL | 45-54 | 2,053 | 7.7 | 0.76 | (6.2 - 9.2) | | 188,123 | (150,783 - 225,464) |
| FL | 55-64 | 2,120 | 7.7 | 0.79 | (6.2 - 9.3) | | 146,923 | (116,463 - 177,384) |
| FL | 65+ | 3,238 | 6.4 | 0.53 | (5.4 - 7.4) | | 195,491 | (163,404 - 227,579) |
| GA | 18-24 | 333 | 8.4 | 1.72 | (5.0 - 11.8) | | 78,613 | (46,078 - 111,148) |
| GA | 25-34 | 939 | 8.3 | 1.23 | (5.9 - 10.8) | | 112,174 | (78,249 - 146,100) |
| GA | 35-44 | 1,389 | 7.6 | 0.89 | (5.8 - 9.3) | | 105,161 | (80,211 - 130,110) |
| GA | 45-54 | 1,586 | 7.8 | 0.83 | (6.2 - 9.4) | | 91,253 | (71,599 - 110,908) |
| GA | 55-64 | 1,502 | 8.4 | 0.81 | (6.8 - 10.0) | | 72,320 | (58,250 - 86,390) |
| GA | 65+ | 1,795 | 7.5 | 0.74 | (6.1 - 9.0) | | 67,750 | (54,299 - 81,202) |
| HI | 18-24 | 337 | 9.7 | 1.79 | (6.1 - 13.2) | | 11,704 | (7,297 - 16,111) |
| HI | 25-34 | 765 | 9.6 | 1.34 | (7.0 - 12.2) | | 15,380 | (11,013 - 19,747) |
| HI | 35-44 | 1,109 | 7.8 | 1.03 | (5.7 - 9.8) | | 13,711 | (10,017 - 17,404) |
| HI | 45-54 | 1,418 | 7.3 | 0.94 | (5.4 - 9.1) | | 13,067 | (9,627 - 16,506) |
| HI | 55-64 | 1,328 | 9.2 | 1.21 | (6.8 - 11.6) | | 13,421 | (9,764 - 17,078) |
| HI | 65+ | 1,507 | 5.7 | 0.65 | (4.4 - 6.9) | | 10,001 | (7,714 - 12,289) |
| ID | 18-24 | 306 | 8.2 | 1.88 | (4.5 - 11.9) | | 12,912 | (6,842 - 18,983) |
| ID | 25-34 | 773 | 10.1 | 1.60 | (7.0 - 13.3) | | 19,017 | (12,757 - 25,277) |
| ID | 35-44 | 915 | 9.5 | 1.17 | (7.2 - 11.8) | | 18,047 | (13,486 - 22,607) |
| ID | 45-54 | 1,049 | 9.2 | 1.08 | (7.1 - 11.3) | | 17,512 | (13,354 - 21,669) |
| ID | 55-64 | 986 | 8.6 | 1.03 | (6.6 - 10.7) | | 12,461 | (9,452 - 15,470) |
| ID | 65+ | 1,229 | 9.1 | 0.94 | (7.3 - 10.9) | | 14,874 | (11,761 - 17,986) |
| IL | 18-24 | 206 | 9.8 | 2.10 | (5.7 - 14.0) | | 122,387 | (68,967 - 175,806) |
| IL | 25-34 | 662 | 8.2 | 1.29 | (5.7 - 10.8) | | 142,574 | (96,622 - 188,526) |
| IL | 35-44 | 909 | 6.7 | 0.97 | (4.8 - 8.6) | | 125,627 | (88,988 - 162,266) |
| IL | 45-54 | 1,116 | 9.2 | 1.12 | (7.0 - 11.4) | | 164,935 | (123,308 - 206,562) |
| IL | 55-64 | 932 | 9.3 | 1.05 | (7.2 - 11.3) | | 117,635 | (90,809 - 144,461) |
| IL | 65+ | 1,299 | 7.6 | 0.89 | (5.8 - 9.3) | | 116,987 | (88,801 - 145,173) |
| IN | 18-24 | 296 | 9.0 | 1.70 | (5.7 - 12.4) | | 58,445 | (36,173 - 80,718) |
| IN | 25-34 | 898 | 9.1 | 1.05 | (7.1 - 11.2) | | 73,747 | (56,587 - 90,906) |
| IN | 35-44 | 1,141 | 7.3 | 0.83 | (5.7 - 9.0) | | 64,808 | (49,894 - 79,721) |

Notes:
*CI denotes confidence interval.
**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2006

| State | Age Group | Sample Size | Prevalence (percent) | Standard Error | 95% CI* (percent) | | Prevalence (number) | 95% CI* (number) |
|-------|-----------|-------------|----------------------|----------------|-------------------|--|---------------------|-------------------|
| IN | 45-54 | 1,318 | 9.2 | 0.90 | (7.4 - 11.0) | | 79,336 | (63,653 - 95,019) |
| IN | 55-64 | 1,183 | 10.0 | 1.02 | (8.0 - 12.0) | | 64,548 | (50,986 - 78,109) |
| IN | 65+ | 1,595 | 6.2 | 0.65 | (4.9 - 7.5) | | 48,937 | (38,627 - 59,247) |
| IA | 18-24 | 225 | 7.6 | 2.19 | (3.3 - 11.9) | | 21,692 | (8,814 - 34,570) |
| IA | 25-34 | 637 | 5.4 | 0.91 | (3.7 - 7.2) | | 21,420 | (14,262 - 28,578) |
| IA | 35-44 | 939 | 5.5 | 0.76 | (4.0 - 7.0) | | 22,185 | (16,096 - 28,274) |
| IA | 45-54 | 1,113 | 7.4 | 0.86 | (5.7 - 9.1) | | 31,765 | (24,349 - 39,181) |
| IA | 55-64 | 952 | 5.9 | 0.81 | (4.3 - 7.5) | | 18,702 | (13,535 - 23,870) |
| IA | 65+ | 1,502 | 7.3 | 0.72 | (5.9 - 8.7) | | 31,929 | (25,542 - 38,315) |
| KS | 18-24 | 311 | 8.7 | 1.68 | (5.4 - 12.0) | | 26,451 | (15,983 - 36,919) |
| KS | 25-34 | 952 | 10.5 | 1.09 | (8.3 - 12.6) | | 36,168 | (28,443 - 43,893) |
| KS | 35-44 | 1,399 | 7.6 | 0.76 | (6.1 - 9.1) | | 28,519 | (22,758 - 34,279) |
| KS | 45-54 | 1,737 | 8.1 | 0.69 | (6.7 - 9.4) | | 31,345 | (25,927 - 36,764) |
| KS | 55-64 | 1,532 | 7.9 | 0.72 | (6.5 - 9.3) | | 21,738 | (17,733 - 25,744) |
| KS | 65+ | 2,282 | 6.8 | 0.56 | (5.7 - 7.9) | | 24,515 | (20,451 - 28,580) |
| KY | 18-24 | 230 | 8.4 | 1.89 | (4.6 - 12.1) | | 28,612 | (15,747 - 41,477) |
| KY | 25-34 | 621 | 5.1 | 1.14 | (2.9 - 7.3) | | 32,192 | (17,799 - 46,586) |
| KY | 35-44 | 996 | 7.9 | 1.18 | (5.6 - 10.2) | | 48,229 | (33,677 - 62,782) |
| KY | 45-54 | 1,257 | 10.3 | 1.13 | (8.1 - 12.5) | | 62,463 | (48,583 - 76,343) |
| KY | 55-64 | 1,321 | 9.6 | 1.08 | (7.5 - 11.8) | | 44,674 | (34,535 - 54,813) |
| KY | 65+ | 1,698 | 8.3 | 0.94 | (6.5 - 10.1) | | 44,606 | (34,349 - 54,864) |
| LA | 18-24 | 392 | 7.6 | 1.42 | (4.8 - 10.4) | | 37,453 | (23,189 - 51,716) |
| LA | 25-34 | 918 | 5.8 | 0.86 | (4.1 - 7.5) | | 35,250 | (24,882 - 45,617) |
| LA | 35-44 | 1,255 | 4.9 | 0.68 | (3.6 - 6.2) | | 30,526 | (22,064 - 38,988) |
| LA | 45-54 | 1,510 | 4.9 | 0.58 | (3.8 - 6.1) | | 30,228 | (23,136 - 37,319) |
| LA | 55-64 | 1,356 | 7.5 | 0.83 | (5.9 - 9.2) | | 34,987 | (27,189 - 42,785) |
| LA | 65+ | 1,534 | 5.3 | 0.59 | (4.2 - 6.5) | | 28,759 | (22,380 - 35,138) |
| ME | 18-24 | 171 | 12.3 | 2.69 | (7.0 - 17.6) | | 15,470 | (8,505 - 22,434) |
| ME | 25-34 | 420 | 9.9 | 1.52 | (7.0 - 12.9) | | 14,498 | (9,966 - 19,029) |
| ME | 35-44 | 712 | 9.8 | 1.23 | (7.4 - 12.3) | | 19,167 | (14,257 - 24,077) |
| ME | 45-54 | 920 | 8.6 | 1.02 | (6.6 - 10.6) | | 17,880 | (13,574 - 22,185) |

Notes:
*CI denotes confidence interval.
**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2006

| State | Age Group | Sample Size | Prevalence (percent) | Standard Error | 95% CI* (percent) | | Prevalence (number) | 95% CI* (number) |
|-------|-----------|-------------|----------------------|----------------|-------------------|--|---------------------|---------------------|
| ME | 55-64 | 802 | 9.2 | 1.13 | (7.0 - 11.5) | | 15,233 | (11,414 - 19,051) |
| ME | 65+ | 935 | 8.9 | 1.01 | (6.9 - 10.9) | | 17,250 | (13,287 - 21,212) |
| MD | 18-24 | 346 | 12.7 | 2.60 | (7.6 - 17.8) | | 61,151 | (34,505 - 87,798) |
| MD | 25-34 | 1,014 | 9.6 | 1.19 | (7.3 - 11.9) | | 69,679 | (51,968 - 87,390) |
| MD | 35-44 | 1,563 | 7.5 | 0.81 | (5.9 - 9.1) | | 65,583 | (51,414 - 79,753) |
| MD | 45-54 | 1,881 | 8.6 | 0.87 | (6.9 - 10.3) | | 68,967 | (54,765 - 83,169) |
| MD | 55-64 | 1,673 | 9.2 | 1.06 | (7.1 - 11.3) | | 54,867 | (41,807 - 67,927) |
| MD | 65+ | 2,226 | 7.1 | 0.76 | (5.6 - 8.6) | | 46,591 | (36,530 - 56,652) |
| MA | 18-24 | 495 | 12.6 | 2.21 | (8.3 - 17.0) | | 76,303 | (48,303 - 104,303) |
| MA | 25-34 | 1,502 | 10.5 | 1.15 | (8.3 - 12.8) | | 88,267 | (68,521 - 108,014) |
| MA | 35-44 | 2,478 | 9.4 | 0.78 | (7.9 - 10.9) | | 93,483 | (77,769 - 109,197) |
| MA | 45-54 | 2,544 | 10.3 | 0.82 | (8.7 - 11.9) | | 91,970 | (77,146 - 106,794) |
| MA | 55-64 | 2,280 | 10.3 | 0.84 | (8.7 - 12.0) | | 71,007 | (59,280 - 82,735) |
| MA | 65+ | 3,105 | 7.4 | 0.61 | (6.2 - 8.6) | | 63,584 | (52,933 - 74,235) |
| MI | 18-24 | 256 | 10.6 | 2.04 | (6.5 - 14.6) | | 107,297 | (64,349 - 150,245) |
| MI | 25-34 | 537 | 10.5 | 1.46 | (7.6 - 13.3) | | 131,165 | (93,622 - 168,707) |
| MI | 35-44 | 956 | 9.7 | 1.02 | (7.7 - 11.7) | | 142,021 | (111,646 - 172,396) |
| MI | 45-54 | 1,252 | 9.3 | 0.89 | (7.5 - 11.0) | | 137,222 | (110,672 - 163,771) |
| MI | 55-64 | 1,121 | 10.5 | 1.06 | (8.4 - 12.6) | | 112,293 | (88,961 - 135,625) |
| MI | 65+ | 1,443 | 7.3 | 0.76 | (5.8 - 8.8) | | 91,890 | (72,493 - 111,287) |
| MN | 18-24 | 159 | 12.0 | 2.71 | (6.6 - 17.3) | | 63,843 | (33,693 - 93,993) |
| MN | 25-34 | 510 | 7.1 | 1.17 | (4.8 - 9.4) | | 48,308 | (32,210 - 64,406) |
| MN | 35-44 | 793 | 6.8 | 0.96 | (4.9 - 8.7) | | 52,438 | (37,469 - 67,408) |
| MN | 45-54 | 952 | 7.4 | 0.90 | (5.6 - 9.1) | | 56,765 | (42,688 - 70,842) |
| MN | 55-64 | 765 | 8.0 | 1.04 | (5.9 - 10.0) | | 41,794 | (30,710 - 52,878) |
| MN | 65+ | 1,058 | 6.5 | 0.80 | (5.0 - 8.1) | | 41,046 | (30,995 - 51,098) |
| MS | 18-24 | 264 | 6.7 | 1.92 | (2.9 - 10.5) | | 21,957 | (9,023 - 34,890) |
| MS | 25-34 | 662 | 5.7 | 1.00 | (3.7 - 7.6) | | 21,856 | (14,100 - 29,612) |
| MS | 35-44 | 1,001 | 5.7 | 0.80 | (4.1 - 7.2) | | 22,491 | (16,095 - 28,887) |
| MS | 45-54 | 1,157 | 7.6 | 0.79 | (6.0 - 9.1) | | 29,927 | (23,621 - 36,232) |
| MS | 55-64 | 1,228 | 9.4 | 0.96 | (7.5 - 11.2) | | 27,562 | (21,773 - 33,351) |

Notes:
*CI denotes confidence interval.
**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2006

| State | Age Group | Sample Size | Prevalence (percent) | Standard Error | 95% CI* (percent) | | Prevalence (number) | 95% CI* (number) |
|-------|-----------|-------------|----------------------|----------------|-------------------|------------|---------------------|--------------------|
| MS | 65+ | 1,673 | 7.3 | 0.65 | (6.0 - 8.6) | | 26,431 | (21,760 - 31,101) |
| MO | 18-24 | 268 | 10.2 | 2.61 | (5.1 - 15.4) | | 58,838 | (27,878 - 89,799) |
| MO | 25-34 | 637 | 10.2 | 1.90 | (6.5 - 13.9) | | 76,799 | (47,084 - 106,514) |
| MO | 35-44 | 846 | 8.8 | 1.38 | (6.0 - 11.5) | | 71,937 | (49,066 - 94,808) |
| MO | 45-54 | 1,055 | 7.1 | 1.07 | (5.0 - 9.2) | | 58,586 | (41,021 - 76,151) |
| MO | 55-64 | 985 | 8.4 | 1.07 | (6.3 - 10.5) | | 51,763 | (38,652 - 64,874) |
| MO | 65+ | 1,544 | 7.9 | 1.00 | (5.9 - 9.9) | | 62,085 | (46,234 - 77,937) |
| MT | 18-24 | 236 | 10.9 | 2.43 | (6.1 - 15.7) | | 10,829 | (5,812 - 15,847) |
| MT | 25-34 | 657 | 7.0 | 1.13 | (4.8 - 9.3) | | 7,456 | (5,036 - 9,875) |
| MT | 35-44 | 927 | 7.2 | 0.93 | (5.4 - 9.0) | | 8,740 | (6,474 - 11,006) |
| MT | 45-54 | 1,341 | 7.9 | 0.85 | (6.2 - 9.6) | | 11,518 | (8,992 - 14,043) |
| MT | 55-64 | 1,260 | 8.7 | 0.87 | (7.0 - 10.4) | | 9,854 | (7,871 - 11,837) |
| MT | 65+ | 1,522 | 8.1 | 0.80 | (6.5 - 9.7) | | 10,496 | (8,377 - 12,615) |
| NE | 18-24 | 277 | 6.5 | 2.34 | (1.9 - 11.1) | | 12,425 | (3,290 - 21,560) |
| NE | 25-34 | 880 | 8.9 | 1.24 | (6.5 - 11.3) | | 19,948 | (14,273 - 25,623) |
| NE | 35-44 | 1,337 | 7.4 | 0.87 | (5.7 - 9.1) | | 17,594 | (13,432 - 21,755) |
| NE | 45-54 | 1,619 | 6.7 | 0.76 | (5.3 - 8.2) | | 16,919 | (13,098 - 20,741) |
| NE | 55-64 | 1,478 | 6.9 | 0.86 | (5.2 - 8.5) | | 12,014 | (8,969 - 15,059) |
| NE | 65+ | 2,296 | 8.3 | 0.75 | (6.8 - 9.8) | | 19,542 | (15,949 - 23,135) |
| NV | 18-24 | 206 | 8.0 | 3.01 | (2.1 - 14.0) | | 16,960 | (3,850 - 30,071) |
| NV | 25-34 | 420 | 5.5 | 1.20 | (3.1 - 7.8) | | 19,225 | (10,912 - 27,537) |
| NV | 35-44 | 619 | 6.7 | 1.16 | (4.4 - 9.0) | | 24,730 | (16,284 - 33,175) |
| NV | 45-54 | 731 | 9.4 | 1.82 | (5.8 - 13.0) | | 30,620 | (18,324 - 42,916) |
| NV | 55-64 | 728 | 9.3 | 1.67 | (6.0 - 12.6) | | 23,715 | (14,959 - 32,470) |
| NV | 65+ | 842 | 8.2 | 1.36 | (5.5 - 10.8) | | 23,149 | (15,288 - 31,011) |
| NH | 18-24 | 194 | 10.5 | 2.39 | (5.8 - 15.2) | | 10,060 | (5,354 - 14,766) |
| NH | 25-34 | 596 | 11.0 | 1.43 | (8.2 - 13.8) | | 18,674 | (13,663 - 23,686) |
| NH | 35-44 | 1,069 | 8.2 | 0.88 | (6.5 - 9.9) | | 16,960 | (13,298 - 20,621) |
| NH | 45-54 | 1,407 | 9.8 | 0.92 | (8.0 - 11.6) | | 20,128 | (16,243 - 24,014) |
| NH | 55-64 | 1,245 | 10.6 | 1.04 | (8.5 - 12.6) | | 15,951 | (12,702 - 19,200) |
| NH | 65+ | 1,403 | 8.8 | 0.85 | (7.1 - 10.5) | | 14,367 | (11,528 - 17,206) |

Notes:
*CI denotes confidence interval.
**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2006

| State | Age Group | Sample Size | Prevalence (percent) | Standard Error | 95% CI* (percent) | | Prevalence (number) | 95% CI* (number) |
|-------|-----------|-------------|----------------------|----------------|-------------------|--|---------------------|---------------------|
| NJ | 18-24 | 384 | 9.6 | 1.77 | (6.1 - 13.1) | | 72,025 | (44,613 - 99,436) |
| NJ | 25-34 | 1,296 | 8.1 | 0.88 | (6.3 - 9.8) | | 85,472 | (66,722 - 104,223) |
| NJ | 35-44 | 2,392 | 7.2 | 0.65 | (5.9 - 8.4) | | 98,236 | (80,382 - 116,090) |
| NJ | 45-54 | 2,711 | 7.3 | 0.64 | (6.0 - 8.6) | | 92,161 | (75,829 - 108,493) |
| NJ | 55-64 | 2,500 | 7.6 | 0.68 | (6.2 - 8.9) | | 67,063 | (54,792 - 79,334) |
| NJ | 65+ | 3,811 | 7.3 | 0.52 | (6.2 - 8.3) | | 83,468 | (71,516 - 95,421) |
| NM | 18-24 | 328 | 8.6 | 1.98 | (4.7 - 12.5) | | 17,566 | (9,310 - 25,822) |
| NM | 25-34 | 817 | 7.4 | 1.03 | (5.3 - 9.4) | | 17,880 | (12,808 - 22,953) |
| NM | 35-44 | 1,053 | 9.7 | 1.22 | (7.3 - 12.1) | | 25,045 | (18,538 - 31,553) |
| NM | 45-54 | 1,361 | 9.4 | 1.03 | (7.4 - 11.4) | | 25,535 | (19,758 - 31,311) |
| NM | 55-64 | 1,344 | 6.8 | 0.81 | (5.2 - 8.4) | | 14,397 | (10,973 - 17,822) |
| NM | 65+ | 1,608 | 8.6 | 0.82 | (6.9 - 10.2) | | 20,327 | (16,355 - 24,299) |
| NY | 18-24 | 223 | 11.3 | 2.27 | (6.9 - 15.8) | | 205,383 | (119,961 - 290,806) |
| NY | 25-34 | 642 | 7.0 | 1.06 | (4.9 - 9.1) | | 181,226 | (126,691 - 235,760) |
| NY | 35-44 | 1,026 | 9.4 | 0.97 | (7.5 - 11.3) | | 271,680 | (215,801 - 327,558) |
| NY | 45-54 | 1,235 | 7.7 | 0.84 | (6.1 - 9.4) | | 205,053 | (160,090 - 250,016) |
| NY | 55-64 | 1,099 | 9.2 | 1.01 | (7.2 - 11.1) | | 181,544 | (140,803 - 222,286) |
| NY | 65+ | 1,560 | 7.2 | 0.85 | (5.5 - 8.9) | | 181,794 | (138,269 - 225,320) |
| NC | 18-24 | 629 | 7.5 | 1.22 | (5.1 - 9.9) | | 64,977 | (43,562 - 86,393) |
| NC | 25-34 | 1,861 | 5.6 | 0.58 | (4.4 - 6.7) | | 67,857 | (53,715 - 81,999) |
| NC | 35-44 | 2,664 | 6.5 | 0.57 | (5.4 - 7.6) | | 83,593 | (68,852 - 98,334) |
| NC | 45-54 | 3,072 | 6.9 | 0.54 | (5.9 - 8.0) | | 82,189 | (69,357 - 95,020) |
| NC | 55-64 | 3,095 | 7.2 | 0.52 | (6.2 - 8.2) | | 64,237 | (55,010 - 73,463) |
| NC | 65+ | 4,154 | 7.4 | 0.48 | (6.4 - 8.3) | | 79,247 | (68,808 - 89,686) |
| ND | 18-24 | 201 | 10.9 | 2.88 | (5.2 - 16.5) | | 8,385 | (3,679 - 13,090) |
| ND | 25-34 | 516 | 6.7 | 1.26 | (4.3 - 9.2) | | 5,062 | (3,144 - 6,981) |
| ND | 35-44 | 748 | 7.2 | 1.05 | (5.1 - 9.2) | | 5,831 | (4,103 - 7,559) |
| ND | 45-54 | 1,059 | 4.6 | 0.70 | (3.2 - 6.0) | | 4,390 | (3,063 - 5,718) |
| ND | 55-64 | 816 | 5.8 | 0.92 | (4.0 - 7.6) | | 3,737 | (2,559 - 4,915) |
| ND | 65+ | 1,365 | 7.3 | 0.84 | (5.6 - 8.9) | | 6,860 | (5,265 - 8,455) |
| OH | 18-24 | 254 | 11.4 | 4.10 | (3.3 - 19.5) | | 124,392 | (30,154 - 218,629) |

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2006

| State | Age Group | Sample Size | Prevalence (percent) | Standard Error | 95% CI* (percent) | | Prevalence (number) | 95% CI* (number) |
|-------|-----------|-------------|----------------------|----------------|-------------------|------------|---------------------|---------------------|
| OH | 25-34 | 617 | 9.8 | 2.09 | (5.7 - 13.9) | | 139,530 | (78,675 - 200,385) |
| OH | 35-44 | 950 | 10.6 | 1.79 | (7.1 - 14.1) | | 172,683 | (112,843 - 232,523) |
| OH | 45-54 | 1,182 | 10.2 | 1.68 | (6.9 - 13.5) | | 169,952 | (112,321 - 227,584) |
| OH | 55-64 | 1,072 | 10.0 | 1.62 | (6.8 - 13.1) | | 123,441 | (82,339 - 164,542) |
| OH | 65+ | 1,637 | 7.1 | 1.17 | (4.7 - 9.4) | | 108,765 | (72,163 - 145,367) |
| OK | 18-24 | 371 | 9.2 | 1.62 | (6.1 - 12.4) | | 34,768 | (22,312 - 47,223) |
| OK | 25-34 | 796 | 8.1 | 1.08 | (6.0 - 10.2) | | 38,273 | (27,922 - 48,624) |
| OK | 35-44 | 1,094 | 9.7 | 0.99 | (7.7 - 11.6) | | 45,907 | (36,267 - 55,547) |
| OK | 45-54 | 1,303 | 8.8 | 0.87 | (7.1 - 10.5) | | 42,835 | (34,266 - 51,404) |
| OK | 55-64 | 1,258 | 9.3 | 0.97 | (7.4 - 11.2) | | 34,556 | (27,129 - 41,982) |
| OK | 65+ | 2,115 | 8.4 | 0.73 | (7.0 - 9.8) | | 39,861 | (32,754 - 46,968) |
| OR | 18-24 | 221 | 10.5 | 2.29 | (6.0 - 15.0) | | 35,826 | (19,582 - 52,069) |
| OR | 25-34 | 501 | 9.9 | 1.53 | (6.9 - 12.9) | | 49,371 | (33,596 - 65,145) |
| OR | 35-44 | 768 | 9.4 | 1.12 | (7.2 - 11.6) | | 47,861 | (36,196 - 59,526) |
| OR | 45-54 | 975 | 10.1 | 1.07 | (8.0 - 12.2) | | 53,910 | (42,195 - 65,626) |
| OR | 55-64 | 1,076 | 11.6 | 1.05 | (9.5 - 13.7) | | 47,038 | (38,264 - 55,812) |
| OR | 65+ | 1,274 | 8.1 | 0.85 | (6.4 - 9.8) | | 38,406 | (30,250 - 46,562) |
| PA | 18-24 | 624 | 11.1 | 2.17 | (6.9 - 15.4) | | 132,900 | (80,725 - 185,075) |
| PA | 25-34 | 1,437 | 10.3 | 1.34 | (7.7 - 13.0) | | 150,509 | (111,157 - 189,861) |
| PA | 35-44 | 2,154 | 8.7 | 1.02 | (6.7 - 10.7) | | 152,882 | (116,761 - 189,004) |
| PA | 45-54 | 2,678 | 7.7 | 0.91 | (5.9 - 9.5) | | 137,031 | (104,092 - 169,969) |
| PA | 55-64 | 2,502 | 7.8 | 0.88 | (6.0 - 9.5) | | 107,275 | (82,720 - 131,830) |
| PA | 65+ | 3,631 | 7.8 | 0.76 | (6.3 - 9.3) | | 150,634 | (121,179 - 180,090) |
| RI | 18-24 | 159 | 12.5 | 2.91 | (6.7 - 18.2) | | 14,427 | (7,383 - 21,470) |
| RI | 25-34 | 477 | 10.3 | 1.66 | (7.0 - 13.5) | | 14,423 | (9,593 - 19,252) |
| RI | 35-44 | 843 | 10.5 | 1.21 | (8.1 - 12.9) | | 16,886 | (12,895 - 20,878) |
| RI | 45-54 | 914 | 10.5 | 1.14 | (8.3 - 12.8) | | 16,147 | (12,554 - 19,741) |
| RI | 55-64 | 795 | 11.9 | 1.37 | (9.2 - 14.6) | | 13,757 | (10,457 - 17,056) |
| RI | 65+ | 1,244 | 8.5 | 0.88 | (6.8 - 10.2) | | 12,991 | (10,250 - 15,733) |
| SC | 18-24 | 334 | 9.3 | 2.04 | (5.2 - 13.3) | | 29,605 | (16,030 - 43,181) |
| SC | 25-34 | 945 | 6.8 | 0.98 | (4.9 - 8.7) | | 44,725 | (31,685 - 57,765) |

Notes:
*CI denotes confidence interval.
**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2006

| State | Age Group | Sample Size | Prevalence (percent) | Standard Error | 95% CI* (percent) | | Prevalence (number) | 95% CI* (number) |
|-------|-----------|-------------|----------------------|----------------|-------------------|--|---------------------|---------------------|
| SC | 35-44 | 1,435 | 7.5 | 0.87 | (5.8 - 9.3) | | 45,935 | (35,195 - 56,675) |
| SC | 45-54 | 1,817 | 7.6 | 0.73 | (6.2 - 9.0) | | 45,670 | (36,864 - 54,476) |
| SC | 55-64 | 1,871 | 9.0 | 0.79 | (7.4 - 10.5) | | 41,834 | (34,328 - 49,340) |
| SC | 65+ | 2,482 | 6.9 | 0.58 | (5.7 - 8.0) | | 37,229 | (31,007 - 43,452) |
| SD | 18-24 | 264 | 10.2 | 2.06 | (6.1 - 14.2) | | 8,940 | (5,234 - 12,647) |
| SD | 25-34 | 734 | 9.8 | 1.42 | (7.0 - 12.6) | | 9,062 | (6,340 - 11,784) |
| SD | 35-44 | 1,035 | 6.6 | 0.85 | (5.0 - 8.3) | | 6,723 | (4,985 - 8,461) |
| SD | 45-54 | 1,405 | 6.5 | 0.75 | (5.0 - 8.0) | | 7,190 | (5,519 - 8,861) |
| SD | 55-64 | 1,164 | 7.1 | 0.89 | (5.4 - 8.8) | | 5,384 | (4,020 - 6,747) |
| SD | 65+ | 1,942 | 6.9 | 0.68 | (5.5 - 8.2) | | 7,578 | (6,064 - 9,091) |
| TN | 18-24 | 175 | 8.5 | 2.89 | (2.8 - 14.2) | | 48,283 | (14,180 - 82,387) |
| TN | 25-34 | 460 | 6.5 | 1.38 | (3.8 - 9.3) | | 53,669 | (30,843 - 76,495) |
| TN | 35-44 | 766 | 7.4 | 1.02 | (5.4 - 9.4) | | 65,394 | (47,579 - 83,209) |
| TN | 45-54 | 899 | 10.6 | 1.31 | (8.0 - 13.2) | | 89,335 | (66,740 - 111,930) |
| TN | 55-64 | 950 | 9.1 | 1.13 | (6.9 - 11.4) | | 60,748 | (45,599 - 75,896) |
| TN | 65+ | 1,122 | 9.0 | 1.14 | (6.8 - 11.2) | | 68,905 | (51,024 - 86,786) |
| TX | 18-24 | 305 | 7.1 | 3.43 | (0.3 - 13.8) | | 171,714 | (0 - 345,408) |
| TX | 25-34 | 936 | 6.4 | 1.31 | (3.8 - 9.0) | | 212,073 | (124,492 - 299,653) |
| TX | 35-44 | 1,143 | 7.1 | 1.34 | (4.4 - 9.7) | | 237,169 | (145,945 - 328,392) |
| TX | 45-54 | 1,314 | 6.6 | 0.83 | (5.0 - 8.2) | | 194,138 | (146,709 - 241,568) |
| TX | 55-64 | 1,271 | 8.2 | 1.38 | (5.5 - 10.9) | | 171,404 | (112,167 - 230,642) |
| TX | 65+ | 1,747 | 9.3 | 1.16 | (7.1 - 11.6) | | 215,403 | (160,559 - 270,247) |
| UT | 18-24 | 283 | 9.4 | 2.15 | (5.2 - 13.7) | | 29,698 | (15,713 - 43,683) |
| UT | 25-34 | 957 | 8.2 | 1.01 | (6.2 - 10.1) | | 32,998 | (24,720 - 41,276) |
| UT | 35-44 | 956 | 9.5 | 1.10 | (7.3 - 11.6) | | 28,698 | (21,899 - 35,498) |
| UT | 45-54 | 1,054 | 6.9 | 0.87 | (5.2 - 8.6) | | 18,771 | (14,019 - 23,522) |
| UT | 55-64 | 824 | 9.3 | 1.31 | (6.8 - 11.9) | | 17,232 | (12,267 - 22,197) |
| UT | 65+ | 1,071 | 7.0 | 0.95 | (5.1 - 8.8) | | 14,828 | (10,696 - 18,960) |
| VT | 18-24 | 242 | 12.6 | 2.20 | (8.3 - 17.0) | | 7,874 | (5,008 - 10,741) |
| VT | 25-34 | 681 | 9.3 | 1.10 | (7.1 - 11.4) | | 6,487 | (4,925 - 8,048) |
| VT | 35-44 | 1,119 | 10.2 | 0.95 | (8.4 - 12.1) | | 9,113 | (7,382 - 10,844) |

Notes:
*CI denotes confidence interval.
**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2006

| State | Age Group | Sample Size | Prevalence (percent) | Standard Error | 95% CI* (percent) | | Prevalence (number) | 95% CI* (number) |
|-------|-----------|-------------|----------------------|----------------|-------------------|--|---------------------|--------------------|
| VT | 45-54 | 1,637 | 9.0 | 0.76 | (7.5 - 10.5) | | 9,175 | (7,599 - 10,751) |
| VT | 55-64 | 1,442 | 8.7 | 0.80 | (7.1 - 10.3) | | 6,831 | (5,560 - 8,103) |
| VT | 65+ | 1,781 | 6.7 | 0.64 | (5.4 - 7.9) | | 5,554 | (4,474 - 6,635) |
| VA | 18-24 | 227 | 14.3 | 2.91 | (8.6 - 20.1) | | 110,586 | (63,629 - 157,544) |
| VA | 25-34 | 635 | 7.3 | 1.31 | (4.7 - 9.8) | | 73,074 | (46,785 - 99,364) |
| VA | 35-44 | 982 | 8.3 | 1.39 | (5.6 - 11.0) | | 94,938 | (62,451 - 127,424) |
| VA | 45-54 | 1,096 | 7.1 | 1.03 | (5.1 - 9.2) | | 78,032 | (55,792 - 100,272) |
| VA | 55-64 | 1,125 | 7.6 | 0.89 | (5.9 - 9.4) | | 62,845 | (48,614 - 77,075) |
| VA | 65+ | 1,300 | 7.4 | 1.32 | (4.8 - 10.0) | | 64,605 | (40,760 - 88,451) |
| WA | 18-24 | 1,069 | 11.5 | 1.26 | (9.0 - 14.0) | | 72,583 | (56,111 - 89,054) |
| WA | 25-34 | 2,552 | 7.8 | 0.67 | (6.5 - 9.2) | | 66,499 | (54,901 - 78,098) |
| WA | 35-44 | 3,633 | 8.2 | 0.55 | (7.2 - 9.3) | | 77,438 | (67,081 - 87,794) |
| WA | 45-54 | 4,810 | 8.9 | 0.51 | (7.9 - 9.9) | | 84,101 | (74,353 - 93,849) |
| WA | 55-64 | 4,934 | 9.3 | 0.52 | (8.3 - 10.3) | | 63,426 | (56,272 - 70,580) |
| WA | 65+ | 6,567 | 8.3 | 0.43 | (7.4 - 9.1) | | 60,157 | (53,776 - 66,539) |
| WV | 18-24 | 145 | 10.7 | 3.18 | (4.5 - 17.0) | | 18,908 | (7,053 - 30,764) |
| WV | 25-34 | 414 | 6.2 | 1.23 | (3.8 - 8.6) | | 13,747 | (8,266 - 19,229) |
| WV | 35-44 | 596 | 7.7 | 1.16 | (5.4 - 10.0) | | 18,735 | (13,046 - 24,424) |
| WV | 45-54 | 758 | 9.0 | 1.09 | (6.9 - 11.1) | | 24,808 | (18,716 - 30,901) |
| WV | 55-64 | 829 | 8.6 | 1.07 | (6.5 - 10.7) | | 19,443 | (14,545 - 24,341) |
| WV | 65+ | 1,010 | 9.4 | 0.99 | (7.5 - 11.3) | | 26,814 | (21,079 - 32,549) |
| WI | 18-24 | 227 | 15.6 | 3.56 | (8.5 - 22.6) | | 81,954 | (40,788 - 123,119) |
| WI | 25-34 | 578 | 8.3 | 1.43 | (5.5 - 11.1) | | 60,808 | (39,346 - 82,269) |
| WI | 35-44 | 898 | 9.0 | 1.11 | (6.8 - 11.2) | | 72,607 | (54,402 - 90,813) |
| WI | 45-54 | 1,073 | 6.7 | 0.87 | (5.0 - 8.4) | | 54,848 | (40,692 - 69,004) |
| WI | 55-64 | 910 | 7.7 | 0.99 | (5.8 - 9.7) | | 45,690 | (33,850 - 57,529) |
| WI | 65+ | 1,087 | 7.5 | 0.91 | (5.7 - 9.3) | | 55,051 | (41,505 - 68,597) |
| WY | 18-24 | 235 | 9.3 | 1.94 | (5.5 - 13.1) | | 5,291 | (3,030 - 7,553) |
| WY | 25-34 | 617 | 8.1 | 1.22 | (5.7 - 10.5) | | 4,942 | (3,416 - 6,467) |
| WY | 35-44 | 742 | 9.3 | 1.23 | (6.8 - 11.7) | | 6,131 | (4,456 - 7,805) |
| WY | 45-54 | 1,104 | 7.4 | 0.85 | (5.8 - 9.1) | | 5,983 | (4,606 - 7,360) |

Notes:
*CI denotes confidence interval.
**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2006

| State | Age Group | Sample Size | Prevalence (percent) | Standard Error | 95% CI* (percent) | | Prevalence (number) | 95% CI* (number) |
|-------------|-----------|-------------|----------------------|----------------|-------------------|--|---------------------|-------------------|
| WY | 55-64 | 1,025 | 8.5 | 1.00 | (6.5 - 10.5) | | 5,141 | (3,905 - 6,376) |
| WY | 65+ | 1,189 | 10.0 | 0.94 | (8.2 - 11.9) | | 6,388 | (5,164 - 7,613) |
| Territories | | | | | | | | |
| PR | 18-24 | 295 | 9.6 | 1.95 | (5.8 - 13.5) | | 40,011 | (23,213 - 56,808) |
| PR | 25-34 | 518 | 8.7 | 1.33 | (6.1 - 11.4) | | 47,893 | (33,039 - 62,747) |
| PR | 35-44 | 792 | 7.4 | 1.03 | (5.4 - 9.4) | | 38,930 | (27,932 - 49,929) |
| PR | 45-54 | 812 | 8.6 | 1.07 | (6.5 - 10.7) | | 40,377 | (30,184 - 50,569) |
| PR | 55-64 | 923 | 7.6 | 0.95 | (5.8 - 9.5) | | 30,676 | (22,991 - 38,361) |
| PR | 65+ | 1,316 | 7.9 | 0.81 | (6.3 - 9.5) | | 37,332 | (29,615 - 45,049) |
| VI | 18-24 | 198 | 5.6 | 1.85 | (1.9 - 9.2) | | 470 | (154 - 785) |
| VI | 25-34 | 499 | 7.4 | 1.45 | (4.6 - 10.3) | | 1,019 | (614 - 1,423) |
| VI | 35-44 | 649 | 3.0 | 0.69 | (1.7 - 4.4) | | 474 | (260 - 687) |
| VI | 45-54 | 695 | 3.9 | 0.90 | (2.1 - 5.7) | | 554 | (297 - 811) |
| VI | 55-64 | 619 | 4.3 | 0.92 | (2.5 - 6.1) | | 500 | (289 - 711) |
| VI | 65+ | 478 | 3.3 | 0.81 | (1.7 - 4.9) | | 302 | (157 - 447) |

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.