

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2006**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	    	Prevalence (number)	95% CI* (number)
U.S. Total**	18-24	14,953	17.0	0.63	(15.8 - 18.3)		4,988,515	(4,588,778 - 5,388,251)
U.S. Total**	25-34	40,257	12.7	0.31	(12.1 - 13.3)		5,094,669	(4,839,519 - 5,349,819)
U.S. Total**	35-44	58,864	11.9	0.26	(11.4 - 12.4)		5,180,507	(4,945,252 - 5,415,762)
U.S. Total**	45-54	71,635	12.3	0.25	(11.8 - 12.8)		5,109,650	(4,899,551 - 5,319,750)
U.S. Total**	55-64	67,192	12.9	0.26	(12.4 - 13.4)		3,947,447	(3,779,501 - 4,115,394)
U.S. Total**	65+	90,694	10.9	0.21	(10.4 - 11.3)		4,062,731	(3,899,139 - 4,226,323)
AL	18-24	109	17.4	4.19	(9.1 - 25.7)		80,825	(39,788 - 121,861)
AL	25-34	378	13.4	2.06	(9.4 - 17.5)		79,408	(53,640 - 105,175)
AL	35-44	537	12.8	1.90	(9.1 - 16.6)		81,967	(56,221 - 107,714)
AL	45-54	669	12.5	1.40	(9.8 - 15.2)		78,158	(60,232 - 96,085)
AL	55-64	716	14.2	1.44	(11.4 - 17.0)		71,051	(56,065 - 86,038)
AL	65+	854	12.1	1.18	(9.7 - 14.4)		74,237	(59,354 - 89,119)
AK	18-24	175	16.1	3.48	(9.3 - 23.0)		11,481	(6,313 - 16,650)
AK	25-34	346	14.3	2.30	(9.8 - 18.8)		11,797	(7,890 - 15,704)
AK	35-44	420	16.0	2.39	(11.3 - 20.7)		15,779	(10,824 - 20,733)
AK	45-54	492	11.0	1.79	(7.5 - 14.5)		11,269	(7,537 - 15,001)
AK	55-64	368	14.0	2.60	(8.9 - 19.1)		9,461	(5,817 - 13,104)
AK	65+	277	15.9	2.89	(10.2 - 21.6)		7,237	(4,441 - 10,033)
AZ	18-24	204	18.0	4.47	(9.2 - 26.9)		97,005	(45,313 - 148,696)
AZ	25-34	522	10.7	2.02	(6.8 - 14.7)		95,651	(59,481 - 131,820)
AZ	35-44	737	15.9	2.46	(11.0 - 20.7)		130,539	(87,493 - 173,585)
AZ	45-54	871	16.7	2.54	(11.7 - 21.7)		119,666	(79,979 - 159,353)
AZ	55-64	949	16.5	2.17	(12.3 - 20.8)		94,757	(68,157 - 121,357)
AZ	65+	1,454	12.2	1.34	(9.6 - 14.8)		93,976	(72,899 - 115,053)
AR	18-24	226	10.0	2.10	(5.8 - 14.1)		28,240	(15,964 - 40,516)
AR	25-34	628	10.9	1.40	(8.2 - 13.7)		39,079	(28,759 - 49,400)
AR	35-44	870	11.4	1.21	(9.0 - 13.7)		43,078	(33,597 - 52,560)
AR	45-54	1,076	12.8	1.12	(10.6 - 15.0)		46,832	(38,297 - 55,367)
AR	55-64	1,139	15.1	1.18	(12.8 - 17.4)		46,171	(38,562 - 53,779)
AR	65+	1,591	10.9	0.86	(9.3 - 12.6)		43,066	(36,136 - 49,996)
CA	18-24	309	14.0	2.28	(9.5 - 18.4)		511,048	(337,579 - 684,517)

Notes:  
\*CI denotes confidence interval.  
\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2006**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
CA	25-34	792	10.1	1.11	(7.9 - 12.3)		528,537	(411,865 - 645,209)
CA	35-44	1,063	11.5	1.08	(9.4 - 13.7)		637,792	(516,916 - 758,668)
CA	45-54	1,159	14.0	1.23	(11.6 - 16.5)		707,614	(579,128 - 836,099)
CA	55-64	1,041	15.1	1.39	(12.4 - 17.8)		523,239	(422,864 - 623,614)
CA	65+	1,337	12.5	1.13	(10.3 - 14.7)		492,502	(400,976 - 584,028)
CO	18-24	282	18.3	2.56	(13.3 - 23.3)		84,718	(59,071 - 110,366)
CO	25-34	834	12.1	1.23	(9.7 - 14.5)		84,993	(67,237 - 102,748)
CO	35-44	1,162	11.3	0.98	(9.4 - 13.2)		80,019	(65,717 - 94,321)
CO	45-54	1,353	10.6	0.89	(8.8 - 12.3)		70,090	(58,050 - 82,130)
CO	55-64	1,090	12.0	1.06	(9.9 - 14.1)		55,698	(45,522 - 65,874)
CO	65+	1,301	9.7	0.88	(7.9 - 11.4)		45,465	(36,984 - 53,947)
CT	18-24	330	19.7	2.59	(14.6 - 24.8)		56,359	(40,329 - 72,389)
CT	25-34	907	16.5	1.53	(13.5 - 19.5)		71,632	(57,527 - 85,737)
CT	35-44	1,485	11.3	1.01	(9.3 - 13.3)		61,133	(49,863 - 72,403)
CT	45-54	1,742	13.7	0.96	(11.9 - 15.6)		70,903	(60,724 - 81,082)
CT	55-64	1,547	13.4	1.00	(11.5 - 15.4)		52,948	(44,789 - 61,106)
CT	65+	2,315	11.3	0.83	(9.7 - 13.0)		55,046	(46,713 - 63,379)
DE	18-24	224	26.4	4.20	(18.1 - 34.7)		22,053	(14,047 - 30,060)
DE	25-34	468	17.9	2.36	(13.2 - 22.5)		19,995	(14,351 - 25,639)
DE	35-44	686	11.2	1.39	(8.4 - 13.9)		14,094	(10,552 - 17,637)
DE	45-54	833	14.6	1.63	(11.4 - 17.9)		17,568	(13,511 - 21,625)
DE	55-64	742	9.0	1.18	(6.6 - 11.3)		8,293	(6,110 - 10,476)
DE	65+	1,012	10.2	1.23	(7.8 - 12.6)		11,637	(8,754 - 14,519)
DC	18-24	198	23.3	3.55	(16.3 - 30.3)		13,426	(8,859 - 17,992)
DC	25-34	667	18.6	1.86	(14.9 - 22.2)		19,336	(15,139 - 23,533)
DC	35-44	760	12.3	1.34	(9.7 - 14.9)		10,027	(7,794 - 12,259)
DC	45-54	746	15.1	1.58	(12.0 - 18.2)		9,640	(7,511 - 11,769)
DC	55-64	712	12.4	1.45	(9.6 - 15.3)		7,049	(5,354 - 8,744)
DC	65+	838	11.2	1.34	(8.6 - 13.8)		7,571	(5,702 - 9,440)
FL	18-24	402	12.6	2.18	(8.3 - 16.9)		201,640	(128,757 - 274,523)
FL	25-34	1,117	13.8	1.39	(11.0 - 16.5)		296,150	(233,018 - 359,281)

Notes:  
\*CI denotes confidence interval.  
\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2006**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
FL	35-44	1,626	11.6	1.07	(9.5 - 13.7)		291,086	(235,256 - 346,916)
FL	45-54	2,058	11.7	0.94	(9.8 - 13.5)		285,339	(238,075 - 332,603)
FL	55-64	2,128	11.4	0.94	(9.6 - 13.3)		218,947	(182,012 - 255,881)
FL	65+	3,253	10.0	0.66	(8.7 - 11.3)		305,837	(264,868 - 346,805)
GA	18-24	334	19.1	2.58	(14.1 - 24.2)		179,043	(127,037 - 231,048)
GA	25-34	941	14.1	1.61	(10.9 - 17.2)		189,817	(143,597 - 236,037)
GA	35-44	1,394	12.1	1.07	(9.9 - 14.2)		168,159	(137,208 - 199,110)
GA	45-54	1,588	11.2	0.97	(9.3 - 13.1)		130,901	(107,569 - 154,232)
GA	55-64	1,508	12.1	0.95	(10.2 - 14.0)		104,725	(87,857 - 121,593)
GA	65+	1,802	10.7	0.87	(9.0 - 12.4)		96,678	(80,698 - 112,658)
HI	18-24	339	22.3	2.89	(16.6 - 28.0)		27,390	(19,463 - 35,317)
HI	25-34	771	20.0	1.96	(16.2 - 23.9)		32,397	(25,444 - 39,349)
HI	35-44	1,113	14.4	1.35	(11.7 - 17.0)		25,474	(20,463 - 30,485)
HI	45-54	1,423	14.8	1.30	(12.2 - 17.4)		26,597	(21,635 - 31,559)
HI	55-64	1,335	17.3	1.53	(14.3 - 20.3)		25,476	(20,607 - 30,346)
HI	65+	1,511	9.2	0.81	(7.6 - 10.8)		16,319	(13,451 - 19,188)
ID	18-24	308	14.7	2.43	(9.9 - 19.5)		23,421	(15,223 - 31,619)
ID	25-34	777	13.9	1.72	(10.5 - 17.3)		26,278	(19,368 - 33,188)
ID	35-44	917	12.7	1.31	(10.2 - 15.3)		24,175	(19,001 - 29,349)
ID	45-54	1,055	12.7	1.23	(10.3 - 15.1)		24,259	(19,385 - 29,133)
ID	55-64	991	12.5	1.20	(10.2 - 14.9)		18,172	(14,563 - 21,781)
ID	65+	1,233	12.4	1.07	(10.3 - 14.5)		20,308	(16,684 - 23,931)
IL	18-24	210	20.0	2.93	(14.2 - 25.7)		253,511	(173,204 - 333,817)
IL	25-34	663	13.1	1.55	(10.1 - 16.2)		228,105	(171,623 - 284,587)
IL	35-44	915	11.2	1.27	(8.7 - 13.7)		209,628	(160,248 - 259,009)
IL	45-54	1,121	12.5	1.24	(10.0 - 14.9)		224,834	(178,123 - 271,545)
IL	55-64	934	12.6	1.21	(10.2 - 14.9)		159,359	(127,951 - 190,766)
IL	65+	1,303	10.3	1.00	(8.3 - 12.2)		159,691	(127,773 - 191,609)
IN	18-24	297	16.4	2.35	(11.8 - 21.1)		106,722	(74,244 - 139,200)
IN	25-34	899	15.0	1.36	(12.4 - 17.7)		121,485	(98,396 - 144,575)
IN	35-44	1,145	10.9	1.00	(8.9 - 12.8)		96,585	(78,469 - 114,701)

Notes:  
\*CI denotes confidence interval.  
\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2006**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
IN	45-54	1,326	13.4	1.05	(11.4 - 15.5)		116,401	(97,749 - 135,053)
IN	55-64	1,186	13.4	1.16	(11.2 - 15.7)		87,115	(71,428 - 102,803)
IN	65+	1,600	8.4	0.74	(7.0 - 9.9)		66,541	(54,749 - 78,333)
IA	18-24	225	12.0	2.64	(6.8 - 17.2)		34,236	(18,328 - 50,144)
IA	25-34	638	9.3	1.17	(7.0 - 11.6)		36,626	(27,296 - 45,956)
IA	35-44	940	8.5	0.97	(6.6 - 10.4)		34,108	(26,206 - 42,011)
IA	45-54	1,114	10.6	1.01	(8.6 - 12.6)		45,578	(36,716 - 54,440)
IA	55-64	956	8.9	0.97	(7.0 - 10.8)		28,237	(22,009 - 34,465)
IA	65+	1,504	9.2	0.80	(7.6 - 10.7)		40,117	(33,029 - 47,205)
KS	18-24	312	15.7	2.20	(11.3 - 20.0)		48,031	(33,711 - 62,350)
KS	25-34	955	15.4	1.28	(12.9 - 17.9)		53,192	(43,855 - 62,530)
KS	35-44	1,405	11.3	0.92	(9.5 - 13.1)		42,504	(35,359 - 49,648)
KS	45-54	1,739	11.7	0.84	(10.0 - 13.3)		45,273	(38,599 - 51,948)
KS	55-64	1,537	10.8	0.84	(9.1 - 12.4)		29,801	(25,025 - 34,576)
KS	65+	2,285	8.5	0.62	(7.3 - 9.8)		30,672	(26,142 - 35,202)
KY	18-24	230	12.0	2.32	(7.4 - 16.5)		40,849	(24,855 - 56,842)
KY	25-34	623	9.1	1.52	(6.1 - 12.0)		57,559	(37,937 - 77,180)
KY	35-44	998	10.2	1.30	(7.7 - 12.8)		62,253	(46,048 - 78,458)
KY	45-54	1,258	15.8	1.44	(12.9 - 18.6)		95,398	(77,056 - 113,740)
KY	55-64	1,323	13.6	1.27	(11.1 - 16.1)		63,054	(50,928 - 75,180)
KY	65+	1,702	10.3	0.99	(8.3 - 12.2)		55,131	(44,194 - 66,069)
LA	18-24	392	16.4	2.12	(12.2 - 20.5)		81,091	(58,675 - 103,508)
LA	25-34	920	10.5	1.12	(8.3 - 12.7)		63,334	(49,564 - 77,104)
LA	35-44	1,258	8.4	0.86	(6.7 - 10.1)		52,323	(41,444 - 63,202)
LA	45-54	1,514	9.8	0.82	(8.2 - 11.4)		60,207	(49,981 - 70,432)
LA	55-64	1,357	11.3	1.01	(9.3 - 13.2)		52,288	(42,620 - 61,956)
LA	65+	1,539	9.4	0.79	(7.9 - 11.0)		50,752	(42,117 - 59,387)
ME	18-24	171	21.5	3.42	(14.7 - 28.2)		26,936	(17,764 - 36,109)
ME	25-34	422	16.2	1.92	(12.4 - 20.0)		23,754	(17,817 - 29,692)
ME	35-44	715	13.7	1.43	(10.9 - 16.5)		26,685	(20,867 - 32,503)
ME	45-54	925	11.3	1.13	(9.1 - 13.5)		23,652	(18,802 - 28,502)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2006**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
ME	55-64	805	13.1	1.30	(10.6 - 15.7)		21,696	(17,223 - 26,169)
ME	65+	942	11.6	1.11	(9.4 - 13.8)		22,693	(18,260 - 27,125)
MD	18-24	351	22.2	3.36	(15.5 - 28.8)		109,267	(70,939 - 147,596)
MD	25-34	1,021	14.8	1.41	(12.1 - 17.6)		108,694	(86,915 - 130,473)
MD	35-44	1,568	11.3	1.02	(9.3 - 13.3)		98,557	(80,256 - 116,857)
MD	45-54	1,886	13.1	1.05	(11.0 - 15.2)		105,140	(87,578 - 122,702)
MD	55-64	1,682	11.8	1.14	(9.6 - 14.1)		70,678	(56,494 - 84,861)
MD	65+	2,235	9.9	0.88	(8.2 - 11.6)		64,969	(53,060 - 76,878)
MA	18-24	498	17.5	2.43	(12.8 - 22.3)		107,054	(75,333 - 138,775)
MA	25-34	1,509	19.3	1.56	(16.2 - 22.3)		161,975	(133,388 - 190,562)
MA	35-44	2,486	13.3	0.91	(11.5 - 15.1)		132,615	(113,740 - 151,490)
MA	45-54	2,553	14.5	0.95	(12.7 - 16.4)		129,897	(112,287 - 147,506)
MA	55-64	2,291	13.8	0.96	(11.9 - 15.7)		95,081	(81,428 - 108,734)
MA	65+	3,115	10.0	0.71	(8.6 - 11.4)		86,180	(73,766 - 98,595)
MI	18-24	260	18.6	2.60	(13.4 - 23.7)		190,668	(132,860 - 248,477)
MI	25-34	539	15.6	1.74	(12.2 - 19.0)		197,194	(150,718 - 243,669)
MI	35-44	960	13.6	1.20	(11.2 - 15.9)		198,592	(162,365 - 234,820)
MI	45-54	1,258	12.6	1.09	(10.5 - 14.8)		187,499	(154,030 - 220,968)
MI	55-64	1,126	14.4	1.19	(12.1 - 16.8)		155,481	(128,487 - 182,474)
MI	65+	1,454	11.0	0.91	(9.2 - 12.8)		139,711	(115,922 - 163,500)
MN	18-24	159	17.6	3.29	(11.1 - 24.1)		94,123	(56,064 - 132,182)
MN	25-34	510	11.6	1.51	(8.6 - 14.5)		78,361	(57,206 - 99,516)
MN	35-44	796	9.9	1.14	(7.6 - 12.1)		76,216	(58,117 - 94,316)
MN	45-54	954	9.4	1.03	(7.3 - 11.4)		72,368	(56,000 - 88,735)
MN	55-64	766	10.5	1.20	(8.2 - 12.9)		55,129	(42,213 - 68,046)
MN	65+	1,060	9.2	0.93	(7.4 - 11.0)		57,852	(46,030 - 69,673)
MS	18-24	264	14.5	2.62	(9.3 - 19.6)		47,524	(28,964 - 66,084)
MS	25-34	664	10.4	1.41	(7.6 - 13.2)		40,360	(29,053 - 51,668)
MS	35-44	1,002	8.7	0.98	(6.8 - 10.7)		34,675	(26,777 - 42,574)
MS	45-54	1,160	11.5	1.03	(9.5 - 13.5)		45,610	(37,184 - 54,036)
MS	55-64	1,230	13.9	1.13	(11.7 - 16.1)		41,108	(34,089 - 48,127)

Notes:  
\*CI denotes confidence interval.  
\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2006**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MS	65+	1,679	11.2	0.86	(9.5 - 12.9)		40,738	(34,342 - 47,135)
MO	18-24	272	15.2	2.97	(9.4 - 21.1)		88,209	(52,431 - 123,987)
MO	25-34	640	16.7	2.22	(12.3 - 21.0)		126,414	(90,401 - 162,426)
MO	35-44	847	12.4	1.62	(9.2 - 15.6)		102,021	(74,756 - 129,286)
MO	45-54	1,055	10.7	1.43	(8.0 - 13.5)		88,168	(64,179 - 112,157)
MO	55-64	988	11.3	1.23	(8.9 - 13.7)		69,792	(54,762 - 84,823)
MO	65+	1,547	10.5	1.15	(8.3 - 12.8)		83,024	(64,645 - 101,404)
MT	18-24	238	16.9	2.88	(11.2 - 22.6)		16,941	(10,797 - 23,086)
MT	25-34	662	11.2	1.37	(8.5 - 13.9)		11,902	(8,922 - 14,882)
MT	35-44	929	11.5	1.17	(9.2 - 13.8)		14,010	(11,087 - 16,933)
MT	45-54	1,344	11.2	1.02	(9.2 - 13.2)		16,436	(13,365 - 19,507)
MT	55-64	1,264	12.7	1.09	(10.6 - 14.8)		14,414	(11,860 - 16,968)
MT	65+	1,535	11.4	0.94	(9.6 - 13.3)		14,939	(12,400 - 17,478)
NE	18-24	278	14.6	2.97	(8.7 - 20.4)		27,759	(15,526 - 39,991)
NE	25-34	884	14.0	1.60	(10.8 - 17.1)		31,343	(23,727 - 38,958)
NE	35-44	1,339	10.4	1.00	(8.5 - 12.4)		24,877	(20,006 - 29,748)
NE	45-54	1,622	9.0	0.86	(7.3 - 10.7)		22,530	(18,150 - 26,910)
NE	55-64	1,478	9.2	0.97	(7.3 - 11.2)		16,208	(12,724 - 19,691)
NE	65+	2,304	10.4	0.81	(8.8 - 12.0)		24,605	(20,670 - 28,540)
NV	18-24	210	15.6	3.85	(8.0 - 23.2)		34,132	(15,955 - 52,309)
NV	25-34	425	9.8	1.66	(6.5 - 13.1)		34,579	(22,724 - 46,434)
NV	35-44	624	9.8	1.37	(7.1 - 12.5)		36,440	(26,370 - 46,510)
NV	45-54	737	15.2	2.06	(11.2 - 19.3)		49,854	(35,437 - 64,270)
NV	55-64	734	13.7	1.89	(10.0 - 17.4)		35,359	(25,169 - 45,550)
NV	65+	846	11.3	1.50	(8.4 - 14.3)		32,245	(23,416 - 41,074)
NH	18-24	198	21.0	3.42	(14.3 - 27.8)		20,897	(13,394 - 28,399)
NH	25-34	600	18.5	1.80	(14.9 - 22.0)		31,786	(25,097 - 38,474)
NH	35-44	1,071	12.8	1.18	(10.5 - 15.1)		26,518	(21,451 - 31,586)
NH	45-54	1,410	13.7	1.08	(11.6 - 15.8)		28,296	(23,618 - 32,974)
NH	55-64	1,249	14.4	1.22	(12.0 - 16.7)		21,792	(17,884 - 25,699)
NH	65+	1,409	11.9	0.95	(10.1 - 13.8)		19,536	(16,340 - 22,733)

Notes:  
\*CI denotes confidence interval.  
\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2006**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NJ	18-24	387	18.0	2.38	(13.3 - 22.6)		136,801	(97,427 - 176,174)
NJ	25-34	1,303	12.0	1.07	(9.9 - 14.1)		128,004	(104,805 - 151,203)
NJ	35-44	2,402	11.6	0.80	(10.0 - 13.2)		159,414	(136,890 - 181,938)
NJ	45-54	2,724	11.0	0.76	(9.5 - 12.5)		139,651	(119,889 - 159,412)
NJ	55-64	2,506	11.8	0.83	(10.2 - 13.4)		104,761	(89,624 - 119,899)
NJ	65+	3,826	10.6	0.63	(9.4 - 11.8)		122,576	(107,612 - 137,540)
NM	18-24	329	18.1	2.67	(12.8 - 23.3)		36,886	(25,220 - 48,553)
NM	25-34	819	12.8	1.41	(10.0 - 15.6)		31,198	(24,040 - 38,356)
NM	35-44	1,056	14.0	1.36	(11.3 - 16.7)		36,360	(28,896 - 43,824)
NM	45-54	1,362	14.1	1.21	(11.7 - 16.5)		38,396	(31,488 - 45,304)
NM	55-64	1,347	12.4	1.08	(10.3 - 14.5)		26,140	(21,417 - 30,862)
NM	65+	1,612	12.9	1.01	(10.9 - 14.9)		30,629	(25,634 - 35,624)
NY	18-24	225	20.9	2.95	(15.1 - 26.7)		383,317	(265,091 - 501,543)
NY	25-34	644	11.3	1.35	(8.7 - 14.0)		293,025	(222,459 - 363,591)
NY	35-44	1,031	14.7	1.26	(12.3 - 17.2)		427,514	(352,231 - 502,797)
NY	45-54	1,237	11.0	1.00	(9.0 - 12.9)		291,892	(237,861 - 345,923)
NY	55-64	1,104	13.1	1.19	(10.8 - 15.5)		262,251	(212,956 - 311,546)
NY	65+	1,564	9.7	0.93	(7.9 - 11.6)		246,306	(197,776 - 294,836)
NC	18-24	629	13.6	1.73	(10.3 - 17.0)		118,419	(86,808 - 150,031)
NC	25-34	1,863	10.1	0.84	(8.5 - 11.8)		123,605	(102,820 - 144,390)
NC	35-44	2,667	9.8	0.70	(8.4 - 11.2)		126,406	(107,909 - 144,902)
NC	45-54	3,080	11.0	0.68	(9.7 - 12.4)		131,084	(114,490 - 147,678)
NC	55-64	3,097	10.8	0.64	(9.6 - 12.1)		96,963	(85,321 - 108,604)
NC	65+	4,164	11.1	0.59	(9.9 - 12.2)		119,085	(106,149 - 132,020)
ND	18-24	202	17.1	3.35	(10.5 - 23.8)		13,347	(7,605 - 19,089)
ND	25-34	518	11.6	1.57	(8.5 - 14.7)		8,796	(6,345 - 11,247)
ND	35-44	748	9.7	1.23	(7.3 - 12.1)		7,911	(5,866 - 9,957)
ND	45-54	1,064	7.1	0.86	(5.4 - 8.8)		6,839	(5,177 - 8,502)
ND	55-64	818	8.3	1.08	(6.2 - 10.4)		5,342	(3,935 - 6,748)
ND	65+	1,367	8.5	0.90	(6.8 - 10.3)		8,054	(6,332 - 9,777)
OH	18-24	258	19.9	4.83	(10.4 - 29.4)		222,118	(103,308 - 340,927)

Notes:  
\*CI denotes confidence interval.  
\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2006**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
OH	25-34	624	12.7	2.29	(8.2 - 17.2)		182,936	(114,730 - 251,143)
OH	35-44	955	12.5	1.85	(8.9 - 16.1)		203,976	(141,538 - 266,415)
OH	45-54	1,189	13.4	1.89	(9.7 - 17.2)		223,864	(157,678 - 290,049)
OH	55-64	1,082	14.2	1.84	(10.6 - 17.8)		176,480	(128,680 - 224,281)
OH	65+	1,642	10.9	1.57	(7.8 - 14.0)		168,648	(117,879 - 219,417)
OK	18-24	373	15.4	2.05	(11.3 - 19.4)		57,913	(41,592 - 74,234)
OK	25-34	800	15.8	1.45	(12.9 - 18.6)		74,684	(60,145 - 89,222)
OK	35-44	1,100	15.3	1.21	(12.9 - 17.6)		72,744	(60,707 - 84,781)
OK	45-54	1,311	13.9	1.11	(11.7 - 16.0)		67,888	(56,539 - 79,237)
OK	55-64	1,263	12.8	1.08	(10.7 - 14.9)		48,027	(39,643 - 56,411)
OK	65+	2,119	11.3	0.82	(9.6 - 12.9)		53,539	(45,464 - 61,614)
OR	18-24	226	18.7	2.87	(13.1 - 24.4)		65,689	(43,734 - 87,644)
OR	25-34	504	16.4	1.87	(12.7 - 20.1)		82,445	(62,409 - 102,481)
OR	35-44	770	14.4	1.38	(11.6 - 17.1)		73,279	(58,474 - 88,083)
OR	45-54	981	15.1	1.28	(12.6 - 17.6)		80,729	(66,300 - 95,159)
OR	55-64	1,081	15.4	1.20	(13.1 - 17.8)		62,717	(52,461 - 72,974)
OR	65+	1,280	12.6	1.03	(10.5 - 14.6)		59,801	(49,601 - 70,002)
PA	18-24	630	14.9	2.43	(10.1 - 19.7)		180,294	(120,583 - 240,005)
PA	25-34	1,443	14.8	1.61	(11.7 - 18.0)		216,849	(168,341 - 265,356)
PA	35-44	2,166	12.5	1.19	(10.2 - 14.9)		220,405	(177,279 - 263,531)
PA	45-54	2,691	11.5	1.08	(9.4 - 13.7)		206,721	(166,732 - 246,710)
PA	55-64	2,516	10.9	1.03	(8.9 - 12.9)		151,793	(122,418 - 181,167)
PA	65+	3,646	9.7	0.84	(8.1 - 11.4)		187,771	(154,581 - 220,962)
RI	18-24	159	22.2	3.80	(14.7 - 29.7)		25,671	(15,907 - 35,436)
RI	25-34	478	16.8	2.03	(12.8 - 20.8)		23,686	(17,524 - 29,848)
RI	35-44	844	14.6	1.38	(11.9 - 17.3)		23,464	(18,842 - 28,086)
RI	45-54	916	14.8	1.37	(12.1 - 17.4)		22,697	(18,291 - 27,103)
RI	55-64	797	15.9	1.52	(13.0 - 18.9)		18,456	(14,732 - 22,180)
RI	65+	1,252	13.0	1.07	(10.9 - 15.1)		20,056	(16,639 - 23,472)
SC	18-24	337	15.9	2.51	(11.0 - 20.9)		51,379	(33,864 - 68,894)
SC	25-34	950	13.1	1.31	(10.5 - 15.6)		86,607	(68,476 - 104,739)

Notes:  
 \*CI denotes confidence interval.  
 \*\*U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.



**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2006**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
SC	35-44	1,437	11.0	1.08	(8.9 - 13.2)		67,236	(53,582 - 80,889)
SC	45-54	1,822	12.9	0.99	(10.9 - 14.8)		77,690	(65,251 - 90,129)
SC	55-64	1,882	12.7	0.90	(10.9 - 14.5)		59,515	(50,770 - 68,261)
SC	65+	2,493	10.3	0.71	(8.9 - 11.7)		56,036	(48,271 - 63,800)
SD	18-24	264	16.4	2.57	(11.3 - 21.4)		14,348	(9,580 - 19,117)
SD	25-34	739	13.6	1.57	(10.5 - 16.7)		12,690	(9,597 - 15,782)
SD	35-44	1,038	10.7	1.15	(8.4 - 12.9)		10,887	(8,474 - 13,300)
SD	45-54	1,408	8.6	0.85	(7.0 - 10.3)		9,560	(7,655 - 11,464)
SD	55-64	1,167	10.0	1.03	(8.0 - 12.1)		7,622	(6,014 - 9,230)
SD	65+	1,954	9.1	0.78	(7.6 - 10.7)		10,156	(8,384 - 11,928)
TN	18-24	176	14.1	3.67	(6.8 - 21.3)		81,014	(35,397 - 126,631)
TN	25-34	460	9.8	1.66	(6.6 - 13.1)		80,574	(52,980 - 108,169)
TN	35-44	767	10.4	1.23	(8.0 - 12.8)		91,765	(70,149 - 113,380)
TN	45-54	903	14.6	1.52	(11.7 - 17.6)		124,061	(97,058 - 151,063)
TN	55-64	952	11.6	1.23	(9.1 - 14.0)		76,936	(60,356 - 93,515)
TN	65+	1,128	10.7	1.18	(8.3 - 13.0)		82,022	(63,391 - 100,653)
TX	18-24	311	18.0	4.19	(9.8 - 26.3)		444,822	(208,982 - 680,662)
TX	25-34	938	11.7	1.76	(8.3 - 15.2)		388,755	(267,645 - 509,865)
TX	35-44	1,146	10.8	1.58	(7.7 - 13.9)		363,357	(254,591 - 472,123)
TX	45-54	1,320	10.1	1.13	(7.9 - 12.3)		296,992	(230,830 - 363,154)
TX	55-64	1,276	12.1	1.55	(9.1 - 15.2)		255,701	(188,081 - 323,321)
TX	65+	1,751	13.6	1.38	(10.9 - 16.3)		313,952	(246,256 - 381,648)
UT	18-24	283	16.0	2.68	(10.7 - 21.3)		50,427	(32,351 - 68,502)
UT	25-34	961	14.1	1.32	(11.5 - 16.7)		57,231	(46,028 - 68,433)
UT	35-44	960	14.0	1.34	(11.3 - 16.6)		42,475	(33,956 - 50,995)
UT	45-54	1,058	12.1	1.16	(9.8 - 14.4)		33,007	(26,543 - 39,471)
UT	55-64	826	14.5	1.54	(11.5 - 17.5)		26,824	(20,807 - 32,841)
UT	65+	1,078	11.2	1.15	(8.9 - 13.5)		24,038	(18,929 - 29,147)
VT	18-24	244	19.1	2.66	(13.8 - 24.3)		11,972	(8,345 - 15,599)
VT	25-34	682	17.1	1.51	(14.2 - 20.1)		11,990	(9,751 - 14,228)
VT	35-44	1,123	13.5	1.07	(11.3 - 15.6)		12,048	(10,050 - 14,045)

Notes:  
\*CI denotes confidence interval.  
\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2006**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
VT	45-54	1,650	13.7	0.93	(11.9 - 15.5)		14,040	(12,072 - 16,008)
VT	55-64	1,447	12.4	0.93	(10.5 - 14.2)		9,733	(8,209 - 11,258)
VT	65+	1,785	9.3	0.74	(7.9 - 10.8)		7,758	(6,503 - 9,014)
VA	18-24	227	19.0	3.19	(12.7 - 25.3)		146,449	(94,162 - 198,736)
VA	25-34	636	15.2	2.23	(10.8 - 19.6)		153,283	(105,837 - 200,728)
VA	35-44	989	11.1	1.46	(8.3 - 14.0)		127,658	(93,030 - 162,286)
VA	45-54	1,102	12.3	1.33	(9.7 - 15.0)		136,206	(107,119 - 165,293)
VA	55-64	1,130	12.4	1.43	(9.5 - 15.2)		102,143	(77,917 - 126,369)
VA	65+	1,307	10.6	1.40	(7.9 - 13.3)		92,892	(67,159 - 118,624)
WA	18-24	1,078	19.2	1.54	(16.2 - 22.2)		121,516	(100,500 - 142,532)
WA	25-34	2,564	13.7	0.86	(12.0 - 15.4)		116,970	(101,688 - 132,253)
WA	35-44	3,655	13.9	0.72	(12.5 - 15.3)		131,445	(117,306 - 145,584)
WA	45-54	4,835	13.8	0.63	(12.5 - 15.0)		130,805	(118,462 - 143,148)
WA	55-64	4,955	14.2	0.64	(13.0 - 15.5)		97,316	(88,308 - 106,323)
WA	65+	6,597	12.2	0.51	(11.1 - 13.2)		88,701	(80,972 - 96,430)
WV	18-24	145	17.4	3.70	(10.1 - 24.7)		30,625	(16,294 - 44,956)
WV	25-34	414	9.3	1.54	(6.3 - 12.3)		20,602	(13,614 - 27,590)
WV	35-44	598	10.2	1.33	(7.6 - 12.8)		24,896	(18,257 - 31,536)
WV	45-54	759	12.2	1.26	(9.7 - 14.7)		33,681	(26,501 - 40,860)
WV	55-64	833	12.2	1.26	(9.7 - 14.7)		27,749	(21,791 - 33,708)
WV	65+	1,012	11.4	1.07	(9.3 - 13.5)		32,674	(26,373 - 38,975)
WI	18-24	227	22.8	3.83	(15.2 - 30.3)		120,043	(73,837 - 166,250)
WI	25-34	578	12.5	1.65	(9.3 - 15.8)		92,091	(66,906 - 117,276)
WI	35-44	898	11.8	1.24	(9.4 - 14.3)		95,750	(75,138 - 116,362)
WI	45-54	1,076	9.6	1.00	(7.7 - 11.6)		78,624	(62,032 - 95,216)
WI	55-64	910	12.0	1.28	(9.5 - 14.5)		70,918	(55,241 - 86,595)
WI	65+	1,087	9.6	1.04	(7.6 - 11.7)		70,561	(54,929 - 86,194)
WY	18-24	238	18.9	2.76	(13.4 - 24.3)		10,866	(7,419 - 14,312)
WY	25-34	617	11.3	1.41	(8.5 - 14.1)		6,915	(5,124 - 8,706)
WY	35-44	746	14.4	1.48	(11.5 - 17.3)		9,585	(7,491 - 11,678)
WY	45-54	1,106	11.5	1.05	(9.4 - 13.5)		9,250	(7,503 - 10,998)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2006**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
WY	55-64	1,031	12.3	1.15	(10.1 - 14.6)		7,482	(6,024 - 8,939)
WY	65+	1,193	12.8	1.04	(10.8 - 14.9)		8,200	(6,826 - 9,574)
Territories								
PR	18-24	295	23.6	2.68	(18.4 - 28.9)		97,939	(73,164 - 122,714)
PR	25-34	518	21.7	2.08	(17.6 - 25.7)		118,679	(93,469 - 143,889)
PR	35-44	793	16.7	1.46	(13.9 - 19.6)		88,010	(71,786 - 104,235)
PR	45-54	813	17.8	1.48	(14.9 - 20.7)		84,262	(69,528 - 98,995)
PR	55-64	924	17.5	1.36	(14.9 - 20.2)		70,539	(58,960 - 82,118)
PR	65+	1,317	15.9	1.07	(13.8 - 18.0)		75,414	(64,875 - 85,953)
VI	18-24	200	10.3	2.47	(5.4 - 15.2)		878	(440 - 1,315)
VI	25-34	501	15.2	2.06	(11.1 - 19.2)		2,083	(1,474 - 2,693)
VI	35-44	649	7.2	1.11	(5.0 - 9.3)		1,128	(775 - 1,480)
VI	45-54	696	9.6	1.48	(6.7 - 12.5)		1,367	(930 - 1,805)
VI	55-64	620	7.0	1.14	(4.8 - 9.2)		807	(543 - 1,070)
VI	65+	480	7.4	1.40	(4.6 - 10.1)		672	(413 - 930)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.