

Table C1
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by State or Territory: BRFSS 2007

State	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Prevalence (Number)	95% CI * (Number)
Total **	59,640	8.9	0.22	(8.5 - 9.4)		4,960,375	(4,713,654 - 5,207,095)
AK	937	6.9	1.14	(5.0 - 9.5)		13,121	(8,902 - 17,340)
AZ	1,257	7.6	1.13	(5.6 - 10.1)		122,676	(87,061 - 158,290)
CA	1,685	7.6	0.73	(6.3 - 9.2)		743,366	(602,750 - 883,982)
CT	1,933	9.7	0.80	(8.3 - 11.4)		79,704	(66,703 - 92,705)
DC	796	15.7	1.84	(12.4 - 19.6)		17,896	(13,559 - 22,233)
GA	2,084	9.7	0.87	(8.2 - 11.6)		230,254	(189,120 - 271,389)
HI	2,137	12.1	0.88	(10.5 - 14.0)		36,801	(31,490 - 42,112)
IL	1,485	7.8	0.90	(6.2 - 9.7)		250,015	(191,918 - 308,111)
IN	1,596	7.9	0.84	(6.4 - 9.7)		125,652	(99,524 - 151,780)
IA	1,503	5.2	0.61	(4.1 - 6.5)		34,199	(26,287 - 42,111)
KS	2,376	8.2	0.63	(7.1 - 9.6)		55,421	(47,045 - 63,798)
ME	1,587	8.5	0.79	(7.1 - 10.2)		23,228	(18,978 - 27,478)
MD	2,373	8.9	0.80	(7.4 - 10.6)		123,400	(101,309 - 145,491)
MA	1,181	10.5	1.12	(8.5 - 12.9)		149,038	(117,776 - 180,299)
MI	1,997	9.9	0.87	(8.3 - 11.7)		243,470	(200,622 - 286,318)
MS	2,160	10.4	0.84	(8.9 - 12.2)		76,710	(64,398 - 89,023)
MO	1,359	8.6	0.92	(7.0 - 10.6)		118,648	(94,296 - 143,001)
MT	1,509	7.1	0.80	(5.7 - 8.8)		14,605	(11,385 - 17,825)
NE	3,065	8.5	0.92	(6.8 - 10.4)		36,515	(28,688 - 44,342)
NV	1,163	6.3	0.87	(4.8 - 8.3)		40,300	(29,438 - 51,161)
NH	1,510	7.5	0.78	(6.1 - 9.2)		22,386	(17,785 - 26,986)
NJ	910	10.4	1.34	(8.1 - 13.4)		222,629	(166,548 - 278,711)
NM	1,822	8.6	0.82	(7.1 - 10.3)		42,012	(34,128 - 49,896)
NY	1,556	11.6	1.13	(9.6 - 14.0)		514,552	(412,502 - 616,603)
OH	2,849	8.8	0.65	(7.6 - 10.1)		237,040	(202,275 - 271,805)
OK	2,041	11.0	0.80	(9.5 - 12.6)		93,100	(79,645 - 106,555)

Notes:
* CI denotes confidence interval.
** Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C1
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by State or Territory: BRFSS 2007

State	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
OR	1,236	8.3	0.91	(6.7 - 10.3)		69,699	(54,606 - 84,793)
PA	3,118	10.6	0.89	(9.0 - 12.5)		292,871	(244,371 - 341,372)
TX	2,581	9.1	0.80	(7.6 - 10.8)		581,103	(479,775 - 682,431)
UT	1,994	7.8	0.75	(6.5 - 9.4)		58,718	(47,574 - 69,862)
VT	1,748	7.8	0.74	(6.4 - 9.3)		10,082	(8,181 - 11,982)
VA	1,640	7.7	0.77	(6.4 - 9.4)		140,843	(113,425 - 168,260)
WV	1,061	10.2	1.06	(8.3 - 12.5)		38,326	(30,450 - 46,202)
WI	1,391	8.0	1.01	(6.2 - 10.2)		101,996	(76,733 - 127,258)
Territories							
PR	1,067	13.7	1.26	(11.4 - 16.3)		141,774	(115,467 - 168,081)

Notes:
 * CI denotes confidence interval.
 ** Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.