

Table C5
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2007

| State | Race/Ethnicity | Sample Size | Prevalence (Percent) | Standard Error | 95% CI* (Percent) | Prevalence (Number) | 95% CI* (Number) |
|----------|----------------|-------------|----------------------|----------------|-------------------|---------------------|-------------------------|
| Total ** | White NH *** | 40,938 | 8.5 | 0.23 | (8.1 - 9.0) | 2,628,150 | (2,485,731 - 2,770,569) |
| Total ** | Black NH | 5,066 | 14.7 | 0.98 | (12.8 - 16.7) | 899,244 | (771,361 - 1,027,127) |
| Total ** | Other NH | 3,210 | 9.0 | 1.12 | (7.0 - 11.4) | 307,357 | (228,228 - 386,486) |
| Total ** | Multirace NH | 2,456 | 11.5 | 1.33 | (9.1 - 14.3) | 197,813 | (151,032 - 244,594) |
| Total ** | Hispanic | 7,367 | 6.9 | 0.53 | (5.9 - 8.0) | 875,026 | (740,566 - 1,009,485) |
| AK | White NH | 534 | 7.3 | 1.44 | (5.0 - 10.7) | 8,051 | (4,928 - 11,173) |
| AK | Black NH | 19 | 15.9 | | | 919 | |
| AK | Other NH | 258 | 5.0 | 2.16 | (2.1 - 11.4) | 2,147 | (277 - 4,017) |
| AK | Multirace NH | 71 | 4.8 | | | 802 | |
| AK | Hispanic | 41 | 11.7 | | | 1,202 | |
| AZ | White NH | 533 | 7.0 | 1.60 | (4.5 - 10.9) | 56,871 | (30,973 - 82,769) |
| AZ | Black NH | 24 | 26.2 | 11.85 | (9.6 - 54.1) | 14,634 | (0 - 29,444) |
| AZ | Other NH | 96 | 4.3 | | | 4,517 | |
| AZ | Multirace NH | 14 | 0.0 | | | 0 | |
| AZ | Hispanic | 560 | 7.1 | 1.70 | (4.4 - 11.2) | 41,272 | (21,864 - 60,680) |
| CA | White NH | 745 | 9.7 | 1.18 | (7.7 - 12.3) | 296,604 | (224,536 - 368,672) |
| CA | Black NH | 66 | 17.2 | 6.16 | (8.2 - 32.7) | 82,366 | (17,912 - 146,819) |
| CA | Other NH | 174 | 10.8 | 2.97 | (6.2 - 18.1) | 106,577 | (45,468 - 167,687) |
| CA | Multirace NH | 57 | 7.2 | | | 22,351 | |
| CA | Hispanic | 638 | 4.8 | 0.88 | (3.4 - 6.9) | 235,467 | (150,566 - 320,368) |
| CT | White NH | 1,323 | 8.0 | 0.89 | (6.4 - 9.9) | 48,439 | (37,774 - 59,105) |
| CT | Black NH | 132 | 11.4 | 3.42 | (6.2 - 20.0) | 4,909 | (1,962 - 7,856) |
| CT | Other NH | 109 | 10.5 | 3.46 | (5.4 - 19.5) | 4,426 | (1,467 - 7,386) |
| CT | Multirace NH | 35 | 10.5 | | | 1,171 | |
| CT | Hispanic | 284 | 15.8 | 2.76 | (11.1 - 22.0) | 15,806 | (10,063 - 21,549) |
| DC | White NH | 303 | 6.6 | 1.61 | (4.0 - 10.5) | 1,116 | (565 - 1,666) |
| DC | Black NH | 314 | 19.4 | 2.79 | (14.5 - 25.4) | 12,475 | (8,649 - 16,301) |

Notes:
* CI denotes confidence interval.
** Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.
*** NH denotes Not Hispanic or Latino.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C5
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2007

| State | Race/Ethnicity | Sample Size | Prevalence (Percent) | Standard Error | 95% CI* (Percent) | Prevalence (Number) | 95% CI* (Number) |
|-------|----------------|-------------|----------------------|----------------|-------------------|---------------------|--------------------|
| DC | Other NH | 39 | 7.0 | | | 433 | |
| DC | Multirace NH | 20 | 0.9 | | | 28 | |
| DC | Hispanic | 93 | 13.9 | 4.31 | (7.4 - 24.7) | 2,658 | (917 - 4,399) |
| GA | White NH | 1,388 | 8.4 | 0.87 | (6.9 - 10.3) | 98,296 | (78,146 - 118,446) |
| GA | Black NH | 445 | 12.1 | 1.99 | (8.7 - 16.5) | 95,427 | (63,252 - 127,603) |
| GA | Other NH | 89 | 8.3 | 3.27 | (3.7 - 17.3) | 13,043 | (2,624 - 23,463) |
| GA | Multirace NH | 25 | 20.7 | 9.80 | (7.5 - 45.7) | 7,870 | (0 - 16,224) |
| GA | Hispanic | 102 | 7.5 | 2.81 | (3.5 - 15.2) | 13,666 | (3,399 - 23,933) |
| HI | White NH | 307 | 8.9 | 1.86 | (5.9 - 13.3) | 3,391 | (1,959 - 4,822) |
| HI | Black NH | 11 | 16.5 | | | 316 | |
| HI | Other NH | 461 | 8.5 | 1.54 | (5.9 - 12.0) | 6,072 | (3,837 - 8,307) |
| HI | Multirace NH | 1,043 | 13.3 | 1.31 | (11.0 - 16.1) | 19,317 | (15,464 - 23,171) |
| HI | Hispanic | 308 | 16.2 | 2.83 | (11.4 - 22.6) | 7,554 | (4,750 - 10,358) |
| IL | White NH | 1,054 | 7.3 | 0.91 | (5.7 - 9.3) | 129,138 | (97,000 - 161,276) |
| IL | Black NH | 150 | 9.9 | 3.00 | (5.4 - 17.5) | 47,242 | (17,795 - 76,690) |
| IL | Other NH | 70 | 12.2 | 5.13 | (5.1 - 26.2) | 25,876 | (2,664 - 49,088) |
| IL | Multirace NH | 40 | 4.0 | | | 4,549 | |
| IL | Hispanic | 167 | 6.9 | 2.47 | (3.3 - 13.6) | 43,209 | (11,476 - 74,943) |
| IN | White NH | 1,194 | 7.9 | 0.91 | (6.3 - 9.9) | 97,349 | (75,307 - 119,390) |
| IN | Black NH | 200 | 14.7 | 4.70 | (7.6 - 26.4) | 18,303 | (5,794 - 30,812) |
| IN | Other NH | 30 | 0.4 | | | 118 | |
| IN | Multirace NH | 34 | 11.9 | | | 4,759 | |
| IN | Hispanic | 131 | 3.2 | | | 5,124 | |
| IA | White NH | 1,316 | 4.8 | 0.64 | (3.7 - 6.2) | 27,394 | (20,207 - 34,581) |
| IA | Black NH | 33 | 7.9 | | | 1,293 | |
| IA | Other NH | 34 | 2.7 | | | 396 | |
| IA | Multirace NH | 28 | 18.7 | 7.60 | (8.0 - 38.0) | 2,238 | (394 - 4,081) |

Notes:
* CI denotes confidence interval.
** Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.
*** NH denotes Not Hispanic or Latino.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C5
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2007

| State | Race/Ethnicity | Sample Size | Prevalence (Percent) | Standard Error | 95% CI* (Percent) | Prevalence (Number) | 95% CI* (Number) |
|-------|----------------|-------------|----------------------|----------------|-------------------|---------------------|---------------------|
| IA | Hispanic | 90 | 6.4 | 2.67 | (2.8 - 14.1) | 2,878 | (483 - 5,274) |
| KS | White NH | 1,913 | 7.8 | 0.69 | (6.6 - 9.3) | 41,551 | (34,352 - 48,751) |
| KS | Black NH | 83 | 13.2 | 4.15 | (6.9 - 23.6) | 3,461 | (1,203 - 5,720) |
| KS | Other NH | 61 | 7.2 | | | 1,160 | |
| KS | Multirace NH | 59 | 5.1 | | | 808 | |
| KS | Hispanic | 250 | 9.7 | 2.10 | (6.3 - 14.7) | 7,764 | (4,314 - 11,213) |
| ME | White NH | 1,465 | 8.4 | 0.82 | (6.9 - 10.2) | 21,226 | (17,143 - 25,309) |
| ME | Black NH | 15 | 2.6 | | | 102 | |
| ME | Other NH | 32 | 5.2 | | | 305 | |
| ME | Multirace NH | 37 | 8.7 | | | 545 | |
| ME | Hispanic | 32 | 11.2 | | | 541 | |
| MD | White NH | 1,617 | 7.3 | 0.76 | (6.0 - 8.9) | 50,264 | (39,917 - 60,612) |
| MD | Black NH | 396 | 13.2 | 2.00 | (9.8 - 17.7) | 52,577 | (36,205 - 68,948) |
| MD | Other NH | 117 | 10.2 | 3.95 | (4.7 - 20.9) | 9,673 | (1,833 - 17,512) |
| MD | Multirace NH | 50 | 4.1 | | | 2,202 | |
| MD | Hispanic | 137 | 6.5 | 2.93 | (2.6 - 15.2) | 8,685 | (751 - 16,618) |
| MA | White NH | 833 | 10.3 | 1.31 | (8.0 - 13.2) | 102,302 | (76,592 - 128,012) |
| MA | Black NH | 69 | 9.7 | 3.74 | (4.4 - 19.8) | 9,904 | (2,520 - 17,289) |
| MA | Other NH | 49 | 5.5 | | | 3,914 | |
| MA | Multirace NH | 22 | 14.7 | | | 7,358 | |
| MA | Hispanic | 181 | 12.3 | 2.90 | (7.6 - 19.2) | 23,305 | (12,643 - 33,967) |
| MI | White NH | 1,431 | 8.3 | 0.86 | (6.8 - 10.2) | 142,678 | (113,141 - 172,216) |
| MI | Black NH | 347 | 11.8 | 2.35 | (8.0 - 17.3) | 38,942 | (23,318 - 54,566) |
| MI | Other NH | 43 | 20.8 | 7.30 | (9.9 - 38.5) | 16,840 | (3,779 - 29,902) |
| MI | Multirace NH | 90 | 14.4 | 5.48 | (6.6 - 28.7) | 24,432 | (4,310 - 44,555) |
| MI | Hispanic | 69 | 12.6 | 4.52 | (6.0 - 24.3) | 19,403 | (4,999 - 33,807) |
| MS | White NH | 1,191 | 7.6 | 0.90 | (6.0 - 9.5) | 27,422 | (20,900 - 33,943) |

Notes:
* CI denotes confidence interval.
** Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.
*** NH denotes Not Hispanic or Latino.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C5
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2007

| State | Race/Ethnicity | Sample Size | Prevalence (Percent) | Standard Error | 95% CI* (Percent) | Prevalence (Number) | 95% CI* (Number) |
|-------|----------------|-------------|----------------------|----------------|-------------------|---------------------|--------------------|
| MS | Black NH | 843 | 13.5 | 1.54 | (10.8 - 16.8) | 44,498 | (34,113 - 54,882) |
| MS | Other NH | 32 | 8.9 | | | 1,129 | |
| MS | Multirace NH | 14 | 9.6 | | | 485 | |
| MS | Hispanic | 45 | 12.9 | 5.20 | (5.6 - 26.8) | 2,512 | (482 - 4,543) |
| MO | White NH | 1,112 | 8.2 | 1.03 | (6.4 - 10.5) | 90,759 | (68,509 - 113,009) |
| MO | Black NH | 127 | 11.3 | 3.17 | (6.4 - 19.1) | 16,270 | (7,564 - 24,977) |
| MO | Other NH | 50 | 8.8 | | | 5,749 | |
| MO | Multirace NH | 28 | 11.7 | | | 4,128 | |
| MO | Hispanic | 40 | 3.0 | | | 926 | |
| MT | White NH | 1,180 | 7.0 | 0.90 | (5.5 - 9.0) | 12,099 | (9,027 - 15,170) |
| MT | Black NH | 9 | 7.4 | | | 101 | |
| MT | Other NH | 206 | 9.2 | 2.32 | (5.5 - 14.9) | 1,669 | (821 - 2,516) |
| MT | Multirace NH | 27 | 1.0 | | | 30 | |
| MT | Hispanic | 66 | 3.5 | | | 283 | |
| NE | White NH | 2,615 | 7.9 | 0.90 | (6.3 - 9.8) | 27,493 | (21,235 - 33,750) |
| NE | Black NH | 40 | 20.6 | 7.71 | (9.3 - 39.5) | 4,667 | (954 - 8,379) |
| NE | Other NH | 83 | 3.2 | | | 427 | |
| NE | Multirace NH | 51 | 6.6 | | | 592 | |
| NE | Hispanic | 262 | 8.5 | 4.10 | (3.2 - 20.7) | 3,029 | (0 - 6,068) |
| NV | White NH | 678 | 6.4 | 1.04 | (4.7 - 8.8) | 19,919 | (13,593 - 26,245) |
| NV | Black NH | 34 | 13.8 | | | 3,657 | |
| NV | Other NH | 48 | 2.2 | | | 652 | |
| NV | Multirace NH | 113 | 9.8 | 4.29 | (4.0 - 21.9) | 6,491 | (538 - 12,444) |
| NV | Hispanic | 280 | 4.8 | 1.48 | (2.6 - 8.7) | 9,580 | (3,768 - 15,393) |
| NH | White NH | 1,355 | 7.4 | 0.81 | (5.9 - 9.2) | 19,658 | (15,375 - 23,940) |
| NH | Black NH | 9 | 30.0 | | | 553 | |
| NH | Other NH | 47 | 7.2 | | | 688 | |

Notes:
* CI denotes confidence interval.
** Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.
*** NH denotes Not Hispanic or Latino.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C5
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2007

| State | Race/Ethnicity | Sample Size | Prevalence (Percent) | Standard Error | 95% CI* (Percent) | | Prevalence (Number) | 95% CI* (Number) |
|-------|----------------|-------------|----------------------|----------------|-------------------|--|---------------------|---------------------|
| NH | Multirace NH | 21 | 18.4 | | | | 671 | |
| NH | Hispanic | 50 | 5.2 | | | | 595 | |
| NJ | White NH | 583 | 10.1 | 1.60 | (7.4 - 13.7) | | 114,579 | (78,741 - 150,418) |
| NJ | Black NH | 89 | 15.2 | 4.41 | (8.4 - 26.0) | | 43,550 | (17,663 - 69,438) |
| NJ | Other NH | 59 | 3.9 | | | | 6,408 | |
| NJ | Multirace NH | 19 | 9.7 | | | | 4,870 | |
| NJ | Hispanic | 137 | 10.7 | 3.69 | (5.3 - 20.3) | | 49,882 | (14,350 - 85,414) |
| NM | White NH | 651 | 7.1 | 1.15 | (5.2 - 9.7) | | 12,628 | (8,576 - 16,679) |
| NM | Black NH | 20 | 16.3 | | | | 1,453 | |
| NM | Other NH | 222 | 7.4 | 2.42 | (3.8 - 13.7) | | 2,159 | (712 - 3,605) |
| NM | Multirace NH | 30 | 1.8 | | | | 132 | |
| NM | Hispanic | 890 | 9.5 | 1.23 | (7.3 - 12.2) | | 25,071 | (18,513 - 31,629) |
| NY | White NH | 1,082 | 8.6 | 0.93 | (6.9 - 10.6) | | 189,368 | (148,292 - 230,443) |
| NY | Black NH | 139 | 21.8 | 4.27 | (14.5 - 31.3) | | 148,569 | (83,600 - 213,538) |
| NY | Other NH | 78 | 8.9 | 3.88 | (3.7 - 20.0) | | 35,083 | (3,576 - 66,589) |
| NY | Multirace NH | 37 | 25.7 | 7.85 | (13.4 - 43.7) | | 37,571 | (12,280 - 62,861) |
| NY | Hispanic | 200 | 10.3 | 2.89 | (5.8 - 17.4) | | 98,060 | (40,589 - 155,530) |
| OH | White NH | 2,366 | 7.5 | 0.63 | (6.4 - 8.9) | | 167,830 | (140,133 - 195,527) |
| OH | Black NH | 251 | 15.7 | 2.99 | (10.7 - 22.5) | | 40,142 | (23,965 - 56,320) |
| OH | Other NH | 82 | 13.3 | 5.48 | (5.7 - 28.1) | | 9,898 | (1,150 - 18,647) |
| OH | Multirace NH | 54 | 5.3 | | | | 2,889 | |
| OH | Hispanic | 75 | 18.8 | 7.11 | (8.5 - 36.6) | | 13,109 | (1,935 - 24,282) |
| OK | White NH | 1,290 | 10.9 | 1.01 | (9.1 - 13.0) | | 57,380 | (46,674 - 68,085) |
| OK | Black NH | 149 | 16.2 | 3.67 | (10.2 - 24.7) | | 10,300 | (5,317 - 15,283) |
| OK | Other NH | 204 | 8.3 | 2.08 | (5.0 - 13.4) | | 7,022 | (3,462 - 10,581) |
| OK | Multirace NH | 142 | 14.9 | 3.47 | (9.3 - 23.0) | | 8,777 | (4,506 - 13,048) |
| OK | Hispanic | 251 | 8.2 | 1.98 | (5.1 - 13.0) | | 9,272 | (4,737 - 13,807) |

Notes:
* CI denotes confidence interval.
** Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.
*** NH denotes Not Hispanic or Latino.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C5
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2007

| State | Race/Ethnicity | Sample Size | Prevalence (Percent) | Standard Error | 95% CI* (Percent) | | Prevalence (Number) | 95% CI* (Number) |
|-------|----------------|-------------|----------------------|----------------|-------------------|------------|---------------------|---------------------|
| OR | White NH | 956 | 7.9 | 1.04 | (6.1 - 10.2) | | 49,778 | (36,734 - 62,822) |
| OR | Black NH | 7 | 49.8 | | | | 1,997 | |
| OR | Other NH | 45 | 6.3 | | | | 2,096 | |
| OR | Multirace NH | 67 | 7.8 | 3.02 | (3.5 - 16.1) | | 3,576 | (822 - 6,331) |
| OR | Hispanic | 150 | 8.1 | 2.38 | (4.5 - 14.2) | | 9,662 | (3,918 - 15,407) |
| PA | White NH | 2,443 | 9.3 | 0.90 | (7.7 - 11.2) | | 188,910 | (152,430 - 225,389) |
| PA | Black NH | 395 | 17.9 | 3.71 | (11.7 - 26.3) | | 57,858 | (32,005 - 83,712) |
| PA | Other NH | 62 | 17.6 | 6.92 | (7.7 - 35.2) | | 17,615 | (3,102 - 32,128) |
| PA | Multirace NH | 77 | 5.2 | | | | 4,752 | |
| PA | Hispanic | 126 | 12.3 | 4.11 | (6.3 - 22.9) | | 23,736 | (8,104 - 39,368) |
| TX | White NH | 1,019 | 10.7 | 1.18 | (8.6 - 13.2) | | 262,336 | (203,982 - 320,691) |
| TX | Black NH | 185 | 13.3 | 3.39 | (7.9 - 21.4) | | 101,948 | (46,731 - 157,166) |
| TX | Other NH | 92 | 4.9 | | | | 13,573 | |
| TX | Multirace NH | 17 | 14.4 | | | | 5,911 | |
| TX | Hispanic | 1,239 | 6.8 | 1.10 | (4.9 - 9.3) | | 187,230 | (125,584 - 248,876) |
| UT | White NH | 1,671 | 7.7 | 0.82 | (6.2 - 9.5) | | 48,539 | (38,242 - 58,835) |
| UT | Black NH | 17 | 14.7 | | | | 1,098 | |
| UT | Other NH | 68 | 13.9 | 4.90 | (6.8 - 26.5) | | 3,850 | (1,049 - 6,650) |
| UT | Multirace NH | 31 | 5.3 | | | | 642 | |
| UT | Hispanic | 197 | 6.2 | 1.98 | (3.3 - 11.4) | | 4,590 | (1,652 - 7,528) |
| VT | White NH | 1,604 | 7.4 | 0.77 | (6.1 - 9.1) | | 8,919 | (7,093 - 10,745) |
| VT | Black NH | 14 | 15.4 | | | | 116 | |
| VT | Other NH | 33 | 1.6 | | | | 40 | |
| VT | Multirace NH | 33 | 18.0 | 7.44 | (7.5 - 37.1) | | 441 | (54 - 828) |
| VT | Hispanic | 55 | 11.8 | 4.74 | (5.2 - 24.6) | | 416 | (74 - 759) |
| VA | White NH | 1,182 | 7.2 | 0.88 | (5.6 - 9.1) | | 94,015 | (71,064 - 116,966) |
| VA | Black NH | 194 | 12.2 | 2.69 | (7.8 - 18.5) | | 25,214 | (14,032 - 36,397) |

Notes:
* CI denotes confidence interval.
** Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.
*** NH denotes Not Hispanic or Latino.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C5
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2007

| State | Race/Ethnicity | Sample Size | Prevalence (Percent) | Standard Error | 95% CI* (Percent) | | Prevalence (Number) | 95% CI* (Number) |
|-------------|----------------|-------------|----------------------|----------------|-------------------|--|---------------------|---------------------|
| VA | Other NH | 84 | 3.0 | | | | 3,310 | |
| VA | Multirace NH | 21 | 41.3 | 14.03 | (18.5 - 68.6) | | 8,784 | (1,048 - 16,520) |
| VA | Hispanic | 121 | 2.8 | | | | 3,584 | |
| WV | White NH | 972 | 10.4 | 1.12 | (8.4 - 12.8) | | 35,668 | (28,015 - 43,322) |
| WV | Black NH | 24 | 9.4 | | | | 1,053 | |
| WV | Other NH | 17 | 5.6 | | | | 278 | |
| WV | Multirace NH | 15 | 0.0 | | | | 0 | |
| WV | Hispanic | 32 | 11.5 | | | | 1,326 | |
| WI | White NH | 1,032 | 7.3 | 1.07 | (5.5 - 9.7) | | 76,182 | (53,998 - 98,366) |
| WI | Black NH | 216 | 18.0 | 5.59 | (9.5 - 31.6) | | 13,329 | (4,493 - 22,165) |
| WI | Other NH | 36 | 0.6 | | | | 216 | |
| WI | Multirace NH | 34 | 22.1 | 10.36 | (8.0 - 48.0) | | 8,641 | (0 - 17,492) |
| WI | Hispanic | 68 | 4.4 | | | | 3,628 | |
| Territories | | | | | | | | |
| PR | White NH | 4 | 0.0 | | | | 0 | |
| PR | Black NH | 0 | | | | | 0 | |
| PR | Other NH | 2 | 32.0 | | | | 513 | |
| PR | Multirace NH | 0 | | | | | 0 | |
| PR | Hispanic | 1,061 | 13.7 | 1.26 | (11.4 - 16.4) | | 141,261 | (114,962 - 167,560) |

Notes:
* CI denotes confidence interval.
** Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.
*** NH denotes Not Hispanic or Latino.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.