

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2007

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total**	18-24	15,276	9.9	0.45	(9.0 - 10.7)		2,482,984	(2,250,176 - 2,715,793)
U.S. Total**	25-34	43,453	8.1	0.24	(7.6 - 8.6)		3,339,438	(3,136,696 - 3,542,181)
U.S. Total**	35-44	66,276	7.7	0.19	(7.3 - 8.0)		3,552,815	(3,379,494 - 3,726,135)
U.S. Total**	45-54	86,379	8.2	0.17	(7.9 - 8.5)		3,474,092	(3,331,704 - 3,616,480)
U.S. Total**	55-64	86,163	8.9	0.19	(8.5 - 9.3)		2,809,186	(2,684,790 - 2,933,582)
U.S. Total**	65+	120,053	7.5	0.15	(7.2 - 7.8)		2,855,967	(2,743,872 - 2,968,063)
AL	18-24	255	11.7	2.78	(6.3 - 17.2)		51,830	(26,041 - 77,620)
AL	25-34	728	8.0	1.60	(4.9 - 11.2)		49,637	(29,250 - 70,024)
AL	35-44	1,074	5.5	0.85	(3.8 - 7.2)		34,973	(24,171 - 45,775)
AL	45-54	1,468	10.2	1.08	(8.1 - 12.3)		67,091	(52,573 - 81,608)
AL	55-64	1,548	10.2	0.95	(8.4 - 12.1)		52,161	(42,264 - 62,058)
AL	65+	2,076	7.9	0.74	(6.4 - 9.3)		48,841	(39,507 - 58,175)
AK	18-24	168	5.9	1.93	(2.1 - 9.7)		4,211	(1,489 - 6,932)
AK	25-34	419	6.4	1.39	(3.7 - 9.1)		5,353	(3,080 - 7,626)
AK	35-44	534	7.9	1.70	(4.5 - 11.2)		7,454	(4,196 - 10,711)
AK	45-54	612	9.1	1.74	(5.7 - 12.5)		9,666	(5,927 - 13,406)
AK	55-64	436	10.5	2.32	(6.0 - 15.1)		7,521	(4,085 - 10,956)
AK	65+	326	6.5	1.64	(3.3 - 9.7)		3,061	(1,516 - 4,605)
AZ	18-24	161	7.3	3.31	(0.7 - 13.8)		28,906	(2,194 - 55,618)
AZ	25-34	524	7.2	1.63	(4.0 - 10.4)		73,446	(40,309 - 106,583)
AZ	35-44	634	9.0	1.74	(5.6 - 12.5)		80,817	(49,370 - 112,263)
AZ	45-54	907	6.5	1.26	(4.0 - 9.0)		50,064	(30,642 - 69,486)
AZ	55-64	953	12.1	1.68	(8.8 - 15.4)		73,872	(53,056 - 94,688)
AZ	65+	1,469	10.4	1.47	(7.5 - 13.3)		83,175	(58,826 - 107,524)
AR	18-24	188	7.5	1.97	(3.6 - 11.4)		21,021	(9,818 - 32,224)
AR	25-34	566	5.7	1.02	(3.7 - 7.7)		20,994	(13,461 - 28,528)
AR	35-44	793	6.6	1.00	(4.6 - 8.5)		24,813	(17,127 - 32,500)
AR	45-54	1,109	7.1	0.79	(5.6 - 8.6)		27,092	(21,085 - 33,099)
AR	55-64	1,173	7.9	0.86	(6.2 - 9.6)		24,379	(19,015 - 29,744)
AR	65+	1,810	7.2	0.67	(5.9 - 8.5)		28,632	(23,321 - 33,943)
CA	18-24	277	8.6	1.97	(4.7 - 12.5)		319,275	(169,288 - 469,262)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2007

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
CA	25-34	672	6.7	1.05	(4.7 - 8.8)		352,688	(242,826 - 462,550)
CA	35-44	1,024	7.0	0.87	(5.3 - 8.7)		383,586	(288,031 - 479,141)
CA	45-54	1,183	6.9	0.78	(5.4 - 8.5)		355,542	(275,228 - 435,855)
CA	55-64	1,128	9.5	1.07	(7.4 - 11.6)		342,990	(264,279 - 421,700)
CA	65+	1,402	7.3	0.87	(5.6 - 9.0)		293,652	(222,811 - 364,492)
CO	18-24	424	9.0	1.52	(6.0 - 12.0)		41,351	(27,015 - 55,686)
CO	25-34	1,348	7.8	0.75	(6.3 - 9.2)		55,426	(44,553 - 66,299)
CO	35-44	2,163	8.1	0.63	(6.8 - 9.3)		57,191	(48,209 - 66,173)
CO	45-54	2,657	7.4	0.56	(6.3 - 8.5)		49,513	(41,937 - 57,089)
CO	55-64	2,405	7.3	0.58	(6.2 - 8.5)		35,376	(29,679 - 41,072)
CO	65+	2,716	7.3	0.54	(6.3 - 8.4)		35,468	(30,204 - 40,732)
CT	18-24	223	15.0	2.84	(9.4 - 20.6)		37,906	(22,820 - 52,991)
CT	25-34	676	9.8	1.93	(6.0 - 13.6)		44,205	(25,875 - 62,536)
CT	35-44	1,230	9.2	0.99	(7.3 - 11.2)		49,522	(38,739 - 60,305)
CT	45-54	1,450	8.5	0.88	(6.8 - 10.3)		46,966	(37,235 - 56,696)
CT	55-64	1,478	8.5	0.91	(6.8 - 10.3)		33,186	(26,007 - 40,364)
CT	65+	2,312	7.3	0.65	(6.1 - 8.6)		35,498	(29,184 - 41,812)
DE	18-24	185	12.1	2.98	(6.2 - 18.0)		10,093	(4,877 - 15,310)
DE	25-34	413	8.2	1.53	(5.2 - 11.2)		9,304	(5,876 - 12,732)
DE	35-44	691	7.0	1.18	(4.7 - 9.3)		8,772	(5,805 - 11,738)
DE	45-54	810	6.6	0.99	(4.7 - 8.6)		8,146	(5,723 - 10,568)
DE	55-64	794	6.9	1.04	(4.9 - 8.9)		6,616	(4,634 - 8,598)
DE	65+	1,052	7.7	0.95	(5.8 - 9.5)		8,990	(6,738 - 11,243)
DC	18-24	115	8.1	2.36	(3.5 - 12.8)		2,481	(1,040 - 3,922)
DC	25-34	544	9.7	1.45	(6.9 - 12.6)		9,437	(6,559 - 12,314)
DC	35-44	706	10.0	1.31	(7.4 - 12.5)		12,318	(8,995 - 15,640)
DC	45-54	697	12.0	1.58	(8.9 - 15.1)		8,499	(6,167 - 10,832)
DC	55-64	828	7.7	1.05	(5.7 - 9.8)		4,744	(3,441 - 6,046)
DC	65+	980	7.6	1.14	(5.3 - 9.8)		5,430	(3,754 - 7,105)
FL	18-24	1,369	3.9	0.74	(2.5 - 5.4)		48,715	(31,160 - 66,271)
FL	25-34	3,582	5.7	0.79	(4.2 - 7.3)		139,592	(101,032 - 178,152)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2007

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
FL	35-44	5,434	6.7	0.74	(5.3 - 8.2)		179,972	(139,837 - 220,108)
FL	45-54	7,589	6.3	0.53	(5.2 - 7.3)		158,108	(131,439 - 184,776)
FL	55-64	8,305	7.4	0.67	(6.0 - 8.7)		149,823	(122,006 - 177,639)
FL	65+	12,738	6.1	0.39	(5.4 - 6.9)		191,376	(167,322 - 215,430)
GA	18-24	253	5.7	1.52	(2.7 - 8.7)		30,528	(14,290 - 46,765)
GA	25-34	816	8.0	1.06	(5.9 - 10.1)		108,470	(79,899 - 137,041)
GA	35-44	1,247	7.3	0.82	(5.7 - 9.0)		138,856	(107,970 - 169,741)
GA	45-54	1,549	8.2	0.80	(6.7 - 9.8)		103,030	(82,969 - 123,090)
GA	55-64	1,600	8.2	0.80	(6.6 - 9.7)		72,421	(58,088 - 86,755)
GA	65+	2,102	7.5	0.68	(6.1 - 8.8)		68,328	(55,829 - 80,826)
HI	18-24	313	12.5	2.68	(7.3 - 17.8)		15,465	(8,384 - 22,545)
HI	25-34	703	7.8	1.20	(5.4 - 10.1)		12,276	(8,448 - 16,104)
HI	35-44	1,095	6.2	0.91	(4.4 - 8.0)		10,862	(7,663 - 14,062)
HI	45-54	1,459	8.8	1.09	(6.6 - 10.9)		16,228	(12,059 - 20,398)
HI	55-64	1,428	8.6	0.95	(6.7 - 10.4)		13,247	(10,283 - 16,211)
HI	65+	1,541	5.5	0.69	(4.2 - 6.9)		9,947	(7,472 - 12,421)
ID	18-24	234	8.3	2.16	(4.0 - 12.6)		11,972	(5,570 - 18,375)
ID	25-34	708	11.0	1.66	(7.7 - 14.2)		23,294	(15,964 - 30,624)
ID	35-44	831	6.6	0.91	(4.8 - 8.4)		12,757	(9,233 - 16,280)
ID	45-54	1,092	8.0	0.96	(6.1 - 9.8)		15,702	(11,885 - 19,519)
ID	55-64	1,024	8.7	1.08	(6.6 - 10.8)		13,488	(10,065 - 16,911)
ID	65+	1,349	9.3	0.94	(7.4 - 11.1)		15,847	(12,564 - 19,131)
IL	18-24	206	12.9	2.76	(7.5 - 18.4)		134,863	(73,699 - 196,028)
IL	25-34	567	8.3	1.25	(5.9 - 10.8)		163,467	(113,781 - 213,153)
IL	35-44	857	5.4	0.82	(3.8 - 7.0)		99,676	(69,268 - 130,083)
IL	45-54	1,073	8.9	1.03	(6.8 - 10.9)		161,666	(123,591 - 199,742)
IL	55-64	990	8.1	0.95	(6.2 - 10.0)		106,807	(81,455 - 132,158)
IL	65+	1,518	8.0	0.79	(6.4 - 9.5)		124,528	(99,395 - 149,660)
IN	18-24	239	7.9	2.28	(3.4 - 12.4)		50,329	(20,587 - 80,072)
IN	25-34	680	5.9	1.01	(3.9 - 7.8)		48,238	(31,691 - 64,785)
IN	35-44	993	8.7	1.09	(6.6 - 10.9)		76,241	(56,930 - 95,551)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2007

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
IN	45-54	1,261	11.8	1.16	(9.5 - 14.1)		103,518	(82,528 - 124,508)
IN	55-64	1,196	11.8	1.19	(9.4 - 14.1)		78,915	(62,391 - 95,440)
IN	65+	1,523	6.2	0.74	(4.8 - 7.7)		49,222	(37,500 - 60,944)
IA	18-24	199	9.4	2.29	(4.9 - 13.9)		27,835	(13,798 - 41,872)
IA	25-34	565	7.0	1.16	(4.7 - 9.3)		27,403	(18,145 - 36,662)
IA	35-44	883	6.2	0.85	(4.6 - 7.9)		24,683	(17,932 - 31,435)
IA	45-54	1,158	5.8	0.71	(4.4 - 7.2)		25,312	(19,110 - 31,513)
IA	55-64	984	7.9	0.94	(6.0 - 9.7)		25,629	(19,403 - 31,854)
IA	65+	1,565	6.5	0.68	(5.2 - 7.9)		28,665	(22,661 - 34,668)
KS	18-24	264	13.2	2.29	(8.7 - 17.7)		38,820	(24,665 - 52,975)
KS	25-34	943	8.7	1.04	(6.6 - 10.7)		31,490	(23,773 - 39,206)
KS	35-44	1,269	8.1	0.82	(6.5 - 9.7)		30,126	(23,920 - 36,332)
KS	45-54	1,788	6.5	0.60	(5.3 - 7.7)		25,865	(21,105 - 30,625)
KS	55-64	1,716	8.1	0.73	(6.7 - 9.5)		23,061	(18,828 - 27,293)
KS	65+	2,442	6.9	0.56	(5.8 - 8.0)		24,935	(20,839 - 29,030)
KY	18-24	250	11.0	2.52	(6.1 - 16.0)		32,270	(17,104 - 47,437)
KY	25-34	688	10.4	1.82	(6.8 - 14.0)		64,041	(40,866 - 87,215)
KY	35-44	1,056	6.3	1.15	(4.1 - 8.6)		42,656	(27,057 - 58,255)
KY	45-54	1,314	7.3	0.87	(5.6 - 9.0)		44,479	(33,809 - 55,150)
KY	55-64	1,511	10.1	0.98	(8.2 - 12.1)		48,063	(38,635 - 57,490)
KY	65+	2,030	10.2	0.91	(8.4 - 12.0)		55,362	(45,204 - 65,520)
LA	18-24	253	6.4	1.79	(2.8 - 9.9)		17,444	(7,538 - 27,350)
LA	25-34	747	5.4	1.34	(2.8 - 8.0)		29,324	(14,487 - 44,161)
LA	35-44	1,096	7.0	1.14	(4.7 - 9.2)		57,146	(37,887 - 76,404)
LA	45-54	1,461	5.6	0.69	(4.2 - 6.9)		32,690	(24,598 - 40,782)
LA	55-64	1,445	7.2	0.84	(5.6 - 8.9)		32,919	(25,169 - 40,668)
LA	65+	1,576	6.4	0.69	(5.0 - 7.7)		33,292	(26,105 - 40,479)
ME	18-24	206	14.0	2.87	(8.3 - 19.6)		17,052	(9,568 - 24,537)
ME	25-34	626	12.2	1.40	(9.5 - 15.0)		17,819	(13,597 - 22,041)
ME	35-44	1,057	10.0	0.98	(8.1 - 11.9)		19,078	(15,273 - 22,883)
ME	45-54	1,480	9.3	0.89	(7.6 - 11.1)		20,159	(16,218 - 24,101)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2007

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
ME	55-64	1,573	8.7	0.77	(7.2 - 10.3)		14,921	(12,253 - 17,590)
ME	65+	1,801	9.1	0.79	(7.5 - 10.6)		18,058	(14,856 - 21,260)
MD	18-24	288	8.0	1.93	(4.2 - 11.8)		32,076	(16,366 - 47,785)
MD	25-34	860	8.1	1.06	(6.1 - 10.2)		63,614	(47,006 - 80,223)
MD	35-44	1,482	8.1	0.86	(6.4 - 9.7)		71,983	(56,401 - 87,565)
MD	45-54	1,789	9.2	0.83	(7.6 - 10.9)		75,789	(61,976 - 89,602)
MD	55-64	1,816	7.6	0.82	(6.0 - 9.2)		46,175	(36,111 - 56,239)
MD	65+	2,395	8.8	0.82	(7.2 - 10.4)		58,791	(47,678 - 69,905)
MA	18-24	747	10.7	1.65	(7.5 - 14.0)		40,200	(27,414 - 52,986)
MA	25-34	2,067	11.4	1.11	(9.3 - 13.6)		82,913	(66,052 - 99,773)
MA	35-44	3,557	9.6	0.65	(8.3 - 10.9)		124,460	(107,309 - 141,610)
MA	45-54	4,150	10.1	0.65	(8.8 - 11.3)		94,579	(82,158 - 107,001)
MA	55-64	4,144	9.8	0.62	(8.6 - 11.0)		65,136	(56,818 - 73,454)
MA	65+	6,345	8.5	0.49	(7.5 - 9.5)		73,197	(64,615 - 81,778)
MI	18-24	301	12.4	2.10	(8.2 - 16.5)		123,750	(79,910 - 167,590)
MI	25-34	605	10.2	1.42	(7.4 - 13.0)		128,493	(91,661 - 165,326)
MI	35-44	1,114	10.0	1.09	(7.9 - 12.2)		142,964	(110,958 - 174,971)
MI	45-54	1,633	8.2	0.82	(6.6 - 9.8)		121,494	(96,628 - 146,360)
MI	55-64	1,585	9.9	0.84	(8.2 - 11.5)		108,020	(89,297 - 126,742)
MI	65+	2,131	7.1	0.61	(5.9 - 8.2)		90,138	(74,543 - 105,734)
MN	18-24	145	10.6	2.84	(5.0 - 16.2)		55,894	(24,627 - 87,162)
MN	25-34	469	8.3	1.35	(5.6 - 10.9)		56,961	(38,209 - 75,714)
MN	35-44	833	7.3	1.01	(5.3 - 9.3)		55,432	(39,803 - 71,061)
MN	45-54	1,033	7.3	0.84	(5.7 - 9.0)		57,575	(44,280 - 70,870)
MN	55-64	895	7.2	0.93	(5.4 - 9.1)		39,561	(29,229 - 49,893)
MN	65+	1,392	6.3	0.69	(4.9 - 7.6)		40,168	(31,312 - 49,025)
MS	18-24	265	6.2	1.64	(3.0 - 9.4)		19,680	(9,189 - 30,170)
MS	25-34	816	4.7	0.75	(3.2 - 6.1)		18,627	(12,729 - 24,525)
MS	35-44	1,182	5.3	0.91	(3.5 - 7.1)		20,798	(13,519 - 28,077)
MS	45-54	1,547	7.9	0.79	(6.3 - 9.4)		31,848	(25,409 - 38,287)
MS	55-64	1,584	8.0	0.79	(6.5 - 9.6)		24,447	(19,570 - 29,324)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2007

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MS	65+	2,347	7.8	0.63	(6.5 - 9.0)		28,507	(23,863 - 33,151)
MO	18-24	221	9.5	2.51	(4.6 - 14.5)		53,487	(24,741 - 82,232)
MO	25-34	589	7.0	1.18	(4.7 - 9.3)		54,694	(36,241 - 73,147)
MO	35-44	830	8.8	1.44	(6.0 - 11.7)		71,687	(47,631 - 95,744)
MO	45-54	1,070	8.8	1.11	(6.6 - 11.0)		74,386	(55,387 - 93,385)
MO	55-64	989	9.9	1.54	(6.9 - 12.9)		63,684	(43,272 - 84,097)
MO	65+	1,497	7.8	0.99	(5.9 - 9.8)		62,147	(46,180 - 78,114)
MT	18-24	222	13.2	2.81	(7.7 - 18.8)		11,791	(6,516 - 17,067)
MT	25-34	561	7.0	1.38	(4.3 - 9.7)		8,302	(4,994 - 11,610)
MT	35-44	854	8.4	1.09	(6.2 - 10.5)		10,036	(7,384 - 12,687)
MT	45-54	1,290	10.6	1.11	(8.4 - 12.7)		16,163	(12,646 - 19,680)
MT	55-64	1,311	8.4	0.86	(6.7 - 10.1)		9,878	(7,829 - 11,928)
MT	65+	1,672	9.0	0.78	(7.4 - 10.5)		11,927	(9,834 - 14,020)
NE	18-24	312	8.9	2.89	(3.3 - 14.6)		11,714	(3,902 - 19,525)
NE	25-34	1,098	8.8	1.68	(5.5 - 12.1)		25,330	(15,333 - 35,327)
NE	35-44	1,719	7.7	1.10	(5.5 - 9.8)		17,964	(12,757 - 23,171)
NE	45-54	2,191	7.2	1.02	(5.2 - 9.2)		18,084	(12,928 - 23,240)
NE	55-64	2,077	7.7	1.06	(5.6 - 9.8)		14,254	(10,251 - 18,258)
NE	65+	3,444	8.4	0.87	(6.7 - 10.1)		19,781	(15,574 - 23,989)
NV	18-24	227	7.7	2.22	(3.3 - 12.1)		17,054	(7,050 - 27,059)
NV	25-34	482	5.5	1.54	(2.5 - 8.5)		20,093	(8,822 - 31,363)
NV	35-44	665	5.3	1.06	(3.3 - 7.4)		20,167	(12,179 - 28,154)
NV	45-54	822	10.1	1.54	(7.1 - 13.2)		33,624	(23,119 - 44,128)
NV	55-64	845	6.6	1.07	(4.5 - 8.7)		17,667	(11,971 - 23,364)
NV	65+	1,010	7.0	1.11	(4.8 - 9.1)		20,235	(13,702 - 26,768)
NH	18-24	182	10.5	2.53	(5.5 - 15.4)		9,179	(4,580 - 13,779)
NH	25-34	536	12.8	1.78	(9.3 - 16.3)		22,776	(16,056 - 29,496)
NH	35-44	976	12.8	1.18	(10.5 - 15.2)		26,779	(21,685 - 31,873)
NH	45-54	1,347	8.8	0.85	(7.1 - 10.5)		18,604	(14,938 - 22,269)
NH	55-64	1,202	8.4	0.90	(6.7 - 10.2)		13,167	(10,327 - 16,007)
NH	65+	1,646	7.4	0.69	(6.0 - 8.7)		12,525	(10,166 - 14,884)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2007

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NJ	18-24	196	14.7	3.58	(7.6 - 21.8)		63,729	(30,305 - 97,154)
NJ	25-34	647	6.4	1.16	(4.1 - 8.7)		62,846	(40,006 - 85,687)
NJ	35-44	1,208	8.7	1.02	(6.7 - 10.7)		150,734	(115,004 - 186,464)
NJ	45-54	1,374	7.5	0.80	(6.0 - 9.1)		97,447	(77,062 - 117,832)
NJ	55-64	1,379	10.7	1.24	(8.2 - 13.1)		94,924	(71,897 - 117,951)
NJ	65+	2,276	6.7	0.67	(5.4 - 8.0)		77,553	(61,864 - 93,243)
NM	18-24	301	11.7	2.39	(7.0 - 16.4)		24,175	(13,857 - 34,492)
NM	25-34	745	5.7	1.04	(3.6 - 7.7)		14,040	(8,858 - 19,222)
NM	35-44	1,012	9.0	1.13	(6.8 - 11.2)		23,072	(17,141 - 29,004)
NM	45-54	1,423	8.3	0.97	(6.4 - 10.2)		23,096	(17,601 - 28,591)
NM	55-64	1,328	10.2	1.03	(8.2 - 12.2)		22,707	(18,029 - 27,385)
NM	65+	1,726	7.9	0.85	(6.2 - 9.6)		19,257	(15,008 - 23,506)
NY	18-24	254	6.4	1.36	(3.7 - 9.1)		116,505	(67,622 - 165,387)
NY	25-34	552	9.5	1.35	(6.9 - 12.2)		244,993	(174,801 - 315,185)
NY	35-44	1,100	8.0	0.98	(6.1 - 10.0)		229,596	(172,437 - 286,755)
NY	45-54	1,404	10.3	0.91	(8.5 - 12.1)		279,264	(228,668 - 329,860)
NY	55-64	1,328	10.5	1.09	(8.3 - 12.6)		216,577	(170,251 - 262,904)
NY	65+	1,752	7.5	0.73	(6.1 - 9.0)		192,714	(154,894 - 230,534)
NC	18-24	494	10.5	1.93	(6.7 - 14.3)		87,894	(54,134 - 121,654)
NC	25-34	1,495	7.0	0.90	(5.2 - 8.7)		88,427	(65,375 - 111,479)
NC	35-44	2,332	6.6	0.60	(5.5 - 7.8)		86,426	(70,974 - 101,879)
NC	45-54	2,914	7.5	0.62	(6.3 - 8.7)		91,597	(76,330 - 106,864)
NC	55-64	3,056	8.4	0.63	(7.1 - 9.6)		78,074	(66,143 - 90,005)
NC	65+	4,329	8.3	0.54	(7.2 - 9.3)		90,715	(78,645 - 102,785)
ND	18-24	188	7.3	2.22	(2.9 - 11.7)		5,364	(2,014 - 8,714)
ND	25-34	508	7.8	1.36	(5.2 - 10.5)		6,536	(4,225 - 8,847)
ND	35-44	720	7.4	1.11	(5.2 - 9.6)		5,842	(4,070 - 7,613)
ND	45-54	1,084	8.2	0.94	(6.3 - 10.0)		7,683	(5,889 - 9,478)
ND	55-64	920	6.8	0.93	(5.0 - 8.6)		4,802	(3,475 - 6,128)
ND	65+	1,252	8.4	0.88	(6.7 - 10.1)		7,980	(6,294 - 9,665)
OH	18-24	368	14.7	2.50	(9.8 - 19.6)		141,200	(89,467 - 192,933)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2007

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
OH	25-34	1,037	9.4	1.35	(6.7 - 12.0)		146,119	(102,189 - 190,048)
OH	35-44	1,664	8.8	0.82	(7.2 - 10.4)		141,423	(114,616 - 168,231)
OH	45-54	2,358	7.6	0.64	(6.4 - 8.9)		128,232	(106,699 - 149,765)
OH	55-64	2,217	8.5	0.72	(7.1 - 9.9)		105,667	(87,356 - 123,977)
OH	65+	3,390	7.1	0.51	(6.0 - 8.1)		109,140	(93,274 - 125,006)
OK	18-24	301	9.6	2.00	(5.7 - 13.6)		28,563	(16,348 - 40,779)
OK	25-34	844	7.9	1.08	(5.8 - 10.1)		42,900	(31,053 - 54,747)
OK	35-44	1,096	8.1	0.88	(6.4 - 9.8)		37,190	(29,065 - 45,315)
OK	45-54	1,392	9.1	0.85	(7.4 - 10.8)		47,193	(38,199 - 56,187)
OK	55-64	1,399	9.6	0.86	(7.9 - 11.3)		36,617	(29,911 - 43,324)
OK	65+	2,343	8.3	0.66	(7.0 - 9.6)		40,414	(33,849 - 46,978)
OR	18-24	154	13.0	3.07	(7.0 - 19.1)		45,469	(22,691 - 68,248)
OR	25-34	490	8.2	1.58	(5.1 - 11.3)		41,264	(24,892 - 57,635)
OR	35-44	715	9.7	1.20	(7.4 - 12.1)		49,842	(37,251 - 62,433)
OR	45-54	960	10.7	1.04	(8.7 - 12.8)		57,898	(46,452 - 69,345)
OR	55-64	1,132	8.7	0.87	(7.0 - 10.4)		37,159	(29,634 - 44,685)
OR	65+	1,454	8.9	0.79	(7.4 - 10.5)		43,357	(35,632 - 51,083)
PA	18-24	481	17.1	3.04	(11.2 - 23.1)		205,214	(125,907 - 284,522)
PA	25-34	1,302	11.6	1.68	(8.3 - 14.9)		169,028	(117,219 - 220,836)
PA	35-44	2,069	7.0	0.94	(5.2 - 8.8)		120,311	(87,587 - 153,035)
PA	45-54	2,641	9.5	0.83	(7.8 - 11.1)		176,873	(145,612 - 208,134)
PA	55-64	2,630	6.9	0.75	(5.4 - 8.4)		97,573	(76,201 - 118,945)
PA	65+	3,918	6.6	0.58	(5.4 - 7.7)		126,764	(104,410 - 149,118)
RI	18-24	142	12.3	3.00	(6.3 - 18.2)		13,666	(6,713 - 20,619)
RI	25-34	393	10.2	1.75	(6.8 - 13.7)		14,221	(9,245 - 19,197)
RI	35-44	723	10.3	1.26	(7.8 - 12.8)		15,871	(11,877 - 19,865)
RI	45-54	942	10.3	1.12	(8.1 - 12.5)		16,490	(12,844 - 20,137)
RI	55-64	857	9.0	1.02	(7.0 - 11.0)		10,096	(7,817 - 12,375)
RI	65+	1,363	7.6	0.81	(6.0 - 9.2)		11,488	(8,992 - 13,984)
SC	18-24	353	8.1	1.76	(4.6 - 11.6)		24,654	(13,738 - 35,570)
SC	25-34	925	8.9	1.27	(6.4 - 11.4)		59,117	(41,818 - 76,416)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2007

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
SC	35-44	1,566	6.1	0.89	(4.4 - 7.9)		39,470	(27,794 - 51,146)
SC	45-54	2,115	7.6	0.65	(6.3 - 8.8)		45,285	(37,535 - 53,034)
SC	55-64	2,218	8.1	0.74	(6.7 - 9.6)		39,700	(32,338 - 47,062)
SC	65+	3,048	6.6	0.56	(5.5 - 7.7)		36,821	(30,540 - 43,101)
SD	18-24	238	11.5	2.62	(6.3 - 16.7)		9,726	(5,088 - 14,364)
SD	25-34	760	7.4	1.07	(5.3 - 9.4)		7,157	(5,061 - 9,252)
SD	35-44	926	4.9	0.85	(3.3 - 6.6)		4,920	(3,225 - 6,614)
SD	45-54	1,406	5.2	0.69	(3.8 - 6.5)		5,849	(4,289 - 7,409)
SD	55-64	1,337	5.8	0.71	(4.4 - 7.2)		4,654	(3,515 - 5,794)
SD	65+	2,095	7.9	0.69	(6.6 - 9.3)		8,880	(7,331 - 10,430)
TN	18-24	151	16.7	4.62	(7.6 - 25.8)		48,277	(18,990 - 77,564)
TN	25-34	480	4.5	1.10	(2.4 - 6.7)		35,987	(18,752 - 53,223)
TN	35-44	715	8.1	1.43	(5.3 - 10.9)		97,433	(62,647 - 132,220)
TN	45-54	984	8.4	1.11	(6.3 - 10.6)		73,864	(54,363 - 93,365)
TN	55-64	1,130	11.5	1.26	(9.0 - 14.0)		77,910	(60,379 - 95,441)
TN	65+	1,517	8.5	0.96	(6.6 - 10.3)		65,773	(50,598 - 80,947)
TX	18-24	674	9.9	1.64	(6.7 - 13.1)		142,484	(93,515 - 191,452)
TX	25-34	2,105	8.7	0.93	(6.8 - 10.5)		291,807	(227,005 - 356,609)
TX	35-44	2,807	7.5	0.63	(6.3 - 8.7)		329,082	(274,125 - 384,040)
TX	45-54	3,407	8.0	0.62	(6.7 - 9.2)		246,226	(207,232 - 285,221)
TX	55-64	3,208	8.7	0.62	(7.5 - 9.9)		186,332	(159,319 - 213,346)
TX	65+	4,760	8.1	0.50	(7.2 - 9.1)		193,303	(169,477 - 217,130)
UT	18-24	310	7.4	1.65	(4.1 - 10.6)		22,151	(12,204 - 32,098)
UT	25-34	882	8.1	1.07	(6.1 - 10.2)		35,643	(26,183 - 45,103)
UT	35-44	901	8.0	0.98	(6.1 - 9.9)		25,220	(19,010 - 31,431)
UT	45-54	959	7.6	1.08	(5.5 - 9.8)		21,761	(15,523 - 27,999)
UT	55-64	859	10.0	1.25	(7.6 - 12.5)		19,914	(14,788 - 25,040)
UT	65+	1,103	8.5	1.07	(6.4 - 10.6)		18,780	(13,910 - 23,651)
VT	18-24	216	13.5	2.93	(7.7 - 19.2)		8,403	(4,451 - 12,354)
VT	25-34	581	8.3	1.17	(6.0 - 10.6)		6,011	(4,292 - 7,730)
VT	35-44	1,112	10.5	0.99	(8.6 - 12.5)		9,218	(7,440 - 10,995)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2007

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
VT	45-54	1,561	9.6	0.82	(8.0 - 11.2)		9,895	(8,171 - 11,618)
VT	55-64	1,518	9.5	0.78	(8.0 - 11.1)		7,518	(6,265 - 8,771)
VT	65+	1,849	7.0	0.63	(5.7 - 8.2)		5,904	(4,827 - 6,980)
VA	18-24	186	6.8	2.05	(2.8 - 10.8)		38,295	(15,375 - 61,214)
VA	25-34	598	8.7	1.44	(5.9 - 11.5)		106,437	(71,812 - 141,063)
VA	35-44	1,004	6.6	1.04	(4.6 - 8.6)		75,376	(51,470 - 99,283)
VA	45-54	1,287	8.9	1.23	(6.4 - 11.3)		96,224	(68,980 - 123,468)
VA	55-64	1,281	8.8	1.05	(6.7 - 10.8)		76,282	(57,862 - 94,701)
VA	65+	1,736	7.5	0.97	(5.6 - 9.4)		67,887	(49,985 - 85,790)
WA	18-24	902	11.5	1.29	(8.9 - 14.0)		72,013	(55,167 - 88,859)
WA	25-34	2,574	8.6	0.65	(7.3 - 9.9)		74,351	(63,002 - 85,701)
WA	35-44	4,011	9.9	0.57	(8.8 - 11.0)		93,654	(82,523 - 104,786)
WA	45-54	5,171	9.2	0.48	(8.3 - 10.2)		86,497	(77,265 - 95,729)
WA	55-64	5,696	8.5	0.43	(7.7 - 9.4)		61,080	(54,887 - 67,273)
WA	65+	7,154	8.4	0.39	(7.7 - 9.2)		63,060	(57,161 - 68,958)
WV	18-24	163	12.1	3.09	(6.0 - 18.2)		20,482	(9,297 - 31,668)
WV	25-34	475	8.2	1.34	(5.6 - 10.8)		18,655	(12,478 - 24,831)
WV	35-44	645	7.6	1.10	(5.4 - 9.7)		18,204	(12,836 - 23,573)
WV	45-54	876	8.5	1.01	(6.6 - 10.5)		23,459	(17,831 - 29,087)
WV	55-64	963	9.3	0.99	(7.4 - 11.2)		21,712	(17,015 - 26,408)
WV	65+	1,278	9.3	0.88	(7.6 - 11.0)		26,477	(21,362 - 31,592)
WI	18-24	310	7.5	2.39	(2.8 - 12.2)		42,406	(14,647 - 70,164)
WI	25-34	776	14.3	1.91	(10.5 - 18.0)		101,284	(72,400 - 130,168)
WI	35-44	1,175	10.0	1.27	(7.5 - 12.5)		79,826	(59,069 - 100,583)
WI	45-54	1,694	7.4	1.00	(5.5 - 9.4)		61,799	(44,893 - 78,704)
WI	55-64	1,462	7.1	0.92	(5.3 - 8.9)		43,144	(31,919 - 54,369)
WI	65+	1,922	8.8	0.99	(6.8 - 10.7)		64,935	(49,995 - 79,875)
WY	18-24	202	9.3	2.26	(4.9 - 13.8)		5,122	(2,562 - 7,682)
WY	25-34	686	7.7	1.12	(5.5 - 9.9)		4,909	(3,466 - 6,353)
WY	35-44	896	9.7	1.10	(7.6 - 11.9)		6,334	(4,858 - 7,810)
WY	45-54	1,438	7.3	0.74	(5.8 - 8.7)		5,978	(4,754 - 7,203)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2007

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
WY	55-64	1,282	7.2	0.79	(5.6 - 8.7)		4,617	(3,592 - 5,642)
WY	65+	1,581	7.8	0.73	(6.4 - 9.2)		5,044	(4,093 - 5,995)
Territories								
GU	18-24	70	6.4				1,089	
GU	25-34	142	4.6	1.75	(1.2 - 8.1)		1,152	(291 - 2,013)
GU	35-44	138	3.8	1.83	(0.2 - 7.4)		888	(30 - 1,746)
GU	45-54	125	6.4	2.14	(2.1 - 10.6)		1,160	(378 - 1,942)
GU	55-64	93	4.1				448	
GU	65+	76	10.3	4.51	(1.3 - 19.3)		1,012	(74 - 1,949)
PR	18-24	261	8.1	1.85	(4.5 - 11.8)		33,826	(18,025 - 49,628)
PR	25-34	344	3.9	0.99	(2.0 - 5.9)		21,596	(10,867 - 32,325)
PR	35-44	550	6.3	1.06	(4.2 - 8.3)		32,839	(21,661 - 44,018)
PR	45-54	696	7.7	1.06	(5.6 - 9.7)		36,569	(26,371 - 46,767)
PR	55-64	812	5.9	0.85	(4.2 - 7.6)		23,463	(16,737 - 30,188)
PR	65+	1,242	5.1	0.63	(3.8 - 6.3)		23,968	(18,033 - 29,903)
VI	18-24	179	11.4	3.18	(5.1 - 17.7)		979	(396 - 1,561)
VI	25-34	342	6.8	1.53	(3.8 - 9.8)		925	(505 - 1,346)
VI	35-44	475	3.6	0.94	(1.7 - 5.5)		564	(269 - 858)
VI	45-54	590	6.3	1.24	(3.8 - 8.7)		903	(541 - 1,266)
VI	55-64	516	2.7	0.79	(1.2 - 4.3)		314	(134 - 494)
VI	65+	369	2.9	0.95	(1.1 - 4.8)		263	(93 - 434)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.