

Table C4
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2008

State	Race	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)	Prevalence (Number)	95% CI* (Number)
Total **	White	58,693	7.8	0.20	(7.4 - 8.2)	3,097,794	(2,942,839 - 3,252,748)
Total **	Black	6,454	15.7	0.82	(14.2 - 17.4)	1,077,069	(957,501 - 1,196,637)
Total **	Other	7,332	8.7	0.65	(7.5 - 10.1)	600,864	(509,543 - 692,185)
Total **	Multiracial	3,136	11.6	1.06	(9.7 - 13.9)	232,861	(189,748 - 275,973)
AZ	White	979	6.6	1.55	(4.2 - 10.4)	72,605	(38,905 - 106,305)
AZ	Black	32	0.0			0	
AZ	Other	442	12.1	3.45	(6.8 - 20.6)	51,806	(21,706 - 81,907)
AZ	Multiracial	33	9.8			3,498	
CA	White	2,852	6.8	0.57	(5.7 - 8.0)	470,748	(391,670 - 549,826)
CA	Black	185	7.3	1.90	(4.4 - 12.0)	40,378	(19,637 - 61,120)
CA	Other	457	8.2	1.79	(5.3 - 12.5)	97,412	(53,950 - 140,875)
CA	Multiracial	148	9.6	2.84	(5.3 - 16.8)	32,478	(12,898 - 52,058)
CT	White	1,230	9.7	1.12	(7.7 - 12.1)	61,468	(47,072 - 75,865)
CT	Black	144	21.1	6.28	(11.3 - 35.9)	12,114	(3,851 - 20,376)
CT	Other	200	13.4	3.39	(8.0 - 21.5)	9,833	(4,611 - 15,055)
CT	Multiracial	24	19.9			2,261	
DC	White	338	5.2	1.31	(3.1 - 8.4)	1,126	(558 - 1,694)
DC	Black	420	14.2	2.01	(10.7 - 18.6)	9,774	(6,934 - 12,613)
DC	Other	95	9.9	3.18	(5.2 - 18.1)	1,349	(477 - 2,221)
DC	Multiracial	17	28.2			664	
GA	White	1,060	8.5	1.10	(6.5 - 10.9)	107,037	(79,025 - 135,049)
GA	Black	466	18.5	2.55	(14.0 - 24.0)	165,309	(115,377 - 215,241)
GA	Other	102	7.7	2.94	(3.6 - 15.8)	16,368	(3,788 - 28,948)
GA	Multiracial	31	13.1			8,355	
HI	White	354	5.5	1.31	(3.5 - 8.7)	2,457	(1,310 - 3,604)
HI	Black	18	10.1			417	
HI	Other	480	10.3	1.94	(7.1 - 14.8)	7,224	(4,410 - 10,037)

Notes:
* CI denotes confidence interval.
** Total includes data from 37 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2008

State	Race	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)	Prevalence (Number)	95% CI* (Number)
HI	Multiracial	1,146	15.8	1.34	(13.3 - 18.6)	26,286	(21,729 - 30,842)
ID	White	1,452	6.4	0.82	(5.0 - 8.2)	21,486	(16,045 - 26,926)
ID	Black	11	37.8			1,425	
ID	Other	86	7.5	4.56	(2.2 - 22.7)	1,701	(0 - 3,848)
ID	Multiracial	40	1.8			151	
IL	White	1,181	7.4	0.89	(5.8 - 9.3)	151,144	(114,789 - 187,498)
IL	Black	188	14.0	3.21	(8.8 - 21.5)	79,878	(41,507 - 118,250)
IL	Other	125	5.5	2.27	(2.4 - 12.0)	21,335	(3,670 - 38,999)
IL	Multiracial	44	11.0			15,324	
IN	White	1,111	8.3	1.12	(6.3 - 10.8)	108,863	(79,352 - 138,374)
IN	Black	194	8.4	2.42	(4.7 - 14.5)	10,472	(4,729 - 16,216)
IN	Other	42	8.7			4,916	
IN	Multiracial	44	14.4	6.07	(6.0 - 30.6)	8,762	(1,047 - 16,476)
IA	White	1,534	6.4	0.68	(5.1 - 7.8)	37,826	(29,838 - 45,813)
IA	Black	38	18.5	7.67	(7.7 - 38.1)	2,860	(290 - 5,430)
IA	Other	58	7.1			1,482	
IA	Multiracial	48	5.4			853	
KS	White	1,980	8.9	0.71	(7.6 - 10.4)	48,341	(40,670 - 56,012)
KS	Black	110	13.9	3.85	(7.9 - 23.2)	4,908	(2,064 - 7,752)
KS	Other	233	6.5	1.72	(3.8 - 10.8)	4,895	(2,280 - 7,510)
KS	Multiracial	84	11.7	4.38	(5.4 - 23.3)	2,759	(590 - 4,928)
KY	White	2,004	8.7	0.84	(7.2 - 10.5)	75,331	(60,895 - 89,767)
KY	Black	81	17.2	4.67	(9.8 - 28.3)	10,426	(4,629 - 16,223)
KY	Other	42	6.9			1,737	
KY	Multiracial	41	20.6	8.69	(8.4 - 42.4)	4,163	(163 - 8,162)
ME	White	1,549	9.7	0.81	(8.2 - 11.4)	24,914	(20,864 - 28,964)
ME	Black	19	1.7			62	

Notes:
* CI denotes confidence interval.
** Total includes data from 37 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2008

State	Race	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)	Prevalence (Number)	95% CI* (Number)
ME	Other	39	3.5			203	
ME	Multiracial	36	7.3			450	
MD	White	1,975	7.5	0.72	(6.2 - 9.1)	53,998	(43,734 - 64,262)
MD	Black	577	13.5	1.73	(10.4 - 17.3)	58,306	(42,826 - 73,785)
MD	Other	192	7.1	2.09	(4.0 - 12.5)	9,039	(3,729 - 14,350)
MD	Multiracial	82	12.3	4.14	(6.2 - 23.0)	5,819	(1,802 - 9,836)
MA	White	1,318	8.7	1.04	(6.9 - 10.9)	89,805	(68,703 - 110,907)
MA	Black	145	17.1	5.71	(8.6 - 31.2)	15,010	(3,756 - 26,264)
MA	Other	307	13.1	3.42	(7.7 - 21.4)	27,741	(12,304 - 43,177)
MA	Multiracial	37	5.0			1,408	
MI	White	1,881	9.0	0.79	(7.5 - 10.6)	155,812	(128,213 - 183,410)
MI	Black	401	18.6	3.45	(12.8 - 26.3)	65,098	(38,424 - 91,771)
MI	Other	68	5.3			5,409	
MI	Multiracial	80	17.0	4.43	(10.0 - 27.5)	27,090	(12,744 - 41,436)
MS	White	1,121	7.2	0.96	(5.5 - 9.3)	23,625	(17,313 - 29,937)
MS	Black	705	14.2	1.73	(11.1 - 17.9)	40,083	(29,941 - 50,226)
MS	Other	44	6.3			1,448	
MS	Multiracial	12	3.9			167	
MO	White	1,098	8.4	1.15	(6.4 - 11.0)	95,289	(69,285 - 121,293)
MO	Black	152	21.8	5.23	(13.3 - 33.7)	35,090	(16,664 - 53,516)
MO	Other	53	14.1	5.96	(5.9 - 30.1)	8,166	(813 - 15,518)
MO	Multiracial	33	4.8			1,733	
MT	White	1,358	6.5	0.87	(5.0 - 8.5)	11,919	(8,776 - 15,062)
MT	Black	3	0.0			0	
MT	Other	263	8.4	2.25	(4.9 - 14.0)	1,976	(896 - 3,056)
MT	Multiracial	42	5.9			278	
NE	White	3,981	5.5	0.56	(4.5 - 6.7)	19,945	(15,956 - 23,934)

Notes:
* CI denotes confidence interval.
** Total includes data from 37 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2008

State	Race	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)	Prevalence (Number)	95% CI* (Number)
NE	Black	56	23.8	7.78	(11.9 - 42.0)	4,903	(1,430 - 8,377)
NE	Other	338	2.5	0.81	(1.3 - 4.7)	1,028	(395 - 1,662)
NE	Multiracial	117	9.7	3.73	(4.5 - 19.9)	1,232	(279 - 2,186)
NV	White	980	6.6	1.23	(4.6 - 9.5)	27,286	(17,172 - 37,401)
NV	Black	36	15.7	7.61	(5.7 - 36.5)	4,585	(0 - 9,284)
NV	Other	238	7.9	2.76	(3.9 - 15.3)	10,060	(2,864 - 17,256)
NV	Multiracial	88	8.6	3.16	(4.1 - 17.1)	4,007	(1,243 - 6,772)
NH	White	1,680	8.4	0.79	(6.9 - 10.1)	22,170	(18,012 - 26,329)
NH	Black	12	20.1			492	
NH	Other	91	3.2			479	
NH	Multiracial	24	31.8	13.12	(12.5 - 60.4)	1,166	(0 - 2,346)
NJ	White	2,240	7.3	0.69	(6.1 - 8.8)	88,954	(72,251 - 105,656)
NJ	Black	456	15.0	2.39	(10.9 - 20.3)	48,471	(32,106 - 64,835)
NJ	Other	529	7.1	1.30	(5.0 - 10.1)	27,497	(17,467 - 37,527)
NJ	Multiracial	86	7.3	2.98	(3.2 - 15.8)	4,293	(801 - 7,786)
NM	White	1,316	7.2	0.81	(5.8 - 9.0)	27,089	(21,132 - 33,047)
NM	Black	26	11.3			799	
NM	Other	460	8.0	1.77	(5.1 - 12.2)	8,605	(4,716 - 12,493)
NM	Multiracial	38	13.5	9.65	(3.0 - 44.1)	1,363	(0 - 3,497)
NY	White	1,533	8.4	0.83	(6.9 - 10.1)	225,916	(181,526 - 270,305)
NY	Black	235	16.9	2.99	(11.8 - 23.6)	148,734	(92,414 - 205,055)
NY	Other	156	14.5	3.53	(8.9 - 22.9)	77,244	(37,088 - 117,401)
NY	Multiracial	56	7.4			15,532	
ND	White	1,170	4.7	0.69	(3.5 - 6.2)	5,887	(4,194 - 7,579)
ND	Black	10	30.9			416	
ND	Other	78	7.9	3.25	(3.5 - 17.1)	828	(147 - 1,509)
ND	Multiracial	27	13.2			452	

Notes:
* CI denotes confidence interval.
** Total includes data from 37 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2008

State	Race	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)		Prevalence (Number)	95% CI* (Number)
OH	White	2,693	8.1	0.70	(6.8 - 9.6)		177,826	(146,920 - 208,733)
OH	Black	303	17.8	3.04	(12.6 - 24.6)		47,377	(30,608 - 64,147)
OH	Other	187	13.0	3.04	(8.1 - 20.2)		19,503	(10,227 - 28,778)
OH	Multiracial	53	13.6	7.06	(4.6 - 33.8)		7,333	(0 - 15,478)
OK	White	1,488	9.1	0.88	(7.6 - 11.0)		52,615	(42,451 - 62,779)
OK	Black	173	19.9	3.65	(13.7 - 28.0)		13,961	(8,502 - 19,421)
OK	Other	372	7.8	1.68	(5.1 - 11.8)		12,195	(6,844 - 17,546)
OK	Multiracial	191	12.6	2.91	(7.9 - 19.5)		9,663	(5,100 - 14,226)
OR	White	1,020	5.5	0.87	(4.0 - 7.4)		39,885	(27,233 - 52,536)
OR	Black	11	8.8				717	
OR	Other	57	8.7				3,516	
OR	Multiracial	57	5.4				2,123	
PA	White	2,527	7.9	0.79	(6.5 - 9.6)		166,193	(133,092 - 199,295)
PA	Black	408	17.4	3.31	(11.8 - 24.8)		54,783	(32,815 - 76,752)
PA	Other	106	14.2	5.31	(6.6 - 28.0)		23,537	(4,421 - 42,652)
PA	Multiracial	88	19.6	7.32	(8.9 - 37.7)		22,093	(3,382 - 40,805)
RI	White	1,000	12.4	1.23	(10.2 - 15.0)		22,495	(17,976 - 27,013)
RI	Black	71	10.3	3.54	(5.1 - 19.6)		1,269	(391 - 2,146)
RI	Other	154	12.1	3.04	(7.3 - 19.4)		3,037	(1,436 - 4,638)
RI	Multiracial	22	20.7				953	
TX	White	2,073	8.8	0.93	(7.2 - 10.8)		315,769	(248,710 - 382,828)
TX	Black	280	16.9	3.29	(11.4 - 24.3)		138,117	(79,867 - 196,366)
TX	Other	749	7.0	1.37	(4.8 - 10.2)		119,382	(72,131 - 166,634)
TX	Multiracial	49	9.6				11,963	
UT	White	1,985	6.6	0.77	(5.2 - 8.3)		45,649	(35,024 - 56,274)
UT	Black	16	6.4				435	
UT	Other	193	6.9	2.22	(3.7 - 12.8)		4,741	(1,661 - 7,821)

Notes:
* CI denotes confidence interval.
** Total includes data from 37 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C4
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2008**

State	Race	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)		Prevalence (Number)	95% CI* (Number)
UT	Multiracial	46	7.9				1,127	
VT	White	1,645	9.8	0.85	(8.3 - 11.6)		12,034	(9,971 - 14,097)
VT	Black	19	29.2	12.17	(11.5 - 56.7)		419	(11 - 827)
VT	Other	38	2.9				78	
VT	Multiracial	33	14.7				273	
VA	White	984	9.5	1.35	(7.2 - 12.5)		123,600	(88,665 - 158,534)
VA	Black	210	14.5	3.30	(9.1 - 22.2)		33,453	(17,767 - 49,140)
VA	Other	108	5.8	2.79	(2.2 - 14.3)		10,216	(328 - 20,104)
VA	Multiracial	14	19.5				3,497	
WV	White	891	10.9	1.20	(8.7 - 13.5)		38,237	(29,789 - 46,686)
WV	Black	25	11.9				1,155	
WV	Other	13	33.0				2,294	
WV	Multiracial	29	14.2				1,420	
WI	White	1,075	5.9	0.86	(4.5 - 7.9)		66,226	(47,379 - 85,072)
WI	Black	205	27.2	7.70	(14.9 - 44.5)		25,342	(7,902 - 42,781)
WI	Other	54	4.3				2,047	
WI	Multiracial	39	5.5				1,483	
WY	White	2,037	5.6	0.55	(4.6 - 6.8)		6,225	(5,038 - 7,412)
WY	Black	13	2.6				30	
WY	Other	83	10.3	3.58	(5.1 - 19.7)		540	(156 - 925)
WY	Multiracial	57	12.1	6.22	(4.2 - 30.2)		387	(0 - 811)
Territories								
PR	White	740	14.0	1.58	(11.2 - 17.4)		97,706	(74,896 - 120,517)
PR	Black	48	11.5	5.66	(4.2 - 27.9)		5,172	(0 - 10,475)
PR	Other	323	14.3	2.19	(10.6 - 19.2)		40,201	(27,572 - 52,830)
PR	Multiracial	5	0.0				0	

Notes:
 * CI denotes confidence interval.
 ** Total includes data from 37 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.