

**Table L1**  
**Child Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by State or Territory: BRFSS 2008**

State	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	    	Prevalence (Number)	95% CI * (Number)
Total **	78,185	13.3	0.23	(12.8 - 13.7)		7,600,135	(7,339,948 - 7,860,321)
AZ	1,549	12.0	1.63	(9.2 - 15.6)		201,454	(147,478 - 255,431)
CA	4,046	11.5	0.62	(10.3 - 12.8)		1,116,129	(995,850 - 1,236,408)
CT	1,656	16.5	1.27	(14.2 - 19.1)		132,510	(111,657 - 153,364)
DC	912	18.4	1.77	(15.2 - 22.1)		20,897	(16,693 - 25,102)
GA	1,717	16.1	1.25	(13.8 - 18.7)		400,784	(336,614 - 464,954)
HI	2,052	18.6	1.09	(16.6 - 20.8)		54,456	(48,081 - 60,830)
ID	1,633	8.7	0.90	(7.1 - 10.7)		33,190	(26,417 - 39,964)
IL	1,578	12.0	1.01	(10.1 - 14.1)		382,780	(318,675 - 446,884)
IN	1,430	12.9	1.16	(10.8 - 15.4)		205,460	(168,998 - 241,923)
IA	1,725	9.1	0.76	(7.7 - 10.7)		60,427	(50,535 - 70,319)
KS	2,448	12.2	0.75	(10.8 - 13.7)		83,877	(73,659 - 94,096)
KY	2,204	13.8	0.94	(12.1 - 15.8)		137,093	(118,722 - 155,463)
ME	1,678	13.9	0.94	(12.1 - 15.8)		38,384	(33,296 - 43,472)
MD	2,904	14.1	0.85	(12.6 - 15.9)		191,255	(168,241 - 214,269)
MA	1,901	13.8	1.13	(11.7 - 16.1)		194,931	(163,196 - 226,666)
MI	2,537	15.5	0.94	(13.7 - 17.4)		374,386	(327,772 - 420,999)
MS	1,916	14.1	1.05	(12.2 - 16.3)		91,736	(77,909 - 105,564)
MO	1,352	14.4	1.32	(12.0 - 17.1)		199,884	(163,222 - 236,547)
MT	1,710	10.2	0.91	(8.5 - 12.1)		21,995	(18,106 - 25,884)
NE	4,576	7.9	0.65	(6.7 - 9.3)		35,244	(29,548 - 40,941)
NV	1,408	11.2	1.23	(9.0 - 13.8)		72,291	(56,599 - 87,982)
NH	1,851	11.9	0.89	(10.3 - 13.8)		34,995	(29,837 - 40,154)
NJ	3,498	12.9	0.76	(11.5 - 14.5)		265,999	(234,481 - 297,517)
NM	1,884	11.1	0.88	(9.5 - 13.0)		56,911	(48,096 - 65,725)
NY	2,080	16.1	1.08	(14.1 - 18.3)		717,957	(618,804 - 817,110)
ND	1,318	7.4	0.79	(6.0 - 9.1)		10,678	(8,440 - 12,917)

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 37 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L1**  
**Child Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by State or Territory: BRFSS 2008**

State	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	    	Prevalence (Number)	95% CI * (Number)
OH	3,301	13.6	0.80	(12.1 - 15.2)		369,345	(326,140 - 412,551)
OK	2,272	13.7	0.85	(12.1 - 15.5)		122,389	(107,299 - 137,480)
OR	1,196	9.7	0.99	(8.0 - 11.9)		82,249	(65,605 - 98,894)
PA	3,232	13.7	0.98	(11.9 - 15.8)		379,119	(324,509 - 433,729)
RI	1,298	16.9	1.22	(14.7 - 19.5)		39,039	(33,350 - 44,727)
TX	3,289	14.1	0.91	(12.4 - 16.0)		917,340	(798,066 - 1,036,615)
UT	2,285	9.8	0.83	(8.3 - 11.6)		77,512	(64,451 - 90,573)
VT	1,780	14.4	0.97	(12.6 - 16.4)		18,852	(16,323 - 21,381)
VA	1,365	14.4	1.37	(12.0 - 17.3)		259,531	(210,666 - 308,397)
WV	978	14.7	1.32	(12.3 - 17.5)		56,547	(46,404 - 66,689)
WI	1,395	10.2	1.16	(8.1 - 12.7)		132,348	(102,354 - 162,342)
WY	2,231	8.3	0.65	(7.1 - 9.7)		10,158	(8,595 - 11,722)
Territories							
PR	1,130	28.9	1.58	(25.9 - 32.1)		300,080	(266,073 - 334,086)

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 37 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.