

**Table C4**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race and State or Territory, BRFSS 2008**

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
U.S. Total**	White	336,414	8.4	0.10	(8.2 - 8.6)	14,719,994	(14,381,822 - 15,058,167)
U.S. Total**	Black	31,879	9.9	0.34	(9.2 - 10.6)	2,355,130	(2,187,767 - 2,522,492)
U.S. Total**	Other	24,967	7.0	0.35	(6.3 - 7.6)	1,630,804	(1,464,033 - 1,797,575)
U.S. Total**	Multi	7,322	13.0	0.81	(11.4 - 14.6)	568,507	(496,235 - 640,780)
AL	White	4,489	7.8	0.70	(6.4 - 9.2)	194,304	(158,817 - 229,790)
AL	Black	1,760	7.5	0.87	(5.8 - 9.2)	66,719	(51,558 - 81,880)
AL	Other	104	7.4	2.77	(1.9 - 12.9)	6,222	(1,596 - 10,849)
AL	Multi	63	12.1	4.62	(2.9 - 21.4)	4,501	(1,015 - 7,987)
AK	White	1,844	10.0	1.18	(7.7 - 12.3)	34,781	(26,445 - 43,117)
AK	Black	35	11.0			1,138	
AK	Other	627	8.8	2.40	(4.1 - 13.6)	9,322	(4,068 - 14,575)
AK	Multi	98	7.3	2.75	(1.8 - 12.8)	1,791	(509 - 3,073)
AZ	White	4,793	10.3	1.15	(8.0 - 12.5)	373,317	(286,792 - 459,842)
AZ	Black	73	4.4			4,359	
AZ	Other	1,090	8.8	1.80	(5.2 - 12.3)	73,238	(43,055 - 103,421)
AZ	Multi	58	10.4	4.74	(1.0 - 19.9)	4,787	(738 - 8,837)
AR	White	4,625	7.7	0.56	(6.7 - 8.8)	140,865	(120,698 - 161,032)
AR	Black	723	10.9	1.92	(7.2 - 14.7)	20,781	(13,272 - 28,289)
AR	Other	138	3.8	1.70	(0.5 - 7.2)	2,395	(340 - 4,450)
AR	Multi	93	26.4	6.62	(13.2 - 39.5)	9,910	(3,827 - 15,993)
CA	White	9,464	8.4	0.38	(7.6 - 9.1)	1,744,357	(1,584,284 - 1,904,430)
CA	Black	516	11.3	1.69	(8.0 - 14.6)	181,859	(125,895 - 237,824)
CA	Other	1,224	6.4	0.94	(4.6 - 8.3)	268,995	(189,223 - 348,767)
CA	Multi	332	11.8	2.00	(7.9 - 15.7)	113,610	(74,346 - 152,874)
CO	White	10,420	7.9	0.36	(7.2 - 8.6)	241,996	(220,314 - 263,679)
CO	Black	276	6.0	1.76	(2.6 - 9.5)	7,274	(2,963 - 11,584)
CO	Other	678	8.9	1.28	(6.4 - 11.4)	32,271	(22,819 - 41,723)
CO	Multi	157	13.9	4.21	(5.6 - 22.2)	9,093	(3,053 - 15,132)
CT	White	5,084	8.6	0.64	(7.3 - 9.9)	195,031	(165,572 - 224,489)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C4**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race and State or Territory, BRFSS 2008**

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
CT	Black	413	8.9	2.30	(4.4 - 13.4)		11,497	(5,395 - 17,599)
CT	Other	466	7.4	1.48	(4.5 - 10.3)		17,024	(10,295 - 23,754)
CT	Multi	26	30.6	14.93	(0.0 - 61.3)		4,703	(0 - 10,338)
DE	White	3,258	8.8	0.82	(7.2 - 10.4)		45,661	(37,056 - 54,266)
DE	Black	482	12.4	2.46	(7.5 - 17.2)		10,832	(6,286 - 15,378)
DE	Other	134	6.7	2.49	(1.8 - 11.7)		2,187	(571 - 3,802)
DE	Multi	71	32.8	14.87	(3.2 - 62.5)		3,972	(0 - 9,146)
DC	White	2,072	8.1	0.81	(6.5 - 9.7)		14,825	(11,831 - 17,819)
DC	Black	1,792	11.3	1.09	(9.2 - 13.5)		24,423	(19,543 - 29,304)
DC	Other	231	7.1	1.90	(3.4 - 10.9)		3,217	(1,495 - 4,938)
DC	Multi	41	15.2	8.83	(0.0 - 33.0)		840	(0 - 1,950)
FL	White	9,112	6.6	0.47	(5.7 - 7.5)		683,854	(587,141 - 780,568)
FL	Black	853	6.4	1.26	(3.9 - 8.8)		111,349	(67,393 - 155,305)
FL	Other	660	7.4	1.78	(3.9 - 10.9)		146,765	(74,490 - 219,041)
FL	Multi	97	5.9	2.83	(0.3 - 11.5)		10,120	(799 - 19,441)
GA	White	4,089	8.1	0.61	(6.9 - 9.3)		353,813	(299,783 - 407,843)
GA	Black	1,294	10.4	1.63	(7.2 - 13.7)		213,064	(142,982 - 283,146)
GA	Other	208	5.7	1.59	(2.5 - 8.8)		30,514	(13,852 - 47,176)
GA	Multi	52	5.6				5,745	
HI	White	2,251	7.9	0.82	(6.3 - 9.5)		20,538	(16,186 - 24,891)
HI	Black	44	2.5				222	
HI	Other	2,306	7.0	0.75	(5.5 - 8.4)		28,612	(22,422 - 34,802)
HI	Multi	1,776	14.8	1.21	(12.5 - 17.2)		46,150	(38,244 - 54,056)
ID	White	4,750	9.2	0.62	(8.0 - 10.4)		91,119	(78,787 - 103,450)
ID	Black	14	3.7				233	
ID	Other	205	5.1	1.48	(2.2 - 8.0)		2,845	(1,225 - 4,464)
ID	Multi	57	7.6				1,066	
IL	White	4,290	8.0	0.51	(7.0 - 9.0)		571,666	(499,801 - 643,532)
IL	Black	548	10.1	1.63	(6.9 - 13.3)		142,072	(95,342 - 188,802)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C4**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race and State or Territory, BRFSS 2008**

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
IL	Other	231	2.3	0.89	(0.6 - 4.0)		21,398	(5,199 - 37,596)
IL	Multi	67	12.8	5.13	(2.5 - 23.0)		24,639	(3,882 - 45,396)
IN	White	4,060	9.2	0.62	(8.0 - 10.4)		378,534	(328,398 - 428,671)
IN	Black	580	11.5	2.85	(5.9 - 17.1)		31,891	(15,156 - 48,627)
IN	Other	106	2.7				4,586	
IN	Multi	72	13.2	4.90	(3.4 - 23.0)		11,946	(3,843 - 20,048)
IA	White	5,721	7.4	0.46	(6.5 - 8.3)		159,827	(139,852 - 179,803)
IA	Black	80	21.5	6.79	(8.0 - 35.0)		8,129	(2,142 - 14,115)
IA	Other	120	11.7	3.63	(4.5 - 18.9)		8,404	(3,048 - 13,761)
IA	Multi	26	11.3				1,070	
KS	White	7,672	8.6	0.45	(7.7 - 9.4)		152,797	(136,529 - 169,065)
KS	Black	298	11.1	2.69	(5.8 - 16.4)		8,793	(4,347 - 13,238)
KS	Other	460	6.8	1.65	(3.6 - 10.0)		10,966	(5,588 - 16,343)
KS	Multi	116	18.4	4.99	(8.5 - 28.3)		6,873	(2,920 - 10,827)
KY	White	7,563	9.1	0.48	(8.1 - 10.0)		266,774	(239,302 - 294,246)
KY	Black	244	15.1	4.25	(6.7 - 23.5)		26,128	(9,972 - 42,283)
KY	Other	110	14.9	5.58	(3.8 - 25.9)		11,938	(2,315 - 21,561)
KY	Multi	86	13.9	4.12	(5.7 - 22.0)		4,132	(1,840 - 6,424)
LA	White	4,542	7.7	0.57	(6.6 - 8.8)		166,263	(141,430 - 191,097)
LA	Black	1,311	9.5	1.23	(7.1 - 11.9)		87,366	(63,855 - 110,878)
LA	Other	207	5.4	1.48	(2.5 - 8.3)		8,717	(4,009 - 13,424)
LA	Multi	40	7.7				1,749	
ME	White	6,506	10.1	0.49	(9.2 - 11.1)		101,177	(91,413 - 110,941)
ME	Black	22	3.8				209	
ME	Other	106	16.3	6.12	(4.1 - 28.4)		3,608	(545 - 6,671)
ME	Multi	73	13.9	4.75	(4.4 - 23.4)		1,765	(484 - 3,046)
MD	White	7,248	9.3	0.50	(8.4 - 10.3)		245,622	(218,802 - 272,442)
MD	Black	1,556	9.5	1.04	(7.5 - 11.5)		109,279	(84,721 - 133,838)
MD	Other	376	7.3	1.84	(3.7 - 10.9)		26,212	(12,752 - 39,671)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C4**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race and State or Territory, BRFSS 2008**

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MD	Multi	131	17.1	4.23	(8.7 - 25.4)		15,406	(7,313 - 23,499)
MA	White	16,885	9.3	0.36	(8.6 - 10.0)		383,319	(353,690 - 412,948)
MA	Black	1,134	10.8	1.82	(7.2 - 14.4)		26,729	(17,237 - 36,221)
MA	Other	2,020	11.0	1.11	(8.8 - 13.1)		56,979	(45,341 - 68,618)
MA	Multi	153	13.9	3.59	(6.8 - 21.0)		6,126	(3,130 - 9,122)
MI	White	7,344	9.4	0.47	(8.5 - 10.3)		575,083	(517,100 - 633,066)
MI	Black	1,522	10.7	1.28	(8.2 - 13.2)		92,038	(69,460 - 114,616)
MI	Other	212	11.2	2.71	(5.8 - 16.5)		40,895	(20,410 - 61,379)
MI	Multi	210	18.7	3.88	(11.1 - 26.3)		39,117	(21,582 - 56,651)
MN	White	4,049	7.9	0.57	(6.7 - 9.0)		288,193	(246,420 - 329,966)
MN	Black	93	14.4	4.59	(5.3 - 23.5)		15,105	(4,791 - 25,420)
MN	Other	106	2.5				3,588	
MN	Multi	14	0.0				0	
MS	White	5,350	6.3	0.41	(5.5 - 7.1)		86,346	(75,141 - 97,550)
MS	Black	2,356	8.3	0.81	(6.7 - 9.9)		60,495	(48,600 - 72,390)
MS	Other	102	9.0	3.54	(2.0 - 16.1)		3,374	(674 - 6,075)
MS	Multi	54	7.6				951	
MO	White	4,431	8.1	0.62	(6.9 - 9.3)		313,752	(266,135 - 361,370)
MO	Black	452	9.3	1.78	(5.8 - 12.8)		33,058	(20,252 - 45,865)
MO	Other	125	10.8	3.19	(4.5 - 17.1)		15,794	(6,294 - 25,293)
MO	Multi	105	19.7	5.49	(8.9 - 30.6)		14,605	(5,529 - 23,682)
MT	White	6,135	9.2	0.55	(8.2 - 10.3)		62,015	(54,638 - 69,392)
MT	Black	15	0.0				0	
MT	Other	515	13.4	2.24	(9.0 - 17.8)		6,023	(3,916 - 8,130)
MT	Multi	80	19.9	5.60	(8.8 - 31.1)		1,665	(669 - 2,661)
NE	White	15,183	7.4	0.48	(6.4 - 8.3)		87,609	(76,146 - 99,072)
NE	Black	114	8.2	2.68	(2.8 - 13.5)		2,611	(896 - 4,326)
NE	Other	620	2.4	0.55	(1.3 - 3.4)		1,700	(962 - 2,437)
NE	Multi	182	10.6	3.68	(3.4 - 17.9)		2,326	(735 - 3,916)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C4**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race and State or Territory, BRFSS 2008**

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NV	White	3,738	9.2	0.80	(7.7 - 10.8)		123,549	(101,846 - 145,251)
NV	Black	117	11.4	3.86	(3.8 - 19.1)		9,191	(2,712 - 15,671)
NV	Other	589	5.2	1.33	(2.6 - 7.8)		19,798	(9,593 - 30,003)
NV	Multi	230	12.7	3.56	(5.7 - 19.7)		13,230	(5,442 - 21,017)
NH	White	6,504	10.4	0.53	(9.4 - 11.5)		100,831	(90,435 - 111,228)
NH	Black	30	6.7				485	
NH	Other	166	8.8	2.51	(3.8 - 13.8)		2,637	(1,109 - 4,165)
NH	Multi	56	18.8	6.29	(6.2 - 31.4)		1,592	(475 - 2,708)
NJ	White	8,923	8.4	0.48	(7.4 - 9.3)		382,000	(338,199 - 425,801)
NJ	Black	1,225	12.0	1.46	(9.1 - 14.9)		95,635	(71,116 - 120,155)
NJ	Other	1,254	7.0	0.95	(5.2 - 8.9)		78,508	(57,137 - 99,880)
NJ	Multi	86	7.4	2.41	(2.6 - 12.2)		5,020	(1,909 - 8,131)
NM	White	4,923	9.0	0.63	(7.8 - 10.3)		103,317	(88,821 - 117,813)
NM	Black	55	10.3	7.74	(0.0 - 25.8)		1,837	(0 - 4,829)
NM	Other	1,032	6.2	0.94	(4.4 - 8.1)		15,954	(11,180 - 20,727)
NM	Multi	124	5.1	2.13	(0.9 - 9.3)		1,557	(263 - 2,850)
NY	White	6,456	8.5	0.48	(7.5 - 9.4)		851,179	(754,872 - 947,485)
NY	Black	724	7.9	1.18	(5.6 - 10.2)		181,755	(126,799 - 236,710)
NY	Other	405	10.8	1.92	(7.0 - 14.6)		173,419	(109,069 - 237,769)
NY	Multi	102	17.8	5.82	(6.3 - 29.4)		54,240	(14,778 - 93,702)
NC	White	12,131	7.8	0.35	(7.1 - 8.4)		371,661	(337,807 - 405,515)
NC	Black	2,351	7.9	0.82	(6.3 - 9.5)		95,564	(75,486 - 115,642)
NC	Other	1,022	6.2	1.21	(3.8 - 8.6)		46,311	(27,987 - 64,634)
NC	Multi	195	6.3	1.99	(2.4 - 10.2)		5,456	(2,110 - 8,802)
ND	White	4,768	7.6	0.52	(6.6 - 8.6)		34,112	(29,456 - 38,769)
ND	Black	14	2.4				62	
ND	Other	177	11.1	3.15	(4.9 - 17.3)		3,307	(1,428 - 5,185)
ND	Multi	31	30.4	14.59	(0.6 - 60.2)		1,405	(0 - 3,204)
OH	White	11,361	9.0	0.43	(8.2 - 9.9)		685,957	(620,461 - 751,454)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C4**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race and State or Territory, BRFSS 2008**

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
OH	Black	954	13.6	1.65	(10.3 - 16.8)		83,716	(62,565 - 104,868)
OH	Other	346	15.0	3.70	(7.8 - 22.3)		47,412	(21,514 - 73,311)
OH	Multi	78	11.0	3.89	(3.3 - 18.7)		7,193	(2,282 - 12,104)
OK	White	6,058	8.8	0.49	(7.9 - 9.8)		170,945	(151,864 - 190,026)
OK	Black	460	9.0	1.95	(5.1 - 12.8)		16,869	(9,266 - 24,473)
OK	Other	743	7.5	1.10	(5.4 - 9.7)		29,947	(21,143 - 38,751)
OK	Multi	478	13.2	1.98	(9.3 - 17.1)		22,248	(15,472 - 29,023)
OR	White	4,428	8.4	0.53	(7.3 - 9.4)		219,909	(192,260 - 247,558)
OR	Black	27	8.8				1,809	
OR	Other	144	5.2	1.89	(1.5 - 9.0)		6,863	(1,951 - 11,774)
OR	Multi	116	23.6	5.49	(12.7 - 34.5)		18,655	(8,617 - 28,692)
PA	White	11,149	8.7	0.43	(7.9 - 9.5)		712,835	(642,814 - 782,855)
PA	Black	1,405	14.9	2.25	(10.5 - 19.3)		123,924	(84,417 - 163,432)
PA	Other	251	9.1	2.54	(4.1 - 14.1)		35,790	(15,370 - 56,209)
PA	Multi	148	9.5	3.58	(2.4 - 16.5)		10,898	(2,999 - 18,797)
RI	White	4,243	10.3	0.66	(9.0 - 11.6)		75,302	(65,633 - 84,971)
RI	Black	152	13.4	3.25	(7.0 - 19.8)		3,384	(1,666 - 5,102)
RI	Other	276	12.9	3.06	(6.9 - 19.0)		7,218	(3,562 - 10,873)
RI	Multi	23	7.8				421	
SC	White	6,828	7.9	0.56	(6.8 - 9.0)		177,296	(152,082 - 202,510)
SC	Black	2,844	8.7	1.05	(6.6 - 10.7)		73,874	(55,631 - 92,117)
SC	Other	245	6.0	1.94	(2.2 - 9.9)		8,976	(3,345 - 14,606)
SC	Multi	121	21.7	5.95	(9.9 - 33.5)		11,579	(5,023 - 18,135)
SD	White	6,146	7.0	0.46	(6.1 - 7.9)		37,751	(32,808 - 42,694)
SD	Black	13	17.6				373	
SD	Other	694	7.8	1.48	(4.9 - 10.7)		3,177	(1,985 - 4,369)
SD	Multi	56	23.3	9.64	(3.9 - 42.6)		954	(12 - 1,896)
TN	White	4,312	9.0	0.64	(7.7 - 10.2)		335,769	(287,943 - 383,596)
TN	Black	540	9.9	1.79	(6.3 - 13.4)		66,970	(42,391 - 91,549)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C4**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race and State or Territory, BRFSS 2008**

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
TN	Other	72	6.2				8,765	
TN	Multi	59	6.5				5,486	
TX	White	7,860	7.7	0.45	(6.8 - 8.6)		834,341	(737,340 - 931,342)
TX	Black	752	11.9	2.02	(7.9 - 15.8)		200,520	(128,647 - 272,392)
TX	Other	1,719	4.8	0.92	(3.0 - 6.6)		198,724	(121,884 - 275,564)
TX	Multi	124	8.9	3.37	(2.2 - 15.5)		18,610	(4,214 - 33,005)
UT	White	4,856	9.0	0.62	(7.7 - 10.2)		145,410	(124,949 - 165,872)
UT	Black	20	4.5				422	
UT	Other	338	3.6	1.15	(1.3 - 5.8)		5,772	(2,116 - 9,429)
UT	Multi	34	8.5				1,053	
VT	White	6,414	9.7	0.47	(8.8 - 10.6)		45,392	(41,024 - 49,760)
VT	Black	14	8.4				83	
VT	Other	105	19.4	7.26	(5.0 - 33.8)		1,813	(225 - 3,402)
VT	Multi	94	8.5	2.97	(2.6 - 14.4)		574	(169 - 979)
VA	White	4,256	9.6	0.91	(7.8 - 11.4)		443,660	(357,424 - 529,896)
VA	Black	698	9.4	1.42	(6.7 - 12.2)		59,032	(41,571 - 76,493)
VA	Other	228	6.4	2.82	(0.8 - 12.0)		34,452	(4,543 - 64,361)
VA	Multi	37	11.0				6,622	
WA	White	20,273	9.3	0.29	(8.8 - 9.9)		401,846	(376,453 - 427,239)
WA	Black	234	14.8	3.00	(8.9 - 20.7)		10,891	(6,299 - 15,482)
WA	Other	1,106	6.8	0.98	(4.9 - 8.7)		26,871	(19,121 - 34,621)
WA	Multi	539	12.3	1.73	(8.9 - 15.7)		15,623	(11,236 - 20,009)
WV	White	3,964	9.6	0.57	(8.5 - 10.7)		130,408	(114,918 - 145,898)
WV	Black	71	10.9	4.90	(1.2 - 20.7)		2,872	(154 - 5,589)
WV	Other	40	8.7				1,652	
WV	Multi	70	11.3	3.47	(4.4 - 18.2)		2,783	(1,061 - 4,504)
WI	White	6,100	8.6	0.57	(7.5 - 9.7)		331,104	(287,394 - 374,815)
WI	Black	550	19.3	3.95	(11.5 - 27.0)		28,111	(15,421 - 40,802)
WI	Other	290	12.9	4.88	(3.3 - 22.5)		23,160	(4,383 - 41,938)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C4**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race and State or Territory, BRFSS 2008**

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
WI	Multi	73	19.9	7.79	(4.4 - 35.4)		12,983	(1,708 - 24,258)
WY	White	7,493	8.7	0.41	(7.9 - 9.5)		31,980	(28,953 - 35,008)
WY	Black	29	3.8				99	
WY	Other	238	16.5	4.17	(8.2 - 24.7)		2,493	(1,067 - 3,918)
WY	Multi	118	25.5	6.38	(12.9 - 38.2)		1,672	(641 - 2,703)
Territories								
GU	White	83	0.4				30	
GU	Black	6	0.0				0	
GU	Other	672	4.9	0.87	(3.2 - 6.6)		4,537	(2,961 - 6,114)
GU	Multi	30	3.8				141	
PR	White	2,614	4.8	0.50	(3.8 - 5.8)		76,211	(60,679 - 91,743)
PR	Black	222	3.5	1.42	(0.7 - 6.3)		6,016	(1,141 - 10,890)
PR	Other	1,599	6.0	0.74	(4.6 - 7.5)		64,302	(48,539 - 80,065)
PR	Multi	14	0.0				0	
VI	White	469	5.6	1.17	(3.3 - 7.9)		663	(387 - 938)
VI	Black	1,692	4.1	0.61	(2.9 - 5.3)		2,144	(1,517 - 2,772)
VI	Other	167	5.9	2.59	(0.8 - 11.0)		314	(31 - 597)
VI	Multi	55	12.1	5.40	(1.2 - 22.9)		205	(10 - 400)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.