

**Table L5**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2008**

State	Race/Ethnicity	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total**	White NH	324,562	13.5	0.12	(13.2 - 13.7)		21,131,315	(20,737,555 - 21,525,074)
U.S. Total**	Black NH	31,037	15.4	0.43	(14.6 - 16.2)		3,495,981	(3,289,826 - 3,702,136)
U.S. Total**	Other NH	15,293	11.1	0.53	(10.1 - 12.2)		1,356,733	(1,223,664 - 1,489,802)
U.S. Total**	Multirace NH	6,601	20.5	1.07	(18.4 - 22.6)		722,040	(640,343 - 803,737)
U.S. Total**	Hispanic	24,001	10.8	0.40	(10.0 - 11.5)		3,488,706	(3,225,889 - 3,751,522)
AL	White NH	4,431	12.3	0.80	(10.7 - 13.9)		302,987	(262,318 - 343,657)
AL	Black NH	1,735	12.7	1.29	(10.2 - 15.2)		110,789	(88,047 - 133,531)
AL	Other NH	87	11.9	4.02	(3.9 - 19.8)		7,823	(2,463 - 13,184)
AL	Multirace NH	62	12.7	4.72	(3.3 - 22.1)		4,633	(1,136 - 8,130)
AL	Hispanic	72	8.4	3.66	(1.1 - 15.7)		4,489	(494 - 8,485)
AK	White NH	1,830	15.9	1.46	(13.0 - 18.8)		54,897	(44,321 - 65,474)
AK	Black NH	34	1.6				154	
AK	Other NH	561	16.0	3.74	(8.7 - 23.4)		14,098	(6,687 - 21,508)
AK	Multirace NH	93	11.8	4.04	(3.8 - 19.9)		2,732	(942 - 4,521)
AK	Hispanic	75	33.4	9.80	(13.8 - 52.9)		7,043	(1,552 - 12,534)
AZ	White NH	4,261	15.8	1.38	(13.1 - 18.5)		519,507	(423,431 - 615,583)
AZ	Black NH	71	10.8	5.39	(0.1 - 21.6)		10,748	(0 - 21,707)
AZ	Other NH	352	13.1	2.96	(7.2 - 18.9)		27,191	(15,176 - 39,206)
AZ	Multirace NH	50	8.7				3,837	
AZ	Hispanic	1,338	13.0	2.29	(8.5 - 17.5)		135,808	(85,706 - 185,910)
AR	White NH	4,501	12.4	0.77	(10.9 - 14.0)		218,746	(190,542 - 246,950)
AR	Black NH	707	14.5	2.07	(10.5 - 18.6)		27,016	(19,087 - 34,946)
AR	Other NH	98	8.6	3.13	(2.4 - 14.8)		3,332	(959 - 5,705)
AR	Multirace NH	88	30.8	6.99	(16.9 - 44.7)		10,885	(4,621 - 17,149)
AR	Hispanic	205	8.9	3.27	(2.5 - 15.4)		9,247	(2,249 - 16,245)
CA	White NH	7,328	16.9	0.61	(15.7 - 18.1)		2,094,199	(1,935,778 - 2,252,620)
CA	Black NH	417	22.6	2.63	(17.5 - 27.8)		263,399	(194,657 - 332,141)
CA	Other NH	889	11.9	1.54	(8.9 - 14.9)		332,167	(241,233 - 423,101)
CA	Multirace NH	213	23.9	3.68	(16.7 - 31.2)		116,251	(75,852 - 156,649)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L5**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2008**

State	Race/Ethnicity	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
CA	Hispanic	2,712	9.3	0.68	(8.0 - 10.6)	1,010,966	(862,592 - 1,159,340)
CO	White NH	9,712	13.3	0.47	(12.4 - 14.3)	352,796	(327,185 - 378,406)
CO	Black NH	262	10.1	2.19	(5.8 - 14.4)	10,989	(6,081 - 15,897)
CO	Other NH	283	10.5	2.01	(6.6 - 14.5)	15,289	(9,369 - 21,208)
CO	Multirace NH	121	21.3	5.53	(10.3 - 32.2)	10,201	(4,036 - 16,365)
CO	Hispanic	1,211	12.1	1.51	(9.1 - 15.0)	82,310	(60,400 - 104,219)
CT	White NH	4,896	12.9	0.73	(11.5 - 14.4)	282,681	(249,695 - 315,667)
CT	Black NH	389	13.0	2.68	(7.8 - 18.3)	15,451	(8,829 - 22,073)
CT	Other NH	222	10.1	2.90	(4.4 - 15.8)	12,792	(5,295 - 20,289)
CT	Multirace NH	20	36.6	17.71	(0.0 - 73.7)	4,554	(0 - 10,268)
CT	Hispanic	487	19.3	2.50	(14.4 - 24.3)	40,329	(29,303 - 51,354)
DE	White NH	3,229	12.5	0.95	(10.7 - 14.4)	64,229	(54,190 - 74,268)
DE	Black NH	478	15.4	2.58	(10.3 - 20.5)	13,131	(8,431 - 17,830)
DE	Other NH	103	5.7	2.37	(1.0 - 10.4)	1,279	(223 - 2,334)
DE	Multirace NH	69	22.3	7.19	(7.9 - 36.6)	2,059	(500 - 3,618)
DE	Hispanic	91	31.2	8.52	(14.3 - 48.1)	8,542	(2,527 - 14,557)
DC	White NH	1,993	16.0	1.16	(13.7 - 18.2)	26,699	(22,558 - 30,839)
DC	Black NH	1,777	17.8	1.30	(15.2 - 20.3)	37,869	(31,925 - 43,813)
DC	Other NH	126	16.4	3.56	(9.3 - 23.4)	3,301	(1,796 - 4,807)
DC	Multirace NH	38	31.2	11.41	(8.1 - 54.3)	1,708	(53 - 3,363)
DC	Hispanic	221	8.4	2.25	(4.0 - 12.9)	4,035	(1,851 - 6,218)
FL	White NH	8,694	10.3	0.55	(9.2 - 11.4)	923,221	(824,465 - 1,021,976)
FL	Black NH	832	9.8	1.54	(6.8 - 12.8)	166,856	(114,487 - 219,224)
FL	Other NH	332	6.7	1.83	(3.1 - 10.3)	55,399	(25,773 - 85,025)
FL	Multirace NH	94	8.3	3.56	(1.2 - 15.4)	12,917	(2,380 - 23,455)
FL	Hispanic	804	11.8	1.85	(8.1 - 15.4)	316,928	(213,372 - 420,484)
GA	White NH	4,018	12.4	0.78	(10.8 - 13.9)	526,610	(458,122 - 595,099)
GA	Black NH	1,270	13.8	1.64	(10.6 - 17.0)	272,743	(203,734 - 341,752)
GA	Other NH	152	11.1	2.75	(5.7 - 16.6)	44,567	(23,129 - 66,004)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L5**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2008**

State	Race/Ethnicity	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
GA	Multirace NH	52	6.3			6,405	
GA	Hispanic	151	14.7	4.93	(4.9 - 24.4)	51,594	(13,437 - 89,752)
HI	White NH	2,146	13.0	1.05	(11.0 - 15.1)	31,658	(26,315 - 37,002)
HI	Black NH	44	5.5			481	
HI	Other NH	2,217	11.5	0.97	(9.6 - 13.4)	45,409	(37,519 - 53,298)
HI	Multirace NH	1,566	22.9	1.55	(19.8 - 25.9)	62,612	(53,259 - 71,964)
HI	Hispanic	397	27.3	3.26	(20.9 - 33.8)	18,925	(13,555 - 24,295)
ID	White NH	4,628	13.4	0.76	(11.9 - 14.9)	126,644	(111,804 - 141,483)
ID	Black NH	13	13.6			824	
ID	Other NH	120	10.3	3.09	(4.2 - 16.4)	2,877	(1,128 - 4,625)
ID	Multirace NH	53	13.6	5.41	(2.7 - 24.4)	1,682	(305 - 3,060)
ID	Hispanic	232	6.3	1.86	(2.6 - 9.9)	5,176	(2,108 - 8,244)
IL	White NH	4,090	12.2	0.68	(10.9 - 13.5)	787,386	(697,513 - 877,259)
IL	Black NH	534	18.1	2.56	(13.0 - 23.1)	244,520	(167,721 - 321,319)
IL	Other NH	128	11.3	4.01	(3.4 - 19.3)	48,773	(11,934 - 85,612)
IL	Multirace NH	60	26.2	7.97	(10.2 - 42.1)	41,638	(11,056 - 72,221)
IL	Hispanic	314	12.7	2.71	(7.4 - 18.0)	156,655	(85,698 - 227,611)
IN	White NH	3,965	13.4	0.75	(11.9 - 14.9)	533,321	(473,157 - 593,486)
IN	Black NH	575	18.7	3.62	(11.6 - 25.8)	50,578	(28,668 - 72,488)
IN	Other NH	70	6.9			8,845	
IN	Multirace NH	70	29.2	9.11	(11.0 - 47.4)	22,938	(5,887 - 39,988)
IN	Hispanic	160	13.0	4.77	(3.6 - 22.4)	28,694	(6,033 - 51,355)
IA	White NH	5,678	10.2	0.54	(9.1 - 11.3)	219,314	(195,860 - 242,768)
IA	Black NH	80	23.6	6.93	(9.8 - 37.4)	8,946	(2,742 - 15,149)
IA	Other NH	62	25.9	7.28	(11.3 - 40.4)	7,646	(2,546 - 12,745)
IA	Multirace NH	25	16.3			1,289	
IA	Hispanic	120	11.2	4.68	(2.0 - 20.5)	8,034	(884 - 15,184)
KS	White NH	7,599	12.8	0.57	(11.6 - 13.9)	225,237	(204,264 - 246,211)
KS	Black NH	295	19.3	3.38	(12.6 - 25.9)	15,189	(9,312 - 21,066)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L5**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2008**

State	Race/Ethnicity	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
KS	Other NH	206	7.5	1.78	(4.0 - 11.0)		4,789	(2,591 - 6,986)
KS	Multirace NH	100	33.8	7.84	(18.2 - 49.3)		11,053	(4,563 - 17,543)
KS	Hispanic	370	12.7	2.87	(7.1 - 18.4)		16,796	(8,628 - 24,964)
KY	White NH	7,447	14.2	0.65	(13.0 - 15.5)		414,078	(375,431 - 452,726)
KY	Black NH	244	18.8	4.42	(10.1 - 27.5)		32,511	(15,350 - 49,672)
KY	Other NH	94	21.0	6.81	(7.5 - 34.6)		13,895	(3,797 - 23,993)
KY	Multirace NH	85	20.5	5.60	(9.4 - 31.7)		5,422	(2,381 - 8,463)
KY	Hispanic	104	10.0	3.67	(2.8 - 17.3)		4,252	(1,258 - 7,246)
LA	White NH	4,462	11.5	0.68	(10.2 - 12.8)		239,960	(210,832 - 269,088)
LA	Black NH	1,293	12.7	1.36	(10.1 - 15.4)		116,211	(90,054 - 142,368)
LA	Other NH	173	8.4	2.04	(4.3 - 12.4)		10,808	(5,627 - 15,988)
LA	Multirace NH	37	4.3				890	
LA	Hispanic	136	12.2	3.94	(4.4 - 20.0)		14,769	(4,717 - 24,821)
ME	White NH	6,462	15.5	0.63	(14.3 - 16.8)		153,580	(140,542 - 166,618)
ME	Black NH	21	8.2				432	
ME	Other NH	102	21.7	6.85	(8.1 - 35.3)		4,485	(1,120 - 7,849)
ME	Multirace NH	72	15.3	5.01	(5.3 - 25.2)		1,890	(565 - 3,216)
ME	Hispanic	58	27.7	7.76	(12.2 - 43.3)		3,364	(1,090 - 5,637)
MD	White NH	7,134	14.2	0.62	(13.0 - 15.5)		357,032	(324,525 - 389,538)
MD	Black NH	1,546	14.7	1.24	(12.2 - 17.1)		168,105	(138,176 - 198,035)
MD	Other NH	282	13.6	2.78	(8.2 - 19.1)		33,250	(18,816 - 47,685)
MD	Multirace NH	124	24.4	5.12	(14.3 - 34.6)		19,968	(10,776 - 29,161)
MD	Hispanic	259	10.5	2.26	(6.0 - 14.9)		28,896	(16,264 - 41,528)
MA	White NH	16,281	14.5	0.47	(13.5 - 15.4)		574,392	(536,259 - 612,526)
MA	Black NH	1,040	15.4	2.14	(11.2 - 19.6)		34,705	(24,270 - 45,140)
MA	Other NH	920	12.8	1.65	(9.6 - 16.1)		39,255	(28,882 - 49,629)
MA	Multirace NH	139	30.2	7.10	(16.1 - 44.2)		10,335	(4,103 - 16,568)
MA	Hispanic	1,949	17.9	1.55	(14.9 - 21.0)		73,230	(59,872 - 86,589)
MI	White NH	7,248	14.8	0.58	(13.7 - 15.9)		877,835	(806,478 - 949,193)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L5**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2008**

State	Race/Ethnicity	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MI	Black NH	1,515	16.4	1.61	(13.3 - 19.6)		140,840	(111,531 - 170,149)
MI	Other NH	183	15.2	3.62	(8.1 - 22.4)		45,965	(22,601 - 69,329)
MI	Multirace NH	192	29.6	4.86	(20.0 - 39.1)		53,196	(32,035 - 74,358)
MI	Hispanic	183	17.4	4.05	(9.4 - 25.4)		54,868	(26,701 - 83,035)
MN	White NH	4,025	12.5	0.74	(11.0 - 13.9)		454,555	(399,610 - 509,501)
MN	Black NH	93	15.9	4.68	(6.6 - 25.2)		16,662	(6,104 - 27,220)
MN	Other NH	86	3.8				4,379	
MN	Multirace NH	14	36.2	17.22	(0.0 - 73.4)		6,072	(0 - 14,753)
MN	Hispanic	51	8.5				4,974	
MS	White NH	5,274	10.5	0.58	(9.4 - 11.6)		141,367	(125,601 - 157,132)
MS	Black NH	2,290	12.3	1.00	(10.3 - 14.3)		87,203	(72,661 - 101,745)
MS	Other NH	76	13.9	4.93	(4.1 - 23.7)		3,886	(1,035 - 6,737)
MS	Multirace NH	50	15.0	5.42	(4.1 - 25.9)		1,610	(403 - 2,817)
MS	Hispanic	98	11.9	4.53	(2.9 - 20.9)		3,890	(759 - 7,020)
MO	White NH	4,374	13.2	0.78	(11.7 - 14.7)		507,006	(446,015 - 567,997)
MO	Black NH	448	13.0	2.08	(8.9 - 17.1)		46,250	(31,246 - 61,255)
MO	Other NH	96	13.1	3.35	(6.5 - 19.8)		14,473	(7,374 - 21,571)
MO	Multirace NH	105	34.6	7.48	(19.7 - 49.4)		26,745	(11,106 - 42,384)
MO	Hispanic	81	16.0	5.52	(5.0 - 27.0)		12,521	(3,175 - 21,867)
MT	White NH	6,088	14.1	0.68	(12.8 - 15.4)		94,009	(84,753 - 103,265)
MT	Black NH	15	0.6				15	
MT	Other NH	478	19.5	2.97	(13.6 - 25.3)		7,722	(5,091 - 10,354)
MT	Multirace NH	75	27.5	6.84	(13.8 - 41.1)		2,103	(921 - 3,285)
MT	Hispanic	107	21.8	7.01	(7.9 - 35.7)		3,243	(805 - 5,682)
NE	White NH	15,033	10.5	0.54	(9.5 - 11.6)		123,912	(111,008 - 136,816)
NE	Black NH	114	12.1	3.36	(5.4 - 18.8)		3,865	(1,704 - 6,026)
NE	Other NH	233	14.1	7.89	(0.0 - 29.6)		4,187	(0 - 9,416)
NE	Multirace NH	163	14.9	4.47	(6.1 - 23.7)		2,824	(1,177 - 4,470)
NE	Hispanic	590	4.7	1.45	(1.9 - 7.6)		3,191	(1,245 - 5,137)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L5**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2008**

State	Race/Ethnicity	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NV	White NH	3,538	15.6	1.07	(13.5 - 17.7)		184,316	(157,507 - 211,125)
NV	Black NH	115	13.2	4.06	(5.1 - 21.2)		10,295	(3,640 - 16,950)
NV	Other NH	251	10.1	2.52	(5.2 - 15.1)		12,649	(6,248 - 19,051)
NV	Multirace NH	219	16.5	4.23	(8.2 - 24.9)		15,755	(6,990 - 24,521)
NV	Hispanic	600	8.8	1.88	(5.1 - 12.5)		39,936	(22,350 - 57,523)
NH	White NH	6,476	15.1	0.62	(13.9 - 16.4)		145,831	(133,569 - 158,093)
NH	Black NH	25	17.6				928	
NH	Other NH	145	13.9	4.38	(5.2 - 22.5)		3,475	(1,088 - 5,863)
NH	Multirace NH	55	22.4	6.83	(8.7 - 36.0)		1,826	(659 - 2,993)
NH	Hispanic	72	22.6	6.35	(9.9 - 35.2)		3,398	(1,386 - 5,410)
NJ	White NH	8,455	12.7	0.61	(11.5 - 13.9)		530,075	(477,355 - 582,795)
NJ	Black NH	1,175	16.4	1.52	(13.4 - 19.4)		123,568	(99,135 - 148,000)
NJ	Other NH	591	5.0	1.06	(2.9 - 7.0)		27,344	(15,726 - 38,962)
NJ	Multirace NH	65	19.0	5.60	(7.8 - 30.1)		8,778	(3,471 - 14,085)
NJ	Hispanic	1,273	13.9	1.43	(11.1 - 16.7)		151,035	(118,455 - 183,615)
NM	White NH	3,457	14.5	0.89	(12.7 - 16.2)		107,171	(93,571 - 120,771)
NM	Black NH	48	14.4	8.84	(0.0 - 32.2)		2,245	(0 - 5,287)
NM	Other NH	548	12.2	2.02	(8.2 - 16.1)		14,591	(9,742 - 19,439)
NM	Multirace NH	83	14.5	5.33	(3.9 - 25.1)		2,870	(639 - 5,101)
NM	Hispanic	2,030	10.1	1.00	(8.1 - 12.1)		56,857	(45,256 - 68,457)
NY	White NH	6,179	13.5	0.62	(12.3 - 14.7)		1,206,448	(1,092,130 - 1,320,766)
NY	Black NH	681	15.0	1.73	(11.6 - 18.4)		323,145	(244,417 - 401,874)
NY	Other NH	274	11.4	2.18	(7.1 - 15.7)		115,231	(69,721 - 160,742)
NY	Multirace NH	92	20.7	6.24	(8.3 - 33.1)		53,715	(16,866 - 90,564)
NY	Hispanic	543	15.8	2.03	(11.8 - 19.8)		353,844	(257,466 - 450,221)
NC	White NH	12,029	11.8	0.44	(10.9 - 12.7)		560,185	(517,525 - 602,845)
NC	Black NH	2,321	13.7	1.18	(11.4 - 16.1)		164,684	(134,652 - 194,716)
NC	Other NH	538	16.4	2.95	(10.6 - 22.2)		46,125	(27,880 - 64,371)
NC	Multirace NH	177	10.2	2.83	(4.6 - 15.8)		7,809	(3,624 - 11,993)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L5**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2008**

State	Race/Ethnicity	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
NC	Hispanic	636	3.9	0.79	(2.4 - 5.4)	21,406	(12,990 - 29,821)
ND	White NH	4,715	11.3	0.63	(10.1 - 12.6)	50,260	(44,570 - 55,949)
ND	Black NH	14	2.4			62	
ND	Other NH	166	12.9	3.43	(6.1 - 19.6)	3,558	(1,654 - 5,462)
ND	Multirace NH	30	42.7	14.44	(13.2 - 72.3)	2,059	(0 - 4,148)
ND	Hispanic	61	12.0	4.98	(2.1 - 22.0)	957	(185 - 1,730)
OH	White NH	11,284	13.3	0.52	(12.3 - 14.3)	1,008,033	(928,192 - 1,087,873)
OH	Black NH	948	20.6	2.18	(16.3 - 24.9)	126,616	(96,736 - 156,495)
OH	Other NH	264	16.0	3.08	(9.9 - 22.1)	35,181	(20,759 - 49,602)
OH	Multirace NH	74	14.5	4.86	(4.8 - 24.2)	9,029	(3,119 - 14,938)
OH	Hispanic	187	23.0	6.64	(9.9 - 36.2)	40,963	(12,297 - 69,629)
OK	White NH	5,992	13.8	0.60	(12.6 - 15.0)	263,420	(239,946 - 286,893)
OK	Black NH	457	14.8	2.53	(9.8 - 19.8)	27,652	(17,388 - 37,917)
OK	Other NH	545	16.3	1.94	(12.4 - 20.1)	45,104	(33,646 - 56,563)
OK	Multirace NH	463	18.1	2.34	(13.5 - 22.7)	29,255	(21,514 - 36,995)
OK	Hispanic	309	5.8	1.36	(3.1 - 8.5)	9,906	(5,334 - 14,478)
OR	White NH	4,307	14.9	0.75	(13.4 - 16.3)	371,090	(332,186 - 409,994)
OR	Black NH	27	22.9	9.71	(3.0 - 42.9)	4,723	(89 - 9,356)
OR	Other NH	101	13.9	4.63	(4.7 - 23.1)	12,454	(3,604 - 21,304)
OR	Multirace NH	106	26.9	5.97	(15.0 - 38.7)	19,326	(9,194 - 29,458)
OR	Hispanic	193	10.0	2.43	(5.2 - 14.8)	19,688	(9,967 - 29,409)
PA	White NH	10,994	12.7	0.52	(11.6 - 13.7)	1,006,893	(922,064 - 1,091,723)
PA	Black NH	1,382	19.8	2.49	(14.9 - 24.7)	158,660	(115,518 - 201,802)
PA	Other NH	200	9.4	3.08	(3.3 - 15.5)	27,514	(9,027 - 46,001)
PA	Multirace NH	140	12.9	4.27	(4.4 - 21.3)	13,958	(5,315 - 22,600)
PA	Hispanic	245	14.2	2.91	(8.5 - 20.0)	57,351	(33,585 - 81,118)
RI	White NH	4,127	15.1	0.79	(13.6 - 16.7)	106,594	(95,314 - 117,875)
RI	Black NH	134	20.1	4.46	(11.3 - 29.0)	4,360	(2,219 - 6,501)
RI	Other NH	108	18.7	5.08	(8.6 - 28.8)	3,489	(1,373 - 5,606)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L5**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2008**

State	Race/Ethnicity	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
RI	Multirace NH	21	10.2			470	
RI	Hispanic	319	15.3	2.76	(9.9 - 20.8)	10,657	(6,575 - 14,738)
SC	White NH	6,658	13.6	0.78	(12.1 - 15.1)	300,021	(264,289 - 335,753)
SC	Black NH	2,706	13.6	1.26	(11.1 - 16.1)	112,145	(90,346 - 133,945)
SC	Other NH	193	8.7	2.78	(3.2 - 14.2)	9,965	(3,705 - 16,226)
SC	Multirace NH	114	25.8	6.56	(12.8 - 38.7)	13,109	(6,286 - 19,932)
SC	Hispanic	178	11.2	4.54	(2.3 - 20.2)	10,302	(1,493 - 19,111)
SD	White NH	6,116	10.5	0.62	(9.3 - 11.7)	56,517	(49,736 - 63,298)
SD	Black NH	13	48.3	19.90	(4.9 - 91.6)	1,020	(0 - 2,565)
SD	Other NH	674	14.4	2.20	(10.1 - 18.7)	5,462	(3,734 - 7,191)
SD	Multirace NH	51	32.6	10.64	(11.2 - 53.9)	1,206	(212 - 2,200)
SD	Hispanic	72	13.8	7.35	(0.0 - 28.5)	1,010	(0 - 2,188)
TN	White NH	4,277	12.5	0.74	(11.0 - 13.9)	458,692	(404,368 - 513,015)
TN	Black NH	538	13.9	2.22	(9.6 - 18.3)	94,780	(63,511 - 126,048)
TN	Other NH	55	9.9	4.23	(1.4 - 18.4)	8,794	(1,162 - 16,426)
TN	Multirace NH	57	8.6			6,401	
TN	Hispanic	64	12.2	6.89	(0.0 - 26.0)	16,711	(0 - 35,670)
TX	White NH	6,874	14.5	0.75	(13.0 - 16.0)	1,256,559	(1,120,792 - 1,392,327)
TX	Black NH	738	17.0	2.22	(12.7 - 21.4)	282,913	(203,972 - 361,854)
TX	Other NH	309	6.7	1.45	(3.9 - 9.6)	58,156	(33,752 - 82,560)
TX	Multirace NH	107	15.6	4.95	(5.7 - 25.4)	29,070	(9,678 - 48,463)
TX	Hispanic	2,549	8.0	0.88	(6.3 - 9.8)	472,323	(366,805 - 577,841)
UT	White NH	4,765	13.3	0.72	(11.9 - 14.7)	212,619	(189,276 - 235,962)
UT	Black NH	17	5.5			422	
UT	Other NH	133	11.7	3.60	(4.5 - 18.8)	6,746	(2,488 - 11,005)
UT	Multirace NH	29	11.2			1,053	
UT	Hispanic	321	12.0	2.45	(7.2 - 16.9)	17,922	(10,279 - 25,565)
VT	White NH	6,367	15.1	0.58	(13.9 - 16.2)	70,115	(64,554 - 75,675)
VT	Black NH	13	20.2			140	

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.



**Table L5**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2008**

State	Race/Ethnicity	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
VT	Other NH	91	30.3	8.35	(13.7 - 46.9)		2,496	(717 - 4,274)
VT	Multirace NH	97	18.6	4.40	(9.9 - 27.3)		1,279	(637 - 1,920)
VT	Hispanic	68	17.4	6.26	(4.9 - 29.9)		919	(165 - 1,673)
VA	White NH	4,187	14.8	1.03	(12.7 - 16.8)		662,170	(565,471 - 758,870)
VA	Black NH	685	15.6	2.41	(10.9 - 20.4)		97,646	(65,464 - 129,829)
VA	Other NH	159	10.9	4.44	(2.1 - 19.7)		39,154	(8,592 - 69,717)
VA	Multirace NH	35	12.2				7,136	
VA	Hispanic	159	8.6	2.93	(2.8 - 14.4)		28,414	(9,110 - 47,717)
WA	White NH	19,661	14.9	0.38	(14.2 - 15.7)		610,589	(578,745 - 642,433)
WA	Black NH	224	23.9	4.82	(14.4 - 33.4)		16,448	(8,512 - 24,385)
WA	Other NH	789	14.8	1.96	(11.0 - 18.6)		38,860	(27,890 - 49,829)
WA	Multirace NH	518	19.0	2.42	(14.2 - 23.8)		22,870	(16,669 - 29,072)
WA	Hispanic	1,067	11.4	1.38	(8.7 - 14.2)		44,124	(33,012 - 55,236)
WV	White NH	3,932	13.6	0.70	(12.2 - 15.0)		183,253	(164,101 - 202,405)
WV	Black NH	71	17.1	5.72	(5.7 - 28.5)		4,495	(1,240 - 7,751)
WV	Other NH	33	18.7	12.63	(0.0 - 44.5)		2,851	(0 - 7,505)
WV	Multirace NH	69	11.3	3.49	(4.4 - 18.3)		2,783	(1,061 - 4,505)
WV	Hispanic	48	15.5	5.88	(3.6 - 27.3)		2,725	(461 - 4,990)
WI	White NH	6,048	13.2	0.72	(11.8 - 14.6)		504,254	(448,781 - 559,727)
WI	Black NH	544	29.8	4.97	(20.0 - 39.5)		42,340	(24,582 - 60,099)
WI	Other NH	249	13.4	4.04	(5.4 - 21.4)		16,843	(6,527 - 27,159)
WI	Multirace NH	67	40.2	10.49	(19.2 - 61.1)		22,248	(6,236 - 38,261)
WI	Hispanic	102	12.4	7.10	(0.0 - 26.5)		13,264	(0 - 29,765)
WY	White NH	7,297	13.6	0.55	(12.5 - 14.6)		48,350	(44,342 - 52,358)
WY	Black NH	29	8.0				212	
WY	Other NH	146	31.6	6.36	(19.0 - 44.1)		2,810	(1,303 - 4,316)
WY	Multirace NH	102	28.1	6.44	(15.4 - 40.9)		1,586	(688 - 2,484)
WY	Hispanic	329	10.8	2.42	(6.0 - 15.5)		2,226	(1,172 - 3,280)
Territories								

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L5**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2008**

State	Race/Ethnicity	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
GU	White NH	75	3.2			236	
GU	Black NH	5	45.8			310	
GU	Other NH	626	10.3	1.42	(7.5 - 13.1)	8,908	(6,431 - 11,384)
GU	Multirace NH	26	28.1	10.01	(7.5 - 48.7)	931	(148 - 1,714)
GU	Hispanic	27	9.2			317	
PR	White NH	50	20.3	6.98	(6.3 - 34.4)	5,578	(1,269 - 9,886)
PR	Black NH	3	0.0			0	
PR	Other NH	26	9.3			1,275	
PR	Multirace NH	0				0	
PR	Hispanic	4,389	15.2	0.73	(13.8 - 16.7)	426,673	(384,881 - 468,465)
VI	White NH	425	9.2	1.61	(6.1 - 12.4)	955	(616 - 1,295)
VI	Black NH	1,557	7.7	0.84	(6.0 - 9.3)	3,659	(2,858 - 4,460)
VI	Other NH	103	7.6	2.85	(2.0 - 13.3)	221	(53 - 389)
VI	Multirace NH	47	9.9			142	
VI	Hispanic	275	11.2	2.54	(6.2 - 16.1)	1,117	(586 - 1,649)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.