

**Table L3**  
**Child Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2010**

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
Total **	0-4	15,147	8.0	0.54	(7.0 - 9.1)		1,302,623	(1,121,972 - 1,483,274)
Total **	5-9	16,724	14.0	0.52	(13.0 - 15.1)		2,187,473	(2,018,397 - 2,356,548)
Total **	10-14	19,347	15.2	0.59	(14.1 - 16.4)		2,145,686	(1,974,129 - 2,317,243)
Total **	15-17	14,895	15.2	0.60	(14.1 - 16.4)		1,500,455	(1,377,826 - 1,623,083)
AL	0-4	385	9.1	2.04	(5.8 - 13.9)		26,426	(14,291 - 38,562)
AL	5-9	391	22.6	2.84	(17.5 - 28.6)		63,016	(45,624 - 80,408)
AL	10-14	485	15.4	2.06	(11.8 - 19.9)		41,221	(29,815 - 52,626)
AL	15-17	369	12.3	2.18	(8.6 - 17.2)		22,780	(14,778 - 30,782)
AZ	0-4	287	5.8	1.92	(3.0 - 10.9)		29,625	(10,139 - 49,112)
AZ	5-9	263	13.6	2.95	(8.7 - 20.5)		64,453	(35,828 - 93,078)
AZ	10-14	319	16.8	3.20	(11.4 - 24.1)		66,502	(39,844 - 93,159)
AZ	15-17	244	18.3	4.64	(10.9 - 29.2)		49,190	(22,179 - 76,202)
CA	0-4	383	6.5	1.64	(4.0 - 10.6)		180,987	(88,551 - 273,422)
CA	5-9	477	10.3	1.46	(7.8 - 13.6)		201,112	(144,262 - 257,962)
CA	10-14	436	14.8	1.97	(11.3 - 19.1)		375,891	(272,023 - 479,760)
CA	15-17	315	13.8	2.19	(10.0 - 18.7)		222,107	(149,059 - 295,155)
CT	0-4	415	7.5	1.74	(4.7 - 11.7)		14,442	(7,576 - 21,309)
CT	5-9	439	16.5	2.35	(12.4 - 21.7)		32,721	(22,774 - 42,668)
CT	10-14	434	18.2	2.36	(14.0 - 23.3)		39,087	(28,218 - 49,957)
CT	15-17	327	21.1	3.03	(15.7 - 27.6)		30,456	(20,829 - 40,083)
DC	0-4	231	10.9	3.26	(6.0 - 19.1)		2,727	(1,012 - 4,443)
DC	5-9	172	28.5	4.66	(20.3 - 38.4)		8,645	(5,392 - 11,898)
DC	10-14	156	28.8	4.84	(20.3 - 39.1)		7,640	(4,604 - 10,675)
DC	15-17	111	22.2	4.96	(14.0 - 33.4)		3,838	(2,086 - 5,589)
GA	0-4	324	8.9	1.75	(6.0 - 12.9)		66,283	(39,875 - 92,691)
GA	5-9	375	20.4	2.67	(15.7 - 26.1)		150,334	(107,180 - 193,489)
GA	10-14	389	13.1	1.86	(9.8 - 17.2)		57,679	(41,019 - 74,339)
GA	15-17	280	15.9	2.50	(11.6 - 21.5)		64,966	(44,104 - 85,828)
HI	0-4	386	13.7	2.13	(10.0 - 18.4)		9,372	(6,335 - 12,408)
HI	5-9	387	20.8	2.69	(16.0 - 26.6)		16,292	(11,736 - 20,849)

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 38 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Child Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2010**

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	    	Prevalence (Number)	95% CI * (Number)
HI	10-14	440	17.2	2.26	(13.2 - 22.1)		12,266	(8,933 - 15,599)
HI	15-17	333	17.4	2.69	(12.8 - 23.4)		8,239	(5,542 - 10,937)
IL	0-4	284	8.6	2.52	(4.7 - 15.0)		77,168	(30,353 - 123,984)
IL	5-9	299	16.1	2.69	(11.5 - 22.1)		140,992	(91,586 - 190,399)
IL	10-14	378	14.4	2.81	(9.7 - 20.8)		99,855	(57,480 - 142,229)
IL	15-17	304	15.9	2.49	(11.6 - 21.4)		86,279	(58,691 - 113,867)
IN	0-4	509	10.3	2.02	(7.0 - 15.0)		46,564	(27,452 - 65,675)
IN	5-9	547	12.7	1.79	(9.6 - 16.7)		54,438	(38,625 - 70,252)
IN	10-14	621	16.3	2.07	(12.6 - 20.7)		53,150	(38,676 - 67,624)
IN	15-17	463	17.0	2.15	(13.1 - 21.6)		42,961	(31,702 - 54,219)
IA	0-4	352	6.3	1.68	(3.7 - 10.5)		12,744	(5,872 - 19,617)
IA	5-9	351	9.5	1.96	(6.3 - 14.1)		17,447	(9,999 - 24,895)
IA	10-14	408	9.0	1.56	(6.4 - 12.6)		15,217	(9,923 - 20,510)
IA	15-17	314	11.5	2.15	(7.9 - 16.4)		13,409	(8,230 - 18,587)
KS	0-4	479	5.3	1.17	(3.5 - 8.2)		10,620	(5,972 - 15,268)
KS	5-9	569	12.2	1.51	(9.5 - 15.5)		23,496	(17,515 - 29,478)
KS	10-14	578	14.3	1.66	(11.4 - 17.9)		24,768	(18,826 - 30,710)
KS	15-17	495	10.5	1.61	(7.7 - 14.1)		11,801	(8,093 - 15,509)
KY	0-4	385	5.9	1.46	(3.6 - 9.5)		14,729	(7,510 - 21,949)
KY	5-9	416	17.5	2.93	(12.5 - 24.0)		53,797	(34,603 - 72,991)
KY	10-14	538	21.2	2.50	(16.7 - 26.5)		46,628	(34,913 - 58,344)
KY	15-17	427	17.7	2.53	(13.3 - 23.2)		28,981	(20,534 - 37,428)
LA	0-4	396	5.7	1.33	(3.6 - 9.0)		18,224	(9,743 - 26,705)
LA	5-9	426	13.8	1.96	(10.4 - 18.1)		41,788	(29,404 - 54,171)
LA	10-14	536	14.9	1.85	(11.6 - 18.9)		32,513	(24,052 - 40,974)
LA	15-17	371	15.7	2.21	(11.9 - 20.6)		30,430	(21,387 - 39,473)
ME	0-4	185	5.3	2.10	(2.4 - 11.3)		3,792	(759 - 6,824)
ME	5-9	208	18.3	2.84	(13.4 - 24.5)		12,750	(8,604 - 16,896)
ME	10-14	261	14.9	2.44	(10.7 - 20.3)		8,985	(5,945 - 12,024)
ME	15-17	188	15.4	2.97	(10.5 - 22.2)		8,128	(4,901 - 11,356)

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 38 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Child Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2010**

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	    	Prevalence (Number)	95% CI * (Number)
MD	0-4	537	10.8	1.75	(7.8 - 14.8)		34,663	(23,028 - 46,298)
MD	5-9	563	16.8	2.17	(12.9 - 21.5)		60,489	(43,627 - 77,351)
MD	10-14	611	22.1	2.50	(17.5 - 27.3)		65,861	(49,381 - 82,341)
MD	15-17	506	18.8	2.32	(14.6 - 23.8)		45,145	(33,237 - 57,052)
MA	0-4	293	10.7	2.36	(6.8 - 16.2)		42,475	(23,658 - 61,293)
MA	5-9	302	15.3	2.91	(10.4 - 21.9)		56,237	(33,988 - 78,486)
MA	10-14	328	16.5	3.01	(11.4 - 23.2)		40,001	(24,449 - 55,553)
MA	15-17	296	15.0	2.80	(10.3 - 21.4)		39,760	(24,395 - 55,125)
MI	0-4	352	12.0	2.40	(8.1 - 17.6)		74,595	(43,292 - 105,898)
MI	5-9	427	15.4	2.22	(11.6 - 20.3)		95,639	(66,623 - 124,656)
MI	10-14	599	12.3	1.76	(9.3 - 16.2)		70,230	(49,443 - 91,017)
MI	15-17	521	20.7	2.19	(16.7 - 25.3)		83,782	(64,604 - 102,959)
MS	0-4	380	5.8	1.41	(3.6 - 9.3)		10,271	(5,285 - 15,257)
MS	5-9	448	16.8	2.20	(12.9 - 21.5)		39,239	(28,374 - 50,104)
MS	10-14	582	17.3	1.99	(13.8 - 21.6)		30,848	(23,338 - 38,357)
MS	15-17	424	13.2	2.17	(9.5 - 18.0)		16,314	(10,790 - 21,838)
MO	0-4	236	9.5	3.03	(5.0 - 17.3)		38,276	(12,989 - 63,563)
MO	5-9	302	15.6	2.87	(10.7 - 22.1)		58,600	(35,829 - 81,371)
MO	10-14	346	19.0	2.68	(14.3 - 24.8)		58,736	(41,435 - 76,038)
MO	15-17	289	18.2	3.85	(11.8 - 26.9)		44,202	(23,375 - 65,029)
MT	0-4	382	5.0	1.25	(3.1 - 8.1)		3,096	(1,596 - 4,596)
MT	5-9	437	11.7	2.14	(8.2 - 16.6)		6,350	(3,951 - 8,749)
MT	10-14	471	8.9	1.77	(6.0 - 13.0)		5,015	(3,001 - 7,028)
MT	15-17	358	16.4	3.14	(11.1 - 23.5)		5,653	(3,282 - 8,023)
NE	0-4	793	4.2	1.40	(2.1 - 7.9)		5,577	(1,844 - 9,309)
NE	5-9	911	9.3	1.59	(6.6 - 12.9)		10,867	(7,109 - 14,624)
NE	10-14	1,057	13.1	2.04	(9.6 - 17.7)		13,829	(9,289 - 18,369)
NE	15-17	892	10.0	1.42	(7.5 - 13.1)		7,494	(5,416 - 9,571)
NV	0-4	178	5.4	2.23	(2.3 - 11.8)		10,865	(1,865 - 19,866)
NV	5-9	198	13.3	3.66	(7.6 - 22.2)		24,879	(10,544 - 39,213)

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 38 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Child Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2010**

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
NV	10-14	253	14.7	3.37	(9.2 - 22.6)		18,604	(9,668 - 27,541)
NV	15-17	180	14.0	4.04	(7.8 - 23.9)		14,511	(5,692 - 23,331)
NJ	0-4	735	8.5	1.33	(6.3 - 11.5)		40,003	(27,348 - 52,658)
NJ	5-9	761	14.7	1.67	(11.7 - 18.3)		82,833	(63,120 - 102,545)
NJ	10-14	848	20.8	2.08	(17.0 - 25.2)		93,993	(73,430 - 114,556)
NJ	15-17	674	14.2	1.63	(11.3 - 17.7)		50,941	(39,131 - 62,752)
NM	0-4	294	5.2	1.42	(3.1 - 8.8)		7,766	(3,583 - 11,949)
NM	5-9	405	13.0	2.01	(9.5 - 17.4)		18,048	(12,316 - 23,780)
NM	10-14	485	15.7	2.02	(12.2 - 20.1)		15,732	(11,582 - 19,882)
NM	15-17	372	19.0	2.58	(14.5 - 24.6)		16,046	(11,351 - 20,741)
NY	0-4	151	9.2	3.77	(4.0 - 19.7)		104,543	(14,939 - 194,148)
NY	5-9	140	14.5	3.56	(8.8 - 22.9)		160,835	(78,421 - 243,249)
NY	10-14	194	17.5	3.70	(11.4 - 26.0)		191,131	(107,318 - 274,943)
NY	15-17	142	13.2	3.41	(7.9 - 21.4)		76,781	(35,768 - 117,794)
ND	0-4	256	5.5	1.69	(3.0 - 9.9)		2,288	(875 - 3,702)
ND	5-9	276	8.8	1.87	(5.8 - 13.2)		3,348	(1,904 - 4,792)
ND	10-14	302	12.6	2.21	(8.9 - 17.6)		3,734	(2,374 - 5,094)
ND	15-17	245	16.2	2.71	(11.6 - 22.2)		4,097	(2,656 - 5,538)
OH	0-4	152	10.9	3.46	(5.7 - 19.7)		60,602	(20,170 - 101,035)
OH	5-9	181	10.9	3.22	(6.0 - 19.0)		79,034	(30,820 - 127,247)
OH	10-14	216	12.9	3.18	(7.8 - 20.5)		91,662	(44,983 - 138,340)
OH	15-17	177	17.8	4.29	(10.9 - 27.8)		78,812	(37,138 - 120,486)
OK	0-4	452	8.6	1.46	(6.1 - 11.9)		21,899	(14,386 - 29,412)
OK	5-9	482	13.3	1.75	(10.2 - 17.1)		32,220	(23,468 - 40,973)
OK	10-14	556	17.9	2.21	(14.0 - 22.6)		38,618	(28,246 - 48,990)
OK	15-17	380	20.0	2.42	(15.6 - 25.1)		27,495	(20,362 - 34,627)
OR	0-4	183	4.7	1.58	(2.4 - 9.0)		11,138	(3,740 - 18,537)
OR	5-9	249	13.3	2.41	(9.3 - 18.8)		31,859	(19,910 - 43,809)
OR	10-14	266	15.7	2.42	(11.5 - 21.0)		27,713	(18,848 - 36,579)
OR	15-17	176	16.6	3.16	(11.2 - 23.7)		24,332	(14,489 - 34,174)

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 38 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Child Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2010**

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
PA	0-4	530	8.4	1.54	(5.8 - 11.9)		61,443	(38,564 - 84,323)
PA	5-9	555	15.4	2.00	(11.9 - 19.7)		112,526	(81,678 - 143,374)
PA	10-14	683	17.8	1.89	(14.4 - 21.8)		98,109	(76,328 - 119,890)
PA	15-17	498	16.0	2.14	(12.3 - 20.7)		82,050	(59,199 - 104,901)
RI	0-4	303	10.3	2.23	(6.7 - 15.6)		6,145	(3,402 - 8,887)
RI	5-9	377	16.7	2.22	(12.8 - 21.5)		9,773	(7,018 - 12,528)
RI	10-14	430	18.9	2.18	(15.0 - 23.5)		8,975	(6,779 - 11,172)
RI	15-17	346	18.0	2.36	(13.8 - 23.1)		7,356	(5,336 - 9,376)
TN	0-4	101	2.2				8,898	
TN	5-9	95	13.0	3.95	(7.0 - 22.9)		53,137	(20,579 - 85,695)
TN	10-14	120	15.4	4.38	(8.6 - 26.0)		62,009	(24,927 - 99,091)
TN	15-17	80	12.3	4.54	(5.8 - 24.3)		30,356	(7,286 - 53,425)
TX	0-4	1,047	10.2	2.22	(6.6 - 15.5)		179,992	(97,192 - 262,791)
TX	5-9	1,194	13.1	1.71	(10.1 - 16.9)		234,878	(171,569 - 298,188)
TX	10-14	1,366	12.1	1.29	(9.8 - 14.9)		203,832	(162,641 - 245,024)
TX	15-17	970	11.0	1.54	(8.3 - 14.4)		108,222	(77,939 - 138,506)
UT	0-4	802	4.2	0.84	(2.9 - 6.2)		11,537	(6,982 - 16,092)
UT	5-9	935	9.9	1.29	(7.7 - 12.8)		21,553	(15,795 - 27,310)
UT	10-14	1,026	13.3	1.37	(10.8 - 16.2)		23,958	(18,858 - 29,057)
UT	15-17	754	14.4	1.65	(11.5 - 17.9)		18,936	(14,426 - 23,446)
VT	0-4	313	11.1	2.54	(7.0 - 17.1)		3,655	(1,892 - 5,419)
VT	5-9	348	11.7	1.79	(8.6 - 15.7)		3,859	(2,657 - 5,060)
VT	10-14	457	16.3	1.92	(12.9 - 20.4)		4,914	(3,706 - 6,122)
VT	15-17	375	17.0	2.21	(13.1 - 21.8)		4,367	(3,172 - 5,561)
WA	0-4	989	5.9	1.02	(4.2 - 8.2)		26,015	(16,928 - 35,102)
WA	5-9	1,039	9.0	1.07	(7.1 - 11.4)		37,977	(28,836 - 47,118)
WA	10-14	1,274	13.6	1.17	(11.5 - 16.1)		44,690	(36,760 - 52,619)
WA	15-17	982	16.4	1.43	(13.8 - 19.4)		43,306	(35,419 - 51,192)
WV	0-4	224	6.3	2.08	(3.3 - 11.8)		6,617	(2,200 - 11,034)
WV	5-9	213	9.6	1.99	(6.4 - 14.3)		9,954	(5,843 - 14,065)

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 38 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Child Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2010**

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
WV	10-14	241	13.9	2.46	(9.7 - 19.5)		12,399	(7,861 - 16,937)
WV	15-17	181	14.6	3.72	(8.7 - 23.5)		9,579	(4,285 - 14,873)
WI	0-4	202	4.1	1.71	(1.8 - 9.1)		14,764	(2,545 - 26,983)
WI	5-9	269	16.9	3.05	(11.7 - 23.7)		59,112	(36,475 - 81,748)
WI	10-14	300	11.2	2.16	(7.6 - 16.2)		36,363	(22,240 - 50,486)
WI	15-17	269	16.8	2.99	(11.7 - 23.5)		33,723	(21,028 - 46,419)
WY	0-4	261	4.6	1.37	(2.5 - 8.2)		1,794	(728 - 2,861)
WY	5-9	297	8.2	1.68	(5.5 - 12.2)		2,945	(1,738 - 4,152)
WY	10-14	357	12.8	1.91	(9.5 - 17.0)		3,330	(2,310 - 4,349)
WY	15-17	267	16.2	2.51	(11.9 - 21.8)		3,630	(2,460 - 4,801)
Territories								
PR	0-4	172	21.1	3.52	(15.0 - 28.8)		55,381	(35,473 - 75,288)
PR	5-9	153	26.5	3.88	(19.6 - 34.8)		77,503	(52,359 - 102,647)
PR	10-14	214	24.1	3.17	(18.4 - 30.8)		51,070	(36,464 - 65,676)
PR	15-17	157	18.4	3.47	(12.5 - 26.2)		32,990	(19,609 - 46,372)

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 38 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.