

Table L5
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2010

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)	 	Prevalence (Number)	95% CI* (Number)
Total **	White NH ***	48,058	11.3	0.28	(10.7 - 11.8)		3,674,919	(3,492,036 - 3,857,803)
Total **	Black NH	6,625	18.8	0.97	(16.9 - 20.7)		1,372,267	(1,223,197 - 1,521,337)
Total **	Other NH	3,615	12.0	1.11	(10.0 - 14.4)		380,215	(308,424 - 452,006)
Total **	Multirace NH	2,704	16.3	1.49	(13.6 - 19.5)		286,811	(231,933 - 341,689)
Total **	Hispanic	9,672	12.2	0.72	(10.9 - 13.7)		1,703,473	(1,495,177 - 1,911,770)
AL	White NH	1,073	12.2	1.29	(9.9 - 15.0)		78,242	(61,373 - 95,111)
AL	Black NH	557	19.4	2.40	(15.1 - 24.5)		68,473	(50,630 - 86,317)
AL	Other NH	30	25.6	10.72	(10.3 - 50.9)		4,568	(228 - 8,909)
AL	Multirace NH	23	32.1	10.32	(15.7 - 54.5)		3,956	(1,106 - 6,805)
AL	Hispanic	68	3.8				2,154	
AZ	White NH	616	12.7	2.10	(9.1 - 17.4)		124,364	(82,426 - 166,302)
AZ	Black NH	36	10.7				7,461	
AZ	Other NH	131	14.6	4.93	(7.3 - 27.0)		15,899	(4,933 - 26,866)
AZ	Multirace NH	32	14.7				4,722	
AZ	Hispanic	390	12.0	2.37	(8.0 - 17.5)		64,142	(39,052 - 89,232)
CA	White NH	627	12.1	1.52	(9.4 - 15.4)		311,666	(231,418 - 391,914)
CA	Black NH	42	24.7	7.31	(13.2 - 41.5)		58,503	(21,809 - 95,196)
CA	Other NH	132	13.0	3.25	(7.8 - 20.8)		86,740	(41,703 - 131,776)
CA	Multirace NH	69	6.5				18,916	
CA	Hispanic	767	9.8	1.26	(7.6 - 12.6)		513,710	(380,229 - 647,191)
CT	White NH	1,124	13.6	1.28	(11.3 - 16.4)		75,824	(61,242 - 90,406)
CT	Black NH	136	20.2	4.69	(12.5 - 30.9)		8,591	(4,362 - 12,820)
CT	Other NH	121	25.1	6.46	(14.6 - 39.7)		11,207	(4,258 - 18,157)
CT	Multirace NH	56	11.3	4.52	(5.0 - 23.5)		2,941	(605 - 5,277)
CT	Hispanic	283	19.0	3.29	(13.4 - 26.3)		22,497	(14,035 - 30,958)
DC	White NH	303	10.0	1.93	(6.8 - 14.5)		1,760	(1,074 - 2,445)
DC	Black NH	295	28.8	3.14	(23.1 - 35.3)		19,505	(14,813 - 24,197)
DC	Other NH	35	16.9	8.71	(5.7 - 40.7)		1,163	(0 - 2,498)
DC	Multirace NH	22	11.6				326	
DC	Hispanic	52	9.8	4.06	(4.2 - 21.1)		1,081	(171 - 1,991)

Notes:
* CI denotes confidence interval.
** Total includes data from 38 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2010

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)		Prevalence (Number)	95% CI* (Number)
GA	White NH	924	12.6	1.28	(10.3 - 15.3)		193,198	(154,061 - 232,336)
GA	Black NH	421	15.3	2.25	(11.4 - 20.3)		103,581	(72,107 - 135,054)
GA	Other NH	44	15.6	7.21	(5.9 - 35.1)		11,091	(0 - 22,186)
GA	Multirace NH	33	51.1	12.53	(28.1 - 73.6)		26,752	(6,194 - 47,309)
GA	Hispanic	88	17.0	5.16	(9.1 - 29.6)		28,315	(9,830 - 46,801)
HI	White NH	273	2.6	0.73	(1.5 - 4.5)		1,155	(522 - 1,789)
HI	Black NH	10	15.4				375	
HI	Other NH	386	17.7	2.42	(13.4 - 22.9)		12,875	(9,181 - 16,568)
HI	Multirace NH	771	19.5	1.88	(16.1 - 23.5)		23,916	(19,077 - 28,756)
HI	Hispanic	206	24.7	3.86	(17.9 - 33.0)		9,226	(5,998 - 12,454)
IL	White NH	838	10.9	1.32	(8.5 - 13.7)		181,743	(137,524 - 225,961)
IL	Black NH	241	25.1	4.10	(17.9 - 33.9)		163,245	(101,893 - 224,596)
IL	Other NH	53	7.9				13,120	
IL	Multirace NH	37	10.3				7,518	
IL	Hispanic	169	10.8	3.15	(6.0 - 18.7)		64,996	(26,142 - 103,850)
IN	White NH	1,797	11.8	0.97	(10.1 - 13.9)		132,243	(110,451 - 154,035)
IN	Black NH	269	22.7	4.21	(15.5 - 31.9)		38,077	(22,459 - 53,695)
IN	Other NH	36	2.0				821	
IN	Multirace NH	58	12.2	4.60	(5.7 - 24.4)		5,165	(1,292 - 9,038)
IN	Hispanic	131	17.4	4.11	(10.7 - 26.9)		27,246	(13,479 - 41,014)
IA	White NH	1,302	7.9	0.94	(6.3 - 10.0)		47,901	(36,556 - 59,247)
IA	Black NH	35	15.2	7.26	(5.6 - 35.1)		3,183	(58 - 6,309)
IA	Other NH	30	8.5				1,058	
IA	Multirace NH	25	18.6				2,023	
IA	Hispanic	112	14.9	3.84	(8.8 - 24.1)		7,794	(3,543 - 12,044)
KS	White NH	1,742	10.1	0.82	(8.6 - 11.8)		54,606	(45,805 - 63,408)
KS	Black NH	116	17.6	3.97	(11.1 - 26.8)		6,294	(3,320 - 9,269)
KS	Other NH	69	7.2				1,568	
KS	Multirace NH	69	15.7	5.56	(7.6 - 29.8)		3,109	(730 - 5,489)
KS	Hispanic	226	8.4	1.97	(5.3 - 13.2)		6,756	(3,574 - 9,938)

Notes:
* CI denotes confidence interval.
** Total includes data from 38 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2010

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)		Prevalence (Number)	95% CI* (Number)
KY	White NH	1,684	13.3	1.17	(11.1 - 15.7)		111,701	(92,323 - 131,079)
KY	Black NH	65	25.2	7.32	(13.6 - 41.9)		19,016	(6,724 - 31,309)
KY	Other NH	19	31.5	17.31	(8.7 - 68.9)		3,544	(0 - 8,420)
KY	Multirace NH	48	22.7	9.19	(9.5 - 45.1)		6,861	(570 - 13,152)
KY	Hispanic	61	15.3	5.97	(6.8 - 30.9)		5,601	(1,002 - 10,201)
LA	White NH	1,155	9.4	0.98	(7.7 - 11.5)		53,390	(42,230 - 64,549)
LA	Black NH	585	13.4	1.61	(10.6 - 16.9)		58,364	(43,921 - 72,807)
LA	Other NH	43	26.1	7.66	(13.9 - 43.5)		8,035	(2,854 - 13,216)
LA	Multirace NH	15	4.9				433	
LA	Hispanic	71	11.7	4.12	(5.7 - 22.4)		5,218	(1,450 - 8,985)
ME	White NH	814	12.7	1.26	(10.4 - 15.4)		30,619	(24,619 - 36,619)
ME	Black NH	9	49.1				1,574	
ME	Other NH	22	30.1	11.01	(13.4 - 54.6)		1,964	(292 - 3,636)
ME	Multirace NH	18	15.4				670	
ME	Hispanic	23	5.4				375	
MD	White NH	1,517	12.1	1.04	(10.2 - 14.3)		73,460	(60,696 - 86,224)
MD	Black NH	538	22.3	2.27	(18.1 - 27.0)		99,441	(77,463 - 121,418)
MD	Other NH	115	17.7	4.23	(10.8 - 27.5)		15,799	(7,670 - 23,929)
MD	Multirace NH	69	23.1	8.26	(10.8 - 42.8)		7,441	(1,148 - 13,735)
MD	Hispanic	177	15.6	3.65	(9.7 - 24.2)		20,413	(10,209 - 30,616)
MA	White NH	980	11.2	1.36	(8.8 - 14.1)		101,168	(76,742 - 125,593)
MA	Black NH	83	26.3	7.14	(14.8 - 42.4)		26,782	(12,026 - 41,538)
MA	Other NH	63	10.3	5.62	(3.3 - 27.5)		10,033	(0 - 21,214)
MA	Multirace NH	51	19.5	7.47	(8.7 - 38.1)		8,594	(1,479 - 15,710)
MA	Hispanic	201	17.1	3.87	(10.8 - 26.0)		39,334	(20,771 - 57,898)
MI	White NH	1,402	12.8	1.07	(10.8 - 15.0)		190,832	(158,756 - 222,909)
MI	Black NH	363	16.7	3.24	(11.3 - 24.1)		68,080	(39,815 - 96,345)
MI	Other NH	55	12.6	5.68	(5.0 - 28.4)		12,312	(639 - 23,986)
MI	Multirace NH	78	17.6	5.11	(9.7 - 29.9)		14,753	(5,962 - 23,543)
MI	Hispanic	88	20.8	5.57	(11.9 - 33.7)		39,238	(16,256 - 62,219)

Notes:
* CI denotes confidence interval.
** Total includes data from 38 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2010

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)		Prevalence (Number)	95% CI* (Number)
MS	White NH	1,024	9.5	1.14	(7.5 - 12.0)		34,706	(26,365 - 43,046)
MS	Black NH	823	17.6	1.73	(14.5 - 21.3)		60,160	(47,924 - 72,396)
MS	Other NH	32	5.7				724	
MS	Multirace NH	13	8.7				444	
MS	Hispanic	44	12.8	5.54	(5.2 - 28.0)		3,025	(406 - 5,645)
MO	White NH	981	12.6	1.50	(10.0 - 15.9)		139,169	(105,755 - 172,583)
MO	Black NH	151	18.1	4.68	(10.7 - 29.1)		22,782	(10,336 - 35,227)
MO	Other NH	28	11.5				3,859	
MO	Multirace NH	44	30.3	10.59	(14.0 - 53.8)		16,675	(2,480 - 30,871)
MO	Hispanic	51	27.3	10.55	(11.7 - 51.6)		20,806	(1,763 - 39,850)
MT	White NH	1,288	9.0	1.06	(7.1 - 11.3)		15,977	(12,264 - 19,690)
MT	Black NH	8	14.6				134	
MT	Other NH	310	12.4	2.53	(8.2 - 18.2)		2,412	(1,407 - 3,417)
MT	Multirace NH	62	7.7				514	
MT	Hispanic	74	17.4	6.82	(7.7 - 34.8)		1,771	(255 - 3,287)
NE	White NH	3,305	8.4	0.85	(6.8 - 10.2)		30,720	(24,486 - 36,954)
NE	Black NH	37	20.3	11.30	(6.1 - 50.0)		2,140	(0 - 4,726)
NE	Other NH	98	7.2	3.06	(3.1 - 16.0)		1,014	(204 - 1,823)
NE	Multirace NH	61	13.9	6.66	(5.2 - 32.5)		1,347	(7 - 2,688)
NE	Hispanic	358	6.9	2.14	(3.7 - 12.5)		3,124	(1,177 - 5,071)
NV	White NH	594	10.9	2.07	(7.4 - 15.7)		39,840	(24,500 - 55,180)
NV	Black NH	29	20.1	9.92	(7.0 - 45.8)		9,224	(0 - 18,929)
NV	Other NH	57	10.4	4.63	(4.2 - 23.5)		4,862	(594 - 9,130)
NV	Multirace NH	38	9.5				2,296	
NV	Hispanic	175	8.4	2.83	(4.2 - 15.8)		14,161	(4,504 - 23,819)
NJ	White NH	2,064	9.3	0.77	(7.9 - 10.9)		93,065	(77,970 - 108,159)
NJ	Black NH	404	24.0	2.76	(19.0 - 29.8)		72,859	(54,750 - 90,968)
NJ	Other NH	257	12.8	2.53	(8.6 - 18.6)		26,153	(15,625 - 36,681)
NJ	Multirace NH	58	24.3	7.68	(12.4 - 42.1)		7,467	(2,052 - 12,882)
NJ	Hispanic	559	18.3	2.19	(14.4 - 23.0)		82,118	(61,093 - 103,143)

Notes:
* CI denotes confidence interval.
** Total includes data from 38 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2010

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)	 	Prevalence (Number)	95% CI* (Number)
NM	White NH	572	12.7	1.68	(9.7 - 16.3)		22,480	(16,526 - 28,434)
NM	Black NH	20	18.5				1,551	
NM	Other NH	223	13.2	3.37	(7.8 - 21.3)		5,299	(2,464 - 8,134)
NM	Multirace NH	34	7.7				800	
NM	Hispanic	842	11.8	1.29	(9.5 - 14.6)		30,661	(23,947 - 37,374)
NY	White NH	446	11.6	1.66	(8.7 - 15.3)		233,689	(167,836 - 299,542)
NY	Black NH	69	8.9	4.64	(3.1 - 23.1)		63,193	(0 - 130,943)
NY	Other NH	35	12.0				33,129	
NY	Multirace NH	26	9.9				15,273	
NY	Hispanic	102	19.7	5.06	(11.6 - 31.5)		198,719	(86,480 - 310,957)
ND	White NH	1,019	9.6	1.02	(7.7 - 11.8)		11,581	(9,120 - 14,042)
ND	Black NH	18	11.8				359	
ND	Other NH	69	10.0	4.91	(3.7 - 24.4)		999	(0 - 2,009)
ND	Multirace NH	28	18.5	8.50	(7.0 - 40.7)		744	(18 - 1,471)
ND	Hispanic	18	7.8				207	
OH	White NH	607	11.6	1.98	(8.3 - 16.1)		232,498	(151,729 - 313,266)
OH	Black NH	86	24.4	5.71	(15.0 - 37.2)		77,367	(38,486 - 116,248)
OH	Other NH	31	3.0				3,749	
OH	Multirace NH	22	32.5	13.93	(12.2 - 62.6)		27,565	(0 - 57,379)
OH	Hispanic	37	2.1				2,223	
OK	White NH	1,140	13.4	1.19	(11.2 - 15.9)		66,548	(54,578 - 78,518)
OK	Black NH	178	20.0	3.28	(14.3 - 27.2)		16,225	(10,722 - 21,728)
OK	Other NH	235	16.4	3.21	(11.1 - 23.7)		18,152	(10,428 - 25,877)
OK	Multirace NH	154	18.4	3.90	(11.9 - 27.3)		12,099	(6,474 - 17,725)
OK	Hispanic	295	9.0	2.01	(5.8 - 13.8)		12,931	(7,022 - 18,839)
OR	White NH	716	11.3	1.26	(9.1 - 14.0)		72,018	(56,103 - 87,932)
OR	Black NH	9	11.9				839	
OR	Other NH	46	13.6	5.12	(6.3 - 27.0)		5,431	(1,324 - 9,538)
OR	Multirace NH	94	12.6	3.77	(6.8 - 22.0)		9,904	(3,766 - 16,041)
OR	Hispanic	76	14.1	4.65	(7.2 - 25.8)		11,439	(3,445 - 19,434)

Notes:
* CI denotes confidence interval.
** Total includes data from 38 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2010

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)	 	Prevalence (Number)	95% CI* (Number)
PA	White NH	1,992	11.7	0.85	(10.2 - 13.5)		221,503	(190,100 - 252,905)
PA	Black NH	233	22.2	3.44	(16.2 - 29.7)		81,878	(54,786 - 108,971)
PA	Other NH	60	19.5	6.78	(9.4 - 36.1)		22,790	(5,573 - 40,008)
PA	Multirace NH	47	19.0	5.97	(9.9 - 33.4)		11,515	(4,376 - 18,654)
PA	Hispanic	110	20.3	5.04	(12.1 - 31.9)		49,808	(22,971 - 76,645)
RI	White NH	1,173	13.7	1.18	(11.6 - 16.2)		22,864	(18,969 - 26,760)
RI	Black NH	64	13.7	4.53	(7.0 - 25.2)		1,153	(406 - 1,901)
RI	Other NH	77	16.3	4.89	(8.8 - 28.2)		1,738	(627 - 2,848)
RI	Multirace NH	35	9.5				419	
RI	Hispanic	185	24.8	4.11	(17.7 - 33.7)		5,943	(3,691 - 8,195)
TN	White NH	308	9.1	1.78	(6.1 - 13.2)		100,244	(61,802 - 138,687)
TN	Black NH	49	19.3	8.15	(7.9 - 40.0)		37,408	(2,632 - 72,185)
TN	Other NH	9	9.2				3,046	
TN	Multirace NH	8	19.6				8,085	
TN	Hispanic	21	5.8				5,616	
TX	White NH	1,945	10.3	0.97	(8.5 - 12.4)		224,611	(182,639 - 266,583)
TX	Black NH	341	16.7	3.60	(10.8 - 25.0)		148,589	(80,458 - 216,721)
TX	Other NH	162	5.0	2.13	(2.1 - 11.2)		16,079	(2,532 - 29,627)
TX	Multirace NH	82	12.8	5.78	(5.0 - 28.8)		11,002	(662 - 21,341)
TX	Hispanic	2,424	11.6	1.31	(9.2 - 14.4)		361,392	(276,830 - 445,954)
UT	White NH	3,218	9.4	0.64	(8.3 - 10.8)		68,124	(59,026 - 77,221)
UT	Black NH	31	22.3	10.59	(8.0 - 48.7)		1,623	(0 - 3,404)
UT	Other NH	110	5.2	2.21	(2.2 - 11.7)		1,052	(170 - 1,935)
UT	Multirace NH	63	18.8	7.51	(8.1 - 37.8)		2,696	(245 - 5,146)
UT	Hispanic	351	9.0	2.07	(5.7 - 14.0)		6,976	(3,720 - 10,232)
VT	White NH	1,433	13.2	0.99	(11.3 - 15.2)		15,119	(12,867 - 17,371)
VT	Black NH	20	34.6	13.14	(14.5 - 62.3)		457	(11 - 904)
VT	Other NH	35	18.2	7.94	(7.3 - 38.8)		443	(20 - 867)
VT	Multirace NH	35	18.8	6.68	(9.0 - 35.3)		593	(167 - 1,019)
VT	Hispanic	33	18.3	7.51	(7.7 - 37.5)		479	(50 - 908)

Notes:
* CI denotes confidence interval.
** Total includes data from 38 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2010

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)	 	Prevalence (Number)	95% CI* (Number)
WA	White NH	3,278	10.2	0.63	(9.1 - 11.6)		109,252	(95,828 - 122,677)
WA	Black NH	89	14.3	4.51	(7.5 - 25.5)		5,192	(1,735 - 8,648)
WA	Other NH	265	5.4	1.63	(3.0 - 9.6)		4,926	(1,942 - 7,910)
WA	Multirace NH	260	14.9	2.62	(10.5 - 20.8)		13,206	(8,392 - 18,020)
WA	Hispanic	634	11.1	1.75	(8.1 - 15.1)		25,934	(17,385 - 34,482)
WV	White NH	839	9.6	1.18	(7.5 - 12.2)		33,403	(25,210 - 41,595)
WV	Black NH	22	22.6				2,375	
WV	Other NH	11	22.9				1,072	
WV	Multirace NH	15	18.6				1,047	
WV	Hispanic	17	23.7				1,636	
WI	White NH	861	10.3	1.20	(8.2 - 12.9)		113,852	(87,828 - 139,877)
WI	Black NH	134	30.6	7.69	(17.8 - 47.3)		16,133	(6,602 - 25,663)
WI	Other NH	50	19.0	10.27	(6.0 - 46.5)		11,053	(0 - 24,814)
WI	Multirace NH	28	15.2				4,490	
WI	Hispanic	41	12.6	6.18	(4.6 - 30.2)		5,449	(131 - 10,767)
WY	White NH	1,084	9.0	0.94	(7.3 - 11.0)		9,784	(7,786 - 11,783)
WY	Black NH	9	7.4				80	
WY	Other NH	31	10.5				435	
WY	Multirace NH	23	22.1	9.48	(8.8 - 45.5)		532	(31 - 1,034)
WY	Hispanic	112	8.0	2.54	(4.2 - 14.6)		959	(353 - 1,564)
Territories								
PR	White NH	9	0.0				0	
PR	Black NH	2	0.0				0	
PR	Other NH	3	61.1				1,851	
PR	Multirace NH	1	100.0				966	
PR	Hispanic	768	22.6	1.74	(19.4 - 26.2)		226,522	(191,064 - 261,980)

Notes:
* CI denotes confidence interval.
** Total includes data from 38 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.