

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2010**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total**	18-24	12,106	10.3	0.44	(9.4 - 11.2)		2,379,215	(2,170,850 - 2,587,580)
U.S. Total**	25-34	34,141	8.6	0.25	(8.1 - 9.1)		3,360,046	(3,161,540 - 3,558,553)
U.S. Total**	35-44	57,449	8.1	0.20	(7.7 - 8.4)		3,905,324	(3,713,207 - 4,097,441)
U.S. Total**	45-54	84,547	8.5	0.16	(8.2 - 8.9)		3,922,821	(3,773,662 - 4,071,980)
U.S. Total**	55-64	100,611	9.3	0.16	(9.0 - 9.6)		3,183,075	(3,073,389 - 3,292,761)
U.S. Total**	65+	149,024	8.1	0.12	(7.8 - 8.3)		3,265,075	(3,169,209 - 3,360,942)
AL	18-24	210	6.4	2.44	(1.6 - 11.2)		16,029	(3,619 - 28,438)
AL	25-34	604	7.6	1.37	(4.9 - 10.3)		38,445	(24,567 - 52,323)
AL	35-44	913	7.7	1.03	(5.6 - 9.7)		49,080	(35,762 - 62,399)
AL	45-54	1,402	7.6	0.87	(5.9 - 9.3)		61,539	(47,365 - 75,712)
AL	55-64	1,694	9.6	0.94	(7.7 - 11.4)		56,816	(45,406 - 68,227)
AL	65+	2,737	8.1	0.67	(6.8 - 9.4)		59,673	(49,811 - 69,534)
AK	18-24	85	19.4	7.10	(5.2 - 33.5)		10,221	(1,810 - 18,632)
AK	25-34	254	6.9	2.04	(2.8 - 10.9)		8,296	(3,324 - 13,268)
AK	35-44	333	7.5	1.93	(3.7 - 11.3)		6,965	(3,323 - 10,606)
AK	45-54	461	8.0	1.65	(4.8 - 11.2)		8,110	(4,751 - 11,470)
AK	55-64	450	11.7	2.36	(7.0 - 16.3)		9,143	(5,261 - 13,026)
AK	65+	333	13.3	3.40	(6.6 - 20.0)		7,228	(3,244 - 11,212)
AZ	18-24	158	10.1	3.19	(3.8 - 16.4)		31,262	(11,307 - 51,217)
AZ	25-34	377	11.2	2.42	(6.4 - 15.9)		66,235	(36,261 - 96,209)
AZ	35-44	570	6.7	1.28	(4.2 - 9.2)		63,854	(39,505 - 88,203)
AZ	45-54	881	13.0	1.78	(9.6 - 16.5)		190,238	(136,554 - 243,921)
AZ	55-64	1,276	10.6	1.27	(8.1 - 13.1)		73,358	(55,415 - 91,302)
AZ	65+	2,401	9.4	0.86	(7.7 - 11.1)		85,222	(69,333 - 101,112)
AR	18-24	94	9.8	3.46	(2.9 - 16.7)		25,756	(6,925 - 44,587)
AR	25-34	234	6.2	1.70	(2.9 - 9.6)		23,613	(10,560 - 36,666)
AR	35-44	407	7.2	1.34	(4.5 - 9.8)		26,355	(16,442 - 36,267)
AR	45-54	658	7.9	1.22	(5.5 - 10.3)		30,626	(20,996 - 40,256)
AR	55-64	932	9.2	1.08	(7.0 - 11.3)		30,345	(23,046 - 37,644)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2010**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
AR	65+	1,638	7.6	0.78	(6.1 - 9.1)		31,958	(25,382 - 38,534)
CA	18-24	720	9.0	1.12	(6.8 - 11.1)		346,473	(258,403 - 434,543)
CA	25-34	1,721	7.0	0.68	(5.7 - 8.4)		377,400	(303,835 - 450,964)
CA	35-44	2,679	5.1	0.45	(4.3 - 6.0)		276,695	(228,416 - 324,973)
CA	45-54	3,391	8.1	0.50	(7.1 - 9.1)		425,712	(372,688 - 478,736)
CA	55-64	3,756	10.0	0.61	(8.8 - 11.2)		394,027	(345,172 - 442,883)
CA	65+	5,473	7.8	0.46	(6.9 - 8.7)		335,573	(295,664 - 375,482)
CO	18-24	278	12.3	2.36	(7.6 - 17.0)		56,418	(33,635 - 79,200)
CO	25-34	848	7.9	1.05	(5.9 - 10.0)		59,406	(43,548 - 75,264)
CO	35-44	1,681	10.2	0.90	(8.4 - 11.9)		73,513	(60,115 - 86,910)
CO	45-54	2,426	8.9	0.68	(7.5 - 10.2)		65,936	(55,661 - 76,210)
CO	55-64	2,801	8.6	0.63	(7.3 - 9.8)		48,541	(41,356 - 55,726)
CO	65+	3,398	8.3	0.55	(7.2 - 9.4)		45,753	(39,568 - 51,937)
CT	18-24	164	11.2	2.66	(5.9 - 16.4)		33,400	(17,170 - 49,630)
CT	25-34	508	9.9	1.75	(6.4 - 13.3)		41,817	(26,526 - 57,107)
CT	35-44	948	10.1	1.13	(7.9 - 12.3)		49,122	(37,908 - 60,336)
CT	45-54	1,338	8.9	0.98	(7.0 - 10.9)		49,652	(38,521 - 60,782)
CT	55-64	1,403	8.8	0.93	(7.0 - 10.6)		35,021	(27,512 - 42,531)
CT	65+	2,244	7.3	0.71	(5.9 - 8.7)		35,526	(28,446 - 42,605)
DE	18-24	129	13.4	3.40	(6.6 - 20.1)		11,225	(5,261 - 17,189)
DE	25-34	324	10.7	2.01	(6.7 - 14.6)		11,790	(7,222 - 16,357)
DE	35-44	549	11.3	1.56	(8.2 - 14.3)		13,384	(9,591 - 17,177)
DE	45-54	775	8.3	1.10	(6.2 - 10.5)		10,717	(7,869 - 13,566)
DE	55-64	961	10.9	1.23	(8.4 - 13.3)		11,058	(8,489 - 13,627)
DE	65+	1,436	7.0	0.74	(5.6 - 8.5)		8,993	(7,101 - 10,886)
DC	18-24	89	20.7	4.96	(10.8 - 30.5)		6,438	(3,056 - 9,820)
DC	25-34	411	7.6	1.36	(4.9 - 10.2)		5,788	(3,688 - 7,889)
DC	35-44	560	10.5	1.55	(7.5 - 13.6)		10,642	(7,381 - 13,904)
DC	45-54	716	10.9	1.50	(8.0 - 13.9)		14,376	(10,264 - 18,487)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2010**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
DC	55-64	871	8.9	1.00	(6.9 - 10.9)		5,382	(4,161 - 6,603)
DC	65+	1,228	8.7	0.97	(6.8 - 10.6)		6,373	(4,944 - 7,803)
FL	18-24	845	12.0	2.81	(6.5 - 17.5)		116,010	(57,775 - 174,245)
FL	25-34	2,250	10.8	1.45	(8.0 - 13.6)		167,969	(121,049 - 214,890)
FL	35-44	3,583	6.6	0.76	(5.1 - 8.1)		184,398	(141,801 - 226,995)
FL	45-54	5,788	7.2	0.65	(6.0 - 8.5)		273,314	(224,040 - 322,588)
FL	55-64	7,830	8.7	0.61	(7.5 - 9.9)		185,570	(159,278 - 211,863)
FL	65+	14,181	8.5	0.50	(7.5 - 9.4)		281,824	(248,092 - 315,555)
GA	18-24	118	6.5	2.24	(2.1 - 10.9)		24,349	(7,628 - 41,070)
GA	25-34	514	8.9	1.94	(5.1 - 12.7)		112,723	(61,403 - 164,043)
GA	35-44	802	7.1	1.05	(5.0 - 9.1)		154,031	(108,207 - 199,856)
GA	45-54	1,185	6.0	0.81	(4.5 - 7.6)		84,914	(62,123 - 107,705)
GA	55-64	1,262	9.4	0.96	(7.6 - 11.3)		95,597	(75,903 - 115,291)
GA	65+	1,807	8.6	0.78	(7.1 - 10.1)		89,858	(73,380 - 106,336)
HI	18-24	259	9.5	2.02	(5.5 - 13.5)		11,347	(6,430 - 16,265)
HI	25-34	475	11.7	1.71	(8.3 - 15.0)		21,134	(14,804 - 27,463)
HI	35-44	767	8.2	1.16	(5.9 - 10.5)		14,160	(10,124 - 18,195)
HI	45-54	1,161	10.5	1.25	(8.0 - 12.9)		18,605	(13,980 - 23,229)
HI	55-64	1,616	9.4	0.86	(7.7 - 11.1)		14,274	(11,654 - 16,894)
HI	65+	2,177	7.3	0.70	(5.9 - 8.7)		14,155	(11,421 - 16,889)
ID	18-24	183	6.8	2.07	(2.7 - 10.9)		8,188	(3,093 - 13,284)
ID	25-34	584	5.3	1.03	(3.3 - 7.3)		11,032	(6,774 - 15,290)
ID	35-44	879	10.4	1.44	(7.6 - 13.3)		24,566	(17,547 - 31,584)
ID	45-54	1,240	11.2	1.07	(9.1 - 13.3)		23,216	(18,643 - 27,790)
ID	55-64	1,612	9.1	0.92	(7.3 - 10.9)		15,328	(12,155 - 18,500)
ID	65+	2,399	8.9	0.67	(7.6 - 10.3)		16,999	(14,397 - 19,602)
IL	18-24	173	14.8	3.37	(8.2 - 21.5)		151,481	(77,633 - 225,329)
IL	25-34	386	8.6	1.65	(5.4 - 11.9)		115,606	(70,470 - 160,742)
IL	35-44	732	10.0	1.31	(7.5 - 12.6)		247,876	(181,851 - 313,901)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2010**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
IL	45-54	1,028	7.9	1.05	(5.8 - 10.0)		145,776	(106,473 - 185,079)
IL	55-64	1,150	8.0	0.95	(6.1 - 9.9)		113,601	(86,352 - 140,850)
IL	65+	1,696	7.4	0.78	(5.8 - 8.9)		119,460	(94,064 - 144,857)
IN	18-24	299	7.0	1.68	(3.7 - 10.3)		33,468	(17,322 - 49,613)
IN	25-34	822	10.9	1.27	(8.4 - 13.4)		105,940	(80,580 - 131,300)
IN	35-44	1,275	10.7	1.17	(8.4 - 12.9)		91,514	(70,842 - 112,187)
IN	45-54	1,840	10.0	0.83	(8.4 - 11.7)		91,793	(76,368 - 107,219)
IN	55-64	2,398	9.5	0.73	(8.1 - 10.9)		67,993	(57,434 - 78,551)
IN	65+	3,424	7.7	0.55	(6.6 - 8.8)		64,513	(55,120 - 73,906)
IA	18-24	160	7.9	2.44	(3.1 - 12.7)		21,963	(8,019 - 35,907)
IA	25-34	448	8.1	1.33	(5.5 - 10.7)		31,815	(21,206 - 42,424)
IA	35-44	766	8.2	1.11	(6.1 - 10.4)		30,849	(22,396 - 39,301)
IA	45-54	1,155	7.9	0.86	(6.2 - 9.6)		34,413	(26,845 - 41,980)
IA	55-64	1,314	8.0	0.87	(6.3 - 9.7)		27,951	(21,769 - 34,134)
IA	65+	2,186	7.2	0.61	(6.0 - 8.4)		32,396	(26,844 - 37,947)
KS	18-24	211	13.1	2.72	(7.7 - 18.4)		29,322	(16,344 - 42,300)
KS	25-34	660	7.8	1.15	(5.5 - 10.1)		31,466	(21,991 - 40,942)
KS	35-44	1,070	8.4	0.91	(6.6 - 10.2)		31,756	(24,758 - 38,753)
KS	45-54	1,657	8.1	0.74	(6.7 - 9.6)		32,794	(26,686 - 38,902)
KS	55-64	1,925	7.8	0.65	(6.5 - 9.1)		24,541	(20,390 - 28,691)
KS	65+	2,938	8.3	0.57	(7.2 - 9.4)		31,186	(26,878 - 35,495)
KY	18-24	226	7.8	2.28	(3.3 - 12.3)		24,977	(10,328 - 39,627)
KY	25-34	590	11.7	1.85	(8.1 - 15.3)		66,091	(44,348 - 87,834)
KY	35-44	1,005	10.9	1.50	(7.9 - 13.8)		71,293	(51,094 - 91,493)
KY	45-54	1,570	9.8	0.92	(8.0 - 11.6)		61,504	(50,007 - 73,001)
KY	55-64	1,913	10.9	0.99	(9.0 - 12.9)		55,102	(44,960 - 65,243)
KY	65+	2,631	10.3	0.79	(8.8 - 11.9)		60,341	(51,066 - 69,615)
LA	18-24	226	8.5	2.35	(3.9 - 13.1)		39,478	(16,824 - 62,132)
LA	25-34	618	6.2	1.37	(3.5 - 8.9)		37,644	(20,552 - 54,736)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2010**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
LA	35-44	912	5.7	0.86	(4.0 - 7.4)		32,019	(22,360 - 41,678)
LA	45-54	1,416	6.3	0.73	(4.9 - 7.7)		39,494	(30,355 - 48,633)
LA	55-64	1,608	7.5	0.78	(6.0 - 9.0)		37,951	(29,941 - 45,962)
LA	65+	2,159	6.5	0.60	(5.3 - 7.6)		36,339	(29,606 - 43,072)
ME	18-24	213	12.4	2.52	(7.4 - 17.4)		14,088	(8,057 - 20,120)
ME	25-34	516	9.6	1.38	(6.9 - 12.3)		14,211	(10,041 - 18,381)
ME	35-44	990	9.1	0.97	(7.2 - 11.0)		15,833	(12,392 - 19,273)
ME	45-54	1,685	9.5	0.77	(8.0 - 11.0)		20,377	(17,080 - 23,674)
ME	55-64	1,990	11.1	0.78	(9.6 - 12.6)		19,938	(17,084 - 22,791)
ME	65+	2,623	9.1	0.63	(7.9 - 10.4)		18,775	(16,149 - 21,400)
MD	18-24	238	10.3	2.60	(5.1 - 15.4)		50,649	(23,916 - 77,382)
MD	25-34	743	8.7	1.26	(6.2 - 11.2)		65,405	(46,040 - 84,771)
MD	35-44	1,377	7.5	0.95	(5.6 - 9.3)		60,506	(44,796 - 76,217)
MD	45-54	2,050	8.4	0.77	(6.9 - 10.0)		71,732	(58,544 - 84,920)
MD	55-64	2,063	9.3	0.85	(7.6 - 11.0)		60,134	(48,936 - 71,332)
MD	65+	2,536	6.7	0.64	(5.4 - 7.9)		47,179	(38,076 - 56,283)
MA	18-24	359	12.3	2.72	(6.9 - 17.6)		30,657	(16,392 - 44,922)
MA	25-34	1,355	13.4	1.32	(10.8 - 15.9)		94,897	(75,470 - 114,325)
MA	35-44	2,491	9.9	0.80	(8.3 - 11.5)		141,990	(118,649 - 165,330)
MA	45-54	3,421	10.0	0.66	(8.7 - 11.3)		99,153	(85,884 - 112,421)
MA	55-64	3,568	9.7	0.71	(8.3 - 11.1)		71,545	(60,994 - 82,097)
MA	65+	4,746	9.4	0.60	(8.2 - 10.6)		84,209	(73,332 - 95,086)
MI	18-24	310	12.6	2.14	(8.4 - 16.8)		122,316	(78,874 - 165,758)
MI	25-34	497	11.5	1.54	(8.5 - 14.6)		100,523	(73,147 - 127,900)
MI	35-44	978	11.4	1.18	(9.1 - 13.7)		193,192	(151,871 - 234,514)
MI	45-54	1,654	9.3	0.80	(7.7 - 10.9)		138,094	(114,054 - 162,135)
MI	55-64	2,121	9.5	0.73	(8.1 - 11.0)		111,479	(94,083 - 128,874)
MI	65+	3,173	9.3	0.59	(8.1 - 10.4)		123,825	(107,689 - 139,961)
MN	18-24	151	11.4	3.85	(3.8 - 19.0)		56,840	(16,247 - 97,433)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2010**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MN	25-34	772	7.5	1.54	(4.4 - 10.5)		51,761	(29,822 - 73,699)
MN	35-44	1,449	7.1	0.91	(5.3 - 8.9)		49,869	(36,824 - 62,914)
MN	45-54	1,991	7.7	0.94	(5.8 - 9.5)		60,389	(45,272 - 75,506)
MN	55-64	2,019	6.6	0.73	(5.2 - 8.0)		39,231	(30,469 - 47,993)
MN	65+	2,444	6.2	0.64	(5.0 - 7.5)		41,856	(33,295 - 50,417)
MS	18-24	228	7.3	1.75	(3.8 - 10.7)		16,478	(8,534 - 24,423)
MS	25-34	589	5.2	0.99	(3.3 - 7.2)		21,895	(13,563 - 30,228)
MS	35-44	917	6.5	0.90	(4.7 - 8.2)		27,085	(19,528 - 34,643)
MS	45-54	1,394	7.1	0.78	(5.5 - 8.6)		28,159	(21,913 - 34,405)
MS	55-64	1,919	10.4	0.87	(8.7 - 12.2)		34,043	(28,237 - 39,850)
MS	65+	2,953	7.8	0.58	(6.7 - 8.9)		29,768	(25,339 - 34,197)
MO	18-24	148	8.0	2.70	(2.7 - 13.3)		40,100	(12,525 - 67,676)
MO	25-34	416	6.7	1.44	(3.9 - 9.5)		57,007	(32,558 - 81,455)
MO	35-44	635	9.3	1.71	(5.9 - 12.6)		70,905	(43,998 - 97,812)
MO	45-54	1,011	9.4	1.28	(6.9 - 11.9)		81,610	(59,061 - 104,159)
MO	55-64	1,184	12.6	1.39	(9.8 - 15.3)		84,810	(65,311 - 104,310)
MO	65+	1,965	7.5	0.80	(5.9 - 9.0)		62,100	(48,673 - 75,527)
MT	18-24	194	9.4	3.16	(3.1 - 15.6)		8,295	(2,519 - 14,071)
MT	25-34	564	11.7	1.84	(8.1 - 15.3)		14,864	(10,088 - 19,641)
MT	35-44	860	7.1	1.08	(5.0 - 9.2)		8,219	(5,705 - 10,732)
MT	45-54	1,365	8.3	1.04	(6.3 - 10.3)		12,316	(9,159 - 15,472)
MT	55-64	1,795	8.7	0.82	(7.1 - 10.3)		11,319	(9,161 - 13,476)
MT	65+	2,444	9.7	0.72	(8.3 - 11.1)		13,956	(11,847 - 16,066)
NE	18-24	386	9.6	2.12	(5.4 - 13.8)		15,604	(8,667 - 22,542)
NE	25-34	1,092	9.1	1.42	(6.3 - 11.9)		23,076	(15,675 - 30,476)
NE	35-44	1,885	8.1	1.07	(6.0 - 10.2)		18,061	(13,235 - 22,887)
NE	45-54	3,081	6.9	0.74	(5.4 - 8.3)		17,124	(13,424 - 20,823)
NE	55-64	3,571	7.2	0.63	(6.0 - 8.5)		14,505	(11,955 - 17,054)
NE	65+	6,243	6.8	0.56	(5.7 - 7.9)		16,637	(13,830 - 19,444)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2010**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NV	18-24	130	19.1	4.98	(9.3 - 29.0)		42,383	(17,585 - 67,181)
NV	25-34	327	8.2	1.78	(4.7 - 11.7)		31,246	(17,984 - 44,508)
NV	35-44	511	8.1	1.62	(4.9 - 11.3)		30,751	(18,313 - 43,189)
NV	45-54	720	7.1	1.30	(4.6 - 9.7)		25,983	(16,439 - 35,528)
NV	55-64	881	7.2	1.21	(4.8 - 9.6)		20,414	(13,533 - 27,296)
NV	65+	1,268	9.2	1.21	(6.9 - 11.6)		28,988	(21,208 - 36,769)
NH	18-24	135	11.8	3.03	(5.8 - 17.8)		10,766	(4,992 - 16,540)
NH	25-34	359	14.5	2.10	(10.3 - 18.6)		21,333	(14,769 - 27,896)
NH	35-44	793	10.6	1.24	(8.2 - 13.1)		22,620	(17,209 - 28,030)
NH	45-54	1,242	7.9	0.88	(6.1 - 9.6)		17,457	(13,513 - 21,401)
NH	55-64	1,425	11.4	0.93	(9.5 - 13.2)		18,507	(15,413 - 21,600)
NH	65+	1,961	8.1	0.66	(6.8 - 9.4)		14,361	(11,985 - 16,737)
NJ	18-24	288	12.3	2.55	(7.3 - 17.3)		63,103	(35,703 - 90,504)
NJ	25-34	1,014	9.1	1.11	(7.0 - 11.3)		119,027	(89,782 - 148,272)
NJ	35-44	2,013	8.3	0.78	(6.7 - 9.8)		103,881	(83,976 - 123,786)
NJ	45-54	2,858	7.9	0.64	(6.7 - 9.2)		105,619	(88,604 - 122,634)
NJ	55-64	2,545	9.1	0.92	(7.3 - 11.0)		89,166	(70,509 - 107,824)
NJ	65+	3,459	7.9	0.61	(6.7 - 9.1)		93,780	(79,127 - 108,433)
NM	18-24	208	13.1	2.70	(7.8 - 18.4)		26,054	(14,797 - 37,311)
NM	25-34	515	10.6	2.13	(6.4 - 14.8)		28,893	(16,669 - 41,118)
NM	35-44	828	8.9	1.23	(6.5 - 11.3)		22,255	(15,976 - 28,534)
NM	45-54	1,282	8.7	0.98	(6.7 - 10.6)		23,625	(18,204 - 29,046)
NM	55-64	1,719	10.3	0.89	(8.6 - 12.0)		23,212	(19,133 - 27,291)
NM	65+	2,344	7.6	0.66	(6.3 - 8.9)		20,459	(16,844 - 24,074)
NY	18-24	264	10.9	1.99	(7.0 - 14.8)		136,969	(85,519 - 188,419)
NY	25-34	716	11.6	1.46	(8.8 - 14.5)		268,182	(197,825 - 338,539)
NY	35-44	1,182	9.0	0.95	(7.1 - 10.8)		322,919	(252,801 - 393,037)
NY	45-54	1,706	10.5	0.85	(8.9 - 12.2)		296,769	(247,764 - 345,775)
NY	55-64	1,869	9.2	0.76	(7.7 - 10.7)		196,986	(163,866 - 230,106)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2010**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NY	65+	2,972	9.0	0.59	(7.8 - 10.1)		239,084	(207,518 - 270,650)
NC	18-24	354	7.8	1.82	(4.2 - 11.4)		68,101	(35,754 - 100,447)
NC	25-34	971	6.4	1.06	(4.3 - 8.4)		76,313	(50,785 - 101,840)
NC	35-44	1,703	7.7	0.81	(6.1 - 9.3)		109,081	(85,752 - 132,411)
NC	45-54	2,276	7.3	0.71	(6.0 - 8.7)		97,495	(78,549 - 116,441)
NC	55-64	2,678	8.0	0.65	(6.7 - 9.3)		85,149	(71,327 - 98,970)
NC	65+	3,965	8.0	0.57	(6.9 - 9.1)		96,571	(82,608 - 110,534)
ND	18-24	130	9.9	2.99	(4.0 - 15.9)		7,773	(2,887 - 12,660)
ND	25-34	418	5.7	1.13	(3.4 - 7.9)		4,712	(2,829 - 6,595)
ND	35-44	602	8.3	1.28	(5.7 - 10.8)		5,984	(4,076 - 7,893)
ND	45-54	916	6.5	0.91	(4.7 - 8.3)		5,860	(4,195 - 7,525)
ND	55-64	1,086	7.3	0.81	(5.7 - 8.9)		5,306	(4,121 - 6,491)
ND	65+	1,519	7.3	0.71	(5.9 - 8.7)		6,987	(5,619 - 8,354)
OH	18-24	193	15.5	3.44	(8.7 - 22.3)		106,349	(55,614 - 157,085)
OH	25-34	690	8.8	1.39	(6.1 - 11.5)		159,806	(108,094 - 211,518)
OH	35-44	1,296	8.3	0.93	(6.5 - 10.2)		128,048	(99,212 - 156,885)
OH	45-54	2,022	9.9	0.80	(8.3 - 11.4)		167,429	(139,713 - 195,146)
OH	55-64	2,349	10.2	0.81	(8.6 - 11.8)		135,896	(113,852 - 157,941)
OH	65+	3,139	8.6	0.62	(7.4 - 9.8)		137,326	(117,087 - 157,564)
OK	18-24	233	11.0	2.45	(6.2 - 15.9)		27,151	(14,568 - 39,734)
OK	25-34	699	9.1	1.24	(6.6 - 11.5)		50,266	(36,235 - 64,298)
OK	35-44	918	8.1	1.02	(6.1 - 10.1)		42,946	(31,983 - 53,910)
OK	45-54	1,336	9.4	0.87	(7.7 - 11.1)		46,981	(38,112 - 55,850)
OK	55-64	1,680	10.9	0.81	(9.3 - 12.5)		45,359	(38,490 - 52,229)
OK	65+	2,811	9.7	0.66	(8.4 - 11.0)		49,173	(42,318 - 56,027)
OR	18-24	102	15.1	3.76	(7.6 - 22.5)		51,576	(23,860 - 79,291)
OR	25-34	267	6.5	1.50	(3.6 - 9.5)		34,143	(18,343 - 49,944)
OR	35-44	567	8.7	1.26	(6.2 - 11.2)		44,542	(31,350 - 57,735)
OR	45-54	860	10.9	1.14	(8.6 - 13.1)		59,457	(46,627 - 72,288)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.



**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2010**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
OR	55-64	1,265	10.1	0.92	(8.3 - 11.9)		48,172	(39,195 - 57,149)
OR	65+	1,901	7.8	0.65	(6.5 - 9.1)		42,056	(34,993 - 49,119)
PA	18-24	263	13.9	2.54	(8.9 - 18.8)		90,392	(55,835 - 124,949)
PA	25-34	787	9.8	1.19	(7.4 - 12.1)		120,763	(90,672 - 150,854)
PA	35-44	1,474	9.1	0.87	(7.4 - 10.8)		218,030	(175,623 - 260,437)
PA	45-54	2,039	10.6	0.87	(8.9 - 12.3)		197,837	(164,416 - 231,257)
PA	55-64	2,527	11.3	0.92	(9.5 - 13.1)		169,863	(140,993 - 198,733)
PA	65+	3,953	7.8	0.53	(6.7 - 8.8)		151,754	(130,739 - 172,769)
RI	18-24	148	14.3	3.33	(7.8 - 20.9)		15,655	(7,882 - 23,429)
RI	25-34	455	10.9	1.73	(7.5 - 14.3)		14,094	(9,497 - 18,691)
RI	35-44	949	10.0	1.06	(7.9 - 12.1)		14,104	(11,065 - 17,144)
RI	45-54	1,311	10.8	0.94	(8.9 - 12.6)		17,097	(14,038 - 20,156)
RI	55-64	1,459	10.5	0.87	(8.8 - 12.2)		12,615	(10,509 - 14,721)
RI	65+	2,162	9.7	0.76	(8.2 - 11.2)		14,530	(12,194 - 16,867)
SC	18-24	246	5.9	1.86	(2.3 - 9.6)		19,724	(7,354 - 32,095)
SC	25-34	643	8.3	2.32	(3.7 - 12.9)		55,361	(22,966 - 87,756)
SC	35-44	1,119	9.7	1.48	(6.8 - 12.6)		61,456	(41,791 - 81,120)
SC	45-54	1,604	7.3	0.93	(5.4 - 9.1)		46,337	(34,298 - 58,376)
SC	55-64	2,178	9.0	0.86	(7.3 - 10.7)		49,551	(39,922 - 59,179)
SC	65+	3,487	8.6	0.71	(7.2 - 10.0)		54,167	(45,049 - 63,286)
SD	18-24	207	7.5	2.53	(2.5 - 12.5)		6,094	(1,838 - 10,349)
SD	25-34	579	8.4	1.53	(5.4 - 11.4)		8,613	(5,392 - 11,835)
SD	35-44	776	7.0	1.15	(4.8 - 9.3)		6,681	(4,470 - 8,891)
SD	45-54	1,281	6.5	0.87	(4.8 - 8.2)		7,415	(5,418 - 9,411)
SD	55-64	1,456	7.5	0.86	(5.8 - 9.2)		7,044	(5,391 - 8,697)
SD	65+	2,331	8.3	0.70	(6.9 - 9.7)		9,863	(8,186 - 11,540)
TN	18-24	114	8.8	3.34	(2.2 - 15.5)		25,922	(5,894 - 45,951)
TN	25-34	407	6.9	2.01	(3.0 - 10.9)		52,709	(21,494 - 83,924)
TN	35-44	689	5.9	1.10	(3.7 - 8.0)		71,796	(44,835 - 98,757)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2010**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
TN	45-54	1,079	6.0	0.91	(4.2 - 7.8)		54,984	(38,237 - 71,730)
TN	55-64	1,380	5.0	0.69	(3.7 - 6.4)		37,466	(27,177 - 47,755)
TN	65+	2,053	5.0	0.58	(3.8 - 6.1)		42,714	(32,867 - 52,561)
TX	18-24	556	8.4	2.13	(4.2 - 12.6)		121,133	(58,448 - 183,819)
TX	25-34	1,568	6.4	1.03	(4.4 - 8.5)		208,052	(140,465 - 275,640)
TX	35-44	2,519	7.4	0.96	(5.5 - 9.3)		357,829	(263,226 - 452,431)
TX	45-54	3,251	7.3	0.73	(5.9 - 8.7)		238,675	(190,942 - 286,408)
TX	55-64	3,802	8.6	0.73	(7.2 - 10.0)		209,702	(173,948 - 245,456)
TX	65+	6,090	7.1	0.51	(6.1 - 8.1)		186,601	(160,027 - 213,175)
UT	18-24	459	12.9	2.24	(8.5 - 17.3)		43,576	(27,393 - 59,760)
UT	25-34	1,275	6.5	0.80	(4.9 - 8.0)		28,784	(21,565 - 36,003)
UT	35-44	1,726	8.3	0.76	(6.8 - 9.8)		29,101	(23,709 - 34,494)
UT	45-54	1,945	9.4	0.77	(7.9 - 11.0)		29,257	(24,391 - 34,123)
UT	55-64	1,999	9.3	0.81	(7.7 - 10.9)		22,357	(18,344 - 26,370)
UT	65+	2,596	8.9	0.67	(7.6 - 10.2)		23,030	(19,531 - 26,529)
VT	18-24	151	14.5	2.96	(8.6 - 20.3)		8,425	(4,777 - 12,074)
VT	25-34	441	15.0	1.88	(11.3 - 18.7)		10,522	(7,713 - 13,332)
VT	35-44	824	11.1	1.11	(8.9 - 13.2)		8,948	(7,107 - 10,788)
VT	45-54	1,439	10.1	0.86	(8.4 - 11.8)		10,229	(8,447 - 12,012)
VT	55-64	1,686	9.9	0.79	(8.3 - 11.4)		8,429	(7,049 - 9,808)
VT	65+	2,163	8.7	0.65	(7.4 - 10.0)		7,819	(6,638 - 9,000)
VA	18-24	106	8.0	3.54	(1.0 - 15.1)		61,271	(6,858 - 115,684)
VA	25-34	409	8.3	1.75	(4.9 - 11.8)		88,925	(51,232 - 126,619)
VA	35-44	750	7.6	1.25	(5.2 - 10.1)		83,858	(56,319 - 111,398)
VA	45-54	1,145	8.8	1.16	(6.5 - 11.0)		102,248	(74,862 - 129,633)
VA	55-64	1,230	9.1	1.57	(6.1 - 12.2)		79,866	(51,229 - 108,503)
VA	65+	1,633	8.6	1.02	(6.6 - 10.6)		84,928	(64,282 - 105,575)
WA	18-24	567	9.8	1.41	(7.0 - 12.5)		59,853	(42,040 - 77,666)
WA	25-34	1,320	8.6	0.99	(6.6 - 10.5)		78,660	(60,005 - 97,315)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2010**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
WA	35-44	2,309	10.1	0.71	(8.7 - 11.5)		92,816	(79,464 - 106,168)
WA	45-54	3,547	10.2	0.60	(9.0 - 11.3)		99,841	(87,923 - 111,759)
WA	55-64	4,845	10.7	0.51	(9.7 - 11.7)		83,456	(75,263 - 91,650)
WA	65+	6,682	8.6	0.41	(7.8 - 9.4)		71,214	(64,326 - 78,102)
WV	18-24	115	7.1	2.34	(2.4 - 11.7)		11,305	(3,675 - 18,935)
WV	25-34	346	7.5	1.60	(4.3 - 10.6)		16,838	(9,505 - 24,170)
WV	35-44	563	7.6	1.25	(5.1 - 10.0)		17,894	(11,912 - 23,876)
WV	45-54	797	6.0	0.92	(4.2 - 7.8)		15,930	(11,042 - 20,818)
WV	55-64	1,020	8.3	0.90	(6.5 - 10.0)		19,857	(15,507 - 24,206)
WV	65+	1,509	7.2	0.71	(5.8 - 8.6)		21,125	(16,893 - 25,357)
WI	18-24	133	4.5	1.98	(0.6 - 8.4)		18,040	(2,196 - 33,885)
WI	25-34	332	11.2	2.29	(6.7 - 15.7)		96,547	(55,571 - 137,522)
WI	35-44	662	8.8	1.41	(6.0 - 11.5)		65,394	(43,829 - 86,959)
WI	45-54	1,060	6.6	0.88	(4.9 - 8.3)		56,755	(41,703 - 71,808)
WI	55-64	1,109	9.1	1.13	(6.9 - 11.3)		59,878	(44,655 - 75,100)
WI	65+	1,421	7.8	0.84	(6.2 - 9.5)		60,907	(47,714 - 74,099)
WY	18-24	150	9.0	2.43	(4.2 - 13.8)		4,765	(2,122 - 7,408)
WY	25-34	431	11.7	1.75	(8.2 - 15.1)		8,406	(5,770 - 11,042)
WY	35-44	663	10.2	1.22	(7.8 - 12.6)		6,657	(5,027 - 8,287)
WY	45-54	1,091	9.9	1.01	(7.9 - 11.8)		7,859	(6,201 - 9,518)
WY	55-64	1,421	9.4	0.85	(7.7 - 11.0)		6,220	(5,071 - 7,369)
WY	65+	1,992	8.6	0.72	(7.2 - 10.0)		5,963	(4,953 - 6,974)
Territories								
GU	18-24	75	6.8	4.55	(0.0 - 15.8)		1,153	(0 - 2,782)
GU	25-34	111	3.4				844	
GU	35-44	187	6.2	1.75	(2.8 - 9.7)		1,540	(673 - 2,406)
GU	45-54	142	3.4				576	
GU	55-64	139	3.8	1.89	(0.1 - 7.5)		416	(0 - 833)
GU	65+	116	7.7	2.74	(2.3 - 13.2)		757	(209 - 1,306)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2010**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
PR	18-24	184	7.6	2.09	(3.5 - 11.8)		31,760	(13,943 - 49,577)
PR	25-34	267	9.3	1.90	(5.6 - 13.0)		50,826	(29,552 - 72,099)
PR	35-44	402	5.6	1.23	(3.1 - 8.0)		29,231	(16,217 - 42,245)
PR	45-54	531	7.9	1.27	(5.4 - 10.4)		38,045	(25,705 - 50,385)
PR	55-64	706	7.5	1.04	(5.5 - 9.6)		29,450	(21,259 - 37,641)
PR	65+	1,419	6.7	0.71	(5.4 - 8.1)		32,087	(25,306 - 38,867)
VI	18-24	99	9.0	3.48	(2.1 - 16.0)		796	(156 - 1,436)
VI	25-34	168	7.7	2.61	(2.5 - 12.9)		1,041	(315 - 1,766)
VI	35-44	273	3.9	1.06	(1.8 - 6.0)		598	(278 - 918)
VI	45-54	362	8.4	1.76	(4.9 - 11.9)		1,210	(695 - 1,726)
VI	55-64	420	3.7	1.03	(1.7 - 5.8)		424	(193 - 655)
VI	65+	448	3.4	0.99	(1.4 - 5.3)		306	(127 - 486)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.