

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2010**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total**	< \$15,000	45,000	13.7	0.34	(13.0 - 14.4)		2,887,771	(2,738,190 - 3,037,352)
U.S. Total**	\$15-\$24,999	68,633	10.3	0.25	(9.8 - 10.7)		3,268,067	(3,101,327 - 3,434,807)
U.S. Total**	\$25-\$49,999	103,662	8.2	0.17	(7.9 - 8.6)		4,027,776	(3,860,732 - 4,194,821)
U.S. Total**	\$50-\$74,999	59,813	7.8	0.21	(7.4 - 8.3)		2,513,392	(2,373,383 - 2,653,401)
U.S. Total**	>=\$75,000	102,150	7.0	0.15	(6.7 - 7.3)		4,760,366	(4,559,735 - 4,960,998)
AL	< \$15,000	1,046	16.0	1.81	(12.4 - 19.5)		56,969	(43,157 - 70,780)
AL	\$15-\$24,999	1,424	10.4	1.10	(8.2 - 12.5)		60,720	(47,783 - 73,656)
AL	\$25-\$49,999	1,598	6.9	0.88	(5.1 - 8.6)		52,741	(39,200 - 66,281)
AL	\$50-\$74,999	822	5.2	0.86	(3.5 - 6.9)		23,036	(15,481 - 30,590)
AL	>=\$75,000	1,103	4.8	0.97	(2.9 - 6.7)		33,032	(19,536 - 46,529)
AK	< \$15,000	138	9.8	3.07	(3.7 - 15.8)		2,172	(816 - 3,528)
AK	\$15-\$24,999	184	12.2	5.30	(1.8 - 22.7)		5,220	(291 - 10,148)
AK	\$25-\$49,999	357	10.6	2.37	(5.9 - 15.2)		9,515	(5,229 - 13,801)
AK	\$50-\$74,999	337	6.8	1.71	(3.4 - 10.1)		6,226	(3,110 - 9,342)
AK	>=\$75,000	648	10.7	2.06	(6.7 - 14.7)		19,620	(11,812 - 27,428)
AZ	< \$15,000	668	18.8	3.15	(12.7 - 25.0)		74,922	(47,932 - 101,913)
AZ	\$15-\$24,999	991	10.8	1.82	(7.2 - 14.4)		70,221	(45,864 - 94,578)
AZ	\$25-\$49,999	1,385	9.0	1.29	(6.5 - 11.6)		94,875	(67,737 - 122,012)
AZ	\$50-\$74,999	749	7.9	2.10	(3.8 - 12.0)		58,468	(26,470 - 90,466)
AZ	>=\$75,000	1,098	9.0	1.33	(6.4 - 11.6)		136,994	(96,049 - 177,940)
AR	< \$15,000	532	15.5	2.13	(11.3 - 19.7)		32,909	(24,088 - 41,730)
AR	\$15-\$24,999	753	10.5	2.00	(6.6 - 14.5)		40,393	(24,445 - 56,341)
AR	\$25-\$49,999	999	7.3	1.38	(4.6 - 10.0)		37,779	(23,272 - 52,285)
AR	\$50-\$74,999	423	4.1	1.26	(1.6 - 6.6)		10,104	(3,932 - 16,276)
AR	>=\$75,000	676	4.4	0.99	(2.5 - 6.3)		20,012	(11,093 - 28,931)
CA	< \$15,000	2,762	9.3	0.71	(7.9 - 10.7)		471,613	(399,265 - 543,962)
CA	\$15-\$24,999	2,245	7.1	0.70	(5.7 - 8.5)		269,714	(216,153 - 323,274)
CA	\$25-\$49,999	3,656	7.1	0.52	(6.1 - 8.2)		390,485	(333,869 - 447,102)
CA	\$50-\$74,999	2,281	8.8	0.91	(7.1 - 10.6)		296,729	(234,054 - 359,403)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2010**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	    	Prevalence (number)	95% CI* (number)
CA	>=\$75,000	5,308	7.2	0.46	(6.3 - 8.1)		585,137	(509,346 - 660,927)
CO	< \$15,000	872	15.9	2.49	(11.0 - 20.7)		37,366	(24,533 - 50,199)
CO	\$15-\$24,999	1,419	7.5	0.96	(5.7 - 9.4)		34,672	(26,066 - 43,277)
CO	\$25-\$49,999	2,598	10.3	1.07	(8.3 - 12.4)		78,450	(61,551 - 95,350)
CO	\$50-\$74,999	1,726	8.3	1.03	(6.3 - 10.4)		47,479	(35,441 - 59,517)
CO	>=\$75,000	3,416	8.6	0.69	(7.2 - 10.0)		110,571	(92,392 - 128,750)
CT	< \$15,000	461	13.7	2.39	(9.0 - 18.4)		17,525	(11,795 - 23,256)
CT	\$15-\$24,999	712	12.5	2.03	(8.5 - 16.5)		24,129	(15,903 - 32,356)
CT	\$25-\$49,999	1,257	9.3	1.15	(7.0 - 11.5)		39,754	(29,888 - 49,620)
CT	\$50-\$74,999	847	9.1	1.68	(5.8 - 12.3)		32,905	(20,191 - 45,619)
CT	>=\$75,000	2,401	8.1	0.76	(6.6 - 9.6)		94,494	(76,752 - 112,235)
DE	< \$15,000	448	16.8	2.72	(11.4 - 22.1)		9,384	(6,182 - 12,586)
DE	\$15-\$24,999	422	18.2	3.04	(12.2 - 24.2)		9,063	(5,814 - 12,313)
DE	\$25-\$49,999	920	8.7	1.34	(6.0 - 11.3)		11,439	(7,831 - 15,047)
DE	\$50-\$74,999	624	11.6	2.33	(7.0 - 16.1)		11,251	(6,391 - 16,112)
DE	>=\$75,000	1,117	7.4	0.90	(5.6 - 9.2)		17,055	(12,956 - 21,153)
DC	< \$15,000	323	14.6	2.50	(9.7 - 19.6)		5,531	(3,558 - 7,505)
DC	\$15-\$24,999	371	13.5	2.68	(8.3 - 18.8)		6,714	(3,886 - 9,543)
DC	\$25-\$49,999	601	10.7	1.63	(7.5 - 13.9)		7,724	(5,315 - 10,132)
DC	\$50-\$74,999	413	10.5	2.15	(6.3 - 14.8)		4,823	(2,772 - 6,875)
DC	>=\$75,000	1,754	7.3	0.78	(5.7 - 8.8)		15,757	(12,336 - 19,179)
FL	< \$15,000	4,387	13.9	1.39	(11.2 - 16.6)		176,632	(139,592 - 213,672)
FL	\$15-\$24,999	6,194	12.3	1.40	(9.5 - 15.0)		266,343	(201,332 - 331,353)
FL	\$25-\$49,999	8,330	7.5	0.62	(6.3 - 8.7)		233,492	(195,020 - 271,965)
FL	\$50-\$74,999	4,395	7.6	0.85	(5.9 - 9.3)		154,593	(119,646 - 189,539)
FL	>=\$75,000	6,138	5.5	0.59	(4.3 - 6.6)		219,020	(171,682 - 266,358)
GA	< \$15,000	574	17.7	3.30	(11.2 - 24.2)		97,025	(56,037 - 138,013)
GA	\$15-\$24,999	943	7.6	1.05	(5.5 - 9.6)		78,570	(57,197 - 99,942)
GA	\$25-\$49,999	1,318	8.7	1.17	(6.4 - 11.0)		131,814	(95,201 - 168,427)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2010**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
GA	\$50-\$74,999	729	7.1	1.27	(4.6 - 9.6)		68,447	(43,604 - 93,290)
GA	>=\$75,000	1,365	5.2	0.71	(3.8 - 6.6)		122,641	(89,549 - 155,733)
HI	< \$15,000	536	12.2	2.16	(7.9 - 16.4)		8,496	(5,439 - 11,554)
HI	\$15-\$24,999	883	10.0	1.52	(7.0 - 12.9)		12,094	(8,379 - 15,810)
HI	\$25-\$49,999	1,643	10.7	1.22	(8.3 - 13.1)		25,897	(19,803 - 31,991)
HI	\$50-\$74,999	1,078	8.9	1.23	(6.5 - 11.3)		13,717	(9,851 - 17,584)
HI	>=\$75,000	1,844	7.5	0.78	(6.0 - 9.0)		23,511	(18,630 - 28,392)
ID	< \$15,000	734	10.6	1.36	(7.9 - 13.3)		10,185	(7,659 - 12,711)
ID	\$15-\$24,999	1,210	8.7	1.10	(6.5 - 10.8)		15,807	(11,790 - 19,824)
ID	\$25-\$49,999	1,861	9.2	0.93	(7.3 - 11.0)		25,810	(20,484 - 31,136)
ID	\$50-\$74,999	1,019	8.2	1.51	(5.3 - 11.2)		14,871	(9,207 - 20,536)
ID	>=\$75,000	1,191	6.8	1.02	(4.8 - 8.8)		16,371	(11,431 - 21,310)
IL	< \$15,000	487	14.0	2.33	(9.4 - 18.6)		125,827	(83,955 - 167,700)
IL	\$15-\$24,999	756	12.5	2.12	(8.3 - 16.6)		152,268	(97,120 - 207,416)
IL	\$25-\$49,999	1,179	7.9	1.30	(5.4 - 10.5)		159,902	(106,569 - 213,234)
IL	\$50-\$74,999	809	7.7	1.27	(5.2 - 10.2)		115,730	(77,085 - 154,375)
IL	>=\$75,000	1,609	7.4	0.86	(5.7 - 9.1)		261,212	(200,114 - 322,309)
IN	< \$15,000	1,088	15.4	1.61	(12.2 - 18.6)		58,918	(46,640 - 71,197)
IN	\$15-\$24,999	1,736	11.0	1.20	(8.7 - 13.4)		76,265	(59,280 - 93,250)
IN	\$25-\$49,999	2,540	9.3	0.89	(7.5 - 11.0)		104,022	(83,705 - 124,340)
IN	\$50-\$74,999	1,360	10.0	1.31	(7.4 - 12.5)		72,395	(52,437 - 92,353)
IN	>=\$75,000	1,816	7.0	0.74	(5.5 - 8.4)		82,279	(64,788 - 99,770)
IA	< \$15,000	473	15.6	2.73	(10.2 - 20.9)		24,360	(15,505 - 33,214)
IA	\$15-\$24,999	835	9.4	1.27	(6.9 - 11.9)		23,898	(17,389 - 30,407)
IA	\$25-\$49,999	1,529	6.6	0.77	(5.1 - 8.2)		36,276	(27,846 - 44,707)
IA	\$50-\$74,999	961	6.0	0.95	(4.2 - 7.9)		24,260	(16,600 - 31,920)
IA	>=\$75,000	1,358	7.8	0.95	(6.0 - 9.7)		45,965	(34,622 - 57,307)
KS	< \$15,000	632	17.3	2.81	(11.8 - 22.9)		21,879	(14,048 - 29,709)
KS	\$15-\$24,999	1,183	9.5	1.62	(6.3 - 12.7)		22,292	(14,335 - 30,248)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2010**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
KS	\$25-\$49,999	2,246	8.5	0.83	(6.8 - 10.1)		42,633	(34,159 - 51,108)
KS	\$50-\$74,999	1,248	7.9	0.97	(6.0 - 9.8)		27,166	(20,421 - 33,911)
KS	>=\$75,000	2,094	6.9	0.77	(5.4 - 8.4)		44,177	(34,125 - 54,229)
KY	< \$15,000	1,290	22.6	2.19	(18.3 - 26.9)		82,291	(64,616 - 99,967)
KY	\$15-\$24,999	1,433	14.3	1.39	(11.6 - 17.0)		71,522	(57,909 - 85,136)
KY	\$25-\$49,999	1,888	8.5	1.11	(6.3 - 10.6)		67,411	(49,451 - 85,372)
KY	\$50-\$74,999	1,029	7.7	1.11	(5.5 - 9.9)		36,240	(25,759 - 46,721)
KY	>=\$75,000	1,307	7.0	1.19	(4.7 - 9.4)		53,338	(35,048 - 71,629)
LA	< \$15,000	763	11.3	1.37	(8.6 - 13.9)		32,175	(24,347 - 40,003)
LA	\$15-\$24,999	1,166	9.2	1.70	(5.9 - 12.6)		47,909	(29,412 - 66,406)
LA	\$25-\$49,999	1,431	5.5	0.82	(3.8 - 7.1)		36,345	(25,374 - 47,315)
LA	\$50-\$74,999	869	4.2	0.70	(2.8 - 5.5)		18,976	(12,647 - 25,305)
LA	>=\$75,000	1,407	5.9	1.05	(3.9 - 8.0)		45,971	(29,341 - 62,602)
ME	< \$15,000	925	17.1	1.89	(13.4 - 20.8)		16,218	(12,493 - 19,942)
ME	\$15-\$24,999	1,370	12.3	1.19	(10.0 - 14.7)		19,085	(15,286 - 22,884)
ME	\$25-\$49,999	1,981	8.9	0.87	(7.2 - 10.6)		22,169	(17,691 - 26,647)
ME	\$50-\$74,999	1,189	7.8	0.88	(6.1 - 9.6)		12,347	(9,556 - 15,138)
ME	>=\$75,000	1,667	6.7	0.74	(5.3 - 8.2)		17,014	(13,259 - 20,769)
MD	< \$15,000	467	17.2	4.00	(9.4 - 25.1)		28,776	(13,729 - 43,824)
MD	\$15-\$24,999	1,010	13.7	2.25	(9.3 - 18.1)		59,399	(38,357 - 80,441)
MD	\$25-\$49,999	1,782	7.6	0.90	(5.8 - 9.4)		57,293	(43,637 - 70,949)
MD	\$50-\$74,999	1,259	7.3	1.00	(5.3 - 9.2)		42,920	(31,120 - 54,720)
MD	>=\$75,000	3,164	6.7	0.56	(5.6 - 7.8)		111,397	(92,784 - 130,011)
MA	< \$15,000	1,433	18.9	1.71	(15.6 - 22.3)		47,631	(38,553 - 56,709)
MA	\$15-\$24,999	2,298	15.8	1.40	(13.1 - 18.6)		83,479	(67,737 - 99,221)
MA	\$25-\$49,999	3,150	9.2	0.79	(7.7 - 10.8)		77,153	(63,699 - 90,607)
MA	\$50-\$74,999	1,963	9.2	0.98	(7.3 - 11.2)		60,047	(47,065 - 73,029)
MA	>=\$75,000	4,793	8.6	0.58	(7.5 - 9.8)		181,031	(156,577 - 205,485)
MI	< \$15,000	885	18.4	2.14	(14.3 - 22.6)		112,345	(84,484 - 140,205)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2010**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MI	\$15-\$24,999	1,468	14.3	1.56	(11.2 - 17.3)		148,633	(113,928 - 183,338)
MI	\$25-\$49,999	2,246	10.2	0.90	(8.4 - 11.9)		176,106	(144,278 - 207,934)
MI	\$50-\$74,999	1,192	9.1	1.30	(6.6 - 11.7)		103,340	(72,769 - 133,911)
MI	>=\$75,000	1,806	7.3	0.70	(5.9 - 8.6)		151,490	(122,073 - 180,906)
MN	< \$15,000	547	10.1	2.63	(4.9 - 15.3)		20,024	(9,623 - 30,424)
MN	\$15-\$24,999	1,134	9.6	2.55	(4.6 - 14.6)		47,037	(20,668 - 73,406)
MN	\$25-\$49,999	2,261	8.3	1.31	(5.8 - 10.9)		75,372	(50,892 - 99,851)
MN	\$50-\$74,999	1,414	7.1	1.38	(4.4 - 9.8)		47,280	(28,469 - 66,091)
MN	>=\$75,000	2,486	6.5	0.87	(4.8 - 8.2)		80,846	(58,816 - 102,876)
MS	< \$15,000	1,573	12.6	1.15	(10.3 - 14.9)		40,232	(32,831 - 47,634)
MS	\$15-\$24,999	1,587	8.7	1.03	(6.7 - 10.7)		34,798	(26,606 - 42,989)
MS	\$25-\$49,999	1,789	6.3	0.78	(4.8 - 7.9)		30,440	(22,905 - 37,975)
MS	\$50-\$74,999	782	4.0	0.87	(2.3 - 5.7)		9,814	(5,558 - 14,071)
MS	>=\$75,000	1,120	4.5	0.71	(3.1 - 5.9)		17,834	(12,190 - 23,477)
MO	< \$15,000	627	18.6	2.93	(12.8 - 24.3)		66,417	(43,157 - 89,677)
MO	\$15-\$24,999	982	13.2	2.04	(9.2 - 17.2)		79,414	(53,115 - 105,713)
MO	\$25-\$49,999	1,372	8.0	1.10	(5.9 - 10.2)		89,497	(64,958 - 114,036)
MO	\$50-\$74,999	672	7.5	1.43	(4.7 - 10.3)		49,172	(30,304 - 68,041)
MO	>=\$75,000	904	7.3	1.25	(4.8 - 9.7)		82,619	(54,240 - 110,998)
MT	< \$15,000	902	15.3	2.39	(10.6 - 20.0)		12,116	(8,122 - 16,111)
MT	\$15-\$24,999	1,284	10.6	1.51	(7.6 - 13.6)		12,861	(9,180 - 16,542)
MT	\$25-\$49,999	2,096	8.2	1.15	(6.0 - 10.5)		17,283	(12,287 - 22,280)
MT	\$50-\$74,999	1,081	10.0	1.55	(7.0 - 13.1)		12,636	(8,575 - 16,697)
MT	>=\$75,000	1,241	6.8	0.92	(4.9 - 8.6)		10,541	(7,663 - 13,418)
NE	< \$15,000	1,389	15.1	2.85	(9.5 - 20.6)		12,497	(7,435 - 17,559)
NE	\$15-\$24,999	2,734	9.2	1.35	(6.5 - 11.8)		16,176	(11,308 - 21,043)
NE	\$25-\$49,999	4,625	7.6	0.77	(6.1 - 9.1)		24,599	(19,576 - 29,622)
NE	\$50-\$74,999	2,505	6.9	0.94	(5.0 - 8.7)		15,134	(10,975 - 19,294)
NE	>=\$75,000	3,261	6.6	0.77	(5.1 - 8.1)		26,107	(20,083 - 32,130)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2010**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NV	< \$15,000	297	14.2	3.49	(7.3 - 21.1)		15,989	(7,891 - 24,087)
NV	\$15-\$24,999	572	8.8	1.98	(4.9 - 12.7)		25,315	(13,950 - 36,680)
NV	\$25-\$49,999	899	8.5	1.48	(5.7 - 11.4)		34,869	(22,736 - 47,003)
NV	\$50-\$74,999	604	7.4	1.94	(3.6 - 11.2)		23,769	(10,979 - 36,559)
NV	>=\$75,000	947	9.1	1.85	(5.4 - 12.7)		50,833	(29,161 - 72,506)
NH	< \$15,000	471	15.5	2.27	(11.1 - 20.0)		8,545	(6,004 - 11,085)
NH	\$15-\$24,999	799	13.1	1.57	(10.0 - 16.2)		12,901	(9,712 - 16,090)
NH	\$25-\$49,999	1,394	9.4	1.27	(6.9 - 11.9)		19,653	(14,118 - 25,189)
NH	\$50-\$74,999	874	10.0	1.31	(7.5 - 12.6)		16,067	(11,794 - 20,341)
NH	>=\$75,000	1,634	9.4	0.93	(7.6 - 11.3)		34,255	(27,363 - 41,147)
NJ	< \$15,000	680	14.5	2.88	(8.9 - 20.2)		41,337	(23,491 - 59,183)
NJ	\$15-\$24,999	1,527	11.0	1.13	(8.8 - 13.2)		87,815	(69,562 - 106,067)
NJ	\$25-\$49,999	2,310	9.8	0.99	(7.9 - 11.8)		112,335	(88,970 - 135,700)
NJ	\$50-\$74,999	1,550	9.4	1.02	(7.4 - 11.4)		75,705	(59,135 - 92,275)
NJ	>=\$75,000	4,166	7.3	0.62	(6.1 - 8.5)		181,417	(150,270 - 212,563)
NM	< \$15,000	823	16.2	2.21	(11.8 - 20.5)		25,520	(18,085 - 32,956)
NM	\$15-\$24,999	1,302	10.5	2.02	(6.5 - 14.5)		29,763	(17,568 - 41,959)
NM	\$25-\$49,999	1,678	7.9	0.99	(5.9 - 9.8)		26,057	(19,395 - 32,720)
NM	\$50-\$74,999	883	7.7	1.24	(5.2 - 10.1)		14,233	(9,528 - 18,937)
NM	>=\$75,000	1,421	9.2	1.06	(7.1 - 11.3)		31,616	(24,252 - 38,980)
NY	< \$15,000	810	14.4	1.59	(11.3 - 17.5)		173,827	(134,280 - 213,374)
NY	\$15-\$24,999	1,235	10.0	1.11	(7.8 - 12.2)		195,337	(151,320 - 239,355)
NY	\$25-\$49,999	1,793	10.3	0.92	(8.5 - 12.1)		281,169	(229,796 - 332,541)
NY	\$50-\$74,999	1,203	8.2	0.97	(6.3 - 10.1)		167,196	(127,361 - 207,030)
NY	>=\$75,000	2,517	8.6	0.76	(7.1 - 10.1)		433,661	(354,403 - 512,919)
NC	< \$15,000	1,324	13.2	1.21	(10.8 - 15.6)		81,499	(66,761 - 96,238)
NC	\$15-\$24,999	1,900	11.1	1.30	(8.6 - 13.7)		113,589	(86,181 - 140,997)
NC	\$25-\$49,999	2,784	6.5	0.68	(5.2 - 7.9)		100,340	(79,543 - 121,137)
NC	\$50-\$74,999	1,591	6.3	0.87	(4.6 - 8.0)		59,705	(42,977 - 76,433)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2010**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	    	Prevalence (number)	95% CI* (number)
NC	>=\$75,000	2,530	5.5	0.68	(4.2 - 6.9)		95,088	(71,634 - 118,542)
ND	< \$15,000	371	12.2	2.45	(7.4 - 17.1)		3,710	(2,175 - 5,245)
ND	\$15-\$24,999	642	8.4	1.49	(5.5 - 11.3)		4,614	(2,974 - 6,253)
ND	\$25-\$49,999	1,189	6.9	1.06	(4.8 - 9.0)		8,309	(5,725 - 10,892)
ND	\$50-\$74,999	733	6.1	1.02	(4.1 - 8.1)		5,137	(3,437 - 6,838)
ND	>=\$75,000	1,122	6.2	1.04	(4.2 - 8.2)		8,461	(5,572 - 11,350)
OH	< \$15,000	969	20.4	2.36	(15.8 - 25.1)		146,260	(108,382 - 184,138)
OH	\$15-\$24,999	1,655	10.3	1.12	(8.1 - 12.5)		128,657	(100,110 - 157,203)
OH	\$25-\$49,999	2,398	10.0	1.02	(8.0 - 12.0)		201,062	(158,417 - 243,706)
OH	\$50-\$74,999	1,304	7.0	0.93	(5.1 - 8.8)		91,582	(66,958 - 116,205)
OH	>=\$75,000	2,003	6.6	0.84	(5.0 - 8.3)		149,433	(110,992 - 187,875)
OK	< \$15,000	1,102	15.2	1.48	(12.3 - 18.1)		48,737	(38,777 - 58,698)
OK	\$15-\$24,999	1,416	11.9	1.18	(9.6 - 14.2)		55,230	(44,028 - 66,432)
OK	\$25-\$49,999	1,911	8.9	0.94	(7.1 - 10.8)		60,251	(47,273 - 73,230)
OK	\$50-\$74,999	968	9.7	1.20	(7.3 - 12.1)		37,845	(28,249 - 47,441)
OK	>=\$75,000	1,366	5.9	0.86	(4.2 - 7.6)		35,002	(24,689 - 45,314)
OR	< \$15,000	425	20.3	3.29	(13.8 - 26.7)		43,301	(27,754 - 58,849)
OR	\$15-\$24,999	778	10.6	1.90	(6.8 - 14.3)		43,150	(26,927 - 59,374)
OR	\$25-\$49,999	1,234	8.9	1.14	(6.7 - 11.2)		60,064	(44,516 - 75,612)
OR	\$50-\$74,999	770	9.4	1.48	(6.5 - 12.3)		46,173	(31,239 - 61,107)
OR	>=\$75,000	1,059	6.7	0.91	(4.9 - 8.5)		50,304	(36,524 - 64,085)
PA	< \$15,000	1,169	14.6	1.40	(11.8 - 17.3)		108,752	(87,848 - 129,656)
PA	\$15-\$24,999	1,853	11.4	1.03	(9.4 - 13.5)		143,205	(116,753 - 169,656)
PA	\$25-\$49,999	2,672	9.0	0.80	(7.5 - 10.6)		190,679	(156,206 - 225,151)
PA	\$50-\$74,999	1,413	8.2	0.90	(6.5 - 10.0)		107,794	(83,780 - 131,808)
PA	>=\$75,000	2,305	8.3	0.76	(6.8 - 9.8)		237,940	(193,617 - 282,263)
RI	< \$15,000	615	24.0	3.85	(16.4 - 31.6)		12,859	(7,919 - 17,800)
RI	\$15-\$24,999	931	10.8	1.32	(8.2 - 13.4)		10,366	(7,812 - 12,920)
RI	\$25-\$49,999	1,412	11.7	1.47	(8.8 - 14.6)		18,586	(13,659 - 23,513)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2010**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
RI	\$50-\$74,999	902	9.7	1.26	(7.2 - 12.2)		10,918	(8,043 - 13,793)
RI	>=\$75,000	1,763	8.7	1.03	(6.6 - 10.7)		23,886	(18,058 - 29,714)
SC	< \$15,000	1,240	13.5	2.09	(9.4 - 17.6)		45,147	(30,715 - 59,579)
SC	\$15-\$24,999	1,661	11.3	1.33	(8.6 - 13.9)		60,499	(46,118 - 74,880)
SC	\$25-\$49,999	2,124	6.5	0.86	(4.8 - 8.2)		51,358	(37,783 - 64,932)
SC	\$50-\$74,999	1,105	6.6	1.43	(3.8 - 9.4)		30,760	(17,051 - 44,469)
SC	>=\$75,000	1,616	5.5	0.82	(3.8 - 7.1)		41,277	(28,924 - 53,631)
SD	< \$15,000	653	15.0	3.11	(8.9 - 21.1)		5,801	(3,164 - 8,438)
SD	\$15-\$24,999	972	9.5	1.40	(6.7 - 12.3)		6,074	(4,255 - 7,893)
SD	\$25-\$49,999	1,760	6.6	0.76	(5.1 - 8.0)		10,068	(7,771 - 12,364)
SD	\$50-\$74,999	1,022	5.1	0.87	(3.4 - 6.8)		5,508	(3,623 - 7,393)
SD	>=\$75,000	1,176	7.2	1.12	(5.0 - 9.4)		10,484	(7,150 - 13,817)
TN	< \$15,000	617	13.5	2.32	(9.0 - 18.1)		55,636	(35,528 - 75,745)
TN	\$15-\$24,999	1,434	6.6	0.98	(4.7 - 8.5)		68,548	(48,217 - 88,879)
TN	\$25-\$49,999	1,199	4.9	0.88	(3.1 - 6.6)		50,538	(32,435 - 68,641)
TN	\$50-\$74,999	446	5.6	1.68	(2.3 - 8.9)		30,950	(12,077 - 49,824)
TN	>=\$75,000	657	3.1	0.81	(1.5 - 4.7)		23,459	(11,469 - 35,449)
TX	< \$15,000	2,376	10.9	1.40	(8.1 - 13.6)		198,210	(145,435 - 250,984)
TX	\$15-\$24,999	2,980	8.5	1.23	(6.1 - 10.9)		232,070	(163,079 - 301,061)
TX	\$25-\$49,999	3,746	7.4	0.72	(6.0 - 8.8)		245,368	(198,110 - 292,626)
TX	\$50-\$74,999	2,094	7.3	1.14	(5.1 - 9.5)		158,147	(107,956 - 208,338)
TX	>=\$75,000	4,037	5.4	0.64	(4.2 - 6.7)		305,315	(233,354 - 377,275)
UT	< \$15,000	656	11.6	1.89	(7.9 - 15.3)		13,325	(9,010 - 17,640)
UT	\$15-\$24,999	1,147	9.7	1.29	(7.2 - 12.2)		19,179	(14,022 - 24,337)
UT	\$25-\$49,999	2,328	9.1	1.07	(7.0 - 11.2)		39,224	(29,673 - 48,776)
UT	\$50-\$74,999	1,624	7.4	0.82	(5.8 - 9.0)		23,329	(18,189 - 28,469)
UT	>=\$75,000	3,030	10.3	1.09	(8.2 - 12.5)		62,822	(48,714 - 76,930)
VT	< \$15,000	545	15.4	2.06	(11.3 - 19.4)		4,522	(3,298 - 5,745)
VT	\$15-\$24,999	1,005	12.8	1.56	(9.8 - 15.9)		7,818	(5,830 - 9,805)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.



**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2010**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	    	Prevalence (number)	95% CI* (number)
VT	\$25-\$49,999	1,557	12.7	1.24	(10.3 - 15.1)		13,853	(11,003 - 16,704)
VT	\$50-\$74,999	1,084	10.3	1.36	(7.7 - 13.0)		8,779	(6,364 - 11,194)
VT	>=\$75,000	1,749	8.9	0.87	(7.2 - 10.6)		12,592	(10,094 - 15,091)
VA	< \$15,000	410	16.4	3.31	(9.9 - 22.9)		47,020	(26,307 - 67,734)
VA	\$15-\$24,999	769	10.9	1.58	(7.8 - 14.0)		67,039	(47,742 - 86,335)
VA	\$25-\$49,999	1,160	8.6	2.03	(4.7 - 12.6)		113,022	(59,892 - 166,153)
VA	\$50-\$74,999	676	7.5	1.52	(4.5 - 10.5)		62,597	(37,733 - 87,462)
VA	>=\$75,000	1,519	6.2	0.86	(4.5 - 7.9)		130,305	(95,092 - 165,518)
WA	< \$15,000	1,250	21.7	2.10	(17.6 - 25.8)		59,172	(46,428 - 71,916)
WA	\$15-\$24,999	2,870	11.8	1.11	(9.7 - 14.0)		77,508	(62,327 - 92,690)
WA	\$25-\$49,999	5,206	9.0	0.55	(7.9 - 10.1)		102,231	(89,603 - 114,859)
WA	\$50-\$74,999	3,107	9.3	0.73	(7.9 - 10.7)		73,765	(61,853 - 85,677)
WA	>=\$75,000	4,616	7.8	0.54	(6.8 - 8.9)		121,650	(104,777 - 138,523)
WV	< \$15,000	479	12.5	2.02	(8.5 - 16.5)		16,715	(11,075 - 22,356)
WV	\$15-\$24,999	796	9.4	1.27	(6.9 - 11.9)		20,533	(14,876 - 26,190)
WV	\$25-\$49,999	1,386	6.4	0.79	(4.8 - 7.9)		27,961	(20,966 - 34,957)
WV	\$50-\$74,999	514	7.7	1.49	(4.8 - 10.6)		15,857	(9,627 - 22,087)
WV	>=\$75,000	582	3.6	0.83	(2.0 - 5.3)		7,906	(4,341 - 11,472)
WI	< \$15,000	301	13.8	3.26	(7.4 - 20.2)		24,395	(12,743 - 36,047)
WI	\$15-\$24,999	880	9.9	1.56	(6.8 - 13.0)		65,197	(44,518 - 85,875)
WI	\$25-\$49,999	1,480	7.6	0.95	(5.7 - 9.4)		95,032	(71,124 - 118,940)
WI	\$50-\$74,999	641	7.4	1.49	(4.4 - 10.3)		51,421	(30,171 - 72,671)
WI	>=\$75,000	798	7.4	1.51	(4.4 - 10.3)		76,213	(44,013 - 108,412)
WY	< \$15,000	455	18.1	3.30	(11.6 - 24.5)		5,052	(3,017 - 7,088)
WY	\$15-\$24,999	782	10.8	1.52	(7.8 - 13.8)		4,966	(3,553 - 6,378)
WY	\$25-\$49,999	1,404	10.5	1.20	(8.2 - 12.9)		9,469	(7,237 - 11,701)
WY	\$50-\$74,999	929	8.8	1.13	(6.6 - 11.0)		6,048	(4,474 - 7,623)
WY	>=\$75,000	1,445	8.6	0.94	(6.7 - 10.4)		10,413	(8,086 - 12,740)
Territories								

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory, BRFSS 2010**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	    	Prevalence (number)	95% CI* (number)
GU	< \$15,000	111	6.9	2.51	(2.0 - 11.9)		885	(244 - 1,525)
GU	\$15-\$24,999	140	6.8	2.78	(1.3 - 12.3)		1,344	(212 - 2,477)
GU	\$25-\$49,999	215	5.8	2.74	(0.4 - 11.1)		1,675	(37 - 3,314)
GU	\$50-\$74,999	72	4.6				398	
GU	>=\$75,000	103	2.9				377	
PR	< \$15,000	1,401	9.3	1.16	(7.0 - 11.6)		80,917	(60,069 - 101,765)
PR	\$15-\$24,999	841	7.9	1.27	(5.4 - 10.4)		59,290	(39,775 - 78,805)
PR	\$25-\$49,999	420	6.0	1.47	(3.1 - 8.9)		23,786	(12,006 - 35,567)
PR	\$50-\$74,999	92	7.2	3.01	(1.3 - 13.2)		7,415	(1,113 - 13,717)
PR	>=\$75,000	67	7.1				4,949	
VI	< \$15,000	190	4.6	1.67	(1.3 - 7.9)		339	(96 - 581)
VI	\$15-\$24,999	327	4.4	1.78	(0.9 - 7.9)		582	(101 - 1,062)
VI	\$25-\$49,999	460	4.5	1.14	(2.2 - 6.7)		789	(389 - 1,190)
VI	\$50-\$74,999	240	7.8	1.92	(4.0 - 11.6)		712	(360 - 1,063)
VI	>=\$75,000	320	9.3	2.50	(4.4 - 14.2)		1,323	(582 - 2,063)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.