

Table L4
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2010

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
U.S. Total**	White	369,402	13.2	0.12	(13.0 - 13.5)	24,004,313	(23,569,555 - 24,439,071)
U.S. Total**	Black	36,207	15.5	0.38	(14.8 - 16.3)	3,779,698	(3,585,561 - 3,973,834)
U.S. Total**	Other	22,758	11.2	0.43	(10.4 - 12.1)	2,022,756	(1,861,870 - 2,183,643)
U.S. Total**	Multi	8,421	22.5	0.93	(20.7 - 24.3)	1,039,319	(944,687 - 1,133,952)
AL	White	5,457	11.4	0.65	(10.1 - 12.7)	284,033	(250,795 - 317,271)
AL	Black	1,905	13.3	1.19	(11.0 - 15.6)	120,545	(98,329 - 142,761)
AL	Other	159	12.1	2.82	(6.5 - 17.7)	11,266	(6,244 - 16,288)
AL	Multi	83	9.9	5.49	(0.0 - 20.8)	5,910	(0 - 12,691)
AK	White	1,405	14.7	1.49	(11.8 - 17.6)	54,804	(43,638 - 65,970)
AK	Black	30	0.9			105	
AK	Other	437	12.8	3.08	(6.7 - 18.8)	13,057	(6,366 - 19,748)
AK	Multi	62	32.0	11.66	(8.6 - 55.3)	5,440	(48 - 10,832)
AZ	White	4,759	16.6	1.01	(14.7 - 18.6)	664,223	(581,592 - 746,854)
AZ	Black	80	8.3	3.97	(0.4 - 16.2)	11,245	(319 - 22,170)
AZ	Other	709	9.4	2.01	(5.4 - 13.3)	63,058	(35,468 - 90,647)
AZ	Multi	99	32.0	8.44	(15.2 - 48.7)	23,408	(8,166 - 38,651)
AR	White	3,236	13.2	1.01	(11.2 - 15.2)	239,729	(201,598 - 277,861)
AR	Black	555	14.3	2.39	(9.6 - 19.0)	30,080	(20,080 - 40,080)
AR	Other	77	18.4	8.00	(2.5 - 34.4)	11,117	(203 - 22,030)
AR	Multi	72	33.5	9.63	(14.3 - 52.7)	15,380	(3,795 - 26,966)
CA	White	14,932	12.7	0.37	(12.0 - 13.4)	2,762,130	(2,597,551 - 2,926,708)
CA	Black	793	16.8	1.70	(13.5 - 20.2)	265,835	(208,141 - 323,528)
CA	Other	1,608	9.6	0.90	(7.8 - 11.4)	387,292	(313,222 - 461,363)
CA	Multi	353	18.7	2.93	(13.0 - 24.5)	123,036	(80,784 - 165,288)
CO	White	10,441	14.7	0.56	(13.6 - 15.8)	471,128	(433,535 - 508,722)
CO	Black	191	20.3	4.26	(11.9 - 28.7)	26,793	(14,453 - 39,132)
CO	Other	591	13.2	2.17	(8.9 - 17.5)	47,329	(31,204 - 63,453)
CO	Multi	185	17.3	3.46	(10.5 - 24.2)	15,130	(9,057 - 21,202)
CT	White	5,627	14.4	0.76	(12.9 - 15.9)	328,601	(292,850 - 364,351)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2010

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
CT	Black	520	23.5	3.65	(16.3 - 30.7)		33,983	(22,187 - 45,780)
CT	Other	450	17.4	2.90	(11.7 - 23.1)		34,920	(22,188 - 47,653)
CT	Multi	69	40.8	9.81	(21.2 - 60.3)		11,582	(3,805 - 19,358)
DE	White	3,424	14.6	0.91	(12.8 - 16.4)		75,450	(65,629 - 85,271)
DE	Black	554	15.4	2.19	(11.0 - 19.7)		15,012	(10,554 - 19,470)
DE	Other	146	14.6	4.15	(6.4 - 22.8)		5,704	(2,209 - 9,199)
DE	Multi	67	19.4	6.11	(7.2 - 31.6)		3,027	(1,164 - 4,890)
DC	White	1,986	12.8	0.93	(11.0 - 14.7)		24,654	(21,008 - 28,300)
DC	Black	1,643	17.6	1.32	(15.0 - 20.2)		40,402	(33,884 - 46,920)
DC	Other	195	17.8	3.67	(10.6 - 25.1)		6,956	(3,797 - 10,115)
DC	Multi	57	35.9	8.62	(18.6 - 53.1)		2,857	(1,017 - 4,698)
FL	White	30,109	13.6	0.47	(12.7 - 14.5)		1,606,279	(1,493,034 - 1,719,524)
FL	Black	2,797	13.3	1.50	(10.3 - 16.2)		214,996	(164,505 - 265,487)
FL	Other	717	16.0	4.28	(7.6 - 24.4)		84,559	(33,531 - 135,587)
FL	Multi	550	15.1	4.55	(6.2 - 24.0)		35,668	(12,249 - 59,087)
GA	White	4,121	11.4	0.75	(10.0 - 12.9)		588,883	(510,430 - 667,336)
GA	Black	1,333	11.1	1.13	(8.9 - 13.3)		180,590	(143,293 - 217,887)
GA	Other	193	13.2	4.08	(5.2 - 21.2)		54,097	(18,233 - 89,961)
GA	Multi	67	23.2	6.78	(9.7 - 36.8)		20,574	(7,152 - 33,995)
HI	White	2,330	12.9	0.97	(11.0 - 14.8)		33,316	(28,179 - 38,452)
HI	Black	35	24.9	8.13	(8.4 - 41.5)		2,205	(578 - 3,833)
HI	Other	2,494	15.1	1.06	(13.1 - 17.2)		66,333	(56,709 - 75,958)
HI	Multi	1,639	24.6	1.68	(21.4 - 27.9)		73,230	(61,981 - 84,479)
ID	White	6,556	13.6	0.63	(12.4 - 14.8)		142,389	(129,027 - 155,751)
ID	Black	12	12.9				495	
ID	Other	148	16.1	3.51	(9.2 - 23.1)		4,943	(2,750 - 7,136)
ID	Multi	78	18.5	6.67	(5.2 - 31.8)		2,566	(636 - 4,496)
IL	White	4,014	12.9	0.81	(11.3 - 14.5)		892,777	(776,913 - 1,008,641)
IL	Black	823	19.4	2.17	(15.1 - 23.6)		314,639	(239,447 - 389,831)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2010

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
IL	Other	260	7.5	1.85	(3.9 - 11.1)		73,940	(37,211 - 110,668)
IL	Multi	65	31.1	7.24	(16.6 - 45.5)		48,535	(21,847 - 75,223)
IN	White	8,570	13.8	0.54	(12.7 - 14.8)		572,942	(527,026 - 618,858)
IN	Black	1,188	19.9	2.57	(14.8 - 24.9)		68,164	(49,319 - 87,009)
IN	Other	149	11.3	3.69	(4.0 - 18.5)		16,483	(5,285 - 27,682)
IN	Multi	108	30.4	10.29	(10.0 - 50.8)		18,564	(1,991 - 35,137)
IA	White	5,790	11.5	0.61	(10.3 - 12.7)		248,303	(221,415 - 275,190)
IA	Black	80	15.0	4.87	(5.3 - 24.7)		4,680	(1,820 - 7,541)
IA	Other	126	6.2	2.99	(0.3 - 12.1)		4,630	(101 - 9,159)
IA	Multi	42	25.8	10.10	(5.4 - 46.2)		5,328	(201 - 10,455)
KS	White	7,595	12.5	0.56	(11.4 - 13.6)		232,023	(210,743 - 253,303)
KS	Black	376	15.7	2.80	(10.1 - 21.2)		11,864	(7,282 - 16,446)
KS	Other	386	17.1	3.00	(11.2 - 23.0)		23,599	(14,387 - 32,810)
KS	Multi	157	25.0	5.28	(14.5 - 35.4)		10,561	(5,269 - 15,853)
KY	White	7,478	14.8	0.70	(13.4 - 16.2)		434,969	(393,156 - 476,782)
KY	Black	262	13.7	2.94	(7.9 - 19.5)		25,364	(14,434 - 36,293)
KY	Other	110	17.7	6.11	(5.6 - 29.8)		12,281	(3,066 - 21,496)
KY	Multi	157	21.6	5.66	(10.5 - 32.8)		16,463	(8,075 - 24,852)
LA	White	4,932	11.1	0.75	(9.6 - 12.5)		237,377	(203,748 - 271,006)
LA	Black	1,742	12.8	1.16	(10.5 - 15.0)		128,044	(103,878 - 152,209)
LA	Other	209	8.4	2.03	(4.4 - 12.4)		11,048	(5,706 - 16,391)
LA	Multi	68	20.8	10.57	(0.0 - 41.8)		9,736	(0 - 21,729)
ME	White	7,805	15.6	0.61	(14.4 - 16.8)		156,621	(143,859 - 169,382)
ME	Black	27	4.0				144	
ME	Other	103	18.5	4.49	(9.6 - 27.4)		3,218	(1,556 - 4,879)
ME	Multi	78	21.1	5.55	(10.0 - 32.2)		2,155	(943 - 3,368)
MD	White	6,751	12.2	0.61	(11.0 - 13.4)		315,719	(283,438 - 348,000)
MD	Black	1,797	14.5	1.30	(11.9 - 17.0)		179,596	(145,466 - 213,726)
MD	Other	383	7.6	1.48	(4.7 - 10.5)		25,862	(15,934 - 35,790)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2010

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MD	Multi	105	12.5	4.10	(4.4 - 20.6)		9,407	(3,600 - 15,214)
MA	White	13,651	15.1	0.50	(14.2 - 16.1)		625,463	(583,577 - 667,348)
MA	Black	866	16.7	2.45	(11.9 - 21.5)		45,260	(30,752 - 59,767)
MA	Other	1,157	15.3	1.82	(11.7 - 18.9)		75,605	(56,592 - 94,618)
MA	Multi	220	24.0	4.68	(14.8 - 33.3)		22,105	(12,834 - 31,376)
MI	White	6,837	14.8	0.62	(13.6 - 16.0)		898,255	(820,698 - 975,811)
MI	Black	1,505	20.2	1.99	(16.3 - 24.1)		179,494	(139,682 - 219,306)
MI	Other	196	10.5	2.76	(5.0 - 15.9)		38,325	(17,747 - 58,903)
MI	Multi	188	34.2	5.17	(24.0 - 44.4)		65,776	(40,842 - 90,709)
MN	White	8,248	10.5	0.69	(9.2 - 11.9)		381,386	(330,282 - 432,490)
MN	Black	218	19.9	7.78	(4.6 - 35.2)		23,466	(1,880 - 45,053)
MN	Other	347	13.0	4.47	(4.2 - 21.8)		26,153	(7,158 - 45,149)
MN	Multi	54	16.7	8.43	(0.0 - 33.6)		3,644	(452 - 6,835)
MS	White	5,272	10.9	0.62	(9.7 - 12.1)		149,178	(132,097 - 166,259)
MS	Black	2,614	12.7	0.95	(10.8 - 14.5)		94,867	(80,378 - 109,355)
MS	Other	117	10.3	3.80	(2.8 - 17.8)		5,186	(1,252 - 9,119)
MS	Multi	34	27.9	9.51	(8.6 - 47.3)		3,158	(527 - 5,789)
MO	White	4,484	13.4	0.85	(11.8 - 15.1)		511,579	(445,754 - 577,404)
MO	Black	617	22.9	3.38	(16.3 - 29.6)		91,918	(61,381 - 122,454)
MO	Other	149	10.0	3.45	(3.2 - 16.8)		17,518	(4,977 - 30,059)
MO	Multi	130	17.0	3.80	(9.5 - 24.5)		19,458	(10,891 - 28,025)
MT	White	6,362	12.1	0.62	(10.9 - 13.3)		82,418	(74,084 - 90,751)
MT	Black	13	18.9				797	
MT	Other	719	18.2	3.63	(11.1 - 25.3)		9,618	(5,274 - 13,963)
MT	Multi	140	33.3	9.21	(15.1 - 51.5)		5,059	(1,282 - 8,837)
NE	White	15,490	12.4	0.61	(11.2 - 13.6)		149,668	(134,611 - 164,725)
NE	Black	120	14.8	5.29	(4.4 - 25.3)		5,637	(1,379 - 9,894)
NE	Other	554	7.4	1.68	(4.1 - 10.7)		5,872	(3,267 - 8,477)
NE	Multi	108	21.1	9.61	(2.0 - 40.2)		3,049	(41 - 6,057)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2010

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NV	White	3,268	13.5	1.00	(11.6 - 15.5)		191,230	(162,177 - 220,283)
NV	Black	111	23.9	5.67	(12.7 - 35.2)		26,946	(12,526 - 41,367)
NV	Other	357	12.3	3.05	(6.3 - 18.3)		40,637	(19,482 - 61,792)
NV	Multi	115	31.7	9.35	(13.1 - 50.2)		23,986	(5,474 - 42,498)
NH	White	5,761	14.9	0.67	(13.6 - 16.2)		144,571	(131,145 - 157,997)
NH	Black	46	10.0				1,201	
NH	Other	118	16.4	3.97	(8.5 - 24.2)		4,758	(2,344 - 7,171)
NH	Multi	35	19.7	8.38	(2.7 - 36.7)		1,376	(193 - 2,560)
NJ	White	9,564	13.3	0.55	(12.2 - 14.4)		591,682	(541,860 - 641,505)
NJ	Black	1,400	15.6	1.54	(12.5 - 18.6)		141,009	(110,934 - 171,083)
NJ	Other	1,104	9.1	1.10	(7.0 - 11.3)		97,269	(73,716 - 120,822)
NJ	Multi	96	15.5	4.43	(6.7 - 24.3)		11,409	(4,870 - 17,948)
NM	White	5,449	14.5	0.77	(13.0 - 16.0)		164,727	(146,801 - 182,654)
NM	Black	79	11.6	4.82	(2.0 - 21.2)		2,525	(335 - 4,715)
NM	Other	1,252	14.2	1.95	(10.4 - 18.0)		42,606	(29,894 - 55,318)
NM	Multi	120	20.6	6.16	(8.4 - 32.8)		5,896	(1,922 - 9,870)
NY	White	7,074	14.1	0.55	(13.1 - 15.2)		1,521,110	(1,400,066 - 1,642,154)
NY	Black	977	17.5	1.69	(14.1 - 20.8)		368,133	(290,654 - 445,611)
NY	Other	358	11.1	2.17	(6.9 - 15.4)		126,718	(74,960 - 178,475)
NY	Multi	114	21.8	4.58	(12.7 - 30.9)		54,754	(30,113 - 79,395)
NC	White	9,351	12.1	0.57	(11.0 - 13.2)		610,300	(551,532 - 669,068)
NC	Black	1,849	15.3	1.49	(12.3 - 18.2)		203,833	(161,149 - 246,518)
NC	Other	674	9.4	2.03	(5.4 - 13.4)		60,521	(33,488 - 87,553)
NC	Multi	161	23.2	5.13	(13.1 - 33.3)		22,820	(11,529 - 34,111)
ND	White	4,502	10.6	0.79	(9.0 - 12.1)		48,369	(40,924 - 55,813)
ND	Black	24	17.3				921	
ND	Other	146	11.2	3.46	(4.3 - 18.0)		2,806	(996 - 4,616)
ND	Multi	19	9.4				240	
OH	White	8,423	13.2	0.62	(12.0 - 14.5)		991,155	(896,066 - 1,086,245)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2010

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
OH	Black	926	17.6	1.77	(14.1 - 21.0)		137,697	(108,370 - 167,023)
OH	Other	233	11.5	2.89	(5.8 - 17.2)		29,391	(14,094 - 44,688)
OH	Multi	136	26.9	6.29	(14.5 - 39.4)		40,405	(18,873 - 61,936)
OK	White	5,835	13.4	0.64	(12.2 - 14.7)		266,449	(240,391 - 292,508)
OK	Black	521	18.8	2.24	(14.4 - 23.2)		33,095	(24,534 - 41,656)
OK	Other	799	12.5	1.57	(9.4 - 15.6)		49,441	(36,400 - 62,481)
OK	Multi	532	20.8	2.33	(16.2 - 25.4)		41,057	(31,030 - 51,083)
OR	White	4,372	15.6	0.85	(13.9 - 17.2)		382,492	(339,066 - 425,918)
OR	Black	29	3.5				696	
OR	Other	200	13.3	3.18	(7.0 - 19.5)		26,913	(13,631 - 40,194)
OR	Multi	404	24.8	3.46	(18.0 - 31.6)		65,633	(44,232 - 87,034)
PA	White	9,861	13.5	0.49	(12.5 - 14.4)		1,086,778	(1,006,664 - 1,166,893)
PA	Black	847	15.8	1.89	(12.1 - 19.5)		140,262	(104,613 - 175,911)
PA	Other	167	9.2	2.31	(4.7 - 13.8)		35,645	(18,156 - 53,133)
PA	Multi	115	33.3	6.82	(19.7 - 46.8)		45,413	(21,744 - 69,081)
RI	White	5,878	16.8	0.85	(15.1 - 18.4)		120,480	(107,383 - 133,577)
RI	Black	216	13.2	3.64	(6.1 - 20.4)		3,506	(1,466 - 5,546)
RI	Other	339	16.7	3.65	(9.6 - 23.9)		8,615	(4,440 - 12,791)
RI	Multi	68	33.0	7.59	(17.9 - 48.2)		2,222	(966 - 3,478)
SC	White	6,139	12.7	0.87	(11.0 - 14.4)		297,059	(254,483 - 339,634)
SC	Black	2,833	13.2	1.15	(10.9 - 15.4)		121,733	(100,117 - 143,350)
SC	Other	199	15.5	4.91	(5.8 - 25.2)		21,363	(7,353 - 35,374)
SC	Multi	146	13.4	4.64	(4.3 - 22.6)		8,069	(3,173 - 12,966)
SD	White	5,731	10.9	0.67	(9.6 - 12.3)		61,453	(53,818 - 69,088)
SD	Black	18	9.7				328	
SD	Other	830	18.3	3.30	(11.9 - 24.8)		6,819	(4,054 - 9,583)
SD	Multi	88	22.7	8.08	(6.7 - 38.8)		1,400	(302 - 2,499)
TN	White	4,884	8.9	0.77	(7.4 - 10.5)		357,970	(294,753 - 421,188)
TN	Black	687	11.7	2.00	(7.8 - 15.7)		68,207	(44,130 - 92,284)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2010

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
TN	Other	84	8.8	3.39	(2.0 - 15.5)		11,741	(3,341 - 20,140)
TN	Multi	72	14.7	5.63	(3.5 - 25.9)		9,878	(2,251 - 17,506)
TX	White	14,567	12.8	0.65	(11.6 - 14.1)		1,735,197	(1,551,965 - 1,918,429)
TX	Black	1,216	15.1	1.93	(11.4 - 18.9)		259,470	(189,428 - 329,511)
TX	Other	597	12.2	3.08	(6.1 - 18.2)		126,545	(58,007 - 195,083)
TX	Multi	217	18.0	4.05	(10.0 - 26.0)		44,418	(23,586 - 65,250)
UT	White	9,354	14.4	0.63	(13.2 - 15.7)		256,067	(232,550 - 279,584)
UT	Black	38	11.2				1,365	
UT	Other	566	11.6	2.01	(7.6 - 15.5)		16,953	(10,806 - 23,100)
UT	Multi	99	24.7	8.95	(6.9 - 42.4)		5,631	(624 - 10,639)
VT	White	6,502	16.7	0.70	(15.3 - 18.0)		78,074	(71,190 - 84,958)
VT	Black	18	57.6	18.15	(19.3 - 95.9)		1,191	(0 - 2,732)
VT	Other	91	31.0	7.38	(16.4 - 45.7)		2,671	(1,066 - 4,275)
VT	Multi	75	14.6	5.63	(3.4 - 25.8)		955	(177 - 1,733)
VA	White	4,228	13.2	0.97	(11.3 - 15.1)		588,965	(499,545 - 678,386)
VA	Black	804	14.1	1.93	(10.3 - 17.8)		106,404	(77,003 - 135,805)
VA	Other	204	9.1	2.64	(3.9 - 14.3)		56,878	(28,001 - 85,754)
VA	Multi	69	23.2	7.97	(7.3 - 39.1)		22,452	(4,634 - 40,270)
WA	White	17,309	15.4	0.42	(14.6 - 16.3)		659,308	(623,086 - 695,530)
WA	Black	244	17.4	3.07	(11.3 - 23.4)		16,646	(10,367 - 22,926)
WA	Other	1,192	16.7	1.69	(13.4 - 20.0)		82,009	(64,029 - 99,989)
WA	Multi	548	23.1	3.16	(16.9 - 29.3)		39,350	(26,979 - 51,721)
WV	White	4,216	10.9	0.68	(9.5 - 12.2)		149,836	(130,646 - 169,026)
WV	Black	85	4.4				1,171	
WV	Other	34	5.9				630	
WV	Multi	45	13.6	6.29	(0.9 - 26.3)		1,556	(0 - 3,132)
WI	White	3,963	12.4	0.84	(10.8 - 14.1)		481,862	(415,062 - 548,662)
WI	Black	518	20.0	3.53	(13.0 - 26.9)		26,612	(16,396 - 36,829)
WI	Other	217	12.5	3.84	(4.9 - 20.0)		29,961	(10,906 - 49,017)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2010

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	 	Prevalence (number)	95% CI* (number)
WI	Multi	45	16.3	8.37	(0.0 - 33.2)		8,272	(0 - 16,854)
WY	White	5,509	14.4	0.70	(13.0 - 15.8)		54,883	(49,340 - 60,426)
WY	Black	25	19.2				527	
WY	Other	108	16.9	4.64	(7.7 - 26.1)		1,898	(789 - 3,007)
WY	Multi	67	24.2	9.09	(6.0 - 42.3)		1,320	(85 - 2,554)
Territories								
GU	White	73	7.0	3.25	(0.5 - 13.5)		545	(27 - 1,062)
GU	Black	5	0.0				0	
GU	Other	632	10.9	1.67	(7.6 - 14.1)		9,470	(6,475 - 12,464)
GU	Multi	68	10.7	3.78	(3.2 - 18.3)		1,048	(314 - 1,781)
PR	White	2,187	14.4	1.00	(12.5 - 16.4)		244,796	(210,201 - 279,392)
PR	Black	180	4.8	1.57	(1.7 - 7.9)		8,084	(2,904 - 13,264)
PR	Other	1,145	16.7	1.56	(13.6 - 19.7)		161,006	(128,753 - 193,259)
PR	Multi	14	18.3				1,582	
VI	White	366	15.7	2.83	(10.1 - 21.3)		1,920	(1,169 - 2,672)
VI	Black	1,271	10.4	1.23	(8.0 - 12.8)		5,606	(4,251 - 6,960)
VI	Other	57	5.3				155	
VI	Multi	20	9.6				77	

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.