

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2012**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total**	18-24	23,951	17.6	0.42	(16.8 - 18.4)		5,490,960	(5,207,024 - 5,774,895)
U.S. Total**	25-34	46,443	14.3	0.30	(13.7 - 14.9)		5,857,350	(5,596,271 - 6,118,430)
U.S. Total**	35-44	58,253	12.1	0.25	(11.6 - 12.6)		4,859,632	(4,656,766 - 5,062,498)
U.S. Total**	45-54	81,803	12.4	0.23	(11.9 - 12.8)		5,424,015	(5,215,313 - 5,632,718)
U.S. Total**	55-64	101,115	13.0	0.22	(12.5 - 13.4)		4,911,158	(4,737,459 - 5,084,857)
U.S. Total**	65+	149,881	11.3	0.18	(11.0 - 11.7)		4,941,066	(4,781,816 - 5,100,315)
AL	18-24	383	20.7	2.57	(15.6 - 25.7)		100,556	(73,015 - 128,098)
AL	25-34	765	13.1	1.57	(10.1 - 16.2)		79,585	(59,647 - 99,522)
AL	35-44	997	12.3	1.34	(9.6 - 14.9)		73,901	(57,117 - 90,684)
AL	45-54	1,471	13.1	1.15	(10.9 - 15.4)		87,124	(71,147 - 103,100)
AL	55-64	2,148	13.0	0.95	(11.2 - 14.9)		77,284	(65,568 - 89,000)
AL	65+	3,135	10.5	0.68	(9.2 - 11.9)		74,554	(64,777 - 84,331)
AK	18-24	307	19.0	2.75	(13.6 - 24.4)		14,340	(9,915 - 18,766)
AK	25-34	660	12.7	1.61	(9.5 - 15.8)		13,265	(9,802 - 16,729)
AK	35-44	694	13.1	1.69	(9.8 - 16.4)		12,102	(8,893 - 15,311)
AK	45-54	862	14.9	1.67	(11.6 - 18.1)		15,268	(11,650 - 18,886)
AK	55-64	970	12.6	1.42	(9.8 - 15.4)		11,932	(9,177 - 14,687)
AK	65+	775	12.8	1.71	(9.4 - 16.1)		8,463	(6,090 - 10,836)
AZ	18-24	364	17.8	2.58	(12.8 - 22.9)		115,451	(79,592 - 151,311)
AZ	25-34	637	13.9	1.72	(10.5 - 17.2)		120,507	(89,626 - 151,387)
AZ	35-44	717	15.7	1.83	(12.1 - 19.3)		128,188	(97,008 - 159,368)
AZ	45-54	1,052	11.3	1.28	(8.8 - 13.9)		93,728	(72,449 - 115,007)
AZ	55-64	1,530	12.4	1.19	(10.1 - 14.8)		90,950	(73,474 - 108,426)
AZ	65+	2,896	11.5	0.89	(9.8 - 13.3)		109,969	(92,709 - 127,229)
AR	18-24	221	13.8	2.59	(8.7 - 18.9)		39,662	(23,929 - 55,395)
AR	25-34	477	11.5	1.68	(8.2 - 14.8)		43,105	(30,188 - 56,021)
AR	35-44	499	12.8	1.82	(9.2 - 16.4)		45,908	(32,269 - 59,547)
AR	45-54	863	11.3	1.35	(8.6 - 13.9)		44,187	(33,214 - 55,161)
AR	55-64	1,104	14.2	1.35	(11.5 - 16.8)		49,677	(39,696 - 59,658)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2012**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
AR	65+	1,951	12.7	0.94	(10.9 - 14.6)		57,471	(48,728 - 66,214)
CA	18-24	913	17.4	1.54	(14.4 - 20.4)		684,379	(555,023 - 813,735)
CA	25-34	1,861	15.3	1.03	(13.2 - 17.3)		824,241	(707,619 - 940,862)
CA	35-44	2,149	12.5	0.90	(10.7 - 14.3)		646,474	(550,358 - 742,590)
CA	45-54	2,492	13.8	0.92	(12.0 - 15.6)		730,604	(628,396 - 832,811)
CA	55-64	2,814	14.4	1.03	(12.4 - 16.4)		631,348	(535,763 - 726,934)
CA	65+	4,325	13.6	0.78	(12.0 - 15.1)		628,645	(553,641 - 703,650)
CO	18-24	608	19.8	1.84	(16.2 - 23.4)		97,839	(78,197 - 117,481)
CO	25-34	1,231	13.7	1.15	(11.5 - 15.9)		99,850	(82,399 - 117,301)
CO	35-44	1,650	11.2	0.93	(9.4 - 13.1)		78,306	(65,035 - 91,578)
CO	45-54	2,207	10.9	0.80	(9.3 - 12.4)		79,887	(67,781 - 91,993)
CO	55-64	2,855	12.5	0.81	(11.0 - 14.1)		79,400	(68,798 - 90,002)
CO	65+	3,570	11.6	0.68	(10.3 - 13.0)		72,545	(63,817 - 81,272)
CT	18-24	454	19.2	2.40	(14.5 - 23.9)		65,427	(47,693 - 83,162)
CT	25-34	817	16.0	1.68	(12.7 - 19.3)		66,664	(51,835 - 81,494)
CT	35-44	1,183	14.9	1.38	(12.2 - 17.7)		67,003	(53,783 - 80,224)
CT	45-54	1,589	12.9	1.07	(10.8 - 15.0)		71,415	(59,161 - 83,668)
CT	55-64	1,862	13.8	1.01	(11.8 - 15.8)		62,794	(53,222 - 72,366)
CT	65+	2,721	11.4	0.85	(9.7 - 13.1)		61,475	(52,015 - 70,935)
DE	18-24	310	15.8	2.53	(10.8 - 20.8)		14,319	(9,408 - 19,230)
DE	25-34	527	15.7	1.90	(12.0 - 19.5)		18,051	(13,508 - 22,594)
DE	35-44	642	14.2	1.77	(10.8 - 17.7)		16,010	(11,836 - 20,184)
DE	45-54	918	12.7	1.46	(9.8 - 15.5)		16,479	(12,523 - 20,435)
DE	55-64	1,022	14.6	1.47	(11.8 - 17.5)		16,862	(13,316 - 20,408)
DE	65+	1,696	10.1	0.92	(8.3 - 11.9)		14,265	(11,639 - 16,891)
DC	18-24	138	16.4	3.52	(9.4 - 23.4)		13,041	(7,091 - 18,991)
DC	25-34	397	17.2	2.41	(12.5 - 21.9)		22,554	(15,843 - 29,265)
DC	35-44	527	13.2	1.99	(9.3 - 17.1)		11,379	(7,806 - 14,953)
DC	45-54	629	15.1	2.03	(11.1 - 19.1)		11,888	(8,509 - 15,267)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2012**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
DC	55-64	789	13.8	1.86	(10.2 - 17.5)		9,018	(6,477 - 11,560)
DC	65+	1,238	11.2	1.09	(9.1 - 13.3)		8,752	(7,041 - 10,462)
FL	18-24	313	19.2	2.83	(13.6 - 24.8)		341,635	(230,900 - 452,371)
FL	25-34	630	14.7	1.94	(10.9 - 18.5)		344,907	(248,065 - 441,749)
FL	35-44	803	9.1	1.31	(6.5 - 11.7)		216,292	(153,239 - 279,345)
FL	45-54	1,106	12.5	1.60	(9.4 - 15.7)		338,618	(247,466 - 429,769)
FL	55-64	1,597	12.4	1.12	(10.2 - 14.6)		295,155	(240,203 - 350,108)
FL	65+	3,067	10.3	0.85	(8.6 - 12.0)		363,958	(301,992 - 425,923)
GA	18-24	308	20.2	2.73	(14.8 - 25.5)		203,813	(142,540 - 265,087)
GA	25-34	575	12.8	1.71	(9.5 - 16.2)		168,991	(122,006 - 215,976)
GA	35-44	742	9.7	1.31	(7.2 - 12.3)		133,158	(96,644 - 169,672)
GA	45-54	1,142	13.4	1.24	(11.0 - 15.9)		188,603	(152,608 - 224,598)
GA	55-64	1,337	12.8	1.18	(10.4 - 15.1)		141,722	(114,337 - 169,107)
GA	65+	1,922	10.6	0.87	(8.9 - 12.3)		123,281	(102,874 - 143,688)
HI	18-24	634	20.7	2.35	(16.1 - 25.3)		26,879	(20,259 - 33,498)
HI	25-34	1,000	19.2	1.88	(15.5 - 22.9)		35,549	(27,864 - 43,234)
HI	35-44	1,041	13.2	1.33	(10.6 - 15.8)		22,897	(18,224 - 27,570)
HI	45-54	1,246	12.1	1.35	(9.4 - 14.7)		22,845	(17,580 - 28,110)
HI	55-64	1,580	13.6	1.28	(11.0 - 16.1)		24,170	(19,416 - 28,924)
HI	65+	2,006	9.8	0.91	(8.0 - 11.6)		20,718	(16,855 - 24,582)
ID	18-24	225	11.9	2.61	(6.8 - 17.1)		19,132	(10,415 - 27,849)
ID	25-34	440	11.0	2.13	(6.8 - 15.2)		22,538	(13,512 - 31,564)
ID	35-44	662	9.9	1.52	(6.9 - 12.9)		18,985	(13,102 - 24,867)
ID	45-54	966	14.6	1.80	(11.0 - 18.1)		29,250	(21,615 - 36,886)
ID	55-64	1,330	10.3	1.13	(8.1 - 12.5)		18,963	(14,823 - 23,103)
ID	65+	2,182	11.9	1.15	(9.6 - 14.1)		24,932	(19,876 - 29,988)
IL	18-24	286	13.7	2.67	(8.5 - 19.0)		174,636	(101,649 - 247,623)
IL	25-34	525	13.8	1.91	(10.1 - 17.6)		237,643	(168,586 - 306,701)
IL	35-44	672	11.9	1.66	(8.6 - 15.1)		200,881	(142,407 - 259,355)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2012**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
IL	45-54	959	12.6	1.36	(9.9 - 15.3)	227,445	(176,224 - 278,665)
IL	55-64	1,148	12.5	1.41	(9.7 - 15.2)	193,469	(147,358 - 239,580)
IL	65+	1,961	11.0	0.98	(9.1 - 13.0)	190,022	(155,201 - 224,842)
IN	18-24	527	15.0	2.01	(11.1 - 18.9)	101,089	(71,975 - 130,204)
IN	25-34	896	13.4	1.35	(10.8 - 16.1)	108,079	(85,456 - 130,702)
IN	35-44	1,115	13.4	1.20	(11.1 - 15.8)	109,548	(89,197 - 129,900)
IN	45-54	1,461	11.8	0.97	(9.9 - 13.7)	107,474	(89,402 - 125,546)
IN	55-64	1,799	13.3	1.01	(11.4 - 15.3)	104,920	(88,355 - 121,485)
IN	65+	2,738	11.3	0.82	(9.7 - 12.9)	101,833	(86,539 - 117,126)
IA	18-24	373	15.9	2.21	(11.5 - 20.2)	50,291	(35,330 - 65,253)
IA	25-34	688	14.5	1.59	(11.4 - 17.7)	54,344	(41,680 - 67,007)
IA	35-44	858	9.7	1.18	(7.4 - 12.1)	34,480	(25,881 - 43,078)
IA	45-54	1,200	11.0	1.03	(8.9 - 13.0)	45,572	(36,713 - 54,431)
IA	55-64	1,469	11.0	0.93	(9.2 - 12.8)	41,777	(34,460 - 49,095)
IA	65+	2,496	10.0	0.67	(8.7 - 11.3)	47,810	(41,295 - 54,324)
KS	18-24	582	16.7	1.70	(13.3 - 20.0)	49,561	(38,869 - 60,253)
KS	25-34	1,143	13.3	1.13	(11.1 - 15.5)	49,056	(40,471 - 57,640)
KS	35-44	1,413	11.7	1.00	(9.8 - 13.7)	40,168	(33,095 - 47,241)
KS	45-54	2,039	10.8	0.85	(9.1 - 12.4)	41,361	(34,686 - 48,036)
KS	55-64	2,573	10.3	0.73	(8.9 - 11.7)	35,560	(30,432 - 40,688)
KS	65+	3,950	9.7	0.56	(8.6 - 10.8)	38,738	(34,197 - 43,279)
KY	18-24	515	16.6	1.80	(13.0 - 20.1)	70,106	(54,379 - 85,833)
KY	25-34	981	17.2	1.67	(13.9 - 20.4)	94,458	(74,586 - 114,330)
KY	35-44	1,393	15.7	1.41	(12.9 - 18.4)	88,597	(71,515 - 105,679)
KY	45-54	2,143	15.4	1.13	(13.2 - 17.6)	95,335	(80,697 - 109,973)
KY	55-64	2,645	17.5	1.30	(15.0 - 20.1)	96,080	(80,433 - 111,727)
KY	65+	3,413	14.5	0.94	(12.7 - 16.4)	91,657	(79,242 - 104,072)
LA	18-24	392	16.0	2.15	(11.7 - 20.2)	76,303	(54,855 - 97,751)
LA	25-34	722	12.0	1.67	(8.7 - 15.3)	76,664	(54,448 - 98,879)

Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2012**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
LA	35-44	994	11.4	1.40	(8.6 - 14.1)		63,870	(47,567 - 80,172)
LA	45-54	1,563	10.3	1.08	(8.2 - 12.5)		64,820	(50,950 - 78,690)
LA	55-64	2,113	14.4	1.18	(12.1 - 16.7)		80,356	(66,409 - 94,303)
LA	65+	3,209	9.1	0.76	(7.6 - 10.6)		55,331	(45,910 - 64,753)
ME	18-24	425	21.4	2.20	(17.0 - 25.7)		25,492	(19,710 - 31,273)
ME	25-34	875	18.8	1.56	(15.7 - 21.9)		26,900	(22,053 - 31,746)
ME	35-44	1,227	14.7	1.22	(12.3 - 17.1)		23,192	(19,121 - 27,263)
ME	45-54	1,863	13.7	0.94	(11.9 - 15.6)		28,205	(24,165 - 32,245)
ME	55-64	2,263	14.2	0.86	(12.5 - 15.9)		27,889	(24,336 - 31,442)
ME	65+	3,149	11.2	0.66	(9.9 - 12.5)		25,242	(22,188 - 28,297)
MD	18-24	354	21.2	2.59	(16.1 - 26.3)		118,791	(86,831 - 150,751)
MD	25-34	993	15.2	1.56	(12.1 - 18.3)		116,594	(91,611 - 141,578)
MD	35-44	1,652	14.1	1.28	(11.6 - 16.6)		108,724	(88,098 - 129,350)
MD	45-54	2,576	11.7	0.89	(9.9 - 13.4)		101,758	(85,949 - 117,566)
MD	55-64	2,835	11.1	0.81	(9.5 - 12.7)		81,155	(69,041 - 93,269)
MD	65+	4,192	9.7	0.73	(8.3 - 11.2)		76,272	(64,534 - 88,010)
MA	18-24	1,108	19.9	1.55	(16.9 - 22.9)		136,441	(113,527 - 159,356)
MA	25-34	2,166	19.4	1.22	(17.1 - 21.8)		163,607	(141,055 - 186,159)
MA	35-44	2,898	14.8	0.92	(13.0 - 16.6)		123,818	(107,775 - 139,860)
MA	45-54	4,208	13.9	0.75	(12.4 - 15.3)		137,247	(121,953 - 152,541)
MA	55-64	4,561	14.3	0.79	(12.7 - 15.8)		117,358	(103,699 - 131,017)
MA	65+	6,400	12.6	0.65	(11.3 - 13.9)		122,408	(109,135 - 135,681)
MI	18-24	590	23.4	2.07	(19.3 - 27.4)		232,371	(186,809 - 277,934)
MI	25-34	833	17.9	1.61	(14.7 - 21.0)		207,245	(167,326 - 247,163)
MI	35-44	1,211	15.0	1.28	(12.5 - 17.5)		178,611	(146,387 - 210,835)
MI	45-54	1,823	14.9	1.05	(12.9 - 17.0)		212,677	(181,211 - 244,143)
MI	55-64	2,367	13.5	0.88	(11.8 - 15.2)		174,014	(150,348 - 197,680)
MI	65+	3,535	11.4	0.70	(10.1 - 12.8)		165,655	(144,822 - 186,488)
MN	18-24	676	14.5	1.54	(11.5 - 17.5)		74,196	(57,900 - 90,491)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2012**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MN	25-34	1,358	13.6	1.15	(11.3 - 15.8)		95,474	(78,402 - 112,547)
MN	35-44	1,665	11.5	1.00	(9.6 - 13.5)		76,750	(62,946 - 90,554)
MN	45-54	2,338	9.5	0.81	(7.9 - 11.1)		73,642	(60,696 - 86,589)
MN	55-64	2,629	11.3	0.80	(9.8 - 12.9)		75,474	(64,541 - 86,407)
MN	65+	3,423	8.6	0.66	(7.3 - 9.9)		63,561	(53,592 - 73,530)
MS	18-24	342	12.2	1.91	(8.4 - 16.0)		38,104	(25,751 - 50,457)
MS	25-34	662	11.6	1.51	(8.6 - 14.5)		44,146	(32,283 - 56,009)
MS	35-44	800	10.8	1.36	(8.1 - 13.4)		39,276	(29,085 - 49,468)
MS	45-54	1,297	12.1	1.09	(9.9 - 14.2)		47,463	(38,641 - 56,286)
MS	55-64	1,766	14.9	1.16	(12.6 - 17.1)		52,691	(43,946 - 61,435)
MS	65+	2,838	9.3	0.66	(8.1 - 10.6)		38,122	(32,713 - 43,530)
MO	18-24	335	16.8	2.34	(12.2 - 21.4)		101,339	(71,710 - 130,967)
MO	25-34	616	16.6	1.83	(13.0 - 20.2)		127,305	(97,307 - 157,303)
MO	35-44	734	13.8	1.69	(10.5 - 17.1)		101,417	(75,324 - 127,510)
MO	45-54	1,130	14.3	1.28	(11.8 - 16.8)		120,268	(98,102 - 142,433)
MO	55-64	1,435	14.7	1.37	(12.0 - 17.4)		108,815	(87,444 - 130,186)
MO	65+	2,413	11.5	1.00	(9.6 - 13.5)		102,828	(84,509 - 121,146)
MT	18-24	459	20.4	2.22	(16.1 - 24.8)		19,776	(15,070 - 24,483)
MT	25-34	948	15.2	1.44	(12.4 - 18.0)		18,765	(15,006 - 22,523)
MT	35-44	949	13.5	1.39	(10.7 - 16.2)		15,103	(11,820 - 18,386)
MT	45-54	1,492	12.4	1.10	(10.3 - 14.6)		17,188	(14,033 - 20,344)
MT	55-64	1,941	12.0	0.95	(10.1 - 13.8)		17,282	(14,444 - 20,119)
MT	65+	2,816	11.7	0.78	(10.1 - 13.2)		18,560	(16,029 - 21,090)
NE	18-24	1,012	14.6	1.28	(12.1 - 17.1)		27,034	(22,057 - 32,010)
NE	25-34	1,889	11.8	0.90	(10.0 - 13.5)		28,547	(24,017 - 33,078)
NE	35-44	2,197	12.5	0.90	(10.8 - 14.3)		27,524	(23,399 - 31,649)
NE	45-54	3,188	9.2	0.68	(7.9 - 10.6)		22,681	(19,280 - 26,082)
NE	55-64	4,020	9.4	0.60	(8.2 - 10.6)		20,970	(18,239 - 23,700)
NE	65+	6,699	8.7	0.49	(7.8 - 9.7)		23,012	(20,422 - 25,601)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2012**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NV	18-24	270	13.0	2.13	(8.8 - 17.2)		32,396	(21,550 - 43,241)
NV	25-34	531	12.7	1.84	(9.1 - 16.3)		47,900	(33,346 - 62,454)
NV	35-44	614	8.4	1.28	(5.9 - 10.9)		31,052	(21,497 - 40,607)
NV	45-54	779	11.8	1.48	(8.9 - 14.7)		43,937	(32,660 - 55,214)
NV	55-64	996	13.7	1.87	(10.1 - 17.4)		43,005	(30,570 - 55,439)
NV	65+	1,561	11.2	1.19	(8.8 - 13.5)		40,057	(31,450 - 48,664)
NH	18-24	247	19.1	2.97	(13.3 - 25.0)		24,212	(15,986 - 32,438)
NH	25-34	534	17.5	2.12	(13.4 - 21.7)		25,194	(18,596 - 31,792)
NH	35-44	863	13.9	1.43	(11.1 - 16.7)		22,492	(17,651 - 27,334)
NH	45-54	1,395	12.5	1.11	(10.3 - 14.7)		26,998	(22,027 - 31,970)
NH	55-64	1,739	13.7	1.05	(11.7 - 15.8)		25,168	(21,174 - 29,162)
NH	65+	2,628	10.5	0.76	(9.0 - 12.0)		20,556	(17,506 - 23,606)
NJ	18-24	741	20.6	2.00	(16.7 - 24.5)		163,719	(128,564 - 198,875)
NJ	25-34	1,705	13.1	1.10	(10.9 - 15.2)		142,094	(117,189 - 166,998)
NJ	35-44	2,329	12.0	0.90	(10.2 - 13.7)		138,900	(117,301 - 160,499)
NJ	45-54	3,064	10.5	0.70	(9.1 - 11.9)		139,509	(120,516 - 158,502)
NJ	55-64	3,210	11.6	0.77	(10.1 - 13.1)		125,606	(108,587 - 142,625)
NJ	65+	4,454	9.8	0.61	(8.6 - 11.0)		124,138	(108,540 - 139,735)
NM	18-24	571	17.3	1.81	(13.8 - 20.9)		35,905	(27,936 - 43,873)
NM	25-34	966	12.3	1.14	(10.0 - 14.5)		33,617	(27,181 - 40,053)
NM	35-44	1,083	12.9	1.25	(10.4 - 15.3)		31,735	(25,249 - 38,220)
NM	45-54	1,532	11.4	0.91	(9.7 - 13.2)		31,740	(26,603 - 36,877)
NM	55-64	1,913	13.1	0.93	(11.3 - 15.0)		34,623	(29,506 - 39,739)
NM	65+	2,607	13.8	0.83	(12.2 - 15.5)		41,104	(35,994 - 46,215)
NY	18-24	425	21.0	2.49	(16.1 - 25.8)		406,605	(300,931 - 512,279)
NY	25-34	760	15.7	1.96	(11.9 - 19.6)		420,888	(306,344 - 535,432)
NY	35-44	789	11.1	1.33	(8.5 - 13.8)		278,320	(210,432 - 346,208)
NY	45-54	1,099	11.8	1.29	(9.3 - 14.3)		323,227	(250,228 - 396,227)
NY	55-64	1,155	11.3	1.10	(9.1 - 13.4)		266,239	(215,176 - 317,302)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2012**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NY	65+	1,709	13.9	1.37	(11.2 - 16.5)		384,832	(304,055 - 465,609)
NC	18-24	682	17.0	1.77	(13.5 - 20.4)		163,524	(126,656 - 200,393)
NC	25-34	1,350	11.2	1.04	(9.2 - 13.3)		139,682	(112,743 - 166,620)
NC	35-44	1,625	11.5	0.99	(9.6 - 13.5)		149,545	(122,682 - 176,408)
NC	45-54	2,049	11.9	0.95	(10.0 - 13.8)		162,412	(135,238 - 189,586)
NC	55-64	2,363	10.8	0.74	(9.3 - 12.2)		126,457	(108,772 - 144,142)
NC	65+	3,666	9.5	0.60	(8.3 - 10.7)		128,983	(112,515 - 145,452)
ND	18-24	253	17.2	2.72	(11.8 - 22.5)		13,878	(9,128 - 18,628)
ND	25-34	520	11.1	1.73	(7.7 - 14.5)		10,380	(7,022 - 13,738)
ND	35-44	550	9.8	1.62	(6.6 - 12.9)		7,537	(4,966 - 10,107)
ND	45-54	861	6.7	0.95	(4.8 - 8.6)		6,117	(4,380 - 7,853)
ND	55-64	1,060	9.4	1.15	(7.1 - 11.6)		8,186	(6,110 - 10,263)
ND	65+	1,581	10.2	0.98	(8.3 - 12.1)		10,725	(8,603 - 12,847)
OH	18-24	616	21.6	1.89	(17.8 - 25.3)		241,042	(194,767 - 287,318)
OH	25-34	1,199	13.3	1.20	(11.0 - 15.7)		186,162	(151,063 - 221,260)
OH	35-44	1,580	14.7	1.17	(12.4 - 17.0)		208,017	(173,047 - 242,986)
OH	45-54	2,349	12.5	0.87	(10.8 - 14.2)		205,472	(176,048 - 234,896)
OH	55-64	3,068	13.4	0.88	(11.7 - 15.2)		198,667	(171,191 - 226,142)
OH	65+	4,070	11.1	0.66	(9.8 - 12.4)		192,037	(168,876 - 215,198)
OK	18-24	393	17.2	2.24	(12.8 - 21.6)		66,443	(47,852 - 85,035)
OK	25-34	925	16.3	1.37	(13.7 - 19.0)		83,189	(68,547 - 97,830)
OK	35-44	981	12.2	1.13	(10.0 - 14.5)		56,989	(46,233 - 67,744)
OK	45-54	1,309	12.7	1.02	(10.7 - 14.7)		64,097	(53,595 - 74,599)
OK	55-64	1,754	14.5	1.04	(12.5 - 16.5)		66,849	(56,771 - 76,927)
OK	65+	2,604	12.1	0.81	(10.5 - 13.7)		66,392	(57,228 - 75,556)
OR	18-24	250	24.2	2.95	(18.4 - 30.0)		87,894	(64,307 - 111,482)
OR	25-34	497	22.8	2.22	(18.5 - 27.2)		118,623	(93,298 - 143,948)
OR	35-44	580	12.5	1.55	(9.5 - 15.6)		61,809	(46,020 - 77,597)
OR	45-54	811	15.2	1.54	(12.2 - 18.2)		79,286	(62,372 - 96,200)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.



**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2012**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
OR	55-64	1,245	16.8	1.30	(14.3 - 19.4)		86,699	(72,509 - 100,889)
OR	65+	1,842	12.9	0.90	(11.2 - 14.7)		75,832	(65,050 - 86,614)
PA	18-24	1,055	17.9	1.66	(14.6 - 21.2)		230,391	(183,925 - 276,858)
PA	25-34	1,884	15.4	1.11	(13.2 - 17.5)		233,348	(197,664 - 269,031)
PA	35-44	2,341	14.6	1.05	(12.6 - 16.7)		222,976	(189,190 - 256,763)
PA	45-54	3,529	12.8	0.82	(11.2 - 14.4)		235,400	(203,914 - 266,887)
PA	55-64	4,234	12.1	0.74	(10.7 - 13.6)		200,335	(175,256 - 225,414)
PA	65+	6,608	10.6	0.57	(9.5 - 11.7)		220,494	(196,281 - 244,707)
RI	18-24	250	19.7	3.15	(13.5 - 25.9)		22,940	(14,830 - 31,050)
RI	25-34	517	18.1	2.02	(14.1 - 22.1)		23,355	(17,838 - 28,872)
RI	35-44	729	17.8	2.04	(13.8 - 21.8)		22,696	(16,928 - 28,463)
RI	45-54	1,019	15.5	1.41	(12.8 - 18.3)		24,064	(19,482 - 28,647)
RI	55-64	1,195	13.2	1.16	(10.9 - 15.5)		17,499	(14,307 - 20,690)
RI	65+	1,684	12.6	0.96	(10.8 - 14.5)		20,272	(17,116 - 23,429)
SC	18-24	629	19.0	2.00	(15.0 - 22.9)		90,451	(69,472 - 111,430)
SC	25-34	1,192	13.5	1.25	(11.1 - 16.0)		81,338	(65,674 - 97,003)
SC	35-44	1,475	11.7	1.15	(9.5 - 14.0)		69,086	(54,989 - 83,182)
SC	45-54	2,097	13.2	1.07	(11.1 - 15.3)		85,367	(70,753 - 99,980)
SC	55-64	2,834	13.1	0.92	(11.3 - 14.9)		77,349	(66,078 - 88,620)
SC	65+	4,425	10.0	0.65	(8.7 - 11.3)		69,734	(60,613 - 78,854)
SD	18-24	508	18.0	2.20	(13.7 - 22.3)		15,025	(11,011 - 19,039)
SD	25-34	980	11.9	1.29	(9.4 - 14.4)		12,565	(9,791 - 15,339)
SD	35-44	949	8.7	1.17	(6.4 - 11.0)		8,143	(5,932 - 10,355)
SD	45-54	1,341	7.2	0.88	(5.5 - 9.0)		8,010	(6,097 - 9,923)
SD	55-64	1,657	11.7	1.46	(8.8 - 14.6)		12,103	(8,956 - 15,251)
SD	65+	2,373	9.6	1.04	(7.6 - 11.6)		11,974	(9,374 - 14,574)
TN	18-24	301	15.3	2.90	(9.6 - 21.0)		94,602	(55,206 - 133,999)
TN	25-34	642	9.9	1.44	(7.1 - 12.7)		81,545	(57,253 - 105,838)
TN	35-44	808	9.0	1.14	(6.8 - 11.3)		73,493	(54,676 - 92,310)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2012**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
TN	45-54	1,265	12.8	1.29	(10.3 - 15.4)		116,392	(91,741 - 141,044)
TN	55-64	1,594	10.2	1.03	(8.2 - 12.2)		82,600	(65,464 - 99,736)
TN	65+	2,362	9.8	0.90	(8.1 - 11.6)		91,981	(74,670 - 109,292)
TX	18-24	597	12.9	1.63	(9.7 - 16.1)		345,468	(254,379 - 436,556)
TX	25-34	1,095	11.3	1.25	(8.9 - 13.8)		411,188	(317,009 - 505,367)
TX	35-44	1,333	9.8	1.10	(7.6 - 11.9)		341,041	(261,943 - 420,140)
TX	45-54	1,480	9.8	1.01	(7.8 - 11.8)		339,745	(268,154 - 411,336)
TX	55-64	1,825	12.4	1.20	(10.0 - 14.7)		347,413	(276,375 - 418,451)
TX	65+	2,699	10.2	0.77	(8.7 - 11.7)		298,274	(253,006 - 343,542)
UT	18-24	849	16.4	1.44	(13.6 - 19.3)		53,378	(43,451 - 63,305)
UT	25-34	1,701	11.8	0.92	(10.0 - 13.6)		52,579	(44,224 - 60,933)
UT	35-44	2,032	12.3	0.92	(10.4 - 14.1)		44,049	(37,179 - 50,919)
UT	45-54	2,062	12.9	0.91	(11.2 - 14.7)		39,397	(33,609 - 45,185)
UT	55-64	2,290	12.8	0.85	(11.1 - 14.5)		32,690	(28,158 - 37,223)
UT	65+	3,356	11.6	0.69	(10.3 - 13.0)		31,814	(27,962 - 35,666)
VT	18-24	280	24.9	2.95	(19.1 - 30.7)		16,483	(12,088 - 20,878)
VT	25-34	486	15.6	1.89	(11.9 - 19.3)		10,871	(8,090 - 13,653)
VT	35-44	711	17.2	1.73	(13.8 - 20.6)		12,622	(9,875 - 15,369)
VT	45-54	1,108	12.4	1.20	(10.1 - 14.8)		11,964	(9,562 - 14,366)
VT	55-64	1,429	12.9	1.06	(10.9 - 15.0)		12,039	(9,991 - 14,087)
VT	65+	1,986	10.9	0.87	(9.2 - 12.6)		10,777	(9,007 - 12,548)
VA	18-24	341	16.8	2.31	(12.3 - 21.3)		138,804	(97,888 - 179,720)
VA	25-34	779	14.2	1.51	(11.3 - 17.2)		153,585	(119,205 - 187,966)
VA	35-44	1,001	11.8	1.24	(9.4 - 14.3)		127,345	(99,573 - 155,116)
VA	45-54	1,353	12.9	1.25	(10.4 - 15.3)		154,124	(122,188 - 186,061)
VA	55-64	1,557	15.0	1.10	(12.8 - 17.2)		148,262	(125,309 - 171,215)
VA	65+	2,240	10.8	0.80	(9.3 - 12.4)		116,773	(99,137 - 134,408)
WA	18-24	765	17.5	1.55	(14.5 - 20.6)		116,026	(94,248 - 137,803)
WA	25-34	1,373	15.6	1.15	(13.4 - 17.9)		145,867	(123,150 - 168,584)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2012**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
WA	35-44	1,907	14.0	0.97	(12.0 - 15.9)		126,612	(108,205 - 145,020)
WA	45-54	2,600	14.2	0.83	(12.6 - 15.8)		136,683	(120,167 - 153,198)
WA	55-64	3,487	15.5	0.80	(13.9 - 17.0)		135,282	(120,645 - 149,920)
WA	65+	4,955	14.2	0.65	(12.9 - 15.4)		131,037	(118,473 - 143,602)
WV	18-24	299	11.9	2.21	(7.5 - 16.2)		20,556	(12,487 - 28,625)
WV	25-34	487	15.1	1.75	(11.6 - 18.5)		31,952	(24,200 - 39,704)
WV	35-44	688	14.0	1.44	(11.2 - 16.8)		32,183	(25,256 - 39,110)
WV	45-54	892	12.3	1.25	(9.9 - 14.8)		32,060	(25,293 - 38,827)
WV	55-64	1,297	11.7	1.00	(9.8 - 13.7)		31,271	(25,746 - 36,796)
WV	65+	1,701	12.0	0.92	(10.2 - 13.8)		38,428	(32,324 - 44,533)
WI	18-24	260	12.9	2.61	(7.7 - 18.0)		71,573	(40,901 - 102,245)
WI	25-34	521	12.7	1.74	(9.3 - 16.2)		91,354	(65,701 - 117,008)
WI	35-44	632	11.8	1.91	(8.0 - 15.5)		82,981	(54,724 - 111,237)
WI	45-54	999	9.1	1.16	(6.8 - 11.3)		75,623	(56,098 - 95,148)
WI	55-64	1,202	11.8	1.59	(8.7 - 14.9)		87,250	(62,501 - 111,999)
WI	65+	1,644	9.2	1.13	(6.9 - 11.4)		76,086	(56,796 - 95,375)
WY	18-24	215	13.3	2.64	(8.1 - 18.6)		7,640	(4,473 - 10,807)
WY	25-34	487	15.0	2.21	(10.7 - 19.3)		11,442	(7,891 - 14,993)
WY	35-44	569	11.0	1.78	(7.5 - 14.5)		7,451	(4,976 - 9,927)
WY	45-54	987	12.2	1.51	(9.3 - 15.2)		9,362	(6,965 - 11,759)
WY	55-64	1,509	11.3	1.21	(8.9 - 13.6)		8,482	(6,592 - 10,372)
WY	65+	2,410	11.2	0.95	(9.3 - 13.1)		8,687	(7,165 - 10,210)
Territories								
GU	18-24	269	12.6	2.51	(7.6 - 17.5)		2,287	(1,331 - 3,243)
GU	25-34	413	13.5	2.49	(8.7 - 18.4)		2,856	(1,750 - 3,962)
GU	35-44	437	6.3	1.64	(3.0 - 9.5)		1,399	(659 - 2,140)
GU	45-54	375	10.3	1.81	(6.7 - 13.8)		2,066	(1,327 - 2,805)
GU	55-64	295	11.6	1.90	(7.9 - 15.4)		1,633	(1,100 - 2,165)
GU	65+	222	18.8	4.52	(9.9 - 27.7)		2,019	(898 - 3,139)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2012**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
PR	18-24	567	19.0	1.83	(15.4 - 22.6)		72,492	(57,259 - 87,726)
PR	25-34	825	15.5	1.38	(12.8 - 18.2)		77,060	(62,750 - 91,370)
PR	35-44	904	11.4	1.13	(9.2 - 13.6)		54,334	(43,378 - 65,289)
PR	45-54	1,015	13.9	1.36	(11.3 - 16.6)		67,508	(53,472 - 81,545)
PR	55-64	1,103	15.7	1.21	(13.4 - 18.1)		67,725	(56,817 - 78,634)
PR	65+	1,861	11.0	0.83	(9.4 - 12.6)		58,353	(49,355 - 67,351)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.