

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2012

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
Total **	0-4	15,594	5.2	0.33	(4.6 - 5.9)		680,439	(593,118 - 767,760)
Total **	5-9	16,096	9.8	0.43	(9.0 - 10.7)		1,391,429	(1,265,323 - 1,517,534)
Total **	10-14	18,640	11.5	0.44	(10.7 - 12.4)		1,477,866	(1,360,671 - 1,595,060)
Total **	15-17	14,138	10.3	0.48	(9.4 - 11.2)		936,695	(846,957 - 1,026,433)
AL	0-4	427	6.3	1.34	(4.1 - 9.5)		17,104	(9,813 - 24,396)
AL	5-9	420	13.6	1.96	(10.2 - 17.9)		37,358	(26,266 - 48,451)
AL	10-14	571	15.1	1.84	(11.8 - 19.0)		42,649	(31,665 - 53,634)
AL	15-17	436	9.8	1.64	(7.0 - 13.5)		18,649	(12,238 - 25,061)
AZ	0-4	293	2.5	1.13	(1.0 - 6.0)		10,555	(1,081 - 20,029)
AZ	5-9	347	10.1	2.20	(6.6 - 15.3)		40,635	(22,690 - 58,581)
AZ	10-14	372	9.4	1.86	(6.4 - 13.8)		36,752	(22,281 - 51,223)
AZ	15-17	273	12.1	2.56	(7.9 - 18.1)		29,419	(16,918 - 41,920)
CA	0-4	716	4.4	1.02	(2.8 - 6.9)		96,569	(51,850 - 141,288)
CA	5-9	762	9.8	1.30	(7.6 - 12.7)		245,429	(178,952 - 311,905)
CA	10-14	868	12.4	1.35	(10.0 - 15.3)		264,682	(204,945 - 324,418)
CA	15-17	687	10.4	1.47	(7.9 - 13.7)		167,527	(119,074 - 215,980)
CT	0-4	449	7.0	1.83	(4.1 - 11.5)		12,841	(5,947 - 19,734)
CT	5-9	514	10.1	1.50	(7.6 - 13.5)		20,722	(14,553 - 26,890)
CT	10-14	576	19.3	2.10	(15.5 - 23.7)		35,770	(27,362 - 44,178)
CT	15-17	406	11.5	2.04	(8.1 - 16.2)		16,822	(10,646 - 22,999)
DC	0-4	193	7.4	3.06	(3.2 - 16.1)		2,026	(339 - 3,713)
DC	5-9	151	19.4	5.39	(10.9 - 32.1)		5,980	(2,351 - 9,609)
DC	10-14	151	16.9	5.13	(9.0 - 29.3)		4,176	(1,453 - 6,899)
DC	15-17	109	10.9	4.91	(4.3 - 24.8)		1,795	(90 - 3,500)
GA	0-4	288	7.6	1.86	(4.6 - 12.1)		45,580	(22,847 - 68,313)
GA	5-9	295	8.2	1.73	(5.4 - 12.3)		57,829	(33,581 - 82,078)
GA	10-14	402	14.6	2.16	(10.9 - 19.4)		80,193	(55,358 - 105,028)
GA	15-17	276	12.5	2.71	(8.1 - 18.8)		51,910	(28,142 - 75,678)
HI	0-4	532	6.5	1.57	(4.0 - 10.4)		4,929	(2,529 - 7,330)
HI	5-9	435	13.8	2.07	(10.2 - 18.4)		11,551	(7,966 - 15,136)
HI	10-14	487	10.7	1.59	(8.0 - 14.2)		7,322	(5,155 - 9,488)

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2012

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Prevalence (Number)	95% CI * (Number)
HI	15-17	361	16.0	2.70	(11.4 - 22.0)		7,652	(4,896 - 10,408)
IL	0-4	276	3.8	1.34	(1.9 - 7.5)		29,901	(9,195 - 50,607)
IL	5-9	264	11.4	2.50	(7.3 - 17.3)		94,239	(51,029 - 137,449)
IL	10-14	367	12.2	1.99	(8.8 - 16.6)		91,370	(60,719 - 122,021)
IL	15-17	280	9.9	2.10	(6.5 - 14.9)		53,713	(30,605 - 76,822)
KS	0-4	627	4.9	1.11	(3.1 - 7.6)		9,346	(5,103 - 13,589)
KS	5-9	661	10.2	1.52	(7.6 - 13.6)		19,876	(13,719 - 26,033)
KS	10-14	756	14.4	1.55	(11.6 - 17.7)		25,615	(19,784 - 31,446)
KS	15-17	502	14.5	2.10	(10.8 - 19.1)		16,972	(11,701 - 22,243)
KY	0-4	516	8.9	1.88	(5.8 - 13.3)		23,531	(13,194 - 33,868)
KY	5-9	574	12.2	1.73	(9.2 - 16.0)		31,364	(22,189 - 40,540)
KY	10-14	714	9.4	1.19	(7.3 - 12.0)		23,811	(17,762 - 29,859)
KY	15-17	564	10.4	1.80	(7.4 - 14.5)		16,960	(10,890 - 23,029)
MD	0-4	547	5.9	1.58	(3.5 - 9.9)		18,756	(8,711 - 28,801)
MD	5-9	690	11.8	1.65	(8.9 - 15.5)		42,562	(30,530 - 54,594)
MD	10-14	845	12.7	1.62	(9.9 - 16.3)		36,480	(27,022 - 45,938)
MD	15-17	636	12.9	2.26	(9.0 - 18.0)		30,000	(18,791 - 41,210)
MI	0-4	461	5.7	1.28	(3.7 - 8.8)		28,466	(15,714 - 41,218)
MI	5-9	528	10.1	1.60	(7.3 - 13.6)		60,531	(40,780 - 80,282)
MI	10-14	693	11.6	1.33	(9.2 - 14.4)		63,873	(48,962 - 78,784)
MI	15-17	566	12.3	1.55	(9.5 - 15.6)		50,266	(37,251 - 63,281)
MS	0-4	398	8.4	1.66	(5.7 - 12.3)		15,474	(9,274 - 21,674)
MS	5-9	422	8.6	1.40	(6.2 - 11.8)		16,295	(10,986 - 21,604)
MS	10-14	476	13.5	1.82	(10.3 - 17.5)		24,761	(17,847 - 31,675)
MS	15-17	319	8.9	1.80	(6.0 - 13.1)		10,985	(6,495 - 15,475)
MO	0-4	316	8.4	1.97	(5.3 - 13.2)		28,620	(15,005 - 42,235)
MO	5-9	302	9.4	2.08	(6.0 - 14.3)		33,689	(18,539 - 48,838)
MO	10-14	323	12.1	2.55	(7.9 - 18.0)		41,448	(23,031 - 59,866)
MO	15-17	288	11.1	2.02	(7.7 - 15.8)		25,008	(15,789 - 34,227)
MT	0-4	523	3.5	1.12	(1.8 - 6.5)		1,952	(714 - 3,191)
MT	5-9	438	7.2	1.62	(4.6 - 11.1)		4,312	(2,337 - 6,287)

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2012

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
MT	10-14	518	9.4	1.70	(6.6 - 13.3)		5,105	(3,243 - 6,967)
MT	15-17	396	15.0	3.56	(9.3 - 23.4)		5,766	(2,735 - 8,797)
NE	0-4	1,114	1.9	0.57	(1.1 - 3.4)		2,328	(958 - 3,698)
NE	5-9	1,085	8.3	1.15	(6.3 - 10.8)		10,479	(7,514 - 13,443)
NE	10-14	1,234	10.5	1.31	(8.2 - 13.3)		11,779	(8,704 - 14,854)
NE	15-17	988	8.5	1.13	(6.5 - 11.0)		6,159	(4,499 - 7,820)
NV	0-4	237	4.0	1.60	(1.8 - 8.6)		6,420	(1,356 - 11,484)
NV	5-9	259	7.4	2.12	(4.2 - 12.8)		12,668	(5,419 - 19,917)
NV	10-14	305	7.3	1.58	(4.7 - 11.0)		10,042	(5,708 - 14,377)
NV	15-17	209	8.3	2.65	(4.4 - 15.2)		8,736	(3,062 - 14,409)
NH	0-4	335	6.0	1.79	(3.3 - 10.6)		3,745	(1,478 - 6,013)
NH	5-9	330	10.7	2.11	(7.2 - 15.6)		7,399	(4,381 - 10,417)
NH	10-14	449	12.6	1.98	(9.2 - 17.1)		8,825	(5,918 - 11,732)
NH	15-17	341	13.4	2.13	(9.8 - 18.2)		6,935	(4,655 - 9,216)
NJ	0-4	909	5.6	1.02	(3.9 - 8.0)		26,173	(16,635 - 35,712)
NJ	5-9	920	11.4	1.35	(9.0 - 14.4)		53,438	(40,419 - 66,458)
NJ	10-14	1,027	8.4	0.96	(6.7 - 10.5)		38,199	(29,510 - 46,888)
NJ	15-17	775	10.6	1.35	(8.2 - 13.5)		33,824	(25,028 - 42,621)
NM	0-4	480	3.6	0.86	(2.2 - 5.7)		4,771	(2,494 - 7,047)
NM	5-9	497	9.7	1.47	(7.2 - 13.0)		13,165	(9,104 - 17,226)
NM	10-14	598	9.6	1.24	(7.4 - 12.3)		11,198	(8,312 - 14,084)
NM	15-17	403	6.3	1.49	(3.9 - 9.9)		5,330	(2,790 - 7,870)
NY	0-4	273	5.3	1.47	(3.0 - 9.0)		50,892	(22,517 - 79,267)
NY	5-9	305	8.9	2.00	(5.7 - 13.7)		92,605	(50,159 - 135,050)
NY	10-14	337	17.0	2.88	(12.0 - 23.4)		156,237	(98,710 - 213,765)
NY	15-17	239	6.4	1.88	(3.5 - 11.2)		46,956	(19,030 - 74,882)
OH	0-4	650	4.2	0.83	(2.8 - 6.1)		26,983	(16,338 - 37,627)
OH	5-9	654	9.8	1.44	(7.3 - 13.0)		65,859	(45,946 - 85,772)
OH	10-14	753	11.4	1.42	(8.9 - 14.5)		69,967	(51,961 - 87,974)
OH	15-17	615	10.2	1.38	(7.8 - 13.2)		46,041	(33,471 - 58,612)
OK	0-4	482	4.2	1.01	(2.6 - 6.7)		10,208	(5,488 - 14,929)

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2012

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
OK	5-9	468	10.6	1.79	(7.5 - 14.6)		26,042	(18,021 - 34,063)
OK	10-14	529	10.8	1.86	(7.6 - 15.0)		25,586	(16,565 - 34,607)
OK	15-17	360	8.4	1.67	(5.6 - 12.3)		12,590	(8,171 - 17,009)
OR	0-4	213	4.7	1.58	(2.4 - 9.0)		9,028	(2,951 - 15,106)
OR	5-9	235	9.7	2.29	(6.0 - 15.2)		22,293	(11,573 - 33,012)
OR	10-14	265	8.6	1.87	(5.6 - 13.0)		16,141	(9,125 - 23,158)
OR	15-17	195	6.8	1.94	(3.8 - 11.7)		9,713	(4,232 - 15,194)
PA	0-4	1,012	5.6	0.99	(4.0 - 7.9)		34,722	(22,479 - 46,965)
PA	5-9	998	11.7	1.47	(9.1 - 14.9)		81,173	(59,737 - 102,609)
PA	10-14	1,086	12.4	1.31	(10.0 - 15.2)		80,942	(63,133 - 98,751)
PA	15-17	917	11.6	1.46	(9.0 - 14.8)		55,035	(40,704 - 69,366)
TN	0-4	271	6.1	1.91	(3.2 - 11.1)		22,367	(8,095 - 36,640)
TN	5-9	334	9.1	2.10	(5.7 - 14.1)		36,566	(19,231 - 53,901)
TN	10-14	322	10.3	1.89	(7.2 - 14.7)		36,836	(23,241 - 50,432)
TN	15-17	205	8.3	2.29	(4.8 - 14.0)		20,044	(8,917 - 31,171)
TX	0-4	544	5.9	1.42	(3.7 - 9.4)		92,577	(47,473 - 137,681)
TX	5-9	561	9.2	1.69	(6.4 - 13.1)		166,496	(103,495 - 229,498)
TX	10-14	644	8.1	1.46	(5.7 - 11.4)		137,362	(87,196 - 187,527)
TX	15-17	457	9.6	2.02	(6.3 - 14.3)		105,335	(59,308 - 151,363)
UT	0-4	1,001	4.4	0.85	(3.0 - 6.4)		10,009	(6,114 - 13,904)
UT	5-9	985	8.2	1.16	(6.2 - 10.8)		19,596	(13,955 - 25,237)
UT	10-14	1,160	8.7	0.95	(7.0 - 10.8)		17,615	(13,772 - 21,459)
UT	15-17	883	8.6	1.05	(6.7 - 10.9)		10,942	(8,257 - 13,627)
WA	0-4	756	3.4	0.83	(2.1 - 5.5)		13,596	(7,064 - 20,128)
WA	5-9	777	7.0	1.14	(5.0 - 9.6)		29,598	(19,776 - 39,421)
WA	10-14	927	7.3	1.03	(5.5 - 9.6)		26,497	(18,887 - 34,108)
WA	15-17	754	10.5	1.51	(7.9 - 13.9)		28,047	(19,692 - 36,403)
WV	0-4	302	3.0	1.16	(1.4 - 6.4)		3,077	(744 - 5,410)
WV	5-9	320	10.6	1.76	(7.6 - 14.5)		10,237	(6,805 - 13,669)
WV	10-14	318	8.4	1.67	(5.7 - 12.3)		8,612	(5,176 - 12,047)
WV	15-17	225	11.1	2.23	(7.5 - 16.3)		7,245	(4,288 - 10,202)

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2012

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
WI	0-4	228	4.9	2.63	(1.7 - 13.5)		15,993	(0 - 33,488)
WI	5-9	272	5.6	1.48	(3.3 - 9.3)		18,767	(9,016 - 28,517)
WI	10-14	280	10.1	2.93	(5.7 - 17.5)		34,894	(14,059 - 55,728)
WI	15-17	251	13.2	3.51	(7.7 - 21.7)		27,161	(11,739 - 42,583)
WY	0-4	225	5.4	2.45	(2.1 - 12.7)		1,898	(142 - 3,655)
WY	5-9	293	7.1	2.07	(3.9 - 12.4)		2,675	(1,090 - 4,261)
WY	10-14	287	10.1	2.36	(6.3 - 15.7)		3,124	(1,642 - 4,607)
WY	15-17	222	15.0	4.10	(8.6 - 24.9)		3,155	(1,280 - 5,029)
Territories								
PR	0-4	359	12.2	2.01	(8.8 - 16.7)		27,880	(18,387 - 37,373)
PR	5-9	384	17.6	2.30	(13.6 - 22.6)		42,588	(30,714 - 54,462)
PR	10-14	473	13.9	1.86	(10.6 - 18.0)		28,976	(20,965 - 36,987)
PR	15-17	357	13.1	2.26	(9.2 - 18.1)		22,068	(14,134 - 30,001)

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.