

Table C2_1
Child Current Asthma Prevalence Rate (Percent)
by Sex and State or Territory: BRFSS 2014

State	Male Sample Size	Male Prevalence	Male Standard Error	Male 95% CI *		Female Sample Size	Female Prevalence	Female Standard Error	Female 95% CI *
Total **	33,833	10.7	0.39	(10.0 - 11.5)		31,760	7.6	0.32	(7.0 - 8.3)
AL	899	15.3	1.66	(12.3 - 18.8)		830	11.4	1.50	(8.7 - 14.6)
CA	936	10.9	1.67	(8.0 - 14.6)		871	7.0	1.35	(4.8 - 10.1)
CT	848	11.4	1.62	(8.6 - 15.0)		762	8.1	1.21	(6.0 - 10.8)
DC	283	17.8	2.99	(12.7 - 24.5)		296	11.3	2.47	(7.3 - 17.1)
GA	616	14.2	1.72	(11.2 - 17.9)		619	5.6	1.00	(3.9 - 7.9)
HI	838	14.5	2.37	(10.4 - 19.8)		794	17.3	2.98	(12.2 - 23.9)
IL	577	10.0	1.49	(7.4 - 13.3)		554	6.7	1.25	(4.6 - 9.6)
IN	1,249	9.6	1.08	(7.7 - 12.0)		1,165	6.4	0.75	(5.0 - 8.0)
KS	1,617	10.2	1.03	(8.4 - 12.4)		1,569	6.5	0.76	(5.2 - 8.2)
KY	1,128	12.5	1.46	(9.9 - 15.7)		1,103	8.9	1.11	(6.9 - 11.3)
LA	900	9.8	1.23	(7.6 - 12.5)		810	6.4	1.08	(4.6 - 8.9)
ME	499	10.9	1.55	(8.2 - 14.3)		503	8.1	1.47	(5.6 - 11.5)
MD	1,417	11.3	1.25	(9.1 - 14.0)		1,266	8.2	1.01	(6.4 - 10.4)
MI	992	11.8	1.40	(9.3 - 14.8)		844	8.8	1.22	(6.7 - 11.5)
MS	459	12.4	1.96	(9.0 - 16.8)		438	11.3	1.95	(8.0 - 15.7)
MO	722	11.8	1.55	(9.0 - 15.2)		624	10.9	1.71	(7.9 - 14.7)
MT	791	7.6	1.17	(5.6 - 10.2)		755	6.7	1.05	(4.9 - 9.1)
NE	2,192	7.8	0.91	(6.2 - 9.8)		2,086	4.6	0.68	(3.4 - 6.1)
NV	445	7.7	2.09	(4.4 - 12.9)		420	6.0	1.63	(3.5 - 10.1)
NH	607	13.5	1.92	(10.2 - 17.7)		635	5.9	1.17	(4.0 - 8.6)
NJ	1,547	9.8	1.09	(7.9 - 12.2)		1,530	9.3	1.06	(7.4 - 11.6)
NM	1,026	8.5	1.14	(6.5 - 11.0)		1,012	4.8	0.93	(3.3 - 7.0)
NY	382	11.5	2.17	(7.9 - 16.5)		354	6.2	1.40	(4.0 - 9.6)
NC	656	11.7	1.72	(8.8 - 15.6)		703	11.2	1.76	(8.2 - 15.2)
OH	770	11.7	1.66	(8.8 - 15.4)		746	9.1	1.54	(6.5 - 12.6)
OK	997	13.9	1.51	(11.2 - 17.1)		902	9.5	1.38	(7.1 - 12.6)
OR	440	7.1	1.65	(4.4 - 11.1)		438	7.6	1.36	(5.3 - 10.7)
PA	1,104	13.1	1.64	(10.2 - 16.7)		1,016	8.6	1.21	(6.5 - 11.3)
RI	663	13.1	1.75	(10.0 - 16.9)		574	9.1	1.54	(6.5 - 12.6)
TN	413	11.7	2.74	(7.3 - 18.2)		352	7.7	1.87	(4.8 - 12.3)

Notes:

* CI denotes confidence interval.

** Total includes data from 36 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C2_1
Child Current Asthma Prevalence Rate (Percent)
by Sex and State or Territory: BRFSS 2014

State	Male Sample Size	Male Prevalence	Male Standard Error	Male 95% CI *		Female Sample Size	Female Prevalence	Female Standard Error	Female 95% CI *
TX	1,833	8.1	0.98	(6.4 - 10.3)		1,621	5.9	0.79	(4.5 - 7.7)
UT	2,759	7.4	0.69	(6.2 - 8.9)		2,530	6.0	0.70	(4.7 - 7.5)
VT	748	7.7	1.24	(5.6 - 10.5)		668	8.7	1.58	(6.0 - 12.3)
WA	1,034	6.8	0.96	(5.2 - 9.0)		1,040	6.3	0.89	(4.8 - 8.3)
WV	730	11.0	1.35	(8.6 - 13.9)		641	8.0	1.27	(5.8 - 10.8)
WI	716	8.9	1.97	(5.7 - 13.6)		689	11.7	2.54	(7.5 - 17.6)
Territory									
PR	773	14.0	1.52	(11.2 - 17.2)		699	13.7	1.58	(10.9 - 17.1)

Notes:

* CI denotes confidence interval.

** Total includes data from 36 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.