

**Table L2\_1**  
**Child Lifetime Asthma Prevalence Rate (Percent)**  
**by Sex and State or Territory: BRFSS 2014**

State	Male Sample Size	Male Prevalence	Male Standard Error	Male 95% CI *		Female Sample Size	Female Prevalence	Female Standard Error	Female 95% CI *
Total **	33,987	16.0	0.45	(15.1 - 16.9)		31,845	11.1	0.38	(10.4 - 11.9)
AL	906	21.5	1.89	(18.0 - 25.4)		830	15.7	1.74	(12.6 - 19.4)
CA	939	17.8	1.96	(14.3 - 21.9)		876	11.5	1.58	(8.7 - 15.0)
CT	853	18.3	1.92	(14.8 - 22.3)		764	11.4	1.42	(8.9 - 14.5)
DC	286	25.3	3.32	(19.4 - 32.4)		296	16.1	2.92	(11.2 - 22.7)
GA	621	18.1	1.85	(14.8 - 22.1)		620	9.1	1.29	(6.9 - 12.0)
HI	841	23.7	2.87	(18.5 - 29.8)		796	26.9	3.40	(20.8 - 34.1)
IL	579	14.2	1.84	(11.0 - 18.2)		554	8.8	1.40	(6.4 - 11.9)
IN	1,253	16.9	1.51	(14.1 - 20.0)		1,165	9.5	1.03	(7.7 - 11.7)
KS	1,626	13.7	1.11	(11.7 - 16.1)		1,580	9.8	0.90	(8.2 - 11.7)
KY	1,134	17.8	1.59	(14.9 - 21.2)		1,107	12.8	1.37	(10.3 - 15.7)
LA	904	14.0	1.41	(11.4 - 17.0)		814	10.7	1.36	(8.4 - 13.7)
ME	500	16.0	1.88	(12.6 - 20.0)		504	10.0	1.58	(7.3 - 13.6)
MD	1,429	16.7	1.47	(14.1 - 19.8)		1,270	12.4	1.17	(10.3 - 14.9)
MI	997	16.3	1.53	(13.6 - 19.6)		845	12.3	1.38	(9.8 - 15.2)
MS	461	17.3	2.18	(13.4 - 22.0)		439	15.3	2.18	(11.5 - 20.0)
MO	724	16.6	1.80	(13.4 - 20.4)		624	13.4	1.82	(10.2 - 17.4)
MT	793	11.0	1.47	(8.4 - 14.2)		757	9.1	1.26	(6.9 - 11.9)
NE	2,195	11.0	1.05	(9.1 - 13.2)		2,091	6.8	0.90	(5.2 - 8.8)
NV	447	14.5	2.57	(10.2 - 20.3)		421	12.0	2.72	(7.6 - 18.4)
NH	611	18.1	2.09	(14.4 - 22.6)		637	8.4	1.34	(6.1 - 11.4)
NJ	1,554	14.7	1.26	(12.4 - 17.3)		1,534	13.6	1.30	(11.3 - 16.4)
NM	1,031	13.2	1.37	(10.7 - 16.1)		1,016	7.8	1.12	(5.9 - 10.3)
NY	384	18.2	2.47	(13.8 - 23.5)		355	9.5	1.73	(6.6 - 13.5)
NC	661	16.2	1.87	(12.8 - 20.2)		705	13.8	1.85	(10.6 - 17.9)
OH	770	16.0	1.82	(12.7 - 19.9)		746	11.5	1.64	(8.6 - 15.1)
OK	1,000	19.9	1.75	(16.7 - 23.6)		904	13.3	1.58	(10.5 - 16.7)
OR	445	13.0	2.19	(9.3 - 17.9)		443	12.3	1.81	(9.2 - 16.3)
PA	1,107	18.5	1.75	(15.3 - 22.2)		1,019	10.8	1.30	(8.5 - 13.7)
RI	665	20.7	2.09	(16.9 - 25.1)		574	14.9	1.92	(11.5 - 19.1)
TN	417	15.9	2.81	(11.1 - 22.2)		354	10.9	2.06	(7.5 - 15.7)

Notes:

\* CI denotes confidence interval.

\*\* Total includes data from 36 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L2\_1**  
**Child Lifetime Asthma Prevalence Rate (Percent)**  
**by Sex and State or Territory: BRFSS 2014**

State	Male Sample Size	Male Prevalence	Male Standard Error	Male 95% CI *		Female Sample Size	Female Prevalence	Female Standard Error	Female 95% CI *
TX	1,842	12.0	1.10	(10.0 - 14.3)		1,625	9.1	1.01	(7.3 - 11.3)
UT	2,767	11.7	0.84	(10.2 - 13.5)		2,533	7.5	0.76	(6.2 - 9.2)
VT	752	13.0	1.59	(10.2 - 16.4)		671	13.7	1.97	(10.3 - 18.0)
WA	1,038	13.2	1.34	(10.8 - 16.0)		1,044	10.4	1.21	(8.3 - 13.0)
WV	736	15.5	1.57	(12.7 - 18.8)		643	10.1	1.38	(7.7 - 13.1)
WI	719	13.5	2.14	(9.9 - 18.3)		689	15.9	2.67	(11.4 - 21.9)
Territory									
PR	774	24.6	1.83	(21.2 - 28.4)		699	22.5	1.94	(19.0 - 26.6)

Notes:

\* CI denotes confidence interval.

\*\* Total includes data from 36 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.