

Table L3
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2014

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
Total **	0-4	13,189	7.3	0.49	(6.4 - 8.3)		993,377	(859,274 - 1,127,480)
Total **	5-9	14,592	14.5	0.69	(13.2 - 15.9)		2,155,015	(1,938,680 - 2,371,351)
Total **	10-14	17,907	17.6	0.62	(16.5 - 18.9)		2,286,056	(2,117,953 - 2,454,160)
Total **	15-17	13,960	16.9	0.68	(15.6 - 18.2)		1,587,675	(1,455,632 - 1,719,718)
AL	0-4	349	9.3	2.09	(6.0 - 14.3)		26,610	(14,541 - 38,679)
AL	5-9	389	22.0	2.86	(16.9 - 28.1)		59,701	(43,126 - 76,276)
AL	10-14	477	22.0	2.69	(17.2 - 27.7)		55,021	(40,436 - 69,605)
AL	15-17	374	23.0	2.88	(17.8 - 29.1)		42,438	(31,058 - 53,817)
CA	0-4	382	4.7	1.67	(2.3 - 9.3)		92,262	(27,272 - 157,252)
CA	5-9	410	18.0	3.02	(12.8 - 24.7)		454,361	(288,971 - 619,750)
CA	10-14	474	17.2	2.47	(12.9 - 22.6)		355,734	(249,194 - 462,274)
CA	15-17	369	18.3	2.76	(13.5 - 24.3)		292,131	(202,510 - 381,752)
CT	0-4	302	7.1	2.04	(4.0 - 12.3)		13,334	(5,651 - 21,016)
CT	5-9	353	18.0	2.77	(13.2 - 24.1)		33,618	(22,718 - 44,518)
CT	10-14	468	17.2	2.40	(13.0 - 22.5)		29,457	(20,924 - 37,990)
CT	15-17	368	16.9	2.52	(12.5 - 22.4)		24,030	(16,702 - 31,358)
DC	0-4	158	12.6	3.46	(7.3 - 21.1)		3,832	(1,624 - 6,039)
DC	5-9	133	25.7	4.82	(17.4 - 36.2)		8,973	(5,195 - 12,750)
DC	10-14	150	30.1	4.97	(21.3 - 40.6)		7,746	(4,704 - 10,788)
DC	15-17	94	16.9	4.78	(9.5 - 28.4)		2,206	(903 - 3,508)
GA	0-4	239	6.9	2.06	(3.8 - 12.2)		34,515	(13,612 - 55,417)
GA	5-9	287	15.0	2.40	(10.8 - 20.3)		101,806	(68,196 - 135,416)
GA	10-14	317	16.3	2.44	(12.1 - 21.7)		84,878	(58,432 - 111,325)
GA	15-17	258	18.0	2.89	(13.0 - 24.3)		76,049	(50,295 - 101,802)
HI	0-4	400	22.1	4.71	(14.2 - 32.7)		16,420	(8,376 - 24,464)
HI	5-9	381	27.4	4.49	(19.5 - 37.0)		20,256	(12,819 - 27,694)
HI	10-14	410	25.6	4.42	(17.9 - 35.1)		18,154	(10,858 - 25,451)
HI	15-17	276	31.8	5.79	(21.7 - 44.0)		15,337	(8,477 - 22,198)
IL	0-4	220	5.5	1.75	(2.9 - 10.1)		43,147	(15,740 - 70,554)
IL	5-9	246	12.0	2.54	(7.8 - 17.9)		98,469	(55,732 - 141,206)
IL	10-14	327	13.8	2.37	(9.8 - 19.2)		99,487	(64,159 - 134,816)

Notes:

* CI denotes confidence interval.

** Total includes data from 36 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2014**

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Prevalence (Number)	95% CI * (Number)
IL	15-17	286	17.2	2.86	(12.2 - 23.5)		89,514	(57,875 - 121,153)
IN	0-4	462	7.4	1.94	(4.4 - 12.2)		30,090	(13,929 - 46,251)
IN	5-9	496	13.4	2.05	(9.9 - 18.0)		57,090	(39,091 - 75,089)
IN	10-14	637	18.3	1.82	(15.0 - 22.1)		59,682	(47,339 - 72,025)
IN	15-17	553	16.3	2.19	(12.5 - 21.1)		38,062	(27,059 - 49,066)
KS	0-4	679	3.6	0.80	(2.3 - 5.6)		6,184	(3,477 - 8,892)
KS	5-9	738	11.8	1.60	(9.0 - 15.3)		21,605	(15,486 - 27,724)
KS	10-14	858	16.9	1.68	(13.9 - 20.5)		27,735	(21,889 - 33,582)
KS	15-17	651	18.0	1.86	(14.6 - 21.9)		20,073	(15,669 - 24,477)
KY	0-4	432	8.0	2.03	(4.8 - 13.0)		19,798	(9,402 - 30,194)
KY	5-9	490	16.5	2.16	(12.7 - 21.2)		40,302	(29,303 - 51,302)
KY	10-14	628	16.3	2.17	(12.5 - 21.0)		39,364	(28,096 - 50,631)
KY	15-17	528	22.3	2.35	(18.0 - 27.2)		35,260	(27,278 - 43,242)
LA	0-4	342	7.5	1.89	(4.5 - 12.2)		19,931	(9,651 - 30,211)
LA	5-9	419	11.7	1.88	(8.5 - 16.0)		30,851	(20,654 - 41,047)
LA	10-14	442	15.9	2.29	(11.9 - 20.9)		42,293	(29,395 - 55,190)
LA	15-17	334	18.1	2.44	(13.8 - 23.4)		32,385	(23,301 - 41,470)
ME	0-4	183	4.3	1.53	(2.1 - 8.5)		2,809	(836 - 4,782)
ME	5-9	225	12.1	2.38	(8.2 - 17.6)		8,264	(4,930 - 11,599)
ME	10-14	273	15.0	2.59	(10.6 - 20.8)		9,376	(5,960 - 12,793)
ME	15-17	248	23.4	3.26	(17.6 - 30.4)		10,017	(6,958 - 13,076)
MD	0-4	418	6.2	1.57	(3.8 - 10.1)		22,156	(10,831 - 33,482)
MD	5-9	636	18.9	2.07	(15.1 - 23.3)		67,477	(51,553 - 83,401)
MD	10-14	779	16.9	2.01	(13.3 - 21.2)		43,174	(32,034 - 54,313)
MD	15-17	590	17.8	2.10	(14.1 - 22.3)		41,355	(30,965 - 51,744)
MI	0-4	370	8.8	2.03	(5.5 - 13.6)		40,298	(21,127 - 59,468)
MI	5-9	373	11.8	2.02	(8.3 - 16.4)		69,709	(44,734 - 94,684)
MI	10-14	493	20.2	2.29	(16.1 - 25.1)		119,918	(90,183 - 149,654)
MI	15-17	482	17.9	2.01	(14.3 - 22.2)		64,421	(49,431 - 79,411)
MS	0-4	181	10.6	2.55	(6.5 - 16.7)		18,376	(9,461 - 27,290)
MS	5-9	205	21.9	3.49	(15.8 - 29.5)		41,446	(26,664 - 56,229)

Notes:

* CI denotes confidence interval.

** Total includes data from 36 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2014

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Prevalence (Number)	95% CI * (Number)
MS	10-14	230	19.8	3.36	(14.0 - 27.2)		33,804	(21,154 - 46,455)
MS	15-17	193	13.9	2.74	(9.3 - 20.2)		14,858	(8,837 - 20,879)
MO	0-4	243	5.8	1.73	(3.2 - 10.3)		20,481	(8,306 - 32,657)
MO	5-9	286	18.3	2.83	(13.4 - 24.5)		67,706	(45,732 - 89,680)
MO	10-14	389	20.8	2.84	(15.8 - 26.9)		65,292	(45,966 - 84,617)
MO	15-17	315	16.0	2.92	(11.1 - 22.6)		34,997	(21,544 - 48,451)
MT	0-4	303	3.5	1.24	(1.7 - 6.9)		1,707	(503 - 2,912)
MT	5-9	339	11.3	2.35	(7.4 - 16.8)		6,657	(3,795 - 9,518)
MT	10-14	436	13.5	2.14	(9.8 - 18.2)		6,645	(4,472 - 8,819)
MT	15-17	317	13.2	2.08	(9.6 - 17.8)		4,887	(3,358 - 6,416)
NE	0-4	931	4.2	1.21	(2.3 - 7.3)		5,103	(2,127 - 8,079)
NE	5-9	975	6.7	1.19	(4.7 - 9.4)		8,098	(5,196 - 11,000)
NE	10-14	1,181	13.9	1.57	(11.1 - 17.3)		14,800	(11,344 - 18,256)
NE	15-17	892	13.5	2.03	(10.0 - 18.0)		10,007	(6,817 - 13,197)
NV	0-4	173	6.7	3.10	(2.6 - 15.9)		11,398	(639 - 22,157)
NV	5-9	170	14.2	4.00	(8.0 - 24.0)		19,706	(7,935 - 31,476)
NV	10-14	225	21.2	4.60	(13.6 - 31.6)		36,792	(18,850 - 54,734)
NV	15-17	181	12.5	3.78	(6.8 - 21.9)		8,958	(3,268 - 14,648)
NH	0-4	235	6.9	2.33	(3.5 - 13.1)		4,181	(1,336 - 7,025)
NH	5-9	287	12.7	2.75	(8.2 - 19.1)		8,714	(4,729 - 12,700)
NH	10-14	377	21.7	2.73	(16.8 - 27.5)		14,201	(10,318 - 18,084)
NH	15-17	270	11.9	2.17	(8.2 - 16.8)		5,687	(3,565 - 7,809)
NJ	0-4	587	7.9	1.51	(5.4 - 11.5)		37,249	(22,869 - 51,629)
NJ	5-9	648	13.9	1.89	(10.6 - 18.0)		58,664	(42,144 - 75,184)
NJ	10-14	780	20.2	2.03	(16.5 - 24.4)		86,987	(68,400 - 105,574)
NJ	15-17	630	18.5	2.60	(14.0 - 24.2)		59,661	(41,301 - 78,021)
NM	0-4	386	3.2	1.06	(1.6 - 6.1)		4,401	(1,479 - 7,322)
NM	5-9	446	11.8	2.24	(8.1 - 17.0)		14,835	(8,996 - 20,675)
NM	10-14	565	15.3	1.91	(11.9 - 19.4)		16,430	(12,313 - 20,548)
NM	15-17	454	17.2	2.30	(13.2 - 22.2)		13,771	(10,032 - 17,510)
NY	0-4	156	9.3	2.75	(5.1 - 16.3)		106,987	(42,012 - 171,961)

Notes:

* CI denotes confidence interval.

** Total includes data from 36 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2014

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Prevalence (Number)	95% CI * (Number)
NY	5-9	151	13.9	3.44	(8.4 - 22.1)		140,327	(67,383 - 213,271)
NY	10-14	194	18.7	3.34	(13.0 - 26.1)		172,388	(106,683 - 238,092)
NY	15-17	152	16.8	3.76	(10.6 - 25.5)		94,436	(49,704 - 139,169)
NC	0-4	305	7.1	1.76	(4.3 - 11.4)		43,643	(21,802 - 65,483)
NC	5-9	315	18.8	3.00	(13.6 - 25.4)		118,018	(76,776 - 159,259)
NC	10-14	378	20.8	2.84	(15.7 - 26.9)		89,206	(62,519 - 115,894)
NC	15-17	260	18.8	3.32	(13.1 - 26.1)		73,406	(45,224 - 101,587)
OH	0-4	270	7.1	1.81	(4.2 - 11.5)		39,898	(19,388 - 60,409)
OH	5-9	289	13.7	2.90	(8.9 - 20.4)		84,545	(46,578 - 122,511)
OH	10-14	440	22.6	2.97	(17.3 - 28.9)		134,729	(94,510 - 174,947)
OH	15-17	331	12.2	2.23	(8.4 - 17.2)		51,319	(32,177 - 70,461)
OK	0-4	421	13.8	2.51	(9.6 - 19.5)		33,934	(20,906 - 46,962)
OK	5-9	453	15.8	2.23	(11.9 - 20.7)		38,380	(27,079 - 49,680)
OK	10-14	532	19.4	2.45	(15.1 - 24.7)		44,991	(32,654 - 57,327)
OK	15-17	356	18.8	2.62	(14.2 - 24.5)		28,342	(20,099 - 36,585)
OR	0-4	162	6.8	2.52	(3.2 - 13.7)		15,529	(3,937 - 27,122)
OR	5-9	216	10.2	2.65	(6.1 - 16.7)		23,878	(11,151 - 36,605)
OR	10-14	243	15.5	3.02	(10.5 - 22.4)		26,410	(15,452 - 37,368)
OR	15-17	182	22.3	3.91	(15.6 - 30.9)		28,351	(17,754 - 38,948)
PA	0-4	409	9.2	1.97	(6.0 - 13.9)		54,619	(30,774 - 78,464)
PA	5-9	460	14.0	2.12	(10.4 - 18.7)		91,823	(63,232 - 120,414)
PA	10-14	536	17.6	2.36	(13.4 - 22.7)		106,122	(75,421 - 136,823)
PA	15-17	483	18.2	2.23	(14.2 - 22.9)		80,209	(59,814 - 100,604)
RI	0-4	238	6.9	2.01	(3.9 - 12.1)		3,639	(1,501 - 5,777)
RI	5-9	303	22.6	3.27	(16.8 - 29.6)		12,773	(8,650 - 16,896)
RI	10-14	355	22.2	2.84	(17.2 - 28.3)		11,076	(7,938 - 14,215)
RI	15-17	277	19.8	3.16	(14.3 - 26.7)		7,667	(4,989 - 10,345)
TN	0-4	151	11.7	4.80	(5.1 - 24.8)		45,957	(5,518 - 86,397)
TN	5-9	167	11.1	2.65	(6.8 - 17.4)		40,475	(21,202 - 59,748)
TN	10-14	196	15.3	3.03	(10.3 - 22.2)		47,556	(28,375 - 66,738)
TN	15-17	181	15.8	3.14	(10.6 - 23.0)		40,245	(23,600 - 56,889)

Notes:

* CI denotes confidence interval.

** Total includes data from 36 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2014

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Prevalence (Number)	95% CI * (Number)
TX	0-4	652	6.8	1.53	(4.4 - 10.5)		100,680	(55,343 - 146,017)
TX	5-9	763	11.5	1.62	(8.7 - 15.1)		187,333	(134,409 - 240,257)
TX	10-14	910	14.5	1.76	(11.3 - 18.3)		216,089	(162,840 - 269,338)
TX	15-17	659	11.9	1.78	(8.8 - 15.8)		132,412	(92,634 - 172,190)
UT	0-4	1,166	3.9	0.70	(2.7 - 5.5)		7,184	(4,615 - 9,753)
UT	5-9	1,161	8.7	1.09	(6.7 - 11.0)		22,134	(16,456 - 27,812)
UT	10-14	1,372	13.2	1.33	(10.8 - 16.0)		28,000	(22,125 - 33,876)
UT	15-17	1,041	13.9	1.54	(11.2 - 17.2)		18,116	(13,913 - 22,318)
VT	0-4	296	8.8	2.65	(4.8 - 15.6)		2,637	(994 - 4,280)
VT	5-9	322	10.8	2.13	(7.3 - 15.8)		3,430	(2,052 - 4,807)
VT	10-14	402	18.6	2.67	(13.9 - 24.4)		5,295	(3,662 - 6,928)
VT	15-17	327	16.1	2.82	(11.3 - 22.4)		3,699	(2,338 - 5,060)
WA	0-4	389	4.9	1.30	(2.9 - 8.2)		17,833	(8,300 - 27,367)
WA	5-9	454	11.9	2.09	(8.4 - 16.6)		52,776	(33,306 - 72,247)
WA	10-14	619	16.9	1.80	(13.7 - 20.7)		65,091	(50,767 - 79,416)
WA	15-17	492	14.8	2.06	(11.2 - 19.3)		39,645	(27,906 - 51,384)
WV	0-4	312	7.0	1.88	(4.1 - 11.7)		6,005	(2,724 - 9,286)
WV	5-9	322	13.9	2.13	(10.2 - 18.6)		14,324	(9,775 - 18,873)
WV	10-14	402	14.4	1.96	(10.9 - 18.6)		12,391	(8,905 - 15,877)
WV	15-17	243	14.7	2.58	(10.4 - 20.6)		9,772	(6,221 - 13,323)
WI	0-4	287	12.9	4.47	(6.4 - 24.4)		40,550	(9,890 - 71,209)
WI	5-9	284	7.8	1.99	(4.7 - 12.7)		26,490	(13,045 - 39,935)
WI	10-14	412	20.8	3.60	(14.6 - 28.7)		59,740	(36,638 - 82,842)
WI	15-17	313	20.3	4.50	(12.8 - 30.5)		43,953	(22,353 - 65,553)
Territory								
PR	0-4	292	18.0	2.63	(13.4 - 23.8)		38,249	(26,428 - 50,069)
PR	5-9	301	28.9	3.10	(23.3 - 35.3)		66,229	(49,951 - 82,506)
PR	10-14	412	28.2	2.65	(23.3 - 33.7)		50,453	(39,741 - 61,165)
PR	15-17	321	21.7	2.50	(17.2 - 27.0)		34,706	(26,357 - 43,054)

Notes:

* CI denotes confidence interval.

** Total includes data from 36 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.