

**Table L5
Child Lifetime Asthma Prevalence
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2016**

State	Race/Ethnicity	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Weighted Number	95% CI* Weighted Number
Total **	White NH ***	41,065	10.7	0.26	(10.2–11.3)		2,565,582	(2,440,017–2,691,147)
Total **	Black NH	4,629	18.7	0.93	(17.0–20.6)		1,132,146	(1,012,586–1,251,705)
Total **	Other NH	6,436	12.5	0.73	(11.1–14.0)		740,213	(652,088–828,337)
Total **	Hispanic	9,621	13.1	0.56	(12.0–14.2)		1,494,726	(1,362,038–1,627,413)
AZ	White NH	905	9.7	1.15	(7.7–12.2)		57,574	(44,201–70,947)
AZ	Black NH	52	16.5	5.93	(7.9–31.5)		10,269	(2,602–17,935)
AZ	Other NH	294	14.5	3.06	(9.5–21.6)		30,096	(16,655–43,537)
AZ	Hispanic	553	14.1	1.95	(10.7–18.4)		103,145	(73,570–132,720)
CA	White NH	752	11.0	1.24	(8.8–13.7)		225,509	(174,105–276,913)
CA	Black NH	104	24.3	5.00	(15.9–35.4)		113,076	(60,537–165,615)
CA	Other NH	348	14.0	2.04	(10.4–18.5)		207,925	(145,298–270,551)
CA	Hispanic	1,361	12.3	1.10	(10.3–14.6)		442,318	(360,219–524,416)
CT	White NH	1,410	13.3	1.09	(11.3–15.6)		50,697	(42,269–59,125)
CT	Black NH	172	28.2	4.12	(20.9–36.9)		23,546	(15,801–31,292)
CT	Other NH	203	12.7	2.94	(7.9–19.6)		8,537	(4,423–12,651)
CT	Hispanic	331	18.3	2.37	(14.1–23.4)		31,719	(23,073–40,366)
FL	White NH	3,686	11.9	0.98	(10.1–13.9)		179,876	(149,715–210,036)
FL	Black NH	899	15.6	2.05	(12.0–20.0)		128,374	(92,921–163,826)
FL	Other NH	361	9.4	2.24	(5.8–14.8)		24,832	(12,896–36,769)
FL	Hispanic	1,613	13.6	1.41	(11.1–16.6)		160,218	(126,040–194,396)
GA	White NH	446	12.1	1.82	(9.0–16.2)		118,860	(82,674–155,046)
GA	Black NH	290	18.1	2.67	(13.4–23.9)		143,548	(99,640–187,457)
GA	Other NH	66	12.5	4.83	(5.7–25.4)		22,265	(4,253–40,277)
GA	Hispanic	112	11.4	3.41	(6.3–20.0)		41,111	(15,835–66,387)
HI	White NH	205	14.2	3.28	(8.9–21.9)		5,885	(3,005–8,765)
HI	Black NH	10	16.1				502	
HI	Other NH	1,191	17.0	1.33	(14.6–19.8)		33,495	(28,170–38,820)
HI	Hispanic	218	19.1	3.48	(13.2–26.8)		10,321	(6,175–14,467)
IL	White NH	563	10.8	1.49	(8.2–14.0)		149,516	(108,521–190,511)
IL	Black NH	128	21.8	4.24	(14.6–31.2)		92,307	(54,328–130,285)
IL	Other NH	77	6.2				17,876	

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Child Lifetime Asthma Prevalence
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2016

State	Race/Ethnicity	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Weighted Number	95% CI* Weighted Number
IL	Hispanic	209	8.6	2.14	(5.3–13.9)		61,157	(30,636–91,679)
IN	White NH	1,594	12.7	1.02	(10.9–14.9)		133,631	(112,154–155,109)
IN	Black NH	185	18.0	3.42	(12.2–25.7)		32,399	(19,418–45,380)
IN	Other NH	123	11.6	3.26	(6.6–19.7)		12,283	(5,283–19,283)
IN	Hispanic	193	11.6	3.01	(6.9–18.9)		20,041	(9,228–30,854)
KS	White NH	2,048	12.1	0.83	(10.6–13.9)		53,625	(46,209–61,041)
KS	Black NH	107	17.5	4.01	(11.0–26.8)		8,738	(4,506–12,969)
KS	Other NH	170	18.6	3.38	(12.9–26.1)		11,144	(6,821–15,466)
KS	Hispanic	348	8.6	1.62	(5.9–12.3)		11,516	(7,125–15,908)
KY	White NH	1,793	11.2	0.96	(9.4–13.2)		81,658	(67,719–95,597)
KY	Black NH	170	22.8	4.80	(14.8–33.5)		22,157	(12,290–32,025)
KY	Other NH	121	9.5	3.43	(4.6–18.7)		7,378	(2,030–12,726)
KY	Hispanic	72	9.6	4.24	(3.9–21.7)		4,188	(551–7,826)
ME	White NH	1,740	13.9	1.19	(11.8–16.4)		29,382	(24,338–34,425)
ME	Black NH	24	16.0				1,115	
ME	Other NH	89	5.8	2.90	(2.1–14.8)		864	(0–1,732)
ME	Hispanic	51	7.6				756	
MA	White NH	476	14.1	1.96	(10.7–18.4)		108,165	(77,756–138,575)
MA	Black NH	54	17.8	7.71	(7.2–37.8)		15,874	(698–31,050)
MA	Other NH	69	4.1				7,142	
MA	Hispanic	93	19.4	5.08	(11.3–31.3)		46,533	(20,308–72,758)
MI	White NH	1,936	10.3	0.81	(8.9–12.0)		137,058	(115,891–158,226)
MI	Black NH	338	19.9	2.51	(15.4–25.2)		70,169	(51,377–88,961)
MI	Other NH	219	12.9	2.42	(8.9–18.4)		25,825	(15,830–35,820)
MI	Hispanic	163	13.1	3.17	(8.0–20.6)		24,404	(11,967–36,841)
MN	White NH	2,881	9.7	0.65	(8.5–11.1)		80,560	(69,771–91,348)
MN	Black NH	176	18.4	3.48	(12.5–26.2)		20,378	(12,026–28,730)
MN	Other NH	318	9.4	1.74	(6.5–13.4)		15,091	(9,470–20,711)
MN	Hispanic	352	10.5	1.93	(7.2–14.9)		12,164	(7,544–16,783)
MS	White NH	551	9.5	1.43	(7.0–12.7)		30,321	(21,181–39,461)
MS	Black NH	532	14.2	1.98	(10.7–18.5)		42,772	(30,536–55,008)

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Child Lifetime Asthma Prevalence
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2016

State	Race/Ethnicity	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Weighted Number	95% CI* Weighted Number
MS	Other NH	27	3.2				789	
MS	Hispanic	28	2.2				605	
MO	White NH	999	10.5	1.23	(8.4–13.2)		98,574	(75,593–121,554)
MO	Black NH	143	18.8	4.64	(11.3–29.5)		36,541	(17,351–55,731)
MO	Other NH	90	15.4	4.28	(8.7–25.7)		16,561	(7,333–25,789)
MO	Hispanic	71	18.6	7.35	(8.1–37.1)		15,405	(1,582–29,229)
MT	White NH	874	6.5	1.14	(4.6–9.1)		10,808	(7,063–14,554)
MT	Black NH	13	7.5				145	
MT	Other NH	344	15.7	3.66	(9.7–24.2)		5,264	(2,638–7,890)
MT	Hispanic	61	11.8	5.58	(4.5–27.7)		1,928	(130–3,725)
NE	White NH	2,858	7.6	0.71	(6.4–9.2)		24,222	(19,741–28,704)
NE	Black NH	77	19.9	5.75	(10.9–33.5)		5,867	(2,201–9,534)
NE	Other NH	197	15.0	3.47	(9.4–23.1)		5,144	(2,634–7,653)
NE	Hispanic	508	7.7	1.55	(5.2–11.3)		6,305	(3,772–8,837)
NV	White NH	436	8.8	2.08	(5.4–13.8)		18,532	(9,638–27,426)
NV	Black NH	38	12.1				6,224	
NV	Other NH	118	15.6	5.05	(8.1–28.2)		15,639	(4,851–26,428)
NV	Hispanic	325	12.3	2.45	(8.3–18.0)		32,391	(19,199–45,582)
NJ	White NH	808	10.0	1.48	(7.4–13.3)		81,672	(57,453–105,891)
NJ	Black NH	227	22.8	3.94	(16.0–31.4)		62,404	(38,455–86,353)
NJ	Other NH	136	8.1	2.59	(4.3–14.9)		20,363	(7,394–33,331)
NJ	Hispanic	383	11.7	2.13	(8.1–16.5)		58,842	(37,100–80,583)
NM	White NH	388	13.9	2.93	(9.1–20.7)		15,820	(8,723–22,917)
NM	Black NH	15	11.5				788	
NM	Other NH	243	8.8	2.15	(5.4–14.1)		5,860	(3,073–8,646)
NM	Hispanic	680	14.8	1.74	(11.7–18.6)		42,133	(32,042–52,224)
NY	White NH	1,590	10.6	1.30	(8.3–13.4)		192,831	(145,554–240,107)
NY	Black NH	152	20.0	4.15	(13.1–29.4)		126,097	(71,167–181,028)
NY	Other NH	184	10.0	2.68	(5.8–16.6)		46,576	(21,586–71,567)
NY	Hispanic	320	17.7	2.94	(12.6–24.2)		179,278	(117,020–241,537)
OH	White NH	1,933	9.3	0.85	(7.7–11.1)		159,726	(130,581–188,871)

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L5
Child Lifetime Asthma Prevalence
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2016**

State	Race/Ethnicity	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Weighted Number	95% CI* Weighted Number
OH	Black NH	226	13.3	2.70	(8.8–19.5)		50,995	(29,526–72,464)
OH	Other NH	156	17.6	4.33	(10.6–27.7)		43,012	(19,781–66,243)
OH	Hispanic	73	11.4	3.85	(5.8–21.4)		12,538	(4,237–20,838)
OK	White NH	709	11.3	1.40	(8.8–14.3)		50,519	(37,836–63,201)
OK	Black NH	77	23.7	5.53	(14.6–36.2)		19,343	(9,525–29,160)
OK	Other NH	232	16.2	2.97	(11.2–22.9)		33,736	(20,599–46,873)
OK	Hispanic	171	12.5	2.68	(8.1–18.8)		20,035	(11,337–28,733)
OR	White NH	791	10.3	1.13	(8.3–12.8)		51,543	(40,530–62,556)
OR	Black NH	12	13.5				1,238	
OR	Other NH	113	11.1	3.43	(5.9–19.8)		12,638	(4,625–20,652)
OR	Hispanic	142	13.1	2.92	(8.4–20.0)		25,545	(14,061–37,030)
PA	White NH	1,077	11.3	1.12	(9.3–13.7)		187,055	(150,463–223,647)
PA	Black NH	157	17.2	3.82	(10.9–26.0)		59,082	(30,758–87,406)
PA	Other NH	121	10.4	2.96	(5.9–17.8)		28,117	(12,326–43,908)
PA	Hispanic	93	16.4	4.40	(9.5–26.9)		41,458	(18,891–64,024)
RI	White NH	787	12.3	1.49	(9.7–15.5)		14,240	(10,829–17,651)
RI	Black NH	57	15.4	5.91	(6.9–30.7)		2,504	(447–4,561)
RI	Other NH	83	13.8	4.96	(6.6–26.6)		2,348	(584–4,112)
RI	Hispanic	185	19.1	3.70	(12.9–27.4)		9,406	(5,458–13,354)
UT	White NH	2,878	8.2	0.61	(7.1–9.5)		52,576	(44,874–60,278)
UT	Black NH	37	17.2	7.30	(7.1–36.2)		1,654	(173–3,136)
UT	Other NH	194	11.4	2.73	(7.0–17.9)		7,552	(3,861–11,244)
UT	Hispanic	371	9.0	1.82	(6.0–13.2)		14,615	(8,566–20,664)
VT	White NH	1,138	12.2	1.45	(9.7–15.4)		11,977	(9,086–14,869)
VT	Black NH	18	27.7				579	
VT	Other NH	63	19.8	9.00	(7.5–42.9)		1,513	(0–3,116)
VT	Hispanic	37	14.1	7.27	(4.8–34.7)		507	(0–1,055)
WA	White NH	1,988	9.7	0.77	(8.3–11.3)		82,074	(68,982–95,166)
WA	Black NH	75	21.2	5.96	(11.8–35.1)		15,674	(6,187–25,162)
WA	Other NH	422	13.4	2.05	(9.9–18.0)		40,225	(27,253–53,197)
WA	Hispanic	430	11.7	1.95	(8.4–16.1)		39,924	(26,128–53,720)

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Child Lifetime Asthma Prevalence
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2016

State	Race/Ethnicity	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Weighted Number	95% CI* Weighted Number
WI	White NH	825	8.4	1.23	(6.3–11.2)		71,095	(50,521–91,669)
WI	Black NH	64	19.9	7.51	(9.0–38.5)		17,784	(3,007–32,562)
WI	Other NH	64	23.2	7.18	(12.0–40.0)		30,122	(8,983–51,262)
WI	Hispanic	74	15.7	5.28	(7.9–28.9)		24,220	(7,143–41,298)
Territory								
PR	White NH	11	6.3				570	
PR	Black NH	1	0.0				0	
PR	Other NH	3	0.0				0	
PR	Hispanic	1,156	24.2	1.79	(20.9–27.9)		189,073	(159,665–218,481)

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.