

Table C5
Adult* Self-Reported Current Asthma Prevalence
and Number by Race/Ethnicity and State or Territory, BRFSS 2018

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)		Weighted Number	95% CI¶ (Weighted Number)
U.S. Total**	White NH	322,323	9.3	0.10	(9.1–9.5)		14,703,805	(14,385,334–15,022,275)
U.S. Total**	Black NH	35,633	11.9	0.32	(11.3–12.5)		3,528,701	(3,332,825–3,724,576)
U.S. Total**	Other NH	21,455	7.2	0.40	(6.4–8.0)		1,256,572	(1,114,957–1,398,187)
U.S. Total**	Multirace NH	8,264	15.5	0.73	(14.1–16.9)		495,224	(446,094–544,353)
U.S. Total**	Hispanic	31,781	7.2	0.26	(6.7–7.7)		2,922,059	(2,709,287–3,134,830)
AL	White NH	4,427	10.4	0.63	(9.1–11.6)		260,982	(228,761–293,203)
AL	Black NH	1,684	10.7	1.08	(8.6–12.8)		101,656	(80,438–122,874)
AL	Other NH	161	12.3	3.38	(5.6–18.9)		10,955	(4,669–17,241)
AL	Multirace NH	92	13.3	4.41	(4.5–22.1)		5,157	(1,633–8,681)
AL	Hispanic	87	8.5	3.54	(1.4–15.5)		10,465	(1,521–19,410)
AK	White NH	1,953	8.4	0.86	(6.7–10.1)		29,204	(23,255–35,153)
AK	Black NH	48	6.6		(–)		1,437	(–)
AK	Other NH	494	11.2	1.96	(7.3–15.0)		13,220	(8,488–17,953)
AK	Multirace NH	92	13.8	5.90	(2.1–25.5)		2,747	(219–5,274)
AK	Hispanic	96	11.1	4.41	(2.3–19.8)		3,755	(599–6,912)
AZ	White NH	5,504	10.8	0.65	(9.5–12.1)		342,859	(301,049–384,668)
AZ	Black NH	163	13.1	3.44	(6.3–19.9)		29,338	(13,056–45,619)
AZ	Other NH	882	9.5	1.99	(5.6–13.4)		38,806	(22,168–55,444)
AZ	Multirace NH	126	25.9	6.24	(13.6–38.3)		12,307	(5,366–19,247)
AZ	Hispanic	1,156	7.3	1.13	(5.0–9.5)		107,500	(73,423–141,578)
AR	White NH	4,042	9.1	0.64	(7.8–10.3)		154,932	(133,123–176,742)
AR	Black NH	851	12.2	2.13	(8.0–16.4)		40,019	(25,157–54,881)
AR	Other NH	136	12.1	3.74	(4.7–19.5)		6,832	(2,556–11,107)
AR	Multirace NH	123	22.5	5.35	(11.9–33.1)		7,340	(3,515–11,166)
AR	Hispanic	103	9.6	3.66	(2.4–16.9)		13,702	(2,821–24,584)
CA	White NH	5,391	9.5	0.52	(8.5–10.5)		1,143,965	(1,017,134–1,270,795)
CA	Black NH	594	16.1	2.07	(12.0–20.1)		272,517	(196,584–348,449)
CA	Other NH	1,317	7.1	1.01	(5.2–9.1)		371,815	(265,541–478,089)
CA	Multirace NH	291	15.4	2.71	(10.0–20.7)		73,725	(46,340–101,110)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C5
Adult* Self-Reported Current Asthma Prevalence
and Number by Race/Ethnicity and State or Territory, BRFSS 2018

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
CA	Hispanic	4,048	6.5	0.46	(5.6–7.4)		694,895	(595,063–794,727)
CO	White NH	6,510	9.5	0.44	(8.6–10.3)		288,643	(261,788–315,499)
CO	Black NH	208	12.3	2.85	(6.7–17.9)		17,274	(8,826–25,721)
CO	Other NH	270	7.5	1.79	(3.9–11.0)		13,013	(6,721–19,306)
CO	Multirace NH	116	19.3	4.24	(10.9–27.7)		11,893	(6,227–17,559)
CO	Hispanic	1,357	7.2	0.79	(5.7–8.7)		58,369	(45,463–71,274)
CT	White NH	8,280	9.1	0.42	(8.3–9.9)		175,256	(159,154–191,358)
CT	Black NH	759	15.3	1.79	(11.8–18.8)		41,212	(30,860–51,564)
CT	Other NH	434	7.3	1.50	(4.4–10.3)		9,857	(5,831–13,883)
CT	Multirace NH	124	17.7	5.17	(7.4–27.9)		3,971	(1,411–6,532)
CT	Hispanic	788	13.0	1.36	(10.3–15.7)		53,387	(41,819–64,955)
DE	White NH	3,517	9.8	0.71	(8.4–11.2)		47,734	(40,698–54,770)
DE	Black NH	713	12.8	1.81	(9.3–16.4)		20,066	(14,081–26,051)
DE	Other NH	201	4.5	1.58	(1.4–7.6)		1,604	(495–2,714)
DE	Multirace NH	80	22.4	8.80	(4.9–40.0)		1,237	(48–2,426)
DE	Hispanic	542	7.6	1.67	(4.3–10.9)		4,550	(2,504–6,595)
DC	White NH	1,866	8.9	1.10	(6.8–11.1)		20,790	(15,545–26,036)
DC	Black NH	1,906	14.7	1.05	(12.7–16.8)		34,002	(28,959–39,045)
DC	Other NH	195	7.4	2.12	(3.3–11.6)		2,172	(908–3,435)
DC	Multirace NH	90	14.7	4.84	(5.1–24.3)		1,274	(371–2,177)
DC	Hispanic	185	10.7	2.73	(5.3–16.1)		6,427	(2,989–9,865)
FL	White NH	11,024	8.7	0.51	(7.7–9.7)		830,982	(733,458–928,507)
FL	Black NH	1,500	10.2	1.51	(7.3–13.2)		246,709	(171,716–321,702)
FL	Other NH	460	7.3	2.10	(3.2–11.5)		42,079	(17,836–66,322)
FL	Multirace NH	228	11.8	3.78	(4.3–19.2)		16,313	(5,435–27,191)
FL	Hispanic	1,652	8.1	1.24	(5.6–10.5)		335,220	(230,160–440,279)
GA	White NH	5,417	8.7	0.46	(7.8–9.6)		374,624	(334,457–414,790)
GA	Black NH	2,214	11.3	0.86	(9.6–13.0)		269,121	(226,626–311,615)
GA	Other NH	371	4.8	1.35	(2.1–7.4)		17,724	(7,666–27,782)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C5
Adult* Self-Reported Current Asthma Prevalence
and Number by Race/Ethnicity and State or Territory, BRFSS 2018

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
GA	Multirace NH	149	16.2	3.79	(8.7–23.7)		12,250	(6,021–18,480)
GA	Hispanic	845	4.0	0.77	(2.5–5.5)		26,198	(15,995–36,402)
HI	White NH	2,637	8.2	0.83	(6.6–9.9)		22,144	(17,556–26,731)
HI	Black NH	84	8.3	3.58	(1.2–15.4)		1,571	(191–2,952)
HI	Other NH	3,087	7.9	0.60	(6.7–9.1)		43,218	(36,575–49,862)
HI	Multirace NH	1,260	13.1	1.22	(10.7–15.5)		21,446	(17,358–25,533)
HI	Hispanic	681	15.3	2.32	(10.7–19.9)		15,302	(10,198–20,407)
ID	White NH	3,161	8.4	0.65	(7.1–9.6)		89,979	(76,120–103,837)
ID	Black NH	17	24.2		(–)		2,469	(–)
ID	Other NH	96	13.3	4.18	(5.0–21.6)		4,380	(1,480–7,280)
ID	Multirace NH	44	27.4	11.15	(4.9–49.9)		4,471	(0–9,088)
ID	Hispanic	265	5.0	1.92	(1.3–8.8)		6,875	(1,554–12,195)
IL	White NH	3,399	8.7	0.57	(7.6–9.8)		542,824	(472,430–613,217)
IL	Black NH	689	14.5	1.69	(11.2–17.8)		190,788	(144,312–237,264)
IL	Other NH	259	4.3	1.48	(1.4–7.2)		27,010	(8,311–45,709)
IL	Multirace NH	65	11.3	3.56	(4.1–18.4)		7,644	(2,791–12,498)
IL	Hispanic	788	5.7	1.12	(3.5–7.9)		84,779	(50,686–118,872)
IN	White NH	6,235	9.9	0.50	(8.9–10.9)		405,165	(364,229–446,101)
IN	Black NH	580	12.9	1.65	(9.6–16.1)		57,473	(42,258–72,688)
IN	Other NH	200	7.4	2.12	(3.3–11.6)		9,937	(4,462–15,413)
IN	Multirace NH	128	17.3	4.45	(8.5–26.1)		7,423	(3,249–11,597)
IN	Hispanic	258	6.3	1.73	(2.9–9.8)		18,741	(8,413–29,069)
IA	White NH	8,127	7.6	0.34	(6.9–8.3)		159,754	(145,725–173,783)
IA	Black NH	158	20.6	3.89	(12.9–28.3)		15,761	(9,034–22,489)
IA	Other NH	156	7.5	2.35	(2.8–12.1)		4,873	(1,726–8,020)
IA	Multirace NH	115	19.5	4.05	(11.4–27.5)		4,980	(2,717–7,244)
IA	Hispanic	400	4.0	1.03	(2.0–6.0)		4,628	(2,225–7,030)
KS	White NH	9,202	9.8	0.41	(9.0–10.6)		167,219	(153,002–181,436)
KS	Black NH	440	13.9	2.15	(9.7–18.2)		16,856	(11,366–22,347)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C5
Adult* Self-Reported Current Asthma Prevalence
and Number by Race/Ethnicity and State or Territory, BRFSS 2018

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
KS	Other NH	266	9.7	2.01	(5.7–13.6)		7,664	(4,414–10,914)
KS	Multirace NH	157	19.0	3.76	(11.6–26.4)		6,925	(3,945–9,905)
KS	Hispanic	520	6.8	1.23	(4.4–9.2)		14,626	(9,299–19,954)
KY	White NH	7,037	11.2	0.61	(10.0–12.4)		329,080	(293,001–365,159)
KY	Black NH	919	13.9	2.94	(8.1–19.7)		36,922	(20,155–53,690)
KY	Other NH	173	12.1	5.14	(2.0–22.3)		9,534	(932–18,136)
KY	Multirace NH	140	18.9	5.43	(8.2–29.7)		6,765	(2,880–10,650)
KY	Hispanic	107	10.2	4.21	(1.9–18.6)		8,888	(1,201–16,575)
LA	White NH	3,323	7.9	0.63	(6.7–9.1)		166,448	(139,881–193,015)
LA	Black NH	1,243	11.3	1.60	(8.1–14.4)		120,081	(83,902–156,261)
LA	Other NH	161	4.1	1.50	(1.1–7.0)		3,678	(1,021–6,336)
LA	Multirace NH	88	9.1	3.94	(1.3–16.9)		3,061	(314–5,808)
LA	Hispanic	153	9.4	3.46	(2.5–16.2)		16,717	(3,749–29,685)
ME	White NH	10,122	11.7	0.56	(10.6–12.8)		117,923	(106,347–129,498)
ME	Black NH	47	18.9	8.71	(1.3–36.4)		2,589	(13–5,165)
ME	Other NH	175	23.8	6.22	(11.5–36.0)		3,851	(1,504–6,199)
ME	Multirace NH	203	24.0	5.64	(12.9–35.2)		2,924	(1,323–4,524)
ME	Hispanic	116	19.3	8.61	(2.2–36.3)		2,967	(0–6,056)
MD	White NH	12,097	8.7	0.41	(7.9–9.5)		212,897	(192,581–233,213)
MD	Black NH	3,291	12.8	0.91	(11.0–14.6)		172,795	(146,834–198,755)
MD	Other NH	687	5.2	1.08	(3.1–7.3)		18,290	(10,733–25,848)
MD	Multirace NH	284	12.2	2.54	(7.2–17.2)		6,697	(3,795–9,599)
MD	Hispanic	668	6.0	1.05	(3.9–8.0)		25,758	(16,667–34,848)
MA	White NH	5,146	10.3	0.56	(9.2–11.4)		407,089	(362,722–451,457)
MA	Black NH	332	9.2	1.91	(5.4–12.9)		31,771	(18,212–45,330)
MA	Other NH	313	5.0	1.94	(1.2–8.8)		20,384	(4,370–36,398)
MA	Multirace NH	117	17.8	4.69	(8.5–27.1)		12,284	(5,145–19,423)
MA	Hispanic	519	12.6	1.75	(9.1–16.0)		71,460	(50,735–92,185)
MI	White NH	8,203	10.3	0.45	(9.4–11.2)		607,320	(554,314–660,326)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C5
Adult* Self-Reported Current Asthma Prevalence
and Number by Race/Ethnicity and State or Territory, BRFSS 2018

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
MI	Black NH	961	16.1	1.44	(13.2–18.9)		160,374	(130,021–190,726)
MI	Other NH	325	8.6	1.78	(5.1–12.1)		23,115	(13,405–32,825)
MI	Multirace NH	225	18.0	3.40	(11.3–24.7)		17,461	(10,148–24,775)
MI	Hispanic	292	11.8	2.49	(6.9–16.7)		37,262	(20,711–53,814)
MN	White NH	14,581	8.0	0.28	(7.5–8.6)		283,248	(263,586–302,910)
MN	Black NH	524	13.6	1.72	(10.2–17.0)		31,448	(23,060–39,836)
MN	Other NH	674	8.9	1.33	(6.3–11.5)		22,747	(15,778–29,716)
MN	Multirace NH	197	10.5	2.29	(6.0–15.0)		3,971	(2,199–5,742)
MN	Hispanic	684	5.5	0.90	(3.7–7.3)		10,293	(6,921–13,665)
MS	White NH	3,319	9.0	0.60	(7.8–10.2)		119,028	(103,229–134,827)
MS	Black NH	2,239	10.9	0.97	(9.0–12.8)		87,202	(71,149–103,256)
MS	Other NH	93	14.7	4.13	(6.5–22.9)		7,607	(3,271–11,942)
MS	Multirace NH	42	3.4		(–)		951	(–)
MS	Hispanic	48	2.9		(–)		909	(–)
MO	White NH	5,185	9.3	0.57	(8.2–10.4)		352,848	(309,775–395,921)
MO	Black NH	560	11.7	2.24	(7.3–16.1)		59,283	(35,325–83,241)
MO	Other NH	141	9.6	3.60	(2.5–16.7)		11,755	(2,500–21,010)
MO	Multirace NH	102	9.1	3.62	(1.9–16.2)		6,050	(1,198–10,901)
MO	Hispanic	110	3.2		(–)		5,216	(–)
MT	White NH	4,195	9.6	0.61	(8.4–10.8)		69,543	(60,758–78,328)
MT	Black NH	25	4.6		(–)		202	(–)
MT	Other NH	623	12.0	2.47	(7.2–16.9)		5,962	(3,371–8,553)
MT	Multirace NH	113	21.7	5.61	(10.6–32.8)		2,711	(1,152–4,269)
MT	Hispanic	109	11.9	4.27	(3.4–20.3)		2,881	(712–5,050)
NE	White NH	12,777	9.0	0.41	(8.2–9.9)		106,639	(96,805–116,474)
NE	Black NH	241	11.0	2.44	(6.2–15.8)		6,763	(3,640–9,887)
NE	Other NH	288	6.1	1.79	(2.6–9.6)		2,416	(1,004–3,829)
NE	Multirace NH	114	24.4	5.84	(12.8–35.9)		5,410	(2,402–8,418)
NE	Hispanic	995	4.5	0.85	(2.8–6.2)		5,897	(3,674–8,119)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C5
Adult* Self-Reported Current Asthma Prevalence
and Number by Race/Ethnicity and State or Territory, BRFSS 2018

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
NV	White NH	2,098	7.5	0.80	(5.9–9.1)		88,455	(69,496–107,413)
NV	Black NH	141	11.4	2.86	(5.8–17.1)		23,671	(11,398–35,944)
NV	Other NH	203	8.2	3.92	(0.5–16.0)		21,426	(111–42,741)
NV	Multirace NH	124	13.6	6.19	(1.4–25.9)		6,227	(2–12,451)
NV	Hispanic	556	6.9	1.40	(4.2–9.7)		40,900	(24,127–57,673)
NH	White NH	5,288	11.8	0.67	(10.5–13.1)		115,999	(102,581–129,418)
NH	Black NH	42	5.0		(–)		543	(–)
NH	Other NH	123	8.9	3.22	(2.5–15.2)		2,105	(551–3,659)
NH	Multirace NH	69	16.3	5.77	(4.8–27.8)		2,599	(705–4,493)
NH	Hispanic	67	19.3	7.36	(4.6–34.0)		5,613	(732–10,494)
NJ	White NH	1,973	7.8	0.90	(6.0–9.6)		301,772	(232,553–370,990)
NJ	Black NH	362	12.4	2.54	(7.4–17.4)		106,852	(61,985–151,718)
NJ	Other NH	200	5.3	1.81	(1.7–8.8)		39,849	(12,535–67,163)
NJ	Multirace NH	28	29.4	11.67	(5.4–53.3)		9,359	(0–18,867)
NJ	Hispanic	432	8.0	1.75	(4.6–11.4)		105,987	(59,383–152,590)
NM	White NH	3,445	11.5	0.76	(10.0–13.0)		72,435	(62,656–82,214)
NM	Black NH	76	7.1	3.28	(0.6–13.6)		1,318	(92–2,545)
NM	Other NH	720	8.7	1.30	(6.1–11.2)		13,376	(9,345–17,407)
NM	Multirace NH	69	17.8	6.81	(4.3–31.4)		2,647	(401–4,893)
NM	Hispanic	2,181	8.9	0.83	(7.3–10.6)		64,939	(52,776–77,101)
NY	White NH	26,732	9.9	0.35	(9.3–10.6)		850,311	(789,684–910,939)
NY	Black NH	2,426	10.6	0.83	(8.9–12.2)		226,340	(189,767–262,913)
NY	Other NH	1,960	6.8	1.06	(4.7–8.8)		105,772	(72,168–139,376)
NY	Multirace NH	593	14.5	2.35	(9.8–19.1)		17,941	(11,918–23,965)
NY	Hispanic	2,828	11.8	0.87	(10.1–13.5)		319,892	(271,220–368,563)
NC	White NH	3,127	9.0	0.69	(7.7–10.4)		474,652	(401,109–548,195)
NC	Black NH	873	9.6	1.37	(6.9–12.3)		159,481	(112,459–206,504)
NC	Other NH	186	15.7	3.77	(8.3–23.2)		47,317	(22,573–72,060)
NC	Multirace NH	71	20.6	5.76	(9.1–32.1)		24,087	(9,212–38,962)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C5
Adult* Self-Reported Current Asthma Prevalence
and Number by Race/Ethnicity and State or Territory, BRFSS 2018

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
NC	Hispanic	381	5.1	1.34	(2.5–7.7)		31,978	(15,068–48,887)
ND	White NH	5,096	8.1	0.55	(7.1–9.2)		40,143	(34,719–45,567)
ND	Black NH	75	0.8		(–)		155	(–)
ND	Other NH	240	10.1	2.41	(5.3–14.8)		3,313	(1,696–4,929)
ND	Multirace NH	54	11.8	5.20	(1.4–22.2)		738	(62–1,415)
ND	Hispanic	65	11.7	6.05	(0.0–23.8)		2,159	(0–4,585)
OH	White NH	11,036	8.7	0.41	(7.9–9.5)		631,573	(571,985–691,161)
OH	Black NH	790	11.4	1.43	(8.6–14.2)		119,940	(89,120–150,760)
OH	Other NH	235	7.8	3.20	(1.5–14.1)		17,904	(2,704–33,104)
OH	Multirace NH	216	12.9	2.97	(7.0–18.7)		13,470	(7,121–19,819)
OH	Hispanic	208	17.9	3.85	(10.3–25.5)		47,826	(25,222–70,429)
OK	White NH	3,916	10.3	0.65	(9.0–11.6)		210,541	(183,726–237,355)
OK	Black NH	284	14.3	2.69	(9.0–19.6)		30,123	(18,020–42,225)
OK	Other NH	426	9.4	1.81	(5.9–13.0)		26,711	(16,114–37,308)
OK	Multirace NH	257	11.2	2.50	(6.3–16.1)		16,128	(8,700–23,557)
OK	Hispanic	296	7.7	1.71	(4.3–11.0)		20,168	(11,032–29,304)
OR	White NH	4,744	11.7	0.59	(10.5–12.8)		297,279	(266,658–327,899)
OR	Black NH	69	15.6	4.75	(6.1–25.0)		8,980	(3,199–14,761)
OR	Other NH	212	7.8	2.39	(3.1–12.5)		10,866	(3,959–17,773)
OR	Multirace NH	198	17.1	3.95	(9.4–24.9)		21,779	(10,649–32,909)
OR	Hispanic	508	9.2	1.45	(6.3–12.0)		31,369	(21,197–41,542)
PA	White NH	4,793	9.4	0.52	(8.4–10.4)		735,349	(653,802–816,896)
PA	Black NH	669	15.3	1.90	(11.5–19.0)		155,344	(114,309–196,378)
PA	Other NH	233	6.4	2.24	(2.0–10.8)		24,903	(7,133–42,673)
PA	Multirace NH	82	10.8	3.38	(4.1–17.5)		8,840	(3,283–14,398)
PA	Hispanic	279	11.7	2.59	(6.6–16.8)		75,822	(40,508–111,135)
RI	White NH	4,549	11.1	0.69	(9.8–12.5)		69,763	(61,025–78,500)
RI	Black NH	197	12.5	3.33	(5.9–19.0)		5,262	(2,267–8,256)
RI	Other NH	197	20.2	3.90	(12.6–27.9)		7,627	(4,392–10,862)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C5
Adult* Self-Reported Current Asthma Prevalence
and Number by Race/Ethnicity and State or Territory, BRFSS 2018

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)		Weighted Number	95% CI¶ (Weighted Number)
RI	Multirace NH	80	15.9	4.49	(6.9–24.8)		1,863	(796–2,930)
RI	Hispanic	426	11.7	2.06	(7.7–15.8)		13,180	(8,350–18,009)
SC	White NH	7,091	8.9	0.49	(7.9–9.8)		231,353	(205,540–257,167)
SC	Black NH	2,757	10.4	0.87	(8.7–12.1)		103,206	(85,675–120,737)
SC	Other NH	233	4.6	1.41	(1.9–7.4)		3,369	(1,389–5,348)
SC	Multirace NH	167	11.2	2.91	(5.5–17.0)		4,803	(2,325–7,281)
SC	Hispanic	313	6.4	1.83	(2.8–10.0)		12,424	(5,234–19,615)
SD	White NH	5,606	8.0	0.69	(6.7–9.4)		44,377	(36,780–51,974)
SD	Black NH	40	2.0		(–)		136	(–)
SD	Other NH	1,048	8.1	1.39	(5.3–10.8)		4,240	(2,872–5,607)
SD	Multirace NH	132	10.9	4.72	(1.6–20.2)		1,413	(201–2,626)
SD	Hispanic	129	3.1		(–)		658	(–)
TN	White NH	4,110	9.7	0.62	(8.5–10.9)		381,242	(332,608–429,877)
TN	Black NH	589	10.7	1.64	(7.4–13.9)		87,609	(60,300–114,919)
TN	Other NH	123	9.1	3.20	(2.8–15.5)		12,747	(3,767–21,727)
TN	Multirace NH	109	17.3	4.94	(7.5–27.1)		8,451	(3,127–13,775)
TN	Hispanic	120	8.6	4.08	(0.5–16.7)		18,775	(190–37,360)
TX	White NH	6,789	8.7	0.71	(7.3–10.1)		816,795	(682,011–951,578)
TX	Black NH	991	10.0	1.64	(6.8–13.2)		244,829	(163,769–325,889)
TX	Other NH	477	5.6	2.04	(1.6–9.6)		66,316	(17,565–115,067)
TX	Multirace NH	173	16.8	4.44	(8.0–25.6)		31,173	(14,094–48,252)
TX	Hispanic	2,408	4.8	0.73	(3.4–6.3)		367,694	(257,983–477,405)
UT	White NH	8,880	10.0	0.42	(9.2–10.8)		174,180	(159,477–188,884)
UT	Black NH	73	8.7	3.51	(1.7–15.7)		1,768	(302–3,234)
UT	Other NH	334	5.5	1.40	(2.7–8.2)		5,425	(2,632–8,219)
UT	Multirace NH	95	7.3	3.65	(0.0–14.5)		2,103	(0–4,294)
UT	Hispanic	916	6.3	0.93	(4.5–8.1)		17,453	(12,275–22,631)
VT	White NH	5,991	11.8	0.62	(10.6–13.0)		54,744	(48,920–60,568)
VT	Black NH	33	9.8		(–)		395	(–)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C5
Adult* Self-Reported Current Asthma Prevalence
and Number by Race/Ethnicity and State or Territory, BRFSS 2018

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	 	Weighted Number	95% CI¶ (Weighted Number)
VT	Other NH	176	15.1	4.51	(6.2–24.0)		1,965	(760–3,170)
VT	Multirace NH	120	20.2	4.66	(11.0–29.4)		954	(473–1,434)
VT	Hispanic	72	14.8	7.90	(0.0–30.5)		1,289	(0–2,840)
VA	White NH	7,246	8.5	0.47	(7.6–9.4)		355,333	(316,251–394,415)
VA	Black NH	1,596	10.4	1.07	(8.3–12.5)		125,320	(98,679–151,962)
VA	Other NH	369	5.2	1.39	(2.5–8.0)		23,194	(11,029–35,359)
VA	Multirace NH	207	14.3	3.62	(7.2–21.5)		13,899	(6,463–21,336)
VA	Hispanic	592	5.4	1.08	(3.3–7.5)		29,816	(17,864–41,767)
WA	White NH	10,452	10.0	0.39	(9.3–10.8)		413,397	(380,944–445,850)
WA	Black NH	220	11.4	2.78	(6.0–16.9)		19,680	(9,541–29,819)
WA	Other NH	727	7.8	1.25	(5.3–10.2)		50,853	(34,220–67,485)
WA	Multirace NH	327	19.3	2.99	(13.4–25.1)		26,932	(17,758–36,106)
WA	Hispanic	974	6.2	0.91	(4.4–7.9)		37,188	(26,099–48,278)
WV	White NH	4,517	11.9	0.60	(10.8–13.1)		157,026	(141,115–172,938)
WV	Black NH	110	15.1	4.32	(6.5–23.6)		7,036	(2,715–11,357)
WV	Other NH	68	20.1	6.21	(7.7–32.5)		3,747	(1,181–6,312)
WV	Multirace NH	83	22.9	6.10	(10.7–35.0)		3,785	(1,453–6,117)
WV	Hispanic	48	8.0		(–)		1,422	(–)
WI	White NH	4,223	8.7	0.57	(7.6–9.8)		326,645	(283,840–369,449)
WI	Black NH	216	13.2	3.63	(6.0–20.3)		32,839	(13,990–51,689)
WI	Other NH	240	4.7	2.18	(0.4–9.0)		7,183	(546–13,819)
WI	Multirace NH	56	14.3	7.54	(0.0–29.4)		4,789	(0–10,341)
WI	Hispanic	159	10.2	2.58	(5.1–15.3)		25,338	(12,321–38,354)
WY	White NH	3,944	8.5	0.57	(7.4–9.6)		31,322	(27,140–35,505)
WY	Black NH	14	13.5		(–)		175	(–)
WY	Other NH	87	14.4	4.52	(5.5–23.4)		1,867	(614–3,120)
WY	Multirace NH	49	25.2	7.24	(10.6–39.7)		1,856	(651–3,061)
WY	Hispanic	251	6.4	1.85	(2.8–10.0)		2,505	(1,038–3,971)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.