

Table L5
Adult* Lifetime Asthma Prevalence
and Number by Race/Ethnicity and State or Territory: BRFSS 2019

State	Race/Ethnicity	Sample Size [§]	Prevalence (percent)	Standard Error	95% CI [¶] (percent)	 	Weighted Number	95% CI [¶] (Weighted Number)
U.S. Total**	White NH	309,428	14.7	0.12	(14.5–15.0)		22,457,428	(22,085,925–22,828,931)
U.S. Total**	Black NH	31,317	16.7	0.37	(15.9–17.4)		4,858,422	(4,627,950–5,088,893)
U.S. Total**	Other NH	19,528	11.4	0.50	(10.5–12.4)		2,020,221	(1,838,286–2,202,157)
U.S. Total**	Multirace NH	8,134	22.5	0.88	(20.8–24.2)		732,388	(669,234–795,542)
U.S. Total**	Hispanic	31,172	13.0	0.36	(12.3–13.7)		5,335,811	(5,031,418–5,640,204)
AL	White NH	4,765	14.7	0.70	(13.3–16.1)		371,264	(334,371–408,157)
AL	Black NH	1,807	16.9	1.30	(14.4–19.5)		162,520	(135,466–189,575)
AL	Other NH	185	14.9	3.19	(8.6–21.2)		15,749	(8,702–22,796)
AL	Multirace NH	85	19.2	5.87	(7.5–30.8)		6,233	(1,941–10,526)
AL	Hispanic	96	16.0	5.08	(5.9–26.1)		21,622	(6,586–36,658)
AK	White NH	2,185	15.1	1.13	(12.8–17.3)		51,561	(43,687–59,435)
AK	Black NH	51	13.6	9.75	(0.0–33.2)		3,335	(0–8,754)
AK	Other NH	443	10.4	1.79	(6.9–13.9)		11,499	(7,591–15,407)
AK	Multirace NH	135	15.1	4.00	(7.2–23.0)		3,486	(1,632–5,340)
AK	Hispanic	73	24.0	6.57	(10.9–37.1)		9,679	(3,573–15,785)
AZ	White NH	6,192	16.4	0.79	(14.9–18.0)		522,414	(470,708–574,120)
AZ	Black NH	200	15.6	3.50	(8.7–22.5)		38,484	(19,927–57,041)
AZ	Other NH	857	12.3	1.93	(8.5–16.1)		54,176	(37,261–71,091)
AZ	Multirace NH	132	38.2	8.47	(21.5–55.0)		20,134	(7,899–32,369)
AZ	Hispanic	1,304	13.1	1.36	(10.5–15.8)		209,236	(164,742–253,730)
AR	White NH	4,043	15.3	0.81	(13.7–16.9)		259,324	(231,005–287,643)
AR	Black NH	746	16.1	2.31	(11.5–20.6)		52,643	(36,388–68,897)
AR	Other NH	148	10.3	3.31	(3.8–16.9)		5,970	(2,074–9,866)
AR	Multirace NH	129	16.7	4.32	(8.2–25.2)		4,917	(2,276–7,558)
AR	Hispanic	158	6.9	2.34	(2.2–11.5)		11,052	(3,412–18,691)
CA	White NH	5,240	17.5	0.66	(16.2–18.8)		2,043,078	(1,883,653–2,202,503)
CA	Black NH	578	18.9	1.94	(15.1–22.7)		314,709	(245,753–383,665)
CA	Other NH	1,201	11.2	1.23	(8.8–13.6)		594,851	(459,730–729,972)
CA	Multirace NH	260	23.9	3.22	(17.6–30.3)		105,115	(73,387–136,843)

Notes:

*Aged 18+ years

**U.S. Total includes 49 states plus the District of Columbia and excludes the three territories, New Jersey was excluded because of not meeting the minimum data collection requirements.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Adult* Lifetime Asthma Prevalence
and Number by Race/Ethnicity and State or Territory: BRFSS 2019

State	Race/Ethnicity	Sample Size [§]	Prevalence (percent)	Standard Error	95% CI [¶] (percent)	 	Weighted Number	95% CI [¶] (Weighted Number)
CA	Hispanic	3,987	12.1	0.64	(10.8–13.3)		1,325,324	(1,181,080–1,469,567)
CO	White NH	6,891	15.8	0.56	(14.7–16.9)		487,332	(451,999–522,665)
CO	Black NH	239	19.3	3.00	(13.4–25.2)		32,303	(21,382–43,223)
CO	Other NH	287	14.6	2.55	(9.6–19.7)		28,245	(17,825–38,665)
CO	Multirace NH	135	16.3	3.55	(9.2–23.3)		10,184	(5,470–14,899)
CO	Hispanic	1,416	12.3	1.01	(10.4–14.3)		105,266	(87,395–123,138)
CT	White NH	7,051	15.9	0.67	(14.6–17.2)		298,597	(271,713–325,480)
CT	Black NH	633	19.0	2.00	(15.0–22.9)		52,110	(40,044–64,176)
CT	Other NH	386	13.1	2.31	(8.5–17.6)		21,418	(13,487–29,350)
CT	Multirace NH	119	24.8	4.95	(15.0–34.6)		5,317	(2,883–7,752)
CT	Hispanic	720	21.1	1.87	(17.4–24.8)		90,646	(72,945–108,346)
DE	White NH	2,632	16.0	1.07	(13.9–18.1)		77,999	(66,936–89,062)
DE	Black NH	492	17.3	2.45	(12.5–22.1)		27,617	(19,138–36,096)
DE	Other NH	145	11.2	3.26	(4.8–17.7)		4,364	(1,778–6,951)
DE	Multirace NH	78	18.5	5.46	(7.7–29.4)		1,501	(570–2,433)
DE	Hispanic	441	10.7	2.11	(6.6–14.9)		6,695	(4,006–9,384)
DC	White NH	971	15.9	1.58	(12.8–19.0)		37,422	(29,519–45,326)
DC	Black NH	1,246	21.4	1.58	(18.3–24.5)		48,623	(40,690–56,556)
DC	Other NH	127	10.9	3.54	(3.9–17.9)		3,744	(1,194–6,294)
DC	Multirace NH	50	38.1	7.90	(22.2–54.0)		2,777	(1,294–4,260)
DC	Hispanic	147	14.0	3.23	(7.6–20.3)		8,751	(4,490–13,011)
FL	White NH	11,986	12.3	0.55	(11.2–13.4)		1,160,282	(1,054,363–1,266,200)
FL	Black NH	1,625	14.2	1.70	(10.9–17.5)		338,184	(253,544–422,824)
FL	Other NH	507	5.9	1.45	(3.0–8.7)		36,843	(19,543–54,144)
FL	Multirace NH	461	17.1	3.07	(11.0–23.1)		31,009	(19,493–42,524)
FL	Hispanic	1,899	13.8	1.48	(10.9–16.7)		589,446	(458,556–720,336)
GA	White NH	4,584	13.3	0.76	(11.8–14.8)		576,509	(508,746–644,271)
GA	Black NH	1,624	13.3	1.31	(10.7–15.8)		326,925	(260,726–393,125)
GA	Other NH	252	13.7	3.24	(7.4–20.1)		48,407	(25,110–71,704)

Notes:

*Aged 18+ years

**U.S. Total includes 49 states plus the District of Columbia and excludes the three territories, New Jersey was excluded because of not meeting the minimum data collection requirements.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Adult* Lifetime Asthma Prevalence
and Number by Race/Ethnicity and State or Territory: BRFSS 2019

State	Race/Ethnicity	Sample Size [§]	Prevalence (percent)	Standard Error	95% CI [¶] (percent)	 	Weighted Number	95% CI [¶] (Weighted Number)
GA	Multirace NH	138	19.5	5.46	(8.7–30.2)		29,260	(11,980–46,539)
GA	Hispanic	568	7.3	1.25	(4.8–9.7)		50,678	(33,547–67,809)
HI	White NH	2,599	13.0	1.02	(11.0–15.0)		34,457	(28,742–40,172)
HI	Black NH	69	18.9	6.48	(6.0–31.9)		4,427	(1,047–7,807)
HI	Other NH	3,104	14.4	0.78	(12.9–15.9)		79,031	(70,270–87,791)
HI	Multirace NH	1,217	23.2	1.60	(20.1–26.3)		36,989	(31,312–42,666)
HI	Hispanic	568	23.2	2.31	(18.7–27.8)		23,582	(18,306–28,858)
ID	White NH	4,757	14.0	0.79	(12.5–15.6)		153,266	(135,827–170,706)
ID	Black NH	18	25.7		(–)		1,961	(–)
ID	Other NH	114	13.8	3.86	(6.1–21.4)		4,827	(2,053–7,600)
ID	Multirace NH	99	14.6	5.40	(3.9–25.3)		3,760	(992–6,528)
ID	Hispanic	317	17.0	3.13	(10.8–23.2)		24,433	(14,648–34,218)
IL	White NH	3,645	13.0	0.67	(11.7–14.3)		800,215	(716,160–884,270)
IL	Black NH	657	22.4	2.23	(18.0–26.8)		292,810	(226,401–359,219)
IL	Other NH	252	9.9	2.37	(5.2–14.6)		62,393	(31,198–93,589)
IL	Multirace NH	70	34.6	6.55	(21.5–47.7)		33,479	(17,663–49,295)
IL	Hispanic	816	9.2	1.14	(7.0–11.5)		142,077	(106,200–177,955)
IN	White NH	7,343	14.6	0.54	(13.5–15.7)		596,847	(551,506–642,189)
IN	Black NH	597	17.6	1.99	(13.7–21.5)		79,236	(59,987–98,486)
IN	Other NH	232	12.9	3.04	(6.9–18.9)		20,518	(10,290–30,746)
IN	Multirace NH	127	17.2	3.92	(9.4–24.9)		7,999	(4,146–11,852)
IN	Hispanic	380	8.9	1.50	(5.9–11.8)		27,692	(18,223–37,161)
IA	White NH	8,753	11.9	0.42	(11.0–12.7)		248,221	(230,320–266,123)
IA	Black NH	183	15.3	2.73	(9.9–20.7)		12,377	(7,734–17,020)
IA	Other NH	138	13.0	3.33	(6.5–19.6)		9,214	(4,202–14,226)
IA	Multirace NH	93	32.1	6.18	(19.8–44.4)		9,688	(5,041–14,335)
IA	Hispanic	460	9.4	1.53	(6.4–12.4)		11,664	(7,741–15,588)
KS	White NH	9,664	14.8	0.46	(13.9–15.7)		249,292	(233,263–265,322)
KS	Black NH	426	17.0	2.14	(12.8–21.2)		20,470	(14,901–26,040)

Notes:

*Aged 18+ years

**U.S. Total includes 49 states plus the District of Columbia and excludes the three territories, New Jersey was excluded because of not meeting the minimum data collection requirements.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Adult* Lifetime Asthma Prevalence
and Number by Race/Ethnicity and State or Territory: BRFSS 2019

State	Race/Ethnicity	Sample Size [§]	Prevalence (percent)	Standard Error	95% CI [¶] (percent)	 	Weighted Number	95% CI [¶] (Weighted Number)
KS	Other NH	262	14.5	2.54	(9.5–19.5)		11,250	(7,101–15,398)
KS	Multirace NH	190	27.5	3.67	(20.3–34.7)		13,544	(9,456–17,632)
KS	Hispanic	561	11.5	1.53	(8.5–14.5)		25,923	(18,751–33,095)
KY	White NH	6,839	14.1	0.66	(12.8–15.4)		414,903	(375,650–454,157)
KY	Black NH	650	9.8	1.78	(6.3–13.3)		25,622	(16,465–34,780)
KY	Other NH	112	16.2	5.38	(5.6–26.9)		9,536	(2,746–16,326)
KY	Multirace NH	125	27.3	8.45	(10.6–44.0)		11,978	(2,714–21,243)
KY	Hispanic	106	14.5	4.12	(6.3–22.6)		16,380	(6,775–25,985)
LA	White NH	3,061	14.5	0.76	(13.0–16.0)		301,224	(269,013–333,435)
LA	Black NH	1,168	14.6	1.22	(12.2–17.0)		156,581	(129,649–183,513)
LA	Other NH	152	17.1	4.01	(9.2–25.1)		18,558	(9,134–27,982)
LA	Multirace NH	79	23.7	7.31	(9.1–38.2)		6,746	(1,771–11,721)
LA	Hispanic	138	18.4	3.93	(10.6–26.2)		35,443	(19,065–51,821)
ME	White NH	10,523	15.9	0.64	(14.7–17.2)		159,171	(145,779–172,564)
ME	Black NH	56	8.9		(–)		942	(–)
ME	Other NH	152	27.9	8.41	(11.2–44.5)		5,352	(1,260–9,445)
ME	Multirace NH	145	34.2	7.84	(18.7–49.7)		5,344	(2,107–8,580)
ME	Hispanic	160	17.3	4.85	(7.8–26.9)		2,996	(1,192–4,801)
MD	White NH	11,801	14.1	0.51	(13.1–15.1)		336,178	(310,977–361,380)
MD	Black NH	3,433	16.8	0.91	(15.1–18.6)		228,198	(202,046–254,350)
MD	Other NH	682	11.9	1.79	(8.4–15.4)		43,942	(30,191–57,693)
MD	Multirace NH	280	23.7	3.32	(17.1–30.2)		12,812	(8,804–16,820)
MD	Hispanic	725	10.8	1.43	(8.0–13.6)		49,880	(36,282–63,478)
MA	White NH	5,846	15.5	0.63	(14.3–16.7)		602,425	(551,755–653,095)
MA	Black NH	404	15.2	2.21	(10.8–19.5)		53,526	(37,080–69,972)
MA	Other NH	359	10.2	1.71	(6.8–13.6)		45,449	(30,070–60,827)
MA	Multirace NH	132	24.3	4.35	(15.7–32.9)		21,714	(13,100–30,327)
MA	Hispanic	696	18.0	1.82	(14.4–21.6)		110,705	(86,668–134,742)
MI	White NH	8,565	15.8	0.55	(14.8–16.9)		935,710	(869,286–1,002,134)

Notes:

*Aged 18+ years

**U.S. Total includes 49 states plus the District of Columbia and excludes the three territories, New Jersey was excluded because of not meeting the minimum data collection requirements.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Adult* Lifetime Asthma Prevalence
and Number by Race/Ethnicity and State or Territory: BRFSS 2019

State	Race/Ethnicity	Sample Size [§]	Prevalence (percent)	Standard Error	95% CI [¶] (percent)	 	Weighted Number	95% CI [¶] (Weighted Number)
MI	Black NH	868	20.2	1.74	(16.7–23.6)		201,748	(163,579–239,916)
MI	Other NH	343	14.2	2.80	(8.7–19.7)		46,392	(26,639–66,145)
MI	Multirace NH	204	19.9	3.38	(13.3–26.6)		16,379	(10,269–22,489)
MI	Hispanic	273	18.3	3.21	(12.0–24.7)		64,516	(39,409–89,623)
MN	White NH	13,261	12.9	0.35	(12.2–13.6)		452,778	(428,138–477,419)
MN	Black NH	515	13.3	1.65	(10.0–16.5)		32,449	(23,972–40,926)
MN	Other NH	540	12.1	1.60	(9.0–15.3)		32,151	(23,386–40,915)
MN	Multirace NH	211	26.3	3.81	(18.8–33.8)		12,130	(8,035–16,225)
MN	Hispanic	670	11.1	1.46	(8.2–13.9)		21,891	(15,897–27,885)
MS	White NH	2,937	14.2	0.87	(12.5–15.9)		187,348	(163,664–211,031)
MS	Black NH	1,953	14.2	1.11	(12.0–16.3)		113,903	(95,248–132,559)
MS	Other NH	89	14.3	5.42	(3.5–25.1)		9,851	(1,826–17,875)
MS	Multirace NH	33	31.6	13.02	(5.1–58.1)		7,452	(0–15,402)
MS	Hispanic	43	5.0		(–)		1,777	(–)
MO	White NH	6,073	14.7	0.66	(13.4–16.0)		559,634	(507,997–611,271)
MO	Black NH	677	15.6	1.87	(12.0–19.3)		80,218	(60,154–100,282)
MO	Other NH	159	16.3	4.08	(8.2–24.3)		22,220	(10,015–34,425)
MO	Multirace NH	99	27.0	6.06	(15.0–39.0)		17,131	(7,991–26,271)
MO	Hispanic	153	17.9	4.29	(9.4–26.3)		31,288	(14,653–47,923)
MT	White NH	5,471	14.6	0.58	(13.5–15.7)		106,569	(98,082–115,056)
MT	Black NH	15	17.7		(–)		588	(–)
MT	Other NH	584	15.1	2.01	(11.2–19.1)		8,212	(5,945–10,479)
MT	Multirace NH	172	22.8	3.95	(15.0–30.6)		2,919	(1,798–4,040)
MT	Hispanic	139	18.7	4.20	(10.4–27.1)		5,375	(2,703–8,046)
NE	White NH	13,745	12.5	0.43	(11.7–13.4)		147,496	(137,191–157,801)
NE	Black NH	311	18.2	2.75	(12.8–23.6)		11,505	(7,753–15,256)
NE	Other NH	331	15.0	2.83	(9.4–20.6)		7,756	(4,643–10,870)
NE	Multirace NH	128	12.9	4.23	(4.5–21.3)		2,039	(635–3,442)
NE	Hispanic	1,157	7.8	0.97	(5.9–9.7)		10,756	(8,033–13,478)

Notes:

*Aged 18+ years

**U.S. Total includes 49 states plus the District of Columbia and excludes the three territories, New Jersey was excluded because of not meeting the minimum data collection requirements.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Adult* Lifetime Asthma Prevalence
and Number by Race/Ethnicity and State or Territory: BRFSS 2019

State	Race/Ethnicity	Sample Size [§]	Prevalence (percent)	Standard Error	95% CI [¶] (percent)	 	Weighted Number	95% CI [¶] (Weighted Number)
NV	White NH	1,778	14.1	1.12	(11.9–16.3)		166,636	(139,506–193,766)
NV	Black NH	160	18.1	3.23	(11.7–24.4)		39,248	(24,293–54,203)
NV	Other NH	148	14.6	3.63	(7.5–21.8)		40,892	(19,738–62,046)
NV	Multirace NH	83	19.9	6.00	(7.9–31.8)		6,822	(2,415–11,229)
NV	Hispanic	536	14.5	1.88	(10.8–18.2)		90,865	(66,093–115,638)
NH	White NH	5,413	16.0	0.72	(14.6–17.5)		158,557	(143,873–173,241)
NH	Black NH	42	23.8	10.04	(3.6–44.1)		3,213	(0–6,504)
NH	Other NH	151	12.2	3.45	(5.4–19.0)		5,170	(2,121–8,219)
NH	Multirace NH	47	30.9	8.89	(13.0–48.8)		3,964	(1,285–6,644)
NH	Hispanic	61	10.2	3.82	(2.6–17.8)		2,794	(687–4,902)
NM	White NH	3,122	13.6	0.88	(11.9–15.4)		83,269	(72,242–94,297)
NM	Black NH	75	17.3	5.15	(7.1–27.6)		5,127	(1,893–8,361)
NM	Other NH	593	9.5	1.66	(6.2–12.8)		15,008	(9,694–20,322)
NM	Multirace NH	64	15.8	5.62	(4.6–27.0)		3,409	(833–5,986)
NM	Hispanic	1,917	12.4	0.96	(10.5–14.3)		92,783	(78,056–107,510)
NY	White NH	9,760	14.5	0.53	(13.4–15.5)		1,200,736	(1,110,471–1,291,002)
NY	Black NH	1,286	18.2	1.44	(15.4–21.0)		380,813	(315,964–445,663)
NY	Other NH	888	9.1	1.33	(6.5–11.7)		145,242	(101,928–188,557)
NY	Multirace NH	198	24.7	4.42	(16.0–33.5)		27,814	(16,219–39,409)
NY	Hispanic	1,614	16.1	1.10	(13.9–18.2)		454,739	(389,587–519,890)
NC	White NH	2,674	13.6	0.76	(12.1–15.0)		711,360	(630,577–792,142)
NC	Black NH	858	13.8	1.34	(11.1–16.4)		232,395	(185,546–279,244)
NC	Other NH	200	8.8	2.13	(4.6–13.0)		25,301	(13,129–37,473)
NC	Multirace NH	65	23.4	7.08	(9.3–37.5)		37,329	(10,447–64,210)
NC	Hispanic	404	6.4	1.28	(3.9–8.9)		43,065	(25,813–60,318)
ND	White NH	5,000	11.9	0.70	(10.5–13.3)		58,856	(51,722–65,991)
ND	Black NH	49	5.7		(–)		778	(–)
ND	Other NH	264	14.2	3.02	(8.3–20.2)		5,490	(3,032–7,948)
ND	Multirace NH	64	29.3	8.60	(12.2–46.5)		2,393	(885–3,900)

Notes:

*Aged 18+ years

**U.S. Total includes 49 states plus the District of Columbia and excludes the three territories, New Jersey was excluded because of not meeting the minimum data collection requirements.

†CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

¶If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Adult* Lifetime Asthma Prevalence
and Number by Race/Ethnicity and State or Territory: BRFSS 2019

State	Race/Ethnicity	Sample Size [§]	Prevalence (percent)	Standard Error	95% CI [¶] (percent)	 	Weighted Number	95% CI [¶] (Weighted Number)
ND	Hispanic	76	15.6	4.85	(5.9–25.2)		3,470	(1,174–5,767)
OH	White NH	11,734	15.3	0.54	(14.2–16.3)		1,098,389	(1,019,841–1,176,936)
OH	Black NH	795	18.7	1.98	(14.8–22.6)		199,917	(153,612–246,222)
OH	Other NH	240	10.5	3.93	(2.7–18.2)		29,079	(5,960–52,198)
OH	Multirace NH	227	27.8	4.80	(18.3–37.3)		29,343	(17,223–41,462)
OH	Hispanic	220	20.7	3.88	(13.0–28.3)		60,785	(35,631–85,940)
OK	White NH	4,612	15.4	0.71	(14.1–16.8)		312,204	(282,383–342,025)
OK	Black NH	325	17.4	2.42	(12.6–22.1)		36,914	(25,960–47,869)
OK	Other NH	533	16.5	2.01	(12.6–20.5)		50,277	(37,341–63,214)
OK	Multirace NH	329	23.9	3.00	(18.0–29.8)		30,662	(21,972–39,352)
OK	Hispanic	401	12.5	2.01	(8.6–16.5)		34,522	(22,875–46,170)
OR	White NH	4,887	17.0	0.67	(15.7–18.3)		432,140	(397,046–467,234)
OR	Black NH	64	13.5	4.94	(3.6–23.4)		10,089	(2,129–18,049)
OR	Other NH	228	19.6	3.46	(12.8–26.5)		40,395	(24,749–56,041)
OR	Multirace NH	177	20.1	3.42	(13.3–26.8)		14,671	(9,302–20,041)
OR	Hispanic	529	13.7	1.69	(10.4–17.0)		50,467	(37,526–63,409)
PA	White NH	5,163	14.6	0.64	(13.4–15.9)		1,140,379	(1,038,148–1,242,610)
PA	Black NH	688	21.2	2.07	(17.1–25.3)		215,367	(168,962–261,772)
PA	Other NH	223	12.3	2.81	(6.8–17.8)		48,982	(25,712–72,252)
PA	Multirace NH	97	17.7	5.34	(7.1–28.3)		19,378	(7,415–31,342)
PA	Hispanic	296	23.4	3.02	(17.5–29.3)		162,302	(115,957–208,647)
RI	White NH	4,924	17.3	0.85	(15.6–19.0)		106,116	(95,102–117,130)
RI	Black NH	231	16.3	2.95	(10.5–22.1)		7,103	(4,375–9,831)
RI	Other NH	249	11.4	2.64	(6.2–16.6)		5,155	(2,711–7,600)
RI	Multirace NH	86	20.6	5.90	(8.9–32.3)		2,052	(823–3,281)
RI	Hispanic	461	13.0	1.93	(9.3–16.8)		15,811	(10,996–20,626)
SC	White NH	4,966	14.8	0.68	(13.5–16.2)		390,534	(353,833–427,235)
SC	Black NH	1,538	16.9	1.45	(14.0–19.7)		169,029	(137,479–200,580)
SC	Other NH	159	12.0	3.11	(5.8–18.1)		10,882	(5,131–16,633)

Notes:

*Aged 18+ years

**U.S. Total includes 49 states plus the District of Columbia and excludes the three territories, New Jersey was excluded because of not meeting the minimum data collection requirements.

†CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

¶If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Adult* Lifetime Asthma Prevalence
and Number by Race/Ethnicity and State or Territory: BRFSS 2019

State	Race/Ethnicity	Sample Size [§]	Prevalence (percent)	Standard Error	95% CI [¶] (percent)	 	Weighted Number	95% CI [¶] (Weighted Number)
SC	Multirace NH	162	24.3	4.33	(15.7–32.9)		9,663	(5,807–13,518)
SC	Hispanic	182	13.2	2.72	(7.8–18.6)		27,805	(16,086–39,524)
SD	White NH	5,339	12.3	0.96	(10.4–14.2)		69,057	(58,022–80,092)
SD	Black NH	35	5.6		(–)		679	(–)
SD	Other NH	865	10.6	1.98	(6.7–14.5)		5,389	(3,560–7,218)
SD	Multirace NH	134	16.3	6.62	(3.2–29.4)		2,181	(323–4,040)
SD	Hispanic	102	8.5	3.80	(1.0–16.1)		2,028	(245–3,810)
TN	White NH	4,975	15.2	0.70	(13.9–16.6)		602,132	(545,859–658,405)
TN	Black NH	718	14.8	1.70	(11.4–18.1)		121,496	(92,611–150,381)
TN	Other NH	168	16.3	3.77	(8.9–23.7)		24,076	(12,506–35,646)
TN	Multirace NH	104	16.3	4.65	(7.1–25.5)		7,898	(3,210–12,587)
TN	Hispanic	131	13.0	3.24	(6.6–19.4)		30,625	(15,189–46,060)
TX	White NH	7,030	14.1	0.72	(12.7–15.5)		1,317,109	(1,180,777–1,453,441)
TX	Black NH	1,003	15.1	1.98	(11.3–19.0)		383,084	(278,018–488,150)
TX	Other NH	557	11.1	2.78	(5.6–16.5)		149,575	(71,149–228,001)
TX	Multirace NH	189	15.4	3.90	(7.7–23.1)		22,279	(10,551–34,007)
TX	Hispanic	3,148	12.2	1.17	(9.9–14.5)		974,609	(780,356–1,168,862)
UT	White NH	10,055	16.7	0.49	(15.8–17.7)		298,429	(280,432–316,426)
UT	Black NH	65	8.4	3.62	(1.1–15.6)		1,628	(161–3,095)
UT	Other NH	313	10.5	2.08	(6.4–14.6)		11,170	(6,626–15,715)
UT	Multirace NH	96	20.2	5.46	(9.4–31.1)		6,747	(2,628–10,866)
UT	Hispanic	1,001	11.7	1.17	(9.5–14.0)		34,745	(27,605–41,885)
VT	White NH	5,940	17.9	0.79	(16.4–19.5)		83,567	(75,843–91,292)
VT	Black NH	28	15.8		(–)		595	(–)
VT	Other NH	144	13.2	3.96	(5.3–21.0)		1,825	(753–2,897)
VT	Multirace NH	122	29.1	6.46	(16.3–41.9)		1,624	(841–2,407)
VT	Hispanic	68	16.6	6.02	(4.6–28.7)		1,865	(486–3,244)
VA	White NH	7,096	14.2	0.55	(13.1–15.2)		586,132	(539,640–632,625)
VA	Black NH	1,516	16.7	1.30	(14.1–19.2)		204,169	(170,146–238,192)

Notes:

*Aged 18+ years

**U.S. Total includes 49 states plus the District of Columbia and excludes the three territories, New Jersey was excluded because of not meeting the minimum data collection requirements.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Adult* Lifetime Asthma Prevalence
and Number by Race/Ethnicity and State or Territory: BRFSS 2019

State	Race/Ethnicity	Sample Size [§]	Prevalence (percent)	Standard Error	95% CI [¶] (percent)	 	Weighted Number	95% CI [¶] (Weighted Number)
VA	Other NH	330	8.3	1.59	(5.2–11.5)		43,235	(26,883–59,587)
VA	Multirace NH	218	15.6	3.04	(9.6–21.6)		15,062	(8,982–21,142)
VA	Hispanic	533	12.5	1.92	(8.7–16.3)		73,307	(49,641–96,972)
WA	White NH	10,279	17.5	0.50	(16.6–18.5)		725,109	(681,974–768,245)
WA	Black NH	251	19.4	2.82	(13.9–25.0)		39,607	(26,983–52,232)
WA	Other NH	819	10.8	1.32	(8.2–13.4)		77,928	(58,245–97,611)
WA	Multirace NH	348	22.7	2.83	(17.1–28.2)		32,073	(23,027–41,119)
WA	Hispanic	933	13.8	1.30	(11.2–16.3)		89,365	(71,624–107,107)
WV	White NH	4,863	16.1	0.71	(14.8–17.5)		208,943	(190,192–227,694)
WV	Black NH	95	18.6	4.70	(9.3–28.0)		8,162	(3,823–12,501)
WV	Other NH	67	30.9	7.72	(15.5–46.3)		7,201	(3,013–11,388)
WV	Multirace NH	75	28.9	7.46	(14.0–43.7)		4,416	(1,658–7,174)
WV	Hispanic	44	24.2	8.32	(7.4–41.0)		4,629	(843–8,415)
WI	White NH	4,282	13.0	0.68	(11.7–14.3)		487,121	(435,206–539,036)
WI	Black NH	228	33.9	5.12	(23.9–44.0)		84,488	(53,722–115,254)
WI	Other NH	162	9.1	2.69	(3.8–14.4)		15,230	(6,437–24,023)
WI	Multirace NH	59	21.8	7.54	(6.7–36.9)		9,221	(1,932–16,510)
WI	Hispanic	145	16.4	3.56	(9.4–23.5)		43,681	(23,531–63,831)
WY	White NH	4,113	13.4	0.80	(11.8–15.0)		49,135	(43,197–55,073)
WY	Black NH	26	10.1		(–)		505	(–)
WY	Other NH	84	6.4	3.38	(0.0–13.1)		801	(0–1,669)
WY	Multirace NH	64	20.2	7.26	(5.7–34.8)		1,352	(239–2,465)
WY	Hispanic	199	17.1	3.58	(10.0–24.1)		6,776	(3,678–9,873)

Notes:

*Aged 18+ years

**U.S. Total includes 49 states plus the District of Columbia and excludes the three territories, New Jersey was excluded because of not meeting the minimum data collection requirements.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.