

Table L5
Child[§] Lifetime Asthma Prevalence
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2019

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI [¶] (Percent)		Weighted Number	95% CI [¶] Weighted Number
Total *	White NH ***	30,145	9.4	0.33	(8.8–10.1)		2,052,325	(1,909,556–2,195,094)
Total *	Black NH	3,521	17.3	1.16	(15.2–19.7)		1,129,772	(968,271–1,291,273)
Total *	Other NH	5,083	11.7	0.95	(10.0–13.7)		621,316	(516,809–725,824)
Total *	Hispanic	8,398	11.1	0.63	(9.9–12.4)		1,659,882	(1,465,937–1,853,826)
CA	White NH	694	11.1	1.39	(8.6–14.1)		221,582	(164,542–278,621)
CA	Black NH	110	21.4	4.62	(13.7–31.8)		91,106	(48,162–134,050)
CA	Other NH	355	13.3	2.37	(9.3–18.7)		199,338	(124,624–274,052)
CA	Hispanic	1,484	11.3	1.03	(9.5–13.5)		540,881	(440,335–641,427)
CT	White NH	877	11.0	1.38	(8.6–14.0)		37,494	(28,118–46,870)
CT	Black NH	155	14.9	3.11	(9.7–22.0)		12,710	(7,344–18,076)
CT	Other NH	139	10.1	2.97	(5.6–17.5)		7,233	(2,932–11,535)
CT	Hispanic	284	19.9	3.09	(14.5–26.7)		36,118	(23,870–48,365)
DC	White NH	131	9.8	3.44	(4.9–18.9)		2,794	(776–4,813)
DC	Black NH	224	16.0	2.66	(11.5–21.9)		10,922	(7,323–14,520)
DC	Other NH	38	30.7	13.23	(11.6–60.0)		3,771	(0–7,640)
DC	Hispanic	41	14.1	5.44	(6.4–28.4)		2,222	(597–3,848)
FL	White NH	1,487	8.8	1.25	(6.6–11.6)		129,044	(92,253–165,835)
FL	Black NH	280	13.9	3.02	(9.0–20.9)		114,924	(63,332–166,516)
FL	Other NH	187	10.2	2.92	(5.8–17.5)		27,895	(12,275–43,516)
FL	Hispanic	577	12.0	2.10	(8.4–16.7)		165,749	(106,998–224,500)
GA	White NH	681	12.0	2.25	(8.2–17.1)		110,680	(67,473–153,888)
GA	Black NH	319	22.3	3.43	(16.3–29.7)		193,018	(127,226–258,809)
GA	Other NH	101	3.0				5,798	
GA	Hispanic	219	10.1	3.34	(5.1–18.7)		37,841	(12,043–63,638)
HI	White NH	245	7.1	2.12	(4.0–12.6)		2,637	(1,049–4,226)
HI	Black NH	6	0.0				0	
HI	Other NH	1,165	14.6	1.24	(12.3–17.1)		27,895	(23,090–32,700)
HI	Hispanic	252	17.1	2.95	(12.0–23.7)		9,304	(5,881–12,726)
IL	White NH	632	8.1	1.29	(5.9–11.0)		103,867	(70,954–136,780)
IL	Black NH	148	19.6	4.26	(12.6–29.3)		85,541	(44,847–126,236)
IL	Other NH	100	14.1	4.58	(7.3–25.6)		35,305	(10,750–59,859)

Notes:

[§]Aged 0-17

[¶]CI denotes confidence interval.

* Total includes data from 29 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Asthma and Community Health Branch, National Center for Environmental Health
Centers for Disease Control and Prevention**

Table L5
Child[§] Lifetime Asthma Prevalence
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2019

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI [¶] (Percent)		Weighted Number	95% CI [¶] Weighted Number
IL	Hispanic	374	5.9	1.22	(3.9–8.8)		42,764	(25,182–60,346)
IN	White NH	1,188	9.3	0.95	(7.6–11.4)		92,712	(73,985–111,439)
IN	Black NH	125	14.3	3.02	(9.3–21.3)		25,036	(14,448–35,625)
IN	Other NH	121	10.4	2.93	(5.9–17.7)		11,843	(5,025–18,661)
IN	Hispanic	198	7.5	1.96	(4.4–12.3)		14,036	(6,686–21,386)
KS	White NH	1,917	10.0	0.79	(8.5–11.6)		41,795	(35,206–48,385)
KS	Black NH	112	21.0	4.36	(13.7–30.8)		9,770	(5,430–14,110)
KS	Other NH	193	13.5	4.33	(7.0–24.4)		9,074	(2,805–15,344)
KS	Hispanic	284	13.1	2.21	(9.4–18.1)		18,465	(12,092–24,839)
ME	White NH	1,333	12.2	1.31	(9.9–15.0)		23,154	(18,163–28,145)
ME	Black NH	16	0.0				0	
ME	Other NH	68	28.7	7.52	(16.4–45.3)		4,533	(1,731–7,336)
ME	Hispanic	47	5.9				663	
MA	White NH	411	10.5	2.08	(7.1–15.4)		70,778	(41,910–99,646)
MA	Black NH	52	13.2	5.58	(5.6–28.3)		17,639	(2,300–32,978)
MA	Other NH	70	21.8	7.11	(11.0–38.7)		32,587	(8,010–57,164)
MA	Hispanic	111	15.1	4.37	(8.3–25.7)		40,623	(15,311–65,935)
MI	White NH	1,490	9.9	1.08	(8.0–12.3)		126,824	(98,991–154,658)
MI	Black NH	245	12.1	2.23	(8.4–17.2)		42,400	(26,495–58,304)
MI	Other NH	206	12.4	2.50	(8.3–18.2)		26,742	(15,907–37,578)
MI	Hispanic	157	13.0	3.59	(7.5–21.8)		25,572	(10,706–40,438)
MN	White NH	2,460	7.5	0.67	(6.2–8.9)		60,131	(49,353–70,908)
MN	Black NH	148	11.2	3.02	(6.5–18.6)		13,765	(6,096–21,435)
MN	Other NH	324	9.7	1.83	(6.7–13.9)		17,572	(11,014–24,130)
MN	Hispanic	341	6.7	1.33	(4.6–9.9)		8,568	(5,220–11,916)
MS	White NH	524	9.2	1.65	(6.5–13.0)		28,231	(17,945–38,516)
MS	Black NH	476	12.6	1.92	(9.3–16.9)		36,347	(24,948–47,747)
MS	Other NH	46	12.2	7.21	(3.6–34.2)		4,732	(0–10,654)
MS	Hispanic	23	22.2	13.05	(6.1–55.7)		4,243	(0–10,157)
MO	White NH	1,055	8.7	1.06	(6.8–11.0)		79,744	(60,571–98,917)
MO	Black NH	141	20.0	4.50	(12.6–30.2)		36,181	(18,760–53,601)

Notes:

[§]Aged 0-17

[¶]CI denotes confidence interval.

* Total includes data from 29 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Asthma and Community Health Branch, National Center for Environmental Health
Centers for Disease Control and Prevention**

Table L5
Child[§] Lifetime Asthma Prevalence
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2019

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI [¶] (Percent)	Weighted Number	95% CI [¶] Weighted Number
MO	Other NH	59	6.7			7,543	
MO	Hispanic	53	11.0	4.98	(4.4–25.1)	10,311	(984–19,637)
MT	White NH	1,041	7.7	0.91	(6.1–9.7)	13,013	(9,965–16,061)
MT	Black NH	10	18.4			392	
MT	Other NH	283	15.3	3.39	(9.8–23.2)	5,779	(3,033–8,526)
MT	Hispanic	77	3.1			413	
NE	White NH	2,522	6.8	0.63	(5.6–8.1)	20,783	(16,973–24,592)
NE	Black NH	111	23.7	5.17	(15.0–35.2)	6,674	(3,392–9,956)
NE	Other NH	241	11.6	2.79	(7.2–18.3)	4,504	(2,283–6,725)
NE	Hispanic	596	9.3	2.12	(5.9–14.4)	8,338	(4,357–12,319)
NV	White NH	296	9.7	2.59	(5.7–16.1)	19,467	(8,971–29,963)
NV	Black NH	40	10.1			7,598	
NV	Other NH	84	4.7			4,417	
NV	Hispanic	234	15.4	3.64	(9.5–23.9)	40,565	(20,154–60,977)
NH	White NH	755	10.7	1.38	(8.3–13.7)	21,215	(15,830–26,599)
NH	Black NH	12	6.6			532	
NH	Other NH	72	18.1	6.24	(8.8–33.5)	4,400	(1,008–7,792)
NH	Hispanic	26	12.0			1,257	
NM	White NH	355	6.1	1.34	(4.0–9.4)	6,166	(3,537–8,795)
NM	Black NH	15	18.5			1,573	
NM	Other NH	202	8.3	3.31	(3.7–17.5)	5,229	(965–9,494)
NM	Hispanic	630	9.0	1.72	(6.1–13.0)	26,265	(16,039–36,491)
NY	White NH	448	7.8	1.46	(5.4–11.2)	136,968	(85,849–188,086)
NY	Black NH	87	26.8	6.47	(16.1–41.1)	166,411	(70,634–262,187)
NY	Other NH	76	11.2	4.99	(4.5–25.2)	46,437	(3,660–89,213)
NY	Hispanic	171	13.4	2.79	(8.8–19.8)	131,768	(76,117–187,419)
OH	White NH	1,739	9.9	1.10	(7.9–12.2)	162,569	(125,919–199,219)
OH	Black NH	153	21.1	4.26	(14.0–30.7)	84,580	(47,174–121,986)
OH	Other NH	147	9.3	2.90	(5.0–16.8)	19,112	(7,170–31,055)
OH	Hispanic	87	9.5	3.27	(4.8–18.1)	17,599	(5,617–29,582)
OR	White NH	835	10.6	1.94	(7.3–15.0)	47,391	(29,114–65,669)

Notes:

[§]Aged 0-17

[¶]CI denotes confidence interval.

* Total includes data from 29 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Asthma and Community Health Branch, National Center for Environmental Health
Centers for Disease Control and Prevention**

Table L5
Child[§] Lifetime Asthma Prevalence
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2019

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI [¶] (Percent)		Weighted Number	95% CI [¶] Weighted Number
OR	Black NH	17	4.1				622	
OR	Other NH	108	19.3	7.71	(8.3–38.7)		21,202	(1,554–40,850)
OR	Hispanic	219	10.1	2.71	(5.9–16.8)		21,576	(9,516–33,635)
PA	White NH	936	10.7	1.25	(8.5–13.4)		165,571	(126,957–204,186)
PA	Black NH	187	15.7	2.89	(10.8–22.3)		54,085	(34,009–74,160)
PA	Other NH	123	12.3	4.04	(6.3–22.6)		27,614	(8,662–46,565)
PA	Hispanic	115	16.6	3.67	(10.6–25.1)		56,731	(31,538–81,923)
RI	White NH	597	9.3	1.44	(6.9–12.5)		9,717	(6,773–12,662)
RI	Black NH	53	7.5				1,031	
RI	Other NH	73	19.3	6.18	(9.9–34.2)		3,946	(1,299–6,593)
RI	Hispanic	155	19.3	4.01	(12.6–28.3)		10,616	(5,896–15,336)
TX	White NH	941	8.7	1.44	(6.3–12.0)		180,953	(122,098–239,807)
TX	Black NH	188	11.6	3.28	(6.6–19.7)		101,604	(44,452–158,755)
TX	Other NH	165	8.2	2.71	(4.2–15.3)		38,579	(13,763–63,395)
TX	Hispanic	1,042	9.8	1.75	(6.9–13.8)		359,381	(228,694–490,068)
UT	White NH	2,977	8.2	0.58	(7.1–9.4)		53,051	(45,569–60,533)
UT	Black NH	38	30.4	8.62	(16.4–49.2)		4,518	(1,531–7,505)
UT	Other NH	204	7.8	1.91	(4.8–12.4)		5,336	(2,722–7,949)
UT	Hispanic	505	7.3	1.24	(5.2–10.1)		12,797	(8,447–17,146)
VT	White NH	958	11.7	1.45	(9.2–14.9)		11,415	(8,584–14,246)
VT	Black NH	10	8.3				97	
VT	Other NH	61	13.1	4.76	(6.2–25.5)		1,260	(367–2,153)
VT	Hispanic	30	45.4	11.73	(24.8–67.8)		1,698	(411–2,985)
WI	White NH	620	8.8	1.51	(6.3–12.3)		72,579	(47,477–97,681)
WI	Black NH	43	10.2				10,697	
WI	Other NH	72	8.0	3.31	(3.5–17.4)		11,641	(2,532–20,750)
WI	Hispanic	66	8.6	3.81	(3.5–19.6)		13,517	(1,587–25,448)
Territory								

Notes:

[§]Aged 0-17

[¶]CI denotes confidence interval.

* Total includes data from 29 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Asthma and Community Health Branch, National Center for Environmental Health
Centers for Disease Control and Prevention**