

**Table C5**  
**Adult\* Current Asthma Prevalence**  
**and Number by Race/Ethnicity and State or Territory, BRFSS 2019**

State	Race/Ethnicity	Sample Size <sup>§</sup>	Prevalence (percent)	Standard Error	95% CI <sup>¶</sup> (percent)	    	Weighted Number	95% CI <sup>¶</sup> (Weighted Number)
U.S. Total**	White NH	308,139	9.3	0.10	(9.1–9.5)		14,133,620	(13,840,083–14,427,158)
U.S. Total**	Black NH	31,184	10.8	0.29	(10.2–11.3)		3,121,949	(2,953,780–3,290,119)
U.S. Total**	Other NH	19,452	6.2	0.35	(5.5–6.9)		1,098,561	(973,807–1,223,315)
U.S. Total**	Multirace NH	8,061	14.0	0.70	(12.7–15.4)		451,657	(404,750–498,563)
U.S. Total**	Hispanic	31,046	7.3	0.28	(6.8–7.9)		2,997,088	(2,765,623–3,228,553)
AL	White NH	4,743	9.0	0.56	(7.9–10.1)		226,873	(198,416–255,329)
AL	Black NH	1,797	11.0	1.03	(9.0–13.0)		104,295	(84,139–124,451)
AL	Other NH	185	9.0	2.52	(4.0–14.0)		9,537	(4,107–14,967)
AL	Multirace NH	85	8.5	3.19	(2.1–14.8)		2,753	(651–4,856)
AL	Hispanic	96	9.9	4.65	(0.7–19.2)		13,422	(53–26,791)
AK	White NH	2,174	10.0	0.96	(8.2–11.9)		34,118	(27,563–40,672)
AK	Black NH	51	13.6	9.75	(0.0–33.2)		3,335	(0–8,754)
AK	Other NH	441	7.0	1.49	(4.1–9.9)		7,715	(4,464–10,965)
AK	Multirace NH	133	9.3	3.01	(3.3–15.3)		2,142	(772–3,511)
AK	Hispanic	73	13.6	5.09	(3.5–23.8)		5,509	(1,110–9,907)
AZ	White NH	6,163	10.3	0.64	(9.1–11.6)		327,339	(286,662–368,015)
AZ	Black NH	199	13.2	3.31	(6.6–19.7)		32,296	(15,067–49,526)
AZ	Other NH	855	7.0	1.37	(4.3–9.7)		30,715	(18,905–42,525)
AZ	Multirace NH	129	25.5	7.95	(9.8–41.3)		13,345	(3,391–23,299)
AZ	Hispanic	1,299	8.2	1.12	(6.0–10.4)		130,516	(94,461–166,572)
AR	White NH	4,026	9.3	0.62	(8.1–10.5)		156,891	(136,102–177,680)
AR	Black NH	746	10.8	1.87	(7.1–14.4)		35,184	(22,507–47,861)
AR	Other NH	146	7.3	3.00	(1.4–13.2)		4,193	(693–7,693)
AR	Multirace NH	125	10.1	3.56	(3.1–17.2)		2,891	(809–4,973)
AR	Hispanic	158	3.9	1.93	(0.1–7.7)		6,347	(115–12,578)
CA	White NH	5,221	9.9	0.52	(8.8–10.9)		1,148,042	(1,026,309–1,269,775)
CA	Black NH	574	10.7	1.42	(7.9–13.5)		175,605	(128,121–223,090)
CA	Other NH	1,196	5.1	0.86	(3.4–6.8)		269,414	(177,855–360,972)
CA	Multirace NH	258	13.0	2.53	(8.0–17.9)		55,952	(32,919–78,985)

## Notes:

\*Aged 18+ years

\*\*U.S. Total includes 49 states plus the District of Columbia and excludes the three territories, New Jersey was excluded because of not meeting the minimum data collection requirements.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C5**  
**Adult\* Current Asthma Prevalence**  
**and Number by Race/Ethnicity and State or Territory, BRFSS 2019**

State	Race/Ethnicity	Sample Size <sup>§</sup>	Prevalence (percent)	Standard Error	95% CI <sup>¶</sup> (percent)	    	Weighted Number	95% CI <sup>¶</sup> (Weighted Number)
CA	Hispanic	3,976	6.5	0.51	(5.5–7.5)		711,965	(599,121–824,808)
CO	White NH	6,859	9.9	0.46	(9.0–10.8)		304,344	(275,729–332,960)
CO	Black NH	239	12.5	2.26	(8.0–16.9)		20,876	(13,111–28,640)
CO	Other NH	284	8.4	1.88	(4.6–12.1)		15,967	(8,650–23,284)
CO	Multirace NH	134	10.3	2.76	(4.8–15.7)		6,364	(2,860–9,867)
CO	Hispanic	1,407	8.5	0.86	(6.8–10.2)		72,245	(57,277–87,212)
CT	White NH	7,024	10.1	0.54	(9.0–11.1)		188,404	(167,517–209,290)
CT	Black NH	632	12.7	1.65	(9.4–15.9)		34,804	(25,312–44,296)
CT	Other NH	384	9.5	2.10	(5.4–13.6)		15,484	(8,401–22,567)
CT	Multirace NH	117	21.3	4.83	(11.8–30.9)		4,537	(2,219–6,855)
CT	Hispanic	715	12.2	1.37	(9.5–14.9)		51,988	(39,939–64,036)
DE	White NH	2,617	10.1	0.89	(8.4–11.9)		48,816	(40,026–57,606)
DE	Black NH	489	11.0	1.84	(7.3–14.6)		17,411	(11,389–23,433)
DE	Other NH	145	7.2	2.83	(1.6–12.8)		2,819	(581–5,057)
DE	Multirace NH	78	7.6	3.36	(0.9–14.3)		618	(70–1,165)
DE	Hispanic	440	8.0	1.82	(4.4–11.6)		4,970	(2,672–7,268)
DC	White NH	966	9.1	1.30	(6.5–11.6)		21,241	(14,997–27,485)
DC	Black NH	1,240	14.7	1.36	(12.0–17.3)		33,166	(26,703–39,628)
DC	Other NH	127	7.7	3.01	(1.8–13.7)		2,661	(531–4,791)
DC	Multirace NH	46	22.5	7.10	(8.2–36.8)		1,494	(414–2,573)
DC	Hispanic	147	9.8	2.77	(4.3–15.3)		6,149	(2,569–9,729)
FL	White NH	11,955	7.5	0.44	(6.6–8.3)		699,828	(618,156–781,500)
FL	Black NH	1,621	7.8	1.15	(5.5–10.0)		184,811	(130,069–239,554)
FL	Other NH	505	4.2	1.27	(1.7–6.7)		26,549	(11,157–41,941)
FL	Multirace NH	460	10.7	2.56	(5.6–15.7)		19,393	(9,918–28,869)
FL	Hispanic	1,889	7.3	1.13	(5.1–9.5)		310,327	(213,437–407,217)
GA	White NH	4,557	8.2	0.64	(6.9–9.4)		353,014	(297,817–408,210)
GA	Black NH	1,616	8.1	1.06	(6.0–10.1)		197,656	(145,351–249,961)
GA	Other NH	251	8.3	2.70	(3.0–13.6)		29,108	(9,858–48,357)

## Notes:

\*Aged 18+ years

\*\*U.S. Total includes 49 states plus the District of Columbia and excludes the three territories, New Jersey was excluded because of not meeting the minimum data collection requirements.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C5**  
**Adult\* Current Asthma Prevalence**  
**and Number by Race/Ethnicity and State or Territory, BRFSS 2019**

State	Race/Ethnicity	Sample Size <sup>§</sup>	Prevalence (percent)	Standard Error	95% CI <sup>¶</sup> (percent)	    	Weighted Number	95% CI <sup>¶</sup> (Weighted Number)
GA	Multirace NH	137	10.2	3.33	(3.6–16.8)		15,064	(5,530–24,599)
GA	Hispanic	566	3.0	0.71	(1.6–4.4)		20,581	(10,926–30,235)
HI	White NH	2,589	8.1	0.90	(6.4–9.9)		21,449	(16,535–26,363)
HI	Black NH	68	10.5	5.87	(0.0–22.3)		2,419	(0–5,313)
HI	Other NH	3,096	8.4	0.61	(7.2–9.6)		45,642	(38,930–52,354)
HI	Multirace NH	1,210	12.1	1.16	(9.9–14.4)		19,111	(15,351–22,871)
HI	Hispanic	565	15.4	1.90	(11.7–19.2)		15,495	(11,453–19,537)
ID	White NH	4,738	9.8	0.67	(8.5–11.1)		106,235	(91,754–120,716)
ID	Black NH	18	19.5		(–)		1,491	(–)
ID	Other NH	113	11.4	3.62	(4.3–18.6)		3,969	(1,398–6,540)
ID	Multirace NH	99	8.3	3.81	(0.7–15.8)		2,132	(208–4,056)
ID	Hispanic	315	10.1	2.31	(5.6–14.6)		14,322	(7,578–21,065)
IL	White NH	3,639	7.8	0.51	(6.8–8.8)		477,390	(414,553–540,227)
IL	Black NH	653	14.9	1.77	(11.4–18.4)		192,502	(143,982–241,022)
IL	Other NH	252	5.0	1.73	(1.6–8.4)		31,429	(9,320–53,538)
IL	Multirace NH	68	22.6	5.88	(10.8–34.3)		21,225	(8,621–33,830)
IL	Hispanic	815	5.2	0.86	(3.5–6.9)		79,724	(53,246–106,202)
IN	White NH	7,293	9.8	0.45	(8.9–10.7)		397,234	(360,799–433,669)
IN	Black NH	596	12.7	1.69	(9.4–16.0)		56,848	(41,134–72,562)
IN	Other NH	229	7.9	2.63	(2.7–13.1)		12,420	(3,879–20,962)
IN	Multirace NH	125	12.7	3.42	(6.0–19.5)		5,843	(2,592–9,094)
IN	Hispanic	380	5.1	1.16	(2.8–7.3)		15,774	(8,554–22,995)
IA	White NH	8,732	7.8	0.35	(7.1–8.5)		163,044	(148,248–177,841)
IA	Black NH	180	10.4	2.27	(5.9–14.9)		8,313	(4,601–12,024)
IA	Other NH	138	8.7	2.85	(3.0–14.3)		6,120	(1,927–10,313)
IA	Multirace NH	93	21.2	5.67	(10.0–32.5)		6,405	(2,468–10,342)
IA	Hispanic	458	5.4	1.22	(3.0–7.8)		6,720	(3,681–9,759)
KS	White NH	9,618	9.9	0.39	(9.1–10.6)		165,915	(152,668–179,162)
KS	Black NH	425	12.1	1.87	(8.4–15.8)		14,482	(9,772–19,193)

## Notes:

\*Aged 18+ years

\*\*U.S. Total includes 49 states plus the District of Columbia and excludes the three territories, New Jersey was excluded because of not meeting the minimum data collection requirements.

†CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

¶If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C5**  
**Adult\* Current Asthma Prevalence**  
**and Number by Race/Ethnicity and State or Territory, BRFSS 2019**

State	Race/Ethnicity	Sample Size <sup>§</sup>	Prevalence (percent)	Standard Error	95% CI <sup>¶</sup> (percent)	    	Weighted Number	95% CI <sup>¶</sup> (Weighted Number)
KS	Other NH	261	8.0	1.86	(4.3–11.7)		6,202	(3,272–9,133)
KS	Multirace NH	188	19.2	3.33	(12.6–25.8)		9,369	(5,824–12,914)
KS	Hispanic	560	7.6	1.24	(5.1–10.0)		17,040	(11,367–22,713)
KY	White NH	6,809	9.3	0.55	(8.3–10.4)		272,693	(240,292–305,093)
KY	Black NH	646	7.1	1.50	(4.1–10.0)		18,437	(10,724–26,149)
KY	Other NH	111	10.2	3.71	(2.9–17.6)		5,954	(1,594–10,313)
KY	Multirace NH	125	22.0	8.59	(5.0–39.0)		9,650	(594–18,706)
KY	Hispanic	105	8.4	2.80	(2.9–13.9)		9,315	(3,172–15,459)
LA	White NH	3,047	7.6	0.56	(6.5–8.7)		156,851	(133,852–179,851)
LA	Black NH	1,164	9.4	0.99	(7.4–11.3)		99,735	(78,374–121,095)
LA	Other NH	152	3.5	1.19	(1.1–5.8)		3,771	(1,257–6,284)
LA	Multirace NH	79	17.3	7.19	(3.0–31.6)		4,938	(244–9,633)
LA	Hispanic	137	4.8	1.89	(1.0–8.5)		9,074	(1,869–16,279)
ME	White NH	10,485	11.4	0.55	(10.3–12.5)		113,635	(102,385–124,884)
ME	Black NH	56	8.8		(–)		931	(–)
ME	Other NH	151	23.8	8.54	(6.9–40.6)		4,553	(543–8,563)
ME	Multirace NH	144	23.3	5.59	(12.2–34.3)		3,621	(1,797–5,445)
ME	Hispanic	159	13.9	4.70	(4.6–23.2)		2,395	(662–4,127)
MD	White NH	11,754	8.4	0.40	(7.6–9.2)		200,026	(180,942–219,110)
MD	Black NH	3,415	11.5	0.78	(9.9–13.0)		154,533	(132,857–176,209)
MD	Other NH	682	6.8	1.39	(4.0–9.5)		24,961	(14,579–35,343)
MD	Multirace NH	275	15.8	3.06	(9.8–21.8)		8,400	(4,879–11,921)
MD	Hispanic	721	5.3	0.99	(3.4–7.3)		24,609	(15,432–33,787)
MA	White NH	5,823	10.4	0.53	(9.4–11.5)		402,694	(360,961–444,428)
MA	Black NH	403	11.6	2.00	(7.7–15.5)		40,654	(26,093–55,216)
MA	Other NH	359	5.9	1.28	(3.4–8.4)		26,302	(14,921–37,682)
MA	Multirace NH	132	17.4	3.76	(10.0–24.9)		15,599	(8,432–22,766)
MA	Hispanic	693	11.2	1.48	(8.3–14.1)		68,510	(49,694–87,326)
MI	White NH	8,513	10.6	0.47	(9.7–11.5)		621,629	(566,143–677,115)

## Notes:

\*Aged 18+ years

\*\*U.S. Total includes 49 states plus the District of Columbia and excludes the three territories, New Jersey was excluded because of not meeting the minimum data collection requirements.

†CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

¶If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C5**  
**Adult\* Current Asthma Prevalence**  
**and Number by Race/Ethnicity and State or Territory, BRFSS 2019**

State	Race/Ethnicity	Sample Size <sup>§</sup>	Prevalence (percent)	Standard Error	95% CI <sup>¶</sup> (percent)	    	Weighted Number	95% CI <sup>¶</sup> (Weighted Number)
MI	Black NH	863	15.9	1.59	(12.7–19.0)		157,813	(123,881–191,744)
MI	Other NH	341	9.2	2.56	(4.2–14.3)		30,006	(12,479–47,534)
MI	Multirace NH	204	14.4	2.87	(8.7–20.1)		11,829	(6,841–16,818)
MI	Hispanic	272	10.1	2.09	(5.9–14.2)		35,150	(20,196–50,104)
MN	White NH	13,236	8.3	0.29	(7.7–8.9)		290,762	(270,488–311,036)
MN	Black NH	512	8.8	1.42	(6.0–11.6)		21,364	(14,243–28,485)
MN	Other NH	536	7.9	1.34	(5.3–10.6)		20,895	(13,764–28,026)
MN	Multirace NH	210	17.9	3.46	(11.1–24.8)		8,256	(4,730–11,783)
MN	Hispanic	666	5.5	0.90	(3.7–7.3)		10,775	(7,254–14,297)
MS	White NH	2,930	9.5	0.74	(8.0–10.9)		124,065	(104,196–143,934)
MS	Black NH	1,951	10.9	1.00	(9.0–12.9)		87,616	(71,170–104,062)
MS	Other NH	88	4.3		(–)		2,920	(–)
MS	Multirace NH	33	20.0	10.56	(0.0–41.5)		4,723	(0–10,408)
MS	Hispanic	43	5.0		(–)		1,777	(–)
MO	White NH	6,050	9.9	0.55	(8.8–10.9)		373,543	(331,715–415,371)
MO	Black NH	675	10.4	1.50	(7.5–13.4)		53,347	(37,733–68,961)
MO	Other NH	159	9.7	2.94	(3.9–15.6)		13,298	(4,994–21,601)
MO	Multirace NH	99	17.3	5.55	(6.3–28.3)		10,961	(3,082–18,841)
MO	Hispanic	153	13.4	3.59	(6.4–20.5)		23,536	(10,178–36,893)
MT	White NH	5,444	9.6	0.48	(8.6–10.5)		69,397	(62,499–76,294)
MT	Black NH	15	17.7		(–)		588	(–)
MT	Other NH	583	11.0	1.74	(7.5–14.4)		5,920	(4,002–7,838)
MT	Multirace NH	171	13.3	3.19	(7.0–19.6)		1,699	(841–2,558)
MT	Hispanic	139	16.7	4.08	(8.6–24.8)		4,788	(2,223–7,353)
NE	White NH	13,704	8.1	0.35	(7.4–8.8)		95,137	(86,837–103,437)
NE	Black NH	310	13.6	2.49	(8.7–18.5)		8,549	(5,236–11,862)
NE	Other NH	330	9.6	2.31	(5.1–14.2)		4,927	(2,499–7,354)
NE	Multirace NH	127	8.0	2.90	(2.3–13.7)		1,225	(334–2,115)
NE	Hispanic	1,154	4.1	0.74	(2.7–5.6)		5,679	(3,627–7,731)

## Notes:

\*Aged 18+ years

\*\*U.S. Total includes 49 states plus the District of Columbia and excludes the three territories, New Jersey was excluded because of not meeting the minimum data collection requirements.

†CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

¶If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C5**  
**Adult\* Current Asthma Prevalence**  
**and Number by Race/Ethnicity and State or Territory, BRFSS 2019**

State	Race/Ethnicity	Sample Size <sup>§</sup>	Prevalence (percent)	Standard Error	95% CI <sup>¶</sup> (percent)	    	Weighted Number	95% CI <sup>¶</sup> (Weighted Number)
NV	White NH	1,776	9.3	0.91	(7.5–11.0)		109,286	(87,721–130,851)
NV	Black NH	157	11.9	2.69	(6.6–17.3)		25,503	(13,591–37,414)
NV	Other NH	147	10.1	3.28	(3.6–16.5)		28,040	(9,108–46,971)
NV	Multirace NH	83	8.9	3.53	(1.9–16.0)		3,063	(648–5,478)
NV	Hispanic	534	8.6	1.48	(5.7–11.6)		53,932	(35,059–72,805)
NH	White NH	5,390	11.0	0.60	(9.8–12.2)		108,213	(96,448–119,978)
NH	Black NH	42	4.0		(–)		534	(–)
NH	Other NH	151	10.9	3.38	(4.2–17.5)		4,604	(1,612–7,596)
NH	Multirace NH	46	16.0	6.59	(2.7–29.3)		2,013	(251–3,774)
NH	Hispanic	61	8.8	3.54	(1.7–15.8)		2,400	(445–4,354)
NM	White NH	3,104	9.6	0.75	(8.1–11.0)		58,166	(48,967–67,365)
NM	Black NH	74	12.9	4.86	(3.2–22.6)		3,765	(770–6,761)
NM	Other NH	592	6.0	1.24	(3.6–8.5)		9,523	(5,645–13,402)
NM	Multirace NH	63	6.1		(–)		1,322	(–)
NM	Hispanic	1,905	7.8	0.78	(6.2–9.3)		57,769	(46,146–69,392)
NY	White NH	9,720	9.2	0.42	(8.4–10.0)		761,057	(690,440–831,674)
NY	Black NH	1,277	11.6	1.16	(9.3–13.8)		239,640	(190,215–289,065)
NY	Other NH	885	4.9	0.94	(3.1–6.8)		78,897	(48,953–108,842)
NY	Multirace NH	193	14.8	3.36	(8.1–21.4)		15,801	(8,133–23,468)
NY	Hispanic	1,606	10.3	0.92	(8.5–12.1)		289,851	(236,956–342,745)
NC	White NH	2,667	8.5	0.61	(7.3–9.7)		444,589	(380,545–508,633)
NC	Black NH	855	9.0	1.06	(6.9–11.1)		150,633	(114,576–186,690)
NC	Other NH	200	6.6	1.91	(2.9–10.4)		18,965	(8,039–29,890)
NC	Multirace NH	65	15.1	5.53	(4.0–26.1)		24,018	(4,793–43,243)
NC	Hispanic	403	3.4	0.91	(1.6–5.2)		22,946	(10,782–35,110)
ND	White NH	4,985	7.7	0.57	(6.6–8.8)		38,007	(32,311–43,703)
ND	Black NH	49	3.3		(–)		443	(–)
ND	Other NH	263	8.5	2.15	(4.2–12.7)		3,264	(1,590–4,937)
ND	Multirace NH	63	18.2	6.81	(4.6–31.8)		1,470	(341–2,598)

## Notes:

\*Aged 18+ years

\*\*U.S. Total includes 49 states plus the District of Columbia and excludes the three territories, New Jersey was excluded because of not meeting the minimum data collection requirements.

†CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

¶If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C5**  
**Adult\* Current Asthma Prevalence**  
**and Number by Race/Ethnicity and State or Territory, BRFSS 2019**

State	Race/Ethnicity	Sample Size <sup>§</sup>	Prevalence (percent)	Standard Error	95% CI <sup>¶</sup> (percent)	    	Weighted Number	95% CI <sup>¶</sup> (Weighted Number)
ND	Hispanic	75	13.8	4.74	(4.4–23.2)		3,042	(825–5,258)
OH	White NH	11,680	10.5	0.46	(9.6–11.4)		751,387	(685,790–816,985)
OH	Black NH	794	14.2	1.79	(10.7–17.7)		151,825	(111,044–192,607)
OH	Other NH	240	7.8	3.87	(0.2–15.4)		21,723	(0–44,204)
OH	Multirace NH	226	19.4	4.03	(11.5–27.4)		20,493	(11,172–29,813)
OH	Hispanic	220	17.8	3.80	(10.3–25.3)		52,323	(27,851–76,794)
OK	White NH	4,588	10.2	0.57	(9.1–11.3)		204,774	(181,943–227,604)
OK	Black NH	321	11.0	1.98	(7.1–14.9)		23,068	(14,496–31,641)
OK	Other NH	531	11.3	1.67	(8.0–14.5)		34,096	(23,661–44,531)
OK	Multirace NH	326	14.0	2.39	(9.3–18.7)		17,943	(11,493–24,393)
OK	Hispanic	398	6.5	1.50	(3.5–9.4)		17,704	(9,384–26,024)
OR	White NH	4,857	11.3	0.57	(10.2–12.4)		285,405	(256,430–314,380)
OR	Black NH	64	6.8		(–)		5,057	(–)
OR	Other NH	223	12.9	2.88	(7.2–18.6)		25,716	(13,623–37,808)
OR	Multirace NH	173	13.6	2.91	(7.9–19.3)		9,814	(5,438–14,190)
OR	Hispanic	524	8.9	1.43	(6.1–11.7)		32,353	(21,704–43,001)
PA	White NH	5,147	9.8	0.54	(8.7–10.9)		759,426	(674,919–843,934)
PA	Black NH	686	17.2	1.95	(13.4–21.0)		174,428	(131,759–217,097)
PA	Other NH	222	8.6	2.45	(3.8–13.4)		34,092	(14,202–53,981)
PA	Multirace NH	96	11.3	3.56	(4.2–18.3)		12,252	(4,885–19,619)
PA	Hispanic	296	15.4	2.64	(10.2–20.6)		106,848	(67,742–145,954)
RI	White NH	4,904	11.7	0.72	(10.3–13.2)		71,771	(62,805–80,737)
RI	Black NH	231	15.2	2.90	(9.5–21.0)		6,644	(3,977–9,310)
RI	Other NH	247	7.2	2.03	(3.2–11.2)		3,216	(1,399–5,033)
RI	Multirace NH	86	14.8	5.25	(4.4–25.2)		1,474	(383–2,564)
RI	Hispanic	460	9.1	1.68	(5.8–12.4)		10,979	(6,830–15,128)
SC	White NH	4,937	8.9	0.55	(7.8–10.0)		232,229	(203,184–261,275)
SC	Black NH	1,527	11.1	1.28	(8.5–13.6)		110,049	(83,287–136,812)
SC	Other NH	157	8.6	2.79	(3.1–14.1)		7,715	(2,620–12,810)

## Notes:

\*Aged 18+ years

\*\*U.S. Total includes 49 states plus the District of Columbia and excludes the three territories, New Jersey was excluded because of not meeting the minimum data collection requirements.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C5**  
**Adult\* Current Asthma Prevalence**  
**and Number by Race/Ethnicity and State or Territory, BRFSS 2019**

State	Race/Ethnicity	Sample Size <sup>§</sup>	Prevalence (percent)	Standard Error	95% CI <sup>¶</sup> (percent)	    	Weighted Number	95% CI <sup>¶</sup> (Weighted Number)
SC	Multirace NH	161	14.0	3.51	(7.1–21.0)		5,542	(2,617–8,467)
SC	Hispanic	180	7.1	1.89	(3.4–10.8)		14,817	(6,972–22,662)
SD	White NH	5,313	8.9	0.88	(7.2–10.6)		49,627	(39,682–59,572)
SD	Black NH	35	0.7		(–)		88	(–)
SD	Other NH	861	7.9	1.76	(4.4–11.3)		3,978	(2,295–5,660)
SD	Multirace NH	132	7.7	4.40	(0.0–16.4)		980	(0–2,106)
SD	Hispanic	102	5.0	2.47	(0.1–9.9)		1,188	(51–2,324)
TN	White NH	4,942	8.8	0.54	(7.7–9.8)		344,100	(301,633–386,567)
TN	Black NH	717	9.2	1.39	(6.5–11.9)		75,620	(52,433–98,808)
TN	Other NH	167	8.8	2.82	(3.2–14.4)		12,986	(4,550–21,422)
TN	Multirace NH	103	15.0	4.56	(5.9–24.0)		7,234	(2,639–11,830)
TN	Hispanic	130	5.6	1.70	(2.2–9.0)		13,131	(5,429–20,832)
TX	White NH	6,997	8.4	0.58	(7.3–9.6)		780,768	(673,488–888,048)
TX	Black NH	1,000	6.6	1.16	(4.3–8.9)		167,173	(108,825–225,522)
TX	Other NH	554	4.1	1.60	(0.9–7.2)		53,889	(11,263–96,516)
TX	Multirace NH	185	9.0	3.08	(2.9–15.0)		12,867	(3,881–21,853)
TX	Hispanic	3,138	6.1	0.90	(4.4–7.9)		489,201	(343,910–634,493)
UT	White NH	9,994	10.7	0.41	(9.9–11.5)		189,249	(174,701–203,796)
UT	Black NH	65	7.9	3.60	(0.7–15.1)		1,545	(88–3,002)
UT	Other NH	312	5.1	1.41	(2.3–7.9)		5,413	(2,413–8,414)
UT	Multirace NH	95	10.9	4.48	(2.1–19.8)		3,644	(465–6,822)
UT	Hispanic	994	7.4	0.96	(5.5–9.3)		21,812	(16,063–27,561)
VT	White NH	5,915	11.6	0.66	(10.3–12.9)		53,828	(47,626–60,030)
VT	Black NH	28	9.6		(–)		362	(–)
VT	Other NH	144	10.5	3.63	(3.4–17.7)		1,463	(470–2,455)
VT	Multirace NH	120	22.7	6.02	(10.7–34.6)		1,262	(538–1,987)
VT	Hispanic	68	8.4	4.27	(0.0–16.9)		940	(0–1,905)
VA	White NH	7,061	9.2	0.46	(8.3–10.1)		379,474	(341,799–417,149)
VA	Black NH	1,510	10.5	1.05	(8.4–12.6)		128,068	(101,644–154,492)

## Notes:

\*Aged 18+ years

\*\*U.S. Total includes 49 states plus the District of Columbia and excludes the three territories, New Jersey was excluded because of not meeting the minimum data collection requirements.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.



**Table C5**  
**Adult\* Current Asthma Prevalence**  
**and Number by Race/Ethnicity and State or Territory, BRFSS 2019**

State	Race/Ethnicity	Sample Size <sup>§</sup>	Prevalence (percent)	Standard Error	95% CI <sup>¶</sup> (percent)	    	Weighted Number	95% CI <sup>¶</sup> (Weighted Number)
VA	Other NH	328	4.8	1.21	(2.4–7.1)		24,567	(12,239–36,894)
VA	Multirace NH	218	10.1	2.21	(5.7–14.4)		9,746	(5,507–13,985)
VA	Hispanic	533	5.8	1.23	(3.3–8.2)		33,760	(19,274–48,246)
WA	White NH	10,236	10.5	0.41	(9.7–11.3)		431,282	(397,171–465,393)
WA	Black NH	251	14.1	2.50	(9.1–19.0)		28,680	(17,825–39,535)
WA	Other NH	817	6.6	1.09	(4.5–8.8)		47,767	(31,783–63,751)
WA	Multirace NH	346	14.8	2.48	(9.9–19.6)		20,800	(13,283–28,316)
WA	Hispanic	930	8.6	1.05	(6.5–10.6)		55,347	(41,425–69,270)
WV	White NH	4,849	11.1	0.60	(10.0–12.3)		143,877	(128,239–159,515)
WV	Black NH	95	16.9	4.56	(7.8–25.9)		7,390	(3,187–11,592)
WV	Other NH	66	16.5	6.07	(4.4–28.6)		3,757	(795–6,720)
WV	Multirace NH	75	18.2	5.51	(7.2–29.2)		2,783	(993–4,573)
WV	Hispanic	44	16.0	7.11	(1.6–30.3)		3,052	(22–6,082)
WI	White NH	4,270	9.1	0.57	(8.0–10.3)		341,322	(298,500–384,144)
WI	Black NH	226	25.2	4.75	(15.8–34.6)		61,897	(35,442–88,352)
WI	Other NH	162	6.5	2.44	(1.7–11.3)		10,968	(2,887–19,049)
WI	Multirace NH	58	17.6	7.21	(3.2–32.0)		7,185	(624–13,747)
WI	Hispanic	145	11.4	2.89	(5.7–17.1)		30,294	(14,465–46,123)
WY	White NH	4,098	9.6	0.70	(8.3–11.0)		35,176	(30,025–40,328)
WY	Black NH	26	9.5		(–)		476	(–)
WY	Other NH	83	3.8		(–)		475	(–)
WY	Multirace NH	64	6.1		(–)		410	(–)
WY	Hispanic	199	11.9	3.00	(5.9–17.8)		4,700	(2,195–7,204)

## Notes:

\*Aged 18+ years

\*\*U.S. Total includes 49 states plus the District of Columbia and excludes the three territories, New Jersey was excluded because of not meeting the minimum data collection requirements.

†CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

¶If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.