

**Table C4**  
**Child<sup>a</sup> Current Asthma<sup>b</sup> Prevalence**  
**and Weighted Number<sup>c</sup> by Race/Ethnicity and State or Territory: BRFSS 2021**

State	Race/Ethnicity <sup>g</sup>	Sample Size <sup>d</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>e</sup> (Percent)	    	Weighted Number <sup>c</sup>	95% CI <sup>e</sup> Weighted Number <sup>c</sup>
Total <sup>f</sup>	White NH	33,584	5.1	0.23	(4.7–5.6)		1,095,782	(1,000,624–1,190,939)
Total <sup>f</sup>	Black NH	4,818	10.9	0.87	(9.3–12.7)		803,320	(671,786–934,855)
Total <sup>f</sup>	Other NH	6,326	5.8	0.72	(4.6–7.4)		419,755	(315,249–524,260)
Total <sup>f</sup>	Hispanic	8,178	6.8	0.57	(5.7–8.0)		842,757	(701,014–984,499)
AL	White NH	495	8.5	1.90	(5.4–13.0)		47,376	(25,547–69,205)
AL	Black NH	296	13.8	2.67	(9.4–19.9)		51,525	(30,887–72,164)
AL	Other NH	63			(–.)		989	(–.)
AL	Hispanic	32			(–.)		1,553	(–.)
CA	White NH	282	2.3	0.82	(1.2–4.6)		45,282	(14,015–76,548)
CA	Black NH	40	21.6	7.92	(9.9–40.8)		103,117	(21,205–185,029)
CA	Other NH	219	3.2	1.15	(1.6–6.4)		60,090	(17,659–102,520)
CA	Hispanic	890	5.2	1.06	(3.4–7.7)		220,932	(129,938–311,927)
CT	White NH	1,019	4.2	0.84	(2.8–6.2)		13,392	(8,147–18,636)
CT	Black NH	137	11.9	3.91	(6.1–21.9)		10,556	(3,415–17,696)
CT	Other NH	228	11.2	3.44	(6.0–19.9)		12,945	(4,600–21,290)
CT	Hispanic	370	14.7	3.02	(9.7–21.7)		24,281	(13,523–35,038)
DC	White NH	192			(–.)		517	(–.)
DC	Black NH	173	11.5	2.99	(6.8–18.8)		8,175	(3,837–12,512)
DC	Other NH	54			(–.)		736	(–.)
DC	Hispanic	59	15.3	5.04	(7.8–27.9)		2,837	(903–4,772)
GA	White NH	676	8.4	1.97	(5.2–13.1)		73,533	(37,480–109,586)
GA	Black NH	364	10.7	2.14	(7.2–15.7)		88,244	(52,522–123,966)
GA	Other NH	117	6.4	3.15	(2.4–16.1)		15,805	(115–31,495)
GA	Hispanic	160	12.8	4.67	(6.1–25.0)		49,730	(11,073–88,386)
HI	White NH	213	5.0	2.31	(2.0–12.0)		5,266	(296–10,237)

For additional information on methods and variable description, refer to “Technical Information,” available at: <https://www.cdc.gov/asthma/brfss/2021/child/brfsschildtechinfo.html>

<sup>a</sup>Aged 0–17 years

<sup>b</sup>Current asthma question: Does the child still have asthma?

<sup>c</sup>Weighted number of respondents who answered the current asthma question

<sup>d</sup>Unweighted number of respondents who answered the current asthma question

<sup>e</sup>CI denotes confidence interval

<sup>f</sup>Total includes data from 29 states and DC but excludes Puerto Rico and U.S. Virgin Islands

<sup>g</sup>Non-Hispanic (NH), Other race includes Non-Hispanic American Indian Native Alaskan, Asian, Native Hawaiian or Pacific Islander, other, and Multiracial

(–.) or empty cell: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE) > 30%

**Table C4**  
**Child<sup>a</sup> Current Asthma<sup>b</sup> Prevalence**  
**and Weighted Number<sup>c</sup> by Race/Ethnicity and State or Territory: BRFSS 2021**

State	Race/Ethnicity <sup>g</sup>	Sample Size <sup>d</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>e</sup> (Percent)	    	Weighted Number <sup>c</sup>	95% CI <sup>e</sup> Weighted Number <sup>c</sup>
HI	Black NH	14			(-.)		487	(-.)
HI	Other NH	1,097	4.3	0.92	(2.8–6.5)		7,570	(4,349–10,791)
HI	Hispanic	225	15.5	5.88	(7.0–30.7)		2,194	(321–4,067)
IL	White NH	287	4.0	1.13	(2.3–6.9)		44,469	(20,661–68,276)
IL	Black NH	71	7.1	3.29	(2.8–16.9)		33,454	(2,910–63,998)
IL	Other NH	52	12.4	8.55	(3.0–39.8)		47,819	(0–119,543)
IL	Hispanic	89	9.1	3.55	(4.2–18.9)		52,179	(11,743–92,614)
IN	White NH	1,358	5.0	0.67	(3.9–6.5)		47,818	(35,275–60,362)
IN	Black NH	193	12.6	2.70	(8.2–18.9)		31,054	(17,445–44,662)
IN	Other NH	167	9.2	3.70	(4.1–19.5)		13,182	(2,064–24,300)
IN	Hispanic	225	8.4	2.40	(4.7–14.4)		12,338	(5,053–19,623)
KS	White NH	3,143	7.1	0.57	(6.0–8.3)		29,674	(24,947–34,401)
KS	Black NH	167	14.5	3.04	(9.5–21.5)		7,028	(4,056–10,000)
KS	Other NH	368	6.0	1.52	(3.6–9.8)		5,200	(2,575–7,825)
KS	Hispanic	477	6.6	1.23	(4.6–9.5)		7,535	(4,760–10,310)
KY	White NH	830	4.7	0.90	(3.3–6.8)		31,964	(20,016–43,912)
KY	Black NH	60			(-.)		3,307	(-.)
KY	Other NH	58			(-.)		2,996	(-.)
KY	Hispanic	34	14.9	6.13	(6.4–31.1)		8,700	(1,481–15,920)
ME	White NH	1,564	7.2	1.01	(5.5–9.5)		13,789	(9,984–17,593)
ME	Black NH	18			(-.)		578	(-.)
ME	Other NH	73	7.6	4.06	(2.6–20.4)		1,076	(0–2,227)
ME	Hispanic	61			(-.)		485	(-.)
MD	White NH	1,507	5.3	0.96	(3.7–7.5)		23,762	(15,211–32,313)
MD	Black NH	799	9.2	1.32	(6.9–12.1)		42,773	(30,802–54,745)

For additional information on methods and variable description, refer to “Technical Information,” available at: <https://www.cdc.gov/asthma/brfss/2021/child/brfsschildtechinfo.html>

<sup>a</sup>Aged 0–17 years

<sup>b</sup>Current asthma question: Does the child still have asthma?

<sup>c</sup>Weighted number of respondents who answered the current asthma question

<sup>d</sup>Unweighted number of respondents who answered the current asthma question

<sup>e</sup>CI denotes confidence interval

<sup>f</sup>Total includes data from 29 states and DC but excludes Puerto Rico and U.S. Virgin Islands

<sup>g</sup>Non-Hispanic (NH), Other race includes Non-Hispanic American Indian Native Alaskan, Asian, Native Hawaiian or Pacific Islander, other, and Multiracial

(-.) or empty cell: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE) > 30%

**Table C4**  
**Child<sup>a</sup> Current Asthma<sup>b</sup> Prevalence**  
**and Weighted Number<sup>c</sup> by Race/Ethnicity and State or Territory: BRFSS 2021**

State	Race/Ethnicity <sup>g</sup>	Sample Size <sup>d</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>e</sup> (Percent)	    	Weighted Number <sup>c</sup>	95% CI <sup>e</sup> Weighted Number <sup>c</sup>
MD	Other NH	370	6.8	1.90	(3.9–11.6)		14,808	(6,420–23,196)
MD	Hispanic	448	4.2	1.33	(2.3–7.7)		7,287	(2,722–11,853)
MA	White NH	850	10.1	1.44	(7.6–13.3)		62,268	(44,299–80,237)
MA	Black NH	134	10.1	3.23	(5.3–18.4)		13,897	(5,025–22,768)
MA	Other NH	152	5.7	2.33	(2.5–12.4)		11,641	(2,123–21,159)
MA	Hispanic	217	11.7	2.59	(7.5–17.8)		29,319	(16,106–42,532)
MI	White NH	1,104	7.3	1.17	(5.4–10.0)		86,473	(58,512–114,433)
MI	Black NH	201	7.1	1.86	(4.2–11.7)		27,235	(13,218–41,252)
MI	Other NH	172	3.1	1.17	(1.5–6.4)		8,377	(2,322–14,433)
MI	Hispanic	106	10.1	4.15	(4.4–21.6)		19,545	(2,833–36,257)
MN	White NH	2,285	5.6	0.62	(4.5–6.9)		43,258	(33,824–52,692)
MN	Black NH	190	12.3	3.57	(6.8–21.2)		16,784	(6,509–27,059)
MN	Other NH	442	3.3	0.85	(2.0–5.4)		8,401	(4,146–12,656)
MN	Hispanic	346	6.4	1.51	(4.0–10.1)		6,589	(3,484–9,695)
MS	White NH	501	7.6	1.66	(4.9–11.6)		22,508	(12,669–32,346)
MS	Black NH	403	13.2	2.30	(9.3–18.4)		40,891	(26,182–55,601)
MS	Other NH	35			(–)		994	(–)
MS	Hispanic	21			(–)		606	(–)
MO	White NH	2,100	5.1	0.64	(4.0–6.5)		44,213	(33,365–55,061)
MO	Black NH	181	15.1	3.67	(9.2–23.8)		33,105	(16,304–49,906)
MO	Other NH	184	8.8	2.55	(4.9–15.3)		11,907	(5,106–18,709)
MO	Hispanic	107			(–)		1,805	(–)
MT	White NH	889	4.2	0.72	(3.0–5.8)		6,618	(4,360–8,877)
MT	Black NH	7			(–)		0	(–)
MT	Other NH	299	8.6	2.37	(5.0–14.5)		3,325	(1,454–5,196)

For additional information on methods and variable description, refer to “Technical Information,” available at: <https://www.cdc.gov/asthma/brfss/2021/child/brfsschildtechinfo.html>

<sup>a</sup>Aged 0–17 years

<sup>b</sup>Current asthma question: Does the child still have asthma?

<sup>c</sup>Weighted number of respondents who answered the current asthma question

<sup>d</sup>Unweighted number of respondents who answered the current asthma question

<sup>e</sup>CI denotes confidence interval

<sup>f</sup>Total includes data from 29 states and DC but excludes Puerto Rico and U.S. Virgin Islands

<sup>g</sup>Non-Hispanic (NH), Other race includes Non-Hispanic American Indian Native Alaskan, Asian, Native Hawaiian or Pacific Islander, other, and Multiracial

(–) or empty cell: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE) > 30%

**Table C4**  
**Child<sup>a</sup> Current Asthma<sup>b</sup> Prevalence**  
**and Weighted Number<sup>c</sup> by Race/Ethnicity and State or Territory: BRFSS 2021**

State	Race/Ethnicity <sup>g</sup>	Sample Size <sup>d</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>e</sup> (Percent)	    	Weighted Number <sup>c</sup>	95% CI <sup>e</sup> Weighted Number <sup>c</sup>
MT	Hispanic	61			(-.)		974	(-.)
NE	White NH	2,413	4.4	0.55	(3.4–5.6)		13,345	(10,090–16,600)
NE	Black NH	78	10.5	4.72	(4.2–23.9)		3,426	(222–6,631)
NE	Other NH	208	6.8	2.15	(3.6–12.4)		3,102	(1,180–5,024)
NE	Hispanic	470	7.6	2.13	(4.4–13.0)		6,639	(2,825–10,454)
NH	White NH	699	7.8	1.30	(5.6–10.8)		14,432	(9,716–19,147)
NH	Black NH	17			(-.)		157	(-.)
NH	Other NH	66			(-.)		1,252	(-.)
NH	Hispanic	47	11.7	4.86	(5.0–25.0)		2,139	(352–3,926)
NJ	White NH	656	4.1	0.85	(2.7–6.1)		31,397	(18,617–44,177)
NJ	Black NH	184	5.4	1.96	(2.6–10.8)		16,004	(4,477–27,532)
NJ	Other NH	279	9.0	2.93	(4.7–16.6)		31,991	(10,337–53,645)
NJ	Hispanic	509	4.7	1.15	(2.9–7.5)		20,313	(10,487–30,140)
NM	White NH	383	6.2	1.80	(3.5–10.8)		6,725	(2,811–10,639)
NM	Black NH	22	29.4	15.58	(8.7–64.5)		2,826	(0–6,639)
NM	Other NH	284	3.2	1.06	(1.7–6.1)		2,060	(749–3,372)
NM	Hispanic	716	6.2	1.05	(4.5–8.6)		16,900	(11,361–22,440)
NY	White NH	1,309	5.0	1.02	(3.4–7.4)		88,321	(52,868–123,775)
NY	Black NH	232	8.2	2.40	(4.5–14.3)		60,928	(24,830–97,027)
NY	Other NH	239	5.7	2.18	(2.7–11.8)		38,584	(9,220–67,949)
NY	Hispanic	382	9.2	2.15	(5.8–14.4)		68,210	(35,741–100,678)
OH	White NH	2,003	5.4	0.66	(4.2–6.8)		84,529	(64,178–104,879)
OH	Black NH	153	6.4	2.35	(3.1–12.8)		30,871	(8,217–53,525)
OH	Other NH	201	7.3	2.12	(4.1–12.7)		21,587	(9,243–33,931)
OH	Hispanic	139	6.8	2.94	(2.9–15.3)		8,348	(1,127–15,570)

For additional information on methods and variable description, refer to “Technical Information,” available at: <https://www.cdc.gov/asthma/brfss/2021/child/brfsschildtechinfo.html>

<sup>a</sup>Aged 0–17 years

<sup>b</sup>Current asthma question: Does the child still have asthma?

<sup>c</sup>Weighted number of respondents who answered the current asthma question

<sup>d</sup>Unweighted number of respondents who answered the current asthma question

<sup>e</sup>CI denotes confidence interval

<sup>f</sup>Total includes data from 29 states and DC but excludes Puerto Rico and U.S. Virgin Islands

<sup>g</sup>Non-Hispanic (NH), Other race includes Non-Hispanic American Indian Native Alaskan, Asian, Native Hawaiian or Pacific Islander, other, and Multiracial

(-.) or empty cell: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE) > 30%

**Table C4**  
**Child<sup>a</sup> Current Asthma<sup>b</sup> Prevalence**  
**and Weighted Number<sup>c</sup> by Race/Ethnicity and State or Territory: BRFSS 2021**

State	Race/Ethnicity <sup>g</sup>	Sample Size <sup>d</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>e</sup> (Percent)	    	Weighted Number <sup>c</sup>	95% CI <sup>e</sup> Weighted Number <sup>c</sup>
PA	White NH	788	3.8	0.72	(2.6–5.5)		55,300	(35,229–75,370)
PA	Black NH	155	10.3	2.89	(5.8–17.5)		34,444	(14,986–53,903)
PA	Other NH	112	6.2	2.72	(2.6–14.2)		20,819	(2,883–38,755)
PA	Hispanic	118	16.2	3.90	(9.9–25.3)		46,096	(23,281–68,910)
RI	White NH	728	6.8	1.34	(4.6–9.9)		7,180	(4,327–10,033)
RI	Black NH	80	8.6	4.13	(3.2–20.8)		2,073	(38–4,108)
RI	Other NH	114			(–.)		795	(–.)
RI	Hispanic	231	6.8	1.96	(3.8–11.8)		3,224	(1,376–5,072)
TX	White NH	842	3.4	0.91	(2.0–5.7)		67,261	(31,688–102,833)
TX	Black NH	212	12.2	3.14	(7.3–19.8)		114,591	(55,270–173,912)
TX	Other NH	243	7.8	2.42	(4.2–14.1)		59,001	(22,294–95,708)
TX	Hispanic	958	6.1	1.15	(4.2–8.8)		210,919	(132,461–289,377)
UT	White NH	2,495	5.5	0.55	(4.5–6.7)		36,313	(29,125–43,500)
UT	Black NH	30			(–.)		1,183	(–.)
UT	Other NH	221	4.0	1.25	(2.2–7.3)		3,317	(1,322–5,313)
UT	Hispanic	506	6.0	1.24	(4.0–8.9)		9,475	(5,567–13,384)
VT	White NH	1,164	4.7	0.73	(3.4–6.3)		4,490	(3,125–5,856)
VT	Black NH	15			(–.)		0	(–.)
VT	Other NH	74			(–.)		284	(–.)
VT	Hispanic	38			(–.)		157	(–.)
WI	White NH	802	5.4	1.00	(3.8–7.7)		44,310	(28,385–60,236)
WI	Black NH	33	28.4	14.31	(9.1–61.1)		22,092	(0–49,840)
WI	Other NH	121	6.0	2.90	(2.3–14.9)		9,099	(458–17,740)
WI	Hispanic	77			(–.)		1,406	(–.)
VI	White NH	7			(–.)		0	(–.)

For additional information on methods and variable description, refer to “Technical Information,” available at: <https://www.cdc.gov/asthma/brfss/2021/child/brfsschildtechinfo.html>

<sup>a</sup>Aged 0–17 years

<sup>b</sup>Current asthma question: Does the child still have asthma?

<sup>c</sup>Weighted number of respondents who answered the current asthma question

<sup>d</sup>Unweighted number of respondents who answered the current asthma question

<sup>e</sup>CI denotes confidence interval

<sup>f</sup>Total includes data from 29 states and DC but excludes Puerto Rico and U.S. Virgin Islands

<sup>g</sup>Non-Hispanic (NH), Other race includes Non-Hispanic American Indian Native Alaskan, Asian, Native Hawaiian or Pacific Islander, other, and Multiracial

(–.) or empty cell: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE) > 30%

**Table C4**  
**Child<sup>a</sup> Current Asthma<sup>b</sup> Prevalence**  
**and Weighted Number<sup>c</sup> by Race/Ethnicity and State or Territory: BRFSS 2021**

State	Race/Ethnicity <sup>g</sup>	Sample Size <sup>d</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>e</sup> (Percent)	    	Weighted Number <sup>c</sup>	95% CI <sup>e</sup> Weighted Number <sup>c</sup>
VI	Black NH	159	12.6	4.29	(6.3–23.6)		2,513	(736–4,290)
VI	Other NH	14			(.–.)		0	(.–.)
VI	Hispanic	59			(.–.)		38	(.–.)

For additional information on methods and variable description, refer to “Technical Information,” available at:  
<https://www.cdc.gov/asthma/brfss/2021/child/brfsschildtechinfo.html>

<sup>a</sup>Aged 0–17 years

<sup>b</sup>Current asthma question: Does the child still have asthma?

<sup>c</sup>Weighted number of respondents who answered the current asthma question

<sup>d</sup>Unweighted number of respondents who answered the current asthma question

<sup>e</sup>CI denotes confidence interval

<sup>f</sup>Total includes data from 29 states and DC but excludes Puerto Rico and U.S. Virgin Islands

<sup>g</sup>Non-Hispanic (NH), Other race includes Non-Hispanic American Indian Native Alaskan, Asian, Native Hawaiian or Pacific Islander, other, and Multiracial

(.–.) or empty cell: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE) > 30%