

Table L2.2
Adult Self-Reported Lifetime Asthma Prevalence Rate (Number)
by Sex and State: BRFSS 1999

Note 1: CI designates confidence interval.

State	Male				Female			
	Sample Size	Prevalence (number)	Lower 95% CI	Upper 95% CI	Sample Size	Prevalence (number)	Lower 95% CI	Upper 95% CI
AZ	710	116,484	69,147	163,820	1,029	150,665	105,580	195,749
AR	1,166	84,888	66,407	103,369	1,830	129,309	110,852	147,766
DC	456	17,875	12,199	23,551	802	29,525	23,748	35,302
ID	2,092	44,553	36,723	52,383	2,859	54,494	47,533	61,456
IA	1,382	104,119	84,461	123,777	2,135	136,932	116,589	157,274
LA	659	135,627	92,652	178,602	1,001	149,355	116,622	182,088
ME	734	56,414	42,793	70,035	930	62,316	49,677	74,956
MS	836	96,926	71,692	122,160	1,306	86,167	69,770	102,564
MO	1,699	198,622	153,940	243,303	2,529	247,218	211,623	282,814
NE	1,075	48,251	37,740	58,762	1,637	65,279	54,937	75,620
NH	489	50,722	33,905	67,538	724	74,192	59,352	89,032
PA	1,394	418,288	331,866	504,711	2,095	547,185	470,982	623,388
SC	1,369	108,394	83,953	132,834	2,036	163,654	139,780	187,529
UT	1,369	77,982	62,913	93,052	1,816	93,229	78,567	107,890
VT	1,247	22,413	17,786	27,040	1,847	28,757	24,275	33,238
WA	1,573	201,370	165,038	237,703	1,966	296,307	258,641	333,973
WI	917	171,731	131,364	212,099	1,254	221,515	177,422	265,609
WY	1,063	15,520	12,331	18,709	1,336	20,495	17,118	23,871

Footnote 1: If values for the standard error and the 95% confidence intervals are not provided, the normal approximation to the binomial distribution does not apply because of the small sample size.

Footnote 2: When the sample size is less than 50, estimates are not precise and should be interpreted with caution.