

United States

2011 Land Line Only Codebook Report

ADULT Asthma Call-Back Survey

August 19, 2013



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**STATE FIPS CODE**

Survey: ADULT Asthma Call-Back

Column: 1-2

Prologue:

Description: STATE FIPS CODE .

Type: NUM

SAS Variable Name: \_STATE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Alabama	251	1.50	1.60
4	Arizona	332	1.99	2.55
6	California	718	4.30	14.07
9	Connecticut	342	2.05	1.45
11	District of Columbia	221	1.32	0.28
12	Florida	531	3.18	6.28
13	Georgia	358	2.14	3.47
15	Hawaii	383	2.29	0.58
17	Illinois	245	1.47	4.52
18	Indiana	427	2.56	2.44
19	Iowa	264	1.58	0.98
20	Kansas	982	5.88	0.95
22	Louisiana	385	2.31	1.33
23	Maine	355	2.13	0.64
24	Maryland	293	1.76	2.11
25	Massachusetts	317	1.90	3.09
26	Michigan	645	3.86	3.99
28	Mississippi	356	2.13	0.96
29	Missouri	282	1.69	2.18
30	Montana	451	2.70	0.36
31	Nebraska	937	5.61	0.57
32	Nevada	175	1.05	1.13
33	New Hampshire	291	1.74	0.54
34	New Jersey	462	2.77	3.15
35	New Mexico	413	2.47	0.82
36	New York	190	1.14	8.14
37	North Carolina	307	1.84	3.15
38	North Dakota	238	1.43	0.20
39	Ohio	411	2.46	4.43
40	Oklahoma	399	2.39	1.49
41	Oregon	255	1.53	1.74
42	Pennsylvania	517	3.10	4.51
44	Rhode Island	338	2.02	0.49
48	Texas	758	4.54	8.01
49	Utah	602	3.61	0.96
50	Vermont	424	2.54	0.27
53	Washington	945	5.66	2.62
54	West Virginia	240	1.44	0.63
55	Wisconsin	287	1.72	1.80
72	Puerto Rico	366	2.19	1.53

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**MONTH NAME OF SOURCE FILE ASTHMA CALL-BACK**

Survey: ADULT Asthma Call-Back

Column: 3-4

Prologue:

Description: FILE MONTH

Type: NUM

SAS Variable Name: FMONTH\_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	1,188	7.12	8.43
2	February	1,427	8.55	7.95
3	March	1,480	8.87	9.22
4	April	1,645	9.85	12.22
5	May	1,253	7.51	7.22
6	June	1,208	7.24	8.25
7	July	1,723	10.32	11.18
8	August	1,412	8.46	7.42
9	September	1,297	7.77	6.25
10	October	1,665	9.97	10.24
11	November	1,285	7.70	6.06
12	December	1,110	6.65	5.57

**MONTH OF ASTHMA CALL-BACK INTERVIEW**

Survey: ADULT Asthma Call-Back

Column: 13-14

Prologue:

Description: MONTH OF ASTHMA CALL-BACK INTERVIEW

Type: NUM

SAS Variable Name: IMONTH\_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	797	4.77	3.84
2	February	1,353	8.11	9.01
3	March	1,674	10.03	10.60
4	April	1,361	8.15	8.14
5	May	1,498	8.97	10.03
6	June	1,268	7.60	9.77
7	July	1,381	8.27	8.12
8	August	1,716	10.28	9.94
9	September	1,280	7.67	7.66
10	October	1,416	8.48	8.77
11	November	1,460	8.75	7.61
12	December	1,489	8.92	6.50

**DAY OF ASTHMA CALL-BACK INTERVIEW**

Survey: ADULT Asthma Call-Back

Column: 15-16

Prologue:

Description: DAY OF ASTHMA CALL-BACK INTERVIEW

Type: NUM

SAS Variable Name: IDAY\_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		16,693	100.00	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**YEAR OF ASTHMA CALL-BACK INTERVIEW**

Survey: ADULT Asthma Call-Back

Column: 17-20

Prologue:

Description: YEAR OF ASTHMA CALL-BACK INTERVIEW

Type: NUM  
SAS Variable Name: IYEAR\_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
2011	Interview year	16,026	96.00	96.89
2012	Interview year	667	4.00	3.11

**INTERVIEWER ID OF ASTHMA CALL-BACK**

Survey: ADULT Asthma Call-Back

Column: 21-23

Prologue:

Description: INTERVIEWER ID OF ASTHMA CALL-BACK

Type: NUM  
SAS Variable Name: INTVID\_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Interviewer Identification	16,693	100.00	100.00

**DISPOSITION OF ASTHMA CALL-BACK**

Survey: ADULT Asthma Call-Back

Column: 24-26

Prologue:

Description: DISPOSITION OF ASTHMA CALL-BACK

Type: NUM  
SAS Variable Name: DISPCODE\_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
110	Complete	16,680	99.92	99.92
120	Partial complete	13	0.08	0.08

**ANNUAL SEQUENCE NUMBER**

Survey: ADULT Asthma Call-Back

Column: 27-36

Prologue:

Description: ANNUAL SEQUENCE NUMBER

Type: NUM  
SAS Variable Name: SEQNO

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		16,693	100.00	100.00

**NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK**

Survey: ADULT Asthma Call-Back

Column: 37-38

Prologue:

Description: NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK

Type: NUM  
SAS Variable Name: NATTMPTS\_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Number of attempts of asthma call-back	16,693	100.00	100.00

**PERMIT TO CALL BACK FROM BRFSS**

Survey: ADULT Asthma Call-Back

Column: 39

Prologue:

Description: PERMIT TO CALL BACK FROM BRFSS

Type: NUM  
SAS Variable Name: CALLBACK

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16,693	100.00	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**ARE YOU SAMPLE PERSON**

Survey: ADULT Asthma Call-Back

Column: 40

Prologue:

Description: Q1.1 Are you [sample person's first name or initials]?

Type: NUM  
SAS Variable Name: SAMP\_NAME

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16,032	96.04	94.98
2	No	661	3.96	5.02

**MAY I SPEAK WITH SAMPLE PERSON**

Survey: ADULT Asthma Call-Back

Column: 41

Prologue:

Description: Q1.2 May I speak with [sample person's first name or initials]?

Type: NUM  
SAS Variable Name: SAMP\_PERS

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	661	100.00	100.00
BLANK	Not asked or missing	16,032		

**CHECK CORRECT PERSON ON PHONE**

Survey: ADULT Asthma Call-Back

Column: 42

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: Check if correct person from core survey is on phone.

Description: Q2.0 Is this [sample person's name] and are you [sample person's age] years old? (IF YES, CONTINUE WITH Q2.1)

Type: NUM  
SAS Variable Name: REPEAT

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,567	100.00	100.00
BLANK	Not asked or missing	15,126		

**EVER HAVE ASTHMA INCONSISTENT WITH BRFSS**

Survey: ADULT Asthma Call-Back

Column: 43

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure you qualify for this study.

Description: Q2.1 Have you ever been told by a doctor or other health professional that you have asthma?

Type: NUM  
SAS Variable Name: EVER\_ASTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,567	100.00	100.00
BLANK	Not asked or missing	15,126		

**STILL HAVE ASTHMA INCONSISTENT WITH BRFSS**

Survey: ADULT Asthma Call-Back

Column: 44

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure you qualify for this study.

Description: Q2.2 Do you still have asthma?

Type: NUM  
SAS Variable Name: CUR\_ASTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	986	62.92	64.40
2	No	526	33.57	33.96
7	Don't know/Not sure	55	3.51	1.64
BLANK	Not asked or missing	15,126		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**PERMISSION TO COMBINE THE ANSWER WITH BRFS**

Survey: ADULT Asthma Call-Back

Column: 45

Type: NUM

SAS Variable Name: PERMISS

Prologue:

Description: Q2.3 May we combine your answers to this survey with your answers from the survey you did a few weeks ago?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8,326	49.88	58.10
7	Don't know/Not sure	8,367	50.12	41.90

**AGE AT ASTHMA DIAGNOSIS**

Survey: ADULT Asthma Call-Back

Column: 46-48

Type: NUM

SAS Variable Name: AGEDX

Prologue:

Description: Q3.1 How old were you when you were first told by a doctor or other health professional that you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 115	Age in years	15,088	90.39	89.18
777	Don't know	1,072	6.42	4.90
888	Less than 1 year old	518	3.10	5.81
999	Refused	15	0.09	0.11

**TIME SINCE DIAGNOSIS**

Survey: ADULT Asthma Call-Back

Column: 49

Type: NUM

SAS Variable Name: INCIDNT

Prologue:

Description: Q3.2 How long ago was that?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past 12 months	393	2.35	2.15
2	One to five years ago	1,578	9.45	8.82
3	More than 5 years ago	14,650	87.76	88.47
7	Don't know	63	0.38	0.42
9	Refused	9	0.05	0.14

**LAST TALKED TO A DOCTOR**

Survey: ADULT Asthma Call-Back

Column: 50-51

Type: NUM

SAS Variable Name: LAST\_MD

Prologue:

Description: Q3.3 How long has it been since you last talked to a doctor or other health professional about your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
4	Within the past year	9,907	59.35	51.63
5	One year to less than 3 years ago	2,293	13.74	15.56
6	Three years to five years ago	1,003	6.01	8.94
7	More than five years ago	3,180	19.05	22.01
77	Don't know	151	0.90	0.96
88	Never	149	0.89	0.74
99	Refused	10	0.06	0.14

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**LAST TOOK ASTHMA MEDICATION**

Survey: ADULT Asthma Call-Back

Column: 52-53

Prologue:

Description: Q3.4 How long has it been since you last took asthma medication?

Type: NUM

SAS Variable Name: LAST\_MED

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 1 day ago	6,269	37.55	29.07
2	1-6 days ago	1,401	8.39	8.69
3	1 week to less than 3 months ago	1,823	10.92	12.53
4	3 months to less than 1 year ago	1,484	8.89	9.31
5	1 year to less than 3 years ago	1,253	7.51	8.05
6	3 years to 5 years ago	691	4.14	5.18
7	More than 5 years ago	3,062	18.34	23.72
77	Don't know	128	0.77	0.57
88	Never	575	3.44	2.78
99	Refused	7	0.04	0.09

**LAST HAD ANY SYMPTOMS OF ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 54-55

Prologue:

Description: Q3.5 How long has it been since you last had any symptoms of asthma?

Type: NUM

SAS Variable Name: LASTSYMP

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 1 day ago	4,601	27.56	23.25
2	1-6 days ago	1,951	11.69	11.76
3	1 week to less than 3 months ago	3,218	19.28	20.81
4	3 months to less than 1 year ago	1,896	11.36	10.33
5	1 year to less than 3 years ago	1,233	7.39	8.44
6	3 years to 5 years ago	609	3.65	3.76
7	More than 5 years ago	2,700	16.17	19.32
77	Don't know	364	2.18	1.61
88	Never	107	0.64	0.65
99	Refused	14	0.08	0.08

**SYMPTOM DAYS**

Survey: ADULT Asthma Call-Back

Column: 56-58

Prologue:

Description: Q4.1 During the past 30 days, on how many days did you have any symptoms of asthma?

Type: NUM

SAS Variable Name: SYMP\_30D

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 29	Days	5,977	35.81	37.22
30	Every day	2,814	16.86	12.45
66	No symptoms past one year, skip filled	4,649	27.85	32.17
77	Don't know	309	1.85	1.13
88	No symptoms in the past 30 days	1,032	6.18	6.59
99	Refused	16	0.10	0.12
100	Symptoms 3 months to 1 year ago, skip filled	1,896	11.36	10.33

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**CONSTANT SYMPTOMS**

Survey: ADULT Asthma Call-Back

Column: 59-60

Type: NUM

SAS Variable Name: DUR\_30D

Prologue:

Description: Q4.2 Do you have symptoms all the time? "All the time" means symptoms that continue throughout the day. It does not mean symptoms for a little while each day.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,598	9.57	7.44
2	No	1,146	6.87	4.84
6	Last symptoms one+ years ago, skip filled	4,649	27.85	32.17
7	Don't know	60	0.36	0.14
9	Refused	10	0.06	0.02
10	Last symptoms 3 months - 1 year ago, skip filled	1,896	11.36	10.33
11	No symptoms 'SYMP_30D' skip filled	1,032	6.18	6.59
12	1-29 'SYMP_30D' skip filled	5,977	35.81	37.22
77	Don't know 'SYMP_30D' skip filled	309	1.85	1.13
99	Refused 'SYMP_30D' skip filled	16	0.10	0.12

**NIGHT SYMPTOMS**

Survey: ADULT Asthma Call-Back

Column: 61-63

Type: NUM

SAS Variable Name: ASLEEP30

Prologue:

Description: Q4.3 During the past 30 days, on how many days did symptoms of asthma make it difficult for you to stay asleep?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Days/Nights	4,028	24.13	23.84
66	No symptoms past one year, skip filled	4,649	27.85	32.17
77	Don't know	412	2.47	1.90
88	None	4,661	27.92	25.06
99	Refused	15	0.09	0.12
100	Symptoms 3 months to 1 year ago, skip filled	1,896	11.36	10.33
111	No symptoms in the past 30 days, skip filled	1,032	6.18	6.59

**SYMPTOM-FREE DAYS**

Survey: ADULT Asthma Call-Back

Column: 64-65

Type: NUM

SAS Variable Name: SYMPFREE

Prologue:

Description: Q4.4 During the past two weeks, on how many days were you completely symptom-free, that is no coughing, wheezing, or other symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	Days/Nights	12,833	76.88	83.82
77	Don't know	310	1.86	1.49
88	None	3,531	21.15	14.59
99	Refused	19	0.11	0.10



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**ASTHMA EPISODE OR ATTACK**

Survey: ADULT Asthma Call-Back

Column: 66

Type: NUM

SAS Variable Name: EPIS\_12M

Prologue:

Description: Q4.5 During the past 12 months, have you had an episode of asthma or an asthma attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,701	40.14	38.29
2	No	5,169	30.97	28.99
6	No symptoms past 1 year, skip filled	4,649	27.85	32.17
7	Don't know	166	0.99	0.53
9	Refused	8	0.05	0.02

**NUMBER OF EPISODES / ATTACKS**

Survey: ADULT Asthma Call-Back

Column: 67-70

Type: NUM

SAS Variable Name: EPIS\_TP

Prologue:

Description: Q4.6 During the past three months, how many asthma episodes or attacks have you had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 100	Episodes	4,972	29.78	30.45
666	No symptoms past 1 year, skip filled	4,649	27.85	32.17
777	Don't know	447	2.68	1.57
888	None	1,258	7.54	6.18
999	Refused	24	0.14	0.09
1111	No episode/asthma attack past year, skip filled	5,343	32.01	29.54

**DURATION OF ATTACK**

Survey: ADULT Asthma Call-Back

Column: 71-74

Type: NUM

SAS Variable Name: DUR\_ASTH

Prologue:

Description: Q4.7 How long did your most recent asthma episode or attack last?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Minutes	2,753	16.49	18.10
201 - 299	Hours	1,595	9.55	8.79
301 - 399	Days	1,422	8.52	7.51
401 - 499	Weeks	556	3.33	2.37
555	Never	17	0.10	0.03
666	No symptoms past 1 year, skip filled	4,649	27.85	32.17
777	Don't know	343	2.05	1.35
999	Refused	15	0.09	0.13
1111	No episode/asthma attack past year, skip filled	5,343	32.01	29.54

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**TYPICAL ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 75-76

**Type:** NUM

**SAS Variable Name:** COMPASTH

**Prologue:**

**Description:** Q4.8 Compared with other episodes or attacks, was this most recent attack shorter, longer, or about the same?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Shorter	1,556	9.32	8.86
2	Longer	999	5.98	5.23
3	About the same	4,037	24.18	23.82
4	The most recent attack was actually the first attack	31	0.19	0.11
6	No symptoms past year, skip filled	4,649	27.85	32.17
7	Don't know	72	0.43	0.22
9	Refused	6	0.04	0.07
11	No episode/asthma attack past year, skip filled	5,343	32.01	29.54

**INSURANCE**

**Survey:** ADULT Asthma Call-Back

**Column:** 77

**Type:** NUM

**SAS Variable Name:** INS1

**Prologue:**

**Description:** QINS1 Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare or Medicaid?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15,176	90.91	84.40
2	No	1,488	8.91	15.15
7	Don't know/Not sure	21	0.13	0.40
9	Refused	8	0.05	0.05

**INSURANCE OR COVERAGE GAP**

**Survey:** ADULT Asthma Call-Back

**Column:** 78

**Type:** NUM

**SAS Variable Name:** INS2

**Prologue:**

**Description:** QINS2 During the past 12 months, was there any time that you did not have any health insurance or coverage?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	714	4.28	6.95
2	No	14,445	86.53	77.36
5	No insurance at time of interview, skip filled	1,488	8.91	15.15
7	Don't know	37	0.22	0.48
9	Refused	9	0.05	0.06

**NUMBER OF ROUTINE CHECKUPS PAST 12 MONTHS**

**Survey:** ADULT Asthma Call-Back

**Column:** 79-81

**Type:** NUM

**SAS Variable Name:** NER\_TIME

**Prologue:**

**Description:** Q5.1 During the past 12 months, how many times did you see a doctor or other health professional for a routine checkup for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Times	7,605	45.56	39.88
555	No current asthma, nothing happened past year, skip filled	2,956	17.71	21.43
666	No MD visit past year, skip filled	3,709	22.22	25.97
777	Don't know	214	1.28	0.92
888	None	2,185	13.09	11.58
999	Refused	24	0.14	0.22

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**EMERGENCY ROOM VISIT**

**Survey:** ADULT Asthma Call-Back

**Type:** NUM

**Column:** 82

**SAS Variable Name:** ER\_VISIT

**Prologue:** An urgent care center treats people with illness or injuries that must be addressed immediately and cannot wait for a regular medical appointment.

**Description:** Q5.2 During the past 12 months, have you had to visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,662	9.96	9.95
2	No	8,322	49.85	42.55
5	No current asthma, nothing happened past year, skip filled	2,956	17.71	21.43
6	No MD visit past year, skip filled	3,709	22.22	25.97
7	Don't know	43	0.26	0.09
9	Refused	1	0.01	0.00

**NUMBER OF EMERGENCY ROOM VISITS**

**Survey:** ADULT Asthma Call-Back

**Type:** NUM

**Column:** 83-85

**SAS Variable Name:** ER\_TIMES

**Prologue:**

**Description:** Q5.3 During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	1,631	9.77	9.86
555	No current asthma, nothing happened past year, skip filled	2,956	17.71	21.43
666	No MD visit past year, skip filled	3,709	22.22	25.97
677	MD visit, no ER visit past year, skip filled	8,322	49.85	42.55
777	Don't know	62	0.37	0.15
888	None	11	0.07	0.03
999	Refused	2	0.01	0.00

**NUMBER OF URGENT VISITS**

**Survey:** ADULT Asthma Call-Back

**Type:** NUM

**Column:** 86-88

**SAS Variable Name:** URG\_TIME

**Prologue:**

**Description:** Q5.4 During the past 12 months, how many times did you see a doctor or other health professional for urgent treatment of worsening asthma symptoms or for an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	3,176	19.03	17.13
555	No current asthma, nothing happened past year, skip filled	2,956	17.71	21.43
666	No MD visit past year, skip filled	3,709	22.22	25.97
777	Don't know	156	0.93	0.66
888	None	6,684	40.04	34.67
999	Refused	12	0.07	0.14

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**HOSPITAL VISIT**

Survey: ADULT Asthma Call-Back

Column: 89

Type: NUM

SAS Variable Name: HOSP\_VST

Prologue:

Description: Q5.5 During the past 12 months, that is since [one year ago today], have you had to stay overnight in a hospital because of your asthma? Do not include an overnight stay in the emergency room.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	593	3.55	2.74
2	No	8,388	50.25	44.57
4	MD visit, no symptoms past year, skip filled	1,018	6.10	5.12
5	No current asthma, nothing happened past year, skip filled	2,956	17.71	21.43
6	No MD visit past year, skip filled	3,709	22.22	25.97
7	Don't know	27	0.16	0.17
9	Refused	2	0.01	0.00

**NUMBER OF HOSPITAL VISITS**

Survey: ADULT Asthma Call-Back

Column: 90-92

Type: NUM

SAS Variable Name: HOSPTIME

Prologue:

Description: Q5.6a During the past 12 months, how many different times did you stay in any hospital overnight or longer because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Times	577	3.46	2.70
444	MD visit, no symptoms past year, skip filled	1,018	6.10	5.12
455	MD visit, symptoms, no hospital visit past year, skip filled	8,388	50.25	44.57
555	No current asthma, nothing happened past year, skip filled	2,956	17.71	21.43
666	No MD visit past year, skip filled	3,709	22.22	25.97
777	Don't know	41	0.25	0.21
999	Refused	4	0.02	0.00

**HOSPITAL FOLLOW-UP**

Survey: ADULT Asthma Call-Back

Column: 93-94

Type: NUM

SAS Variable Name: HOSPPLAN

Prologue:

Description: Q5.7 The last time you left the hospital, did a health professional talk with you about how to prevent serious attacks in the future?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	391	2.34	1.95
2	No	196	1.17	0.78
4	MD visit, no symptoms past year, skip filled	1,018	6.10	5.12
5	No current asthma, nothing happened past year, skip filled	2,956	17.71	21.43
6	No MD visit past year, skip filled	3,709	22.22	25.97
7	Don't know	33	0.20	0.18
9	Refused	2	0.01	0.00
45	MD visit, symptoms, no hospital visit past year, skip filled	8,388	50.25	44.57

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**NUMBER OF MISSED DAYS**

Survey: ADULT Asthma Call-Back

Column: 95-97

Type: NUM

SAS Variable Name: MISS\_DAY

Prologue:

Description: Q5.8a During the past 12 months, how many days were you unable to work or carry out your usual activities because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Days	4,160	24.92	25.34
555	No current asthma, nothing happened past year, skip filled	2,956	17.71	21.43
777	Don't know	791	4.74	2.72
888	Zero	8,743	52.38	50.23
999	Refused	43	0.26	0.28

**ACTIVITY LIMITATION**

Survey: ADULT Asthma Call-Back

Column: 98

Type: NUM

SAS Variable Name: ACT\_DAYS

Prologue:

Description: Q5.9 During the past 12 months, would you say you limited your usual activities due to asthma not at all, a little, a moderate amount, or a lot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at all	4,883	29.25	28.87
2	A little	4,761	28.52	28.13
3	A moderate amount	2,502	14.99	13.91
4	A lot	1,450	8.69	7.21
5	No current asthma, nothing happened past year, skip filled	2,956	17.71	21.43
7	Don't know	131	0.78	0.34
9	Refused	10	0.06	0.12

**EVER TAUGHT RECOGNIZE EARLY SIGN OR SYMPTOMS**

Survey: ADULT Asthma Call-Back

Column: 99

Type: NUM

SAS Variable Name: TCH\_SIGN

Prologue: Has a doctor or other health professional ever taught you . . .

Description: Q6.1 . . . how to recognize early signs or symptoms of an asthma episode?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9,988	59.83	63.86
2	No	6,261	37.51	33.43
7	Don't know/Not sure	417	2.50	2.62
9	Refused	27	0.16	0.09

**EVER TAUGHT WHAT TO DO DURING ASTHMA EPISODE OR ATTACK**

Survey: ADULT Asthma Call-Back

Column: 100

Type: NUM

SAS Variable Name: TCH\_RESP

Prologue: Has a doctor or other health professional ever taught you . . .

Description: Q6.2 . . . what to do during an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11,674	69.93	73.05
2	No	4,608	27.60	24.78
7	Don't know/Not sure	381	2.28	2.03
9	Refused	30	0.18	0.14

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**EVER TAUGHT HOW TO USE A PEAK FLOW**

**Survey:** ADULT Asthma Call-Back

**Column:** 101

**Type:** NUM

**SAS Variable Name:** TCH\_MON

**Prologue:** A peak flow meter is a hand held device that measures how quickly you can blow air out of your lungs. Has a doctor or other health professional ever taught you . . .

**Description:** Q6.3 . . . how to use a peak flow meter to adjust your daily medications?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,394	38.30	41.46
2	No	10,085	60.41	57.36
7	Don't know/Not sure	198	1.19	1.14
9	Refused	16	0.10	0.04

**EVER GIVEN AN ASTHMA ACTION PLAN**

**Survey:** ADULT Asthma Call-Back

**Column:** 102

**Type:** NUM

**SAS Variable Name:** MGT\_PLAN

**Prologue:** An asthma action plan, or asthma management plan, is a form with instructions about when to change the amount or type of medicine, when to call the doctor for advice, and when to go to the emergency room.

**Description:** Q6.4 Has a doctor or other health professional EVER given you an asthma action plan?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,013	24.04	26.12
2	No	12,316	73.78	71.62
7	Don't know/Not sure	357	2.14	2.16
9	Refused	7	0.04	0.10

**EVER TAKEN A COURSE TO MANAGE ASTHMA**

**Survey:** ADULT Asthma Call-Back

**Column:** 103

**Type:** NUM

**SAS Variable Name:** MGT\_CLAS

**Prologue:**

**Description:** Q6.5 Have you ever taken a course or class on how to manage your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,396	8.36	9.29
2	No	15,244	91.32	90.51
7	Don't know/Not sure	49	0.29	0.20
9	Refused	4	0.02	0.00

**AIR CLEANER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 104

**Type:** NUM

**SAS Variable Name:** AIRCLEANER

**Prologue:** An air cleaner or purifier filters pollutants like dust, pollen, mold and chemicals out of the indoor air. It can be attached to the furnace or free standing. It is not, however, the same as a normal furnace filter.

**Description:** Q7.1 Is an air cleaner or purifier regularly used inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,512	27.03	28.78
2	No	12,077	72.35	70.53
7	Don't know/Not sure	101	0.61	0.68
9	Refused	3	0.02	0.01

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**DEHUMIDIFIER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 105

**Prologue:**

**Description:** Q7.2 Is a dehumidifier regularly used to reduce moisture inside your home?

**Type:** NUM

**SAS Variable Name:** DEHUMID

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,839	23.00	23.08
2	No	12,802	76.69	76.70
7	Don't know/Not sure	50	0.30	0.21
9	Refused	2	0.01	0.00

**EXHAUST FAN USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 106

**Prologue:**

**Description:** Q7.3 Is an exhaust fan that vents to the outside used regularly when cooking in your kitchen?

**Type:** NUM

**SAS Variable Name:** KITC\_FAN

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9,462	56.68	61.25
2	No	7,144	42.80	38.24
7	Don't know/Not sure	81	0.49	0.51
9	Refused	6	0.04	0.00

**GAS USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 107

**Prologue:**

**Description:** Q7.4 Is gas used for cooking?

**Type:** NUM

**SAS Variable Name:** COOK\_GAS

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,501	38.94	46.62
2	No	10,168	60.91	52.95
7	Don't know/Not sure	22	0.13	0.43
9	Refused	2	0.01	0.00

**SAW OR SMELLED MOLD PAST 30 DAYS**

**Survey:** ADULT Asthma Call-Back

**Column:** 108

**Prologue:**

**Description:** Q7.5 In the past 30 days, has anyone seen or smelled mold or a musty odor inside your home? Do not include mold on food.

**Type:** NUM

**SAS Variable Name:** ENV\_MOLD

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,779	10.66	11.63
2	No	14,813	88.74	88.11
7	Don't know/Not sure	98	0.59	0.26
9	Refused	3	0.02	0.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**INDOOR PETS**

**Survey:** ADULT Asthma Call-Back

**Column:** 109

**Type:** NUM

**SAS Variable Name:** ENV\_PETS

**Prologue:**

**Description:** Q7.6 Does your household have pets such as dogs, cats, hamsters, birds or other feathered or furry pets that spend time indoors?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9,236	55.33	59.97
2	No	7,450	44.63	40.02
7	Don't know/Not sure	5	0.03	0.00
9	Refused	2	0.01	0.00

**PETS ALLOWED IN BEDROOM**

**Survey:** ADULT Asthma Call-Back

**Column:** 110

**Type:** NUM

**SAS Variable Name:** PETBEDRM

**Prologue:**

**Description:** Q7.7 Are pets allowed in your bedroom?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,983	41.83	43.98
2	No	2,199	13.17	15.59
3	Some are/some aren't	48	0.29	0.38
6	No pets, skip coded	7,457	44.67	40.03
7	Don't know	5	0.03	0.01
9	Refused	1	0.01	0.00

**SAW COCKROACH INSIDE YOUR HOME PAST 30 DAYS**

**Survey:** ADULT Asthma Call-Back

**Column:** 112

**Type:** NUM

**SAS Variable Name:** C\_ROACH

**Prologue:**

**Description:** Q7.8 In the past 30 days, has anyone seen a cockroach inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,605	9.61	12.22
2	No	15,046	90.13	87.59
7	Don't know/Not sure	40	0.24	0.18
9	Refused	2	0.01	0.01

**SAW MICE OR RATS INSIDE YOUR HOME PAST 30 DAYS**

**Survey:** ADULT Asthma Call-Back

**Column:** 113

**Type:** NUM

**SAS Variable Name:** C\_RODENT

**Prologue:**

**Description:** Q7.9 In the past 30 days, has anyone seen mice or rats inside your home? Do not include mice or rats kept as pets.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,128	6.76	6.92
2	No	15,544	93.12	92.97
7	Don't know/Not sure	20	0.12	0.11
9	Refused	1	0.01	0.00



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**FIREPLACE OR WOOD STOVE USED**

Survey: ADULT Asthma Call-Back

Column: 114

Type: NUM

SAS Variable Name: WOOD\_STOVE

Prologue:

Description: Q7.10 Is a wood burning fireplace or wood burning stove used in your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,785	16.68	16.32
2	No	13,890	83.21	83.52
7	Don't know/Not sure	18	0.11	0.16

**GAS APPLIANCE USED**

Survey: ADULT Asthma Call-Back

Column: 115

Type: NUM

SAS Variable Name: GAS\_STOVE

Prologue:

Description: Q7.11 Are unvented gas logs, unvented gas fireplace, or unvented gas stove used in your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,123	6.73	6.99
2	No	15,483	92.75	92.28
7	Don't know/Not sure	84	0.50	0.63
9	Refused	3	0.02	0.10

**ANYONE SMOKED INSIDE YOUR HOME**

Survey: ADULT Asthma Call-Back

Column: 116

Type: NUM

SAS Variable Name: S\_INSIDE

Prologue:

Description: Q7.12 In the past week, has anyone smoked inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,327	13.94	17.40
2	No	14,350	85.96	82.52
7	Don't know/Not sure	13	0.08	0.04
9	Refused	3	0.02	0.04

**EVER ADVISED CHANGE THINGS IN YOUR HOME**

Survey: ADULT Asthma Call-Back

Column: 117

Type: NUM

SAS Variable Name: MOD\_ENV

Prologue:

Description: Q7.13 Has a health professional ever advised you to change things in your home, school, or work to improve your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,735	34.36	37.61
2	No	10,851	65.00	61.79
7	Don't know/Not sure	104	0.62	0.60
9	Refused	3	0.02	0.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**USE A MATTRESS COVER**

Survey: ADULT Asthma Call-Back

Column: 118

Type: NUM

SAS Variable Name: MATTRESS

Prologue:

Description: Q7.14 Do you use a mattress cover that is made especially for controlling dust mites?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,342	32.00	31.01
2	No	10,873	65.14	66.83
7	Don't know/Not sure	475	2.85	2.16
9	Refused	3	0.02	0.00

**USE A PILLOW COVER**

Survey: ADULT Asthma Call-Back

Column: 119

Type: NUM

SAS Variable Name: E\_PILLOW

Prologue:

Description: Q7.15 Do you use a pillow cover that is made especially for controlling dust mites?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,802	28.77	27.52
2	No	11,643	69.75	71.20
7	Don't know/Not sure	247	1.48	1.28
9	Refused	1	0.01	0.00

**CARPETING OR RUGS IN YOUR BEDROOM**

Survey: ADULT Asthma Call-Back

Column: 120

Type: NUM

SAS Variable Name: CARPET

Prologue:

Description: Q7.16 Do you have carpeting or rugs in your bedroom?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11,427	68.45	64.45
2	No	5,261	31.52	35.55
7	Don't know/Not sure	5	0.03	0.00

**WASH WATER TEMPERATURE**

Survey: ADULT Asthma Call-Back

Column: 121

Type: NUM

SAS Variable Name: HOTWATER

Prologue:

Description: Q7.17 Are your sheets and pillowcases washed in cold, warm, or hot water?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Cold	4,206	25.20	27.50
2	Warm	5,388	32.28	31.38
3	Hot	6,178	37.01	34.17
4	Varies	534	3.20	3.87
7	Don't know/Not sure	381	2.28	3.05
9	Refused	6	0.04	0.03

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**USE AN EXHAUST FAN IN YOUR BATHROOM**

Survey: ADULT Asthma Call-Back

Column: 122

Type: NUM

SAS Variable Name: BATH\_FAN

Prologue:

Description: Q7.18 In your bathroom, do you regularly use an exhaust fan that vents to the outside?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9,672	57.94	56.86
2	No or "No Fan"	6,917	41.44	42.57
7	Don't know/Not sure	100	0.60	0.56
9	Refused	4	0.02	0.01

**EVER USED OVER-THE-COUNTER MEDICATION**

Survey: ADULT Asthma Call-Back

Column: 124

Type: NUM

SAS Variable Name: OTC

Prologue: The next set of questions is about medications for asthma. The first few questions are very general, but later questions are very specific to your medication use.

Description: Q8.1 Over-the-counter medication can be bought without a doctor's order. Have you ever used over-the-counter medication for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,462	26.73	28.14
2	No	11,487	68.81	68.41
5	Never took asthma medication, skip filled	575	3.44	2.78
7	Don't know	165	0.99	0.67
9	Refused	4	0.02	0.00

**EVER USED PRESCRIPTION INHALER**

Survey: ADULT Asthma Call-Back

Column: 125

Type: NUM

SAS Variable Name: INHALERE

Prologue:

Description: Q8.2 Have you ever used a prescription inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15,096	90.43	90.96
2	No	971	5.82	6.07
5	Never took asthma medication, skip filled	575	3.44	2.78
7	Don't know	50	0.30	0.19
9	Refused	1	0.01	0.00

**PROFESSIONAL INHALER INSTRUCTION**

Survey: ADULT Asthma Call-Back

Column: 126

Type: NUM

SAS Variable Name: INHALERH

Prologue:

Description: Q8.3 Did a doctor or other health professional show you how to use the inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14,303	85.68	87.06
2	No	707	4.24	3.57
5	Never took asthma medication, skip filled	575	3.44	2.78
6	Never used prescription inhaler, skip filled	1,022	6.12	6.26
7	Don't know	85	0.51	0.32
9	Refused	1	0.01	0.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**INHALER USE WATCHED**

Survey: ADULT Asthma Call-Back

Column: 127

Prologue:

Description: Q8.4 Did a doctor or other health professional watch you use the inhaler?

Type: NUM

SAS Variable Name: INHALERW

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11,086	66.41	70.93
2	No	3,443	20.63	17.24
5	Never took asthma medication, skip filled	575	3.44	2.78
6	Never used prescription inhaler, skip filled	1,022	6.12	6.26
7	Don't know	565	3.38	2.78
9	Refused	2	0.01	0.00

**MEDICATION IN HAND**

Survey: ADULT Asthma Call-Back

Column: 128

Prologue: Now I am going to ask questions about specific prescription medications you may have taken for asthma in the past 3 months. I will be asking for the name, amount, and how often you take each medicine.

Description: Q8.5 It will help to get your medicines so you can read the labels. Can you please go get the asthma medicines while I wait on the phone?

Type: NUM

SAS Variable Name: SCR\_MED1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,783	34.64	29.07
2	No	417	2.50	2.42
3	Respondent knows the meds	3,203	19.19	18.42
4	No asthma med. past 3 months, skip filled	6,625	39.69	46.94
5	Never took asthma medication, skip filled	575	3.44	2.78
7	Don't know	37	0.22	0.24
9	Refused	53	0.32	0.13

**HAVE ALL THE MEDICATIONS**

Survey: ADULT Asthma Call-Back

Column: 130-131

Prologue:

Description: Q8.7 Do you have all the medications?

Type: NUM

SAS Variable Name: SCR\_MED3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, I have all the medications	5,474	32.79	27.40
2	Yes, I have some of the medications but not all	233	1.40	1.19
3	No	65	0.39	0.35
4	No asthma med. past 3 months, skip filled	6,625	39.69	46.94
5	Never took asthma medication, skip filled	575	3.44	2.78
7	Don't know	7	0.04	0.11
9	Refused	4	0.02	0.02
10	Know or no handy asthma medicines, skip filled	3,710	22.22	21.21

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**TAKEN PRESCRIPTION INHALER PAST 3 MONTHS**

Survey: ADULT Asthma Call-Back

Column: 132

Type: NUM

SAS Variable Name: INH\_SCR

Prologue:

Description: Q8.8 In the past 3 months have you taken prescription asthma medicine using an inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, inhaler in past 3 months	8,606	51.55	46.27
2	No inhaler in past 3 months	742	4.44	3.41
4	No asthma med. past 3 months, skip filled	6,625	39.69	46.94
5	Never took asthma medication, skip filled	575	3.44	2.78
6	Asthma med. past 3 months, never used inhaler, skip filled	120	0.72	0.56
7	Don't know	20	0.12	0.03
9	Refused	5	0.03	0.01

**TAKEN MEDICATION IN PILL PAST 3 MONTHS**

Survey: ADULT Asthma Call-Back

Column: 133

Type: NUM

SAS Variable Name: PILLS

Prologue:

Description: Q8.20 In the past 3 months, have you taken any medicine in pill form for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, pills in past 3 months	2,429	14.55	10.80
2	No pills in past 3 months	6,988	41.86	39.15
4	No asthma med. past 3 months, skip filled	6,625	39.69	46.94
5	Never took asthma medication, skip filled	575	3.44	2.78
7	Don't know	73	0.44	0.31
9	Refused	3	0.02	0.02

**TAKEN MEDICATION IN SYRUP PAST 3 MONTHS**

Survey: ADULT Asthma Call-Back

Column: 134

Type: NUM

SAS Variable Name: SYRUP

Prologue:

Description: Q8.23 In the past 3 months, have you taken any prescription asthma medication in syrup form?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, syrup in past 3 months	136	0.81	0.62
2	No syrup in past 3 months	9,331	55.90	49.53
4	No asthma med. past 3 months, skip filled	6,625	39.69	46.94
5	Never took asthma medication, skip filled	575	3.44	2.78
7	Don't know	23	0.14	0.12
9	Refused	3	0.02	0.02

**TAKEN MEDICATION WITH A NEBULIZER PAST 3 MONTHS**

Survey: ADULT Asthma Call-Back

Column: 135

Type: NUM

SAS Variable Name: NEB\_SCR

Prologue: A nebulizer is a small machine with a tube and facemask or mouthpiece that you breathe through continuously.

Description: Q8.25 In the past 3 months, were any of your asthma medicines used with a nebulizer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, nebulizer in past 3 months	2,595	15.55	12.87
2	No nebulizer in past 3 months	6,876	41.19	37.34
4	No asthma med. past 3 months, skip filled	6,625	39.69	46.94
5	Never took asthma medication, skip filled	575	3.44	2.78
7	Don't know	19	0.11	0.05
9	Refused	3	0.02	0.02

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**NEBULIZER AT HOME**

Survey: ADULT Asthma Call-Back

Column: 136

Type: NUM

SAS Variable Name: NEB\_PLCA

Prologue: I am going to read a list of places where you might have used a nebulizer. Please answer "yes" if you have used a nebulizer in the place I mention; otherwise, answer "no." In the past 3 months, did you use a nebulizer . . .

Description: Q8.26a . . . at home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,413	14.46	11.68
2	No	180	1.08	1.19
4	No asthma med. past 3 months, skip filled	6,625	39.69	46.94
5	Never took asthma medication, skip filled	575	3.44	2.78
7	Don't know/Not sure	1	0.01	0.00
8	No neb. in past 3 months, skip filled	6,898	41.32	37.41
9	Refused	1	0.01	0.00

**NEBULIZER AT DOCTOR'S OFFICE**

Survey: ADULT Asthma Call-Back

Column: 137

Type: NUM

SAS Variable Name: NEB\_PLCB

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26b . . . at a doctor's office?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	745	4.46	4.32
2	No	1,844	11.05	8.54
4	No asthma med. past 3 months, skip filled	6,625	39.69	46.94
5	Never took asthma medication, skip filled	575	3.44	2.78
7	Don't know/Not sure	6	0.04	0.02
8	No neb. in past 3 months, skip filled	6,898	41.32	37.41

**NEBULIZER IN EMERGENCY ROOM**

Survey: ADULT Asthma Call-Back

Column: 138

Type: NUM

SAS Variable Name: NEB\_PLCC

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26c . . . in an emergency room?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	650	3.89	3.54
2	No	1,938	11.61	9.32
4	No asthma med. past 3 months, skip filled	6,625	39.69	46.94
5	Never took asthma medication, skip filled	575	3.44	2.78
7	Don't know/Not sure	7	0.04	0.01
8	No neb. in past 3 months, skip filled	6,898	41.32	37.41

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**NEBULIZER AT WORK OR SCHOOL**

Survey: ADULT Asthma Call-Back

Column: 139

Type: NUM

SAS Variable Name: NEB\_PLCD

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26d . . . at work (or a school)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	179	1.07	1.20
2	No	2,410	14.44	11.63
4	No asthma med. past 3 months, skip filled	6,625	39.69	46.94
5	Never took asthma medication, skip filled	575	3.44	2.78
7	Don't know/Not sure	3	0.02	0.01
8	No neb. in past 3 months, skip filled	6,898	41.32	37.41
9	Refused	3	0.02	0.04

**NEBULIZER AT ANY OTHER PLACE**

Survey: ADULT Asthma Call-Back

Column: 140

Type: NUM

SAS Variable Name: NEB\_PLCE

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26e . . . at any other place?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	443	2.65	1.89
2	No	2,146	12.86	10.97
4	No asthma med. past 3 months, skip filled	6,625	39.69	46.94
5	Never took asthma medication, skip filled	575	3.44	2.78
7	Don't know/Not sure	5	0.03	0.01
8	No neb. in past 3 months, skip filled	6,898	41.32	37.41
9	Refused	1	0.01	0.00

**COST BARRIER: PRIMARY CARE DOCTOR**

Survey: ADULT Asthma Call-Back

Column: 141

Type: NUM

SAS Variable Name: ASMDCOST

Prologue:

Description: Q9.1 Was there a time in the past 12 months when you needed to see your primary care doctor for your asthma but could not because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,293	7.75	9.76
2	No	12,387	74.21	68.65
5	No current asthma, skip filled	2,956	17.71	21.43
7	Don't know	49	0.29	0.09
9	Refused	6	0.04	0.07
BLANK	Partial complete	2		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**COST BARRIER: SPECIALIST**

Survey: ADULT Asthma Call-Back

Column: 142

Type: NUM

SAS Variable Name: ASSPCOST

Prologue:

Description: Q9.2 Was there a time in the past 12 months when you were referred to a specialist for asthma care but could not go because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	718	4.30	5.23
2	No	12,964	77.67	73.14
5	No current asthma, skip filled	2,956	17.71	21.43
7	Don't know	48	0.29	0.12
9	Refused	5	0.03	0.08
BLANK	Partial complete	2		

**COST BARRIER: MEDICATION**

Survey: ADULT Asthma Call-Back

Column: 143

Type: NUM

SAS Variable Name: ASRXCOST

Prologue:

Description: Q9.3 Was there a time in the past 12 months when you needed to buy medication for your asthma but could not because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,095	12.55	14.39
2	No	11,573	69.34	63.96
5	No current asthma, skip filled	2,956	17.71	21.43
7	Don't know	60	0.36	0.15
9	Refused	7	0.04	0.07
BLANK	Partial complete	2		

**CURRENT EMPLOYMENT STATUS**

Survey: ADULT Asthma Call-Back

Column: 144

Type: NUM

SAS Variable Name: EMP\_STAT

Prologue:

Description: Q10.1 Next, we are interested in things that affect asthma in the workplace. However, first I'd like to ask how you would describe your current employment status. Would you say . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Employed full-time	4,935	29.57	34.13
2	Employed part-time	1,843	11.04	13.26
3	Not employed	9,868	59.13	52.27
7	Don't know	24	0.14	0.24
9	Refused	18	0.11	0.09
BLANK	Partial complete	5		



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**REASON NOT NOW EMPLOYED**

Survey: ADULT Asthma Call-Back

Column: 145-146

Prologue:

Description: Q10.2 What is the main reason you are not now employed?

Type: NUM

SAS Variable Name: UNEMP\_R

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Keeping house	632	3.79	3.74
2	Going to school	198	1.19	5.78
3	Retired	5,038	30.19	13.71
4	Disabled	2,263	13.56	11.78
5	Unable to work for other health reasons	707	4.24	4.77
6	Looking for work	313	1.88	6.07
7	Laid off	287	1.72	2.90
8	Other	405	2.43	3.41
66	Employed, skip filled	6,778	40.62	47.39
77	Don't know	12	0.07	0.05
88	Current employment status don't know or refused	42	0.25	0.34
99	Refused	13	0.08	0.07
BLANK	Partial complete	5		

**EVER EMPLOYED OUTSIDE HOME**

Survey: ADULT Asthma Call-Back

Column: 147

Prologue:

Description: Q10.3 Have you ever been employed outside the home?

Type: NUM

SAS Variable Name: EMP\_EVER

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9,328	55.90	47.00
2	No	553	3.31	5.38
6	Employed now, skip filled	6,778	40.62	47.39
7	Don't know/Not sure	24	0.14	0.21
9	Refused	5	0.03	0.02
BLANK	Partial complete	5		

**ASTHMA CAUSED BY CURRENT JOB**

Survey: ADULT Asthma Call-Back

Column: 148-149

Prologue:

Description: Q10.4 Was your asthma CAUSED by chemicals, smoke, fumes or dust in your CURRENT job?

Type: NUM

SAS Variable Name: WORKENV1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	794	4.76	5.09
2	No	5,718	34.26	40.85
6	Never employed outside home, skip filled	553	3.31	5.38
7	Don't know	263	1.58	1.45
8	Past employment unknown, skip filled	29	0.17	0.23
9	Refused	3	0.02	0.01
10	Not employed now but employed before, skip filled	9,328	55.90	47.00
BLANK	Partial complete	5		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**ASTHMA AGGRAVATED BY CURRENT JOB**

Survey: ADULT Asthma Call-Back

Column: 150-151

Type: NUM

SAS Variable Name: WORKENV2

Prologue:

Description: Q10.5 Is your asthma MADE WORSE by chemicals, smoke, fumes or dust in your CURRENT job?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,622	9.72	10.92
2	No	3,588	21.50	24.04
5	No current asthma, skip filled	1,505	9.02	12.55
6	Never employed outside home, skip filled	489	2.93	4.56
7	Don't know	126	0.76	0.76
8	Past employment unknown, skip filled	25	0.15	0.16
9	Refused	5	0.03	0.01
10	Not employed now but employed before, skip filled	9,328	55.90	47.00
BLANK	Partial complete	5		

**ASTHMA CAUSED BY PREVIOUS JOB**

Survey: ADULT Asthma Call-Back

Column: 152

Type: NUM

SAS Variable Name: WORKENV3

Prologue:

Description: Q10.6 Was your asthma CAUSED by chemicals, smoke, fumes or dust in any PREVIOUS job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,131	18.76	15.56
2	No	10,888	65.24	68.51
5	Caused by current job, skip filled	794	4.76	5.09
6	Never employed outside home, skip filled	553	3.31	5.38
7	Don't know	1,282	7.68	5.18
8	Past employment unknown, skip filled	29	0.17	0.23
9	Refused	11	0.07	0.04
BLANK	Partial complete	5		

**ASTHMA AGGRAVATED BY PREVIOUS JOB**

Survey: ADULT Asthma Call-Back

Column: 153

Type: NUM

SAS Variable Name: WORKENV4

Prologue:

Description: Q10.7 Was your asthma MADE WORSE by chemicals, smoke, fumes or dust in any PREVIOUS job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,354	32.08	27.55
2	No	9,332	55.92	58.82
5	Caused by current job, skip filled	794	4.76	5.09
6	Never employed outside home, skip filled	553	3.31	5.38
7	Don't know	617	3.70	2.87
8	Past employment unknown, skip filled	29	0.17	0.23
9	Refused	9	0.05	0.05
BLANK	Partial complete	5		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**EVER CHANGE OR QUIT A JOB**

Survey: ADULT Asthma Call-Back

Column: 154-155

Type: NUM

SAS Variable Name: WORKQUIT

Prologue:

Description: Q10.75 Did you ever change or quit a job because chemicals, smoke, fumes, or dust caused your asthma or made your asthma worse?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,409	8.44	7.72
2	No	4,085	24.48	21.24
6	Never employed outside home, skip filled	553	3.31	5.38
7	Don't know	223	1.34	0.25
8	Past employment unknown, skip filled	29	0.17	0.23
10	Skip filled	10,389	62.25	65.18
BLANK	Partial complete	5		

**DOCTOR DIAGNOSED WORK ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 156

Type: NUM

SAS Variable Name: WORKSEN1

Prologue:

Description: Q10.8 Were you ever told by a doctor or other medical person that your asthma was related to any job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,490	8.93	7.33
2	No	14,493	86.85	86.46
6	Never employed outside home, skip filled	553	3.31	5.38
7	Don't know	118	0.71	0.56
8	Past employment unknown, skip filled	29	0.17	0.23
9	Refused	5	0.03	0.04
BLANK	Partial complete	5		

**SELF-IDENTIFIED WORK ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 157

Type: NUM

SAS Variable Name: WORKSEN2

Prologue:

Description: Q10.9 Did you ever tell a doctor or other medical person that your asthma was related to any job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,953	11.70	9.65
2	No	14,009	83.95	84.13
6	Never employed outside home, skip filled	553	3.31	5.38
7	Don't know	133	0.80	0.58
8	Past employment unknown, skip filled	29	0.17	0.23
9	Refused	11	0.07	0.04
BLANK	Partial complete	5		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**EVER TOLD HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE**

**Survey:** ADULT Asthma Call-Back

**Column:** 158

**Type:** NUM

**SAS Variable Name:** COPD

**Prologue:**

**Description:** Q11.1 Have you ever been told by a doctor or health professional that you have chronic obstructive pulmonary disease, also known as COPD?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,283	19.68	13.45
2	No	13,129	78.70	85.53
7	Don't know/Not sure	262	1.57	0.95
9	Refused	8	0.05	0.07
BLANK	Partial complete	11		

**EVER TOLD HAVE EMPHYSEMA**

**Survey:** ADULT Asthma Call-Back

**Column:** 159

**Type:** NUM

**SAS Variable Name:** EMPHY

**Prologue:**

**Description:** Q11.2 Have you ever been told by a doctor or other health professional that you have emphysema?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,770	10.61	6.99
2	No	14,775	88.57	92.19
7	Don't know/Not sure	133	0.80	0.81
9	Refused	4	0.02	0.02
BLANK	Partial complete	11		

**EVER TOLD HAVE CHRONIC BRONCHITIS**

**Survey:** ADULT Asthma Call-Back

**Column:** 160

**Type:** NUM

**SAS Variable Name:** BRONCH

**Prologue:**

**Description:** Q11.3 Have you ever been told by a doctor or other health professional that you have chronic bronchitis?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,088	30.50	25.98
2	No	11,350	68.04	72.89
7	Don't know/Not sure	237	1.42	1.11
9	Refused	7	0.04	0.02
BLANK	Partial complete	11		

**EVER TOLD DEPRESSED**

**Survey:** ADULT Asthma Call-Back

**Column:** 161

**Type:** NUM

**SAS Variable Name:** DEPRESS

**Prologue:**

**Description:** Q11.4 Have you ever been told by a doctor or other health professional that you were depressed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,083	36.46	35.45
2	No	10,517	63.04	64.15
7	Don't know/Not sure	63	0.38	0.28
9	Refused	19	0.11	0.13
BLANK	Partial complete	11		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**USED HERBS TO CONTROL ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 162

Type: NUM

SAS Variable Name: CAM\_HERB

**Prologue:** Sometimes people use methods other than prescription medications to help treat or control their asthma. These methods are called non-traditional, complementary, or alternative healthcare. In the past 12 months, have you used . . . to control asthma?

**Description:** Q12.1 . . . herbs . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	806	4.83	5.66
2	No	12,857	77.08	72.63
5	No current asthma, skip filled	2,956	17.72	21.45
7	Don't know	56	0.34	0.15
9	Refused	5	0.03	0.11
BLANK	Partial complete	13		

**USED VITAMINS TO CONTROL ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 163

Type: NUM

SAS Variable Name: CAM\_VITA

**Prologue:**

**Description:** Q12.2 . . . vitamins . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,181	7.08	6.67
2	No	12,448	74.63	71.59
5	No current asthma, skip filled	2,956	17.72	21.45
7	Don't know	87	0.52	0.26
9	Refused	8	0.05	0.03
BLANK	Partial complete	13		

**USED ACUPUNCTURE TO CONTROL ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 164

Type: NUM

SAS Variable Name: CAM\_PUNC

**Prologue:**

**Description:** Q12.3 . . . acupuncture . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	212	1.27	1.28
2	No	13,452	80.65	77.04
5	No current asthma, skip filled	2,956	17.72	21.45
7	Don't know	57	0.34	0.21
9	Refused	3	0.02	0.02
BLANK	Partial complete	13		

**USED ACUPRESSURE TO CONTROL ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 165

Type: NUM

SAS Variable Name: CAM\_PRES

**Prologue:**

**Description:** Q12.4 . . . acupressure . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	182	1.09	1.00
2	No	13,476	80.79	77.27
5	No current asthma, skip filled	2,956	17.72	21.45
7	Don't know	61	0.37	0.25
9	Refused	5	0.03	0.02
BLANK	Partial complete	13		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**USED AROMATHERAPY TO CONTROL ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 166

Prologue:

Description: Q12.5 ... aromatherapy ...

Type: NUM  
SAS Variable Name: CAM\_AROM

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	527	3.16	4.35
2	No	13,127	78.70	73.90
5	No current asthma, skip filled	2,956	17.72	21.45
7	Don't know	65	0.39	0.27
9	Refused	5	0.03	0.02
BLANK	Partial complete	13		

**USED HOMEOPATHY TO CONTROL ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 167

Prologue:

Description: Q12.6 ... homeopathy ...

Type: NUM  
SAS Variable Name: CAM\_HOME

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	288	1.73	1.52
2	No	13,297	79.72	76.33
5	No current asthma, skip filled	2,956	17.72	21.45
7	Don't know	133	0.80	0.67
9	Refused	6	0.04	0.03
BLANK	Partial complete	13		

**USED REFLEXOLOGY TO CONTROL ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 168

Prologue:

Description: Q12.7 ... reflexology ...

Type: NUM  
SAS Variable Name: CAM\_REFL

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	196	1.18	1.52
2	No	13,427	80.50	76.72
5	No current asthma, skip filled	2,956	17.72	21.45
7	Don't know	94	0.56	0.27
9	Refused	7	0.04	0.04
BLANK	Partial complete	13		

**USED YOGA TO CONTROL ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 169

Prologue:

Description: Q12.8 ... yoga ...

Type: NUM  
SAS Variable Name: CAM\_YOGA

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	527	3.16	4.65
2	No	13,136	78.75	73.60
5	No current asthma, skip filled	2,956	17.72	21.45
7	Don't know	54	0.32	0.27
9	Refused	7	0.04	0.04
BLANK	Partial complete	13		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**USED BREATHING TO CONTROL ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 170

Prologue:

Description: Q12.9 ... breathing techniques ...

Type: NUM

SAS Variable Name: CAM\_BR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,074	24.42	26.13
2	No	9,559	57.31	52.11
5	No current asthma, skip filled	2,956	17.72	21.45
7	Don't know	82	0.49	0.28
9	Refused	9	0.05	0.04
BLANK	Partial complete	13		

**USED NATUROPATHY TO CONTROL ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 171

Prologue:

Description: Q12.10 ... naturopathy ...

Type: NUM

SAS Variable Name: CAM\_NATR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	182	1.09	1.01
2	No	13,424	80.48	77.01
5	No current asthma, skip filled	2,956	17.72	21.45
7	Don't know	109	0.65	0.49
9	Refused	9	0.05	0.04
BLANK	Partial complete	13		

**OTHER ALTERNATIVE CARE TO CONTROL ASTHMA**

Survey: ADULT Asthma Call-Back

Column: 172

Prologue:

Description: Q12.11 Besides the types I have just asked about, have you used any other type of alternative care for your asthma in the past 12 months?

Type: NUM

SAS Variable Name: CAM\_OTHR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,258	7.54	8.05
2	No	12,370	74.16	70.14
5	No current asthma, skip filled	2,956	17.72	21.45
7	Don't know	83	0.50	0.25
9	Refused	13	0.08	0.11
BLANK	Partial complete	13		

**TEXT FOR OTHER TYPE CARE**

Survey: ADULT Asthma Call-Back

Column: 173-272

Prologue:

Description: Q12.12 What else have you used?

Type: CHAR

SAS Variable Name: CAM\_TEXT

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK		15,435		
HIDDEN	Text field - up to 100 characters	1,258	100.00	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**LANGUAGE IDENTIFIER**

Survey: ADULT Asthma Call-Back

Column: 273-274

Prologue:

Description: Language identifier: Language in which the interview was conducted.

Type: NUM  
SAS Variable Name: QSTLANG\_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	English	15,548	97.18	96.82
2	Spanish	451	2.82	3.18
BLANK	Not asked or missing	694		

**END OF THE RAW CALL BACK DATA**

Survey: ADULT Asthma Call-Back

Column: 275

Prologue:

Description: END OF THE RAW CALL BACK DATA

Type: NUM  
SAS Variable Name: END\_OF\_FILE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16,693	100.00	100.00

**EVER HAVE ASTHMA COMBINED BRFSS AND CALL BACK**

Survey: ADULT Asthma Call-Back

Column: 276

Prologue:

Description: EVER HAVE ASTHMA COMBINED BRFSS ( ASTHMA2 ) AND CALL BACK (EVER\_ASTH)

Type: NUM  
SAS Variable Name: \_EVER\_ASTH\_C

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16,693	100.00	100.00

**STILL HAVE ASTHMA COMBINED BRFSS AND CALL BACK**

Survey: ADULT Asthma Call-Back

Column: 277

Prologue:

Description: STILL HAVE ASTHMA COMBINED BRFSS (ASTHNOW) AND CALL BACK (CUR\_ASTH)

Type: NUM  
SAS Variable Name: \_CUR\_ASTH\_C

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12,339	73.92	70.37
2	No	4,035	24.17	28.14
7	Don't know/Not sure	313	1.88	1.47
9	Refused	6	0.04	0.02

**FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY**

Survey: ADULT Asthma Call-Back

Column: 278

Prologue:

Description: FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

Type: NUM  
SAS Variable Name: FLAG1

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	AGE, AGEDX, and INCIDNT are consistent	16,366	98.04	98.35
1	AGEDX is greater than AGE	10	0.06	0.09
2	AGE, AGEDX, and INCIDNT are inconsistent	317	1.90	1.56



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**ADVAIR (+ A. DISKUS)**

Survey: ADULT Asthma Call-Back

Column: 279

Prologue:

Description: ADVAIR (+ A. DISKUS)

Type: NUM

SAS Variable Name: INHALER\_ID\_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2,867	17.17	13.94
13,826	82.83	86.06

**AEROBID**

Survey: ADULT Asthma Call-Back

Column: 280

Prologue:

Description: AEROBID

Type: NUM

SAS Variable Name: INHALER\_ID\_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
17	0.10	0.12
16,676	99.90	99.88

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL)**

Survey: ADULT Asthma Call-Back

Column: 281

Prologue:

Description: ALBUTEROL (+ A. SULFATE OR SALBUTAMOL)

Type: NUM

SAS Variable Name: INHALER\_ID\_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2,780	16.65	17.15
13,913	83.35	82.85

**ALUPENT**

Survey: ADULT Asthma Call-Back

Column: 282

Prologue:

Description: ALUPENT

Type: NUM

SAS Variable Name: INHALER\_ID\_4

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
10	0.06	0.04
16,683	99.94	99.96

**ATROVENT**

Survey: ADULT Asthma Call-Back

Column: 283

Prologue:

Description: ATROVENT

Type: NUM

SAS Variable Name: INHALER\_ID\_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
126	0.75	0.48
16,567	99.25	99.52

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**AZMACORT**

Survey: ADULT Asthma Call-Back

Column: 284

Prologue:

Description: AZMACORT

Type: NUM

SAS Variable Name: INHALER\_ID\_6

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
50	0.30	0.18
16,643	99.70	99.82

**BECLOMETHASONE DIPROPIONATE**

Survey: ADULT Asthma Call-Back

Column: 285

Prologue:

Description: BECLOMETHASONE DIPROPIONATE

Type: NUM

SAS Variable Name: INHALER\_ID\_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
10	0.06	0.06
16,683	99.94	99.94

**BECLOVENT**

Survey: ADULT Asthma Call-Back

Column: 286

Prologue:

Description: BECLOVENT

Type: NUM

SAS Variable Name: INHALER\_ID\_8

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.02	0.01
16,689	99.98	99.99

**BITOLTEROL**

Survey: ADULT Asthma Call-Back

Column: 287

Prologue:

Description: BITOLTEROL

Type: NUM

SAS Variable Name: INHALER\_ID\_9

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
6	0.04	0.02
16,687	99.96	99.98

**BRETHAIRE**

Survey: ADULT Asthma Call-Back

Column: 288

Prologue:

Description: BRETHAIRE

Type: NUM

SAS Variable Name: INHALER\_ID\_10

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
16,692	99.99	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**BUDESONIDE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 289  
**Prologue:**  
**Description:** BUDESONIDE

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_11

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
13	0.08	0.03
16,680	99.92	99.97

**COMBIVENT**

**Survey:** ADULT Asthma Call-Back  
**Column:** 290  
**Prologue:**  
**Description:** COMBIVENT

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_12

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
525	3.15	2.15
16,168	96.85	97.85

**CROMOLYN**

**Survey:** ADULT Asthma Call-Back  
**Column:** 291  
**Prologue:**  
**Description:** CROMOLYN

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_13

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
16,692	99.99	99.99

**FLOVENT**

**Survey:** ADULT Asthma Call-Back  
**Column:** 292  
**Prologue:**  
**Description:** FLOVENT

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_14

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
694	4.16	3.14
15,999	95.84	96.86

**FLOVENT ROTADISK**

**Survey:** ADULT Asthma Call-Back  
**Column:** 293  
**Prologue:**  
**Description:** FLOVENT ROTADISK

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
26	0.16	0.12
16,667	99.84	99.88

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**FLUNISOLIDE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 294  
**Prologue:**  
**Description:** FLUNISOLIDE

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_16

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.02	0.01
16,689	99.98	99.99

**FLUTICASONE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 295  
**Prologue:**  
**Description:** FLUTICASONE

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_17

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
52	0.31	0.33
16,641	99.69	99.67

**INTAL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 296  
**Prologue:**  
**Description:** INTAL

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_18

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
9	0.05	0.03
16,684	99.95	99.97

**IPRATROPIUM BROMIDE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 297  
**Prologue:**  
**Description:** IPRATROPIUM BROMIDE

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_19

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
32	0.19	0.11
16,661	99.81	99.89

**MAXAIR**

**Survey:** ADULT Asthma Call-Back  
**Column:** 298  
**Prologue:**  
**Description:** MAXAIR

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_20

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
98	0.59	0.50
16,595	99.41	99.50

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**METAPROTERONOL**

Survey: ADULT Asthma Call-Back

Column: 299

Prologue:

Description: METAPROTERONOL

Type: NUM

SAS Variable Name: INHALER\_ID\_21

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
16,692	99.99	100.00

**NEDOCROMIL**

Survey: ADULT Asthma Call-Back

Column: 300

Prologue:

Description: NEDOCROMIL

Type: NUM

SAS Variable Name: INHALER\_ID\_22

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2	100.00	100.00

**PIRBUTEROL**

Survey: ADULT Asthma Call-Back

Column: 301

Prologue:

Description: PIRBUTEROL

Type: NUM

SAS Variable Name: INHALER\_ID\_23

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.02	0.01
16,689	99.98	99.99

**PROVENTIL**

Survey: ADULT Asthma Call-Back

Column: 302

Prologue:

Description: PROVENTIL

Type: NUM

SAS Variable Name: INHALER\_ID\_24

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
698	4.18	4.02
15,995	95.82	95.98

**PULMICORT TURBUHALER**

Survey: ADULT Asthma Call-Back

Column: 303

Prologue:

Description: PULMICORT TURBUHALER

Type: NUM

SAS Variable Name: INHALER\_ID\_25

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
168	1.01	0.67
16,525	98.99	99.33

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**SALMETEROL**

Survey: ADULT Asthma Call-Back

Column: 304

Prologue:

Description: SALMETEROL

Type: NUM

SAS Variable Name: INHALER\_ID\_26

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
8	0.05	0.03
16,685	99.95	99.97

**SEREVENT**

Survey: ADULT Asthma Call-Back

Column: 305

Prologue:

Description: SEREVENT

Type: NUM

SAS Variable Name: INHALER\_ID\_27

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
121	0.72	0.39
16,572	99.28	99.61

**TERBUTALINE (+ T. SULFATE)**

Survey: ADULT Asthma Call-Back

Column: 306

Prologue:

Description: TERBUTALINE (+ T. SULFATE)

Type: NUM

SAS Variable Name: INHALER\_ID\_28

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
16,692	99.99	100.00

**TILADE**

Survey: ADULT Asthma Call-Back

Column: 307

Prologue:

Description: TILADE

Type: NUM

SAS Variable Name: INHALER\_ID\_29

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
16,692	99.99	99.99

**TORNALATE**

Survey: ADULT Asthma Call-Back

Column: 308

Prologue:

Description: TORNALATE

Type: NUM

SAS Variable Name: INHALER\_ID\_30

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
16,692	99.99	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**TRIAMCINOLONE ACETONIDE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 309  
**Prologue:**  
**Description:** TRIAMCINOLONE ACETONIDE

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_31

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	16,693	100.00	100.00

**VANCERIL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 310  
**Prologue:**  
**Description:** VANCERIL

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_32

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	0.04	0.02
2	No	16,686	99.96	99.98

**VENTOLIN**

**Survey:** ADULT Asthma Call-Back  
**Column:** 311  
**Prologue:**  
**Description:** VENTOLIN

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_33

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,089	6.52	6.02
2	No	15,604	93.48	93.98

**FORADIL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 312  
**Prologue:**  
**Description:** FORADIL

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_34

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	66	0.40	0.19
2	No	16,627	99.60	99.81

**FORMOTEROL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 313  
**Prologue:**  
**Description:** FORMOTEROL

**Type:** NUM  
**SAS Variable Name:** INHALER\_ID\_35

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	0.08	0.04
2	No	16,680	99.92	99.96

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**QVAR**

**Survey:** ADULT Asthma Call-Back

**Column:** 314

**Prologue:**

**Description:** QVAR

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_36

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
332	1.99	1.97
16,361	98.01	98.03

**LEVALBUTEROL TARTRATE**

**Survey:** ADULT Asthma Call-Back

**Column:** 315

**Prologue:**

**Description:** LEVALBUTEROL TARTRATE

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_37

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.03	0.01
16,688	99.97	99.99

**XOPENEX HFA**

**Survey:** ADULT Asthma Call-Back

**Column:** 316

**Prologue:**

**Description:** XOPENEX HFA

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_38

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
287	1.72	1.82
16,406	98.28	98.18

**MOMETASONE FUROATE**

**Survey:** ADULT Asthma Call-Back

**Column:** 317

**Prologue:**

**Description:** MOMETASONE FUROATE

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_39

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
18	0.11	0.08
16,675	99.89	99.92

**ASMANEX (TWISTHALER)**

**Survey:** ADULT Asthma Call-Back

**Column:** 318

**Prologue:**

**Description:** ASMANEX (TWISTHALER)

**Type:** NUM

**SAS Variable Name:** INHALER\_ID\_40

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
259	1.55	1.19
16,434	98.45	98.81



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**PRO-AIR HFA**

Survey: ADULT Asthma Call-Back

Column: 319

Prologue:

Description: PRO-AIR HFA

Type: NUM

SAS Variable Name: INHALER\_ID\_41

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1,467	8.79	7.51
15,226	91.21	92.49

**SYMBICORT**

Survey: ADULT Asthma Call-Back

Column: 320

Prologue:

Description: SYMBICORT

Type: NUM

SAS Variable Name: INHALER\_ID\_42

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
763	4.57	3.80
15,930	95.43	96.20

**DON'T KNOW/REFUSED**

Survey: ADULT Asthma Call-Back

Column: 321

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM

SAS Variable Name: INHALER\_ID\_7799

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
157	0.94	1.05
16,536	99.06	98.95

**OTHER INHALER**

Survey: ADULT Asthma Call-Back

Column: 322

Prologue:

Description: NEW OTHER PRESCRIPTION INHALER

Type: NUM

SAS Variable Name: OTHER\_INHALER

Value	Value Label
BLANK	Not asked or missing

Frequency	Percentage	Weighted Percentage
16,693		

**PILL ACCOLATE**

Survey: ADULT Asthma Call-Back

Column: 323

Prologue:

Description: PILL ACCOLATE

Type: NUM

SAS Variable Name: PILLS\_ID\_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
49	0.29	0.11
16,644	99.71	99.89

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**PILL AEROLATE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 324  
**Prologue:**  
**Description:** PILL AEROLATE

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
16,692	99.99	99.99

**PILL ALBUTEROL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 325  
**Prologue:**  
**Description:** PILL ALBUTEROL

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
40	0.24	0.15
16,653	99.76	99.85

**PILL ALUPENT**

**Survey:** ADULT Asthma Call-Back  
**Column:** 326  
**Prologue:**  
**Description:** PILL ALUPENT

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_4

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
16,693	100.00	100.00

**PILL CHOLEDYL (OXTRIPHYLLINE)**

**Survey:** ADULT Asthma Call-Back  
**Column:** 327  
**Prologue:**  
**Description:** PILL CHOLEDYL (OXTRIPHYLLINE)

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
16,692	99.99	100.00

**PILL DELTASONE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 328  
**Prologue:**  
**Description:** PILL DELTASONE

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.07
16,691	99.99	99.93

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**PILL ELIXOPHYLLIN**

**Survey:** ADULT Asthma Call-Back  
**Column:** 329  
**Prologue:**  
**Description:** PILL ELIXOPHYLLIN

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_8

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
16,693	100.00	100.00

**PILL MEDROL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 330  
**Prologue:**  
**Description:** PILL MEDROL

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_11

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.03	0.04
16,688	99.97	99.96

**PILL METAPREL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 331  
**Prologue:**  
**Description:** PILL METAPREL

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_12

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
16,693	100.00	100.00

**PILL METAPROTERONOL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 332  
**Prologue:**  
**Description:** PILL METAPROTERONOL

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_13

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
16,693	100.00	100.00

**PILL METHYLPREDNISOLONE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 333  
**Prologue:**  
**Description:** PILL METHYLPREDNISOLONE

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_14

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.03	0.02
16,688	99.97	99.98

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**PILL MONTELUKAST**

**Survey:** ADULT Asthma Call-Back  
**Column:** 334  
**Prologue:**  
**Description:** PILL MONTELUKAST

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.02	0.01
16,689	99.98	99.99

**PILL PEDIAPRED**

**Survey:** ADULT Asthma Call-Back  
**Column:** 335  
**Prologue:**  
**Description:** PILL PEDIAPRED

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_17

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
16,693	100.00	100.00

**PILL PREDNISOLONE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 336  
**Prologue:**  
**Description:** PILL PREDNISOLONE

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_18

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
20	0.12	0.11
16,673	99.88	99.89

**PILL PREDNISONONE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 337  
**Prologue:**  
**Description:** PILL PREDNISONONE

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_19

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
346	2.07	2.07
16,347	97.93	97.93

**PILL PROVENTIL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 338  
**Prologue:**  
**Description:** PILL PROVENTIL

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_21

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.03	0.01
16,688	99.97	99.99

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**PILL RESPID**

Survey: ADULT Asthma Call-Back

Column: 339

Prologue:

Description: PILL RESPID

Type: NUM

SAS Variable Name: PILLS\_ID\_23

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
16,693	100.00	100.00

**PILL SINGULAIR**

Survey: ADULT Asthma Call-Back

Column: 340

Prologue:

Description: PILL SINGULAIR

Type: NUM

SAS Variable Name: PILLS\_ID\_24

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1,736	10.40	7.26
14,957	89.60	92.74

**PILL SLO-PHYLLIN**

Survey: ADULT Asthma Call-Back

Column: 341

Prologue:

Description: PILL SLO-PHYLLIN

Type: NUM

SAS Variable Name: PILLS\_ID\_25

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.00
16,691	99.99	100.00

**PILL SLO-BID**

Survey: ADULT Asthma Call-Back

Column: 342

Prologue:

Description: PILL SLO-BID

Type: NUM

SAS Variable Name: PILLS\_ID\_26

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.02
16,691	99.99	99.98

**PILL THEO-24**

Survey: ADULT Asthma Call-Back

Column: 343

Prologue:

Description: PILL THEO-24

Type: NUM

SAS Variable Name: PILLS\_ID\_28

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.02	0.01
16,690	99.98	99.99

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**PILL THEOCHRON**

**Survey:** ADULT Asthma Call-Back  
**Column:** 344  
**Prologue:**  
**Description:** PILL THEOCHRON

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_30

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
16,693	100.00	100.00

**PILL THEOCLEAR**

**Survey:** ADULT Asthma Call-Back  
**Column:** 345  
**Prologue:**  
**Description:** PILL THEOCLEAR

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_31

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
16,693	100.00	100.00

**PILL THEODUR**

**Survey:** ADULT Asthma Call-Back  
**Column:** 346  
**Prologue:**  
**Description:** PILL THEODUR

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_32

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
17	0.10	0.06
16,676	99.90	99.94

**PILL THEO-DUR**

**Survey:** ADULT Asthma Call-Back  
**Column:** 347  
**Prologue:**  
**Description:** PILL THEO-DUR

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_33

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.03	0.03
16,688	99.97	99.97

**PILL THEOPHYLLINE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 348  
**Prologue:**  
**Description:** PILL THEOPHYLLINE

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_35

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
142	0.85	0.46
16,551	99.15	99.54

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**PILL THEOSPAN**

**Survey:** ADULT Asthma Call-Back  
**Column:** 349  
**Prologue:**  
**Description:** PILL THEOSPAN

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_37

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
16,693	100.00	100.00

**PILL T-PHYL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 350  
**Prologue:**  
**Description:** PILL T-PHYL

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_40

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
16,693	100.00	100.00

**PILL UNIPHYL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 351  
**Prologue:**  
**Description:** PILL UNIPHYL

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_42

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.02	0.03
16,689	99.98	99.97

**PILL VENTOLIN**

**Survey:** ADULT Asthma Call-Back  
**Column:** 352  
**Prologue:**  
**Description:** PILL VENTOLIN

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_43

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.02	0.03
16,689	99.98	99.97

**PILL VOLMAX**

**Survey:** ADULT Asthma Call-Back  
**Column:** 353  
**Prologue:**  
**Description:** PILL VOLMAX

**Type:** NUM  
**SAS Variable Name:** PILLS\_ID\_44

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.01
16,691	99.99	99.99

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**PILL ZAFIRLUKAST**

Survey: ADULT Asthma Call-Back

Column: 354

Prologue:

Description: PILL ZAFIRLUKAST

Type: NUM

SAS Variable Name: PILLS\_ID\_45

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
13	0.08	0.04
16,680	99.92	99.96

**PILL ZILEUTON**

Survey: ADULT Asthma Call-Back

Column: 355

Prologue:

Description: PILL ZILEUTON

Type: NUM

SAS Variable Name: PILLS\_ID\_46

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
16,692	99.99	99.99

**PILL ZYFLO FILMTAB**

Survey: ADULT Asthma Call-Back

Column: 356

Prologue:

Description: PILL ZYFLO FILMTAB

Type: NUM

SAS Variable Name: PILLS\_ID\_47

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
10	0.06	0.04
16,683	99.94	99.96

**PILL TERBUTALINE (+ T. SULFATE)**

Survey: ADULT Asthma Call-Back

Column: 357

Prologue:

Description: PILL TERBUTALINE (+ T. SULFATE)

Type: NUM

SAS Variable Name: PILLS\_ID\_48

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.02	0.01
16,690	99.98	99.99

**PILL BRETHINE**

Survey: ADULT Asthma Call-Back

Column: 358

Prologue:

Description: PILL BRETHINE

Type: NUM

SAS Variable Name: PILLS\_ID\_49

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.00
16,691	99.99	100.00



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**DON'T KNOW/REFUSED**

Survey: ADULT Asthma Call-Back

Column: 359

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM

SAS Variable Name: PILLS\_ID\_7799

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
130	0.78	0.71
16,563	99.22	99.29

**OTHER PILLS**

Survey: ADULT Asthma Call-Back

Column: 360

Prologue:

Description: NEW OTHER PRESCRIPTION PILLS

Type: NUM

SAS Variable Name: OTHER\_PILLS

Value	Value Label
BLANK	Not asked or missing

Frequency	Percentage	Weighted Percentage
16,693		

**SYRUP AEROLATE**

Survey: ADULT Asthma Call-Back

Column: 361

Prologue:

Description: SYRUP AEROLATE

Type: NUM

SAS Variable Name: SYRUP\_ID\_1

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
16,693	100.00	100.00

**SYRUP ALBUTEROL**

Survey: ADULT Asthma Call-Back

Column: 362

Prologue:

Description: SYRUP ALBUTEROL

Type: NUM

SAS Variable Name: SYRUP\_ID\_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
32	0.19	0.15
16,661	99.81	99.85

**SYRUP ALUPENT**

Survey: ADULT Asthma Call-Back

Column: 363

Prologue:

Description: SYRUP ALUPENT

Type: NUM

SAS Variable Name: SYRUP\_ID\_3

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
16,693	100.00	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**SYRUP METAPROTERONOL**

Survey: ADULT Asthma Call-Back

Column: 364

Prologue:

Description: SYRUP METAPROTERONOL

Type: NUM

SAS Variable Name: SYRUP\_ID\_4

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.01
16,691	99.99	99.99

**SYRUP PREDNISOLONE**

Survey: ADULT Asthma Call-Back

Column: 365

Prologue:

Description: SYRUP PREDNISOLONE

Type: NUM

SAS Variable Name: SYRUP\_ID\_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
13	0.08	0.11
16,680	99.92	99.89

**SYRUP PRELONE**

Survey: ADULT Asthma Call-Back

Column: 366

Prologue:

Description: SYRUP PRELONE

Type: NUM

SAS Variable Name: SYRUP\_ID\_6

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.02	0.01
16,690	99.98	99.99

**SYRUP PROVENTIL**

Survey: ADULT Asthma Call-Back

Column: 367

Prologue:

Description: SYRUP PROVENTIL

Type: NUM

SAS Variable Name: SYRUP\_ID\_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
11	0.07	0.05
16,682	99.93	99.95

**SYRUP SLO-PHYLLIN**

Survey: ADULT Asthma Call-Back

Column: 368

Prologue:

Description: SYRUP SLO-PHYLLIN

Type: NUM

SAS Variable Name: SYRUP\_ID\_8

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
16,692	99.99	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**SYRUP THEOPHYLLINE**

Survey: ADULT Asthma Call-Back

Column: 369

Prologue:

Description: SYRUP THEOPHYLLINE

Type: NUM

SAS Variable Name: SYRUP\_ID\_9

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.02	0.01
16,689	99.98	99.99

**SYRUP VENTOLIN**

Survey: ADULT Asthma Call-Back

Column: 370

Prologue:

Description: SYRUP VENTOLIN

Type: NUM

SAS Variable Name: SYRUP\_ID\_10

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.00
16,691	99.99	100.00

**DON'T KNOW/REFUSED**

Survey: ADULT Asthma Call-Back

Column: 371

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM

SAS Variable Name: SYRUP\_ID\_7799

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
73	0.44	0.28
16,620	99.56	99.72

**OTHER SYRUP**

Survey: ADULT Asthma Call-Back

Column: 372

Prologue:

Description: NEW OTHER PRESCRIPTION SYRUP

Type: NUM

SAS Variable Name: OTHER\_SYRUP

Value	Value Label
BLANK	Not asked or missing

Frequency	Percentage	Weighted Percentage
16,693		

**NEB ALBUTEROL**

Survey: ADULT Asthma Call-Back

Column: 373

Prologue:

Description: NEB ALBUTEROL

Type: NUM

SAS Variable Name: NEB\_ID\_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1,837	11.00	9.58
14,856	89.00	90.42

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**NEB ALUPENT**

**Survey:** ADULT Asthma Call-Back  
**Column:** 374  
**Prologue:**  
**Description:** NEB ALUPENT

**Type:** NUM  
**SAS Variable Name:** NEB\_ID\_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
6	0.04	0.01
16,687	99.96	99.99

**NEB ATROVENT**

**Survey:** ADULT Asthma Call-Back  
**Column:** 375  
**Prologue:**  
**Description:** NEB ATROVENT

**Type:** NUM  
**SAS Variable Name:** NEB\_ID\_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
35	0.21	0.26
16,658	99.79	99.74

**NEB BITOLTEROL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 376  
**Prologue:**  
**Description:** NEB BITOLTEROL

**Type:** NUM  
**SAS Variable Name:** NEB\_ID\_4

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
9	0.05	0.05
16,684	99.95	99.95

**NEB BUDESONIDE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 377  
**Prologue:**  
**Description:** NEB BUDESONIDE

**Type:** NUM  
**SAS Variable Name:** NEB\_ID\_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
82	0.49	0.20
16,611	99.51	99.80

**NEB CROMOLYN**

**Survey:** ADULT Asthma Call-Back  
**Column:** 378  
**Prologue:**  
**Description:** NEB CROMOLYN

**Type:** NUM  
**SAS Variable Name:** NEB\_ID\_6

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
10	0.06	0.01
16,683	99.94	99.99

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**NEB DUONEB**

**Survey:** ADULT Asthma Call-Back  
**Column:** 379  
**Prologue:**  
**Description:** NEB DUONEB

**Type:** NUM  
**SAS Variable Name:** NEB\_ID\_7

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	89	0.53	0.37
2	No	16,604	99.47	99.63

**NEB INTAL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 380  
**Prologue:**  
**Description:** NEB INTAL

**Type:** NUM  
**SAS Variable Name:** NEB\_ID\_8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.02	0.03
2	No	16,690	99.98	99.97

**NEB IPRATROPIUM BROMIDE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 381  
**Prologue:**  
**Description:** NEB IPRATROPIUM BROMIDE

**Type:** NUM  
**SAS Variable Name:** NEB\_ID\_9

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	351	2.10	1.11
2	No	16,342	97.90	98.89

**NEB LEVALBUTEROL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 382  
**Prologue:**  
**Description:** NEB LEVALBUTEROL

**Type:** NUM  
**SAS Variable Name:** NEB\_ID\_10

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	0.05	0.01
2	No	16,685	99.95	99.99

**NEB METAPROTERONOL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 383  
**Prologue:**  
**Description:** NEB METAPROTERONOL

**Type:** NUM  
**SAS Variable Name:** NEB\_ID\_11

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	16,692	99.99	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**NEB PROVENTIL**

**Survey:** ADULT Asthma Call-Back  
**Column:** 384  
**Prologue:**  
**Description:** NEB PROVENTIL

**Type:** NUM  
**SAS Variable Name:** NEB\_ID\_12

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
52	0.31	0.24
16,641	99.69	99.76

**NEB PULMICORT**

**Survey:** ADULT Asthma Call-Back  
**Column:** 385  
**Prologue:**  
**Description:** NEB PULMICORT

**Type:** NUM  
**SAS Variable Name:** NEB\_ID\_13

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
67	0.40	0.33
16,626	99.60	99.67

**NEB TORNALATE**

**Survey:** ADULT Asthma Call-Back  
**Column:** 386  
**Prologue:**  
**Description:** NEB TORNALATE

**Type:** NUM  
**SAS Variable Name:** NEB\_ID\_14

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
16,693	100.00	100.00

**NEB VENTOLIN**

**Survey:** ADULT Asthma Call-Back  
**Column:** 387  
**Prologue:**  
**Description:** NEB VENTOLIN

**Type:** NUM  
**SAS Variable Name:** NEB\_ID\_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
30	0.18	0.13
16,663	99.82	99.87

**NEB XOPENEX**

**Survey:** ADULT Asthma Call-Back  
**Column:** 388  
**Prologue:**  
**Description:** NEB XOPENEX

**Type:** NUM  
**SAS Variable Name:** NEB\_ID\_16

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
192	1.15	0.88
16,501	98.85	99.12

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**DON'T KNOW/REFUSED**

Survey: ADULT Asthma Call-Back

Column: 389

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM

SAS Variable Name: NEB\_ID\_7799

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
291	1.74	1.58
16,402	98.26	98.42

**OTHER NEBULIZER**

Survey: ADULT Asthma Call-Back

Column: 390

Prologue:

Description: New other prescription nebulizer

Type: NUM

SAS Variable Name: OTHER\_NEB

Value	Value Label
BLANK	Not asked or missing

Frequency	Percentage	Weighted Percentage
16,693		

**OTHER INHALER TEXT**

Survey: ADULT Asthma Call-Back

Column: 391-490

Prologue:

Description: New other prescription inhaler name

Type: CHAR

SAS Variable Name: OTH\_I1R

Value	Value Label
BLANK	No other new asthma medication
HIDDEN	

Frequency	Percentage	Weighted Percentage
16,562		
131	100.00	100.00

**OTHER PILLS TEXT**

Survey: ADULT Asthma Call-Back

Column: 491-590

Prologue:

Description: New other prescription pills name

Type: CHAR

SAS Variable Name: OTH\_P1R

Value	Value Label
BLANK	No other new asthma medication
HIDDEN	

Frequency	Percentage	Weighted Percentage
16,689		
4	100.00	100.00

**OTHER SYRUP TEXT**

Survey: ADULT Asthma Call-Back

Column: 591-690

Prologue:

Description: New other prescription syrup name

Type: CHAR

SAS Variable Name: OTH\_S1R

Value	Value Label
BLANK	No other new asthma medication
HIDDEN	

Frequency	Percentage	Weighted Percentage
16,690		
3	100.00	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**OTHER NEBULIZER TEXT**

Survey: ADULT Asthma Call-Back

Column: 691-790

Prologue:

Description: New other prescription nebulizer name

Type: CHAR  
SAS Variable Name: OTH\_N1R

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	No other new asthma medication	16,667		
HIDDEN		26	100.00	100.00

**INHALER\_TEXT: COUGH/COLD MED.**

Survey: ADULT Asthma Call-Back

Column: 791

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM  
SAS Variable Name: INHALER\_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	848	5.08	3.85
3	No other medication text filled	15,844	94.91	96.15

**INHALER\_TEXT: ALLERGY MED.**

Survey: ADULT Asthma Call-Back

Column: 792

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM  
SAS Variable Name: INHALER\_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	48	0.29	0.13
2	No	801	4.80	3.72
3	No other medication text filled	15,844	94.91	96.15

**INHALER\_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)**

Survey: ADULT Asthma Call-Back

Column: 793

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM  
SAS Variable Name: INHALER\_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	552	3.31	2.35
2	No	297	1.78	1.50
3	No other medication text filled	15,844	94.91	96.15

**INHALER\_TEXT: ASTHMA MED., BUT NOT INHALER**

Survey: ADULT Asthma Call-Back

Column: 794

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM  
SAS Variable Name: INHALER\_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	23	0.14	0.07
2	No	826	4.95	3.78
3	No other medication text filled	15,844	94.91	96.15



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**INHALER\_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.**

Survey: ADULT Asthma Call-Back

Column: 795

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	27	0.16	0.17
2	No	822	4.92	3.68
3	No other medication text filled	15,844	94.91	96.15

**INHALER\_TEXT: WAS BACK CODED TO EXISTING INHALER**

Survey: ADULT Asthma Call-Back

Column: 796

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	77	0.46	0.58
2	No	772	4.62	3.27
3	No other medication text filled	15,844	94.91	96.15

**INHALER\_TEXT: OTC INHALER, PILL, OR SYRUP**

Survey: ADULT Asthma Call-Back

Column: 797

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	849	5.09	3.85
3	No other medication text filled	15,844	94.91	96.15

**INHALER\_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE**

Survey: ADULT Asthma Call-Back

Column: 798

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	131	0.78	0.60
2	No	718	4.30	3.25
3	No other medication text filled	15,844	94.91	96.15

**INHALER\_TEXT: DON'T KNOW**

Survey: ADULT Asthma Call-Back

Column: 799

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER\_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	0.02	0.01
2	No	845	5.06	3.84
3	No other medication text filled	15,844	94.91	96.15

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**PILLS\_TEXT: COUGH/COLD MED.**

Survey: ADULT Asthma Call-Back

Column: 800

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	26	0.16	0.07
2	No	401	2.40	1.64
3	No other medication text filled	16,266	97.44	98.29

**PILLS\_TEXT: ALLERGY MED.**

Survey: ADULT Asthma Call-Back

Column: 801

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	262	1.57	1.05
2	No	165	0.99	0.67
3	No other medication text filled	16,266	97.44	98.29

**PILLS\_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)**

Survey: ADULT Asthma Call-Back

Column: 802

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	97	0.58	0.42
2	No	330	1.98	1.30
3	No other medication text filled	16,266	97.44	98.29

**PILLS\_TEXT: ASTHMA MED., BUT NOT PILLS**

Survey: ADULT Asthma Call-Back

Column: 803

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	0.09	0.04
2	No	412	2.47	1.68
3	No other medication text filled	16,266	97.44	98.29

**PILLS\_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.**

Survey: ADULT Asthma Call-Back

Column: 804

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	0.07	0.02
2	No	416	2.49	1.70
3	No other medication text filled	16,266	97.44	98.29

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**PILLS\_TEXT: WAS BACK CODED TO EXISTING PILLS**

Survey: ADULT Asthma Call-Back

Column: 805

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	17	0.10	0.10
2	No	410	2.46	1.62
3	No other medication text filled	16,266	97.44	98.29

**PILLS\_TEXT: OTC INHALER, PILL, OR SYRUP**

Survey: ADULT Asthma Call-Back

Column: 806

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	427	2.56	1.71
3	No other medication text filled	16,266	97.44	98.29

**PILLS\_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE**

Survey: ADULT Asthma Call-Back

Column: 807

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	0.02	0.02
2	No	423	2.53	1.70
3	No other medication text filled	16,266	97.44	98.29

**PILLS\_TEXT: DON'T KNOW**

Survey: ADULT Asthma Call-Back

Column: 808

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS\_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.02	0.01
2	No	424	2.54	1.70
3	No other medication text filled	16,266	97.44	98.29

**SYRUP\_TEXT: COUGH/COLD MED.**

Survey: ADULT Asthma Call-Back

Column: 809

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	94	0.56	0.72
2	No	19	0.11	0.18
3	No other medication text filled	16,580	99.32	99.10

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**SYRUP\_TEXT: ALLERGY MED.**

Survey: ADULT Asthma Call-Back

Column: 810

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	0.04	0.01
2	No	106	0.63	0.88
3	No other medication text filled	16,580	99.32	99.10

**SYRUP\_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)**

Survey: ADULT Asthma Call-Back

Column: 811

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	0.03	0.13
2	No	108	0.65	0.76
3	No other medication text filled	16,580	99.32	99.10

**SYRUP\_TEXT: ASTHMA MED., BUT NOT SYRUP**

Survey: ADULT Asthma Call-Back

Column: 812

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	113	0.68	0.90
3	No other medication text filled	16,580	99.32	99.10

**SYRUP\_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.**

Survey: ADULT Asthma Call-Back

Column: 813

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	0.02	0.01
2	No	109	0.65	0.89
3	No other medication text filled	16,580	99.32	99.10

**SYRUP\_TEXT: WAS BACK CODED TO EXISTING SYRUP**

Survey: ADULT Asthma Call-Back

Column: 814

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.01	0.00
2	No	111	0.66	0.89
3	No other medication text filled	16,580	99.32	99.10

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**SYRUP\_TEXT: OTC INHALER, PILL, OR SYRUP**

Survey: ADULT Asthma Call-Back

Column: 815

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	113	0.68	0.90
3	No other medication text filled	16,580	99.32	99.10

**SYRUP\_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE**

Survey: ADULT Asthma Call-Back

Column: 816

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.02	0.02
2	No	110	0.66	0.88
3	No other medication text filled	16,580	99.32	99.10

**SYRUP\_TEXT: DON'T KNOW**

Survey: ADULT Asthma Call-Back

Column: 817

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP\_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.01
2	No	112	0.67	0.89
3	No other medication text filled	16,580	99.32	99.10

**NEB\_TEXT: COUGH/COLD MED.**

Survey: ADULT Asthma Call-Back

Column: 818

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	129	0.77	0.65
3	No other medication text filled	16,563	99.22	99.34

**NEB\_TEXT: ALLERGY MED.**

Survey: ADULT Asthma Call-Back

Column: 819

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	130	0.78	0.66
3	No other medication text filled	16,563	99.22	99.34

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**NEB\_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)**

Survey: ADULT Asthma Call-Back

Column: 820

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	43	0.26	0.18
2	No	87	0.52	0.48
3	No other medication text filled	16,563	99.22	99.34

**NEB\_TEXT: ASTHMA MED., BUT NOT NEB**

Survey: ADULT Asthma Call-Back

Column: 821

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	35	0.21	0.23
2	No	95	0.57	0.43
3	No other medication text filled	16,563	99.22	99.34

**NEB\_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.**

Survey: ADULT Asthma Call-Back

Column: 822

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	0.05	0.07
2	No	121	0.72	0.58
3	No other medication text filled	16,563	99.22	99.34

**NEB\_TEXT: WAS BACK CODED TO EXISTING NEB**

Survey: ADULT Asthma Call-Back

Column: 823

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	21	0.13	0.13
2	No	109	0.65	0.52
3	No other medication text filled	16,563	99.22	99.34

**NEB\_TEXT: OTC INHALER, PILL, OR SYRUP**

Survey: ADULT Asthma Call-Back

Column: 824

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	130	0.78	0.66
3	No other medication text filled	16,563	99.22	99.34

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**NEB\_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE**

Survey: ADULT Asthma Call-Back

Column: 825

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT8

Value	Value Label
1	Yes
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
26	0.16	0.08
104	0.62	0.58
16,563	99.22	99.34

**NEB\_TEXT: DON'T KNOW**

Survey: ADULT Asthma Call-Back

Column: 826

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB\_TEXT96

Value	Value Label
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
130	0.78	0.66
16,563	99.22	99.34

**INHALED CORTICOSTEROIDS**

Survey: ADULT Asthma Call-Back

Column: 827-828

Prologue:

Description: INHALED CORTICOSTEROIDS

Type: NUM

SAS Variable Name: INH\_CS

Value	Value Label
0 - 14	Count
99	Missing

Frequency	Percentage	Weighted Percentage
16,533	99.04	99.29
160	0.96	0.71

**INHALED ANTI-INFLAMMATORY**

Survey: ADULT Asthma Call-Back

Column: 829-830

Prologue:

Description: INHALED ANTI-INFLAMMATORY

Type: NUM

SAS Variable Name: INH\_AI

Value	Value Label
0 - 4	Count
99	Missing

Frequency	Percentage	Weighted Percentage
16,533	99.04	99.29
160	0.96	0.71

**INHALED ANTI-CHOLINERGIC**

Survey: ADULT Asthma Call-Back

Column: 831-832

Prologue:

Description: INHALED ANTI-CHOLINERGIC

Type: NUM

SAS Variable Name: INH\_AC

Value	Value Label
0 - 3	Count
99	Missing

Frequency	Percentage	Weighted Percentage
16,533	99.04	99.29
160	0.96	0.71

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**INHALED BETA 2 AGONIST SHORT ACTING**

Survey: ADULT Asthma Call-Back

Column: 833-834

Prologue:

Description: INHALED BETA 2 AGONIST SHORT ACTING

Type: NUM  
SAS Variable Name: INH\_B2AS

Value	Value Label
0 - 12	Count
99	Missing

Frequency	Percentage	Weighted Percentage
16,533	99.04	99.29
160	0.96	0.71

**INHALED BETA 2 AGONIST LONG ACTING**

Survey: ADULT Asthma Call-Back

Column: 835-836

Prologue:

Description: INHALED BETA 2 AGONIST LONG ACTING

Type: NUM  
SAS Variable Name: INH\_B2AL

Value	Value Label
0 - 5	Count
99	Missing

Frequency	Percentage	Weighted Percentage
16,533	99.04	99.29
160	0.96	0.71

**PILL CORTICOSTEROIDS**

Survey: ADULT Asthma Call-Back

Column: 837-838

Prologue:

Description: PILL CORTICOSTEROIDS

Type: NUM  
SAS Variable Name: PILL\_CS

Value	Value Label
0 - 7	Count
99	Missing

Frequency	Percentage	Weighted Percentage
16,482	98.74	99.00
211	1.26	1.00

**PILL LEUKOTRIENE MODIFIERS**

Survey: ADULT Asthma Call-Back

Column: 839-840

Prologue:

Description: PILL LEUKOTRIENE MODIFIERS

Type: NUM  
SAS Variable Name: PILL\_LM

Value	Value Label
0 - 6	Count
99	Missing

Frequency	Percentage	Weighted Percentage
16,482	98.74	99.00
211	1.26	1.00

**PILL BETA 2 AGONIST**

Survey: ADULT Asthma Call-Back

Column: 841-842

Prologue:

Description: PILL BETA 2 AGONIST

Type: NUM  
SAS Variable Name: PILL\_B2A

Value	Value Label
0 - 7	Count
99	Missing

Frequency	Percentage	Weighted Percentage
16,482	98.74	99.00
211	1.26	1.00



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**PILL METHYLXANTHINES**

Survey: ADULT Asthma Call-Back

Column: 843-844

Prologue:

Description: PILL METHYLXANTHINES

Type: NUM  
SAS Variable Name: PILL\_METH

Value	Value Label
0 - 23	Count
99	Missing

Frequency	Percentage	Weighted Percentage
16,482	98.74	99.00
211	1.26	1.00

**SYRUP METHYLXANTHINES**

Survey: ADULT Asthma Call-Back

Column: 845-846

Prologue:

Description: SYRUP METHYLXANTHINES

Type: NUM  
SAS Variable Name: SYRP\_METH

Value	Value Label
0 - 3	Count
99	Missing

Frequency	Percentage	Weighted Percentage
16,532	99.04	99.20
161	0.96	0.80

**SYRUP SHORT ACTING BETA 2 AGONIST**

Survey: ADULT Asthma Call-Back

Column: 847-848

Prologue:

Description: SYRUP SHORT ACTING BETA 2 AGONIST

Type: NUM  
SAS Variable Name: SYRP\_B2AS

Value	Value Label
0 - 5	Count
99	Missing

Frequency	Percentage	Weighted Percentage
16,532	99.04	99.20
161	0.96	0.80

**SYRUP CORTICOSTEROIDS**

Survey: ADULT Asthma Call-Back

Column: 849-850

Prologue:

Description: SYRUP CORTICOSTEROIDS

Type: NUM  
SAS Variable Name: SYRP\_CS

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
16,532	99.04	99.20
161	0.96	0.80

**NEBULIZER ANTI-INFLAMMATORY**

Survey: ADULT Asthma Call-Back

Column: 851-852

Prologue:

Description: NEBULIZER ANTI-INFLAMMATORY

Type: NUM  
SAS Variable Name: NEB\_AI

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
16,536	99.06	99.27
157	0.94	0.73

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**NEBULIZER CORTICOSTEROID**

Survey: ADULT Asthma Call-Back

Column: 853-854

Prologue:

Description: NEBULIZER CORTICOSTEROIDS

Type: NUM  
SAS Variable Name: NEB\_CS

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 2	Count	16,536	99.06	99.27
99	Missing	157	0.94	0.73

**NEBULIZER ANTICHOLINERGIC**

Survey: ADULT Asthma Call-Back

Column: 855-856

Prologue:

Description: NEBULIZER ANTICHOLINERGIC

Type: NUM  
SAS Variable Name: NEB\_AC

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 3	Count	16,536	99.06	99.27
99	Missing	157	0.94	0.73

**NEBULIZER BETA 2 AGONIST**

Survey: ADULT Asthma Call-Back

Column: 857-858

Prologue:

Description: NEBULIZER BETA 2 AGONIST

Type: NUM  
SAS Variable Name: NEB\_B2A

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 8	Count	16,536	99.06	99.27
99	Missing	157	0.94	0.73

**ADVAIR (+ A. DISKUS): SIZE**

Survey: ADULT Asthma Call-Back

Column: 859

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Type: NUM  
SAS Variable Name: ILP01\_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ADVAIR (+ A. DISKUS): HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 860

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Type: NUM  
SAS Variable Name: ILP02\_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	198	6.95	9.22
2	6 months to 1 year	189	6.63	7.80
3	Longer than 1 year	2,454	86.14	82.67
7	Don't know/Not sure	8	0.28	0.31
BLANK	Skip filled	13,844		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**ADVAIR (+ A. DISKUS): WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 861

**Type:** NUM

**SAS Variable Name:** ILP03\_1

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ADVAIR (+ A. DISKUS): WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 862

**Type:** NUM

**SAS Variable Name:** ILP04\_1

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,022	35.87	35.84
2	No	1,509	52.97	57.72
3	No attack in past 3 months	297	10.42	6.07
7	Don't know/Not sure	17	0.60	0.30
9	Refused	4	0.14	0.06
BLANK	Skip filled	13,844		

**ADVAIR (+ A. DISKUS): BEFORE EXERCISING**

**Survey:** ADULT Asthma Call-Back

**Column:** 863

**Type:** NUM

**SAS Variable Name:** ILP05\_1

**Prologue:**

**Description:** Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	847	29.73	33.81
2	No	1,694	59.46	56.53
3	Didn't exercise in past 3 months	294	10.32	9.19
7	Don't know/Not sure	12	0.42	0.34
9	Refused	2	0.07	0.14
BLANK	Skip filled	13,844		

**ADVAIR (+ A. DISKUS): REGULAR SCHEDULE**

**Survey:** ADULT Asthma Call-Back

**Column:** 864

**Type:** NUM

**SAS Variable Name:** ILP06\_1

**Prologue:**

**Description:** Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,406	84.45	84.30
2	No	438	15.37	15.69
7	Don't know/Not sure	5	0.18	0.01
BLANK	Skip filled	13,844		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**ADVAIR (+ A. DISKUS): NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 865-866

Type: NUM

SAS Variable Name: ILP07\_1

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	2,837	99.58	99.84
77	Don't know	12	0.42	0.16
BLANK	Skip filled	13,844		

**ADVAIR (+ A. DISKUS): TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 867-869

Type: NUM

SAS Variable Name: ILP08\_1

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2,377	83.43	83.47
401 - 499	Weeks	318	11.16	10.99
555	Never	18	0.63	1.07
666	Less often than once a week	115	4.04	4.03
777	Don't know	20	0.70	0.15
999	Refused	1	0.04	0.28
BLANK	Skip filled	13,844		

**ADVAIR (+ A. DISKUS): NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 870-871

Type: NUM

SAS Variable Name: ILP10\_1

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**AEROBID: SIZE**

Survey: ADULT Asthma Call-Back

Column: 872

Type: NUM

SAS Variable Name: ILP01\_2

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**AEROBID: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 873

Type: NUM

SAS Variable Name: ILP02\_2

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	5.88	0.54
2	6 months to 1 year	1	5.88	48.26
3	Longer than 1 year	14	82.35	49.86
9	Refused	1	5.88	1.34
BLANK	Skip filled	16,676		

**AEROBID: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 874

Type: NUM

SAS Variable Name: ILP03\_2

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	41.18	27.96
2	No	9	52.94	70.70
9	Refused	1	5.88	1.34
BLANK	Skip filled	16,676		

**AEROBID: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 875

Type: NUM

SAS Variable Name: ILP04\_2

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	64.71	70.14
2	No	3	17.65	14.66
3	No attack in past 3 months	1	5.88	13.12
7	Don't know/Not sure	1	5.88	0.74
9	Refused	1	5.88	1.34
BLANK	Skip filled	16,676		

**AEROBID: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 876

Type: NUM

SAS Variable Name: ILP05\_2

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	41.18	17.54
2	No	7	41.18	80.27
3	Didn't exercise in past 3 months	2	11.76	0.85
9	Refused	1	5.88	1.34
BLANK	Skip filled	16,676		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**AEROBID: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 877

Type: NUM

SAS Variable Name: ILP06\_2

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	52.94	82.73
2	No	7	41.18	15.93
9	Refused	1	5.88	1.34
BLANK	Skip filled	16,676		

**AEROBID: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 878-879

Type: NUM

SAS Variable Name: ILP07\_2

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	17	100.00	100.00
BLANK	Skip filled	16,676		

**AEROBID: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 880-882

Type: NUM

SAS Variable Name: ILP08\_2

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	13	76.47	96.39
401 - 499	Weeks	2	11.76	0.67
666	Less often than once a week	1	5.88	1.60
999	Refused	1	5.88	1.34
BLANK	Skip filled	16,676		

**AEROBID: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 883-884

Type: NUM

SAS Variable Name: ILP10\_2

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): SIZE**

**Survey:** ADULT Asthma Call-Back

**Column:** 885

**Type:** NUM

**SAS Variable Name:** ILP01\_3

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	378	13.62	12.81
2	100 puffs	291	10.48	10.18
3	200 puffs	1,299	46.79	51.51
4	Other number of puffs	261	9.40	8.88
5	Used different sizes of this medication in the past 3 months	11	0.40	0.78
7	Don't know/Not sure	530	19.09	15.68
9	Refused	6	0.22	0.16
BLANK	Skip filled	13,917		

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 886

**Type:** NUM

**SAS Variable Name:** ILP02\_3

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	120	4.32	4.22
2	6 months to 1 year	126	4.54	4.75
3	Longer than 1 year	2,513	90.53	90.78
7	Don't know/Not sure	11	0.40	0.13
9	Refused	6	0.22	0.12
BLANK	Skip filled	13,917		

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 887

**Type:** NUM

**SAS Variable Name:** ILP03\_3

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	873	31.45	29.39
2	No	1,849	66.61	68.93
3	Medication is a disk inhaler, not a canister inhaler	2	0.07	0.15
7	Don't know/Not sure	45	1.62	1.36
9	Refused	7	0.25	0.17
BLANK	Skip filled	13,917		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 888

Type: NUM

SAS Variable Name: ILP04\_3

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,400	86.46	89.76
2	No	197	7.10	6.26
3	No attack in past 3 months	159	5.73	3.55
7	Don't know/Not sure	13	0.47	0.27
9	Refused	7	0.25	0.16
BLANK	Skip filled	13,917		

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 889

Type: NUM

SAS Variable Name: ILP05\_3

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,017	36.64	42.09
2	No	1,430	51.51	49.04
3	Didn't exercise in past 3 months	312	11.24	8.57
7	Don't know/Not sure	10	0.36	0.13
9	Refused	7	0.25	0.17
BLANK	Skip filled	13,917		

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 890

Type: NUM

SAS Variable Name: ILP06\_3

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	709	25.54	27.04
2	No	2,055	74.03	72.44
7	Don't know/Not sure	5	0.18	0.32
9	Refused	7	0.25	0.19
BLANK	Skip filled	13,917		

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 891-892

Type: NUM

SAS Variable Name: ILP07\_3

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	2,714	97.77	99.09
77	Don't know	55	1.98	0.71
99	Refused	7	0.25	0.21
BLANK	Skip filled	13,917		



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 893-895

Type: NUM

SAS Variable Name: ILP08\_3

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	960	34.58	32.44
401 - 499	Weeks	878	31.63	37.64
555	Never	42	1.51	2.84
666	Less often than once a week	740	26.66	24.53
777	Don't know	146	5.26	2.39
999	Refused	10	0.36	0.17
BLANK	Skip filled	13,917		

**ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 896-897

Type: NUM

SAS Variable Name: ILP10\_3

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	2,026	72.98	78.98
77	Don't know	206	7.42	5.50
88	None/Less than 1 full canister	534	19.24	15.05
99	Refused	10	0.36	0.46
BLANK	Skip filled	13,917		

**ALUPENT: SIZE**

Survey: ADULT Asthma Call-Back

Column: 898

Type: NUM

SAS Variable Name: ILP01\_4

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	1	10.00	17.86
2	100 puffs	1	10.00	9.07
4	Other number of puffs	2	20.00	5.83
7	Don't know/Not sure	4	40.00	53.21
9	Refused	2	20.00	14.03
BLANK	Skip filled	16,683		

**ALUPENT: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 899

Type: NUM

SAS Variable Name: ILP02\_4

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	10.00	3.63
2	6 months to 1 year	1	10.00	26.60
3	Longer than 1 year	7	70.00	59.67
9	Refused	1	10.00	10.09
BLANK	Skip filled	16,683		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**ALUPENT: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 900

Type: NUM

SAS Variable Name: ILP03\_4

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	30.00	57.13
2	No	5	50.00	27.43
9	Refused	2	20.00	15.44
BLANK	Skip filled	16,683		

**ALUPENT: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 901

Type: NUM

SAS Variable Name: ILP04\_4

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	70.00	84.08
3	No attack in past 3 months	1	10.00	0.47
9	Refused	2	20.00	15.44
BLANK	Skip filled	16,683		

**ALUPENT: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 902

Type: NUM

SAS Variable Name: ILP05\_4

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	8	80.00	84.56
9	Refused	2	20.00	15.44
BLANK	Skip filled	16,683		

**ALUPENT: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 903

Type: NUM

SAS Variable Name: ILP06\_4

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	10.00	1.52
2	No	7	70.00	83.03
9	Refused	2	20.00	15.44
BLANK	Skip filled	16,683		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**ALUPENT: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 904-905

Type: NUM

SAS Variable Name: ILP07\_4

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	8	80.00	84.56
99	Refused	2	20.00	15.44
BLANK	Skip filled	16,683		

**ALUPENT: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 906-908

Type: NUM

SAS Variable Name: ILP08\_4

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	20.00	48.06
401 - 499	Weeks	2	20.00	7.57
666	Less often than once a week	3	30.00	27.41
777	Don't know	1	10.00	1.52
999	Refused	2	20.00	15.44
BLANK	Skip filled	16,683		

**ALUPENT: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 909-910

Type: NUM

SAS Variable Name: ILP10\_4

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	5	50.00	62.28
88	None/Less than 1 full canister	2	20.00	18.34
99	Refused	3	30.00	19.38
BLANK	Skip filled	16,683		

**ATROVENT: SIZE**

Survey: ADULT Asthma Call-Back

Column: 912

Type: NUM

SAS Variable Name: ILP01\_5

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**ATROVENT: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 913

Type: NUM

SAS Variable Name: ILP02\_5

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	12	9.52	3.87
2	6 months to 1 year	11	8.73	7.08
3	Longer than 1 year	102	80.95	87.36
7	Don't know/Not sure	1	0.79	1.68
BLANK	Skip filled	16,567		

**ATROVENT: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 914

Type: NUM

SAS Variable Name: ILP03\_5

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	54	42.86	35.15
2	No	71	56.35	64.34
7	Don't know/Not sure	1	0.79	0.50
BLANK	Skip filled	16,567		

**ATROVENT: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 915

Type: NUM

SAS Variable Name: ILP04\_5

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	83	65.87	55.08
2	No	37	29.37	41.00
3	No attack in past 3 months	5	3.97	1.08
7	Don't know/Not sure	1	0.79	2.84
BLANK	Skip filled	16,567		

**ATROVENT: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 916

Type: NUM

SAS Variable Name: ILP05\_5

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	44	34.92	41.00
2	No	62	49.21	48.04
3	Didn't exercise in past 3 months	20	15.87	10.96
BLANK	Skip filled	16,567		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**ATROVENT: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 917

Type: NUM

SAS Variable Name: ILP06\_5

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	71	56.35	52.91
2	No	55	43.65	47.09
BLANK	Skip filled	16,567		

**ATROVENT: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 918-919

Type: NUM

SAS Variable Name: ILP07\_5

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	125	99.21	99.94
77	Don't know	1	0.79	0.06
BLANK	Skip filled	16,567		

**ATROVENT: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 920-922

Type: NUM

SAS Variable Name: ILP08\_5

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	75	59.52	53.36
401 - 499	Weeks	26	20.63	31.80
555	Never	1	0.79	1.48
666	Less often than once a week	19	15.08	12.36
777	Don't know	5	3.97	1.00
BLANK	Skip filled	16,567		

**ATROVENT: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 923-924

Type: NUM

SAS Variable Name: ILP10\_5

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**AZMACORT: SIZE**

Survey: ADULT Asthma Call-Back

Column: 925

Type: NUM

SAS Variable Name: ILP01\_6

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**AZMACORT: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 926

Type: NUM

SAS Variable Name: ILP02\_6

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	2.00	0.51
2	6 months to 1 year	2	4.00	1.65
3	Longer than 1 year	47	94.00	97.84
BLANK	Skip filled	16,643		

**AZMACORT: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 927

Type: NUM

SAS Variable Name: ILP03\_6

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16	32.00	23.82
2	No	32	64.00	71.02
3	Medication is a disk inhaler, not a canister inhaler	2	4.00	5.16
BLANK	Skip filled	16,643		

**AZMACORT: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 928

Type: NUM

SAS Variable Name: ILP04\_6

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	29	58.00	75.59
2	No	20	40.00	23.95
3	No attack in past 3 months	1	2.00	0.46
BLANK	Skip filled	16,643		

**AZMACORT: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 929

Type: NUM

SAS Variable Name: ILP05\_6

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	18.00	8.82
2	No	34	68.00	82.51
3	Didn't exercise in past 3 months	7	14.00	8.67
BLANK	Skip filled	16,643		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**AZMACORT: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 930

Type: NUM

SAS Variable Name: ILP06\_6

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	31	62.00	66.27
2	No	19	38.00	33.73
BLANK	Skip filled	16,643		

**AZMACORT: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 931-932

Type: NUM

SAS Variable Name: ILP07\_6

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	50	100.00	100.00
BLANK	Skip filled	16,643		

**AZMACORT: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 933-935

Type: NUM

SAS Variable Name: ILP08\_6

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	29	58.00	67.27
401 - 499	Weeks	7	14.00	10.14
555	Never	1	2.00	0.33
666	Less often than once a week	12	24.00	21.82
777	Don't know	1	2.00	0.44
BLANK	Skip filled	16,643		

**AZMACORT: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 936-937

Type: NUM

SAS Variable Name: ILP10\_6

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**BECLOMETHASONE DIPROPIONATE: SIZE**

Survey: ADULT Asthma Call-Back

Column: 938

Type: NUM

SAS Variable Name: ILP01\_7

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**BECLOMETHASONE DIPROPIONATE: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 939

**Type:** NUM

**SAS Variable Name:** ILP02\_7

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	2	22.22	6.33
2	6 months to 1 year	1	11.11	4.57
3	Longer than 1 year	6	66.67	89.10
BLANK	Skip filled	16,684		

**BECLOMETHASONE DIPROPIONATE: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 940

**Type:** NUM

**SAS Variable Name:** ILP03\_7

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	22.22	7.05
2	No	7	77.78	92.95
BLANK	Skip filled	16,684		

**BECLOMETHASONE DIPROPIONATE: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 941

**Type:** NUM

**SAS Variable Name:** ILP04\_7

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	22.22	36.75
2	No	6	66.67	58.68
3	No attack in past 3 months	1	11.11	4.57
BLANK	Skip filled	16,684		

**BECLOMETHASONE DIPROPIONATE: BEFORE EXERCISING**

**Survey:** ADULT Asthma Call-Back

**Column:** 942

**Type:** NUM

**SAS Variable Name:** ILP05\_7

**Prologue:**

**Description:** Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	7	77.78	65.08
3	Didn't exercise in past 3 months	2	22.22	34.92
BLANK	Skip filled	16,684		



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**BECLOMETHASONE DIPROPIONATE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 943

Type: NUM

SAS Variable Name: ILP06\_7

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	44.44	55.04
2	No	5	55.56	44.96
BLANK	Skip filled	16,684		

**BECLOMETHASONE DIPROPIONATE: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 944-945

Type: NUM

SAS Variable Name: ILP07\_7

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	9	100.00	100.00
BLANK	Skip filled	16,684		

**BECLOMETHASONE DIPROPIONATE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 946-948

Type: NUM

SAS Variable Name: ILP08\_7

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	4	44.44	55.04
401 - 499	Weeks	2	22.22	37.24
666	Less often than once a week	2	22.22	6.33
777	Don't know	1	11.11	1.39
BLANK	Skip filled	16,684		

**BECLOMETHASONE DIPROPIONATE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 949-950

Type: NUM

SAS Variable Name: ILP10\_7

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**BECLOVENT: SIZE**

Survey: ADULT Asthma Call-Back

Column: 951

Type: NUM

SAS Variable Name: ILP01\_8

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**BECLOVENT: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 952

Type: NUM

SAS Variable Name: ILP02\_8

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	4	100.00	100.00
BLANK	Skip filled	16,689		

**BECLOVENT: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 953

Type: NUM

SAS Variable Name: ILP03\_8

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	25.00	28.66
2	No	3	75.00	71.34
BLANK	Skip filled	16,689		

**BECLOVENT: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 954

Type: NUM

SAS Variable Name: ILP04\_8

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	50.00	5.59
2	No	2	50.00	94.41
BLANK	Skip filled	16,689		

**BECLOVENT: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 955

Type: NUM

SAS Variable Name: ILP05\_8

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	25.00	2.32
2	No	2	50.00	31.93
3	Didn't exercise in past 3 months	1	25.00	65.75
BLANK	Skip filled	16,689		

**BECLOVENT: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 956

Type: NUM

SAS Variable Name: ILP06\_8

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	25.00	28.66
2	No	3	75.00	71.34
BLANK	Skip filled	16,689		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**BECLOVENT: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 957-958

Type: NUM

SAS Variable Name: ILP07\_8

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	4	100.00	100.00
BLANK	Skip filled	16,689		

**BECLOVENT: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 959-961

Type: NUM

SAS Variable Name: ILP08\_8

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	50.00	30.98
666	Less often than once a week	2	50.00	69.02
BLANK	Skip filled	16,689		

**BECLOVENT: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 962-963

Type: NUM

SAS Variable Name: ILP10\_8

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**BITOLTEROL: SIZE**

Survey: ADULT Asthma Call-Back

Column: 964

Type: NUM

SAS Variable Name: ILP01\_9

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**BITOLTEROL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 965

Type: NUM

SAS Variable Name: ILP02\_9

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	16.67	5.97
3	Longer than 1 year	5	83.33	94.03
BLANK	Skip filled	16,687		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**BITOLTEROL: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 966

Type: NUM

SAS Variable Name: ILP03\_9

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	50.00	79.32
2	No	3	50.00	20.68
BLANK	Skip filled	16,687		

**BITOLTEROL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 967

Type: NUM

SAS Variable Name: ILP04\_9

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	100.00	100.00
BLANK	Skip filled	16,687		

**BITOLTEROL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 968

Type: NUM

SAS Variable Name: ILP05\_9

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	50.00	13.59
2	No	3	50.00	86.41
BLANK	Skip filled	16,687		

**BITOLTEROL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 969

Type: NUM

SAS Variable Name: ILP06\_9

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	50.00	15.82
2	No	3	50.00	84.18
BLANK	Skip filled	16,687		

**BITOLTEROL: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 970-971

Type: NUM

SAS Variable Name: ILP07\_9

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	6	100.00	100.00
BLANK	Skip filled	16,687		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**BITOLTEROL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 972-974

Type: NUM

SAS Variable Name: ILP08\_9

**Prologue:**

**Description:** Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	50.00	15.82
401 - 499	Weeks	2	33.33	76.15
666	Less often than once a week	1	16.67	8.03
BLANK	Skip filled	16,687		

**BITOLTEROL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 975-976

Type: NUM

SAS Variable Name: ILP10\_9

**Prologue:**

**Description:** Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	5	83.33	91.97
88	None/Less than 1 full canister	1	16.67	8.03
BLANK	Skip filled	16,687		

**BRETHAIRE: SIZE**

Survey: ADULT Asthma Call-Back

Column: 977

Type: NUM

SAS Variable Name: ILP01\_10

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**BRETHAIRE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 978

Type: NUM

SAS Variable Name: ILP02\_10

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
9	Refused	1	100.00	100.00
BLANK	Skip filled	16,692		

**BRETHAIRE: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 979

Type: NUM

SAS Variable Name: ILP03\_10

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
9	Refused	1	100.00	100.00
BLANK	Skip filled	16,692		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**BRETHAIRE: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 980

Type: NUM

SAS Variable Name: ILP04\_10

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
9	Refused	1	100.00	100.00
BLANK	Skip filled	16,692		

**BRETHAIRE: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 981

Type: NUM

SAS Variable Name: ILP05\_10

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
9	Refused	1	100.00	100.00
BLANK	Skip filled	16,692		

**BRETHAIRE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 982

Type: NUM

SAS Variable Name: ILP06\_10

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
9	Refused	1	100.00	100.00
BLANK	Skip filled	16,692		

**BRETHAIRE: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 983-984

Type: NUM

SAS Variable Name: ILP07\_10

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1	100.00	100.00
BLANK	Skip filled	16,692		

**BRETHAIRE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 985-987

Type: NUM

SAS Variable Name: ILP08\_10

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
999	Refused	1	100.00	100.00
BLANK	Skip filled	16,692		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**BRETHAIRE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 988-989

Type: NUM

SAS Variable Name: ILP10\_10

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
99	Refused	1	100.00	100.00
BLANK	Skip filled	16,692		

**BUDESONIDE: SIZE**

Survey: ADULT Asthma Call-Back

Column: 990

Type: NUM

SAS Variable Name: ILP01\_11

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**BUDESONIDE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 991

Type: NUM

SAS Variable Name: ILP02\_11

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	2	15.38	2.84
2	6 months to 1 year	3	23.08	22.73
3	Longer than 1 year	8	61.54	74.43
BLANK	Skip filled	16,680		

**BUDESONIDE: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 992

Type: NUM

SAS Variable Name: ILP03\_11

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	23.08	22.51
2	No	10	76.92	77.49
BLANK	Skip filled	16,680		

**BUDESONIDE: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 993

Type: NUM

SAS Variable Name: ILP04\_11

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	30.77	62.41
2	No	9	69.23	37.59
BLANK	Skip filled	16,680		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**BUDESONIDE: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 994

Type: NUM

SAS Variable Name: ILP05\_11

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	15.38	23.35
2	No	11	84.62	76.65
BLANK	Skip filled	16,680		

**BUDESONIDE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 995

Type: NUM

SAS Variable Name: ILP06\_11

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	76.92	60.95
2	No	3	23.08	39.05
BLANK	Skip filled	16,680		

**BUDESONIDE: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 996-997

Type: NUM

SAS Variable Name: ILP07\_11

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	5	38.46	15.37
77	Don't know	8	61.54	84.63
BLANK	Skip filled	16,680		

**BUDESONIDE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 998-1000

Type: NUM

SAS Variable Name: ILP08\_11

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	7	53.85	55.12
401 - 499	Weeks	2	15.38	20.86
666	Less often than once a week	1	7.69	2.39
777	Don't know	3	23.08	21.64
BLANK	Skip filled	16,680		

**BUDESONIDE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1001-1002

Type: NUM

SAS Variable Name: ILP10\_11

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**COMBIVENT: SIZE**

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 1003

SAS Variable Name: ILP01\_12

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**COMBIVENT: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 1004

SAS Variable Name: ILP02\_12

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	41	7.82	12.43
2	6 months to 1 year	34	6.49	7.05
3	Longer than 1 year	448	85.50	80.41
7	Don't know/Not sure	1	0.19	0.12
BLANK	Skip filled	16,169		

**COMBIVENT: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 1005

SAS Variable Name: ILP03\_12

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	190	36.26	32.13
2	No	331	63.17	67.49
3	Medication is a disk inhaler, not a canister inhaler	1	0.19	0.02
7	Don't know/Not sure	2	0.38	0.36
BLANK	Skip filled	16,169		

**COMBIVENT: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 1006

SAS Variable Name: ILP04\_12

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	415	79.20	76.28
2	No	79	15.08	15.96
3	No attack in past 3 months	29	5.53	7.69
7	Don't know/Not sure	1	0.19	0.08
BLANK	Skip filled	16,169		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**COMBIVENT: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1007

Type: NUM

SAS Variable Name: ILP05\_12

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	178	33.97	43.60
2	No	255	48.66	39.66
3	Didn't exercise in past 3 months	89	16.98	16.72
7	Don't know/Not sure	2	0.38	0.02
BLANK	Skip filled	16,169		

**COMBIVENT: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1008

Type: NUM

SAS Variable Name: ILP06\_12

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	253	48.28	58.37
2	No	270	51.53	41.61
7	Don't know/Not sure	1	0.19	0.02
BLANK	Skip filled	16,169		

**COMBIVENT: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1009-1010

Type: NUM

SAS Variable Name: ILP07\_12

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	520	99.24	99.74
77	Don't know	4	0.76	0.26
BLANK	Skip filled	16,169		

**COMBIVENT: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1011-1013

Type: NUM

SAS Variable Name: ILP08\_12

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	301	57.44	59.82
401 - 499	Weeks	119	22.71	27.53
555	Never	7	1.34	3.08
666	Less often than once a week	67	12.79	6.61
777	Don't know	28	5.34	2.93
999	Refused	2	0.38	0.03
BLANK	Skip filled	16,169		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**COMBIVENT: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1014-1015

Type: NUM

SAS Variable Name: ILP10\_12

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**CROMOLYN: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1016

Type: NUM

SAS Variable Name: ILP01\_13

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**CROMOLYN: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1017

Type: NUM

SAS Variable Name: ILP02\_13

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	16,692		

**CROMOLYN: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1018

Type: NUM

SAS Variable Name: ILP03\_13

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	16,692		

**CROMOLYN: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1019

Type: NUM

SAS Variable Name: ILP04\_13

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	16,692		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**CROMOLYN: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1020

Type: NUM

SAS Variable Name: ILP05\_13

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	16,692		

**CROMOLYN: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1021

Type: NUM

SAS Variable Name: ILP06\_13

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	16,692		

**CROMOLYN: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1022-1023

Type: NUM

SAS Variable Name: ILP07\_13

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1	100.00	100.00
BLANK	Skip filled	16,692		

**CROMOLYN: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1024-1026

Type: NUM

SAS Variable Name: ILP08\_13

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	1	100.00	100.00
BLANK	Skip filled	16,692		

**CROMOLYN: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1027-1028

Type: NUM

SAS Variable Name: ILP10\_13

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**FLOVENT: SIZE**

**Survey:** ADULT Asthma Call-Back

**Type:** NUM

**Column:** 1029

**SAS Variable Name:** ILP01\_14

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**FLOVENT: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Type:** NUM

**Column:** 1030

**SAS Variable Name:** ILP02\_14

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	93	13.48	20.75
2	6 months to 1 year	80	11.59	7.65
3	Longer than 1 year	516	74.78	71.54
7	Don't know/Not sure	1	0.14	0.06
BLANK	Skip filled	16,003		

**FLOVENT: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Type:** NUM

**Column:** 1031

**SAS Variable Name:** ILP03\_14

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	260	37.68	34.43
2	No	421	61.01	64.63
3	Medication is a disk inhaler, not a canister inhaler	4	0.58	0.16
7	Don't know/Not sure	5	0.72	0.78
BLANK	Skip filled	16,003		

**FLOVENT: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Type:** NUM

**Column:** 1032

**SAS Variable Name:** ILP04\_14

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	257	37.25	38.38
2	No	354	51.30	52.74
3	No attack in past 3 months	76	11.01	8.79
7	Don't know/Not sure	2	0.29	0.04
9	Refused	1	0.14	0.05
BLANK	Skip filled	16,003		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**FLOVENT: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1033

Type: NUM

SAS Variable Name: ILP05\_14

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	198	28.70	32.13
2	No	435	63.04	62.56
3	Didn't exercise in past 3 months	52	7.54	5.22
7	Don't know/Not sure	5	0.72	0.09
BLANK	Skip filled	16,003		

**FLOVENT: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1034

Type: NUM

SAS Variable Name: ILP06\_14

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	551	79.86	80.42
2	No	139	20.14	19.58
BLANK	Skip filled	16,003		

**FLOVENT: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1035-1036

Type: NUM

SAS Variable Name: ILP07\_14

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	688	99.71	99.94
77	Don't know	1	0.14	0.05
99	Refused	1	0.14	0.01
BLANK	Skip filled	16,003		

**FLOVENT: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1037-1039

Type: NUM

SAS Variable Name: ILP08\_14

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	540	78.26	79.32
401 - 499	Weeks	88	12.75	12.16
555	Never	3	0.43	0.21
666	Less often than once a week	52	7.54	7.89
777	Don't know	6	0.87	0.42
999	Refused	1	0.14	0.01
BLANK	Skip filled	16,003		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**FLOVENT: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1040-1041

Type: NUM

SAS Variable Name: ILP10\_14

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**FLOVENT ROTADISK: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1042

Type: NUM

SAS Variable Name: ILP01\_15

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**FLOVENT ROTADISK: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1043

Type: NUM

SAS Variable Name: ILP02\_15

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	3	11.54	33.29
2	6 months to 1 year	7	26.92	23.28
3	Longer than 1 year	16	61.54	43.43
BLANK	Skip filled	16,667		

**FLOVENT ROTADISK: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1044

Type: NUM

SAS Variable Name: ILP03\_15

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**FLOVENT ROTADISK: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1045

Type: NUM

SAS Variable Name: ILP04\_15

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	42.31	52.66
2	No	13	50.00	45.52
3	No attack in past 3 months	2	7.69	1.82
BLANK	Skip filled	16,667		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**FLOVENT ROTADISK: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1046

Type: NUM

SAS Variable Name: ILP05\_15

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	42.31	38.88
2	No	12	46.15	50.49
3	Didn't exercise in past 3 months	3	11.54	10.63
BLANK	Skip filled	16,667		

**FLOVENT ROTADISK: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1047

Type: NUM

SAS Variable Name: ILP06\_15

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	24	92.31	95.07
2	No	2	7.69	4.93
BLANK	Skip filled	16,667		

**FLOVENT ROTADISK: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1048-1049

Type: NUM

SAS Variable Name: ILP07\_15

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	25	96.15	97.57
77	Don't know	1	3.85	2.43
BLANK	Skip filled	16,667		

**FLOVENT ROTADISK: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1050-1052

Type: NUM

SAS Variable Name: ILP08\_15

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	24	92.31	95.07
401 - 499	Weeks	1	3.85	2.43
666	Less often than once a week	1	3.85	2.50
BLANK	Skip filled	16,667		

**FLOVENT ROTADISK: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1053-1054

Type: NUM

SAS Variable Name: ILP10\_15

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**FLUNISOLIDE: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1055

Type: NUM

SAS Variable Name: ILP01\_16

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**FLUNISOLIDE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1056

Type: NUM

SAS Variable Name: ILP02\_16

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	4	100.00	100.00
BLANK	Skip filled	16,689		

**FLUNISOLIDE: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1057

Type: NUM

SAS Variable Name: ILP03\_16

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	25.00	31.66
2	No	3	75.00	68.34
BLANK	Skip filled	16,689		

**FLUNISOLIDE: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1058

Type: NUM

SAS Variable Name: ILP04\_16

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	75.00	96.98
2	No	1	25.00	3.02
BLANK	Skip filled	16,689		

**FLUNISOLIDE: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1059

Type: NUM

SAS Variable Name: ILP05\_16

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	25.00	31.66
2	No	3	75.00	68.34
BLANK	Skip filled	16,689		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**FLUNISOLIDE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1060

Type: NUM

SAS Variable Name: ILP06\_16

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	50.00	65.32
2	No	2	50.00	34.68
BLANK	Skip filled	16,689		

**FLUNISOLIDE: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1061-1062

Type: NUM

SAS Variable Name: ILP07\_16

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	4	100.00	100.00
BLANK	Skip filled	16,689		

**FLUNISOLIDE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1063-1065

Type: NUM

SAS Variable Name: ILP08\_16

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	75.00	68.34
401 - 499	Weeks	1	25.00	31.66
BLANK	Skip filled	16,689		

**FLUNISOLIDE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1066-1067

Type: NUM

SAS Variable Name: ILP10\_16

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**FLUTICASONE: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1068

Type: NUM

SAS Variable Name: ILP01\_17

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**FLUTICASONE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1069

Type: NUM

SAS Variable Name: ILP02\_17

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	12	24.00	33.48
2	6 months to 1 year	6	12.00	8.63
3	Longer than 1 year	29	58.00	55.75
7	Don't know/Not sure	3	6.00	2.14
BLANK	Skip filled	16,643		

**FLUTICASONE: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1070

Type: NUM

SAS Variable Name: ILP03\_17

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	20.00	6.77
2	No	37	74.00	89.04
3	Medication is a disk inhaler, not a canister inhaler	2	4.00	2.74
7	Don't know/Not sure	1	2.00	1.46
BLANK	Skip filled	16,643		

**FLUTICASONE: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1071

Type: NUM

SAS Variable Name: ILP04\_17

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	23	46.00	42.36
2	No	22	44.00	43.27
3	No attack in past 3 months	4	8.00	12.92
7	Don't know/Not sure	1	2.00	1.46
BLANK	Skip filled	16,643		

**FLUTICASONE: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1072

Type: NUM

SAS Variable Name: ILP05\_17

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18	36.00	39.59
2	No	24	48.00	52.19
3	Didn't exercise in past 3 months	7	14.00	6.77
7	Don't know/Not sure	1	2.00	1.46
BLANK	Skip filled	16,643		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**FLUTICASONE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1073

Type: NUM

SAS Variable Name: ILP06\_17

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	32	64.00	56.47
2	No	17	34.00	42.08
7	Don't know/Not sure	1	2.00	1.46
BLANK	Skip filled	16,643		

**FLUTICASONE: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1074-1075

Type: NUM

SAS Variable Name: ILP07\_17

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	49	98.00	98.54
77	Don't know	1	2.00	1.46
BLANK	Skip filled	16,643		

**FLUTICASONE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1076-1078

Type: NUM

SAS Variable Name: ILP08\_17

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	30	60.00	60.13
401 - 499	Weeks	13	26.00	35.32
555	Never	1	2.00	0.26
666	Less often than once a week	4	8.00	1.64
777	Don't know	2	4.00	2.65
BLANK	Skip filled	16,643		

**FLUTICASONE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1079-1080

Type: NUM

SAS Variable Name: ILP10\_17

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**INTAL: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1081

Type: NUM

SAS Variable Name: ILP01\_18

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**INTAL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1082

Type: NUM

SAS Variable Name: ILP02\_18

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	9	100.00	100.00
BLANK	Skip filled	16,684		

**INTAL: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1083

Type: NUM

SAS Variable Name: ILP03\_18

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	33.33	52.08
2	No	5	55.56	43.41
7	Don't know/Not sure	1	11.11	4.51
BLANK	Skip filled	16,684		

**INTAL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1084

Type: NUM

SAS Variable Name: ILP04\_18

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	77.78	74.76
2	No	2	22.22	25.24
BLANK	Skip filled	16,684		

**INTAL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1085

Type: NUM

SAS Variable Name: ILP05\_18

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	33.33	10.93
2	No	5	55.56	70.86
3	Didn't exercise in past 3 months	1	11.11	18.21
BLANK	Skip filled	16,684		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**INTAL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1086

Type: NUM

SAS Variable Name: ILP06\_18

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	44.44	59.35
2	No	5	55.56	40.65
BLANK	Skip filled	16,684		

**INTAL: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1087-1088

Type: NUM

SAS Variable Name: ILP07\_18

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	9	100.00	100.00
BLANK	Skip filled	16,684		

**INTAL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1089-1091

Type: NUM

SAS Variable Name: ILP08\_18

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	4	44.44	32.08
401 - 499	Weeks	3	33.33	38.59
666	Less often than once a week	2	22.22	29.33
BLANK	Skip filled	16,684		

**INTAL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1092-1093

Type: NUM

SAS Variable Name: ILP10\_18

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**IPRATROPIUM BROMIDE: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1094

Type: NUM

SAS Variable Name: ILP01\_19

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**IPRATROPIUM BROMIDE: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1095

**Type:** NUM

**SAS Variable Name:** ILP02\_19

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	4	13.79	5.72
3	Longer than 1 year	25	86.21	94.28
BLANK	Skip filled	16,664		

**IPRATROPIUM BROMIDE: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1096

**Type:** NUM

**SAS Variable Name:** ILP03\_19

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12	41.38	40.21
2	No	16	55.17	51.53
9	Refused	1	3.45	8.26
BLANK	Skip filled	16,664		

**IPRATROPIUM BROMIDE: WHEN ATTACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1097

**Type:** NUM

**SAS Variable Name:** ILP04\_19

**Prologue:**

**Description:** Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	21	72.41	79.97
2	No	5	17.24	14.35
3	No attack in past 3 months	3	10.34	5.68
BLANK	Skip filled	16,664		

**IPRATROPIUM BROMIDE: BEFORE EXERCISING**

**Survey:** ADULT Asthma Call-Back

**Column:** 1098

**Type:** NUM

**SAS Variable Name:** ILP05\_19

**Prologue:**

**Description:** Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	37.93	57.08
2	No	14	48.28	31.73
3	Didn't exercise in past 3 months	4	13.79	11.19
BLANK	Skip filled	16,664		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**IPRATROPIUM BROMIDE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1099

Type: NUM

SAS Variable Name: ILP06\_19

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	21	72.41	83.60
2	No	8	27.59	16.40
BLANK	Skip filled	16,664		

**IPRATROPIUM BROMIDE: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1100-1101

Type: NUM

SAS Variable Name: ILP07\_19

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	14	48.28	40.48
77	Don't know	13	44.83	48.30
99	Refused	2	6.90	11.22
BLANK	Skip filled	16,664		

**IPRATROPIUM BROMIDE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1102-1104

Type: NUM

SAS Variable Name: ILP08\_19

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	20	68.97	72.40
401 - 499	Weeks	4	13.79	17.97
666	Less often than once a week	3	10.34	4.47
777	Don't know	1	3.45	2.21
999	Refused	1	3.45	2.96
BLANK	Skip filled	16,664		

**IPRATROPIUM BROMIDE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1105-1106

Type: NUM

SAS Variable Name: ILP10\_19

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**MAXAIR: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1107

Type: NUM

SAS Variable Name: ILP01\_20

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**MAXAIR: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1108

Type: NUM

SAS Variable Name: ILP02\_20

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	1.03	0.06
2	6 months to 1 year	5	5.15	21.18
3	Longer than 1 year	91	93.81	78.76
BLANK	Skip filled	16,596		

**MAXAIR: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1109

Type: NUM

SAS Variable Name: ILP03\_20

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12	12.37	18.85
2	No	85	87.63	81.15
BLANK	Skip filled	16,596		

**MAXAIR: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1110

Type: NUM

SAS Variable Name: ILP04\_20

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	85	87.63	88.08
2	No	8	8.25	10.58
3	No attack in past 3 months	4	4.12	1.34
BLANK	Skip filled	16,596		

**MAXAIR: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1111

Type: NUM

SAS Variable Name: ILP05\_20

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	38	39.18	61.44
2	No	52	53.61	30.37
3	Didn't exercise in past 3 months	6	6.19	8.10
9	Refused	1	1.03	0.08
BLANK	Skip filled	16,596		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**MAXAIR: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1112

Type: NUM

SAS Variable Name: ILP06\_20

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	21	21.65	20.61
2	No	76	78.35	79.39
BLANK	Skip filled	16,596		

**MAXAIR: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1113-1114

Type: NUM

SAS Variable Name: ILP07\_20

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	97	100.00	100.00
BLANK	Skip filled	16,596		

**MAXAIR: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1115-1117

Type: NUM

SAS Variable Name: ILP08\_20

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	27	27.84	30.08
401 - 499	Weeks	36	37.11	50.53
555	Never	2	2.06	1.68
666	Less often than once a week	27	27.84	16.05
777	Don't know	5	5.15	1.66
BLANK	Skip filled	16,596		

**MAXAIR: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1118-1119

Type: NUM

SAS Variable Name: ILP10\_20

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	67	69.07	82.78
77	Don't know	2	2.06	1.16
88	None/Less than 1 full canister	28	28.87	16.07
BLANK	Skip filled	16,596		

**METAPROTERONOL: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1120

Type: NUM

SAS Variable Name: ILP01\_21

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1	100.00	100.00
BLANK	Skip filled	16,692		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**METAPROTERONOL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1121

Type: NUM

SAS Variable Name: ILP02\_21

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1	100.00	100.00
BLANK	Skip filled	16,692		

**METAPROTERONOL: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1122

Type: NUM

SAS Variable Name: ILP03\_21

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1	100.00	100.00
BLANK	Skip filled	16,692		

**METAPROTERONOL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1123

Type: NUM

SAS Variable Name: ILP04\_21

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1	100.00	100.00
BLANK	Skip filled	16,692		

**METAPROTERONOL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1124

Type: NUM

SAS Variable Name: ILP05\_21

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1	100.00	100.00
BLANK	Skip filled	16,692		

**METAPROTERONOL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1125

Type: NUM

SAS Variable Name: ILP06\_21

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1	100.00	100.00
BLANK	Skip filled	16,692		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**METAPROTERONOL: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1126-1127

Type: NUM

SAS Variable Name: ILP07\_21

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
77	Don't know	1	100.00	100.00
BLANK	Skip filled	16,692		

**METAPROTERONOL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1128-1130

Type: NUM

SAS Variable Name: ILP08\_21

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
777	Don't know	1	100.00	100.00
BLANK	Skip filled	16,692		

**METAPROTERONOL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1131-1132

Type: NUM

SAS Variable Name: ILP10\_21

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
77	Don't know	1	100.00	100.00
BLANK	Skip filled	16,692		

**NEDOCROMIL: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1133

Type: NUM

SAS Variable Name: ILP01\_22

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**NEDOCROMIL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1134

Type: NUM

SAS Variable Name: ILP02\_22

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**NEDOCROMIL: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1135

Type: NUM

SAS Variable Name: ILP03\_22

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**NEDOCROMIL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1136

Type: NUM

SAS Variable Name: ILP04\_22

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**NEDOCROMIL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1137

Type: NUM

SAS Variable Name: ILP05\_22

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**NEDOCROMIL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1138

Type: NUM

SAS Variable Name: ILP06\_22

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**NEDOCROMIL: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1139-1140

Type: NUM

SAS Variable Name: ILP07\_22

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**NEDOCROMIL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1141-1143

Type: NUM

SAS Variable Name: ILP08\_22

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**NEDOCROMIL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1144-1145

Type: NUM

SAS Variable Name: ILP10\_22

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**PIRBUTEROL: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1146

Type: NUM

SAS Variable Name: ILP01\_23

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**PIRBUTEROL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1147

Type: NUM

SAS Variable Name: ILP02\_23

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	25.00	0.29
3	Longer than 1 year	3	75.00	99.71
BLANK	Skip filled	16,689		

**PIRBUTEROL: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1148

Type: NUM

SAS Variable Name: ILP03\_23

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	4	100.00	100.00
BLANK	Skip filled	16,689		

**PIRBUTEROL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1149

Type: NUM

SAS Variable Name: ILP04\_23

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	75.00	12.32
2	No	1	25.00	87.68
BLANK	Skip filled	16,689		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**PIRBUTEROL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1150

Type: NUM

SAS Variable Name: ILP05\_23

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	25.00	87.68
2	No	3	75.00	12.32
BLANK	Skip filled	16,689		

**PIRBUTEROL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1151

Type: NUM

SAS Variable Name: ILP06\_23

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	50.00	3.30
2	No	2	50.00	96.70
BLANK	Skip filled	16,689		

**PIRBUTEROL: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1152-1153

Type: NUM

SAS Variable Name: ILP07\_23

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	4	100.00	100.00
BLANK	Skip filled	16,689		

**PIRBUTEROL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1154-1156

Type: NUM

SAS Variable Name: ILP08\_23

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	25.00	3.01
401 - 499	Weeks	2	50.00	87.97
666	Less often than once a week	1	25.00	9.02
BLANK	Skip filled	16,689		

**PIRBUTEROL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1157-1158

Type: NUM

SAS Variable Name: ILP10\_23

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	3	75.00	90.98
88	None/Less than 1 full canister	1	25.00	9.02
BLANK	Skip filled	16,689		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**PROVENTIL: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1159

Type: NUM

SAS Variable Name: ILP01\_24

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	87	12.55	14.36
2	100 puffs	75	10.82	9.10
3	200 puffs	332	47.91	48.97
4	Other number of puffs	57	8.23	10.43
5	Used different sizes of this medication in the past 3 months	4	0.58	0.49
7	Don't know/Not sure	136	19.62	16.45
9	Refused	2	0.29	0.19
BLANK	Skip filled	16,000		

**PROVENTIL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1160

Type: NUM

SAS Variable Name: ILP02\_24

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	65	9.38	11.78
2	6 months to 1 year	55	7.94	7.63
3	Longer than 1 year	572	82.54	80.22
7	Don't know/Not sure	1	0.14	0.37
BLANK	Skip filled	16,000		

**PROVENTIL: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1161

Type: NUM

SAS Variable Name: ILP03\_24

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	202	29.15	31.23
2	No	481	69.41	67.63
3	Medication is a disk inhaler, not a canister inhaler	1	0.14	0.10
7	Don't know/Not sure	9	1.30	1.04
BLANK	Skip filled	16,000		

**PROVENTIL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1162

Type: NUM

SAS Variable Name: ILP04\_24

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	590	85.14	90.63
2	No	56	8.08	5.52
3	No attack in past 3 months	46	6.64	3.81
7	Don't know/Not sure	1	0.14	0.04
BLANK	Skip filled	16,000		



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**PROVENTIL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1163

Type: NUM

SAS Variable Name: ILP05\_24

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	267	38.53	39.35
2	No	340	49.06	46.68
3	Didn't exercise in past 3 months	85	12.27	13.87
7	Don't know/Not sure	1	0.14	0.10
BLANK	Skip filled	16,000		

**PROVENTIL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1164

Type: NUM

SAS Variable Name: ILP06\_24

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	203	29.29	27.26
2	No	490	70.71	72.74
BLANK	Skip filled	16,000		

**PROVENTIL: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1165-1166

Type: NUM

SAS Variable Name: ILP07\_24

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	691	99.71	99.98
77	Don't know	1	0.14	0.01
99	Refused	1	0.14	0.01
BLANK	Skip filled	16,000		

**PROVENTIL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1167-1169

Type: NUM

SAS Variable Name: ILP08\_24

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	247	35.64	32.16
401 - 499	Weeks	224	32.32	39.26
555	Never	20	2.89	6.35
666	Less often than once a week	181	26.12	21.18
777	Don't know	19	2.74	1.00
999	Refused	2	0.29	0.06
BLANK	Skip filled	16,000		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**PROVENTIL: NUMBER OF CANISTERS**

**Survey:** ADULT Asthma Call-Back

**Column:** 1170-1171

**Type:** NUM

**SAS Variable Name:** ILP10\_24

**Prologue:**

**Description:** Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	537	77.49	84.05
77	Don't know	40	5.77	3.44
88	None/Less than 1 full canister	113	16.31	12.19
99	Refused	3	0.43	0.32
BLANK	Skip filled	16,000		

**PULMICORT TURBUHALER: SIZE**

**Survey:** ADULT Asthma Call-Back

**Column:** 1172

**Type:** NUM

**SAS Variable Name:** ILP01\_25

**Prologue:**

**Description:** Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**PULMICORT TURBUHALER: HOW LONG USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1173

**Type:** NUM

**SAS Variable Name:** ILP02\_25

**Prologue:**

**Description:** Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	15	9.74	10.85
2	6 months to 1 year	16	10.39	24.62
3	Longer than 1 year	123	79.87	64.54
BLANK	Skip filled	16,539		

**PULMICORT TURBUHALER: WHETHER SPACER USED**

**Survey:** ADULT Asthma Call-Back

**Column:** 1174

**Type:** NUM

**SAS Variable Name:** ILP03\_25

**Prologue:** A spacer is a small attachment for an inhaler that makes it easier to use.

**Description:** Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	6.49	4.50
2	No	140	90.91	92.06
3	Medication is a disk inhaler, not a canister inhaler	4	2.60	3.43
BLANK	Skip filled	16,539		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**PULMICORT TURBUHALER: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1175

Type: NUM

SAS Variable Name: ILP04\_25

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	42	27.27	26.66
2	No	89	57.79	64.99
3	No attack in past 3 months	22	14.29	7.31
7	Don't know/Not sure	1	0.65	1.04
BLANK	Skip filled	16,539		

**PULMICORT TURBUHALER: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1176

Type: NUM

SAS Variable Name: ILP05\_25

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	29	18.83	19.32
2	No	110	71.43	76.43
3	Didn't exercise in past 3 months	15	9.74	4.24
BLANK	Skip filled	16,539		

**PULMICORT TURBUHALER: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1177

Type: NUM

SAS Variable Name: ILP06\_25

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	131	85.06	86.64
2	No	23	14.94	13.36
BLANK	Skip filled	16,539		

**PULMICORT TURBUHALER: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1178-1179

Type: NUM

SAS Variable Name: ILP07\_25

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	149	96.75	98.24
77	Don't know	4	2.60	1.59
99	Refused	1	0.65	0.17
BLANK	Skip filled	16,539		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**PULMICORT TURBUHALER: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1180-1182

Type: NUM

SAS Variable Name: ILP08\_25

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	129	83.77	83.72
401 - 499	Weeks	21	13.64	12.39
555	Never	1	0.65	0.06
666	Less often than once a week	2	1.30	1.76
777	Don't know	1	0.65	2.08
BLANK	Skip filled	16,539		

**PULMICORT TURBUHALER: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1183-1184

Type: NUM

SAS Variable Name: ILP10\_25

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**SALMETEROL: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1185

Type: NUM

SAS Variable Name: ILP01\_26

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**SALMETEROL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1186

Type: NUM

SAS Variable Name: ILP02\_26

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	12.50	4.84
2	6 months to 1 year	2	25.00	29.13
3	Longer than 1 year	5	62.50	66.03
BLANK	Skip filled	16,685		

**SALMETEROL: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1187

Type: NUM

SAS Variable Name: ILP03\_26

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	12.50	21.87
2	No	7	87.50	78.13
BLANK	Skip filled	16,685		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**SALMETEROL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1188

Type: NUM

SAS Variable Name: ILP04\_26

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	62.50	82.94
2	No	3	37.50	17.06
BLANK	Skip filled	16,685		

**SALMETEROL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1189

Type: NUM

SAS Variable Name: ILP05\_26

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	8	100.00	100.00
BLANK	Skip filled	16,685		

**SALMETEROL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1190

Type: NUM

SAS Variable Name: ILP06\_26

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	50.00	21.90
2	No	4	50.00	78.10
BLANK	Skip filled	16,685		

**SALMETEROL: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1191-1192

Type: NUM

SAS Variable Name: ILP07\_26

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	8	100.00	100.00
BLANK	Skip filled	16,685		

**SALMETEROL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1193-1195

Type: NUM

SAS Variable Name: ILP08\_26

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	5	62.50	43.78
401 - 499	Weeks	2	25.00	49.21
666	Less often than once a week	1	12.50	7.02
BLANK	Skip filled	16,685		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**SALMETEROL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1196-1197

Type: NUM

SAS Variable Name: ILP10\_26

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**SEREVENT: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1198

Type: NUM

SAS Variable Name: ILP01\_27

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**SEREVENT: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1199

Type: NUM

SAS Variable Name: ILP02\_27

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	9	7.96	14.97
2	6 months to 1 year	7	6.19	6.96
3	Longer than 1 year	97	85.84	78.07
BLANK	Skip filled	16,580		

**SEREVENT: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1200

Type: NUM

SAS Variable Name: ILP03\_27

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14	12.39	13.87
2	No	81	71.68	75.78
3	Medication is a disk inhaler, not a canister inhaler	17	15.04	10.29
7	Don't know/Not sure	1	0.88	0.06
BLANK	Skip filled	16,580		

**SEREVENT: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1201

Type: NUM

SAS Variable Name: ILP04\_27

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	27	23.89	20.27
2	No	69	61.06	69.27
3	No attack in past 3 months	17	15.04	10.46
BLANK	Skip filled	16,580		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**SEREVENT: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1202

Type: NUM

SAS Variable Name: ILP05\_27

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	28	24.78	19.03
2	No	74	65.49	70.85
3	Didn't exercise in past 3 months	10	8.85	6.25
9	Refused	1	0.88	3.87
BLANK	Skip filled	16,580		

**SEREVENT: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1203

Type: NUM

SAS Variable Name: ILP06\_27

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	109	96.46	98.65
2	No	4	3.54	1.35
BLANK	Skip filled	16,580		

**SEREVENT: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1204-1205

Type: NUM

SAS Variable Name: ILP07\_27

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	110	97.35	98.97
77	Don't know	2	1.77	0.87
99	Refused	1	0.88	0.16
BLANK	Skip filled	16,580		

**SEREVENT: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1206-1208

Type: NUM

SAS Variable Name: ILP08\_27

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	105	92.92	98.27
401 - 499	Weeks	5	4.42	1.11
666	Less often than once a week	3	2.65	0.63
BLANK	Skip filled	16,580		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**SEREVENT: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1209-1210

Type: NUM

SAS Variable Name: ILP10\_27

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**TERBUTALINE (+ T. SULFATE): SIZE**

Survey: ADULT Asthma Call-Back

Column: 1211

Type: NUM

SAS Variable Name: ILP01\_28

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**TERBUTALINE (+ T. SULFATE): HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1212

Type: NUM

SAS Variable Name: ILP02\_28

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**TERBUTALINE (+ T. SULFATE): WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1213

Type: NUM

SAS Variable Name: ILP03\_28

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**TERBUTALINE (+ T. SULFATE): WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1214

Type: NUM

SAS Variable Name: ILP04\_28

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**TERBUTALINE (+ T. SULFATE): BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1215

Type: NUM

SAS Variable Name: ILP05\_28

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**TERBUTALINE (+ T. SULFATE): REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1216

Type: NUM

SAS Variable Name: ILP06\_28

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**TERBUTALINE (+ T. SULFATE): NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1217-1218

Type: NUM

SAS Variable Name: ILP07\_28

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**TERBUTALINE (+ T. SULFATE): TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1219-1221

Type: NUM

SAS Variable Name: ILP08\_28

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**TERBUTALINE (+ T. SULFATE): NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1222-1223

Type: NUM

SAS Variable Name: ILP10\_28

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**TILADE: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1224

Type: NUM

SAS Variable Name: ILP01\_29

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**TILADE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1225

Type: NUM

SAS Variable Name: ILP02\_29

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	16,692		

**TILADE: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1226

Type: NUM

SAS Variable Name: ILP03\_29

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	16,692		

**TILADE: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1227

Type: NUM

SAS Variable Name: ILP04\_29

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	16,692		

**TILADE: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1228

Type: NUM

SAS Variable Name: ILP05\_29

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	16,692		

**TILADE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1229

Type: NUM

SAS Variable Name: ILP06\_29

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	16,692		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**TILADE: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1230-1231

Type: NUM

SAS Variable Name: ILP07\_29

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1	100.00	100.00
BLANK	Skip filled	16,692		

**TILADE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1232-1234

Type: NUM

SAS Variable Name: ILP08\_29

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	1	100.00	100.00
BLANK	Skip filled	16,692		

**TILADE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1235-1236

Type: NUM

SAS Variable Name: ILP10\_29

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**TORNALATE: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1237

Type: NUM

SAS Variable Name: ILP01\_30

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**TORNALATE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1238

Type: NUM

SAS Variable Name: ILP02\_30

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	16,692		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**TORNALATE: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1239

Type: NUM

SAS Variable Name: ILP03\_30

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	16,692		

**TORNALATE: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1240

Type: NUM

SAS Variable Name: ILP04\_30

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	16,692		

**TORNALATE: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1241

Type: NUM

SAS Variable Name: ILP05\_30

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	16,692		

**TORNALATE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1242

Type: NUM

SAS Variable Name: ILP06\_30

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	16,692		

**TORNALATE: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1243-1244

Type: NUM

SAS Variable Name: ILP07\_30

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1	100.00	100.00
BLANK	Skip filled	16,692		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**TORNALATE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1245-1247

Type: NUM

SAS Variable Name: ILP08\_30

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	100.00	100.00
BLANK	Skip filled	16,692		

**TORNALATE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1248-1249

Type: NUM

SAS Variable Name: ILP10\_30

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	1	100.00	100.00
BLANK	Skip filled	16,692		

**TRIAMCINOLONE ACETONIDE: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1250

Type: NUM

SAS Variable Name: ILP01\_31

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**TRIAMCINOLONE ACETONIDE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1251

Type: NUM

SAS Variable Name: ILP02\_31

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**TRIAMCINOLONE ACETONIDE: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1252

Type: NUM

SAS Variable Name: ILP03\_31

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**TRIAMCINOLONE ACETONIDE: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1253

Type: NUM

SAS Variable Name: ILP04\_31

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**TRIAMCINOLONE ACETONIDE: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1254

Type: NUM

SAS Variable Name: ILP05\_31

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**TRIAMCINOLONE ACETONIDE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1255

Type: NUM

SAS Variable Name: ILP06\_31

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**TRIAMCINOLONE ACETONIDE: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1256-1257

Type: NUM

SAS Variable Name: ILP07\_31

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**TRIAMCINOLONE ACETONIDE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1258-1260

Type: NUM

SAS Variable Name: ILP08\_31

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**TRIAMCINOLONE ACETONIDE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1261-1262

Type: NUM

SAS Variable Name: ILP10\_31

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**VANCERIL: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1263

Type: NUM

SAS Variable Name: ILP01\_32

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**VANCERIL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1264

Type: NUM

SAS Variable Name: ILP02\_32

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	3	42.86	33.48
2	6 months to 1 year	1	14.29	24.04
3	Longer than 1 year	3	42.86	42.48
BLANK	Skip filled	16,686		

**VANCERIL: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1265

Type: NUM

SAS Variable Name: ILP03\_32

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	42.86	35.79
2	No	3	42.86	57.25
7	Don't know/Not sure	1	14.29	6.96
BLANK	Skip filled	16,686		

**VANCERIL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1266

Type: NUM

SAS Variable Name: ILP04\_32

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	100.00	100.00
BLANK	Skip filled	16,686		

**VANCERIL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1267

Type: NUM

SAS Variable Name: ILP05\_32

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	28.57	23.38
2	No	4	57.14	42.75
3	Didn't exercise in past 3 months	1	14.29	33.87
BLANK	Skip filled	16,686		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**VANCERIL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1268

Type: NUM

SAS Variable Name: ILP06\_32

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	28.57	42.63
2	No	5	71.43	57.37
BLANK	Skip filled	16,686		

**VANCERIL: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1269-1270

Type: NUM

SAS Variable Name: ILP07\_32

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	7	100.00	100.00
BLANK	Skip filled	16,686		

**VANCERIL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1271-1273

Type: NUM

SAS Variable Name: ILP08\_32

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	28.57	23.38
401 - 499	Weeks	2	28.57	11.75
666	Less often than once a week	2	28.57	31.00
777	Don't know	1	14.29	33.87
BLANK	Skip filled	16,686		

**VANCERIL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1274-1275

Type: NUM

SAS Variable Name: ILP10\_32

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**VENTOLIN: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1276

Type: NUM

SAS Variable Name: ILP01\_33

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	61	5.65	4.73
2	100 puffs	64	5.93	5.68
3	200 puffs	707	65.46	69.49
4	Other number of puffs	137	12.69	15.44
5	Used different sizes of this medication in the past 3 months	2	0.19	0.13
7	Don't know/Not sure	107	9.91	4.46
9	Refused	2	0.19	0.07
BLANK	Skip filled	15,613		

**VENTOLIN: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1277

Type: NUM

SAS Variable Name: ILP02\_33

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	137	12.69	14.03
2	6 months to 1 year	139	12.87	19.81
3	Longer than 1 year	798	73.89	66.08
7	Don't know/Not sure	6	0.56	0.08
BLANK	Skip filled	15,613		

**VENTOLIN: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1278

Type: NUM

SAS Variable Name: ILP03\_33

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	307	28.43	26.21
2	No	762	70.56	73.12
3	Medication is a disk inhaler, not a canister inhaler	1	0.09	0.07
7	Don't know/Not sure	10	0.93	0.60
BLANK	Skip filled	15,613		

**VENTOLIN: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1279

Type: NUM

SAS Variable Name: ILP04\_33

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	930	86.11	85.50
2	No	81	7.50	8.74
3	No attack in past 3 months	59	5.46	5.35
7	Don't know/Not sure	9	0.83	0.22
9	Refused	1	0.09	0.19
BLANK	Skip filled	15,613		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**VENTOLIN: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1280

Type: NUM

SAS Variable Name: ILP05\_33

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	423	39.17	41.10
2	No	541	50.09	52.06
3	Didn't exercise in past 3 months	110	10.19	6.76
7	Don't know/Not sure	5	0.46	0.05
9	Refused	1	0.09	0.02
BLANK	Skip filled	15,613		

**VENTOLIN: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1281

Type: NUM

SAS Variable Name: ILP06\_33

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	293	27.13	27.80
2	No	780	72.22	72.03
7	Don't know/Not sure	7	0.65	0.17
BLANK	Skip filled	15,613		

**VENTOLIN: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1282-1283

Type: NUM

SAS Variable Name: ILP07\_33

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1,076	99.63	99.88
77	Don't know	4	0.37	0.12
BLANK	Skip filled	15,613		

**VENTOLIN: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1284-1286

Type: NUM

SAS Variable Name: ILP08\_33

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	425	39.35	38.86
401 - 499	Weeks	376	34.81	35.55
555	Never	13	1.20	3.92
666	Less often than once a week	226	20.93	19.38
777	Don't know	39	3.61	2.22
999	Refused	1	0.09	0.07
BLANK	Skip filled	15,613		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**VENTOLIN: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1287-1288

Type: NUM

SAS Variable Name: ILP10\_33

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	798	73.89	81.24
77	Don't know	61	5.65	2.67
88	None/Less than 1 full canister	217	20.09	15.90
99	Refused	4	0.37	0.19
BLANK	Skip filled	15,613		

**FORADIL: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1289

Type: NUM

SAS Variable Name: ILP01\_34

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**FORADIL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1290

Type: NUM

SAS Variable Name: ILP02\_34

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	5	8.06	5.55
2	6 months to 1 year	10	16.13	11.44
3	Longer than 1 year	44	70.97	62.02
9	Refused	3	4.84	20.99
BLANK	Skip filled	16,631		

**FORADIL: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1291

Type: NUM

SAS Variable Name: ILP03\_34

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	20.97	10.24
2	No	44	70.97	68.34
3	Medication is a disk inhaler, not a canister inhaler	2	3.23	0.42
9	Refused	3	4.84	20.99
BLANK	Skip filled	16,631		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**FORADIL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1292

Type: NUM

SAS Variable Name: ILP04\_34

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14	22.58	20.38
2	No	37	59.68	51.01
3	No attack in past 3 months	7	11.29	6.67
7	Don't know/Not sure	1	1.61	20.66
9	Refused	3	4.84	1.29
BLANK	Skip filled	16,631		

**FORADIL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1293

Type: NUM

SAS Variable Name: ILP05\_34

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	16.13	16.60
2	No	37	59.68	54.40
3	Didn't exercise in past 3 months	12	19.35	8.00
7	Don't know/Not sure	1	1.61	20.66
9	Refused	2	3.23	0.34
BLANK	Skip filled	16,631		

**FORADIL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1294

Type: NUM

SAS Variable Name: ILP06\_34

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	53	85.48	73.43
2	No	7	11.29	26.23
9	Refused	2	3.23	0.34
BLANK	Skip filled	16,631		

**FORADIL: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1295-1296

Type: NUM

SAS Variable Name: ILP07\_34

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	58	93.55	70.02
99	Refused	4	6.45	29.98
BLANK	Skip filled	16,631		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**FORADIL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1297-1299

Type: NUM

SAS Variable Name: ILP08\_34

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	52	83.87	73.06
401 - 499	Weeks	5	8.06	4.73
666	Less often than once a week	2	3.23	1.22
777	Don't know	1	1.61	20.66
999	Refused	2	3.23	0.34
BLANK	Skip filled	16,631		

**FORADIL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1300-1301

Type: NUM

SAS Variable Name: ILP10\_34

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**FORMOTEROL: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1302

Type: NUM

SAS Variable Name: ILP01\_35

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**FORMOTEROL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1303

Type: NUM

SAS Variable Name: ILP02\_35

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	7.69	3.09
3	Longer than 1 year	12	92.31	96.91
BLANK	Skip filled	16,680		

**FORMOTEROL: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1304

Type: NUM

SAS Variable Name: ILP03\_35

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	23.08	39.16
2	No	9	69.23	56.38
3	Medication is a disk inhaler, not a canister inhaler	1	7.69	4.45
BLANK	Skip filled	16,680		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**FORMOTEROL: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1305

Type: NUM

SAS Variable Name: ILP04\_35

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	38.46	46.50
2	No	7	53.85	44.53
3	No attack in past 3 months	1	7.69	8.97
BLANK	Skip filled	16,680		

**FORMOTEROL: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1306

Type: NUM

SAS Variable Name: ILP05\_35

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	30.77	25.27
2	No	9	69.23	74.73
BLANK	Skip filled	16,680		

**FORMOTEROL: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1307

Type: NUM

SAS Variable Name: ILP06\_35

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	100.00	100.00
BLANK	Skip filled	16,680		

**FORMOTEROL: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1308-1309

Type: NUM

SAS Variable Name: ILP07\_35

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	12	92.31	97.75
77	Don't know	1	7.69	2.25
BLANK	Skip filled	16,680		

**FORMOTEROL: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1310-1312

Type: NUM

SAS Variable Name: ILP08\_35

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	12	92.31	98.77
401 - 499	Weeks	1	7.69	1.23
BLANK	Skip filled	16,680		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**FORMOTEROL: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1313-1314

Type: NUM

SAS Variable Name: ILP10\_35

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**QVAR: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1315

Type: NUM

SAS Variable Name: ILP01\_36

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**QVAR: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1316

Type: NUM

SAS Variable Name: ILP02\_36

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	60	18.18	30.09
2	6 months to 1 year	39	11.82	6.53
3	Longer than 1 year	227	68.79	63.03
7	Don't know/Not sure	4	1.21	0.34
BLANK	Skip filled	16,363		

**QVAR: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1317

Type: NUM

SAS Variable Name: ILP03\_36

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	110	33.33	32.15
2	No	214	64.85	66.88
7	Don't know/Not sure	6	1.82	0.97
BLANK	Skip filled	16,363		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**QVAR: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1318

Type: NUM

SAS Variable Name: ILP04\_36

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	136	41.21	46.68
2	No	157	47.58	45.04
3	No attack in past 3 months	34	10.30	8.20
7	Don't know/Not sure	3	0.91	0.08
BLANK	Skip filled	16,363		

**QVAR: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1319

Type: NUM

SAS Variable Name: ILP05\_36

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	85	25.76	34.53
2	No	213	64.55	55.99
3	Didn't exercise in past 3 months	30	9.09	9.38
7	Don't know/Not sure	2	0.61	0.10
BLANK	Skip filled	16,363		

**QVAR: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1320

Type: NUM

SAS Variable Name: ILP06\_36

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	267	80.91	76.28
2	No	62	18.79	23.68
7	Don't know/Not sure	1	0.30	0.04
BLANK	Skip filled	16,363		

**QVAR: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1321-1322

Type: NUM

SAS Variable Name: ILP07\_36

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	327	99.09	99.89
77	Don't know	3	0.91	0.11
BLANK	Skip filled	16,363		



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**QVAR: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1323-1325

Type: NUM

SAS Variable Name: ILP08\_36

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	262	79.39	77.14
401 - 499	Weeks	36	10.91	13.57
555	Never	4	1.21	2.85
666	Less often than once a week	25	7.58	6.10
777	Don't know	3	0.91	0.34
BLANK	Skip filled	16,363		

**QVAR: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1326-1327

Type: NUM

SAS Variable Name: ILP10\_36

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**LEVALBUTEROL TARTRATE: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1328

Type: NUM

SAS Variable Name: ILP01\_37

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**LEVALBUTEROL TARTRATE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1329

Type: NUM

SAS Variable Name: ILP02\_37

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	5	100.00	100.00
BLANK	Skip filled	16,688		

**LEVALBUTEROL TARTRATE: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1330

Type: NUM

SAS Variable Name: ILP03\_37

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	40.00	49.91
2	No	3	60.00	50.09
BLANK	Skip filled	16,688		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**LEVALBUTEROL TARTRATE: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1331

Type: NUM

SAS Variable Name: ILP04\_37

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	80.00	52.02
2	No	1	20.00	47.98
BLANK	Skip filled	16,688		

**LEVALBUTEROL TARTRATE: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1332

Type: NUM

SAS Variable Name: ILP05\_37

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	40.00	2.58
2	No	2	40.00	77.65
3	Didn't exercise in past 3 months	1	20.00	19.77
BLANK	Skip filled	16,688		

**LEVALBUTEROL TARTRATE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1333

Type: NUM

SAS Variable Name: ILP06\_37

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	60.00	68.40
2	No	2	40.00	31.60
BLANK	Skip filled	16,688		

**LEVALBUTEROL TARTRATE: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1334-1335

Type: NUM

SAS Variable Name: ILP07\_37

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	5	100.00	100.00
BLANK	Skip filled	16,688		

**LEVALBUTEROL TARTRATE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1336-1338

Type: NUM

SAS Variable Name: ILP08\_37

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	60.00	50.09
401 - 499	Weeks	1	20.00	47.98
777	Don't know	1	20.00	1.93
BLANK	Skip filled	16,688		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**LEVALBUTEROL TARTRATE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1339-1340

Type: NUM

SAS Variable Name: ILP10\_37

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	4	80.00	70.33
77	Don't know	1	20.00	29.67
BLANK	Skip filled	16,688		

**XOPENEX HFA: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1341

Type: NUM

SAS Variable Name: ILP01\_38

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**XOPENEX HFA: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1342

Type: NUM

SAS Variable Name: ILP02\_38

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	34	12.01	10.12
2	6 months to 1 year	45	15.90	21.28
3	Longer than 1 year	201	71.02	68.05
7	Don't know/Not sure	2	0.71	0.29
9	Refused	1	0.35	0.27
BLANK	Skip filled	16,410		

**XOPENEX HFA: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1343

Type: NUM

SAS Variable Name: ILP03\_38

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	80	28.27	22.96
2	No	200	70.67	76.59
3	Medication is a disk inhaler, not a canister inhaler	1	0.35	0.31
7	Don't know/Not sure	1	0.35	0.06
9	Refused	1	0.35	0.08
BLANK	Skip filled	16,410		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**XOPENEX HFA: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1344

Type: NUM

SAS Variable Name: ILP04\_38

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	243	85.87	87.03
2	No	29	10.25	11.40
3	No attack in past 3 months	10	3.53	1.29
7	Don't know/Not sure	1	0.35	0.28
BLANK	Skip filled	16,410		

**XOPENEX HFA: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1345

Type: NUM

SAS Variable Name: ILP05\_38

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	104	36.75	31.06
2	No	154	54.42	61.10
3	Didn't exercise in past 3 months	25	8.83	7.84
BLANK	Skip filled	16,410		

**XOPENEX HFA: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1346

Type: NUM

SAS Variable Name: ILP06\_38

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	79	27.92	25.28
2	No	204	72.08	74.72
BLANK	Skip filled	16,410		

**XOPENEX HFA: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1347-1348

Type: NUM

SAS Variable Name: ILP07\_38

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	275	97.17	98.78
77	Don't know	8	2.83	1.22
BLANK	Skip filled	16,410		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**XOPENEX HFA: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1349-1351

Type: NUM

SAS Variable Name: ILP08\_38

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	104	36.75	37.75
401 - 499	Weeks	93	32.86	36.14
555	Never	10	3.53	13.19
666	Less often than once a week	62	21.91	10.91
777	Don't know	14	4.95	2.02
BLANK	Skip filled	16,410		

**XOPENEX HFA: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1352-1353

Type: NUM

SAS Variable Name: ILP10\_38

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	219	77.39	86.24
77	Don't know	15	5.30	1.94
88	None/Less than 1 full canister	48	16.96	11.79
99	Refused	1	0.35	0.04
BLANK	Skip filled	16,410		

**MOMETASONE FUROATE: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1354

Type: NUM

SAS Variable Name: ILP01\_39

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**MOMETASONE FUROATE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1355

Type: NUM

SAS Variable Name: ILP02\_39

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	4	23.53	45.66
2	6 months to 1 year	2	11.76	16.21
3	Longer than 1 year	11	64.71	38.13
BLANK	Skip filled	16,676		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**MOMETASONE FUROATE: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1356

Type: NUM

SAS Variable Name: ILP03\_39

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**MOMETASONE FUROATE: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1357

Type: NUM

SAS Variable Name: ILP04\_39

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	23.53	42.10
2	No	10	58.82	50.71
3	No attack in past 3 months	3	17.65	7.20
BLANK	Skip filled	16,676		

**MOMETASONE FUROATE: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1358

Type: NUM

SAS Variable Name: ILP05\_39

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	23.53	14.54
2	No	10	58.82	84.03
3	Didn't exercise in past 3 months	3	17.65	1.43
BLANK	Skip filled	16,676		

**MOMETASONE FUROATE: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1359

Type: NUM

SAS Variable Name: ILP06\_39

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	76.47	87.76
2	No	4	23.53	12.24
BLANK	Skip filled	16,676		

**MOMETASONE FUROATE: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1360-1361

Type: NUM

SAS Variable Name: ILP07\_39

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	17	100.00	100.00
BLANK	Skip filled	16,676		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**MOMETASONE FUROATE: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1362-1364

Type: NUM

SAS Variable Name: ILP08\_39

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	15	88.24	96.34
666	Less often than once a week	1	5.88	3.29
777	Don't know	1	5.88	0.38
BLANK	Skip filled	16,676		

**MOMETASONE FUROATE: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1365-1366

Type: NUM

SAS Variable Name: ILP10\_39

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASMANEX (TWISTHALER): SIZE**

Survey: ADULT Asthma Call-Back

Column: 1367

Type: NUM

SAS Variable Name: ILP01\_40

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASMANEX (TWISTHALER): HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1368

Type: NUM

SAS Variable Name: ILP02\_40

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	39	15.35	28.99
2	6 months to 1 year	42	16.54	16.00
3	Longer than 1 year	173	68.11	55.01
BLANK	Skip filled	16,439		

**ASMANEX (TWISTHALER): WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1369

Type: NUM

SAS Variable Name: ILP03\_40

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**ASMANEX (TWISTHALER): WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1370

Type: NUM

SAS Variable Name: ILP04\_40

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	67	26.38	29.75
2	No	156	61.42	64.45
3	No attack in past 3 months	29	11.42	5.71
7	Don't know/Not sure	1	0.39	0.04
9	Refused	1	0.39	0.05
BLANK	Skip filled	16,439		

**ASMANEX (TWISTHALER): BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1371

Type: NUM

SAS Variable Name: ILP05\_40

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	68	26.77	38.17
2	No	164	64.57	57.71
3	Didn't exercise in past 3 months	21	8.27	3.70
7	Don't know/Not sure	1	0.39	0.42
BLANK	Skip filled	16,439		

**ASMANEX (TWISTHALER): REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1372

Type: NUM

SAS Variable Name: ILP06\_40

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	223	87.80	84.30
2	No	31	12.20	15.70
BLANK	Skip filled	16,439		

**ASMANEX (TWISTHALER): NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1373-1374

Type: NUM

SAS Variable Name: ILP07\_40

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	253	99.61	99.95
99	Refused	1	0.39	0.05
BLANK	Skip filled	16,439		



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**ASMANEX (TWISTHALER): TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1375-1377

Type: NUM

SAS Variable Name: ILP08\_40

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	211	83.07	78.97
401 - 499	Weeks	29	11.42	9.11
555	Never	5	1.97	7.31
666	Less often than once a week	8	3.15	4.36
777	Don't know	1	0.39	0.24
BLANK	Skip filled	16,439		

**ASMANEX (TWISTHALER): NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1378-1379

Type: NUM

SAS Variable Name: ILP10\_40

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**PRO-AIR HFA: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1380

Type: NUM

SAS Variable Name: ILP01\_41

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**PRO-AIR HFA: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1381

Type: NUM

SAS Variable Name: ILP02\_41

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	183	12.56	12.90
2	6 months to 1 year	174	11.94	12.22
3	Longer than 1 year	1,092	74.95	74.57
7	Don't know/Not sure	5	0.34	0.18
9	Refused	3	0.21	0.12
BLANK	Skip filled	15,236		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**PRO-AIR HFA: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1382

Type: NUM

SAS Variable Name: ILP03\_41

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	411	28.21	29.10
2	No	1,015	69.66	69.52
3	Medication is a disk inhaler, not a canister inhaler	1	0.07	0.01
7	Don't know/Not sure	28	1.92	1.24
9	Refused	2	0.14	0.13
BLANK	Skip filled	15,236		

**PRO-AIR HFA: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1383

Type: NUM

SAS Variable Name: ILP04\_41

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,230	84.42	83.39
2	No	130	8.92	11.31
3	No attack in past 3 months	90	6.18	5.07
7	Don't know/Not sure	5	0.34	0.11
9	Refused	2	0.14	0.12
BLANK	Skip filled	15,236		

**PRO-AIR HFA: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1384

Type: NUM

SAS Variable Name: ILP05\_41

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	568	38.98	46.01
2	No	716	49.14	46.94
3	Didn't exercise in past 3 months	168	11.53	6.95
7	Don't know/Not sure	4	0.27	0.06
9	Refused	1	0.07	0.05
BLANK	Skip filled	15,236		

**PRO-AIR HFA: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1385

Type: NUM

SAS Variable Name: ILP06\_41

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	392	26.90	26.43
2	No	1,064	73.03	73.52
9	Refused	1	0.07	0.05
BLANK	Skip filled	15,236		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**PRO-AIR HFA: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1386-1387

Type: NUM

SAS Variable Name: ILP07\_41

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1,449	99.45	99.88
77	Don't know	8	0.55	0.12
BLANK	Skip filled	15,236		

**PRO-AIR HFA: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1388-1390

Type: NUM

SAS Variable Name: ILP08\_41

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	545	37.41	34.44
401 - 499	Weeks	487	33.42	39.52
555	Never	17	1.17	3.08
666	Less often than once a week	347	23.82	20.54
777	Don't know	57	3.91	2.31
999	Refused	4	0.27	0.11
BLANK	Skip filled	15,236		

**PRO-AIR HFA: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1391-1392

Type: NUM

SAS Variable Name: ILP10\_41

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	1,150	78.93	81.55
77	Don't know	64	4.39	2.79
88	None/Less than 1 full canister	239	16.40	15.57
99	Refused	4	0.27	0.08
BLANK	Skip filled	15,236		

**SYMBICORT: SIZE**

Survey: ADULT Asthma Call-Back

Column: 1393

Type: NUM

SAS Variable Name: ILP01\_42

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH\_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**SYMBICORT: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1394

Type: NUM

SAS Variable Name: ILP02\_42

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH\_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	148	19.50	19.78
2	6 months to 1 year	155	20.42	18.84
3	Longer than 1 year	453	59.68	61.21
7	Don't know/Not sure	2	0.26	0.13
9	Refused	1	0.13	0.05
BLANK	Skip filled	15,934		

**SYMBICORT: WHETHER SPACER USED**

Survey: ADULT Asthma Call-Back

Column: 1395

Type: NUM

SAS Variable Name: ILP03\_42

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	220	28.99	25.42
2	No	527	69.43	72.07
3	Medication is a disk inhaler, not a canister inhaler	3	0.40	2.26
7	Don't know/Not sure	7	0.92	0.21
9	Refused	2	0.26	0.05
BLANK	Skip filled	15,934		

**SYMBICORT: WHEN ATTACK**

Survey: ADULT Asthma Call-Back

Column: 1396

Type: NUM

SAS Variable Name: ILP04\_42

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	302	39.79	39.90
2	No	386	50.86	52.78
3	No attack in past 3 months	66	8.70	7.05
7	Don't know/Not sure	5	0.66	0.26
BLANK	Skip filled	15,934		

**SYMBICORT: BEFORE EXERCISING**

Survey: ADULT Asthma Call-Back

Column: 1397

Type: NUM

SAS Variable Name: ILP05\_42

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	214	28.19	30.42
2	No	447	58.89	54.10
3	Didn't exercise in past 3 months	91	11.99	15.11
7	Don't know/Not sure	5	0.66	0.08
9	Refused	2	0.26	0.29
BLANK	Skip filled	15,934		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**SYMBICORT: REGULAR SCHEDULE**

Survey: ADULT Asthma Call-Back

Column: 1398

Type: NUM

SAS Variable Name: ILP06\_42

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH\_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	616	81.16	77.76
2	No	142	18.71	22.23
7	Don't know/Not sure	1	0.13	0.01
BLANK	Skip filled	15,934		

**SYMBICORT: NUMBER OF PUFFS**

Survey: ADULT Asthma Call-Back

Column: 1399-1400

Type: NUM

SAS Variable Name: ILP07\_42

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	753	99.21	98.60
77	Don't know	5	0.66	1.33
99	Refused	1	0.13	0.07
BLANK	Skip filled	15,934		

**SYMBICORT: TIMES PER DAY/WEEK**

Survey: ADULT Asthma Call-Back

Column: 1401-1403

Type: NUM

SAS Variable Name: ILP08\_42

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH\_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	624	82.21	72.95
401 - 499	Weeks	84	11.07	20.15
555	Never	3	0.40	0.52
666	Less often than once a week	42	5.53	6.27
777	Don't know	6	0.79	0.11
BLANK	Skip filled	15,934		

**SYMBICORT: NUMBER OF CANISTERS**

Survey: ADULT Asthma Call-Back

Column: 1404-1405

Type: NUM

SAS Variable Name: ILP10\_42

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**PILL ACCOLATE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1406

Type: NUM

SAS Variable Name: PILLX\_1

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	2.04	0.33
3	Longer than 1 year	48	97.96	99.67
BLANK	Skip filled	16,644		

**PILL AEROLATE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1407

Type: NUM

SAS Variable Name: PILLX\_2

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	16,692		

**PILL ALBUTEROL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1408

Type: NUM

SAS Variable Name: PILLX\_3

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	7	17.50	17.16
2	6 months to 1 year	2	5.00	7.36
3	Longer than 1 year	31	77.50	75.48
BLANK	Skip filled	16,653		

**PILL ALUPENT: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1409

Type: NUM

SAS Variable Name: PILLX\_4

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**PILL CHOLEDYL (OXTRIPHYLLINE): HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1410

Type: NUM

SAS Variable Name: PILLX\_5

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	16,692		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**PILL DELTASONE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1411

Type: NUM

SAS Variable Name: PILLX\_7

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	2	100.00	100.00
BLANK	Skip filled	16,691		

**PILL ELIXOPHYLLIN: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1412

Type: NUM

SAS Variable Name: PILLX\_8

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**PILL MEDROL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1413

Type: NUM

SAS Variable Name: PILLX\_11

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	2	40.00	83.96
3	Longer than 1 year	3	60.00	16.04
BLANK	Skip filled	16,688		

**PILL METAPREL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1414

Type: NUM

SAS Variable Name: PILLX\_12

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**PILL METAPROTERONOL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1415

Type: NUM

SAS Variable Name: PILLX\_13

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**PILL METHYLPREDNISOLONE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1416

Type: NUM

SAS Variable Name: PILLX\_14

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	2	40.00	24.26
3	Longer than 1 year	2	40.00	31.39
9	Refused	1	20.00	44.35
BLANK	Skip filled	16,688		

**PILL MONTELUKAST: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1417

Type: NUM

SAS Variable Name: PILLX\_15

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	4	100.00	100.00
BLANK	Skip filled	16,689		

**PILL PEDIAPRED: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1418

Type: NUM

SAS Variable Name: PILLX\_17

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**PILL PREDNISOLONE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1419

Type: NUM

SAS Variable Name: PILLX\_18

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	9	45.00	51.86
2	6 months to 1 year	1	5.00	1.84
3	Longer than 1 year	10	50.00	46.31
BLANK	Skip filled	16,673		



**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**PILL PREDNISONE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1420

Type: NUM

SAS Variable Name: PILLX\_19

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	147	43.49	56.72
2	6 months to 1 year	20	5.92	6.20
3	Longer than 1 year	166	49.11	35.78
7	Don't know/Not sure	3	0.89	1.12
9	Refused	2	0.59	0.18
BLANK	Skip filled	16,355		

**PILL PROVENTIL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1421

Type: NUM

SAS Variable Name: PILLX\_21

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	5	100.00	100.00
BLANK	Skip filled	16,688		

**PILL RESPID: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1422

Type: NUM

SAS Variable Name: PILLX\_23

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**PILL SINGULAIR: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1423

Type: NUM

SAS Variable Name: PILLX\_24

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	138	8.01	13.15
2	6 months to 1 year	120	6.96	10.61
3	Longer than 1 year	1,456	84.50	75.96
7	Don't know/Not sure	7	0.41	0.19
9	Refused	2	0.12	0.09
BLANK	Skip filled	14,970		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**PILL SLO-PHYLLIN: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1424

Type: NUM

SAS Variable Name: PILLX\_25

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	2	100.00	100.00
BLANK	Skip filled	16,691		

**PILL SLO-BID: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1425

Type: NUM

SAS Variable Name: PILLX\_26

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	2	100.00	100.00
BLANK	Skip filled	16,691		

**PILL THEO-24: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1426

Type: NUM

SAS Variable Name: PILLX\_28

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	3	100.00	100.00
BLANK	Skip filled	16,690		

**PILL THEOCHRON: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1427

Type: NUM

SAS Variable Name: PILLX\_30

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**PILL THEOCLEAR: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1428

Type: NUM

SAS Variable Name: PILLX\_31

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**PILL THEODUR: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1429

Type: NUM

SAS Variable Name: PILLX\_32

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	2	11.76	35.53
3	Longer than 1 year	15	88.24	64.47
BLANK	Skip filled	16,676		

**PILL THEO-DUR: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1430

Type: NUM

SAS Variable Name: PILLX\_33

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	5	100.00	100.00
BLANK	Skip filled	16,688		

**PILL THEOPHYLLINE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1431

Type: NUM

SAS Variable Name: PILLX\_35

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	6	4.35	5.76
2	6 months to 1 year	6	4.35	6.04
3	Longer than 1 year	124	89.86	87.36
7	Don't know/Not sure	2	1.45	0.84
BLANK	Skip filled	16,555		

**PILL THEOSPAN: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1432

Type: NUM

SAS Variable Name: PILLX\_37

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**PILL T-PHYL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1433

Type: NUM

SAS Variable Name: PILLX\_40

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**PILL UNIPHYL: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1434

Type: NUM

SAS Variable Name: PILLX\_42

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	4	100.00	100.00
BLANK	Skip filled	16,689		

**PILL VENTOLIN: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1435

Type: NUM

SAS Variable Name: PILLX\_43

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	25.00	0.81
2	6 months to 1 year	1	25.00	20.94
3	Longer than 1 year	2	50.00	78.25
BLANK	Skip filled	16,689		

**PILL VOLMAX: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1436

Type: NUM

SAS Variable Name: PILLX\_44

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	2	100.00	100.00
BLANK	Skip filled	16,691		

**PILL ZAFIRLUKAST: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1437

Type: NUM

SAS Variable Name: PILLX\_45

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	3	25.00	12.85
3	Longer than 1 year	9	75.00	87.15
BLANK	Skip filled	16,681		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**PILL ZILEUTON: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1438

Type: NUM

SAS Variable Name: PILLX\_46

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	100.00	100.00
BLANK	Skip filled	16,692		

**PILL ZYFLO FILMTAB: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1439

Type: NUM

SAS Variable Name: PILLX\_47

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	2	22.22	15.68
2	6 months to 1 year	3	33.33	76.20
3	Longer than 1 year	4	44.44	8.12
BLANK	Skip filled	16,684		

**PILL TERBUTALINE (+ T. SULFATE): HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1440

Type: NUM

SAS Variable Name: PILLX\_48

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	2	66.67	14.23
7	Don't know/Not sure	1	33.33	85.77
BLANK	Skip filled	16,690		

**PILL BRETHINE: HOW LONG USED**

Survey: ADULT Asthma Call-Back

Column: 1441

Type: NUM

SAS Variable Name: PILLX\_49

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS\_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	2	100.00	100.00
BLANK	Skip filled	16,691		

**INTERIM ADULT ASTHMA CALL-BACK WEIGHT**

Survey: ADULT Asthma Call-Back

Column: 1442-1451

Type: NUM

SAS Variable Name: WEIGHT\_IN

Prologue:

Description: INTERIM ADULT ASTHMA CALL-BACK WEIGHT

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Interim adult asthma call-back weight	16,693	100.00	100.00

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**ADULT ASTHMA CALL-BACK POST STRATIFICATION FACTOR**

Survey: ADULT Asthma Call-Back

Column: 1452-1461

Prologue:

Description: ADULT ASTHMA CALL-BACK POST STRATIFICATION FACTOR

Type: NUM  
SAS Variable Name: POST

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Adult asthma call-back post stratification factor	16,693	100.00	100.00

**FINAL ADULT ASTHMA CALL-BACK WEIGHT**

Survey: ADULT Asthma Call-Back

Column: 1462-1471

Prologue:

Description: FINAL ADULT ASTHMA CALL-BACK WEIGHT

Type: NUM  
SAS Variable Name: LANDWT\_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Final adult asthma call-back weight	16,693	100.00	100.00

**REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK.**

Survey: ADULT Asthma Call-Back

Column: 1472

Prologue:

Description: REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK

Type: NUM  
SAS Variable Name: REGION\_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Regions are collapsed to 1 region	10,497	100.00	100.00
BLANK	No region collapsed	6,196		

**RACE COLLAPSED TO 1 GROUP FOR ASTHMA CALL-BACK**

Survey: ADULT Asthma Call-Back

Column: 1473

Prologue:

Description: RACE COLLAPSED TO 1 GROUP FOR ASTHMA CALL-BACK

Type: NUM  
SAS Variable Name: RACEG\_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Races are collapsed to 1 group	16,693	100.00	100.00

**AGE COLLAPSED TO 7 GROUPS FOR ASTHMA CALL-BACK**

Survey: ADULT Asthma Call-Back

Column: 1474

Prologue:

Description: AGE COLLAPSED TO 7 GROUPS FOR ASTHMA CALL-BACK

Type: NUM  
SAS Variable Name: AGEG\_F7

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 24	452	2.71	16.03
2	Age 25 - 34	1,087	6.51	18.45
3	Age 35 - 44	1,797	10.76	17.82
4	Age 45 - 54	3,053	18.29	17.73
5	Age 55 - 64	4,655	27.89	15.40
6	Age 65 - 74	3,521	21.09	9.29
7	Age 75+	2,128	12.75	5.29

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**AGE COLLAPSED TO 5 GROUPS FOR ASTHMA CALL-BACK**

Survey: ADULT Asthma Call-Back

Column: 1475

Prologue:

Description: AGE COLLAPSED TO 5 GROUPS FOR ASTHMA CALL-BACK

Type: NUM  
SAS Variable Name: AGEG\_F5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 34	1,292	9.12	34.26
2	Age 35 - 44	1,517	10.70	17.88
3	Age 45 - 54	2,583	18.23	17.81
4	Age 55 - 64	3,984	28.11	15.44
5	Age 65+	4,796	33.84	14.61
BLANK	Missing	2,521		

**AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK**

Survey: ADULT Asthma Call-Back

Column: 1476

Prologue:

Description: AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Type: NUM  
SAS Variable Name: AGEG\_F4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 34	614	8.83	33.87
2	Age 35 - 44	747	10.74	19.17
3	Age 45 - 54	1,228	17.65	17.27
4	Age 55+	4,367	62.78	29.69
BLANK	Missing	9,737		

**AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK**

Survey: ADULT Asthma Call-Back

Column: 1477

Prologue:

Description: AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Type: NUM  
SAS Variable Name: AGEG\_F4\_M

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 44	1,361	19.57	53.04
2	Age 45 - 54	1,228	17.65	17.27
3	Age 55 - 64	1,942	27.92	15.31
4	Age 65+	2,425	34.86	14.38
BLANK	Missing	9,737		

**AGE COLLAPSED TO 3 GROUPS FOR ASTHMA CALL-BACK**

Survey: ADULT Asthma Call-Back

Column: 1478

Prologue:

Description: AGE COLLAPSED TO 3 GROUPS FOR ASTHMA CALL-BACK

Type: NUM  
SAS Variable Name: AGEG\_F3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 34	128	9.43	35.38
2	Age 35 - 54	364	26.80	36.73
3	Age 55+	866	63.77	27.89
BLANK	Missing	15,335		

**ASTHMA CALL-BACK SURVEY  
UNITED STATES CODEBOOK REPORT, 2011**

**AGE COLLAPSED TO 2 GROUPS FOR ASTHMA CALL-BACK**

**Survey:** ADULT Asthma Call-Back

**Column:** 1479

**Prologue:**

**Description:** AGE COLLAPSED TO 2 GROUPS FOR ASTHMA CALL-BACK

**Type:** NUM

**SAS Variable Name:** AGEG\_F2

Value	Value Label
1	Age 18 - 44
2	Age 45+
BLANK	Missing

Frequency	Percentage	Weighted Percentage
126	18.67	54.11
549	81.33	45.89
16,018		

**ADULT ASTHMA CALL-BACK ADJUST FACTOR**

**Survey:** ADULT Asthma Call-Back

**Column:** 1480-1487

**Prologue:**

**Description:** ADULT ASTHMA CALL-BACK ADJUST FACTOR

**Type:** NUM

**SAS Variable Name:** ADJUST

Value	Value Label
HIDDEN	Adult asthma call-back post stratification adjust factor

Frequency	Percentage	Weighted Percentage
16,693	100.00	100.00

**RESPONDENT IDENTIFIER**

**Survey:** ADULT Asthma Call-Back

**Column:** 1488

**Prologue:**

**Description:** Which person in the household was selected as the focus of the call-back?

**Type:** NUM

**SAS Variable Name:** ADLTCHLD

Value	Value Label
1	Adult

Frequency	Percentage	Weighted Percentage
16,693	100.00	100.00

**ACTIVE ASTHMA STATUS**

**Survey:** ADULT Asthma Call-Back

**Column:** 1490

**Prologue:**

**Description:** Active Asthma Status

**Type:** NUM

**SAS Variable Name:** ACTASTH

Value	Value Label
1	Active Asthma
2	Inactive Asthma

Frequency	Percentage	Weighted Percentage
13,108	78.52	73.33
3,585	21.48	26.67