

United States

2011 Land Line Only Codebook Report

CHILD Asthma Call-Back Survey

August 19, 2013



STATE FIPS CODE

Survey: CHILD Asthma Call-Back

Column: 1-2

Prologue:

Description: STATE FIPS CODE .

Type: NUM

SAS Variable Name: _STATE

Value	Value Label	Frequency	Percentage	Weighted Percentage
6	California	134	7.38	25.95
9	Connecticut	86	4.74	3.14
18	Indiana	78	4.30	4.90
20	Kansas	159	8.76	1.98
24	Maryland	96	5.29	3.31
26	Michigan	119	6.55	8.04
31	Nebraska	175	9.64	1.03
34	New Jersey	130	7.16	4.14
35	New Mexico	81	4.46	1.78
39	Ohio	88	4.85	6.44
42	Pennsylvania	104	5.73	8.85
48	Texas	172	9.47	23.65
49	Utah	184	10.13	2.21
53	Washington	210	11.56	4.58

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

MONTH NAME OF SOURCE FILE ASTHMA CALL-BACK

Survey: CHILD Asthma Call-Back

Column: 3-4

Prologue:

Description: FILE MONTH

Type: NUM
SAS Variable Name: FMONTH_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	176	9.69	12.11
2	February	152	8.37	6.64
3	March	186	10.24	8.27
4	April	181	9.97	13.56
5	May	136	7.49	7.81
6	June	93	5.12	3.08
7	July	193	10.63	11.32
8	August	118	6.50	5.91
9	September	116	6.39	6.55
10	October	193	10.63	15.21
11	November	154	8.48	5.28
12	December	118	6.50	4.26

MONTH OF ASTHMA CALL-BACK INTERVIEW

Survey: CHILD Asthma Call-Back

Column: 13-14

Prologue:

Description: MONTH OF ASTHMA CALL-BACK INTERVIEW

Type: NUM
SAS Variable Name: IMONTH_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	82	4.52	2.35
2	February	188	10.35	8.99
3	March	202	11.12	12.02
4	April	130	7.16	7.18
5	May	173	9.53	10.89
6	June	129	7.10	7.62
7	July	127	6.99	5.97
8	August	158	8.70	9.89
9	September	133	7.32	8.15
10	October	154	8.48	11.91
11	November	163	8.98	7.69
12	December	177	9.75	7.33

DAY OF ASTHMA CALL-BACK INTERVIEW

Survey: CHILD Asthma Call-Back

Column: 15-16

Prologue:

Description: DAY OF ASTHMA CALL-BACK INTERVIEW

Type: NUM
SAS Variable Name: IDAY_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		1,816	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

YEAR OF ASTHMA CALL-BACK INTERVIEW

Survey: CHILD Asthma Call-Back

Column: 17-20

Prologue:

Description: YEAR OF ASTHMA CALL-BACK INTERVIEW

Type: NUM
SAS Variable Name: IYEAR_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
2011	Interview year	1,751	96.42	98.09
2012	Interview year	65	3.58	1.91

INTERVIEWER ID OF ASTHMA CALL-BACK

Survey: CHILD Asthma Call-Back

Column: 21-23

Prologue:

Description: INTERVIEWER ID OF ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: INTVID_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		1,816	100.00	100.00

DISPOSITION OF ASTHMA CALL-BACK

Survey: CHILD Asthma Call-Back

Column: 24-26

Prologue:

Description: DISPOSITION OF ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: DISPCODE_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
110	Complete	1,815	99.94	99.86
120	Partial complete	1	0.06	0.14

ANNUAL SEQUENCE NUMBER

Survey: CHILD Asthma Call-Back

Column: 27-36

Prologue:

Description: ANNUAL SEQUENCE NUMBER

Type: NUM
SAS Variable Name: SEQNO

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		1,816	100.00	100.00

NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK

Survey: CHILD Asthma Call-Back

Column: 37-38

Prologue:

Description: NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: NATTMPTS_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		1,816	100.00	100.00

PERMIT TO CALL BACK FROM BRFSS

Survey: CHILD Asthma Call-Back

Column: 1492

Prologue:

Description: PERMIT TO CALL BACK FROM BRFSS

Type: NUM
SAS Variable Name: CALLBACK

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,816	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

ARE YOU SAMPLE PERSON

Survey: CHILD Asthma Call-Back

Column: 40

Type: NUM

SAS Variable Name: MKP_NAME

Prologue:

Description: Q1.1 Are you [sample person's first name or initials]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,732	95.37	95.39
2	No	84	4.63	4.61

MAY I SPEAK WITH PERSON

Survey: CHILD Asthma Call-Back

Column: 41

Type: NUM

SAS Variable Name: MKP_PERS

Prologue:

Description: Q1.2 May I speak with [sample person's first name or initials]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	84	100.00	100.00
BLANK	Not asked or missing	1,732		

INTRODUCTION TO CORRECT RESPONDENT

Survey: CHILD Asthma Call-Back

Column: 42

Type: NUM

SAS Variable Name: MKP_STATUS

Prologue: If parent or guardian requests to transfer to another person who is more knowledgeable about the child's asthma, then mark the transfer.

Description: Q1.2a Tracking of MKP survey respondent.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	BRFSS respondent is the MKP and will continue	935	93.88	88.49
2	Alternate respondent is the MKP and will continue	61	6.12	11.51
BLANK	Not asked or missing	820		

CHECK CORRECT PERSON ON PHONE

Survey: CHILD Asthma Call-Back

Column: 43

Type: NUM

SAS Variable Name: REPEAT

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: Check if correct person from core survey is on phone.

Description: Q2.0 Is this [sample person's name] and are you [sample person's age] years old? (IF YES, CONTINUE WITH Q2.1)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	193	100.00	100.00
BLANK	Not asked or missing	1,623		

EVER HAVE ASTHMA INCONSISTENT WITH BRFSS

Survey: CHILD Asthma Call-Back

Column: 44

Type: NUM

SAS Variable Name: EVER_ASTH

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure [child's name] qualifies for this study.

Description: Q2.1 Have you ever been told by a doctor or other health professional that [child's name] had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	193	100.00	100.00
BLANK	Not asked or missing	1,623		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

STILL HAVE ASTHMA INCONSISTENT WITH BRFS

Survey: CHILD Asthma Call-Back

Column: 45

Type: NUM

SAS Variable Name: CUR_ASTH

Prologue: FOR THOSE WHO DISAGREE WITH BRFS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure [child's name] qualifies for this study.

Description: Q2.2 Does [he/she] still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	123	63.73	65.64
2	No	66	34.20	33.10
7	Don't know/Not sure	4	2.07	1.25
BLANK	Not asked or missing	1,623		

RELATIONSHIP TO CHILD FROM QUESTION

Survey: CHILD Asthma Call-Back

Column: 46

Type: NUM

SAS Variable Name: RELATION

Prologue:

Description: Q2.3 What is your relationship to the child?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Mother (Birth/Adoptive/Step)	449	73.49	74.19
2	Father (Birth/Adoptive/Step)	137	22.42	22.71
4	Grandparent (Father/Mother)	17	2.78	2.11
5	Other relative	3	0.49	0.37
6	Unrelated	5	0.82	0.62
BLANK	Not asked or missing	1,205		

LEGAL GUARDIAN

Survey: CHILD Asthma Call-Back

Column: 47

Type: NUM

SAS Variable Name: GUARDIAN

Prologue:

Description: Q2.4 Are you the legal guardian for [child's name]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	113	100.00	100.00
BLANK	Not asked or missing	1,703		

PERMISSION TO COMBINE THE ANSWER WITH BRFS

Survey: CHILD Asthma Call-Back

Column: 48

Type: NUM

SAS Variable Name: PERMISS

Prologue:

Description: Q2.5 May we combine your answers to this survey with your answers from the survey you did a few weeks ago?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	932	51.32	72.82
7	Don't know/Not sure	884	48.68	27.18

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

AGE AT ASTHMA DIAGNOSIS

Survey: CHILD Asthma Call-Back

Column: 49-51

Type: NUM

SAS Variable Name: AGEDX

Prologue:

Description: Q3.1 How old was [child's name] when a doctor or other health professional first said [he/she] had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 17	Age in years	1,529	84.20	80.44
777	Don't know	37	2.04	1.57
888	Less than 1 year old	249	13.71	17.99
999	Refused	1	0.06	0.01

TIME SINCE DIAGNOSIS

Survey: CHILD Asthma Call-Back

Column: 52

Type: NUM

SAS Variable Name: INCIDNT

Prologue:

Description: Q3.2 How long ago was that? Was it . . . [READ CATEGORIES]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past 12 months	116	6.39	8.83
2	One to five years ago	582	32.05	39.17
3	More than 5 years ago	1,109	61.07	51.70
7	Don't know	8	0.44	0.27
9	Refused	1	0.06	0.04

LAST TALKED TO A DOCTOR

Survey: CHILD Asthma Call-Back

Column: 53-54

Type: NUM

SAS Variable Name: LAST_MD

Prologue:

Description: Q3.3 How long has it been since you last talked to a doctor or other health professional about [child's name]'s asthma? This could have been in a doctor's office, the hospital, an emergency room or urgent care center.

Value	Value Label	Frequency	Percentage	Weighted Percentage
4	Within the past year	1,199	66.02	67.37
5	One year to less than 3 years ago	315	17.35	17.44
6	Three years to five years ago	125	6.88	7.36
7	More than five years ago	163	8.98	6.22
77	Don't know	9	0.50	0.20
88	Never	5	0.28	1.41

LAST TOOK ASTHMA MEDICATION

Survey: CHILD Asthma Call-Back

Column: 55-56

Type: NUM

SAS Variable Name: LAST_MED

Prologue:

Description: Q3.4 How long has it been since [he/she] last took asthma medication?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 1 day ago	431	23.73	21.35
2	1-6 days ago	160	8.81	9.69
3	1 week to less than 3 months ago	300	16.52	17.64
4	3 months to less than 1 year ago	302	16.63	18.97
5	1 year to less than 3 years ago	257	14.15	14.62
6	3 years to 5 years ago	137	7.54	8.14
7	More than 5 years ago	188	10.35	8.33
77	Don't know	17	0.94	0.52
88	Never	23	1.27	0.70
99	Refused	1	0.06	0.05

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

LAST HAD ANY SYMPTOMS OF ASTHMA

Survey: CHILD Asthma Call-Back

Column: 57-58

Type: NUM

SAS Variable Name: LASTSYMP

Prologue:

Description: Q3.5 How long has it been since [he/she] last had any symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 1 day ago	142	7.82	6.12
2	1-6 days ago	159	8.76	9.32
3	1 week to less than 3 months ago	467	25.72	27.25
4	3 months to less than 1 year ago	374	20.59	21.73
5	1 year to less than 3 years ago	260	14.32	15.54
6	3 years to 5 years ago	143	7.87	8.45
7	More than 5 years ago	190	10.46	7.72
77	Don't know	38	2.09	0.87
88	Never	41	2.26	2.93
99	Refused	2	0.11	0.07

SYMPTOM DAYS

Survey: CHILD Asthma Call-Back

Column: 59-61

Type: NUM

SAS Variable Name: SYMP_30D

Prologue:

Description: Q4.1 During the past 30 days, on how many days did [child's name] have any symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 29	Days	567	31.22	32.62
30	Every day	60	3.30	2.73
66	No symptoms past one year, skip filled	634	34.91	34.63
77	Don't know	19	1.05	0.30
88	No symptoms in the past 30 days	160	8.81	7.94
99	Refused	2	0.11	0.05
100	Symptoms 3 months to 1 year ago, skip filled	374	20.59	21.73

CONSTANT SYMPTOMS

Survey: CHILD Asthma Call-Back

Column: 62-63

Type: NUM

SAS Variable Name: DUR_30D

Prologue:

Description: Q4.2 Does [he/she] have symptoms all the time? "All the time" means symptoms that continue throughout the day. It does not mean symptoms for a little while each day.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	29	1.60	1.55
2	No	28	1.54	1.13
6	Last symptoms one+ years ago, skip filled	634	34.91	34.63
7	Don't know	2	0.11	0.03
9	Refused	1	0.06	0.03
10	Last symptoms 3 months - 1 year ago, skip filled	374	20.59	21.73
11	No symptoms 'SYMP_30D' skip filled	160	8.81	7.94
12	1-29 'SYMP_30D' skip filled	567	31.22	32.62
77	Don't know 'SYMP_30D' skip filled	19	1.05	0.30
99	Refused 'SYMP_30D' skip filled	2	0.11	0.05

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

NIGHT SYMPTOMS

Survey: CHILD Asthma Call-Back

Column: 64-66

Type: NUM

SAS Variable Name: ASLEEP30

Prologue:

Description: Q4.3 During the past 30 days, on how many days did symptoms of asthma make it difficult for [him/her] to stay asleep?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Days/Nights	293	16.13	17.45
66	No symptoms past one year, skip filled	634	34.91	34.63
77	Don't know	23	1.27	1.12
88	None	332	18.28	17.12
100	Symptoms 3 months to 1 year ago, skip filled	374	20.59	21.73
111	No symptoms in the past 30 days, skip filled	160	8.81	7.94

SYMPTOM FREE DAYS

Survey: CHILD Asthma Call-Back

Column: 67-68

Type: NUM

SAS Variable Name: SYMPFREE

Prologue:

Description: Q4.4 During the past two weeks, on how many days was [child's name] completely symptom-free, that is no coughing, wheezing, or other symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	Days/Nights	1,677	92.35	91.59
77	Don't know	23	1.27	0.86
88	None	114	6.28	7.28
99	Refused	2	0.11	0.28

ASTHMA EPISODE OR ATTACK

Survey: CHILD Asthma Call-Back

Column: 69

Type: NUM

SAS Variable Name: EPIS_12M

Prologue:

Description: Q4.5 During the past 12 months, has [he/she] had an episode of asthma or an asthma attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	747	41.13	38.34
2	No	426	23.46	25.89
6	No symptoms past 1 year, skip filled	634	34.91	34.63
7	Don't know	9	0.50	1.14

NUMBER OF EPISODES/ATTACKS

Survey: CHILD Asthma Call-Back

Column: 70-73

Type: NUM

SAS Variable Name: EPIS_TP

Prologue:

Description: Q4.6 During the past three months, how many asthma episodes or attacks has [he/she] had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 100	Episodes	493	27.15	24.93
666	No symptoms past 1 year, skip filled	634	34.91	34.63
777	Don't know	20	1.10	1.16
888	None	234	12.89	12.26
1111	No episode/asthma attack past year, skip filled	435	23.95	27.02

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

DURATION OF ATTACK

Survey: CHILD Asthma Call-Back

Column: 74-77

Prologue:

Description: Q4.7 How long did [his/her] most recent asthma episode or attack last?

Type: NUM

SAS Variable Name: DUR_ASTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Minutes	276	15.20	12.03
201 - 299	Hours	162	8.92	9.17
301 - 399	Days	206	11.34	10.93
401 - 499	Weeks	67	3.69	4.08
555	Never	3	0.17	0.64
666	No symptoms past 1 year, skip filled	634	34.91	34.63
777	Don't know	33	1.82	1.49
1111	No episode/asthma attack past year, skip filled	435	23.95	27.02

TYPICAL ATTACK

Survey: CHILD Asthma Call-Back

Column: 78-79

Prologue:

Description: Q4.8 Compared with other episodes or attacks, was this most recent attack shorter, longer, or about the same?

Type: NUM

SAS Variable Name: COMPASTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Shorter	183	10.08	9.73
2	Longer	69	3.80	3.52
3	About the same	481	26.49	23.31
4	The most recent attack was actually the first attack	6	0.33	0.79
6	No symptoms past year, skip filled	634	34.91	34.63
7	Don't know	8	0.44	0.99
11	No episode/asthma attack past year, skip filled	435	23.95	27.02

INSURANCE

Survey: CHILD Asthma Call-Back

Column: 80

Prologue:

Description: Q5.1 Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare or Medicaid?

Type: NUM

SAS Variable Name: INS1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,732	95.37	96.23
2	No	83	4.57	3.77
7	Don't know/Not sure	1	0.06	0.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

TYPE OF INSURANCE COVERAGE

Survey: CHILD Asthma Call-Back

Column: 81

Type: NUM

SAS Variable Name: INS_TYP

Prologue:

Description: Q5.2 What kind of health care coverage does [child's name] have? Is it paid through the parent's employer, or is it Medicaid, Medicare, Children's Health Insurance Program (CHIP), or some other type of insurance?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Parent's employer	1,192	65.64	59.23
2	Medicaid/Medicare	312	17.18	25.63
3	CHIP replace with state specific name	91	5.01	4.32
4	Other	127	6.99	6.28
5	No insurance at time of interview, skip filled	84	4.63	3.77
7	Don't know	5	0.28	0.66
9	Refused	5	0.28	0.11

INSURANCE OR COVERAGE GAP

Survey: CHILD Asthma Call-Back

Column: 82

Type: NUM

SAS Variable Name: INS2

Prologue:

Description: Q5.3 During the past 12 months, was there any time that [he/she] did not have any health insurance or coverage?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	83	4.57	5.68
2	No	1,646	90.64	90.50
5	No insurance at time of interview, skip filled	84	4.63	3.77
7	Don't know	2	0.11	0.03
9	Refused	1	0.06	0.02

HAD A FLU SHOT

Survey: CHILD Asthma Call-Back

Column: 83

Type: NUM

SAS Variable Name: FLU_SHOT

Prologue: A flu shot is an influenza vaccine injected in your arm.

Description: Q5.4 During the past 12 months, did [child's name] have a flu shot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	971	53.47	56.49
2	No	829	45.65	42.78
7	Don't know/Not sure	14	0.77	0.71
9	Refused	2	0.11	0.01

HAD A FLU VACCINE SPRAY

Survey: CHILD Asthma Call-Back

Column: 84

Type: NUM

SAS Variable Name: FLU_SPRAY

Prologue: A flu vaccine that is sprayed in the nose is called FluMist™.

Description: Q5.5 During the past 12 months, did [he/she] have a flu vaccine that was sprayed in [his/her] nose?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	189	10.41	14.23
2	No	1,600	88.11	84.94
7	Don't know/Not sure	26	1.43	0.83
9	Refused	1	0.06	0.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

ACTIVITY LIMITATION

Survey: CHILD Asthma Call-Back

Column: 85

Type: NUM

SAS Variable Name: ACT_DAYS

Prologue:

Description: Q5.6 During the past 12 months, would you say [child's name] limited [his/her] usual activities due to asthma not at all, a little, a moderate amount, or a lot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at all	656	36.12	38.28
2	A little	570	31.39	29.85
3	A moderate amount	141	7.76	10.44
4	A lot	47	2.59	2.00
5	No current asthma, nothing happened past year, skip filled	364	20.04	18.64
7	Don't know	37	2.04	0.49
9	Refused	1	0.06	0.29

NUMBER OF ROUTINE CHECKUPS PAST 12 MONTHS

Survey: CHILD Asthma Call-Back

Column: 86-88

Type: NUM

SAS Variable Name: NER_TIME

Prologue:

Description: Q5.7 During the past 12 months how many times did [he/she] see a doctor or other health professional for a routine checkup for [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Times	954	52.53	55.81
555	No current asthma, nothing happened past year, skip filled	364	20.04	18.64
666	No MD visit past year, skip filled	249	13.71	13.85
777	Don't know	34	1.87	0.74
888	None	213	11.73	10.53
999	Refused	2	0.11	0.43

EMERGENCY ROOM VISIT

Survey: CHILD Asthma Call-Back

Column: 89

Type: NUM

SAS Variable Name: ER_VISIT

Prologue: An urgent care center treats people with illnesses or injuries that must be addressed immediately and cannot wait for a regular medical appointment.

Description: Q5.8 During the past 12 months, has [child's name] had to visit an emergency room or urgent care center because of [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	214	11.78	13.73
2	No	962	52.97	53.43
5	No current asthma, nothing happened past year, skip filled	364	20.04	18.64
6	No MD visit past year, skip filled	249	13.71	13.85
7	Don't know	27	1.49	0.34

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

NUMBER OF EMERGENCY ROOM VISITS

Survey: CHILD Asthma Call-Back

Column: 90-92

Type: NUM

SAS Variable Name: ER_TIMES

Prologue:

Description: Q5.9 During the past 12 months, how many times did [he/she] visit an emergency room or urgent care center because of [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	214	11.78	13.73
555	No current asthma, nothing happened past year, skip filled	364	20.04	18.64
666	No MD visit past year, skip filled	249	13.71	13.85
677	MD visit, no ER visit past year, skip filled	962	52.97	53.43
777	Don't know	27	1.49	0.34

NUMBER OF URGENT VISITS

Survey: CHILD Asthma Call-Back

Column: 93-95

Type: NUM

SAS Variable Name: URG_TIME

Prologue:

Description: Q5.10 During the past 12 months, how many times did [child's name] see a doctor or other health professional for urgent treatment of worsening asthma symptoms or for an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	409	22.52	26.07
555	No current asthma, nothing happened past year, skip filled	364	20.04	18.64
666	No MD visit past year, skip filled	249	13.71	13.85
777	Don't know	38	2.09	1.19
888	None	754	41.52	39.81
999	Refused	2	0.11	0.43

HOSPITAL VISIT

Survey: CHILD Asthma Call-Back

Column: 96

Type: NUM

SAS Variable Name: HOSP_VST

Prologue:

Description: Q5.11 During the past 12 months, that is since [one year ago today], has [child's name] had to stay overnight in a hospital because of [his/her] asthma? Do not include an overnight stay in the emergency room.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	32	1.76	2.76
2	No	960	52.86	53.26
4	MD visit, no symptoms past year, skip filled	190	10.46	11.21
5	No current asthma, nothing happened past year, skip filled	364	20.04	18.64
6	No MD visit past year, skip filled	249	13.71	13.85
7	Don't know	21	1.16	0.27

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

NUMBER OF HOSPITAL VISITS

Survey: CHILD Asthma Call-Back

Column: 97-99

Type: NUM

SAS Variable Name: HOSPTIME

Prologue:

Description: Q5.12 During the past 12 months, how many different times did [he/she] stay in any hospital overnight or longer because of [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Times	31	1.71	2.69
444	MD visit, no symptoms past year, skip filled	190	10.46	11.21
455	MD visit, symptoms, no hospital visit past year, skip filled	960	52.86	53.26
555	No current asthma, nothing happened past year, skip filled	364	20.04	18.64
666	No MD visit past year, skip filled	249	13.71	13.85
777	Don't know	22	1.21	0.34

HOSPITAL FOLLOW-UP

Survey: CHILD Asthma Call-Back

Column: 100-101

Type: NUM

SAS Variable Name: HOSPPLAN

Prologue:

Description: Q5.13 The last time [he/she] left the hospital, did a health professional talk with you or [child's name] about how to prevent serious attacks in the future?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	28	1.54	2.27
2	No	4	0.22	0.49
4	MD visit, no symptoms past year, skip filled	190	10.46	11.21
5	No current asthma, nothing happened past year, skip filled	364	20.04	18.64
6	No MD visit past year, skip filled	249	13.71	13.85
7	Don't know	21	1.16	0.27
45	MD visit, symptoms, no hospital visit past year, skip filled	960	52.86	53.26

EVER TAUGHT RECOGNIZE EARLY SIGN OR SYMPTOMS

Survey: CHILD Asthma Call-Back

Column: 103

Type: NUM

SAS Variable Name: TCH_SIGN

Prologue: Has a doctor or other health professional ever taught you or [child's name] . . .

Description: Q6.1 . . . how to recognize early signs or symptoms of an asthma episode?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,448	79.74	79.24
2	No	344	18.94	19.55
7	Don't know/Not sure	23	1.27	1.20
9	Refused	1	0.06	0.01

EVER TAUGHT WHAT TO DO DURING ASTHMA EPISODE OR ATTACK

Survey: CHILD Asthma Call-Back

Column: 104

Type: NUM

SAS Variable Name: TCH_RESP

Prologue: Has a doctor or other health professional ever taught you or [child's name] . . .

Description: Q6.2 . . . what to do during an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,553	85.52	84.43
2	No	238	13.11	13.93
7	Don't know/Not sure	23	1.27	0.95
9	Refused	2	0.11	0.68

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

EVER TAUGHT HOW TO USE A PEAK FLOW

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 105

SAS Variable Name: TCH_MON

Prologue: A peak flow meter is a hand held device that measures how quickly [child's name] can blow air out of [his/her] lungs. Has a doctor or other health professional ever taught you or [child's name] . . .

Description: Q6.3 . . . how to use a peak flow meter to adjust [his/her] daily medications?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	726	39.98	38.00
2	No	1,063	58.54	60.93
7	Don't know/Not sure	27	1.49	1.07

EVER GIVEN AN ASTHMA ACTION PLAN

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 106

SAS Variable Name: MGT_PLAN

Prologue: An asthma action plan, or asthma management plan, is a form with instructions about when to change the amount or type of medicine, when to call the doctor for advice, and when to go to the emergency room.

Description: Q6.4 Has a doctor or other health professional EVER given you or [child's name] an asthma action plan?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	784	43.17	46.90
2	No	998	54.96	51.59
7	Don't know/Not sure	34	1.87	1.50

EVER TAKEN A COURSE TO MANAGE ASTHMA

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 107

SAS Variable Name: MGT_CLAS

Prologue:

Description: Q6.5 Have you or [child's name] ever taken a course or class on how to manage [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	200	11.01	12.13
2	No	1,612	88.77	87.76
7	Don't know/Not sure	4	0.22	0.11

AIR CLEANER USED

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 109

SAS Variable Name: AIRCLEANER

Prologue: An air cleaner or purifier can filter out pollutants like dust, pollen, mold and chemicals. It can be attached to the furnace or free standing. It is not, however, the same as a normal furnace filter.

Description: Q7.1 Is an air cleaner or purifier regularly used inside [child's name]'s home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	492	27.09	29.30
2	No	1,318	72.58	70.21
7	Don't know/Not sure	5	0.28	0.16
9	Refused	1	0.06	0.33

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

DEHUMIDIFIER USED

Survey: CHILD Asthma Call-Back

Column: 110

Type: NUM

SAS Variable Name: DEHUMID

Prologue:

Description: Q7.2 Is a dehumidifier regularly used to reduce moisture inside [his/her] home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	464	25.55	21.50
2	No	1,347	74.17	78.13
7	Don't know/Not sure	5	0.28	0.37

EXHAUST FAN USED

Survey: CHILD Asthma Call-Back

Column: 111

Type: NUM

SAS Variable Name: KITC_FAN

Prologue:

Description: Q7.3 Is an exhaust fan that vents to the outside used regularly when cooking in the kitchen in [his/her] home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,151	63.38	61.86
2	No	658	36.23	38.01
7	Don't know/Not sure	7	0.39	0.13

GAS USED

Survey: CHILD Asthma Call-Back

Column: 112

Type: NUM

SAS Variable Name: COOK_GAS

Prologue:

Description: Q7.4 Is gas used for cooking in [his/her] home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	785	43.23	55.33
2	No	1,030	56.72	44.66
7	Don't know/Not sure	1	0.06	0.01

SAW OR SMELLED MOLD PAST 30 DAYS

Survey: CHILD Asthma Call-Back

Column: 113

Type: NUM

SAS Variable Name: ENV_MOLD

Prologue:

Description: Q7.5 In the past 30 days, has anyone seen or smelled mold or a musty odor inside [his/her] home? Do not include mold on food.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	146	8.04	8.88
2	No	1,666	91.74	90.95
7	Don't know/Not sure	4	0.22	0.17

INDOOR PETS

Survey: CHILD Asthma Call-Back

Column: 114

Type: NUM

SAS Variable Name: ENV_PETS

Prologue:

Description: Q7.6 Does [child's name]'s home have pets such as dogs, cats, hamsters, birds, or other feathered or furry pets that spend time indoors?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,141	62.83	57.12
2	No	674	37.11	42.87
7	Don't know/Not sure	1	0.06	0.01

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PETS ALLOWED IN BEDROOM

Survey: CHILD Asthma Call-Back

Column: 115

Prologue:

Description: Q7.7 Is the pet allowed in [his/her] bedroom?

Type: NUM
SAS Variable Name: PETBEDRM

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	719	39.59	33.47
2	No	409	22.52	23.24
3	Some are/some aren't	11	0.61	0.37
6	No pets, skip coded	675	37.17	42.88
7	Don't know	2	0.11	0.04

SAW COCKROACH INSIDE CHILD'S HOME PAST 30 DAYS

Survey: CHILD Asthma Call-Back

Column: 116

Prologue:

Description: Q7.8 In the past 30 days, has anyone seen a cockroach inside [child's name]'s home?

Type: NUM
SAS Variable Name: C_ROACH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	75	4.13	9.66
2	No	1,740	95.81	90.33
7	Don't know/Not sure	1	0.06	0.00

SAW MICE OR RATS INSIDE CHILD'S HOME PAST 30 DAYS

Survey: CHILD Asthma Call-Back

Column: 117

Prologue:

Description: Q7.9 In the past 30 days, has anyone seen mice or rats inside [his/her] home? Do not include mice or rats kept as pets.

Type: NUM
SAS Variable Name: C_RODENT

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	95	5.23	6.22
2	No	1,720	94.71	93.74
7	Don't know/Not sure	1	0.06	0.05

FIREPLACE OR WOOD STOVE USED

Survey: CHILD Asthma Call-Back

Column: 118

Prologue:

Description: Q7.10 Is a wood burning fireplace or wood burning stove used in [child's name]'s home?

Type: NUM
SAS Variable Name: WOOD_STOVE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	358	19.71	17.42
2	No	1,457	80.23	82.57
7	Don't know/Not sure	1	0.06	0.01

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

GAS APPLIANCE USED

Survey: CHILD Asthma Call-Back

Column: 119

Type: NUM

SAS Variable Name: GAS_STOVE

Prologue:

Description: Q7.11 Are unvented gas logs, unvented gas fireplace, or unvented gas stoves used in [his/her] home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	99	5.45	6.65
2	No	1,713	94.33	93.19
7	Don't know/Not sure	4	0.22	0.16

ANYONE SMOKED INSIDE CHILD'S HOME

Survey: CHILD Asthma Call-Back

Column: 120

Type: NUM

SAS Variable Name: S_INSIDE

Prologue:

Description: Q7.12 In the past week, has anyone smoked inside [his/her] home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	100	5.51	5.24
2	No	1,716	94.49	94.76

EVER ADVISED CHANGE THINGS IN CHILD'S HOME

Survey: CHILD Asthma Call-Back

Column: 121

Type: NUM

SAS Variable Name: MOD_ENV

Prologue:

Description: Q7.13 Has a health professional ever advised you to change things in [his/her] home, school, or work to improve [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	643	35.41	39.89
2	No	1,166	64.21	59.87
7	Don't know/Not sure	7	0.39	0.24

USE A MATTRESS COVER

Survey: CHILD Asthma Call-Back

Column: 122

Type: NUM

SAS Variable Name: MATTRESS

Prologue:

Description: Q7.14 Does [he/she] use a mattress cover that is made especially for controlling dust mites?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	651	35.85	36.90
2	No	1,136	62.56	62.24
7	Don't know/Not sure	29	1.60	0.86

USE A PILLOW COVER

Survey: CHILD Asthma Call-Back

Column: 123

Type: NUM

SAS Variable Name: E_PILLOW

Prologue:

Description: Q7.15 Does [he/she] use a pillow cover that is made especially for controlling dust mites?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	591	32.54	35.46
2	No	1,208	66.52	63.98
7	Don't know/Not sure	17	0.94	0.56

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

CARPETING OR RUGS IN CHILD'S BEDROOM

Survey: CHILD Asthma Call-Back

Column: 124

Type: NUM

SAS Variable Name: CARPET

Prologue:

Description: Q7.16 Does [he/she] have carpeting or rugs in [his/her] bedroom? This does not include throw rugs small enough to be laundered.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,294	71.26	70.21
2	No	522	28.74	29.79

WASH WATER TEMPERATURE

Survey: CHILD Asthma Call-Back

Column: 125

Type: NUM

SAS Variable Name: HOTWATER

Prologue:

Description: Q7.17 Are [his/her] sheets and pillowcases washed in cold, warm, or hot water?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Cold	344	18.94	16.45
2	Warm	606	33.37	31.89
3	Hot	776	42.73	46.38
4	Varies	70	3.85	3.47
7	Don't know/Not sure	19	1.05	1.78
9	Refused	1	0.06	0.02

USE AN EXHAUST FAN IN CHILD'S BATHROOM

Survey: CHILD Asthma Call-Back

Column: 126

Type: NUM

SAS Variable Name: BATH_FAN

Prologue:

Description: Q7.18 In [child's name]'s bathroom, does [he/she] regularly use an exhaust fan that vents to the outside?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,071	58.98	56.51
2	No or "No Fan"	718	39.54	42.79
7	Don't know/Not sure	27	1.49	0.69

EVER USED OVER-THE-COUNTER MEDICATION

Survey: CHILD Asthma Call-Back

Column: 128

Type: NUM

SAS Variable Name: OTC

Prologue: The next set of questions is about medications for asthma. The first few questions are very general, but later questions are very specific to [child's name]'s medication use.

Description: Q8.1 Over-the-counter medication can be bought without a doctor's order. Has [child's name] ever used over-the-counter medication for [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	349	19.22	16.83
2	No	1,432	78.85	81.55
5	Never took asthma medication, skip filled	23	1.27	0.70
7	Don't know	12	0.66	0.92

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

EVER USED PRESCRIPTION INHALER

Survey: CHILD Asthma Call-Back

Column: 129

Prologue:

Description: Q8.2 Has [he/she] ever used a prescription inhaler?

Type: NUM
SAS Variable Name: INHALERE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,595	87.83	88.45
2	No	194	10.68	10.79
5	Never took asthma medication, skip filled	23	1.27	0.70
7	Don't know	4	0.22	0.06

PROFESSIONAL INHALER INSTRUCTION

Survey: CHILD Asthma Call-Back

Column: 130

Prologue:

Description: Q8.3 Did a health professional show [him/her] how to use the inhaler?

Type: NUM
SAS Variable Name: INHALERH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,528	84.14	83.20
2	No	60	3.30	4.95
5	Never took asthma medication, skip filled	23	1.27	0.70
6	Never used prescription inhaler, skip filled	198	10.90	10.85
7	Don't know	6	0.33	0.13
9	Refused	1	0.06	0.17

INHALER USE WATCHED

Survey: CHILD Asthma Call-Back

Column: 131

Prologue:

Description: Q8.4 Did a doctor or other health professional watch [him/her] use the inhaler?

Type: NUM
SAS Variable Name: INHALERW

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,272	70.04	68.18
2	No	269	14.81	18.23
5	Never took asthma medication, skip filled	23	1.27	0.70
6	Never used prescription inhaler, skip filled	198	10.90	10.85
7	Don't know	54	2.97	2.04

MEDICATION IN HAND

Survey: CHILD Asthma Call-Back

Column: 132

Prologue:

Now I am going to ask questions about specific prescription medications [child's name] may have taken for asthma in the past 3 months. I will be asking for the name, amount, and how often [he/she] takes each medicine.

Description: Q8.5 It will help to get [child's name]'s medicines so you can read the labels. Can you please go get the asthma medicines while I wait on the phone?

Type: NUM
SAS Variable Name: SCR_MED1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	587	32.32	30.15
2	No	47	2.59	3.30
3	Respondent knows the meds	249	13.71	15.04
4	No asthma med. past 3 months, skip filled	902	49.67	50.62
5	Never took asthma medication, skip filled	23	1.27	0.70
7	Don't know	4	0.22	0.12
9	Refused	4	0.22	0.08

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

HAVE ALL THE MEDICATIONS

Survey: CHILD Asthma Call-Back

Column: 134-135

Prologue:

Description: Q8.7 Do you have all the medications?

Type: NUM

SAS Variable Name: SCR_MED3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, I have all the medications	562	30.95	28.99
2	Yes, I have some of the medications but not all	18	0.99	1.04
3	No	6	0.33	0.10
4	No asthma med. past 3 months, skip filled	902	49.67	50.62
5	Never took asthma medication, skip filled	23	1.27	0.70
7	Don't know	1	0.06	0.02
10	Know or no handy asthma medicines, skip filled	304	16.74	18.54

TAKEN PRESCRIPTION INHALER PAST 3 MONTHS

Survey: CHILD Asthma Call-Back

Column: 136

Prologue:

Description: Q8.8 In the past 3 months has [child's name] taken prescription asthma medicine using an inhaler?

Type: NUM

SAS Variable Name: INH_SCR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, inhaler in past 3 months	749	41.24	40.61
2	No inhaler in past 3 months	66	3.63	4.75
4	No asthma med. past 3 months, skip filled	902	49.67	50.62
5	Never took asthma medication, skip filled	23	1.27	0.70
6	Asthma med. past 3 months, never used inhaler, skip filled	72	3.96	3.29
7	Don't know	4	0.22	0.03

TAKEN MEDICATION IN PILL PAST 3 MONTHS

Survey: CHILD Asthma Call-Back

Column: 137

Prologue:

Description: Q8.20 In the past 3 months, has [he/she] taken any prescription medicine in pill form for [his/her] asthma?

Type: NUM

SAS Variable Name: PILLS

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, pills in past 3 months	274	15.09	15.35
2	No pills in past 3 months	613	33.76	33.29
4	No asthma med. past 3 months, skip filled	902	49.67	50.62
5	Never took asthma medication, skip filled	23	1.27	0.70
7	Don't know	4	0.22	0.04

TAKEN MEDICATION IN SYRUP PAST 3 MONTHS

Survey: CHILD Asthma Call-Back

Column: 138

Prologue:

Description: Q8.23 In the past 3 months, has [he/she] taken prescription asthma medication in syrup form?

Type: NUM

SAS Variable Name: SYRUP

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, syrup in past 3 months	67	3.69	4.85
2	No syrup in past 3 months	820	45.15	43.53
4	No asthma med. past 3 months, skip filled	902	49.67	50.62
5	Never took asthma medication, skip filled	23	1.27	0.70
7	Don't know	4	0.22	0.31

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

TAKEN MEDICATION WITH A NEBULIZER PAST 3 MONTHS

Survey: CHILD Asthma Call-Back

Column: 139

Type: NUM

SAS Variable Name: NEB_SCR

Prologue: A nebulizer is a small machine with a tube and facemask or mouthpiece that [child's name] breathes through continuously.

Description: Q8.25 In the past 3 months, were any of [child's name]'s prescription asthma medicines used with a nebulizer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, nebulizer in past 3 months	321	17.68	18.24
2	No nebulizer in past 3 months	570	31.39	30.45
4	No asthma med. past 3 months, skip filled	902	49.67	50.62
5	Never took asthma medication, skip filled	23	1.27	0.70

NEBULIZER AT HOME

Survey: CHILD Asthma Call-Back

Column: 140

Type: NUM

SAS Variable Name: NEB_PLCA

Prologue: I am going to read a list of places where [child's name] might have used a nebulizer. Please answer "yes" if [he/she] used a nebulizer in the place I mention; otherwise answer "no." In the past 3 months, did [child's name] use a nebulizer . . .

Description: Q8.26a . . . at home ?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	311	17.13	17.86
2	No	10	0.55	0.38
4	No asthma med. past 3 months, skip filled	902	49.67	50.62
5	Never took asthma medication, skip filled	23	1.27	0.70
8	No neb. in past 3 months, skip filled	570	31.39	30.45

NEBULIZER AT DOCTOR'S OFFICE

Survey: CHILD Asthma Call-Back

Column: 141

Type: NUM

SAS Variable Name: NEB_PLCB

Prologue: In the past 3 months, did [child's name] use a nebulizer . . .

Description: Q8.26b . . . at a doctor's office ?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	93	5.12	6.99
2	No	224	12.33	11.17
4	No asthma med. past 3 months, skip filled	902	49.67	50.62
5	Never took asthma medication, skip filled	23	1.27	0.70
7	Don't know/Not sure	4	0.22	0.08
8	No neb. in past 3 months, skip filled	570	31.39	30.45

NEBULIZER IN EMERGENCY ROOM

Survey: CHILD Asthma Call-Back

Column: 142

Type: NUM

SAS Variable Name: NEB_PLCC

Prologue: In the past 3 months, did [child's name] use a nebulizer . . .

Description: Q8.26c . . . in an emergency room?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	64	3.52	5.24
2	No	256	14.10	12.98
4	No asthma med. past 3 months, skip filled	902	49.67	50.62
5	Never took asthma medication, skip filled	23	1.27	0.70
7	Don't know/Not sure	1	0.06	0.02
8	No neb. in past 3 months, skip filled	570	31.39	30.45

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

NEBULIZER AT WORK OR SCHOOL

Survey: CHILD Asthma Call-Back

Column: 143

Type: NUM

SAS Variable Name: NEB_PLCD

Prologue: In the past 3 months, did [child's name] use a nebulizer . . .

Description: Q8.26d . . . at work (or a school)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	46	2.53	2.81
2	No	275	15.14	15.44
4	No asthma med. past 3 months, skip filled	902	49.67	50.62
5	Never took asthma medication, skip filled	23	1.27	0.70
8	No neb. in past 3 months, skip filled	570	31.39	30.45

NEBULIZER AT ANY OTHER PLACE

Survey: CHILD Asthma Call-Back

Column: 144

Type: NUM

SAS Variable Name: NEB_PLCE

Prologue: In the past 3 months, did [child's name] use a nebulizer . . .

Description: Q8.26e . . . at any other place?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	46	2.53	3.33
2	No	275	15.14	14.91
4	No asthma med. past 3 months, skip filled	902	49.67	50.62
5	Never took asthma medication, skip filled	23	1.27	0.70
8	No neb. in past 3 months, skip filled	570	31.39	30.45

COST BARRIER: PRIMARY CARE DOCTOR

Survey: CHILD Asthma Call-Back

Column: 146

Type: NUM

SAS Variable Name: ASMDCOST

Prologue:

Description: Q9.1 Was there a time in the past 12 months when [child's name] needed to see [his/her] primary care doctor for asthma but could not because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	45	2.48	3.24
2	No	1,400	77.09	77.95
5	No current asthma, skip filled	364	20.04	18.64
7	Don't know	7	0.39	0.17

COST BARRIER: SPECIALIST

Survey: CHILD Asthma Call-Back

Column: 147

Type: NUM

SAS Variable Name: ASSPCOST

Prologue:

Description: Q9.2 Was there a time in the past 12 months when [child's name] was referred to a specialist for [his/her] asthma care but could not go because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	37	2.04	2.24
2	No	1,409	77.59	79.00
5	No current asthma, skip filled	364	20.04	18.64
7	Don't know	6	0.33	0.12

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

COST BARRIER: MEDICATION

Survey: CHILD Asthma Call-Back

Column: 148

Type: NUM

SAS Variable Name: ASRXCOST

Prologue:

Description: Q9.3 Was there a time in the past 12 months when [he/she] needed medication for [his/her] asthma, but you could not buy it because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	88	4.85	5.62
2	No	1,357	74.72	75.60
5	No current asthma, skip filled	364	20.04	18.64
7	Don't know	7	0.39	0.13

CURRENT GO TO SCHOOL OUTSIDE HOME

Survey: CHILD Asthma Call-Back

Column: 150

Type: NUM

SAS Variable Name: SCH_STAT

Prologue: Next, we are interested in things that might affect [child's name]'s asthma when [he/she] is not at home.

Description: Q10.1 Does [child's name] currently go to school or preschool outside the home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,675	92.24	87.57
2	No	141	7.76	12.43

REASON NOT IN SCHOOL NOW

Survey: CHILD Asthma Call-Back

Column: 151

Type: NUM

SAS Variable Name: NO_SCHL

Prologue:

Description: Q10.2 What is the main reason [he/she] is not now in school? [READ RESPONSE CATEGORIES]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not old enough	68	3.74	7.81
2	Home schooled	29	1.60	1.87
3	Unable to attend for health reason	7	0.39	0.49
4	On vacation or break	18	0.99	1.01
5	Other	18	0.99	1.24
6	Now goes to outside school, skip filled	1,675	92.24	87.57
7	Don't know/Not sure	1	0.06	0.01

GONE TO SCHOOL OUTSIDE HOME PAST 12 MONTHS

Survey: CHILD Asthma Call-Back

Column: 152

Type: NUM

SAS Variable Name: SCHL_12

Prologue:

Description: Q10.3 Has [child's name] gone to school in the past 12 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	28	1.54	1.65
2	No	16	0.88	1.11
3	Home school, skip filled	29	1.60	1.87
5	Not old enough for school, skip filled	68	3.74	7.81
6	Now goes to outside school, skip filled	1,675	92.24	87.57

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

WHAT GRADE WAS CHILD IN LAST TIME

Survey: CHILD Asthma Call-Back

Column: 153-154

Type: NUM

SAS Variable Name: SCHGRADE

Prologue:

Description: Q10.4 What grade was [he/she] in the last time [he/she] was in school?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 12	Grade	1,547	85.19	75.57
44	No school past year, skip filled	16	0.88	1.11
55	Not old enough for school, skip filled	68	3.74	7.81
66	Kindergarten	78	4.30	6.92
77	Don't know	6	0.33	0.30
88	Preschool	95	5.23	7.83
99	Refused	6	0.33	0.46

HOW MANY DAYS MISSED SCHOOL

Survey: CHILD Asthma Call-Back

Column: 155-157

Type: NUM

SAS Variable Name: MISS_SCHL

Prologue:

Description: Q10.5 During the past 12 months, about how many days of school did [he/she] miss because of [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Days	532	29.30	30.38
444	No school past year, skip filled	16	0.88	1.11
555	Not old enough for school, skip filled	68	3.74	7.81
666	No current asthma, skip filled	360	19.82	17.61
777	Don't know	17	0.94	0.98
888	None	823	45.32	42.11

WRITTEN ASTHMA ACTION PLAN IN SCHOOL

Survey: CHILD Asthma Call-Back

Column: 158

Type: NUM

SAS Variable Name: SCH_APL

Prologue: An asthma action plan, or asthma management plan, is a form with instructions about when to change the amount or type of medicine, when to call the doctor for advice, and when to go to the emergency room.

Description: Q10.6 Does [child's name] have a written asthma action plan or asthma management plan on file at school?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	532	29.30	28.61
2	No	758	41.74	40.54
3	Home school, skip filled	29	1.60	1.87
4	No school past year, skip filled	16	0.88	1.11
5	Not old enough for school, skip filled	68	3.74	7.81
6	No current asthma, skip filled	354	19.49	17.21
7	Don't know	59	3.25	2.85

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

ASTHMA MEDICATION ALLOWED WITH CHILD IN SCHOOL

Survey: CHILD Asthma Call-Back

Column: 159

Prologue:

Type: NUM

SAS Variable Name: SCH_MED

Description: Q10.7 Does the school [he/she] goes to allow children with asthma to carry their medication with them while at school?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	668	36.78	33.71
2	No	528	29.07	31.53
3	Home school, skip filled	29	1.60	1.87
4	No school past year, skip filled	16	0.88	1.11
5	Not old enough for school, skip filled	68	3.74	7.81
6	No current asthma, skip filled	354	19.49	17.21
7	Don't know	152	8.37	6.45
9	Refused	1	0.06	0.30

PETS IN CLASSROOM

Survey: CHILD Asthma Call-Back

Column: 160

Prologue:

Type: NUM

SAS Variable Name: SCH_ANML

Description: Q10.8 Are there any pets such as dogs, cats, hamsters, birds or other feathered or furry pets in [his/her] classroom?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	68	3.74	4.02
2	No	1,541	84.86	80.52
3	Home school, skip filled	29	1.60	1.87
4	No school past year, skip filled	16	0.88	1.11
5	Not old enough for school, skip filled	68	3.74	7.81
7	Don't know	94	5.18	4.67

AWARE OF MOLD PROBLEM IN SCHOOL

Survey: CHILD Asthma Call-Back

Column: 161

Prologue:

Type: NUM

SAS Variable Name: SCH_MOLD

Description: Q10.9 Are you aware of any mold problems in [child's name]'s school?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	29	1.60	1.24
2	No	1,643	90.47	86.21
3	Home school, skip filled	29	1.60	1.87
4	No school past year, skip filled	16	0.88	1.11
5	Not old enough for school, skip filled	68	3.74	7.81
7	Don't know	31	1.71	1.76

GO TO DAYCARE OUTSIDE HOME

Survey: CHILD Asthma Call-Back

Column: 162

Prologue:

Type: NUM

SAS Variable Name: DAYCARE

Description: Q10.10 Does [child's name] go to day care outside [his/her] home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	164	9.03	10.98
2	No	547	30.12	41.87
3	Home school, skip filled	29	1.60	1.87
6	Over age ten, skip filled	1,042	57.38	44.16
7	Don't know	33	1.82	0.97
9	Refused	1	0.06	0.16

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

WENT TO DAYCARE PAST 12 MONTHS

Survey: CHILD Asthma Call-Back

Column: 163

Prologue:

Description: Q10.11 Has [he/she] gone to daycare in the past 12 months?

Type: NUM
SAS Variable Name: DAYCARE1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	40	2.20	2.59
2	No	506	27.86	39.25
3	Home school, skip filled	29	1.60	1.87
5	Goes to daycare now, skip filled	164	9.03	10.98
6	Over age ten, skip filled	1,042	57.38	44.16
7	Don't know	34	1.87	1.01
9	Refused	1	0.06	0.16

DAYS MISSED DAYCARE BECAUSE OF ASTHMA

Survey: CHILD Asthma Call-Back

Column: 164-167

Prologue:

Description: Q10.12 During the past 12 months, about how many days of daycare did [he/she] miss because of [his/her] asthma?

Type: NUM
SAS Variable Name: MISS_DCAR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Days	71	3.91	5.62
444	No current asthma, skip filled	37	2.04	1.97
555	No daycare past year, skip filled	506	27.86	39.25
666	Over age ten, skip filled	1,042	57.38	44.16
777	Don't know	32	1.76	0.95
888	Zero	104	5.73	6.43
999	Refused	1	0.06	0.16
3333	Home school, skip filled	23	1.27	1.48

WRITTEN ASTHMA ACTION PLAN IN DAYCARE

Survey: CHILD Asthma Call-Back

Column: 168

Prologue:

Description: Q10.13 Does [child's name] have a written asthma action plan or asthma management plan on file at the daycare [he/she] went to last?

Type: NUM
SAS Variable Name: DCARE_APL

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	66	3.63	4.33
2	No	107	5.89	7.66
3	Home school, skip filled	23	1.27	1.48
4	No current asthma, skip filled	37	2.04	1.97
5	No daycare past year, skip filled	506	27.86	39.25
6	Over age ten, skip filled	1,042	57.38	44.16
7	Don't know	34	1.87	1.00
9	Refused	1	0.06	0.16

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PETS IN DAYCARE

Survey: CHILD Asthma Call-Back

Column: 169

Type: NUM

SAS Variable Name: DCARE_ANML

Prologue:

Description: Q10.14 Are there any pets such as dogs, cats, hamsters, birds, or other feathered or furry pets in [his/her] room at daycare?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	36	1.98	1.24
2	No	166	9.14	12.27
3	Home school, skip filled	29	1.60	1.87
5	No daycare past year, skip filled	506	27.86	39.25
6	Over age ten, skip filled	1,042	57.38	44.16
7	Don't know	36	1.98	1.05
9	Refused	1	0.06	0.16

AWARE OF MOLD PROBLEM IN DAYCARE

Survey: CHILD Asthma Call-Back

Column: 170

Type: NUM

SAS Variable Name: DCARE_MLD

Prologue:

Description: Q10.15 Are you aware of any mold problems in [his/her] daycare?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.11	0.14
2	No	198	10.90	13.14
3	Home school, skip filled	29	1.60	1.87
5	No daycare past year, skip filled	506	27.86	39.25
6	Over age ten, skip filled	1,042	57.38	44.16
7	Don't know	38	2.09	1.29
9	Refused	1	0.06	0.16

SMOKING ALLOWED IN DAYCARE

Survey: CHILD Asthma Call-Back

Column: 171

Type: NUM

SAS Variable Name: DCARE_SMK

Prologue:

Description: Q10.16 Is smoking allowed at [his/her] daycare?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	0.22	0.25
2	No	198	10.90	13.26
3	Home school, skip filled	29	1.60	1.87
5	No daycare past year, skip filled	506	27.86	39.25
6	Over age ten, skip filled	1,042	57.38	44.16
7	Don't know	36	1.98	1.06
9	Refused	1	0.06	0.16

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

USED HERBS TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 173

Type: NUM

SAS Variable Name: CAM_HERB

Prologue: Sometimes people use methods other than prescription medications to help treat or control their asthma. These methods are called non-traditional, complementary, or alternative healthcare. In the past 12 months, has [he/she] used . . . to control asthma?

Description: Q11.1 . . . herbs . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	42	2.31	2.78
2	No	1,399	77.04	78.35
5	No current asthma, skip filled	364	20.04	18.64
7	Don't know	10	0.55	0.22
9	Refused	1	0.06	0.00

USED VITAMINS TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 174

Type: NUM

SAS Variable Name: CAM_VITA

Prologue:

Description: Q11.2 . . . vitamins . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	98	5.40	4.83
2	No	1,342	73.90	76.22
5	No current asthma, skip filled	364	20.04	18.64
7	Don't know	11	0.61	0.31
9	Refused	1	0.06	0.00

USED ACUPUNCTURE TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 175

Type: NUM

SAS Variable Name: CAM_PUNC

Prologue:

Description: Q11.3 . . . acupuncture . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	0.33	0.38
2	No	1,435	79.02	80.76
5	No current asthma, skip filled	364	20.04	18.64
7	Don't know	9	0.50	0.21
9	Refused	2	0.11	0.01

USED ACUPRESSURE TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 176

Type: NUM

SAS Variable Name: CAM_PRES

Prologue:

Description: Q11.4 . . . acupressure . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	0.55	0.58
2	No	1,430	78.74	80.49
5	No current asthma, skip filled	364	20.04	18.64
7	Don't know	10	0.55	0.28
9	Refused	2	0.11	0.01

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

USED AROMATHERAPY TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 177

Prologue:

Description: Q11.5 ... aromatherapy ...

Type: NUM
SAS Variable Name: CAM_AROM

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	39	2.15	1.69
2	No	1,402	77.20	79.46
5	No current asthma, skip filled	364	20.04	18.64
7	Don't know	9	0.50	0.20
9	Refused	2	0.11	0.01

USED HOMEOPATHY TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 178

Prologue:

Description: Q11.6 ... homeopathy ...

Type: NUM
SAS Variable Name: CAM_HOME

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	25	1.38	1.93
2	No	1,413	77.81	79.18
5	No current asthma, skip filled	364	20.04	18.64
7	Don't know	12	0.66	0.23
9	Refused	2	0.11	0.01

USED REFLEXOLOGY TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 179

Prologue:

Description: Q11.7 ... reflexology ...

Type: NUM
SAS Variable Name: CAM_REFL

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	0.61	1.40
2	No	1,428	78.63	79.67
5	No current asthma, skip filled	364	20.04	18.64
7	Don't know	11	0.61	0.28
9	Refused	2	0.11	0.01

USED YOGA TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 180

Prologue:

Description: Q11.8 ... yoga ...

Type: NUM
SAS Variable Name: CAM_YOGA

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	22	1.21	0.89
2	No	1,419	78.14	80.17
5	No current asthma, skip filled	364	20.04	18.64
7	Don't know	9	0.50	0.28
9	Refused	2	0.11	0.01

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

USED BREATHING TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 181

Prologue:

Description: Q11.9 ... breathing techniques ...

Type: NUM
SAS Variable Name: CAM_BR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	216	11.89	12.38
2	No	1,223	67.35	68.67
5	No current asthma, skip filled	364	20.04	18.64
7	Don't know	11	0.61	0.29
9	Refused	2	0.11	0.01

USED NATUROPATHY TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 182

Prologue:

Description: Q11.10 ... naturopathy ...

Type: NUM
SAS Variable Name: CAM_NATR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	0.33	0.40
2	No	1,432	78.85	80.64
5	No current asthma, skip filled	364	20.04	18.64
7	Don't know	12	0.66	0.31
9	Refused	2	0.11	0.01

OTHER ALTERNATIVE CARE TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 183

Prologue:

Description: Q11.11 Besides the types I have just asked about, has [child's name] used any other type of alternative care for [his/her] asthma in the past 12 months?

Type: NUM
SAS Variable Name: CAM_OTHR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	102	5.62	5.25
2	No	1,340	73.79	75.75
5	No current asthma, skip filled	364	20.04	18.64
7	Don't know	8	0.44	0.35
9	Refused	2	0.11	0.01

TEXT FOR OTHER TYPE CARE

Survey: CHILD Asthma Call-Back

Column: 184-283

Prologue:

Description: Q11.12 What else has [child's name] used?

Type: CHAR
SAS Variable Name: CAM_TEXT

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK		1,714		
HIDDEN	Text field - up to 100 characters	102	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

HEIGHT OF CHILD

Survey: CHILD Asthma Call-Back

Column: 285-288

Prologue:

Description: Q12.1 How tall is [child's name]?

Type: CHAR
SAS Variable Name: HEIGHT1

Value	Value Label
HIDDEN	

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

WEIGHT OF CHILD

Survey: CHILD Asthma Call-Back

Column: 289-292

Prologue:

Description: Q12.2 How much does [he/she] weigh?

Type: CHAR
SAS Variable Name: WEIGHT1

Value	Value Label
HIDDEN	

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

BIRTH WEIGHT

Survey: CHILD Asthma Call-Back

Column: 293-298

Prologue:

Description: Q12.3 How much did [he/she] weigh at birth (in pounds)?

Type: CHAR
SAS Variable Name: BIRTHW1

Value	Value Label
HIDDEN	

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

WHETHER BIRTH WEIGHT LESS THAN 5.5 POUNDS

Survey: CHILD Asthma Call-Back

Column: 299

Prologue:

Description: Q12.4 At birth, did [child's name] weigh less than 5 ½ pounds?

Type: NUM
SAS Variable Name: BIRTHRF

Value	Value Label
1	Yes
2	No
7	Don't know
9	Refused
BLANK	Have reported birth weight

Frequency	Percentage	Weighted Percentage
14	14.58	15.92
53	55.21	59.78
28	29.17	24.16
1	1.04	0.15
1,720		

LANGUAGE IDENTIFIER

Survey: CHILD Asthma Call-Back

Column: 300-301

Prologue:

Description: Language identifier: Language in which the interview was conducted.

Type: NUM
SAS Variable Name: QSTLANG_F

Value	Value Label
1	English
2	Spanish
3	Other
BLANK	Not asked or missing

Frequency	Percentage	Weighted Percentage
1,753	97.12	92.46
51	2.83	7.52
1	0.06	0.02
11		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

END OF THE RAW CALL BACK DATA

Survey: CHILD Asthma Call-Back

Column: 302

Prologue:

Description: END OF THE RAW CALL BACK DATA

Type: NUM
SAS Variable Name: END_OF_FILE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,816	100.00	100.00

EVER HAVE ASTHMA COMBINED BRFSS AND CALL BACK

Survey: CHILD Asthma Call-Back

Column: 304

Prologue:

Description: EVER HAVE ASTHMA COMBINED BRFSS (ASTHMA2) AND CALL BACK (EVER_ASTH)

Type: NUM
SAS Variable Name: _EVER_ASTH_C

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,816	100.00	100.00

STILL HAVE ASTHMA COMBINED BRFSS AND CALL BACK

Survey: CHILD Asthma Call-Back

Column: 305

Prologue:

Description: STILL HAVE ASTHMA COMBINED BRFSS (ASTHNOW) AND CALL BACK (CUR_ASTH)

Type: NUM
SAS Variable Name: _CUR_ASTH_C

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,219	67.13	66.35
2	No	564	31.06	31.42
7	Don't know/Not sure	33	1.82	2.23

RELATIONSHIP TO CHILD COMBINED BRFSS

Survey: CHILD Asthma Call-Back

Column: 306

Prologue:

Description: RELATIONSHIP TO CHILD COMBINED BRFSS

Type: NUM
SAS Variable Name: RELATED

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Parents	1,748	96.26	96.89
2	Guardian	41	2.26	1.93
3	Other relative	27	1.49	1.18

FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

Survey: CHILD Asthma Call-Back

Column: 307

Prologue:

Description: FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

Type: NUM
SAS Variable Name: FLAG1

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	AGE, AGEDX, and INCIDNT are consistent	1,745	96.09	95.13
1	AGEDX is greater than AGE	5	0.28	0.21
2	AGE, AGEDX, and INCIDNT are inconsistent	66	3.63	4.66

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

ADVAIR (+ A. DISKUS)

Survey: CHILD Asthma Call-Back

Column: 308

Prologue:

Description: ADVAIR (+ A. DISKUS)

Type: NUM

SAS Variable Name: INHALER_ID_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
102	5.62	4.58
1,714	94.38	95.42

AEROBID

Survey: CHILD Asthma Call-Back

Column: 309

Prologue:

Description: AEROBID

Type: NUM

SAS Variable Name: INHALER_ID_2

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL)

Survey: CHILD Asthma Call-Back

Column: 310

Prologue:

Description: ALBUTEROL (+ A. SULFATE OR SALBUTAMOL)

Type: NUM

SAS Variable Name: INHALER_ID_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
284	15.64	15.39
1,532	84.36	84.61

ALUPENT

Survey: CHILD Asthma Call-Back

Column: 311

Prologue:

Description: ALUPENT

Type: NUM

SAS Variable Name: INHALER_ID_4

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

ATROVENT

Survey: CHILD Asthma Call-Back

Column: 312

Prologue:

Description: ATROVENT

Type: NUM

SAS Variable Name: INHALER_ID_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.17	0.08
1,813	99.83	99.92

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

AZMACORT

Survey: CHILD Asthma Call-Back
Column: 313
Prologue:
Description: AZMACORT

Type: NUM
SAS Variable Name: INHALER_ID_6

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

BECLOMETHASONE DIPROPIONATE

Survey: CHILD Asthma Call-Back
Column: 314
Prologue:
Description: BECLOMETHASONE DIPROPIONATE

Type: NUM
SAS Variable Name: INHALER_ID_7

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

BECLOVENT

Survey: CHILD Asthma Call-Back
Column: 315
Prologue:
Description: BECLOVENT

Type: NUM
SAS Variable Name: INHALER_ID_8

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

BITOLTEROL

Survey: CHILD Asthma Call-Back
Column: 316
Prologue:
Description: BITOLTEROL

Type: NUM
SAS Variable Name: INHALER_ID_9

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

BRETHAIRE

Survey: CHILD Asthma Call-Back
Column: 317
Prologue:
Description: BRETHAIRE

Type: NUM
SAS Variable Name: INHALER_ID_10

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

BUDESONIDE

Survey: CHILD Asthma Call-Back
Column: 318
Prologue:
Description: BUDESONIDE

Type: NUM
SAS Variable Name: INHALER_ID_11

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.17	0.18
1,813	99.83	99.82

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

COMBIVENT

Survey: CHILD Asthma Call-Back
Column: 319
Prologue:
Description: COMBIVENT

Type: NUM
SAS Variable Name: INHALER_ID_12

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.11	0.02
1,814	99.89	99.98

CROMOLYN

Survey: CHILD Asthma Call-Back
Column: 320
Prologue:
Description: CROMOLYN

Type: NUM
SAS Variable Name: INHALER_ID_13

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

FLOVENT

Survey: CHILD Asthma Call-Back
Column: 321
Prologue:
Description: FLOVENT

Type: NUM
SAS Variable Name: INHALER_ID_14

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
174	9.58	10.54
1,642	90.42	89.46

FLOVENT ROTADISK

Survey: CHILD Asthma Call-Back
Column: 322
Prologue:
Description: FLOVENT ROTADISK

Type: NUM
SAS Variable Name: INHALER_ID_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.17	0.06
1,813	99.83	99.94

FLUNISOLIDE

Survey: CHILD Asthma Call-Back
Column: 323
Prologue:
Description: FLUNISOLIDE

Type: NUM
SAS Variable Name: INHALER_ID_16

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

FLUTICASONE

Survey: CHILD Asthma Call-Back
Column: 324
Prologue:
Description: FLUTICASONE

Type: NUM
SAS Variable Name: INHALER_ID_17

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
6	0.33	0.10
1,810	99.67	99.90

INTAL

Survey: CHILD Asthma Call-Back
Column: 325
Prologue:
Description: INTAL

Type: NUM
SAS Variable Name: INHALER_ID_18

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

IPRATROPIUM BROMIDE

Survey: CHILD Asthma Call-Back
Column: 326
Prologue:
Description: IPRATROPIUM BROMIDE

Type: NUM
SAS Variable Name: INHALER_ID_19

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

MAXAIR

Survey: CHILD Asthma Call-Back
Column: 327
Prologue:
Description: MAXAIR

Type: NUM
SAS Variable Name: INHALER_ID_20

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
8	0.44	0.62
1,808	99.56	99.38

METAPROTERONOL

Survey: CHILD Asthma Call-Back
Column: 328
Prologue:
Description: METAPROTERONOL

Type: NUM
SAS Variable Name: INHALER_ID_21

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

NEDOCROMIL

Survey: CHILD Asthma Call-Back
Column: 329
Prologue:
Description: NEDOCROMIL

Type: NUM
SAS Variable Name: INHALER_ID_22

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PIRBUTEROL

Survey: CHILD Asthma Call-Back

Column: 330

Prologue:

Description: PIRBUTEROL

Type: NUM

SAS Variable Name: INHALER_ID_23

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.06	0.00
1,815	99.94	100.00

PROVENTIL

Survey: CHILD Asthma Call-Back

Column: 331

Prologue:

Description: PROVENTIL

Type: NUM

SAS Variable Name: INHALER_ID_24

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
42	2.31	1.74
1,774	97.69	98.26

PULMICORT TURBUHALER

Survey: CHILD Asthma Call-Back

Column: 332

Prologue:

Description: PULMICORT TURBUHALER

Type: NUM

SAS Variable Name: INHALER_ID_25

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
27	1.49	0.91
1,789	98.51	99.09

SALMETEROL

Survey: CHILD Asthma Call-Back

Column: 333

Prologue:

Description: SALMETEROL

Type: NUM

SAS Variable Name: INHALER_ID_26

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.06	0.17
1,815	99.94	99.83

SEREVENT

Survey: CHILD Asthma Call-Back

Column: 334

Prologue:

Description: SEREVENT

Type: NUM

SAS Variable Name: INHALER_ID_27

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.06	0.02
1,815	99.94	99.98

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

TERBUTALINE (+ T. SULFATE)

Survey: CHILD Asthma Call-Back
Column: 335
Prologue:
Description: TERBUTALINE (+ T. SULFATE)

Type: NUM
SAS Variable Name: INHALER_ID_28

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

TILADE

Survey: CHILD Asthma Call-Back
Column: 336
Prologue:
Description: TILADE

Type: NUM
SAS Variable Name: INHALER_ID_29

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

TORNALATE

Survey: CHILD Asthma Call-Back
Column: 337
Prologue:
Description: TORNALATE

Type: NUM
SAS Variable Name: INHALER_ID_30

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

TRIAMCINOLONE ACETONIDE

Survey: CHILD Asthma Call-Back
Column: 338
Prologue:
Description: TRIAMCINOLONE ACETONIDE

Type: NUM
SAS Variable Name: INHALER_ID_31

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

VANCERIL

Survey: CHILD Asthma Call-Back
Column: 339
Prologue:
Description: VANCERIL

Type: NUM
SAS Variable Name: INHALER_ID_32

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

VENTOLIN

Survey: CHILD Asthma Call-Back
Column: 340
Prologue:
Description: VENTOLIN

Type: NUM
SAS Variable Name: INHALER_ID_33

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
99	5.45	3.68
1,717	94.55	96.32

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

FORADIL

Survey: CHILD Asthma Call-Back
Column: 341
Prologue:
Description: FORADIL

Type: NUM
SAS Variable Name: INHALER_ID_34

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

FORMOTEROL

Survey: CHILD Asthma Call-Back
Column: 342
Prologue:
Description: FORMOTEROL

Type: NUM
SAS Variable Name: INHALER_ID_35

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

QVAR

Survey: CHILD Asthma Call-Back
Column: 343
Prologue:
Description: QVAR

Type: NUM
SAS Variable Name: INHALER_ID_36

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
38	2.09	3.24
1,778	97.91	96.76

LEVALBUTEROL TARTRATE

Survey: CHILD Asthma Call-Back
Column: 344
Prologue:
Description: LEVALBUTEROL TARTRATE

Type: NUM
SAS Variable Name: INHALER_ID_37

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

XOPENEX HFA

Survey: CHILD Asthma Call-Back
Column: 345
Prologue:
Description: XOPENEX HFA

Type: NUM
SAS Variable Name: INHALER_ID_38

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
54	2.97	5.06
1,762	97.03	94.94

MOMETASONE FUROATE

Survey: CHILD Asthma Call-Back
Column: 346
Prologue:
Description: MOMETASONE FUROATE

Type: NUM
SAS Variable Name: INHALER_ID_39

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

ASMANEX (TWISTHALER)

Survey: CHILD Asthma Call-Back

Column: 347

Prologue:

Description: ASMANEX (TWISTHALER)

Type: NUM

SAS Variable Name: INHALER_ID_40

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
16	0.88	0.52
1,800	99.12	99.48

PRO-AIR HFA

Survey: CHILD Asthma Call-Back

Column: 348

Prologue:

Description: PRO-AIR HFA

Type: NUM

SAS Variable Name: INHALER_ID_41

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
128	7.05	7.17
1,688	92.95	92.83

SYMBICORT

Survey: CHILD Asthma Call-Back

Column: 349

Prologue:

Description: SYMBICORT

Type: NUM

SAS Variable Name: INHALER_ID_42

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
19	1.05	1.20
1,797	98.95	98.80

DON'T KNOW/REFUSED

Survey: CHILD Asthma Call-Back

Column: 350

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM

SAS Variable Name: INHALER_ID_7799

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
14	0.77	0.81
1,802	99.23	99.19

OTHER INHALER

Survey: CHILD Asthma Call-Back

Column: 351

Prologue:

Description: NEW OTHER PRESCRIPTION INHALER

Type: NUM

SAS Variable Name: OTHER_INHALER

Value	Value Label
BLANK	Not asked or missing

Frequency	Percentage	Weighted Percentage
1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PILL ACCOLATE

Survey: CHILD Asthma Call-Back
Column: 352
Prologue:
Description: PILL ACCOLATE

Type: NUM
SAS Variable Name: PILLS_ID_1

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

PILL AEROLATE

Survey: CHILD Asthma Call-Back
Column: 353
Prologue:
Description: PILL AEROLATE

Type: NUM
SAS Variable Name: PILLS_ID_2

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

PILL ALBUTEROL

Survey: CHILD Asthma Call-Back
Column: 354
Prologue:
Description: PILL ALBUTEROL

Type: NUM
SAS Variable Name: PILLS_ID_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.06	0.01
1,815	99.94	99.99

PILL ALUPENT

Survey: CHILD Asthma Call-Back
Column: 355
Prologue:
Description: PILL ALUPENT

Type: NUM
SAS Variable Name: PILLS_ID_4

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

PILL CHOLEDYL (OXTRIPHYLLINE)

Survey: CHILD Asthma Call-Back
Column: 356
Prologue:
Description: PILL CHOLEDYL (OXTRIPHYLLINE)

Type: NUM
SAS Variable Name: PILLS_ID_5

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

PILL DELTASONE

Survey: CHILD Asthma Call-Back
Column: 357
Prologue:
Description: PILL DELTASONE

Type: NUM
SAS Variable Name: PILLS_ID_7

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PILL ELIXOPHYLLIN

Survey: CHILD Asthma Call-Back
Column: 358
Prologue:
Description: PILL ELIXOPHYLLIN

Type: NUM
SAS Variable Name: PILLS_ID_8

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

PILL MEDROL

Survey: CHILD Asthma Call-Back
Column: 359
Prologue:
Description: PILL MEDROL

Type: NUM
SAS Variable Name: PILLS_ID_11

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

PILL METAPREL

Survey: CHILD Asthma Call-Back
Column: 360
Prologue:
Description: PILL METAPREL

Type: NUM
SAS Variable Name: PILLS_ID_12

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

PILL METAPROTERONOL

Survey: CHILD Asthma Call-Back
Column: 361
Prologue:
Description: PILL METAPROTERONOL

Type: NUM
SAS Variable Name: PILLS_ID_13

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

PILL METHYLPREDNISOLONE

Survey: CHILD Asthma Call-Back
Column: 362
Prologue:
Description: PILL METHYLPREDNISOLONE

Type: NUM
SAS Variable Name: PILLS_ID_14

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.06	0.00
1,815	99.94	100.00

PILL MONTELUKAST

Survey: CHILD Asthma Call-Back
Column: 363
Prologue:
Description: PILL MONTELUKAST

Type: NUM
SAS Variable Name: PILLS_ID_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.06	0.00
1,815	99.94	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PILL PEDIAPRED

Survey: CHILD Asthma Call-Back
Column: 364
Prologue:
Description: PILL PEDIAPRED

Type: NUM
SAS Variable Name: PILLS_ID_17

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

PILL PREDNISOLONE

Survey: CHILD Asthma Call-Back
Column: 365
Prologue:
Description: PILL PREDNISOLONE

Type: NUM
SAS Variable Name: PILLS_ID_18

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

PILL PREDNISONONE

Survey: CHILD Asthma Call-Back
Column: 366
Prologue:
Description: PILL PREDNISONONE

Type: NUM
SAS Variable Name: PILLS_ID_19

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
15	0.83	0.89
1,801	99.17	99.11

PILL PROVENTIL

Survey: CHILD Asthma Call-Back
Column: 367
Prologue:
Description: PILL PROVENTIL

Type: NUM
SAS Variable Name: PILLS_ID_21

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

PILL RESPID

Survey: CHILD Asthma Call-Back
Column: 368
Prologue:
Description: PILL RESPID

Type: NUM
SAS Variable Name: PILLS_ID_23

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.11	0.06
1,814	99.89	99.94

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PILL SINGULAIR

Survey: CHILD Asthma Call-Back
Column: 369
Prologue:
Description: PILL SINGULAIR

Type: NUM
SAS Variable Name: PILLS_ID_24

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
245	13.49	14.00
1,571	86.51	86.00

PILL SLO-PHYLLIN

Survey: CHILD Asthma Call-Back
Column: 370
Prologue:
Description: PILL SLO-PHYLLIN

Type: NUM
SAS Variable Name: PILLS_ID_25

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

PILL SLO-BID

Survey: CHILD Asthma Call-Back
Column: 371
Prologue:
Description: PILL SLO-BID

Type: NUM
SAS Variable Name: PILLS_ID_26

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.06	0.00
1,815	99.94	100.00

PILL THEO-24

Survey: CHILD Asthma Call-Back
Column: 372
Prologue:
Description: PILL THEO-24

Type: NUM
SAS Variable Name: PILLS_ID_28

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

PILL THEOCHRON

Survey: CHILD Asthma Call-Back
Column: 373
Prologue:
Description: PILL THEOCHRON

Type: NUM
SAS Variable Name: PILLS_ID_30

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

PILL THEOCLEAR

Survey: CHILD Asthma Call-Back
Column: 374
Prologue:
Description: PILL THEOCLEAR

Type: NUM
SAS Variable Name: PILLS_ID_31

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011

PILL THEODUR

Survey: CHILD Asthma Call-Back
Column: 375
Prologue:
Description: PILL THEODUR

Type: NUM
SAS Variable Name: PILLS_ID_32

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

PILL THEO-DUR

Survey: CHILD Asthma Call-Back
Column: 376
Prologue:
Description: PILL THEO-DUR

Type: NUM
SAS Variable Name: PILLS_ID_33

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

PILL THEOPHYLLINE

Survey: CHILD Asthma Call-Back
Column: 377
Prologue:
Description: PILL THEOPHYLLINE

Type: NUM
SAS Variable Name: PILLS_ID_35

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

PILL THEOSPAN

Survey: CHILD Asthma Call-Back
Column: 378
Prologue:
Description: PILL THEOSPAN

Type: NUM
SAS Variable Name: PILLS_ID_37

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

PILL T-PHYL

Survey: CHILD Asthma Call-Back
Column: 379
Prologue:
Description: PILL T-PHYL

Type: NUM
SAS Variable Name: PILLS_ID_40

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

PILL UNIPHYL

Survey: CHILD Asthma Call-Back
Column: 380
Prologue:
Description: PILL UNIPHYL

Type: NUM
SAS Variable Name: PILLS_ID_42

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PILL VENTOLIN

Survey: CHILD Asthma Call-Back
Column: 381
Prologue:
Description: PILL VENTOLIN

Type: NUM
SAS Variable Name: PILLS_ID_43

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

PILL VOLMAX

Survey: CHILD Asthma Call-Back
Column: 382
Prologue:
Description: PILL VOLMAX

Type: NUM
SAS Variable Name: PILLS_ID_44

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

PILL ZAFIRLUKAST

Survey: CHILD Asthma Call-Back
Column: 383
Prologue:
Description: PILL ZAFIRLUKAST

Type: NUM
SAS Variable Name: PILLS_ID_45

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

PILL ZILEUTON

Survey: CHILD Asthma Call-Back
Column: 384
Prologue:
Description: PILL ZILEUTON

Type: NUM
SAS Variable Name: PILLS_ID_46

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

PILL ZYFLO FILMTAB

Survey: CHILD Asthma Call-Back
Column: 385
Prologue:
Description: PILL ZYFLO FILMTAB

Type: NUM
SAS Variable Name: PILLS_ID_47

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

PILL TERBUTALINE (+ T. SULFATE)

Survey: CHILD Asthma Call-Back
Column: 386
Prologue:
Description: PILL TERBUTALINE (+ T. SULFATE)

Type: NUM
SAS Variable Name: PILLS_ID_48

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PILL BRETHINE

Survey: CHILD Asthma Call-Back
Column: 387
Prologue:
Description: PILL BRETHINE

Type: NUM
SAS Variable Name: PILLS_ID_49

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

DON'T KNOW/REFUSED

Survey: CHILD Asthma Call-Back
Column: 388
Prologue:
Description: DON'T KNOW/REFUSED

Type: NUM
SAS Variable Name: PILLS_ID_7799

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
12	0.66	0.77
1,804	99.34	99.23

OTHER PILLS

Survey: CHILD Asthma Call-Back
Column: 389
Prologue:
Description: NEW OTHER PRESCRIPTION PILLS

Type: NUM
SAS Variable Name: OTHER_PILLS

Value	Value Label
BLANK	Not asked or missing

Frequency	Percentage	Weighted Percentage
1,816		

SYRUP AEROLATE

Survey: CHILD Asthma Call-Back
Column: 390
Prologue:
Description: SYRUP AEROLATE

Type: NUM
SAS Variable Name: SYRUP_ID_1

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

SYRUP ALBUTEROL

Survey: CHILD Asthma Call-Back
Column: 391
Prologue:
Description: SYRUP ALBUTEROL

Type: NUM
SAS Variable Name: SYRUP_ID_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
9	0.50	0.35
1,807	99.50	99.65

SYRUP ALUPENT

Survey: CHILD Asthma Call-Back
Column: 392
Prologue:
Description: SYRUP ALUPENT

Type: NUM
SAS Variable Name: SYRUP_ID_3

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

SYRUP METAPROTERONOL

Survey: CHILD Asthma Call-Back
Column: 393
Prologue:
Description: SYRUP METAPROTERONOL

Type: NUM
SAS Variable Name: SYRUP_ID_4

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

SYRUP PREDNISOLONE

Survey: CHILD Asthma Call-Back
Column: 394
Prologue:
Description: SYRUP PREDNISOLONE

Type: NUM
SAS Variable Name: SYRUP_ID_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
38	2.09	2.99
1,778	97.91	97.01

SYRUP PRELONE

Survey: CHILD Asthma Call-Back
Column: 395
Prologue:
Description: SYRUP PRELONE

Type: NUM
SAS Variable Name: SYRUP_ID_6

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.28	0.23
1,811	99.72	99.77

SYRUP PROVENTIL

Survey: CHILD Asthma Call-Back
Column: 396
Prologue:
Description: SYRUP PROVENTIL

Type: NUM
SAS Variable Name: SYRUP_ID_7

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

SYRUP SLO-PHYLLIN

Survey: CHILD Asthma Call-Back
Column: 397
Prologue:
Description: SYRUP SLO-PHYLLIN

Type: NUM
SAS Variable Name: SYRUP_ID_8

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

SYRUP THEOPHYLLINE

Survey: CHILD Asthma Call-Back
Column: 398
Prologue:
Description: SYRUP THEOPHYLLINE

Type: NUM
SAS Variable Name: SYRUP_ID_9

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

SYRUP VENTOLIN

Survey: CHILD Asthma Call-Back
Column: 399
Prologue:
Description: SYRUP VENTOLIN

Type: NUM
SAS Variable Name: SYRUP_ID_10

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

DON'T KNOW/REFUSED

Survey: CHILD Asthma Call-Back
Column: 400
Prologue:
Description: DON'T KNOW/REFUSED

Type: NUM
SAS Variable Name: SYRUP_ID_7799

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
15	0.83	1.20
1,801	99.17	98.80

OTHER SYRUP

Survey: CHILD Asthma Call-Back
Column: 401
Prologue:
Description: NEW OTHER PRESCRIPTION SYRUP

Type: NUM
SAS Variable Name: OTHER_SYRUP

Value	Value Label
BLANK	Not asked or missing

Frequency	Percentage	Weighted Percentage
1,816		

NEB ALBUTEROL

Survey: CHILD Asthma Call-Back
Column: 402
Prologue:
Description: NEB ALBUTEROL

Type: NUM
SAS Variable Name: NEB_ID_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
231	12.72	13.76
1,585	87.28	86.24

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

NEB ALUPENT

Survey: CHILD Asthma Call-Back
Column: 403
Prologue:
Description: NEB ALUPENT

Type: NUM
SAS Variable Name: NEB_ID_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.06	0.03
1,815	99.94	99.97

NEB ATROVENT

Survey: CHILD Asthma Call-Back
Column: 404
Prologue:
Description: NEB ATROVENT

Type: NUM
SAS Variable Name: NEB_ID_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.11	0.12
1,814	99.89	99.88

NEB BITOLTEROL

Survey: CHILD Asthma Call-Back
Column: 405
Prologue:
Description: NEB BITOLTEROL

Type: NUM
SAS Variable Name: NEB_ID_4

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

NEB BUDESONIDE

Survey: CHILD Asthma Call-Back
Column: 406
Prologue:
Description: NEB BUDESONIDE

Type: NUM
SAS Variable Name: NEB_ID_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
30	1.65	2.72
1,786	98.35	97.28

NEB CROMOLYN

Survey: CHILD Asthma Call-Back
Column: 407
Prologue:
Description: NEB CROMOLYN

Type: NUM
SAS Variable Name: NEB_ID_6

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

NEB DUONEB

Survey: CHILD Asthma Call-Back
Column: 408
Prologue:
Description: NEB DUONEB

Type: NUM
SAS Variable Name: NEB_ID_7

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

NEB INTAL

Survey: CHILD Asthma Call-Back
Column: 409
Prologue:
Description: NEB INTAL

Type: NUM
SAS Variable Name: NEB_ID_8

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

NEB IPRATROPIUM BROMIDE

Survey: CHILD Asthma Call-Back
Column: 410
Prologue:
Description: NEB IPRATROPIUM BROMIDE

Type: NUM
SAS Variable Name: NEB_ID_9

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.22	0.54
1,812	99.78	99.46

NEB LEVALBUTEROL

Survey: CHILD Asthma Call-Back
Column: 411
Prologue:
Description: NEB LEVALBUTEROL

Type: NUM
SAS Variable Name: NEB_ID_10

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

NEB METAPROTERONOL

Survey: CHILD Asthma Call-Back
Column: 412
Prologue:
Description: NEB METAPROTERONOL

Type: NUM
SAS Variable Name: NEB_ID_11

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

NEB PROVENTIL

Survey: CHILD Asthma Call-Back
Column: 413
Prologue:
Description: NEB PROVENTIL

Type: NUM
SAS Variable Name: NEB_ID_12

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

NEB PULMICORT

Survey: CHILD Asthma Call-Back

Column: 414

Prologue:

Description: NEB PULMICORT

Type: NUM

SAS Variable Name: NEB_ID_13

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
54	2.97	3.95
1,762	97.03	96.05

NEB TORNALATE

Survey: CHILD Asthma Call-Back

Column: 415

Prologue:

Description: NEB TORNALATE

Type: NUM

SAS Variable Name: NEB_ID_14

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,816	100.00	100.00

NEB VENTOLIN

Survey: CHILD Asthma Call-Back

Column: 416

Prologue:

Description: NEB VENTOLIN

Type: NUM

SAS Variable Name: NEB_ID_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.11	0.37
1,814	99.89	99.63

NEB XOPENEX

Survey: CHILD Asthma Call-Back

Column: 417

Prologue:

Description: NEB XOPENEX

Type: NUM

SAS Variable Name: NEB_ID_16

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
57	3.14	2.61
1,759	96.86	97.39

DON'T KNOW/REFUSED

Survey: CHILD Asthma Call-Back

Column: 418

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM

SAS Variable Name: NEB_ID_7799

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
19	1.05	0.74
1,797	98.95	99.26

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

OTHER NEBULIZER

Survey: CHILD Asthma Call-Back

Column: 419

Prologue:

Description: NEW OTHER PRESCRIPTION NEBULIZER

Type: NUM
SAS Variable Name: OTHER_NEB

Value	Value Label
BLANK	Not asked or missing

Frequency	Percentage	Weighted Percentage
1,816		

OTHER INHALER TEXT

Survey: CHILD Asthma Call-Back

Column: 420-519

Prologue:

Description: New other prescription inhaler name

Type: CHAR
SAS Variable Name: OTH_I1R

Value	Value Label
BLANK	No other new asthma medication
HIDDEN	

Frequency	Percentage	Weighted Percentage
1,811		
5	100.00	100.00

OTHER PILLS TEXT

Survey: CHILD Asthma Call-Back

Column: 520-619

Prologue:

Description: New other prescription pills name

Type: CHAR
SAS Variable Name: OTH_P1R

Value	Value Label
BLANK	No other new asthma medication
HIDDEN	

Frequency	Percentage	Weighted Percentage
1,815		
1	100.00	100.00

OTHER SYRUP TEXT

Survey: CHILD Asthma Call-Back

Column: 620-719

Prologue:

Description: New other prescription syrup name

Type: CHAR
SAS Variable Name: OTH_S1R

Value	Value Label
BLANK	No other new asthma medication
HIDDEN	

Frequency	Percentage	Weighted Percentage
1,815		
1	100.00	100.00

OTHER NEBULIZER TEXT

Survey: CHILD Asthma Call-Back

Column: 720-819

Prologue:

Description: New other prescription nebulizer name

Type: CHAR
SAS Variable Name: OTH_N1R

Value	Value Label
BLANK	No other new asthma medication
HIDDEN	

Frequency	Percentage	Weighted Percentage
1,815		
1	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

INHALER_TEXT: COUGH/COLD MED.

Survey: CHILD Asthma Call-Back

Column: 820

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	27	1.49	0.65
3	No other medication text filled	1,789	98.51	99.35

INHALER_TEXT: ALLERGY MED.

Survey: CHILD Asthma Call-Back

Column: 821

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	0.33	0.12
2	No	21	1.16	0.53
3	No other medication text filled	1,789	98.51	99.35

INHALER_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: CHILD Asthma Call-Back

Column: 822

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	27	1.49	0.65
3	No other medication text filled	1,789	98.51	99.35

INHALER_TEXT: ASTHMA MED., BUT NOT INHALER

Survey: CHILD Asthma Call-Back

Column: 823

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	0.39	0.17
2	No	20	1.10	0.48
3	No other medication text filled	1,789	98.51	99.35

INHALER_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: CHILD Asthma Call-Back

Column: 824

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.11	0.19
2	No	25	1.38	0.46
3	No other medication text filled	1,789	98.51	99.35

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

INHALER_TEXT: WAS BACK CODED TO EXISTING INHALER

Survey: CHILD Asthma Call-Back

Column: 825

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	0.39	0.13
2	No	20	1.10	0.52
3	No other medication text filled	1,789	98.51	99.35

INHALER_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: CHILD Asthma Call-Back

Column: 826

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	27	1.49	0.65
3	No other medication text filled	1,789	98.51	99.35

INHALER_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: CHILD Asthma Call-Back

Column: 827

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	0.28	0.05
2	No	22	1.21	0.60
3	No other medication text filled	1,789	98.51	99.35

INHALER_TEXT: DON'T KNOW

Survey: CHILD Asthma Call-Back

Column: 828

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	27	1.49	0.65
3	No other medication text filled	1,789	98.51	99.35

PILLS_TEXT: COUGH/COLD MED.

Survey: CHILD Asthma Call-Back

Column: 829

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.11	0.03
2	No	41	2.26	1.92
3	No other medication text filled	1,773	97.63	98.05

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PILLS_TEXT: ALLERGY MED.

Survey: CHILD Asthma Call-Back

Column: 830

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	34	1.87	1.67
2	No	9	0.50	0.28
3	No other medication text filled	1,773	97.63	98.05

PILLS_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: CHILD Asthma Call-Back

Column: 831

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	0.28	0.25
2	No	38	2.09	1.70
3	No other medication text filled	1,773	97.63	98.05

PILLS_TEXT: ASTHMA MED., BUT NOT PILLS

Survey: CHILD Asthma Call-Back

Column: 832

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	43	2.37	1.95
3	No other medication text filled	1,773	97.63	98.05

PILLS_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: CHILD Asthma Call-Back

Column: 833

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.06	0.02
2	No	42	2.31	1.93
3	No other medication text filled	1,773	97.63	98.05

PILLS_TEXT: WAS BACK CODED TO EXISTING PILLS

Survey: CHILD Asthma Call-Back

Column: 834

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.11	0.10
2	No	41	2.26	1.85
3	No other medication text filled	1,773	97.63	98.05

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PILLS_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: CHILD Asthma Call-Back

Column: 835

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	43	2.37	1.95
3	No other medication text filled	1,773	97.63	98.05

PILLS_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: CHILD Asthma Call-Back

Column: 836

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.06	0.02
2	No	42	2.31	1.93
3	No other medication text filled	1,773	97.63	98.05

PILLS_TEXT: DON'T KNOW

Survey: CHILD Asthma Call-Back

Column: 837

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	43	2.37	1.95
3	No other medication text filled	1,773	97.63	98.05

SYRUP_TEXT: COUGH/COLD MED.

Survey: CHILD Asthma Call-Back

Column: 838

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	0.33	0.86
2	No	27	1.49	2.77
3	No other medication text filled	1,783	98.18	96.37

SYRUP_TEXT: ALLERGY MED.

Survey: CHILD Asthma Call-Back

Column: 839

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	21	1.16	2.30
2	No	12	0.66	1.33
3	No other medication text filled	1,783	98.18	96.37

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

SYRUP_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: CHILD Asthma Call-Back

Column: 840

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT3

Value	Value Label
1	Yes
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
1	0.06	0.00
32	1.76	3.63
1,783	98.18	96.37

SYRUP_TEXT: ASTHMA MED., BUT NOT SYRUP

Survey: CHILD Asthma Call-Back

Column: 841

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT4

Value	Value Label
1	Yes
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
2	0.11	0.36
31	1.71	3.27
1,783	98.18	96.37

SYRUP_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: CHILD Asthma Call-Back

Column: 842

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT5

Value	Value Label
1	Yes
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
2	0.11	0.02
31	1.71	3.61
1,783	98.18	96.37

SYRUP_TEXT: WAS BACK CODED TO EXISTING SYRUP

Survey: CHILD Asthma Call-Back

Column: 843

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT6

Value	Value Label
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
33	1.82	3.63
1,783	98.18	96.37

SYRUP_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: CHILD Asthma Call-Back

Column: 844

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT7

Value	Value Label
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
33	1.82	3.63
1,783	98.18	96.37

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

SYRUP_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: CHILD Asthma Call-Back

Column: 845

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.06	0.09
2	No	32	1.76	3.54
3	No other medication text filled	1,783	98.18	96.37

SYRUP_TEXT: DON'T KNOW

Survey: CHILD Asthma Call-Back

Column: 846

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	33	1.82	3.63
3	No other medication text filled	1,783	98.18	96.37

NEB_TEXT: COUGH/COLD MED.

Survey: CHILD Asthma Call-Back

Column: 847

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	8	0.44	0.69
3	No other medication text filled	1,808	99.56	99.31

NEB_TEXT: ALLERGY MED.

Survey: CHILD Asthma Call-Back

Column: 848

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	8	0.44	0.69
3	No other medication text filled	1,808	99.56	99.31

NEB_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: CHILD Asthma Call-Back

Column: 849

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.06	0.09
2	No	7	0.39	0.61
3	No other medication text filled	1,808	99.56	99.31

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

NEB_TEXT: ASTHMA MED., BUT NOT NEB

Survey: CHILD Asthma Call-Back

Column: 850

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.06	0.00
2	No	7	0.39	0.69
3	No other medication text filled	1,808	99.56	99.31

NEB_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: CHILD Asthma Call-Back

Column: 851

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.06	0.00
2	No	7	0.39	0.69
3	No other medication text filled	1,808	99.56	99.31

NEB_TEXT: WAS BACK CODED TO EXISTING NEB

Survey: CHILD Asthma Call-Back

Column: 852

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.17	0.13
2	No	5	0.28	0.56
3	No other medication text filled	1,808	99.56	99.31

NEB_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: CHILD Asthma Call-Back

Column: 853

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	8	0.44	0.69
3	No other medication text filled	1,808	99.56	99.31

NEB_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: CHILD Asthma Call-Back

Column: 854

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.06	0.46
2	No	7	0.39	0.23
3	No other medication text filled	1,808	99.56	99.31

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

NEB_TEXT: DON'T KNOW

Survey: CHILD Asthma Call-Back

Column: 855

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT96

Value	Value Label
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
8	0.44	0.69
1,808	99.56	99.31

INHALED CORTICOSTEROIDS

Survey: CHILD Asthma Call-Back

Column: 856-857

Prologue:

Description: INHALED CORTICOSTEROIDS

Type: NUM

SAS Variable Name: INH_CS

Value	Value Label
0 - 14	Count
99	Missing

Frequency	Percentage	Weighted Percentage
1,794	98.79	99.40
22	1.21	0.60

INHALED ANTI-INFLAMMATORY

Survey: CHILD Asthma Call-Back

Column: 858-859

Prologue:

Description: INHALED ANTI-INFLAMMATORY

Type: NUM

SAS Variable Name: INH_AI

Value	Value Label
0 - 4	Count
99	Missing

Frequency	Percentage	Weighted Percentage
1,794	98.79	99.40
22	1.21	0.60

INHALED ANTI-CHOLINERGIC

Survey: CHILD Asthma Call-Back

Column: 860-861

Prologue:

Description: INHALED ANTI-CHOLINERGIC

Type: NUM

SAS Variable Name: INH_AC

Value	Value Label
0 - 3	Count
99	Missing

Frequency	Percentage	Weighted Percentage
1,794	98.79	99.40
22	1.21	0.60

INHALED BETA 2 AGONIST SHORT ACTING

Survey: CHILD Asthma Call-Back

Column: 862-863

Prologue:

Description: INHALED BETA 2 AGONIST SHORT ACTING

Type: NUM

SAS Variable Name: INH_B2AS

Value	Value Label
0 - 12	Count
99	Missing

Frequency	Percentage	Weighted Percentage
1,794	98.79	99.40
22	1.21	0.60

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

INHALED BETA 2 AGONIST LONG ACTING

Survey: CHILD Asthma Call-Back

Column: 864-865

Prologue:

Description: INHALED BETA 2 AGONIST LONG ACTING

Type: NUM

SAS Variable Name: INH_B2AL

Value	Value Label
0 - 5	Count
99	Missing

Frequency	Percentage	Weighted Percentage
1,794	98.79	99.40
22	1.21	0.60

PILL CORTICOSTEROIDS

Survey: CHILD Asthma Call-Back

Column: 866-867

Prologue:

Description: PILL CORTICOSTEROIDS

Type: NUM

SAS Variable Name: PILL_CS

Value	Value Label
0 - 7	Count
99	Missing

Frequency	Percentage	Weighted Percentage
1,794	98.79	99.39
22	1.21	0.61

PILL LEUKOTRIENE MODIFIERS

Survey: CHILD Asthma Call-Back

Column: 868-869

Prologue:

Description: PILL LEUKOTRIENE MODIFIERS

Type: NUM

SAS Variable Name: PILL_LM

Value	Value Label
0 - 6	Count
99	Missing

Frequency	Percentage	Weighted Percentage
1,794	98.79	99.39
22	1.21	0.61

PILL BETA 2 AGONIST

Survey: CHILD Asthma Call-Back

Column: 870-871

Prologue:

Description: PILL BETA 2 AGONIST

Type: NUM

SAS Variable Name: PILL_B2A

Value	Value Label
0 - 7	Count
99	Missing

Frequency	Percentage	Weighted Percentage
1,794	98.79	99.39
22	1.21	0.61

PILL METHYLXANTHINES

Survey: CHILD Asthma Call-Back

Column: 872-873

Prologue:

Description: PILL METHYLXANTHINES

Type: NUM

SAS Variable Name: PILL_METH

Value	Value Label
0 - 23	Count
99	Missing

Frequency	Percentage	Weighted Percentage
1,794	98.79	99.39
22	1.21	0.61

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

SYRUP METHYLXANTHINES

Survey: CHILD Asthma Call-Back

Column: 874-875

Prologue:

Description: SYRUP METHYLXANTHINES

Type: NUM
SAS Variable Name: SYRP_METH

Value	Value Label
0 - 3	Count
99	Missing

Frequency	Percentage	Weighted Percentage
1,794	98.79	99.13
22	1.21	0.87

SYRUP SHORT ACTING BETA 2 AGONIST

Survey: CHILD Asthma Call-Back

Column: 876-877

Prologue:

Description: SYRUP SHORT ACTING BETA 2 AGONIST

Type: NUM
SAS Variable Name: SYRP_B2AS

Value	Value Label
0 - 5	Count
99	Missing

Frequency	Percentage	Weighted Percentage
1,794	98.79	99.13
22	1.21	0.87

SYRUP CORTICOSTEROIDS

Survey: CHILD Asthma Call-Back

Column: 878-879

Prologue:

Description: SYRUP CORTICOSTEROIDS

Type: NUM
SAS Variable Name: SYRP_CS

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
1,794	98.79	99.13
22	1.21	0.87

NEBULIZER ANTI-INFLAMMATORY

Survey: CHILD Asthma Call-Back

Column: 880-881

Prologue:

Description: NEBULIZER ANTI-INFLAMMATORY

Type: NUM
SAS Variable Name: NEB_AI

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
1,798	99.01	99.44
18	0.99	0.56

NEBULIZER CORTICOSTEROID

Survey: CHILD Asthma Call-Back

Column: 882-883

Prologue:

Description: NEBULIZER CORTICOSTEROID

Type: NUM
SAS Variable Name: NEB_CS

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
1,798	99.01	99.44
18	0.99	0.56

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

NEBULIZER ANTICHOLINERGIC

Survey: CHILD Asthma Call-Back

Column: 884-885

Prologue:

Description: NEBULIZER ANTICHOLINERGIC

Type: NUM
SAS Variable Name: NEB_AC

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 3	Count	1,798	99.01	99.44
99	Missing	18	0.99	0.56

NEBULIZER BETA 2 AGONIST

Survey: CHILD Asthma Call-Back

Column: 886-887

Prologue:

Description: NEBULIZER BETA 2 AGONIST

Type: NUM
SAS Variable Name: NEB_B2A

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 8	Count	1,798	99.01	99.44
99	Missing	18	0.99	0.56

ADVAIR (+ A. DISKUS): SIZE

Survey: CHILD Asthma Call-Back

Column: 888

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Type: NUM
SAS Variable Name: ILP01_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

ADVAIR (+ A. DISKUS): HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 889

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Type: NUM
SAS Variable Name: ILP02_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	15	14.71	13.08
2	6 months to 1 year	14	13.73	18.03
3	Longer than 1 year	73	71.57	68.89
BLANK	Skip filled	1,714		

ADVAIR (+ A. DISKUS): WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 890

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Type: NUM
SAS Variable Name: ILP03_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

ADVAIR (+ A. DISKUS): WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 891

Type: NUM

SAS Variable Name: ILP04_1

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	35	34.31	45.60
2	No	54	52.94	49.49
3	No attack in past 3 months	12	11.76	4.43
7	Don't know/Not sure	1	0.98	0.47
BLANK	Skip filled	1,714		

ADVAIR (+ A. DISKUS): BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 892

Type: NUM

SAS Variable Name: ILP05_1

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	22	21.57	28.00
2	No	77	75.49	68.17
3	Didn't exercise in past 3 months	2	1.96	0.90
7	Don't know/Not sure	1	0.98	2.92
BLANK	Skip filled	1,714		

ADVAIR (+ A. DISKUS): REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 893

Type: NUM

SAS Variable Name: ILP06_1

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	87	85.29	79.04
2	No	14	13.73	20.53
7	Don't know/Not sure	1	0.98	0.43
BLANK	Skip filled	1,714		

ADVAIR (+ A. DISKUS): NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 894-895

Type: NUM

SAS Variable Name: ILP07_1

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	102	100.00	100.00
BLANK	Skip filled	1,714		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

ADVAIR (+ A. DISKUS): TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 896-898

Type: NUM

SAS Variable Name: ILP08_1

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	88	86.27	85.44
401 - 499	Weeks	10	9.80	7.93
555	Never	2	1.96	3.62
666	Less often than once a week	1	0.98	0.24
777	Don't know	1	0.98	2.77
BLANK	Skip filled	1,714		

ADVAIR (+ A. DISKUS): NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 899-900

Type: NUM

SAS Variable Name: ILP10_1

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

AEROBID: SIZE

Survey: CHILD Asthma Call-Back

Column: 901

Type: NUM

SAS Variable Name: ILP01_2

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

AEROBID: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 902

Type: NUM

SAS Variable Name: ILP02_2

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

AEROBID: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 903

Type: NUM

SAS Variable Name: ILP03_2

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

AEROBID: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 904

Type: NUM

SAS Variable Name: ILP04_2

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

AEROBID: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 905

Type: NUM

SAS Variable Name: ILP05_2

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

AEROBID: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 906

Type: NUM

SAS Variable Name: ILP06_2

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

AEROBID: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 907-908

Type: NUM

SAS Variable Name: ILP07_2

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

AEROBID: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 909-911

Type: NUM

SAS Variable Name: ILP08_2

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

AEROBID: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 912-913

Type: NUM

SAS Variable Name: ILP10_2

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): SIZE

Survey: CHILD Asthma Call-Back

Column: 914

Type: NUM

SAS Variable Name: ILP01_3

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	50	17.61	16.79
2	100 puffs	42	14.79	20.71
3	200 puffs	119	41.90	38.28
4	Other number of puffs	23	8.10	7.34
7	Don't know/Not sure	50	17.61	16.88
BLANK	Skip filled	1,532		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 915

Type: NUM

SAS Variable Name: ILP02_3

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	23	8.10	7.69
2	6 months to 1 year	15	5.28	10.19
3	Longer than 1 year	246	86.62	82.12
BLANK	Skip filled	1,532		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 916

Type: NUM

SAS Variable Name: ILP03_3

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	160	56.34	67.33
2	No	120	42.25	31.13
3	Medication is a disk inhaler, not a canister inhaler	1	0.35	1.42
7	Don't know/Not sure	3	1.06	0.12
BLANK	Skip filled	1,532		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 917

Type: NUM

SAS Variable Name: ILP04_3

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	248	87.32	88.42
2	No	16	5.63	6.94
3	No attack in past 3 months	17	5.99	4.22
7	Don't know/Not sure	3	1.06	0.42
BLANK	Skip filled	1,532		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 918

Type: NUM

SAS Variable Name: ILP05_3

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	129	45.42	36.67
2	No	148	52.11	61.83
3	Didn't exercise in past 3 months	3	1.06	0.39
7	Don't know/Not sure	4	1.41	1.11
BLANK	Skip filled	1,532		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 919

Type: NUM

SAS Variable Name: ILP06_3

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	54	19.01	30.90
2	No	230	80.99	69.10
BLANK	Skip filled	1,532		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 920-921

Type: NUM

SAS Variable Name: ILP07_3

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	279	98.24	98.99
77	Don't know	4	1.41	0.89
99	Refused	1	0.35	0.12
BLANK	Skip filled	1,532		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 922-924

Type: NUM

SAS Variable Name: ILP08_3

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	68	23.94	32.59
401 - 499	Weeks	100	35.21	29.70
555	Never	4	1.41	3.03
666	Less often than once a week	93	32.75	30.38
777	Don't know	19	6.69	4.30
BLANK	Skip filled	1,532		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 925-926

Type: NUM

SAS Variable Name: ILP10_3

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	198	69.72	79.96
77	Don't know	13	4.58	1.86
88	None/Less than 1 full canister	73	25.70	18.19
BLANK	Skip filled	1,532		

ALUPENT: SIZE

Survey: CHILD Asthma Call-Back

Column: 927

Type: NUM

SAS Variable Name: ILP01_4

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

ALUPENT: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 928

Type: NUM

SAS Variable Name: ILP02_4

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

ALUPENT: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 929

Type: NUM

SAS Variable Name: ILP03_4

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

ALUPENT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 930

Type: NUM

SAS Variable Name: ILP04_4

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

ALUPENT: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 931

Type: NUM

SAS Variable Name: ILP05_4

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

ALUPENT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 932

Type: NUM

SAS Variable Name: ILP06_4

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

ALUPENT: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 933-934

Type: NUM

SAS Variable Name: ILP07_4

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

ALUPENT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 935-937

Type: NUM

SAS Variable Name: ILP08_4

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

ALUPENT: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 938-939

Type: NUM

SAS Variable Name: ILP10_4

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

ATROVENT: SIZE

Survey: CHILD Asthma Call-Back

Column: 940

Type: NUM

SAS Variable Name: ILP01_5

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

ATROVENT: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 941

Type: NUM

SAS Variable Name: ILP02_5

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	50.00	88.85
3	Longer than 1 year	1	50.00	11.15
BLANK	Skip filled	1,814		

ATROVENT: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 942

Type: NUM

SAS Variable Name: ILP03_5

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	88.85
7	Don't know/Not sure	1	50.00	11.15
BLANK	Skip filled	1,814		

ATROVENT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 943

Type: NUM

SAS Variable Name: ILP04_5

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	88.85
2	No	1	50.00	11.15
BLANK	Skip filled	1,814		

ATROVENT: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 944

Type: NUM

SAS Variable Name: ILP05_5

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	1,814		

ATROVENT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 945

Type: NUM

SAS Variable Name: ILP06_5

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	1,814		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

ATROVENT: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 946-947

Type: NUM

SAS Variable Name: ILP07_5

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	2	100.00	100.00
BLANK	Skip filled	1,814		

ATROVENT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 948-950

Type: NUM

SAS Variable Name: ILP08_5

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	100.00	100.00
BLANK	Skip filled	1,814		

ATROVENT: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 951-952

Type: NUM

SAS Variable Name: ILP10_5

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

AZMACORT: SIZE

Survey: CHILD Asthma Call-Back

Column: 953

Type: NUM

SAS Variable Name: ILP01_6

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

AZMACORT: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 954

Type: NUM

SAS Variable Name: ILP02_6

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

AZMACORT: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 955

Type: NUM

SAS Variable Name: ILP03_6

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

AZMACORT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 956

Type: NUM

SAS Variable Name: ILP04_6

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

AZMACORT: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 957

Type: NUM

SAS Variable Name: ILP05_6

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

AZMACORT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 958

Type: NUM

SAS Variable Name: ILP06_6

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

AZMACORT: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 959-960

Type: NUM

SAS Variable Name: ILP07_6

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

AZMACORT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 961-963

Type: NUM

SAS Variable Name: ILP08_6

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

AZMACORT: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 964-965

Type: NUM

SAS Variable Name: ILP10_6

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

BECLOMETHASONE DIPROPIONATE: SIZE

Survey: CHILD Asthma Call-Back

Column: 966

Type: NUM

SAS Variable Name: ILP01_7

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

BECLOMETHASONE DIPROPIONATE: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 967

Type: NUM

SAS Variable Name: ILP02_7

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

BECLOMETHASONE DIPROPIONATE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 968

Type: NUM

SAS Variable Name: ILP03_7

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

BECLOMETHASONE DIPROPIONATE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 969

Type: NUM

SAS Variable Name: ILP04_7

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

BECLOMETHASONE DIPROPIONATE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 970

Type: NUM

SAS Variable Name: ILP05_7

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

BECLOMETHASONE DIPROPIONATE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 971

Type: NUM

SAS Variable Name: ILP06_7

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

BECLOMETHASONE DIPROPIONATE: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 972-973

Type: NUM

SAS Variable Name: ILP07_7

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

BECLOMETHASONE DIPROPIONATE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 974-976

Type: NUM

SAS Variable Name: ILP08_7

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

BECLOMETHASONE DIPROPIONATE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 977-978

Type: NUM

SAS Variable Name: ILP10_7

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

BECLOVENT: SIZE

Survey: CHILD Asthma Call-Back

Column: 979

Type: NUM

SAS Variable Name: ILP01_8

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

BECLOVENT: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 980

Type: NUM

SAS Variable Name: ILP02_8

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

BECLOVENT: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 981

Type: NUM

SAS Variable Name: ILP03_8

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

BECLOVENT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 982

Type: NUM

SAS Variable Name: ILP04_8

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

BECLOVENT: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 983

Type: NUM

SAS Variable Name: ILP05_8

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

BECLOVENT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 984

Type: NUM

SAS Variable Name: ILP06_8

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

BECLOVENT: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 985-986

Type: NUM

SAS Variable Name: ILP07_8

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

BECLOVENT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 987-989

Type: NUM

SAS Variable Name: ILP08_8

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

BECLOVENT: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 990-991

Type: NUM

SAS Variable Name: ILP10_8

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

BITOLTEROL: SIZE

Survey: CHILD Asthma Call-Back

Column: 992

Type: NUM

SAS Variable Name: ILP01_9

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

BITOLTEROL: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 993

Type: NUM

SAS Variable Name: ILP02_9

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

BITOLTEROL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 994

Type: NUM

SAS Variable Name: ILP03_9

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

BITOLTEROL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 995

Type: NUM

SAS Variable Name: ILP04_9

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

BITOLTEROL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 996

Type: NUM

SAS Variable Name: ILP05_9

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

BITOLTEROL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 997

Type: NUM

SAS Variable Name: ILP06_9

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

BITOLTEROL: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 998-999

Type: NUM

SAS Variable Name: ILP07_9

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

BITOLTEROL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1000-1002

Type: NUM

SAS Variable Name: ILP08_9

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

BITOLTEROL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1003-1004

Type: NUM

SAS Variable Name: ILP10_9

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

BRETHAIRE: SIZE

Survey: CHILD Asthma Call-Back

Column: 1005

Type: NUM

SAS Variable Name: ILP01_10

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

BRETHAIRE: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1006

Type: NUM

SAS Variable Name: ILP02_10

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

BRETHAIRE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1007

Type: NUM

SAS Variable Name: ILP03_10

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

BRETHAIRE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1008

Type: NUM

SAS Variable Name: ILP04_10

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

BRETHAIRE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1009

Type: NUM

SAS Variable Name: ILP05_10

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

BRETHAIRE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1010

Type: NUM

SAS Variable Name: ILP06_10

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

BRETHAIRE: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1011-1012

Type: NUM

SAS Variable Name: ILP07_10

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

BRETHAIRE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1013-1015

Type: NUM

SAS Variable Name: ILP08_10

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

BRETHAIRE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1016-1017

Type: NUM

SAS Variable Name: ILP10_10

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

BUDESONIDE: SIZE

Survey: CHILD Asthma Call-Back

Column: 1018

Type: NUM

SAS Variable Name: ILP01_11

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

BUDESONIDE: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1019

Type: NUM

SAS Variable Name: ILP02_11

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	33.33	81.20
2	6 months to 1 year	1	33.33	2.35
3	Longer than 1 year	1	33.33	16.45
BLANK	Skip filled	1,813		

BUDESONIDE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1020

Type: NUM

SAS Variable Name: ILP03_11

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	81.20
2	No	1	33.33	16.45
7	Don't know/Not sure	1	33.33	2.35
BLANK	Skip filled	1,813		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

BUDESONIDE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1021

Type: NUM

SAS Variable Name: ILP04_11

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	97.65
7	Don't know/Not sure	1	33.33	2.35
BLANK	Skip filled	1,813		

BUDESONIDE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1022

Type: NUM

SAS Variable Name: ILP05_11

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	3	100.00	100.00
BLANK	Skip filled	1,813		

BUDESONIDE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1023

Type: NUM

SAS Variable Name: ILP06_11

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	3	100.00	100.00
BLANK	Skip filled	1,813		

BUDESONIDE: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1024-1025

Type: NUM

SAS Variable Name: ILP07_11

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	2	66.67	97.65
77	Don't know	1	33.33	2.35
BLANK	Skip filled	1,813		

BUDESONIDE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1026-1028

Type: NUM

SAS Variable Name: ILP08_11

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	33.33	2.35
401 - 499	Weeks	1	33.33	81.20
666	Less often than once a week	1	33.33	16.45
BLANK	Skip filled	1,813		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

BUDESONIDE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1029-1030

Type: NUM

SAS Variable Name: ILP10_11

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

COMBIVENT: SIZE

Survey: CHILD Asthma Call-Back

Column: 1031

Type: NUM

SAS Variable Name: ILP01_12

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

COMBIVENT: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1032

Type: NUM

SAS Variable Name: ILP02_12

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	2	100.00	100.00
BLANK	Skip filled	1,814		

COMBIVENT: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1033

Type: NUM

SAS Variable Name: ILP03_12

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	1,814		

COMBIVENT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1034

Type: NUM

SAS Variable Name: ILP04_12

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	75.87
2	No	1	50.00	24.13
BLANK	Skip filled	1,814		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

COMBIVENT: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1035

Type: NUM

SAS Variable Name: ILP05_12

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	24.13
7	Don't know/Not sure	1	50.00	75.87
BLANK	Skip filled	1,814		

COMBIVENT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1036

Type: NUM

SAS Variable Name: ILP06_12

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	75.87
2	No	1	50.00	24.13
BLANK	Skip filled	1,814		

COMBIVENT: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1037-1038

Type: NUM

SAS Variable Name: ILP07_12

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	2	100.00	100.00
BLANK	Skip filled	1,814		

COMBIVENT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1039-1041

Type: NUM

SAS Variable Name: ILP08_12

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	50.00	75.87
666	Less often than once a week	1	50.00	24.13
BLANK	Skip filled	1,814		

COMBIVENT: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1042-1043

Type: NUM

SAS Variable Name: ILP10_12

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

CROMOLYN: SIZE

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 1044

SAS Variable Name: ILP01_13

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

CROMOLYN: HOW LONG USED

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 1045

SAS Variable Name: ILP02_13

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

CROMOLYN: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 1046

SAS Variable Name: ILP03_13

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

CROMOLYN: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 1047

SAS Variable Name: ILP04_13

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

CROMOLYN: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 1048

SAS Variable Name: ILP05_13

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

CROMOLYN: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 1049

SAS Variable Name: ILP06_13

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

CROMOLYN: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back
Column: 1050-1051

Type: NUM
SAS Variable Name: ILP07_13

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

CROMOLYN: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back
Column: 1052-1054

Type: NUM
SAS Variable Name: ILP08_13

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

CROMOLYN: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back
Column: 1055-1056

Type: NUM
SAS Variable Name: ILP10_13

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

FLOVENT: SIZE

Survey: CHILD Asthma Call-Back
Column: 1057

Type: NUM
SAS Variable Name: ILP01_14

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

FLOVENT: HOW LONG USED

Survey: CHILD Asthma Call-Back
Column: 1058

Type: NUM
SAS Variable Name: ILP02_14

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	28	16.18	18.11
2	6 months to 1 year	19	10.98	11.23
3	Longer than 1 year	126	72.83	70.66
BLANK	Skip filled	1,643		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

FLOVENT: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1059

Type: NUM

SAS Variable Name: ILP03_14

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	122	70.52	66.84
2	No	50	28.90	32.68
3	Medication is a disk inhaler, not a canister inhaler	1	0.58	0.48
BLANK	Skip filled	1,643		

FLOVENT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1060

Type: NUM

SAS Variable Name: ILP04_14

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	97	56.07	54.72
2	No	56	32.37	37.79
3	No attack in past 3 months	18	10.40	7.25
7	Don't know/Not sure	2	1.16	0.24
BLANK	Skip filled	1,643		

FLOVENT: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1061

Type: NUM

SAS Variable Name: ILP05_14

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	53	30.64	35.66
2	No	111	64.16	56.93
3	Didn't exercise in past 3 months	5	2.89	6.59
7	Don't know/Not sure	4	2.31	0.82
BLANK	Skip filled	1,643		

FLOVENT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1062

Type: NUM

SAS Variable Name: ILP06_14

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	123	71.10	65.56
2	No	49	28.32	34.28
7	Don't know/Not sure	1	0.58	0.16
BLANK	Skip filled	1,643		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

FLOVENT: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1063-1064

Type: NUM

SAS Variable Name: ILP07_14

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	172	99.42	99.84
77	Don't know	1	0.58	0.16
BLANK	Skip filled	1,643		

FLOVENT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1065-1067

Type: NUM

SAS Variable Name: ILP08_14

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	131	75.72	69.68
401 - 499	Weeks	17	9.83	11.57
555	Never	1	0.58	0.03
666	Less often than once a week	20	11.56	18.09
777	Don't know	4	2.31	0.63
BLANK	Skip filled	1,643		

FLOVENT: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1068-1069

Type: NUM

SAS Variable Name: ILP10_14

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

FLOVENT ROTADISK: SIZE

Survey: CHILD Asthma Call-Back

Column: 1070

Type: NUM

SAS Variable Name: ILP01_15

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

FLOVENT ROTADISK: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1071

Type: NUM

SAS Variable Name: ILP02_15

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	33.33	17.36
3	Longer than 1 year	2	66.67	82.64
BLANK	Skip filled	1,813		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

FLOVENT ROTADISK: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1072

Type: NUM

SAS Variable Name: ILP03_15

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

FLOVENT ROTADISK: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1073

Type: NUM

SAS Variable Name: ILP04_15

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	46.52
2	No	1	33.33	53.48
BLANK	Skip filled	1,813		

FLOVENT ROTADISK: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1074

Type: NUM

SAS Variable Name: ILP05_15

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	82.64
2	No	1	33.33	17.36
BLANK	Skip filled	1,813		

FLOVENT ROTADISK: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1075

Type: NUM

SAS Variable Name: ILP06_15

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	100.00	100.00
BLANK	Skip filled	1,813		

FLOVENT ROTADISK: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1076-1077

Type: NUM

SAS Variable Name: ILP07_15

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	3	100.00	100.00
BLANK	Skip filled	1,813		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

FLOVENT ROTADISK: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1078-1080

Type: NUM

SAS Variable Name: ILP08_15

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	100.00	100.00
BLANK	Skip filled	1,813		

FLOVENT ROTADISK: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1081-1082

Type: NUM

SAS Variable Name: ILP10_15

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

FLUNISOLIDE: SIZE

Survey: CHILD Asthma Call-Back

Column: 1083

Type: NUM

SAS Variable Name: ILP01_16

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

FLUNISOLIDE: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1084

Type: NUM

SAS Variable Name: ILP02_16

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

FLUNISOLIDE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1085

Type: NUM

SAS Variable Name: ILP03_16

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

FLUNISOLIDE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1086

Type: NUM

SAS Variable Name: ILP04_16

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

FLUNISOLIDE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1087

Type: NUM

SAS Variable Name: ILP05_16

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

FLUNISOLIDE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1088

Type: NUM

SAS Variable Name: ILP06_16

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

FLUNISOLIDE: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1089-1090

Type: NUM

SAS Variable Name: ILP07_16

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

FLUNISOLIDE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1091-1093

Type: NUM

SAS Variable Name: ILP08_16

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

FLUNISOLIDE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1094-1095

Type: NUM

SAS Variable Name: ILP10_16

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

FLUTICASONE: SIZE

Survey: CHILD Asthma Call-Back

Column: 1096

Type: NUM

SAS Variable Name: ILP01_17

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

FLUTICASONE: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1097

Type: NUM

SAS Variable Name: ILP02_17

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	6	100.00	100.00
BLANK	Skip filled	1,810		

FLUTICASONE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1098

Type: NUM

SAS Variable Name: ILP03_17

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	66.67	81.47
2	No	2	33.33	18.53
BLANK	Skip filled	1,810		

FLUTICASONE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1099

Type: NUM

SAS Variable Name: ILP04_17

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	16.67	3.90
2	No	5	83.33	96.10
BLANK	Skip filled	1,810		

FLUTICASONE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1100

Type: NUM

SAS Variable Name: ILP05_17

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	6	100.00	100.00
BLANK	Skip filled	1,810		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

FLUTICASONE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1101

Type: NUM

SAS Variable Name: ILP06_17

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	66.67	51.31
2	No	2	33.33	48.69
BLANK	Skip filled	1,810		

FLUTICASONE: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1102-1103

Type: NUM

SAS Variable Name: ILP07_17

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	6	100.00	100.00
BLANK	Skip filled	1,810		

FLUTICASONE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1104-1106

Type: NUM

SAS Variable Name: ILP08_17

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	6	100.00	100.00
BLANK	Skip filled	1,810		

FLUTICASONE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1107-1108

Type: NUM

SAS Variable Name: ILP10_17

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

INTAL: SIZE

Survey: CHILD Asthma Call-Back

Column: 1109

Type: NUM

SAS Variable Name: ILP01_18

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

INTAL: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1110

Type: NUM

SAS Variable Name: ILP02_18

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

INTAL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1111

Type: NUM

SAS Variable Name: ILP03_18

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

INTAL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1112

Type: NUM

SAS Variable Name: ILP04_18

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

INTAL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1113

Type: NUM

SAS Variable Name: ILP05_18

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

INTAL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1114

Type: NUM

SAS Variable Name: ILP06_18

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

INTAL: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1115-1116

Type: NUM

SAS Variable Name: ILP07_18

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

INTAL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back
Column: 1117-1119

Type: NUM
SAS Variable Name: ILP08_18

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

INTAL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back
Column: 1120-1121

Type: NUM
SAS Variable Name: ILP10_18

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

IPRATROPIUM BROMIDE: SIZE

Survey: CHILD Asthma Call-Back
Column: 1122

Type: NUM
SAS Variable Name: ILP01_19

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

IPRATROPIUM BROMIDE: HOW LONG USED

Survey: CHILD Asthma Call-Back
Column: 1123

Type: NUM
SAS Variable Name: ILP02_19

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

IPRATROPIUM BROMIDE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back
Column: 1124

Type: NUM
SAS Variable Name: ILP03_19

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

IPRATROPIUM BROMIDE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1125

Type: NUM

SAS Variable Name: ILP04_19

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

IPRATROPIUM BROMIDE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1126

Type: NUM

SAS Variable Name: ILP05_19

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

IPRATROPIUM BROMIDE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1127

Type: NUM

SAS Variable Name: ILP06_19

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

IPRATROPIUM BROMIDE: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1128-1129

Type: NUM

SAS Variable Name: ILP07_19

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

IPRATROPIUM BROMIDE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1130-1132

Type: NUM

SAS Variable Name: ILP08_19

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

IPRATROPIUM BROMIDE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1133-1134

Type: NUM

SAS Variable Name: ILP10_19

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

MAXAIR: SIZE

Survey: CHILD Asthma Call-Back

Column: 1135

Type: NUM

SAS Variable Name: ILP01_20

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

MAXAIR: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1136

Type: NUM

SAS Variable Name: ILP02_20

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	12.50	30.18
3	Longer than 1 year	7	87.50	69.82
BLANK	Skip filled	1,808		

MAXAIR: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1137

Type: NUM

SAS Variable Name: ILP03_20

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	12.50	3.91
2	No	6	75.00	45.52
7	Don't know/Not sure	1	12.50	50.56
BLANK	Skip filled	1,808		

MAXAIR: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1138

Type: NUM

SAS Variable Name: ILP04_20

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	75.00	92.09
3	No attack in past 3 months	1	12.50	3.91
7	Don't know/Not sure	1	12.50	4.00
BLANK	Skip filled	1,808		

MAXAIR: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1139

Type: NUM

SAS Variable Name: ILP05_20

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	50.00	14.69
2	No	4	50.00	85.31
BLANK	Skip filled	1,808		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

MAXAIR: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1140

Type: NUM

SAS Variable Name: ILP06_20

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	8	100.00	100.00
BLANK	Skip filled	1,808		

MAXAIR: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1141-1142

Type: NUM

SAS Variable Name: ILP07_20

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	8	100.00	100.00
BLANK	Skip filled	1,808		

MAXAIR: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1143-1145

Type: NUM

SAS Variable Name: ILP08_20

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	12.50	50.56
401 - 499	Weeks	1	12.50	3.87
666	Less often than once a week	5	62.50	41.57
777	Don't know	1	12.50	4.00
BLANK	Skip filled	1,808		

MAXAIR: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1146-1147

Type: NUM

SAS Variable Name: ILP10_20

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	4	50.00	88.53
77	Don't know	1	12.50	4.00
88	None/Less than 1 full canister	3	37.50	7.48
BLANK	Skip filled	1,808		

METAPROTERONOL: SIZE

Survey: CHILD Asthma Call-Back

Column: 1148

Type: NUM

SAS Variable Name: ILP01_21

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

METAPROTERONOL: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1149

Type: NUM

SAS Variable Name: ILP02_21

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

METAPROTERONOL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1150

Type: NUM

SAS Variable Name: ILP03_21

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

METAPROTERONOL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1151

Type: NUM

SAS Variable Name: ILP04_21

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

METAPROTERONOL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1152

Type: NUM

SAS Variable Name: ILP05_21

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

METAPROTERONOL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1153

Type: NUM

SAS Variable Name: ILP06_21

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

METAPROTERONOL: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1154-1155

Type: NUM

SAS Variable Name: ILP07_21

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

METAPROTERONOL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1156-1158

Type: NUM

SAS Variable Name: ILP08_21

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

METAPROTERONOL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1159-1160

Type: NUM

SAS Variable Name: ILP10_21

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

NEDOCROMIL: SIZE

Survey: CHILD Asthma Call-Back

Column: 1161

Type: NUM

SAS Variable Name: ILP01_22

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

NEDOCROMIL: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1162

Type: NUM

SAS Variable Name: ILP02_22

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

NEDOCROMIL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1163

Type: NUM

SAS Variable Name: ILP03_22

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

NEDOCROMIL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1164

Type: NUM

SAS Variable Name: ILP04_22

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

NEDOCROMIL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1165

Type: NUM

SAS Variable Name: ILP05_22

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

NEDOCROMIL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1166

Type: NUM

SAS Variable Name: ILP06_22

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

NEDOCROMIL: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1167-1168

Type: NUM

SAS Variable Name: ILP07_22

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

NEDOCROMIL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1169-1171

Type: NUM

SAS Variable Name: ILP08_22

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

NEDOCROMIL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1172-1173

Type: NUM

SAS Variable Name: ILP10_22

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PIRBUTEROL: SIZE

Survey: CHILD Asthma Call-Back

Column: 1174

Type: NUM

SAS Variable Name: ILP01_23

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

PIRBUTEROL: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1175

Type: NUM

SAS Variable Name: ILP02_23

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	1,815		

PIRBUTEROL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1176

Type: NUM

SAS Variable Name: ILP03_23

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	1,815		

PIRBUTEROL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1177

Type: NUM

SAS Variable Name: ILP04_23

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	1,815		

PIRBUTEROL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1178

Type: NUM

SAS Variable Name: ILP05_23

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	1,815		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PIRBUTEROL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1179

Type: NUM

SAS Variable Name: ILP06_23

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	1,815		

PIRBUTEROL: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1180-1181

Type: NUM

SAS Variable Name: ILP07_23

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1	100.00	100.00
BLANK	Skip filled	1,815		

PIRBUTEROL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1182-1184

Type: NUM

SAS Variable Name: ILP08_23

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	1	100.00	100.00
BLANK	Skip filled	1,815		

PIRBUTEROL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1185-1186

Type: NUM

SAS Variable Name: ILP10_23

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	1	100.00	100.00
BLANK	Skip filled	1,815		

PROVENTIL: SIZE

Survey: CHILD Asthma Call-Back

Column: 1187

Type: NUM

SAS Variable Name: ILP01_24

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	5	12.20	6.03
2	100 puffs	8	19.51	15.46
3	200 puffs	22	53.66	68.87
4	Other number of puffs	4	9.76	5.27
7	Don't know/Not sure	2	4.88	4.37
BLANK	Skip filled	1,775		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PROVENTIL: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1188

Type: NUM

SAS Variable Name: ILP02_24

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	7	17.07	8.40
2	6 months to 1 year	4	9.76	17.10
3	Longer than 1 year	30	73.17	74.50
BLANK	Skip filled	1,775		

PROVENTIL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1189

Type: NUM

SAS Variable Name: ILP03_24

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16	39.02	41.28
2	No	22	53.66	45.81
7	Don't know/Not sure	3	7.32	12.91
BLANK	Skip filled	1,775		

PROVENTIL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1190

Type: NUM

SAS Variable Name: ILP04_24

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	36	87.80	91.48
2	No	5	12.20	8.52
BLANK	Skip filled	1,775		

PROVENTIL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1191

Type: NUM

SAS Variable Name: ILP05_24

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	25	60.98	52.86
2	No	16	39.02	47.14
BLANK	Skip filled	1,775		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PROVENTIL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1192

Type: NUM

SAS Variable Name: ILP06_24

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	21.95	16.07
2	No	32	78.05	83.93
BLANK	Skip filled	1,775		

PROVENTIL: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1193-1194

Type: NUM

SAS Variable Name: ILP07_24

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	40	97.56	94.67
77	Don't know	1	2.44	5.33
BLANK	Skip filled	1,775		

PROVENTIL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1195-1197

Type: NUM

SAS Variable Name: ILP08_24

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	7	17.07	34.56
401 - 499	Weeks	21	51.22	28.36
666	Less often than once a week	13	31.71	37.08
BLANK	Skip filled	1,775		

PROVENTIL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1198-1199

Type: NUM

SAS Variable Name: ILP10_24

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	24	58.54	71.71
77	Don't know	1	2.44	3.63
88	None/Less than 1 full canister	16	39.02	24.66
BLANK	Skip filled	1,775		

PULMICORT TURBUHALER: SIZE

Survey: CHILD Asthma Call-Back

Column: 1200

Type: NUM

SAS Variable Name: ILP01_25

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PULMICORT TURBUHALER: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1201

Type: NUM

SAS Variable Name: ILP02_25

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	3	11.54	16.09
2	6 months to 1 year	3	11.54	11.62
3	Longer than 1 year	20	76.92	72.29
BLANK	Skip filled	1,790		

PULMICORT TURBUHALER: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1202

Type: NUM

SAS Variable Name: ILP03_25

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	7.69	9.35
2	No	24	92.31	90.65
BLANK	Skip filled	1,790		

PULMICORT TURBUHALER: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1203

Type: NUM

SAS Variable Name: ILP04_25

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	38.46	35.57
2	No	13	50.00	59.15
3	No attack in past 3 months	2	7.69	2.87
7	Don't know/Not sure	1	3.85	2.42
BLANK	Skip filled	1,790		

PULMICORT TURBUHALER: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1204

Type: NUM

SAS Variable Name: ILP05_25

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	11.54	12.83
2	No	22	84.62	84.75
7	Don't know/Not sure	1	3.85	2.42
BLANK	Skip filled	1,790		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PULMICORT TURBUHALER: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1205

Type: NUM

SAS Variable Name: ILP06_25

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	21	80.77	78.41
2	No	4	15.38	19.17
7	Don't know/Not sure	1	3.85	2.42
BLANK	Skip filled	1,790		

PULMICORT TURBUHALER: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1206-1207

Type: NUM

SAS Variable Name: ILP07_25

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	25	96.15	85.91
77	Don't know	1	3.85	14.09
BLANK	Skip filled	1,790		

PULMICORT TURBUHALER: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1208-1210

Type: NUM

SAS Variable Name: ILP08_25

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	19	73.08	69.96
401 - 499	Weeks	6	23.08	27.61
777	Don't know	1	3.85	2.42
BLANK	Skip filled	1,790		

PULMICORT TURBUHALER: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1211-1212

Type: NUM

SAS Variable Name: ILP10_25

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

SALMETEROL: SIZE

Survey: CHILD Asthma Call-Back

Column: 1213

Type: NUM

SAS Variable Name: ILP01_26

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

SALMETEROL: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1214

Type: NUM

SAS Variable Name: ILP02_26

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	100.00	100.00
BLANK	Skip filled	1,815		

SALMETEROL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1215

Type: NUM

SAS Variable Name: ILP03_26

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	1,815		

SALMETEROL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1216

Type: NUM

SAS Variable Name: ILP04_26

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	1,815		

SALMETEROL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1217

Type: NUM

SAS Variable Name: ILP05_26

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	1,815		

SALMETEROL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1218

Type: NUM

SAS Variable Name: ILP06_26

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	1,815		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

SALMETEROL: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1219-1220

Type: NUM

SAS Variable Name: ILP07_26

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1	100.00	100.00
BLANK	Skip filled	1,815		

SALMETEROL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1221-1223

Type: NUM

SAS Variable Name: ILP08_26

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	100.00	100.00
BLANK	Skip filled	1,815		

SALMETEROL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1224-1225

Type: NUM

SAS Variable Name: ILP10_26

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

SEREVENT: SIZE

Survey: CHILD Asthma Call-Back

Column: 1226

Type: NUM

SAS Variable Name: ILP01_27

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

SEREVENT: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1227

Type: NUM

SAS Variable Name: ILP02_27

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

SEREVENT: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1228

Type: NUM

SAS Variable Name: ILP03_27

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

SEREVENT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1229

Type: NUM

SAS Variable Name: ILP04_27

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

SEREVENT: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1230

Type: NUM

SAS Variable Name: ILP05_27

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

SEREVENT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1231

Type: NUM

SAS Variable Name: ILP06_27

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

SEREVENT: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1232-1233

Type: NUM

SAS Variable Name: ILP07_27

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

SEREVENT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1234-1236

Type: NUM

SAS Variable Name: ILP08_27

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

SEREVENT: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1237-1238

Type: NUM

SAS Variable Name: ILP10_27

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

TERBUTALINE (+ T. SULFATE): SIZE

Survey: CHILD Asthma Call-Back

Column: 1239

Type: NUM

SAS Variable Name: ILP01_28

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

TERBUTALINE (+ T. SULFATE): HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1240

Type: NUM

SAS Variable Name: ILP02_28

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

TERBUTALINE (+ T. SULFATE): WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1241

Type: NUM

SAS Variable Name: ILP03_28

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

TERBUTALINE (+ T. SULFATE): WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1242

Type: NUM

SAS Variable Name: ILP04_28

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

TERBUTALINE (+ T. SULFATE): BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1243

Type: NUM

SAS Variable Name: ILP05_28

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

TERBUTALINE (+ T. SULFATE): REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1244

Type: NUM

SAS Variable Name: ILP06_28

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

TERBUTALINE (+ T. SULFATE): NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1245-1246

Type: NUM

SAS Variable Name: ILP07_28

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

TERBUTALINE (+ T. SULFATE): TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1247-1249

Type: NUM

SAS Variable Name: ILP08_28

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

TERBUTALINE (+ T. SULFATE): NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1250-1251

Type: NUM

SAS Variable Name: ILP10_28

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

TILADE: SIZE

Survey: CHILD Asthma Call-Back

Column: 1252

Type: NUM

SAS Variable Name: ILP01_29

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

TILADE: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1253

Type: NUM

SAS Variable Name: ILP02_29

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

TILADE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back
Column: 1254

Type: NUM
SAS Variable Name: ILP03_29

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

TILADE: WHEN ATTACK

Survey: CHILD Asthma Call-Back
Column: 1255

Type: NUM
SAS Variable Name: ILP04_29

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

TILADE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back
Column: 1256

Type: NUM
SAS Variable Name: ILP05_29

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

TILADE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back
Column: 1257

Type: NUM
SAS Variable Name: ILP06_29

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

TILADE: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back
Column: 1258-1259

Type: NUM
SAS Variable Name: ILP07_29

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

TILADE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back
Column: 1260-1262

Type: NUM
SAS Variable Name: ILP08_29

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

TILADE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back
Column: 1263-1264

Type: NUM
SAS Variable Name: ILP10_29

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

TORNALATE: SIZE

Survey: CHILD Asthma Call-Back
Column: 1265

Type: NUM
SAS Variable Name: ILP01_30

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

TORNALATE: HOW LONG USED

Survey: CHILD Asthma Call-Back
Column: 1266

Type: NUM
SAS Variable Name: ILP02_30

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

TORNALATE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back
Column: 1267

Type: NUM
SAS Variable Name: ILP03_30

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

TORNALATE: WHEN ATTACK

Survey: CHILD Asthma Call-Back
Column: 1268

Type: NUM
SAS Variable Name: ILP04_30

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

TORNALATE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1269

Type: NUM

SAS Variable Name: ILP05_30

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

TORNALATE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1270

Type: NUM

SAS Variable Name: ILP06_30

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

TORNALATE: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1271-1272

Type: NUM

SAS Variable Name: ILP07_30

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

TORNALATE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1273-1275

Type: NUM

SAS Variable Name: ILP08_30

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

TORNALATE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1276-1277

Type: NUM

SAS Variable Name: ILP10_30

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

TRIAMCINOLONE ACETONIDE: SIZE

Survey: CHILD Asthma Call-Back

Column: 1278

Type: NUM

SAS Variable Name: ILP01_31

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

TRIAMCINOLONE ACETONIDE: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1279

Type: NUM

SAS Variable Name: ILP02_31

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

TRIAMCINOLONE ACETONIDE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1280

Type: NUM

SAS Variable Name: ILP03_31

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

TRIAMCINOLONE ACETONIDE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1281

Type: NUM

SAS Variable Name: ILP04_31

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

TRIAMCINOLONE ACETONIDE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1282

Type: NUM

SAS Variable Name: ILP05_31

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

TRIAMCINOLONE ACETONIDE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1283

Type: NUM

SAS Variable Name: ILP06_31

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

TRIAMCINOLONE ACETONIDE: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1284-1285

Type: NUM

SAS Variable Name: ILP07_31

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

TRIAMCINOLONE ACETONIDE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1286-1288

Type: NUM

SAS Variable Name: ILP08_31

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

TRIAMCINOLONE ACETONIDE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1289-1290

Type: NUM

SAS Variable Name: ILP10_31

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

VANCERIL: SIZE

Survey: CHILD Asthma Call-Back

Column: 1291

Type: NUM

SAS Variable Name: ILP01_32

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

VANCERIL: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1292

Type: NUM

SAS Variable Name: ILP02_32

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

VANCERIL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1293

Type: NUM

SAS Variable Name: ILP03_32

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

VANCERIL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1294

Type: NUM

SAS Variable Name: ILP04_32

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

VANCERIL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1295

Type: NUM

SAS Variable Name: ILP05_32

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

VANCERIL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1296

Type: NUM

SAS Variable Name: ILP06_32

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

VANCERIL: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1297-1298

Type: NUM

SAS Variable Name: ILP07_32

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

VANCERIL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1299-1301

Type: NUM

SAS Variable Name: ILP08_32

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

VANCERIL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1302-1303

Type: NUM

SAS Variable Name: ILP10_32

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

VENTOLIN: SIZE

Survey: CHILD Asthma Call-Back

Column: 1304

Type: NUM

SAS Variable Name: ILP01_33

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	3	3.06	2.89
2	100 puffs	6	6.12	12.57
3	200 puffs	72	73.47	64.61
4	Other number of puffs	13	13.27	14.56
7	Don't know/Not sure	4	4.08	5.37
BLANK	Skip filled	1,718		

VENTOLIN: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1305

Type: NUM

SAS Variable Name: ILP02_33

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	20	20.41	22.92
2	6 months to 1 year	26	26.53	33.87
3	Longer than 1 year	51	52.04	43.10
7	Don't know/Not sure	1	1.02	0.12
BLANK	Skip filled	1,718		

VENTOLIN: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1306

Type: NUM

SAS Variable Name: ILP03_33

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	51	52.04	58.54
2	No	46	46.94	39.56
7	Don't know/Not sure	1	1.02	1.90
BLANK	Skip filled	1,718		

VENTOLIN: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1307

Type: NUM

SAS Variable Name: ILP04_33

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	87	88.78	81.06
2	No	9	9.18	18.25
3	No attack in past 3 months	2	2.04	0.70
BLANK	Skip filled	1,718		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

VENTOLIN: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1308

Type: NUM

SAS Variable Name: ILP05_33

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	41	41.84	31.58
2	No	55	56.12	66.74
3	Didn't exercise in past 3 months	2	2.04	1.68
BLANK	Skip filled	1,718		

VENTOLIN: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1309

Type: NUM

SAS Variable Name: ILP06_33

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	17	17.35	21.83
2	No	81	82.65	78.17
BLANK	Skip filled	1,718		

VENTOLIN: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1310-1311

Type: NUM

SAS Variable Name: ILP07_33

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	98	100.00	100.00
BLANK	Skip filled	1,718		

VENTOLIN: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1312-1314

Type: NUM

SAS Variable Name: ILP08_33

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	23	23.47	25.84
401 - 499	Weeks	40	40.82	48.65
555	Never	4	4.08	1.64
666	Less often than once a week	28	28.57	22.45
777	Don't know	3	3.06	1.43
BLANK	Skip filled	1,718		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

VENTOLIN: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1315-1316

Type: NUM

SAS Variable Name: ILP10_33

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	67	68.37	69.02
77	Don't know	2	2.04	2.44
88	None/Less than 1 full canister	29	29.59	28.54
BLANK	Skip filled	1,718		

FORADIL: SIZE

Survey: CHILD Asthma Call-Back

Column: 1317

Type: NUM

SAS Variable Name: ILP01_34

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

FORADIL: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1318

Type: NUM

SAS Variable Name: ILP02_34

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

FORADIL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1319

Type: NUM

SAS Variable Name: ILP03_34

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

FORADIL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1320

Type: NUM

SAS Variable Name: ILP04_34

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

FORADIL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1321

Type: NUM

SAS Variable Name: ILP05_34

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

FORADIL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1322

Type: NUM

SAS Variable Name: ILP06_34

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

FORADIL: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1323-1324

Type: NUM

SAS Variable Name: ILP07_34

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

FORADIL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1325-1327

Type: NUM

SAS Variable Name: ILP08_34

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

FORADIL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1328-1329

Type: NUM

SAS Variable Name: ILP10_34

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

FORMOTEROL: SIZE

Survey: CHILD Asthma Call-Back

Column: 1330

Type: NUM

SAS Variable Name: ILP01_35

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

FORMOTEROL: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1331

Type: NUM

SAS Variable Name: ILP02_35

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

FORMOTEROL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1332

Type: NUM

SAS Variable Name: ILP03_35

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

FORMOTEROL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1333

Type: NUM

SAS Variable Name: ILP04_35

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

FORMOTEROL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1334

Type: NUM

SAS Variable Name: ILP05_35

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

FORMOTEROL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1335

Type: NUM

SAS Variable Name: ILP06_35

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

FORMOTEROL: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1336-1337

Type: NUM

SAS Variable Name: ILP07_35

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

FORMOTEROL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1338-1340

Type: NUM

SAS Variable Name: ILP08_35

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

FORMOTEROL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1341-1342

Type: NUM

SAS Variable Name: ILP10_35

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

QVAR: SIZE

Survey: CHILD Asthma Call-Back

Column: 1343

Type: NUM

SAS Variable Name: ILP01_36

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

QVAR: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1344

Type: NUM

SAS Variable Name: ILP02_36

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	10	27.03	37.90
2	6 months to 1 year	9	24.32	8.32
3	Longer than 1 year	18	48.65	53.78
BLANK	Skip filled	1,779		

QVAR: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1345

Type: NUM

SAS Variable Name: ILP03_36

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	28	75.68	87.19
2	No	9	24.32	12.81
BLANK	Skip filled	1,779		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

QVAR: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1346

Type: NUM

SAS Variable Name: ILP04_36

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18	48.65	67.41
2	No	14	37.84	18.03
3	No attack in past 3 months	5	13.51	14.56
BLANK	Skip filled	1,779		

QVAR: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1347

Type: NUM

SAS Variable Name: ILP05_36

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	24.32	42.66
2	No	28	75.68	57.34
BLANK	Skip filled	1,779		

QVAR: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1348

Type: NUM

SAS Variable Name: ILP06_36

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	31	83.78	83.62
2	No	6	16.22	16.38
BLANK	Skip filled	1,779		

QVAR: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1349-1350

Type: NUM

SAS Variable Name: ILP07_36

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	36	97.30	99.30
77	Don't know	1	2.70	0.70
BLANK	Skip filled	1,779		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

QVAR: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1351-1353

Type: NUM

SAS Variable Name: ILP08_36

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399		31	83.78	84.41
401 - 499	Weeks	3	8.11	7.85
555	Never	1	2.70	6.48
666	Less often than once a week	1	2.70	0.57
777	Don't know	1	2.70	0.70
BLANK	Skip filled	1,779		

QVAR: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1354-1355

Type: NUM

SAS Variable Name: ILP10_36

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

LEVALBUTEROL TARTRATE: SIZE

Survey: CHILD Asthma Call-Back

Column: 1356

Type: NUM

SAS Variable Name: ILP01_37

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

LEVALBUTEROL TARTRATE: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1357

Type: NUM

SAS Variable Name: ILP02_37

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

LEVALBUTEROL TARTRATE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1358

Type: NUM

SAS Variable Name: ILP03_37

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

LEVALBUTEROL TARTRATE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1359

Type: NUM

SAS Variable Name: ILP04_37

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

LEVALBUTEROL TARTRATE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1360

Type: NUM

SAS Variable Name: ILP05_37

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

LEVALBUTEROL TARTRATE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1361

Type: NUM

SAS Variable Name: ILP06_37

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

LEVALBUTEROL TARTRATE: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1362-1363

Type: NUM

SAS Variable Name: ILP07_37

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

LEVALBUTEROL TARTRATE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1364-1366

Type: NUM

SAS Variable Name: ILP08_37

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

LEVALBUTEROL TARTRATE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1367-1368

Type: NUM

SAS Variable Name: ILP10_37

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

XOPENEX HFA: SIZE

Survey: CHILD Asthma Call-Back

Column: 1369

Type: NUM

SAS Variable Name: ILP01_38

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

XOPENEX HFA: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1370

Type: NUM

SAS Variable Name: ILP02_38

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	11	20.37	19.97
2	6 months to 1 year	3	5.56	0.59
3	Longer than 1 year	40	74.07	79.45
BLANK	Skip filled	1,762		

XOPENEX HFA: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1371

Type: NUM

SAS Variable Name: ILP03_38

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	31	57.41	53.20
2	No	23	42.59	46.80
BLANK	Skip filled	1,762		

XOPENEX HFA: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1372

Type: NUM

SAS Variable Name: ILP04_38

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	48	88.89	90.07
2	No	4	7.41	8.81
3	No attack in past 3 months	2	3.70	1.12
BLANK	Skip filled	1,762		

XOPENEX HFA: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1373

Type: NUM

SAS Variable Name: ILP05_38

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	24	44.44	51.55
2	No	30	55.56	48.45
BLANK	Skip filled	1,762		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

XOPENEX HFA: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1374

Type: NUM

SAS Variable Name: ILP06_38

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16	29.63	21.70
2	No	38	70.37	78.30
BLANK	Skip filled	1,762		

XOPENEX HFA: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1375-1376

Type: NUM

SAS Variable Name: ILP07_38

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	54	100.00	100.00
BLANK	Skip filled	1,762		

XOPENEX HFA: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1377-1379

Type: NUM

SAS Variable Name: ILP08_38

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	24	44.44	43.47
401 - 499	Weeks	11	20.37	23.81
555	Never	2	3.70	3.08
666	Less often than once a week	16	29.63	29.52
777	Don't know	1	1.85	0.11
BLANK	Skip filled	1,762		

XOPENEX HFA: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1380-1381

Type: NUM

SAS Variable Name: ILP10_38

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	43	79.63	93.47
77	Don't know	1	1.85	2.68
88	None/Less than 1 full canister	10	18.52	3.85
BLANK	Skip filled	1,762		

MOMETASONE FUROATE: SIZE

Survey: CHILD Asthma Call-Back

Column: 1382

Type: NUM

SAS Variable Name: ILP01_39

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

MOMETASONE FUROATE: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1383

Type: NUM

SAS Variable Name: ILP02_39

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

MOMETASONE FUROATE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1384

Type: NUM

SAS Variable Name: ILP03_39

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

MOMETASONE FUROATE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1385

Type: NUM

SAS Variable Name: ILP04_39

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

MOMETASONE FUROATE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1386

Type: NUM

SAS Variable Name: ILP05_39

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

MOMETASONE FUROATE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1387

Type: NUM

SAS Variable Name: ILP06_39

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

MOMETASONE FUROATE: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1388-1389

Type: NUM

SAS Variable Name: ILP07_39

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

MOMETASONE FUROATE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1390-1392

Type: NUM

SAS Variable Name: ILP08_39

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

MOMETASONE FUROATE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1393-1394

Type: NUM

SAS Variable Name: ILP10_39

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

ASMANEX (TWISTHALER): SIZE

Survey: CHILD Asthma Call-Back

Column: 1395

Type: NUM

SAS Variable Name: ILP01_40

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

ASMANEX (TWISTHALER): HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1396

Type: NUM

SAS Variable Name: ILP02_40

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	5	31.25	45.56
2	6 months to 1 year	4	25.00	9.42
3	Longer than 1 year	7	43.75	45.01
BLANK	Skip filled	1,800		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

ASMANEX (TWISTHALER): WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1397

Type: NUM

SAS Variable Name: ILP03_40

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

ASMANEX (TWISTHALER): WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1398

Type: NUM

SAS Variable Name: ILP04_40

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	25.00	22.63
2	No	11	68.75	73.51
3	No attack in past 3 months	1	6.25	3.87
BLANK	Skip filled	1,800		

ASMANEX (TWISTHALER): BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1399

Type: NUM

SAS Variable Name: ILP05_40

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	18.75	15.38
2	No	12	75.00	83.08
3	Didn't exercise in past 3 months	1	6.25	1.54
BLANK	Skip filled	1,800		

ASMANEX (TWISTHALER): REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1400

Type: NUM

SAS Variable Name: ILP06_40

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	93.75	98.46
2	No	1	6.25	1.54
BLANK	Skip filled	1,800		

ASMANEX (TWISTHALER): NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1401-1402

Type: NUM

SAS Variable Name: ILP07_40

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	16	100.00	100.00
BLANK	Skip filled	1,800		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

ASMANEX (TWISTHALER): TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1403-1405

Type: NUM

SAS Variable Name: ILP08_40

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	16	100.00	100.00
BLANK	Skip filled	1,800		

ASMANEX (TWISTHALER): NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1406-1407

Type: NUM

SAS Variable Name: ILP10_40

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

PRO-AIR HFA: SIZE

Survey: CHILD Asthma Call-Back

Column: 1408

Type: NUM

SAS Variable Name: ILP01_41

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

PRO-AIR HFA: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1409

Type: NUM

SAS Variable Name: ILP02_41

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	12	9.38	23.64
2	6 months to 1 year	20	15.63	14.76
3	Longer than 1 year	95	74.22	60.06
9	Refused	1	0.78	1.53
BLANK	Skip filled	1,688		

PRO-AIR HFA: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1410

Type: NUM

SAS Variable Name: ILP03_41

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	54	42.19	46.62
2	No	71	55.47	50.31
7	Don't know/Not sure	2	1.56	1.54
9	Refused	1	0.78	1.53
BLANK	Skip filled	1,688		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PRO-AIR HFA: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1411

Type: NUM

SAS Variable Name: ILP04_41

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	108	84.38	87.73
2	No	8	6.25	4.46
3	No attack in past 3 months	9	7.03	2.21
7	Don't know/Not sure	2	1.56	4.07
9	Refused	1	0.78	1.53
BLANK	Skip filled	1,688		

PRO-AIR HFA: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1412

Type: NUM

SAS Variable Name: ILP05_41

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	65	50.78	50.54
2	No	56	43.75	42.97
3	Didn't exercise in past 3 months	1	0.78	0.24
7	Don't know/Not sure	5	3.91	4.72
9	Refused	1	0.78	1.53
BLANK	Skip filled	1,688		

PRO-AIR HFA: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1413

Type: NUM

SAS Variable Name: ILP06_41

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	24	18.75	21.01
2	No	102	79.69	76.86
7	Don't know/Not sure	1	0.78	0.60
9	Refused	1	0.78	1.53
BLANK	Skip filled	1,688		

PRO-AIR HFA: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1414-1415

Type: NUM

SAS Variable Name: ILP07_41

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	122	95.31	96.12
77	Don't know	4	3.13	1.60
99	Refused	2	1.56	2.28
BLANK	Skip filled	1,688		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PRO-AIR HFA: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1416-1418

Type: NUM

SAS Variable Name: ILP08_41

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	37	28.91	40.45
401 - 499	Weeks	49	38.28	30.91
555	Never	4	3.13	5.94
666	Less often than once a week	31	24.22	19.23
777	Don't know	6	4.69	1.94
999	Refused	1	0.78	1.53
BLANK	Skip filled	1,688		

PRO-AIR HFA: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1419-1420

Type: NUM

SAS Variable Name: ILP10_41

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	98	76.56	75.45
77	Don't know	4	3.13	1.50
88	None/Less than 1 full canister	25	19.53	21.52
99	Refused	1	0.78	1.53
BLANK	Skip filled	1,688		

SYMBICORT: SIZE

Survey: CHILD Asthma Call-Back

Column: 1421

Type: NUM

SAS Variable Name: ILP01_42

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that [child's name] uses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

SYMBICORT: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1422

Type: NUM

SAS Variable Name: ILP02_42

Prologue:

Description: Q8.12 How long has [he/she] been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	5	26.32	70.97
2	6 months to 1 year	3	15.79	5.84
3	Longer than 1 year	11	57.89	23.19
BLANK	Skip filled	1,797		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

SYMBICORT: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1423

Type: NUM

SAS Variable Name: ILP03_42

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12	63.16	38.99
2	No	7	36.84	61.01
BLANK	Skip filled	1,797		

SYMBICORT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1424

Type: NUM

SAS Variable Name: ILP04_42

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	36.84	58.43
2	No	11	57.89	39.49
3	No attack in past 3 months	1	5.26	2.08
BLANK	Skip filled	1,797		

SYMBICORT: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1425

Type: NUM

SAS Variable Name: ILP05_42

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	26.32	4.17
2	No	14	73.68	95.83
BLANK	Skip filled	1,797		

SYMBICORT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1426

Type: NUM

SAS Variable Name: ILP06_42

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18	94.74	97.11
2	No	1	5.26	2.89
BLANK	Skip filled	1,797		

SYMBICORT: NUMBER OF PUFFS

Survey: CHILD Asthma Call-Back

Column: 1427-1428

Type: NUM

SAS Variable Name: ILP07_42

Prologue:

Description: Q8.17 On average, how many puffs did [he/she] take each time [he/she] used [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	19	100.00	100.00
BLANK	Skip filled	1,797		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

SYMBICORT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1429-1431

Type: NUM

SAS Variable Name: ILP08_42

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	17	89.47	98.62
401 - 499	Weeks	2	10.53	1.38
BLANK	Skip filled	1,797		

SYMBICORT: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1432-1433

Type: NUM

SAS Variable Name: ILP10_42

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

PILL ACCOLATE: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1434

Type: NUM

SAS Variable Name: PILLX_1

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

PILL AEROLATE: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1435

Type: NUM

SAS Variable Name: PILLX_2

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

PILL ALBUTEROL: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1436

Type: NUM

SAS Variable Name: PILLX_3

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	1,815		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PILL ALUPENT: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1437

Type: NUM

SAS Variable Name: PILLX_4

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

PILL CHOLEDYL (OXTRIPHYLLINE): HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1438

Type: NUM

SAS Variable Name: PILLX_5

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

PILL DELTASONE: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1439

Type: NUM

SAS Variable Name: PILLX_7

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

PILL ELIXOPHYLLIN: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1440

Type: NUM

SAS Variable Name: PILLX_8

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

PILL MEDROL: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1441

Type: NUM

SAS Variable Name: PILLX_11

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PILL METAPREL: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1442

Type: NUM

SAS Variable Name: PILLX_12

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

PILL METAPROTERONOL: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1443

Type: NUM

SAS Variable Name: PILLX_13

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

PILL METHYLPREDNISOLONE: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1444

Type: NUM

SAS Variable Name: PILLX_14

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	100.00	100.00
BLANK	Skip filled	1,815		

PILL MONTELUKAST: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1445

Type: NUM

SAS Variable Name: PILLX_15

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	100.00	100.00
BLANK	Skip filled	1,815		

PILL PEDIAPRED: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1446

Type: NUM

SAS Variable Name: PILLX_17

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PILL PREDNISOLONE: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1447

Type: NUM

SAS Variable Name: PILLX_18

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

PILL PREDNISONE: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1448

Type: NUM

SAS Variable Name: PILLX_19

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	5	38.46	34.10
2	6 months to 1 year	1	7.69	2.70
3	Longer than 1 year	7	53.85	63.20
BLANK	Skip filled	1,803		

PILL PROVENTIL: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1449

Type: NUM

SAS Variable Name: PILLX_21

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

PILL RESPID: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1450

Type: NUM

SAS Variable Name: PILLX_23

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	50.00	81.76
3	Longer than 1 year	1	50.00	18.24
BLANK	Skip filled	1,814		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PILL SINGULAIR: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1451

Type: NUM

SAS Variable Name: PILLX_24

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	27	11.34	12.15
2	6 months to 1 year	23	9.66	14.00
3	Longer than 1 year	187	78.57	73.23
9	Refused	1	0.42	0.62
BLANK	Skip filled	1,578		

PILL SLO-PHYLLIN: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1452

Type: NUM

SAS Variable Name: PILLX_25

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

PILL SLO-BID: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1453

Type: NUM

SAS Variable Name: PILLX_26

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	1,815		

PILL THEO-24: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1454

Type: NUM

SAS Variable Name: PILLX_28

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

PILL THEOCHRON: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1455

Type: NUM

SAS Variable Name: PILLX_30

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PILL THEOCLEAR: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1456

Type: NUM

SAS Variable Name: PILLX_31

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

PILL THEODUR: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1457

Type: NUM

SAS Variable Name: PILLX_32

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

PILL THEO-DUR: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1458

Type: NUM

SAS Variable Name: PILLX_33

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

PILL THEOPHYLLINE: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1459

Type: NUM

SAS Variable Name: PILLX_35

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

PILL THEOSPAN: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1460

Type: NUM

SAS Variable Name: PILLX_37

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PILL T-PHYL: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1461

Type: NUM

SAS Variable Name: PILLX_40

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

PILL UNIPHYL: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1462

Type: NUM

SAS Variable Name: PILLX_42

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

PILL VENTOLIN: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1463

Type: NUM

SAS Variable Name: PILLX_43

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

PILL VOLMAX: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1464

Type: NUM

SAS Variable Name: PILLX_44

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

PILL ZAFIRLUKAST: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1465

Type: NUM

SAS Variable Name: PILLX_45

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PILL ZILEUTON: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1466

Type: NUM

SAS Variable Name: PILLX_46

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

PILL ZYFLO FILMTAB: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1467

Type: NUM

SAS Variable Name: PILLX_47

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

PILL TERBUTALINE (+ T. SULFATE): HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1468

Type: NUM

SAS Variable Name: PILLX_48

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

PILL BRETHINE: HOW LONG USED

Survey: CHILD Asthma Call-Back

Column: 1469

Type: NUM

SAS Variable Name: PILLX_49

Prologue:

Description: Q8.22 How long has [child's name] been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,816		

INTERIM CHILD ASTHMA CALL-BACK WEIGHT

Survey: CHILD Asthma Call-Back

Column: 1470-1479

Type: NUM

SAS Variable Name: CWEIGHT_IN

Prologue:

Description: INTERIM CHILD ASTHMA CALL-BACK WEIGHT

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Interim child asthma call-back weight	1,816	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

CHILD ASTHMA CALL-BACK POST STRATIFICATION FACTOR

Survey: CHILD Asthma Call-Back

Column: 1480-1489

Prologue:

Description: CHILD ASTHMA CALL-BACK POST STRATIFICATION FACTOR

Type: NUM
SAS Variable Name: CPOST

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Child asthma call-back post stratification factor	1,816	100.00	100.00

REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK.

Survey: CHILD Asthma Call-Back

Column: 1490

Prologue:

Description: REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK.

Type: NUM
SAS Variable Name: REGION_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Regions are collapsed to 1 region	1,353	100.00	100.00
BLANK	No region collapsed	463		

CHILD RACE GROUP FOR ASTHMA CALL-BACK POST-STRATIFICATION

Survey: CHILD Asthma Call-Back

Column: 1491

Prologue:

Description: CHILD RACE GROUP FOR ASTHMA CALL-BACK POST-STRATIFICATION

Type: NUM
SAS Variable Name: CRACEG_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Races are collapsed to 1 group	1,816	100.00	100.00

PERMIT TO CALL BACK FROM BRFSS

Survey: CHILD Asthma Call-Back

Column: 1492

Prologue:

Description: PERMIT TO CALL BACK FROM BRFSS

Type: NUM
SAS Variable Name: CALLBACK

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,816	100.00	100.00

IMPUTED CHILD AGE FOR ASTHMA CALL-BACK

Survey: CHILD Asthma Call-Back

Column: 1493-1495

Prologue:

Description: IMPUTED CHILD AGE FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: _CIMPAGE

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Child age in years, combined, imputed and reported	1,816	100.00	100.00

FINAL CHILD ASTHMA CALL-BACK WEIGHT

Survey: CHILD Asthma Call-Back

Column: 1496-1505

Prologue:

Description: FINAL CHILD ASTHMA CALL-BACK WEIGHT

Type: NUM
SAS Variable Name: CLANDWT_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Final child asthma call-back weight	1,816	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

CHILD ASTHMA CALL-BACK AGE GROUPS

Survey: CHILD Asthma Call-Back

Column: 1506

Prologue:

Description: CHILD ASTHMA CALL-BACK AGE GROUPS

Type: NUM

SAS Variable Name: CAGEG_F4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 0 - 4	148	8.15	16.02
2	Age 5 - 9	417	22.96	31.23
3	Age 10 - 14	743	40.91	31.25
4	Age 15 - 17	508	27.97	21.50

CHILD ASTHMA CALL-BACK AGE GROUPS

Survey: CHILD Asthma Call-Back

Column: 1507

Prologue:

Description: CHILD ASTHMA CALL-BACK AGE GROUPS

Type: NUM

SAS Variable Name: CAGEG_F3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 0 - 6	155	8.54	16.71
2	Age 7 - 12	416	22.91	31.22
3	age 13 - 17	1,245	68.56	52.07

CHILD ASTHMA CALL-BACK AGE GROUPS

Survey: CHILD Asthma Call-Back

Column: 1508

Prologue:

Description: CHILD ASTHMA CALL-BACK AGE GROUPS

Type: NUM

SAS Variable Name: CAGEG_F2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 0 - 9	193	33.45	43.41
2	Age 10 - 17	384	66.55	56.59
BLANK	Missing	1,239		

CHILD ASTHMA CALL-BACK AGE GROUPS

Survey: CHILD Asthma Call-Back

Column: 1509

Prologue:

Description: CHILD ASTHMA CALL-BACK AGE GROUPS

Type: NUM

SAS Variable Name: CAGEG_F1

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	1,816		

RESPONDENT IDENTIFIER

Survey: CHILD Asthma Call-Back

Column: 1510

Prologue:

Description: Which person in the household was selected as the focus of the call-back?

Type: NUM

SAS Variable Name: ADLTCHLD

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	Children	1,816	100.00	100.00

ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011

ACTIVE ASTHMA STATUS

Survey: CHILD Asthma Call-Back

Column: 1512

Prologue:

Description: Active Asthma Status

Type: NUM
SAS Variable Name: ACTASTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Active Asthma	1,393	76.71	78.35
2	Inactive Asthma	423	23.29	21.65