

*Behavioral Risk  
Factor Surveillance  
System*

*Format Assignments  
for  
2002*



```

AGE FORMAT IS AGEGROUP. :
. = 'MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
18 - 24 = 'AGE 18 - 24'
25 - 34 = 'AGE 25 - 34'
35 - 44 = 'AGE 35 - 44'
45 - 54 = 'AGE 45 - 54'
55 - 64 = 'AGE 55 - 64'
65 - 99 = 'AGE 65 OR OLDER'
;

ALCDAY3 FORMAT IS UNK3DIG. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
777 = 'DO NOT KNOW/NOT SURE'
800 - 959 = 'HOURS AND MINUTES PER DAY'
999 = 'REFUSED'
;

AREACODE DOES NOT HAVE A FORMAT ASSIGNED.

ARTHDISB FORMAT IS ARTHDISB. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

ASACTLIM FORMAT IS UNK3DIG. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
777 = 'DO NOT KNOW/NOT SURE'
800 - 959 = 'HOURS AND MINUTES PER DAY'
999 = 'REFUSED'
;

ASATTACK FORMAT IS YNDRM. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

ASDRVIST FORMAT IS ASDRVIST. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
88 = 'NONE'
98 = 'DO NOT KNOW/NOT SURE'
99 = 'REFUSED'
;

ASERVIST FORMAT IS ASDRVIST. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'

```



```

88 = 'NONE'
98 = 'DO NOT KNOW/NOT SURE'
99 = 'REFUSED'
;

ASNOSLEP FORMAT IS ASNOSLEP. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'ONE OR TWO'
2 = 'THREE TO FOUR'
3 = 'FIVE'
4 = 'SIX TO TEN'
5 = 'MORE THAN TEN'
7 = 'DO NOT KNOW/NOT SURE'
8 = 'NONE'
9 = 'REFUSED'
;

ASPUNSAF FORMAT IS ASPUNSAF. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES, NOT STOMACH RELATED'
2 = 'YES, STOMACH PROBLEMS'
3 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

ASRCHKUP FORMAT IS ASDRVIST. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
88 = 'NONE'
98 = 'DO NOT KNOW/NOT SURE'
99 = 'REFUSED'
;

ASTHMA2 FORMAT IS YNDR. :
. = 'MODULE NOT USED OR MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

ASTHMAGE FORMAT IS ASTHMAGE. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
11 - 96 = 'AGE 11 OR OLDER'
97 = 'AGE 10 OR YOUNGER'
98 = 'DO NOT KNOW/NOT SURE'
99 = 'REFUSED'
;

ASTHMEDS FORMAT IS ASTHMEDS. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'LESS THAN ONCE A WEEK'
2 = 'ONCE OR TWICE A WEEK'
3 = 'MORE THAN 2 TIMES A WEEK, BU'
4 = 'ONCE EVERY DAY'

```



```

5 = '2 OR MORE TIMES EVERY DAY'
7 = 'DO NOT KNOW/NOT SURE'
8 = 'DID NOT TAKE ANY'
9 = 'REFUSED'
;

ASTHNOW FORMAT IS YNDRM. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

ASYMPTOM FORMAT IS ASTHSYMP. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'LESS THAN ONCE A WEEK'
2 = 'ONCE OR TWICE A WEEK'
3 = 'MORE THAT 2 TIMES A WEEK, BU'
4 = 'EVERY DAY, BUT NOT ALL THE T'
5 = 'EVERY DAY, ALL THE TIME'
7 = 'DO NOT KNOW/NOT SURE'
8 = 'NOT AT ANY TIME'
9 = 'REFUSED'
;

ATKAID DOES NOT HAVE A FORMAT ASSIGNED.

ATKDRNK FORMAT IS YNDRM. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

ATKDYWRK FORMAT IS ATKDYWRK. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
97 = 'MORE THAN 96'
98 = 'DO NOT KNOW/NOT SURE'
99 = 'REFUSED'
;

ATKEMPL FORMAT IS YNDR. :
. = 'MODULE NOT USED OR MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

ATKEVAC FORMAT IS ATKEVAC. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'

```



```

7           = 'DO NOT KNOW/NOT SURE'
9           = 'REFUSED'
           ;

ATKHELP FORMAT IS YNDR. :
.           = 'MODULE NOT USED OR MISSING'
.D          = 'DK/NS'
.R          = 'REFUSED'
1           = 'YES'
2           = 'NO'
7           = 'DO NOT KNOW/NOT SURE'
9           = 'REFUSED'
           ;

ATKMEDIA FORMAT IS ATKMEDIA. :
.           = 'MODULE NOT USED OR MISSING'
.D          = 'DK/NS'
.R          = 'REFUSED'
1           = 'A LOT'
2           = 'SOME'
3           = 'VERY LITTLE'
4           = 'NOT AT ALL'
7           = 'DO NOT KNOW/NOT SURE'
9           = 'REFUSED'
           ;

ATKNOWRK FORMAT IS ATKNOWRK. :
.           = 'NOT ASKED, MODULE NOT USED,'
.D          = 'DK/NS'
.R          = 'REFUSED'
1           = 'YES'
2           = 'NO'
7           = 'DO NOT KNOW/NOT SURE'
9           = 'REFUSED'
           ;

ATKNSMOK FORMAT IS YNDR. :
.           = 'MODULE NOT USED OR MISSING'
.D          = 'DK/NS'
.R          = 'REFUSED'
1           = 'YES'
2           = 'NO'
7           = 'DO NOT KNOW/NOT SURE'
9           = 'REFUSED'
           ;

ATKPRB DOES NOT HAVE A FORMAT ASSIGNED.

ATKRSWRK FORMAT IS ATKRSWRK. :
.           = 'NOT ASKED, MODULE NOT USED,'
.D          = 'DK/NS'
.R          = 'REFUSED'
1           = 'DAMAGE TO WORKPLACE'
2           = 'WORKPLACE CLOSED OR NO TRANS'
3           = 'PERSONAL INJURY'
4           = 'TOO UPSET TO WORK'
5           = 'DID NOT FEEL WELL ENOUGH TO'
6           = 'OTHER'
7           = 'DO NOT KNOW/NOT SURE'
8           = 'DID NOT FEEL SAFE'
9           = 'REFUSED'
           ;

ATKSITE FORMAT IS YNDR. :
.           = 'MODULE NOT USED OR MISSING'
.D          = 'DK/NS'
.R          = 'REFUSED'

```



```

1           = 'YES'
2           = 'NO'
7           = 'DO NOT KNOW/NOT SURE'
9           = 'REFUSED'
;

ATKSMOK FORMAT IS YNDR. :
.           = 'MODULE NOT USED OR MISSING'
.D          = 'DK/NS'
.R          = 'REFUSED'
1           = 'YES'
2           = 'NO'
7           = 'DO NOT KNOW/NOT SURE'
9           = 'REFUSED'
;

ATKSVCS FORMAT IS YNDR. :
.           = 'MODULE NOT USED OR MISSING'
.D          = 'DK/NS'
.R          = 'REFUSED'
1           = 'YES'
2           = 'NO'
7           = 'DO NOT KNOW/NOT SURE'
9           = 'REFUSED'
;

ATKVICT FORMAT IS YNDR. :
.           = 'MODULE NOT USED OR MISSING'
.D          = 'DK/NS'
.R          = 'REFUSED'
1           = 'YES'
2           = 'NO'
7           = 'DO NOT KNOW/NOT SURE'
9           = 'REFUSED'
;

ATKVID DOES NOT HAVE A FORMAT ASSIGNED.

AVEDRNK FORMAT IS UNK2DIG. :
.           = 'NOT ASKED, MODULE NOT USED,'
.D          = 'DK/NS'
.R          = 'REFUSED'
77          = 'DO NOT KNOW/NOT SURE'
88          = 'NEVER SMOKED REGULARLY'
99          = 'REFUSED'
;

BCMETFM_ FORMAT IS BCMETFM_ :
.           = 'PREGNANT NOW/MISSING'
.D          = 'DK/NS'
.R          = 'REFUSED'
1           = 'SURGICAL'
2           = 'CONTRACEPTION'
3           = 'NOT ACTIVE/NO PARTNER'
9           = 'DO NOT KNOW/NOT SURE/REFUSED'
;

BCMETML_ FORMAT IS BCMETML_ :
.           = 'PARTNER PREGNANT NOW/MISSING'
.D          = 'DK/NS'
.R          = 'REFUSED'
1           = 'SURGICAL'
2           = 'CONTRACEPTION'
3           = 'NOT ACTIVE/NO PARTNER'
9           = 'DO NOT KNOW/NOT SURE/REFUSED'
;

```



```

BIDINOW FORMAT IS SMOKEDAY. :
. = 'NOT ASKED OR MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'EVERY DAY'
2 = 'SOME DAYS'
3 = 'NOT AT ALL'
9 = 'REFUSED'
;

BIDISMK FORMAT IS YNDRM. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

BLDSTOOL FORMAT IS YNDRM. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

BLDSUGAR FORMAT IS BLDSUGAR. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
101 - 199 = 'TIMES PER DAY'
201 - 299 = 'TIMES PER WEEK'
301 - 399 = 'TIMES PER MONTH'
401 - 499 = 'TIMES PER YEAR'
777 = 'DO NOT KNOW/NOT SURE'
888 = 'NEVER'
999 = 'REFUSED'
;

BLOODCHO FORMAT IS YNDR. :
. = 'MODULE NOT USED OR MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

BPHIGH3 FORMAT IS BPHIGH3_.. :
. = 'MODULE NOT USED OR MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'YES, BUT FEMALE TOLD ONLY DU'
3 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

BPMEDS FORMAT IS YNDRM. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'

```



```

.R          = 'REFUSED'
1          = 'YES'
2          = 'NO'
7          = 'DO NOT KNOW/NOT SURE'
9          = 'REFUSED'
;

BRCNTRL_ FORMAT IS BRCNTRL_ . :
.          = 'PREGNANT NOW/MISSING'
.D         = 'DK/NS'
.R         = 'REFUSED'
1          = 'USE BIRTH CONTROL'
2          = 'NO BIRTH CONTROL'
3          = 'WANT PREGNANCY'
4          = 'NOT ACTIVE/NO PARTNER/SAME S
9          = 'DO NOT KNOW/NOT SURE/REFUSED'
;

BRTHCNT2 FORMAT IS BRTHCNT. :
.          = 'NOT ASKED OR MISSING'
.D         = 'DK/NS'
.R         = 'REFUSED'
1          = 'YES'
2          = 'NO'
3          = 'NO PARTNER/NOT SEXUALLY ACTI
4          = 'SAME SEX PARTNER'
7          = 'DO NOT KNOW/NOT SURE'
9          = 'REFUSED'
;

CARROTS FORMAT IS SERVINGS. :
.          = 'MISSING'
.D         = 'DK/NS'
.R         = 'REFUSED'
101 - 199 = 'PER DAY'
201 - 299 = 'PER WEEK'
301 - 399 = 'PER MONTH'
401 - 499 = 'PER YEAR'
555       = 'NEVER'
777       = 'DO NOT KNOW/NOT SURE'
999       = 'REFUSED'
;

CASTHDX FORMAT IS UNK2DIG. :
.          = 'NOT ASKED, MODULE NOT USED,
.D         = 'DK/NS'
.R         = 'REFUSED'
77         = 'DO NOT KNOW/NOT SURE'
88         = 'NEVER SMOKED REGULARLY'
99         = 'REFUSED'
;

CASTHNOW FORMAT IS UNK2DIG. :
.          = 'NOT ASKED, MODULE NOT USED,
.D         = 'DK/NS'
.R         = 'REFUSED'
77         = 'DO NOT KNOW/NOT SURE'
88         = 'NEVER SMOKED REGULARLY'
99         = 'REFUSED'
;

CHECKUP FORMAT IS TIME2F. :
.          = 'NOT ASKED OR MISSING'
.D         = 'DK/NS'
.R         = 'REFUSED'
1          = 'WITHIN THE PAST YEAR (< 12 M
2          = 'WITHIN THE PAST 2 YEARS (1 Y

```





```

3           = 'WITHIN THE PAST 5 YEARS (2 Y
4           = '5 OR MORE YEARS AGO'
7           = 'DO NOT KNOW/NOT SURE'
9           = 'REFUSED'
;

CHILDREN FORMAT IS CHILDREN. :
.           = 'MISSING'
.D          = 'DK/NS'
.R          = 'REFUSED'
88          = 'NONE'
99          = 'REFUSED'
;

CHKHEMO2 FORMAT IS CHKHEMOA. :
.           = 'NOT ASKED, MODULE NOT USED,
.D          = 'DK/NS'
.R          = 'REFUSED'
77          = 'DO NOT KNOW/NOT SURE'
88          = 'NONE'
98          = 'NEVER HEARD OF HEMOGLOBIN "A
99          = 'REFUSED'
;

CHOLCHK FORMAT IS TIME2F. :
.           = 'NOT ASKED OR MISSING'
.D          = 'DK/NS'
.R          = 'REFUSED'
1           = 'WITHIN THE PAST YEAR (< 12 M
2           = 'WITHIN THE PAST 2 YEARS (1 Y
3           = 'WITHIN THE PAST 5 YEARS (2 Y
4           = '5 OR MORE YEARS AGO'
7           = 'DO NOT KNOW/NOT SURE'
9           = 'REFUSED'
;

CIGAR2 FORMAT IS YNDRM. :
.           = 'NOT ASKED, MODULE NOT USED,
.D          = 'DK/NS'
.R          = 'REFUSED'
1           = 'YES'
2           = 'NO'
7           = 'DO NOT KNOW/NOT SURE'
9           = 'REFUSED'
;

CIGARNOW FORMAT IS SMOKEDAY. :
.           = 'NOT ASKED OR MISSING'
.D          = 'DK/NS'
.R          = 'REFUSED'
1           = 'EVERY DAY'
2           = 'SOME DAYS'
3           = 'NOT AT ALL'
9           = 'REFUSED'
;

CRTSDAY_ DOES NOT HAVE A FORMAT ASSIGNED.

CTELENUM FORMAT IS CTELENUM. :
.           = 'UNUSED OR MISSING'
.D          = 'DK/NS'
.R          = 'REFUSED'
1           = 'YES'
2           = 'NO'
;

CTYCODE DOES NOT HAVE A FORMAT ASSIGNED.

```



```

CVDASPRN FORMAT IS YNDRM. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

CVDCRHD2 FORMAT IS YNDRM. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

CVDEXR03 FORMAT IS YNDRM. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

CVDEXRS2 FORMAT IS YNDRM. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

CVDFAT02 FORMAT IS YNDRM. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

CVDFATR2 FORMAT IS YNDRM. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

CVDFVEG FORMAT IS YNDRM. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'

```



```

7           = 'DO NOT KNOW/NOT SURE'
9           = 'REFUSED'
;

CVDFVG01 FORMAT IS YNDRM. :
.           = 'NOT ASKED, MODULE NOT USED,'
.D          = 'DK/NS'
.R          = 'REFUSED'
1           = 'YES'
2           = 'NO'
7           = 'DO NOT KNOW/NOT SURE'
9           = 'REFUSED'
;

CVDINFR2 FORMAT IS YNDRM. :
.           = 'NOT ASKED, MODULE NOT USED,'
.D          = 'DK/NS'
.R          = 'REFUSED'
1           = 'YES'
2           = 'NO'
7           = 'DO NOT KNOW/NOT SURE'
9           = 'REFUSED'
;

CVDREHAB FORMAT IS YNDRM. :
.           = 'NOT ASKED, MODULE NOT USED,'
.D          = 'DK/NS'
.R          = 'REFUSED'
1           = 'YES'
2           = 'NO'
7           = 'DO NOT KNOW/NOT SURE'
9           = 'REFUSED'
;

CVDSTRK2 FORMAT IS YNDRM. :
.           = 'NOT ASKED, MODULE NOT USED,'
.D          = 'DK/NS'
.R          = 'REFUSED'
1           = 'YES'
2           = 'NO'
7           = 'DO NOT KNOW/NOT SURE'
9           = 'REFUSED'
;

DENCLEAN FORMAT IS TIME2F. :
.           = 'NOT ASKED OR MISSING'
.D          = 'DK/NS'
.R          = 'REFUSED'
1           = 'WITHIN THE PAST YEAR (< 12 M
2           = 'WITHIN THE PAST 2 YEARS (1 Y
3           = 'WITHIN THE PAST 5 YEARS (2 Y
4           = '5 OR MORE YEARS AGO'
7           = 'DO NOT KNOW/NOT SURE'
9           = 'REFUSED'
;

DIABAGE2 FORMAT IS DIABAGE. :
.           = 'NOT ASKED, MODULE NOT USED,'
.D          = 'DK/NS'
.R          = 'REFUSED'
98          = 'DO NOT KNOW/NOT SURE'
99          = 'REFUSED'
;

DIABEDU FORMAT IS YNDRM. :
.           = 'NOT ASKED, MODULE NOT USED,'
.D          = 'DK/NS'

```



```

.R          = 'REFUSED'
1          = 'YES'
2          = 'NO'
7          = 'DO NOT KNOW/NOT SURE'
9          = 'REFUSED'
;

DIABETES FORMAT IS DIABETES. :
.          = 'MISSING'
.D         = 'DK/NS'
.R         = 'REFUSED'
1          = 'YES'
2          = 'YES, BUT FEMALE TOLD ONLY DU
3          = 'NO'
7          = 'DO NOT KNOW/NOT SURE'
9          = 'REFUSED'
;

DIABEYE FORMAT IS YNDRM. :
.          = 'NOT ASKED, MODULE NOT USED,
.D         = 'DK/NS'
.R         = 'REFUSED'
1          = 'YES'
2          = 'NO'
7          = 'DO NOT KNOW/NOT SURE'
9          = 'REFUSED'
;

DIABPILL FORMAT IS YNDRM. :
.          = 'NOT ASKED, MODULE NOT USED,
.D         = 'DK/NS'
.R         = 'REFUSED'
1          = 'YES'
2          = 'NO'
7          = 'DO NOT KNOW/NOT SURE'
9          = 'REFUSED'
;

DIGRECEX FORMAT IS YNDRM. :
.          = 'NOT ASKED, MODULE NOT USED,
.D         = 'DK/NS'
.R         = 'REFUSED'
1          = 'YES'
2          = 'NO'
7          = 'DO NOT KNOW/NOT SURE'
9          = 'REFUSED'
;

DISPCODE FORMAT IS DISPFMT. :
.D         = 'DK/NS'
.R         = 'REFUSED'
110        = 'COMPLETED INTERVIEW'
120        = 'PARTIAL COMPLETE INTERVIEW'
;

DOCTDIAB FORMAT IS UNK2DIG. :
.          = 'NOT ASKED, MODULE NOT USED,
.D         = 'DK/NS'
.R         = 'REFUSED'
77         = 'DO NOT KNOW/NOT SURE'
88         = 'NEVER SMOKED REGULARLY'
99         = 'REFUSED'
;

DRADVICE FORMAT IS DRADVICE. :
.          = 'MODULE NOT USED OR MISSING'
.D         = 'DK/NS'

```



```

.R = 'REFUSED'
1 = 'YES, LOSE WEIGHT'
2 = 'YES, GAIN WEIGHT'
3 = 'YES, MAINTAIN CURRENT WEIGHT'
4 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

DRETIME FORMAT IS TIME3F. :
. = 'NOT ASKED OR MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'WITHIN THE PAST YEAR (< 12 M
2 = 'WITHIN THE PAST 2 YEARS (1 Y
3 = 'WITHIN THE PAST 3 YEARS (2 Y
4 = 'WITHIN THE PAST 5 YEARS (3 Y
5 = '5 OR MORE YEARS AGO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

DRINKDRI FORMAT IS UNK2DIG. :
. = 'NOT ASKED, MODULE NOT USED,
.D = 'DK/NS'
.R = 'REFUSED'
77 = 'DO NOT KNOW/NOT SURE'
88 = 'NEVER SMOKED REGULARLY'
99 = 'REFUSED'
;

DRNK2GE5 FORMAT IS UNK2DIG. :
. = 'NOT ASKED, MODULE NOT USED,
.D = 'DK/NS'
.R = 'REFUSED'
77 = 'DO NOT KNOW/NOT SURE'
88 = 'NEVER SMOKED REGULARLY'
99 = 'REFUSED'
;

DRNKANY3 FORMAT IS UNK3DIG. :
. = 'NOT ASKED, MODULE NOT USED,
.D = 'DK/NS'
.R = 'REFUSED'
777 = 'DO NOT KNOW/NOT SURE'
800 - 959 = 'HOURS AND MINUTES PER DAY'
999 = 'REFUSED'
;

DROCCDY_ FORMAT IS DROCCDY_ . :
.D = 'DK/NS'
.R = 'REFUSED'
0 = 'NO DRINK-OCCASIONS PER DAY'
1 - 899 = 'DRINK-OCCASIONS PER DAY'
900 = 'DO NOT KNOW/NOT SURE OR REFU
;

EDUCA FORMAT IS EDUCAF. :
. = 'MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'NEVER ATTENDED SCHOOL OR ONL
2 = 'GRADES 1 - 8 (ELEMENTARY)'
3 = 'GRADES 9 - 11 (SOME HIGH SCH
4 = 'GRADE 12 OR GED (HIGH SCHOOL
5 = 'COLLEGE 1 YEAR TO 3 YEARS (S
6 = 'COLLEGE 4 YEARS OR MORE (COL

```



```

9 = 'REFUSED'
;

EMPLOY FORMAT IS EMPLOYA. :
. = 'MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'EMPLOYED FOR WAGES'
2 = 'SELF-EMPLOYED'
3 = 'OUT OF WORK FOR MORE THAN 1'
4 = 'OUT OF WORK FOR LESS THAN 1'
5 = 'A HOMEMAKER'
6 = 'A STUDENT'
7 = 'RETIRED'
8 = 'UNABLE TO WORK'
9 = 'REFUSED'
;

EXERANY2 FORMAT IS YNDR. :
. = 'MODULE NOT USED OR MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

EYEEEXAM FORMAT IS EYEEEXAM. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'WITHIN THE PAST MONTH (< 1 M'
2 = 'WITHIN THE PAST YEAR (1 MONT'
3 = 'WITHIN THE PAST 2 YEARS (1 Y'
4 = '2 OR MORE YEARS AGO'
7 = 'DO NOT KNOW/NOT SURE'
8 = 'NEVER'
9 = 'REFUSED'
;

FACILIT3 FORMAT IS FACILIT. :
. = 'MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'A DOCTORS OFFICE'
2 = 'A PUBLIC HEALTH CLINIC OR CO'
3 = 'A HOSPITAL OUTPATIENT DEPART'
4 = 'A HOSPITAL EMERGENCY ROOM'
5 = 'URGENT CARE CENTER'
6 = 'SOME OTHER KIND OF PLACE'
7 = 'DO NOT KNOW/NOT SURE'
8 = 'NO USUAL PLACE'
9 = 'REFUSED'
;

FEETCHK FORMAT IS UNK2DIG. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
77 = 'DO NOT KNOW/NOT SURE'
88 = 'NEVER SMOKED REGULARLY'
99 = 'REFUSED'
;

FEETCHK2 FORMAT IS BLDSUGAR. :
. = 'NOT ASKED, MODULE NOT USED,'

```



```

.D = 'DK/NS'
.R = 'REFUSED'
101 - 199 = 'TIMES PER DAY'
201 - 299 = 'TIMES PER WEEK'
301 - 399 = 'TIMES PER MONTH'
401 - 499 = 'TIMES PER YEAR'
777 = 'DO NOT KNOW/NOT SURE'
888 = 'NEVER'
999 = 'REFUSED'
;

```

FEETSORE FORMAT IS YNDRM. :

```

. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

```

FEWCAL FORMAT IS FEWCAL. :

```

. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES, FEWER CALORIES'
2 = 'YES, LESS FAT'
3 = 'YES, FEWER CALORIES AND LESS'
4 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

```

FIREARM4 FORMAT IS YNDR. :

```

. = 'MODULE NOT USED OR MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

```

FIRSTAID FORMAT IS FIRSTAID. :

```

. = 'MODULE NOT USED OR MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'TAKE THEM THE HOSPITAL'
2 = 'TELL THEM TO CALL THEIR DOCT'
3 = 'CALL 911'
4 = 'CALL THEIR SPOUSE OR A FAMIL'
5 = 'DO SOMETHING ELSE'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

```

FIRSTSMK FORMAT IS UNK2DIG. :

```

. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
77 = 'DO NOT KNOW/NOT SURE'
88 = 'NEVER SMOKED REGULARLY'
99 = 'REFUSED'
;

```

FLUPRO2 FORMAT IS FLUPRO. :

```

. = 'NOT ASKED OR MISSING'

```



```

.D           = 'DK/NS'
.R           = 'REFUSED'
1           = 'A DOCTORS OFFICE OR HMO'
2           = 'A HEALTH DEPARTMENT'
3           = 'ANOTHER TYPE OF CLINIC OR HE
4           = 'A SENIOR, RECREATION, OR COM
5           = 'A STORE'
6           = 'A HOSPITAL OR EMERGENCY ROOM
7           = 'WORKPLACE'
8           = 'SOME OTHER KIND OF PLACE'
77          = 'DO NOT KNOW/NOT SURE'
99          = 'REFUSED'
;

```

FLUSHOT FORMAT IS YNDR. :

```

.           = 'MODULE NOT USED OR MISSING'
.D          = 'DK/NS'
.R          = 'REFUSED'
1           = 'YES'
2           = 'NO'
7           = 'DO NOT KNOW/NOT SURE'
9           = 'REFUSED'
;

```

FMONTH DOES NOT HAVE A FORMAT ASSIGNED.

FOLICACD FORMAT IS YNDRM. :

```

.           = 'NOT ASKED, MODULE NOT USED,
.D          = 'DK/NS'
.R          = 'REFUSED'
1           = 'YES'
2           = 'NO'
7           = 'DO NOT KNOW/NOT SURE'
9           = 'REFUSED'
;

```

FRUIT FORMAT IS SERVINGS. :

```

.           = 'MISSING'
.D          = 'DK/NS'
.R          = 'REFUSED'
101 - 199  = 'PER DAY'
201 - 299  = 'PER WEEK'
301 - 399  = 'PER MONTH'
401 - 499  = 'PER YEAR'
555        = 'NEVER'
777        = 'DO NOT KNOW/NOT SURE'
999        = 'REFUSED'
;

```

FRUITJUI FORMAT IS SERVINGS. :

```

.           = 'MISSING'
.D          = 'DK/NS'
.R          = 'REFUSED'
101 - 199  = 'PER DAY'
201 - 299  = 'PER WEEK'
301 - 399  = 'PER MONTH'
401 - 499  = 'PER YEAR'
555        = 'NEVER'
777        = 'DO NOT KNOW/NOT SURE'
999        = 'REFUSED'
;

```

FRUTDAY\_ DOES NOT HAVE A FORMAT ASSIGNED.

FTJUDAY\_ DOES NOT HAVE A FORMAT ASSIGNED.

GENHLTH FORMAT IS HLTHSTAT. :





```

. = 'MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'EXCELLENT'
2 = 'VERY GOOD'
3 = 'GOOD'
4 = 'FAIR'
5 = 'POOR'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

```

GETCARE FORMAT IS YNDRM. :

```

. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

```

GNSLDAY\_ DOES NOT HAVE A FORMAT ASSIGNED.

GREENSAL FORMAT IS SERVINGS. :

```

. = 'MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
101 - 199 = 'PER DAY'
201 - 299 = 'PER WEEK'
301 - 399 = 'PER MONTH'
401 - 499 = 'PER YEAR'
555 = 'NEVER'
777 = 'DO NOT KNOW/NOT SURE'
999 = 'REFUSED'
;

```

GUNLOAD FORMAT IS YNDR. :

```

. = 'MODULE NOT USED OR MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

```

HADHYST2 FORMAT IS YNDRM. :

```

. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

```

HADMAM FORMAT IS YNDRM. :

```

. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

```



```

HADPAP FORMAT IS YNDRM. :
.           = 'NOT ASKED, MODULE NOT USED,'
.D         = 'DK/NS '
.R         = 'REFUSED'
1          = 'YES'
2          = 'NO'
7          = 'DO NOT KNOW/NOT SURE'
9          = 'REFUSED'
;

HADSIGM2 FORMAT IS YNDRM. :
.           = 'NOT ASKED, MODULE NOT USED,'
.D         = 'DK/NS '
.R         = 'REFUSED'
1          = 'YES'
2          = 'NO'
7          = 'DO NOT KNOW/NOT SURE'
9          = 'REFUSED'
;

HASYP1 FORMAT IS YESNDKR. :
.           = 'MODULE NOT USED OR MISSING'
.D         = 'DK/NS '
.R         = 'REFUSED'
1          = 'YES'
2          = 'NO'
7          = 'DO NOT KNOW/NOT SURE'
9          = 'REFUSED'
;

HASYP2 FORMAT IS YESNDKR. :
.           = 'MODULE NOT USED OR MISSING'
.D         = 'DK/NS '
.R         = 'REFUSED'
1          = 'YES'
2          = 'NO'
7          = 'DO NOT KNOW/NOT SURE'
9          = 'REFUSED'
;

HASYP3 FORMAT IS YESNDKR. :
.           = 'MODULE NOT USED OR MISSING'
.D         = 'DK/NS '
.R         = 'REFUSED'
1          = 'YES'
2          = 'NO'
7          = 'DO NOT KNOW/NOT SURE'
9          = 'REFUSED'
;

HASYP4 FORMAT IS YESNDKR. :
.           = 'MODULE NOT USED OR MISSING'
.D         = 'DK/NS '
.R         = 'REFUSED'
1          = 'YES'
2          = 'NO'
7          = 'DO NOT KNOW/NOT SURE'
9          = 'REFUSED'
;

HASYP5 FORMAT IS YESNDKR. :
.           = 'MODULE NOT USED OR MISSING'
.D         = 'DK/NS '
.R         = 'REFUSED'
1          = 'YES'
2          = 'NO'
7          = 'DO NOT KNOW/NOT SURE'

```



```

9 = 'REFUSED'
;

HASYP6 FORMAT IS YESNDKR. :
. = 'MODULE NOT USED OR MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

HATKAGE FORMAT IS HATKAGE. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'AGE 40 OR LESS'
2 = 'AGE 41 TO 54'
3 = 'AGE 55 TO 64'
4 = 'AGE 65 OR OLDER'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

HAVARTH2 FORMAT IS YNDR. :
. = 'MODULE NOT USED OR MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

HEIGHT FORMAT IS UNK3DIG. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
777 = 'DO NOT KNOW/NOT SURE'
800 - 959 = 'HOURS AND MINUTES PER DAY'
999 = 'REFUSED'
;

HISPANC2 FORMAT IS YNDR. :
. = 'MODULE NOT USED OR MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

HIVOPT1B FORMAT IS HIVOPT. :
. = 'NOT ASKED OR MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'VERY IMPORTANT'
2 = 'SOMEWHAT IMPORTANT'
3 = 'NOT AT ALL IMPORTANT'
7 = 'DO NOT KNOW/NOT SURE'
8 = 'DEPENDS ON RISK'
9 = 'REFUSED'
;

HIVRISK2 FORMAT IS YNDRM. :

```



```

. = 'NOT ASKED, MODULE NOT USED,
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

HIVTF1A FORMAT IS TRUEFALS. :
. = 'NOT ASKED OR MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'TRUE'
2 = 'FALSE'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

HIVTF1B FORMAT IS TRUEFALS. :
. = 'NOT ASKED OR MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'TRUE'
2 = 'FALSE'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

HIVTST3 FORMAT IS YNDRM. :
. = 'NOT ASKED, MODULE NOT USED,
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

HIVTSTD2 FORMAT IS UNK6ADIG. :
. = 'NOT ASKED OR MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
11985 - 772002 = 'CODE MONTH AND YEAR'
777777 = 'DO NOT KNOW/NOT SURE'
992002 = 'CODE MONTH AND YEAR'
999999 = 'REFUSED'
;

HLTHPLAN FORMAT IS YNDR. :
. = 'MODULE NOT USED OR MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

HLTHPRB2 FORMAT IS HLTHPROB. :
. = 'NOT ASKED, MODULE NOT USED,
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'ARTHRITIS/RHEUMATISM'
2 = 'BACK OR NECK PROBLEM'
3 = 'FRACTURES, BONE/JOINT INJURY'
4 = 'WALKING PROBLEM'

```



```

5           = 'LUNG/BREATHING PROBLEM'
6           = 'HEARING PROBLEM'
7           = 'EYE/VISION PROBLEM'
8           = 'HEART PROBLEM'
9           = 'STROKE PROBLEM'
10          = 'HYPERTENSION/HIGH BLOOD PRES
11          = 'DIABETES'
12          = 'CANCER'
13          = 'DEPRESSION/ANXIETY/EMOTIONAL
14          = 'OTHER IMPAIRMENT/PROBLEM'
77          = 'DO NOT KNOW/NOT SURE'
99          = 'REFUSED'

```

;

HOUSESMK FORMAT IS HOUSESMK. :

```

.           = 'MODULE NOT USED OR MISSING'
.D          = 'DK/NS'
.R          = 'REFUSED'
1           = 'NOT ALLOWED ANYWHERE INSIDE
2           = 'ALLOWED IN SOME PLACES OR AT
3           = 'ALLOWED ANYWHERE INSIDE THE
4           = 'NO RULES ABOUT SMOKING INSID
7           = 'DO NOT KNOW/NOT SURE'
9           = 'REFUSED'

```

;

HOWLONG FORMAT IS TIME3F. :

```

.           = 'NOT ASKED OR MISSING'
.D          = 'DK/NS'
.R          = 'REFUSED'
1           = 'WITHIN THE PAST YEAR (< 12 M
2           = 'WITHIN THE PAST 2 YEARS (1 Y
3           = 'WITHIN THE PAST 3 YEARS (2 Y
4           = 'WITHIN THE PAST 5 YEARS (3 Y
5           = '5 OR MORE YEARS AGO'
7           = 'DO NOT KNOW/NOT SURE'
9           = 'REFUSED'

```

;

HTIN FORMAT IS HTIN. :

```

.D          = 'DK/NS'
.R          = 'REFUSED'
1 - 98     = 'HEIGHT IN INCHES'
99         = 'DO NOT KNOW/REFUSED/MISSING'

```

;

HTM FORMAT IS HTM. :

```

.D          = 'DK/NS'
.R          = 'REFUSED'
1 - 998    = 'HEIGHT IN METERS [2 IMPLIED
999        = 'DO NOT KNOW/REFUSED/MISSING'

```

;

IDATE DOES NOT HAVE A FORMAT ASSIGNED.

IDAY DOES NOT HAVE A FORMAT ASSIGNED.

IMONTH FORMAT IS \$MTHFMT. :

```

.D          = 'DK/NS'
.R          = 'REFUSED'
' 1'       = 'JANUARY'
' 2'       = 'FEBRUARY'
' 3'       = 'MARCH'
' 4'       = 'APRIL'
' 5'       = 'MAY'
' 6'       = 'JUNE'
' 7'       = 'JULY'

```



```

' 8' = 'AUGUST'
' 9' = 'SEPTEMBER'
'10' = 'OCTOBER'
'11' = 'NOVEMBER'
'12' = 'DECEMBER'
;

```

INCOME2 FORMAT IS INCOME. :

```

. = 'MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'LESS THAN $10,000'
2 = 'LESS THAN $15,000 ($10,000 T
3 = 'LESS THAN $20,000 ($15,000 T
4 = 'LESS THAN $25,000 ($20,000 T
5 = 'LESS THAN $35,000 ($25,000 T
6 = 'LESS THAN $50,000 ($35,000 T
7 = 'LESS THAN $75,000 ($50,000 T
8 = '$75,000 OR MORE'
77 = 'DO NOT KNOW/NOT SURE'
99 = 'REFUSED'
;

```

INDOORS FORMAT IS YNDRM. :

```

. = 'NOT ASKED, MODULE NOT USED,
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

```

INSULIN FORMAT IS YNDRM. :

```

. = 'NOT ASKED, MODULE NOT USED,
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

```

INTVID DOES NOT HAVE A FORMAT ASSIGNED.

IYEAR DOES NOT HAVE A FORMAT ASSIGNED.

JOBACTIV FORMAT IS JOBACTIV. :

```

. = 'NOT ASKED, MODULE NOT USED,
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'MOSTLY SITTING OR STANDING'
2 = 'MOSTLY WALKING'
3 = 'MOSTLY HEAVY LABOR OR PHYSIC
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

```

JOINTRT2 FORMAT IS YNDR. :

```

. = 'MODULE NOT USED OR MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

```



```

JOINTSYM FORMAT IS JOINTSYM. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

LASTDEN2 FORMAT IS LASTDEN. :
. = 'MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'WITHIN THE PAST YEAR (< 12 M
2 = 'WITHIN THE PAST 2 YEARS (1 Y
3 = 'WITHIN THE PAST 5 YEARS (2 Y
4 = '5 OR MORE YEARS AGO'
7 = 'DO NOT KNOW/NOT SURE'
8 = 'NEVER'
9 = 'REFUSED'
;

LASTPAP FORMAT IS TIME3F. :
. = 'NOT ASKED OR MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'WITHIN THE PAST YEAR (< 12 M
2 = 'WITHIN THE PAST 2 YEARS (1 Y
3 = 'WITHIN THE PAST 3 YEARS (2 Y
4 = 'WITHIN THE PAST 5 YEARS (3 Y
5 = '5 OR MORE YEARS AGO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

LASTSIG2 FORMAT IS TIME2AF. :
. = 'NOT ASKED OR MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'WITHIN THE PAST YEAR (< 12 M
2 = 'WITHIN THE PAST 2 YEARS (1 Y
3 = 'WITHIN THE PAST 5 YEARS (2 Y
4 = 'WITHIN THE PAST 10 YEARS (5
5 = '10 OR MORE YEARS AGO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

LASTSMK FORMAT IS TIME4F. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'WITHIN THE PAST MONTH (< 1 M
2 = 'WITHIN THE PAST 3 MONTHS (1
3 = 'WITHIN THE PAST 6 MONTHS (3
4 = 'WITHIN THE PAST YEAR (6 MONT
5 = 'WITHIN THE PAST 5 YEARS (1 Y
6 = 'WITHIN THE PAST 10 YEARS (5
7 = '10 OR MORE YEARS'
77 = 'DO NOT KNOW/NOT SURE'
99 = 'REFUSED'
;

LENGEXAM FORMAT IS TIME3F. :
. = 'NOT ASKED OR MISSING'

```



```

.D = 'DK/NS'
.R = 'REFUSED'
1 = 'WITHIN THE PAST YEAR (< 12 M
2 = 'WITHIN THE PAST 2 YEARS (1 Y
3 = 'WITHIN THE PAST 3 YEARS (2 Y
4 = 'WITHIN THE PAST 5 YEARS (3 Y
5 = '5 OR MORE YEARS AGO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

LMTJOIN2 FORMAT IS YNDRM. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

LOADULK2 FORMAT IS YNDR. :
. = 'MODULE NOT USED OR MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

LONGLMT2 FORMAT IS LONGACT. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
101 - 199 = 'DAYS'
201 - 299 = 'WEEKS'
301 - 399 = 'MONTHS'
401 - 499 = 'YEARS'
777 = 'DO NOT KNOW/NOT SURE'
999 = 'REFUSED'
;

LOSEWT FORMAT IS YNDRM. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

LSTBLDS2 FORMAT IS TIME2F. :
. = 'NOT ASKED OR MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'WITHIN THE PAST YEAR (< 12 M
2 = 'WITHIN THE PAST 2 YEARS (1 Y
3 = 'WITHIN THE PAST 5 YEARS (2 Y
4 = '5 OR MORE YEARS AGO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

MAINTAIN FORMAT IS YNDRM. :
. = 'NOT ASKED, MODULE NOT USED,'

```





```

.D           = 'DK/NS'
.R           = 'REFUSED'
1           = 'YES'
2           = 'NO'
7           = 'DO NOT KNOW/NOT SURE'
9           = 'REFUSED'
;

MARITAL FORMAT IS MARITALF. :
.           = 'MISSING'
.D          = 'DK/NS'
.R          = 'REFUSED'
1           = 'MARRIED'
2           = 'DIVORCED'
3           = 'WIDOWED'
4           = 'SEPARATED'
5           = 'NEVER MARRIED'
6           = 'A MEMBER OF AN UNMARRIED COU
9           = 'REFUSED'
;

MEDCARE FORMAT IS MEDCARE. :
.           = 'MISSING'
.D          = 'DK/NS'
.R          = 'REFUSED'
1           = 'YES'
2           = 'NO'
7           = 'DO NOT KNOW/NOT SURE'
9           = 'REFUSED'
;

MEDREAS FORMAT IS MEDREAS. :
.           = 'NOT ASKED OR MISSING'
.D          = 'DK/NS'
.R          = 'REFUSED'
1           = 'COST [INCLUDE NO INSURANCE]'
2           = 'DISTANCE'
3           = 'OFFICE WAS NOT OPEN WHEN I C
4           = 'TOO LONG A WAIT FOR AN APPOI
5           = 'TOO LONG A WAIT IN WAITING R
6           = 'NO CHILD CARE'
7           = 'NO TRANSPORTATION'
8           = 'NO ACCESS FOR PEOPLE WITH DI
9           = 'MEDICAL PROVIDER DID NOT SPE
10          = 'OTHER'
77          = 'DO NOT KNOW/NOT SURE'
99          = 'REFUSED'
;

MENTHLTH FORMAT IS UNK2DIG. :
.           = 'NOT ASKED, MODULE NOT USED,
.D          = 'DK/NS'
.R          = 'REFUSED'
77          = 'DO NOT KNOW/NOT SURE'
88          = 'NEVER SMOKED REGULARLY'
99          = 'REFUSED'
;

MODPACT FORMAT IS YNDR. :
.           = 'MODULE NOT USED OR MISSING'
.D          = 'DK/NS'
.R          = 'REFUSED'
1           = 'YES'
2           = 'NO'
7           = 'DO NOT KNOW/NOT SURE'
9           = 'REFUSED'
;

```



MODPADAY FORMAT IS MODPADAY. :

.	= 'NOT ASKED, MODULE NOT USED,
.D	= 'DK/NS'
.R	= 'REFUSED'
1 - 7	= 'DAYS PER WEEK'
77	= 'DO NOT KNOW/NOT SURE'
88	= 'DO LESS THAN 10 MINS OF MODE
99	= 'REFUSED'

;

MODPATIM FORMAT IS UNK3DIG. :

.	= 'NOT ASKED, MODULE NOT USED,
.D	= 'DK/NS'
.R	= 'REFUSED'
777	= 'DO NOT KNOW/NOT SURE'
800 - 959	= 'HOURS AND MINUTES PER DAY'
999	= 'REFUSED'

;

MRACE DOES NOT HAVE A FORMAT ASSIGNED.

MRACEASC DOES NOT HAVE A FORMAT ASSIGNED.

MRACEORG DOES NOT HAVE A FORMAT ASSIGNED.

MULTIVIT FORMAT IS YNDRM. :

.	= 'NOT ASKED, MODULE NOT USED,
.D	= 'DK/NS'
.R	= 'REFUSED'
1	= 'YES'
2	= 'NO'
7	= 'DO NOT KNOW/NOT SURE'
9	= 'REFUSED'

;

NATTMPPTS DOES NOT HAVE A FORMAT ASSIGNED.

NOBCUSE FORMAT IS NOBCUSE. :

.	= 'NOT ASKED OR MISSING'
.D	= 'DK/NS'
.R	= 'REFUSED'
1	= 'NOT SEXUALLY ACTIVE/NO PARTN
2	= 'DID NOT THINK WAS GOING TO H
3	= 'YOU WANT A PREGNANCY'
4	= 'YOU OR YOUR PARTNER DO NOT W
5	= 'YOU OR YOUR PARTNER DO NOT L
6	= 'YOU CAN NOT PAY FOR BIRTH CO
7	= 'LAPSE IN USE OF A METHOD'
8	= 'DO NOT THINK YOU OR YOUR PAR
9	= 'YOU OR YOUR PARTNER HAD TUBE
10	= 'YOU OR YOUR PARTNER HAD A VA
11	= 'YOU OR YOUR PARTNER HAD A HY
12	= 'YOU OR YOUR PARTNER ARE TOO
13	= 'YOU OR YOUR PARTNER ARE CURR
14	= 'YOU OR YOUR PARTNER JUST HAD
15	= 'OTHER REASON'
16	= 'DO NOT CARE IF GET PREGNANT'
17	= 'SAME SEX PARTNER'
18	= 'PARTNER IS PREGNANT NOW'
77	= 'DO NOT KNOW/NOT SURE'
99	= 'REFUSED'

;

NRECSEL DOES NOT HAVE A FORMAT ASSIGNED.

NRECSTR DOES NOT HAVE A FORMAT ASSIGNED.



NUMADULT DOES NOT HAVE A FORMAT ASSIGNED.

NUMHHOL2 FORMAT IS YNDR. :

```
. = 'MODULE NOT USED OR MISSING'  
.D = 'DK/NS'  
.R = 'REFUSED'  
1 = 'YES'  
2 = 'NO'  
7 = 'DO NOT KNOW/NOT SURE'  
9 = 'REFUSED'  
;
```

NUMMEN DOES NOT HAVE A FORMAT ASSIGNED.

NUMPHON2 FORMAT IS NUMPHONS. :

```
. = 'NOT ASKED OR MISSING'  
.D = 'DK/NS'  
.R = 'REFUSED'  
1 = 'RESIDENTIAL TELEPHONE NUMBER'  
2 = 'RESIDENTIAL TELEPHONE NUMBER'  
3 = 'RESIDENTIAL TELEPHONE NUMBER'  
4 = 'RESIDENTIAL TELEPHONE NUMBER'  
5 = 'RESIDENTIAL TELEPHONE NUMBER'  
6 = 'RESIDENTIAL TELEPHONE NUMBER'  
7 = 'DO NOT KNOW/NOT SURE'  
9 = 'REFUSED'  
;
```

NUMWOMEN DOES NOT HAVE A FORMAT ASSIGNED.

ORACE2 FORMAT IS ORACE. :

```
. = 'NOT ASKED OR MISSING'  
.D = 'DK/NS'  
.R = 'REFUSED'  
1 = 'WHITE'  
2 = 'BLACK OR AFRICAN AMERICAN'  
3 = 'ASIAN'  
4 = 'NATIVE HAWAIIAN OR OTHER PAC'  
5 = 'AMERICAN INDIAN, ALASKA NATI'  
6 = 'OTHER'  
7 = 'DO NOT KNOW/NOT SURE'  
8 = 'MULTIRACIAL BUT PREFERRED RA'  
9 = 'REFUSED'  
;
```

OTHERBC FORMAT IS OTHERBC. :

```
. = 'NOT ASKED OR MISSING'  
.D = 'DK/NS'  
.R = 'REFUSED'  
1 = 'TUBES TIED (STERILIZATION)'  
2 = 'VASECTOMY (STERILIZATION)'  
3 = 'PILL'  
4 = 'CONDOMS'  
5 = 'FOAM, JELLY, CREAM'  
6 = 'DIAPHRAGM'  
7 = 'NORPLANT'  
8 = 'IUD'  
9 = 'SHOTS (DEPO-PROVERA)'  
10 = 'WITHDRAWAL'  
11 = 'NOT HAVING SEX AT CERTAIN TI'  
12 = 'NO PARTNER/NOT SEXUALLY ACTI'  
13 = 'OTHER METHOD(S)'  
77 = 'DO NOT KNOW/NOT SURE'  
87 = 'NO OTHER METHOD(S)'  
99 = 'REFUSED'  
;
```



```

PAIN30DY FORMAT IS YNDR. :
. = 'MODULE NOT USED OR MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

```

```

PAINACT2 FORMAT IS UNK2DIG. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
77 = 'DO NOT KNOW/NOT SURE'
88 = 'NEVER SMOKED REGULARLY'
99 = 'REFUSED'
;

```

```

PCSAIDS2 FORMAT IS YNDRM. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

```

```

PERSDOC2 FORMAT IS PERSDOC. :
. = 'MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES, ONLY ONE'
2 = 'MORE THAN ONE'
3 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

```

PHONENUM DOES NOT HAVE A FORMAT ASSIGNED.

```

PHYACT FORMAT IS YNDRM. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

```

```

PHYSHLTH FORMAT IS UNK2DIG. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
77 = 'DO NOT KNOW/NOT SURE'
88 = 'NEVER SMOKED REGULARLY'
99 = 'REFUSED'
;

```

```

PIPENOW FORMAT IS SMOKEDAY. :
. = 'NOT ASKED OR MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'EVERY DAY'

```



2 = 'SOME DAYS'  
3 = 'NOT AT ALL'  
9 = 'REFUSED'  
;

PIPESMK FORMAT IS YNDRM. :

. = 'NOT ASKED, MODULE NOT USED,  
.D = 'DK/NS'  
.R = 'REFUSED'  
1 = 'YES'  
2 = 'NO'  
7 = 'DO NOT KNOW/NOT SURE'  
9 = 'REFUSED'  
;

PNEUVAC2 FORMAT IS YNDR. :

. = 'MODULE NOT USED OR MISSING'  
.D = 'DK/NS'  
.R = 'REFUSED'  
1 = 'YES'  
2 = 'NO'  
7 = 'DO NOT KNOW/NOT SURE'  
9 = 'REFUSED'  
;

POORHLTH FORMAT IS UNK2DIG. :

. = 'NOT ASKED, MODULE NOT USED,  
.D = 'DK/NS'  
.R = 'REFUSED'  
77 = 'DO NOT KNOW/NOT SURE'  
88 = 'NEVER SMOKED REGULARLY'  
99 = 'REFUSED'  
;

POTADAY\_ DOES NOT HAVE A FORMAT ASSIGNED.

POTATOES FORMAT IS SERVINGS. :

. = 'MISSING'  
.D = 'DK/NS'  
.R = 'REFUSED'  
101 - 199 = 'PER DAY'  
201 - 299 = 'PER WEEK'  
301 - 399 = 'PER MONTH'  
401 - 499 = 'PER YEAR'  
555 = 'NEVER'  
777 = 'DO NOT KNOW/NOT SURE'  
999 = 'REFUSED'  
;

PRECALL FORMAT IS PRECALL. :

.D = 'DK/NS'  
.R = 'REFUSED'  
1 = 'TO BE CALLED'  
3 = 'PRE-SCREENED AS NON-WORKING'  
5 = 'PRE-SCREENED AS BUSINESS NUM'  
;

PREFIX DOES NOT HAVE A FORMAT ASSIGNED.

PREGNANT FORMAT IS YNDRM. :

. = 'NOT ASKED, MODULE NOT USED,  
.D = 'DK/NS'  
.R = 'REFUSED'  
1 = 'YES'  
2 = 'NO'  
7 = 'DO NOT KNOW/NOT SURE'  
9 = 'REFUSED'



```

;
PROFEXAM FORMAT IS YNDRM. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

PROSTATE FORMAT IS YNDRM. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

PSATEST FORMAT IS YNDRM. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

PSATIME FORMAT IS TIME3F. :
. = 'NOT ASKED OR MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'WITHIN THE PAST YEAR (< 12 M
2 = 'WITHIN THE PAST 2 YEARS (1 Y
3 = 'WITHIN THE PAST 3 YEARS (2 Y
4 = 'WITHIN THE PAST 5 YEARS (3 Y
5 = '5 OR MORE YEARS AGO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

PSTPLAN2 FORMAT IS TIME1F. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'WITHIN THE PAST 6 MONTHS (<
2 = 'WITHIN THE PAST YEAR (6 MONT
3 = 'WITHIN THE PAST 2 YEARS (1 Y
4 = 'WITHIN THE PAST 5 YEARS (2 Y
5 = '5 OR MORE YEARS AGO'
7 = 'DO NOT KNOW/NOT SURE'
8 = 'NEVER'
9 = 'REFUSED'
;

PVTRESID FORMAT IS PVTRESID. :
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
;

QLACTLM2 FORMAT IS YNDR. :

```



```

. = 'MODULE NOT USED OR MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

QLHLTH2 FORMAT IS UNK2DIG. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
77 = 'DO NOT KNOW/NOT SURE'
88 = 'NEVER SMOKED REGULARLY'
99 = 'REFUSED'
;

QLMENTL2 FORMAT IS UNK2DIG. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
77 = 'DO NOT KNOW/NOT SURE'
88 = 'NEVER SMOKED REGULARLY'
99 = 'REFUSED'
;

QLPERSN2 FORMAT IS YNDRM. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

QLREST2 FORMAT IS UNK2DIG. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
77 = 'DO NOT KNOW/NOT SURE'
88 = 'NEVER SMOKED REGULARLY'
99 = 'REFUSED'
;

QLROUTN2 FORMAT IS YNDRM. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

QLSTRES2 FORMAT IS UNK2DIG. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
77 = 'DO NOT KNOW/NOT SURE'
88 = 'NEVER SMOKED REGULARLY'
99 = 'REFUSED'
;

QUITSMOK FORMAT IS YNDRM. :
. = 'NOT ASKED, MODULE NOT USED,'

```



```

.D           = 'DK/NS'
.R           = 'REFUSED'
1           = 'YES'
2           = 'NO'
7           = 'DO NOT KNOW/NOT SURE'
9           = 'REFUSED'
;

```

RACE2 FORMAT IS RACE2F. :

```

.D           = 'DK/NS'
.R           = 'REFUSED'
1           = 'WHITE ONLY, NON-HISPANIC'
2           = 'BLACK ONLY, NON-HISPANIC'
3           = 'ASIAN ONLY, NON-HISPANIC'
4           = 'NATIVE HAWAIIAN OR OTHER PAC
5           = 'AMERICAN INDIAN OR ALASKAN N
6           = 'OTHER RACE ONLY, NON-HISPANI
7           = 'MULTIRACIAL, NON-HISPANIC'
8           = 'HISPANIC'
9           = 'DO NOT KNOW/NOT SURE/REFUSED'
;

```

RECOMMEN FORMAT IS REASONS. :

```

.           = 'NOT ASKED, MODULE NOT USED,
.D           = 'DK/NS'
.R           = 'REFUSED'
1           = 'TO MAKE STRONG BONES'
2           = 'TO PREVENT BIRTH DEFECTS'
3           = 'TO PREVENT HIGH BLOOD PRESSU
4           = 'SOME OTHER REASON'
7           = 'DO NOT KNOW/NOT SURE'
9           = 'REFUSED'
;

```

REGSMK FORMAT IS UNK2DIG. :

```

.           = 'NOT ASKED, MODULE NOT USED,
.D           = 'DK/NS'
.R           = 'REFUSED'
77          = 'DO NOT KNOW/NOT SURE'
88          = 'NEVER SMOKED REGULARLY'
99          = 'REFUSED'
;

```

REPDEPTH DOES NOT HAVE A FORMAT ASSIGNED.

REPNUM DOES NOT HAVE A FORMAT ASSIGNED.

RMVTEETH FORMAT IS RMVTEETH. :

```

.           = 'MISSING'
.D           = 'DK/NS'
.R           = 'REFUSED'
1           = '1 TO 5'
2           = '6 OR MORE, BUT NOT ALL'
3           = 'ALL'
7           = 'DO NOT KNOW/NOT SURE'
8           = 'NONE'
9           = 'REFUSED'
;

```

RSNOCOV2 FORMAT IS RSNNOCOV. :

```

.           = 'NOT ASKED, MODULE NOT USED,
.D           = 'DK/NS'
.R           = 'REFUSED'
1           = 'LOST JOB OR CHANGED EMPLOYER
2           = 'SPOUSE OR PARENT LOST JOB OR
3           = 'BECAME DIVORCED OR SEPARATED
4           = 'SPOUSE OR PARENT DIED'

```





```

5           = 'BECAME INELIGIBLE DUE TO AGE
6           = 'EMPLOYER DOES NOT OR STOPPED
7           = 'CUT BACK TO PART TIME OR TEM
8           = 'BENEFITS FROM EMPLOYER OR FO
9           = 'COULD NOT AFFORD TO PAY THE
10          = 'INSURANCE COMPANY REFUSED CO
11          = 'LOST MEDICAID OR MEDICAL ASS
77          = 'DO NOT KNOW/NOT SURE'
87          = 'OTHER '
99          = 'REFUSED'
;

```

RSNTST4 FORMAT IS WHYTEST. :

```

.           = 'NOT ASKED OR MISSING'
.D          = 'DK/NS '
.R          = 'REFUSED'
1           = 'IT WAS REQUIRED'
2           = 'SOMEONE SUGGESTED YOU SHOULD
3           = 'YOU THOUGHT YOU MAY HAVE GOT
4           = 'YOU JUST WANTED TO FIND OUT
5           = 'YOU WERE WORRIED THAT YOU CO
6           = 'YOU WERE PREGNANT'
7           = 'IT WAS DONE AS PART FO A ROU
8           = 'SOME OTHER REASON'
77          = 'DO NOT KNOW/NOT SURE'
99          = 'REFUSED'
;

```

RXNRCMOD DOES NOT HAVE A FORMAT ASSIGNED.

SEATBELT FORMAT IS SEATBELT. :

```

.           = 'MISSING'
.D          = 'DK/NS '
.R          = 'REFUSED'
1           = 'ALWAYS'
2           = 'NEARLY ALWAYS'
3           = 'SOMETIMES'
4           = 'SELDOM'
5           = 'NEVER'
7           = 'DO NOT KNOW/NOT SURE'
8           = 'NEVER DRIVE OR RIDE IN A CAR
9           = 'REFUSED'
;

```

SEQNO DOES NOT HAVE A FORMAT ASSIGNED.

SEX FORMAT IS SEXFMT. :

```

.           = 'MISSING'
.D          = 'DK/NS '
.R          = 'REFUSED'
1           = 'MALE'
2           = 'FEMALE'
;

```

SMKPUBLIC FORMAT IS SMKPUBLIC. :

```

.           = 'NOT ASKED, MODULE NOT USED,
.D          = 'DK/NS '
.R          = 'REFUSED'
1           = 'NOT ALLOWED IN ANY PUBLIC AR
2           = 'ALLOWED IN SOME PUBLIC AREAS
3           = 'ALLOWED IN ALL PUBLIC AREAS'
4           = 'NO OFFICIAL POLICY'
7           = 'DO NOT KNOW/NOT SURE'
9           = 'REFUSED'
;

```

SMKWORK FORMAT IS SMKWORK. :



```

. = 'NOT ASKED, MODULE NOT USED,
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'NOT ALLOWED IN ANY WORK AREA'
2 = 'ALLOWED IN SOME WORK AREAS'
3 = 'ALLOWED IN ALL WORK AREAS'
4 = 'NO OFFICIAL POLICY'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

```

SMOKE100 FORMAT IS YNDR. :

```

. = 'MODULE NOT USED OR MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

```

SMOKEDAY FORMAT IS SMOKEDAY. :

```

. = 'NOT ASKED OR MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'EVERY DAY'
2 = 'SOME DAYS'
3 = 'NOT AT ALL'
9 = 'REFUSED'
;

```

STATEQUE DOES NOT HAVE A FORMAT ASSIGNED.

STOPSMK2 FORMAT IS YNDRM. :

```

. = 'NOT ASKED, MODULE NOT USED,
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

```

STROKAGE FORMAT IS HATTKAGE. :

```

. = 'NOT ASKED, MODULE NOT USED,
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'AGE 40 OR LESS'
2 = 'AGE 41 TO 54'
3 = 'AGE 55 TO 64'
4 = 'AGE 65 OR OLDER'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

```

STRSYMP1 FORMAT IS YESNDKR. :

```

. = 'MODULE NOT USED OR MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

```

STRSYMP2 FORMAT IS YESNDKR. :

```

. = 'MODULE NOT USED OR MISSING'

```



```

.D           = 'DK/NS '
.R           = 'REFUSED '
1           = 'YES '
2           = 'NO '
7           = 'DO NOT KNOW/NOT SURE '
9           = 'REFUSED '
;

```

```

STRSYMP3 FORMAT IS YESNDKR. :
.           = 'MODULE NOT USED OR MISSING '
.D          = 'DK/NS '
.R          = 'REFUSED '
1          = 'YES '
2          = 'NO '
7          = 'DO NOT KNOW/NOT SURE '
9          = 'REFUSED '
;

```

```

STRSYMP4 FORMAT IS YESNDKR. :
.           = 'MODULE NOT USED OR MISSING '
.D          = 'DK/NS '
.R          = 'REFUSED '
1          = 'YES '
2          = 'NO '
7          = 'DO NOT KNOW/NOT SURE '
9          = 'REFUSED '
;

```

```

STRSYMP5 FORMAT IS YESNDKR. :
.           = 'MODULE NOT USED OR MISSING '
.D          = 'DK/NS '
.R          = 'REFUSED '
1          = 'YES '
2          = 'NO '
7          = 'DO NOT KNOW/NOT SURE '
9          = 'REFUSED '
;

```

```

STRSYMP6 FORMAT IS YESNDKR. :
.           = 'MODULE NOT USED OR MISSING '
.D          = 'DK/NS '
.R          = 'REFUSED '
1          = 'YES '
2          = 'NO '
7          = 'DO NOT KNOW/NOT SURE '
9          = 'REFUSED '
;

```

SUFFIX DOES NOT HAVE A FORMAT ASSIGNED.

```

TAKEVIT FORMAT IS SUPPLE. :
.           = 'NOT ASKED, MODULE NOT USED, '
.D          = 'DK/NS '
.R          = 'REFUSED '
101 - 199  = 'TIMES PER DAY '
201 - 299  = 'TIMES PER WEEK '
301 - 399  = 'TIMES PER MONTH '
777        = 'DO NOT KNOW/NOT SURE '
999        = 'REFUSED '
;

```

```

TOLDHI2 FORMAT IS YNDRM. :
.           = 'NOT ASKED, MODULE NOT USED, '
.D          = 'DK/NS '
.R          = 'REFUSED '
1          = 'YES '
2          = 'NO '

```



```

7          = 'DO NOT KNOW/NOT SURE'
9          = 'REFUSED'
          ;

TYPCNTR2 FORMAT IS TYPCNTR. :
.          = 'NOT ASKED OR MISSING'
.D         = 'DK/NS'
.R         = 'REFUSED'
1          = 'TUBES TIED (STERILIZATION)'
2          = 'VASECTOMY (STERILIZATION)'
3          = 'PILL'
4          = 'CONDOMS'
5          = 'FOAM, JELLY, CREAM'
6          = 'DIAPHRAGM'
7          = 'NORPLANT'
8          = 'IUD'
9          = 'SHOTS (DEPO-PROVERA)'
10         = 'WITHDRAWAL'
11         = 'NOT HAVING SEX AT CERTAIN TI
12         = 'NO PARTNER/NOT SEXUALLY ACTI
13         = 'OTHER METHOD(S)'
77         = 'DO NOT KNOW/NOT SURE'
99         = 'REFUSED'
          ;

USEEQUIP FORMAT IS YNDR. :
.          = 'MODULE NOT USED OR MISSING'
.D         = 'DK/NS'
.R         = 'REFUSED'
1          = 'YES'
2          = 'NO'
7          = 'DO NOT KNOW/NOT SURE'
9          = 'REFUSED'
          ;

USEEVER2 FORMAT IS YNDRM. :
.          = 'NOT ASKED, MODULE NOT USED,
.D         = 'DK/NS'
.R         = 'REFUSED'
1          = 'YES'
2          = 'NO'
7          = 'DO NOT KNOW/NOT SURE'
9          = 'REFUSED'
          ;

USENOW2 FORMAT IS SMOKEDAY. :
.          = 'NOT ASKED OR MISSING'
.D         = 'DK/NS'
.R         = 'REFUSED'
1          = 'EVERY DAY'
2          = 'SOME DAYS'
3          = 'NOT AT ALL'
9          = 'REFUSED'
          ;

VEGEDAY_ DOES NOT HAVE A FORMAT ASSIGNED.

VEGETABL FORMAT IS SERVINGS. :
.          = 'MISSING'
.D         = 'DK/NS'
.R         = 'REFUSED'
101 - 199 = 'PER DAY'
201 - 299 = 'PER WEEK'
301 - 399 = 'PER MONTH'
401 - 499 = 'PER YEAR'
555       = 'NEVER'
777       = 'DO NOT KNOW/NOT SURE'

```



```

999 = 'REFUSED'
;

VIGPACT FORMAT IS YNDR. :
. = 'MODULE NOT USED OR MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

VIGPADAY FORMAT IS MODPADAY. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 - 7 = 'DAYS PER WEEK'
77 = 'DO NOT KNOW/NOT SURE'
88 = 'DO LESS THAN 10 MINS OF MODE'
99 = 'REFUSED'
;

VIGPATIM FORMAT IS UNK3DIG. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
777 = 'DO NOT KNOW/NOT SURE'
800 - 959 = 'HOURS AND MINUTES PER DAY'
999 = 'REFUSED'
;

VITAMINS FORMAT IS YNDRM. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

WEIGHT FORMAT IS WEIGHT. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
777 = 'DO NOT KNOW/NOT SURE'
999 = 'REFUSED'
;

WVRTST5 FORMAT IS TESTAIDS. :
. = 'NOT ASKED OR MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'PRIVATE DOCTOR OR HMO'
2 = 'COUNCELING AND TESTING SITE'
3 = 'HOSPITAL'
4 = 'CLINIC'
5 = 'IN A JAIL OR PRISON (OR OTHE'
6 = 'HOME'
7 = 'SOMEWHERE ELSE'
77 = 'DO NOT KNOW/NOT SURE'
99 = 'REFUSED'
;

WHYASPAN FORMAT IS YNDRM. :
. = 'NOT ASKED, MODULE NOT USED,'

```



```

.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

WHYASPHA FORMAT IS YNDRM. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

WHYASPSK FORMAT IS YNDRM. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'YES'
2 = 'NO'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

WTDESIRE FORMAT IS WEIGHT. :
. = 'NOT ASKED, MODULE NOT USED,'
.D = 'DK/NS'
.R = 'REFUSED'
777 = 'DO NOT KNOW/NOT SURE'
999 = 'REFUSED'
;

WTKG FORMAT IS WTKG. :
.D = 'DK/NS'
.R = 'REFUSED'
1 - 99998 = 'WEIGHT IN KILOGRAMS [2 IMPLI'
99999 = 'DO NOT KNOW/REFUSED/MISSING'
;

_UNDER65YR FORMAT IS _AGE65YR. :
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'AGE 18 TO 64'
2 = 'AGE 65 OR OLDER'
3 = 'DO NOT KNOW/REFUSED/MISSING'
;

_UNDER5YR FORMAT IS _AGE5YR. :
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'AGE 18 - 24'
2 = 'AGE 25 TO 29'
3 = 'AGE 30 TO 34'
4 = 'AGE 35 TO 39'
5 = 'AGE 40 TO 44'
6 = 'AGE 45 TO 49'
7 = 'AGE 50 TO 54'
8 = 'AGE 55 TO 59'
9 = 'AGE 60 TO 64'
10 = 'AGE 65 TO 69'
11 = 'AGE 70 TO 74'
12 = 'AGE 75 TO 79'
13 = 'AGE 80 OR OLDER'

```



```

14 = 'DO NOT KNOW/REFUSED/MISSING'
;

_AGEG_ FORMAT IS _AGEGFM. :
. = 'MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
0 = 'AGE 18 OR OLDER'
1 = 'AGE 18 - 24'
2 = 'AGE 25 TO 34'
3 = 'AGE 35 TO 44'
4 = 'AGE 45 TO 54'
5 = 'AGE 55 TO 64'
6 = 'AGE 65 OR OLDER'
7 = 'AGE 18 TO 34'
8 = 'AGE 35 TO 54'
9 = 'AGE 55 OR OLDER'
10 = 'AGE 18 TO 44'
11 = 'AGE 45 OR OLDER'
;

_AIDSTST FORMAT IS _AIDSTST. :
. = 'MISSING OR AGE GREATER THAN'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'NOT AT RISK'
2 = 'AT RISK'
9 = 'DO NOT KNOW/NOT SURE/REFUSED'
;

_ALTEETH FORMAT IS _ALTEETH. :
. = 'MISSING OR AGE LESS THAN 65'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'NOT AT RISK'
2 = 'AT RISK'
9 = 'DO NOT KNOW/NOT SURE OR REFU'
;

_ASTHMST FORMAT IS _ASTHMST. :
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'CURRENT'
2 = 'FORMER'
3 = 'NEVER'
9 = 'DO NOT KNOW/NOT SURE OR REFU'
;

_BMI2 FORMAT IS UNK4ADIG. :
.D = 'DK/NS'
.R = 'REFUSED'
1 - 9998 = '1 OR GREATER'
9999 = 'DO NOT KNOW/REFUSED/MISSING'
;

_BMI2CAT FORMAT IS _BMI2CAT. :
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'NEITHER OVERWEIGHT NOR OBESE'
2 = 'OVERWEIGHT (2500 <= _BMI2 <'
3 = 'OBESE (3000 <= _BMI2 < 9999)'
9 = 'DO NOT KNOW/REFUSED/MISSING'
;

_CASTHMA FORMAT IS _CASTHMA. :
.D = 'DK/NS'
.R = 'REFUSED'

```



```

1           = 'NOT AT RISK'
2           = 'AT RISK'
9           = 'DO NOT KNOW/NOT SURE OR REFU
;

_CNRACE FORMAT IS _CNRACE. :
.D         = 'DK/NS'
.R         = 'REFUSED'
0         = 'OTHER/DO NOT KNOW/REFUSED'
1         = '1 CATEGORY CHOSEN'
2         = '2 CATEGORY CHOSEN'
3         = '3 CATEGORY CHOSEN'
4         = '4 CATEGORY CHOSEN'
5         = '5 CATEGORY CHOSEN'
;

_CNRACEC FORMAT IS _CNRACEC. :
.         = '_CNRACE WAS CODED OTHER/DO N
.D         = 'DK/NS'
.R         = 'REFUSED'
0         = 'ZERO OR MISSING'
1         = 'ONE CATEGORY CHOSEN'
2         = 'TWO OR MORE CATEGORIES CHOSE
;

_DENSTR2 FORMAT IS _DENSTR. :
.         = 'MISSING'
.D         = 'DK/NS'
.R         = 'REFUSED'
1         = 'LISTED'
2         = 'UNLISTED'
3         = 'ZERO BLOCK'
;

_DENTVST FORMAT IS _DENTVST. :
.D         = 'DK/NS'
.R         = 'REFUSED'
1         = 'NOT AT RISK'
2         = 'AT RISK'
9         = 'DO NOT KNOW/NOT SURE OR REFU
;

_DRNKDY2 FORMAT IS UNK4DIG. :
.D         = 'DK/NS'
.R         = 'REFUSED'
0         = 'DID NOT DRINK IN THE PAST MO
1 - 9998  = 'NUMBER OF DRINKS'
9999     = 'DO NOT KNOW/REFUSED/MISSING'
;

_DRNKMO2 FORMAT IS UNK4DIG. :
.D         = 'DK/NS'
.R         = 'REFUSED'
0         = 'DID NOT DRINK IN THE PAST MO
1 - 9998  = 'NUMBER OF DRINKS'
9999     = 'DO NOT KNOW/REFUSED/MISSING'
;

_EXTEETH FORMAT IS _EXTEETH. :
.D         = 'DK/NS'
.R         = 'REFUSED'
1         = 'NOT AT RISK'
2         = 'AT RISK'
9         = 'DO NOT KNOW/NOT SURE OR REFU
;

_FCINTRAC FORMAT IS _FCINTRAC. :

```





```

. = 'PREGNANT NOW/MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'NOT AT RISK'
2 = 'AT RISK'
9 = 'DO NOT KNOW/NOT SURE/REFUSED'
;

```

\_FINALWT DOES NOT HAVE A FORMAT ASSIGNED.

```

_FLUSHOT FORMAT IS _FLUSHOT. :
. = 'MISSING OR AGE LESS THAN 65'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'NOT AT RISK'
2 = 'AT RISK'
9 = 'DO NOT KNOW/NOT SURE OR REFU'
;

```

```

_FRTINDX FORMAT IS FRTINDX. :
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'LESS THAN ONCE PER DAY OR NE'
2 = 'ONCE BUT LESS THAN 3 TIMES P'
3 = '3 BUT LESS THAN 5 TIMES PER'
4 = '5 OR MORE TIMES PER DAY'
9 = 'DO NOT KNOW/REFUSED/MISSING'
;

```

\_FRTSERV DOES NOT HAVE A FORMAT ASSIGNED.

\_GEOSTR DOES NOT HAVE A FORMAT ASSIGNED.

```

_HIGHRSK FORMAT IS _HIGHRSK. :
. = 'MISSING OR AGE GREATER THAN'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'NOT AT RISK'
2 = 'AT RISK'
9 = 'DO NOT KNOW/NOT SURE/REFUSED'
;

```

```

_IMPAGE FORMAT IS _IMPAGE. :
.D = 'DK/NS'
.R = 'REFUSED'
18 - 24 = 'AGE 18 TO 24'
25 - 34 = 'AGE 25 TO 34'
35 - 44 = 'AGE 35 TO 44'
45 - 54 = 'AGE 45 TO 54'
55 - 64 = 'AGE 55 TO 64'
65 - 99 = 'AGE 65 OR OLDER'
;

```

```

_IMPDPH FORMAT IS NUMPHONS. :
. = 'NOT ASKED OR MISSING'
.D = 'DK/NS'
.R = 'REFUSED'
1 = 'RESIDENTIAL TELEPHONE NUMBER'
2 = 'RESIDENTIAL TELEPHONE NUMBER'
3 = 'RESIDENTIAL TELEPHONE NUMBER'
4 = 'RESIDENTIAL TELEPHONE NUMBER'
5 = 'RESIDENTIAL TELEPHONE NUMBER'
6 = 'RESIDENTIAL TELEPHONE NUMBER'
7 = 'DO NOT KNOW/NOT SURE'
9 = 'REFUSED'
;

```



```
_LTASTHM FORMAT IS _LTASTHM. :  
  .D          = 'DK/NS'  
  .R          = 'REFUSED'  
  1          = 'NOT AT RISK'  
  2          = 'AT RISK'  
  9          = 'DO NOT KNOW/NOT SURE OR REFU  
;
```

```
_MCNTRAC FORMAT IS _MCNTRAC. :  
  .          = 'PARTNER PREGNANT NOW/MISSING'  
  .D        = 'DK/NS'  
  .R        = 'REFUSED'  
  1        = 'NOT AT RISK'  
  2        = 'AT RISK'  
  9        = 'DO NOT KNOW/NOT SURE/REFUSED'  
;
```

```
_MRACE FORMAT IS _MRACE. :  
  .          = 'MISSING'  
  .D        = 'DK/NS'  
  .R        = 'REFUSED'  
  1        = 'WHITE ONLY'  
  2        = 'BLACK OR AFRICAN AMERICAN ON  
  3        = 'ASIAN ONLY'  
  4        = 'NATIVE HAWAIIAN OR OTHER PAC  
  5        = 'AMERICAN INDIAN OR ALASKAN N  
  6        = 'OTHER RACE ONLY'  
  7        = 'MULTIRACIAL'  
  77       = 'DO NOT KNOW/NOT SURE'  
  99       = 'REFUSED'  
;
```

\_MSACODE DOES NOT HAVE A FORMAT ASSIGNED.

```
_PNEUMOC FORMAT IS _PNEUMOC. :  
  .          = 'MISSING OR AGE LESS THAN 65'  
  .D        = 'DK/NS'  
  .R        = 'REFUSED'  
  1        = 'NOT AT RISK'  
  2        = 'AT RISK'  
  9        = 'DO NOT KNOW/NOT SURE OR REFU  
;
```

\_POSTSTR DOES NOT HAVE A FORMAT ASSIGNED.

```
_PRACE FORMAT IS _PRACE. :  
  .          = 'MISSING'  
  .D        = 'DK/NS'  
  .R        = 'REFUSED'  
  1        = 'WHITE'  
  2        = 'BLACK OR AFRICAN AMERICAN'  
  3        = 'ASIAN'  
  4        = 'NATIVE HAWAIIAN OR OTHER PAC  
  5        = 'AMERICAN INDIAN OR ALASKAN N  
  6        = 'OTHER RACE'  
  7        = 'NO PREFERRED RACE'  
  8        = 'MULTIRACIAL BUT PREFERRED RA  
  77       = 'DO NOT KNOW/NOT SURE'  
  99       = 'REFUSED'  
;
```

\_PSU DOES NOT HAVE A FORMAT ASSIGNED.

\_QSTVER DOES NOT HAVE A FORMAT ASSIGNED.

```
_RACEG2 FORMAT IS _2RACEG. :  
  .D          = 'DK/NS'
```



```

.R          = 'REFUSED'
1          = 'NON-HISPANIC WHITE'
2          = 'NON-WHITE OR HISPANIC'
9          = 'DO NOT KNOW/NOT SURE/REFUSED'
;

```

\_RACEG3\_ DOES NOT HAVE A FORMAT ASSIGNED.

```

_RACEGR2 FORMAT IS _2RACEGR. :
.D          = 'DK/NS'
.R          = 'REFUSED'
1          = 'WHITE ONLY, NON-HISPANIC'
2          = 'BLACK ONLY, NON-HISPANIC'
3          = 'OTHER RACE ONLY, NON-HISPANI'
4          = 'MULTIRACIAL, NON-HISPANIC'
5          = 'HISPANIC'
9          = 'DO NOT KNOW/NOT SURE/REFUSED'
;

```

\_RAW DOES NOT HAVE A FORMAT ASSIGNED.

\_REGION DOES NOT HAVE A FORMAT ASSIGNED.

```

_RFBING2 FORMAT IS _RF. :
.D          = 'DK/NS'
.R          = 'REFUSED'
1          = 'NOT AT RISK'
2          = 'AT RISK'
9          = 'DO NOT KNOW/NOT SURE OR REFU'
;

```

```

_RFBLDST FORMAT IS _RF. :
.D          = 'DK/NS'
.R          = 'REFUSED'
1          = 'NOT AT RISK'
2          = 'AT RISK'
9          = 'DO NOT KNOW/NOT SURE OR REFU'
;

```

```

_RFBMI2 FORMAT IS _RF. :
.D          = 'DK/NS'
.R          = 'REFUSED'
1          = 'NOT AT RISK'
2          = 'AT RISK'
9          = 'DO NOT KNOW/NOT SURE OR REFU'
;

```

```

_RFDRDR2 FORMAT IS _RF. :
.D          = 'DK/NS'
.R          = 'REFUSED'
1          = 'NOT AT RISK'
2          = 'AT RISK'
9          = 'DO NOT KNOW/NOT SURE OR REFU'
;

```

```

_RFDRHV2 FORMAT IS _RF. :
.D          = 'DK/NS'
.R          = 'REFUSED'
1          = 'NOT AT RISK'
2          = 'AT RISK'
9          = 'DO NOT KNOW/NOT SURE OR REFU'
;

```

```

_RFDRMN2 FORMAT IS _RF. :
.D          = 'DK/NS'
.R          = 'REFUSED'
1          = 'NOT AT RISK'

```



```

                2           = 'AT RISK'
                9           = 'DO NOT KNOW/NOT SURE OR REFU
                            ;

__RFDRWM2 FORMAT IS __RF. :
    .D           = 'DK/NS'
    .R           = 'REFUSED'
    1            = 'NOT AT RISK'
    2            = 'AT RISK'
    9            = 'DO NOT KNOW/NOT SURE OR REFU
                            ;

__RFFRAR2 FORMAT IS __RF. :
    .D           = 'DK/NS'
    .R           = 'REFUSED'
    1            = 'NOT AT RISK'
    2            = 'AT RISK'
    9            = 'DO NOT KNOW/NOT SURE OR REFU
                            ;

__RFFRARM FORMAT IS __RF. :
    .D           = 'DK/NS'
    .R           = 'REFUSED'
    1            = 'NOT AT RISK'
    2            = 'AT RISK'
    9            = 'DO NOT KNOW/NOT SURE OR REFU
                            ;

__RFMAM2Y FORMAT IS __RF. :
    .D           = 'DK/NS'
    .R           = 'REFUSED'
    1            = 'NOT AT RISK'
    2            = 'AT RISK'
    9            = 'DO NOT KNOW/NOT SURE OR REFU
                            ;

__RFPAP3Y FORMAT IS __RF. :
    .D           = 'DK/NS'
    .R           = 'REFUSED'
    1            = 'NOT AT RISK'
    2            = 'AT RISK'
    9            = 'DO NOT KNOW/NOT SURE OR REFU
                            ;

__RFPSA2Y FORMAT IS __RF. :
    .D           = 'DK/NS'
    .R           = 'REFUSED'
    1            = 'NOT AT RISK'
    2            = 'AT RISK'
    9            = 'DO NOT KNOW/NOT SURE OR REFU
                            ;

__RFSEAT2 FORMAT IS __RF. :
    .D           = 'DK/NS'
    .R           = 'REFUSED'
    1            = 'NOT AT RISK'
    2            = 'AT RISK'
    9            = 'DO NOT KNOW/NOT SURE OR REFU
                            ;

__RFSEAT4 FORMAT IS __RF. :
    .D           = 'DK/NS'
    .R           = 'REFUSED'
    1            = 'NOT AT RISK'
    2            = 'AT RISK'
    9            = 'DO NOT KNOW/NOT SURE OR REFU
                            ;

```



```

_RFSIGMD FORMAT IS _RF. :
.D          = 'DK/NS '
.R          = 'REFUSED'
1          = 'NOT AT RISK'
2          = 'AT RISK'
9          = 'DO NOT KNOW/NOT SURE OR REFU
;

```

```

_RFSMOK2 FORMAT IS _RF. :
.D          = 'DK/NS '
.R          = 'REFUSED'
1          = 'NOT AT RISK'
2          = 'AT RISK'
9          = 'DO NOT KNOW/NOT SURE OR REFU
;

```

\_SEXG\_ DOES NOT HAVE A FORMAT ASSIGNED.

```

_SMOKER2 FORMAT IS _SMOKER. :
.D          = 'DK/NS '
.R          = 'REFUSED'
1          = 'CURRENT SMOKER - NOW SMOKES
2          = 'CURRENT SMOKER - NOW SMOKES
3          = 'FORMER SMOKER'
4          = 'NEVER SMOKED'
9          = 'DO NOT KNOW/REFUSED/MISSING'
;

```

```

_STATE FORMAT IS _STATE. :
.D          = 'DK/NS '
.R          = 'REFUSED'
1          = 'ALABAMA'
2          = 'ALASKA'
4          = 'ARIZONA'
5          = 'ARKANSAS'
6          = 'CALIFORNIA'
8          = 'COLORADO'
9          = 'CONNECTICUT'
10         = 'DELAWARE'
11         = 'DISTRICT OF COLUMBIA'
12         = 'FLORIDA'
13         = 'GEORGIA'
15         = 'HAWAII'
16         = 'IDAHO'
17         = 'ILLINOIS'
18         = 'INDIANA'
19         = 'IOWA'
20         = 'KANSAS'
21         = 'KENTUCKY'
22         = 'LOUISIANA'
23         = 'MAINE'
24         = 'MARYLAND'
25         = 'MASSACHUSETTS'
26         = 'MICHIGAN'
27         = 'MINNESOTA'
28         = 'MISSISSIPPI'
29         = 'MISSOURI'
30         = 'MONTANA'
31         = 'NEBRASKA'
32         = 'NEVADA'
33         = 'NEW HAMPSHIRE'
34         = 'NEW JERSEY'
35         = 'NEW MEXICO'
36         = 'NEW YORK'
37         = 'NORTH CAROLINA'
38         = 'NORTH DAKOTA'

```



```

39           = 'OHIO'
40           = 'OKLAHOMA'
41           = 'OREGON'
42           = 'PENNSYLVANIA'
44           = 'RHODE ISLAND'
45           = 'SOUTH CAROLINA'
46           = 'SOUTH DAKOTA'
47           = 'TENNESSEE'
48           = 'TEXAS'
49           = 'UTAH'
50           = 'VERMONT'
51           = 'VIRGINIA'
53           = 'WASHINGTON'
54           = 'WEST VIRGINIA'
55           = 'WISCONSIN'
56           = 'WYOMING'
66           = 'GUAM'
72           = 'PUERTO RICO'
78           = 'VIRGIN ISLANDS'

```

```
;
```

```
_STDCNDM FORMAT IS _STDCNDM. :
```

```

.           = 'MISSING OR AGE GREATER THAN'
.D          = 'DK/NS'
.R          = 'REFUSED'
1           = 'NOT AT RISK'
2           = 'AT RISK'
9           = 'DO NOT KNOW/NOT SURE/REFUSED'

```

```
;
```

```
_STRWT DOES NOT HAVE A FORMAT ASSIGNED.
```

```
_STSTR DOES NOT HAVE A FORMAT ASSIGNED.
```

```
_TOTINDA FORMAT IS _TOTIND. :
```

```

.D          = 'DK/NS'
.R          = 'REFUSED'
1           = 'HAD PHYSICAL ACTIVITY OR EXE
2           = 'NO PHYSICAL ACTIVITY OR EXER
9           = 'DO NOT KNOW/REFUSED/MISSING'

```

```
;
```

```
_WT2 DOES NOT HAVE A FORMAT ASSIGNED.
```

