

**Data Brief 250: The Effect of Changes in Selected Age-specific Causes of Death on Non-Hispanic White Life Expectancy Between 2000 and 2014**

**Data table for Figure 1. Increase in life expectancy at birth, by race and Hispanic origin: United States, 2000–2014**

Hispanic origin and race	Years
All origins	2.0
Non-Hispanic black	3.6
Hispanic	2.6
Non-Hispanic white	1.4

SOURCE: NCHS, National Vital Statistics System, Mortality.

**Data Brief 250: The Effect of Changes in Selected Age-specific Causes of Death on Non-Hispanic White Life Expectancy Between 2000 and 2014**

**Data table for Figure 2. Contribution of the leading causes of death to the change in life expectancy for the non-Hispanic white population: United States, 2000–2014**

Cause of death	Years
Unintentional injuries	–0.188
Suicide	–0.113
Alzheimer’s disease	–0.060
Chronic liver disease	–0.036
Hypertension	–0.022
Aortic aneurysm	0.040
Pneumonia	0.060
Stroke	0.247
Cancer	0.581
Heart disease	1.000

NOTE: The table shows only 10 causes of death. The sum of all contributions by cause of death equals 1.4 years, the increase in life expectancy for the non-Hispanic white population from 2000 to 2014.

SOURCE: NCHS, National Vital Statistics System, Mortality.

**Data Brief 250: The Effect of Changes in Selected Age-specific Causes of Death on Non-Hispanic White Life Expectancy Between 2000 and 2014**

**Data table for Figure 3. Contribution of all-cause age-specific death rates to the change in life expectancy for the non-Hispanic white population: United States, 2000–2014**

Age (years)	Years
25–34	–0.125
45–54	–0.038
35–44	–0.019
1–4	0.018
5–14	0.034
15–24	0.065
Under age 1	0.070
85 and over	0.182
55–64	0.196
75–84	0.485
65–74	0.568

SOURCE: NCHS, National Vital Statistics System, Mortality.

**Data Brief 250: The Effect of Changes in Selected Age-specific Causes of Death on Non-Hispanic White Life Expectancy Between 2000 and 2014**

**Data table for Figure 4. Age-specific death rates for unintentional injuries, suicide, and chronic liver disease and cirrhosis for the non-Hispanic white population: United States, 2000–2014**

Year	Unintentional injuries (UI)						Suicide (S)						Chronic liver disease and cirrhosis (CL)	
	25–34 years		35–44 years		45–54 years		25–34 years		35–44 years		45–54 years		45–54 years	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
2000	7,730	30.0	11,008	34.2	8,882	31.0	3,658	14.2	5,540	17.2	4,774	16.7	4,637	16.2
2001	7,798	31.2	11,340	35.8	9,704	32.6	3,871	15.5	5,604	17.7	5,292	17.8	5,035	16.9
2002	8,344	33.9	12,035	38.8	10,859	36.3	3,809	15.5	5,795	18.7	5,603	18.8	5,023	16.8
2003	8,238	34.0	12,106	40.0	11,721	38.7	3,811	15.7	5,563	18.4	5,774	19.1	5,310	17.5
2004	8,712	36.4	12,025	40.5	12,744	41.6	3,747	15.6	5,598	18.9	6,101	19.9	5,330	17.4
2005	9,347	39.5	12,252	42.1	13,657	44.0	3,708	15.7	5,434	18.7	6,208	20.0	5,323	17.2
2006	10,085	42.9	12,559	44.0	14,619	46.6	3,689	15.7	5,508	19.3	6,614	21.1	5,541	17.7
2007	10,347	44.0	12,270	44.2	15,345	48.6	3,892	16.5	5,535	19.9	6,866	21.8	5,851	18.5
2008	10,206	43.0	11,865	44.0	15,697	49.6	3,977	16.8	5,571	20.7	7,342	23.2	5,893	18.6
2009	9,887	41.2	11,002	42.2	15,361	48.6	3,983	16.6	5,508	21.1	7,564	23.9	6,022	19.1
2010	10,425	43.2	10,980	43.0	15,259	48.5	4,335	18.0	5,359	21.0	7,755	24.7	6,229	19.8
2011	11,182	45.6	11,202	45.0	15,961	51.7	4,581	18.7	5,364	21.6	7,821	25.4	6,326	20.5
2012	11,358	45.9	10,963	44.7	15,552	51.5	4,681	18.9	5,432	22.1	7,753	25.7	6,380	21.1
2013	11,594	46.4	11,120	45.8	15,377	52.1	4,725	18.9	5,298	21.8	7,527	25.5	6,218	21.1
2014	12,359	49.0	11,603	48.4	15,533	53.8	4,904	19.5	5,364	22.4	7,588	26.3	6,110	21.2

NOTE: Death rates per 100,000 population.

SOURCE: NCHS, National Vital Statistics System, Mortality.

**Data Brief 250: The Effect of Changes in Selected Age-specific Causes of Death on Non-Hispanic White Life Expectancy Between 2000 and 2014**

**Data table for Figure 5. Contribution of unintentional injuries to the change in life expectancy for the non-Hispanic white population: United States, 2000–2014**

Age group	Years
Unintentional poisoning	-0.338
Unintentional falls	-0.047
Unintentional firearms	0.003
Other land transport	0.007
Unintentional drowning	0.007
Water transport	0.008
Unintentional fire	0.009
Other nontransport	0.010
Motor vehicle accidents	0.153

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality.