

**Data Brief 368. Prevalence of Tooth Loss Among Older Adults: United States, 2015–2018**

**Data table for Figure 1. Prevalence of complete tooth loss among adults aged 65 and over, by sex and age: United States, 2015–2018**

Age group	All		Men		Women	
	Percent	Standard error	Percent	Standard error	Percent	Standard error
65 and over	12.9	1.3	13.8	1.6	12.2	1.4
65–69	8.9	1.6	11.1	2.4	6.9	2.7
70–74	10.6	1.5	9.4	1.7	11.7	2.1
75 and over	17.8	1.5	19.5	1.8	16.6	2.0

SOURCE: NCHS, National Health and Nutrition Examination Survey, 2015–2018.

**Data Brief 368. Prevalence of Tooth Loss Among Older Adults: United States, 2015–2018**

**Data table for Figure 2. Prevalence of complete tooth loss among adults aged 65 and over, by sex and race and Hispanic origin: United States, 2015–2018**

Race and Hispanic origin	All		Men		Women	
	Percent	Standard error	Percent	Standard error	Percent	Standard error
Non-Hispanic white	10.9	1.6	12.5	1.9	9.5	1.7
Non-Hispanic black	25.4	2.8	23.4	2.8	26.8	3.6
Hispanic	15.3	1.8	11.9	2.5	17.8	2.2

SOURCE: NCHS, National Health and Nutrition Examination Survey, 2015–2018.

**Data Brief 368. Prevalence of Tooth Loss Among Older Adults: United States, 2015–2018**

**Data table for Figure 3. Prevalence of complete tooth loss among adults aged 65 and over, by education level: United States, 2015–2018**

Education level	All		Men		Women	
	Percent	Standard error	Percent	Standard error	Percent	Standard error
Less than high school	31.9	3.1	35.4	4.0	29.3	3.7
High school or greater	9.5	1.2	10.1	1.5	9.0	1.2

SOURCE: NCHS, National Health and Nutrition Examination Survey, 2015–2018.

**Data Brief 368. Prevalence of Tooth Loss Among Older Adults: United States, 2015–2018**

**Data table for Figure 4. Trends in prevalence of complete tooth loss among adults aged 65 and over, by sex: United States, 1999–2000 through 2017–2018**

Year	All		Men		Women	
	Percent	Standard error	Percent	Standard error	Percent	Standard error
1999–2000	29.9	2.3	25.5	2.9	33.1	2.3
2001–2002	24.5	2.0	22.8	1.9	25.7	2.6
2003–2004	27.5	3.0	25.1	3.1	29.4	3.1
2005–2006	23.5	1.9	19.9	2.2	26.2	1.9
2007–2008	23.0	2.2	22.4	3.4	23.3	2.1
2009–2010	18.5	2.0	17.1	2.4	19.6	2.2
2011–2012	18.5	2.2	18.1	2.4	18.7	2.3
2013–2014	17.0	2.3	16.8	2.7	17.0	2.2
2015–2016	14.2	1.9	15.6	2.1	13.1	2.1
2017–2018	13.1	1.7	13.8	2.0	12.5	1.9

NOTE: Estimates were age adjusted by the direct method to the 2000 U.S. Census population using the age groups 65–69, 70–74, and 75 and over.

SOURCE: NCHS, National Health and Nutrition Examination Survey, 1999–2018.