

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

#### All causes

All origins, both sexes.....	2,426,264	28,527	4,631	2,735	3,414	13,739	21,148	20,897	22,055	31,499	51,544	79,268
Male.....	1,201,942	15,980	2,541	1,551	2,074	9,918	16,152	15,181	15,007	20,131	32,019	49,018
Female.....	1,224,322	12,547	2,090	1,184	1,340	3,821	4,996	5,716	7,048	11,368	19,525	30,250
Hispanic, both sexes.....	133,004	5,735	987	484	653	2,366	3,566	3,305	3,287	3,822	5,129	6,486
Male.....	74,250	3,179	549	283	390	1,831	2,881	2,593	2,431	2,685	3,538	4,277
Female.....	58,754	2,556	438	201	263	535	685	712	856	1,137	1,591	2,209
Mexican, both sexes.....	75,498	4,073	730	351	485	1,686	2,456	2,263	2,156	2,380	3,040	3,835
Male.....	43,516	2,238	409	196	291	1,312	2,011	1,783	1,632	1,714	2,113	2,540
Female.....	31,982	1,835	321	155	194	374	445	480	524	666	927	1,295
Puerto Rican, both sexes.....	16,822	515	61	45	39	181	280	275	319	516	705	981
Male.....	9,285	288	35	27	23	130	215	215	227	335	464	641
Female.....	7,537	227	26	18	16	51	65	60	92	181	241	340
Cuban, both sexes.....	12,846	89	15	11	15	54	81	51	62	100	216	286
Male.....	6,601	52	11	6	8	42	66	38	46	69	152	207
Female.....	6,245	37	4	5	7	12	15	13	16	31	64	79
Central and South American, both sexes.	13,927	470	96	36	53	250	468	479	464	483	650	718
Male.....	7,245	257	47	26	32	205	385	383	332	334	449	459
Female.....	6,682	213	49	10	21	45	83	96	132	149	201	259
Other and Unknown Hispanic, both sexes.	13,911	588	85	41	61	195	281	237	286	343	518	666
Male.....	7,603	344	47	28	36	142	204	174	194	233	360	430
Female.....	6,308	244	38	13	25	53	77	63	92	110	158	236
Non-Hispanic 1/, both sexes.....	2,288,424	22,576	3,624	2,247	2,751	11,342	17,520	17,536	18,703	27,600	46,233	72,529
Male.....	1,124,813	12,683	1,977	1,267	1,679	8,063	13,222	12,544	12,531	17,387	28,364	44,557
Female.....	1,163,611	9,893	1,647	980	1,072	3,279	4,298	4,992	6,172	10,213	17,869	27,972
Non-Hispanic white 2/, both sexes.....	1,944,617	12,906	2,279	1,495	1,858	7,837	12,218	11,942	12,664	19,465	33,733	54,044
Male.....	947,966	7,284	1,247	839	1,144	5,378	9,175	8,542	8,573	12,463	21,146	33,828
Female.....	996,651	5,622	1,032	656	714	2,459	3,043	3,400	4,091	7,002	12,587	20,216
Non-Hispanic black 2/, both sexes.....	286,581	8,507	1,108	616	745	2,890	4,457	4,814	5,106	6,954	10,746	16,058
Male.....	146,729	4,714	612	361	453	2,265	3,426	3,463	3,365	4,202	6,161	9,265
Female.....	139,852	3,793	496	255	292	625	1,031	1,351	1,741	2,752	4,585	6,793
Origin not stated 3/, both sexes.....	4,836	216	20	4	10	31	62	56	65	77	182	253
Male.....	2,879	118	15	1	5	24	49	44	45	59	117	184
Female.....	1,957	98	5	3	5	7	13	12	20	18	65	69

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for Al  
non-Hispanic population, and sex age

non-Hispanic population, and sex

## Salmonella infections (A01-A02)

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for Al  
non-Hispanic population, and sex ade

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) Hispanic origin, race for non-Hispanic population, and sex age

Certain other intestinal infections (A04,A07-A09)	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
All origins, both sexes.....	6,639	13	9	3	1	2	8	4	7	9	24	4				
Male.....	2,550	5	6	1	1	2	2	3	5	6	15	2				
Female.....	4,089	8	3	2	-	-	6	1	2	3	9	1				
Hispanic, both sexes.....	282	3	1	-	1	1	3	2	1	-	5					
Male.....	117	2	1	-	1	1	1	2	1	-	2					
Female.....	165	1	-	-	-	-	2	-	-	-	3					
Mexican, both sexes.....	139	1	1	-	-	1	2	-	1	-	1					
Male.....	60	1	1	-	-	1	1	-	1	-	-					
Female.....	79	-	-	-	-	-	1	-	-	-	1					
Puerto Rican, both sexes.....	47	1	-	-	-	-	1	1	-	-	-					
Male.....	18	-	-	-	-	-	-	1	-	-	-					
Female.....	29	1	-	-	-	-	-	1	-	-	-					
Cuban, both sexes.....	34	-	-	-	-	-	-	-	-	-	-					
Male.....	16	-	-	-	-	-	-	-	-	-	-					
Female.....	18	-	-	-	-	-	-	-	-	-	-					
Central and South American, both sexes.	34	1	-	-	-	1	-	-	-	-	-				2	
Male.....	14	1	-	-	-	1	-	-	-	-	-				1	
Female.....	20	-	-	-	-	-	-	-	-	-	-				1	
Other and Unknown Hispanic, both sexes.	28	-	-	-	-	-	-	-	1	-	-				1	
Male.....	9	-	-	-	-	-	-	-	1	-	-				-	
Female.....	19	-	-	-	-	-	-	-	-	-	-				1	
Non-Hispanic 1/, both sexes.....	6,352	10	8	3	-	1	5	2	6	9	19	4				
Male.....	2,430	3	5	1	-	1	1	1	4	6	13	2				
Female.....	3,922	7	3	2	-	-	4	1	2	3	6	1				
Non-Hispanic white 2/, both sexes.....	5,883	6	3	2	-	1	4	-	5	5	14	3				
Male.....	2,234	2	2	1	-	1	1	-	4	3	10	1				
Female.....	3,649	4	1	1	-	-	3	-	1	2	4	1				
Non-Hispanic black 2/, both sexes.....	376	3	3	1	-	-	-	2	1	3	5	1				
Male.....	144	-	2	-	-	-	-	1	-	2	3					
Female.....	232	3	1	1	-	-	-	1	1	1	2					
Origin not stated 3/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-					
Male.....	3	-	-	-	-	-	-	-	-	-	-					
Female.....	2	-	-	-	-	-	-	-	-	-	-					

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) Hispanic origin, race for non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for Al  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) Hispanic origin, race for non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for Al  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for Al  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

#### Septicemia (A40-A41)

All origins, both sexes.....	34,234	269	88	40	44	50	89	128	163	327	543	899
Male.....	15,522	143	43	25	27	24	44	64	88	160	292	476
Female.....	18,712	126	45	15	17	26	45	64	75	167	251	423
Hispanic, both sexes.....	1,829	67	18	9	7	7	15	21	20	35	44	76
Male.....	932	37	6	6	4	4	7	9	13	19	24	46
Female.....	897	30	12	3	3	3	8	12	7	16	20	30
Mexican, both sexes.....	1,029	46	12	6	6	2	5	11	16	21	32	48
Male.....	526	25	3	4	4	1	1	4	11	11	17	30
Female.....	503	21	9	2	2	1	4	7	5	10	15	18
Puerto Rican, both sexes.....	294	10	2	-	1	2	2	3	-	8	5	11
Male.....	160	5	1	-	-	1	-	2	-	5	2	5
Female.....	134	5	1	-	1	1	2	1	-	3	3	6
Cuban, both sexes.....	169	-	1	2	-	1	-	1	-	3	-	2
Male.....	77	-	1	1	-	-	-	1	-	1	-	1
Female.....	92	-	-	1	-	1	-	-	-	2	-	1
Central and South American, both sexes.	167	4	3	-	-	1	5	4	4	1	3	4
Male.....	76	3	1	-	-	1	4	1	2	1	2	3
Female.....	91	1	2	-	-	-	1	3	2	-	1	1
Other and Unknown Hispanic, both sexes.	170	7	-	1	-	1	3	2	-	2	4	11
Male.....	93	4	-	1	-	1	2	1	-	1	3	7
Female.....	77	3	-	-	-	-	1	1	-	1	1	4
Non-Hispanic 1/, both sexes.....	32,331	200	70	31	37	43	74	107	142	290	495	822
Male.....	14,556	105	37	19	23	20	37	55	74	141	265	429
Female.....	17,775	95	33	12	14	23	37	52	68	149	230	393
Non-Hispanic white 2/, both sexes.....	25,556	91	44	20	27	31	38	59	86	173	317	518
Male.....	11,526	48	24	11	17	14	19	33	44	90	172	284
Female.....	14,030	43	20	9	10	17	19	26	42	83	145	234
Non-Hispanic black 2/, both sexes.....	6,045	99	19	10	10	11	30	41	47	105	165	280
Male.....	2,688	53	11	7	6	6	15	18	26	46	86	131
Female.....	3,357	46	8	3	4	5	15	23	21	59	79	149
Origin not stated 3/, both sexes.....	74	2	-	-	-	-	-	-	1	2	4	1
Male.....	34	1	-	-	-	-	-	-	1	-	3	1
Female.....	40	1	-	-	-	-	-	-	-	2	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for Al  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for Al  
non-Hispanic population, and sex age



Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for Al  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for Al  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

#### Human immunodeficiency virus (HIV) disease (B20-B24)

All origins, both sexes.....	12,113	7	-	2	13	40	166	421	761	1,591	2,419	2,477
Male.....	8,756	2	-	1	7	23	98	256	473	1,079	1,750	1,817
Female.....	3,357	5	-	1	6	17	68	165	288	512	669	660
Hispanic, both sexes.....	1,617	1	-	-	2	9	22	62	133	253	331	302
Male.....	1,275	-	-	-	-	6	13	47	105	198	258	248
Female.....	342	1	-	-	2	3	9	15	28	55	73	54
Mexican, both sexes.....	614	1	-	-	-	2	12	37	69	115	111	91
Male.....	536	-	-	-	-	1	10	28	59	106	97	80
Female.....	78	1	-	-	-	1	2	9	10	9	14	11
Puerto Rican, both sexes.....	560	-	-	-	-	4	3	4	22	75	125	134
Male.....	383	-	-	-	-	2	1	3	11	46	84	99
Female.....	177	-	-	-	-	2	2	1	11	29	41	35
Cuban, both sexes.....	110	-	-	-	-	1	-	-	1	6	24	25
Male.....	100	-	-	-	-	1	-	-	1	6	20	24
Female.....	10	-	-	-	-	-	-	-	-	-	4	1
Central and South American, both sexes.	208	-	-	-	-	1	5	18	31	38	38	31
Male.....	157	-	-	-	-	1	-	13	25	25	30	26
Female.....	51	-	-	-	-	-	5	5	6	13	8	5
Other and Unknown Hispanic, both sexes.	125	-	-	-	2	1	2	3	10	19	33	21
Male.....	99	-	-	-	-	1	2	3	9	15	27	19
Female.....	26	-	-	-	2	-	-	-	1	4	6	2
Non-Hispanic 1/, both sexes.....	10,427	6	-	2	11	31	143	355	625	1,332	2,077	2,152
Male.....	7,431	2	-	1	7	17	84	207	366	875	1,484	1,555
Female.....	2,996	4	-	1	4	14	59	148	259	457	593	597
Non-Hispanic white 2/, both sexes.....	3,519	2	-	-	2	-	28	60	149	431	762	758
Male.....	2,939	1	-	-	2	-	17	43	109	336	645	657
Female.....	580	1	-	-	-	-	11	17	40	95	117	101
Non-Hispanic black 2/, both sexes.....	6,767	4	-	2	9	30	113	293	472	877	1,282	1,371
Male.....	4,384	1	-	1	5	17	66	163	253	521	815	880
Female.....	2,383	3	-	1	4	13	47	130	219	356	467	491
Origin not stated 3/, both sexes.....	69	-	-	-	-	-	1	4	3	6	11	23
Male.....	50	-	-	-	-	-	1	2	2	6	8	14
Female.....	19	-	-	-	-	-	-	2	1	-	3	9

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for Al  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for A1  
non-Hispanic population, and sex age

	age	1 year	2 years	3 years	4 years	5 years	6 years	7 years	8 years	9 years	10 years	11 years	12 years	13 years	14 years
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)															
All origins, both sexes.....	5,897	167	64	30	37	41	46	58	71	96	173	232			
Male.....	3,028	95	41	18	17	21	23	34	34	60	109	137			
Female.....	2,869	72	23	12	20	20	23	24	37	36	64	95			
Hispanic, both sexes.....	416	27	14	7	7	11	10	9	18	15	30	28			
Male.....	247	18	10	5	3	5	9	6	7	10	18	21			
Female.....	169	9	4	2	4	6	1	3	11	5	12	7			
Mexican, both sexes.....	253	21	11	5	4	5	7	5	13	12	22	21			
Male.....	147	15	7	4	-	2	6	4	4	8	12	17			
Female.....	106	6	4	1	4	3	1	1	9	4	10	4			
Puerto Rican, both sexes.....	54	3	3	-	-	2	1	1	1	1	5	3			
Male.....	31	2	3	-	-	-	1	-	-	1	3	1			
Female.....	23	1	-	-	-	2	-	1	1	1	2	2			
Cuban, both sexes.....	26	-	-	-	-	-	-	-	-	-	-	-			
Male.....	16	-	-	-	-	-	-	-	-	-	-	-			
Female.....	10	-	-	-	-	-	-	-	-	-	-	-			
Central and South American, both sexes.	38	2	-	1	1	4	2	3	2	1	1	1			
Male.....	22	-	-	1	1	3	2	2	1	-	1	1			
Female.....	16	2	-	-	-	1	-	1	1	1	-	-			
Other and Unknown Hispanic, both sexes.	45	1	-	1	2	-	-	-	-	2	1	2			
Male.....	31	1	-	-	2	-	-	-	-	2	1	2			
Female.....	14	-	-	1	-	-	-	-	-	-	-	1			
Non-Hispanic 1/, both sexes.....	5,470	139	50	23	30	30	36	49	53	81	142	203			
Male.....	2,776	76	31	13	14	16	14	28	27	50	90	115			
Female.....	2,694	63	19	10	16	14	22	21	26	31	52	88			
Non-Hispanic white 2/, both sexes.....	4,463	63	33	18	22	23	22	31	21	47	90	137			
Male.....	2,249	36	20	9	10	14	11	17	13	32	54	79			
Female.....	2,214	27	13	9	12	9	11	14	8	15	36	58			
Non-Hispanic black 2/, both sexes.....	827	65	13	4	7	7	11	13	26	29	43	57			
Male.....	421	34	9	3	3	2	2	9	11	16	29	31			
Female.....	406	31	4	1	4	5	9	4	15	13	14	26			
Origin not stated 3/, both sexes.....	11	1	-	-	-	-	-	-	-	-	1	1			
Male.....	5	1	-	-	-	-	-	-	-	-	1	1			
Female.....	6	-	-	-	-	-	-	-	-	-	-	-			

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

#### Malignant neoplasms (C00-C97)

All origins, both sexes.....	559,888	76	377	459	448	675	969	1,390	2,266	4,398	9,519	19,174
Male.....	290,069	39	207	258	249	416	591	742	1,028	1,827	4,152	9,086
Female.....	269,819	37	170	201	199	259	378	648	1,238	2,571	5,367	10,088
Hispanic, both sexes.....	26,633	19	82	90	93	122	199	243	336	546	894	1,388
Male.....	13,856	11	49	51	44	71	130	131	139	207	358	643
Female.....	12,777	8	33	39	49	51	69	112	197	339	536	745
Mexican, both sexes.....	14,513	15	58	62	75	92	142	165	219	343	512	815
Male.....	7,582	9	34	30	36	53	89	90	92	136	201	366
Female.....	6,931	6	24	32	39	39	53	75	127	207	311	449
Puerto Rican, both sexes.....	3,228	-	4	4	2	6	7	23	28	62	93	160
Male.....	1,736	-	3	3	-	4	6	12	11	18	36	75
Female.....	1,492	-	1	1	2	2	1	11	17	44	57	85
Cuban, both sexes.....	2,817	-	2	5	2	3	4	7	8	13	52	70
Male.....	1,597	-	1	3	2	2	2	1	6	5	22	40
Female.....	1,220	-	1	2	-	1	2	6	2	8	30	30
Central and South American, both sexes.	3,342	1	9	8	9	12	35	39	54	93	164	212
Male.....	1,467	-	5	7	3	6	25	22	20	37	62	99
Female.....	1,875	1	4	1	6	6	10	17	34	56	102	113
Other and Unknown Hispanic, both sexes.	2,733	3	9	11	5	9	11	9	27	35	73	131
Male.....	1,474	2	6	8	3	6	8	6	10	11	37	63
Female.....	1,259	1	3	3	2	3	3	3	17	24	36	68
Non-Hispanic 1/, both sexes.....	532,404	57	295	369	351	552	769	1,145	1,929	3,849	8,607	17,754
Male.....	275,696	28	158	207	203	344	460	609	888	1,620	3,787	8,421
Female.....	256,708	29	137	162	148	208	309	536	1,041	2,229	4,820	9,333
Non-Hispanic white 2/, both sexes.....	455,978	47	209	282	258	411	569	826	1,400	2,858	6,469	13,629
Male.....	236,393	22	116	160	149	257	351	461	665	1,250	2,915	6,562
Female.....	219,585	25	93	122	109	154	218	365	735	1,608	3,554	7,067
Non-Hispanic black 2/, both sexes.....	62,475	7	63	70	70	104	155	237	399	776	1,719	3,451
Male.....	32,253	3	34	39	41	66	85	109	162	287	686	1,563
Female.....	30,222	4	29	31	29	38	70	128	237	489	1,033	1,888
Origin not stated 3/, both sexes.....	851	-	-	-	4	1	1	2	1	3	18	32
Male.....	517	-	-	-	2	1	1	2	1	-	7	22
Female.....	334	-	-	-	2	-	-	-	-	3	11	10

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for AI  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) Hispanic origin, race for non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

#### Malignant neoplasm of stomach (C16)

All origins, both sexes.....	11,345	-	-	-	1	3	15	38	86	171	294	480
Male.....	6,653	-	-	-	1	1	9	15	43	79	154	288
Female.....	4,692	-	-	-	-	2	6	23	43	92	140	192
Hispanic, both sexes.....	1,289	-	-	-	-	1	7	17	28	53	63	80
Male.....	710	-	-	-	-	1	4	6	15	22	29	47
Female.....	579	-	-	-	-	-	3	11	13	31	34	33
Mexican, both sexes.....	744	-	-	-	-	1	5	11	24	34	35	47
Male.....	414	-	-	-	-	1	2	2	14	16	17	28
Female.....	330	-	-	-	-	-	3	9	10	18	18	19
Puerto Rican, both sexes.....	135	-	-	-	-	-	1	1	-	3	2	8
Male.....	93	-	-	-	-	-	1	1	-	1	1	7
Female.....	42	-	-	-	-	-	-	-	-	2	1	1
Cuban, both sexes.....	50	-	-	-	-	-	-	-	-	1	-	-
Male.....	33	-	-	-	-	-	-	-	-	1	-	-
Female.....	17	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.	243	-	-	-	-	-	1	5	4	14	19	20
Male.....	103	-	-	-	-	-	1	3	1	3	7	11
Female.....	140	-	-	-	-	-	-	2	3	11	12	9
Other and Unknown Hispanic, both sexes.	117	-	-	-	-	-	-	-	-	1	7	5
Male.....	67	-	-	-	-	-	-	-	-	1	4	1
Female.....	50	-	-	-	-	-	-	-	-	-	3	4
Non-Hispanic 1/, both sexes.....	10,045	-	-	-	1	2	8	21	58	117	231	398
Male.....	5,938	-	-	-	1	-	5	9	28	57	125	240
Female.....	4,107	-	-	-	-	2	3	12	30	60	106	158
Non-Hispanic white 2/, both sexes.....	7,306	-	-	-	-	1	3	12	32	64	125	252
Male.....	4,399	-	-	-	-	-	2	5	13	37	67	159
Female.....	2,907	-	-	-	-	1	1	7	19	27	58	93
Non-Hispanic black 2/, both sexes.....	1,901	-	-	-	1	-	3	5	15	31	67	98
Male.....	1,085	-	-	-	1	-	2	3	10	11	40	61
Female.....	816	-	-	-	-	-	1	2	5	20	27	37
Origin not stated 3/, both sexes.....	11	-	-	-	-	-	-	-	-	1	-	2
Male.....	5	-	-	-	-	-	-	-	-	-	-	1
Female.....	6	-	-	-	-	-	-	-	-	1	-	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of colon, rectum and anus (C18-C21)

All origins, both sexes.....	53,549	-	-	-	1	8	34	108	215	426	904	1,737
Male.....	26,921	-	-	-	1	6	14	55	111	225	472	960
Female.....	26,628	-	-	-	-	2	20	53	104	201	432	777
Hispanic, both sexes.....	2,757	-	-	-	-	1	9	19	24	52	82	134
Male.....	1,445	-	-	-	-	-	3	11	13	25	36	74
Female.....	1,312	-	-	-	-	1	6	8	11	27	46	60
Mexican, both sexes.....	1,428	-	-	-	-	-	6	14	16	32	42	83
Male.....	792	-	-	-	-	-	-	9	9	15	18	43
Female.....	636	-	-	-	-	-	6	5	7	17	24	40
Puerto Rican, both sexes.....	373	-	-	-	-	-	-	1	-	6	11	15
Male.....	185	-	-	-	-	-	-	1	-	4	3	7
Female.....	188	-	-	-	-	-	-	-	-	2	8	8
Cuban, both sexes.....	351	-	-	-	-	-	-	1	1	3	8	9
Male.....	180	-	-	-	-	-	-	-	-	2	4	8
Female.....	171	-	-	-	-	-	-	1	1	1	4	1
Central and South American, both sexes.	312	-	-	-	-	1	3	3	2	9	15	17
Male.....	127	-	-	-	-	-	3	1	1	4	6	9
Female.....	185	-	-	-	-	1	-	2	1	5	9	8
Other and Unknown Hispanic, both sexes.	293	-	-	-	-	-	-	-	5	2	6	10
Male.....	161	-	-	-	-	-	-	-	3	-	5	7
Female.....	132	-	-	-	-	-	-	-	2	2	1	3
Non-Hispanic 1/, both sexes.....	50,710	-	-	-	1	7	25	89	191	373	821	1,598
Male.....	25,420	-	-	-	1	6	11	44	98	200	436	881
Female.....	25,290	-	-	-	-	1	14	45	93	173	385	717
Non-Hispanic white 2/, both sexes.....	42,506	-	-	-	-	6	19	60	126	272	581	1,189
Male.....	21,323	-	-	-	-	6	10	28	70	146	316	659
Female.....	21,183	-	-	-	-	-	9	32	56	126	265	530
Non-Hispanic black 2/, both sexes.....	6,823	-	-	-	-	-	4	21	50	84	198	351
Male.....	3,404	-	-	-	-	-	1	12	22	46	99	191
Female.....	3,419	-	-	-	-	-	3	9	28	38	99	160
Origin not stated 3/, both sexes.....	82	-	-	-	-	-	-	-	-	1	1	5
Male.....	56	-	-	-	-	-	-	-	-	-	-	5
Female.....	26	-	-	-	-	-	-	-	-	1	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for AI  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) Hispanic origin, race for non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for Al  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for A1  
non-Hispanic population, and sex age

Malignant neoplasms of trachea, bronchus and lung (C33-C34)													
	All origins, both sexes.....	158,664	1	1	1	1	11	16	43	112	426	1,597	4,544
Male.....	89,279	1	1	1	-	4	6	26	59	216	818	2,432	
Female.....	69,385	-	-	-	1	7	10	17	53	210	779	2,112	
Hispanic, both sexes.....	4,355	-	-	-	-	1	4	5	8	23	77	143	
Male.....	2,746	-	-	-	-	-	1	3	2	12	41	83	
Female.....	1,609	-	-	-	-	1	3	2	6	11	36	60	
Mexican, both sexes.....	2,188	-	-	-	-	1	3	3	4	15	35	64	
Male.....	1,378	-	-	-	-	-	1	2	-	9	19	40	
Female.....	810	-	-	-	-	1	2	1	4	6	16	24	
Puerto Rican, both sexes.....	552	-	-	-	-	-	-	-	-	2	16	25	
Male.....	357	-	-	-	-	-	-	-	-	1	8	14	
Female.....	195	-	-	-	-	-	-	-	-	1	8	11	
Cuban, both sexes.....	659	-	-	-	-	-	-	-	-	1	1	7	
Male.....	469	-	-	-	-	-	-	-	-	1	-	5	
Female.....	190	-	-	-	-	-	-	-	-	1	2	4	
Central and South American, both sexes.	446	-	-	-	-	-	-	1	2	2	3	14	24
Male.....	242	-	-	-	-	-	-	-	1	-	2	5	10
Female.....	204	-	-	-	-	-	-	1	1	2	1	9	14
Other and Unknown Hispanic, both sexes.	510	-	-	-	-	-	-	-	-	1	2	5	13
Male.....	300	-	-	-	-	-	-	-	-	1	-	4	6
Female.....	210	-	-	-	-	-	-	-	-	-	2	1	7
Non-Hispanic 1/, both sexes.....	154,063	1	1	1	1	10	12	38	104	402	1,517	4,396	
Male.....	86,370	1	1	1	-	4	5	23	57	204	775	2,345	
Female.....	67,693	-	-	-	1	6	7	15	47	198	742	2,051	
Non-Hispanic white 2/, both sexes.....	134,408	-	1	-	-	6	7	24	75	308	1,184	3,433	
Male.....	74,685	-	1	-	-	2	3	13	43	157	605	1,818	
Female.....	59,723	-	-	-	-	4	4	11	32	151	579	1,615	
Non-Hispanic black 2/, both sexes.....	16,360	1	-	1	-	3	5	10	22	72	272	848	
Male.....	9,738	1	-	1	-	2	2	8	11	37	138	467	
Female.....	6,622	-	-	-	-	1	3	2	11	35	134	381	
Origin not stated 3/, both sexes.....	246	-	-	-	-	-	-	-	-	1	3	5	
Male.....	163	-	-	-	-	-	-	-	-	-	2	4	
Female.....	83	-	-	-	-	-	-	-	-	1	1	1	

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for AI  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for AI  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for AI  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality".]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for AI  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) Hispanic origin, race for non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for Al  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for Al  
non-Hispanic population, and sex age

non-Hispanic population, and sex

## Malignant neoplasms of kidney and renal pelvis (C64-C65)

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for Al  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

All origins, both sexes.....	12,886	16	101	176	129	102	104	158	219	335	528	792
Male.....	7,198	5	56	95	71	60	58	92	123	206	329	479
Female.....	5,688	11	45	81	58	42	46	66	96	129	199	313
Hispanic, both sexes.....	728	3	25	35	22	7	13	26	21	26	50	60
Male.....	401	-	17	21	10	3	9	15	9	18	35	38
Female.....	327	3	8	14	12	4	4	11	12	8	15	22
Mexican, both sexes.....	421	3	18	26	19	5	9	17	13	20	25	33
Male.....	234	-	12	13	9	2	6	12	5	14	19	21
Female.....	187	3	6	13	10	3	3	5	8	6	6	12
Puerto Rican, both sexes.....	67	-	-	4	-	2	-	2	2	2	6	3
Male.....	41	-	-	3	-	1	-	-	1	1	5	2
Female.....	26	-	-	1	-	1	-	2	1	1	1	1
Cuban, both sexes.....	69	-	1	3	-	-	1	2	-	-	4	5
Male.....	32	-	1	3	-	-	1	-	-	-	3	3
Female.....	37	-	-	-	-	-	-	2	-	-	1	2
Central and South American, both sexes.	117	-	3	1	2	-	1	5	5	4	10	13
Male.....	61	-	2	1	-	-	-	3	3	3	5	9
Female.....	56	-	1	-	2	-	1	2	2	1	5	4
Other and Unknown Hispanic, both sexes.	54	-	3	1	1	-	2	-	1	-	5	6
Male.....	33	-	2	1	1	-	2	-	-	-	3	3
Female.....	21	-	1	-	-	-	-	-	1	-	2	3
Non-Hispanic 1/, both sexes.....	12,141	13	76	141	106	94	91	131	198	309	477	728
Male.....	6,787	5	39	74	61	56	49	76	114	188	293	438
Female.....	5,354	8	37	67	45	38	42	55	84	121	184	290
Non-Hispanic white 2/, both sexes.....	11,119	11	54	108	81	71	73	107	172	271	424	663
Male.....	6,245	5	31	60	49	42	39	68	99	166	266	401
Female.....	4,874	6	23	48	32	29	34	39	73	105	158	262
Non-Hispanic black 2/, both sexes.....	754	2	17	27	19	14	15	13	12	27	37	53
Male.....	405	-	7	12	8	10	10	6	7	18	20	31
Female.....	349	2	10	15	11	4	5	7	5	9	17	22
Origin not stated 3/, both sexes.....	17	-	-	-	1	1	-	1	-	-	1	4
Male.....	10	-	-	-	-	1	-	1	-	-	1	3
Female.....	7	-	-	-	1	-	-	-	-	-	-	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) Hispanic origin, race for non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for Al  
non-Hispanic population, and sex age

	Age 0-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90+ years
Hodgkin's disease (C81)																			
All origins, both sexes.....	1,327	-	-	-	5	18	47	71	65	71	83	66							
Male.....	770	-	-	-	3	13	29	41	42	41	62	39							
Female.....	557	-	-	-	2	5	18	30	23	30	21	27							
Hispanic, both sexes.....	102	-	-	-	-	5	3	11	5	8	7	3							
Male.....	61	-	-	-	-	4	3	5	3	5	7	3							
Female.....	41	-	-	-	-	1	-	6	2	3	-	-							
Mexican, both sexes.....	57	-	-	-	-	4	2	6	2	4	1	2							
Male.....	34	-	-	-	-	3	2	3	2	3	1	1							
Female.....	23	-	-	-	-	1	-	3	-	1	-	-							
Puerto Rican, both sexes.....	16	-	-	-	-	-	1	2	2	2	1	-							
Male.....	9	-	-	-	-	-	1	1	1	1	-	1							
Female.....	7	-	-	-	-	-	-	1	1	1	2	-							
Cuban, both sexes.....	8	-	-	-	-	1	-	-	-	-	-	3							
Male.....	5	-	-	-	-	1	-	-	-	-	-	3							
Female.....	3	-	-	-	-	-	-	-	-	-	-	-							
Central and South American, both sexes.	17	-	-	-	-	-	-	-	2	1	2	1							
Male.....	10	-	-	-	-	-	-	-	-	-	2	1							
Female.....	7	-	-	-	-	-	-	-	2	1	-	-							
Other and Unknown Hispanic, both sexes.	4	-	-	-	-	-	-	-	1	-	-	-							
Male.....	3	-	-	-	-	-	-	-	1	-	-	-							
Female.....	1	-	-	-	-	-	-	-	-	-	-	-							
Non-Hispanic 1/, both sexes.....	1,222	-	-	-	5	13	44	60	60	63	76	63							
Male.....	707	-	-	-	3	9	26	36	39	36	55	36							
Female.....	515	-	-	-	2	4	18	24	21	27	21	27							
Non-Hispanic white 2/, both sexes.....	1,059	-	-	-	5	9	35	47	45	55	61	45							
Male.....	606	-	-	-	3	7	22	27	29	31	44	26							
Female.....	453	-	-	-	2	2	13	20	16	24	17	19							
Non-Hispanic black 2/, both sexes.....	135	-	-	-	-	2	6	9	14	8	13	17							
Male.....	81	-	-	-	-	1	3	6	9	5	9	9							
Female.....	54	-	-	-	-	1	3	3	5	3	4	8							
Origin not stated 3/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-							
Male.....	2	-	-	-	-	-	-	-	-	-	-	-							
Female.....	1	-	-	-	-	-	-	-	-	-	-	-							

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for AI  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for AI  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) Hispanic origin, race for non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for Al  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),

Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---------------------------------------------------------------	-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

All other and unspecified malignant neoplasms (C17, C23-C24, C26-C31, C37-C41, C44-C49, C51-C52, C57-C60, C62-C63, C66, C68-C69, C73-C80, C97)

All origins, both sexes.....	63,100	20	111	136	108	236	285	333	384	565	1,218	2,143
Male.....	32,364	10	62	76	56	146	199	206	243	304	630	1,180
Female.....	30,736	10	49	60	52	90	86	127	141	261	588	963
Hispanic, both sexes.....	3,413	7	21	22	29	43	65	47	60	75	130	192
Male.....	1,744	5	11	11	14	25	50	33	42	36	58	99
Female.....	1,669	2	10	11	15	18	15	14	18	39	72	93
Mexican, both sexes.....	1,973	5	15	16	24	30	47	31	45	47	78	108
Male.....	1,017	5	7	7	11	17	35	23	31	25	33	55
Female.....	956	-	8	9	13	13	12	8	14	22	45	53
Puerto Rican, both sexes.....	376	-	2	-	1	-	2	6	3	10	9	19
Male.....	195	-	1	-	-	-	2	4	2	4	3	10
Female.....	181	-	1	-	1	-	-	2	1	6	6	9
Cuban, both sexes.....	280	-	-	1	2	1	2	-	2	-	6	10
Male.....	155	-	-	-	2	1	1	-	2	-	1	5
Female.....	125	-	-	1	-	-	1	-	-	-	5	5
Central and South American, both sexes.	425	1	-	1	2	5	7	8	6	12	26	37
Male.....	188	-	-	1	1	3	7	4	4	4	13	18
Female.....	237	1	-	-	1	2	-	4	2	8	13	19
Other and Unknown Hispanic, both sexes.	359	1	4	4	-	7	7	2	4	6	11	18
Male.....	189	-	3	3	-	4	5	2	3	3	8	11
Female.....	170	1	1	1	-	3	2	-	1	3	3	7
Non-Hispanic 1/, both sexes.....	59,583	13	90	114	78	193	220	285	323	490	1,084	1,946
Male.....	30,558	5	51	65	42	121	149	172	200	268	571	1,077
Female.....	29,025	8	39	49	36	72	71	113	123	222	513	869
Non-Hispanic white 2/, both sexes.....	51,403	13	56	87	58	141	166	204	248	373	831	1,499
Male.....	26,572	5	33	51	30	88	118	132	155	214	449	838
Female.....	24,831	8	23	36	28	53	48	72	93	159	382	661
Non-Hispanic black 2/, both sexes.....	6,607	-	25	21	15	38	42	63	56	87	208	364
Male.....	3,265	-	16	11	9	24	22	30	34	43	100	205
Female.....	3,342	-	9	10	6	14	20	33	22	44	108	159
Origin not stated 3/, both sexes.....	104	-	-	-	1	-	-	1	1	-	4	5
Male.....	62	-	-	-	-	-	-	1	1	-	1	4
Female.....	42	-	-	-	1	-	-	-	-	-	3	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for AI  
non-Hispanic population, and sex age

In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)													
	1	2	3	4	5	6	7	8	9	10	11	12	13
All origins, both sexes.....	14,122	65	60	38	38	55	45	70	73	125	191	339	
Male.....	6,984	33	24	24	17	26	25	31	36	70	97	177	
Female.....	7,138	32	36	14	21	29	20	39	37	55	94	162	
Hispanic, both sexes.....	717	18	7	11	7	11	11	12	15	20	15	29	
Male.....	363	7	3	6	3	3	7	7	7	9	8	17	
Female.....	354	11	4	5	4	8	4	5	8	11	7	12	
Mexican, both sexes.....	375	10	4	8	4	6	6	4	10	9	9	14	
Male.....	185	3	2	5	-	2	3	2	5	5	5	7	
Female.....	190	7	2	3	4	4	3	2	5	4	4	7	
Puerto Rican, both sexes.....	85	3	1	1	1	1	1	1	-	3	-	9	
Male.....	46	-	-	-	1	-	1	1	-	1	-	6	
Female.....	39	3	1	1	-	1	-	-	-	2	-	3	
Cuban, both sexes.....	85	1	-	1	1	-	-	-	-	1	2	-	2
Male.....	45	1	-	1	1	-	-	-	-	1	-	-	2
Female.....	40	-	-	-	-	-	-	-	-	2	-	-	-
Central and South American, both sexes.	92	1	-	1	-	3	2	4	2	6	5	2	
Male.....	44	-	-	-	-	1	2	3	1	3	2	1	
Female.....	48	1	-	1	-	2	-	1	1	3	3	1	
Other and Unknown Hispanic, both sexes.	80	3	2	-	1	1	2	3	2	-	1	2	
Male.....	43	3	1	-	1	-	1	1	-	-	1	1	
Female.....	37	-	1	-	-	1	1	2	2	-	-	1	
Non-Hispanic 1/, both sexes.....	13,389	47	53	27	31	44	34	58	58	105	175	310	
Male.....	6,611	26	21	18	14	23	18	24	29	61	89	160	
Female.....	6,778	21	32	9	17	21	16	34	29	44	86	150	
Non-Hispanic white 2/, both sexes.....	11,838	34	44	20	21	26	23	40	40	74	124	235	
Male.....	5,890	19	16	13	11	16	13	16	22	46	68	125	
Female.....	5,948	15	28	7	10	10	10	24	18	28	56	110	
Non-Hispanic black 2/, both sexes.....	1,222	11	9	6	9	15	9	14	17	24	39	64	
Male.....	564	6	5	4	3	7	4	6	7	10	14	30	
Female.....	658	5	4	2	6	8	5	8	10	14	25	34	
Origin not stated 3/, both sexes.....	16	-	-	-	-	-	-	-	-	-	1	-	
Male.....	10	-	-	-	-	-	-	-	-	-	-	-	
Female.....	6	-	-	-	-	-	-	-	-	-	1	-	

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

#### Anemias (D50-D64)

All origins, both sexes.....	3,996	11	26	16	18	35	58	74	67	83	109	123
Male.....	1,592	5	15	9	7	20	35	40	31	35	54	51
Female.....	2,404	6	11	7	11	15	23	34	36	48	55	72
Hispanic, both sexes.....	191	2	4	1	2	4	2	3	6	4	9	8
Male.....	75	2	2	-	1	2	1	1	4	-	5	4
Female.....	116	-	2	1	1	2	1	2	2	4	4	4
Mexican, both sexes.....	96	1	3	-	2	-	2	1	2	1	4	6
Male.....	43	1	1	-	1	-	1	1	2	-	3	4
Female.....	53	-	2	-	1	-	1	-	-	1	1	2
Puerto Rican, both sexes.....	19	-	-	1	-	1	-	-	-	1	2	-
Male.....	5	-	-	-	-	1	-	-	-	-	-	-
Female.....	14	-	-	1	-	-	-	-	-	1	2	-
Cuban, both sexes.....	29	-	-	-	-	-	-	-	-	1	1	-
Male.....	10	-	-	-	-	-	-	-	-	-	1	-
Female.....	19	-	-	-	-	-	-	-	-	1	-	-
Central and South American, both sexes.	24	1	1	-	-	1	-	-	4	1	2	2
Male.....	10	1	1	-	-	-	-	-	2	-	1	-
Female.....	14	-	-	-	-	1	-	-	2	1	1	2
Other and Unknown Hispanic, both sexes.	23	-	-	-	-	2	-	2	-	-	-	-
Male.....	7	-	-	-	-	1	-	-	-	-	-	-
Female.....	16	-	-	-	-	1	-	2	-	-	-	-
Non-Hispanic 1/, both sexes.....	3,797	8	22	15	16	31	56	71	60	79	99	114
Male.....	1,515	3	13	9	6	18	34	39	27	35	49	46
Female.....	2,282	5	9	6	10	13	22	32	33	44	50	68
Non-Hispanic white 2/, both sexes.....	2,800	1	9	6	5	8	11	9	5	17	15	39
Male.....	1,089	1	3	3	2	6	7	6	2	9	9	14
Female.....	1,711	-	6	3	3	2	4	3	3	8	6	25
Non-Hispanic black 2/, both sexes.....	909	3	12	8	11	22	42	57	54	60	83	73
Male.....	386	-	9	5	4	12	25	30	25	25	39	32
Female.....	523	3	3	3	7	10	17	27	29	35	44	41
Origin not stated 3/, both sexes.....	8	1	-	-	-	-	-	-	1	-	1	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	6	1	-	-	-	-	-	-	1	-	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

#### Diabetes mellitus (E10-E14)

All origins, both sexes.....	72,449	6	7	7	21	42	123	250	423	708	1,386	2,180
Male.....	36,006	4	3	4	9	24	72	135	241	423	856	1,381
Female.....	36,443	2	4	3	12	18	51	115	182	285	530	799
Hispanic, both sexes.....	6,287	1	1	2	4	4	14	31	43	66	119	240
Male.....	3,140	1	1	-	3	3	11	12	24	41	77	155
Female.....	3,147	-	-	2	1	1	3	19	19	25	42	85
Mexican, both sexes.....	3,960	-	1	2	1	4	9	25	29	41	86	156
Male.....	1,991	-	1	-	1	3	6	9	19	24	56	99
Female.....	1,969	-	-	2	-	1	3	16	10	17	30	57
Puerto Rican, both sexes.....	851	-	-	-	-	-	-	2	6	17	20	33
Male.....	413	-	-	-	-	-	-	-	3	10	11	22
Female.....	438	-	-	-	-	-	-	2	3	7	9	11
Cuban, both sexes.....	469	-	-	-	-	-	-	1	4	-	1	13
Male.....	240	-	-	-	-	-	-	-	1	-	-	8
Female.....	229	-	-	-	-	-	-	1	3	-	1	5
Central and South American, both sexes.	442	-	-	-	1	-	1	2	1	3	6	15
Male.....	200	-	-	-	-	-	1	2	1	2	4	12
Female.....	242	-	-	-	1	-	-	-	-	1	2	3
Other and Unknown Hispanic, both sexes.	565	1	-	-	2	-	4	1	3	5	6	23
Male.....	296	1	-	-	2	-	4	1	-	5	6	14
Female.....	269	-	-	-	-	-	-	-	3	-	-	9
Non-Hispanic 1/, both sexes.....	66,008	5	6	5	17	38	109	217	380	641	1,261	1,934
Male.....	32,782	3	2	4	6	21	61	122	217	382	775	1,220
Female.....	33,226	2	4	1	11	17	48	95	163	259	486	714
Non-Hispanic white 2/, both sexes.....	50,950	4	4	4	9	22	67	114	220	410	847	1,328
Male.....	25,931	3	2	3	5	12	35	67	122	242	535	866
Female.....	25,019	1	2	1	4	10	32	47	98	168	312	462
Non-Hispanic black 2/, both sexes.....	12,671	1	2	1	8	15	39	97	140	216	362	532
Male.....	5,701	-	-	1	1	8	23	50	85	128	215	307
Female.....	6,970	1	2	-	7	7	16	47	55	88	147	225
Origin not stated 3/, both sexes.....	154	-	-	-	-	-	-	2	-	1	6	6
Male.....	84	-	-	-	-	-	-	1	-	-	4	6
Female.....	70	-	-	-	-	-	-	1	-	1	2	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

#### Nutritional deficiencies (E40-E64)

All origins, both sexes.....	2,556	9	2	2	2	4	2	6	5	15	31	39
Male.....	913	7	-	-	2	3	-	3	4	7	13	18
Female.....	1,643	2	2	2	-	1	2	3	1	8	18	21
Hispanic, both sexes.....	126	2	1	1	1	1	-	1	-	1	1	2
Male.....	46	1	-	-	1	-	-	-	-	-	1	1
Female.....	80	1	1	1	-	1	-	1	-	1	-	1
Mexican, both sexes.....	91	2	1	1	1	1	-	-	-	-	1	2
Male.....	32	1	-	-	1	-	-	-	-	-	1	1
Female.....	59	1	1	1	-	1	-	-	-	-	-	1
Puerto Rican, both sexes.....	12	-	-	-	-	-	-	1	-	1	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	1	-	1	-	-
Cuban, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.	6	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.	13	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	2,427	7	1	1	1	3	2	5	5	13	30	37
Male.....	866	6	-	-	1	3	-	3	4	7	12	17
Female.....	1,561	1	1	1	-	-	2	2	1	6	18	20
Non-Hispanic white 2/, both sexes.....	2,033	5	1	1	1	1	-	2	4	7	25	27
Male.....	693	4	-	-	1	1	-	1	3	3	9	13
Female.....	1,340	1	1	1	-	-	-	1	1	4	16	14
Non-Hispanic black 2/, both sexes.....	341	2	-	-	-	2	2	3	1	6	5	10
Male.....	153	2	-	-	-	2	-	2	1	4	3	4
Female.....	188	-	-	-	-	-	2	1	-	2	2	6
Origin not stated 3/, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

#### Malnutrition (E40-E46)

All origins, both sexes.....	2,377	7	2	1	1	3	2	6	5	15	29	39
Male.....	848	5	-	-	1	3	-	3	4	7	11	18
Female.....	1,529	2	2	1	-	-	2	3	1	8	18	21
Hispanic, both sexes.....	117	1	1	1	-	-	-	1	-	1	1	2
Male.....	41	-	-	-	-	-	-	-	-	-	1	1
Female.....	76	1	1	1	-	-	-	1	-	1	-	1
Mexican, both sexes.....	83	1	1	1	-	-	-	-	-	-	1	2
Male.....	28	-	-	-	-	-	-	-	-	-	1	1
Female.....	55	1	1	1	-	-	-	-	-	-	-	1
Puerto Rican, both sexes.....	12	-	-	-	-	-	-	1	-	1	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	1	-	1	-	-
Cuban, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.	13	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	2,258	6	1	-	1	3	2	5	5	13	28	37
Male.....	807	5	-	-	1	3	-	3	4	7	10	17
Female.....	1,451	1	1	-	-	-	2	2	1	6	18	20
Non-Hispanic white 2/, both sexes.....	1,882	5	1	-	1	1	-	2	4	7	23	27
Male.....	641	4	-	-	1	1	-	1	3	3	7	13
Female.....	1,241	1	1	-	-	-	-	1	1	4	16	14
Non-Hispanic black 2/, both sexes.....	325	1	-	-	-	2	2	3	1	6	5	10
Male.....	146	1	-	-	-	2	-	2	1	4	3	4
Female.....	179	-	-	-	-	-	2	1	-	2	2	6
Origin not stated 3/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) Hispanic origin, race for non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for Al  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for AI  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for Al  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

#### Major cardiovascular diseases (I00-I78)

All origins, both sexes.....	823,746	508	218	139	224	464	912	1,490	2,609	4,958	10,462	18,970
Male.....	394,840	283	115	78	129	289	593	1,009	1,756	3,350	7,020	13,012
Female.....	428,906	225	103	61	95	175	319	481	853	1,608	3,442	5,958
Hispanic, both sexes.....	38,348	99	40	26	38	76	126	200	307	460	867	1,352
Male.....	19,974	55	25	17	24	51	89	150	228	340	625	917
Female.....	18,374	44	15	9	14	25	37	50	79	120	242	435
Mexican, both sexes.....	20,433	67	29	16	23	47	81	139	203	296	550	804
Male.....	11,015	39	18	8	17	30	61	106	153	209	394	560
Female.....	9,418	28	11	8	6	17	20	33	50	87	156	244
Puerto Rican, both sexes.....	5,124	11	1	3	1	7	15	18	32	57	105	182
Male.....	2,605	5	-	3	-	5	10	11	25	47	73	105
Female.....	2,519	6	1	-	1	2	5	7	7	10	32	77
Cuban, both sexes.....	4,954	3	-	1	-	1	2	2	9	18	37	75
Male.....	2,437	2	-	1	-	1	1	2	8	16	30	61
Female.....	2,517	1	-	-	-	-	1	-	1	2	7	14
Central and South American, both sexes.	4,042	10	7	3	10	14	15	30	43	46	117	172
Male.....	1,942	4	5	2	5	12	10	24	30	37	92	114
Female.....	2,100	6	2	1	5	2	5	6	13	9	25	58
Other and Unknown Hispanic, both sexes.	3,795	8	3	3	4	7	13	11	20	43	58	119
Male.....	1,975	5	2	3	2	3	7	7	12	31	36	77
Female.....	1,820	3	1	-	2	4	6	4	8	12	22	42
Non-Hispanic 1/, both sexes.....	783,795	408	178	112	186	385	786	1,287	2,293	4,486	9,560	17,568
Male.....	373,933	228	90	61	105	238	504	857	1,523	3,000	6,375	12,055
Female.....	409,862	180	88	51	81	147	282	430	770	1,486	3,185	5,513
Non-Hispanic white 2/, both sexes.....	668,937	217	113	71	118	248	513	769	1,371	2,847	6,607	12,379
Male.....	317,568	119	53	40	76	158	343	520	946	1,959	4,620	8,842
Female.....	351,369	98	60	31	42	90	170	249	425	888	1,987	3,537
Non-Hispanic black 2/, both sexes.....	96,353	167	56	30	55	127	239	457	814	1,456	2,604	4,625
Male.....	46,717	96	34	14	27	74	139	293	499	907	1,510	2,806
Female.....	49,636	71	22	16	28	53	100	164	315	549	1,094	1,819
Origin not stated 3/, both sexes.....	1,603	1	-	1	-	3	-	3	9	12	35	50
Male.....	933	-	-	-	-	-	-	2	5	10	20	40
Female.....	670	1	-	1	-	3	-	1	4	2	15	10

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Diseases of heart (I00-I09, I11, I13, I20-I51)

All origins, both sexes.....	631,636	346	161	90	163	360	716	1,210	2,097	3,950	8,389	15,367
Male.....	315,706	187	89	49	91	236	475	833	1,465	2,758	5,867	10,974
Female.....	315,930	159	72	41	72	124	241	377	632	1,192	2,522	4,393
Hispanic, both sexes.....	28,921	63	31	18	27	48	82	143	231	332	598	982
Male.....	15,518	35	19	12	15	35	64	111	180	250	459	705
Female.....	13,403	28	12	6	12	13	18	32	51	82	139	277
Mexican, both sexes.....	14,884	41	23	12	17	27	52	94	159	206	363	568
Male.....	8,333	25	14	6	11	20	45	73	122	148	280	419
Female.....	6,551	16	9	6	6	7	7	21	37	58	83	149
Puerto Rican, both sexes.....	4,095	7	1	3	1	4	9	17	22	46	80	144
Male.....	2,096	4	-	3	-	2	8	11	19	38	55	84
Female.....	1,999	3	1	-	1	2	1	6	3	8	25	60
Cuban, both sexes.....	4,069	3	-	-	-	1	2	2	7	15	34	63
Male.....	2,025	2	-	-	-	1	1	2	7	14	29	54
Female.....	2,044	1	-	-	-	-	1	-	-	1	5	9
Central and South American, both sexes.	2,999	7	6	2	7	10	12	21	28	30	75	121
Male.....	1,491	1	4	2	3	9	7	18	22	25	65	90
Female.....	1,508	6	2	-	4	1	5	3	6	5	10	31
Other and Unknown Hispanic, both sexes.	2,874	5	1	1	2	6	7	9	15	35	46	86
Male.....	1,573	3	1	1	1	3	3	7	10	25	30	58
Female.....	1,301	2	-	-	1	3	4	2	5	10	16	28
Non-Hispanic 1/, both sexes.....	601,431	282	130	71	136	311	634	1,065	1,859	3,608	7,761	14,344
Male.....	299,415	152	70	37	76	201	411	720	1,280	2,500	5,390	10,234
Female.....	302,016	130	60	34	60	110	223	345	579	1,108	2,371	4,110
Non-Hispanic white 2/, both sexes.....	516,883	148	79	45	83	194	414	641	1,133	2,361	5,599	10,410
Male.....	256,459	80	41	23	50	130	280	442	808	1,691	4,047	7,693
Female.....	260,424	68	38	22	33	64	134	199	325	670	1,552	2,717
Non-Hispanic black 2/, both sexes.....	71,461	114	44	19	44	108	194	375	645	1,124	1,913	3,515
Male.....	35,787	61	27	9	25	65	115	242	411	711	1,153	2,222
Female.....	35,674	53	17	10	19	43	79	133	234	413	760	1,293
Origin not stated 3/, both sexes.....	1,284	1	-	1	-	1	-	2	7	10	30	41
Male.....	773	-	-	-	-	-	-	2	5	8	18	35
Female.....	511	1	-	1	-	1	-	-	2	2	12	6

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) Hispanic origin, race for non-Hispanic population, and sex age



Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) Hispanic origin, race for non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

#### Ischemic heart diseases (I20-I25)

All origins, both sexes.....	425,425	22	7	3	10	38	100	286	768	1,872	4,827	9,627
Male.....	224,510	15	5	2	5	30	76	224	605	1,410	3,665	7,249
Female.....	200,915	7	2	1	5	8	24	62	163	462	1,162	2,378
Hispanic, both sexes.....	20,939	2	1	1	4	8	15	30	76	156	322	613
Male.....	11,449	1	1	1	2	7	12	27	58	130	256	461
Female.....	9,490	1	-	-	2	1	3	3	18	26	66	152
Mexican, both sexes.....	10,549	1	1	-	2	6	7	15	52	94	190	345
Male.....	6,057	1	1	-	1	5	6	13	38	76	155	267
Female.....	4,492	-	-	-	1	1	1	2	14	18	35	78
Puerto Rican, both sexes.....	3,053	1	-	-	-	1	5	5	6	21	42	95
Male.....	1,584	-	-	-	-	1	4	5	6	19	29	59
Female.....	1,469	1	-	-	-	-	1	-	-	2	13	36
Cuban, both sexes.....	3,142	-	-	-	-	-	1	1	2	6	25	44
Male.....	1,563	-	-	-	-	-	-	1	2	5	23	38
Female.....	1,579	-	-	-	-	-	1	-	-	1	2	6
Central and South American, both sexes.	2,163	-	-	1	1	-	1	7	10	14	36	76
Male.....	1,072	-	-	1	-	-	1	7	7	14	31	59
Female.....	1,091	-	-	-	1	-	-	-	3	-	5	17
Other and Unknown Hispanic, both sexes.	2,032	-	-	-	1	1	1	2	6	21	29	53
Male.....	1,173	-	-	-	1	1	1	1	5	16	18	38
Female.....	859	-	-	-	-	-	-	1	1	5	11	15
Non-Hispanic 1/, both sexes.....	403,588	20	6	2	6	30	85	256	688	1,714	4,491	8,986
Male.....	212,497	14	4	1	3	23	64	197	544	1,279	3,399	6,763
Female.....	191,091	6	2	1	3	7	21	59	144	435	1,092	2,223
Non-Hispanic white 2/, both sexes.....	350,356	13	4	2	3	22	62	178	485	1,248	3,490	6,891
Male.....	184,810	11	2	1	3	20	48	142	393	957	2,727	5,348
Female.....	165,546	2	2	1	-	2	14	36	92	291	763	1,543
Non-Hispanic black 2/, both sexes.....	43,992	6	2	-	2	8	23	67	164	405	855	1,806
Male.....	22,412	2	2	-	-	3	16	46	117	268	554	1,183
Female.....	21,580	4	-	-	2	5	7	21	47	137	301	623
Origin not stated 3/, both sexes.....	898	-	-	-	-	-	-	-	4	2	14	28
Male.....	564	-	-	-	-	-	-	-	3	1	10	25
Female.....	334	-	-	-	-	-	-	-	1	1	4	3

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for AI  
non-Hispanic population, and sex age

Non-Hispanic population, and sex	ages	1 year	years	years 5	years 10	years 15	years 20	years 25	years 30	years 35	years 40	years 45	years 50
<b>Acute myocardial infarction (I21-I22)</b>													
All origins, both sexes.....	141,462	11	5	1	5	20	40	124	298	757	1,919	3,761	
Male.....	76,089	8	4	1	2	15	27	90	225	558	1,453	2,787	
Female.....	65,373	3	1	-	3	5	13	34	73	199	466	974	
Hispanic, both sexes.....	6,972	-	1	-	2	4	8	9	31	58	124	215	
Male.....	3,780	-	1	-	1	3	6	8	21	44	93	153	
Female.....	3,192	-	-	-	1	1	2	1	10	14	31	62	
Mexican, both sexes.....	3,801	-	1	-	1	3	5	6	24	38	76	126	
Male.....	2,147	-	1	-	-	2	4	5	16	28	59	93	
Female.....	1,654	-	-	-	1	1	1	1	8	10	17	33	
Puerto Rican, both sexes.....	842	-	-	-	-	1	2	-	1	6	15	31	
Male.....	461	-	-	-	-	1	1	-	1	4	9	17	
Female.....	381	-	-	-	-	-	1	-	-	2	6	14	
Cuban, both sexes.....	1,067	-	-	-	-	-	-	-	-	3	11	12	
Male.....	515	-	-	-	-	-	-	-	-	2	11	10	
Female.....	552	-	-	-	-	-	-	-	-	1	-	2	
Central and South American, both sexes.	624	-	-	-	-	-	-	-	3	5	4	9	25
Male.....	303	-	-	-	-	-	-	-	3	3	4	7	19
Female.....	321	-	-	-	-	-	-	-	2	-	2	6	
Other and Unknown Hispanic, both sexes.	638	-	-	-	1	-	1	-	1	7	13	21	
Male.....	354	-	-	-	1	-	1	-	1	6	7	14	
Female.....	284	-	-	-	-	-	-	-	-	1	6	7	
Non-Hispanic 1/, both sexes.....	134,203	11	4	1	3	16	32	115	266	699	1,789	3,537	
Male.....	72,135	8	3	1	1	12	21	82	203	514	1,355	2,626	
Female.....	62,068	3	1	-	2	4	11	33	63	185	434	911	
Non-Hispanic white 2/, both sexes.....	116,517	10	2	1	1	12	25	83	193	540	1,422	2,800	
Male.....	63,106	8	1	1	1	11	18	59	152	411	1,104	2,148	
Female.....	53,411	2	1	-	-	1	7	24	41	129	318	655	
Non-Hispanic black 2/, both sexes.....	14,622	1	2	-	2	4	7	29	62	143	320	646	
Male.....	7,315	-	2	-	-	1	3	21	42	89	215	409	
Female.....	7,307	1	-	-	2	3	4	8	20	54	105	237	
Origin not stated 3/, both sexes.....	287	-	-	-	-	-	-	-	1	-	6	9	
Male.....	174	-	-	-	-	-	-	-	1	-	5	8	
Female.....	113	-	-	-	-	-	-	-	-	-	1	1	

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for AI  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

#### Other forms of chronic ischemic heart disease (I20, I25)

All origins, both sexes.....	280,031	9	1	2	5	14	57	156	455	1,084	2,847	5,737
Male.....	146,405	6	1	1	3	11	47	129	368	838	2,172	4,372
Female.....	133,626	3	-	1	2	3	10	27	87	246	675	1,365
Hispanic, both sexes.....	13,869	1	-	1	2	3	7	19	44	98	195	396
Male.....	7,623	1	-	1	1	3	6	18	36	86	162	306
Female.....	6,246	-	-	-	1	-	1	1	8	12	33	90
Mexican, both sexes.....	6,688	1	-	-	1	2	2	8	27	56	111	217
Male.....	3,882	1	-	-	1	2	2	8	21	48	95	172
Female.....	2,806	-	-	-	-	-	-	-	6	8	16	45
Puerto Rican, both sexes.....	2,199	-	-	-	-	-	3	5	5	15	27	64
Male.....	1,121	-	-	-	-	-	3	5	5	15	20	42
Female.....	1,078	-	-	-	-	-	-	-	-	-	7	22
Cuban, both sexes.....	2,068	-	-	-	-	-	1	1	2	3	14	32
Male.....	1,045	-	-	-	-	-	-	1	2	3	12	28
Female.....	1,023	-	-	-	-	-	1	-	-	-	2	4
Central and South American, both sexes.	1,530	-	-	1	1	-	1	3	5	10	27	51
Male.....	766	-	-	1	-	-	1	3	4	10	24	40
Female.....	764	-	-	-	1	-	-	-	1	-	3	11
Other and Unknown Hispanic, both sexes.	1,384	-	-	-	-	1	-	2	5	14	16	32
Male.....	809	-	-	-	-	1	-	1	4	10	11	24
Female.....	575	-	-	-	-	-	-	1	1	4	5	8
Non-Hispanic 1/, both sexes.....	265,555	8	1	1	3	11	50	137	408	984	2,644	5,322
Male.....	138,395	5	1	-	2	8	41	111	330	751	2,005	4,049
Female.....	127,160	3	-	1	1	3	9	26	78	233	639	1,273
Non-Hispanic white 2/, both sexes.....	230,646	2	1	1	2	8	35	91	284	692	2,027	4,005
Male.....	120,086	2	1	-	2	7	29	79	234	540	1,594	3,140
Female.....	110,560	-	-	1	-	1	6	12	50	152	433	865
Non-Hispanic black 2/, both sexes.....	28,840	5	-	-	-	3	15	38	96	248	521	1,128
Male.....	14,807	2	-	-	-	1	12	25	71	172	331	755
Female.....	14,033	3	-	-	-	2	3	13	25	76	190	373
Origin not stated 3/, both sexes.....	607	-	-	-	-	-	-	-	3	2	8	19
Male.....	387	-	-	-	-	-	-	-	2	1	5	17
Female.....	220	-	-	-	-	-	-	-	1	1	3	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Atherosclerotic cardiovascular disease, so described (I25.0)

All origins, both sexes.....	61,030	-	-	-	-	1	19	47	163	408	1,033	2,149
Male.....	34,157	-	-	-	-	1	16	38	135	330	789	1,678
Female.....	26,873	-	-	-	-	-	3	9	28	78	244	471
Hispanic, both sexes.....	3,426	-	-	-	-	-	2	6	11	34	77	156
Male.....	2,175	-	-	-	-	-	2	6	8	33	63	120
Female.....	1,251	-	-	-	-	-	-	-	3	1	14	36
Mexican, both sexes.....	1,824	-	-	-	-	-	-	2	5	22	43	79
Male.....	1,201	-	-	-	-	-	-	2	3	22	38	64
Female.....	623	-	-	-	-	-	-	-	2	-	5	15
Puerto Rican, both sexes.....	515	-	-	-	-	-	1	1	2	3	11	31
Male.....	307	-	-	-	-	-	1	1	2	3	8	21
Female.....	208	-	-	-	-	-	-	-	-	-	3	10
Cuban, both sexes.....	266	-	-	-	-	-	-	1	-	1	3	11
Male.....	158	-	-	-	-	-	-	1	-	1	2	9
Female.....	108	-	-	-	-	-	-	-	-	-	1	2
Central and South American, both sexes.	406	-	-	-	-	-	1	1	2	2	10	21
Male.....	244	-	-	-	-	-	1	1	1	2	9	17
Female.....	162	-	-	-	-	-	-	-	1	-	1	4
Other and Unknown Hispanic, both sexes.	415	-	-	-	-	-	-	1	2	6	10	14
Male.....	265	-	-	-	-	-	-	1	2	5	6	9
Female.....	150	-	-	-	-	-	-	-	-	1	4	5
Non-Hispanic 1/, both sexes.....	57,349	-	-	-	-	1	17	41	149	372	951	1,984
Male.....	31,795	-	-	-	-	1	14	32	125	296	722	1,551
Female.....	25,554	-	-	-	-	-	3	9	24	76	229	433
Non-Hispanic white 2/, both sexes.....	46,634	-	-	-	-	1	13	23	96	264	695	1,452
Male.....	25,538	-	-	-	-	1	10	22	84	210	550	1,168
Female.....	21,096	-	-	-	-	-	3	1	12	54	145	284
Non-Hispanic black 2/, both sexes.....	9,230	-	-	-	-	-	4	16	41	93	221	462
Male.....	5,314	-	-	-	-	-	4	8	31	72	142	319
Female.....	3,916	-	-	-	-	-	-	8	10	21	79	143
Origin not stated 3/, both sexes.....	255	-	-	-	-	-	-	-	3	2	5	9
Male.....	187	-	-	-	-	-	-	-	2	1	4	7
Female.....	68	-	-	-	-	-	-	-	1	1	1	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for AI  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

#### Other heart diseases (I26-I51)

All origins, both sexes.....	170,248	320	154	85	146	311	562	803	1,100	1,566	2,569	4,039
Male.....	75,221	169	84	46	84	200	355	522	695	977	1,563	2,546
Female.....	95,027	151	70	39	62	111	207	281	405	589	1,006	1,493
Hispanic, both sexes.....	6,054	61	30	17	22	39	63	99	129	126	189	256
Male.....	3,085	34	18	11	13	27	48	75	99	83	132	160
Female.....	2,969	27	12	6	9	12	15	24	30	43	57	96
Mexican, both sexes.....	3,368	40	22	12	15	21	42	70	90	80	124	169
Male.....	1,778	24	13	6	10	15	36	54	69	51	86	112
Female.....	1,590	16	9	6	5	6	6	16	21	29	38	57
Puerto Rican, both sexes.....	722	6	1	3	1	2	4	11	10	17	25	23
Male.....	354	4	-	3	-	-	4	6	8	12	17	9
Female.....	368	2	1	-	1	2	-	5	2	5	8	14
Cuban, both sexes.....	718	3	-	-	-	1	1	1	3	4	5	14
Male.....	357	2	-	-	-	1	1	1	3	4	2	11
Female.....	361	1	-	-	-	-	-	-	-	-	3	3
Central and South American, both sexes.	568	7	6	1	5	10	10	12	17	15	23	30
Male.....	287	1	4	1	3	9	5	10	14	10	19	18
Female.....	281	6	2	-	2	1	5	2	3	5	4	12
Other and Unknown Hispanic, both sexes.	678	5	1	1	1	5	6	5	9	10	12	20
Male.....	309	3	1	1	-	2	2	4	5	6	8	10
Female.....	369	2	-	-	1	3	4	1	4	4	4	10
Non-Hispanic 1/, both sexes.....	163,909	258	124	68	124	271	499	703	969	1,436	2,368	3,776
Male.....	71,988	135	66	35	71	173	307	446	595	891	1,425	2,380
Female.....	91,921	123	58	33	53	98	192	257	374	545	943	1,396
Non-Hispanic white 2/, both sexes.....	141,348	132	75	43	79	168	323	420	559	869	1,605	2,599
Male.....	61,152	67	39	22	47	107	208	269	349	542	974	1,668
Female.....	80,196	65	36	21	32	61	115	151	210	327	631	931
Non-Hispanic black 2/, both sexes.....	19,633	107	42	19	38	95	154	252	376	516	692	1,078
Male.....	9,378	58	25	9	23	60	85	155	225	312	404	648
Female.....	10,255	49	17	10	15	35	69	97	151	204	288	430
Origin not stated 3/, both sexes.....	285	1	-	-	-	1	-	1	2	4	12	7
Male.....	148	-	-	-	-	-	-	1	1	3	6	6
Female.....	137	1	-	-	-	1	-	-	1	1	6	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) Hispanic origin, race for non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) Hispanic origin, race for non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for Al  
non-Hispanic population, and sex ade

	Age	1 year	2 years	3 years	4 years	5 years	6 years	7 years	8 years	9 years	10 years	11 years	12 years
Heart failure (I50)													
All origins, both sexes.....	60,337	19	9	4	8	13	24	26	60	107	225	463	
Male.....	23,918	11	5	1	4	8	14	16	40	62	137	293	
Female.....	36,419	8	4	3	4	5	10	10	20	45	88	170	
Hispanic, both sexes.....	1,830	3	4	1	2	3	1	1	6	3	16	26	
Male.....	798	1	2	-	1	1	1	1	2	2	10	18	
Female.....	1,032	2	2	1	1	2	-	-	4	1	6	8	
Mexican, both sexes.....	1,111	1	3	1	1	2	1	1	3	2	13	21	
Male.....	492	-	1	-	-	1	1	1	1	1	7	14	
Female.....	619	1	2	1	1	1	-	-	2	1	6	7	
Puerto Rican, both sexes.....	193	1	-	-	-	-	-	-	-	-	1	1	3
Male.....	97	-	-	-	-	-	-	-	-	-	1	1	3
Female.....	96	1	-	-	-	-	-	-	-	-	-	-	-
Cuban, both sexes.....	146	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	63	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	83	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.	135	-	1	-	1	1	1	-	-	1	-	1	-
Male.....	51	-	1	-	1	-	-	-	-	1	-	1	-
Female.....	84	-	-	-	-	-	1	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.	245	-	-	-	-	-	-	-	-	2	-	1	2
Male.....	95	-	-	-	-	-	-	-	-	-	-	1	1
Female.....	150	-	-	-	-	-	-	-	-	2	-	-	1
Non-Hispanic 1/, both sexes.....	58,413	16	5	3	6	10	23	25	54	104	208	437	
Male.....	23,081	10	3	1	3	7	13	15	38	60	127	275	
Female.....	35,332	6	2	2	3	3	10	10	16	44	81	162	
Non-Hispanic white 2/, both sexes.....	52,125	5	4	2	3	5	10	11	21	52	122	247	
Male.....	20,425	3	2	-	2	2	6	8	16	27	71	162	
Female.....	31,700	2	2	2	1	3	4	3	5	25	51	85	
Non-Hispanic black 2/, both sexes.....	5,524	11	1	1	3	5	11	11	32	46	81	180	
Male.....	2,323	7	1	1	1	5	7	5	21	27	51	105	
Female.....	3,201	4	-	-	2	-	4	6	11	19	30	75	
Origin not stated 3/, both sexes.....	94	-	-	-	-	-	-	-	-	-	1	-	
Male.....	39	-	-	-	-	-	-	-	-	-	-	-	
Female.....	55	-	-	-	-	-	-	-	-	-	1	-	

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)

All origins, both sexes.....	107,879	283	120	65	131	283	507	734	1,002	1,388	2,252	3,423
Male.....	50,212	146	65	38	78	183	327	484	629	870	1,375	2,147
Female.....	57,667	137	55	27	53	100	180	250	373	518	877	1,276
Hispanic, both sexes.....	4,079	51	21	13	19	32	57	92	115	116	166	218
Male.....	2,198	29	13	8	12	23	43	71	90	78	117	132
Female.....	1,881	22	8	5	7	9	14	21	25	38	49	86
Mexican, both sexes.....	2,181	33	14	10	14	18	36	65	84	75	108	139
Male.....	1,236	21	9	5	10	13	31	50	65	49	76	90
Female.....	945	12	5	5	4	5	5	15	19	26	32	49
Puerto Rican, both sexes.....	503	4	1	1	1	2	4	9	9	15	23	20
Male.....	242	3	-	1	-	-	4	6	7	10	15	6
Female.....	261	1	1	-	1	2	-	3	2	5	8	14
Cuban, both sexes.....	560	2	-	-	-	1	1	1	2	4	5	14
Male.....	288	1	-	-	-	1	1	1	2	4	2	11
Female.....	272	1	-	-	-	-	-	-	-	-	3	3
Central and South American, both sexes.	416	7	5	1	3	7	10	12	14	13	20	30
Male.....	223	1	3	1	2	7	5	10	11	9	17	18
Female.....	193	6	2	-	1	-	5	2	3	4	3	12
Other and Unknown Hispanic, both sexes.	419	5	1	1	1	4	6	5	6	9	10	15
Male.....	209	3	1	1	-	2	2	4	5	6	7	7
Female.....	210	2	-	-	1	2	4	1	1	3	3	8
Non-Hispanic 1/, both sexes.....	103,610	231	99	52	112	250	450	641	885	1,268	2,075	3,198
Male.....	47,906	117	52	30	66	160	284	412	538	789	1,252	2,009
Female.....	55,704	114	47	22	46	90	166	229	347	479	823	1,189
Non-Hispanic white 2/, both sexes.....	87,727	123	56	34	73	156	292	384	517	777	1,416	2,249
Male.....	39,929	61	29	19	44	100	195	247	320	492	866	1,435
Female.....	47,798	62	27	15	29	56	97	137	197	285	550	814
Non-Hispanic black 2/, both sexes.....	13,778	91	37	15	34	86	139	230	335	451	596	864
Male.....	6,883	48	21	8	21	54	76	146	198	270	346	522
Female.....	6,895	43	16	7	13	32	63	84	137	181	250	342
Origin not stated 3/, both sexes.....	190	1	-	-	-	1	-	1	2	4	11	7
Male.....	108	-	-	-	-	-	-	1	1	3	6	6
Female.....	82	1	-	-	-	1	-	-	1	1	5	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for AI  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

#### Cerebrovascular diseases (I60-I69)

All origins, both sexes.....	137,119	142	54	45	50	73	137	183	344	717	1,504	2,557
Male.....	54,524	83	26	26	30	36	79	106	184	394	769	1,353
Female.....	82,595	59	28	19	20	37	58	77	160	323	735	1,204
Hispanic, both sexes.....	7,005	33	9	7	10	20	32	39	55	100	208	295
Male.....	3,269	17	6	4	8	12	19	27	34	68	125	168
Female.....	3,736	16	3	3	2	8	13	12	21	32	83	127
Mexican, both sexes.....	4,148	24	6	4	5	14	21	31	32	74	143	188
Male.....	2,013	12	4	2	5	7	12	22	24	50	87	113
Female.....	2,135	12	2	2	-	7	9	9	8	24	56	75
Puerto Rican, both sexes.....	722	3	-	-	-	2	3	1	7	8	19	30
Male.....	343	-	-	-	-	2	1	-	3	6	12	17
Female.....	379	3	-	-	-	-	2	1	4	2	7	13
Cuban, both sexes.....	670	-	-	1	-	-	-	-	2	3	3	9
Male.....	297	-	-	1	-	-	-	-	1	2	1	4
Female.....	373	-	-	-	-	-	-	-	1	1	2	5
Central and South American, both sexes.	784	3	1	1	3	3	3	6	12	12	32	42
Male.....	335	3	1	-	2	3	3	5	6	9	20	20
Female.....	449	-	-	1	1	-	-	1	6	3	12	22
Other and Unknown Hispanic, both sexes.	681	3	2	1	2	1	5	1	2	3	11	26
Male.....	281	2	1	1	1	-	3	-	-	1	5	14
Female.....	400	1	1	-	1	1	2	1	2	2	6	12
Non-Hispanic 1/, both sexes.....	129,892	109	45	38	40	51	105	144	287	615	1,292	2,256
Male.....	51,145	66	20	22	22	24	60	79	150	324	642	1,182
Female.....	78,747	43	25	16	18	27	45	65	137	291	650	1,074
Non-Hispanic white 2/, both sexes.....	108,886	56	32	24	27	37	68	85	166	334	752	1,379
Male.....	41,941	31	12	15	19	19	41	45	89	169	389	734
Female.....	66,945	25	20	9	8	18	27	40	77	165	363	645
Non-Hispanic black 2/, both sexes.....	16,882	49	11	11	9	13	31	51	98	233	458	761
Male.....	7,349	33	7	5	2	5	15	28	47	129	210	377
Female.....	9,533	16	4	6	7	8	16	23	51	104	248	384
Origin not stated 3/, both sexes.....	222	-	-	-	-	2	-	-	2	2	4	6
Male.....	110	-	-	-	-	-	-	-	-	2	2	3
Female.....	112	-	-	-	-	2	-	-	2	-	2	3

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for Al  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

#### Other diseases of circulatory system (I71-I78)

All origins, both sexes.....	22,484	18	1	3	9	27	41	66	82	168	276	508
Male.....	11,836	12	-	2	7	16	28	47	59	117	202	352
Female.....	10,648	6	1	1	2	11	13	19	23	51	74	156
Hispanic, both sexes.....	892	3	-	1	-	6	9	16	13	20	36	33
Male.....	517	3	-	1	-	3	4	11	10	15	24	21
Female.....	375	-	-	-	-	3	5	5	3	5	12	12
Mexican, both sexes.....	478	2	-	-	-	5	7	13	9	13	26	22
Male.....	268	2	-	-	-	3	3	10	6	8	16	14
Female.....	210	-	-	-	-	2	4	3	3	5	10	8
Puerto Rican, both sexes.....	112	1	-	-	-	-	1	-	1	1	4	3
Male.....	67	1	-	-	-	-	-	-	1	1	4	1
Female.....	45	-	-	-	-	-	1	-	-	-	-	2
Cuban, both sexes.....	102	-	-	-	-	-	-	-	-	-	-	1
Male.....	69	-	-	-	-	-	-	-	-	-	-	1
Female.....	33	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.	105	-	-	-	-	1	-	2	2	3	5	3
Male.....	54	-	-	-	-	-	-	1	2	3	3	2
Female.....	51	-	-	-	-	1	-	1	-	-	2	1
Other and Unknown Hispanic, both sexes.	95	-	-	1	-	-	1	1	1	3	1	4
Male.....	59	-	-	1	-	-	1	-	1	3	1	3
Female.....	36	-	-	-	-	-	-	1	-	-	-	1
Non-Hispanic 1/, both sexes.....	21,550	15	1	2	9	21	32	49	69	148	239	472
Male.....	11,292	9	-	1	7	13	24	36	49	102	178	329
Female.....	10,258	6	1	1	2	8	8	13	20	46	61	143
Non-Hispanic white 2/, both sexes.....	18,604	11	1	1	7	17	24	31	45	101	154	337
Male.....	9,848	7	-	1	7	9	19	23	33	65	119	243
Female.....	8,756	4	1	-	-	8	5	8	12	36	35	94
Non-Hispanic black 2/, both sexes.....	2,454	4	-	-	2	4	7	15	21	36	79	122
Male.....	1,170	2	-	-	-	4	4	12	14	27	54	79
Female.....	1,284	2	-	-	2	-	3	3	7	9	25	43
Origin not stated 3/, both sexes.....	42	-	-	-	-	-	-	1	-	-	1	3
Male.....	27	-	-	-	-	-	-	-	-	-	-	2
Female.....	15	-	-	-	-	-	-	1	-	-	1	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

#### Aortic aneurysm and dissection (I71)

All origins, both sexes.....	13,238	2	-	1	6	16	27	49	58	124	216	356
Male.....	7,732	1	-	1	6	11	21	41	46	99	170	269
Female.....	5,506	1	-	-	-	5	6	8	12	25	46	87
Hispanic, both sexes.....	477	-	-	-	-	4	5	10	7	14	24	20
Male.....	321	-	-	-	-	3	2	9	7	13	21	15
Female.....	156	-	-	-	-	1	3	1	-	1	3	5
Mexican, both sexes.....	227	-	-	-	-	3	5	9	5	8	16	12
Male.....	152	-	-	-	-	3	2	8	5	7	13	9
Female.....	75	-	-	-	-	-	3	1	-	1	3	3
Puerto Rican, both sexes.....	67	-	-	-	-	-	-	-	-	1	4	2
Male.....	45	-	-	-	-	-	-	-	-	1	4	1
Female.....	22	-	-	-	-	-	-	-	-	-	-	1
Cuban, both sexes.....	65	-	-	-	-	-	-	-	-	-	-	1
Male.....	50	-	-	-	-	-	-	-	-	-	-	1
Female.....	15	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.	65	-	-	-	-	1	-	1	1	3	3	2
Male.....	37	-	-	-	-	-	-	1	1	3	3	1
Female.....	28	-	-	-	-	1	-	-	-	-	-	1
Other and Unknown Hispanic, both sexes.	53	-	-	-	-	-	-	-	1	2	1	3
Male.....	37	-	-	-	-	-	-	-	1	2	1	3
Female.....	16	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	12,735	2	-	1	6	12	22	38	51	110	191	333
Male.....	7,395	1	-	1	6	8	19	32	39	86	149	252
Female.....	5,340	1	-	-	-	4	3	6	12	24	42	81
Non-Hispanic white 2/, both sexes.....	11,138	-	-	1	6	9	19	26	31	79	123	237
Male.....	6,512	-	-	1	6	5	17	21	25	58	102	187
Female.....	4,626	-	-	-	-	4	2	5	6	21	21	50
Non-Hispanic black 2/, both sexes.....	1,248	2	-	-	-	3	3	10	17	21	63	85
Male.....	670	1	-	-	-	3	2	10	12	19	43	58
Female.....	578	1	-	-	-	-	1	-	5	2	20	27
Origin not stated 3/, both sexes.....	26	-	-	-	-	-	-	1	-	-	1	3
Male.....	16	-	-	-	-	-	-	-	-	-	-	2
Female.....	10	-	-	-	-	-	-	1	-	-	1	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for AI  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for AI  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

#### Influenza and pneumonia (J10-J18)

All origins, both sexes.....	56,326	263	125	40	28	73	111	141	194	291	550	831
Male.....	25,650	163	63	17	18	36	65	83	92	156	306	472
Female.....	30,676	100	62	23	10	37	46	58	102	135	244	359
Hispanic, both sexes.....	2,966	60	28	12	3	8	16	23	26	29	48	85
Male.....	1,439	36	13	4	2	5	8	16	17	20	30	48
Female.....	1,527	24	15	8	1	3	8	7	9	9	18	37
Mexican, both sexes.....	1,620	49	19	9	2	5	7	14	19	16	26	53
Male.....	798	29	8	4	1	3	4	11	11	13	16	28
Female.....	822	20	11	5	1	2	3	3	8	3	10	25
Puerto Rican, both sexes.....	449	5	4	1	-	-	2	3	3	6	8	12
Male.....	239	3	2	-	-	-	-	2	3	3	6	8
Female.....	210	2	2	1	-	-	2	1	-	3	2	4
Cuban, both sexes.....	246	1	-	-	1	1	-	-	-	1	2	2
Male.....	112	-	-	-	1	1	-	-	-	1	1	1
Female.....	134	1	-	-	-	-	-	-	-	-	1	1
Central and South American, both sexes.	323	1	2	1	-	1	5	2	1	3	3	11
Male.....	125	1	1	-	-	-	2	1	1	2	3	5
Female.....	198	-	1	1	-	1	3	1	-	1	-	6
Other and Unknown Hispanic, both sexes.	328	4	3	1	-	1	2	4	3	3	9	7
Male.....	165	3	2	-	-	1	2	2	2	1	4	6
Female.....	163	1	1	1	-	-	2	1	2	5	1	
Non-Hispanic 1/, both sexes.....	53,249	200	96	28	25	65	95	117	168	262	497	740
Male.....	24,154	126	49	13	16	31	57	67	75	136	271	420
Female.....	29,095	74	47	15	9	34	38	50	93	126	226	320
Non-Hispanic white 2/, both sexes.....	46,419	102	54	20	19	51	63	81	108	185	364	520
Male.....	20,863	68	29	12	13	23	39	44	52	93	204	298
Female.....	25,556	34	25	8	6	28	24	37	56	92	160	222
Non-Hispanic black 2/, both sexes.....	5,242	87	34	3	6	11	30	31	46	66	117	198
Male.....	2,449	53	16	-	3	5	18	21	16	37	58	106
Female.....	2,793	34	18	3	3	6	12	10	30	29	59	92
Origin not stated 3/, both sexes.....	111	3	1	-	-	-	1	-	-	5	6	
Male.....	57	1	1	-	-	-	-	-	-	5	4	
Female.....	54	2	-	-	-	-	-	1	-	-	-	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) Hispanic origin, race for non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

#### Pneumonia (J12-J18)

All origins, both sexes.....	55,477	245	106	24	19	67	104	138	191	288	543	824
Male.....	25,288	152	51	12	12	34	62	81	90	155	303	468
Female.....	30,189	93	55	12	7	33	42	57	101	133	240	356
Hispanic, both sexes.....	2,927	55	20	5	2	7	16	21	26	29	48	84
Male.....	1,419	32	8	3	1	4	8	14	17	20	30	47
Female.....	1,508	23	12	2	1	3	8	7	9	9	18	37
Mexican, both sexes.....	1,595	45	14	4	2	4	7	12	19	16	26	52
Male.....	785	25	6	3	1	2	4	9	11	13	16	27
Female.....	810	20	8	1	1	2	3	3	8	3	10	25
Puerto Rican, both sexes.....	446	5	3	1	-	-	2	3	3	6	8	12
Male.....	238	3	1	-	-	-	-	2	3	3	6	8
Female.....	208	2	2	1	-	-	2	1	-	3	2	4
Cuban, both sexes.....	243	-	-	-	-	1	-	-	-	1	2	2
Male.....	111	-	-	-	-	1	-	-	-	1	1	1
Female.....	132	-	-	-	-	-	-	-	-	1	1	1
Central and South American, both sexes.	320	1	1	-	-	1	5	2	1	3	3	11
Male.....	123	1	-	-	-	-	2	1	1	2	3	5
Female.....	197	-	1	-	-	1	3	1	-	1	-	6
Other and Unknown Hispanic, both sexes.	323	4	2	-	-	1	2	4	3	3	9	7
Male.....	162	3	1	-	-	1	2	2	2	1	4	6
Female.....	161	1	1	-	-	-	-	2	1	2	5	1
Non-Hispanic 1/, both sexes.....	52,441	187	85	19	17	60	88	116	165	259	490	735
Male.....	23,812	119	42	9	11	30	54	67	73	135	268	417
Female.....	28,629	68	43	10	6	30	34	49	92	124	222	318
Non-Hispanic white 2/, both sexes.....	45,670	94	51	14	12	48	58	80	107	183	358	516
Male.....	20,551	63	26	9	9	23	38	44	51	93	201	295
Female.....	25,119	31	25	5	3	25	20	36	56	90	157	221
Non-Hispanic black 2/, both sexes.....	5,202	82	30	3	5	10	28	31	44	66	116	197
Male.....	2,428	51	13	-	2	5	16	21	15	37	58	106
Female.....	2,774	31	17	3	3	5	12	10	29	29	58	91
Origin not stated 3/, both sexes.....	109	3	1	-	-	-	-	1	-	-	5	5
Male.....	57	1	1	-	-	-	-	-	-	-	5	4
Female.....	52	2	-	-	-	-	-	1	-	-	-	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality".]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for AI  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) Hispanic origin, race for non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for AI  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

#### Chronic lower respiratory diseases (J40-J47)

All origins, both sexes.....	124,583	30	43	52	63	61	90	113	142	222	619	1,320
Male.....	59,260	20	29	33	45	39	54	66	71	105	291	617
Female.....	65,323	10	14	19	18	22	36	47	71	117	328	703
Hispanic, both sexes.....	3,310	6	11	9	7	8	7	16	12	20	29	46
Male.....	1,708	4	7	8	5	6	4	10	4	14	12	24
Female.....	1,602	2	4	1	2	2	3	6	8	6	17	22
Mexican, both sexes.....	1,579	3	8	5	4	7	1	5	2	10	10	22
Male.....	881	1	6	4	3	5	1	2	-	8	4	13
Female.....	698	2	2	1	1	2	-	3	2	2	6	9
Puerto Rican, both sexes.....	510	-	1	3	2	-	1	6	4	5	12	9
Male.....	246	-	-	3	1	-	-	5	2	4	5	5
Female.....	264	-	1	-	1	-	1	1	2	1	7	4
Cuban, both sexes.....	491	-	-	-	-	-	-	1	2	1	1	5
Male.....	229	-	-	-	-	-	-	-	-	1	1	2
Female.....	262	-	-	-	-	-	-	1	2	-	-	3
Central and South American, both sexes.	235	2	1	-	-	-	2	2	3	4	2	4
Male.....	102	2	-	-	-	-	1	1	2	1	1	1
Female.....	133	-	1	-	-	-	1	1	1	3	1	3
Other and Unknown Hispanic, both sexes.	495	1	1	1	1	1	3	2	1	-	4	6
Male.....	250	1	1	1	1	1	2	2	-	-	1	3
Female.....	245	-	-	-	-	-	1	-	1	-	3	3
Non-Hispanic 1/, both sexes.....	121,035	24	32	43	56	52	83	97	130	198	588	1,268
Male.....	57,420	16	22	25	40	32	50	56	67	89	278	589
Female.....	63,615	8	10	18	16	20	33	41	63	109	310	679
Non-Hispanic white 2/, both sexes.....	111,559	9	15	16	14	13	41	49	66	124	415	1,027
Male.....	52,270	6	10	11	11	6	24	28	28	54	200	472
Female.....	59,289	3	5	5	3	7	17	21	38	70	215	555
Non-Hispanic black 2/, both sexes.....	7,657	11	15	27	39	36	38	45	61	72	152	213
Male.....	4,091	6	12	14	27	24	22	25	36	33	69	101
Female.....	3,566	5	3	13	12	12	16	20	25	39	83	112
Origin not stated 3/, both sexes.....	238	-	-	-	-	1	-	-	-	4	2	6
Male.....	132	-	-	-	-	1	-	-	-	2	1	4
Female.....	106	-	-	-	-	-	-	-	-	2	1	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) Hispanic origin, race for non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for Al  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

#### Asthma (J45-J46)

All origins, both sexes.....	3,613	6	26	45	54	56	79	92	102	141	232	277
Male.....	1,296	3	17	30	41	36	46	56	49	62	93	96
Female.....	2,317	3	9	15	13	20	33	36	53	79	139	181
Hispanic, both sexes.....	257	2	4	7	7	6	6	13	8	14	16	15
Male.....	94	1	2	6	5	4	3	8	1	8	5	5
Female.....	163	1	2	1	2	2	3	5	7	6	11	10
Mexican, both sexes.....	110	2	3	4	4	5	1	3	2	7	5	6
Male.....	44	1	2	3	3	3	1	1	-	5	1	2
Female.....	66	1	1	1	1	2	-	2	2	2	4	4
Puerto Rican, both sexes.....	73	-	1	3	2	-	1	6	1	2	8	3
Male.....	28	-	-	3	1	-	-	5	-	1	4	1
Female.....	45	-	1	-	1	-	1	1	1	1	4	2
Cuban, both sexes.....	16	-	-	-	-	-	-	1	2	1	-	2
Male.....	4	-	-	-	-	-	-	-	-	1	-	1
Female.....	12	-	-	-	-	-	-	1	2	-	-	1
Central and South American, both sexes.	31	-	-	-	-	-	2	1	2	4	1	3
Male.....	11	-	-	-	-	-	1	-	1	1	-	1
Female.....	20	-	-	-	-	-	1	1	1	3	1	2
Other and Unknown Hispanic, both sexes.	27	-	-	-	1	1	2	2	1	-	2	1
Male.....	7	-	-	-	1	1	1	2	-	-	-	-
Female.....	20	-	-	-	-	-	1	-	1	-	2	1
Non-Hispanic 1/, both sexes.....	3,343	4	22	38	47	49	73	79	94	125	214	261
Male.....	1,196	2	15	24	36	31	43	48	48	53	87	90
Female.....	2,147	2	7	14	11	18	30	31	46	72	127	171
Non-Hispanic white 2/, both sexes.....	2,246	2	9	13	10	10	33	38	41	64	125	153
Male.....	715	1	5	10	9	5	19	23	16	26	50	50
Female.....	1,531	1	4	3	1	5	14	15	25	38	75	103
Non-Hispanic black 2/, both sexes.....	943	2	12	25	35	36	37	38	51	59	78	101
Male.....	414	1	10	14	25	24	21	22	30	25	36	37
Female.....	529	1	2	11	10	12	16	16	21	34	42	64
Origin not stated 3/, both sexes.....	13	-	-	-	-	1	-	-	-	2	2	1
Male.....	6	-	-	-	-	1	-	-	-	1	1	1
Female.....	7	-	-	-	-	-	-	-	-	1	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

#### Other chronic lower respiratory diseases (J44,J47)

All origins, both sexes.....	107,679	3	5	5	7	1	5	16	31	65	307	875
Male.....	51,347	3	3	2	3	-	5	7	15	32	151	436
Female.....	56,332	-	2	3	4	1	-	9	16	33	156	439
Hispanic, both sexes.....	2,728	1	3	2	-	-	1	2	2	5	13	27
Male.....	1,422	1	2	2	-	-	1	1	1	5	7	16
Female.....	1,306	-	1	-	-	-	-	1	1	-	6	11
Mexican, both sexes.....	1,326	-	3	1	-	-	-	1	-	3	5	15
Male.....	741	-	2	1	-	-	-	-	-	3	3	10
Female.....	585	-	1	-	-	-	-	1	-	-	2	5
Puerto Rican, both sexes.....	386	-	-	-	-	-	-	-	2	2	4	5
Male.....	188	-	-	-	-	-	-	-	1	2	1	3
Female.....	198	-	-	-	-	-	-	-	1	-	3	2
Cuban, both sexes.....	421	-	-	-	-	-	-	-	-	-	1	3
Male.....	202	-	-	-	-	-	-	-	-	-	1	1
Female.....	219	-	-	-	-	-	-	-	-	-	-	2
Central and South American, both sexes.	188	1	-	-	-	-	-	1	-	-	1	1
Male.....	85	1	-	-	-	-	-	1	-	-	1	-
Female.....	103	-	-	-	-	-	-	-	-	-	-	1
Other and Unknown Hispanic, both sexes.	407	-	-	1	-	-	1	-	-	-	2	3
Male.....	206	-	-	1	-	-	1	-	-	-	1	2
Female.....	201	-	-	-	-	-	-	-	-	-	1	1
Non-Hispanic 1/, both sexes.....	104,748	2	2	3	7	1	4	14	29	58	294	844
Male.....	49,812	2	1	-	3	-	4	6	14	26	144	417
Female.....	54,936	-	1	3	4	1	-	8	15	32	150	427
Non-Hispanic white 2/, both sexes.....	97,304	-	1	1	4	1	3	8	20	49	228	737
Male.....	45,709	-	1	-	2	-	3	3	9	21	113	359
Female.....	51,595	-	-	1	2	1	-	5	11	28	115	378
Non-Hispanic black 2/, both sexes.....	5,948	-	-	2	3	-	1	6	9	9	56	91
Male.....	3,221	-	-	-	1	-	1	3	5	5	23	49
Female.....	2,727	-	-	2	2	-	-	3	4	4	33	42
Origin not stated 3/, both sexes.....	203	-	-	-	-	-	-	-	-	2	-	4
Male.....	113	-	-	-	-	-	-	-	-	1	-	3
Female.....	90	-	-	-	-	-	-	-	-	1	-	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for A1  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) Hispanic origin, race for non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

#### Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)

All origins, both sexes.....	27,644	334	97	37	33	53	50	84	120	188	335	535
Male.....	13,728	195	61	21	17	33	33	43	53	105	164	272
Female.....	13,916	139	36	16	16	20	17	41	67	83	171	263
Hispanic, both sexes.....	1,574	61	13	7	6	11	9	12	14	18	31	52
Male.....	783	35	8	2	4	6	7	7	7	12	19	27
Female.....	791	26	5	5	2	5	2	5	7	6	12	25
Mexican, both sexes.....	900	46	5	5	4	5	4	9	7	11	19	34
Male.....	462	27	4	1	3	2	2	5	4	9	11	19
Female.....	438	19	1	4	1	3	2	4	3	2	8	15
Puerto Rican, both sexes.....	171	4	1	-	2	4	-	1	1	5	5	4
Male.....	90	2	1	-	1	2	-	1	1	3	4	2
Female.....	81	2	-	-	1	2	-	-	-	2	1	2
Cuban, both sexes.....	132	3	-	-	-	1	1	-	1	-	1	-
Male.....	57	1	-	-	-	1	1	-	1	-	1	-
Female.....	75	2	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.	211	4	5	-	-	1	4	2	3	1	2	6
Male.....	93	3	2	-	-	1	4	1	-	-	-	3
Female.....	118	1	3	-	-	-	-	1	3	1	2	3
Other and Unknown Hispanic, both sexes.	160	4	2	2	-	-	-	-	-	2	1	8
Male.....	81	2	1	1	-	-	-	-	1	-	3	3
Female.....	79	2	1	1	-	-	-	-	1	1	1	5
Non-Hispanic 1/, both sexes.....	26,035	272	84	30	27	42	40	72	106	169	302	482
Male.....	12,931	159	53	19	13	27	26	36	46	92	145	245
Female.....	13,104	113	31	11	14	15	14	36	60	77	157	237
Non-Hispanic white 2/, both sexes.....	22,902	124	54	22	15	26	24	56	76	122	210	334
Male.....	11,406	66	35	13	7	17	14	26	32	67	101	176
Female.....	11,496	58	19	9	8	9	10	30	44	55	109	158
Non-Hispanic black 2/, both sexes.....	2,414	129	22	6	11	13	16	14	29	39	82	137
Male.....	1,157	80	15	4	6	8	12	8	13	21	39	63
Female.....	1,257	49	7	2	5	5	4	6	16	18	43	74
Origin not stated 3/, both sexes.....	35	1	-	-	-	1	-	-	-	1	2	1
Male.....	14	1	-	-	-	-	-	-	-	1	-	-
Female.....	21	-	-	-	-	-	1	-	-	-	2	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for Al  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for AI  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for AI  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

#### Chronic liver disease and cirrhosis (K70,K73-K74)

All origins, both sexes.....	27,555	5	3	-	-	2	24	67	249	709	1,842	3,364
Male.....	17,866	2	3	-	-	1	13	45	170	459	1,207	2,327
Female.....	9,689	3	-	-	-	1	11	22	79	250	635	1,037
Hispanic, both sexes.....	3,592	2	-	-	-	1	4	11	74	149	295	495
Male.....	2,527	2	-	-	-	1	4	8	56	119	231	402
Female.....	1,065	-	-	-	-	-	-	3	18	30	64	93
Mexican, both sexes.....	2,401	1	-	-	-	1	2	7	52	113	212	354
Male.....	1,720	1	-	-	-	1	2	5	40	89	171	286
Female.....	681	-	-	-	-	-	-	2	12	24	41	68
Puerto Rican, both sexes.....	393	-	-	-	-	-	1	1	1	7	20	50
Male.....	288	-	-	-	-	-	1	-	1	6	15	43
Female.....	105	-	-	-	-	-	-	1	-	1	5	7
Cuban, both sexes.....	110	-	-	-	-	-	-	1	1	3	3	4
Male.....	70	-	-	-	-	-	-	1	1	3	3	3
Female.....	40	-	-	-	-	-	-	-	-	-	-	1
Central and South American, both sexes.	299	-	-	-	-	-	-	2	10	9	30	35
Male.....	199	-	-	-	-	-	-	2	6	9	25	32
Female.....	100	-	-	-	-	-	-	-	4	-	5	3
Other and Unknown Hispanic, both sexes.	389	1	-	-	-	-	1	-	10	17	30	52
Male.....	250	1	-	-	-	-	1	-	8	12	17	38
Female.....	139	-	-	-	-	-	-	-	2	5	13	14
Non-Hispanic 1/, both sexes.....	23,892	3	3	-	-	1	20	56	173	556	1,542	2,860
Male.....	15,282	-	3	-	-	-	9	37	112	337	972	1,919
Female.....	8,610	3	-	-	-	1	11	19	61	219	570	941
Non-Hispanic white 2/, both sexes.....	20,605	1	2	-	-	-	12	38	128	437	1,256	2,401
Male.....	13,212	-	2	-	-	-	5	25	85	275	797	1,629
Female.....	7,393	1	-	-	-	-	7	13	43	162	459	772
Non-Hispanic black 2/, both sexes.....	2,310	2	1	-	-	1	5	8	14	66	185	304
Male.....	1,485	-	1	-	-	-	3	4	5	32	119	193
Female.....	825	2	-	-	-	1	2	4	9	34	66	111
Origin not stated 3/, both sexes.....	71	-	-	-	-	-	-	-	2	4	5	9
Male.....	57	-	-	-	-	-	-	-	2	3	4	6
Female.....	14	-	-	-	-	-	-	-	-	1	1	3

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for Al  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

#### Other chronic liver disease and cirrhosis (K73-K74)

All origins, both sexes.....	14,505	5	3	-	-	2	10	15	56	206	613	1,269
Male.....	8,423	2	3	-	-	1	7	6	34	133	411	879
Female.....	6,082	3	-	-	-	1	3	9	22	73	202	390
Hispanic, both sexes.....	1,675	2	-	-	-	1	3	2	13	43	92	171
Male.....	950	2	-	-	-	1	3	1	7	34	73	134
Female.....	725	-	-	-	-	-	-	1	6	9	19	37
Mexican, both sexes.....	1,061	1	-	-	-	1	1	-	9	35	68	122
Male.....	610	1	-	-	-	1	1	-	5	27	57	90
Female.....	451	-	-	-	-	-	-	-	4	8	11	32
Puerto Rican, both sexes.....	213	-	-	-	-	-	1	1	-	1	6	27
Male.....	137	-	-	-	-	-	1	-	-	1	4	24
Female.....	76	-	-	-	-	-	-	1	-	-	2	3
Cuban, both sexes.....	81	-	-	-	-	-	-	1	-	-	1	1
Male.....	43	-	-	-	-	-	-	1	-	-	1	1
Female.....	38	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.	140	-	-	-	-	-	-	-	1	2	7	4
Male.....	61	-	-	-	-	-	-	-	-	2	4	4
Female.....	79	-	-	-	-	-	-	-	1	-	3	-
Other and Unknown Hispanic, both sexes.	180	1	-	-	-	-	1	-	3	5	10	17
Male.....	99	1	-	-	-	-	1	-	2	4	7	15
Female.....	81	-	-	-	-	-	-	-	1	1	3	2
Non-Hispanic 1/, both sexes.....	12,791	3	3	-	-	1	7	13	41	160	520	1,093
Male.....	7,445	-	3	-	-	-	4	5	25	97	337	743
Female.....	5,346	3	-	-	-	1	3	8	16	63	183	350
Non-Hispanic white 2/, both sexes.....	11,093	1	2	-	-	-	5	10	32	124	409	906
Male.....	6,434	-	2	-	-	-	3	4	20	78	260	632
Female.....	4,659	1	-	-	-	-	2	6	12	46	149	274
Non-Hispanic black 2/, both sexes.....	1,289	2	1	-	-	1	2	2	3	24	88	140
Male.....	795	-	1	-	-	-	1	-	1	10	61	82
Female.....	494	2	-	-	-	1	1	2	2	14	27	58
Origin not stated 3/, both sexes.....	39	-	-	-	-	-	-	-	2	3	1	5
Male.....	28	-	-	-	-	-	-	-	2	2	1	2
Female.....	11	-	-	-	-	-	-	-	-	1	-	3

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)

All origins, both sexes.....	45,344	162	14	7	11	27	72	87	189	269	516	867
Male.....	22,094	101	9	2	10	15	41	42	115	151	307	532
Female.....	23,250	61	5	5	1	12	31	45	74	118	209	335
Hispanic, both sexes.....	2,592	36	4	-	3	4	8	9	28	24	43	90
Male.....	1,295	19	2	-	2	3	3	5	14	12	31	61
Female.....	1,297	17	2	-	1	1	5	4	14	12	12	29
Mexican, both sexes.....	1,562	26	1	-	2	4	5	5	19	21	26	56
Male.....	776	15	-	-	2	3	1	4	9	9	19	37
Female.....	786	11	1	-	-	1	4	1	10	12	7	19
Puerto Rican, both sexes.....	326	3	-	-	-	-	1	3	2	1	6	15
Male.....	159	-	-	-	-	-	-	1	1	1	2	12
Female.....	167	3	-	-	-	-	1	2	1	-	4	3
Cuban, both sexes.....	249	-	1	-	1	-	-	-	-	-	2	1
Male.....	141	-	1	-	-	-	-	-	-	-	2	1
Female.....	108	-	-	-	1	-	-	-	-	-	-	-
Central and South American, both sexes.	189	1	2	-	-	-	-	-	3	2	4	5
Male.....	92	1	1	-	-	-	-	-	3	2	4	2
Female.....	97	-	1	-	-	-	-	-	-	-	-	3
Other and Unknown Hispanic, both sexes.	266	6	-	-	-	-	2	1	4	-	5	13
Male.....	127	3	-	-	-	-	2	-	1	-	4	9
Female.....	139	3	-	-	-	-	-	1	3	-	1	4
Non-Hispanic 1/, both sexes.....	42,668	126	10	7	8	23	64	78	161	243	473	774
Male.....	20,754	82	7	2	8	12	38	37	101	138	276	470
Female.....	21,914	44	3	5	-	11	26	41	60	105	197	304
Non-Hispanic white 2/, both sexes.....	33,208	77	8	5	5	14	40	35	88	120	227	442
Male.....	16,415	54	6	1	5	9	28	17	61	70	140	278
Female.....	16,793	23	2	4	-	5	12	18	27	50	87	164
Non-Hispanic black 2/, both sexes.....	8,334	43	2	1	1	7	23	39	67	111	222	308
Male.....	3,782	24	1	1	1	2	9	18	38	58	123	178
Female.....	4,552	19	1	-	-	5	14	21	29	53	99	130
Origin not stated 3/, both sexes.....	84	-	-	-	-	-	-	-	-	2	-	3
Male.....	45	-	-	-	-	-	-	-	-	1	-	1
Female.....	39	-	-	-	-	-	-	-	-	1	-	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for AI  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) Hispanic origin, race for non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

#### Renal failure (N17-N19)

All origins, both sexes.....	43,344	154	10	5	7	24	65	79	171	251	494	837
Male.....	21,115	94	7	1	6	15	37	36	103	140	296	512
Female.....	22,229	60	3	4	1	9	28	43	68	111	198	325
Hispanic, both sexes.....	2,477	36	3	-	2	4	7	8	23	23	39	88
Male.....	1,238	19	2	-	1	3	3	4	12	12	28	59
Female.....	1,239	17	1	-	1	1	4	4	11	11	11	29
Mexican, both sexes.....	1,489	26	1	-	1	4	4	4	18	20	23	54
Male.....	742	15	-	-	1	3	1	3	9	9	17	35
Female.....	747	11	1	-	-	1	3	1	9	11	6	19
Puerto Rican, both sexes.....	318	3	-	-	-	-	1	3	2	1	6	15
Male.....	158	-	-	-	-	-	-	1	1	1	2	12
Female.....	160	3	-	-	-	-	1	2	1	-	4	3
Cuban, both sexes.....	240	-	1	-	1	-	-	-	-	-	2	1
Male.....	134	-	1	-	-	-	-	-	-	-	2	1
Female.....	106	-	-	-	1	-	-	-	-	-	-	-
Central and South American, both sexes.	175	1	1	-	-	-	-	-	1	2	4	5
Male.....	83	1	1	-	-	-	-	-	1	2	4	2
Female.....	92	-	-	-	-	-	-	-	-	-	-	3
Other and Unknown Hispanic, both sexes.	255	6	-	-	-	-	2	1	2	-	4	13
Male.....	121	3	-	-	-	-	2	-	1	-	3	9
Female.....	134	3	-	-	-	-	-	1	1	-	1	4
Non-Hispanic 1/, both sexes.....	40,785	118	7	5	5	20	58	71	148	226	455	746
Male.....	19,833	75	5	1	5	12	34	32	91	127	268	452
Female.....	20,952	43	2	4	-	8	24	39	57	99	187	294
Non-Hispanic white 2/, both sexes.....	31,768	71	5	3	3	12	36	33	82	112	220	427
Male.....	15,711	48	4	-	3	9	24	15	56	64	136	268
Female.....	16,057	23	1	3	-	3	12	18	26	48	84	159
Non-Hispanic black 2/, both sexes.....	7,969	42	2	1	1	6	21	35	61	104	216	296
Male.....	3,605	23	1	1	1	2	9	15	33	55	122	171
Female.....	4,364	19	1	-	-	4	12	20	28	49	94	125
Origin not stated 3/, both sexes.....	82	-	-	-	-	-	-	-	-	2	-	3
Male.....	44	-	-	-	-	-	-	-	-	1	-	1
Female.....	38	-	-	-	-	-	-	-	-	1	-	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for Al  
non-Hispanic population, and sex age

non-Hispanic population, and sex

## Other disorders of kidney (N25,N27)

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for AI  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for Al  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for AI  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) Hispanic origin, race for non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality".]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for AI  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for AI  
non-Hispanic population, and sex age

non-Hispanic population, and sex

## **Other complications of pregnancy, childbirth and the puerperium (010-099)**

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for A  
non-Hispanic population, and sex age

non-Hispanic population, and sex

Certain conditions originating in the perinatal period (P00-P96)

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for A  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

All origins, both sexes.....	31,725	3,462	239	64	62	195	464	491	522	681	946	1,109
Male.....	13,981	2,012	134	38	37	125	311	338	374	427	612	705
Female.....	17,744	1,450	105	26	25	70	153	153	148	254	334	404
Hispanic, both sexes.....	1,762	510	44	7	7	30	69	73	81	90	77	79
Male.....	1,040	308	21	6	4	25	50	62	67	71	66	56
Female.....	722	202	23	1	3	5	19	11	14	19	11	23
Mexican, both sexes.....	1,038	337	29	5	2	22	49	47	49	49	46	41
Male.....	633	203	15	4	1	18	37	39	40	40	39	27
Female.....	405	134	14	1	1	4	12	8	9	9	7	14
Puerto Rican, both sexes.....	274	73	3	-	2	2	7	6	13	21	12	14
Male.....	157	45	1	-	1	2	6	6	13	15	11	10
Female.....	117	28	2	-	1	-	1	-	-	6	1	4
Cuban, both sexes.....	88	7	1	-	-	-	1	3	2	4	7	5
Male.....	49	5	-	-	-	-	-	3	1	3	6	4
Female.....	39	2	1	-	-	-	1	-	1	1	1	1
Central and South American, both sexes.	174	22	5	1	1	4	7	13	9	11	7	10
Male.....	98	16	2	1	1	4	5	11	6	10	5	8
Female.....	76	6	3	-	-	-	2	2	3	1	2	2
Other and Unknown Hispanic, both sexes.	188	71	6	1	2	2	5	4	8	5	5	9
Male.....	103	39	3	1	1	1	2	3	7	3	5	7
Female.....	85	32	3	-	1	1	3	1	1	2	-	2
Non-Hispanic 1/, both sexes.....	29,835	2,929	194	57	55	164	395	414	436	590	861	1,017
Male.....	12,856	1,687	112	32	33	100	261	272	304	355	542	643
Female.....	16,979	1,242	82	25	22	64	134	142	132	235	319	374
Non-Hispanic white 2/, both sexes.....	24,895	1,763	112	35	38	115	299	316	313	454	643	791
Male.....	10,361	1,043	65	21	23	70	200	210	220	276	402	493
Female.....	14,534	720	47	14	15	45	99	106	93	178	241	298
Non-Hispanic black 2/, both sexes.....	4,300	1,025	69	19	16	40	78	83	102	117	196	208
Male.....	2,158	558	39	11	10	25	49	51	70	66	121	139
Female.....	2,142	467	30	8	6	15	29	32	32	51	75	69
Origin not stated 3/, both sexes.....	128	23	1	-	-	1	-	4	5	1	8	13
Male.....	85	17	1	-	-	-	-	4	3	1	4	6
Female.....	43	6	-	-	-	1	-	-	2	-	4	7

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),

Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other diseases (Residual) (D65-E07, E15-E34, E65-F99, G04-G12, G23-G25, G31-H93, K00-K22, K29-K31, K50-K66, K71-K72, K75-K76, K83-M99, N13.0-N13.5, N13.7-N13.9, N14, N15.0, N15.8-N15.9, N20-N23, N28-N39, N41-N64, N80-N98)

All origins, both sexes.....	237,421	1,173	548	346	446	829	1,291	1,542	1,822	2,848	5,181	7,595
Male.....	96,201	687	299	187	246	503	760	907	1,047	1,639	3,043	4,476
Female.....	141,220	486	249	159	200	326	531	635	775	1,209	2,138	3,119
Hispanic, both sexes.....	11,717	239	125	55	91	133	195	241	255	353	568	611
Male.....	5,713	139	62	31	46	89	118	158	171	221	401	395
Female.....	6,004	100	63	24	45	44	77	83	84	132	167	216
Mexican, both sexes.....	6,393	167	92	44	68	93	127	159	179	212	323	348
Male.....	3,273	100	45	25	33	61	78	104	128	142	231	225
Female.....	3,120	67	47	19	35	32	49	55	51	70	92	123
Puerto Rican, both sexes.....	1,520	15	5	4	4	17	15	17	22	49	90	108
Male.....	752	9	3	1	2	11	11	8	10	21	63	73
Female.....	768	6	2	3	2	6	4	9	12	28	27	35
Cuban, both sexes.....	1,215	2	1	-	1	1	2	4	2	11	20	22
Male.....	491	-	1	-	-	1	1	3	2	6	16	16
Female.....	724	2	-	-	1	-	1	1	-	5	4	6
Central and South American, both sexes.	1,098	29	16	3	7	17	25	41	29	41	59	59
Male.....	508	14	6	2	5	11	16	27	18	26	42	37
Female.....	590	15	10	1	2	6	9	14	11	15	17	22
Other and Unknown Hispanic, both sexes.	1,491	26	11	4	11	5	26	20	23	40	76	74
Male.....	689	16	7	3	6	5	12	16	13	26	49	44
Female.....	802	10	4	1	5	-	14	4	10	14	27	30
Non-Hispanic 1/, both sexes.....	225,283	931	422	291	353	696	1,091	1,298	1,562	2,488	4,597	6,954
Male.....	90,259	546	237	156	200	414	639	747	871	1,412	2,631	4,061
Female.....	135,024	385	185	135	153	282	452	551	691	1,076	1,966	2,893
Non-Hispanic white 2/, both sexes.....	194,608	532	273	206	245	475	797	917	1,052	1,726	3,340	5,223
Male.....	77,081	314	155	109	141	293	505	561	635	1,024	1,978	3,155
Female.....	117,527	218	118	97	104	182	292	356	417	702	1,362	2,068
Non-Hispanic black 2/, both sexes.....	25,926	342	115	69	94	183	245	330	423	615	1,077	1,530
Male.....	11,066	198	64	42	53	105	115	158	186	307	543	797
Female.....	14,860	144	51	27	41	78	130	172	237	308	534	733
Origin not stated 3/, both sexes.....	421	3	1	-	2	-	5	3	5	7	16	30
Male.....	229	2	-	-	-	-	3	2	5	6	11	20
Female.....	192	1	1	-	2	-	2	1	-	1	5	10

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidents (unintentional injuries) (V01-X59, Y85-Y86)

All origins, both sexes.....	121,599	1,147	1,610	1,044	1,214	6,659	9,570	8,042	6,912	7,808	9,726	10,721
Male.....	78,941	667	927	618	767	4,697	7,537	6,263	5,203	5,617	6,814	7,519
Female.....	42,658	480	683	426	447	1,962	2,033	1,779	1,709	2,191	2,912	3,202
Hispanic, both sexes.....	12,052	189	361	177	235	1,058	1,604	1,285	1,115	1,021	1,081	926
Male.....	9,102	103	215	112	147	818	1,351	1,079	921	825	866	702
Female.....	2,950	86	146	65	88	240	253	206	194	196	215	224
Mexican, both sexes.....	7,789	130	287	133	182	756	1,122	890	711	646	642	562
Male.....	5,990	68	169	80	113	589	955	749	603	538	512	434
Female.....	1,799	62	118	53	69	167	167	141	108	108	130	128
Puerto Rican, both sexes.....	1,162	17	18	19	16	67	117	105	119	112	135	143
Male.....	879	10	13	14	13	46	88	94	95	87	109	105
Female.....	283	7	5	5	3	21	29	11	24	25	26	38
Cuban, both sexes.....	495	2	6	1	4	35	47	22	19	21	39	31
Male.....	353	1	5	-	1	28	41	20	16	16	28	21
Female.....	142	1	1	1	3	7	6	2	3	5	11	10
Central and South American, both sexes.	1,407	15	30	13	12	116	214	177	165	136	139	80
Male.....	1,074	9	16	10	9	95	188	152	134	110	119	62
Female.....	333	6	14	3	3	21	26	25	31	26	20	18
Other and Unknown Hispanic, both sexes.	1,199	25	20	11	21	84	104	91	101	106	126	110
Male.....	806	15	12	8	11	60	79	64	73	74	98	80
Female.....	393	10	8	3	10	24	25	27	28	32	28	30
Non-Hispanic 1/, both sexes.....	109,172	954	1,234	864	977	5,585	7,943	6,734	5,775	6,767	8,603	9,754
Male.....	69,564	561	701	505	619	3,865	6,169	5,165	4,268	4,773	5,919	6,783
Female.....	39,608	393	533	359	358	1,720	1,774	1,569	1,507	1,994	2,684	2,971
Non-Hispanic white 2/, both sexes.....	91,830	555	814	554	713	4,577	6,626	5,477	4,608	5,488	7,071	7,945
Male.....	57,758	323	458	320	446	3,118	5,172	4,195	3,383	3,851	4,863	5,509
Female.....	34,072	232	356	234	267	1,459	1,454	1,282	1,225	1,637	2,208	2,436
Non-Hispanic black 2/, both sexes.....	13,684	348	355	250	210	734	969	981	922	1,039	1,268	1,497
Male.....	9,443	208	207	152	136	564	729	764	716	758	879	1,059
Female.....	4,241	140	148	98	74	170	240	217	206	281	389	438
Origin not stated 3/, both sexes.....	375	4	15	3	2	16	23	23	22	20	42	41
Male.....	275	3	11	1	1	14	17	19	14	19	29	34
Female.....	100	1	4	2	1	2	6	4	8	1	13	7

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Transport accidents (V01-V99,Y85)

All origins, both sexes.....	48,412	142	615	617	836	5,092	6,300	4,333	3,420	3,476	3,773	3,914
Male.....	34,065	70	329	350	499	3,414	4,867	3,370	2,581	2,522	2,711	2,891
Female.....	14,347	72	286	267	337	1,678	1,433	963	839	954	1,062	1,023
Hispanic, both sexes.....	6,556	45	174	115	176	849	1,203	831	608	526	496	402
Male.....	4,981	23	101	71	105	639	1,001	690	492	408	383	297
Female.....	1,575	22	73	44	71	210	202	141	116	118	113	105
Mexican, both sexes.....	4,512	36	147	86	137	618	843	588	403	366	325	277
Male.....	3,467	16	83	51	81	471	706	487	333	291	246	209
Female.....	1,045	20	64	35	56	147	137	101	70	75	79	68
Puerto Rican, both sexes.....	433	2	7	7	11	52	78	53	40	32	32	30
Male.....	324	2	6	5	9	34	59	47	30	23	28	20
Female.....	109	-	1	2	2	18	19	6	10	9	4	10
Cuban, both sexes.....	262	-	3	1	4	25	40	17	9	13	22	18
Male.....	196	-	2	-	1	21	35	15	8	10	16	14
Female.....	66	-	1	1	3	4	5	2	1	3	6	4
Central and South American, both sexes.	863	3	9	11	8	87	162	125	105	76	79	46
Male.....	658	2	4	8	6	68	141	108	81	57	65	33
Female.....	205	1	5	3	2	19	21	17	24	19	14	13
Other and Unknown Hispanic, both sexes.	486	4	8	10	16	67	80	48	51	39	38	31
Male.....	336	3	6	7	8	45	60	33	40	27	28	21
Female.....	150	1	2	3	8	22	20	15	11	12	10	10
Non-Hispanic 1/, both sexes.....	41,727	97	439	501	659	4,230	5,083	3,490	2,809	2,942	3,259	3,496
Male.....	28,988	47	227	278	394	2,763	3,857	2,669	2,087	2,107	2,317	2,581
Female.....	12,739	50	212	223	265	1,467	1,226	821	722	835	942	915
Non-Hispanic white 2/, both sexes.....	33,930	59	277	343	496	3,480	4,104	2,648	2,120	2,319	2,636	2,813
Male.....	23,493	30	135	184	291	2,244	3,128	2,031	1,557	1,647	1,883	2,086
Female.....	10,437	29	142	159	205	1,236	976	617	563	672	753	727
Non-Hispanic black 2/, both sexes.....	5,871	31	130	123	127	530	714	641	554	486	490	522
Male.....	4,255	15	74	75	79	383	532	495	439	374	350	384
Female.....	1,616	16	56	48	48	147	182	146	115	112	140	138
Origin not stated 3/, both sexes.....	129	-	2	1	1	13	14	12	3	8	18	16
Male.....	96	-	1	1	-	12	9	11	2	7	11	13
Female.....	33	-	1	-	1	1	5	1	1	1	7	3

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),

Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Motor vehicle accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)

All origins, both sexes.....	45,316	140	588	577	762	4,939	6,076	4,122	3,226	3,222	3,455	3,578
Male.....	31,633	70	316	324	441	3,304	4,682	3,189	2,439	2,310	2,455	2,614
Female.....	13,683	70	272	253	321	1,635	1,394	933	787	912	1,000	964
Hispanic, both sexes.....	6,288	45	172	111	166	831	1,177	802	586	496	457	375
Male.....	4,756	23	101	69	96	625	979	667	472	381	346	274
Female.....	1,532	22	71	42	70	206	198	135	114	115	111	101
Mexican, both sexes.....	4,339	36	145	84	130	605	827	565	388	344	300	263
Male.....	3,319	16	83	50	74	461	692	470	319	271	222	196
Female.....	1,020	20	62	34	56	144	135	95	69	73	78	67
Puerto Rican, both sexes.....	419	2	7	6	11	52	76	53	37	32	29	29
Male.....	315	2	6	4	9	34	57	47	28	23	25	20
Female.....	104	-	1	2	2	18	19	6	9	9	4	9
Cuban, both sexes.....	246	-	3	1	3	25	39	16	9	11	21	16
Male.....	182	-	2	-	-	21	35	14	8	8	15	12
Female.....	64	-	1	1	3	4	4	2	1	3	6	4
Central and South American, both sexes.	828	3	9	10	7	85	158	122	102	73	71	43
Male.....	628	2	4	8	5	67	137	105	78	55	58	30
Female.....	200	1	5	2	2	18	21	17	24	18	13	13
Other and Unknown Hispanic, both sexes.	456	4	8	10	15	64	77	46	50	36	36	24
Male.....	312	3	6	7	8	42	58	31	39	24	26	16
Female.....	144	1	2	3	7	22	19	15	11	12	10	8
Non-Hispanic 1/, both sexes.....	38,907	95	414	465	595	4,097	4,885	3,309	2,637	2,718	2,981	3,189
Male.....	26,787	47	214	254	345	2,669	3,694	2,512	1,965	1,922	2,098	2,329
Female.....	12,120	48	200	211	250	1,428	1,191	797	672	796	883	860
Non-Hispanic white 2/, both sexes.....	31,541	58	260	314	441	3,369	3,933	2,512	1,979	2,139	2,402	2,555
Male.....	21,633	30	126	166	249	2,166	2,987	1,911	1,458	1,500	1,698	1,876
Female.....	9,908	28	134	148	192	1,203	946	601	521	639	704	679
Non-Hispanic black 2/, both sexes.....	5,555	30	126	118	121	515	698	609	530	454	456	479
Male.....	3,995	15	73	71	74	371	519	467	419	345	325	346
Female.....	1,560	15	53	47	47	144	179	142	111	109	131	133
Origin not stated 3/, both sexes.....	121	-	2	1	1	11	14	11	3	8	17	14
Male.....	90	-	1	1	-	10	9	10	2	7	11	11
Female.....	31	-	1	-	1	1	5	1	1	1	6	3

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) Hispanic origin, race for non-Hispanic population, and sex age

	1	2	3	4	5	6	7	8	9	10	11	12	13
Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)													
All origins, both sexes.....	1,181	1	12	15	35	81	87	74	62	101	116	120	
Male.....	921	-	5	12	28	60	74	60	44	84	98	98	
Female.....	260	1	7	3	7	21	13	14	18	17	18	22	
Hispanic, both sexes.....	150	-	2	1	7	12	15	13	11	20	18	17	
Male.....	128	-	-	1	7	10	15	9	10	17	18	14	
Female.....	22	-	2	-	-	2	-	4	1	3	-	3	
Mexican, both sexes.....	110	-	2	1	6	9	10	12	7	16	13	11	
Male.....	94	-	-	1	6	7	10	8	6	14	13	10	
Female.....	16	-	2	-	-	2	-	4	1	2	-	1	
Puerto Rican, both sexes.....	5	-	-	-	-	-	1	-	-	-	1	1	
Male.....	2	-	-	-	-	-	1	-	-	-	1	-	
Female.....	3	-	-	-	-	-	-	-	-	-	-	1	
Cuban, both sexes.....	3	-	-	-	-	-	-	-	-	-	1	-	
Male.....	3	-	-	-	-	-	-	-	-	-	1	-	
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	
Central and South American, both sexes.	18	-	-	-	-	1	-	2	1	3	2	2	1
Male.....	16	-	-	-	-	1	-	2	1	3	1	2	1
Female.....	2	-	-	-	-	-	-	-	-	-	1	-	-
Other and Unknown Hispanic, both sexes.	14	-	-	-	-	-	3	2	-	1	1	2	4
Male.....	13	-	-	-	-	-	3	2	-	1	1	2	3
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Non-Hispanic 1/, both sexes.....	1,023	1	10	14	28	67	72	60	51	81	97	101	
Male.....	787	-	5	11	21	48	59	50	34	67	80	82	
Female.....	236	1	5	3	7	19	13	10	17	14	17	19	
Non-Hispanic white 2/, both sexes.....	809	-	5	9	25	53	61	35	44	59	72	78	
Male.....	620	-	3	6	18	39	50	32	28	50	61	61	
Female.....	189	-	2	3	7	14	11	3	16	9	11	17	
Non-Hispanic black 2/, both sexes.....	146	1	2	3	2	10	7	16	6	15	16	21	
Male.....	118	-	-	3	2	7	5	12	5	13	11	19	
Female.....	28	1	2	-	-	3	2	4	1	2	5	2	
Origin not stated 3/, both sexes.....	8	-	-	-	-	2	-	1	-	-	1	2	
Male.....	6	-	-	-	-	2	-	1	-	-	-	2	
Female.....	2	-	-	-	-	-	-	-	-	-	1	-	

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for AI  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

#### Nontransport accidents (W00-X59,Y86)

All origins, both sexes.....	73,187	1,005	995	427	378	1,567	3,270	3,709	3,492	4,332	5,953	6,807
Male.....	44,876	597	598	268	268	1,283	2,670	2,893	2,622	3,095	4,103	4,628
Female.....	28,311	408	397	159	110	284	600	816	870	1,237	1,850	2,179
Hispanic, both sexes.....	5,496	144	187	62	59	209	401	454	507	495	585	524
Male.....	4,121	80	114	41	42	179	350	389	429	417	483	405
Female.....	1,375	64	73	21	17	30	51	65	78	78	102	119
Mexican, both sexes.....	3,277	94	140	47	45	138	279	302	308	280	317	285
Male.....	2,523	52	86	29	32	118	249	262	270	247	266	225
Female.....	754	42	54	18	13	20	30	40	38	33	51	60
Puerto Rican, both sexes.....	729	15	11	12	5	15	39	52	79	80	103	113
Male.....	555	8	7	9	4	12	29	47	65	64	81	85
Female.....	174	7	4	3	1	3	10	5	14	16	22	28
Cuban, both sexes.....	233	2	3	-	-	10	7	5	10	8	17	13
Male.....	157	1	3	-	-	7	6	5	8	6	12	7
Female.....	76	1	-	-	-	3	1	-	2	2	5	6
Central and South American, both sexes.	544	12	21	2	4	29	52	52	60	60	60	34
Male.....	416	7	12	2	3	27	47	44	53	53	54	29
Female.....	128	5	9	-	1	2	5	8	7	7	6	5
Other and Unknown Hispanic, both sexes.	713	21	12	1	5	17	24	43	50	67	88	79
Male.....	470	12	6	1	3	15	19	31	33	47	70	59
Female.....	243	9	6	-	2	2	5	12	17	20	18	20
Non-Hispanic 1/, both sexes.....	67,445	857	795	363	318	1,355	2,860	3,244	2,966	3,825	5,344	6,258
Male.....	40,576	514	474	227	225	1,102	2,312	2,496	2,181	2,666	3,602	4,202
Female.....	26,869	343	321	136	93	253	548	748	785	1,159	1,742	2,056
Non-Hispanic white 2/, both sexes.....	57,900	496	537	211	217	1,097	2,522	2,829	2,488	3,169	4,435	5,132
Male.....	34,265	293	323	136	155	874	2,044	2,164	1,826	2,204	2,980	3,423
Female.....	23,635	203	214	75	62	223	478	665	662	965	1,455	1,709
Non-Hispanic black 2/, both sexes.....	7,813	317	225	127	83	204	255	340	368	553	778	975
Male.....	5,188	193	133	77	57	181	197	269	277	384	529	675
Female.....	2,625	124	92	50	26	23	58	71	91	169	249	300
Origin not stated 3/, both sexes.....	246	4	13	2	1	3	9	11	19	12	24	25
Male.....	179	3	10	-	1	2	8	8	12	12	18	21
Female.....	67	1	3	2	-	1	1	3	7	-	6	4

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for Al  
non-Hispanic population, and sex age

	age 0-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90+ years
Falls (WOO-W19)																			
All origins, both sexes.....	20,823	23	38	17	21	81	161	137	181	233	395	578							
Male.....	10,808	16	26	11	12	68	145	119	153	191	319	450							
Female.....	10,015	7	12	6	9	13	16	18	28	42	76	128							
Hispanic, both sexes.....	1,189	4	9	3	2	15	39	42	54	54	65	65							
Male.....	800	3	6	3	2	13	38	41	51	50	59	57							
Female.....	389	1	3	-	-	2	1	1	3	4	6	8							
Mexican, both sexes.....	684	3	5	3	1	10	27	29	37	35	44	42							
Male.....	494	3	4	3	1	9	26	29	36	33	40	37							
Female.....	190	-	1	-	-	1	1	-	1	2	4	5							
Puerto Rican, both sexes.....	100	-	1	-	-	1	1	1	4	3	6	10							
Male.....	64	-	1	-	-	1	1	1	3	3	5	8							
Female.....	36	-	-	-	-	-	-	-	1	-	1	2							
Cuban, both sexes.....	94	-	-	-	-	-	-	-	-	-	-	-							
Male.....	56	-	-	-	-	-	-	-	-	-	-	-							
Female.....	38	-	-	-	-	-	-	-	-	-	-	-							
Central and South American, both sexes.	155	-	3	-	1	2	9	11	11	13	11	8							
Male.....	109	-	1	-	1	2	9	11	11	11	11	10							
Female.....	46	-	2	-	-	-	-	-	-	-	-	1							
Other and Unknown Hispanic, both sexes.	156	1	-	-	-	2	2	1	2	2	3	4	5						
Male.....	77	-	-	-	-	-	1	2	-	1	3	4	4						
Female.....	79	1	-	-	-	-	1	-	1	1	-	1							
Non-Hispanic 1/, both sexes.....	19,592	19	29	14	19	66	120	95	126	179	329	511							
Male.....	9,984	13	20	8	10	55	105	78	101	141	259	392							
Female.....	9,608	6	9	6	9	11	15	17	25	38	70	119							
Non-Hispanic white 2/, both sexes.....	17,996	14	13	5	17	58	103	78	104	143	275	424							
Male.....	9,028	9	9	3	9	47	89	64	84	116	214	325							
Female.....	8,968	5	4	2	8	11	14	14	20	27	61	99							
Non-Hispanic black 2/, both sexes.....	1,052	4	12	6	1	6	13	12	11	29	35	72							
Male.....	639	3	8	3	1	6	13	9	8	19	29	56							
Female.....	413	1	4	3	-	-	-	3	3	10	6	16							
Origin not stated 3/, both sexes.....	42	-	-	-	-	-	2	-	1	-	1	2							
Male.....	24	-	-	-	-	-	2	-	1	-	1	1							
Female.....	18	-	-	-	-	-	-	-	-	-	-	-							

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) Hispanic origin, race for non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for AI  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

#### Accidental exposure to smoke, fire and flames (X00-X09)

All origins, both sexes.....	3,109	27	199	118	63	81	104	102	97	131	165	250
Male.....	1,819	14	117	57	30	48	69	70	62	80	105	153
Female.....	1,290	13	82	61	33	33	35	32	35	51	60	97
Hispanic, both sexes.....	225	3	29	17	11	11	16	15	17	11	15	18
Male.....	153	-	19	7	8	8	11	12	13	7	13	12
Female.....	72	3	10	10	3	3	5	3	4	4	2	6
Mexican, both sexes.....	151	2	21	12	10	5	11	12	13	6	10	12
Male.....	103	-	14	4	7	3	8	9	10	3	9	8
Female.....	48	2	7	8	3	2	3	3	3	3	1	4
Puerto Rican, both sexes.....	26	1	3	4	1	2	3	-	-	1	1	3
Male.....	17	-	2	2	1	1	2	-	-	1	1	1
Female.....	9	1	1	2	-	1	1	-	-	-	-	2
Cuban, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
Central and South American, both sexes.	28	-	3	1	-	4	1	3	3	3	2	-
Male.....	21	-	2	1	-	4	1	3	2	3	2	-
Female.....	7	-	1	-	-	-	-	-	1	-	-	-
Other and Unknown Hispanic, both sexes.	19	-	2	-	-	-	-	-	-	1	1	3
Male.....	12	-	1	-	-	-	-	-	-	1	1	3
Female.....	7	-	1	-	-	-	-	-	-	1	1	-
Non-Hispanic 1/, both sexes.....	2,866	24	167	100	52	69	87	87	79	119	149	232
Male.....	1,655	14	96	50	22	39	57	58	49	72	92	141
Female.....	1,211	10	71	50	30	30	30	29	30	47	57	91
Non-Hispanic white 2/, both sexes.....	2,116	15	86	52	30	53	61	58	56	84	117	172
Male.....	1,232	8	56	26	14	31	42	38	34	50	70	102
Female.....	884	7	30	26	16	22	19	20	22	34	47	70
Non-Hispanic black 2/, both sexes.....	691	7	78	47	19	14	21	25	23	30	28	54
Male.....	383	5	40	23	6	7	10	17	15	18	19	33
Female.....	308	2	38	24	13	7	11	8	8	12	9	21
Origin not stated 3/, both sexes.....	18	-	3	1	-	1	1	-	1	1	1	-
Male.....	11	-	2	-	-	1	1	-	-	1	-	-
Female.....	7	-	1	1	-	-	-	-	1	-	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

#### Accidental poisoning and exposure to noxious substances (X40-X49)

All origins, both sexes.....	27,531	16	27	18	40	738	2,198	2,698	2,569	3,194	4,348	4,730
Male.....	18,581	7	16	9	26	574	1,745	2,036	1,858	2,179	2,841	3,034
Female.....	8,950	9	11	9	14	164	453	662	711	1,015	1,507	1,696
Hispanic, both sexes.....	2,310	2	2	5	6	71	171	243	320	318	391	342
Male.....	1,795	1	1	1	3	53	136	198	260	254	305	250
Female.....	515	1	1	4	3	18	35	45	60	64	86	92
Mexican, both sexes.....	1,242	2	1	4	4	46	109	145	176	158	198	163
Male.....	987	1	-	-	2	35	90	116	150	132	156	121
Female.....	255	1	1	4	2	11	19	29	26	26	42	42
Puerto Rican, both sexes.....	469	-	1	-	-	4	23	44	68	72	90	93
Male.....	375	-	1	-	-	3	14	40	56	58	69	71
Female.....	94	-	-	-	-	1	9	4	12	14	21	22
Cuban, both sexes.....	65	-	-	-	-	7	5	3	7	6	11	8
Male.....	46	-	-	-	-	4	5	3	5	4	8	3
Female.....	19	-	-	-	-	3	-	-	2	2	3	5
Central and South American, both sexes.	164	-	-	-	1	6	19	17	26	30	22	18
Male.....	133	-	-	-	1	4	17	14	22	27	18	14
Female.....	31	-	-	-	-	2	2	3	4	3	4	4
Other and Unknown Hispanic, both sexes.	370	-	-	1	1	8	15	34	43	52	70	60
Male.....	254	-	-	1	-	7	10	25	27	33	54	41
Female.....	116	-	-	-	1	1	5	9	16	19	16	19
Non-Hispanic 1/, both sexes.....	25,118	13	24	13	34	667	2,023	2,450	2,238	2,867	3,940	4,370
Male.....	16,710	5	14	8	23	521	1,606	1,835	1,593	1,916	2,524	2,768
Female.....	8,408	8	10	5	11	146	417	615	645	951	1,416	1,602
Non-Hispanic white 2/, both sexes.....	21,152	6	16	6	25	624	1,878	2,219	1,933	2,414	3,290	3,601
Male.....	13,983	3	10	4	16	490	1,500	1,654	1,371	1,612	2,108	2,260
Female.....	7,169	3	6	2	9	134	378	565	562	802	1,182	1,341
Non-Hispanic black 2/, both sexes.....	3,474	6	8	4	3	28	112	197	244	398	579	678
Male.....	2,400	1	4	3	3	20	79	156	179	265	370	450
Female.....	1,074	5	4	1	-	8	33	41	65	133	209	228
Origin not stated 3/, both sexes.....	103	1	1	-	-	-	4	5	11	9	17	18
Male.....	76	1	1	-	-	-	3	3	5	9	12	16
Female.....	27	-	-	-	-	-	1	2	6	-	5	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)

All origins, both sexes.....	17,503	888	260	114	117	255	410	442	426	534	745	920
Male.....	10,327	533	139	77	88	215	353	372	352	451	603	733
Female.....	7,176	355	121	37	29	40	57	70	74	83	142	187
Hispanic, both sexes.....	1,200	120	53	19	17	28	79	81	83	85	84	79
Male.....	886	68	26	15	10	25	73	71	73	82	79	70
Female.....	314	52	27	4	7	3	6	10	10	3	5	9
Mexican, both sexes.....	807	76	46	15	13	19	57	58	63	62	53	56
Male.....	608	43	24	12	8	17	54	56	56	61	50	49
Female.....	199	33	22	3	5	2	3	2	7	1	3	7
Puerto Rican, both sexes.....	87	13	-	4	1	3	3	3	5	2	3	6
Male.....	60	7	-	3	1	2	3	2	4	2	3	5
Female.....	27	6	-	1	-	1	-	1	1	-	-	1
Cuban, both sexes.....	54	2	-	-	-	1	1	1	2	1	3	2
Male.....	39	1	-	-	-	1	1	1	2	1	2	2
Female.....	15	1	-	-	-	-	-	-	-	-	1	-
Central and South American, both sexes.	125	11	1	-	2	4	14	13	11	11	18	7
Male.....	89	6	-	-	1	4	11	8	9	9	18	6
Female.....	36	5	1	-	1	-	3	5	2	2	-	1
Other and Unknown Hispanic, both sexes.	127	18	6	-	1	1	4	6	2	9	7	8
Male.....	90	11	2	-	-	1	4	4	2	9	6	8
Female.....	37	7	4	-	1	-	-	2	-	-	1	-
Non-Hispanic 1/, both sexes.....	16,245	766	203	95	100	226	330	357	338	447	658	837
Male.....	9,395	463	110	62	78	190	279	298	274	367	521	660
Female.....	6,850	303	93	33	22	36	51	59	64	80	137	177
Non-Hispanic white 2/, both sexes.....	13,885	432	140	68	77	175	279	292	268	362	527	674
Male.....	7,917	258	78	46	63	146	242	252	221	296	417	531
Female.....	5,968	174	62	22	14	29	37	40	47	66	110	143
Non-Hispanic black 2/, both sexes.....	1,934	295	55	22	21	37	33	52	49	65	106	138
Male.....	1,195	180	27	14	14	32	22	34	39	53	85	108
Female.....	739	115	28	8	7	5	11	18	10	12	21	30
Origin not stated 3/, both sexes.....	58	2	4	-	-	1	1	4	5	2	3	4
Male.....	46	2	3	-	-	-	1	3	5	2	3	3
Female.....	12	-	1	-	-	1	-	1	-	-	-	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) (\*U03,X60-X84,Y87.0)

All origins, both sexes.....	33,300	...	...	3	216	1,555	2,634	2,560	2,425	3,115	3,476	3,893
Male.....	26,308	...	...	2	151	1,262	2,266	2,087	1,966	2,419	2,646	2,926
Female.....	6,992	...	...	1	65	293	368	473	459	696	830	967
Hispanic, both sexes.....	2,177	...	...	1	24	198	345	315	259	226	215	183
Male.....	1,813	...	...	1	17	147	305	266	220	192	181	145
Female.....	364	...	...	-	7	51	40	49	39	34	34	38
Mexican, both sexes.....	1,287	...	...	1	18	138	230	219	171	140	118	93
Male.....	1,078	...	...	1	13	104	201	185	148	114	102	77
Female.....	209	...	...	-	5	34	29	34	23	26	16	16
Puerto Rican, both sexes.....	205	...	...	-	1	14	25	23	22	31	23	24
Male.....	163	...	...	-	1	9	23	20	18	29	13	19
Female.....	42	...	...	-	-	5	2	3	4	2	10	5
Cuban, both sexes.....	161	...	...	-	-	2	13	5	5	7	13	16
Male.....	140	...	...	-	-	2	13	5	5	5	12	12
Female.....	21	...	...	-	-	-	-	-	-	2	1	4
Central and South American, both sexes.	238	...	...	-	2	10	35	33	31	22	20	24
Male.....	203	...	...	-	1	9	32	31	23	21	18	16
Female.....	35	...	...	-	1	1	3	2	8	1	2	8
Other and Unknown Hispanic, both sexes.	286	...	...	-	3	34	42	35	30	26	41	26
Male.....	229	...	...	-	2	23	36	25	26	23	36	21
Female.....	57	...	...	-	1	11	6	10	4	3	5	5
Non-Hispanic 1/, both sexes.....	31,035	...	...	2	191	1,354	2,279	2,243	2,159	2,885	3,251	3,697
Male.....	24,424	...	...	1	133	1,112	1,954	1,819	1,741	2,225	2,456	2,770
Female.....	6,611	...	...	1	58	242	325	424	418	660	795	927
Non-Hispanic white 2/, both sexes.....	27,952	...	...	2	141	1,098	1,846	1,870	1,819	2,554	2,954	3,424
Male.....	21,952	...	...	1	99	905	1,591	1,504	1,456	1,955	2,224	2,561
Female.....	6,000	...	...	1	42	193	255	366	363	599	730	863
Non-Hispanic black 2/, both sexes.....	1,909	...	...	-	35	143	264	251	215	224	182	168
Male.....	1,630	...	...	-	28	121	230	222	192	192	150	138
Female.....	279	...	...	-	7	22	34	29	23	32	32	30
Origin not stated 3/, both sexes.....	88	...	...	-	1	3	10	2	7	4	10	13
Male.....	71	...	...	-	1	3	7	2	5	2	9	11
Female.....	17	...	...	-	-	-	3	-	2	2	1	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

#### Intentional self-harm (suicide) by discharge of firearms (X72-X74)

All origins, both sexes.....	16,883	...	...	-	62	701	1,277	1,121	1,029	1,310	1,511	1,783
Male.....	14,734	...	...	-	52	639	1,157	978	914	1,105	1,253	1,476
Female.....	2,149	...	...	-	10	62	120	143	115	205	258	307
Hispanic, both sexes.....	817	...	...	-	8	81	148	117	92	76	72	53
Male.....	752	...	...	-	5	77	139	102	87	72	67	44
Female.....	65	...	...	-	3	4	9	15	5	4	5	9
Mexican, both sexes.....	507	...	...	-	6	56	92	83	66	51	43	32
Male.....	466	...	...	-	4	53	87	72	63	48	39	27
Female.....	41	...	...	-	2	3	5	11	3	3	4	5
Puerto Rican, both sexes.....	60	...	...	-	-	5	13	11	5	10	4	3
Male.....	55	...	...	-	-	5	12	9	5	10	3	3
Female.....	5	...	...	-	-	1	2	-	-	1	-	-
Cuban, both sexes.....	62	...	...	-	-	1	6	1	-	1	4	5
Male.....	60	...	...	-	-	1	6	1	-	1	4	4
Female.....	2	...	...	-	-	-	-	-	-	-	-	1
Central and South American, both sexes.	70	...	...	-	-	3	14	8	11	7	6	6
Male.....	63	...	...	-	-	2	13	7	10	6	6	5
Female.....	7	...	...	-	-	1	1	1	1	1	-	1
Other and Unknown Hispanic, both sexes.	118	...	...	-	2	16	23	14	10	7	15	7
Male.....	108	...	...	-	1	16	21	13	9	7	15	5
Female.....	10	...	...	-	1	-	2	1	1	-	-	2
Non-Hispanic 1/, both sexes.....	16,024	...	...	-	53	619	1,126	1,003	934	1,232	1,433	1,727
Male.....	13,946	...	...	-	46	561	1,016	875	824	1,033	1,181	1,429
Female.....	2,078	...	...	-	7	58	110	128	110	199	252	298
Non-Hispanic white 2/, both sexes.....	14,721	...	...	-	48	505	911	818	792	1,109	1,322	1,634
Male.....	12,777	...	...	-	42	459	822	707	695	922	1,083	1,351
Female.....	1,944	...	...	-	6	46	89	111	97	187	239	283
Non-Hispanic black 2/, both sexes.....	994	...	...	-	2	80	163	149	110	94	83	70
Male.....	903	...	...	-	2	72	150	137	99	86	76	61
Female.....	91	...	...	-	-	8	13	12	11	8	7	9
Origin not stated 3/, both sexes.....	42	...	...	-	1	1	3	1	3	2	6	3
Male.....	36	...	...	-	1	1	2	1	3	-	5	3
Female.....	6	...	...	-	-	-	1	-	-	2	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) by other and unspecified means and their sequelae (\*U03,X60-X71,X75-X84,Y87.0)

All origins, both sexes.....	16,417	...	...	3	154	854	1,357	1,439	1,396	1,805	1,965	2,110
Male.....	11,574	...	...	2	99	623	1,109	1,109	1,052	1,314	1,393	1,450
Female.....	4,843	...	...	1	55	231	248	330	344	491	572	660
Hispanic, both sexes.....	1,360	...	...	1	16	117	197	198	167	150	143	130
Male.....	1,061	...	...	1	12	70	166	164	133	120	114	101
Female.....	299	...	...	-	4	47	31	34	34	30	29	29
Mexican, both sexes.....	780	...	...	1	12	82	138	136	105	89	75	61
Male.....	612	...	...	1	9	51	114	113	85	66	63	50
Female.....	168	...	...	-	3	31	24	23	20	23	12	11
Puerto Rican, both sexes.....	145	...	...	-	1	9	12	12	17	21	19	21
Male.....	108	...	...	-	1	4	11	11	13	19	10	16
Female.....	37	...	...	-	-	5	1	1	4	2	9	5
Cuban, both sexes.....	99	...	...	-	-	1	7	4	5	6	9	11
Male.....	80	...	...	-	-	1	7	4	5	4	8	8
Female.....	19	...	...	-	-	-	-	-	-	2	1	3
Central and South American, both sexes.	168	...	...	-	2	7	21	25	20	15	14	18
Male.....	140	...	...	-	1	7	19	24	13	15	12	11
Female.....	28	...	...	-	1	-	2	1	7	-	2	7
Other and Unknown Hispanic, both sexes.	168	...	...	-	1	18	19	21	20	19	26	19
Male.....	121	...	...	-	1	7	15	12	17	16	21	16
Female.....	47	...	...	-	-	11	4	9	3	3	5	3
Non-Hispanic 1/, both sexes.....	15,011	...	...	2	138	735	1,153	1,240	1,225	1,653	1,818	1,970
Male.....	10,478	...	...	1	87	551	938	944	917	1,192	1,275	1,341
Female.....	4,533	...	...	1	51	184	215	296	308	461	543	629
Non-Hispanic white 2/, both sexes.....	13,231	...	...	2	93	593	935	1,052	1,027	1,445	1,632	1,790
Male.....	9,175	...	...	1	57	446	769	797	761	1,033	1,141	1,210
Female.....	4,056	...	...	1	36	147	166	255	266	412	491	580
Non-Hispanic black 2/, both sexes.....	915	...	...	-	33	63	101	102	105	130	99	98
Male.....	727	...	...	-	26	49	80	85	93	106	74	77
Female.....	188	...	...	-	7	14	21	17	12	24	25	21
Origin not stated 3/, both sexes.....	46	...	...	-	-	2	7	1	4	2	4	10
Male.....	35	...	...	-	-	2	5	1	2	2	4	8
Female.....	11	...	...	-	-	-	2	-	2	-	-	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Assault (homicide) (\*U01-\*U02,X85-Y09,Y87.1)

All origins, both sexes.....	18,573	336	366	149	241	2,291	3,426	2,795	1,930	1,602	1,418	1,280
Male.....	14,717	199	208	78	168	1,990	3,001	2,370	1,613	1,218	1,051	959
Female.....	3,856	137	158	71	73	301	425	425	317	384	367	321
Hispanic, both sexes.....	3,524	81	62	29	66	574	769	605	390	325	212	164
Male.....	3,004	50	35	13	50	522	688	545	335	269	171	135
Female.....	520	31	27	16	16	52	81	60	55	56	41	29
Mexican, both sexes.....	2,472	58	45	20	51	424	551	426	273	222	144	110
Male.....	2,146	36	26	11	40	386	502	385	237	189	123	93
Female.....	326	22	19	9	11	38	49	41	36	33	21	17
Puerto Rican, both sexes.....	318	11	5	3	4	49	71	48	31	34	17	11
Male.....	255	6	3	1	2	44	61	44	26	26	10	9
Female.....	63	5	2	2	2	5	10	4	5	8	7	2
Cuban, both sexes.....	73	1	1	-	4	8	6	3	5	7	9	8
Male.....	57	1	1	-	3	5	5	2	3	6	6	6
Female.....	16	-	-	-	1	3	1	1	2	1	3	2
Central and South American, both sexes.	427	1	2	2	6	56	90	92	55	42	28	22
Male.....	364	-	2	-	4	54	80	81	48	34	21	17
Female.....	63	1	-	2	2	2	10	11	7	8	7	5
Other and Unknown Hispanic, both sexes.	234	10	9	4	1	37	51	36	26	20	14	13
Male.....	182	7	3	1	1	33	40	33	21	14	11	10
Female.....	52	3	6	3	-	4	11	3	5	6	3	3
Non-Hispanic 1/, both sexes.....	14,959	252	303	120	175	1,713	2,637	2,178	1,532	1,270	1,199	1,109
Male.....	11,639	147	172	65	118	1,465	2,294	1,815	1,272	943	874	820
Female.....	3,320	105	131	55	57	248	343	363	260	327	325	289
Non-Hispanic white 2/, both sexes.....	5,408	145	133	64	70	338	562	513	418	479	560	573
Male.....	3,575	76	77	27	41	230	408	361	303	314	386	397
Female.....	1,833	69	56	37	29	108	154	152	115	165	174	176
Non-Hispanic black 2/, both sexes.....	8,902	101	150	50	97	1,287	1,966	1,586	1,049	739	592	475
Male.....	7,566	66	81	34	70	1,157	1,789	1,391	924	598	454	380
Female.....	1,336	35	69	16	27	130	177	195	125	141	138	95
Origin not stated 3/, both sexes.....	90	3	1	-	-	4	20	12	8	7	7	7
Male.....	74	2	1	-	-	3	19	10	6	6	6	4
Female.....	16	1	-	-	-	1	1	2	2	1	1	3

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

#### Assault (homicide) by discharge of firearms (\*U01.4, X93-X95)

All origins, both sexes.....	12,791	6	42	62	175	1,940	2,887	2,240	1,527	1,106	881	701
Male.....	10,886	2	25	32	135	1,751	2,624	1,983	1,339	891	695	550
Female.....	1,905	4	17	30	40	189	263	257	188	215	186	151
Hispanic, both sexes.....	2,472	1	10	11	50	484	626	463	293	206	137	89
Male.....	2,223	-	7	5	42	448	584	426	264	176	114	74
Female.....	249	1	3	6	8	36	42	37	29	30	23	15
Mexican, both sexes.....	1,824	1	7	9	43	368	461	340	215	148	99	64
Male.....	1,652	-	4	5	36	339	435	315	195	125	85	55
Female.....	172	1	3	4	7	29	26	25	20	23	14	9
Puerto Rican, both sexes.....	192	-	1	1	1	36	56	37	24	14	8	7
Male.....	170	-	1	-	1	35	51	33	22	12	6	5
Female.....	22	-	-	1	-	1	5	4	2	2	2	2
Cuban, both sexes.....	42	-	-	-	2	8	4	2	3	5	6	5
Male.....	34	-	-	-	2	5	3	2	3	4	5	4
Female.....	8	-	-	-	-	3	1	-	-	1	1	1
Central and South American, both sexes.	267	-	1	1	3	44	60	56	35	27	18	8
Male.....	239	-	1	-	2	43	59	50	30	24	14	5
Female.....	28	-	-	1	1	1	1	6	5	3	4	3
Other and Unknown Hispanic, both sexes.	147	-	1	-	1	28	45	28	16	12	6	5
Male.....	128	-	1	-	1	26	36	26	14	11	4	5
Female.....	19	-	-	-	-	2	9	2	2	1	2	-
Non-Hispanic 1/, both sexes.....	10,260	5	32	51	125	1,452	2,242	1,767	1,228	895	739	609
Male.....	8,613	2	18	27	93	1,300	2,022	1,549	1,071	711	577	474
Female.....	1,647	3	14	24	32	152	220	218	157	184	162	135
Non-Hispanic white 2/, both sexes.....	2,860	1	13	28	41	231	358	325	277	304	321	289
Male.....	2,008	-	8	13	26	175	279	248	212	208	239	191
Female.....	852	1	5	15	15	56	79	77	65	96	82	98
Non-Hispanic black 2/, both sexes.....	7,021	4	19	19	80	1,153	1,799	1,392	909	568	396	286
Male.....	6,292	2	10	11	63	1,062	1,665	1,257	828	489	324	254
Female.....	729	2	9	8	17	91	134	135	81	79	72	32
Origin not stated 3/, both sexes.....	59	-	-	-	-	4	19	10	6	5	5	3
Male.....	50	-	-	-	-	3	18	8	4	4	4	2
Female.....	9	-	-	-	-	1	1	2	2	1	1	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for AI  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) Hispanic origin, race for non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Events of undetermined intent (Y10-Y34, Y87.2, Y89.9)

All origins, both sexes.....	5,131	92	52	22	37	181	421	412	405	549	729	795
Male.....	3,249	57	29	15	28	134	318	299	270	336	431	478
Female.....	1,882	35	23	7	9	47	103	113	135	213	298	317
Hispanic, both sexes.....	340	18	9	2	3	22	33	24	32	52	41	40
Male.....	249	13	6	1	3	19	22	21	25	39	31	27
Female.....	91	5	3	1	-	3	11	3	7	13	10	13
Mexican, both sexes.....	191	12	6	1	3	16	20	15	23	27	23	19
Male.....	134	8	4	-	3	14	14	13	18	18	14	13
Female.....	57	4	2	1	-	2	6	2	5	9	9	6
Puerto Rican, both sexes.....	43	2	1	-	-	1	3	1	1	10	3	10
Male.....	37	2	1	-	-	1	3	1	1	7	3	7
Female.....	6	-	-	-	-	-	-	-	-	3	-	3
Cuban, both sexes.....	6	-	-	-	-	-	1	-	1	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	4	-	-	-	-	-	1	-	1	-	-	-
Central and South American, both sexes.	38	2	-	-	-	3	5	3	3	5	4	5
Male.....	34	1	-	-	-	3	4	3	3	5	4	5
Female.....	4	1	-	-	-	-	1	-	-	-	-	-
Other and Unknown Hispanic, both sexes.	62	2	2	1	-	2	4	5	4	10	11	5
Male.....	42	2	1	1	-	1	1	4	3	9	10	1
Female.....	20	-	1	-	-	1	3	1	1	1	1	4
Non-Hispanic 1/, both sexes.....	4,770	73	43	20	34	159	387	388	373	497	685	752
Male.....	2,983	44	23	14	25	115	295	278	245	297	398	448
Female.....	1,787	29	20	6	9	44	92	110	128	200	287	304
Non-Hispanic white 2/, both sexes.....	3,874	46	20	9	27	138	327	327	313	401	563	615
Male.....	2,359	28	7	6	19	100	249	228	205	233	316	352
Female.....	1,515	18	13	3	8	38	78	99	108	168	247	263
Non-Hispanic black 2/, both sexes.....	710	22	21	10	6	15	42	45	42	79	104	117
Male.....	502	12	14	7	5	12	33	37	29	52	73	83
Female.....	208	10	7	3	1	3	9	8	13	27	31	34
Origin not stated 3/, both sexes.....	21	1	-	-	-	1	-	-	-	3	3	-
Male.....	17	-	-	-	-	-	1	-	-	2	3	-
Female.....	4	1	-	-	-	-	-	-	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for AI  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for AI  
non-Hispanic population, and sex age

Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality".]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for AI  
non-Hispanic population, and sex age

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Alcohol-induced causes (E24.4,F10,G31.2,G62.1,G72.1,I42.6,K29.2,K70,K85.2,K86.0,R78.0,X45,X65,Y15) 4/

All origins, both sexes.....	22,073	-	-	-	2	46	103	212	425	967	2,270	3,571
Male.....	16,472	-	-	-	2	44	79	176	320	672	1,574	2,567
Female.....	5,601	-	-	-	-	2	24	36	105	295	696	1,004
Hispanic, both sexes.....	2,804	-	-	-	-	15	21	66	120	184	350	450
Male.....	2,341	-	-	-	-	14	19	62	105	150	283	374
Female.....	463	-	-	-	-	1	2	4	15	34	67	76
Mexican, both sexes.....	1,826	-	-	-	-	9	12	41	84	123	222	307
Male.....	1,545	-	-	-	-	9	11	37	76	100	181	260
Female.....	281	-	-	-	-	-	1	4	8	23	41	47
Puerto Rican, both sexes.....	265	-	-	-	-	-	1	-	4	11	26	40
Male.....	216	-	-	-	-	-	1	-	3	8	19	33
Female.....	49	-	-	-	-	-	-	-	1	3	7	7
Cuban, both sexes.....	58	-	-	-	-	1	-	1	1	6	6	4
Male.....	51	-	-	-	-	1	-	1	1	5	6	3
Female.....	7	-	-	-	-	-	-	-	-	1	-	1
Central and South American, both sexes.	311	-	-	-	-	5	6	18	19	24	52	50
Male.....	272	-	-	-	-	4	6	18	16	23	48	45
Female.....	39	-	-	-	-	1	-	-	3	1	4	5
Other and Unknown Hispanic, both sexes.	344	-	-	-	-	-	2	6	12	20	44	49
Male.....	257	-	-	-	-	-	1	6	9	14	29	33
Female.....	87	-	-	-	-	-	1	-	3	6	15	16
Non-Hispanic 1/, both sexes.....	19,187	-	-	-	2	31	81	145	305	779	1,913	3,107
Male.....	14,055	-	-	-	2	30	59	114	215	518	1,286	2,180
Female.....	5,132	-	-	-	-	1	22	31	90	261	627	927
Non-Hispanic white 2/, both sexes.....	16,114	-	-	-	-	25	63	101	220	598	1,565	2,615
Male.....	11,837	-	-	-	-	24	46	78	164	408	1,065	1,841
Female.....	4,277	-	-	-	-	1	17	23	56	190	500	774
Non-Hispanic black 2/, both sexes.....	2,128	-	-	-	1	3	11	21	32	90	206	329
Male.....	1,561	-	-	-	1	3	9	18	15	54	130	230
Female.....	567	-	-	-	-	-	2	3	17	36	76	99
Origin not stated 3/, both sexes.....	82	-	-	-	-	-	1	1	-	4	7	14
Male.....	76	-	-	-	-	-	1	-	-	4	5	13
Female.....	6	-	-	-	-	-	-	1	-	-	2	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004),

Hispanic origin, race for non-Hispanic population, and sex All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
ages 1 year years years years years years years years years years years

Drug-induced causes (D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7- F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, K85.3, L10.5, L27.0-L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R50.2, R78.1-R78.5, X40-X44, X60-X64, X85, Y10-Y14) 4/

All origins, both sexes.....	38,396	44	36	15	43	880	2,772	3,408	3,379	4,279	5,887	6,464
Male.....	24,507	23	20	9	24	654	2,127	2,466	2,342	2,752	3,681	3,943
Female.....	13,889	21	16	6	19	226	645	942	1,037	1,527	2,206	2,521
Hispanic, both sexes.....	2,871	9	2	4	4	75	194	276	379	387	490	439
Male.....	2,135	5	1	2	2	54	146	219	292	287	373	312
Female.....	736	4	1	2	2	21	48	57	87	100	117	127
Mexican, both sexes.....	1,553	5	-	2	3	52	123	161	218	194	252	212
Male.....	1,178	2	-	-	2	39	98	126	175	148	191	148
Female.....	375	3	-	2	1	13	25	35	43	46	61	64
Puerto Rican, both sexes.....	571	2	1	-	-	4	24	47	74	86	115	114
Male.....	442	2	1	-	-	3	15	40	59	65	88	85
Female.....	129	-	-	-	-	1	9	7	15	21	27	29
Cuban, both sexes.....	93	-	-	-	1	7	7	3	9	7	13	16
Male.....	61	-	-	-	-	4	6	3	6	5	9	10
Female.....	32	-	-	-	1	3	1	-	3	2	4	6
Central and South American, both sexes.	174	1	-	-	-	3	14	20	29	29	21	20
Male.....	134	-	-	-	-	1	12	18	22	25	17	15
Female.....	40	1	-	-	-	2	2	2	7	4	4	5
Other and Unknown Hispanic, both sexes.	480	1	1	2	-	9	26	45	49	71	89	77
Male.....	320	1	-	2	-	7	15	32	30	44	68	54
Female.....	160	-	1	-	-	2	11	13	19	27	21	23
Non-Hispanic 1/, both sexes.....	35,379	34	34	11	39	805	2,574	3,127	2,985	3,881	5,370	5,998
Male.....	22,262	17	19	7	22	600	1,978	2,244	2,042	2,454	3,288	3,608
Female.....	13,117	17	15	4	17	205	596	883	943	1,427	2,082	2,390
Non-Hispanic white 2/, both sexes.....	29,970	19	20	4	33	754	2,392	2,843	2,577	3,278	4,497	4,961
Male.....	18,634	11	11	3	17	565	1,853	2,033	1,750	2,064	2,743	2,934
Female.....	11,336	8	9	1	16	189	539	810	827	1,214	1,754	2,027
Non-Hispanic black 2/, both sexes.....	4,722	14	12	6	5	30	137	239	320	517	781	936
Male.....	3,212	5	7	3	4	19	93	181	233	336	496	612
Female.....	1,510	9	5	3	1	11	44	58	87	181	285	324
Origin not stated 3/, both sexes.....	146	1	-	-	-	-	4	5	15	11	27	27
Male.....	110	1	-	-	-	-	3	3	8	11	20	23
Female.....	36	-	-	-	-	-	1	2	7	-	7	4

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Injury by firearms (\*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 4/

All origins, both sexes.....	30,896	6	57	80	266	2,809	4,346	3,522	2,667	2,509	2,503	2,575
Male.....	26,712	2	38	42	216	2,549	3,954	3,111	2,352	2,075	2,046	2,102
Female.....	4,184	4	19	38	50	260	392	411	315	434	457	473
Hispanic, both sexes.....	3,464	1	12	11	61	598	808	609	411	296	224	149
Male.....	3,142	-	9	5	50	557	756	557	374	260	195	125
Female.....	322	1	3	6	11	41	52	52	37	36	29	24
Mexican, both sexes.....	2,459	1	9	9	52	450	577	447	300	209	154	99
Male.....	2,239	-	6	5	43	417	545	411	274	182	135	85
Female.....	220	1	3	4	9	33	32	36	26	27	19	14
Puerto Rican, both sexes.....	269	-	1	1	1	42	73	50	33	26	13	11
Male.....	241	-	1	-	1	41	67	44	31	23	10	9
Female.....	28	-	-	1	-	1	6	6	2	3	3	2
Cuban, both sexes.....	108	-	-	-	2	9	10	3	3	6	11	12
Male.....	98	-	-	-	2	6	9	3	3	5	10	10
Female.....	10	-	-	-	-	3	1	-	-	1	1	2
Central and South American, both sexes.	347	-	1	1	3	50	78	65	48	34	24	14
Male.....	312	-	1	-	2	48	76	58	42	30	20	10
Female.....	35	-	-	1	1	2	2	7	6	4	4	4
Other and Unknown Hispanic, both sexes.	281	-	1	-	3	47	70	44	27	21	22	13
Male.....	252	-	1	-	2	45	59	41	24	20	20	11
Female.....	29	-	-	-	1	2	11	3	3	1	2	2
Non-Hispanic 1/, both sexes.....	27,329	5	45	69	203	2,206	3,516	2,902	2,247	2,206	2,267	2,420
Male.....	23,482	2	29	37	164	1,988	3,178	2,545	1,971	1,811	1,841	1,972
Female.....	3,847	3	16	32	39	218	338	357	276	395	426	448
Non-Hispanic white 2/, both sexes.....	18,312	1	16	41	105	809	1,349	1,218	1,123	1,473	1,720	1,996
Male.....	15,411	-	10	22	84	700	1,174	1,019	955	1,178	1,388	1,602
Female.....	2,901	1	6	19	21	109	175	199	168	295	332	394
Non-Hispanic black 2/, both sexes.....	8,294	4	28	22	90	1,290	2,022	1,593	1,045	679	494	367
Male.....	7,460	2	18	12	73	1,190	1,874	1,446	950	592	414	324
Female.....	834	2	10	10	17	100	148	147	95	87	80	43
Origin not stated 3/, both sexes.....	103	-	-	-	2	5	22	11	9	7	12	6
Male.....	88	-	-	-	2	4	20	9	7	4	10	5
Female.....	15	-	-	-	-	1	2	2	2	3	2	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All causes

All origins, both sexes.....	105,763	133,053	148,348	171,883	218,210	297,710	369,628	352,112	238,362	92,236	19,282	220
Male.....	66,154	81,373	87,614	98,721	119,444	154,227	173,088	141,809	75,514	21,168	3,087	171
Female.....	39,609	51,680	60,734	73,162	98,766	143,483	196,540	210,303	162,848	71,068	16,195	49
Hispanic, both sexes.....	7,549	8,241	8,464	9,550	11,511	14,119	14,653	11,831	7,521	2,960	749	36
Male.....	4,957	5,239	5,032	5,505	6,275	7,224	6,985	4,813	2,526	833	195	29
Female.....	2,592	3,002	3,432	4,045	5,236	6,895	7,668	7,018	4,995	2,127	554	7
Mexican, both sexes.....	4,434	4,748	4,747	5,300	6,185	7,663	7,877	5,807	3,503	1,412	340	27
Male.....	2,964	3,025	2,797	3,016	3,386	3,919	3,860	2,466	1,296	430	95	23
Female.....	1,470	1,723	1,950	2,284	2,799	3,744	4,017	3,341	2,207	982	245	4
Puerto Rican, both sexes.....	1,049	1,259	1,358	1,424	1,750	1,724	1,693	1,366	893	311	76	2
Male.....	681	834	825	836	961	858	779	526	275	92	18	-
Female.....	368	425	533	588	789	866	914	840	618	219	58	2
Cuban, both sexes.....	382	462	650	909	1,244	1,828	2,190	2,065	1,406	565	164	1
Male.....	270	336	437	578	734	1,044	1,048	824	444	150	39	-
Female.....	112	126	213	331	510	784	1,142	1,241	962	415	125	1
Central and South American, both sexes.	892	897	866	1,005	1,167	1,372	1,246	1,184	740	309	82	-
Male.....	535	499	456	526	561	603	493	396	187	61	19	-
Female.....	357	398	410	479	606	769	753	788	553	248	63	-
Other and Unknown Hispanic, both sexes.	792	875	843	912	1,165	1,532	1,647	1,409	979	363	87	6
Male.....	507	545	517	549	633	800	805	601	324	100	24	6
Female.....	285	330	326	363	532	732	842	808	655	263	63	-
Non-Hispanic 1/, both sexes.....	97,894	124,454	139,502	161,919	206,276	283,133	354,417	339,819	230,555	89,164	18,512	118
Male.....	60,965	75,878	82,320	92,945	112,885	146,746	165,829	136,795	72,883	20,315	2,890	88
Female.....	36,929	48,576	57,182	68,974	93,391	136,387	188,588	203,024	157,672	68,849	15,622	30
Non-Hispanic white 2/, both sexes.....	73,925	97,191	113,127	133,248	174,227	247,476	316,637	309,862	211,119	81,174	16,098	92
Male.....	46,599	59,651	67,128	77,056	96,000	129,406	149,284	125,456	66,870	18,370	2,455	72
Female.....	27,326	37,540	45,999	56,192	78,227	118,070	167,353	184,406	144,249	62,804	13,643	20
Non-Hispanic black 2/, both sexes.....	20,932	23,553	22,408	23,929	26,645	28,976	30,440	23,671	15,413	6,555	2,039	19
Male.....	12,564	14,020	12,909	13,202	14,063	13,993	13,052	8,523	4,364	1,422	319	11
Female.....	8,368	9,533	9,499	10,727	12,582	14,983	17,388	15,148	11,049	5,133	1,720	8
Origin not stated 3/, both sexes.....	320	358	382	414	423	458	558	462	286	112	21	66
Male.....	232	256	262	271	284	257	274	201	105	20	2	54
Female.....	88	102	120	143	139	201	284	261	181	92	19	12

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex year



Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004  
Hispanic origin, race for 50  
non-Hispanic population, and sex yes

Certain other intestinal infections (A04,A07-A09)												
All origins, both sexes.....	83	157	206	342	569	999	1,485	1,417	916	306	38	-
Male.....	37	81	112	178	242	432	551	511	263	64	6	-
Female.....	46	76	94	164	327	567	934	906	653	242	32	-
Hispanic, both sexes.....	2	13	20	14	32	62	58	30	24	7	2	-
Male.....	-	5	13	6	16	19	22	14	10	-	-	-
Female.....	2	8	7	8	16	43	36	16	14	7	2	-
Mexican, both sexes.....	2	7	7	5	17	30	37	16	9	-	2	-
Male.....	-	1	5	3	9	9	17	7	4	-	-	-
Female.....	2	6	2	2	8	21	20	9	5	-	2	-
Puerto Rican, both sexes.....	-	2	6	6	7	7	10	2	3	-	-	-
Male.....	-	2	4	2	3	1	2	1	1	-	-	-
Female.....	-	-	2	4	4	6	8	1	2	-	-	-
Cuban, both sexes.....	-	2	1	-	5	11	4	3	4	3	-	-
Male.....	-	2	1	-	3	5	1	-	3	-	-	-
Female.....	-	-	-	-	2	6	3	3	1	3	-	-
Central and South American, both sexes.	-	1	6	-	1	8	4	6	4	-	-	-
Male.....	-	-	3	-	-	2	-	5	1	-	-	-
Female.....	-	1	3	-	1	6	4	1	3	-	-	-
Other and Unknown Hispanic, both sexes.	-	1	-	3	2	6	3	3	4	4	-	-
Male.....	-	-	-	1	1	2	2	1	1	-	-	-
Female.....	-	1	-	2	1	4	1	2	3	4	-	-
Non-Hispanic 1/, both sexes.....	81	144	186	327	536	937	1,425	1,387	892	299	35	-
Male.....	37	76	99	171	225	413	529	497	253	64	5	-
Female.....	44	68	87	156	311	524	896	890	639	235	30	-
Non-Hispanic white 2/, both sexes.....	55	115	154	292	479	874	1,354	1,320	854	283	33	-
Male.....	25	62	82	154	202	385	499	470	244	63	5	-
Female.....	30	53	72	138	277	489	855	850	610	220	28	-
Non-Hispanic black 2/, both sexes.....	24	24	29	28	50	48	56	48	30	11	2	-
Male.....	10	12	15	13	19	20	20	16	6	-	-	-
Female.....	14	12	14	15	31	28	36	32	24	11	2	-
Origin not stated 3/, both sexes.....	-	-	-	1	1	-	2	-	-	-	1	-
Male.....	-	-	-	1	1	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004 Hispanic origin, race for non-Hispanic population, and sex year

Hispanic origin, race for non-Hispanic population, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
<b>Tuberculosis (A16-A19)</b>												
All origins, both sexes.....	50	48	53	59	58	70	98	71	36	4	-	-
Male.....	40	38	43	41	36	44	54	31	20	1	-	-
Female.....	10	10	10	18	22	26	44	40	16	3	-	-
Hispanic, both sexes.....	11	8	14	13	7	13	7	4	5	1	-	-
Male.....	11	6	9	6	4	6	4	2	3	1	-	-
Female.....	-	2	5	7	3	7	3	2	2	-	-	-
Mexican, both sexes.....	10	5	14	10	5	9	6	2	5	1	-	-
Male.....	10	4	9	4	3	5	4	1	3	1	-	-
Female.....	-	1	5	6	2	4	2	1	2	-	-	-
Puerto Rican, both sexes.....	-	1	-	3	1	1	1	-	-	-	-	-
Male.....	-	-	-	2	1	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	1	1	-	-	-	-	-
Cuban, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.	1	1	-	-	1	-	-	-	1	-	-	-
Male.....	1	1	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.	-	-	-	-	-	-	3	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	1	-	-	-
Non-Hispanic 1/, both sexes.....	38	40	39	46	51	57	91	65	31	3	-	-
Male.....	28	32	34	35	32	38	50	28	17	-	-	-
Female.....	10	8	5	11	19	19	41	37	14	3	-	-
Non-Hispanic white 2/, both sexes.....	13	16	17	24	22	38	55	41	23	2	-	-
Male.....	9	13	15	17	15	23	30	15	10	-	-	-
Female.....	4	3	2	7	7	15	25	26	13	2	-	-
Non-Hispanic black 2/, both sexes.....	19	18	16	14	21	9	17	7	2	1	-	-
Male.....	14	15	14	12	11	8	8	4	2	-	-	-
Female.....	5	3	2	2	10	1	9	3	-	1	-	-
Origin not stated 3/, both sexes.....	1	-	-	-	-	-	-	-	2	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004  
Hispanic origin, race for 50  
non-Hispanic population, and sex ye

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other tuberculosis (A17-A19)

All origins, both sexes.....	17	13	5	18	15	16	20	20	6	-	-	-
Male.....	14	8	3	10	8	6	10	7	4	-	-	-
Female.....	3	5	2	8	7	10	10	13	2	-	-	-
Hispanic, both sexes.....	4	2	2	4	1	1	4	1	1	-	-	-
Male.....	4	1	1	2	1	-	2	-	1	-	-	-
Female.....	-	1	1	2	-	1	2	1	-	-	-	-
Mexican, both sexes.....	3	1	2	2	-	1	3	-	1	-	-	-
Male.....	3	1	1	-	-	-	2	-	1	-	-	-
Female.....	-	-	1	2	-	1	1	-	-	-	-	-
Puerto Rican, both sexes.....	-	1	-	2	1	-	1	-	-	-	-	-
Male.....	-	-	-	2	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-
Cuban, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Non-Hispanic 1/, both sexes.....	12	11	3	14	14	15	16	18	5	-	-	-
Male.....	9	7	2	8	7	6	8	7	3	-	-	-
Female.....	3	4	1	6	7	9	8	11	2	-	-	-
Non-Hispanic white 2/, both sexes.....	5	6	1	9	7	12	7	13	5	-	-	-
Male.....	3	5	1	4	5	5	3	5	3	-	-	-
Female.....	2	1	-	5	2	7	4	8	2	-	-	-
Non-Hispanic black 2/, both sexes.....	5	2	2	4	5	2	5	2	-	-	-	-
Male.....	5	1	1	3	1	1	2	2	-	-	-	-
Female.....	-	1	1	1	4	1	3	-	-	-	-	-
Origin not stated 3/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

### Whooping cough (A37)

Worktable Orig21OF. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for 50  
non-Hispanic population, and sex year

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

## Meningococcal infection (A39)

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Septicemia (A40-A41)

All origins, both sexes.....	1,361	1,869	2,163	2,620	3,444	4,871	5,874	5,222	3,044	974	152	-
Male.....	771	1,035	1,109	1,336	1,683	2,349	2,565	2,058	967	233	30	-
Female.....	590	834	1,054	1,284	1,761	2,522	3,309	3,164	2,077	741	122	-
Hispanic, both sexes.....	103	110	141	148	194	251	249	180	101	26	7	-
Male.....	66	66	72	87	101	125	117	77	37	7	2	-
Female.....	37	44	69	61	93	126	132	103	64	19	5	-
Mexican, both sexes.....	54	73	84	82	95	138	135	88	60	13	2	-
Male.....	34	42	43	47	54	62	69	37	22	4	1	-
Female.....	20	31	41	35	41	76	66	51	38	9	1	-
Puerto Rican, both sexes.....	23	18	25	33	38	39	32	29	10	3	-	-
Male.....	17	13	13	22	21	21	16	11	4	1	-	-
Female.....	6	5	12	11	17	18	16	18	6	2	-	-
Cuban, both sexes.....	4	1	7	5	19	32	35	32	12	9	3	-
Male.....	1	1	3	2	12	18	13	15	4	2	1	-
Female.....	3	-	4	3	7	14	22	17	8	7	2	-
Central and South American, both sexes.	8	7	12	14	22	21	22	16	14	1	1	-
Male.....	6	5	4	6	8	9	8	7	5	-	-	-
Female.....	2	2	8	8	14	12	14	9	9	1	1	-
Other and Unknown Hispanic, both sexes.	14	11	13	14	20	21	25	15	5	-	1	-
Male.....	8	5	9	10	6	15	11	7	2	-	-	-
Female.....	6	6	4	4	14	6	14	8	3	-	1	-
Non-Hispanic 1/, both sexes.....	1,254	1,753	2,015	2,468	3,244	4,616	5,611	5,034	2,937	944	144	-
Male.....	701	966	1,032	1,248	1,579	2,223	2,443	1,977	928	226	28	-
Female.....	553	787	983	1,220	1,665	2,393	3,168	3,057	2,009	718	116	-
Non-Hispanic white 2/, both sexes.....	819	1,211	1,468	1,853	2,482	3,777	4,718	4,386	2,527	802	109	-
Male.....	462	667	745	954	1,237	1,845	2,084	1,752	806	197	21	-
Female.....	357	544	723	899	1,245	1,932	2,634	2,634	1,721	605	88	-
Non-Hispanic black 2/, both sexes.....	393	494	492	553	677	742	781	576	360	129	31	-
Male.....	219	272	255	259	304	341	305	195	101	26	6	-
Female.....	174	222	237	294	373	401	476	381	259	103	25	-
Origin not stated 3/, both sexes.....	4	6	7	4	6	4	14	8	6	4	1	-
Male.....	4	3	5	1	3	1	5	4	2	-	-	-
Female.....	-	3	2	3	3	3	9	4	4	4	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004 Hispanic origin, race for non-Hispanic population, and sex year

non-Hispanic population, and sex

## Syphilis (A50-A53)

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for 50  
non-Hispanic population, and sex year



Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for 50  
non-Hispanic population, and sex year

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Viral hepatitis (B15-B19)

All origins, both sexes.....	1,822	1,455	672	462	381	371	227	111	42	8	2	-
Male.....	1,339	1,057	445	253	179	160	83	36	12	3	-	-
Female.....	483	398	227	209	202	211	144	75	30	5	2	-
Hispanic, both sexes.....	245	218	111	83	65	52	26	16	6	-	-	-
Male.....	188	147	67	43	31	20	6	3	-	-	-	-
Female.....	57	71	44	40	34	32	20	13	6	-	-	-
Mexican, both sexes.....	137	115	69	56	33	29	15	8	1	-	-	-
Male.....	107	71	42	25	16	9	2	2	-	-	-	-
Female.....	30	44	27	31	17	20	13	6	1	-	-	-
Puerto Rican, both sexes.....	51	49	21	12	11	1	1	1	1	-	-	-
Male.....	40	35	16	8	6	1	1	-	-	-	-	-
Female.....	11	14	5	4	5	-	-	1	1	-	-	-
Cuban, both sexes.....	7	6	5	2	7	7	4	3	2	-	-	-
Male.....	5	5	2	1	3	4	1	-	-	-	-	-
Female.....	2	1	3	1	4	3	3	3	2	-	-	-
Central and South American, both sexes.	16	12	9	6	8	9	3	2	1	-	-	-
Male.....	12	8	2	4	2	4	1	-	-	-	-	-
Female.....	4	4	7	2	6	5	2	2	1	-	-	-
Other and Unknown Hispanic, both sexes.	34	36	7	7	6	6	3	2	1	-	-	-
Male.....	24	28	5	5	4	2	1	1	-	-	-	-
Female.....	10	8	2	2	2	4	2	1	1	-	-	-
Non-Hispanic 1/, both sexes.....	1,568	1,233	558	379	312	319	201	95	36	8	2	-
Male.....	1,145	907	377	210	145	140	77	33	12	3	-	-
Female.....	423	326	181	169	167	179	124	62	24	5	2	-
Non-Hispanic white 2/, both sexes.....	1,254	898	407	255	232	241	153	78	28	5	2	-
Male.....	929	669	278	143	111	109	65	31	10	3	-	-
Female.....	325	229	129	112	121	132	88	47	18	2	2	-
Non-Hispanic black 2/, both sexes.....	259	276	115	89	39	39	28	10	5	2	-	-
Male.....	175	201	78	48	20	20	7	2	1	-	-	-
Female.....	84	75	37	41	19	19	21	8	4	2	-	-
Origin not stated 3/, both sexes.....	9	4	3	-	4	-	-	-	-	-	-	-
Male.....	6	3	1	-	3	-	-	-	-	-	-	-
Female.....	3	1	2	-	1	-	-	-	-	-	-	-



Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for 50  
non-Hispanic population, and sex year

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)

All origins, both sexes.....	330	421	443	500	606	721	781	592	353	110	24	1
Male.....	206	252	240	270	311	362	374	258	133	27	5	1
Female.....	124	169	203	230	295	359	407	334	220	83	19	-
Hispanic, both sexes.....	26	26	28	29	43	33	28	14	8	3	1	1
Male.....	20	17	13	20	18	17	18	6	4	1	-	1
Female.....	6	9	15	9	25	16	10	8	4	2	1	-
Mexican, both sexes.....	16	14	15	15	24	16	9	10	5	1	1	1
Male.....	12	9	5	11	10	9	4	4	3	-	-	1
Female.....	4	5	10	4	14	7	5	6	2	1	1	-
Puerto Rican, both sexes.....	5	2	8	5	5	7	2	-	-	-	-	-
Male.....	4	1	4	4	3	2	2	-	-	-	-	-
Female.....	1	1	4	1	2	5	-	-	-	-	-	-
Cuban, both sexes.....	2	2	-	3	4	3	8	2	-	2	-	-
Male.....	2	1	-	3	1	2	5	1	-	1	-	-
Female.....	-	1	-	-	3	1	3	1	-	1	-	-
Central and South American, both sexes.	1	4	1	3	4	5	2	-	-	-	-	-
Male.....	1	2	1	1	1	3	1	-	-	-	-	-
Female.....	-	2	-	2	3	2	1	-	-	-	-	-
Other and Unknown Hispanic, both sexes.	2	4	4	3	6	2	7	2	3	-	-	-
Male.....	1	4	3	1	3	1	6	1	1	-	-	-
Female.....	1	-	1	2	3	1	1	1	2	-	-	-
Non-Hispanic 1/, both sexes.....	303	393	415	470	562	686	752	578	345	107	23	-
Male.....	185	235	227	250	293	344	356	252	129	26	5	-
Female.....	118	158	188	220	269	342	396	326	216	81	18	-
Non-Hispanic white 2/, both sexes.....	222	303	335	391	480	605	668	528	314	93	17	-
Male.....	133	177	178	215	251	301	319	235	119	22	4	-
Female.....	89	126	157	176	229	304	349	293	195	71	13	-
Non-Hispanic black 2/, both sexes.....	75	79	60	65	65	64	59	42	27	11	5	-
Male.....	50	49	36	26	32	34	22	12	7	3	1	-
Female.....	25	30	24	39	33	30	37	30	20	8	4	-
Origin not stated 3/, both sexes.....	1	2	-	1	1	2	1	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	2	-	1	1	1	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms (C00-C97)

All origins, both sexes.....	31,160	46,057	55,397	63,820	73,734	84,503	80,386	53,811	24,265	6,213	783	8
Male.....	16,255	24,968	30,380	35,401	40,067	44,987	41,447	25,605	10,020	2,125	214	5
Female.....	14,905	21,089	25,017	28,419	33,667	39,516	38,939	28,206	14,245	4,088	569	3
Hispanic, both sexes.....	1,986	2,390	2,654	2,999	3,355	3,577	2,906	1,778	734	206	36	-
Male.....	990	1,334	1,403	1,688	1,856	1,904	1,570	850	322	88	17	-
Female.....	996	1,056	1,251	1,311	1,499	1,673	1,336	928	412	118	19	-
Mexican, both sexes.....	1,125	1,290	1,432	1,594	1,740	1,934	1,564	871	340	109	16	-
Male.....	574	718	751	905	974	1,021	865	430	150	51	7	-
Female.....	551	572	681	689	766	913	699	441	190	58	9	-
Puerto Rican, both sexes.....	239	348	404	411	466	358	299	195	95	21	3	-
Male.....	122	222	229	231	259	196	167	90	43	8	1	-
Female.....	117	126	175	180	207	162	132	105	52	13	2	-
Cuban, both sexes.....	113	168	250	338	402	481	428	288	136	38	9	-
Male.....	68	111	155	201	231	290	224	150	62	16	5	-
Female.....	45	57	95	137	171	191	204	138	74	22	4	-
Central and South American, both sexes.	327	335	318	360	387	386	295	206	68	21	3	-
Male.....	129	140	124	179	198	163	130	83	25	8	2	-
Female.....	198	195	194	181	189	223	165	123	43	13	1	-
Other and Unknown Hispanic, both sexes.	182	249	250	296	360	418	320	218	95	17	5	-
Male.....	97	143	144	172	194	234	184	97	42	5	2	-
Female.....	85	106	106	124	166	184	136	121	53	12	3	-
Non-Hispanic 1/, both sexes.....	29,115	43,588	52,640	60,704	70,275	80,830	77,366	51,958	23,495	6,003	745	8
Male.....	15,225	23,585	28,907	33,642	38,139	43,028	39,813	24,715	9,679	2,036	197	5
Female.....	13,890	20,003	23,733	27,062	32,136	37,802	37,553	27,243	13,816	3,967	548	3
Non-Hispanic white 2/, both sexes.....	22,829	35,381	44,000	51,411	60,534	71,385	69,261	47,001	21,246	5,332	634	6
Male.....	11,970	19,131	24,169	28,490	32,869	38,129	35,687	22,365	8,735	1,775	161	4
Female.....	10,859	16,250	19,831	22,921	27,665	33,256	33,574	24,636	12,511	3,557	473	2
Non-Hispanic black 2/, both sexes.....	5,262	6,860	7,188	7,664	7,933	7,589	6,521	3,936	1,829	550	91	1
Male.....	2,760	3,804	3,949	4,252	4,350	3,946	3,303	1,846	738	200	29	1
Female.....	2,502	3,056	3,239	3,412	3,583	3,643	3,218	2,090	1,091	350	62	-
Origin not stated 3/, both sexes.....	59	79	103	117	104	96	114	75	36	4	2	-
Male.....	40	49	70	71	72	55	64	40	19	1	-	-
Female.....	19	30	33	46	32	41	50	35	17	3	2	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

All origins, both sexes.....	710	941	882	906	908	961	799	511	271	72	11	-
Male.....	560	747	676	674	612	615	466	240	104	23	2	-
Female.....	150	194	206	232	296	346	333	271	167	49	9	-
Hispanic, both sexes.....	37	38	27	51	44	38	30	20	9	3	1	-
Male.....	27	35	22	39	33	32	18	6	4	1	1	-
Female.....	10	3	5	12	11	6	12	14	5	2	-	-
Mexican, both sexes.....	21	18	17	29	23	19	19	10	1	2	1	-
Male.....	16	18	12	22	18	18	12	2	-	1	1	-
Female.....	5	-	5	7	5	1	7	8	1	1	-	-
Puerto Rican, both sexes.....	4	13	4	6	9	6	5	2	2	-	-	-
Male.....	4	12	4	5	6	5	4	1	1	-	-	-
Female.....	-	1	-	1	3	1	1	1	1	-	-	-
Cuban, both sexes.....	2	2	2	5	6	6	5	2	3	-	-	-
Male.....	-	1	2	4	3	6	2	1	2	-	-	-
Female.....	2	1	-	1	3	-	3	1	1	-	-	-
Central and South American, both sexes.	5	2	1	4	2	3	1	5	1	1	-	-
Male.....	4	1	1	2	2	1	-	2	-	-	-	-
Female.....	1	1	-	2	-	2	1	3	1	1	-	-
Other and Unknown Hispanic, both sexes.	5	3	3	7	4	4	-	1	2	-	-	-
Male.....	3	3	3	6	4	2	-	-	1	-	-	-
Female.....	2	-	-	1	-	2	-	1	1	-	-	-
Non-Hispanic 1/, both sexes.....	671	901	855	849	861	922	766	491	261	69	10	-
Male.....	531	710	654	629	577	582	445	234	100	22	1	-
Female.....	140	191	201	220	284	340	321	257	161	47	9	-
Non-Hispanic white 2/, both sexes.....	511	703	682	684	720	809	691	459	242	62	10	-
Male.....	409	552	520	500	479	508	396	217	93	19	1	-
Female.....	102	151	162	184	241	301	295	242	149	43	9	-
Non-Hispanic black 2/, both sexes.....	130	163	141	132	112	84	53	21	12	5	-	-
Male.....	98	131	111	106	80	56	37	10	4	1	-	-
Female.....	32	32	30	26	32	28	16	11	8	4	-	-
Origin not stated 3/, both sexes.....	2	2	-	6	3	1	3	-	1	-	-	-
Male.....	2	2	-	6	2	1	3	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasm of esophagus (C15)

All origins, both sexes.....	992	1,525	1,764	1,810	1,881	1,984	1,531	919	362	67	7	1
Male.....	817	1,323	1,478	1,490	1,484	1,466	1,119	599	196	24	-	1
Female.....	175	202	286	320	397	518	412	320	166	43	7	-
Hispanic, both sexes.....	48	62	63	58	78	71	51	24	13	1	-	-
Male.....	43	54	51	51	57	53	38	14	8	1	-	-
Female.....	5	8	12	7	21	18	13	10	5	-	-	-
Mexican, both sexes.....	27	30	34	22	39	38	31	11	6	1	-	-
Male.....	24	24	29	21	27	31	23	6	3	1	-	-
Female.....	3	6	5	1	12	7	8	5	3	-	-	-
Puerto Rican, both sexes.....	7	11	16	16	16	9	7	4	2	-	-	-
Male.....	7	11	12	13	11	7	5	-	1	-	-	-
Female.....	-	-	4	3	5	2	2	4	1	-	-	-
Cuban, both sexes.....	4	4	5	7	10	10	6	3	-	-	-	-
Male.....	3	4	4	6	9	6	5	3	-	-	-	-
Female.....	1	-	1	1	1	4	1	-	-	-	-	-
Central and South American, both sexes.	4	8	3	7	7	7	2	5	2	-	-	-
Male.....	4	6	2	5	6	5	1	4	1	-	-	-
Female.....	-	2	1	2	1	2	1	1	1	-	-	-
Other and Unknown Hispanic, both sexes.	6	9	5	6	6	7	5	1	3	-	-	-
Male.....	5	9	4	6	4	4	4	1	3	-	-	-
Female.....	1	-	1	-	2	3	1	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	942	1,461	1,692	1,748	1,798	1,912	1,477	895	349	66	7	1
Male.....	772	1,267	1,420	1,435	1,422	1,412	1,081	585	188	23	-	1
Female.....	170	194	272	313	376	500	396	310	161	43	7	-
Non-Hispanic white 2/, both sexes.....	750	1,210	1,449	1,499	1,579	1,713	1,358	822	331	61	6	1
Male.....	628	1,080	1,235	1,247	1,258	1,280	1,013	535	180	22	-	1
Female.....	122	130	214	252	321	433	345	287	151	39	6	-
Non-Hispanic black 2/, both sexes.....	174	222	212	214	180	148	99	51	13	4	1	-
Male.....	131	163	160	161	135	98	57	33	5	1	-	-
Female.....	43	59	52	53	45	50	42	18	8	3	1	-
Origin not stated 3/, both sexes.....	2	2	9	4	5	1	3	-	-	-	-	-
Male.....	2	2	7	4	5	1	-	-	-	-	-	-
Female.....	-	-	2	-	-	-	3	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasm of stomach (C16)

All origins, both sexes.....	685	911	959	1,140	1,322	1,647	1,696	1,184	555	140	18	-
Male.....	441	620	642	743	821	975	974	584	210	47	6	-
Female.....	244	291	317	397	501	672	722	600	345	93	12	-
Hispanic, both sexes.....	96	136	122	115	165	164	122	82	26	10	2	-
Male.....	55	81	78	72	95	85	71	34	9	4	2	-
Female.....	41	55	44	43	70	79	51	48	17	6	-	-
Mexican, both sexes.....	58	77	72	66	90	85	75	40	16	7	1	-
Male.....	37	50	45	39	49	43	44	19	5	2	1	-
Female.....	21	27	27	27	41	42	31	21	11	5	-	-
Puerto Rican, both sexes.....	5	7	16	17	29	24	10	9	3	-	-	-
Male.....	4	6	8	15	20	17	5	5	2	-	-	-
Female.....	1	1	8	2	9	7	5	4	1	-	-	-
Cuban, both sexes.....	3	4	4	6	5	10	6	7	2	2	-	-
Male.....	3	3	4	2	5	5	4	3	1	2	-	-
Female.....	-	1	-	4	-	5	2	4	1	-	-	-
Central and South American, both sexes.	24	33	22	16	20	25	18	18	2	1	1	-
Male.....	8	14	15	9	8	9	8	5	-	-	1	-
Female.....	16	19	7	7	12	16	10	13	2	1	-	-
Other and Unknown Hispanic, both sexes.	6	15	8	10	21	20	13	8	3	-	-	-
Male.....	3	8	6	7	13	11	10	2	1	-	-	-
Female.....	3	7	2	3	8	9	3	6	2	-	-	-
Non-Hispanic 1/, both sexes.....	588	773	837	1,025	1,155	1,482	1,572	1,102	529	130	16	-
Male.....	386	537	564	671	724	890	903	550	201	43	4	-
Female.....	202	236	273	354	431	592	669	552	328	87	12	-
Non-Hispanic white 2/, both sexes.....	407	535	579	728	829	1,113	1,202	879	440	99	6	-
Male.....	274	386	395	490	534	689	699	440	171	36	2	-
Female.....	133	149	184	238	295	424	503	439	269	63	4	-
Non-Hispanic black 2/, both sexes.....	125	158	190	208	226	248	269	161	63	25	8	-
Male.....	83	108	124	131	123	149	146	71	17	5	-	-
Female.....	42	50	66	77	103	99	123	90	46	20	8	-
Origin not stated 3/, both sexes.....	1	2	-	-	2	1	2	-	-	-	-	-
Male.....	-	2	-	-	2	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	2	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of colon, rectum and anus (C18-C21)

All origins, both sexes.....	2,762	3,973	4,653	5,399	6,310	7,705	8,319	6,377	3,493	998	124	3
Male.....	1,514	2,267	2,751	3,142	3,520	3,970	3,951	2,525	1,140	267	28	2
Female.....	1,248	1,706	1,902	2,257	2,790	3,735	4,368	3,852	2,353	731	96	1
Hispanic, both sexes.....	205	257	262	298	330	381	339	221	99	37	7	-
Male.....	104	163	147	184	188	197	160	94	31	10	5	-
Female.....	101	94	115	114	142	184	179	127	68	27	2	-
Mexican, both sexes.....	119	149	144	152	153	207	143	95	50	20	3	-
Male.....	65	97	84	102	95	108	75	48	16	5	3	-
Female.....	54	52	60	50	58	99	68	47	34	15	-	-
Puerto Rican, both sexes.....	24	28	37	47	61	50	45	30	14	3	1	-
Male.....	7	17	20	28	28	27	25	11	6	1	-	-
Female.....	17	11	17	19	33	23	20	19	8	2	1	-
Cuban, both sexes.....	12	18	24	32	49	48	71	46	21	5	3	-
Male.....	8	15	15	20	32	25	27	19	3	-	2	-
Female.....	4	3	9	12	17	23	44	27	18	5	1	-
Central and South American, both sexes.	33	34	27	33	31	33	38	24	5	4	-	-
Male.....	15	15	8	15	12	15	11	9	1	2	-	-
Female.....	18	19	19	18	19	18	27	15	4	2	-	-
Other and Unknown Hispanic, both sexes.	17	28	30	34	36	43	42	26	9	5	-	-
Male.....	9	19	20	19	21	22	22	7	5	2	-	-
Female.....	8	9	10	15	15	21	20	19	4	3	-	-
Non-Hispanic 1/, both sexes.....	2,545	3,707	4,381	5,097	5,965	7,318	7,970	6,151	3,391	961	116	3
Male.....	1,401	2,097	2,595	2,956	3,320	3,770	3,788	2,427	1,107	257	23	2
Female.....	1,144	1,610	1,786	2,141	2,645	3,548	4,182	3,724	2,284	704	93	1
Non-Hispanic white 2/, both sexes.....	1,929	2,926	3,496	4,154	5,017	6,252	6,971	5,499	3,033	872	102	2
Male.....	1,074	1,689	2,103	2,444	2,803	3,266	3,308	2,167	985	227	21	1
Female.....	855	1,237	1,393	1,710	2,214	2,986	3,663	3,332	2,048	645	81	1
Non-Hispanic black 2/, both sexes.....	525	648	733	786	799	874	827	533	306	74	9	1
Male.....	282	343	395	423	442	417	387	214	104	24	1	1
Female.....	243	305	338	363	357	457	440	319	202	50	8	-
Origin not stated 3/, both sexes.....	12	9	10	4	15	6	10	5	3	-	1	-
Male.....	9	7	9	2	12	3	3	4	2	-	-	-
Female.....	3	2	1	2	3	3	7	1	1	-	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of liver and intrahepatic bile ducts (C22)

All origins, both sexes.....	1,673	2,095	1,747	1,789	2,041	2,228	1,933	1,189	462	116	7	-
Male.....	1,332	1,640	1,252	1,244	1,293	1,315	1,046	543	170	25	1	-
Female.....	341	455	495	545	748	913	887	646	292	91	6	-
Hispanic, both sexes.....	226	231	206	211	223	234	162	106	21	14	-	-
Male.....	182	190	145	142	140	126	93	45	5	5	-	-
Female.....	44	41	61	69	83	108	69	61	16	9	-	-
Mexican, both sexes.....	156	125	127	127	128	151	98	62	11	5	-	-
Male.....	122	100	87	84	79	78	57	30	4	1	-	-
Female.....	34	25	40	43	49	73	41	32	7	4	-	-
Puerto Rican, both sexes.....	26	54	42	31	27	23	16	10	1	1	-	-
Male.....	23	51	33	23	17	12	9	5	-	1	-	-
Female.....	3	3	9	8	10	11	7	5	1	-	-	-
Cuban, both sexes.....	2	7	13	11	21	17	18	12	3	6	-	-
Male.....	2	6	10	6	13	11	8	3	-	3	-	-
Female.....	-	1	3	5	8	6	10	9	3	3	-	-
Central and South American, both sexes.	19	21	14	25	25	27	20	13	4	1	-	-
Male.....	13	12	6	15	18	12	9	4	1	-	-	-
Female.....	6	9	8	10	7	15	11	9	3	1	-	-
Other and Unknown Hispanic, both sexes.	23	24	10	17	22	16	10	9	2	1	-	-
Male.....	22	21	9	14	13	13	10	3	-	-	-	-
Female.....	1	3	1	3	9	3	-	6	2	1	-	-
Non-Hispanic 1/, both sexes.....	1,440	1,860	1,538	1,575	1,816	1,991	1,769	1,080	441	102	7	-
Male.....	1,144	1,447	1,105	1,099	1,151	1,189	951	495	165	20	1	-
Female.....	296	413	433	476	665	802	818	585	276	82	6	-
Non-Hispanic white 2/, both sexes.....	998	1,294	1,130	1,190	1,455	1,649	1,500	944	394	89	7	-
Male.....	793	985	796	823	931	1,004	825	436	152	19	1	-
Female.....	205	309	334	367	524	645	675	508	242	70	6	-
Non-Hispanic black 2/, both sexes.....	336	432	263	220	210	181	151	80	29	10	-	-
Male.....	263	366	199	156	136	100	65	31	6	1	-	-
Female.....	73	66	64	64	74	81	86	49	23	9	-	-
Origin not stated 3/, both sexes.....	7	4	3	3	2	3	2	3	-	-	-	-
Male.....	6	3	2	3	2	-	2	3	-	-	-	-
Female.....	1	1	1	-	-	3	-	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasm of pancreas (C25)

All origins, both sexes.....	1,738	2,795	3,503	3,914	4,559	5,179	5,081	3,290	1,471	329	40	-
Male.....	1,077	1,701	2,034	2,193	2,344	2,412	2,157	1,234	410	75	5	-
Female.....	661	1,094	1,469	1,721	2,215	2,767	2,924	2,056	1,061	254	35	-
Hispanic, both sexes.....	114	143	207	224	240	268	192	119	60	17	1	-
Male.....	69	81	106	126	119	127	91	38	19	1	-	-
Female.....	45	62	101	98	121	141	101	81	41	16	1	-
Mexican, both sexes.....	56	88	112	117	124	147	106	57	23	8	-	-
Male.....	35	52	58	68	59	65	52	15	6	1	-	-
Female.....	21	36	54	49	65	82	54	42	17	7	-	-
Puerto Rican, both sexes.....	20	18	32	21	24	20	11	17	6	5	-	-
Male.....	11	11	21	9	6	11	5	6	3	-	-	-
Female.....	9	7	11	12	18	9	6	11	3	5	-	-
Cuban, both sexes.....	7	7	17	23	36	31	34	14	10	4	-	-
Male.....	5	4	10	14	20	21	16	5	3	-	-	-
Female.....	2	3	7	9	16	10	18	9	7	4	-	-
Central and South American, both sexes.	22	19	30	40	31	36	18	17	13	-	-	-
Male.....	14	9	10	21	20	12	8	6	4	-	-	-
Female.....	8	10	20	19	11	24	10	11	9	-	-	-
Other and Unknown Hispanic, both sexes.	9	11	16	23	25	34	23	14	8	-	1	-
Male.....	4	5	7	14	14	18	10	6	3	-	-	-
Female.....	5	6	9	9	11	16	13	8	5	-	1	-
Non-Hispanic 1/, both sexes.....	1,620	2,650	3,290	3,685	4,313	4,901	4,882	3,169	1,408	311	39	-
Male.....	1,007	1,618	1,923	2,064	2,221	2,279	2,062	1,195	390	74	5	-
Female.....	613	1,032	1,367	1,621	2,092	2,622	2,820	1,974	1,018	237	34	-
Non-Hispanic white 2/, both sexes.....	1,278	2,151	2,724	3,087	3,638	4,283	4,330	2,832	1,236	281	28	-
Male.....	801	1,331	1,621	1,763	1,917	2,036	1,870	1,094	347	70	2	-
Female.....	477	820	1,103	1,324	1,721	2,247	2,460	1,738	889	211	26	-
Non-Hispanic black 2/, both sexes.....	297	414	477	491	532	504	421	260	139	25	8	-
Male.....	181	247	257	248	243	193	143	71	25	3	2	-
Female.....	116	167	220	243	289	311	278	189	114	22	6	-
Origin not stated 3/, both sexes.....	4	2	6	5	6	10	7	2	3	1	-	-
Male.....	1	2	5	3	4	6	4	1	1	-	-	-
Female.....	3	-	1	2	2	4	3	1	2	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasm of larynx (C32)

All origins, both sexes.....	282	476	502	540	531	510	418	229	83	21	-	-
Male.....	231	385	396	444	402	389	320	168	65	17	-	-
Female.....	51	91	106	96	129	121	98	61	18	4	-	-
Hispanic, both sexes.....	13	22	19	23	22	26	26	6	6	2	-	-
Male.....	12	19	17	21	20	23	23	6	6	2	-	-
Female.....	1	3	2	2	2	3	3	-	-	-	-	-
Mexican, both sexes.....	6	10	5	11	9	6	15	1	2	2	-	-
Male.....	6	8	5	9	9	6	14	1	2	2	-	-
Female.....	-	2	-	2	-	-	1	-	-	-	-	-
Puerto Rican, both sexes.....	4	7	5	3	5	4	2	-	1	-	-	-
Male.....	3	6	5	3	4	3	2	-	1	-	-	-
Female.....	1	1	-	-	1	1	-	-	-	-	-	-
Cuban, both sexes.....	2	4	2	8	3	10	7	3	3	-	-	-
Male.....	2	4	1	8	3	10	6	3	3	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-
Central and South American, both sexes.	-	-	1	1	1	2	2	1	-	-	-	-
Male.....	-	-	-	1	1	1	1	1	-	-	-	-
Female.....	-	-	1	-	-	1	1	-	-	-	-	-
Other and Unknown Hispanic, both sexes.	1	1	6	-	4	4	-	1	-	-	-	-
Male.....	1	1	6	-	3	3	-	1	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	268	452	483	516	509	483	391	221	77	19	-	-
Male.....	218	364	379	422	382	365	296	161	59	15	-	-
Female.....	50	88	104	94	127	118	95	60	18	4	-	-
Non-Hispanic white 2/, both sexes.....	193	345	391	400	425	418	339	195	66	18	-	-
Male.....	154	280	304	323	312	311	256	143	51	14	-	-
Female.....	39	65	87	77	113	107	83	52	15	4	-	-
Non-Hispanic black 2/, both sexes.....	66	102	85	109	77	61	40	23	7	1	-	-
Male.....	55	81	69	92	63	50	31	15	5	1	-	-
Female.....	11	21	16	17	14	11	9	8	2	-	-	-
Origin not stated 3/, both sexes.....	1	2	-	1	-	1	1	2	-	-	-	-
Male.....	1	2	-	1	-	1	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of trachea, bronchus and lung (C33-C34)

All origins, both sexes.....	8,064	13,084	18,233	22,505	25,377	27,070	21,662	11,386	3,694	752	83	1
Male.....	4,764	7,812	10,702	13,182	14,513	15,159	11,856	5,742	1,669	288	28	-
Female.....	3,300	5,272	7,531	9,323	10,864	11,911	9,806	5,644	2,025	464	55	1
Hispanic, both sexes.....	238	345	451	676	683	738	552	281	103	24	3	-
Male.....	157	230	315	435	429	460	344	164	56	13	1	-
Female.....	81	115	136	241	254	278	208	117	47	11	2	-
Mexican, both sexes.....	102	161	208	332	352	393	297	153	49	15	1	-
Male.....	67	103	146	217	223	238	190	90	25	8	-	-
Female.....	35	58	62	115	129	155	107	63	24	7	1	-
Puerto Rican, both sexes.....	41	62	70	90	86	65	59	24	10	2	-	-
Male.....	25	46	52	54	60	42	34	16	4	1	-	-
Female.....	16	16	18	36	26	23	25	8	6	1	-	-
Cuban, both sexes.....	32	45	72	102	103	110	84	54	27	2	2	-
Male.....	23	40	58	70	68	83	55	36	14	2	1	-
Female.....	9	5	14	32	35	27	29	18	13	-	1	-
Central and South American, both sexes.	31	41	47	72	69	63	44	22	9	2	-	-
Male.....	21	20	25	45	40	33	22	8	8	2	-	-
Female.....	10	21	22	27	29	30	22	14	1	-	-	-
Other and Unknown Hispanic, both sexes.	32	36	54	80	73	107	68	28	8	3	-	-
Male.....	21	21	34	49	38	64	43	14	5	-	-	-
Female.....	11	15	20	31	35	43	25	14	3	3	-	-
Non-Hispanic 1/, both sexes.....	7,813	12,716	17,746	21,788	24,661	26,303	21,080	11,085	3,580	727	80	1
Male.....	4,596	7,567	10,361	12,717	14,058	14,684	11,495	5,569	1,605	275	27	-
Female.....	3,217	5,149	7,385	9,071	10,603	11,619	9,585	5,516	1,975	452	53	1
Non-Hispanic white 2/, both sexes.....	6,130	10,531	15,146	18,919	21,703	23,711	19,094	10,165	3,259	645	66	1
Male.....	3,569	6,162	8,713	10,925	12,285	13,182	10,397	5,101	1,446	240	23	-
Female.....	2,561	4,369	6,433	7,994	9,418	10,529	8,697	5,064	1,813	405	43	1
Non-Hispanic black 2/, both sexes.....	1,468	1,872	2,226	2,445	2,420	2,100	1,584	698	243	60	10	-
Male.....	885	1,217	1,420	1,537	1,457	1,203	863	343	122	21	3	-
Female.....	583	655	806	908	963	897	721	355	121	39	7	-
Origin not stated 3/, both sexes.....	13	23	36	41	33	29	30	20	11	1	-	-
Male.....	11	15	26	30	26	15	17	9	8	-	-	-
Female.....	2	8	10	11	7	14	13	11	3	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant melanoma of skin (C43)

All origins, both sexes.....	658	818	824	855	925	1,034	1,007	710	279	64	14	-
Male.....	434	546	576	578	608	703	652	437	153	27	2	-
Female.....	224	272	248	277	317	331	355	273	126	37	12	-
Hispanic, both sexes.....	17	20	18	16	20	22	20	9	8	1	-	-
Male.....	11	14	8	7	10	9	12	5	4	1	-	-
Female.....	6	6	10	9	10	13	8	4	4	-	-	-
Mexican, both sexes.....	5	16	9	13	11	12	9	6	1	-	-	-
Male.....	2	11	3	6	3	4	5	4	1	-	-	-
Female.....	3	5	6	7	8	8	4	2	-	-	-	-
Puerto Rican, both sexes.....	2	2	4	1	3	1	1	-	1	-	-	-
Male.....	1	2	2	-	3	1	-	-	1	-	-	-
Female.....	1	-	2	1	-	-	1	-	-	-	-	-
Cuban, both sexes.....	2	-	4	1	1	2	6	1	3	1	-	-
Male.....	1	-	3	-	1	1	4	-	2	1	-	-
Female.....	1	-	1	1	-	1	2	1	1	-	-	-
Central and South American, both sexes.	5	1	1	1	4	3	2	1	2	-	-	-
Male.....	4	-	-	1	3	-	1	-	-	-	-	-
Female.....	1	1	1	-	1	3	1	1	2	-	-	-
Other and Unknown Hispanic, both sexes.	3	1	-	-	1	4	2	1	1	-	-	-
Male.....	3	1	-	-	-	3	2	1	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	1	-	-	-
Non-Hispanic 1/, both sexes.....	641	798	806	839	903	1,011	986	700	271	63	14	-
Male.....	423	532	568	571	598	693	640	431	149	26	2	-
Female.....	218	266	238	268	305	318	346	269	122	37	12	-
Non-Hispanic white 2/, both sexes.....	625	781	787	828	887	987	964	684	259	60	14	-
Male.....	415	525	552	566	591	679	631	423	143	25	2	-
Female.....	210	256	235	262	296	308	333	261	116	35	12	-
Non-Hispanic black 2/, both sexes.....	9	13	13	5	11	16	18	7	11	2	-	-
Male.....	6	6	11	2	4	11	6	4	5	1	-	-
Female.....	3	7	2	3	7	5	12	3	6	1	-	-
Origin not stated 3/, both sexes.....	-	-	-	-	2	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	2	-	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasm of breast (C50)

All origins, both sexes.....	3,474	4,496	4,375	3,939	4,022	4,658	4,688	3,375	1,985	702	120	1
Male.....	26	38	50	40	46	55	56	39	9	1	2	-
Female.....	3,448	4,458	4,325	3,899	3,976	4,603	4,632	3,336	1,976	701	118	1
Hispanic, both sexes.....	237	240	243	182	180	178	137	92	41	15	2	-
Male.....	1	-	1	2	1	3	1	-	-	-	-	-
Female.....	236	240	242	180	179	175	136	92	41	15	2	-
Mexican, both sexes.....	131	130	132	90	79	91	72	40	18	4	2	-
Male.....	1	-	1	-	1	-	1	-	-	-	-	-
Female.....	130	130	131	90	78	91	71	40	18	4	2	-
Puerto Rican, both sexes.....	27	28	39	24	26	17	21	13	6	1	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	27	28	39	23	26	17	21	13	6	1	-	-
Cuban, both sexes.....	12	13	21	26	26	33	19	12	6	4	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	12	13	21	25	26	33	19	12	6	4	-	-
Central and South American, both sexes.	47	41	30	28	25	19	15	10	4	3	-	-
Male.....	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	47	41	30	28	25	17	15	10	4	3	-	-
Other and Unknown Hispanic, both sexes.	20	28	21	14	24	18	10	17	7	3	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	20	28	21	14	24	17	10	17	7	3	-	-
Non-Hispanic 1/, both sexes.....	3,234	4,246	4,126	3,750	3,836	4,477	4,544	3,276	1,941	687	117	1
Male.....	25	38	49	37	45	52	55	39	9	1	2	-
Female.....	3,209	4,208	4,077	3,713	3,791	4,425	4,489	3,237	1,932	686	115	1
Non-Hispanic white 2/, both sexes.....	2,446	3,343	3,406	3,169	3,278	3,944	4,057	2,964	1,744	596	106	-
Male.....	15	30	41	31	38	47	48	38	8	-	2	-
Female.....	2,431	3,313	3,365	3,138	3,240	3,897	4,009	2,926	1,736	596	104	-
Non-Hispanic black 2/, both sexes.....	648	750	602	492	464	462	440	273	178	84	10	-
Male.....	10	8	6	6	7	4	6	1	1	1	-	-
Female.....	638	742	596	486	457	458	434	272	177	83	10	-
Origin not stated 3/, both sexes.....	3	10	6	7	6	3	7	7	3	-	1	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	3	10	6	6	6	3	7	7	3	-	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasm of cervix uteri (C53)

All origins, both sexes.....	494	461	360	317	287	263	230	164	90	19	5	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	494	461	360	317	287	263	230	164	90	19	5	-
Hispanic, both sexes.....	70	50	33	30	30	22	29	8	4	2	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	70	50	33	30	30	22	29	8	4	2	-	-
Mexican, both sexes.....	47	25	16	19	16	12	18	4	-	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	47	25	16	19	16	12	18	4	-	1	-	-
Puerto Rican, both sexes.....	8	10	7	5	5	3	4	3	1	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	8	10	7	5	5	3	4	3	1	-	-	-
Cuban, both sexes.....	2	3	4	-	1	2	2	-	1	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	3	4	-	1	2	2	-	1	-	-	-
Central and South American, both sexes.	11	8	5	6	6	3	3	1	1	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	11	8	5	6	6	3	3	1	1	1	-	-
Other and Unknown Hispanic, both sexes.	2	4	1	-	2	2	2	-	1	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	4	1	-	2	2	2	-	1	-	-	-
Non-Hispanic 1/, both sexes.....	423	411	327	287	257	241	201	156	85	17	5	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	423	411	327	287	257	241	201	156	85	17	5	-
Non-Hispanic white 2/, both sexes.....	306	324	250	205	178	176	156	106	62	15	4	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	306	324	250	205	178	176	156	106	62	15	4	-
Non-Hispanic black 2/, both sexes.....	95	64	63	67	68	49	38	42	21	2	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	95	64	63	67	68	49	38	42	21	2	1	-
Origin not stated 3/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)

All origins, both sexes.....	379	691	831	908	989	1,052	997	678	334	117	13	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	379	691	831	908	989	1,052	997	678	334	117	13	-
Hispanic, both sexes.....	28	43	46	44	46	53	36	23	10	5	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	28	43	46	44	46	53	36	23	10	5	1	-
Mexican, both sexes.....	18	18	19	24	23	23	21	12	4	2	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	18	18	19	24	23	23	21	12	4	2	-	-
Puerto Rican, both sexes.....	4	7	5	9	8	6	4	1	2	1	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	4	7	5	9	8	6	4	1	2	1	1	-
Cuban, both sexes.....	-	7	6	-	5	7	4	4	2	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	7	6	-	5	7	4	4	2	-	-	-
Central and South American, both sexes.	4	7	12	7	4	10	4	3	-	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	4	7	12	7	4	10	4	3	-	1	-	-
Other and Unknown Hispanic, both sexes.	2	4	4	4	6	7	3	3	2	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	4	4	4	6	7	3	3	2	1	-	-
Non-Hispanic 1/, both sexes.....	351	647	785	860	943	997	958	655	324	112	12	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	351	647	785	860	943	997	958	655	324	112	12	-
Non-Hispanic white 2/, both sexes.....	280	491	582	627	716	816	818	584	295	103	11	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	280	491	582	627	716	816	818	584	295	103	11	-
Non-Hispanic black 2/, both sexes.....	49	133	179	205	201	162	128	64	27	7	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	49	133	179	205	201	162	128	64	27	7	1	-
Origin not stated 3/, both sexes.....	-	1	-	4	-	2	3	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	1	-	4	-	2	3	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasm of ovary (C56)

All origins, both sexes.....	1,037	1,395	1,653	1,695	1,878	2,092	1,969	1,306	554	133	8	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1,037	1,395	1,653	1,695	1,878	2,092	1,969	1,306	554	133	8	-
Hispanic, both sexes.....	69	62	92	79	97	115	69	52	17	2	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	69	62	92	79	97	115	69	52	17	2	-	-
Mexican, both sexes.....	43	35	47	44	45	63	31	19	6	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	43	35	47	44	45	63	31	19	6	1	-	-
Puerto Rican, both sexes.....	5	3	13	12	11	11	9	6	1	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	5	3	13	12	11	11	9	6	1	-	-	-
Cuban, both sexes.....	1	4	8	6	12	13	15	12	5	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	4	8	6	12	13	15	12	5	1	-	-
Central and South American, both sexes.	11	13	18	7	15	14	5	7	2	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	11	13	18	7	15	14	5	7	2	-	-	-
Other and Unknown Hispanic, both sexes.	9	7	6	10	14	14	9	8	3	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	9	7	6	10	14	14	9	8	3	-	-	-
Non-Hispanic 1/, both sexes.....	967	1,331	1,560	1,612	1,778	1,975	1,897	1,253	537	131	8	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	967	1,331	1,560	1,612	1,778	1,975	1,897	1,253	537	131	8	-
Non-Hispanic white 2/, both sexes.....	812	1,158	1,375	1,424	1,611	1,776	1,750	1,148	505	117	5	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	812	1,158	1,375	1,424	1,611	1,776	1,750	1,148	505	117	5	-
Non-Hispanic black 2/, both sexes.....	103	124	144	154	128	150	104	86	27	12	2	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	103	124	144	154	128	150	104	86	27	12	2	-
Origin not stated 3/, both sexes.....	1	2	1	4	3	2	3	1	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	2	1	4	3	2	3	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004  
Hispanic origin, race for 50  
non-Hispanic population, and sex yes

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of kidney and renal pelvis (C64-C65)

All origins, both sexes.....	762	1,178	1,284	1,534	1,551	1,772	1,640	1,165	514	126	10	-
Male.....	542	838	895	1,046	958	1,075	889	607	226	46	1	-
Female.....	220	340	389	488	593	697	751	558	288	80	9	-
Hispanic, both sexes.....	67	98	77	82	99	95	75	41	15	4	-	-
Male.....	48	65	53	52	70	60	42	20	8	1	-	-
Female.....	19	33	24	30	29	35	33	21	7	3	-	-
Mexican, both sexes.....	46	66	51	57	59	64	48	27	6	1	-	-
Male.....	33	42	34	35	41	39	24	14	4	-	-	-
Female.....	13	24	17	22	18	25	24	13	2	1	-	-
Puerto Rican, both sexes.....	4	6	6	5	10	3	4	1	3	1	-	-
Male.....	4	5	4	2	9	1	3	-	-	-	-	-
Female.....	-	1	2	3	1	2	1	1	3	1	-	-
Cuban, both sexes.....	5	5	9	5	10	14	5	3	5	1	-	-
Male.....	5	4	7	5	8	11	3	2	3	1	-	-
Female.....	-	1	2	-	2	3	2	1	2	-	-	-
Central and South American, both sexes.	7	8	2	4	10	5	8	3	-	1	-	-
Male.....	2	6	1	3	7	3	4	2	-	-	-	-
Female.....	5	2	1	1	3	2	4	1	-	1	-	-
Other and Unknown Hispanic, both sexes.	5	13	9	11	10	9	10	7	1	-	-	-
Male.....	4	8	7	7	5	6	8	2	1	-	-	-
Female.....	1	5	2	4	5	3	2	5	-	-	-	-
Non-Hispanic 1/, both sexes.....	694	1,077	1,204	1,448	1,450	1,674	1,564	1,124	498	122	10	-
Male.....	493	772	840	992	886	1,012	846	587	218	45	1	-
Female.....	201	305	364	456	564	662	718	537	280	77	9	-
Non-Hispanic white 2/, both sexes.....	562	929	1,063	1,273	1,280	1,523	1,426	1,031	453	109	9	-
Male.....	409	656	741	869	789	930	778	541	202	40	1	-
Female.....	153	273	322	404	491	593	648	490	251	69	8	-
Non-Hispanic black 2/, both sexes.....	113	126	108	133	131	115	109	79	36	11	1	-
Male.....	72	95	76	94	73	61	57	38	12	4	-	-
Female.....	41	31	32	39	58	54	52	41	24	7	1	-
Origin not stated 3/, both sexes.....	1	3	3	4	2	3	1	-	1	-	-	-
Male.....	1	1	2	2	2	3	1	-	-	-	-	-
Female.....	-	2	1	2	-	-	-	-	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasm of bladder (C67)

All origins, both sexes.....	348	635	933	1,166	1,644	2,216	2,658	2,138	1,098	301	34	-
Male.....	263	487	705	857	1,202	1,602	1,870	1,421	647	140	13	-
Female.....	85	148	228	309	442	614	788	717	451	161	21	-
Hispanic, both sexes.....	9	23	35	56	56	75	76	58	23	2	2	-
Male.....	5	16	27	33	35	54	57	38	8	1	1	-
Female.....	4	7	8	23	21	21	19	20	15	1	1	-
Mexican, both sexes.....	6	12	17	20	20	32	43	23	11	-	-	-
Male.....	4	7	13	13	10	24	31	16	4	-	-	-
Female.....	2	5	4	7	10	8	12	7	7	-	-	-
Puerto Rican, both sexes.....	1	4	9	6	13	7	6	8	5	-	-	-
Male.....	-	2	6	3	9	4	6	4	2	-	-	-
Female.....	1	2	3	3	4	3	-	4	3	-	-	-
Cuban, both sexes.....	1	2	3	16	11	12	9	14	4	2	1	-
Male.....	1	2	3	10	5	10	6	9	2	1	1	-
Female.....	-	-	-	6	6	2	3	5	2	1	-	-
Central and South American, both sexes.	1	1	1	6	7	8	10	5	1	-	1	-
Male.....	-	1	1	4	7	4	7	4	-	-	-	-
Female.....	1	-	-	2	-	4	3	1	1	-	1	-
Other and Unknown Hispanic, both sexes.	-	4	5	8	5	16	8	8	2	-	-	-
Male.....	-	4	4	3	4	12	7	5	-	-	-	-
Female.....	-	-	1	5	1	4	1	3	2	-	-	-
Non-Hispanic 1/, both sexes.....	338	610	896	1,109	1,586	2,138	2,578	2,076	1,073	298	32	-
Male.....	257	469	676	824	1,166	1,546	1,811	1,379	638	139	12	-
Female.....	81	141	220	285	420	592	767	697	435	159	20	-
Non-Hispanic white 2/, both sexes.....	293	528	805	996	1,416	1,958	2,383	1,933	997	272	29	-
Male.....	224	412	610	756	1,073	1,453	1,705	1,307	598	127	12	-
Female.....	69	116	195	240	343	505	678	626	399	145	17	-
Non-Hispanic black 2/, both sexes.....	40	73	80	96	143	152	163	119	65	23	3	-
Male.....	30	48	59	53	80	72	82	59	34	11	-	-
Female.....	10	25	21	43	63	80	81	60	31	12	3	-
Origin not stated 3/, both sexes.....	1	2	2	1	2	3	4	4	2	1	-	-
Male.....	1	2	2	-	1	2	2	4	1	-	-	-
Female.....	-	-	-	1	1	1	2	-	1	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

All origins, both sexes.....	1,159	1,477	1,448	1,347	1,434	1,367	1,109	626	206	47	6	-
Male.....	682	874	863	794	781	714	558	265	76	14	3	-
Female.....	477	603	585	553	653	653	551	361	130	33	3	-
Hispanic, both sexes.....	69	68	69	51	52	65	35	18	11	2	-	-
Male.....	38	45	28	27	30	33	18	3	3	1	-	-
Female.....	31	23	41	24	22	32	17	15	8	1	-	-
Mexican, both sexes.....	35	37	45	24	27	31	23	8	3	-	-	-
Male.....	17	23	20	15	14	15	16	1	-	-	-	-
Female.....	18	14	25	9	13	16	7	7	3	-	-	-
Puerto Rican, both sexes.....	5	12	3	7	7	6	1	2	3	-	-	-
Male.....	4	11	1	3	3	4	-	1	1	-	-	-
Female.....	1	1	2	4	4	2	1	1	2	-	-	-
Cuban, both sexes.....	3	7	5	7	8	11	5	4	2	1	-	-
Male.....	1	2	1	3	7	5	1	-	1	-	-	-
Female.....	2	5	4	4	1	6	4	4	1	1	-	-
Central and South American, both sexes.	21	10	10	9	5	10	3	3	2	-	-	-
Male.....	13	7	3	4	2	4	1	-	1	-	-	-
Female.....	8	3	7	5	3	6	2	3	1	-	-	-
Other and Unknown Hispanic, both sexes.	5	2	6	4	5	7	3	1	1	1	-	-
Male.....	3	2	3	2	4	5	-	1	-	1	-	-
Female.....	2	-	3	2	1	2	3	-	1	-	-	-
Non-Hispanic 1/, both sexes.....	1,090	1,409	1,378	1,293	1,381	1,299	1,073	608	195	45	6	-
Male.....	644	829	834	767	751	679	539	262	73	13	3	-
Female.....	446	580	544	526	630	620	534	346	122	32	3	-
Non-Hispanic white 2/, both sexes.....	994	1,273	1,296	1,194	1,283	1,237	1,007	577	178	40	5	-
Male.....	589	750	787	712	699	651	502	248	67	11	3	-
Female.....	405	523	509	482	584	586	505	329	111	29	2	-
Non-Hispanic black 2/, both sexes.....	75	105	64	70	73	43	52	22	11	2	1	-
Male.....	43	64	36	36	40	17	28	10	2	-	-	-
Female.....	32	41	28	34	33	26	24	12	9	2	1	-
Origin not stated 3/, both sexes.....	-	-	1	3	1	3	1	-	-	-	-	-
Male.....	-	-	1	-	-	2	1	-	-	-	-	-
Female.....	-	-	-	3	1	1	-	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

All origins, both sexes.....	2,258	3,372	4,323	5,361	6,974	8,787	9,187	6,455	2,713	608	80	1
Male.....	1,401	2,069	2,625	3,179	3,962	4,917	4,782	2,883	1,034	198	16	1
Female.....	857	1,303	1,698	2,182	3,012	3,870	4,405	3,572	1,679	410	64	-
Hispanic, both sexes.....	187	223	250	325	381	380	339	176	71	8	3	-
Male.....	103	134	139	170	203	200	166	78	32	4	1	-
Female.....	84	89	111	155	178	180	173	98	39	4	2	-
Mexican, both sexes.....	98	111	140	179	220	178	184	87	28	5	2	-
Male.....	58	68	79	90	117	94	91	40	15	3	-	-
Female.....	40	43	61	89	103	84	93	47	13	2	2	-
Puerto Rican, both sexes.....	24	34	36	37	51	40	33	15	9	-	-	-
Male.....	14	18	22	20	32	20	19	5	5	-	-	-
Female.....	10	16	14	17	19	20	14	10	4	-	-	-
Cuban, both sexes.....	12	14	17	40	37	65	40	33	10	2	-	-
Male.....	8	10	10	18	15	36	19	18	5	1	-	-
Female.....	4	4	7	22	22	29	21	15	5	1	-	-
Central and South American, both sexes.	37	42	36	39	51	50	39	26	7	1	1	-
Male.....	15	23	15	22	25	23	16	7	-	-	1	-
Female.....	22	19	21	17	26	27	23	19	7	1	-	-
Other and Unknown Hispanic, both sexes.	16	22	21	30	22	47	43	15	17	-	-	-
Male.....	8	15	13	20	14	27	21	8	7	-	-	-
Female.....	8	7	8	10	8	20	22	7	10	-	-	-
Non-Hispanic 1/, both sexes.....	2,068	3,142	4,067	5,026	6,588	8,400	8,836	6,271	2,637	600	77	1
Male.....	1,295	1,931	2,484	3,005	3,755	4,713	4,607	2,804	998	194	15	1
Female.....	773	1,211	1,583	2,021	2,833	3,687	4,229	3,467	1,639	406	62	-
Non-Hispanic white 2/, both sexes.....	1,666	2,567	3,406	4,334	5,779	7,584	8,159	5,815	2,445	550	71	1
Male.....	1,051	1,592	2,106	2,612	3,329	4,295	4,290	2,607	923	170	14	1
Female.....	615	975	1,300	1,722	2,450	3,289	3,869	3,208	1,522	380	57	-
Non-Hispanic black 2/, both sexes.....	342	498	549	564	660	646	533	352	150	40	6	-
Male.....	205	298	314	320	356	319	242	148	50	18	1	-
Female.....	137	200	235	244	304	327	291	204	100	22	5	-
Origin not stated 3/, both sexes.....	3	7	6	10	5	7	12	8	5	-	-	-
Male.....	3	4	2	4	4	4	9	1	4	-	-	-
Female.....	-	3	4	6	1	3	3	7	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Hodgkin's disease (C81)

All origins, both sexes.....	82	96	92	97	108	156	132	97	36	5	-	-
Male.....	58	67	58	59	60	71	65	44	15	3	-	-
Female.....	24	29	34	38	48	85	67	53	21	2	-	-
Hispanic, both sexes.....	6	5	8	8	10	10	8	5	-	-	-	-
Male.....	4	4	3	5	5	4	5	1	-	-	-	-
Female.....	2	1	5	3	5	6	3	4	-	-	-	-
Mexican, both sexes.....	3	3	3	6	5	8	6	2	-	-	-	-
Male.....	1	2	2	4	2	3	4	-	-	-	-	-
Female.....	2	1	1	2	3	5	2	2	-	-	-	-
Puerto Rican, both sexes.....	1	-	2	-	2	2	1	-	-	-	-	-
Male.....	1	-	1	-	1	1	1	-	-	-	-	-
Female.....	-	-	1	-	1	1	-	-	-	-	-	-
Cuban, both sexes.....	-	-	1	1	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	1	-	-	-	-
Central and South American, both sexes.	1	2	2	1	2	-	1	1	-	-	-	-
Male.....	1	2	-	1	1	-	-	1	-	-	-	-
Female.....	-	-	2	-	1	-	1	-	-	-	-	-
Other and Unknown Hispanic, both sexes.	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Non-Hispanic 1/, both sexes.....	76	91	84	89	97	145	124	91	36	5	-	-
Male.....	54	63	55	54	54	66	60	43	15	3	-	-
Female.....	22	28	29	35	43	79	64	48	21	2	-	-
Non-Hispanic white 2/, both sexes.....	69	77	75	80	84	135	116	83	34	4	-	-
Male.....	48	52	50	47	47	62	55	39	15	2	-	-
Female.....	21	25	25	33	37	73	61	44	19	2	-	-
Non-Hispanic black 2/, both sexes.....	7	12	7	9	9	7	7	6	2	-	-	-
Male.....	6	9	3	7	4	3	4	3	-	-	-	-
Female.....	1	3	4	2	5	4	3	3	2	-	-	-
Origin not stated 3/, both sexes.....	-	-	-	-	1	1	-	1	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Non-Hodgkin's lymphoma (C82-C85)

All origins, both sexes.....	854	1,215	1,671	1,972	2,571	3,413	3,594	2,547	1,048	224	12	1
Male.....	565	776	1,019	1,152	1,425	1,787	1,759	1,065	381	65	2	1
Female.....	289	439	652	820	1,146	1,626	1,835	1,482	667	159	10	-
Hispanic, both sexes.....	74	98	110	121	139	161	147	69	33	1	-	-
Male.....	41	63	61	62	74	79	72	33	15	-	-	-
Female.....	33	35	49	59	65	82	75	36	18	1	-	-
Mexican, both sexes.....	39	47	69	72	80	82	83	32	11	-	-	-
Male.....	23	33	37	36	39	41	41	12	6	-	-	-
Female.....	16	14	32	36	41	41	42	20	5	-	-	-
Puerto Rican, both sexes.....	10	18	16	9	17	15	13	8	3	-	-	-
Male.....	6	10	12	6	14	4	8	3	2	-	-	-
Female.....	4	8	4	3	3	11	5	5	1	-	-	-
Cuban, both sexes.....	6	6	6	14	18	25	15	15	6	1	-	-
Male.....	4	6	3	6	6	13	7	13	3	-	-	-
Female.....	2	-	3	8	12	12	8	2	3	1	-	-
Central and South American, both sexes.	14	18	12	16	16	19	17	8	4	-	-	-
Male.....	4	9	4	9	8	8	7	1	-	-	-	-
Female.....	10	9	8	7	8	11	10	7	4	-	-	-
Other and Unknown Hispanic, both sexes.	5	9	7	10	8	20	19	6	9	-	-	-
Male.....	4	5	5	5	7	13	9	4	4	-	-	-
Female.....	1	4	2	5	1	7	10	2	5	-	-	-
Non-Hispanic 1/, both sexes.....	778	1,116	1,557	1,847	2,430	3,249	3,445	2,477	1,014	223	12	1
Male.....	522	712	956	1,088	1,350	1,706	1,685	1,032	365	65	2	1
Female.....	256	404	601	759	1,080	1,543	1,760	1,445	649	158	10	-
Non-Hispanic white 2/, both sexes.....	645	928	1,354	1,636	2,218	3,034	3,244	2,349	963	209	11	1
Male.....	432	596	839	967	1,242	1,605	1,602	973	348	58	2	1
Female.....	213	332	515	669	976	1,429	1,642	1,376	615	151	9	-
Non-Hispanic black 2/, both sexes.....	111	162	157	150	153	149	132	86	32	11	1	-
Male.....	75	103	91	85	76	67	51	38	4	5	-	-
Female.....	36	59	66	65	77	82	81	48	28	6	1	-
Origin not stated 3/, both sexes.....	2	1	4	4	2	3	2	1	1	-	-	-
Male.....	2	1	2	2	1	2	2	-	1	-	-	-
Female.....	-	-	2	2	1	1	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Leukemia (C91-C95)

All origins, both sexes.....	833	1,272	1,551	2,065	2,670	3,300	3,563	2,550	1,158	306	60	-
Male.....	491	773	960	1,274	1,595	2,021	2,000	1,213	443	105	13	-
Female.....	342	499	591	791	1,075	1,279	1,563	1,337	715	201	47	-
Hispanic, both sexes.....	64	72	78	103	130	115	111	60	22	6	2	-
Male.....	31	40	46	59	70	70	58	25	9	4	-	-
Female.....	33	32	32	44	60	45	53	35	13	2	2	-
Mexican, both sexes.....	34	36	40	54	77	53	58	34	11	4	2	-
Male.....	18	21	24	34	47	32	33	19	5	3	-	-
Female.....	16	15	16	20	30	21	25	15	6	1	2	-
Puerto Rican, both sexes.....	6	9	13	14	15	12	11	4	4	-	-	-
Male.....	2	4	8	9	7	10	5	1	2	-	-	-
Female.....	4	5	5	5	8	2	6	3	2	-	-	-
Cuban, both sexes.....	4	4	5	15	12	24	19	12	3	1	-	-
Male.....	3	1	4	4	5	13	11	4	2	1	-	-
Female.....	1	3	1	11	7	11	8	8	1	-	-	-
Central and South American, both sexes.	13	14	11	14	19	12	13	7	1	1	-	-
Male.....	6	7	6	8	9	7	6	1	-	-	-	-
Female.....	7	7	5	6	10	5	7	6	1	1	-	-
Other and Unknown Hispanic, both sexes.	7	9	9	6	7	14	10	3	3	-	-	-
Male.....	2	7	4	4	2	8	3	-	-	-	-	-
Female.....	5	2	5	2	5	6	7	3	3	-	-	-
Non-Hispanic 1/, both sexes.....	768	1,195	1,471	1,960	2,539	3,183	3,447	2,486	1,132	300	58	-
Male.....	459	731	914	1,214	1,524	1,951	1,938	1,187	431	101	13	-
Female.....	309	464	557	746	1,015	1,232	1,509	1,299	701	199	45	-
Non-Hispanic white 2/, both sexes.....	649	1,023	1,269	1,740	2,268	2,878	3,223	2,323	1,054	274	53	-
Male.....	387	628	801	1,078	1,376	1,776	1,821	1,113	396	89	12	-
Female.....	262	395	468	662	892	1,102	1,402	1,210	658	185	41	-
Non-Hispanic black 2/, both sexes.....	96	140	164	177	227	232	175	127	62	20	5	-
Male.....	56	85	93	113	124	129	89	58	27	9	1	-
Female.....	40	55	71	64	103	103	86	69	35	11	4	-
Origin not stated 3/, both sexes.....	1	5	2	2	1	2	5	4	4	-	-	-
Male.....	1	2	-	1	1	-	4	1	3	-	-	-
Female.....	-	3	2	1	-	2	1	3	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Multiple myeloma and immunoproliferative neoplasms (C88, C90)

All origins, both sexes.....	487	783	1,006	1,223	1,620	1,905	1,888	1,248	464	72	8	-
Male.....	286	450	585	691	878	1,031	954	557	191	24	1	-
Female.....	201	333	421	532	742	874	934	691	273	48	7	-
Hispanic, both sexes.....	43	47	54	93	102	93	73	41	15	1	1	-
Male.....	27	27	29	44	54	47	31	18	8	-	1	-
Female.....	16	20	25	49	48	46	42	23	7	1	-	-
Mexican, both sexes.....	22	25	28	47	58	34	37	19	5	1	-	-
Male.....	16	12	16	16	29	18	13	9	4	-	-	-
Female.....	6	13	12	31	29	16	24	10	1	1	-	-
Puerto Rican, both sexes.....	7	7	5	14	17	11	8	3	2	-	-	-
Male.....	5	4	1	5	10	5	5	1	1	-	-	-
Female.....	2	3	4	9	7	6	3	2	1	-	-	-
Cuban, both sexes.....	2	3	5	10	6	16	6	5	1	-	-	-
Male.....	1	3	3	8	3	10	1	1	-	-	-	-
Female.....	1	-	2	2	3	6	5	4	1	-	-	-
Central and South American, both sexes.	9	8	11	8	14	19	8	10	2	-	1	-
Male.....	4	5	5	4	7	8	3	4	-	-	1	-
Female.....	5	3	6	4	7	11	5	6	2	-	-	-
Other and Unknown Hispanic, both sexes.	3	4	5	14	7	13	14	4	5	-	-	-
Male.....	1	3	4	11	5	6	9	3	3	-	-	-
Female.....	2	1	1	3	2	7	5	1	2	-	-	-
Non-Hispanic 1/, both sexes.....	444	735	952	1,126	1,517	1,811	1,810	1,205	449	71	7	-
Male.....	259	422	556	646	823	983	920	539	183	24	-	-
Female.....	185	313	396	480	694	828	890	666	266	47	7	-
Non-Hispanic white 2/, both sexes.....	302	535	706	874	1,205	1,525	1,566	1,048	388	62	7	-
Male.....	184	313	414	517	661	845	808	479	160	20	-	-
Female.....	118	222	292	357	544	680	758	569	228	42	7	-
Non-Hispanic black 2/, both sexes.....	127	183	220	228	270	258	219	133	54	9	-	-
Male.....	67	101	126	115	151	120	98	49	19	4	-	-
Female.....	60	82	94	113	119	138	121	84	35	5	-	-
Origin not stated 3/, both sexes.....	-	1	-	4	1	1	5	2	-	-	-	-
Male.....	-	1	-	1	1	1	3	-	-	-	-	-
Female.....	-	-	-	3	-	-	2	2	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004),  
 Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	--------------------	----------------

All other and unspecified malignant neoplasms (C17, C23-C24, C26-C31, C37-C41, C44-C49, C51-C52, C57-C60, C62-C63, C66, C68-C69, C73-C80, C97)

All origins, both sexes.....	3,373	4,901	5,683	6,486	7,707	9,054	9,229	6,732	3,358	910	127	1
Male.....	1,859	2,788	3,295	3,586	4,127	4,696	4,518	2,941	1,168	242	31	1
Female.....	1,514	2,113	2,388	2,900	3,580	4,358	4,711	3,791	2,190	668	96	-
Hispanic, both sexes.....	233	279	340	330	418	411	339	228	105	27	12	-
Male.....	112	157	172	179	235	201	159	91	37	13	4	-
Female.....	121	122	168	151	183	210	180	137	68	14	8	-
Mexican, both sexes.....	134	158	190	184	231	244	187	119	60	15	5	-
Male.....	70	91	88	100	138	120	86	47	20	7	1	-
Female.....	64	67	102	84	93	124	101	72	40	8	4	-
Puerto Rican, both sexes.....	26	33	50	51	55	43	31	20	13	2	-	-
Male.....	13	15	29	29	31	22	20	6	4	-	-	-
Female.....	13	18	21	22	24	21	11	14	9	2	-	-
Cuban, both sexes.....	11	19	22	28	33	46	48	30	12	4	3	-
Male.....	6	13	15	19	17	26	24	14	6	2	1	-
Female.....	5	6	7	9	16	20	24	16	6	2	2	-
Central and South American, both sexes.	43	40	46	40	44	46	31	20	7	3	-	-
Male.....	14	20	25	17	17	17	9	9	3	2	-	-
Female.....	29	20	21	23	27	29	22	11	4	1	-	-
Other and Unknown Hispanic, both sexes.	19	29	32	27	55	32	42	39	13	3	4	-
Male.....	9	18	15	14	32	16	20	15	4	2	2	-
Female.....	10	11	17	13	23	16	22	24	9	1	2	-
Non-Hispanic 1/, both sexes.....	3,133	4,614	5,327	6,144	7,275	8,631	8,880	6,494	3,250	883	115	1
Male.....	1,744	2,624	3,113	3,400	3,883	4,487	4,352	2,846	1,131	229	27	1
Female.....	1,389	1,990	2,214	2,744	3,392	4,144	4,528	3,648	2,119	654	88	-
Non-Hispanic white 2/, both sexes.....	2,450	3,742	4,443	5,198	6,339	7,671	8,079	5,909	2,998	795	102	1
Male.....	1,366	2,151	2,655	2,927	3,430	4,033	3,992	2,613	1,060	207	24	1
Female.....	1,084	1,591	1,788	2,271	2,909	3,638	4,087	3,296	1,938	588	78	-
Non-Hispanic black 2/, both sexes.....	577	744	739	770	761	757	629	434	197	70	10	-
Male.....	326	410	392	384	374	359	290	167	52	15	2	-
Female.....	251	334	347	386	387	398	339	267	145	55	8	-
Origin not stated 3/, both sexes.....	7	8	16	12	14	12	10	10	3	-	-	-
Male.....	3	7	10	7	9	8	7	4	-	-	-	-
Female.....	4	1	6	5	5	4	3	6	3	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)

All origins, both sexes.....	455	571	744	937	1,432	2,124	2,626	2,317	1,367	399	51	-
Male.....	255	332	400	538	822	1,193	1,326	958	490	100	10	-
Female.....	200	239	344	399	610	931	1,300	1,359	877	299	41	-
Hispanic, both sexes.....	33	35	55	53	69	89	103	69	39	15	1	-
Male.....	24	20	30	27	42	48	48	28	15	4	-	-
Female.....	9	15	25	26	27	41	55	41	24	11	1	-
Mexican, both sexes.....	17	16	37	30	28	48	55	36	16	8	-	-
Male.....	12	8	20	14	16	25	27	14	7	3	-	-
Female.....	5	8	17	16	12	23	28	22	9	5	-	-
Puerto Rican, both sexes.....	6	4	6	7	5	10	14	6	5	1	-	-
Male.....	5	3	3	3	4	6	6	3	2	1	-	-
Female.....	1	1	3	4	1	4	8	3	3	-	-	-
Cuban, both sexes.....	2	3	5	6	10	11	18	12	9	-	1	-
Male.....	1	3	3	3	6	7	9	5	2	-	-	-
Female.....	1	-	2	3	4	4	9	7	7	-	1	-
Central and South American, both sexes.	4	7	5	7	18	8	2	7	3	5	-	-
Male.....	3	4	3	5	10	4	1	1	-	-	-	-
Female.....	1	3	2	2	8	4	1	6	3	5	-	-
Other and Unknown Hispanic, both sexes.	4	5	2	3	8	12	14	8	6	1	-	-
Male.....	3	2	1	2	6	6	5	5	4	-	-	-
Female.....	1	3	1	1	2	6	9	3	2	1	-	-
Non-Hispanic 1/, both sexes.....	421	536	689	882	1,362	2,034	2,516	2,248	1,326	383	50	-
Male.....	230	312	370	509	779	1,144	1,273	930	475	96	10	-
Female.....	191	224	319	373	583	890	1,243	1,318	851	287	40	-
Non-Hispanic white 2/, both sexes.....	345	453	567	766	1,203	1,828	2,310	2,068	1,226	347	44	-
Male.....	198	267	312	445	702	1,049	1,173	851	432	88	8	-
Female.....	147	186	255	321	501	779	1,137	1,217	794	259	36	-
Non-Hispanic black 2/, both sexes.....	64	73	101	91	117	155	165	131	74	30	4	-
Male.....	26	41	49	51	59	73	79	57	25	6	2	-
Female.....	38	32	52	40	58	82	86	74	49	24	2	-
Origin not stated 3/, both sexes.....	1	-	-	2	1	1	7	-	2	1	-	-
Male.....	1	-	-	2	1	1	5	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	2	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Anemias (D50-D64)

All origins, both sexes.....	109	149	155	143	258	380	595	682	566	274	65	-
Male.....	48	70	73	73	106	168	253	241	183	64	11	-
Female.....	61	79	82	70	152	212	342	441	383	210	54	-
Hispanic, both sexes.....	7	11	7	6	14	27	20	24	23	6	1	-
Male.....	5	5	2	2	5	13	6	9	4	2	-	-
Female.....	2	6	5	4	9	14	14	15	19	4	1	-
Mexican, both sexes.....	3	5	7	4	6	16	11	8	11	3	-	-
Male.....	2	3	2	2	1	9	4	3	1	2	-	-
Female.....	1	2	5	2	5	7	7	5	10	1	-	-
Puerto Rican, both sexes.....	2	-	-	2	2	2	3	2	1	-	-	-
Male.....	1	-	-	-	1	-	-	1	1	-	-	-
Female.....	1	-	-	2	1	2	3	1	-	-	-	-
Cuban, both sexes.....	-	-	-	-	5	4	3	10	3	1	1	-
Male.....	-	-	-	-	3	1	2	3	-	-	-	-
Female.....	-	-	-	-	2	3	1	7	3	1	1	-
Central and South American, both sexes.	1	3	-	-	1	4	2	-	-	1	-	-
Male.....	1	2	-	-	-	2	-	-	-	-	-	-
Female.....	-	1	-	-	1	2	2	-	-	1	-	-
Other and Unknown Hispanic, both sexes.	1	3	-	-	-	1	1	4	8	1	-	-
Male.....	1	-	-	-	-	1	-	2	2	-	-	-
Female.....	-	3	-	-	-	-	1	2	6	1	-	-
Non-Hispanic 1/, both sexes.....	102	138	148	137	244	353	574	658	541	267	64	-
Male.....	43	65	71	71	101	155	247	232	178	62	11	-
Female.....	59	73	77	66	143	198	327	426	363	205	53	-
Non-Hispanic white 2/, both sexes.....	40	81	99	104	196	296	506	591	475	233	54	-
Male.....	19	35	46	57	81	130	220	213	162	55	9	-
Female.....	21	46	53	47	115	166	286	378	313	178	45	-
Non-Hispanic black 2/, both sexes.....	58	56	44	30	44	48	56	53	58	29	8	-
Male.....	23	29	22	13	17	21	22	11	15	6	1	-
Female.....	35	27	22	17	27	27	34	42	43	23	7	-
Origin not stated 3/, both sexes.....	-	-	-	-	-	-	1	-	2	1	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diabetes mellitus (E10-E14)

All origins, both sexes.....	3,512	5,233	6,199	7,084	8,399	10,471	11,292	8,994	4,528	1,352	231	1
Male.....	2,134	3,049	3,621	3,903	4,441	5,225	5,061	3,620	1,455	311	33	1
Female.....	1,378	2,184	2,578	3,181	3,958	5,246	6,231	5,374	3,073	1,041	198	-
Hispanic, both sexes.....	355	518	563	748	875	951	807	581	264	86	14	-
Male.....	215	305	303	391	445	437	378	232	81	23	2	-
Female.....	140	213	260	357	430	514	429	349	183	63	12	-
Mexican, both sexes.....	234	347	348	488	557	614	505	323	144	39	7	-
Male.....	139	207	183	253	281	283	237	132	43	15	-	-
Female.....	95	140	165	235	276	331	268	191	101	24	7	-
Puerto Rican, both sexes.....	43	79	94	95	123	110	101	83	33	11	1	-
Male.....	23	47	50	50	60	38	53	34	9	3	-	-
Female.....	20	32	44	45	63	72	48	49	24	8	1	-
Cuban, both sexes.....	8	22	26	53	61	77	88	64	32	17	2	-
Male.....	7	16	17	29	35	47	41	25	9	4	1	-
Female.....	1	6	9	24	26	30	47	39	23	13	1	-
Central and South American, both sexes.	32	35	39	52	62	72	40	44	26	10	1	-
Male.....	22	18	20	23	25	30	18	13	8	-	1	-
Female.....	10	17	19	29	37	42	22	31	18	10	-	-
Other and Unknown Hispanic, both sexes.	38	35	56	60	72	78	73	67	29	9	3	-
Male.....	24	17	33	36	44	39	29	28	12	1	-	-
Female.....	14	18	23	24	28	39	44	39	17	8	3	-
Non-Hispanic 1/, both sexes.....	3,146	4,697	5,615	6,323	7,509	9,503	10,462	8,399	4,260	1,263	217	1
Male.....	1,911	2,732	3,305	3,501	3,989	4,783	4,677	3,383	1,370	286	31	1
Female.....	1,235	1,965	2,310	2,822	3,520	4,720	5,785	5,016	2,890	977	186	-
Non-Hispanic white 2/, both sexes.....	2,137	3,318	4,080	4,614	5,691	7,551	8,596	7,077	3,606	1,075	175	1
Male.....	1,345	1,980	2,506	2,684	3,146	3,971	4,000	2,943	1,192	247	24	1
Female.....	792	1,338	1,574	1,930	2,545	3,580	4,596	4,134	2,414	828	151	-
Non-Hispanic black 2/, both sexes.....	870	1,178	1,297	1,447	1,530	1,612	1,531	1,065	547	148	33	-
Male.....	485	621	668	685	711	660	542	337	139	31	4	-
Female.....	385	557	629	762	819	952	989	728	408	117	29	-
Origin not stated 3/, both sexes.....	11	18	21	13	15	17	23	14	4	3	-	-
Male.....	8	12	13	11	7	5	6	5	4	2	-	-
Female.....	3	6	8	2	8	12	17	9	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Nutritional deficiencies (E40-E64)

All origins, both sexes.....	59	84	101	110	165	294	426	548	407	188	57	-
Male.....	27	38	44	53	80	123	176	164	110	36	5	-
Female.....	32	46	57	57	85	171	250	384	297	152	52	-
Hispanic, both sexes.....	4	3	5	2	8	21	23	13	21	12	3	-
Male.....	3	1	3	1	4	11	8	3	6	2	-	-
Female.....	1	2	2	1	4	10	15	10	15	10	3	-
Mexican, both sexes.....	1	3	3	2	5	15	17	10	14	10	2	-
Male.....	1	1	2	1	3	8	5	2	3	2	-	-
Female.....	-	2	1	1	2	7	12	8	11	8	2	-
Puerto Rican, both sexes.....	1	-	2	-	3	3	-	-	-	-	1	-
Male.....	-	-	1	-	1	2	-	-	-	-	-	-
Female.....	1	-	1	-	2	1	-	-	-	-	1	-
Cuban, both sexes.....	1	-	-	-	-	1	-	1	-	1	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	1	-	-
Central and South American, both sexes.	1	-	-	-	-	1	-	2	2	-	-	-
Male.....	1	-	-	-	-	-	-	-	2	-	-	-
Female.....	-	-	-	-	-	1	-	2	-	-	-	-
Other and Unknown Hispanic, both sexes.	-	-	-	-	-	1	6	-	5	1	-	-
Male.....	-	-	-	-	-	1	3	-	1	-	-	-
Female.....	-	-	-	-	-	-	3	-	4	1	-	-
Non-Hispanic 1/, both sexes.....	55	81	96	108	157	273	403	534	385	176	54	-
Male.....	24	37	41	52	76	112	168	161	103	34	5	-
Female.....	31	44	55	56	81	161	235	373	282	142	49	-
Non-Hispanic white 2/, both sexes.....	38	62	78	81	128	234	336	467	346	145	44	-
Male.....	15	24	32	37	61	90	135	138	94	29	3	-
Female.....	23	38	46	44	67	144	201	329	252	116	41	-
Non-Hispanic black 2/, both sexes.....	17	19	16	26	27	30	57	54	32	22	10	-
Male.....	9	13	7	15	15	17	27	18	8	4	2	-
Female.....	8	6	9	11	12	13	30	36	24	18	8	-
Origin not stated 3/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malnutrition (E40-E46)

All origins, both sexes.....	54	82	91	105	157	275	398	512	375	167	51	-
Male.....	25	37	39	49	74	114	162	155	102	34	5	-
Female.....	29	45	52	56	83	161	236	357	273	133	46	-
Hispanic, both sexes.....	4	3	4	2	8	20	23	12	20	10	3	-
Male.....	3	1	2	1	4	10	8	3	5	2	-	-
Female.....	1	2	2	1	4	10	15	9	15	8	3	-
Mexican, both sexes.....	1	3	2	2	5	14	17	9	14	8	2	-
Male.....	1	1	1	1	3	7	5	2	3	2	-	-
Female.....	-	2	1	1	2	7	12	7	11	6	2	-
Puerto Rican, both sexes.....	1	-	2	-	3	3	-	-	-	-	1	-
Male.....	-	-	1	-	1	2	-	-	-	-	-	-
Female.....	1	-	1	-	2	1	-	-	-	-	1	-
Cuban, both sexes.....	1	-	-	-	-	1	-	1	-	1	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	1	-	-
Central and South American, both sexes.	1	-	-	-	-	1	-	2	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	2	-	-	-	-
Other and Unknown Hispanic, both sexes.	-	-	-	-	-	1	6	-	5	1	-	-
Male.....	-	-	-	-	-	1	3	-	1	-	-	-
Female.....	-	-	-	-	-	-	3	-	4	1	-	-
Non-Hispanic 1/, both sexes.....	50	79	87	103	149	255	375	499	355	157	48	-
Male.....	22	36	37	48	70	104	154	152	97	32	5	-
Female.....	28	43	50	55	79	151	221	347	258	125	43	-
Non-Hispanic white 2/, both sexes.....	33	61	72	76	120	221	310	434	317	128	39	-
Male.....	13	23	30	33	55	84	123	129	88	27	3	-
Female.....	20	38	42	43	65	137	187	305	229	101	36	-
Non-Hispanic black 2/, both sexes.....	17	18	13	26	27	26	55	52	31	21	9	-
Male.....	9	13	5	15	15	15	25	18	8	4	2	-
Female.....	8	5	8	11	12	11	30	34	23	17	7	-
Origin not stated 3/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

#### **Other nutritional deficiencies (E50-E64)**

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Meningitis (G00,G03)

All origins, both sexes.....	56	45	32	36	40	42	47	32	12	4	-	-
Male.....	32	21	19	13	20	19	20	15	4	-	-	-
Female.....	24	24	13	23	20	23	27	17	8	4	-	-
Hispanic, both sexes.....	3	4	4	3	4	2	3	1	1	1	-	-
Male.....	3	2	2	-	2	-	-	-	1	-	-	-
Female.....	-	2	2	3	2	2	3	1	-	1	-	-
Mexican, both sexes.....	2	2	2	2	3	1	2	-	-	-	-	-
Male.....	2	1	1	-	2	-	-	-	-	-	-	-
Female.....	-	1	1	2	1	1	2	-	-	-	-	-
Puerto Rican, both sexes.....	-	1	2	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	-	-	-
Cuban, both sexes.....	-	-	-	1	-	1	1	1	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	1	-	1	1	1	-	1	-	-
Central and South American, both sexes.	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	53	41	28	33	36	39	43	31	11	3	-	-
Male.....	29	19	17	13	18	18	20	15	3	-	-	-
Female.....	24	22	11	20	18	21	23	16	8	3	-	-
Non-Hispanic white 2/, both sexes.....	45	26	22	26	32	32	38	30	9	3	-	-
Male.....	25	11	11	9	17	18	19	15	2	-	-	-
Female.....	20	15	11	17	15	14	19	15	7	3	-	-
Non-Hispanic black 2/, both sexes.....	7	15	6	4	4	6	4	1	2	-	-	-
Male.....	3	8	6	2	1	-	1	-	1	-	-	-
Female.....	4	7	-	2	3	6	3	1	1	-	-	-
Origin not stated 3/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Parkinson's disease (G20-G21)

All origins, both sexes.....	55	122	275	621	1,689	3,695	5,406	4,840	2,278	492	59	-
Male.....	36	81	181	409	1,113	2,372	3,174	2,638	1,078	179	16	-
Female.....	19	41	94	212	576	1,323	2,232	2,202	1,200	313	43	-
Hispanic, both sexes.....	4	8	11	30	92	140	179	156	74	8	2	-
Male.....	3	5	6	16	56	92	110	92	35	5	2	-
Female.....	1	3	5	14	36	48	69	64	39	3	-	-
Mexican, both sexes.....	3	4	5	15	41	67	93	69	34	3	2	-
Male.....	2	2	2	6	22	45	66	40	20	2	2	-
Female.....	1	2	3	9	19	22	27	29	14	1	-	-
Puerto Rican, both sexes.....	1	2	1	7	11	16	18	18	9	-	-	-
Male.....	1	1	-	4	8	11	10	10	3	-	-	-
Female.....	-	1	1	3	3	5	8	8	6	-	-	-
Cuban, both sexes.....	-	1	2	2	15	23	30	29	10	3	-	-
Male.....	-	1	2	2	11	18	14	17	4	2	-	-
Female.....	-	-	-	-	4	5	16	12	6	1	-	-
Central and South American, both sexes.	-	1	1	3	7	12	8	15	6	1	-	-
Male.....	-	1	1	1	5	8	4	9	2	-	-	-
Female.....	-	-	-	2	2	4	4	6	4	1	-	-
Other and Unknown Hispanic, both sexes.	-	-	2	3	18	22	30	25	15	1	-	-
Male.....	-	-	1	3	10	10	16	16	6	1	-	-
Female.....	-	-	1	-	8	12	14	9	9	-	-	-
Non-Hispanic 1/, both sexes.....	51	114	262	591	1,593	3,554	5,221	4,680	2,201	484	57	-
Male.....	33	76	173	393	1,055	2,279	3,060	2,543	1,042	174	14	-
Female.....	18	38	89	198	538	1,275	2,161	2,137	1,159	310	43	-
Non-Hispanic white 2/, both sexes.....	38	102	231	526	1,470	3,346	4,976	4,477	2,095	467	51	-
Male.....	27	69	153	351	973	2,149	2,911	2,447	994	170	14	-
Female.....	11	33	78	175	497	1,197	2,065	2,030	1,101	297	37	-
Non-Hispanic black 2/, both sexes.....	9	11	20	41	91	148	156	121	55	14	5	-
Male.....	5	6	13	28	60	94	91	52	23	3	-	-
Female.....	4	5	7	13	31	54	65	69	32	11	5	-
Origin not stated 3/, both sexes.....	-	-	2	-	4	1	6	4	3	-	-	-
Male.....	-	-	2	-	2	1	4	3	1	-	-	-
Female.....	-	-	-	-	2	-	2	1	2	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Alzheimer's disease (G30)

All origins, both sexes.....	73	205	450	1,000	2,812	7,472	15,443	20,363	16,620	6,743	1,207	-
Male.....	37	86	218	499	1,210	2,966	5,329	6,012	3,622	1,028	120	-
Female.....	36	119	232	501	1,602	4,506	10,114	14,351	12,998	5,715	1,087	-
Hispanic, both sexes.....	7	12	35	53	119	292	556	608	493	173	41	-
Male.....	1	6	20	31	50	109	230	189	118	44	8	-
Female.....	6	6	15	22	69	183	326	419	375	129	33	-
Mexican, both sexes.....	4	8	17	24	54	165	296	283	213	79	22	-
Male.....	1	2	9	15	22	63	121	87	60	26	5	-
Female.....	3	6	8	9	32	102	175	196	153	53	17	-
Puerto Rican, both sexes.....	1	3	8	13	27	32	64	59	64	17	2	-
Male.....	-	3	7	7	14	13	28	15	14	6	1	-
Female.....	1	-	1	6	13	19	36	44	50	11	1	-
Cuban, both sexes.....	1	1	6	7	17	48	104	130	105	40	11	-
Male.....	-	1	3	4	7	17	42	41	19	7	2	-
Female.....	1	-	3	3	10	31	62	89	86	33	9	-
Central and South American, both sexes.	-	-	3	3	8	20	28	50	38	13	4	-
Male.....	-	-	-	1	4	5	9	11	6	-	-	-
Female.....	-	-	3	2	4	15	19	39	32	13	4	-
Other and Unknown Hispanic, both sexes.	1	-	1	6	13	27	64	86	73	24	2	-
Male.....	-	-	1	4	3	11	30	35	19	5	-	-
Female.....	1	-	-	2	10	16	34	51	54	19	2	-
Non-Hispanic 1/, both sexes.....	66	193	415	947	2,683	7,168	14,872	19,733	16,111	6,561	1,165	-
Male.....	36	80	198	468	1,155	2,852	5,093	5,818	3,502	983	112	-
Female.....	30	113	217	479	1,528	4,316	9,779	13,915	12,609	5,578	1,053	-
Non-Hispanic white 2/, both sexes.....	57	179	374	858	2,395	6,524	13,749	18,429	14,970	6,049	1,046	-
Male.....	33	75	179	425	1,037	2,624	4,739	5,455	3,265	894	101	-
Female.....	24	104	195	433	1,358	3,900	9,010	12,974	11,705	5,155	945	-
Non-Hispanic black 2/, both sexes.....	8	13	39	75	259	537	946	1,075	925	437	104	-
Male.....	3	5	19	35	106	197	288	279	163	72	8	-
Female.....	5	8	20	40	153	340	658	796	762	365	96	-
Origin not stated 3/, both sexes.....	-	-	-	-	10	12	15	22	16	9	1	-
Male.....	-	-	-	-	5	5	6	5	2	1	-	-
Female.....	-	-	-	-	5	7	9	17	14	8	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Major cardiovascular diseases (I00-I78)

All origins, both sexes.....	28,067	37,492	43,222	50,883	68,219	100,998	139,864	148,877	109,991	45,228	9,910	41
Male.....	19,621	25,746	28,309	31,836	39,374	53,442	64,989	58,504	33,838	10,008	1,509	30
Female.....	8,446	11,746	14,913	19,047	28,845	47,556	74,875	90,373	76,153	35,220	8,401	11
Hispanic, both sexes.....	1,828	2,279	2,506	2,979	3,856	5,052	5,782	5,056	3,520	1,497	398	4
Male.....	1,317	1,532	1,616	1,814	2,164	2,678	2,691	2,000	1,146	397	96	2
Female.....	511	747	890	1,165	1,692	2,374	3,091	3,056	2,374	1,100	302	2
Mexican, both sexes.....	1,100	1,345	1,411	1,635	2,049	2,676	3,031	2,434	1,609	714	173	1
Male.....	793	905	905	982	1,143	1,433	1,441	1,006	580	186	46	-
Female.....	307	440	506	653	906	1,243	1,590	1,428	1,029	528	127	1
Puerto Rican, both sexes.....	236	342	413	478	613	675	719	598	414	162	42	-
Male.....	154	220	262	292	345	338	303	226	121	51	9	-
Female.....	82	122	151	186	268	337	416	372	293	111	33	-
Cuban, both sexes.....	101	127	196	294	432	701	942	928	703	294	87	1
Male.....	82	104	141	202	267	396	458	357	214	76	18	-
Female.....	19	23	55	92	165	305	484	571	489	218	69	1
Central and South American, both sexes.	216	250	262	321	403	490	518	529	383	154	49	-
Male.....	160	164	169	177	197	232	204	163	96	34	11	-
Female.....	56	86	93	144	206	258	314	366	287	120	38	-
Other and Unknown Hispanic, both sexes.	175	215	224	251	359	510	572	567	411	173	47	2
Male.....	128	139	139	161	212	279	285	248	135	50	12	2
Female.....	47	76	85	90	147	231	287	319	276	123	35	-
Non-Hispanic 1/, both sexes.....	26,155	35,089	40,586	47,741	64,196	95,757	133,853	143,615	106,336	43,685	9,502	31
Male.....	18,238	24,116	26,607	29,908	37,096	50,654	62,186	56,414	32,640	9,602	1,413	23
Female.....	7,917	10,973	13,979	17,833	27,100	45,103	71,667	87,201	73,696	34,083	8,089	8
Non-Hispanic white 2/, both sexes.....	18,698	26,155	31,569	37,660	52,509	82,179	118,488	130,724	97,509	39,894	8,274	25
Male.....	13,508	18,448	21,111	24,064	30,855	44,183	55,808	51,848	30,093	8,743	1,213	18
Female.....	5,190	7,707	10,458	13,596	21,654	37,996	62,680	78,876	67,416	31,151	7,061	7
Non-Hispanic black 2/, both sexes.....	6,677	7,861	7,835	8,513	9,896	11,165	12,460	10,161	6,972	3,129	1,048	6
Male.....	4,191	4,917	4,752	4,872	5,272	5,255	5,058	3,389	1,833	628	146	5
Female.....	2,486	2,944	3,083	3,641	4,624	5,910	7,402	6,772	5,139	2,501	902	1
Origin not stated 3/, both sexes.....	84	124	130	163	167	189	229	206	135	46	10	6
Male.....	66	98	86	114	114	110	112	90	52	9	-	5
Female.....	18	26	44	49	53	79	117	116	83	37	10	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of heart (I00-I09, I11, I13, I20-I51)

All origins, both sexes.....	22,728	30,564	34,913	40,147	52,605	76,147	104,304	111,245	83,507	34,788	7,799	40
Male.....	16,459	21,618	23,559	25,860	31,405	41,831	50,547	45,445	26,686	8,006	1,236	30
Female.....	6,269	8,946	11,354	14,287	21,200	34,316	53,757	65,800	56,821	26,782	6,563	10
Hispanic, both sexes.....	1,355	1,695	1,917	2,254	2,935	3,852	4,328	3,801	2,702	1,201	323	3
Male.....	1,024	1,194	1,269	1,424	1,693	2,052	2,086	1,573	919	315	82	2
Female.....	331	501	648	830	1,242	1,800	2,242	2,228	1,783	886	241	1
Mexican, both sexes.....	797	975	1,037	1,192	1,518	1,982	2,200	1,750	1,180	557	134	-
Male.....	606	682	694	742	880	1,069	1,080	778	456	144	39	-
Female.....	191	293	343	450	638	913	1,120	972	724	413	95	-
Puerto Rican, both sexes.....	179	263	346	384	480	528	583	480	348	132	38	-
Male.....	116	178	222	238	266	268	251	186	102	37	8	-
Female.....	63	85	124	146	214	260	332	294	246	95	30	-
Cuban, both sexes.....	78	103	153	243	360	572	769	758	571	256	78	1
Male.....	65	86	109	168	231	321	385	288	176	69	17	-
Female.....	13	17	44	75	129	251	384	470	395	187	61	1
Central and South American, both sexes.	160	179	194	235	304	374	375	402	298	123	36	-
Male.....	127	126	130	143	150	174	158	124	78	26	9	-
Female.....	33	53	64	92	154	200	217	278	220	97	27	-
Other and Unknown Hispanic, both sexes.	141	175	187	200	273	396	401	411	305	133	37	2
Male.....	110	122	114	133	166	220	212	197	107	39	9	2
Female.....	31	53	73	67	107	176	189	214	198	94	28	-
Non-Hispanic 1/, both sexes.....	21,306	28,759	32,892	37,766	49,527	72,142	99,811	107,275	80,706	33,549	7,466	31
Male.....	15,383	20,336	22,217	24,342	29,613	39,692	48,373	43,798	25,730	7,683	1,154	23
Female.....	5,923	8,423	10,675	13,424	19,914	32,450	51,438	63,477	54,976	25,866	6,312	8
Non-Hispanic white 2/, both sexes.....	15,728	21,987	26,066	30,242	40,904	62,329	88,800	98,057	74,335	30,777	6,526	25
Male.....	11,746	15,966	17,935	19,874	24,898	34,822	43,633	40,429	23,837	7,026	990	18
Female.....	3,982	6,021	8,131	10,368	16,006	27,507	45,167	57,628	50,498	23,751	5,536	7
Non-Hispanic black 2/, both sexes.....	5,005	5,985	5,957	6,390	7,378	8,153	9,031	7,327	5,056	2,283	795	6
Male.....	3,212	3,784	3,701	3,739	4,015	3,989	3,794	2,534	1,380	474	119	5
Female.....	1,793	2,201	2,256	2,651	3,363	4,164	5,237	4,793	3,676	1,809	676	1
Origin not stated 3/, both sexes.....	67	110	104	127	143	153	165	169	99	38	10	6
Male.....	52	88	73	94	99	87	88	74	37	8	-	5
Female.....	15	22	31	33	44	66	77	95	62	30	10	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

#### Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)

All origins, both sexes.....	92	157	195	257	351	502	621	512	258	96	18	-
Male.....	40	61	74	92	116	159	168	134	51	17	1	-
Female.....	52	96	121	165	235	343	453	378	207	79	17	-
Hispanic, both sexes.....	6	9	18	12	23	28	23	20	4	2	-	-
Male.....	4	3	6	8	7	3	8	6	-	-	-	-
Female.....	2	6	12	4	16	25	15	14	4	2	-	-
Mexican, both sexes.....	3	5	8	8	14	20	12	8	2	1	-	-
Male.....	2	1	3	5	4	3	5	3	-	-	-	-
Female.....	1	4	5	3	10	17	7	5	2	1	-	-
Puerto Rican, both sexes.....	1	2	3	1	3	2	2	3	-	1	-	-
Male.....	1	1	1	1	-	-	-	-	-	-	-	-
Female.....	-	1	2	-	3	2	2	3	-	1	-	-
Cuban, both sexes.....	-	-	1	2	-	1	4	5	-	-	-	-
Male.....	-	-	-	2	-	-	1	1	-	-	-	-
Female.....	-	-	1	-	-	1	3	4	-	-	-	-
Central and South American, both sexes.	2	-	5	1	1	4	1	3	-	-	-	-
Male.....	1	-	2	-	-	-	1	2	-	-	-	-
Female.....	1	-	3	1	1	4	-	1	-	-	-	-
Other and Unknown Hispanic, both sexes.	-	2	1	-	5	1	4	1	2	-	-	-
Male.....	-	1	-	-	3	-	1	-	-	-	-	-
Female.....	-	1	1	-	2	1	3	1	2	-	-	-
Non-Hispanic 1/, both sexes.....	86	148	177	245	328	472	597	492	254	94	18	-
Male.....	36	58	68	84	109	156	159	128	51	17	1	-
Female.....	50	90	109	161	219	316	438	364	203	77	17	-
Non-Hispanic white 2/, both sexes.....	57	117	134	207	287	431	564	480	247	87	18	-
Male.....	23	44	53	71	95	143	156	125	49	15	1	-
Female.....	34	73	81	136	192	288	408	355	198	72	17	-
Non-Hispanic black 2/, both sexes.....	17	22	32	28	25	27	25	6	7	4	-	-
Male.....	7	10	13	10	9	10	3	-	2	1	-	-
Female.....	10	12	19	18	16	17	22	6	5	3	-	-
Origin not stated 3/, both sexes.....	-	-	-	-	-	2	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Hypertensive heart disease (I11)

All origins, both sexes.....	2,044	2,143	1,987	1,891	1,969	2,595	3,637	4,322	3,698	1,818	439	2
Male.....	1,386	1,437	1,300	1,160	1,066	1,255	1,376	1,261	807	301	46	2
Female.....	658	706	687	731	903	1,340	2,261	3,061	2,891	1,517	393	-
Hispanic, both sexes.....	125	121	121	134	119	162	169	163	143	74	23	-
Male.....	87	83	76	82	65	73	68	55	35	17	4	-
Female.....	38	38	45	52	54	89	101	108	108	57	19	-
Mexican, both sexes.....	71	63	48	59	52	77	79	77	62	37	7	-
Male.....	50	43	32	32	31	35	31	26	16	9	2	-
Female.....	21	20	16	27	21	42	48	51	46	28	5	-
Puerto Rican, both sexes.....	15	19	33	33	24	24	23	23	25	10	3	-
Male.....	6	11	17	25	11	12	8	8	5	4	-	-
Female.....	9	8	16	8	13	12	15	15	20	6	3	-
Cuban, both sexes.....	7	11	15	20	13	23	26	27	20	12	3	-
Male.....	6	9	9	11	7	10	10	10	8	4	-	-
Female.....	1	2	6	9	6	13	16	17	12	8	3	-
Central and South American, both sexes.	23	17	14	17	20	27	24	20	21	8	7	-
Male.....	18	11	9	11	7	8	12	3	5	-	1	-
Female.....	5	6	5	6	13	19	12	17	16	8	6	-
Other and Unknown Hispanic, both sexes.	9	11	11	5	10	11	17	16	15	7	3	-
Male.....	7	9	9	3	9	8	7	8	1	-	1	-
Female.....	2	2	2	2	1	3	10	8	14	7	2	-
Non-Hispanic 1/, both sexes.....	1,911	2,008	1,855	1,750	1,845	2,425	3,459	4,150	3,552	1,742	416	1
Male.....	1,294	1,341	1,218	1,073	998	1,178	1,301	1,203	772	284	42	1
Female.....	617	667	637	677	847	1,247	2,158	2,947	2,780	1,458	374	-
Non-Hispanic white 2/, both sexes.....	1,120	1,257	1,189	1,124	1,201	1,781	2,763	3,523	3,093	1,536	339	1
Male.....	823	881	793	682	661	854	1,026	1,012	642	244	36	1
Female.....	297	376	396	442	540	927	1,737	2,511	2,451	1,292	303	-
Non-Hispanic black 2/, both sexes.....	734	708	624	565	594	571	611	523	379	174	70	-
Male.....	435	430	399	353	305	289	240	160	107	31	6	-
Female.....	299	278	225	212	289	282	371	363	272	143	64	-
Origin not stated 3/, both sexes.....	8	14	11	7	5	8	9	9	3	2	-	1
Male.....	5	13	6	5	3	4	7	3	-	-	-	1
Female.....	3	1	5	2	2	4	2	6	3	2	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Hypertensive heart and renal disease (I13)

All origins, both sexes.....	104	123	136	150	209	317	489	554	439	178	26	-
Male.....	63	81	81	76	101	148	217	205	138	51	7	-
Female.....	41	42	55	74	108	169	272	349	301	127	19	-
Hispanic, both sexes.....	7	15	9	16	15	21	17	13	13	7	-	-
Male.....	3	10	7	7	7	11	8	2	5	5	-	-
Female.....	4	5	2	9	8	10	9	11	8	2	-	-
Mexican, both sexes.....	5	11	5	13	9	16	13	6	8	4	-	-
Male.....	2	8	3	7	3	7	5	1	3	2	-	-
Female.....	3	3	2	6	6	9	8	5	5	2	-	-
Puerto Rican, both sexes.....	1	-	3	1	1	1	4	3	-	1	-	-
Male.....	-	-	3	-	1	1	3	-	-	1	-	-
Female.....	1	-	-	1	-	-	1	3	-	-	-	-
Cuban, both sexes.....	-	-	-	-	-	-	-	1	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
Central and South American, both sexes.	1	4	1	2	1	3	-	2	1	1	-	-
Male.....	1	2	1	-	-	3	-	1	-	1	-	-
Female.....	-	2	-	2	1	-	-	1	1	-	-	-
Other and Unknown Hispanic, both sexes.	-	-	-	-	4	1	-	1	3	-	-	-
Male.....	-	-	-	-	3	-	-	-	2	-	-	-
Female.....	-	-	-	-	1	1	-	1	1	-	-	-
Non-Hispanic 1/, both sexes.....	97	108	127	134	194	295	472	540	425	170	26	-
Male.....	60	71	74	69	94	137	209	203	132	46	7	-
Female.....	37	37	53	65	100	158	263	337	293	124	19	-
Non-Hispanic white 2/, both sexes.....	29	39	48	61	99	180	370	442	355	143	20	-
Male.....	19	25	28	28	47	81	169	168	115	40	6	-
Female.....	10	14	20	33	52	99	201	274	240	103	14	-
Non-Hispanic black 2/, both sexes.....	63	66	74	65	87	98	89	82	48	24	6	-
Male.....	38	44	43	35	43	50	34	28	10	5	1	-
Female.....	25	22	31	30	44	48	55	54	38	19	5	-
Origin not stated 3/, both sexes.....	-	-	-	-	-	1	-	1	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Ischemic heart diseases (I20-I25)

All origins, both sexes.....	15,363	21,524	25,182	28,956	37,729	53,618	71,607	73,652	53,357	21,915	4,931	31
Male.....	11,723	15,921	17,672	19,361	23,487	30,824	36,451	31,702	17,998	5,256	807	22
Female.....	3,640	5,603	7,510	9,595	14,242	22,794	35,156	41,950	35,359	16,659	4,124	9
Hispanic, both sexes.....	937	1,260	1,452	1,715	2,227	2,972	3,275	2,823	1,979	833	235	3
Male.....	744	916	990	1,117	1,313	1,650	1,585	1,218	682	217	59	2
Female.....	193	344	462	598	914	1,322	1,690	1,605	1,297	616	176	1
Mexican, both sexes.....	549	713	803	910	1,136	1,509	1,651	1,263	839	370	93	-
Male.....	437	513	556	592	660	859	819	590	341	100	27	-
Female.....	112	200	247	318	476	650	832	673	498	270	66	-
Puerto Rican, both sexes.....	123	202	249	300	371	437	449	366	263	90	27	-
Male.....	86	144	167	182	220	228	188	145	73	21	7	-
Female.....	37	58	82	118	151	209	261	221	190	69	20	-
Cuban, both sexes.....	60	79	115	178	283	450	598	592	450	195	62	1
Male.....	50	67	82	127	189	256	295	234	132	49	13	-
Female.....	10	12	33	51	94	194	303	358	318	146	49	1
Central and South American, both sexes.	103	130	142	177	240	274	288	325	218	94	26	-
Male.....	81	98	101	108	122	134	120	103	58	21	6	-
Female.....	22	32	41	69	118	140	168	222	160	73	20	-
Other and Unknown Hispanic, both sexes.	102	136	143	150	197	302	289	277	209	84	27	2
Male.....	90	94	84	108	122	173	163	146	78	26	6	2
Female.....	12	42	59	42	75	129	126	131	131	58	21	-
Non-Hispanic 1/, both sexes.....	14,384	20,187	23,650	27,147	35,389	50,538	68,217	70,711	51,312	21,057	4,688	24
Male.....	10,944	14,943	16,621	18,173	22,093	29,110	34,806	30,427	17,292	5,032	748	17
Female.....	3,440	5,244	7,029	8,974	13,296	21,428	33,411	40,284	34,020	16,025	3,940	7
Non-Hispanic white 2/, both sexes.....	11,167	15,956	19,199	22,132	29,599	43,896	60,833	64,623	47,170	19,259	4,104	20
Male.....	8,737	12,083	13,742	15,119	18,833	25,709	31,498	28,113	16,055	4,612	643	14
Female.....	2,430	3,873	5,457	7,013	10,766	18,187	29,335	36,510	31,115	14,647	3,461	6
Non-Hispanic black 2/, both sexes.....	2,844	3,656	3,795	4,184	4,864	5,433	5,925	4,754	3,244	1,465	486	4
Male.....	1,911	2,414	2,418	2,501	2,732	2,732	2,579	1,699	872	288	72	3
Female.....	933	1,242	1,377	1,683	2,132	2,701	3,346	3,055	2,372	1,177	414	1
Origin not stated 3/, both sexes.....	42	77	80	94	113	108	115	118	66	25	8	4
Male.....	35	62	61	71	81	64	60	57	24	7	-	3
Female.....	7	15	19	23	32	44	55	61	42	18	8	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Acute myocardial infarction (I21-I22)

All origins, both sexes.....	5,985	8,503	9,870	11,097	13,698	18,600	23,024	22,202	14,766	5,635	1,136	5
Male.....	4,491	6,189	6,842	7,343	8,424	10,333	11,486	9,327	4,874	1,413	193	4
Female.....	1,494	2,314	3,028	3,754	5,274	8,267	11,538	12,875	9,892	4,222	943	1
Hispanic, both sexes.....	306	455	503	622	761	1,043	1,059	892	576	247	56	-
Male.....	230	313	329	397	452	569	502	391	194	59	14	-
Female.....	76	142	174	225	309	474	557	501	382	188	42	-
Mexican, both sexes.....	200	269	302	347	424	567	579	433	258	121	21	-
Male.....	147	185	212	222	245	318	279	201	97	28	5	-
Female.....	53	84	90	125	179	249	300	232	161	93	16	-
Puerto Rican, both sexes.....	26	62	74	88	103	135	110	94	68	22	4	-
Male.....	17	47	51	59	65	71	42	39	29	6	2	-
Female.....	9	15	23	29	38	64	68	55	39	16	2	-
Cuban, both sexes.....	17	35	43	75	100	154	203	200	142	57	15	-
Male.....	14	27	23	50	72	75	101	83	31	12	4	-
Female.....	3	8	20	25	28	79	102	117	111	45	11	-
Central and South American, both sexes.	32	35	39	61	70	85	91	87	48	22	8	-
Male.....	25	21	20	31	35	42	43	27	16	6	1	-
Female.....	7	14	19	30	35	43	48	60	32	16	7	-
Other and Unknown Hispanic, both sexes.	31	54	45	51	64	102	76	78	60	25	8	-
Male.....	27	33	23	35	35	63	37	41	21	7	2	-
Female.....	4	21	22	16	29	39	39	37	39	18	6	-
Non-Hispanic 1/, both sexes.....	5,665	8,024	9,343	10,443	12,904	17,522	21,929	21,268	14,166	5,383	1,078	5
Male.....	4,249	5,859	6,492	6,921	7,947	9,750	10,968	8,918	4,670	1,352	179	4
Female.....	1,416	2,165	2,851	3,522	4,957	7,772	10,961	12,350	9,496	4,031	899	1
Non-Hispanic white 2/, both sexes.....	4,560	6,546	7,825	8,722	10,939	15,260	19,570	19,283	12,923	4,871	925	4
Male.....	3,520	4,894	5,529	5,924	6,891	8,662	9,918	8,175	4,297	1,235	147	3
Female.....	1,040	1,652	2,296	2,798	4,048	6,598	9,652	11,108	8,626	3,636	778	1
Non-Hispanic black 2/, both sexes.....	978	1,281	1,294	1,436	1,641	1,840	1,877	1,539	980	417	122	1
Male.....	633	820	812	823	877	864	803	527	270	81	22	1
Female.....	345	461	482	613	764	976	1,074	1,012	710	336	100	-
Origin not stated 3/, both sexes.....	14	24	24	32	33	35	36	42	24	5	2	-
Male.....	12	17	21	25	25	14	16	18	10	2	-	-
Female.....	2	7	3	7	8	21	20	24	14	3	2	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other acute ischemic heart diseases (I24)

All origins, both sexes.....	225	266	330	296	380	472	569	539	378	183	39	3
Male.....	164	172	228	176	226	248	263	218	108	39	3	3
Female.....	61	94	102	120	154	224	306	321	270	144	36	-
Hispanic, both sexes.....	4	7	6	9	11	13	15	9	9	3	1	1
Male.....	3	3	4	5	7	3	8	2	3	1	-	1
Female.....	1	4	2	4	4	10	7	7	6	2	1	-
Mexican, both sexes.....	3	4	4	4	7	10	7	4	6	3	-	-
Male.....	2	2	3	2	5	3	3	-	2	1	-	-
Female.....	1	2	1	2	2	7	4	4	4	2	-	-
Puerto Rican, both sexes.....	1	1	1	2	1	2	1	1	1	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	1	2	1	2	-	1	1	-	-	-
Cuban, both sexes.....	-	-	1	1	1	1	1	1	1	1	-	-
Male.....	-	-	1	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	1	-	-	-
Central and South American, both sexes.	-	1	-	-	2	-	3	1	-	-	1	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	1	-	-	1	-	2	1	-	-	1	-
Other and Unknown Hispanic, both sexes.	-	1	-	2	-	-	3	2	1	-	-	1
Male.....	-	1	-	2	-	-	3	2	1	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	221	259	323	287	368	458	554	529	369	180	38	2
Male.....	161	169	223	171	218	244	255	216	105	38	3	2
Female.....	60	90	100	116	150	214	299	313	264	142	35	-
Non-Hispanic white 2/, both sexes.....	158	202	258	233	296	393	482	474	339	164	32	1
Male.....	120	132	180	143	177	207	219	190	95	38	3	1
Female.....	38	70	78	90	119	186	263	284	244	126	29	-
Non-Hispanic black 2/, both sexes.....	54	51	58	47	60	52	60	40	21	12	6	1
Male.....	35	34	39	24	35	28	28	19	7	-	-	1
Female.....	19	17	19	23	25	24	32	21	14	12	6	-
Origin not stated 3/, both sexes.....	-	-	1	-	1	1	-	1	-	-	-	-
Male.....	-	-	1	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other forms of chronic ischemic heart disease (I20, I25)

All origins, both sexes.....	9,153	12,755	14,982	17,563	23,651	34,546	48,014	50,911	38,213	16,097	3,756	23
Male.....	7,068	9,560	10,602	11,842	14,837	20,243	24,702	22,157	13,016	3,804	611	15
Female.....	2,085	3,195	4,380	5,721	8,814	14,303	23,312	28,754	25,197	12,293	3,145	8
Hispanic, both sexes.....	627	798	943	1,084	1,455	1,916	2,201	1,922	1,394	583	178	2
Male.....	511	600	657	715	854	1,078	1,075	825	485	157	45	1
Female.....	116	198	286	369	601	838	1,126	1,097	909	426	133	1
Mexican, both sexes.....	346	440	497	559	705	932	1,065	826	575	246	72	-
Male.....	288	326	341	368	410	538	537	389	242	71	22	-
Female.....	58	114	156	191	295	394	528	437	333	175	50	-
Puerto Rican, both sexes.....	96	139	174	210	267	300	338	271	194	68	23	-
Male.....	68	97	116	123	155	157	145	106	44	15	5	-
Female.....	28	42	58	87	112	143	193	165	150	53	18	-
Cuban, both sexes.....	43	44	71	102	182	295	394	391	307	138	47	1
Male.....	36	40	58	76	116	181	194	151	101	37	9	-
Female.....	7	4	13	26	66	114	200	240	206	101	38	1
Central and South American, both sexes.	71	94	103	116	168	189	194	237	170	72	17	-
Male.....	56	77	81	77	86	92	76	76	42	15	5	-
Female.....	15	17	22	39	82	97	118	161	128	57	12	-
Other and Unknown Hispanic, both sexes.	71	81	98	97	133	200	210	197	148	59	19	1
Male.....	63	60	61	71	87	110	123	103	56	19	4	1
Female.....	8	21	37	26	46	90	87	94	92	40	15	-
Non-Hispanic 1/, both sexes.....	8,498	11,904	13,984	16,417	22,117	32,558	45,734	48,914	36,777	15,494	3,572	17
Male.....	6,534	8,915	9,906	11,081	13,928	19,116	23,583	21,293	12,517	3,642	566	11
Female.....	1,964	2,989	4,078	5,336	8,189	13,442	22,151	27,621	24,260	11,852	3,006	6
Non-Hispanic white 2/, both sexes.....	6,449	9,208	11,116	13,177	18,364	28,243	40,781	44,866	33,908	14,224	3,147	15
Male.....	5,097	7,057	8,033	9,052	11,765	16,840	21,361	19,748	11,663	3,339	493	10
Female.....	1,352	2,151	3,083	4,125	6,599	11,403	19,420	25,118	22,245	10,885	2,654	5
Non-Hispanic black 2/, both sexes.....	1,812	2,324	2,443	2,701	3,163	3,541	3,988	3,175	2,243	1,036	358	2
Male.....	1,243	1,560	1,567	1,654	1,820	1,840	1,748	1,153	595	207	50	1
Female.....	569	764	876	1,047	1,343	1,701	2,240	2,022	1,648	829	308	1
Origin not stated 3/, both sexes.....	28	53	55	62	79	72	79	75	42	20	6	4
Male.....	23	45	39	46	55	49	44	39	14	5	-	3
Female.....	5	8	16	16	24	23	35	36	28	15	6	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Atherosclerotic cardiovascular disease, so described (I25.0)

All origins, both sexes.....	3,671	4,749	5,151	4,919	5,501	6,573	8,332	8,618	6,217	2,760	703	16
Male.....	2,934	3,673	3,754	3,383	3,471	3,678	4,099	3,509	1,937	608	114	10
Female.....	737	1,076	1,397	1,536	2,030	2,895	4,233	5,109	4,280	2,152	589	6
Hispanic, both sexes.....	255	345	372	351	391	378	381	305	236	90	34	2
Male.....	230	286	279	249	251	204	197	132	79	25	10	1
Female.....	25	59	93	102	140	174	184	173	157	65	24	1
Mexican, both sexes.....	146	193	184	183	203	191	228	146	125	51	23	-
Male.....	130	164	139	130	134	104	126	71	51	16	7	-
Female.....	16	29	45	53	69	87	102	75	74	35	16	-
Puerto Rican, both sexes.....	36	54	65	70	58	51	48	33	38	8	5	-
Male.....	30	40	45	44	41	27	22	10	9	1	2	-
Female.....	6	14	20	26	17	24	26	23	29	7	3	-
Cuban, both sexes.....	10	14	24	25	32	42	34	30	23	11	4	1
Male.....	9	13	20	23	19	24	18	13	5	1	-	-
Female.....	1	1	4	2	13	18	16	17	18	10	4	1
Central and South American, both sexes.	32	46	51	36	53	39	34	44	26	7	1	-
Male.....	31	41	41	26	26	17	12	12	7	-	-	-
Female.....	1	5	10	10	27	22	22	32	19	7	1	-
Other and Unknown Hispanic, both sexes.	31	38	48	37	45	55	37	52	24	13	1	1
Male.....	30	28	34	26	31	32	19	26	7	7	1	1
Female.....	1	10	14	11	14	23	18	26	17	6	-	-
Non-Hispanic 1/, both sexes.....	3,400	4,373	4,746	4,533	5,073	6,163	7,925	8,301	5,974	2,666	669	11
Male.....	2,690	3,359	3,449	3,109	3,192	3,451	3,885	3,372	1,854	582	104	7
Female.....	710	1,014	1,297	1,424	1,881	2,712	4,040	4,929	4,120	2,084	565	4
Non-Hispanic white 2/, both sexes.....	2,483	3,239	3,601	3,420	3,921	5,017	6,737	7,365	5,343	2,391	564	9
Male.....	2,019	2,540	2,639	2,367	2,485	2,844	3,327	2,995	1,677	512	82	6
Female.....	464	699	962	1,053	1,436	2,173	3,410	4,370	3,666	1,879	482	3
Non-Hispanic black 2/, both sexes.....	815	990	998	961	994	978	1,021	783	521	239	91	2
Male.....	581	700	703	637	610	519	473	303	138	57	16	1
Female.....	234	290	295	324	384	459	548	480	383	182	75	1
Origin not stated 3/, both sexes.....	16	31	33	35	37	32	26	12	7	4	-	3
Male.....	14	28	26	25	28	23	17	5	4	1	-	2
Female.....	2	3	7	10	9	9	7	3	3	-	-	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other forms of chronic ischemic heart disease (I20, I25.1-I25.9)

All origins, both sexes.....	5,482	8,006	9,831	12,644	18,150	27,973	39,682	42,293	31,996	13,337	3,053	7
Male.....	4,134	5,887	6,848	8,459	11,366	16,565	20,603	18,648	11,079	3,196	497	5
Female.....	1,348	2,119	2,983	4,185	6,784	11,408	19,079	23,645	20,917	10,141	2,556	2
Hispanic, both sexes.....	372	453	571	733	1,064	1,538	1,820	1,617	1,158	493	144	-
Male.....	281	314	378	466	603	874	878	693	406	132	35	-
Female.....	91	139	193	267	461	664	942	924	752	361	109	-
Mexican, both sexes.....	200	247	313	376	502	741	837	680	450	195	49	-
Male.....	158	162	202	238	276	434	411	318	191	55	15	-
Female.....	42	85	111	138	226	307	426	362	259	140	34	-
Puerto Rican, both sexes.....	60	85	109	140	209	249	290	238	156	60	18	-
Male.....	38	57	71	79	114	130	123	96	35	14	3	-
Female.....	22	28	38	61	95	119	167	142	121	46	15	-
Cuban, both sexes.....	33	30	47	77	150	253	360	361	284	127	43	-
Male.....	27	27	38	53	97	157	176	138	96	36	9	-
Female.....	6	3	9	24	53	96	184	223	188	91	34	-
Central and South American, both sexes.	39	48	52	80	115	150	160	193	144	65	16	-
Male.....	25	36	40	51	60	75	64	64	35	15	5	-
Female.....	14	12	12	29	55	75	96	129	109	50	11	-
Other and Unknown Hispanic, both sexes.	40	43	50	60	88	145	173	145	124	46	18	-
Male.....	33	32	27	45	56	78	104	77	49	12	3	-
Female.....	7	11	23	15	32	67	69	68	75	34	15	-
Non-Hispanic 1/, both sexes.....	5,098	7,531	9,238	11,884	17,044	26,395	37,809	40,613	30,803	12,828	2,903	6
Male.....	3,844	5,556	6,457	7,972	10,736	15,665	19,698	17,921	10,663	3,060	462	4
Female.....	1,254	1,975	2,781	3,912	6,308	10,730	18,111	22,692	20,140	9,768	2,441	2
Non-Hispanic white 2/, both sexes.....	3,966	5,969	7,515	9,757	14,443	23,226	34,044	37,501	28,565	11,833	2,583	6
Male.....	3,078	4,517	5,394	6,685	9,280	13,996	18,034	16,753	9,986	2,827	411	4
Female.....	888	1,452	2,121	3,072	5,163	9,230	16,010	20,748	18,579	9,006	2,172	2
Non-Hispanic black 2/, both sexes.....	997	1,334	1,445	1,740	2,169	2,563	2,967	2,392	1,722	797	267	-
Male.....	662	860	864	1,017	1,210	1,321	1,275	850	457	150	34	-
Female.....	335	474	581	723	959	1,242	1,692	1,542	1,265	647	233	-
Origin not stated 3/, both sexes.....	12	22	22	27	42	40	53	63	35	16	6	1
Male.....	9	17	13	21	27	26	27	34	10	4	-	1
Female.....	3	5	9	6	15	14	26	29	25	12	6	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
<b>Other heart diseases (I26-I51)</b>												
All origins, both sexes.....	5,125	6,617	7,413	8,893	12,347	19,115	27,950	32,205	25,755	10,781	2,385	7
Male.....	3,247	4,118	4,432	5,171	6,635	9,445	12,335	12,143	7,692	2,381	375	6
Female.....	1,878	2,499	2,981	3,722	5,712	9,670	15,615	20,062	18,063	8,400	2,010	1
Hispanic, both sexes.....	280	290	317	377	551	669	844	782	563	285	65	-
Male.....	186	182	190	210	301	315	417	292	197	76	19	-
Female.....	94	108	127	167	250	354	427	490	366	209	46	-
Mexican, both sexes.....	169	183	173	202	307	360	445	396	269	145	34	-
Male.....	115	117	100	106	182	165	220	158	96	33	10	-
Female.....	54	66	73	96	125	195	225	238	173	112	24	-
Puerto Rican, both sexes.....	39	40	58	49	81	64	105	85	60	30	8	-
Male.....	23	22	34	30	34	27	52	33	24	11	1	-
Female.....	16	18	24	19	47	37	53	52	36	19	7	-
Cuban, both sexes.....	11	13	22	43	64	98	141	133	100	48	13	-
Male.....	9	10	18	28	35	55	79	43	36	15	4	-
Female.....	2	3	4	15	29	43	62	90	64	33	9	-
Central and South American, both sexes.	31	28	32	38	42	66	62	52	58	20	3	-
Male.....	26	15	17	24	21	29	25	15	15	4	2	-
Female.....	5	13	15	14	21	37	37	37	43	16	1	-
Other and Unknown Hispanic, both sexes.	30	26	32	45	57	81	91	116	76	42	7	-
Male.....	13	18	21	22	29	39	41	43	26	13	2	-
Female.....	17	8	11	23	28	42	50	73	50	29	5	-
Non-Hispanic 1/, both sexes.....	4,828	6,308	7,083	8,490	11,771	18,412	27,066	31,382	25,163	10,486	2,318	6
Male.....	3,049	3,923	4,236	4,943	6,319	9,111	11,898	11,837	7,483	2,304	356	5
Female.....	1,779	2,385	2,847	3,547	5,452	9,301	15,168	19,545	17,680	8,182	1,962	1
Non-Hispanic white 2/, both sexes.....	3,355	4,618	5,496	6,718	9,718	16,041	24,270	28,989	23,470	9,752	2,045	4
Male.....	2,144	2,933	3,319	3,974	5,262	8,035	10,784	11,011	6,976	2,115	304	3
Female.....	1,211	1,685	2,177	2,744	4,456	8,006	13,486	17,978	16,494	7,637	1,741	1
Non-Hispanic black 2/, both sexes.....	1,347	1,533	1,432	1,548	1,808	2,024	2,381	1,962	1,378	616	233	2
Male.....	821	886	828	840	926	908	938	647	389	149	40	2
Female.....	526	647	604	708	882	1,116	1,443	1,315	989	467	193	-
Origin not stated 3/, both sexes.....	17	19	13	26	25	34	40	41	29	10	2	1
Male.....	12	13	6	18	15	19	20	14	12	1	-	1
Female.....	5	6	7	8	10	15	20	27	17	9	2	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004  
Hispanic origin, race for 50  
non-Hispanic population, and sex ye

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004  
Hispanic origin, race for 50  
non-Hispanic population, and sex ve

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Heart failure (I50)

All origins, both sexes.....	762	1,202	1,599	2,275	3,685	6,547	10,762	13,590	12,139	5,491	1,324	3
Male.....	487	724	924	1,286	1,916	3,223	4,652	5,067	3,630	1,197	219	2
Female.....	275	478	675	989	1,769	3,324	6,110	8,523	8,509	4,294	1,105	1
Hispanic, both sexes.....	41	48	65	98	161	225	347	317	274	149	39	-
Male.....	29	27	33	51	90	110	174	110	87	36	12	-
Female.....	12	21	32	47	71	115	173	207	187	113	27	-
Mexican, both sexes.....	28	34	39	62	105	137	217	186	142	90	22	-
Male.....	21	22	17	32	63	67	112	64	43	17	7	-
Female.....	7	12	22	30	42	70	105	122	99	73	15	-
Puerto Rican, both sexes.....	3	9	14	6	21	22	41	27	28	12	4	-
Male.....	2	2	11	4	8	8	22	13	17	5	-	-
Female.....	1	7	3	2	13	14	19	14	11	7	4	-
Cuban, both sexes.....	-	-	-	9	8	16	30	30	30	15	7	-
Male.....	-	-	-	6	5	10	17	11	6	5	2	-
Female.....	-	-	-	3	3	6	13	19	24	10	5	-
Central and South American, both sexes.	3	1	5	7	16	22	15	23	30	6	2	-
Male.....	3	1	1	4	8	8	8	5	7	1	1	-
Female.....	-	-	4	3	8	14	7	18	23	5	1	-
Other and Unknown Hispanic, both sexes.	7	4	7	14	11	28	44	51	44	26	4	-
Male.....	3	2	4	5	6	17	15	17	14	8	2	-
Female.....	4	2	3	9	5	11	29	34	30	18	2	-
Non-Hispanic 1/, both sexes.....	720	1,152	1,530	2,169	3,515	6,310	10,401	13,256	11,848	5,335	1,283	3
Male.....	457	695	889	1,229	1,822	3,107	4,470	4,954	3,536	1,161	207	2
Female.....	263	457	641	940	1,693	3,203	5,931	8,302	8,312	4,174	1,076	1
Non-Hispanic white 2/, both sexes.....	444	815	1,192	1,723	2,951	5,562	9,427	12,309	11,065	4,992	1,160	3
Male.....	281	518	703	1,003	1,527	2,786	4,089	4,644	3,313	1,076	184	2
Female.....	163	297	489	720	1,424	2,776	5,338	7,665	7,752	3,916	976	1
Non-Hispanic black 2/, both sexes.....	254	310	314	409	510	647	842	804	645	301	106	-
Male.....	162	159	177	208	263	279	327	257	175	69	16	-
Female.....	92	151	137	201	247	368	515	547	470	232	90	-
Origin not stated 3/, both sexes.....	1	2	4	8	9	12	14	17	17	7	2	-
Male.....	1	2	2	6	4	6	8	3	7	-	-	-
Female.....	-	-	2	2	5	6	6	14	10	7	2	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other forms of heart disease (I26-I28, I34-I38, I42-I49, I51)

All origins, both sexes.....	4,206	5,235	5,644	6,472	8,473	12,324	16,962	18,488	13,546	5,279	1,058	4
Male.....	2,658	3,276	3,413	3,798	4,623	6,116	7,573	7,029	4,043	1,181	156	4
Female.....	1,548	1,959	2,231	2,674	3,850	6,208	9,389	11,459	9,503	4,098	902	-
Hispanic, both sexes.....	225	231	242	272	380	431	492	458	286	136	26	-
Male.....	147	148	151	153	205	200	242	181	108	40	7	-
Female.....	78	83	91	119	175	231	250	277	178	96	19	-
Mexican, both sexes.....	132	144	132	139	200	214	224	208	125	55	12	-
Male.....	87	91	82	73	118	95	107	94	51	16	3	-
Female.....	45	53	50	66	82	119	117	114	74	39	9	-
Puerto Rican, both sexes.....	35	28	41	42	56	40	64	55	31	18	4	-
Male.....	21	19	21	25	23	18	30	19	7	6	1	-
Female.....	14	9	20	17	33	22	34	36	24	12	3	-
Cuban, both sexes.....	9	13	20	32	54	81	110	102	70	33	6	-
Male.....	8	10	17	21	29	44	62	32	30	10	2	-
Female.....	1	3	3	11	25	37	48	70	40	23	4	-
Central and South American, both sexes.	27	24	25	29	26	44	47	29	28	14	1	-
Male.....	22	12	14	18	13	21	17	10	8	3	1	-
Female.....	5	12	11	11	13	23	30	19	20	11	-	-
Other and Unknown Hispanic, both sexes.	22	22	24	30	44	52	47	64	32	16	3	-
Male.....	9	16	17	16	22	22	26	26	12	5	-	-
Female.....	13	6	7	14	22	30	21	38	20	11	3	-
Non-Hispanic 1/, both sexes.....	3,965	4,987	5,393	6,182	8,078	11,871	16,444	18,006	13,248	5,140	1,032	3
Male.....	2,500	3,117	3,258	3,633	4,408	5,903	7,319	6,837	3,930	1,140	149	3
Female.....	1,465	1,870	2,135	2,549	3,670	5,968	9,125	11,169	9,318	4,000	883	-
Non-Hispanic white 2/, both sexes.....	2,815	3,685	4,180	4,878	6,616	10,285	14,639	16,574	12,344	4,751	882	1
Male.....	1,802	2,336	2,543	2,905	3,654	5,158	6,596	6,324	3,646	1,036	120	1
Female.....	1,013	1,349	1,637	1,973	2,962	5,127	8,043	10,250	8,698	3,715	762	-
Non-Hispanic black 2/, both sexes.....	1,051	1,177	1,087	1,121	1,276	1,345	1,525	1,148	728	313	127	2
Male.....	631	698	637	618	657	620	603	389	214	80	24	2
Female.....	420	479	450	503	619	725	922	759	514	233	103	-
Origin not stated 3/, both sexes.....	16	17	9	18	15	22	26	24	12	3	-	1
Male.....	11	11	4	12	10	13	12	11	5	1	-	1
Female.....	5	6	5	6	5	9	14	13	7	2	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Essential hypertension and hypertensive renal disease (I10,I12,I15)

All origins, both sexes.....	812	1,005	1,173	1,377	1,797	2,705	3,949	4,456	3,452	1,673	449	-
Male.....	516	595	678	733	873	1,141	1,573	1,484	869	283	52	-
Female.....	296	410	495	644	924	1,564	2,376	2,972	2,583	1,390	397	-
Hispanic, both sexes.....	66	92	89	101	132	128	180	188	126	46	16	-
Male.....	41	48	54	57	60	59	64	66	37	12	2	-
Female.....	25	44	35	44	72	69	116	122	89	34	14	-
Mexican, both sexes.....	44	52	50	67	74	74	119	115	75	28	9	-
Male.....	23	30	29	35	34	35	42	41	20	7	1	-
Female.....	21	22	21	32	40	39	77	74	55	21	8	-
Puerto Rican, both sexes.....	11	19	17	8	23	16	21	15	12	6	-	-
Male.....	9	8	11	6	12	5	10	6	5	3	-	-
Female.....	2	11	6	2	11	11	11	9	7	3	-	-
Cuban, both sexes.....	2	1	7	7	10	9	15	20	17	4	2	-
Male.....	2	1	5	3	5	6	5	7	5	-	-	-
Female.....	-	-	2	4	5	3	10	13	12	4	2	-
Central and South American, both sexes.	5	12	12	15	14	10	12	21	10	2	4	-
Male.....	5	6	6	10	3	5	3	7	3	-	1	-
Female.....	-	6	6	5	11	5	9	14	7	2	3	-
Other and Unknown Hispanic, both sexes.	4	8	3	4	11	19	13	17	12	6	1	-
Male.....	2	3	3	3	6	8	4	5	4	2	-	-
Female.....	2	5	-	1	5	11	9	12	8	4	1	-
Non-Hispanic 1/, both sexes.....	745	909	1,080	1,274	1,661	2,573	3,762	4,262	3,320	1,624	433	-
Male.....	474	545	624	675	810	1,079	1,506	1,416	831	270	50	-
Female.....	271	364	456	599	851	1,494	2,256	2,846	2,489	1,354	383	-
Non-Hispanic white 2/, both sexes.....	372	513	672	801	1,152	1,929	3,032	3,619	2,826	1,372	348	-
Male.....	251	312	418	435	551	828	1,211	1,214	707	223	39	-
Female.....	121	201	254	366	601	1,101	1,821	2,405	2,119	1,149	309	-
Non-Hispanic black 2/, both sexes.....	350	364	366	425	453	556	625	530	395	219	72	-
Male.....	208	214	185	209	233	216	248	163	93	38	6	-
Female.....	142	150	181	216	220	340	377	367	302	181	66	-
Origin not stated 3/, both sexes.....	1	4	4	2	4	4	7	6	6	3	-	-
Male.....	1	2	-	1	3	3	3	2	1	1	-	-
Female.....	-	2	4	1	1	1	4	4	5	2	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Cerebrovascular diseases (I60-I69)

All origins, both sexes.....	3,784	4,811	5,707	7,334	10,889	17,739	25,980	27,647	18,996	7,135	1,290	1
Male.....	2,129	2,757	3,140	3,963	5,400	8,097	10,210	9,252	5,003	1,327	160	-
Female.....	1,655	2,054	2,567	3,371	5,489	9,642	15,770	18,395	13,993	5,808	1,130	1
Hispanic, both sexes.....	357	438	431	522	679	909	1,104	912	583	209	52	1
Male.....	221	252	249	270	347	475	451	293	156	59	8	-
Female.....	136	186	182	252	332	434	653	619	427	150	44	1
Mexican, both sexes.....	232	286	286	324	406	539	617	489	294	105	27	1
Male.....	145	173	164	175	198	283	269	152	85	27	4	-
Female.....	87	113	122	149	208	256	348	337	209	78	23	1
Puerto Rican, both sexes.....	35	53	43	75	91	102	96	87	44	20	3	-
Male.....	22	27	26	39	54	53	32	27	12	10	-	-
Female.....	13	26	17	36	37	49	64	60	32	10	3	-
Cuban, both sexes.....	17	21	27	31	55	94	136	134	101	29	7	-
Male.....	14	15	18	19	27	53	52	54	29	6	1	-
Female.....	3	6	9	12	28	41	84	80	72	23	6	-
Central and South American, both sexes.	46	53	47	55	67	90	118	90	66	27	7	-
Male.....	25	28	25	19	38	42	38	26	13	8	1	-
Female.....	21	25	22	36	29	48	80	64	53	19	6	-
Other and Unknown Hispanic, both sexes.	27	25	28	37	60	84	137	112	78	28	8	-
Male.....	15	9	16	18	30	44	60	34	17	8	2	-
Female.....	12	16	12	19	30	40	77	78	61	20	6	-
Non-Hispanic 1/, both sexes.....	3,414	4,365	5,258	6,785	10,194	16,803	24,832	26,708	18,392	6,921	1,238	-
Male.....	1,898	2,498	2,882	3,680	5,043	7,606	9,744	8,946	4,837	1,268	152	-
Female.....	1,516	1,867	2,376	3,105	5,151	9,197	15,088	17,762	13,555	5,653	1,086	-
Non-Hispanic white 2/, both sexes.....	2,116	2,842	3,713	5,024	8,013	14,162	21,806	24,125	16,752	6,296	1,077	-
Male.....	1,159	1,600	2,012	2,735	3,969	6,470	8,643	8,117	4,390	1,149	134	-
Female.....	957	1,242	1,701	2,289	4,044	7,692	13,163	16,008	12,362	5,147	943	-
Non-Hispanic black 2/, both sexes.....	1,137	1,293	1,299	1,423	1,753	2,068	2,330	1,943	1,259	505	147	-
Male.....	655	768	743	756	869	884	840	571	302	87	16	-
Female.....	482	525	556	667	884	1,184	1,490	1,372	957	418	131	-
Origin not stated 3/, both sexes.....	13	8	18	27	16	27	44	27	21	5	-	-
Male.....	10	7	9	13	10	16	15	13	10	-	-	-
Female.....	3	1	9	14	6	11	29	14	11	5	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

#### Atherosclerosis (I70)

All origins, both sexes.....	89	155	233	328	521	929	1,540	1,852	1,774	881	257	-
Male.....	63	104	140	183	280	442	643	708	498	199	35	-
Female.....	26	51	93	145	241	487	897	1,144	1,276	682	222	-
Hispanic, both sexes.....	6	6	10	18	18	37	51	50	51	24	4	-
Male.....	5	4	5	10	11	16	23	18	14	5	3	-
Female.....	1	2	5	8	7	21	28	32	37	19	1	-
Mexican, both sexes.....	6	4	7	11	11	17	32	27	29	17	1	-
Male.....	5	2	3	7	7	10	15	10	8	4	1	-
Female.....	1	2	4	4	4	7	17	17	21	13	-	-
Puerto Rican, both sexes.....	-	2	1	1	3	11	3	3	5	3	1	-
Male.....	-	2	-	1	2	2	3	1	-	1	1	-
Female.....	-	-	1	-	1	9	-	2	5	2	-	-
Cuban, both sexes.....	-	-	-	1	-	4	5	4	3	-	-	-
Male.....	-	-	-	1	-	1	2	1	-	-	-	-
Female.....	-	-	-	-	-	3	3	3	3	-	-	-
Central and South American, both sexes.	-	-	-	2	2	1	3	7	5	2	1	-
Male.....	-	-	-	-	1	-	1	3	2	-	-	-
Female.....	-	-	-	2	1	1	2	4	3	2	1	-
Other and Unknown Hispanic, both sexes.	-	-	2	3	2	4	8	9	9	2	1	-
Male.....	-	-	2	1	1	3	2	3	4	-	1	-
Female.....	-	-	-	2	1	1	6	6	5	2	-	-
Non-Hispanic 1/, both sexes.....	82	148	222	310	503	890	1,486	1,801	1,718	857	253	-
Male.....	57	100	134	173	269	425	618	690	483	194	32	-
Female.....	25	48	88	137	234	465	868	1,111	1,235	663	221	-
Non-Hispanic white 2/, both sexes.....	62	118	180	258	426	791	1,334	1,662	1,608	798	234	-
Male.....	46	76	113	142	226	380	549	638	453	177	29	-
Female.....	16	42	67	116	200	411	785	1,024	1,155	621	205	-
Non-Hispanic black 2/, both sexes.....	17	27	40	45	70	85	123	121	88	51	14	-
Male.....	9	22	21	28	37	37	57	42	25	14	2	-
Female.....	8	5	19	17	33	48	66	79	63	37	12	-
Origin not stated 3/, both sexes.....	1	1	1	-	-	2	3	1	5	-	-	-
Male.....	1	-	1	-	-	1	2	-	1	-	-	-
Female.....	-	1	-	-	-	1	1	1	4	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other diseases of circulatory system (I71-I78)

All origins, both sexes.....	654	957	1,196	1,697	2,407	3,478	4,091	3,677	2,262	751	115	-
Male.....	454	672	792	1,097	1,416	1,931	2,016	1,615	782	193	26	-
Female.....	200	285	404	600	991	1,547	2,075	2,062	1,480	558	89	-
Hispanic, both sexes.....	44	48	59	84	92	126	119	105	58	17	3	-
Male.....	26	34	39	53	53	76	67	50	20	6	1	-
Female.....	18	14	20	31	39	50	52	55	38	11	2	-
Mexican, both sexes.....	21	28	31	41	40	64	63	53	31	7	2	-
Male.....	14	18	15	23	24	36	35	25	11	4	1	-
Female.....	7	10	16	18	16	28	28	28	20	3	1	-
Puerto Rican, both sexes.....	11	5	6	10	16	18	16	13	5	1	-	-
Male.....	7	5	3	8	11	10	7	6	2	-	-	-
Female.....	4	-	3	2	5	8	9	7	3	1	-	-
Cuban, both sexes.....	4	2	9	12	7	22	17	12	11	5	-	-
Male.....	1	2	9	11	4	15	14	7	4	1	-	-
Female.....	3	-	-	1	3	7	3	5	7	4	-	-
Central and South American, both sexes.	5	6	9	14	16	15	10	9	4	-	1	-
Male.....	3	4	8	5	5	11	4	3	-	-	-	-
Female.....	2	2	1	9	11	4	6	6	4	-	1	-
Other and Unknown Hispanic, both sexes.	3	7	4	7	13	7	13	18	7	4	-	-
Male.....	1	5	4	6	9	4	7	9	3	1	-	-
Female.....	2	2	-	1	4	3	6	9	4	3	-	-
Non-Hispanic 1/, both sexes.....	608	908	1,134	1,606	2,311	3,349	3,962	3,569	2,200	734	112	-
Male.....	426	637	750	1,038	1,361	1,852	1,945	1,564	759	187	25	-
Female.....	182	271	384	568	950	1,497	2,017	2,005	1,441	547	87	-
Non-Hispanic white 2/, both sexes.....	420	695	938	1,335	2,014	2,968	3,516	3,261	1,988	651	89	-
Male.....	306	494	633	878	1,211	1,683	1,772	1,450	706	168	21	-
Female.....	114	201	305	457	803	1,285	1,744	1,811	1,282	483	68	-
Non-Hispanic black 2/, both sexes.....	168	192	173	230	242	303	351	240	174	71	20	-
Male.....	107	129	102	140	118	129	119	79	33	15	3	-
Female.....	61	63	71	90	124	174	232	161	141	56	17	-
Origin not stated 3/, both sexes.....	2	1	3	7	4	3	10	3	4	-	-	-
Male.....	2	1	3	6	2	3	4	1	3	-	-	-
Female.....	-	-	-	1	2	-	6	2	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Aortic aneurysm and dissection (I71)

All origins, both sexes.....	439	615	751	1,096	1,539	2,177	2,445	1,994	1,039	254	34	-
Male.....	331	467	537	735	952	1,281	1,285	947	427	96	9	-
Female.....	108	148	214	361	587	896	1,160	1,047	612	158	25	-
Hispanic, both sexes.....	27	27	35	46	52	66	59	55	20	6	-	-
Male.....	19	22	25	33	34	41	35	30	8	4	-	-
Female.....	8	5	10	13	18	25	24	25	12	2	-	-
Mexican, both sexes.....	12	15	16	16	19	33	24	19	11	4	-	-
Male.....	8	11	8	11	15	21	13	11	4	3	-	-
Female.....	4	4	8	5	4	12	11	8	7	1	-	-
Puerto Rican, both sexes.....	6	4	4	7	13	8	7	8	2	1	-	-
Male.....	6	4	3	6	9	3	3	4	1	-	-	-
Female.....	-	-	1	1	4	5	4	4	1	1	-	-
Cuban, both sexes.....	3	1	6	10	3	12	15	8	5	1	-	-
Male.....	1	1	6	9	2	9	12	6	2	1	-	-
Female.....	2	-	-	1	1	3	3	2	3	-	-	-
Central and South American, both sexes.	4	4	5	10	11	7	4	8	1	-	-	-
Male.....	3	3	4	4	4	5	2	3	-	-	-	-
Female.....	1	1	1	6	7	2	2	5	1	-	-	-
Other and Unknown Hispanic, both sexes.	2	3	4	3	6	6	9	12	1	-	-	-
Male.....	1	3	4	3	4	3	5	6	1	-	-	-
Female.....	1	-	-	-	2	3	4	6	-	-	-	-
Non-Hispanic 1/, both sexes.....	410	588	713	1,046	1,486	2,108	2,381	1,936	1,019	248	34	-
Male.....	310	445	509	699	918	1,237	1,248	916	419	92	9	-
Female.....	100	143	204	347	568	871	1,133	1,020	600	156	25	-
Non-Hispanic white 2/, both sexes.....	277	457	604	887	1,316	1,914	2,173	1,790	934	224	31	-
Male.....	222	354	442	603	828	1,148	1,160	850	392	83	8	-
Female.....	55	103	162	284	488	766	1,013	940	542	141	23	-
Non-Hispanic black 2/, both sexes.....	118	115	95	129	126	140	141	98	59	21	2	-
Male.....	79	79	57	77	64	59	50	37	12	7	1	-
Female.....	39	36	38	52	62	81	91	61	47	14	1	-
Origin not stated 3/, both sexes.....	2	-	3	4	1	3	5	3	-	-	-	-
Male.....	2	-	3	3	-	3	2	1	-	-	-	-
Female.....	-	-	-	1	1	-	3	2	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other diseases of arteries, arterioles and capillaries (I72-I78)

All origins, both sexes.....	215	342	445	601	868	1,301	1,646	1,683	1,223	497	81	-
Male.....	123	205	255	362	464	650	731	668	355	97	17	-
Female.....	92	137	190	239	404	651	915	1,015	868	400	64	-
Hispanic, both sexes.....	17	21	24	38	40	60	60	50	38	11	3	-
Male.....	7	12	14	20	19	35	32	20	12	2	1	-
Female.....	10	9	10	18	21	25	28	30	26	9	2	-
Mexican, both sexes.....	9	13	15	25	21	31	39	34	20	3	2	-
Male.....	6	7	7	12	9	15	22	14	7	1	1	-
Female.....	3	6	8	13	12	16	17	20	13	2	1	-
Puerto Rican, both sexes.....	5	1	2	3	3	10	9	5	3	-	-	-
Male.....	1	1	-	2	2	7	4	2	1	-	-	-
Female.....	4	-	2	1	1	3	5	3	2	-	-	-
Cuban, both sexes.....	1	1	3	2	4	10	2	4	6	4	-	-
Male.....	-	1	3	2	2	6	2	1	2	-	-	-
Female.....	1	-	-	-	2	4	-	3	4	4	-	-
Central and South American, both sexes.	1	2	4	4	5	8	6	1	3	-	1	-
Male.....	-	1	4	1	1	6	2	-	-	-	-	-
Female.....	1	1	-	3	4	2	4	1	3	-	1	-
Other and Unknown Hispanic, both sexes.	1	4	-	4	7	1	4	6	6	4	-	-
Male.....	-	2	-	3	5	1	2	3	2	1	-	-
Female.....	1	2	-	1	2	-	2	3	4	3	-	-
Non-Hispanic 1/, both sexes.....	198	320	421	560	825	1,241	1,581	1,633	1,181	486	78	-
Male.....	116	192	241	339	443	615	697	648	340	95	16	-
Female.....	82	128	180	221	382	626	884	985	841	391	62	-
Non-Hispanic white 2/, both sexes.....	143	238	334	448	698	1,054	1,343	1,471	1,054	427	58	-
Male.....	84	140	191	275	383	535	612	600	314	85	13	-
Female.....	59	98	143	173	315	519	731	871	740	342	45	-
Non-Hispanic black 2/, both sexes.....	50	77	78	101	116	163	210	142	115	50	18	-
Male.....	28	50	45	63	54	70	69	42	21	8	2	-
Female.....	22	27	33	38	62	93	141	100	94	42	16	-
Origin not stated 3/, both sexes.....	-	1	-	3	3	-	5	-	4	-	-	-
Male.....	-	1	-	3	2	-	2	-	3	-	-	-
Female.....	-	-	-	-	1	-	3	-	1	-	-	-



Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Influenza and pneumonia (J10-J18)

All origins, both sexes.....	1,176	1,391	1,763	2,399	3,662	6,365	10,303	11,675	9,517	4,341	1,084	3
Male.....	714	830	1,047	1,359	2,012	3,372	4,943	5,064	3,417	1,198	221	2
Female.....	462	561	716	1,040	1,650	2,993	5,360	6,611	6,100	3,143	863	1
Hispanic, both sexes.....	80	103	146	154	269	405	472	483	337	145	34	-
Male.....	54	68	85	88	138	203	213	207	137	35	12	-
Female.....	26	35	61	66	131	202	259	276	200	110	22	-
Mexican, both sexes.....	44	54	76	90	144	215	271	256	164	67	20	-
Male.....	29	34	43	47	73	107	121	119	76	15	6	-
Female.....	15	20	33	43	71	108	150	137	88	52	14	-
Puerto Rican, both sexes.....	15	21	36	29	54	65	67	60	45	11	2	-
Male.....	10	16	22	21	27	31	37	26	16	4	2	-
Female.....	5	5	14	8	27	34	30	34	29	7	-	-
Cuban, both sexes.....	5	4	6	9	14	36	40	60	41	21	2	-
Male.....	3	3	4	4	9	25	15	27	13	4	-	-
Female.....	2	1	2	5	5	11	25	33	28	17	2	-
Central and South American, both sexes.	5	10	13	11	29	53	45	51	42	28	6	-
Male.....	4	4	7	7	13	24	17	11	14	6	2	-
Female.....	1	6	6	4	16	29	28	40	28	22	4	-
Other and Unknown Hispanic, both sexes.	11	14	15	15	28	36	49	56	45	18	4	-
Male.....	8	11	9	9	16	16	23	24	18	6	2	-
Female.....	3	3	6	6	12	20	26	32	27	12	2	-
Non-Hispanic 1/, both sexes.....	1,092	1,285	1,617	2,238	3,378	5,948	9,813	11,179	9,169	4,187	1,049	1
Male.....	657	762	962	1,266	1,864	3,164	4,719	4,851	3,278	1,161	209	-
Female.....	435	523	655	972	1,514	2,784	5,094	6,328	5,891	3,026	840	1
Non-Hispanic white 2/, both sexes.....	807	1,005	1,308	1,769	2,860	5,159	8,711	10,157	8,355	3,794	926	1
Male.....	473	604	769	1,005	1,571	2,758	4,208	4,416	2,969	1,037	178	-
Female.....	334	401	539	764	1,289	2,401	4,503	5,741	5,386	2,757	748	1
Non-Hispanic black 2/, both sexes.....	251	246	261	395	401	589	814	707	576	276	97	-
Male.....	164	138	166	213	221	308	347	272	188	76	23	-
Female.....	87	108	95	182	180	281	467	435	388	200	74	-
Origin not stated 3/, both sexes.....	4	3	-	7	15	12	18	13	11	9	1	2
Male.....	3	-	-	5	10	5	11	6	2	2	-	2
Female.....	1	3	-	2	5	7	7	7	9	7	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Influenza (J10-J11)

All origins, both sexes.....	19	21	22	31	50	93	143	156	133	67	16	-
Male.....	9	10	10	15	27	39	65	62	49	22	3	-
Female.....	10	11	12	16	23	54	78	94	84	45	13	-
Hispanic, both sexes.....	2	-	3	1	-	1	2	3	2	-	-	-
Male.....	1	-	1	1	-	-	-	1	1	-	-	-
Female.....	1	-	2	-	-	1	2	2	1	-	-	-
Mexican, both sexes.....	1	-	1	-	-	-	1	3	1	-	-	-
Male.....	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	1	2	1	-	-	-
Puerto Rican, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-
Cuban, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.	1	-	-	-	-	-	1	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	17	21	19	30	50	92	141	152	131	67	16	-
Male.....	8	10	9	14	27	39	65	61	48	22	3	-
Female.....	9	11	10	16	23	53	76	91	83	45	13	-
Non-Hispanic white 2/, both sexes.....	16	21	17	26	48	89	133	149	123	66	15	-
Male.....	7	10	8	13	26	37	60	61	43	22	2	-
Female.....	9	11	9	13	22	52	73	88	80	44	13	-
Non-Hispanic black 2/, both sexes.....	1	-	2	2	1	2	8	1	5	1	-	-
Male.....	1	-	1	1	-	1	5	-	3	-	-	-
Female.....	-	-	1	1	1	1	3	1	2	1	-	-
Origin not stated 3/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pneumonia (J12-J18)

All origins, both sexes.....	1,157	1,370	1,741	2,368	3,612	6,272	10,160	11,519	9,384	4,274	1,068	3
Male.....	705	820	1,037	1,344	1,985	3,333	4,878	5,002	3,368	1,176	218	2
Female.....	452	550	704	1,024	1,627	2,939	5,282	6,517	6,016	3,098	850	1
Hispanic, both sexes.....	78	103	143	153	269	404	470	480	335	145	34	-
Male.....	53	68	84	87	138	203	213	206	136	35	12	-
Female.....	25	35	59	66	131	201	257	274	199	110	22	-
Mexican, both sexes.....	43	54	75	90	144	215	270	253	163	67	20	-
Male.....	29	34	42	47	73	107	121	118	76	15	6	-
Female.....	14	20	33	43	71	108	149	135	87	52	14	-
Puerto Rican, both sexes.....	15	21	35	29	54	64	67	60	45	11	2	-
Male.....	10	16	22	21	27	31	37	26	16	4	2	-
Female.....	5	5	13	8	27	33	30	34	29	7	-	-
Cuban, both sexes.....	5	4	5	9	14	36	40	60	41	21	2	-
Male.....	3	3	4	4	9	25	15	27	13	4	-	-
Female.....	2	1	1	5	5	11	25	33	28	17	2	-
Central and South American, both sexes.	5	10	13	10	29	53	45	51	42	28	6	-
Male.....	4	4	7	6	13	24	17	11	14	6	2	-
Female.....	1	6	6	4	16	29	28	40	28	22	4	-
Other and Unknown Hispanic, both sexes.	10	14	15	15	28	36	48	56	44	18	4	-
Male.....	7	11	9	9	16	16	23	24	17	6	2	-
Female.....	3	3	6	6	12	20	25	32	27	12	2	-
Non-Hispanic 1/, both sexes.....	1,075	1,264	1,598	2,208	3,328	5,856	9,672	11,027	9,038	4,120	1,033	1
Male.....	649	752	953	1,252	1,837	3,125	4,654	4,790	3,230	1,139	206	-
Female.....	426	512	645	956	1,491	2,731	5,018	6,237	5,808	2,981	827	1
Non-Hispanic white 2/, both sexes.....	791	984	1,291	1,743	2,812	5,070	8,578	10,008	8,232	3,728	911	1
Male.....	466	594	761	992	1,545	2,721	4,148	4,355	2,926	1,015	176	-
Female.....	325	390	530	751	1,267	2,349	4,430	5,653	5,306	2,713	735	1
Non-Hispanic black 2/, both sexes.....	250	246	259	393	400	587	806	706	571	275	97	-
Male.....	163	138	165	212	221	307	342	272	185	76	23	-
Female.....	87	108	94	181	179	280	464	434	386	199	74	-
Origin not stated 3/, both sexes.....	4	3	-	7	15	12	18	12	11	9	1	2
Male.....	3	-	-	5	10	5	11	6	2	2	-	2
Female.....	1	3	-	2	5	7	7	6	9	7	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other acute lower respiratory infections (J20-J22)

All origins, both sexes.....	5	6	7	8	16	25	36	39	48	15	6	-
Male.....	2	2	4	1	7	12	11	12	17	2	-	-
Female.....	3	4	3	7	9	13	25	27	31	13	6	-
Hispanic, both sexes.....	-	-	-	1	1	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	1	1	-	-	-	-	-	-
Mexican, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Puerto Rican, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Cuban, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	5	6	7	7	14	23	36	39	48	15	6	-
Male.....	2	2	4	1	7	11	11	12	17	2	-	-
Female.....	3	4	3	6	7	12	25	27	31	13	6	-
Non-Hispanic white 2/, both sexes.....	3	3	5	7	12	19	36	38	46	14	6	-
Male.....	1	-	3	1	6	8	11	12	15	2	-	-
Female.....	2	3	2	6	6	11	25	26	31	12	6	-
Non-Hispanic black 2/, both sexes.....	1	3	2	-	2	2	-	-	2	-	-	-
Male.....	-	2	1	-	1	2	-	-	2	-	-	-
Female.....	1	1	1	-	1	-	-	-	-	-	-	-
Origin not stated 3/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004  
Hispanic origin, race for 50  
non-Hispanic population, and sex yes

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Unspecified acute lower respiratory infection (J22)

All origins, both sexes.....	1	2	2	2	4	10	11	12	26	9	3	-
Male.....	1	-	1	-	1	6	3	1	9	1	-	-
Female.....	-	2	1	2	3	4	8	11	17	8	3	-
Hispanic, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Mexican, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Puerto Rican, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Cuban, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	1	2	2	2	3	10	11	12	26	9	3	-
Male.....	1	-	1	-	1	6	3	1	9	1	-	-
Female.....	-	2	1	2	2	4	8	11	17	8	3	-
Non-Hispanic white 2/, both sexes.....	-	2	1	2	3	9	11	12	25	9	3	-
Male.....	-	-	1	-	1	5	3	1	8	1	-	-
Female.....	-	2	-	2	2	4	8	11	17	8	3	-
Non-Hispanic black 2/, both sexes.....	-	-	1	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Origin not stated 3/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Chronic lower respiratory diseases (J40-J47)

All origins, both sexes.....	2,604	4,699	7,676	11,601	16,635	22,770	24,636	18,703	9,363	2,738	399	4
Male.....	1,341	2,427	3,955	5,799	8,353	11,371	11,796	8,231	3,658	843	113	3
Female.....	1,263	2,272	3,721	5,802	8,282	11,399	12,840	10,472	5,705	1,895	286	1
Hispanic, both sexes.....	72	121	184	249	377	558	621	510	328	93	26	-
Male.....	39	65	106	140	209	301	320	243	134	40	13	-
Female.....	33	56	78	109	168	257	301	267	194	53	13	-
Mexican, both sexes.....	32	58	85	131	173	288	301	242	140	40	12	-
Male.....	18	35	48	81	96	160	165	131	73	20	7	-
Female.....	14	23	37	50	77	128	136	111	67	20	5	-
Puerto Rican, both sexes.....	19	32	40	40	72	70	71	67	39	13	4	-
Male.....	11	15	25	19	35	33	32	31	13	5	2	-
Female.....	8	17	15	21	37	37	39	36	26	8	2	-
Cuban, both sexes.....	9	10	19	25	53	76	103	89	68	22	7	-
Male.....	3	4	12	14	32	43	53	32	22	8	2	-
Female.....	6	6	7	11	21	33	50	57	46	14	5	-
Central and South American, both sexes.	6	5	10	17	23	34	50	37	26	7	-	-
Male.....	4	3	6	8	15	16	17	14	8	2	-	-
Female.....	2	2	4	9	8	18	33	23	18	5	-	-
Other and Unknown Hispanic, both sexes.	6	16	30	36	56	90	96	75	55	11	3	-
Male.....	3	8	15	18	31	49	53	35	18	5	2	-
Female.....	3	8	15	18	25	41	43	40	37	6	1	-
Non-Hispanic 1/, both sexes.....	2,526	4,558	7,461	11,325	16,230	22,176	23,976	18,165	9,028	2,644	373	2
Male.....	1,298	2,350	3,829	5,646	8,124	11,051	11,457	7,976	3,521	803	100	1
Female.....	1,228	2,208	3,632	5,679	8,106	11,125	12,519	10,189	5,507	1,841	273	1
Non-Hispanic white 2/, both sexes.....	2,086	3,967	6,699	10,346	15,051	20,666	22,507	17,165	8,509	2,440	332	2
Male.....	1,066	2,033	3,374	5,084	7,462	10,217	10,633	7,459	3,286	720	85	1
Female.....	1,020	1,934	3,325	5,262	7,589	10,449	11,874	9,706	5,223	1,720	247	1
Non-Hispanic black 2/, both sexes.....	401	527	663	831	971	1,184	1,100	739	358	138	36	-
Male.....	213	287	392	474	545	639	602	367	142	50	11	-
Female.....	188	240	271	357	426	545	498	372	216	88	25	-
Origin not stated 3/, both sexes.....	6	20	31	27	28	36	39	28	7	1	-	2
Male.....	4	12	20	13	20	19	19	12	3	-	-	2
Female.....	2	8	11	14	8	17	20	16	4	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004 Hispanic origin, race for non-Hispanic population, and sex ve

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

#### Emphysema (J43)

All origins, both sexes.....	296	575	948	1,368	1,905	2,444	2,355	1,547	679	149	25	2
Male.....	187	308	503	730	967	1,258	1,150	739	288	38	10	2
Female.....	109	267	445	638	938	1,186	1,205	808	391	111	15	-
Hispanic, both sexes.....	11	19	23	27	28	61	59	30	16	5	2	-
Male.....	8	10	17	19	19	41	28	17	9	1	1	-
Female.....	3	9	6	8	9	20	31	13	7	4	1	-
Mexican, both sexes.....	3	11	12	13	18	26	26	8	4	2	1	-
Male.....	3	7	11	8	12	18	17	6	3	1	-	-
Female.....	-	4	1	5	6	8	9	2	1	1	1	-
Puerto Rican, both sexes.....	2	3	4	3	1	14	10	5	3	2	-	-
Male.....	1	1	3	2	1	10	4	4	1	-	-	-
Female.....	1	2	1	1	-	4	6	1	2	2	-	-
Cuban, both sexes.....	4	1	5	4	3	9	10	8	3	-	-	-
Male.....	3	-	3	4	1	4	3	3	1	-	-	-
Female.....	1	1	2	-	2	5	7	5	2	-	-	-
Central and South American, both sexes.	-	-	-	1	-	2	4	2	1	-	-	-
Male.....	-	-	-	1	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	4	2	1	-	-	-
Other and Unknown Hispanic, both sexes.	2	4	2	6	6	10	9	7	5	1	1	-
Male.....	1	2	-	4	5	7	4	4	4	-	1	-
Female.....	1	2	2	2	1	3	5	3	1	1	-	-
Non-Hispanic 1/, both sexes.....	284	552	920	1,338	1,876	2,381	2,294	1,515	663	144	23	1
Male.....	178	295	483	711	947	1,216	1,121	720	279	37	9	1
Female.....	106	257	437	627	929	1,165	1,173	795	384	107	14	-
Non-Hispanic white 2/, both sexes.....	252	499	832	1,228	1,762	2,229	2,160	1,444	627	131	21	1
Male.....	150	259	419	641	887	1,120	1,041	685	259	31	8	1
Female.....	102	240	413	587	875	1,109	1,119	759	368	100	13	-
Non-Hispanic black 2/, both sexes.....	29	49	84	89	92	122	103	57	24	8	2	-
Male.....	25	33	61	57	47	72	60	27	13	3	1	-
Female.....	4	16	23	32	45	50	43	30	11	5	1	-
Origin not stated 3/, both sexes.....	1	4	5	3	1	2	2	2	-	-	-	1
Male.....	1	3	3	-	1	1	1	2	-	-	-	1
Female.....	-	1	2	3	-	1	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

#### Asthma (J45-J46)

All origins, both sexes.....	289	250	242	210	233	266	360	318	239	85	11	-
Male.....	115	89	79	66	80	89	96	81	52	18	2	-
Female.....	174	161	163	144	153	177	264	237	187	67	9	-
Hispanic, both sexes.....	14	13	23	19	14	15	19	23	14	3	2	-
Male.....	5	5	9	4	4	4	6	5	2	2	-	-
Female.....	9	8	14	15	10	11	13	18	12	1	2	-
Mexican, both sexes.....	4	4	9	4	8	8	12	9	7	2	1	-
Male.....	-	2	4	2	2	3	4	3	-	2	-	-
Female.....	4	2	5	2	6	5	8	6	7	-	1	-
Puerto Rican, both sexes.....	6	8	8	8	2	4	1	4	4	-	1	-
Male.....	4	3	3	-	-	-	-	2	1	-	-	-
Female.....	2	5	5	8	2	4	1	2	3	-	1	-
Cuban, both sexes.....	1	-	2	1	-	1	1	3	-	1	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	1	1	3	-	1	-	-
Central and South American, both sexes.	2	-	2	3	2	2	4	2	1	-	-	-
Male.....	1	-	1	-	2	1	2	-	-	-	-	-
Female.....	1	-	1	3	-	1	2	2	1	-	-	-
Other and Unknown Hispanic, both sexes.	1	1	2	3	2	-	1	5	2	-	-	-
Male.....	-	-	-	1	-	-	-	-	1	-	-	-
Female.....	1	1	2	2	2	-	1	5	1	-	-	-
Non-Hispanic 1/, both sexes.....	275	235	219	189	217	250	341	295	225	82	9	-
Male.....	110	83	70	62	75	85	90	76	50	16	2	-
Female.....	165	152	149	127	142	165	251	219	175	66	7	-
Non-Hispanic white 2/, both sexes.....	160	142	134	130	155	204	288	256	204	69	6	-
Male.....	56	44	38	40	50	72	72	67	45	16	1	-
Female.....	104	98	96	90	105	132	216	189	159	53	5	-
Non-Hispanic black 2/, both sexes.....	101	84	78	48	49	30	31	27	10	9	2	-
Male.....	45	35	31	17	18	8	8	5	2	-	-	-
Female.....	56	49	47	31	31	22	23	22	8	9	2	-
Origin not stated 3/, both sexes.....	-	2	-	2	2	1	-	-	-	-	-	-
Male.....	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	2	1	1	-	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other chronic lower respiratory diseases (J44,J47)

All origins, both sexes.....	2,002	3,851	6,460	9,988	14,443	19,978	21,803	16,693	8,346	2,448	345	2
Male.....	1,031	2,017	3,363	4,987	7,282	9,991	10,501	7,362	3,285	773	97	1
Female.....	971	1,834	3,097	5,001	7,161	9,987	11,302	9,331	5,061	1,675	248	1
Hispanic, both sexes.....	47	88	138	202	334	479	536	449	295	84	20	-
Male.....	26	50	80	116	186	256	282	220	123	36	11	-
Female.....	21	38	58	86	148	223	254	229	172	48	9	-
Mexican, both sexes.....	25	42	64	113	146	252	260	224	128	36	8	-
Male.....	15	26	33	70	82	139	142	122	70	17	6	-
Female.....	10	16	31	43	64	113	118	102	58	19	2	-
Puerto Rican, both sexes.....	11	21	28	29	69	52	60	57	32	11	3	-
Male.....	6	11	19	17	34	23	28	25	11	5	2	-
Female.....	5	10	9	12	35	29	32	32	21	6	1	-
Cuban, both sexes.....	4	9	12	20	50	65	90	74	65	21	7	-
Male.....	-	4	8	9	31	39	49	29	21	8	2	-
Female.....	4	5	4	11	19	26	41	45	44	13	5	-
Central and South American, both sexes.	4	5	8	13	21	30	40	32	24	7	-	-
Male.....	3	3	5	7	13	13	14	14	8	2	-	-
Female.....	1	2	3	6	8	17	26	18	16	5	-	-
Other and Unknown Hispanic, both sexes.	3	11	26	27	48	80	86	62	46	9	2	-
Male.....	2	6	15	13	26	42	49	30	13	4	1	-
Female.....	1	5	11	14	22	38	37	32	33	5	1	-
Non-Hispanic 1/, both sexes.....	1,950	3,749	6,296	9,764	14,084	19,466	21,230	16,218	8,044	2,363	325	1
Male.....	1,002	1,959	3,266	4,858	7,078	9,717	10,201	7,132	3,159	737	86	-
Female.....	948	1,790	3,030	4,906	7,006	9,749	11,029	9,086	4,885	1,626	239	1
Non-Hispanic white 2/, both sexes.....	1,660	3,310	5,708	8,957	13,087	18,163	19,961	15,337	7,586	2,190	292	1
Male.....	853	1,721	2,908	4,389	6,504	8,998	9,480	6,661	2,950	660	74	-
Female.....	807	1,589	2,800	4,568	6,583	9,165	10,481	8,676	4,636	1,530	218	1
Non-Hispanic black 2/, both sexes.....	268	388	500	691	824	1,024	958	648	321	118	31	-
Male.....	142	215	299	399	477	554	531	334	126	47	10	-
Female.....	126	173	201	292	347	470	427	314	195	71	21	-
Origin not stated 3/, both sexes.....	5	14	26	22	25	33	37	26	7	1	-	1
Male.....	3	8	17	13	18	18	18	10	3	-	-	1
Female.....	2	6	9	9	7	15	19	16	4	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004  
Hispanic origin, race for 50  
non-Hispanic population, and sex ve

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pneumonitis due to solids and liquids (J69)

All origins, both sexes.....	253	359	496	658	1,092	1,956	3,328	4,037	2,903	1,091	223	-
Male.....	163	222	315	420	672	1,162	1,867	2,056	1,298	376	66	-
Female.....	90	137	181	238	420	794	1,461	1,981	1,605	715	157	-
Hispanic, both sexes.....	15	14	19	27	51	86	113	95	54	41	8	-
Male.....	12	13	13	16	29	47	54	46	17	12	2	-
Female.....	3	1	6	11	22	39	59	49	37	29	6	-
Mexican, both sexes.....	8	9	10	14	28	49	56	48	31	16	2	-
Male.....	7	9	7	10	16	28	31	28	10	6	1	-
Female.....	1	-	3	4	12	21	25	20	21	10	1	-
Puerto Rican, both sexes.....	2	3	4	2	5	11	10	10	3	3	1	-
Male.....	1	3	3	1	2	4	4	3	-	-	-	-
Female.....	1	-	1	1	3	7	6	7	3	3	1	-
Cuban, both sexes.....	-	1	-	4	11	10	21	19	12	11	2	-
Male.....	-	1	-	2	8	7	8	9	3	5	-	-
Female.....	-	-	-	2	3	3	13	10	9	6	2	-
Central and South American, both sexes.	-	-	1	1	2	6	3	4	-	5	2	-
Male.....	-	-	1	-	-	2	1	3	-	1	-	-
Female.....	-	-	-	1	2	4	2	1	-	4	2	-
Other and Unknown Hispanic, both sexes.	5	1	4	6	5	10	23	14	8	6	1	-
Male.....	4	-	2	3	3	6	10	3	4	-	1	-
Female.....	1	1	2	3	2	4	13	11	4	6	-	-
Non-Hispanic 1/, both sexes.....	236	345	474	627	1,040	1,868	3,214	3,938	2,845	1,047	215	-
Male.....	150	209	301	403	642	1,115	1,813	2,009	1,279	364	64	-
Female.....	86	136	173	224	398	753	1,401	1,929	1,566	683	151	-
Non-Hispanic white 2/, both sexes.....	197	281	405	521	863	1,626	2,926	3,650	2,611	968	182	-
Male.....	125	171	256	331	538	966	1,660	1,865	1,184	342	54	-
Female.....	72	110	149	190	325	660	1,266	1,785	1,427	626	128	-
Non-Hispanic black 2/, both sexes.....	39	56	62	91	156	195	231	233	174	62	24	-
Male.....	25	32	42	64	91	122	124	110	65	13	6	-
Female.....	14	24	20	27	65	73	107	123	109	49	18	-
Origin not stated 3/, both sexes.....	2	-	3	4	1	2	1	4	4	3	-	-
Male.....	1	-	1	1	1	-	-	1	2	-	-	-
Female.....	1	-	2	3	-	2	1	3	2	3	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)

All origins, both sexes.....	819	1,212	1,593	2,216	3,128	4,364	5,208	4,138	2,263	707	130	-
Male.....	427	681	892	1,258	1,775	2,362	2,572	1,764	803	176	21	-
Female.....	392	531	701	958	1,353	2,002	2,636	2,374	1,460	531	109	-
Hispanic, both sexes.....	67	84	109	158	192	217	240	162	85	23	3	-
Male.....	35	56	67	83	95	108	105	65	29	5	1	-
Female.....	32	28	42	75	97	109	135	97	56	18	2	-
Mexican, both sexes.....	43	54	67	82	111	120	119	91	51	13	-	-
Male.....	19	38	43	43	56	61	51	43	17	4	-	-
Female.....	24	16	24	39	55	59	68	48	34	9	-	-
Puerto Rican, both sexes.....	6	13	9	24	22	23	28	9	6	3	1	-
Male.....	4	9	5	13	14	12	13	2	1	-	-	-
Female.....	2	4	4	11	8	11	15	7	5	3	1	-
Cuban, both sexes.....	4	1	7	9	13	24	24	29	11	2	1	-
Male.....	2	1	4	5	6	12	9	11	2	-	-	-
Female.....	2	-	3	4	7	12	15	18	9	2	1	-
Central and South American, both sexes.	9	11	14	33	21	33	30	22	6	4	-	-
Male.....	7	6	7	16	8	14	13	4	3	1	-	-
Female.....	2	5	7	17	13	19	17	18	3	3	-	-
Other and Unknown Hispanic, both sexes.	5	5	12	10	25	17	39	11	11	1	1	-
Male.....	3	2	8	6	11	9	19	5	6	-	1	-
Female.....	2	3	4	4	14	8	20	6	5	1	-	-
Non-Hispanic 1/, both sexes.....	751	1,127	1,483	2,054	2,932	4,141	4,961	3,973	2,176	684	127	-
Male.....	391	624	824	1,174	1,677	2,252	2,466	1,698	773	171	20	-
Female.....	360	503	659	880	1,255	1,889	2,495	2,275	1,403	513	107	-
Non-Hispanic white 2/, both sexes.....	559	878	1,227	1,769	2,607	3,768	4,576	3,684	2,024	640	107	-
Male.....	303	515	688	1,027	1,498	2,072	2,286	1,577	716	156	14	-
Female.....	256	363	539	742	1,109	1,696	2,290	2,107	1,308	484	93	-
Non-Hispanic black 2/, both sexes.....	164	211	206	200	255	260	256	211	103	32	18	-
Male.....	71	89	111	103	141	127	116	82	37	7	4	-
Female.....	93	122	95	97	114	133	140	129	66	25	14	-
Origin not stated 3/, both sexes.....	1	1	1	4	4	6	7	3	2	-	-	-
Male.....	1	1	1	1	3	2	1	1	1	-	-	-
Female.....	-	-	-	3	1	4	6	2	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Peptic ulcer (K25-K28)

All origins, both sexes.....	161	180	203	218	302	391	546	557	380	140	20	-
Male.....	105	127	123	126	154	196	240	202	128	37	4	-
Female.....	56	53	80	92	148	195	306	355	252	103	16	-
Hispanic, both sexes.....	12	8	12	18	16	24	19	26	16	6	2	-
Male.....	9	6	9	13	10	14	8	8	5	1	1	-
Female.....	3	2	3	5	6	10	11	18	11	5	1	-
Mexican, both sexes.....	9	5	7	12	11	16	13	14	7	5	-	-
Male.....	7	4	5	8	8	8	5	3	3	-	-	-
Female.....	2	1	2	4	3	8	8	11	4	5	-	-
Puerto Rican, both sexes.....	1	1	-	3	2	4	-	2	2	1	1	-
Male.....	-	1	-	2	1	4	-	1	1	1	-	-
Female.....	1	-	-	1	1	-	-	1	1	-	1	-
Cuban, both sexes.....	1	-	2	1	3	1	2	4	3	-	1	-
Male.....	1	-	1	1	1	-	1	2	1	-	1	-
Female.....	-	-	1	-	2	1	1	2	2	-	-	-
Central and South American, both sexes.	1	-	1	-	-	-	2	4	1	-	-	-
Male.....	1	-	1	-	-	-	1	2	-	-	-	-
Female.....	-	-	-	-	-	-	1	2	1	-	-	-
Other and Unknown Hispanic, both sexes.	-	2	2	2	-	3	2	2	3	-	-	-
Male.....	-	1	2	2	-	2	1	-	-	-	-	-
Female.....	-	1	-	-	-	1	1	2	3	-	-	-
Non-Hispanic 1/, both sexes.....	149	170	191	199	285	366	526	530	364	133	18	-
Male.....	96	119	114	112	143	182	232	194	123	35	3	-
Female.....	53	51	77	87	142	184	294	336	241	98	15	-
Non-Hispanic white 2/, both sexes.....	105	135	150	160	234	313	480	488	333	119	18	-
Male.....	63	96	90	90	111	153	213	175	109	32	3	-
Female.....	42	39	60	70	123	160	267	313	224	87	15	-
Non-Hispanic black 2/, both sexes.....	39	33	33	29	37	42	31	29	16	11	-	-
Male.....	30	22	18	16	26	22	12	10	7	1	-	-
Female.....	9	11	15	13	11	20	19	19	9	10	-	-
Origin not stated 3/, both sexes.....	-	2	-	1	1	1	1	1	-	1	-	-
Male.....	-	2	-	1	1	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	1	1	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of appendix (K35-K38)

All origins, both sexes.....	15	33	25	37	46	42	57	51	33	5	2	-
Male.....	9	22	11	26	31	33	32	23	14	-	1	-
Female.....	6	11	14	11	15	9	25	28	19	5	1	-
Hispanic, both sexes.....	2	3	2	1	1	4	2	2	1	-	-	-
Male.....	2	2	1	1	-	3	1	-	1	-	-	-
Female.....	-	1	1	-	1	1	1	2	-	-	-	-
Mexican, both sexes.....	1	2	1	1	-	1	2	1	-	-	-	-
Male.....	1	1	-	1	-	1	1	-	-	-	-	-
Female.....	-	1	1	-	-	-	1	1	-	-	-	-
Puerto Rican, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Cuban, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.	-	1	-	-	1	2	-	-	-	-	-	-
Male.....	-	1	-	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.	1	-	1	-	-	1	-	1	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
Non-Hispanic 1/, both sexes.....	13	30	23	36	45	38	54	49	31	5	2	-
Male.....	7	20	10	25	31	30	31	23	13	-	1	-
Female.....	6	10	13	11	14	8	23	26	18	5	1	-
Non-Hispanic white 2/, both sexes.....	9	22	14	32	38	32	47	44	30	5	2	-
Male.....	5	16	6	23	24	24	27	20	13	-	1	-
Female.....	4	6	8	9	14	8	20	24	17	5	1	-
Non-Hispanic black 2/, both sexes.....	3	7	9	4	3	5	6	3	1	-	-	-
Male.....	2	3	4	2	3	5	4	1	-	-	-	-
Female.....	1	4	5	2	-	-	2	2	1	-	-	-
Origin not stated 3/, both sexes.....	-	-	-	-	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Hernia (K40-K46)

All origins, both sexes.....	59	83	95	92	142	206	304	318	223	88	11	-
Male.....	32	34	49	39	73	90	125	127	74	25	2	-
Female.....	27	49	46	53	69	116	179	191	149	63	9	-
Hispanic, both sexes.....	4	7	1	9	8	12	15	8	7	2	-	-
Male.....	3	2	1	2	6	2	11	2	2	1	-	-
Female.....	1	5	-	7	2	10	4	6	5	1	-	-
Mexican, both sexes.....	2	3	-	7	7	9	12	4	5	2	-	-
Male.....	2	2	-	2	5	2	8	1	1	1	-	-
Female.....	-	1	-	5	2	7	4	3	4	1	-	-
Puerto Rican, both sexes.....	1	-	-	-	-	1	2	1	-	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	1	-	-	-	-
Cuban, both sexes.....	-	-	-	-	-	1	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	1	-	-	1	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Central and South American, both sexes.	-	2	-	-	-	1	-	3	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	2	-	-	-	1	-	2	1	-	-	-
Other and Unknown Hispanic, both sexes.	1	2	1	2	1	-	-	-	-	-	-	-
Male.....	1	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	2	-	2	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	55	74	93	83	134	194	289	309	216	85	11	-
Male.....	29	31	47	37	67	88	114	125	72	24	2	-
Female.....	26	43	46	46	67	106	175	184	144	61	9	-
Non-Hispanic white 2/, both sexes.....	42	60	85	71	113	170	255	289	198	82	10	-
Male.....	23	24	44	32	57	78	98	116	67	23	2	-
Female.....	19	36	41	39	56	92	157	173	131	59	8	-
Non-Hispanic black 2/, both sexes.....	13	14	8	11	20	22	24	17	15	3	1	-
Male.....	6	7	3	5	9	8	11	7	5	1	-	-
Female.....	7	7	5	6	11	14	13	10	10	2	1	-
Origin not stated 3/, both sexes.....	-	2	1	-	-	-	-	1	-	1	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004  
Hispanic origin, race for 50  
non-Hispanic population, and sex ve

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004  
Hispanic origin, race for 50  
non-Hispanic population, and sex yes

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004  
Hispanic origin, race for 50  
non-Hispanic population, and sex yes

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Cholelithiasis and other disorders of gallbladder (K80-K82)

All origins, both sexes.....	81	105	165	187	280	459	563	568	419	137	32	-
Male.....	47	55	78	113	153	238	272	211	121	27	7	-
Female.....	34	50	87	74	127	221	291	357	298	110	25	-
Hispanic, both sexes.....	7	7	15	16	19	35	31	22	16	11	2	-
Male.....	4	3	5	7	11	17	13	7	4	2	-	-
Female.....	3	4	10	9	8	18	18	15	12	9	2	-
Mexican, both sexes.....	4	3	9	9	11	23	20	10	9	5	2	-
Male.....	1	2	4	3	7	11	10	1	2	1	-	-
Female.....	3	1	5	6	4	12	10	9	7	4	2	-
Puerto Rican, both sexes.....	-	3	3	1	1	2	2	4	2	1	-	-
Male.....	-	1	-	1	-	-	1	2	-	-	-	-
Female.....	-	2	3	-	1	2	1	2	2	1	-	-
Cuban, both sexes.....	1	-	1	-	4	1	1	3	3	1	-	-
Male.....	1	-	-	-	2	-	-	2	1	-	-	-
Female.....	-	-	1	-	2	1	1	1	2	1	-	-
Central and South American, both sexes.	-	1	-	3	2	2	6	3	1	3	-	-
Male.....	-	-	-	2	1	1	1	1	-	-	-	-
Female.....	-	1	-	1	1	1	5	2	1	3	-	-
Other and Unknown Hispanic, both sexes.	2	-	2	3	1	7	2	2	1	1	-	-
Male.....	2	-	1	1	1	5	1	1	1	1	-	-
Female.....	-	-	1	2	-	2	1	1	-	-	-	-
Non-Hispanic 1/, both sexes.....	74	98	150	171	260	423	531	545	403	126	30	-
Male.....	43	52	73	106	141	220	259	203	117	25	7	-
Female.....	31	46	77	65	119	203	272	342	286	101	23	-
Non-Hispanic white 2/, both sexes.....	49	71	115	124	201	360	473	500	375	108	27	-
Male.....	30	37	56	80	114	191	235	194	113	20	6	-
Female.....	19	34	59	44	87	169	238	306	262	88	21	-
Non-Hispanic black 2/, both sexes.....	22	21	24	34	37	54	38	28	21	15	2	-
Male.....	11	11	11	16	12	23	12	5	4	3	-	-
Female.....	11	10	13	18	25	31	26	23	17	12	2	-
Origin not stated 3/, both sexes.....	-	-	-	-	1	1	1	1	-	-	-	-
Male.....	-	-	-	-	1	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)

All origins, both sexes.....	1,378	1,945	2,423	3,161	4,292	6,377	8,159	8,058	5,208	1,787	335	-
Male.....	806	1,100	1,342	1,634	2,275	3,278	3,968	3,650	2,022	600	94	-
Female.....	572	845	1,081	1,527	2,017	3,099	4,191	4,408	3,186	1,187	241	-
Hispanic, both sexes.....	132	169	197	269	285	365	399	290	156	58	23	-
Male.....	80	89	103	147	150	173	187	117	59	27	11	-
Female.....	52	80	94	122	135	192	212	173	97	31	12	-
Mexican, both sexes.....	86	124	120	164	173	211	241	160	80	28	10	-
Male.....	53	65	57	89	91	96	112	61	33	13	7	-
Female.....	33	59	63	75	82	115	129	99	47	15	3	-
Puerto Rican, both sexes.....	20	16	26	43	43	54	42	27	17	5	2	-
Male.....	13	8	15	20	23	31	13	11	7	1	-	-
Female.....	7	8	11	23	20	23	29	16	10	4	2	-
Cuban, both sexes.....	7	5	8	13	32	38	51	50	27	8	5	-
Male.....	5	5	6	9	18	19	34	24	11	4	2	-
Female.....	2	-	2	4	14	19	17	26	16	4	3	-
Central and South American, both sexes.	13	7	19	21	21	25	20	24	18	2	2	-
Male.....	7	4	11	13	10	10	11	9	3	-	1	-
Female.....	6	3	8	8	11	15	9	15	15	2	1	-
Other and Unknown Hispanic, both sexes.	6	17	24	28	16	37	45	29	14	15	4	-
Male.....	2	7	14	16	8	17	17	12	5	9	1	-
Female.....	4	10	10	12	8	20	28	17	9	6	3	-
Non-Hispanic 1/, both sexes.....	1,242	1,769	2,220	2,885	3,998	5,998	7,750	7,754	5,046	1,727	312	-
Male.....	722	1,005	1,235	1,483	2,122	3,099	3,774	3,526	1,962	572	83	-
Female.....	520	764	985	1,402	1,876	2,899	3,976	4,228	3,084	1,155	229	-
Non-Hispanic white 2/, both sexes.....	671	1,080	1,432	1,918	2,889	4,789	6,505	6,739	4,383	1,503	238	-
Male.....	401	621	844	1,018	1,604	2,549	3,242	3,153	1,745	506	63	-
Female.....	270	459	588	900	1,285	2,240	3,263	3,586	2,638	997	175	-
Non-Hispanic black 2/, both sexes.....	528	624	710	860	971	1,053	1,071	868	564	194	67	-
Male.....	299	348	362	419	438	467	454	297	175	55	15	-
Female.....	229	276	348	441	533	586	617	571	389	139	52	-
Origin not stated 3/, both sexes.....	4	7	6	7	9	14	10	14	6	2	-	-
Male.....	4	6	4	4	3	6	7	7	1	1	-	-
Female.....	-	1	2	3	6	8	3	7	5	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

#### Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01, N04)

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)

All origins, both sexes.....	55	71	78	108	152	235	340	335	257	101	17	-
Male.....	27	37	52	62	70	135	167	163	87	37	3	-
Female.....	28	34	26	46	82	100	173	172	170	64	14	-
Hispanic, both sexes.....	5	6	8	10	10	13	19	12	7	1	2	-
Male.....	2	2	5	3	6	8	8	5	5	1	-	-
Female.....	3	4	3	7	4	5	11	7	2	-	2	-
Mexican, both sexes.....	4	5	4	5	5	7	15	8	6	-	1	-
Male.....	2	2	2	2	4	4	5	2	4	-	-	-
Female.....	2	3	2	3	1	3	10	6	2	-	1	-
Puerto Rican, both sexes.....	-	1	-	3	1	2	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	3	1	1	1	-	-	-	-	-
Cuban, both sexes.....	-	-	-	-	4	1	2	1	-	-	-	-
Male.....	-	-	-	-	2	1	2	1	-	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	-	-	-
Central and South American, both sexes.	1	-	3	1	-	1	-	3	1	-	1	-
Male.....	-	-	3	1	-	-	-	2	1	-	-	-
Female.....	1	-	-	-	-	1	-	1	-	-	1	-
Other and Unknown Hispanic, both sexes.	-	-	1	1	-	2	1	-	-	1	-	-
Male.....	-	-	-	-	-	2	1	-	-	1	-	-
Female.....	-	-	1	1	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	50	65	70	98	142	221	320	323	250	100	15	-
Male.....	25	35	47	59	64	126	159	158	82	36	3	-
Female.....	25	30	23	39	78	95	161	165	168	64	12	-
Non-Hispanic white 2/, both sexes.....	27	39	45	57	106	177	256	270	208	87	10	-
Male.....	14	17	31	36	52	101	132	134	66	30	2	-
Female.....	13	22	14	21	54	76	124	136	142	57	8	-
Non-Hispanic black 2/, both sexes.....	21	26	23	36	33	33	50	45	31	10	4	-
Male.....	10	18	15	21	11	17	21	19	11	5	1	-
Female.....	11	8	8	15	22	16	29	26	20	5	3	-
Origin not stated 3/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Renal failure (N17-N19)

All origins, both sexes.....	1,314	1,867	2,340	3,039	4,132	6,123	7,792	7,700	4,941	1,682	317	-
Male.....	773	1,058	1,288	1,566	2,201	3,133	3,791	3,476	1,931	560	91	-
Female.....	541	809	1,052	1,473	1,931	2,990	4,001	4,224	3,010	1,122	226	-
Hispanic, both sexes.....	126	163	188	258	275	352	378	277	149	57	21	-
Male.....	78	87	97	143	144	165	179	111	54	26	11	-
Female.....	48	76	91	115	131	187	199	166	95	31	10	-
Mexican, both sexes.....	81	119	115	159	168	204	225	152	74	28	9	-
Male.....	51	63	54	87	87	92	107	59	29	13	7	-
Female.....	30	56	61	72	81	112	118	93	45	15	2	-
Puerto Rican, both sexes.....	20	15	26	40	42	52	41	27	17	5	2	-
Male.....	13	8	15	20	23	30	13	11	7	1	-	-
Female.....	7	7	11	20	19	22	28	16	10	4	2	-
Cuban, both sexes.....	7	5	8	12	28	37	49	49	27	8	5	-
Male.....	5	5	6	8	16	18	32	23	11	4	2	-
Female.....	2	-	2	4	12	19	17	26	16	4	3	-
Central and South American, both sexes.	12	7	16	20	21	24	20	21	17	2	1	-
Male.....	7	4	8	12	10	10	11	7	2	-	1	-
Female.....	5	3	8	8	11	14	9	14	15	2	-	-
Other and Unknown Hispanic, both sexes.	6	17	23	27	16	35	43	28	14	14	4	-
Male.....	2	7	14	16	8	15	16	11	5	8	1	-
Female.....	4	10	9	11	8	20	27	17	9	6	3	-
Non-Hispanic 1/, both sexes.....	1,184	1,697	2,146	2,774	3,848	5,758	7,405	7,409	4,786	1,623	296	-
Male.....	691	965	1,187	1,419	2,054	2,963	3,605	3,358	1,876	533	80	-
Female.....	493	732	959	1,355	1,794	2,795	3,800	4,051	2,910	1,090	216	-
Non-Hispanic white 2/, both sexes.....	641	1,036	1,384	1,851	2,777	4,593	6,228	6,448	4,167	1,412	227	-
Male.....	385	600	812	978	1,549	2,438	3,103	3,009	1,676	473	61	-
Female.....	256	436	572	873	1,228	2,155	3,125	3,439	2,491	939	166	-
Non-Hispanic black 2/, both sexes.....	502	598	686	821	937	1,020	1,018	823	532	184	63	-
Male.....	285	330	347	397	427	450	431	278	163	50	14	-
Female.....	217	268	339	424	510	570	587	545	369	134	49	-
Origin not stated 3/, both sexes.....	4	7	6	7	9	13	9	14	6	2	-	-
Male.....	4	6	4	4	3	5	7	7	1	1	-	-
Female.....	-	1	2	3	6	8	2	7	5	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for 50  
non-Hispanic population, and sex year

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004  
Hispanic origin, race for 50  
non-Hispanic population, and sex yes

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004  
Hispanic origin, race for 50  
non-Hispanic population, and sex ve

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

## Inflammatory diseases of female pelvic organs (N70-N76)

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004  
Hispanic origin, race for 50  
non-Hispanic population, and sex ve

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

## Pregnancy with abortive outcome (000-007)

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

#### **Other complications of pregnancy, childbirth and the puerperium (010-099)**

Worktable Orig21OF. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

Certain conditions originating in the perinatal period (P00-P96)



Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

All origins, both sexes.....	1,157	1,075	964	982	1,325	2,117	3,318	4,309	4,540	2,605	1,054	44
Male.....	726	684	572	578	709	1,008	1,335	1,441	1,131	507	148	29
Female.....	431	391	392	404	616	1,109	1,983	2,868	3,409	2,098	906	15
Hispanic, both sexes.....	56	51	46	43	52	61	83	81	123	77	18	4
Male.....	40	33	33	28	32	24	31	27	28	20	5	3
Female.....	16	18	13	15	20	37	52	54	95	57	13	1
Mexican, both sexes.....	29	29	23	24	30	34	46	38	64	34	9	2
Male.....	20	19	20	14	18	14	20	15	15	11	2	2
Female.....	9	10	3	10	12	20	26	23	49	23	7	-
Puerto Rican, both sexes.....	9	9	12	5	9	10	7	18	21	15	5	1
Male.....	7	6	6	4	5	4	2	7	2	2	2	-
Female.....	2	3	6	1	4	6	5	11	19	13	3	1
Cuban, both sexes.....	2	4	2	7	5	4	8	6	12	5	3	-
Male.....	-	3	1	5	3	2	4	1	5	2	1	-
Female.....	2	1	1	2	2	2	4	5	7	3	2	-
Central and South American, both sexes.	11	6	4	1	5	10	9	8	14	16	-	-
Male.....	8	3	3	-	4	4	1	1	2	3	-	-
Female.....	3	3	1	1	1	6	8	7	12	13	-	-
Other and Unknown Hispanic, both sexes.	5	3	5	6	3	3	13	11	12	7	1	1
Male.....	5	2	3	5	2	-	4	3	4	2	-	1
Female.....	-	1	2	1	1	3	9	8	8	5	1	-
Non-Hispanic 1/, both sexes.....	1,093	1,015	915	934	1,267	2,052	3,232	4,223	4,411	2,526	1,034	21
Male.....	679	643	537	547	671	981	1,304	1,410	1,100	487	143	13
Female.....	414	372	378	387	596	1,071	1,928	2,813	3,311	2,039	891	8
Non-Hispanic white 2/, both sexes.....	830	795	749	766	1,048	1,775	2,866	3,868	4,077	2,303	925	14
Male.....	516	508	450	450	538	849	1,153	1,302	1,006	433	123	10
Female.....	314	287	299	316	510	926	1,713	2,566	3,071	1,870	802	4
Non-Hispanic black 2/, both sexes.....	238	198	142	149	194	245	320	294	282	184	95	6
Male.....	151	122	73	87	117	118	135	89	68	42	15	2
Female.....	87	76	69	62	77	127	185	205	214	142	80	4
Origin not stated 3/, both sexes.....	8	9	3	5	6	4	3	5	6	2	2	19
Male.....	7	8	2	3	6	3	-	4	3	-	-	13
Female.....	1	1	1	2	-	1	3	1	3	2	2	6

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004),  
 Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases (Residual) (D65-E07, E15-E34, E65-F99, G04-G12, G23-G25, G31-H93, K00-K22, K29-K31, K50-K66, K71-K72, K75-K76, K83-M99, N13.0-N13.5, N13.7-N13.9, N14, N15.0, N15.8-N15.9, N20-N23, N28-N39, N41-N64, N80-N98)

All origins, both sexes.....	9,759	11,266	11,358	12,308	16,375	24,741	36,646	41,587	32,696	14,076	2,970	18
Male.....	5,804	6,454	6,143	6,338	7,953	10,915	14,220	13,499	8,137	2,565	363	16
Female.....	3,955	4,812	5,215	5,970	8,422	13,826	22,426	28,088	24,559	11,511	2,607	2
Hispanic, both sexes.....	695	707	636	698	876	1,152	1,354	1,305	916	396	112	4
Male.....	457	433	349	369	418	494	563	426	257	93	20	3
Female.....	238	274	287	329	458	658	791	879	659	303	92	1
Mexican, both sexes.....	409	404	362	371	464	599	696	634	406	182	51	3
Male.....	271	253	197	177	226	252	313	218	131	50	10	3
Female.....	138	151	165	194	238	347	383	416	275	132	41	-
Puerto Rican, both sexes.....	111	104	98	104	140	157	159	141	109	41	9	1
Male.....	76	62	56	63	72	71	64	39	28	8	1	-
Female.....	35	42	42	41	68	86	95	102	81	33	8	1
Cuban, both sexes.....	30	36	35	59	80	154	206	259	186	80	24	-
Male.....	19	21	20	41	40	77	75	77	53	18	4	-
Female.....	11	15	15	18	40	77	131	182	133	62	20	-
Central and South American, both sexes.	62	65	58	67	83	105	104	108	75	31	14	-
Male.....	43	35	29	36	34	39	37	33	11	5	2	-
Female.....	19	30	29	31	49	66	67	75	64	26	12	-
Other and Unknown Hispanic, both sexes.	83	98	83	97	109	137	189	163	140	62	14	-
Male.....	48	62	47	52	46	55	74	59	34	12	3	-
Female.....	35	36	36	45	63	82	115	104	106	50	11	-
Non-Hispanic 1/, both sexes.....	9,022	10,528	10,697	11,586	15,469	23,554	35,252	40,229	31,744	13,657	2,855	7
Male.....	5,319	6,000	5,776	5,952	7,513	10,399	13,642	13,056	7,871	2,469	342	6
Female.....	3,703	4,528	4,921	5,634	7,956	13,155	21,610	27,173	23,873	11,188	2,513	1
Non-Hispanic white 2/, both sexes.....	6,897	8,233	8,817	9,616	13,086	20,721	31,560	36,815	29,133	12,476	2,463	5
Male.....	4,169	4,748	4,782	5,011	6,370	9,175	12,231	11,984	7,199	2,249	288	5
Female.....	2,728	3,485	4,035	4,605	6,716	11,546	19,329	24,831	21,934	10,227	2,175	-
Non-Hispanic black 2/, both sexes.....	1,897	2,025	1,621	1,649	2,026	2,362	3,068	2,799	2,126	1,003	326	1
Male.....	1,022	1,096	865	798	977	1,008	1,163	853	518	159	39	-
Female.....	875	929	756	851	1,049	1,354	1,905	1,946	1,608	844	287	1
Origin not stated 3/, both sexes.....	42	31	25	24	30	35	40	53	36	23	3	7
Male.....	28	21	18	17	22	22	15	17	9	3	1	7
Female.....	14	10	7	8	13	25	36	27	20	2	-	

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Accidents (unintentional injuries) (V01-X59, Y85-Y86)

All origins, both sexes.....	8,954	6,765	4,681	4,109	4,311	6,004	7,704	7,362	5,010	1,818	371	57
Male.....	6,318	4,682	3,166	2,668	2,544	3,348	3,846	3,306	1,835	485	66	48
Female.....	2,636	2,083	1,515	1,441	1,767	2,656	3,858	4,056	3,175	1,333	305	9
Hispanic, both sexes.....	683	512	332	272	245	295	280	187	115	50	13	16
Male.....	534	382	241	184	150	164	139	93	43	17	2	14
Female.....	149	130	91	88	95	131	141	94	72	33	11	2
Mexican, both sexes.....	421	306	199	162	134	152	169	80	52	32	7	14
Male.....	340	232	142	106	88	89	88	46	23	13	1	12
Female.....	81	74	57	56	46	63	81	34	29	19	6	2
Puerto Rican, both sexes.....	71	53	31	24	34	31	14	24	8	2	2	-
Male.....	59	43	23	19	23	18	7	8	4	1	-	-
Female.....	12	10	8	5	11	13	7	16	4	1	2	-
Cuban, both sexes.....	30	26	26	33	29	39	32	26	21	3	3	-
Male.....	24	19	23	23	19	23	18	14	11	1	1	-
Female.....	6	7	3	10	10	16	14	12	10	2	2	-
Central and South American, both sexes.	78	52	35	29	25	30	21	25	9	6	-	-
Male.....	55	34	21	19	8	13	5	13	1	1	-	-
Female.....	23	18	14	10	17	17	16	12	8	5	-	-
Other and Unknown Hispanic, both sexes.	83	75	41	24	23	43	44	32	25	7	1	2
Male.....	56	54	32	17	12	21	21	12	4	1	-	2
Female.....	27	21	9	7	11	22	23	20	21	6	1	-
Non-Hispanic 1/, both sexes.....	8,230	6,234	4,328	3,827	4,056	5,694	7,404	7,169	4,889	1,766	358	27
Male.....	5,758	4,285	2,907	2,477	2,387	3,174	3,692	3,210	1,791	468	64	23
Female.....	2,472	1,949	1,421	1,350	1,669	2,520	3,712	3,959	3,098	1,298	294	4
Non-Hispanic white 2/, both sexes.....	6,674	5,061	3,592	3,237	3,508	5,104	6,839	6,745	4,635	1,657	326	24
Male.....	4,615	3,448	2,399	2,103	2,061	2,837	3,432	3,019	1,688	439	57	22
Female.....	2,059	1,613	1,193	1,134	1,447	2,267	3,407	3,726	2,947	1,218	269	2
Non-Hispanic black 2/, both sexes.....	1,320	980	564	449	404	421	394	285	182	89	21	2
Male.....	978	707	403	292	247	241	181	124	71	22	4	1
Female.....	342	273	161	157	157	180	213	161	111	67	17	1
Origin not stated 3/, both sexes.....	41	19	21	10	10	15	20	6	6	2	-	14
Male.....	26	15	18	7	7	10	15	3	1	-	-	11
Female.....	15	4	3	3	3	5	5	3	5	2	-	3

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Transport accidents (V01-V99,Y85)

All origins, both sexes.....	3,350	2,834	2,152	1,677	1,493	1,591	1,491	891	345	50	4	16
Male.....	2,456	2,025	1,458	1,110	916	940	818	520	184	19	1	14
Female.....	894	809	694	567	577	651	673	371	161	31	3	2
Hispanic, both sexes.....	305	228	164	137	102	106	53	21	5	2	-	8
Male.....	229	161	115	85	64	68	25	15	1	1	-	7
Female.....	76	67	49	52	38	38	28	6	4	1	-	1
Mexican, both sexes.....	201	143	97	83	55	53	34	11	1	1	-	7
Male.....	157	104	70	50	40	37	20	9	-	-	-	6
Female.....	44	39	27	33	15	16	14	2	1	1	-	1
Puerto Rican, both sexes.....	13	18	12	10	18	14	-	3	1	-	-	-
Male.....	11	14	7	8	13	8	-	-	-	-	-	-
Female.....	2	4	5	2	5	6	-	3	1	-	-	-
Cuban, both sexes.....	19	18	17	15	11	19	7	3	1	-	-	-
Male.....	15	12	14	10	5	12	2	3	1	-	-	-
Female.....	4	6	3	5	6	7	5	-	-	-	-	-
Central and South American, both sexes.	44	35	24	15	12	12	4	4	1	1	-	-
Male.....	28	22	14	8	3	6	-	3	-	1	-	-
Female.....	16	13	10	7	9	6	4	1	1	-	-	-
Other and Unknown Hispanic, both sexes.	28	14	14	14	6	8	8	-	1	-	-	1
Male.....	18	9	10	9	3	5	3	-	-	-	-	1
Female.....	10	5	4	5	3	3	5	-	1	-	-	-
Non-Hispanic 1/, both sexes.....	3,035	2,599	1,982	1,535	1,388	1,481	1,432	870	340	48	4	8
Male.....	2,221	1,859	1,338	1,022	850	869	788	505	183	18	1	7
Female.....	814	740	644	513	538	612	644	365	157	30	3	1
Non-Hispanic white 2/, both sexes.....	2,533	2,139	1,656	1,317	1,206	1,305	1,298	810	316	46	3	6
Male.....	1,854	1,545	1,121	879	735	763	722	468	166	17	1	6
Female.....	679	594	535	438	471	542	576	342	150	29	2	-
Non-Hispanic black 2/, both sexes.....	391	362	235	153	121	116	84	40	17	2	1	1
Male.....	294	253	165	106	81	73	41	26	14	1	-	1
Female.....	97	109	70	47	40	43	43	14	3	1	1	-
Origin not stated 3/, both sexes.....	10	7	6	5	3	4	6	-	-	-	-	-
Male.....	6	5	5	3	2	3	5	-	-	-	-	-
Female.....	4	2	1	2	1	1	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

All origins, both sexes.....	3,037	2,560	1,958	1,541	1,375	1,491	1,415	853	336	47	4	14
Male.....	2,203	1,815	1,304	1,008	824	868	763	497	176	18	1	12
Female.....	834	745	654	533	551	623	652	356	160	29	3	2
Hispanic, both sexes.....	286	218	156	129	98	98	51	20	5	2	-	7
Male.....	213	154	108	79	62	62	23	14	1	1	-	6
Female.....	73	64	48	50	36	36	28	6	4	1	-	1
Mexican, both sexes.....	190	137	93	77	53	50	32	11	1	1	-	7
Male.....	147	100	66	46	39	34	18	9	-	-	-	6
Female.....	43	37	27	31	14	16	14	2	1	1	-	1
Puerto Rican, both sexes.....	11	18	11	10	18	13	-	3	1	-	-	-
Male.....	10	14	7	8	13	8	-	-	-	-	-	-
Female.....	1	4	4	2	5	5	-	3	1	-	-	-
Cuban, both sexes.....	18	17	15	14	10	17	7	3	1	-	-	-
Male.....	14	11	12	9	5	10	2	3	1	-	-	-
Female.....	4	6	3	5	5	7	5	-	-	-	-	-
Central and South American, both sexes.	41	33	24	15	12	11	4	3	1	1	-	-
Male.....	25	20	14	8	3	6	-	2	-	1	-	-
Female.....	16	13	10	7	9	5	4	1	1	-	-	-
Other and Unknown Hispanic, both sexes.	26	13	13	13	5	7	8	-	1	-	-	-
Male.....	17	9	9	8	2	4	3	-	-	-	-	-
Female.....	9	4	4	5	3	3	5	-	1	-	-	-
Non-Hispanic 1/, both sexes.....	2,742	2,336	1,796	1,407	1,274	1,389	1,358	833	331	45	4	7
Male.....	1,984	1,657	1,191	926	760	803	735	483	175	17	1	6
Female.....	758	679	605	481	514	586	623	350	156	28	3	1
Non-Hispanic white 2/, both sexes.....	2,286	1,911	1,487	1,202	1,101	1,224	1,229	780	308	43	3	5
Male.....	1,656	1,371	990	792	654	702	670	450	159	16	1	5
Female.....	630	540	497	410	447	522	559	330	149	27	2	-
Non-Hispanic black 2/, both sexes.....	358	332	225	144	116	109	80	35	16	2	1	1
Male.....	264	229	155	99	76	69	40	23	13	1	-	1
Female.....	94	103	70	45	40	40	40	12	3	1	1	-
Origin not stated 3/, both sexes.....	9	6	6	5	3	4	6	-	-	-	-	-
Male.....	6	4	5	3	2	3	5	-	-	-	-	-
Female.....	3	2	1	2	1	1	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004  
Hispanic origin, race for 50  
non-Hispanic population, and sex ve

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004  
Hispanic origin, race for 50  
non-Hispanic population, and sex ye

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Nontransport accidents (W00-X59,Y86)

All origins, both sexes.....	5,604	3,931	2,529	2,432	2,818	4,413	6,213	6,471	4,665	1,768	367	41
Male.....	3,862	2,657	1,708	1,558	1,628	2,408	3,028	2,786	1,651	466	65	34
Female.....	1,742	1,274	821	874	1,190	2,005	3,185	3,685	3,014	1,302	302	7
Hispanic, both sexes.....	378	284	168	135	143	189	227	166	110	48	13	8
Male.....	305	221	126	99	86	96	114	78	42	16	2	7
Female.....	73	63	42	36	57	93	113	88	68	32	11	1
Mexican, both sexes.....	220	163	102	79	79	99	135	69	51	31	7	7
Male.....	183	128	72	56	48	52	68	37	23	13	1	6
Female.....	37	35	30	23	31	47	67	32	28	18	6	1
Puerto Rican, both sexes.....	58	35	19	14	16	17	14	21	7	2	2	-
Male.....	48	29	16	11	10	10	7	8	4	1	-	-
Female.....	10	6	3	3	6	7	7	13	3	1	2	-
Cuban, both sexes.....	11	8	9	18	18	20	25	23	20	3	3	-
Male.....	9	7	9	13	14	11	16	11	10	1	1	-
Female.....	2	1	-	5	4	9	9	12	10	2	2	-
Central and South American, both sexes.	34	17	11	14	13	18	17	21	8	5	-	-
Male.....	27	12	7	11	5	7	5	10	1	-	-	-
Female.....	7	5	4	3	8	11	12	11	7	5	-	-
Other and Unknown Hispanic, both sexes.	55	61	27	10	17	35	36	32	24	7	1	1
Male.....	38	45	22	8	9	16	18	12	4	1	-	1
Female.....	17	16	5	2	8	19	18	20	20	6	1	-
Non-Hispanic 1/, both sexes.....	5,195	3,635	2,346	2,292	2,668	4,213	5,972	6,299	4,549	1,718	354	19
Male.....	3,537	2,426	1,569	1,455	1,537	2,305	2,904	2,705	1,608	450	63	16
Female.....	1,658	1,209	777	837	1,131	1,908	3,068	3,594	2,941	1,268	291	3
Non-Hispanic white 2/, both sexes.....	4,141	2,922	1,936	1,920	2,302	3,799	5,541	5,935	4,319	1,611	323	18
Male.....	2,761	1,903	1,278	1,224	1,326	2,074	2,710	2,551	1,522	422	56	16
Female.....	1,380	1,019	658	696	976	1,725	2,831	3,384	2,797	1,189	267	2
Non-Hispanic black 2/, both sexes.....	929	618	329	296	283	305	310	245	165	87	20	1
Male.....	684	454	238	186	166	168	140	98	57	21	4	-
Female.....	245	164	91	110	117	137	170	147	108	66	16	1
Origin not stated 3/, both sexes.....	31	12	15	5	7	11	14	6	6	2	-	14
Male.....	20	10	13	4	5	7	10	3	1	-	-	11
Female.....	11	2	2	1	2	4	4	3	5	2	-	3

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Falls (W00-W19)

All origins, both sexes.....	712	794	798	986	1,406	2,474	3,753	4,007	2,789	1,042	193	4
Male.....	551	568	540	642	789	1,323	1,824	1,754	992	278	34	3
Female.....	161	226	258	344	617	1,151	1,929	2,253	1,797	764	159	1
Hispanic, both sexes.....	78	64	52	69	78	120	145	119	79	28	5	-
Male.....	68	52	42	50	43	59	72	50	31	8	2	-
Female.....	10	12	10	19	35	61	73	69	48	20	3	-
Mexican, both sexes.....	51	32	34	36	44	64	88	50	34	13	2	-
Male.....	44	26	28	25	23	35	42	26	17	6	1	-
Female.....	7	6	6	11	21	29	46	24	17	7	1	-
Puerto Rican, both sexes.....	5	10	3	9	7	10	6	15	5	2	1	-
Male.....	5	6	3	7	3	6	3	4	3	1	-	-
Female.....	-	4	-	2	4	4	3	11	2	1	1	-
Cuban, both sexes.....	2	3	4	9	9	15	16	16	15	3	2	-
Male.....	1	3	4	5	7	6	11	9	8	1	1	-
Female.....	1	-	-	4	2	9	5	7	7	2	1	-
Central and South American, both sexes.	8	7	5	9	8	14	9	16	6	4	-	-
Male.....	8	6	2	9	4	5	2	8	1	-	-	-
Female.....	-	1	3	-	4	9	7	8	5	4	-	-
Other and Unknown Hispanic, both sexes.	12	12	6	6	10	17	26	22	19	6	-	-
Male.....	10	11	5	4	6	7	14	3	2	-	-	-
Female.....	2	1	1	2	4	10	12	19	17	6	-	-
Non-Hispanic 1/, both sexes.....	627	728	743	917	1,327	2,348	3,601	3,887	2,704	1,013	188	2
Male.....	478	515	496	592	746	1,260	1,748	1,704	960	270	32	1
Female.....	149	213	247	325	581	1,088	1,853	2,183	1,744	743	156	1
Non-Hispanic white 2/, both sexes.....	518	610	638	796	1,199	2,183	3,385	3,699	2,590	969	174	1
Male.....	390	428	425	517	671	1,161	1,649	1,618	915	254	30	1
Female.....	128	182	213	279	528	1,022	1,736	2,081	1,675	715	144	-
Non-Hispanic black 2/, both sexes.....	84	86	65	87	84	98	139	102	67	31	7	1
Male.....	68	65	46	53	53	57	67	42	22	10	1	-
Female.....	16	21	19	34	31	41	72	60	45	21	6	1
Origin not stated 3/, both sexes.....	7	2	3	-	1	6	7	1	6	1	-	2
Male.....	5	1	2	-	-	4	4	-	1	-	-	2
Female.....	2	1	1	-	1	2	3	1	5	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004  
Hispanic origin, race for 50  
non-Hispanic population, and sex yes

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004)  
Hispanic origin, race for 50  
non-Hispanic population, and sex  
year

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Accidental exposure to smoke, fire and flames (X00-X09)

All origins, both sexes.....	226	264	197	213	191	235	213	136	64	25	3	5
Male.....	147	169	123	130	97	126	112	60	33	11	2	4
Female.....	79	95	74	83	94	109	101	76	31	14	1	1
Hispanic, both sexes.....	10	12	13	7	5	7	4	2	-	-	-	2
Male.....	8	10	5	6	3	5	2	2	-	-	-	2
Female.....	2	2	8	1	2	2	2	-	-	-	-	-
Mexican, both sexes.....	6	6	9	4	2	4	2	2	-	-	-	2
Male.....	5	5	4	4	2	3	1	2	-	-	-	2
Female.....	1	1	5	-	-	1	1	-	-	-	-	-
Puerto Rican, both sexes.....	1	2	-	2	1	1	-	-	-	-	-	-
Male.....	1	2	-	2	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Cuban, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.	2	2	1	1	1	1	-	-	-	-	-	-
Male.....	1	1	-	-	-	1	-	-	-	-	-	-
Female.....	1	1	1	1	1	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.	1	2	3	-	1	1	2	-	-	-	-	-
Male.....	1	2	1	-	-	1	1	-	-	-	-	-
Female.....	-	-	2	-	1	-	1	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	215	252	184	203	183	227	209	134	64	25	3	2
Male.....	139	159	118	122	92	120	110	58	33	11	2	1
Female.....	76	93	66	81	91	107	99	76	31	14	1	1
Non-Hispanic white 2/, both sexes.....	169	195	147	160	147	173	163	106	51	17	2	2
Male.....	109	122	93	93	76	88	90	51	27	10	1	1
Female.....	60	73	54	67	71	85	73	55	24	7	1	1
Non-Hispanic black 2/, both sexes.....	44	52	34	42	31	53	42	25	13	8	1	-
Male.....	28	33	23	28	13	32	18	7	6	1	1	-
Female.....	16	19	11	14	18	21	24	18	7	7	-	-
Origin not stated 3/, both sexes.....	1	-	-	3	3	1	-	-	-	-	-	1
Male.....	-	-	-	2	2	1	-	-	-	-	-	1
Female.....	1	-	-	1	1	-	-	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Accidental poisoning and exposure to noxious substances (X40-X49)

All origins, both sexes.....	3,504	1,794	621	291	192	177	163	129	58	13	2	11
Male.....	2,257	1,126	386	146	103	94	58	53	22	3	-	8
Female.....	1,247	668	235	145	89	83	105	76	36	10	2	3
Hispanic, both sexes.....	215	130	49	12	8	10	7	3	4	-	-	1
Male.....	164	101	41	9	6	5	3	1	2	-	-	1
Female.....	51	29	8	3	2	5	4	2	2	-	-	-
Mexican, both sexes.....	113	69	25	9	5	7	2	2	3	-	-	1
Male.....	92	56	17	6	4	3	2	1	2	-	-	1
Female.....	21	13	8	3	1	4	-	1	1	-	-	-
Puerto Rican, both sexes.....	45	16	9	1	2	1	-	-	-	-	-	-
Male.....	36	15	9	1	1	1	-	-	-	-	-	-
Female.....	9	1	-	-	1	-	-	-	-	-	-	-
Cuban, both sexes.....	8	2	3	1	-	-	3	-	1	-	-	-
Male.....	7	2	3	1	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	2	-	1	-	-	-
Central and South American, both sexes.	15	6	2	-	-	-	1	1	-	-	-	-
Male.....	10	4	2	-	-	-	-	-	-	-	-	-
Female.....	5	2	-	-	-	-	1	1	-	-	-	-
Other and Unknown Hispanic, both sexes.	34	37	10	1	1	2	1	-	-	-	-	-
Male.....	19	24	10	1	1	1	-	-	-	-	-	-
Female.....	15	13	-	-	-	1	1	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	3,272	1,657	563	279	184	166	155	126	54	13	2	8
Male.....	2,083	1,019	336	137	97	88	55	52	20	3	-	7
Female.....	1,189	638	227	142	87	78	100	74	34	10	2	1
Non-Hispanic white 2/, both sexes.....	2,592	1,291	432	214	147	145	139	113	48	9	2	8
Male.....	1,605	746	235	96	70	76	51	49	17	3	-	7
Female.....	987	545	197	118	77	69	88	64	31	6	2	1
Non-Hispanic black 2/, both sexes.....	630	338	118	54	28	17	11	11	6	4	-	-
Male.....	447	254	94	36	21	10	3	2	3	-	-	-
Female.....	183	84	24	18	7	7	8	9	3	4	-	-
Origin not stated 3/, both sexes.....	17	7	9	-	-	1	1	-	-	-	-	2
Male.....	10	6	9	-	-	1	-	-	-	-	-	-
Female.....	7	1	-	-	-	-	1	-	-	-	-	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)

All origins, both sexes.....	916	862	771	803	918	1,388	1,995	2,148	1,727	686	168	10
Male.....	712	624	549	541	557	765	976	887	589	173	29	9
Female.....	204	238	222	262	361	623	1,019	1,261	1,138	513	139	1
Hispanic, both sexes.....	62	65	47	42	46	47	66	40	27	20	8	2
Male.....	54	48	32	31	29	24	34	23	9	8	-	2
Female.....	8	17	15	11	17	23	32	17	18	12	8	-
Mexican, both sexes.....	39	52	29	27	25	23	41	14	14	18	5	2
Male.....	33	38	19	19	16	11	22	7	4	7	-	2
Female.....	6	14	10	8	9	12	19	7	10	11	5	-
Puerto Rican, both sexes.....	6	4	6	2	5	5	7	6	2	-	1	-
Male.....	5	3	3	1	4	3	4	4	1	-	-	-
Female.....	1	1	3	1	1	2	3	2	1	-	1	-
Cuban, both sexes.....	1	3	2	6	8	3	6	7	4	-	1	-
Male.....	1	2	2	6	6	3	4	2	2	-	-	-
Female.....	-	1	-	-	2	-	2	5	2	-	1	-
Central and South American, both sexes.	9	-	2	4	4	1	6	4	2	1	-	-
Male.....	8	-	2	2	1	-	2	2	-	-	-	-
Female.....	1	-	-	2	3	1	4	2	2	1	-	-
Other and Unknown Hispanic, both sexes.	7	6	8	3	4	15	6	9	5	1	1	-
Male.....	7	5	6	3	2	7	2	8	2	1	-	-
Female.....	-	1	2	-	2	8	4	1	3	-	1	-
Non-Hispanic 1/, both sexes.....	849	794	722	760	869	1,338	1,923	2,103	1,700	665	160	5
Male.....	654	573	516	509	525	740	936	861	580	165	29	5
Female.....	195	221	206	251	344	598	987	1,242	1,120	500	131	-
Non-Hispanic white 2/, both sexes.....	676	655	607	634	723	1,181	1,774	1,973	1,605	614	144	5
Male.....	512	475	440	432	442	662	867	805	548	154	25	5
Female.....	164	180	167	202	281	519	907	1,168	1,057	460	119	-
Non-Hispanic black 2/, both sexes.....	139	117	96	100	126	130	117	103	77	44	12	-
Male.....	113	81	62	61	72	64	51	45	26	10	2	-
Female.....	26	36	34	39	54	66	66	58	51	34	10	-
Origin not stated 3/, both sexes.....	5	3	2	1	3	3	6	5	-	1	-	3
Male.....	4	3	1	1	3	1	6	3	-	-	-	2
Female.....	1	-	1	-	-	2	-	2	-	1	-	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Intentional self-harm (suicide) (\*U03,X60-X84,Y87.0)

All origins, both sexes.....	3,533	2,792	1,791	1,304	1,080	1,151	924	601	206	28	5	8
Male.....	2,650	2,115	1,348	1,063	905	987	778	525	181	20	3	8
Female.....	883	677	443	241	175	164	146	76	25	8	2	-
Hispanic, both sexes.....	111	81	72	37	34	31	27	12	5	1	-	-
Male.....	87	69	59	29	27	28	23	11	5	1	-	-
Female.....	24	12	13	8	7	3	4	1	-	-	-	-
Mexican, both sexes.....	44	35	32	9	16	7	10	4	2	-	-	-
Male.....	37	30	23	8	14	7	8	4	2	-	-	-
Female.....	7	5	9	1	2	-	2	-	-	-	-	-
Puerto Rican, both sexes.....	12	14	4	4	5	2	-	-	-	1	-	-
Male.....	8	11	3	3	3	2	-	-	-	1	-	-
Female.....	4	3	1	1	2	-	-	-	-	-	-	-
Cuban, both sexes.....	19	9	11	14	9	19	13	6	-	-	-	-
Male.....	16	7	9	11	8	17	12	6	-	-	-	-
Female.....	3	2	2	3	1	2	1	-	-	-	-	-
Central and South American, both sexes.	21	12	13	8	2	1	3	1	-	-	-	-
Male.....	15	12	13	6	1	1	3	1	-	-	-	-
Female.....	6	-	-	2	1	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.	15	11	12	2	2	2	1	1	2	1	-	-
Male.....	11	9	11	1	1	1	-	-	2	1	-	-
Female.....	4	2	1	1	1	1	1	1	-	-	-	-
Non-Hispanic 1/, both sexes.....	3,409	2,705	1,716	1,261	1,044	1,115	897	588	201	27	5	6
Male.....	2,554	2,041	1,286	1,029	877	954	755	513	176	19	3	6
Female.....	855	664	430	232	167	161	142	75	25	8	2	-
Non-Hispanic white 2/, both sexes.....	3,190	2,551	1,616	1,183	984	1,066	864	559	197	26	5	3
Male.....	2,388	1,917	1,212	966	837	916	734	489	173	18	3	3
Female.....	802	634	404	217	147	150	130	70	24	8	2	-
Non-Hispanic black 2/, both sexes.....	135	94	59	39	34	26	18	19	2	1	-	-
Male.....	106	80	46	35	29	25	17	17	1	1	-	-
Female.....	29	14	13	4	5	1	1	2	1	-	-	-
Origin not stated 3/, both sexes.....	13	6	3	6	2	5	-	1	-	-	-	2
Male.....	9	5	3	5	1	5	-	1	-	-	-	2
Female.....	4	1	-	1	1	-	-	-	-	-	-	-



Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Intentional self-harm (suicide) by other and unspecified means and their sequelae (\*U03,X60-X71,X75-X84,Y87.0)

All origins, both sexes.....	1,835	1,312	709	418	277	281	232	182	63	14	4	7
Male.....	1,219	848	431	276	170	165	130	124	44	7	2	7
Female.....	616	464	278	142	107	116	102	58	19	7	2	-
Hispanic, both sexes.....	69	54	43	19	24	17	8	4	2	1	-	-
Male.....	50	45	31	12	17	14	5	3	2	1	-	-
Female.....	19	9	12	7	7	3	3	1	-	-	-	-
Mexican, both sexes.....	23	18	19	1	12	3	3	1	1	-	-	-
Male.....	18	15	11	-	10	3	1	1	1	-	-	-
Female.....	5	3	8	1	2	-	2	-	-	-	-	-
Puerto Rican, both sexes.....	9	12	4	2	4	1	-	-	1	-	-	-
Male.....	6	9	3	1	2	1	-	-	1	-	-	-
Female.....	3	3	1	1	2	-	-	-	-	-	-	-
Cuban, both sexes.....	14	7	5	9	5	11	3	2	-	-	-	-
Male.....	11	5	3	7	4	9	2	2	-	-	-	-
Female.....	3	2	2	2	1	2	1	-	-	-	-	-
Central and South American, both sexes.	15	10	11	6	2	-	2	-	-	-	-	-
Male.....	10	10	11	4	1	-	2	-	-	-	-	-
Female.....	5	-	-	2	1	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.	8	7	4	1	1	2	-	1	-	1	-	-
Male.....	5	6	3	-	-	1	-	-	-	1	-	-
Female.....	3	1	1	1	1	1	-	1	-	-	-	-
Non-Hispanic 1/, both sexes.....	1,759	1,256	664	398	252	263	224	177	61	13	4	6
Male.....	1,165	802	398	263	153	150	125	120	42	6	2	6
Female.....	594	454	266	135	99	113	99	57	19	7	2	-
Non-Hispanic white 2/, both sexes.....	1,622	1,159	613	356	220	240	206	167	59	13	4	3
Male.....	1,069	732	367	233	139	137	119	113	40	6	2	3
Female.....	553	427	246	123	81	103	87	54	19	7	2	-
Non-Hispanic black 2/, both sexes.....	78	55	20	11	11	3	3	3	-	-	-	-
Male.....	57	43	12	9	8	3	2	3	-	-	-	-
Female.....	21	12	8	2	3	-	1	-	-	-	-	-
Origin not stated 3/, both sexes.....	7	2	2	1	1	1	-	1	-	-	-	1
Male.....	4	1	2	1	-	1	-	1	-	-	-	1
Female.....	3	1	-	-	1	-	-	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Assault (homicide) (\*U01-\*U02,X85-Y09,Y87.1)

All origins, both sexes.....	929	618	394	210	188	149	130	61	22	17	2	19
Male.....	669	456	282	139	121	91	50	25	8	5	-	16
Female.....	260	162	112	71	67	58	80	36	14	12	2	3
Hispanic, both sexes.....	99	53	41	20	11	8	5	4	1	2	-	3
Male.....	74	46	36	10	10	5	3	2	-	2	-	3
Female.....	25	7	5	10	1	3	2	2	1	-	-	-
Mexican, both sexes.....	72	27	22	9	6	3	2	2	-	2	-	3
Male.....	55	24	20	5	6	-	2	1	-	2	-	3
Female.....	17	3	2	4	-	3	-	1	-	-	-	-
Puerto Rican, both sexes.....	7	11	7	6	1	-	2	-	-	-	-	-
Male.....	4	10	5	2	1	-	1	-	-	-	-	-
Female.....	3	1	2	4	-	-	1	-	-	-	-	-
Cuban, both sexes.....	4	3	4	2	2	5	1	-	-	-	-	-
Male.....	4	3	4	1	2	5	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-
Central and South American, both sexes.	9	9	6	3	1	-	-	2	1	-	-	-
Male.....	6	7	6	2	1	-	-	1	-	-	-	-
Female.....	3	2	-	1	-	-	-	1	1	-	-	-
Other and Unknown Hispanic, both sexes.	7	3	2	-	1	-	-	-	-	-	-	-
Male.....	5	2	1	-	-	-	-	-	-	-	-	-
Female.....	2	1	1	-	1	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	824	563	350	189	176	141	125	57	21	15	2	8
Male.....	591	408	243	128	111	86	47	23	8	3	-	6
Female.....	233	155	107	61	65	55	78	34	13	12	2	2
Non-Hispanic white 2/, both sexes.....	448	330	233	118	127	105	108	45	17	13	2	7
Male.....	306	218	159	72	71	59	39	19	5	2	-	5
Female.....	142	112	74	46	56	46	69	26	12	11	2	2
Non-Hispanic black 2/, both sexes.....	337	204	100	64	42	30	15	11	4	2	-	1
Male.....	260	166	74	51	33	23	7	3	3	1	-	1
Female.....	77	38	26	13	9	7	8	8	1	1	-	-
Origin not stated 3/, both sexes.....	6	2	3	1	1	-	-	-	-	-	-	8
Male.....	4	2	3	1	-	-	-	-	-	-	-	7
Female.....	2	-	-	-	1	-	-	-	-	-	-	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004  
Hispanic origin, race for 50  
non-Hispanic population, and sex ve

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004),  
 Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	--------------------	----------------

Assault (homicide) by other and unspecified means and their sequelae (\*U01.0-\*U01.3,\*U01.5-\*U01.9,\*U02,X85-X92,X96-Y09,Y87.1)

All origins, both sexes.....	445	335	209	120	120	101	94	46	19	13	2	11
Male.....	310	254	145	83	73	61	39	20	6	4	-	8
Female.....	135	81	64	37	47	40	55	26	13	9	2	3
Hispanic, both sexes.....	51	35	19	14	10	6	4	3	1	1	-	1
Male.....	35	32	16	7	9	3	2	2	-	1	-	1
Female.....	16	3	3	7	1	3	2	1	1	-	-	-
Mexican, both sexes.....	38	13	8	7	5	3	2	1	-	1	-	1
Male.....	27	12	7	4	5	-	2	1	-	1	-	1
Female.....	11	1	1	3	-	3	-	-	-	-	-	-
Puerto Rican, both sexes.....	5	10	5	5	1	-	1	-	-	-	-	-
Male.....	3	9	4	2	1	-	-	-	-	-	-	-
Female.....	2	1	1	3	-	-	1	-	-	-	-	-
Cuban, both sexes.....	1	3	3	1	2	3	1	-	-	-	-	-
Male.....	1	3	3	1	2	3	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Central and South American, both sexes.	3	7	2	1	1	-	-	2	1	-	-	-
Male.....	2	6	2	-	1	-	-	1	-	-	-	-
Female.....	1	1	-	1	-	-	-	1	1	-	-	-
Other and Unknown Hispanic, both sexes.	4	2	1	-	1	-	-	-	-	-	-	-
Male.....	2	2	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	1	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	389	299	189	105	109	95	90	43	18	12	2	5
Male.....	272	221	128	75	64	58	37	18	6	3	-	3
Female.....	117	78	61	30	45	37	53	25	12	9	2	2
Non-Hispanic white 2/, both sexes.....	229	165	124	68	81	73	75	35	15	10	2	4
Male.....	159	112	86	47	42	45	30	17	4	2	-	2
Female.....	70	53	38	21	39	28	45	18	11	8	2	2
Non-Hispanic black 2/, both sexes.....	142	117	54	32	24	18	13	8	3	2	-	1
Male.....	101	93	36	25	18	11	6	1	2	1	-	1
Female.....	41	24	18	7	6	7	7	1	1	-	-	-
Origin not stated 3/, both sexes.....	5	1	1	1	1	-	-	-	-	-	-	5
Male.....	3	1	1	1	-	-	-	-	-	-	-	4
Female.....	2	-	-	-	1	-	-	-	-	-	-	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex year

non-Hispanic population, and sex.

### Legal intervention (Y35, Y89.0)

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004 Hispanic origin, race for non-Hispanic population, and sex year

Worktable Orig21OF. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

### Discharge of firearms, undetermined intent (Y22-Y24)

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)



Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004),  
Hispanic origin, race for  
non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Complications of medical and surgical care (Y40-Y84,Y88)

All origins, both sexes.....	158	173	178	209	266	345	343	259	132	46	5	-
Male.....	87	85	79	99	111	164	155	100	34	15	-	-
Female.....	71	88	99	110	155	181	188	159	98	31	5	-
Hispanic, both sexes.....	10	11	5	15	16	9	16	6	3	-	-	-
Male.....	4	4	1	8	6	5	6	2	1	-	-	-
Female.....	6	7	4	7	10	4	10	4	2	-	-	-
Mexican, both sexes.....	10	7	2	6	8	3	6	5	3	-	-	-
Male.....	4	2	-	2	3	3	1	2	1	-	-	-
Female.....	6	5	2	4	5	-	5	3	2	-	-	-
Puerto Rican, both sexes.....	-	1	1	4	4	-	1	-	-	-	-	-
Male.....	-	1	-	3	-	-	-	-	-	-	-	-
Female.....	-	-	1	1	4	-	1	-	-	-	-	-
Cuban, both sexes.....	-	1	1	-	2	3	2	-	-	-	-	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	1	1	-	1	2	1	-	-	-	-	-
Central and South American, both sexes.	-	2	1	1	2	1	2	1	-	-	-	-
Male.....	-	1	1	-	2	-	2	-	-	-	-	-
Female.....	-	1	-	1	-	1	-	1	-	-	-	-
Other and Unknown Hispanic, both sexes.	-	-	-	4	-	2	5	-	-	-	-	-
Male.....	-	-	-	3	-	1	2	-	-	-	-	-
Female.....	-	-	-	1	-	1	3	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	147	162	173	192	250	336	327	253	128	46	5	-
Male.....	82	81	78	90	105	159	149	98	33	15	-	-
Female.....	65	81	95	102	145	177	178	155	95	31	5	-
Non-Hispanic white 2/, both sexes.....	104	110	131	152	212	282	282	224	117	41	3	-
Male.....	65	59	59	75	88	137	135	87	30	14	-	-
Female.....	39	51	72	77	124	145	147	137	87	27	3	-
Non-Hispanic black 2/, both sexes.....	40	45	40	39	33	49	40	24	8	5	2	-
Male.....	17	18	19	15	14	21	14	11	-	1	-	-
Female.....	23	27	21	24	19	28	26	13	8	4	2	-
Origin not stated 3/, both sexes.....	1	-	-	2	-	-	-	-	1	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the  
International Classification of  
Diseases, Tenth Revision, Second Edition, 2004  
Hispanic origin, race for 50  
non-Hispanic population, and sex yes

non-Hispanic population, and sex.

Alcohol-induced causes (E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K85.2, K86.0, R78.0, X45, X65, Y15) 4 /

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004),

Hispanic origin, race for non-Hispanic population, and sex 50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Drug-induced causes (D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7- F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, K85.3, L10.5, L27.0-L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R50.2, R78.1-R78.5, X40-X44, X60-X64, X85, Y10-Y14) 4/

All origins, both sexes.....	5,081	2,779	1,089	593	415	404	384	250	135	36	7	16
Male.....	3,139	1,657	604	292	212	193	175	108	61	11	1	13
Female.....	1,942	1,122	485	301	203	211	209	142	74	25	6	3
Hispanic, both sexes.....	297	167	62	25	19	12	15	5	8	-	-	2
Male.....	218	129	47	16	11	5	6	3	5	-	-	2
Female.....	79	38	15	9	8	7	9	2	3	-	-	-
Mexican, both sexes.....	156	89	32	16	10	8	8	4	6	-	-	2
Male.....	124	71	20	10	7	4	4	3	4	-	-	2
Female.....	32	18	12	6	3	4	4	1	2	-	-	-
Puerto Rican, both sexes.....	61	23	12	3	4	1	-	-	-	-	-	-
Male.....	48	21	11	2	2	-	-	-	-	-	-	-
Female.....	13	2	1	1	2	1	-	-	-	-	-	-
Cuban, both sexes.....	11	5	3	1	1	2	5	-	2	-	-	-
Male.....	7	3	3	1	-	1	2	-	1	-	-	-
Female.....	4	2	-	-	1	1	3	-	1	-	-	-
Central and South American, both sexes.	21	8	3	3	-	-	1	1	-	-	-	-
Male.....	13	7	3	1	-	-	-	-	-	-	-	-
Female.....	8	1	-	2	-	-	1	1	-	-	-	-
Other and Unknown Hispanic, both sexes.	48	42	12	2	4	1	1	-	-	-	-	-
Male.....	26	27	10	2	2	-	-	-	-	-	-	-
Female.....	22	15	2	-	2	1	1	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	4,762	2,601	1,016	567	394	389	368	245	127	36	7	9
Male.....	2,908	1,520	546	275	199	185	169	105	56	11	1	8
Female.....	1,854	1,081	470	292	195	204	199	140	71	25	6	1
Non-Hispanic white 2/, both sexes.....	3,818	2,079	808	476	330	352	339	231	114	31	5	9
Male.....	2,258	1,136	393	213	153	166	160	101	51	10	1	8
Female.....	1,560	943	415	263	177	186	179	130	63	21	4	1
Non-Hispanic black 2/, both sexes.....	861	482	189	74	50	26	18	8	12	4	1	-
Male.....	607	355	143	56	38	13	6	1	4	-	-	-
Female.....	254	127	46	18	12	13	12	7	8	4	1	-
Origin not stated 3/, both sexes.....	22	11	11	1	2	3	1	-	-	-	-	5
Male.....	13	8	11	1	2	3	-	-	-	-	-	3
Female.....	9	3	-	-	-	-	1	-	-	-	-	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2006

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004),  
 Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	--------------------	----------------

Injury by firearms (\*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 4/

All origins, both sexes.....	2,253	1,811	1,300	1,006	886	942	741	440	149	18	1	9
Male.....	1,847	1,508	1,084	871	796	874	669	411	141	14	1	9
Female.....	406	303	216	135	90	68	72	29	8	4	-	-
Hispanic, both sexes.....	97	48	53	24	11	16	20	9	3	1	-	2
Male.....	83	41	50	20	11	16	19	8	3	1	-	2
Female.....	14	7	3	4	-	-	1	1	-	-	-	-
Mexican, both sexes.....	58	32	28	10	5	4	7	4	1	1	-	2
Male.....	50	28	26	9	5	4	7	3	1	1	-	2
Female.....	8	4	2	1	-	-	-	1	-	-	-	-
Puerto Rican, both sexes.....	5	4	3	3	1	1	1	-	-	-	-	-
Male.....	3	4	2	2	1	1	1	-	-	-	-	-
Female.....	2	-	1	1	-	-	-	-	-	-	-	-
Cuban, both sexes.....	9	2	7	6	4	10	10	4	-	-	-	-
Male.....	9	2	7	4	4	10	10	4	-	-	-	-
Female.....	-	-	-	2	-	-	-	-	-	-	-	-
Central and South American, both sexes.	12	4	6	4	-	1	1	1	-	-	-	-
Male.....	9	3	6	4	-	1	1	1	-	-	-	-
Female.....	3	1	-	-	-	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.	13	6	9	1	1	-	1	-	2	-	-	-
Male.....	12	4	9	1	1	-	-	-	2	-	-	-
Female.....	1	2	-	-	-	-	1	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	2,149	1,758	1,244	977	874	922	721	431	146	17	1	3
Male.....	1,758	1,462	1,031	847	784	854	650	403	138	13	1	3
Female.....	391	296	213	130	90	68	71	28	8	4	-	-
Non-Hispanic white 2/, both sexes.....	1,837	1,600	1,141	905	824	881	703	408	142	16	1	3
Male.....	1,505	1,325	944	784	739	814	633	383	136	12	1	3
Female.....	332	275	197	121	85	67	70	25	6	4	-	-
Non-Hispanic black 2/, both sexes.....	264	128	87	62	42	35	18	19	4	1	-	-
Male.....	218	112	74	54	37	34	17	16	2	1	-	-
Female.....	46	16	13	8	5	1	1	3	2	-	-	-
Origin not stated 3/, both sexes.....	7	5	3	5	1	4	-	-	-	-	-	4
Male.....	6	5	3	4	1	4	-	-	-	-	-	4
Female.....	1	-	-	1	-	-	-	-	-	-	-	-

- Quantity zero.

... Category not applicable.

1/ Includes races other than white and black.

2/ Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming.

The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality."

3/ Includes deaths for which Hispanic origin was not reported on the death certificate.

4/ Included in selected categories.

Source: CDC/NCHS, National Vital Statistics System, Mortality.