

Person with disabilities experiencing problems accessing
NCHS birth and death tables should contact
nhsed@cdc.gov, or call 301-458-4688

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidental drowning and submersion (W65-W74)

Arkansas												
All races, both sexes.....	48	-	5	1	4	9	2	4	3	3	4	1
Male.....	37	-	3	1	4	8	2	4	3	2	2	1
Female.....	11	-	2	-	-	1	-	-	-	1	2	-
White, both sexes.....	42	-	5	1	3	6	2	4	1	3	4	1
Male.....	31	-	3	1	3	5	2	4	1	2	2	1
Female.....	11	-	2	-	-	1	-	-	-	1	2	-
Black, both sexes.....	5	-	-	-	1	2	-	-	2	-	-	-
Male.....	5	-	-	-	1	2	-	-	2	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California												
All races, both sexes.....	468	4	62	12	11	29	32	42	28	32	24	40
Male.....	348	4	37	9	9	25	28	35	25	31	19	26
Female.....	120	-	25	3	2	4	4	7	3	1	5	14
White, both sexes.....	371	4	46	5	10	21	27	34	20	26	19	31
Male.....	280	4	29	4	8	18	23	27	19	26	15	21
Female.....	91	-	17	1	2	3	4	7	1	-	4	10
Black, both sexes.....	38	-	9	3	-	2	2	4	2	1	3	5
Male.....	26	-	4	2	-	1	2	4	2	1	2	4
Female.....	12	-	5	1	-	1	-	-	-	-	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	58	-	7	4	1	6	3	4	6	4	2	4
Male.....	41	-	4	3	1	6	3	4	4	3	2	1
Female.....	17	-	3	1	-	-	-	-	2	1	-	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidental drowning and submersion (W65-W74)

Illinois

All races, both sexes.....	99	2	14	-	2	3	12	12	7	10	12	2
Male.....	81	1	10	-	2	3	11	10	7	9	11	2
Female.....	18	1	4	-	-	-	1	2	-	1	1	-
White, both sexes.....	70	1	12	-	1	3	7	9	5	8	9	1
Male.....	57	1	8	-	1	3	6	7	5	7	9	1
Female.....	13	-	4	-	-	-	1	2	-	1	-	-
Black, both sexes.....	25	1	2	-	1	-	4	3	1	1	2	1
Male.....	21	-	2	-	1	-	4	3	1	1	2	1
Female.....	4	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	1	-	1	1	1	-
Male.....	3	-	-	-	-	-	1	-	1	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-

Indiana

All races, both sexes.....	74	3	12	4	3	3	5	10	5	4	5	6
Male.....	62	3	7	3	2	3	5	10	3	3	5	5
Female.....	12	-	5	1	1	-	-	-	2	1	-	1
White, both sexes.....	65	3	12	3	2	2	4	9	3	4	4	6
Male.....	58	3	7	3	2	2	4	9	3	3	4	5
Female.....	7	-	5	-	-	-	-	-	-	1	-	1
Black, both sexes.....	8	-	-	1	1	1	1	1	1	-	1	-
Male.....	4	-	-	-	-	1	1	1	-	-	1	-
Female.....	4	-	-	1	1	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidental drowning and submersion (W65-W74)

Maine

All races, both sexes.....	17	-	1	-	1	3	-	-	-	2	-	1
Male.....	11	-	-	-	1	3	-	-	-	1	-	1
Female.....	6	-	1	-	-	-	-	-	-	1	-	-
White, both sexes.....	17	-	1	-	1	3	-	-	-	2	-	1
Male.....	11	-	-	-	1	3	-	-	-	1	-	1
Female.....	6	-	1	-	-	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	54	-	3	6	2	9	5	4	2	3	3	4
Male.....	40	-	-	5	2	7	4	3	2	2	2	4
Female.....	14	-	3	1	-	2	1	1	-	1	1	-
White, both sexes.....	39	-	3	3	2	7	3	3	1	2	2	4
Male.....	29	-	-	3	2	5	3	2	1	1	1	4
Female.....	10	-	3	-	-	2	-	1	-	1	1	-
Black, both sexes.....	13	-	-	3	-	2	1	1	1	1	1	-
Male.....	10	-	-	2	-	2	1	1	1	1	1	-
Female.....	3	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidental drowning and submersion (W65-W74)

New Hampshire

All races, both sexes.....	14	1	-	-	-	-	1	2	1	1	2	2
Male.....	13	1	-	-	-	-	1	2	1	1	1	2
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
White, both sexes.....	13	1	-	-	-	-	-	2	1	1	2	2
Male.....	12	1	-	-	-	-	-	2	1	1	1	2
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	47	-	2	2	1	-	7	1	10	6	2	2
Male.....	41	-	2	2	1	-	5	1	9	6	2	2
Female.....	6	-	-	-	-	-	2	-	1	-	-	-
White, both sexes.....	35	-	2	2	-	-	4	-	8	5	2	1
Male.....	31	-	2	2	-	-	3	-	8	5	2	1
Female.....	4	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	8	-	-	-	1	-	1	-	2	1	-	1
Male.....	7	-	-	-	1	-	1	-	1	1	-	1
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	2	1	-	-	-	-
Male.....	3	-	-	-	-	-	1	1	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidental drowning and submersion (W65-W74)

Arkansas

All races, both sexes.....	-	4	2	1	2	2	1	-	-	-	-	-
Male.....	-	3	-	1	2	-	1	-	-	-	-	-
Female.....	-	1	2	-	-	2	-	-	-	-	-	-
White, both sexes.....	-	4	2	1	2	2	1	-	-	-	-	-
Male.....	-	3	-	1	2	-	1	-	-	-	-	-
Female.....	-	1	2	-	-	2	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	35	21	9	12	18	16	22	12	2	-	-	5
Male.....	30	11	8	9	10	7	12	8	1	-	-	4
Female.....	5	10	1	3	8	9	10	4	1	-	-	1
White, both sexes.....	32	16	7	12	15	8	19	12	2	-	-	5
Male.....	28	8	6	9	8	3	11	8	1	-	-	4
Female.....	4	8	1	3	7	5	8	4	1	-	-	1
Black, both sexes.....	1	3	-	-	1	2	-	-	-	-	-	-
Male.....	1	1	-	-	1	1	-	-	-	-	-	-
Female.....	-	2	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	2	-	2	6	3	-	-	-	-	-
Male.....	1	2	2	-	1	3	1	-	-	-	-	-
Female.....	1	-	-	-	1	3	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidental drowning and submersion (W65-W74)

South Dakota

All races, both sexes.....	1	1	-	3	-	-	-	-	-	-	-	-
Male.....	-	1	-	2	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	3	-	-	-	-	-	-	-	-
Male.....	-	-	-	2	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	3	7	2	3	3	1	-	-	-	-	-	-
Male.....	2	7	1	2	3	-	-	-	-	-	-	-
Female.....	1	-	1	1	-	1	-	-	-	-	-	-
White, both sexes.....	3	6	2	2	3	-	-	-	-	-	-	-
Male.....	2	6	1	2	3	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	1	-	1	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidental drowning and submersion (W65-W74)

Vermont

All races, both sexes.....	-	1	1	-	1	1	1	-	-	-	-	-
Male.....	-	1	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-
White, both sexes.....	-	1	1	-	1	1	1	-	-	-	-	-
Male.....	-	1	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	11	4	2	3	4	5	1	2	-	-	-	-
Male.....	9	3	2	3	2	3	1	1	-	-	-	-
Female.....	2	1	-	-	2	2	-	1	-	-	-	-
White, both sexes.....	9	3	1	2	3	4	-	2	-	-	-	-
Male.....	7	2	1	2	2	2	-	1	-	-	-	-
Female.....	2	1	-	-	1	2	-	1	-	-	-	-
Black, both sexes.....	2	1	1	1	-	1	-	-	-	-	-	-
Male.....	2	1	1	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)

Arkansas

All races, both sexes.....	2	4	4	4	6	10	6	16	3	1	-	-
Male.....	2	2	1	1	3	5	1	8	2	-	-	-
Female.....	-	2	3	3	3	5	5	8	1	1	-	-
White, both sexes.....	-	2	3	2	5	9	5	16	3	-	-	-
Male.....	-	1	1	-	2	5	1	8	2	-	-	-
Female.....	-	1	2	2	3	4	4	8	1	-	-	-
Black, both sexes.....	2	2	1	2	1	1	1	-	-	1	-	-
Male.....	2	1	-	1	1	-	-	-	-	-	-	-
Female.....	-	1	1	1	-	1	1	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	16	10	10	19	22	20	37	23	20	6	2	-
Male.....	15	7	6	11	12	9	18	11	7	1	1	-
Female.....	1	3	4	8	10	11	19	12	13	5	1	-
White, both sexes.....	16	8	10	17	21	18	31	20	20	5	2	-
Male.....	15	6	6	10	11	8	16	10	7	1	1	-
Female.....	1	2	4	7	10	10	15	10	13	4	1	-
Black, both sexes.....	-	2	-	2	-	1	2	1	-	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	1	2	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	4	2	-	1	-	-
Male.....	-	-	-	-	1	1	2	1	-	-	-	-
Female.....	-	-	-	-	-	-	2	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)

Nebraska

All races, both sexes.....	2	2	1	1	1	2	4	7	2	2	2	-
Male.....	2	1	1	1	-	1	-	4	1	1	-	-
Female.....	-	1	-	-	1	1	4	3	1	1	2	-
White, both sexes.....	2	2	-	1	1	2	4	7	2	2	2	-
Male.....	2	1	-	1	-	1	-	4	1	1	-	-
Female.....	-	1	-	-	1	1	4	3	1	1	2	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	1	1	1	2	3	2	4	2	1	-	-	-
Male.....	-	1	1	1	1	1	3	1	1	-	-	-
Female.....	1	-	-	1	2	1	1	1	-	-	-	-
White, both sexes.....	1	1	1	2	3	1	4	2	1	-	-	-
Male.....	-	1	1	1	1	1	3	1	1	-	-	-
Female.....	1	-	-	1	2	-	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)

New Mexico

All races, both sexes.....	-	1	2	2	1	3	2	5	3	-	-	-
Male.....	-	-	2	1	-	1	2	3	-	-	-	-
Female.....	-	1	-	1	1	2	-	2	3	-	-	-
White, both sexes.....	-	1	1	2	-	3	1	5	3	-	-	-
Male.....	-	-	1	1	-	1	1	3	-	-	-	-
Female.....	-	1	-	1	-	2	-	2	3	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	5	7	13	8	11	24	19	28	14	9	2	-
Male.....	3	4	8	5	6	11	10	14	8	1	-	-
Female.....	2	3	5	3	5	13	9	14	6	8	2	-
White, both sexes.....	4	6	10	6	8	22	16	27	13	7	2	-
Male.....	3	3	7	4	5	10	9	14	7	1	-	-
Female.....	1	3	3	2	3	12	7	13	6	6	2	-
Black, both sexes.....	1	1	3	2	2	2	2	1	1	2	-	-
Male.....	-	1	1	1	1	1	-	-	1	-	-	-
Female.....	1	-	2	1	1	1	2	1	-	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)

Oregon

All races, both sexes.....	2	2	3	5	-	8	6	5	11	3	-	-
Male.....	-	1	1	3	-	5	3	2	9	2	-	-
Female.....	2	1	2	2	-	3	3	3	2	1	-	-
White, both sexes.....	1	2	3	4	-	8	6	5	11	3	-	-
Male.....	-	1	1	3	-	5	3	2	9	2	-	-
Female.....	1	1	2	1	-	3	3	3	2	1	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	5	12	5	11	18	33	42	57	35	17	1	-
Male.....	2	8	2	9	6	17	17	25	14	7	-	-
Female.....	3	4	3	2	12	16	25	32	21	10	1	-
White, both sexes.....	4	11	4	11	16	29	39	50	32	14	1	-
Male.....	1	7	1	9	4	15	14	22	13	7	-	-
Female.....	3	4	3	2	12	14	25	28	19	7	1	-
Black, both sexes.....	1	1	1	-	2	3	3	6	3	2	-	-
Male.....	1	1	1	-	2	2	3	3	1	-	-	-
Female.....	-	-	-	-	-	1	-	3	2	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)

Vermont

All races, both sexes.....	1	1	-	-	-	-	2	1	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	1	-	-	-	-
White, both sexes.....	1	1	-	-	-	-	2	1	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	6	3	4	10	10	19	17	22	15	7	1	-
Male.....	4	1	3	3	4	11	7	8	5	2	-	-
Female.....	2	2	1	7	6	8	10	14	10	5	1	-
White, both sexes.....	2	2	4	8	5	13	15	19	13	7	1	-
Male.....	2	-	3	2	3	8	7	8	5	2	-	-
Female.....	-	2	1	6	2	5	8	11	8	5	1	-
Black, both sexes.....	3	1	-	1	5	6	2	3	1	-	-	-
Male.....	1	1	-	-	1	3	-	-	-	-	-	-
Female.....	2	-	-	1	4	3	2	3	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	1	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other accidental and unspecified threats to breathing (W75-W77,W81-W84)

Arkansas

All races, both sexes.....	15	6	3	-	-	1	1	-	-	-	2	-
Male.....	8	1	1	-	-	1	1	-	-	-	2	-
Female.....	7	5	2	-	-	-	-	-	-	-	-	-
White, both sexes.....	13	4	3	-	-	1	1	-	-	-	2	-
Male.....	8	1	1	-	-	1	1	-	-	-	2	-
Female.....	5	3	2	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	2	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	2	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	100	35	7	2	1	3	3	7	4	3	11	8
Male.....	66	24	4	-	1	3	3	5	3	2	9	5
Female.....	34	11	3	2	-	-	-	2	1	1	2	3
White, both sexes.....	84	24	6	1	1	2	3	7	3	3	10	8
Male.....	55	16	3	-	1	2	3	5	3	2	8	5
Female.....	29	8	3	1	-	-	-	2	-	1	2	3
Black, both sexes.....	6	5	-	-	-	1	-	-	-	-	-	-
Male.....	4	3	-	-	-	1	-	-	-	-	-	-
Female.....	2	2	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	2	-	-	-	-	-	-	-	-	-	-
Male.....	2	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	4	1	1	-	-	-	-	1	-	1	-
Male.....	5	3	1	-	-	-	-	-	-	-	1	-
Female.....	3	1	-	1	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidental exposure to smoke, fire and flames (X00-X09)

Arkansas

All races, both sexes.....	58	-	2	2	-	-	1	2	2	4	3	7
Male.....	26	-	1	-	-	-	1	1	1	1	1	4
Female.....	32	-	1	2	-	-	-	1	1	3	2	3
White, both sexes.....	39	-	1	1	-	-	1	2	2	2	3	5
Male.....	17	-	1	-	-	-	1	1	1	-	1	2
Female.....	22	-	-	1	-	-	-	1	1	2	2	3
Black, both sexes.....	19	-	1	1	-	-	-	-	-	2	-	2
Male.....	9	-	-	-	-	-	-	-	-	1	-	2
Female.....	10	-	1	1	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	216	-	16	4	1	3	4	4	7	6	8	20
Male.....	123	-	9	1	-	1	4	2	2	5	6	11
Female.....	93	-	7	3	1	2	-	2	5	1	2	9
White, both sexes.....	170	-	14	1	-	2	2	4	6	6	7	16
Male.....	97	-	8	-	-	1	2	2	2	5	5	9
Female.....	73	-	6	1	-	1	-	2	4	1	2	7
Black, both sexes.....	32	-	2	3	-	-	1	-	1	-	-	4
Male.....	18	-	1	1	-	-	1	-	-	-	-	2
Female.....	14	-	1	2	-	-	-	-	1	-	-	2
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	-	1	1	1	-	-	-	1	-
Male.....	7	-	-	-	-	-	1	-	-	-	1	-
Female.....	4	-	-	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidental exposure to smoke, fire and flames (X00-X09)

New Hampshire

All races, both sexes.....	7	-	-	-	-	-	1	-	-	-	-	-
Male.....	4	-	-	-	-	-	1	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	7	-	-	-	-	-	1	-	-	-	-	-
Male.....	4	-	-	-	-	-	1	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	71	-	2	5	-	2	4	5	2	2	5	8
Male.....	44	-	2	3	-	1	3	3	1	2	3	5
Female.....	27	-	-	2	-	1	1	2	1	-	2	3
White, both sexes.....	51	-	1	3	-	2	2	2	1	1	4	6
Male.....	29	-	1	2	-	1	2	1	1	1	2	3
Female.....	22	-	-	1	-	1	-	1	-	-	2	3
Black, both sexes.....	19	-	1	2	-	-	2	2	1	1	1	2
Male.....	15	-	1	1	-	-	1	2	-	1	1	2
Female.....	4	-	-	1	-	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidental exposure to smoke, fire and flames (X00-X09)

Arkansas

All races, both sexes.....	6	4	2	3	4	7	6	1	1	1	-	-
Male.....	2	3	1	2	-	3	4	-	1	-	-	-
Female.....	4	1	1	1	4	4	2	1	-	1	-	-
White, both sexes.....	4	3	2	2	2	5	2	1	1	-	-	-
Male.....	1	2	1	1	-	2	2	-	1	-	-	-
Female.....	3	1	1	1	2	3	-	1	-	-	-	-
Black, both sexes.....	2	1	-	1	2	2	4	-	-	1	-	-
Male.....	1	1	-	1	-	1	2	-	-	-	-	-
Female.....	1	-	-	-	2	1	2	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	21	24	17	15	16	14	15	12	6	2	-	1
Male.....	15	16	11	6	10	9	9	1	4	-	-	1
Female.....	6	8	6	9	6	5	6	11	2	2	-	-
White, both sexes.....	17	19	13	12	10	11	14	8	6	1	-	1
Male.....	12	13	7	4	6	7	8	1	4	-	-	1
Female.....	5	6	6	8	4	4	6	7	2	1	-	-
Black, both sexes.....	2	3	3	2	4	2	1	3	-	1	-	-
Male.....	1	2	3	1	3	2	1	-	-	-	-	-
Female.....	1	1	-	1	1	-	-	3	-	1	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	-	1	1	1	-	-	-	-	-	-
Male.....	2	1	-	1	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidental exposure to smoke, fire and flames (X00-X09)

Florida

All races, both sexes.....	11	12	8	11	7	8	2	3	3	1	1	-
Male.....	10	4	2	8	3	4	-	1	2	-	1	-
Female.....	1	8	6	3	4	4	2	2	1	1	-	-
White, both sexes.....	10	10	8	9	6	5	2	1	3	1	-	-
Male.....	9	4	2	7	2	2	-	-	2	-	-	-
Female.....	1	6	6	2	4	3	2	1	1	1	-	-
Black, both sexes.....	1	2	-	2	1	3	-	2	-	-	1	-
Male.....	1	-	-	1	1	2	-	1	-	-	1	-
Female.....	-	2	-	1	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	10	11	10	6	9	10	10	3	6	1	-	-
Male.....	4	6	7	4	3	7	8	-	2	1	-	-
Female.....	6	5	3	2	6	3	2	3	4	-	-	-
White, both sexes.....	6	6	9	5	6	8	8	1	3	1	-	-
Male.....	2	3	6	3	2	5	7	-	-	1	-	-
Female.....	4	3	3	2	4	3	1	1	3	-	-	-
Black, both sexes.....	4	5	1	1	3	2	2	1	3	-	-	-
Male.....	2	3	1	1	1	2	1	-	2	-	-	-
Female.....	2	2	-	-	2	-	1	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidental contact with heat and hot substances (X10-X19)

Arkansas

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	8	-	-	-	1	-	-	-	1	-	1	-
Male.....	3	-	-	-	-	-	-	-	1	-	-	-
Female.....	5	-	-	-	1	-	-	-	-	-	1	-
White, both sexes.....	5	-	-	-	-	-	-	-	1	-	1	-
Male.....	3	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidental contact with heat and hot substances (X10-X19)

Arkansas

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	-	1	-	-	-	1	-	1	2	-	-	-
Male.....	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	-	1	-	-	-	1	-	-	1	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	1	2	-	-	-
Male.....	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidental poisoning and exposure to noxious substances (X40-X49)

Arkansas

All races, both sexes.....	150	-	-	-	-	5	17	14	7	19	19	20
Male.....	101	-	-	-	-	4	15	11	6	13	11	13
Female.....	49	-	-	-	-	1	2	3	1	6	8	7
White, both sexes.....	133	-	-	-	-	5	17	13	5	17	16	19
Male.....	89	-	-	-	-	4	15	10	4	12	10	12
Female.....	44	-	-	-	-	1	2	3	1	5	6	7
Black, both sexes.....	15	-	-	-	-	-	-	1	2	1	3	1
Male.....	10	-	-	-	-	-	-	1	2	-	1	1
Female.....	5	-	-	-	-	-	-	-	-	1	2	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	2,862	1	1	1	3	47	124	175	206	308	405	570
Male.....	1,896	1	-	1	2	30	103	115	144	221	273	379
Female.....	966	-	1	-	1	17	21	60	62	87	132	191
White, both sexes.....	2,416	1	-	-	1	43	119	153	181	262	338	480
Male.....	1,611	1	-	-	-	28	99	102	130	191	237	320
Female.....	805	-	-	-	1	15	20	51	51	71	101	160
Black, both sexes.....	338	-	1	1	1	2	1	16	13	36	50	66
Male.....	209	-	-	1	1	1	-	8	7	21	24	41
Female.....	129	-	1	-	-	1	1	8	6	15	26	25
American Indian 1/, both sexes.....	42	-	-	-	-	-	2	2	6	3	4	11
Male.....	27	-	-	-	-	-	2	2	5	3	2	7
Female.....	15	-	-	-	-	-	-	-	1	-	2	4
Asian or Pacific Islander 2/, both sexes.....	66	-	-	-	1	2	2	4	6	7	13	13
Male.....	49	-	-	-	1	1	2	3	2	6	10	11
Female.....	17	-	-	-	-	1	-	1	4	1	3	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidental poisoning and exposure to noxious substances (X40-X49)

Florida

All races, both sexes.....	2,163	2	5	1	3	84	214	247	204	250	302	339
Male.....	1,476	2	2	-	3	62	166	189	155	194	181	201
Female.....	687	-	3	1	-	22	48	58	49	56	121	138
White, both sexes.....	1,989	2	3	1	2	80	205	233	190	234	282	306
Male.....	1,363	2	1	-	2	58	158	180	143	180	168	185
Female.....	626	-	2	1	-	22	47	53	47	54	114	121
Black, both sexes.....	155	-	2	-	1	3	7	13	10	14	20	30
Male.....	101	-	1	-	1	3	6	9	9	12	13	15
Female.....	54	-	1	-	-	-	1	4	1	2	7	15
American Indian 1/, both sexes.....	8	-	-	-	-	1	1	-	1	2	-	1
Male.....	7	-	-	-	-	1	1	-	1	2	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	11	-	-	-	-	-	1	1	3	-	-	2
Male.....	5	-	-	-	-	-	1	-	2	-	-	1
Female.....	6	-	-	-	-	-	-	1	1	-	-	1

Georgia

All races, both sexes.....	748	-	1	-	1	17	54	73	71	76	137	136
Male.....	472	-	-	-	1	13	40	59	46	46	81	85
Female.....	276	-	1	-	-	4	14	14	25	30	56	51
White, both sexes.....	620	-	-	-	1	17	47	66	60	66	111	103
Male.....	383	-	-	-	1	13	36	52	39	40	63	58
Female.....	237	-	-	-	-	4	11	14	21	26	48	45
Black, both sexes.....	125	-	1	-	-	-	5	7	11	10	26	33
Male.....	87	-	-	-	-	-	3	7	7	6	18	27
Female.....	38	-	1	-	-	-	2	-	4	4	8	6
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	2	-	-	-	-	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidental poisoning and exposure to noxious substances (X40-X49)

Vermont

All races, both sexes.....	59	-	-	-	1	1	6	6	8	6	13	9
Male.....	43	-	-	-	-	1	6	6	6	6	8	4
Female.....	16	-	-	-	1	-	-	-	2	-	5	5
White, both sexes.....	58	-	-	-	1	1	6	6	8	5	13	9
Male.....	42	-	-	-	-	1	6	6	6	5	8	4
Female.....	16	-	-	-	1	-	-	-	2	-	5	5
Black, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	508	1	-	-	-	10	45	56	45	68	96	81
Male.....	328	-	-	-	-	10	30	39	33	41	65	49
Female.....	180	1	-	-	-	-	15	17	12	27	31	32
White, both sexes.....	419	1	-	-	-	10	41	51	39	58	83	61
Male.....	274	-	-	-	-	10	26	35	29	37	58	38
Female.....	145	1	-	-	-	-	15	16	10	21	25	23
Black, both sexes.....	84	-	-	-	-	-	2	5	5	9	13	19
Male.....	51	-	-	-	-	-	2	4	4	4	7	10
Female.....	33	-	-	-	-	-	-	1	1	5	6	9
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	2	-	1	1	-	-
Male.....	2	-	-	-	-	-	2	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidental poisoning and exposure to noxious substances (X40-X49)

Arkansas

All races, both sexes.....	20	10	3	4	4	2	3	1	2	-	-	-
Male.....	16	6	1	-	3	1	-	-	1	-	-	-
Female.....	4	4	2	4	1	1	3	1	1	-	-	-
White, both sexes.....	15	8	3	3	4	2	3	1	2	-	-	-
Male.....	12	4	1	-	3	1	-	-	1	-	-	-
Female.....	3	4	2	3	1	1	3	1	1	-	-	-
Black, both sexes.....	4	2	-	1	-	-	-	-	-	-	-	-
Male.....	3	2	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	487	321	104	37	27	16	13	12	3	-	-	1
Male.....	310	199	64	20	15	5	7	3	3	-	-	1
Female.....	177	122	40	17	12	11	6	9	-	-	-	-
White, both sexes.....	404	267	83	27	20	13	12	8	3	-	-	1
Male.....	256	162	47	13	10	3	6	2	3	-	-	1
Female.....	148	105	36	14	10	10	6	6	-	-	-	-
Black, both sexes.....	70	50	18	6	2	2	1	2	-	-	-	-
Male.....	48	34	15	5	1	1	1	-	-	-	-	-
Female.....	22	16	3	1	1	1	-	2	-	-	-	-
American Indian 1/, both sexes.....	7	4	-	3	-	-	-	-	-	-	-	-
Male.....	1	3	-	2	-	-	-	-	-	-	-	-
Female.....	6	1	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	3	1	5	1	-	2	-	-	-	-
Male.....	5	-	2	-	4	1	-	1	-	-	-	-
Female.....	1	-	1	1	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidental poisoning and exposure to noxious substances (X40-X49)

Texas

All races, both sexes.....	250	126	48	22	11	11	15	5	3	1	-	-
Male.....	150	69	26	10	9	3	3	2	3	1	-	-
Female.....	100	57	22	12	2	8	12	3	-	-	-	-
White, both sexes.....	202	97	39	18	10	9	15	4	2	1	-	-
Male.....	117	49	19	9	8	2	3	2	2	1	-	-
Female.....	85	48	20	9	2	7	12	2	-	-	-	-
Black, both sexes.....	45	29	9	4	1	-	-	1	1	-	-	-
Male.....	32	20	7	1	1	-	-	-	1	-	-	-
Female.....	13	9	2	3	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Utah

All races, both sexes.....	8	6	1	2	2	3	1	-	-	-	-	-
Male.....	5	4	1	1	2	1	-	-	-	-	-	-
Female.....	3	2	-	1	-	2	1	-	-	-	-	-
White, both sexes.....	8	4	1	2	2	3	-	-	-	-	-	-
Male.....	5	2	1	1	2	1	-	-	-	-	-	-
Female.....	3	2	-	1	-	2	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)

Arkansas

All races, both sexes.....	135	-	-	-	-	5	17	14	7	17	18	17
Male.....	88	-	-	-	-	4	15	11	6	11	10	10
Female.....	47	-	-	-	-	1	2	3	1	6	8	7
White, both sexes.....	122	-	-	-	-	5	17	13	5	15	15	17
Male.....	80	-	-	-	-	4	15	10	4	10	9	10
Female.....	42	-	-	-	-	1	2	3	1	5	6	7
Black, both sexes.....	11	-	-	-	-	-	-	1	2	1	3	-
Male.....	6	-	-	-	-	-	-	1	2	-	1	-
Female.....	5	-	-	-	-	-	-	-	-	1	2	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	2,760	1	1	1	2	43	118	157	198	297	389	558
Male.....	1,819	1	-	1	2	28	98	101	137	211	262	371
Female.....	941	-	1	-	-	15	20	56	61	86	127	187
White, both sexes.....	2,328	1	-	-	-	39	113	139	174	252	326	468
Male.....	1,543	1	-	-	-	26	94	91	123	182	228	312
Female.....	785	-	-	-	-	13	19	48	51	70	98	156
Black, both sexes.....	333	-	1	1	2	1	16	13	13	35	47	66
Male.....	207	-	-	1	1	1	-	8	7	20	23	41
Female.....	126	-	1	-	-	1	1	8	6	15	24	25
American Indian 1/, both sexes.....	39	-	-	-	-	-	2	1	6	3	4	11
Male.....	24	-	-	-	-	-	2	1	5	3	2	7
Female.....	15	-	-	-	-	-	-	-	1	-	2	4
Asian or Pacific Islander 2/, both sexes.....	60	-	-	-	1	2	2	1	5	7	12	13
Male.....	45	-	-	-	1	1	2	1	2	6	9	11
Female.....	15	-	-	-	-	1	-	-	3	1	3	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)

Florida

All races, both sexes.....	2,097	2	4	1	2	81	211	242	201	240	298	331
Male.....	1,426	2	2	-	2	60	164	185	152	185	178	195
Female.....	671	-	2	1	-	21	47	57	49	55	120	136
White, both sexes.....	1,931	2	2	1	1	77	202	229	188	225	278	298
Male.....	1,319	2	1	-	1	56	156	177	141	172	165	179
Female.....	612	-	1	1	-	21	46	52	47	53	113	119
Black, both sexes.....	150	-	2	-	1	3	7	12	10	14	20	30
Male.....	97	-	1	-	1	3	6	8	9	12	13	15
Female.....	53	-	1	-	-	-	1	4	1	2	7	15
American Indian 1/, both sexes.....	7	-	-	-	-	1	1	-	1	1	-	1
Male.....	6	-	-	-	-	1	1	-	1	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	-	-	1	1	2	-	-	2
Male.....	4	-	-	-	-	-	1	-	1	-	-	1
Female.....	5	-	-	-	-	-	-	1	1	-	-	1

Georgia

All races, both sexes.....	717	-	1	-	1	15	52	72	71	75	130	129
Male.....	450	-	-	-	1	11	38	58	46	46	78	78
Female.....	267	-	1	-	-	4	14	14	25	29	52	51
White, both sexes.....	594	-	-	-	1	15	45	65	60	65	104	98
Male.....	366	-	-	-	1	11	34	51	39	40	60	53
Female.....	228	-	-	-	-	4	11	14	21	25	44	45
Black, both sexes.....	120	-	1	-	-	-	5	7	11	10	26	31
Male.....	82	-	-	-	-	-	3	7	7	6	18	25
Female.....	38	-	1	-	-	-	2	-	4	4	8	6
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	2	-	-	-	-	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)

Vermont

All races, both sexes.....	57	-	-	-	1	1	6	6	8	6	12	9
Male.....	43	-	-	-	-	1	6	6	6	6	8	4
Female.....	14	-	-	-	1	-	-	-	2	-	4	5
White, both sexes.....	56	-	-	-	1	1	6	6	8	5	12	9
Male.....	42	-	-	-	-	1	6	6	6	5	8	4
Female.....	14	-	-	-	1	-	-	-	2	-	4	5
Black, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	481	1	-	-	-	9	42	54	45	66	93	80
Male.....	312	-	-	-	-	9	28	37	33	40	62	49
Female.....	169	1	-	-	-	-	14	17	12	26	31	31
White, both sexes.....	399	1	-	-	-	9	39	49	39	57	80	60
Male.....	262	-	-	-	-	9	25	33	29	36	55	38
Female.....	137	1	-	-	-	-	14	16	10	21	25	22
Black, both sexes.....	77	-	-	-	-	-	1	5	5	8	13	19
Male.....	47	-	-	-	-	-	1	4	4	4	7	10
Female.....	30	-	-	-	-	-	-	1	1	4	6	9
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	2	-	1	1	-	-
Male.....	2	-	-	-	-	-	2	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)

Arkansas

All races, both sexes.....	16	7	3	4	4	2	2	1	1	-	-	-
Male.....	12	4	1	-	3	1	-	-	-	-	-	-
Female.....	4	3	2	4	1	1	2	1	1	-	-	-
White, both sexes.....	13	6	3	3	4	2	2	1	1	-	-	-
Male.....	10	3	1	-	3	1	-	-	-	-	-	-
Female.....	3	3	2	3	1	1	2	1	1	-	-	-
Black, both sexes.....	2	1	-	1	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	483	311	99	36	26	15	11	11	2	-	-	1
Male.....	307	190	60	19	15	5	5	3	2	-	-	1
Female.....	176	121	39	17	11	10	6	8	-	-	-	-
White, both sexes.....	401	258	78	27	19	13	10	7	2	-	-	1
Male.....	254	154	43	13	10	3	4	2	2	-	-	1
Female.....	147	104	35	14	9	10	6	5	-	-	-	-
Black, both sexes.....	70	50	18	6	2	1	1	2	-	-	-	-
Male.....	48	34	15	5	1	1	1	-	-	-	-	-
Female.....	22	16	3	1	1	-	-	2	-	-	-	-
American Indian 1/, both sexes.....	7	3	-	2	-	-	-	-	-	-	-	-
Male.....	1	2	-	1	-	-	-	-	-	-	-	-
Female.....	6	1	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	3	1	5	1	-	2	-	-	-	-
Male.....	4	-	2	-	4	1	-	1	-	-	-	-
Female.....	1	-	1	1	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)

Texas

All races, both sexes.....	241	120	47	19	8	8	14	3	2	1	-	-
Male.....	144	68	26	8	6	2	3	1	2	1	-	-
Female.....	97	52	21	11	2	6	11	2	-	-	-	-
White, both sexes.....	194	91	38	16	7	6	14	3	2	1	-	-
Male.....	112	48	19	7	5	1	3	1	2	1	-	-
Female.....	82	43	19	9	2	5	11	2	-	-	-	-
Black, both sexes.....	44	29	9	3	1	1	-	-	-	-	-	-
Male.....	31	20	7	1	1	1	-	-	-	-	-	-
Female.....	13	9	2	2	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Utah

All races, both sexes.....	8	5	1	2	2	2	1	-	-	-	-	-
Male.....	5	3	1	1	2	-	-	-	-	-	-	-
Female.....	3	2	-	1	-	2	1	-	-	-	-	-
White, both sexes.....	8	4	1	2	2	2	-	-	-	-	-	-
Male.....	5	2	1	1	2	-	-	-	-	-	-	-
Female.....	3	2	-	1	-	2	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidental poisoning by and exposure to other and unspecified solid or liquid substances (X45-X46,X48-X49)

Arkansas

All races, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	-
Male.....	2	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	-
Male.....	2	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	57	-	-	-	1	3	3	10	2	7	9	8
Male.....	42	-	-	-	-	1	3	9	2	6	6	4
Female.....	15	-	-	-	1	2	-	1	-	1	3	4
White, both sexes.....	47	-	-	-	1	3	3	6	2	6	5	8
Male.....	35	-	-	-	-	1	3	6	2	5	4	4
Female.....	12	-	-	-	1	2	-	-	-	1	1	4
Black, both sexes.....	4	-	-	-	-	-	-	-	-	1	3	-
Male.....	2	-	-	-	-	-	-	-	-	1	1	-
Female.....	2	-	-	-	-	-	-	-	-	-	2	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	3	-	-	1	-
Male.....	4	-	-	-	-	-	-	2	-	-	1	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidental poisoning by and exposure to other gases and vapors (X47)

Arkansas

All races, both sexes.....	12	-	-	-	-	-	-	-	-	1	1	3
Male.....	11	-	-	-	-	-	-	-	-	1	1	3
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	8	-	-	-	-	-	-	-	-	1	1	2
Male.....	7	-	-	-	-	-	-	-	-	1	1	2
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	45	-	-	-	-	1	3	8	6	4	7	4
Male.....	35	-	-	-	-	1	2	5	5	4	5	4
Female.....	10	-	-	-	-	-	1	3	1	-	2	-
White, both sexes.....	41	-	-	-	-	1	3	8	5	4	7	4
Male.....	33	-	-	-	-	1	2	5	5	4	5	4
Female.....	8	-	-	-	-	-	1	3	-	-	2	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)

United States

All races, both sexes.....	10,801	43	115	54	45	140	242	269	266	342	466	591
Male.....	6,309	27	65	37	32	124	205	229	218	294	389	478
Female.....	4,492	16	50	17	13	16	37	40	48	48	77	113
White, both sexes.....	9,502	32	86	41	36	105	205	223	215	275	377	472
Male.....	5,448	18	51	30	27	95	177	196	180	237	319	383
Female.....	4,054	14	35	11	9	10	28	27	35	38	58	89
Black, both sexes.....	1,037	11	25	10	9	26	24	36	37	50	72	100
Male.....	683	9	12	6	5	21	17	25	29	42	57	78
Female.....	354	2	13	4	4	5	7	11	8	8	15	22
American Indian 1/, both sexes.....	153	-	3	2	-	8	11	8	10	13	14	10
Male.....	112	-	1	-	-	7	9	6	7	12	11	10
Female.....	41	-	2	2	-	1	2	2	3	1	3	-
Asian or Pacific Islander 2/, both sexes.....	109	-	1	1	-	1	2	2	4	4	3	9
Male.....	66	-	1	1	-	1	2	2	2	3	2	7
Female.....	43	-	-	-	-	-	-	-	2	1	1	2

Alabama

All races, both sexes.....	349	1	4	2	1	7	15	15	17	8	13	22
Male.....	196	-	1	2	1	6	12	14	11	6	12	19
Female.....	153	1	3	-	-	1	3	1	6	2	1	3
White, both sexes.....	295	1	3	1	-	5	13	11	15	7	9	15
Male.....	159	-	1	1	-	5	10	11	11	5	8	13
Female.....	136	1	2	-	-	-	3	-	4	2	1	2
Black, both sexes.....	50	-	1	1	1	2	2	3	1	1	4	7
Male.....	36	-	-	1	1	1	2	3	-	1	4	6
Female.....	14	-	1	-	-	1	-	-	1	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)

Alaska

All races, both sexes.....	1	3	1	-	2	4	3	2	4	-	-	-
Male.....	1	3	1	-	2	2	2	-	2	-	-	-
Female.....	-	-	-	-	-	2	1	2	2	-	-	-
White, both sexes.....	-	-	1	-	2	4	1	-	2	-	-	-
Male.....	-	-	1	-	2	2	1	-	2	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	3	-	-	-	-	1	2	2	-	-	-
Male.....	1	3	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Arizona

All races, both sexes.....	23	23	19	14	9	23	19	16	10	6	1	7
Male.....	21	19	15	8	6	13	12	8	5	4	-	7
Female.....	2	4	4	6	3	10	7	8	5	2	1	-
White, both sexes.....	17	17	15	14	8	20	18	16	10	6	1	7
Male.....	16	13	12	8	5	11	12	8	5	4	-	7
Female.....	1	4	3	6	3	9	6	8	5	2	1	-
Black, both sexes.....	1	2	3	-	-	-	1	-	-	-	-	-
Male.....	1	2	2	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	5	4	1	-	1	2	-	-	-	-	-	-
Male.....	4	4	1	-	1	2	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)

Arkansas

All races, both sexes.....	6	7	6	7	6	13	9	10	12	6	2	-
Male.....	5	6	5	4	5	5	6	1	5	2	2	-
Female.....	1	1	1	3	1	8	3	9	7	4	-	-
White, both sexes.....	3	7	6	6	6	10	8	10	12	6	2	-
Male.....	2	6	5	3	5	5	5	1	5	2	2	-
Female.....	1	1	1	3	1	5	3	9	7	4	-	-
Black, both sexes.....	3	-	-	1	-	2	1	-	-	-	-	-
Male.....	3	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

California

All races, both sexes.....	61	52	35	32	39	36	69	58	56	18	4	2
Male.....	47	36	23	25	21	22	33	25	19	7	1	1
Female.....	14	16	12	7	18	14	36	33	37	11	3	1
White, both sexes.....	54	43	32	27	37	32	63	53	54	18	4	2
Male.....	42	31	21	20	20	18	31	23	17	7	1	1
Female.....	12	12	11	7	17	14	32	30	37	11	3	1
Black, both sexes.....	6	6	1	4	1	2	-	2	1	-	-	-
Male.....	5	3	-	4	-	2	-	-	1	-	-	-
Female.....	1	3	1	-	1	-	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	2	1	1	2	5	3	1	-	-	-
Male.....	-	2	2	1	1	2	2	2	1	-	-	-
Female.....	1	1	-	-	-	-	3	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)

Illinois

All races, both sexes.....	30	21	9	17	30	42	73	81	62	17	11	-
Male.....	28	18	6	9	24	25	41	29	28	4	1	-
Female.....	2	3	3	8	6	17	32	52	34	13	10	-
White, both sexes.....	24	17	6	15	24	41	70	73	56	16	11	-
Male.....	22	14	4	9	19	25	39	26	24	4	1	-
Female.....	2	3	2	6	5	16	31	47	32	12	10	-
Black, both sexes.....	5	4	3	2	6	1	3	7	5	1	-	-
Male.....	5	4	2	-	5	-	2	3	3	-	-	-
Female.....	-	-	1	2	1	1	1	4	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Indiana

All races, both sexes.....	11	17	13	7	19	31	49	52	45	17	8	-
Male.....	6	13	7	5	10	23	24	22	19	3	-	-
Female.....	5	4	6	2	9	8	25	30	26	14	8	-
White, both sexes.....	10	16	13	7	17	30	48	50	44	17	8	-
Male.....	5	12	7	5	9	22	23	21	19	3	-	-
Female.....	5	4	6	2	8	8	25	29	25	14	8	-
Black, both sexes.....	1	1	-	-	2	1	1	1	1	-	-	-
Male.....	1	1	-	-	1	1	1	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)

New Mexico

All races, both sexes.....	10	6	2	6	4	6	6	4	3	-	-	-
Male.....	9	5	2	4	2	2	1	1	1	-	-	-
Female.....	1	1	-	2	2	4	5	3	2	-	-	-
White, both sexes.....	4	6	2	5	2	5	3	3	3	-	-	-
Male.....	4	5	2	4	1	1	1	1	1	-	-	-
Female.....	-	1	-	1	1	4	2	2	2	-	-	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	5	-	-	1	2	1	1	1	-	-	-	-
Male.....	4	-	-	-	1	1	-	-	-	-	-	-
Female.....	1	-	-	1	1	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

New York

All races, both sexes.....	24	27	27	25	25	29	45	53	62	15	8	1
Male.....	21	18	20	18	16	14	26	17	13	7	1	1
Female.....	3	9	7	7	9	15	19	36	49	8	7	-
White, both sexes.....	20	21	23	16	18	27	40	51	58	14	8	1
Male.....	17	14	19	13	10	13	24	17	13	6	1	1
Female.....	3	7	4	3	8	14	16	34	45	8	7	-
Black, both sexes.....	4	6	3	8	7	2	5	2	3	1	-	-
Male.....	4	4	1	5	6	1	2	-	-	1	-	-
Female.....	-	2	2	3	1	1	3	2	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)

Vermont

All races, both sexes.....	1	3	3	1	2	1	3	5	4	2	-	-
Male.....	1	3	3	1	1	1	1	3	2	1	-	-
Female.....	-	-	-	-	1	-	2	2	2	1	-	-
White, both sexes.....	1	3	3	1	2	1	3	5	4	2	-	-
Male.....	1	3	3	1	1	1	1	3	2	1	-	-
Female.....	-	-	-	-	1	-	2	2	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	24	19	12	12	22	33	58	69	51	19	3	-
Male.....	23	17	8	6	15	21	29	30	14	5	1	-
Female.....	1	2	4	6	7	12	29	39	37	14	2	-
White, both sexes.....	16	12	11	10	21	29	51	63	48	16	3	-
Male.....	15	12	8	6	14	18	23	28	13	4	1	-
Female.....	1	-	3	4	7	11	28	35	35	12	2	-
Black, both sexes.....	8	7	1	1	-	3	6	5	2	3	-	-
Male.....	8	5	-	-	-	3	5	2	1	1	-	-
Female.....	-	2	1	1	-	-	1	3	1	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	1	1	1	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)

Alaska

All races, both sexes.....	135	-	3	14	27	9	7	11	15	12
Male.....	104	-	1	12	23	7	5	8	9	8
Female.....	31	-	2	2	4	2	2	3	6	4
White, both sexes.....	83	-	1	4	8	2	7	6	10	11
Male.....	63	-	-	4	7	1	5	5	5	7
Female.....	20	-	1	-	1	1	2	1	5	4
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	48	-	2	8	17	7	-	5	5	1
Male.....	39	-	1	7	15	6	-	3	4	1
Female.....	9	-	1	1	2	1	-	2	1	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	1	2	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	1	1	-	-	-	-	-

Arizona

All races, both sexes.....	979	1	10	60	95	72	61	93	80	91
Male.....	766	-	3	46	79	61	47	82	55	69
Female.....	213	1	7	14	16	11	14	11	25	22
White, both sexes.....	888	1	7	44	78	59	49	83	74	86
Male.....	692	-	2	35	63	50	37	73	51	64
Female.....	196	1	5	9	15	9	12	10	23	22
Black, both sexes.....	21	-	-	2	4	4	3	3	1	1
Male.....	18	-	-	2	3	4	2	3	-	1
Female.....	3	-	-	-	1	-	1	-	1	-
American Indian 1/, both sexes.....	56	-	3	14	10	8	7	5	3	4
Male.....	46	-	1	9	10	6	7	5	2	4
Female.....	10	-	2	5	-	2	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	-	3	1	2	2	2	-
Male.....	10	-	-	-	3	1	1	1	2	-
Female.....	4	-	-	-	-	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)

Arkansas												
All races, both sexes.....	376	-	4	19	22	28	33	41	37	35
Male.....	313	-	2	17	19	26	28	33	31	27
Female.....	63	-	2	2	3	2	5	8	6	8
White, both sexes.....	351	-	4	16	17	24	32	37	37	32
Male.....	290	-	2	14	14	22	27	29	31	25
Female.....	61	-	2	2	3	2	5	8	6	7
Black, both sexes.....	21	-	-	2	5	2	1	3	-	3
Male.....	19	-	-	2	5	2	1	3	-	2
Female.....	2	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	1	-	2	-	1	-	-
Male.....	4	-	-	1	-	2	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-

California												
All races, both sexes.....	3,334	1	16	150	258	228	240	286	303	390
Male.....	2,578	1	12	115	223	185	196	214	231	280
Female.....	756	-	4	35	35	43	44	72	72	110
White, both sexes.....	2,922	1	13	121	203	181	198	250	268	346
Male.....	2,268	1	11	91	180	145	162	190	203	248
Female.....	654	-	2	30	23	36	36	60	65	98
Black, both sexes.....	132	-	3	11	16	13	15	16	13	15
Male.....	107	-	1	9	11	12	14	13	10	11
Female.....	25	-	2	2	5	1	1	3	3	4
American Indian 1/, both sexes.....	14	-	-	2	4	1	2	1	1	1
Male.....	11	-	-	1	3	1	2	-	1	1
Female.....	3	-	-	1	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	266	-	-	16	35	33	25	19	21	28
Male.....	192	-	-	14	29	27	18	11	17	20
Female.....	74	-	-	2	6	6	7	8	4	8

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)

Colorado

All races, both sexes.....	730	-	4	38	78	60	55	72	93	78
Male.....	557	-	4	27	65	45	43	47	70	54
Female.....	173	-	-	11	13	15	12	25	23	24
White, both sexes.....	686	-	4	34	72	53	51	65	88	76
Male.....	520	-	4	24	59	39	40	41	66	53
Female.....	166	-	-	10	13	14	11	24	22	23
Black, both sexes.....	21	-	-	3	2	5	-	3	3	2
Male.....	19	-	-	2	2	5	-	3	3	1
Female.....	2	-	-	1	-	-	-	-	-	1
American Indian 1/, both sexes.....	7	-	-	-	1	-	1	1	-	-
Male.....	5	-	-	-	1	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	16	-	-	1	3	2	3	3	2	-
Male.....	13	-	-	1	3	1	2	3	1	-
Female.....	3	-	-	-	-	1	1	-	1	-

Connecticut

All races, both sexes.....	292	-	2	17	17	21	23	30	25	39
Male.....	232	-	2	15	15	16	20	27	17	28
Female.....	60	-	-	2	2	5	3	3	8	11
White, both sexes.....	265	-	1	12	15	18	21	26	22	38
Male.....	211	-	1	10	14	13	18	23	17	28
Female.....	54	-	-	2	1	5	3	3	5	10
Black, both sexes.....	16	-	1	2	-	3	1	2	2	-
Male.....	13	-	1	2	-	3	1	2	-	-
Female.....	3	-	-	-	-	-	-	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	3	2	-	1	2	1	1
Male.....	8	-	-	3	1	-	1	2	-	-
Female.....	3	-	-	-	1	-	-	-	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)

Florida

All races, both sexes.....	2,440	-	4	69	135	153	144	186	243	286
Male.....	1,879	-	3	51	117	122	118	136	185	200
Female.....	561	-	1	18	18	31	26	50	58	86
White, both sexes.....	2,302	-	3	62	117	138	129	172	227	270
Male.....	1,773	-	2	45	103	107	104	126	176	190
Female.....	529	-	1	17	14	31	25	46	51	80
Black, both sexes.....	103	-	1	6	15	15	12	13	11	11
Male.....	87	-	1	5	12	15	12	9	8	8
Female.....	16	-	-	1	3	-	-	4	3	3
American Indian 1/, both sexes.....	5	-	-	1	-	-	-	1	-	-
Male.....	5	-	-	1	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	30	-	-	-	3	-	3	-	5	5
Male.....	14	-	-	-	2	-	2	-	1	2
Female.....	16	-	-	-	1	-	1	-	4	3

Georgia

All races, both sexes.....	923	-	3	37	65	70	69	92	93	120
Male.....	730	-	3	30	55	56	58	76	72	94
Female.....	193	-	-	7	10	14	11	16	21	26
White, both sexes.....	770	-	2	23	46	51	50	76	81	102
Male.....	596	-	2	18	37	39	41	60	63	79
Female.....	174	-	-	5	9	12	9	16	18	23
Black, both sexes.....	132	-	1	13	18	19	18	14	9	13
Male.....	120	-	1	12	17	17	16	14	7	12
Female.....	12	-	-	1	1	2	2	-	2	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	-	-	1	1	-	1	2	3	5
Male.....	14	-	-	-	1	-	1	2	2	3
Female.....	7	-	-	1	-	-	-	-	1	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)

Illinois

All races, both sexes.....	1,010	-	4	49	82	76	81	108	105	124
Male.....	810	-	4	40	71	63	70	90	80	95
Female.....	200	-	-	9	11	13	11	18	25	29
White, both sexes.....	897	-	2	43	68	62	69	93	93	113
Male.....	720	-	2	35	59	50	59	76	71	88
Female.....	177	-	-	8	9	12	10	17	22	25
Black, both sexes.....	93	-	2	6	13	13	9	14	8	8
Male.....	78	-	2	5	12	12	9	13	7	6
Female.....	15	-	-	1	1	1	-	1	1	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	-	-	-	1	1	2	1	4	3
Male.....	10	-	-	-	-	1	1	1	2	1
Female.....	8	-	-	-	1	-	1	-	2	2

Indiana

All races, both sexes.....	824	-	6	35	57	78	61	83	90	128
Male.....	674	-	5	31	51	68	50	63	68	101
Female.....	150	-	1	4	6	10	11	20	22	27
White, both sexes.....	788	-	4	33	55	71	55	80	89	124
Male.....	645	-	3	30	49	62	46	60	68	99
Female.....	143	-	1	3	6	9	9	20	21	25
Black, both sexes.....	33	-	2	1	2	6	6	3	1	3
Male.....	28	-	2	1	2	5	4	3	-	2
Female.....	5	-	-	-	-	1	2	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	1	-	1	-	-	-	1
Male.....	1	-	-	-	-	1	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)

Maine

All races, both sexes.....	158	-	-	4	10	11	6	14	19	14
Male.....	126	-	-	2	8	8	5	12	12	13
Female.....	32	-	-	2	2	3	1	2	7	1
White, both sexes.....	155	-	-	4	10	11	5	14	18	14
Male.....	124	-	-	2	8	8	4	12	12	13
Female.....	31	-	-	2	2	3	1	2	6	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	495	-	5	17	54	43	41	37	49	51
Male.....	398	-	4	12	47	40	34	29	30	40
Female.....	97	-	1	5	7	3	7	8	19	11
White, both sexes.....	392	-	1	12	40	30	30	32	37	45
Male.....	311	-	1	7	36	27	26	24	21	35
Female.....	81	-	-	5	4	3	4	8	16	10
Black, both sexes.....	82	-	4	4	10	12	8	5	10	5
Male.....	74	-	3	4	9	12	7	5	7	4
Female.....	8	-	1	-	1	-	1	-	3	1
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	-	-	1	3	1	3	-	2	1
Male.....	12	-	-	1	1	1	1	-	2	1
Female.....	8	-	-	-	2	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)

Massachusetts

All races, both sexes.....	450	-	2	13	31	32	33	41	57	65
Male.....	321	-	2	10	25	23	20	31	47	46
Female.....	129	-	-	3	6	9	13	10	10	19
White, both sexes.....	418	-	2	13	30	24	30	39	52	61
Male.....	301	-	2	10	24	18	18	30	42	44
Female.....	117	-	-	3	6	6	12	9	10	17
Black, both sexes.....	18	-	-	-	-	3	2	2	4	2
Male.....	13	-	-	-	-	2	2	1	4	1
Female.....	5	-	-	-	-	1	-	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	-	1	5	1	-	1	2
Male.....	7	-	-	-	1	3	-	-	1	1
Female.....	7	-	-	-	-	2	1	-	-	1

Michigan

All races, both sexes.....	1,139	-	8	61	55	93	65	130	131	149
Male.....	930	-	5	53	46	79	55	108	97	119
Female.....	209	-	3	8	9	14	10	22	34	30
White, both sexes.....	1,016	-	8	54	41	81	53	118	110	135
Male.....	827	-	5	47	35	68	45	99	81	107
Female.....	189	-	3	7	6	13	8	19	29	28
Black, both sexes.....	93	-	-	6	11	11	8	8	16	8
Male.....	85	-	-	6	10	11	8	6	13	8
Female.....	8	-	-	-	1	-	-	2	3	-
American Indian 1/, both sexes.....	10	-	-	1	1	-	-	-	5	2
Male.....	5	-	-	-	-	-	-	-	3	1
Female.....	5	-	-	1	1	-	-	-	2	1
Asian or Pacific Islander 2/, both sexes.....	20	-	-	-	2	1	4	4	-	4
Male.....	13	-	-	-	1	-	2	3	-	3
Female.....	7	-	-	-	1	1	2	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)

Missouri

All races, both sexes.....	799	-	7	35	69	62	61	68	90	101
Male.....	630	-	4	29	54	51	53	52	67	67
Female.....	169	-	3	6	15	11	8	16	23	34
White, both sexes.....	747	-	5	32	60	57	54	61	88	96
Male.....	586	-	2	26	49	46	46	46	65	63
Female.....	161	-	3	6	11	11	8	15	23	33
Black, both sexes.....	43	-	2	2	9	3	6	5	1	5
Male.....	37	-	2	2	5	3	6	5	1	4
Female.....	6	-	-	-	4	-	-	-	-	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	2	-	-
Male.....	1	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	1	-	2	1	-	1	-
Male.....	6	-	-	1	-	2	1	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-

Montana

All races, both sexes.....	189	-	2	9	19	15	15	17	18	12
Male.....	164	-	1	7	17	14	14	14	13	10
Female.....	25	-	1	2	2	1	1	3	5	2
White, both sexes.....	172	-	1	8	18	13	12	14	17	10
Male.....	152	-	1	6	16	13	12	12	12	8
Female.....	20	-	-	2	2	-	-	2	5	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	15	-	1	1	1	1	3	2	1	2
Male.....	11	-	-	1	1	-	2	2	1	2
Female.....	4	-	1	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	1	-	-
Male.....	1	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)

Nebraska

All races, both sexes.....	202	-	4	21	21	9	11	16	16	25
Male.....	169	-	4	20	16	8	11	12	11	19
Female.....	33	-	-	1	5	1	-	4	5	6
White, both sexes.....	197	-	4	18	20	9	11	16	16	25
Male.....	165	-	4	18	15	8	11	12	11	19
Female.....	32	-	-	-	5	1	-	4	5	6
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	-	-	2	1	-	-	-	-	-
Male.....	4	-	-	2	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-

Nevada

All races, both sexes.....	486	-	4	22	38	37	28	45	43	48
Male.....	378	-	3	19	30	30	21	32	30	37
Female.....	108	-	1	3	8	7	7	13	13	11
White, both sexes.....	445	-	4	20	32	33	25	42	36	44
Male.....	345	-	3	17	26	27	19	29	24	34
Female.....	100	-	1	3	6	6	6	13	12	10
Black, both sexes.....	21	-	-	-	4	-	3	2	5	1
Male.....	18	-	-	-	2	-	2	2	5	1
Female.....	3	-	-	-	2	-	1	-	-	-
American Indian 1/, both sexes.....	5	-	-	1	-	2	-	-	-	2
Male.....	4	-	-	1	-	2	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	15	-	-	1	2	2	-	1	2	1
Male.....	11	-	-	1	2	1	-	1	1	1
Female.....	4	-	-	-	-	1	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)

New Hampshire

All races, both sexes.....	151	-	1	1	10	16	9	11	24	17
Male.....	111	-	-	1	8	12	7	8	19	8
Female.....	40	-	1	-	2	4	2	3	5	9
White, both sexes.....	151	-	1	1	10	16	9	11	24	17
Male.....	111	-	-	1	8	12	7	8	19	8
Female.....	40	-	1	-	2	4	2	3	5	9
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	585	-	4	22	39	40	35	57	76	55
Male.....	470	-	1	18	32	33	28	49	66	44
Female.....	115	-	3	4	7	7	7	8	10	11
White, both sexes.....	513	-	3	17	27	34	26	49	69	51
Male.....	419	-	1	14	22	27	22	43	60	43
Female.....	94	-	2	3	5	7	4	6	9	8
Black, both sexes.....	49	-	1	3	10	6	6	6	4	3
Male.....	38	-	-	2	9	6	6	5	3	1
Female.....	11	-	1	1	1	-	-	1	1	2
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	-	-	2	1	-	3	2	3	1
Male.....	12	-	-	2	-	-	-	1	3	-
Female.....	10	-	-	-	1	-	3	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)

New Mexico

All races, both sexes.....	352	-	3	30	35	32	31	26	30	43
Male.....	285	-	1	26	30	24	25	23	24	30
Female.....	67	-	2	4	5	8	6	3	6	13
White, both sexes.....	314	-	3	20	28	28	26	24	29	40
Male.....	254	-	1	19	24	21	21	21	23	28
Female.....	60	-	2	1	4	7	5	3	6	12
Black, both sexes.....	6	-	-	1	1	1	-	-	-	1
Male.....	6	-	-	1	1	1	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	30	-	-	9	5	3	5	2	1	1
Male.....	24	-	-	6	4	2	4	2	1	1
Female.....	6	-	-	3	1	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	-	-	1
Male.....	1	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1

New York

All races, both sexes.....	1,326	-	8	51	93	97	111	107	149	154
Male.....	1,073	-	7	41	83	85	92	90	123	124
Female.....	253	-	1	10	10	12	19	17	26	30
White, both sexes.....	1,149	-	3	47	74	85	90	90	131	135
Male.....	936	-	3	38	67	76	77	76	110	109
Female.....	213	-	-	9	7	9	13	14	21	26
Black, both sexes.....	109	-	5	1	10	7	14	16	13	12
Male.....	88	-	4	1	9	7	10	14	10	10
Female.....	21	-	1	-	1	-	4	2	3	2
American Indian 1/, both sexes.....	5	-	-	-	1	-	-	-	1	1
Male.....	5	-	-	-	1	-	-	-	1	1
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	63	-	-	3	8	5	7	1	4	6
Male.....	44	-	-	2	6	2	5	-	2	4
Female.....	19	-	-	1	2	3	2	1	2	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)

Oregon

All races, both sexes.....	579	-	2	20	52	45	31	55	54	67
Male.....	442	-	2	14	44	38	29	41	36	44
Female.....	137	-	-	6	8	7	2	14	18	23
White, both sexes.....	552	-	2	18	49	43	27	48	54	64
Male.....	424	-	2	13	43	37	25	36	36	43
Female.....	128	-	-	5	6	6	2	12	18	21
Black, both sexes.....	8	-	-	2	-	1	-	2	-	1
Male.....	5	-	-	1	-	-	-	1	-	1
Female.....	3	-	-	1	-	1	-	1	-	-
American Indian 1/, both sexes.....	10	-	-	-	2	1	1	5	-	-
Male.....	7	-	-	-	-	1	1	4	-	-
Female.....	3	-	-	-	2	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	1	-	3	-	-	2
Male.....	6	-	-	-	1	-	3	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	2

Pennsylvania

All races, both sexes.....	1,396	-	9	53	123	94	100	133	152	169
Male.....	1,153	-	7	42	104	79	77	106	115	139
Female.....	243	-	2	11	19	15	23	27	37	30
White, both sexes.....	1,298	-	9	49	103	82	95	118	139	157
Male.....	1,070	-	7	39	85	69	73	95	103	129
Female.....	228	-	2	10	18	13	22	23	36	28
Black, both sexes.....	83	-	-	3	16	10	4	13	12	10
Male.....	73	-	-	2	15	8	4	10	12	9
Female.....	10	-	-	1	1	2	-	3	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	1	4	2	1	1	1	2
Male.....	10	-	-	1	4	2	-	1	-	1
Female.....	4	-	-	-	-	-	1	-	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)

Vermont

All races, both sexes.....	81	-	1	2	2	2	5	9	9	13
Male.....	61	-	1	2	1	1	4	8	7	8
Female.....	20	-	-	-	1	1	1	1	2	5
White, both sexes.....	79	-	1	2	2	1	5	9	9	13
Male.....	59	-	1	2	1	-	4	8	7	8
Female.....	20	-	-	-	1	1	1	1	2	5
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	1	-	-	-	-
Male.....	2	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	876	-	5	33	71	63	54	78	92	110
Male.....	670	-	5	27	61	54	34	60	65	82
Female.....	206	-	-	6	10	9	20	18	27	28
White, both sexes.....	770	-	3	23	54	53	47	65	81	99
Male.....	578	-	3	19	47	45	27	49	55	72
Female.....	192	-	-	4	7	8	20	16	26	27
Black, both sexes.....	90	-	2	9	16	9	4	11	8	10
Male.....	79	-	2	7	13	9	4	10	7	9
Female.....	11	-	-	2	3	-	-	1	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	-	-	1	1	1	3	2	3	1
Male.....	13	-	-	1	1	-	3	1	3	1
Female.....	3	-	-	-	-	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)

Arkansas

All races, both sexes.....	36	27	25	19	13	17	10	8	2	-	-	-
Male.....	28	21	19	16	11	16	9	8	2	-	-	-
Female.....	8	6	6	3	2	1	1	-	-	-	-	-
White, both sexes.....	35	23	25	19	13	17	10	8	2	-	-	-
Male.....	28	17	19	16	11	16	9	8	2	-	-	-
Female.....	7	6	6	3	2	1	1	-	-	-	-	-
Black, both sexes.....	1	4	-	-	-	-	-	-	-	-	-	-
Male.....	-	4	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	362	276	204	140	93	132	125	80	41	5	2	2
Male.....	271	205	151	107	75	108	95	65	36	4	2	2
Female.....	91	71	53	33	18	24	30	15	5	1	-	-
White, both sexes.....	333	252	187	126	83	123	115	75	40	5	2	-
Male.....	246	186	142	95	72	103	90	62	35	4	2	-
Female.....	87	66	45	31	11	20	25	13	5	1	-	-
Black, both sexes.....	13	5	4	2	1	1	3	1	-	-	-	-
Male.....	11	5	2	2	1	1	3	1	-	-	-	-
Female.....	2	-	2	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	18	12	12	9	8	7	4	1	-	-	2
Male.....	14	13	6	10	2	4	2	2	1	-	-	2
Female.....	2	5	6	2	7	4	5	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)

Delaware												
All races, both sexes.....	2	7	8	2	3	3	3	2	-	-	-	-
Male.....	2	6	4	1	3	3	3	-	-	-	-	-
Female.....	-	1	4	1	-	-	-	2	-	-	-	-
White, both sexes.....	2	6	8	2	3	3	3	2	-	-	-	-
Male.....	2	5	4	1	3	3	3	-	-	-	-	-
Female.....	-	1	4	1	-	-	-	2	-	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Dist. of Columbia												
All races, both sexes.....	4	1	2	1	3	2	1	-	-	-	-	-
Male.....	2	1	2	-	1	2	1	-	-	-	-	-
Female.....	2	-	-	1	2	-	-	-	-	-	-	-
White, both sexes.....	3	-	1	1	-	1	-	-	-	-	-	-
Male.....	1	-	1	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	1	1	1	-	1	1	1	-	-	-	-	-
Male.....	1	1	1	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)

Maine

All races, both sexes.....	25	20	13	5	5	6	3	3	-	-	-	-
Male.....	20	17	9	3	5	6	3	3	-	-	-	-
Female.....	5	3	4	2	-	-	-	-	-	-	-	-
White, both sexes.....	25	19	13	5	5	6	3	3	-	-	-	-
Male.....	20	16	9	3	5	6	3	3	-	-	-	-
Female.....	5	3	4	2	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	51	44	28	11	28	15	9	9	3	-	-	-
Male.....	37	35	23	9	25	14	8	8	3	-	-	-
Female.....	14	9	5	2	3	1	1	1	-	-	-	-
White, both sexes.....	44	37	23	10	22	11	8	7	3	-	-	-
Male.....	32	29	18	8	20	11	7	6	3	-	-	-
Female.....	12	8	5	2	2	-	1	1	-	-	-	-
Black, both sexes.....	6	6	3	-	4	3	-	2	-	-	-	-
Male.....	5	6	3	-	4	3	-	2	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	1	2	1	1	-	-	-	-	-
Male.....	-	-	2	1	1	-	1	-	-	-	-	-
Female.....	1	1	-	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)

New Mexico

All races, both sexes.....	29	19	25	8	14	7	9	9	2	-	-	-
Male.....	22	14	20	7	13	7	8	9	2	-	-	-
Female.....	7	5	5	1	1	-	1	-	-	-	-	-
White, both sexes.....	27	19	24	7	13	7	9	8	2	-	-	-
Male.....	20	14	19	6	12	7	8	8	2	-	-	-
Female.....	7	5	5	1	1	-	1	-	-	-	-	-
Black, both sexes.....	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	1	1	-	-	-	-	-	-	-
Male.....	2	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	154	126	68	50	45	45	42	20	4	2	-	-
Male.....	114	96	53	41	37	37	29	17	3	1	-	-
Female.....	40	30	15	9	8	8	13	3	1	1	-	-
White, both sexes.....	128	115	62	43	42	41	39	18	4	2	-	-
Male.....	97	86	48	34	34	33	28	16	3	1	-	-
Female.....	31	29	14	9	8	8	11	2	1	1	-	-
Black, both sexes.....	15	6	2	2	3	1	1	1	-	-	-	-
Male.....	8	5	2	2	3	1	1	1	-	-	-	-
Female.....	7	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	4	4	5	-	3	2	1	-	-	-	-
Male.....	8	4	3	5	-	3	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)

South Dakota

All races, both sexes.....	15	6	5	4	7	-	2	-	1	-	-	-
Male.....	13	5	4	3	6	-	2	-	1	-	-	-
Female.....	2	1	1	1	1	-	-	-	-	-	-	-
White, both sexes.....	15	6	5	4	7	-	2	-	1	-	-	-
Male.....	13	5	4	3	6	-	2	-	1	-	-	-
Female.....	2	1	1	1	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	94	68	48	39	31	18	25	12	4	-	-	-
Male.....	69	52	30	30	27	17	21	12	4	-	-	-
Female.....	25	16	18	9	4	1	4	-	-	-	-	-
White, both sexes.....	89	66	47	36	29	17	25	11	4	-	-	-
Male.....	65	51	29	27	26	17	21	11	4	-	-	-
Female.....	24	15	18	9	3	-	4	-	-	-	-	-
Black, both sexes.....	4	2	1	3	2	-	-	1	-	-	-	-
Male.....	3	1	1	3	1	-	-	1	-	-	-	-
Female.....	1	1	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)

Arkansas

All races, both sexes.....	38	-	-	-	1	4	7	7	3	2
Male.....	17	-	-	-	1	3	3	4	2	1
Female.....	21	-	-	-	-	1	4	3	1	1
White, both sexes.....	35	-	-	-	-	4	7	6	3	2
Male.....	15	-	-	-	-	3	3	3	2	1
Female.....	20	-	-	-	-	1	4	3	1	1
Black, both sexes.....	2	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	565	-	2	6	19	33	37	42	64	81
Male.....	264	-	1	1	15	17	19	24	25	32
Female.....	301	-	1	5	4	16	18	18	39	49
White, both sexes.....	508	-	-	6	17	27	30	36	55	76
Male.....	235	-	-	1	13	15	14	21	22	30
Female.....	273	-	-	5	4	12	16	15	33	46
Black, both sexes.....	21	-	2	-	1	2	2	2	3	3
Male.....	11	-	1	-	1	1	2	2	-	1
Female.....	10	-	1	-	-	1	-	-	3	2
American Indian 1/, both sexes.....	4	-	-	-	-	1	1	1	-	-
Male.....	3	-	-	-	-	1	1	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	32	-	-	-	1	3	4	3	6	2
Male.....	15	-	-	-	1	-	2	1	3	1
Female.....	17	-	-	-	-	3	2	2	3	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)

Maine

All races, both sexes.....	26	-	-	-	-	1	-	1	7	1
Male.....	15	-	-	-	-	-	-	1	5	-
Female.....	11	-	-	-	-	1	-	-	2	1
White, both sexes.....	26	-	-	-	-	1	-	1	7	1
Male.....	15	-	-	-	-	-	-	1	5	-
Female.....	11	-	-	-	-	1	-	-	2	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	54	-	1	-	2	3	10	2	11	5
Male.....	19	-	1	-	2	1	8	1	-	-
Female.....	35	-	-	-	-	2	2	1	11	5
White, both sexes.....	50	-	1	-	2	3	8	2	10	5
Male.....	17	-	1	-	2	1	7	1	-	-
Female.....	33	-	-	-	-	2	1	1	10	5
Black, both sexes.....	3	-	-	-	-	-	1	-	1	-
Male.....	2	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)

New Hampshire

All races, both sexes.....	22	-	-	-	-	2	1	1	5	3
Male.....	10	-	-	-	-	1	1	1	2	-
Female.....	12	-	-	-	-	1	-	-	3	3
White, both sexes.....	22	-	-	-	-	2	1	1	5	3
Male.....	10	-	-	-	-	1	1	1	2	-
Female.....	12	-	-	-	-	1	-	-	3	3
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	82	-	-	-	2	2	5	8	15	7
Male.....	42	-	-	-	1	1	3	4	11	3
Female.....	40	-	-	-	1	1	2	4	4	4
White, both sexes.....	76	-	-	-	2	2	3	7	15	6
Male.....	40	-	-	-	1	1	2	4	11	3
Female.....	36	-	-	-	1	1	1	3	4	3
Black, both sexes.....	5	-	-	-	-	-	1	1	-	1
Male.....	2	-	-	-	-	-	1	-	-	-
Female.....	3	-	-	-	-	-	-	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)

New Mexico

All races, both sexes.....	58	-	-	2	6	3	6	6	3	12
Male.....	30	-	-	2	4	1	3	4	1	8
Female.....	28	-	-	-	2	2	3	2	2	4
White, both sexes.....	52	-	-	-	6	2	5	5	3	11
Male.....	24	-	-	-	4	-	2	3	1	7
Female.....	28	-	-	-	2	2	3	2	2	4
Black, both sexes.....	1	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	-	-	2	-	1	1	1	-	-
Male.....	5	-	-	2	-	1	1	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	180	-	-	1	12	9	19	12	22	23
Male.....	97	-	-	-	5	4	10	7	17	14
Female.....	83	-	-	1	7	5	9	5	5	9
White, both sexes.....	158	-	-	1	9	8	14	9	19	19
Male.....	85	-	-	-	4	4	9	4	15	11
Female.....	73	-	-	1	5	4	5	5	4	8
Black, both sexes.....	13	-	-	-	1	-	3	3	1	3
Male.....	7	-	-	-	-	-	-	3	1	2
Female.....	6	-	-	-	1	-	3	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	2	1	2	-	2	-
Male.....	4	-	-	-	1	-	1	-	1	-
Female.....	4	-	-	-	1	1	1	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)

Arkansas

All races, both sexes.....	5	4	3	1	-	-	1	-	-	-	-	-
Male.....	1	1	-	1	-	-	-	-	-	-	-	-
Female.....	4	3	3	-	-	-	1	-	-	-	-	-
White, both sexes.....	4	4	3	1	-	-	1	-	-	-	-	-
Male.....	1	1	-	1	-	-	-	-	-	-	-	-
Female.....	3	3	3	-	-	-	1	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	101	67	39	19	12	16	16	8	2	1	-	-
Male.....	55	34	13	6	5	9	5	2	1	-	-	-
Female.....	46	33	26	13	7	7	11	6	1	1	-	-
White, both sexes.....	94	64	34	19	10	15	14	8	2	1	-	-
Male.....	49	31	12	6	4	9	5	2	1	-	-	-
Female.....	45	33	22	13	6	6	9	6	1	1	-	-
Black, both sexes.....	2	2	2	-	-	-	-	-	-	-	-	-
Male.....	1	2	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	2	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	2	-	2	1	2	-	-	-	-	-
Male.....	5	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	2	-	1	1	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)

Delaware

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	1	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors (X65-X66,X68-X69)

Arkansas

All races, both sexes.....	3	-	-	-	1	-	-	-	-	-
Male.....	3	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	31	-	-	-	1	-	4	2	9	3
Male.....	26	-	-	-	1	-	3	2	8	2
Female.....	5	-	-	-	-	-	1	-	1	1
White, both sexes.....	27	-	-	-	1	-	2	2	9	2
Male.....	23	-	-	-	1	-	2	2	8	1
Female.....	4	-	-	-	-	-	-	-	1	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	2	-	-	1
Male.....	3	-	-	-	-	-	1	-	-	1
Female.....	1	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-poisoning (suicide) by and exposure to other gases and vapors (X67)

Arkansas

All races, both sexes.....	7	-	-	-	1	-	1	-	-	1
Male.....	4	-	-	-	1	-	1	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	1
White, both sexes.....	7	-	-	-	1	-	1	-	-	1
Male.....	4	-	-	-	1	-	1	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	103	-	-	1	8	9	6	7	9	12
Male.....	80	-	-	1	6	8	2	5	8	7
Female.....	23	-	-	-	2	1	4	2	1	5
White, both sexes.....	88	-	-	1	3	6	4	6	6	12
Male.....	68	-	-	1	3	5	1	4	5	7
Female.....	20	-	-	-	-	1	3	2	1	5
Black, both sexes.....	6	-	-	-	1	1	1	1	2	-
Male.....	5	-	-	-	-	1	1	1	2	-
Female.....	1	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	4	2	1	-	1	-
Male.....	6	-	-	-	3	2	-	-	1	-
Female.....	2	-	-	-	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-poisoning (suicide) by and exposure to other gases and vapors (X67)

New Mexico

All races, both sexes.....	7	-	-	-	1	1	2	-	1	1
Male.....	5	-	-	-	-	1	2	-	1	-
Female.....	2	-	-	-	1	-	-	-	-	1
White, both sexes.....	7	-	-	-	1	1	2	-	1	1
Male.....	5	-	-	-	-	1	2	-	1	-
Female.....	2	-	-	-	1	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	46	-	-	1	5	1	2	1	6	9
Male.....	38	-	-	1	4	1	2	1	5	7
Female.....	8	-	-	-	1	-	-	-	1	2
White, both sexes.....	41	-	-	1	2	1	2	1	6	8
Male.....	34	-	-	1	2	1	2	1	5	6
Female.....	7	-	-	-	-	-	-	-	1	2
Black, both sexes.....	1	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	3	-	-	-	-	-
Male.....	3	-	-	-	2	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)

Alaska												
All races, both sexes.....	35	-	2	4	14	3	-	4	3	3
Male.....	27	-	1	4	11	2	-	2	3	2
Female.....	8	-	1	-	3	1	-	2	-	1
White, both sexes.....	12	-	-	1	3	-	-	2	1	3
Male.....	9	-	-	1	2	-	-	1	1	2
Female.....	3	-	-	-	1	-	-	1	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	22	-	2	3	10	3	-	2	2	-
Male.....	17	-	1	3	8	2	-	1	2	-
Female.....	5	-	1	-	2	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	190	1	3	29	26	24	17	23	19	15
Male.....	157	-	1	20	21	22	12	22	18	14
Female.....	33	1	2	9	5	2	5	1	1	1
White, both sexes.....	146	1	-	20	18	19	13	18	15	12
Male.....	123	-	-	15	13	18	9	18	14	11
Female.....	23	1	-	5	5	1	4	-	1	1
Black, both sexes.....	2	-	-	-	1	-	1	-	-	-
Male.....	2	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	34	-	3	9	6	5	2	3	2	3
Male.....	27	-	1	5	6	4	2	3	2	3
Female.....	7	-	2	4	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	1	-	1	2	2	-
Male.....	5	-	-	-	1	-	-	1	2	-
Female.....	3	-	-	-	-	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)

Arkansas

All races, both sexes.....	57	-	3	6	6	10	6	6	6	2
Male.....	49	-	1	4	5	10	6	6	5	2
Female.....	8	-	2	2	1	-	-	-	1	-
White, both sexes.....	51	-	3	6	4	9	6	4	6	2
Male.....	43	-	1	4	3	9	6	4	5	2
Female.....	8	-	2	2	1	-	-	-	1	-
Black, both sexes.....	5	-	-	-	2	-	-	2	-	-
Male.....	5	-	-	-	2	-	-	2	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	875	1	8	75	86	79	80	109	98	99
Male.....	700	1	5	49	72	67	74	86	86	84
Female.....	175	-	3	26	14	12	6	23	12	15
White, both sexes.....	729	1	7	58	72	65	64	97	89	81
Male.....	596	1	5	36	61	55	60	78	77	72
Female.....	133	-	2	22	11	10	4	19	12	9
Black, both sexes.....	30	-	1	6	2	1	6	3	2	5
Male.....	24	-	-	5	2	1	5	2	2	3
Female.....	6	-	1	1	-	-	1	1	-	2
American Indian 1/, both sexes.....	3	-	-	1	2	-	-	-	-	-
Male.....	2	-	-	-	2	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	113	-	-	10	10	13	10	9	7	13
Male.....	78	-	-	8	7	11	9	6	7	9
Female.....	35	-	-	2	3	2	1	3	-	4

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)

Colorado

All races, both sexes.....	171	-	3	16	26	17	24	18	25	18
Male.....	138	-	3	8	22	12	20	13	24	16
Female.....	33	-	-	8	4	5	4	5	1	2
White, both sexes.....	157	-	3	13	26	16	21	16	22	17
Male.....	126	-	3	5	22	11	18	11	22	15
Female.....	31	-	-	8	4	5	3	5	-	2
Black, both sexes.....	8	-	-	2	-	1	-	2	1	1
Male.....	8	-	-	2	-	1	-	2	1	1
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	1	-	-	2	-	2	-
Male.....	3	-	-	1	-	-	1	-	1	-
Female.....	2	-	-	-	-	-	1	-	1	-

Connecticut

All races, both sexes.....	113	-	2	11	11	11	10	12	7	10
Male.....	95	-	2	10	10	8	9	12	6	10
Female.....	18	-	-	1	1	3	1	-	1	-
White, both sexes.....	102	-	1	9	9	11	9	9	7	10
Male.....	86	-	1	8	9	8	8	9	6	10
Female.....	16	-	-	1	-	3	1	-	1	-
Black, both sexes.....	7	-	1	1	-	-	1	2	-	-
Male.....	6	-	1	1	-	-	1	2	-	-
Female.....	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	1	2	-	-	1	-	-
Male.....	3	-	-	1	1	-	-	1	-	-
Female.....	1	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)

Illinois

All races, both sexes.....	303	-	2	25	35	29	32	37	32	35
Male.....	259	-	2	20	30	24	28	34	30	31
Female.....	44	-	-	5	5	5	4	3	2	4
White, both sexes.....	271	-	-	23	30	24	27	33	28	34
Male.....	232	-	-	18	27	19	24	30	26	31
Female.....	39	-	-	5	3	5	3	3	2	3
Black, both sexes.....	24	-	2	2	4	4	4	4	2	-
Male.....	22	-	2	2	3	4	4	4	2	-
Female.....	2	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	1	1	1	-	2	1
Male.....	5	-	-	-	-	1	-	-	2	-
Female.....	3	-	-	-	1	-	1	-	-	1

Indiana

All races, both sexes.....	183	-	5	12	14	33	23	25	24	18
Male.....	159	-	5	10	12	28	20	23	19	17
Female.....	24	-	-	2	2	5	3	2	5	1
White, both sexes.....	175	-	3	11	13	32	22	23	24	18
Male.....	153	-	3	10	11	28	19	21	19	17
Female.....	22	-	-	1	2	4	3	2	5	1
Black, both sexes.....	7	-	2	-	1	1	1	2	-	-
Male.....	6	-	2	-	1	-	1	2	-	-
Female.....	1	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)

Maine

All races, both sexes.....	35	-	-	-	5	5	4	6	3	4
Male.....	27	-	-	-	4	4	3	5	2	4
Female.....	8	-	-	-	1	1	1	1	1	-
White, both sexes.....	32	-	-	-	5	5	3	6	2	4
Male.....	25	-	-	-	4	4	2	5	2	4
Female.....	7	-	-	-	1	1	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	127	-	3	6	22	17	10	12	12	18
Male.....	101	-	2	3	17	17	7	10	12	16
Female.....	26	-	1	3	5	-	3	2	-	2
White, both sexes.....	90	-	-	5	16	10	6	10	7	15
Male.....	72	-	-	2	13	10	5	8	7	13
Female.....	18	-	-	3	3	-	1	2	-	2
Black, both sexes.....	26	-	3	1	5	6	3	2	3	2
Male.....	23	-	2	1	4	6	2	2	3	2
Female.....	3	-	1	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	-	1	1	1	-	2	1
Male.....	6	-	-	-	-	1	-	-	2	1
Female.....	5	-	-	-	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)

Massachusetts

All races, both sexes.....	170	-	2	7	17	16	13	18	27	21
Male.....	137	-	2	5	15	12	9	15	23	19
Female.....	33	-	-	2	2	4	4	3	4	2
White, both sexes.....	156	-	2	7	16	12	12	17	25	20
Male.....	127	-	2	5	14	9	8	14	21	18
Female.....	29	-	-	2	2	3	4	3	4	2
Black, both sexes.....	5	-	-	-	-	1	1	1	2	-
Male.....	5	-	-	-	-	1	1	1	2	-
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	1	3	-	-	-	1
Male.....	5	-	-	-	1	2	-	-	-	1
Female.....	4	-	-	-	-	1	-	-	-	-

Michigan

All races, both sexes.....	237	-	5	25	13	30	20	30	29	33
Male.....	200	-	2	23	10	28	18	25	24	28
Female.....	37	-	3	2	3	2	2	5	5	5
White, both sexes.....	204	-	5	20	10	26	19	26	25	28
Male.....	173	-	2	19	9	25	17	22	20	24
Female.....	31	-	3	1	1	1	2	4	5	4
Black, both sexes.....	22	-	-	4	1	3	1	3	3	2
Male.....	21	-	-	4	-	3	1	3	3	2
Female.....	1	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	4	-	-	1	-	-	-	-	1	1
Male.....	3	-	-	-	-	-	-	-	1	1
Female.....	1	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	2	1	-	1	-	2
Male.....	3	-	-	-	1	-	-	-	-	1
Female.....	4	-	-	-	1	1	-	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)

New Hampshire

All races, both sexes.....	39	-	1	-	3	5	3	4	5	3
Male.....	25	-	-	-	3	4	2	2	4	-
Female.....	14	-	1	-	-	1	1	2	1	3
White, both sexes.....	39	-	1	-	3	5	3	4	5	3
Male.....	25	-	-	-	3	4	2	2	4	-
Female.....	14	-	1	-	-	1	1	2	1	3
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	210	-	3	17	16	18	19	22	32	15
Male.....	176	-	1	13	13	16	15	22	29	11
Female.....	34	-	2	4	3	2	4	-	3	4
White, both sexes.....	186	-	2	15	16	15	14	21	28	14
Male.....	158	-	1	12	13	13	11	21	25	11
Female.....	28	-	1	3	3	2	3	-	3	3
Black, both sexes.....	14	-	1	1	-	3	4	1	2	-
Male.....	12	-	-	-	-	3	4	1	2	-
Female.....	2	-	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	1	-	-	1	-	2	1
Male.....	6	-	-	1	-	-	-	-	2	-
Female.....	4	-	-	-	-	-	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)

New Mexico

All races, both sexes.....	72	-	1	12	7	12	12	7	7	5
Male.....	57	-	-	8	6	8	11	6	6	4
Female.....	15	-	1	4	1	4	1	1	1	1
White, both sexes.....	55	-	1	6	3	10	10	6	6	4
Male.....	47	-	-	5	3	7	10	5	5	4
Female.....	8	-	1	1	-	3	-	1	1	-
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	15	-	-	6	4	1	2	1	1	-
Male.....	9	-	-	3	3	-	1	1	1	-
Female.....	6	-	-	3	1	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1

New York

All races, both sexes.....	440	-	5	26	41	30	40	42	54	56
Male.....	365	-	5	21	39	26	35	36	44	47
Female.....	75	-	-	5	2	4	5	6	10	9
White, both sexes.....	375	-	2	26	34	26	35	38	48	46
Male.....	314	-	2	21	32	24	31	32	40	39
Female.....	61	-	-	5	2	2	4	6	8	7
Black, both sexes.....	33	-	3	-	5	-	2	4	5	4
Male.....	30	-	3	-	5	-	2	4	3	4
Female.....	3	-	-	-	-	-	-	-	2	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	31	-	-	-	1	4	3	-	1	6
Male.....	20	-	-	-	1	2	2	-	1	4
Female.....	11	-	-	-	-	2	1	-	-	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)

Vermont

All races, both sexes.....	17	-	1	-	2	-	2	6	1	3
Male.....	14	-	1	-	1	-	2	5	1	2
Female.....	3	-	-	-	1	-	-	1	-	1
White, both sexes.....	17	-	1	-	2	-	2	6	1	3
Male.....	14	-	1	-	1	-	2	5	1	2
Female.....	3	-	-	-	1	-	-	1	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	150	-	2	11	14	17	15	21	16	22
Male.....	115	-	2	10	11	13	9	16	13	18
Female.....	35	-	-	1	3	4	6	5	3	4
White, both sexes.....	131	-	1	7	12	16	15	16	14	21
Male.....	100	-	1	7	9	13	9	12	11	17
Female.....	31	-	-	-	3	3	6	4	3	4
Black, both sexes.....	13	-	1	4	2	-	-	4	1	-
Male.....	12	-	1	3	2	-	-	4	1	-
Female.....	1	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	1	-	1	1	1
Male.....	3	-	-	-	-	-	-	-	1	1
Female.....	3	-	-	-	-	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)

Arkansas

All races, both sexes.....	1	5	1	1	-	1	-	1	2	-	-	-
Male.....	1	4	1	-	-	1	-	1	2	-	-	-
Female.....	-	1	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	1	4	1	1	-	1	-	1	2	-	-	-
Male.....	1	3	1	-	-	1	-	1	2	-	-	-
Female.....	-	1	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	64	41	35	27	20	17	12	14	8	-	1	1
Male.....	51	31	28	21	15	9	6	8	5	-	1	1
Female.....	13	10	7	6	5	8	6	6	3	-	-	-
White, both sexes.....	57	35	29	22	15	11	7	11	7	-	1	-
Male.....	45	27	26	17	14	6	4	7	4	-	1	-
Female.....	12	8	3	5	1	5	3	4	3	-	-	-
Black, both sexes.....	2	1	-	-	-	1	-	-	-	-	-	-
Male.....	2	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	5	6	5	5	5	5	3	1	-	-	1
Male.....	4	3	2	4	1	2	2	1	1	-	-	1
Female.....	1	2	4	1	4	3	3	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)

Delaware

All races, both sexes.....	-	1	3	1	-	-	-	1	-	-	-	-
Male.....	-	1	2	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	1	-	-	-	-
White, both sexes.....	-	1	3	1	-	-	-	1	-	-	-	-
Male.....	-	1	2	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	1	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)

Maine

All races, both sexes.....	1	4	1	1	-	-	-	1	-	-	-	-
Male.....	-	3	1	-	-	-	-	1	-	-	-	-
Female.....	1	1	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	1	3	1	1	-	-	-	1	-	-	-	-
Male.....	-	2	1	-	-	-	-	1	-	-	-	-
Female.....	1	1	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	10	3	3	1	4	2	2	2	-	-	-	-
Male.....	7	1	3	-	1	2	2	1	-	-	-	-
Female.....	3	2	-	1	3	-	-	1	-	-	-	-
White, both sexes.....	9	1	2	1	3	2	1	2	-	-	-	-
Male.....	7	-	2	-	1	2	1	1	-	-	-	-
Female.....	2	1	-	1	2	-	-	1	-	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	-	1	-	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	1	1	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)

New Mexico

All races, both sexes.....	5	1	1	-	1	-	1	-	-	-	-	-
Male.....	4	1	1	-	1	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	5	1	1	-	1	-	1	-	-	-	-	-
Male.....	4	1	1	-	1	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	40	32	15	7	14	13	18	5	2	-	-	-
Male.....	34	26	9	6	10	11	12	3	1	-	-	-
Female.....	6	6	6	1	4	2	6	2	1	-	-	-
White, both sexes.....	31	29	13	4	14	9	15	3	2	-	-	-
Male.....	28	23	8	3	10	7	11	2	1	-	-	-
Female.....	3	6	5	1	4	2	4	1	1	-	-	-
Black, both sexes.....	5	1	1	-	-	1	1	1	-	-	-	-
Male.....	4	1	1	-	-	1	1	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	2	1	3	-	3	2	1	-	-	-	-
Male.....	2	2	-	3	-	3	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) by discharge of firearms (X72-X74)

Arkansas

All races, both sexes.....	247	-	1	12	11	11	18	25	26	25
Male.....	224	-	1	12	10	11	17	21	22	21
Female.....	23	-	-	-	1	-	1	4	4	4
White, both sexes.....	233	-	1	9	10	9	17	24	26	22
Male.....	211	-	1	9	9	9	16	20	22	19
Female.....	22	-	-	-	1	-	1	4	4	3
Black, both sexes.....	13	-	-	2	1	2	1	1	-	3
Male.....	12	-	-	2	1	2	1	1	-	2
Female.....	1	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1,319	-	6	48	94	73	78	78	79	131
Male.....	1,172	-	6	46	85	64	71	66	72	109
Female.....	147	-	-	2	9	9	7	12	7	22
White, both sexes.....	1,201	-	6	40	70	58	69	69	69	121
Male.....	1,065	-	6	38	66	50	62	59	62	100
Female.....	136	-	-	2	4	8	7	10	7	21
Black, both sexes.....	53	-	-	4	7	7	5	6	5	3
Male.....	50	-	-	4	5	7	5	6	5	3
Female.....	3	-	-	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	5	-	-	1	1	-	1	-	1	1
Male.....	4	-	-	1	-	-	1	-	1	1
Female.....	1	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	60	-	-	3	16	8	3	3	4	6
Male.....	53	-	-	3	14	7	3	1	4	5
Female.....	7	-	-	-	2	1	-	2	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) by discharge of firearms (X72-X74)

Nebraska

All races, both sexes.....	105	-	-	8	13	2	6	8	6	13
Male.....	96	-	-	8	12	2	6	6	4	12
Female.....	9	-	-	-	1	-	-	2	2	1
White, both sexes.....	104	-	-	8	13	2	6	8	6	13
Male.....	95	-	-	8	12	2	6	6	4	12
Female.....	9	-	-	-	1	-	-	2	2	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	255	-	2	12	15	22	16	17	18	20
Male.....	222	-	2	11	11	17	14	15	16	17
Female.....	33	-	-	1	4	5	2	2	2	3
White, both sexes.....	238	-	2	11	13	20	14	16	15	18
Male.....	208	-	2	10	11	16	12	14	13	15
Female.....	30	-	-	1	2	4	2	2	2	3
Black, both sexes.....	11	-	-	-	2	-	2	1	2	1
Male.....	9	-	-	-	-	-	2	1	2	1
Female.....	2	-	-	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	1	-	1	-	-	-	1
Male.....	3	-	-	1	-	1	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	1	-	-	1	-
Male.....	2	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) by discharge of firearms (X72-X74)

Oregon												
All races, both sexes.....	307	-	1	12	23	27	15	21	19	29
Male.....	268	-	1	11	21	22	15	18	16	24
Female.....	39	-	-	1	2	5	-	3	3	5
White, both sexes.....	294	-	1	11	22	26	13	17	19	28
Male.....	258	-	1	10	21	22	13	15	16	23
Female.....	36	-	-	1	1	4	-	2	3	5
Black, both sexes.....	4	-	-	1	-	1	-	1	-	1
Male.....	3	-	-	1	-	-	-	1	-	1
Female.....	1	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	5	-	-	-	1	-	-	3	-	-
Male.....	3	-	-	-	-	-	-	2	-	-
Female.....	2	-	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	2	-	-	-
Male.....	4	-	-	-	-	-	2	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-

Pennsylvania												
All races, both sexes.....	734	-	4	26	64	44	44	55	70	85
Male.....	665	-	4	24	58	42	39	51	57	74
Female.....	69	-	-	2	6	2	5	4	13	11
White, both sexes.....	700	-	4	24	55	37	41	52	66	83
Male.....	634	-	4	22	49	36	37	48	53	73
Female.....	66	-	-	2	6	1	4	4	13	10
Black, both sexes.....	31	-	-	2	8	6	2	3	4	2
Male.....	29	-	-	2	8	5	2	3	4	1
Female.....	2	-	-	-	-	1	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	1	1	1	-	-	-
Male.....	2	-	-	-	1	1	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) by jumping from a high place (X80)

Arkansas

All races, both sexes.....	4	-	-	-	1	1	-	-	-	1
Male.....	2	-	-	-	-	1	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	1
White, both sexes.....	4	-	-	-	1	1	-	-	-	1
Male.....	2	-	-	-	-	1	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	137	-	-	7	21	13	15	15	12	16
Male.....	104	-	-	7	19	12	11	8	6	13
Female.....	33	-	-	-	2	1	4	7	6	3
White, both sexes.....	115	-	-	6	17	9	13	11	12	15
Male.....	86	-	-	6	17	8	9	5	6	12
Female.....	29	-	-	-	-	1	4	6	6	3
Black, both sexes.....	8	-	-	-	3	1	-	2	-	-
Male.....	6	-	-	-	1	1	-	2	-	-
Female.....	2	-	-	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	1	1	3	2	2	-	1
Male.....	12	-	-	1	1	3	2	1	-	1
Female.....	2	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) by jumping from a high place (X80)

Massachusetts

All races, both sexes.....	16	-	-	-	2	1	1	1	1	2
Male.....	10	-	-	-	1	1	-	-	-	2
Female.....	6	-	-	-	1	-	1	1	1	-
White, both sexes.....	13	-	-	-	2	1	-	-	1	2
Male.....	10	-	-	-	1	1	-	-	-	2
Female.....	3	-	-	-	1	-	-	-	1	-
Black, both sexes.....	2	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-

Michigan

All races, both sexes.....	11	-	-	2	3	1	1	2	-	-
Male.....	8	-	-	2	3	1	-	2	-	-
Female.....	3	-	-	-	-	-	1	-	-	-
White, both sexes.....	9	-	-	2	3	1	-	1	-	-
Male.....	7	-	-	2	3	1	-	1	-	-
Female.....	2	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	1	-	-
Male.....	1	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) by jumping from a high place (X80)

New Hampshire

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	27	-	1	-	4	1	2	2	3	4
Male.....	22	-	-	-	3	1	2	1	2	3
Female.....	5	-	1	-	1	-	-	1	1	1
White, both sexes.....	21	-	1	-	2	1	2	2	2	4
Male.....	17	-	-	-	2	1	2	1	1	3
Female.....	4	-	1	-	-	-	-	1	1	1
Black, both sexes.....	2	-	-	-	1	-	-	-	-	-
Male.....	2	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	1	-	-	-	1	-
Male.....	3	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) by jumping from a high place (X80)

New Mexico

All races, both sexes.....	2	-	-	-	1	1	-	-	-	-
Male.....	2	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	1	1	-	-	-	-
Male.....	2	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	104	-	1	3	8	15	5	5	9	8
Male.....	70	-	-	1	8	12	4	5	6	6
Female.....	34	-	1	2	-	3	1	-	3	2
White, both sexes.....	77	-	-	2	5	13	3	1	4	7
Male.....	48	-	-	1	5	10	2	1	2	5
Female.....	29	-	-	1	-	3	1	-	2	2
Black, both sexes.....	20	-	1	-	2	2	1	4	4	1
Male.....	16	-	-	-	2	2	1	4	3	1
Female.....	4	-	1	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	1	1	-	1	-	-	-
Male.....	5	-	-	-	1	-	1	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Intentional self-harm (suicide) by jumping from a high place (X80)

Arkansas

All races, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	11	10	7	3	1	4	1	-	1	-	-	-
Male.....	11	4	7	1	-	4	-	-	1	-	-	-
Female.....	-	6	-	2	1	-	1	-	-	-	-	-
White, both sexes.....	9	10	6	3	-	2	1	-	1	-	-	-
Male.....	9	4	6	1	-	2	-	-	1	-	-	-
Female.....	-	6	-	2	-	-	1	-	-	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	2	-	-	-	-	-	-
Male.....	-	-	1	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) by all other and unspecified means and their sequelae (*U03,X71,X75-X79,X81-X84,Y87.0)

Arkansas

All races, both sexes.....	20	-	-	1	1	2	1	3	2	4
Male.....	14	-	-	1	1	1	1	2	2	3
Female.....	6	-	-	-	-	1	-	1	-	1
White, both sexes.....	19	-	-	1	1	1	1	3	2	4
Male.....	13	-	-	1	1	-	1	2	2	3
Female.....	6	-	-	-	-	1	-	1	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	304	-	-	13	29	21	20	33	32	48
Male.....	232	-	-	11	25	17	16	23	26	33
Female.....	72	-	-	2	4	4	4	10	6	15
White, both sexes.....	254	-	-	10	23	16	16	29	28	39
Male.....	195	-	-	9	19	12	14	21	23	26
Female.....	59	-	-	1	4	4	2	8	5	13
Black, both sexes.....	14	-	-	1	2	1	1	2	1	4
Male.....	11	-	-	-	2	1	1	-	1	4
Female.....	3	-	-	1	-	-	-	2	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	35	-	-	2	3	4	3	2	3	5
Male.....	25	-	-	2	3	4	1	2	2	3
Female.....	10	-	-	-	-	-	2	-	1	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) by all other and unspecified means and their sequelae (*U03,X71,X75-X79,X81-X84,Y87.0)

Florida

All races, both sexes.....	162	-	-	2	7	10	14	12	14	27
Male.....	127	-	-	1	6	8	14	10	12	18
Female.....	35	-	-	1	1	2	-	2	2	9
White, both sexes.....	147	-	-	2	6	7	12	10	14	24
Male.....	115	-	-	1	6	5	12	9	12	15
Female.....	32	-	-	1	-	2	-	1	2	9
Black, both sexes.....	14	-	-	-	1	3	2	2	-	3
Male.....	11	-	-	-	-	3	2	1	-	3
Female.....	3	-	-	-	1	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	42	-	-	4	3	5	6	5	7	2
Male.....	34	-	-	2	3	4	4	5	7	1
Female.....	8	-	-	2	-	1	2	-	-	1
White, both sexes.....	32	-	-	1	3	4	3	4	5	2
Male.....	26	-	-	-	3	3	2	4	5	1
Female.....	6	-	-	1	-	1	1	-	-	1
Black, both sexes.....	8	-	-	2	-	1	2	1	2	-
Male.....	7	-	-	2	-	1	1	1	2	-
Female.....	1	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) by all other and unspecified means and their sequelae (*U03,X71,X75-X79,X81-X84,Y87.0)

Maine

All races, both sexes.....	5	-	-	-	1	-	-	-	-	-
Male.....	4	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-
White, both sexes.....	5	-	-	-	1	-	-	-	-	-
Male.....	4	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	42	-	-	2	5	2	3	3	4	4
Male.....	33	-	-	1	4	2	1	2	3	3
Female.....	9	-	-	1	1	-	2	1	1	1
White, both sexes.....	32	-	-	2	4	2	3	3	3	2
Male.....	26	-	-	1	4	2	1	2	2	2
Female.....	6	-	-	1	-	-	2	1	1	-
Black, both sexes.....	7	-	-	-	-	-	-	-	1	2
Male.....	6	-	-	-	-	-	-	-	1	1
Female.....	1	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) by all other and unspecified means and their sequelae (*U03,X71,X75-X79,X81-X84,Y87.0)

Massachusetts

All races, both sexes.....	44	-	-	1	2	3	3	6	5	1
Male.....	32	-	-	1	2	2	2	5	4	-
Female.....	12	-	-	-	-	1	1	1	1	1
White, both sexes.....	39	-	-	1	2	2	3	6	4	-
Male.....	30	-	-	1	2	2	2	5	3	-
Female.....	9	-	-	-	-	-	1	1	1	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	1	-	-	1	1
Male.....	1	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	1	-	-	-	1

Michigan

All races, both sexes.....	64	-	-	2	3	6	4	7	8	13
Male.....	46	-	-	2	2	5	2	6	6	9
Female.....	18	-	-	-	1	1	2	1	2	4
White, both sexes.....	52	-	-	2	1	5	3	6	6	11
Male.....	37	-	-	2	-	4	2	5	5	7
Female.....	15	-	-	-	1	1	1	1	1	4
Black, both sexes.....	9	-	-	-	2	1	-	-	2	2
Male.....	8	-	-	-	2	1	-	-	1	2
Female.....	1	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	1	1	-	-
Male.....	1	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) by all other and unspecified means and their sequelae (*U03,X71,X75-X79,X81-X84,Y87.0)

Missouri

All races, both sexes.....	40	-	-	1	4	3	4	1	7	6
Male.....	33	-	-	1	3	3	4	1	6	5
Female.....	7	-	-	-	1	-	-	-	1	1
White, both sexes.....	38	-	-	1	4	3	4	1	7	6
Male.....	31	-	-	1	3	3	4	1	6	5
Female.....	7	-	-	-	1	-	-	-	1	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-

Montana

All races, both sexes.....	12	-	-	-	1	-	-	2	2	-
Male.....	9	-	-	-	1	-	-	1	2	-
Female.....	3	-	-	-	-	-	-	1	-	-
White, both sexes.....	10	-	-	-	1	-	-	1	1	-
Male.....	8	-	-	-	1	-	-	1	1	-
Female.....	2	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) by all other and unspecified means and their sequelae (*U03,X71,X75-X79,X81-X84,Y87.0)

New Hampshire

All races, both sexes.....	7	-	-	-	-	1	-	-	2	2
Male.....	3	-	-	-	-	-	-	-	2	-
Female.....	4	-	-	-	-	1	-	-	-	2
White, both sexes.....	7	-	-	-	-	1	-	-	2	2
Male.....	3	-	-	-	-	-	-	-	2	-
Female.....	4	-	-	-	-	1	-	-	-	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	58	-	-	3	4	5	3	5	3	8
Male.....	43	-	-	3	3	4	2	3	2	8
Female.....	15	-	-	-	1	1	1	2	1	-
White, both sexes.....	43	-	-	1	-	5	2	2	3	8
Male.....	35	-	-	1	-	4	2	1	2	8
Female.....	8	-	-	-	-	1	-	1	1	-
Black, both sexes.....	8	-	-	1	3	-	-	1	-	-
Male.....	5	-	-	1	2	-	-	1	-	-
Female.....	3	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	1	-	-	1	2	-	-
Male.....	2	-	-	1	-	-	-	1	-	-
Female.....	4	-	-	-	-	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) by all other and unspecified means and their sequelae (*U03,X71,X75-X79,X81-X84,Y87.0)

New Mexico

All races, both sexes.....	17	-	-	-	2	2	2	3	-	3
Male.....	14	-	-	-	2	1	1	3	-	2
Female.....	3	-	-	-	-	1	1	-	-	1
White, both sexes.....	15	-	-	-	2	2	1	3	-	2
Male.....	12	-	-	-	2	1	-	3	-	1
Female.....	3	-	-	-	-	1	1	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	-	1
Male.....	2	-	-	-	-	-	1	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	131	-	1	4	2	9	9	12	15	15
Male.....	109	-	1	4	2	9	8	10	12	12
Female.....	22	-	-	-	-	-	1	2	3	3
White, both sexes.....	106	-	-	1	1	9	7	9	14	13
Male.....	90	-	-	1	1	9	6	9	12	11
Female.....	16	-	-	-	-	-	1	-	2	2
Black, both sexes.....	16	-	1	1	-	-	2	2	-	2
Male.....	12	-	1	1	-	-	2	1	-	1
Female.....	4	-	-	-	-	-	-	1	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	2	1	-	-	1	1	-
Male.....	6	-	-	2	1	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Intentional self-harm (suicide) by all other and unspecified means and their sequelae (*U03,X71,X75-X79,X81-X84,Y87.0)

Arkansas

All races, both sexes.....	1	1	2	1	-	1	-	-	-	-	-	-
Male.....	1	-	2	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	1	-	-	-	-	-	-
White, both sexes.....	1	1	2	1	-	1	-	-	-	-	-	-
Male.....	1	-	2	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	32	28	19	12	2	5	5	3	2	-	-	-
Male.....	27	20	16	11	1	2	1	1	2	-	-	-
Female.....	5	8	3	1	1	3	4	2	-	-	-	-
White, both sexes.....	29	23	18	8	1	5	5	2	2	-	-	-
Male.....	24	18	15	8	1	2	1	-	2	-	-	-
Female.....	5	5	3	-	-	3	4	2	-	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	5	1	4	1	-	-	1	-	-	-	-
Male.....	1	2	1	3	-	-	-	1	-	-	-	-
Female.....	-	3	-	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Intentional self-harm (suicide) by all other and unspecified means and their sequelae (*U03,X71,X75-X79,X81-X84,Y87.0)

Maine

All races, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	7	3	3	-	3	2	1	-	-	-	-	-
Male.....	6	3	3	-	3	1	1	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	4	3	3	-	2	-	1	-	-	-	-	-
Male.....	3	3	3	-	2	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	3	-	-	-	-	1	-	-	-	-	-	-
Male.....	3	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Intentional self-harm (suicide) by all other and unspecified means and their sequelae (*U03,X71,X75-X79,X81-X84,Y87.0)

South Dakota

All races, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	5	1	3	2	2	2	2	1	-	-	-	-
Male.....	3	1	1	1	1	1	-	1	-	-	-	-
Female.....	2	-	2	1	1	1	2	-	-	-	-	-
White, both sexes.....	4	1	3	2	1	1	2	1	-	-	-	-
Male.....	2	1	1	1	-	1	-	1	-	-	-	-
Female.....	2	-	2	1	1	-	2	-	-	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)

Alaska

All races, both sexes.....	43	-	-	-	1	6	7	4	8	3	4	5
Male.....	36	-	-	-	1	6	7	3	6	2	3	4
Female.....	7	-	-	-	-	-	-	1	2	1	1	1
White, both sexes.....	18	-	-	-	1	2	5	-	4	-	1	2
Male.....	15	-	-	-	1	2	5	-	2	-	1	2
Female.....	3	-	-	-	-	-	-	-	2	-	-	-
Black, both sexes.....	3	-	-	-	-	-	1	1	1	-	-	-
Male.....	3	-	-	-	-	-	1	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	14	-	-	-	-	1	1	1	3	1	2	3
Male.....	11	-	-	-	-	1	1	-	3	1	1	2
Female.....	3	-	-	-	-	-	-	1	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	3	-	2	-	2	1	-
Male.....	7	-	-	-	-	3	-	2	-	1	1	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Arizona

All races, both sexes.....	549	14	7	-	8	80	100	84	59	51	43	38
Male.....	451	8	5	-	5	64	88	75	54	40	35	31
Female.....	98	6	2	-	3	16	12	9	5	11	8	7
White, both sexes.....	440	12	4	-	8	62	79	68	45	40	35	29
Male.....	362	7	3	-	5	51	70	60	42	32	29	23
Female.....	78	5	1	-	3	11	9	8	3	8	6	6
Black, both sexes.....	53	1	1	-	-	4	10	11	10	4	4	3
Male.....	43	-	-	-	-	2	9	10	8	3	4	3
Female.....	10	1	1	-	-	2	1	1	2	1	-	-
American Indian 1/, both sexes.....	52	1	2	-	-	13	11	5	4	6	3	5
Male.....	45	1	2	-	-	11	9	5	4	5	2	4
Female.....	7	-	-	-	-	2	2	-	-	1	1	1
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	1	-	-	-	1	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	3	-	-	-	-	1	-	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)

Arkansas

All races, both sexes.....	234	3	7	3	3	21	36	36	19	21	25	19
Male.....	180	2	4	2	1	18	31	29	18	14	15	17
Female.....	54	1	3	1	2	3	5	7	1	7	10	2
White, both sexes.....	107	1	2	3	2	7	13	10	9	12	11	12
Male.....	75	1	1	2	1	6	10	6	8	9	6	10
Female.....	32	-	1	1	1	1	3	4	1	3	5	2
Black, both sexes.....	127	2	5	-	1	14	23	26	10	9	14	7
Male.....	105	1	3	-	-	12	21	23	10	5	9	7
Female.....	22	1	2	-	1	2	2	3	-	4	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	2,616	29	36	13	50	448	538	402	243	199	163	170
Male.....	2,201	18	19	5	37	409	489	359	212	165	126	132
Female.....	415	11	17	8	13	39	49	43	31	34	37	38
White, both sexes.....	1,655	23	25	7	34	275	349	256	139	118	97	106
Male.....	1,376	14	12	1	27	251	313	229	119	98	77	83
Female.....	279	9	13	6	7	24	36	27	20	20	20	23
Black, both sexes.....	781	5	9	3	13	139	155	128	86	69	58	45
Male.....	671	3	6	2	8	126	143	114	76	57	43	35
Female.....	110	2	3	1	5	13	12	14	10	12	15	10
American Indian 1/, both sexes.....	23	-	1	-	-	2	6	6	2	-	2	1
Male.....	22	-	-	-	-	2	6	6	2	-	2	1
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	157	1	1	3	3	32	28	12	16	12	6	18
Male.....	132	1	1	2	2	30	27	10	15	10	4	13
Female.....	25	-	-	1	1	2	1	2	1	2	2	5

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)

Florida

All races, both sexes.....	1,214	17	23	13	15	132	213	169	111	102	88	105
Male.....	933	9	12	7	12	107	188	139	85	76	65	75
Female.....	281	8	11	6	3	25	25	30	26	26	23	30
White, both sexes.....	644	14	12	6	9	60	73	66	50	59	54	70
Male.....	455	7	5	2	7	46	58	50	33	45	41	48
Female.....	189	7	7	4	2	14	15	16	17	14	13	22
Black, both sexes.....	553	3	9	6	5	70	139	102	60	42	34	34
Male.....	468	2	6	4	4	60	130	89	51	30	24	27
Female.....	85	1	3	2	1	10	9	13	9	12	10	7
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	-	2	1	1	2	1	1	1	1	-	1
Male.....	9	-	1	1	1	1	-	-	1	1	-	-
Female.....	7	-	1	-	-	1	1	1	-	-	-	1

Georgia

All races, both sexes.....	687	7	18	3	2	65	125	100	100	60	50	47
Male.....	541	4	11	1	2	53	113	83	74	50	36	34
Female.....	146	3	7	2	-	12	12	17	26	10	14	13
White, both sexes.....	232	1	5	1	1	16	27	25	32	28	19	23
Male.....	169	-	3	-	1	12	24	20	25	21	12	13
Female.....	63	1	2	1	-	4	3	5	7	7	7	10
Black, both sexes.....	432	6	13	2	1	48	95	71	63	29	30	23
Male.....	353	4	8	1	1	40	86	59	48	26	23	20
Female.....	79	2	5	1	-	8	9	12	15	3	7	3
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	1	-	1	-	-
Male.....	3	-	-	-	-	-	-	1	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	-	-	-	-	1	3	3	5	2	1	1
Male.....	16	-	-	-	-	1	3	3	1	2	1	1
Female.....	4	-	-	-	-	-	-	-	4	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)

Maine

All races, both sexes.....	20	-	-	-	1	2	1	2	2	-	4	2
Male.....	12	-	-	-	1	1	1	2	-	-	1	2
Female.....	8	-	-	-	-	1	-	-	2	-	3	-
White, both sexes.....	19	-	-	-	1	2	1	1	2	-	4	2
Male.....	11	-	-	-	1	1	1	1	-	-	1	2
Female.....	8	-	-	-	-	1	-	-	2	-	3	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	568	9	9	1	7	71	127	91	78	53	37	31
Male.....	486	6	4	1	5	66	119	81	63	48	31	23
Female.....	82	3	5	-	2	5	8	10	15	5	6	8
White, both sexes.....	114	6	2	-	1	8	9	15	17	10	7	9
Male.....	83	4	2	-	1	7	7	11	12	8	4	7
Female.....	31	2	-	-	-	1	2	4	5	2	3	2
Black, both sexes.....	447	3	7	1	6	63	118	74	60	43	30	21
Male.....	399	2	2	1	4	59	112	70	51	40	27	15
Female.....	48	1	5	-	2	4	6	4	9	3	3	6
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	-	1	1	-	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)

Nebraska

All races, both sexes.....	55	5	3	1	2	9	8	5	4	1	5	5
Male.....	42	3	1	1	1	9	8	4	3	-	2	5
Female.....	13	2	2	-	1	-	-	1	1	1	3	-
White, both sexes.....	33	4	1	1	1	3	4	2	2	1	3	4
Male.....	25	3	-	1	1	3	4	1	1	-	2	4
Female.....	8	1	1	-	-	-	-	1	1	1	1	-
Black, both sexes.....	19	1	1	-	1	6	3	3	2	-	1	1
Male.....	15	-	-	-	-	6	3	3	2	-	-	1
Female.....	4	1	1	-	1	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	3	-	1	-	-	-	1	-	-	-	1	-
Male.....	2	-	1	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	219	8	3	-	3	28	38	20	22	26	18	14
Male.....	166	6	2	-	3	24	30	16	20	18	12	10
Female.....	53	2	1	-	-	4	8	4	2	8	6	4
White, both sexes.....	151	6	1	-	2	20	23	13	15	16	15	9
Male.....	112	4	-	-	2	17	17	12	14	11	10	6
Female.....	39	2	1	-	-	3	6	1	1	5	5	3
Black, both sexes.....	61	2	1	-	1	7	13	7	6	9	3	5
Male.....	50	2	1	-	1	7	11	4	6	7	2	4
Female.....	11	-	-	-	-	-	2	3	-	2	1	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	2	-	-	-	-	-
Male.....	2	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	1	-	-	1	-	-	1	1	-	-
Male.....	2	-	1	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	1	-	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)

Rhode Island

All races, both sexes.....	39	1	1	1	-	2	11	3	3	3	2	5
Male.....	28	-	-	-	-	2	7	3	3	2	1	5
Female.....	11	1	1	1	-	-	4	-	-	1	1	-
White, both sexes.....	32	1	1	1	-	-	9	1	3	3	2	4
Male.....	21	-	-	-	-	-	5	1	3	2	1	4
Female.....	11	1	1	1	-	-	4	-	-	1	1	-
Black, both sexes.....	7	-	-	-	-	2	2	2	-	-	-	1
Male.....	7	-	-	-	-	2	2	2	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	391	8	6	3	5	38	64	61	51	21	30	29
Male.....	284	6	5	2	5	29	52	45	37	16	21	22
Female.....	107	2	1	1	-	9	12	16	14	5	9	7
White, both sexes.....	144	4	2	1	1	11	14	18	15	6	15	12
Male.....	94	3	2	1	1	9	10	13	9	5	11	7
Female.....	50	1	-	-	-	2	4	5	6	1	4	5
Black, both sexes.....	241	4	4	2	4	27	49	42	35	15	14	17
Male.....	186	3	3	1	4	20	42	31	27	11	10	15
Female.....	55	1	1	1	-	7	7	11	8	4	4	2
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	1	-	-	1	-
Male.....	2	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	1	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)

Arkansas

All races, both sexes.....	13	10	7	3	-	5	2	1	-	-	-	-
Male.....	11	8	4	2	-	2	2	-	-	-	-	-
Female.....	2	2	3	1	-	3	-	1	-	-	-	-
White, both sexes.....	7	5	6	-	-	4	2	1	-	-	-	-
Male.....	5	3	4	-	-	1	2	-	-	-	-	-
Female.....	2	2	2	-	-	3	-	1	-	-	-	-
Black, both sexes.....	6	5	1	3	-	1	-	-	-	-	-	-
Male.....	6	5	-	2	-	1	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	124	79	47	13	20	11	10	8	3	4	1	5
Male.....	84	62	39	9	16	7	2	4	-	2	-	5
Female.....	40	17	8	4	4	4	8	4	3	2	1	-
White, both sexes.....	83	47	33	11	15	8	9	7	3	4	1	5
Male.....	57	35	26	7	11	5	1	3	-	2	-	5
Female.....	26	12	7	4	4	3	8	4	3	2	1	-
Black, both sexes.....	32	24	11	2	2	-	-	-	-	-	-	-
Male.....	24	20	10	2	2	-	-	-	-	-	-	-
Female.....	8	4	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	1	-	-	-	-	-	-	-
Male.....	1	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	8	2	-	2	3	1	1	-	-	-	-
Male.....	2	7	2	-	2	2	1	1	-	-	-	-
Female.....	6	1	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)

New Hampshire

All races, both sexes.....	1	2	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	2	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	11	10	8	3	3	2	2	2	1	-	-	1
Male.....	5	10	7	2	3	-	1	-	-	-	-	-
Female.....	6	-	1	1	-	2	1	2	1	-	-	1
White, both sexes.....	8	5	5	3	2	1	2	2	1	-	-	1
Male.....	4	5	4	2	2	-	1	-	-	-	-	-
Female.....	4	-	1	1	-	1	1	2	1	-	-	1
Black, both sexes.....	2	5	3	-	1	-	-	-	-	-	-	-
Male.....	1	5	3	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Assault (homicide) by hanging, strangulation and suffocation (X91)

Arkansas

All races, both sexes.....	13	-	-	3	1	1	3	3	-	1	-	-
Male.....	3	-	-	2	-	-	-	1	-	-	-	-
Female.....	10	-	-	1	1	1	3	2	-	1	-	-
White, both sexes.....	9	-	-	3	1	1	2	1	-	-	-	-
Male.....	2	-	-	2	-	-	-	-	-	-	-	-
Female.....	7	-	-	1	1	1	2	1	-	-	-	-
Black, both sexes.....	4	-	-	-	-	-	1	2	-	1	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	3	-	-	-	-	-	1	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	74	4	1	1	3	4	4	6	6	7	5	10
Male.....	32	4	-	-	2	1	1	5	2	4	-	6
Female.....	42	-	1	1	1	3	3	1	4	3	5	4
White, both sexes.....	53	2	1	1	1	3	4	3	5	4	4	6
Male.....	19	2	-	-	1	1	1	2	1	1	-	5
Female.....	34	-	1	1	-	2	3	1	4	3	4	1
Black, both sexes.....	13	1	-	-	1	-	-	2	-	2	1	2
Male.....	7	1	-	-	-	-	-	2	-	2	-	-
Female.....	6	-	-	-	1	-	-	-	-	-	1	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	-	-	1	1	-	1	-	1	-	2
Male.....	5	1	-	-	1	-	-	1	-	1	-	1
Female.....	2	-	-	-	-	1	-	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Assault (homicide) by hanging, strangulation and suffocation (X91)

Maine

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	11	2	1	-	-	-	1	1	2	1	1	-
Male.....	5	1	1	-	-	-	-	-	1	-	1	-
Female.....	6	1	-	-	-	-	1	1	1	1	-	-
White, both sexes.....	8	2	1	-	-	-	1	-	2	-	-	-
Male.....	4	1	1	-	-	-	-	-	1	-	-	-
Female.....	4	1	-	-	-	-	1	-	1	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	1	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Assault (homicide) by hanging, strangulation and suffocation (X91)

Nebraska

All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	13	-	-	-	-	1	1	-	1	3	3	1
Male.....	5	-	-	-	-	-	-	-	1	1	1	-
Female.....	8	-	-	-	-	1	1	-	-	2	2	1
White, both sexes.....	11	-	-	-	-	1	1	-	1	2	3	1
Male.....	4	-	-	-	-	-	-	-	1	1	1	-
Female.....	7	-	-	-	-	1	1	-	-	1	2	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Assault (homicide) by discharge of firearms (*U01.4,X93-X95)

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Alaska												
All races, both sexes.....	28	-	-	-	1	4	7	3	5	1	2	2
Male.....	25	-	-	-	1	4	7	3	3	1	2	1
Female.....	3	-	-	-	-	-	-	-	2	-	-	1
White, both sexes.....	14	-	-	-	1	2	5	-	3	-	1	1
Male.....	12	-	-	-	1	2	5	-	1	-	1	1
Female.....	2	-	-	-	-	-	-	-	2	-	-	-
Black, both sexes.....	3	-	-	-	-	-	1	1	1	-	-	-
Male.....	3	-	-	-	-	-	1	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	6	-	-	-	-	-	1	-	1	1	-	1
Male.....	5	-	-	-	-	-	1	-	1	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	2	-	2	-	-	1	-
Male.....	5	-	-	-	-	2	-	2	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	387	-	-	-	6	62	88	69	46	38	33	13
Male.....	337	-	-	-	4	52	80	63	43	31	29	12
Female.....	50	-	-	-	2	10	8	6	3	7	4	1
White, both sexes.....	324	-	-	-	6	51	73	57	35	34	28	12
Male.....	282	-	-	-	4	44	66	52	33	28	25	11
Female.....	42	-	-	-	2	7	7	5	2	6	3	1
Black, both sexes.....	44	-	-	-	-	3	9	11	9	3	4	1
Male.....	39	-	-	-	-	1	8	10	8	3	4	1
Female.....	5	-	-	-	-	2	1	1	1	-	-	-
American Indian 1/, both sexes.....	16	-	-	-	-	7	6	1	2	-	-	-
Male.....	16	-	-	-	-	7	6	1	2	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	1	-	-	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	1	-	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Assault (homicide) by discharge of firearms (*U01.4,X93-X95)

Arkansas

All races, both sexes.....	155	-	-	-	1	19	28	30	16	13	14	9
Male.....	128	-	-	-	1	17	26	26	16	8	9	7
Female.....	27	-	-	-	-	2	2	4	-	5	5	2
White, both sexes.....	62	-	-	-	1	5	9	8	6	7	5	8
Male.....	48	-	-	-	1	5	8	6	6	5	3	6
Female.....	14	-	-	-	-	-	1	2	-	2	2	2
Black, both sexes.....	93	-	-	-	-	14	19	22	10	6	9	1
Male.....	80	-	-	-	-	12	18	20	10	3	6	1
Female.....	13	-	-	-	-	2	1	2	-	3	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1,883	-	3	4	38	390	467	326	191	136	109	89
Male.....	1,672	-	2	1	32	361	436	299	170	120	84	75
Female.....	211	-	1	3	6	29	31	27	21	16	25	14
White, both sexes.....	1,107	-	3	2	27	232	293	200	102	72	54	46
Male.....	977	-	2	-	24	216	270	183	89	63	42	37
Female.....	130	-	1	2	3	16	23	17	13	9	12	9
Black, both sexes.....	644	-	-	-	11	129	141	114	74	57	50	30
Male.....	578	-	-	-	8	117	134	105	67	51	39	26
Female.....	66	-	-	-	3	12	7	9	7	6	11	4
American Indian 1/, both sexes.....	15	-	-	-	-	2	6	4	1	-	-	-
Male.....	15	-	-	-	-	2	6	4	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	117	-	-	2	-	27	27	8	14	7	5	13
Male.....	102	-	-	1	-	26	26	7	13	6	3	12
Female.....	15	-	-	1	-	1	1	1	1	1	2	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Assault (homicide) by discharge of firearms (*U01.4,X93-X95)

Florida

All races, both sexes.....	803	-	1	4	7	110	171	139	88	71	54	58
Male.....	661	-	1	2	6	96	156	119	70	53	42	46
Female.....	142	-	-	2	1	14	15	20	18	18	12	12
White, both sexes.....	371	-	-	1	3	47	53	46	35	38	29	40
Male.....	277	-	-	-	3	39	44	35	23	27	23	30
Female.....	94	-	-	1	-	8	9	11	12	11	6	10
Black, both sexes.....	424	-	1	2	4	62	118	92	52	32	25	18
Male.....	377	-	1	1	3	56	112	84	46	25	19	16
Female.....	47	-	-	1	1	6	6	8	6	7	6	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	1	-	1	-	1	1	1	-	-
Male.....	7	-	-	1	-	1	-	-	1	1	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Georgia

All races, both sexes.....	495	-	3	1	1	55	110	82	76	52	34	31
Male.....	419	-	1	1	1	49	102	71	61	43	25	24
Female.....	76	-	2	-	-	6	8	11	15	9	9	7
White, both sexes.....	155	-	1	-	-	14	20	16	23	24	15	15
Male.....	123	-	-	-	-	11	20	13	22	17	10	8
Female.....	32	-	1	-	-	3	-	3	1	7	5	7
Black, both sexes.....	321	-	2	1	1	40	88	62	48	26	18	15
Male.....	281	-	1	1	1	37	80	54	38	24	14	15
Female.....	40	-	1	-	-	3	8	8	10	2	4	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-
Male.....	2	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	-	-	-	-	1	2	3	5	2	1	1
Male.....	13	-	-	-	-	1	2	3	1	2	1	1
Female.....	4	-	-	-	-	-	-	-	4	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Assault (homicide) by discharge of firearms (*U01.4,X93-X95)

Maine

All races, both sexes.....	15	-	-	-	1	2	1	2	2	-	3	-
Male.....	8	-	-	-	1	1	1	2	-	-	-	-
Female.....	7	-	-	-	-	1	-	-	2	-	3	-
White, both sexes.....	14	-	-	-	1	2	1	1	2	-	3	-
Male.....	7	-	-	-	1	1	1	1	-	-	-	-
Female.....	7	-	-	-	-	1	-	-	2	-	3	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	416	1	1	-	5	59	111	71	61	43	23	16
Male.....	377	-	1	-	3	57	104	66	53	41	23	13
Female.....	39	1	-	-	2	2	7	5	8	2	-	3
White, both sexes.....	49	-	-	-	1	3	4	7	10	4	3	3
Male.....	35	-	-	-	1	3	3	5	7	4	3	1
Female.....	14	-	-	-	-	-	1	2	3	-	-	2
Black, both sexes.....	364	1	1	-	4	56	107	64	50	39	20	12
Male.....	340	-	1	-	2	54	101	61	46	37	20	11
Female.....	24	1	-	-	2	2	6	3	4	2	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	1	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Assault (homicide) by discharge of firearms (*U01.4,X93-X95)

Nebraska

All races, both sexes.....	31	-	-	1	1	7	6	3	4	1	1	2
Male.....	26	-	-	1	1	7	6	3	3	-	-	2
Female.....	5	-	-	-	-	-	-	-	1	1	1	-
White, both sexes.....	17	-	-	1	1	2	3	-	2	1	1	1
Male.....	12	-	-	1	1	2	3	-	1	-	-	1
Female.....	5	-	-	-	-	-	-	-	1	1	1	-
Black, both sexes.....	14	-	-	-	-	5	3	3	2	-	-	1
Male.....	14	-	-	-	-	5	3	3	2	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	131	-	-	-	3	23	29	14	16	15	9	6
Male.....	109	-	-	-	3	21	25	11	16	12	6	4
Female.....	22	-	-	-	-	2	4	3	-	3	3	2
White, both sexes.....	80	-	-	-	2	16	16	8	10	7	7	2
Male.....	67	-	-	-	2	15	13	7	10	6	5	1
Female.....	13	-	-	-	-	1	3	1	-	1	2	1
Black, both sexes.....	48	-	-	-	1	6	11	6	6	8	2	4
Male.....	40	-	-	-	1	6	10	4	6	6	1	3
Female.....	8	-	-	-	-	-	1	2	-	2	1	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	2	-	-	-	-	-
Male.....	2	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Assault (homicide) by discharge of firearms (*U01.4,X93-X95)

Rhode Island

All races, both sexes.....	19	-	1	-	-	2	10	2	1	1	1	1
Male.....	14	-	-	-	-	2	7	2	1	-	1	1
Female.....	5	-	1	-	-	-	3	-	-	1	-	-
White, both sexes.....	12	-	1	-	-	-	8	-	1	1	1	-
Male.....	7	-	-	-	-	-	5	-	1	-	1	-
Female.....	5	-	1	-	-	-	3	-	-	1	-	-
Black, both sexes.....	7	-	-	-	-	2	2	2	-	-	-	1
Male.....	7	-	-	-	-	2	2	2	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	274	-	1	2	4	30	57	50	39	17	14	17
Male.....	209	-	-	1	4	24	48	39	28	14	11	14
Female.....	65	-	1	1	-	6	9	11	11	3	3	3
White, both sexes.....	86	-	-	-	-	6	9	13	8	5	9	8
Male.....	54	-	-	-	-	4	6	10	4	4	7	5
Female.....	32	-	-	-	-	2	3	3	4	1	2	3
Black, both sexes.....	182	-	1	2	4	24	47	36	30	12	4	9
Male.....	151	-	-	1	4	20	42	28	23	10	4	9
Female.....	31	-	1	1	-	4	5	8	7	2	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	1	-	-	1	-
Male.....	2	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	1	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Assault (homicide) by sharp object (X99)

Arkansas

All races, both sexes.....	23	-	1	-	-	1	1	2	2	5	1	5
Male.....	20	-	1	-	-	1	1	1	2	4	1	5
Female.....	3	-	-	-	-	-	-	1	-	1	-	-
White, both sexes.....	12	-	-	-	-	1	-	1	2	3	-	2
Male.....	9	-	-	-	-	1	-	-	2	2	-	2
Female.....	3	-	-	-	-	-	-	1	-	1	-	-
Black, both sexes.....	11	-	1	-	-	-	1	1	-	2	1	3
Male.....	11	-	1	-	-	-	1	1	-	2	1	3
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	296	-	-	1	2	36	43	44	28	30	22	33
Male.....	239	-	-	1	1	31	34	33	26	22	19	25
Female.....	57	-	-	-	1	5	9	11	2	8	3	8
White, both sexes.....	225	-	-	-	2	24	34	31	18	25	18	26
Male.....	185	-	-	-	1	20	28	25	17	19	16	20
Female.....	40	-	-	-	1	4	6	6	1	6	2	6
Black, both sexes.....	54	-	-	-	-	9	8	8	8	4	1	7
Male.....	38	-	-	-	-	8	5	4	7	2	-	5
Female.....	16	-	-	-	-	1	3	4	1	2	1	2
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	2	-	-	2	-
Male.....	5	-	-	-	-	-	-	2	-	-	2	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	-	1	-	3	1	3	2	1	1	-
Male.....	11	-	-	1	-	3	1	2	2	1	1	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Assault (homicide) by sharp object (X99)

New Hampshire

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	1	2	2	-	-	1	-	-	-	-	-	-
Male.....	-	2	2	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	1	1	1	-	-	-	-	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Assault (homicide) by all other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5,*U01.8-*U01.9,*U02,X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)

Arkansas

All races, both sexes.....	40	3	6	-	-	-	3	1	1	2	9	5
Male.....	27	2	3	-	-	-	3	1	-	2	4	5
Female.....	13	1	3	-	-	-	-	-	1	-	5	-
White, both sexes.....	23	1	2	-	-	-	2	-	1	2	5	2
Male.....	15	1	1	-	-	-	2	-	-	2	2	2
Female.....	8	-	1	-	-	-	-	-	1	-	3	-
Black, both sexes.....	17	2	4	-	-	-	1	1	-	-	4	3
Male.....	12	1	2	-	-	-	1	1	-	-	2	3
Female.....	5	1	2	-	-	-	-	-	-	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	309	17	21	4	5	16	23	24	15	26	23	33
Male.....	226	9	12	1	2	14	17	21	13	19	20	23
Female.....	83	8	9	3	3	2	6	3	2	7	3	10
White, both sexes.....	234	13	15	3	2	14	17	21	12	17	18	24
Male.....	174	7	8	1	1	12	13	18	11	15	17	18
Female.....	60	6	7	2	1	2	4	3	1	2	1	6
Black, both sexes.....	54	4	4	1	1	1	6	3	3	6	5	5
Male.....	38	2	3	-	-	1	4	3	2	2	3	4
Female.....	16	2	1	1	1	-	2	-	1	4	2	1
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	-	1	-	2	1	-	-	-	3	-	3
Male.....	13	-	1	-	1	1	-	-	-	2	-	-
Female.....	6	-	-	-	1	-	-	-	-	1	-	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Assault (homicide) by all other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5,*U01.8-*U01.9,*U02,X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)

Nebraska

All races, both sexes.....	13	4	3	-	1	1	1	-	-	-	1	-
Male.....	7	2	1	-	-	1	1	-	-	-	-	-
Female.....	6	2	2	-	1	-	-	-	-	-	1	-
White, both sexes.....	8	3	1	-	-	1	1	-	-	-	-	-
Male.....	6	2	-	-	-	1	1	-	-	-	-	-
Female.....	2	1	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	3	1	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	1	1	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	-	-	1	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	51	4	2	-	-	-	7	2	3	5	5	5
Male.....	36	3	1	-	-	-	4	1	2	4	4	5
Female.....	15	1	1	-	-	-	3	1	1	1	1	-
White, both sexes.....	41	4	1	-	-	-	5	1	2	5	4	4
Male.....	30	3	-	-	-	-	3	1	2	4	3	4
Female.....	11	1	1	-	-	-	2	-	-	1	1	-
Black, both sexes.....	7	-	-	-	-	-	2	1	-	-	1	1
Male.....	4	-	-	-	-	-	1	-	-	-	1	1
Female.....	3	-	-	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	-	-	-	-	-	1	-	-	-
Male.....	2	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Assault (homicide) by all other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5,*U01.8-*U01.9,*U02,X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)

Arkansas

All races, both sexes.....	1	3	3	-	-	1	1	1	-	-	-	-
Male.....	1	3	2	-	-	-	1	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	1	-	-	-	-
White, both sexes.....	1	1	3	-	-	1	1	1	-	-	-	-
Male.....	1	1	2	-	-	-	1	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	1	-	-	-	-
Black, both sexes.....	-	2	-	-	-	-	-	-	-	-	-	-
Male.....	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	33	21	15	5	8	6	4	3	3	2	-	2
Male.....	23	18	13	4	7	4	1	1	-	2	-	2
Female.....	10	3	2	1	1	2	3	2	3	-	-	-
White, both sexes.....	27	12	11	5	6	4	3	3	3	2	-	2
Male.....	18	9	9	4	5	3	-	1	-	2	-	2
Female.....	9	3	2	1	1	1	3	2	3	-	-	-
Black, both sexes.....	6	6	2	-	1	-	-	-	-	-	-	-
Male.....	5	6	2	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	2	-	1	2	1	-	-	-	-	-
Male.....	-	3	2	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)

Arkansas

All races, both sexes.....	147	3	3	-	-	6	16	14	23	22	22	13
Male.....	90	1	2	-	-	5	13	11	19	10	12	4
Female.....	57	2	1	-	-	1	3	3	4	12	10	9
White, both sexes.....	128	3	1	-	-	6	16	12	19	20	19	12
Male.....	78	1	-	-	-	5	13	9	15	9	11	3
Female.....	50	2	1	-	-	1	3	3	4	11	8	9
Black, both sexes.....	19	-	2	-	-	-	-	2	4	2	3	1
Male.....	12	-	2	-	-	-	-	2	4	1	1	1
Female.....	7	-	-	-	-	-	-	-	-	1	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	331	14	4	4	5	7	16	16	23	31	34	57
Male.....	211	6	2	4	3	6	13	9	17	16	20	39
Female.....	120	8	2	-	2	1	3	7	6	15	14	18
White, both sexes.....	283	10	2	2	5	7	13	14	22	25	30	50
Male.....	181	5	1	2	3	6	12	8	16	13	16	33
Female.....	102	5	1	-	2	1	1	6	6	12	14	17
Black, both sexes.....	26	3	2	2	-	-	1	1	1	3	2	3
Male.....	14	-	1	2	-	-	-	-	1	1	2	3
Female.....	12	3	1	-	-	-	1	1	-	2	-	-
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	1	-	-
Male.....	3	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	1	-	-	-	-	2	1	-	2	2	4
Male.....	13	1	-	-	-	-	1	1	-	1	2	3
Female.....	5	-	-	-	-	-	1	-	-	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)

Maine

All races, both sexes.....	11	1	-	-	-	3	-	-	2	-	-	-
Male.....	4	1	-	-	-	2	-	-	1	-	-	-
Female.....	7	-	-	-	-	1	-	-	1	-	-	-
White, both sexes.....	10	1	-	-	-	3	-	-	1	-	-	-
Male.....	4	1	-	-	-	2	-	-	1	-	-	-
Female.....	6	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Maryland

All races, both sexes.....	727	2	2	1	4	20	65	55	60	94	125	139
Male.....	527	1	2	1	4	17	53	37	45	66	84	103
Female.....	200	1	-	-	-	3	12	18	15	28	41	36
White, both sexes.....	466	-	-	-	2	20	62	42	40	63	66	83
Male.....	332	-	-	-	2	17	50	27	32	45	42	59
Female.....	134	-	-	-	-	3	12	15	8	18	24	24
Black, both sexes.....	253	2	2	1	2	-	2	12	19	30	58	54
Male.....	189	1	2	1	2	-	2	9	13	20	42	42
Female.....	64	1	-	-	-	-	-	3	6	10	16	12
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	1	1	1
Male.....	2	-	-	-	-	-	-	-	-	1	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	1	1	1	-	-	1
Male.....	4	-	-	-	-	-	1	1	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)

Massachusetts

All races, both sexes.....	80	-	-	-	1	2	1	2	4	8	13	13
Male.....	48	-	-	-	-	2	1	2	2	6	8	5
Female.....	32	-	-	-	1	-	-	-	2	2	5	8
White, both sexes.....	71	-	-	-	1	-	1	2	3	7	11	12
Male.....	42	-	-	-	-	-	1	2	1	6	6	5
Female.....	29	-	-	-	1	-	-	-	2	1	5	7
Black, both sexes.....	9	-	-	-	-	2	-	-	1	1	2	1
Male.....	6	-	-	-	-	2	-	-	1	-	2	-
Female.....	3	-	-	-	-	-	-	-	-	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	252	3	4	-	2	7	24	23	22	29	36	37
Male.....	143	3	3	-	1	2	13	19	17	17	13	19
Female.....	109	-	1	-	1	5	11	4	5	12	23	18
White, both sexes.....	208	3	3	-	2	6	22	19	17	24	30	29
Male.....	118	3	2	-	1	2	11	17	15	15	10	13
Female.....	90	-	1	-	1	4	11	2	2	9	20	16
Black, both sexes.....	39	-	1	-	-	1	2	4	3	5	4	8
Male.....	25	-	1	-	-	-	2	2	2	2	3	6
Female.....	14	-	-	-	-	1	-	2	1	3	1	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	1	-	2	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	1	-	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)

New Mexico

All races, both sexes.....	43	-	-	-	-	-	2	4	1	4	8	7
Male.....	25	-	-	-	-	-	1	3	-	3	6	2
Female.....	18	-	-	-	-	-	1	1	1	1	2	5
White, both sexes.....	38	-	-	-	-	-	2	3	1	4	7	6
Male.....	22	-	-	-	-	-	1	2	-	3	6	2
Female.....	16	-	-	-	-	-	1	1	1	1	1	4
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	1	-	-	-	1
Male.....	2	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	270	5	-	1	-	8	21	19	18	31	29	46
Male.....	179	2	-	1	-	6	16	14	12	19	18	31
Female.....	91	3	-	-	-	2	5	5	6	12	11	15
White, both sexes.....	218	2	-	-	7	18	16	16	17	23	27	40
Male.....	144	1	-	-	6	13	11	11	11	15	17	28
Female.....	74	1	-	-	1	5	5	6	6	8	10	12
Black, both sexes.....	42	3	-	1	-	1	1	3	-	7	2	6
Male.....	29	1	-	1	-	-	1	3	-	4	1	3
Female.....	13	2	-	-	-	1	-	-	-	3	1	3
American Indian 1/, both sexes.....	4	-	-	-	-	-	1	-	1	-	-	-
Male.....	3	-	-	-	-	-	1	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	1	-	-	1	-	-
Male.....	3	-	-	-	-	-	1	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)

South Dakota

All races, both sexes.....	8	1	1	-	-	-	-	1	1	1	1	1
Male.....	5	1	1	-	-	-	-	1	-	1	-	-
Female.....	3	-	-	-	-	-	-	-	1	-	1	1
White, both sexes.....	6	-	-	-	-	-	-	1	1	1	1	1
Male.....	3	-	-	-	-	-	-	1	-	1	-	-
Female.....	3	-	-	-	-	-	-	-	1	-	1	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	1	1	-	-	-	-	-	-	-	-	-
Male.....	2	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	182	1	1	-	-	5	20	29	10	14	24	28
Male.....	112	1	-	-	-	2	16	22	5	9	12	13
Female.....	70	-	1	-	-	3	4	7	5	5	12	15
White, both sexes.....	162	1	-	-	-	5	18	24	9	14	21	26
Male.....	96	1	-	-	-	2	14	18	4	9	10	12
Female.....	66	-	-	-	-	3	4	6	5	5	11	14
Black, both sexes.....	19	-	1	-	-	-	2	4	1	-	3	2
Male.....	16	-	-	-	-	-	2	4	1	-	2	1
Female.....	3	-	1	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)

Arkansas

All races, both sexes.....	13	2	5	1	1	2	-	1	-	-	-	-
Male.....	7	-	5	1	-	-	-	-	-	-	-	-
Female.....	6	2	-	-	1	2	-	1	-	-	-	-
White, both sexes.....	10	2	5	1	1	1	-	-	-	-	-	-
Male.....	6	-	5	1	-	-	-	-	-	-	-	-
Female.....	4	2	-	-	1	1	-	-	-	-	-	-
Black, both sexes.....	3	-	-	-	-	1	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	42	30	10	11	6	1	12	4	2	1	-	1
Male.....	28	20	4	7	4	1	6	3	2	-	-	1
Female.....	14	10	6	4	2	-	6	1	-	1	-	-
White, both sexes.....	38	28	9	11	4	-	8	2	2	-	-	1
Male.....	25	18	4	7	3	-	4	2	2	-	-	1
Female.....	13	10	5	4	1	-	4	-	-	-	-	-
Black, both sexes.....	3	1	-	-	2	-	1	-	-	1	-	-
Male.....	2	1	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	1	-	-	1	-	-
American Indian 1/, both sexes.....	1	1	1	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	3	2	-	-	-	-
Male.....	-	-	-	-	-	1	2	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)

Minnesota

All races, both sexes.....	5	7	1	1	1	1	2	-	1	1	-	-
Male.....	3	4	-	1	-	1	2	-	1	-	-	-
Female.....	2	3	1	-	1	-	-	-	-	1	-	-
White, both sexes.....	5	5	1	1	1	1	2	-	1	1	-	-
Male.....	3	3	-	1	-	1	2	-	1	-	-	-
Female.....	2	2	1	-	1	-	-	-	-	1	-	-
Black, both sexes.....	-	2	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Mississippi

All races, both sexes.....	4	4	1	2	2	2	-	1	1	1	-	-
Male.....	2	3	-	2	1	2	-	-	-	1	-	-
Female.....	2	1	1	-	1	-	-	1	1	-	-	-
White, both sexes.....	2	3	1	2	1	-	-	-	-	-	-	-
Male.....	-	2	-	2	1	-	-	-	-	-	-	-
Female.....	2	1	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	1	-	-	-	2	-	1	1	1	-	-
Male.....	-	1	-	-	-	2	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)

New Mexico

All races, both sexes.....	8	4	2	2	-	-	1	-	-	-	-	-
Male.....	2	3	2	2	-	-	1	-	-	-	-	-
Female.....	6	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	7	4	2	1	-	-	1	-	-	-	-	-
Male.....	1	3	2	1	-	-	1	-	-	-	-	-
Female.....	6	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	25	23	15	8	8	6	4	1	1	1	-	-
Male.....	15	17	10	8	5	2	2	1	-	-	-	-
Female.....	10	6	5	-	3	4	2	-	1	1	-	-
White, both sexes.....	21	12	13	5	6	5	3	1	1	1	-	-
Male.....	11	9	9	5	3	2	2	1	-	-	-	-
Female.....	10	3	4	-	3	3	1	-	1	1	-	-
Black, both sexes.....	3	7	2	3	2	1	-	-	-	-	-	-
Male.....	3	6	1	3	2	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	2	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	-	-	-	-	1	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Poisoning by and exposure to drugs and biological substances, undetermined intent (Y10-Y14)

Maine

All races, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	661	2	-	-	1	14	60	50	55	88	115	134
Male.....	475	1	-	-	1	11	48	34	41	62	76	100
Female.....	186	1	-	-	-	3	12	16	14	26	39	34
White, both sexes.....	428	-	-	-	-	14	58	39	37	59	64	81
Male.....	303	-	-	-	-	11	46	26	29	42	41	58
Female.....	125	-	-	-	-	3	12	13	8	17	23	23
Black, both sexes.....	227	2	-	-	1	-	2	10	17	28	50	52
Male.....	168	1	-	-	1	-	2	7	12	19	35	41
Female.....	59	1	-	-	-	-	-	3	5	9	15	11
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	1	1	1
Male.....	2	-	-	-	-	-	-	-	-	1	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	1	1	-	-	-
Male.....	2	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Poisoning by and exposure to drugs and biological substances, undetermined intent (Y10-Y14)

New Mexico

All races, both sexes.....	25	-	-	-	-	-	2	3	1	3	5	4
Male.....	12	-	-	-	-	-	1	2	-	2	3	-
Female.....	13	-	-	-	-	-	1	1	1	1	2	4
White, both sexes.....	23	-	-	-	-	-	2	3	1	3	4	4
Male.....	11	-	-	-	-	-	1	2	-	2	3	-
Female.....	12	-	-	-	-	-	1	1	1	1	1	4
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	146	1	-	-	-	5	13	10	15	19	18	29
Male.....	81	-	-	-	-	4	9	5	9	10	13	16
Female.....	65	1	-	-	-	1	4	5	6	9	5	13
White, both sexes.....	130	1	-	-	-	5	12	10	15	14	18	25
Male.....	74	-	-	-	-	4	8	5	9	8	13	15
Female.....	56	1	-	-	-	1	4	5	6	6	5	10
Black, both sexes.....	12	-	-	-	-	-	-	-	-	4	-	4
Male.....	5	-	-	-	-	-	-	-	-	2	-	1
Female.....	7	-	-	-	-	-	-	-	-	2	-	3
American Indian 1/, both sexes.....	3	-	-	-	-	-	1	-	-	-	-	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Poisoning by and exposure to drugs and biological substances, undetermined intent (Y10-Y14)

Arkansas

All races, both sexes.....	8	2	3	-	-	1	-	-	-	-	-	-
Male.....	4	-	3	-	-	-	-	-	-	-	-	-
Female.....	4	2	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	7	2	3	-	-	1	-	-	-	-	-	-
Male.....	4	-	3	-	-	-	-	-	-	-	-	-
Female.....	3	2	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	27	14	4	7	2	-	2	1	-	-	-	-
Male.....	16	7	2	5	1	-	1	-	-	-	-	-
Female.....	11	7	2	2	1	-	1	1	-	-	-	-
White, both sexes.....	26	14	3	7	2	-	1	-	-	-	-	-
Male.....	16	7	2	5	1	-	1	-	-	-	-	-
Female.....	10	7	1	2	1	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other and unspecified events of undetermined intent and their sequelae (Y20-Y21,Y25-Y29,Y31-Y34,Y87.2,Y89.9)

Arkansas

All races, both sexes.....	11	-	-	-	-	1	-	-	1	-	-	1
Male.....	6	-	-	-	-	-	-	-	1	-	-	1
Female.....	5	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	6	-	-	-	-	1	-	-	-	-	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	5	-	-	-	-	-	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	1	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	150	9	4	4	5	4	8	7	5	10	14	20
Male.....	109	5	2	4	3	3	6	6	4	7	9	17
Female.....	41	4	2	-	2	1	2	1	1	3	5	3
White, both sexes.....	116	6	2	2	5	4	5	6	5	6	12	16
Male.....	84	4	1	2	3	3	5	5	4	4	7	13
Female.....	32	2	1	-	2	1	-	1	1	2	5	3
Black, both sexes.....	15	2	2	2	-	-	1	-	-	1	-	1
Male.....	9	-	1	2	-	-	-	-	-	1	-	1
Female.....	6	2	1	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	-
Male.....	3	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	1	-	-	-	-	2	1	-	2	2	3
Male.....	13	1	-	-	-	-	1	1	-	1	2	3
Female.....	3	-	-	-	-	-	1	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other and unspecified events of undetermined intent and their sequelae (Y20-Y21,Y25-Y29,Y31-Y34,Y87.2,Y89.9)

Massachusetts

All races, both sexes.....	24	-	-	-	1	2	-	1	1	2	3	2
Male.....	19	-	-	-	-	2	-	1	1	2	2	2
Female.....	5	-	-	-	1	-	-	-	-	-	1	-
White, both sexes.....	20	-	-	-	1	-	-	1	-	2	2	2
Male.....	15	-	-	-	-	-	-	1	-	2	1	2
Female.....	5	-	-	-	1	-	-	-	-	-	1	-
Black, both sexes.....	4	-	-	-	-	2	-	-	1	-	1	-
Male.....	4	-	-	-	-	2	-	-	1	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	47	2	4	-	-	5	2	5	3	4	2	5
Male.....	28	2	3	-	-	1	-	3	1	4	-	4
Female.....	19	-	1	-	-	4	2	2	2	-	2	1
White, both sexes.....	30	2	3	-	-	4	2	3	1	3	1	3
Male.....	18	2	2	-	-	1	-	2	1	3	-	2
Female.....	12	-	1	-	-	3	2	1	-	-	1	1
Black, both sexes.....	14	-	1	-	-	1	-	2	-	1	-	2
Male.....	10	-	1	-	-	-	-	1	-	1	-	2
Female.....	4	-	-	-	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	1	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other and unspecified events of undetermined intent and their sequelae (Y20-Y21,Y25-Y29,Y31-Y34,Y87.2,Y89.9)

South Dakota

All races, both sexes.....	4	1	1	-	-	-	-	1	-	-	-	-
Male.....	4	1	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-
Male.....	2	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	1	1	-	-	-	-	-	-	-	-	-
Male.....	2	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	26	1	1	-	-	-	3	1	-	1	2	4
Male.....	19	1	-	-	-	-	3	-	-	1	1	2
Female.....	7	-	1	-	-	-	-	1	-	-	1	2
White, both sexes.....	17	1	-	-	-	-	2	-	-	1	1	2
Male.....	14	1	-	-	-	-	2	-	-	1	1	1
Female.....	3	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	8	-	1	-	-	-	1	-	-	-	1	2
Male.....	5	-	-	-	-	-	1	-	-	-	-	1
Female.....	3	-	1	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other and unspecified events of undetermined intent and their sequelae (Y20-Y21,Y25-Y29,Y31-Y34,Y87.2,Y89.9)

Arkansas

All races, both sexes.....	3	-	2	-	1	1	-	1	-	-	-	-
Male.....	2	-	2	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	1	-	1	-	-	-	-
White, both sexes.....	1	-	2	-	1	-	-	-	-	-	-	-
Male.....	1	-	2	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	2	-	-	-	-	1	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	14	14	6	4	4	1	10	3	2	1	-	1
Male.....	12	12	2	2	3	1	5	3	2	-	-	1
Female.....	2	2	4	2	1	-	5	-	-	1	-	-
White, both sexes.....	11	12	6	4	2	-	7	2	2	-	-	1
Male.....	9	10	2	2	2	-	3	2	2	-	-	1
Female.....	2	2	4	2	-	-	4	-	-	-	-	-
Black, both sexes.....	2	1	-	-	2	-	-	-	-	1	-	-
Male.....	2	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	3	1	-	-	-	-
Male.....	-	-	-	-	-	1	2	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other and unspecified events of undetermined intent and their sequelae (Y20-Y21,Y25-Y29,Y31-Y34,Y87.2,Y89.9)

Minnesota

All races, both sexes.....	1	1	1	-	1	1	2	-	1	1	-	-
Male.....	1	1	-	-	-	1	2	-	1	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	1	-	-
White, both sexes.....	1	1	1	-	1	1	2	-	1	1	-	-
Male.....	1	1	-	-	-	1	2	-	1	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Mississippi

All races, both sexes.....	1	-	-	1	1	2	-	1	1	1	-	-
Male.....	1	-	-	1	-	2	-	-	-	1	-	-
Female.....	-	-	-	-	1	-	-	1	1	-	-	-
White, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	2	-	1	1	1	-	-
Male.....	-	-	-	-	-	2	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other and unspecified events of undetermined intent and their sequelae (Y20-Y21,Y25-Y29,Y31-Y34,Y87.2,Y89.9)

New Mexico

All races, both sexes.....	2	2	1	1	-	-	-	-	-	-	-	-
Male.....	1	1	1	1	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	2	1	1	-	-	-	-	-	-	-	-
Male.....	-	1	1	1	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	9	11	7	5	5	4	4	1	1	1	-	-
Male.....	8	10	6	5	5	2	2	1	-	-	-	-
Female.....	1	1	1	-	-	2	2	-	1	1	-	-
White, both sexes.....	6	4	6	3	3	3	3	1	1	1	-	-
Male.....	5	4	5	3	3	2	2	1	-	-	-	-
Female.....	1	-	1	-	-	1	1	-	1	1	-	-
Black, both sexes.....	2	5	1	2	2	1	-	-	-	-	-	-
Male.....	2	5	1	2	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	-	-	-	-	1	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Operations of war and their sequelae (Y36,Y89.1)

Hawaii
All races, both sexes
Male
Female
White, both sexes
Male
Female
Black, both sexes
Male
Female
American Indian 1/, both sexes
Male
Female
Asian or Pacific Islander 2/, both sexes
Male
Female

Idaho
All races, both sexes
Male
Female
White, both sexes
Male
Female
Black, both sexes
Male
Female
American Indian 1/, both sexes
Male
Female
Asian or Pacific Islander 2/, both sexes
Male
Female

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Complications of medical and surgical care (Y40-Y84,Y88)

Arkansas

All races, both sexes.....	26	-	1	-	-	-	-	-	1	1	1	-
Male.....	13	-	1	-	-	-	-	-	-	1	1	-
Female.....	13	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	24	-	1	-	-	-	-	-	1	1	1	-
Male.....	12	-	1	-	-	-	-	-	-	1	1	-
Female.....	12	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	163	3	-	2	1	1	1	1	3	1	4	9
Male.....	71	2	-	1	1	-	-	-	-	1	2	2
Female.....	92	1	-	1	-	1	1	1	3	-	2	7
White, both sexes.....	139	3	-	2	1	1	1	1	2	1	4	7
Male.....	60	2	-	1	1	-	-	-	-	1	2	2
Female.....	79	1	-	1	-	1	1	1	2	-	2	5
Black, both sexes.....	14	-	-	-	-	-	-	-	-	-	-	2
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	9	-	-	-	-	-	-	-	-	-	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	-	-	-	-	1	-	-	-
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Complications of medical and surgical care (Y40-Y84,Y88)

Arkansas

All races, both sexes.....	-	2	2	4	2	4	3	3	2	-	-	-
Male.....	-	-	1	3	-	2	2	2	-	-	-	-
Female.....	-	2	1	1	2	2	1	1	2	-	-	-
White, both sexes.....	-	2	2	3	1	4	3	3	2	-	-	-
Male.....	-	-	1	2	-	2	2	2	-	-	-	-
Female.....	-	2	1	1	1	2	1	1	2	-	-	-
Black, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	6	11	4	13	18	20	28	20	13	4	-	-
Male.....	3	6	1	6	5	9	13	10	7	2	-	-
Female.....	3	5	3	7	13	11	15	10	6	2	-	-
White, both sexes.....	4	6	4	11	17	17	26	17	10	4	-	-
Male.....	2	3	1	5	4	8	13	9	4	2	-	-
Female.....	2	3	3	6	13	9	13	8	6	2	-	-
Black, both sexes.....	2	2	-	2	-	2	2	2	-	-	-	-
Male.....	1	1	-	1	-	1	-	1	-	-	-	-
Female.....	1	1	-	1	-	1	2	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	-	-	1	1	-	1	3	-	-	-
Male.....	-	2	-	-	1	-	-	-	3	-	-	-
Female.....	-	1	-	-	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Complications of medical and surgical care (Y40-Y84,Y88)

Florida

All races, both sexes.....	9	8	7	14	19	21	20	5	4	1	-	-
Male.....	5	4	3	9	7	7	8	3	-	-	-	-
Female.....	4	4	4	5	12	14	12	2	4	1	-	-
White, both sexes.....	7	8	6	12	17	20	18	5	3	1	-	-
Male.....	5	4	2	8	7	7	8	3	-	-	-	-
Female.....	2	4	4	4	10	13	10	2	3	1	-	-
Black, both sexes.....	2	-	1	2	2	-	1	-	1	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	2	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-

Georgia

All races, both sexes.....	9	11	10	13	11	14	12	10	7	-	-	-
Male.....	2	6	7	6	4	9	7	4	-	-	-	-
Female.....	7	5	3	7	7	5	5	6	7	-	-	-
White, both sexes.....	6	4	7	11	9	9	10	9	5	-	-	-
Male.....	-	3	4	5	3	6	7	4	-	-	-	-
Female.....	6	1	3	6	6	3	3	5	5	-	-	-
Black, both sexes.....	3	7	3	2	2	5	1	1	2	-	-	-
Male.....	2	3	3	1	1	3	-	-	-	-	-	-
Female.....	1	4	-	1	1	2	1	1	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Complications of medical and surgical care (Y40-Y84,Y88)

New Mexico

All races, both sexes.....	1	1	-	3	3	2	4	2	1	1	-	-
Male.....	-	1	-	2	2	-	1	1	1	-	-	-
Female.....	1	-	-	1	1	2	3	1	-	1	-	-
White, both sexes.....	1	1	-	3	1	2	2	1	1	1	-	-
Male.....	-	1	-	2	1	-	-	1	1	-	-	-
Female.....	1	-	-	1	-	2	2	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-

New York

All races, both sexes.....	5	5	11	10	18	19	9	18	10	3	1	-
Male.....	3	4	8	3	7	12	6	8	2	1	-	-
Female.....	2	1	3	7	11	7	3	10	8	2	1	-
White, both sexes.....	3	4	9	7	15	17	9	18	10	2	-	-
Male.....	3	3	6	3	6	12	6	8	2	1	-	-
Female.....	-	1	3	4	9	5	3	10	8	1	-	-
Black, both sexes.....	1	1	2	3	3	1	-	-	-	1	1	-
Male.....	-	1	2	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	3	2	1	-	-	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Drugs, medicaments and biological substances causing adverse effects in therapeutic use, and their sequelae (Y40-Y59, Y88.0)

Arkansas

All races, both sexes.....	5	-	1	-	-	-	-	-	-	-	-	-
Male.....	3	-	1	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	4	-	1	-	-	-	-	-	-	-	-	-
Male.....	3	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	18	-	-	-	-	-	-	1	2	-	-	2
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	14	-	-	-	-	-	-	1	2	-	-	2
White, both sexes.....	15	-	-	-	-	-	-	1	1	-	-	2
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	12	-	-	-	-	-	-	1	1	-	-	2
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Misadventures to patients during medical and surgical care and their sequelae (Y60-Y69,Y88.1)

Arkansas

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	-	2	1	-	2	1	-	1	-	-	-	-
Male.....	-	2	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	1	-	1	-	-	-	-
White, both sexes.....	-	1	1	-	1	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	1	-	-	-	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Misadventures to patients during medical and surgical care and their sequelae (Y60-Y69,Y88.1)

New Mexico

All races, both sexes.....	-	-	-	-	1	-	1	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

New York

All races, both sexes.....	1	1	2	4	3	3	1	3	2	-	-	-
Male.....	-	-	-	2	1	1	-	2	-	-	-	-
Female.....	1	1	2	2	2	2	1	1	2	-	-	-
White, both sexes.....	-	1	2	3	2	1	1	3	2	-	-	-
Male.....	-	-	-	2	1	1	-	2	-	-	-	-
Female.....	-	1	2	1	1	-	1	1	2	-	-	-
Black, both sexes.....	1	-	-	1	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)

Arkansas												
All races, both sexes.....	-	1	2	3	1	4	2	3	2	-	-	-
Male.....	-	-	1	2	-	2	1	2	-	-	-	-
Female.....	-	1	1	1	1	2	1	1	2	-	-	-
White, both sexes.....	-	1	2	2	1	4	2	3	2	-	-	-
Male.....	-	-	1	1	-	2	1	2	-	-	-	-
Female.....	-	1	1	1	1	2	1	1	2	-	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	5	4	3	12	15	18	25	18	13	4	-	-
Male.....	3	3	1	5	4	9	11	10	7	2	-	-
Female.....	2	1	2	7	11	9	14	8	6	2	-	-
White, both sexes.....	3	2	3	10	15	15	23	16	10	4	-	-
Male.....	2	2	1	4	4	8	11	9	4	2	-	-
Female.....	1	-	2	6	11	7	12	7	6	2	-	-
Black, both sexes.....	2	-	-	2	-	2	2	2	-	-	-	-
Male.....	1	-	-	1	-	1	-	1	-	-	-	-
Female.....	1	-	-	1	-	1	2	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	-	-	1	-	-	3	-	-	-
Male.....	-	1	-	-	-	-	-	-	3	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)

Florida

All races, both sexes.....	9	7	5	9	15	18	15	5	4	1	-	-
Male.....	5	4	3	6	5	6	5	3	-	-	-	-
Female.....	4	3	2	3	10	12	10	2	4	1	-	-
White, both sexes.....	7	7	4	9	14	17	13	5	3	1	-	-
Male.....	5	4	2	6	5	6	5	3	-	-	-	-
Female.....	2	3	2	3	9	11	8	2	3	1	-	-
Black, both sexes.....	2	-	1	-	1	-	1	-	1	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-

Georgia

All races, both sexes.....	8	8	8	12	11	12	9	8	4	-	-	-
Male.....	2	6	5	5	4	8	6	4	-	-	-	-
Female.....	6	2	3	7	7	4	3	4	4	-	-	-
White, both sexes.....	5	3	5	10	9	7	7	7	3	-	-	-
Male.....	-	3	2	4	3	5	6	4	-	-	-	-
Female.....	5	-	3	6	6	2	1	3	3	-	-	-
Black, both sexes.....	3	5	3	2	2	5	1	1	1	-	-	-
Male.....	2	3	3	1	1	3	-	-	-	-	-	-
Female.....	1	2	-	1	1	2	1	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)

Wisconsin

All races, both sexes.....	1	-	2	-	2	2	1	-	1	-	-	-
Male.....	1	-	1	-	1	1	1	-	-	-	-	-
Female.....	-	-	1	-	1	1	-	-	1	-	-	-
White, both sexes.....	1	-	2	-	1	2	1	-	1	-	-	-
Male.....	1	-	1	-	-	1	1	-	-	-	-	-
Female.....	-	-	1	-	1	1	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Wyoming

All races, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

- Quantity zero.
 ... Category not applicable.
 1/ Includes Aleuts and Eskimos.
 2/ Includes Chinese, Filipino, Hawaiian, Japanese, and Other Asian or Pacific Islander.