

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 973
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)												
0 UNITED STATES --	5,195	7	33	31	40	45	37	48	62	61	110	138
WHITE-----MALE----	2,480	1	12	14	18	24	17	23	28	23	50	69
FEMALE--	2,174	5	12	12	16	14	12	19	19	27	35	45
ALL OTHER--MALE----	285	1	5	4	3	6	4	2	8	7	11	10
FEMALE--	256	-	4	1	3	1	4	4	7	4	14	14
BLACK---MALE----	234	1	3	3	3	5	4	2	7	6	9	9
FEMALE--	214	-	4	1	2	1	4	4	6	1	10	10
ALABAMA -----	95	1	-	2	2	1	4	1	1	1	2	1
WHITE-----MALE----	44	-	-	2	1	-	1	-	-	-	2	-
FEMALE--	34	1	-	-	-	-	1	1	-	1	-	1
ALL OTHER--MALE----	8	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	8	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	1	-	1	-	-	-
ALASKA -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	85	-	2	1	1	1	2	2	-	1	2	2
WHITE-----MALE----	54	-	2	1	1	-	2	1	-	1	1	1
FEMALE--	29	-	-	-	-	1	-	1	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	68	-	-	-	1	-	1	-	1	1	2	1
WHITE-----MALE----	31	-	-	-	-	-	1	-	1	1	1	1
FEMALE--	33	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	478	-	8	5	10	8	6	6	7	11	14	11
WHITE-----MALE----	213	-	2	1	4	2	3	4	3	4	5	6
FEMALE--	203	-	4	3	5	5	3	1	2	6	6	4
ALL OTHER--MALE----	33	-	1	1	1	1	-	-	1	1	1	1
FEMALE--	29	-	1	-	-	-	-	1	1	-	2	-
BLACK---MALE----	18	-	1	-	1	-	-	-	1	1	-	1
FEMALE--	19	-	1	-	-	-	-	1	-	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 973
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)												
0 UNITED STATES --	147	208	343	507	781	866	836	568	257	62	8	-
WHITE-----MALE----	78	103	193	273	409	451	363	231	88	12	-	-
FEMALE--	52	75	106	175	297	345	411	297	152	41	7	-
ALL OTHER--MALE----	9	18	26	33	46	34	31	17	5	5	-	-
FEMALE--	8	12	18	26	29	36	31	23	12	4	1	-
BLACK---MALE----	7	15	22	25	30	32	28	14	4	5	-	-
FEMALE--	6	11	15	20	25	29	31	21	9	3	1	-
ALABAMA -----	3	5	6	11	13	16	14	6	2	2	1	-
WHITE-----MALE----	-	2	5	9	7	7	7	1	-	-	-	-
FEMALE--	1	2	-	2	6	6	5	3	2	1	1	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	1	-	1	-	-
FEMALE--	1	-	-	-	-	3	2	1	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	1	-	1	-	-
FEMALE--	1	-	-	-	-	3	2	1	-	-	-	-
ALASKA -----	-	-	1	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	2	8	10	8	13	15	6	3	1	-	-
WHITE-----MALE----	3	1	6	6	4	7	10	5	1	1	-	-
FEMALE--	2	1	2	4	3	5	5	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	2	5	-	8	9	11	10	9	6	1	-	-
WHITE-----MALE----	-	1	-	6	3	3	7	4	2	-	-	-
FEMALE--	1	3	-	2	6	8	3	4	4	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	11	24	26	41	75	58	80	50	21	4	2	-
WHITE-----MALE----	6	10	22	20	31	24	38	20	8	-	-	-
FEMALE--	2	8	2	13	33	25	37	29	11	2	2	-
ALL OTHER--MALE----	-	4	1	3	7	5	2	1	1	1	-	-
FEMALE--	3	2	1	5	4	4	3	-	1	1	-	-
BLACK---MALE----	-	3	-	2	2	4	1	-	-	1	-	-
FEMALE--	3	1	-	3	3	2	3	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 974
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	49	-	1	-	1	-	2	-	-	-	1	1
WHITE-----MALE----	25	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	23	-	-	-	1	-	2	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	84	-	3	-	-	-	-	-	1	1	1	3
WHITE-----MALE----	39	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	42	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	2	-	-	-	-	-	-	-	-	-
DELAWARE -----	17	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	13	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	347	-	2	1	-	2	1	4	4	3	10	8
WHITE-----MALE----	189	-	-	1	-	1	-	1	1	1	4	5
FEMALE--	129	-	1	-	-	-	1	2	2	2	2	1
ALL OTHER--MALE----	16	-	-	-	-	1	-	-	1	-	1	1
FEMALE--	13	-	1	-	-	-	-	1	-	-	3	1
BLACK---MALE----	15	-	-	-	-	1	-	-	1	-	1	1
FEMALE--	12	-	1	-	-	-	-	1	-	-	2	1
GEORGIA -----	126	-	2	2	-	2	1	1	4	2	8	3
WHITE-----MALE----	52	-	1	1	-	-	-	-	2	1	3	1
FEMALE--	43	-	-	-	-	1	-	-	1	-	3	1
ALL OTHER--MALE----	16	-	1	1	-	1	1	-	-	1	2	-
FEMALE--	15	-	-	-	-	-	-	1	1	-	-	1
BLACK---MALE----	16	-	1	1	-	1	1	-	-	1	2	-
FEMALE--	15	-	-	-	-	-	-	1	1	-	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 974
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	2	4	5	4	9	5	7	3	3	-	-
WHITE-----MALE----	-	2	2	3	4	6	1	2	2	1	-	-
FEMALE--	1	-	2	1	-	3	4	5	1	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	3	2	7	9	19	18	9	5	2	-	-
WHITE-----MALE----	1	2	2	4	3	6	10	4	2	-	-	-
FEMALE--	-	1	-	3	6	13	8	4	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DELAWARE -----	-	-	3	1	1	4	6	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	2	2	-	-	-	-	-
FEMALE--	-	-	2	-	1	2	4	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	-	1	3	-	3	1	2	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	2	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	1	2	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
FLORIDA -----	6	13	18	22	50	78	66	33	19	7	-	-
WHITE-----MALE----	2	7	11	13	35	50	34	14	8	1	-	-
FEMALE--	3	4	6	6	15	23	28	18	9	6	-	-
ALL OTHER--MALE----	-	1	1	3	-	3	2	1	1	-	-	-
FEMALE--	1	1	-	-	-	2	2	-	1	-	-	-
BLACK---MALE----	-	-	1	3	-	3	2	1	1	-	-	-
FEMALE--	1	1	-	-	-	2	2	-	1	-	-	-
GEORGIA -----	4	6	8	10	13	22	17	14	6	1	-	-
WHITE-----MALE----	1	2	5	4	6	8	7	8	2	-	-	-
FEMALE--	1	1	2	3	5	10	6	4	4	1	-	-
ALL OTHER--MALE----	1	2	1	-	1	4	-	-	-	-	-	-
FEMALE--	1	1	-	3	1	-	4	2	-	-	-	-
BLACK---MALE----	1	2	1	-	1	4	-	-	-	-	-	-
FEMALE--	1	1	-	3	1	-	4	2	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 976
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	71	-	-	1	-	3	-	1	1	-	-	4
WHITE-----MALE----	39	-	-	-	-	2	-	-	-	-	-	1
FEMALE--	26	-	-	-	-	1	-	1	1	-	-	3
ALL OTHER--MALE----	3	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	78	-	-	-	1	-	1	-	1	1	-	2
WHITE-----MALE----	33	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	28	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	1	-	1	-	-	-
MAINE -----	23	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	81	-	1	-	1	-	-	-	2	-	1	-
WHITE-----MALE----	34	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	38	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
MASSACHUSETTS -----	116	1	-	-	-	-	-	2	1	2	-	3
WHITE-----MALE----	58	-	-	-	-	-	-	1	1	1	-	2
FEMALE--	54	1	-	-	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	214	1	2	-	1	2	3	-	1	4	7	3
WHITE-----MALE----	90	-	2	-	-	1	1	-	-	1	1	3
FEMALE--	99	-	-	-	-	1	1	-	1	2	4	-
ALL OTHER--MALE----	14	1	-	-	1	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	1	-	-	-	2	-
BLACK---MALE----	11	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	1	-	-	-	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 976
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	3	3	6	8	11	12	9	5	3	1	-	-
WHITE-----MALE----	3	3	3	4	10	7	4	-	2	-	-	-
FEMALE--	-	-	2	4	1	4	3	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
LOUISIANA -----	4	1	6	4	14	12	16	13	2	-	-	-
WHITE-----MALE----	2	-	3	2	8	4	9	2	1	-	-	-
FEMALE--	1	1	2	1	3	5	6	7	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	1	-	2	-	-	-	-
FEMALE--	-	-	-	1	2	2	1	2	1	-	-	-
BLACK---MALE----	1	-	1	-	1	1	-	2	-	-	-	-
FEMALE--	-	-	-	1	2	2	1	2	1	-	-	-
MAINE -----	-	-	3	-	4	6	3	5	-	-	-	-
WHITE-----MALE----	-	-	2	-	2	1	1	4	-	-	-	-
FEMALE--	-	-	1	-	2	5	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	7	6	11	11	10	20	9	1	-	-	-
WHITE-----MALE----	-	3	2	5	4	6	9	3	-	-	-	-
FEMALE--	1	3	3	3	7	4	11	4	1	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	2	-	-	-	-
MASSACHUSETTS -----	1	2	7	9	12	20	22	26	5	3	-	-
WHITE-----MALE----	1	2	3	5	6	14	7	13	1	1	-	-
FEMALE--	-	-	3	3	5	6	14	13	4	2	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	8	5	23	24	30	36	33	17	11	3	-	-
WHITE-----MALE----	3	2	12	14	14	18	10	3	3	2	-	-
FEMALE--	5	2	7	8	12	14	22	11	8	1	-	-
ALL OTHER--MALE----	-	-	3	2	2	1	1	2	-	-	-	-
FEMALE--	-	1	1	-	2	3	-	1	-	-	-	-
BLACK---MALE----	-	-	3	1	2	1	1	1	-	-	-	-
FEMALE--	-	1	1	-	1	2	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 979
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	237	-	-	1	3	-	-	2	4	1	4	5
WHITE-----MALE----	127	-	-	-	-	-	-	2	3	1	3	3
FEMALE--	95	-	-	1	3	-	-	-	1	-	-	2
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
OKLAHOMA -----	66	-	-	-	1	-	-	-	-	2	1	1
WHITE-----MALE----	35	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	22	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	48	-	1	-	-	1	-	-	-	-	-	3
WHITE-----MALE----	28	-	-	-	-	1	-	-	-	-	-	3
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	324	-	-	2	3	-	-	-	3	-	2	6
WHITE-----MALE----	163	-	-	-	1	-	-	-	2	-	-	2
FEMALE--	142	-	-	2	2	-	-	-	-	-	1	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	9	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	2
RHODE ISLAND -----	16	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	68	-	1	2	-	-	-	-	2	1	2	-
WHITE-----MALE----	31	-	1	2	-	-	-	-	1	-	1	-
FEMALE--	21	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 979
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	2	9	15	20	42	42	40	33	11	3	-	-
WHITE-----MALE----	1	4	11	14	25	23	17	16	3	1	-	-
FEMALE--	1	2	3	4	15	16	22	16	8	1	-	-
ALL OTHER--MALE----	-	2	1	1	1	2	1	1	-	1	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	1	1	1	1	2	1	1	-	1	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-
OKLAHOMA -----	2	2	3	9	11	12	11	4	6	1	-	-
WHITE-----MALE----	2	1	1	7	5	5	6	3	3	-	-	-
FEMALE--	-	1	1	1	4	5	4	1	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
OREGON -----	1	-	5	7	7	10	6	3	3	-	1	-
WHITE-----MALE----	1	-	3	6	4	5	4	-	1	-	-	-
FEMALE--	-	-	2	1	3	5	2	3	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	9	11	18	38	60	56	63	34	17	2	-	-
WHITE-----MALE----	6	7	10	13	34	32	32	17	7	-	-	-
FEMALE--	2	4	6	21	26	20	29	16	9	2	-	-
ALL OTHER--MALE----	1	-	-	2	-	2	1	-	1	-	-	-
FEMALE--	-	-	2	2	-	2	1	1	-	-	-	-
BLACK---MALE----	1	-	-	2	-	2	1	-	1	-	-	-
FEMALE--	-	-	2	2	-	2	1	1	-	-	-	-
RHODE ISLAND -----	1	-	1	4	2	1	4	1	1	-	-	-
WHITE-----MALE----	1	-	1	3	1	1	2	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	2	2	6	8	12	12	7	9	1	-	1	-
WHITE-----MALE----	2	1	3	3	6	6	1	4	-	-	-	-
FEMALE--	-	1	2	4	2	4	4	3	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	4	-	2	2	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	1	-	1	-
BLACK---MALE----	-	-	1	1	4	-	2	2	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	1	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 980
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	1	1	2	2	3	1	1	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	2	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	2	7	10	20	24	7	11	3	2	-	-
WHITE-----MALE----	1	-	4	5	15	15	3	4	2	-	-	-
FEMALE--	2	1	2	4	4	8	3	6	1	1	-	-
ALL OTHER--MALE----	1	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	1	-	-
BLACK---MALE----	1	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	1	-	-
TEXAS -----	7	13	25	33	45	56	63	31	19	2	-	-
WHITE-----MALE----	4	6	13	17	23	32	28	10	8	-	-	-
FEMALE--	1	5	9	13	17	20	29	20	10	1	-	-
ALL OTHER--MALE----	2	1	-	1	2	1	2	-	1	-	-	-
FEMALE--	-	1	3	2	3	3	4	1	-	1	-	-
BLACK---MALE----	1	1	-	1	2	1	2	-	1	-	-	-
FEMALE--	-	1	2	2	3	3	4	1	-	1	-	-
UTAH -----	-	1	2	-	-	3	3	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
VERMONT -----	-	-	3	-	1	2	1	1	-	-	-	-
WHITE-----MALE----	-	-	2	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	10	4	17	26	15	18	13	4	1	-	-
WHITE-----MALE----	6	4	3	10	8	8	3	5	1	-	-	-
FEMALE--	1	4	1	4	10	5	8	6	2	1	-	-
ALL OTHER--MALE----	-	1	-	1	7	1	5	-	1	-	-	-
FEMALE--	-	1	-	2	1	1	2	2	-	-	-	-
BLACK---MALE----	-	1	-	-	4	1	5	-	1	-	-	-
FEMALE--	-	1	-	2	1	1	2	2	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 982
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	248	334	456	607	907	1,144	1,193	984	507	149	32	1
WHITE-----MALE----	104	162	214	279	377	477	413	305	128	33	8	-
FEMALE--	108	125	169	257	418	538	652	615	335	102	22	-
ALL OTHER--MALE----	22	29	40	33	42	50	59	21	13	4	-	1
FEMALE--	14	18	33	38	70	79	69	43	31	10	2	-
BLACK---MALE----	22	24	38	28	33	40	46	16	11	3	-	1
FEMALE--	13	14	30	34	63	65	60	41	26	9	2	-
ALABAMA -----	6	12	9	9	15	19	23	13	11	-	-	-
WHITE-----MALE----	1	6	3	4	8	7	5	1	2	-	-	-
FEMALE--	4	5	2	5	4	9	11	11	8	-	-	-
ALL OTHER--MALE----	1	-	2	-	1	1	2	1	1	-	-	-
FEMALE--	-	1	2	-	2	2	5	-	-	-	-	-
BLACK---MALE----	1	-	2	-	1	1	2	1	1	-	-	-
FEMALE--	-	1	2	-	2	2	5	-	-	-	-	-
ALASKA -----	-	1	1	-	1	-	3	1	1	1	-	-
WHITE-----MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	4	10	11	15	21	18	16	11	3	-	-
WHITE-----MALE----	1	2	5	6	8	9	9	6	5	1	-	-
FEMALE--	3	2	5	4	7	11	9	10	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARKANSAS -----	1	4	5	7	5	8	9	8	6	-	-	-
WHITE-----MALE----	-	1	2	4	2	4	4	2	1	-	-	-
FEMALE--	-	3	3	2	2	4	4	4	5	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	24	29	40	46	82	99	92	76	43	8	5	-
WHITE-----MALE----	13	14	18	21	31	50	35	26	13	2	3	-
FEMALE--	8	9	19	22	40	34	47	43	27	3	2	-
ALL OTHER--MALE----	1	3	2	2	8	6	4	5	2	2	-	-
FEMALE--	2	3	1	1	3	9	6	2	1	1	-	-
BLACK---MALE----	1	-	2	1	2	3	-	1	1	1	-	-
FEMALE--	1	3	1	1	1	5	1	2	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 983
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	95	1	1	1	-	1	2	-	-	1	4	3
WHITE-----MALE----	39	1	1	-	-	1	2	-	-	1	3	2
FEMALE--	48	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	1	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	1
CONNECTICUT -----	121	-	-	-	-	-	1	2	1	3	1	3
WHITE-----MALE----	44	-	-	-	-	-	1	1	-	1	-	2
FEMALE--	68	-	-	-	-	-	-	1	1	2	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
DELAWARE -----	27	-	-	-	-	1	-	-	3	-	-	3
WHITE-----MALE----	14	-	-	-	-	-	-	-	2	-	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	1	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	1	-	-	1	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	28	-	-	-	1	-	1	-	-	-	-	3
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	12	-	-	-	1	-	-	-	-	-	-	2
BLACK---MALE----	9	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	12	-	-	-	1	-	-	-	-	-	-	2
FLORIDA -----	423	2	3	1	2	1	1	3	7	6	8	8
WHITE-----MALE----	174	-	1	-	-	1	-	1	1	2	4	3
FEMALE--	206	2	2	1	-	-	1	1	-	2	2	2
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	2	1	1	3
FEMALE--	23	-	-	-	2	-	-	1	4	1	1	-
BLACK---MALE----	20	-	-	-	-	-	-	-	2	1	1	3
FEMALE--	23	-	-	-	2	-	-	1	4	1	1	-
GEORGIA -----	196	2	1	-	1	1	1	2	7	5	5	8
WHITE-----MALE----	71	2	-	-	-	-	1	-	3	3	1	3
FEMALE--	80	-	1	-	-	1	-	-	3	1	1	1
ALL OTHER--MALE----	18	-	-	-	1	-	-	-	1	-	1	2
FEMALE--	27	-	-	-	-	-	-	2	-	1	2	2
BLACK---MALE----	18	-	-	-	1	-	-	-	1	-	1	2
FEMALE--	26	-	-	-	-	-	-	2	-	1	2	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 983
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	4	6	6	10	9	12	11	12	7	4	-	-
WHITE-----MALE----	3	3	1	4	3	8	1	4	1	-	-	-
FEMALE--	1	3	5	3	5	4	10	8	5	3	-	-
ALL OTHER--MALE----	-	-	-	3	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	4	6	9	11	14	17	20	20	7	2	-	-
WHITE-----MALE----	3	3	6	5	5	6	5	6	-	-	-	-
FEMALE--	1	3	1	6	6	9	14	14	7	2	-	-
ALL OTHER--MALE----	-	-	1	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
DELAWARE -----	-	1	5	2	4	2	3	2	1	-	-	-
WHITE-----MALE----	-	-	4	1	2	1	1	1	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	2	1	1	3	6	5	3	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	3	-	-	1	-	-	-
ALL OTHER--MALE----	-	2	1	1	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	2	2	4	-	1	-	-	-
BLACK---MALE----	-	2	1	1	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	2	2	4	-	1	-	-	-
FLORIDA -----	12	10	18	37	49	70	78	68	30	7	2	-
WHITE-----MALE----	7	5	6	20	21	33	37	24	4	4	-	-
FEMALE--	4	2	7	13	24	34	37	44	23	3	2	-
ALL OTHER--MALE----	-	2	2	2	-	3	3	-	1	-	-	-
FEMALE--	1	1	3	2	4	-	1	-	2	-	-	-
BLACK---MALE----	-	2	2	2	-	3	3	-	1	-	-	-
FEMALE--	1	1	3	2	4	-	1	-	2	-	-	-
GEORGIA -----	12	12	12	12	33	27	22	20	8	4	1	-
WHITE-----MALE----	5	3	9	3	12	12	5	7	1	1	-	-
FEMALE--	2	4	1	8	14	13	11	10	5	3	1	-
ALL OTHER--MALE----	4	3	1	-	3	-	1	1	-	-	-	-
FEMALE--	1	2	1	1	4	2	5	2	2	-	-	-
BLACK---MALE----	4	3	1	-	3	-	1	1	-	-	-	-
FEMALE--	1	2	1	1	4	2	4	2	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 984
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	-	1	2	3	8	7	2	5	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	1	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	4	4	-	1	-	-	-
FEMALE--	-	-	-	1	2	2	2	1	3	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	2	-	4	3	2	3	1	-	-	-
WHITE-----MALE----	-	-	2	-	1	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	3	3	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	14	20	23	38	43	49	57	55	32	13	-	-
WHITE-----MALE----	6	12	7	19	20	25	18	17	9	1	-	-
FEMALE--	6	6	10	15	17	21	31	33	21	10	-	-
ALL OTHER--MALE----	1	1	4	3	3	-	4	-	1	1	-	-
FEMALE--	1	1	2	1	3	3	4	5	1	1	-	-
BLACK---MALE----	1	1	4	3	3	-	4	-	1	1	-	-
FEMALE--	1	1	2	1	3	2	4	5	-	1	-	-
INDIANA -----	9	5	9	15	28	26	19	35	14	2	1	-
WHITE-----MALE----	5	3	5	6	13	13	8	10	3	1	-	-
FEMALE--	4	2	3	6	15	12	10	24	11	1	1	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	-	-	-	-	-
IOWA -----	1	3	2	7	5	7	17	15	10	2	-	-
WHITE-----MALE----	1	3	-	4	2	2	6	4	3	-	-	-
FEMALE--	-	-	2	3	3	5	11	11	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	1	2	6	7	9	14	12	9	2	-	-
WHITE-----MALE----	-	1	1	3	4	3	9	2	3	1	-	-
FEMALE--	1	-	1	3	1	6	5	8	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	2	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 985
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	119	-	2	1	2	1	-	-	-	1	5	4
WHITE-----MALE----	42	-	2	1	-	-	-	-	-	-	4	3
FEMALE--	61	-	-	-	2	-	-	-	-	1	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	1	-	-	-	-	1	-
LOUISIANA -----	143	-	1	2	2	-	-	3	3	5	9	4
WHITE-----MALE----	43	-	-	-	-	-	-	1	-	2	3	2
FEMALE--	52	-	-	1	-	-	-	1	1	1	1	1
ALL OTHER--MALE----	16	-	1	-	1	-	-	1	-	2	1	1
FEMALE--	32	-	-	1	1	-	-	-	2	-	4	-
BLACK---MALE----	16	-	1	-	1	-	-	1	-	2	1	1
FEMALE--	32	-	-	1	1	-	-	-	2	-	4	-
MAINE -----	53	2	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	28	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	25	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	154	2	2	1	2	1	1	2	2	6	6	2
WHITE-----MALE----	46	1	-	-	-	-	1	1	1	2	-	-
FEMALE--	68	-	-	-	2	-	-	-	-	-	2	1
ALL OTHER--MALE----	15	-	-	1	-	-	-	-	1	4	3	-
FEMALE--	25	1	2	-	-	1	-	1	-	-	1	1
BLACK---MALE----	14	-	-	1	-	-	-	-	1	4	3	-
FEMALE--	24	1	2	-	-	1	-	1	-	-	1	1
MASSACHUSETTS -----	207	-	2	1	-	-	-	1	2	4	4	6
WHITE-----MALE----	79	-	1	-	-	-	-	-	-	3	1	3
FEMALE--	116	-	1	1	-	-	-	1	2	1	2	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
MICHIGAN -----	245	-	2	1	-	1	1	1	2	3	3	6
WHITE-----MALE----	89	-	-	-	-	-	-	1	-	-	2	2
FEMALE--	122	-	1	-	-	1	-	-	2	1	-	3
ALL OTHER--MALE----	14	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	20	-	-	1	-	-	1	-	-	1	1	1
BLACK---MALE----	14	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	17	-	-	1	-	-	1	-	-	1	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 985
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	6	4	12	16	17	16	18	10	2	1	-
WHITE-----MALE----	-	2	-	7	6	5	3	7	2	-	-	-
FEMALE--	-	4	3	5	7	9	12	10	4	2	1	-
ALL OTHER--MALE----	-	-	-	-	2	1	1	-	2	-	-	-
FEMALE--	1	-	1	-	1	2	-	1	2	-	-	-
BLACK---MALE----	-	-	-	-	2	1	1	-	2	-	-	-
FEMALE--	1	-	1	-	1	2	-	1	2	-	-	-
LOUISIANA -----	5	9	8	16	16	20	21	11	6	2	-	-
WHITE-----MALE----	2	2	3	5	5	6	8	1	1	2	-	-
FEMALE--	-	6	3	7	6	10	6	4	4	-	-	-
ALL OTHER--MALE----	2	1	-	2	1	1	2	-	-	-	-	-
FEMALE--	1	-	2	2	4	3	5	6	1	-	-	-
BLACK---MALE----	2	1	-	2	1	1	2	-	-	-	-	-
FEMALE--	1	-	2	2	4	3	5	6	1	-	-	-
MAINE -----	-	2	5	3	5	6	11	11	7	-	-	-
WHITE-----MALE----	-	-	4	2	-	3	10	6	2	-	-	-
FEMALE--	-	2	1	1	5	3	1	5	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	5	9	17	19	29	14	18	9	3	-	-
WHITE-----MALE----	-	3	4	5	7	9	4	4	4	-	-	-
FEMALE--	4	2	3	10	8	15	6	10	3	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	2	-	2	-	1	-	-
FEMALE--	-	-	1	2	4	3	4	2	2	-	-	-
BLACK---MALE----	-	-	1	-	-	2	-	1	-	1	-	-
FEMALE--	-	-	-	2	4	3	4	2	2	-	-	-
MASSACHUSETTS -----	4	12	13	12	26	29	33	34	21	2	1	-
WHITE-----MALE----	-	7	4	3	14	8	17	15	3	-	-	-
FEMALE--	3	4	8	9	10	17	15	19	18	2	1	-
ALL OTHER--MALE----	1	1	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	3	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	-	-	-	-	-	-
MICHIGAN -----	7	11	10	13	31	44	50	37	16	3	3	-
WHITE-----MALE----	3	4	4	6	11	19	17	14	5	-	1	-
FEMALE--	2	5	5	3	14	22	28	22	9	2	2	-
ALL OTHER--MALE----	2	-	1	-	3	2	3	-	1	-	-	-
FEMALE--	-	2	-	4	3	1	2	1	1	1	-	-
BLACK---MALE----	2	-	1	-	3	2	3	-	1	-	-	-
FEMALE--	-	1	-	4	2	-	2	1	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 988
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	412	2	4	2	4	3	1	4	5	4	12	10
WHITE-----MALE----	166	1	2	1	1	2	-	3	4	4	7	3
FEMALE--	210	1	1	1	3	-	1	-	1	-	3	5
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	20	-	1	-	-	1	-	1	-	-	-	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	20	-	1	-	-	1	-	1	-	-	-	-
OKLAHOMA -----	92	1	1	1	1	-	-	1	-	1	3	2
WHITE-----MALE----	37	-	-	1	-	-	-	1	-	-	2	2
FEMALE--	41	1	1	-	1	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	114	-	-	1	-	1	3	1	1	3	6	2
WHITE-----MALE----	49	-	-	-	-	1	2	-	1	2	6	1
FEMALE--	63	-	-	1	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	435	4	1	2	2	4	3	4	2	10	8	14
WHITE-----MALE----	171	2	1	2	1	2	1	2	1	4	5	8
FEMALE--	220	1	-	-	-	2	-	-	-	2	2	3
ALL OTHER--MALE----	23	-	-	-	-	-	-	1	1	2	1	1
FEMALE--	21	1	-	-	1	-	2	1	-	2	-	2
BLACK---MALE----	21	-	-	-	-	-	-	1	1	2	1	1
FEMALE--	19	1	-	-	1	-	2	1	-	2	-	1
RHODE ISLAND -----	34	-	-	-	-	-	-	-	-	-	3	2
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	88	-	3	-	-	-	-	1	2	1	3	2
WHITE-----MALE----	23	-	-	-	-	-	-	-	1	1	3	-
FEMALE--	32	-	1	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	10	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	1	-	-	-	-	1	-	-	-	1
BLACK---MALE----	10	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	1	-	-	-	-	1	-	-	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 988
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	11	13	33	32	40	77	66	50	26	9	4	-
WHITE-----MALE----	4	5	20	16	13	35	22	14	5	3	1	-
FEMALE--	6	6	9	14	23	34	40	34	19	6	3	-
ALL OTHER--MALE----	-	2	2	-	2	3	2	1	-	-	-	-
FEMALE--	1	-	2	2	2	5	2	1	2	-	-	-
BLACK---MALE----	-	2	2	-	2	3	2	1	-	-	-	-
FEMALE--	1	-	2	2	2	5	2	1	2	-	-	-
OKLAHOMA -----	1	6	5	10	18	15	8	9	8	1	-	-
WHITE-----MALE----	1	4	2	3	9	4	2	4	2	-	-	-
FEMALE--	-	1	3	3	7	8	4	5	5	1	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	3	1	3	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	3	1	2	-	-	1	-	-	-
OREGON -----	3	8	6	6	11	17	23	12	9	1	-	-
WHITE-----MALE----	2	5	4	4	4	5	6	3	3	-	-	-
FEMALE--	1	3	2	2	7	11	17	9	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	12	14	19	42	50	72	78	64	19	8	3	-
WHITE-----MALE----	6	4	12	22	23	30	22	18	3	1	1	-
FEMALE--	6	9	6	15	26	35	49	40	15	7	2	-
ALL OTHER--MALE----	-	1	1	3	1	4	5	2	-	-	-	-
FEMALE--	-	-	-	2	-	3	2	4	1	-	-	-
BLACK---MALE----	-	1	1	3	1	3	4	2	-	-	-	-
FEMALE--	-	-	-	1	-	3	2	4	1	-	-	-
RHODE ISLAND -----	-	1	3	1	6	5	3	7	-	2	1	-
WHITE-----MALE----	-	1	1	-	1	1	2	2	-	1	-	-
FEMALE--	-	-	2	1	5	4	1	5	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	7	5	8	5	11	14	12	7	4	2	1	-
WHITE-----MALE----	-	2	4	1	2	5	2	1	1	-	-	-
FEMALE--	3	2	3	3	2	1	4	6	2	2	1	-
ALL OTHER--MALE----	2	-	1	1	2	2	1	-	-	-	-	-
FEMALE--	2	1	-	-	5	6	5	-	1	-	-	-
BLACK---MALE----	2	-	1	1	2	2	1	-	-	-	-	-
FEMALE--	2	1	-	-	5	6	5	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 989
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	1	1	4	1	4	2	1	2	-	-
WHITE-----MALE----	-	-	-	-	2	1	1	1	1	-	-	-
FEMALE--	-	-	-	1	2	-	3	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	8	7	10	11	20	21	14	4	-	-	-
WHITE-----MALE----	1	4	3	3	4	4	7	6	-	-	-	-
FEMALE--	2	3	2	4	4	13	12	8	2	-	-	-
ALL OTHER--MALE----	1	1	1	-	1	3	2	-	1	-	-	-
FEMALE--	-	-	1	3	2	-	-	-	1	-	-	-
BLACK---MALE----	1	1	1	-	1	3	2	-	1	-	-	-
FEMALE--	-	-	1	3	2	-	-	-	1	-	-	-
TEXAS -----	5	20	28	33	46	55	47	51	25	15	2	1
WHITE-----MALE----	3	12	14	11	22	21	19	15	9	4	1	-
FEMALE--	2	3	8	14	23	25	27	33	12	9	1	-
ALL OTHER--MALE----	-	3	4	3	-	2	1	1	1	-	-	1
FEMALE--	-	2	2	5	1	7	-	2	3	2	-	-
BLACK---MALE----	-	3	4	3	-	2	1	1	1	-	-	1
FEMALE--	-	2	2	3	1	5	-	2	3	2	-	-
UTAH -----	2	4	3	3	3	5	10	6	3	1	-	-
WHITE-----MALE----	-	3	2	1	2	3	3	2	1	-	-	-
FEMALE--	2	1	-	2	1	2	7	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	2	2	3	-	6	2	1	-	1	-
WHITE-----MALE----	-	-	-	2	1	-	2	1	-	-	1	-
FEMALE--	1	-	2	-	2	-	4	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	13	11	13	16	35	26	18	21	8	1	-	-
WHITE-----MALE----	6	7	4	7	10	13	4	5	2	-	-	-
FEMALE--	6	3	5	8	14	12	9	12	5	1	-	-
ALL OTHER--MALE----	1	1	1	1	4	-	3	1	-	-	-	-
FEMALE--	-	-	3	-	7	1	2	3	1	-	-	-
BLACK---MALE----	1	1	1	1	3	-	3	1	-	-	-	-
FEMALE--	-	-	3	-	7	1	2	3	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 990
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
WASHINGTON -----	120	-	1	-	-	-	3	-	5	1	2	4
WHITE-----MALE----	51	-	1	-	-	-	2	-	2	1	1	1
FEMALE--	60	-	-	-	-	-	1	-	1	-	1	3
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
WEST VIRGINIA -----	72	-	1	-	-	-	-	1	-	1	1	1
WHITE-----MALE----	26	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	45	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN -----	161	-	1	1	-	2	-	2	6	3	-	3
WHITE-----MALE----	74	-	1	1	-	1	-	1	4	2	-	3
FEMALE--	82	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
WYOMING -----	15	-	-	-	-	1	1	-	-	1	-	-
WHITE-----MALE----	5	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 991
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BENIGN NEOPLASMS (210-229)												
0 UNITED STATES --	44	68	72	128	193	214	231	194	109	25	8	-
WHITE-----MALE----	17	26	27	53	66	72	73	39	22	2	2	-
FEMALE--	21	29	27	52	87	100	135	138	75	20	5	-
ALL OTHER--MALE----	3	7	7	8	13	14	8	6	2	-	-	-
FEMALE--	3	6	11	15	27	28	15	11	10	3	1	-
BLACK---MALE----	3	7	7	6	8	11	7	4	2	-	-	-
FEMALE--	3	4	11	13	25	23	13	11	10	3	1	-
ALABAMA -----	1	3	1	1	1	1	5	1	3	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	2	-	1	-	-	-
FEMALE--	-	1	1	1	-	1	1	1	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	2	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	2	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	1	5	2	3	2	2	1	-	-
WHITE-----MALE----	-	-	-	-	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	3	1	2	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	1	2	-	4	5	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	3	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	3	6	10	19	26	24	21	19	10	2	2	-
WHITE-----MALE----	1	3	6	7	5	8	7	4	3	-	2	-
FEMALE--	2	3	3	10	16	10	11	13	7	1	-	-
ALL OTHER--MALE----	-	-	-	2	5	2	1	2	-	-	-	-
FEMALE--	-	-	1	-	-	4	2	-	-	1	-	-
BLACK---MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 992
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 BENIGN NEOPLASMS (210-229)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	24	1	-	1	-	1	-	-	-	1	-	1
WHITE-----MALE----	9	1	-	-	-	1	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	1
CONNECTICUT -----	21	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	100	1	-	-	-	-	1	-	3	3	4	2
WHITE-----MALE----	42	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	42	1	-	-	-	-	1	-	-	1	2	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	1	1	-
GEORGIA -----	39	-	-	-	-	-	-	1	3	2	-	2
WHITE-----MALE----	14	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	19	-	-	-	-	-	-	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	-	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	-	1	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 992
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 BENIGN NEOPLASMS (210-229)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	2	2	2	-	2	2	2	3	2	2	-	-
WHITE-----MALE----	1	1	-	-	2	1	-	1	-	-	-	-
FEMALE--	1	1	2	-	-	1	2	2	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	1	1	1	2	1	5	7	1	2	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	3	-	-	-	-	-
FEMALE--	1	1	-	1	-	4	3	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
DELAWARE -----	-	-	-	-	2	1	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
FLORIDA -----	4	3	5	14	13	16	12	13	6	-	-	-
WHITE-----MALE----	3	1	-	9	7	9	6	3	1	-	-	-
FEMALE--	1	1	1	4	3	6	6	10	4	-	-	-
ALL OTHER--MALE----	-	-	2	1	-	1	-	-	1	-	-	-
FEMALE--	-	1	2	-	3	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	1	-	1	-	-	1	-	-	-
FEMALE--	-	1	2	-	3	-	-	-	-	-	-	-
GEORGIA -----	-	-	1	4	9	3	4	7	2	1	-	-
WHITE-----MALE----	-	-	1	1	6	2	-	2	-	-	-	-
FEMALE--	-	-	-	3	2	1	3	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 993
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 BENIGN NEOPLASMS (210-229)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	-	-	1	1	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	2	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3	2	3	6	8	12	11	12	5	1	-	-
WHITE-----MALE----	1	1	1	1	1	5	1	2	1	-	-	-
FEMALE--	2	1	1	3	6	5	9	10	4	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	1	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	1	-	-	-	-	-
INDIANA -----	4	-	-	3	8	3	3	5	3	-	1	-
WHITE-----MALE----	3	-	-	1	5	1	1	3	-	-	-	-
FEMALE--	1	-	-	1	3	1	2	2	3	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
IOWA -----	-	1	2	1	2	4	9	2	2	1	-	-
WHITE-----MALE----	-	1	-	1	1	2	3	-	-	-	-	-
FEMALE--	-	-	2	-	1	2	6	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	1	-	-	3	2	4	-	3	1	-	-
WHITE-----MALE----	-	1	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	2	3	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 994
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 BENIGN NEOPLASMS (210-229)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	32	-	-	1	1	-	-	-	-	-	-	3
WHITE-----MALE----	8	-	-	1	-	-	-	-	-	-	-	2
FEMALE--	17	-	-	-	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	21	-	-	-	1	-	-	1	-	1	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	1	-	-	1	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	1	-	-	1	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
MAINE -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	33	1	1	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	1	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	1	1	-	-	-	-	-	-	-	1	-
MASSACHUSETTS -----	31	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	59	-	2	-	-	-	1	-	-	2	2	2
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	31	-	1	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	5	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	1	1
BLACK---MALE----	5	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 994
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 BENIGN NEOPLASMS (210-229)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	4	1	2	3	5	3	5	4	-	-	-
WHITE-----MALE----	-	1	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	3	-	1	1	4	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	2	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	2	-	-	-
LOUISIANA -----	1	-	2	2	3	2	2	3	2	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	2	1	1	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	1	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	1	-	2	-	-	-	-
MAINE -----	-	-	1	-	-	-	-	3	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	3	3	4	4	6	6	2	-	-	-
WHITE-----MALE----	-	-	2	1	1	1	-	1	-	-	-	-
FEMALE--	1	-	-	2	1	2	4	3	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	-	1	-	-	-
MASSACHUSETTS -----	-	2	1	2	6	5	5	2	4	1	1	-
WHITE-----MALE----	-	-	-	1	4	1	-	-	1	-	-	-
FEMALE--	-	1	1	1	2	2	5	2	3	1	1	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	2	4	2	2	9	10	12	5	4	-	-	-
WHITE-----MALE----	1	1	1	2	1	5	5	-	-	-	-	-
FEMALE--	1	2	1	-	6	4	6	5	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 997
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 BENIGN NEOPLASMS (210-229)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	1	3	6	2	10	14	15	8	6	2	2	-
WHITE-----MALE----	-	1	3	1	2	5	4	-	1	-	-	-
FEMALE--	1	2	2	-	5	5	10	7	4	2	2	-
ALL OTHER--MALE----	-	-	1	-	1	3	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	1	1	-	-	-
BLACK---MALE----	-	-	1	-	1	3	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	1	1	-	-	-
OKLAHOMA -----	-	2	-	2	3	2	4	4	-	1	-	-
WHITE-----MALE----	-	1	-	-	2	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	3	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-
OREGON -----	1	3	-	2	-	3	7	2	1	-	-	-
WHITE-----MALE----	1	2	-	1	-	2	2	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	5	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	3	1	3	11	8	13	7	2	1	-	-
WHITE-----MALE----	-	1	1	2	3	1	2	-	-	-	-	-
FEMALE--	-	2	-	1	7	6	11	5	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
RHODE ISLAND -----	-	1	-	-	2	3	1	3	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	-	1	1	5	6	3	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	1	1	1	1	-	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	3	2	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	3	2	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 998
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 BENIGN NEOPLASMS (210-229)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	2	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	4	3	6	1	5	5	3	1	-	-	-
WHITE-----MALE----	1	2	1	2	-	2	-	1	-	-	-	-
FEMALE--	1	1	1	1	-	3	5	2	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	3	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	3	1	-	-	-	-	-	-	-
TEXAS -----	-	5	6	11	5	14	9	13	6	2	-	-
WHITE-----MALE----	-	2	3	3	2	4	4	3	2	1	-	-
FEMALE--	-	1	2	5	3	7	5	10	3	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	3	-	3	-	-	1	1	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	2	-	-	1	1	-	-
UTAH -----	-	1	-	1	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	1	1	-	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	2	-	3	6	3	3	4	2	-	-	-
WHITE-----MALE----	-	-	-	2	2	2	-	-	-	-	-	-
FEMALE--	-	1	-	1	3	1	1	3	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,003
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 OF FEMALE GENITAL ORGANS (218-221)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	-	-	-	-	-	1	-	-	-	1	-
WHITE-----FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	-	-	1	-	-	-	1	-
BLACK---FEMALE--	2	-	-	-	-	-	1	-	-	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,009
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM (224-225)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	23	38	52	79	127	146	159	131	80	17	4	-
WHITE-----MALE----	9	13	20	29	39	37	46	25	13	-	-	-
FEMALE--	13	17	21	36	65	78	101	94	60	14	4	-
ALL OTHER--MALE----	-	3	3	6	5	10	2	3	-	-	-	-
FEMALE--	1	5	8	8	18	21	10	9	7	3	-	-
BLACK---MALE----	-	3	3	5	3	8	1	3	-	-	-	-
FEMALE--	1	3	8	8	16	17	8	9	7	3	-	-
ALABAMA -----	-	2	1	1	1	1	2	1	2	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	1	4	1	3	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	2	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	2	1	2	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	1	-	4	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	-	4	7	12	16	17	19	10	6	1	-	-
WHITE-----MALE----	-	2	5	4	2	4	7	3	1	-	-	-
FEMALE--	-	2	2	7	12	8	9	7	5	-	-	-
ALL OTHER--MALE----	-	-	-	1	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	4	2	-	-	1	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,010
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM (224-225)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	1	2	-	2	-	1	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	1	2	-	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	-	1	1	-	1	5	4	1	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	3	-	-	-	-	-
FEMALE--	-	1	-	-	-	4	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
DELAWARE -----	-	-	-	-	1	1	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
FLORIDA -----	3	2	4	13	8	11	6	10	4	-	-	-
WHITE-----MALE----	2	-	-	8	4	5	4	1	1	-	-	-
FEMALE--	1	1	1	4	3	6	2	9	3	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	1	-	-	-	-	-	-	-
GEORGIA -----	-	-	1	2	4	2	4	5	1	1	-	-
WHITE-----MALE----	-	-	1	-	2	2	-	2	-	-	-	-
FEMALE--	-	-	-	2	2	-	3	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,011
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM (224-225)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	-	-	1	1	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	-	2	2	4	7	7	10	11	5	1	-	-
WHITE-----MALE----	-	1	1	-	1	1	1	2	1	-	-	-
FEMALE--	-	1	1	3	6	4	8	9	4	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
INDIANA -----	1	-	-	2	5	2	2	-	3	-	1	-
WHITE-----MALE----	1	-	-	-	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	2	-	3	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
IOWA -----	-	-	2	-	1	1	5	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	5	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	1	-	-	3	1	2	-	3	1	-	-
WHITE-----MALE----	-	1	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,012
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM (224-225)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	2	1	-	3	4	2	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	2	-	-	1	4	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	1	-	-	-
LOUISIANA -----	1	-	2	2	3	1	2	2	2	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	2	1	1	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	2	-	-	-	-
MAINE -----	-	-	1	-	-	-	-	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	2	1	2	3	3	5	2	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	1	1	1	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	1	-	-	-
MASSACHUSETTS -----	-	-	1	2	3	3	3	2	4	1	1	-
WHITE-----MALE----	-	-	-	1	2	-	-	-	1	-	-	-
FEMALE--	-	-	1	1	1	2	3	2	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	4	1	1	6	6	4	4	2	-	-	-
WHITE-----MALE----	1	1	1	1	1	3	-	-	-	-	-	-
FEMALE--	1	2	-	-	5	3	4	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,015
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM (224-225)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	1	-	4	1	5	11	10	7	5	2	1	-
WHITE-----MALE----	-	-	2	-	1	2	2	-	-	-	-	-
FEMALE--	1	-	1	-	3	5	8	6	4	2	1	-
ALL OTHER--MALE----	-	-	1	-	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	1	1	-	-	-
BLACK---MALE----	-	-	1	-	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	1	1	-	-	-
OKLAHOMA -----	-	1	-	1	2	2	2	4	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	3	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
OREGON -----	1	2	-	2	-	3	7	-	1	-	-	-
WHITE-----MALE----	1	2	-	1	-	2	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	5	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	3	1	1	6	5	12	5	2	1	-	-
WHITE-----MALE----	-	1	1	1	1	1	2	-	-	-	-	-
FEMALE--	-	2	-	-	4	3	10	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
RHODE ISLAND -----	-	1	-	-	2	3	1	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	1	1	3	2	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	1	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,019
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF ALL OTHER AND UNSPECIFIED SITES (210-217,222-223,226-229)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	11	1	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	6	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	33	1	-	-	-	-	-	-	3	2	2	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	1	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	-
GEORGIA -----	14	-	-	-	-	-	-	1	-	2	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,019
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF ALL OTHER AND UNSPECIFIED SITES (210-217,222-223,226-229)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	1	-	-	-	2	1	2	1	1	-	-
WHITE-----MALE----	1	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	2	-	-	3	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	1	1	1	5	5	6	3	2	-	-	-
WHITE-----MALE----	1	1	-	1	3	4	2	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	4	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
GEORGIA -----	-	-	-	2	5	1	-	2	1	-	-	-
WHITE-----MALE----	-	-	-	1	4	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,021
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF ALL OTHER AND UNSPECIFIED SITES (210-217,222-223,226-229)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	2	-	2	-	1	1	2	3	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
LOUISIANA -----	-	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	1	2	2	1	2	1	-	-	-	-
WHITE-----MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	2	-	-	3	2	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	-	-	1	1	3	4	7	1	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	2	5	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,024
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF ALL OTHER AND UNSPECIFIED SITES (210-217,222-223,226-229)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	-	3	2	1	5	3	5	1	1	-	-	-
WHITE-----MALE----	-	1	1	1	1	3	2	-	1	-	-	-
FEMALE--	-	2	1	-	2	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
OKLAHOMA -----	-	1	-	1	1	-	2	-	-	1	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OREGON -----	-	1	-	-	-	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	2	5	3	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	3	3	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	-	-	-	2	4	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,025
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF ALL OTHER AND UNSPECIFIED SITES (210-217,222-223,226-229)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	4	1	1	-	3	1	2	1	-	-	-
WHITE-----MALE----	-	2	1	-	-	2	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	5	1	4	3	7	4	6	1	1	-	-
WHITE-----MALE----	-	2	-	-	2	4	2	2	-	1	-	-
FEMALE--	-	1	-	2	1	1	2	4	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	2	-	-	1	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
UTAH -----	-	1	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	2	2	2	2	4	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,054
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	45	61	108	139	219	315	325	243	127	31	4	-
WHITE-----MALE----	18	35	53	68	109	148	128	94	29	7	1	-
FEMALE--	17	20	39	59	97	143	180	138	90	19	3	-
ALL OTHER--MALE----	7	4	9	4	5	13	6	4	1	2	-	-
FEMALE--	3	2	7	8	8	11	11	7	7	3	-	-
BLACK---MALE----	7	4	9	4	5	11	3	4	1	1	-	-
FEMALE--	2	2	7	8	7	10	8	7	7	3	-	-
ALABAMA -----	1	1	2	1	5	6	4	3	3	-	-	-
WHITE-----MALE----	1	1	-	-	2	2	2	-	-	-	-	-
FEMALE--	-	-	-	1	3	4	2	3	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	3	1	4	5	5	3	1	1	-	-
WHITE-----MALE----	-	-	-	-	2	3	3	2	1	-	-	-
FEMALE--	-	-	3	-	2	2	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARKANSAS -----	-	2	1	1	1	3	2	2	4	-	-	-
WHITE-----MALE----	-	-	-	1	1	2	2	-	1	-	-	-
FEMALE--	-	2	1	-	-	1	-	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	7	6	13	7	16	25	32	18	11	3	-	-
WHITE-----MALE----	4	3	6	3	7	16	12	10	4	1	-	-
FEMALE--	2	2	7	4	7	5	16	7	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	2	-	-	1	-	-
FEMALE--	1	1	-	-	1	2	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	1	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,055
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	1	-	2	3	3	2	3	-	-	-	-
WHITE-----MALE----	-	-	-	2	-	2	-	1	-	-	-	-
FEMALE--	-	1	-	-	2	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	3	2	5	3	4	6	1	1	-	-
WHITE-----MALE----	-	1	3	1	3	2	1	3	-	-	-	-
FEMALE--	-	-	-	1	2	-	3	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	-	1	2	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	2	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	3	4	9	7	12	33	30	20	10	3	-	-
WHITE-----MALE----	3	3	2	4	5	16	16	9	-	2	-	-
FEMALE--	-	-	6	3	7	16	14	11	9	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
GEORGIA -----	3	1	2	3	7	5	5	3	2	-	-	-
WHITE-----MALE----	-	1	1	1	4	3	3	2	-	-	-	-
FEMALE--	-	-	1	2	3	2	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,056
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	-	-	-	1	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	1	-	2	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	-	4	5	11	14	11	12	15	3	3	-	-
WHITE-----MALE----	-	3	1	6	6	6	4	7	1	-	-	-
FEMALE--	-	1	2	4	7	5	6	6	2	2	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	1	-	-	1	-	-
FEMALE--	-	-	1	-	1	-	1	2	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	1	-	-	1	-	-
FEMALE--	-	-	1	-	1	-	1	2	-	-	-	-
INDIANA -----	-	1	3	2	7	8	3	7	5	1	-	-
WHITE-----MALE----	-	-	1	2	4	5	1	3	1	-	-	-
FEMALE--	-	1	1	-	3	3	2	4	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
IOWA -----	1	1	-	3	-	2	4	9	3	1	-	-
WHITE-----MALE----	1	1	-	-	-	1	1	2	1	-	-	-
FEMALE--	-	-	-	3	-	2	3	7	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	1	2	1	4	6	2	1	1	-	-
WHITE-----MALE----	-	-	1	1	1	2	5	1	-	1	-	-
FEMALE--	-	-	-	1	-	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,060
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	1	2	8	7	4	17	18	14	3	1	-	-
WHITE-----MALE----	-	2	6	5	4	9	7	6	-	-	-	-
FEMALE--	1	-	1	2	-	6	10	7	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	1	-	-	-	-	-
OKLAHOMA -----	-	1	1	1	8	5	2	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	3	1	1	1	-	-	-	-
FEMALE--	-	1	1	-	4	4	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
OREGON -----	1	1	1	1	5	10	8	3	3	1	-	-
WHITE-----MALE----	1	-	1	1	4	2	3	1	1	-	-	-
FEMALE--	-	1	-	-	1	8	5	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	1	3	12	17	17	22	15	7	-	2	-
WHITE-----MALE----	-	-	2	6	9	6	6	4	2	-	1	-
FEMALE--	1	1	1	6	8	8	15	11	5	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
RHODE ISLAND -----	-	-	1	-	1	2	-	-	-	-	1	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	4	1	-	2	3	3	3	3	-	-	-
WHITE-----MALE----	-	2	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	2	-	-	-	-	2	2	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,061
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	1	2	1	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	-	2	1	2	7	5	3	2	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	4	1	-	-	-	-
FEMALE--	-	-	-	1	1	5	1	2	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
TEXAS -----	1	6	10	11	13	17	14	21	5	3	-	-
WHITE-----MALE----	-	5	7	4	10	10	6	6	2	1	-	-
FEMALE--	1	-	2	4	3	4	8	14	3	1	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	3	-	1	-	1	-	-
BLACK---MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	3	-	1	-	1	-	-
UTAH -----	-	-	1	2	-	1	6	-	2	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	4	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	2	4	4	4	9	3	6	1	-	-	-
WHITE-----MALE----	2	2	1	1	3	4	-	3	1	-	-	-
FEMALE--	1	-	1	3	-	5	3	3	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,062
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
WASHINGTON -----	30	-	-	-	-	-	-	-	2	1	-	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
WEST VIRGINIA -----	14	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN -----	41	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING -----	5	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,063
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 NEOPLASMS OF UNSPECIFIED NATURE (239)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	158	204	273	339	492	613	636	545	271	93	20	-
WHITE-----MALE----	69	100	132	157	202	255	211	172	77	24	5	-
FEMALE--	69	76	103	146	231	295	337	337	170	63	14	-
ALL OTHER--MALE----	12	18	24	21	24	23	45	11	10	2	-	-
FEMALE--	8	10	14	15	35	40	43	25	14	4	1	-
BLACK---MALE----	12	13	22	18	20	18	36	8	8	2	-	-
FEMALE--	8	8	12	13	31	32	39	23	9	3	1	-
ALABAMA -----	4	8	6	7	9	12	14	9	5	-	-	-
WHITE-----MALE----	-	4	3	4	6	5	1	1	1	-	-	-
FEMALE--	4	4	1	3	1	4	8	7	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	2	1	1	-	-	-
FEMALE--	-	-	1	-	1	2	3	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	2	1	1	-	-	-
FEMALE--	-	-	1	-	1	2	3	-	-	-	-	-
ALASKA -----	-	1	1	-	1	-	3	-	-	1	-	-
WHITE-----MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	4	6	9	6	14	10	11	8	1	-	-
WHITE-----MALE----	1	2	4	6	4	5	5	3	4	1	-	-
FEMALE--	3	2	2	3	2	8	5	8	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	2	4	5	2	5	3	1	1	-	-	-
WHITE-----MALE----	-	1	2	3	1	2	-	1	-	-	-	-
FEMALE--	-	1	2	2	1	3	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	14	17	17	20	40	50	39	39	22	3	3	-
WHITE-----MALE----	8	8	6	11	19	26	16	12	6	1	1	-
FEMALE--	4	4	9	8	17	19	20	23	13	1	2	-
ALL OTHER--MALE----	1	3	2	-	2	2	1	3	2	1	-	-
FEMALE--	1	2	-	1	2	3	2	1	1	-	-	-
BLACK---MALE----	1	-	2	-	1	1	-	-	1	1	-	-
FEMALE--	1	2	-	1	-	1	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,064
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NEOPLASMS OF UNSPECIFIED NATURE (239)												
COLORADO -----	55	-	-	-	-	-	1	-	-	-	4	2
WHITE-----MALE----	23	-	-	-	-	-	1	-	-	-	3	2
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	72	-	-	-	-	-	1	2	1	2	-	3
WHITE-----MALE----	25	-	-	-	-	-	1	1	-	1	-	2
FEMALE--	42	-	-	-	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
DELAWARE -----	14	-	-	-	-	-	-	-	1	-	-	3
WHITE-----MALE----	9	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	23	-	-	-	1	-	1	-	-	-	-	2
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	11	-	-	-	1	-	-	-	-	-	-	2
BLACK---MALE----	7	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	11	-	-	-	1	-	-	-	-	-	-	2
FLORIDA -----	185	-	3	1	2	-	-	2	3	3	3	4
WHITE-----MALE----	70	-	1	-	-	-	-	1	1	1	2	2
FEMALE--	94	-	2	1	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	11	-	-	-	2	-	-	1	2	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	11	-	-	-	2	-	-	1	2	-	-	-
GEORGIA -----	119	1	1	-	1	1	-	1	4	3	3	3
WHITE-----MALE----	37	1	-	-	-	-	-	-	2	3	-	-
FEMALE--	51	-	1	-	-	1	-	-	1	-	-	1
ALL OTHER--MALE----	14	-	-	-	1	-	-	-	1	-	1	2
FEMALE--	17	-	-	-	-	-	-	1	-	-	2	-
BLACK---MALE----	14	-	-	-	1	-	-	-	1	-	1	2
FEMALE--	17	-	-	-	-	-	-	1	-	-	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,064
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 NEOPLASMS OF UNSPECIFIED NATURE (239)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	2	3	4	8	4	7	7	6	5	2	-	-
WHITE-----MALE----	2	2	1	2	1	5	1	2	1	-	-	-
FEMALE--	-	1	3	3	3	2	6	4	4	1	-	-
ALL OTHER--MALE----	-	-	-	3	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	4	5	7	8	9	9	13	4	1	-	-
WHITE-----MALE----	3	2	2	3	2	4	1	3	-	-	-	-
FEMALE--	-	2	1	4	4	5	8	10	4	1	-	-
ALL OTHER--MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	3	2	1	1	3	-	-	-	-	-
WHITE-----MALE----	-	-	2	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	2	1	1	3	4	5	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	2	1	1	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	2	2	4	-	-	-	-	-
BLACK---MALE----	-	2	1	1	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	2	2	4	-	-	-	-	-
FLORIDA -----	5	3	4	16	24	21	36	35	14	4	2	-
WHITE-----MALE----	1	1	4	7	9	8	15	12	3	2	-	-
FEMALE--	3	1	-	6	14	12	17	23	10	2	2	-
ALL OTHER--MALE----	-	1	-	1	-	1	3	-	-	-	-	-
FEMALE--	1	-	-	2	1	-	1	-	1	-	-	-
BLACK---MALE----	-	1	-	1	-	1	3	-	-	-	-	-
FEMALE--	1	-	-	2	1	-	1	-	1	-	-	-
GEORGIA -----	9	11	9	5	17	19	13	10	4	3	1	-
WHITE-----MALE----	5	2	7	1	2	7	2	3	1	1	-	-
FEMALE--	2	4	-	3	9	10	8	6	2	2	1	-
ALL OTHER--MALE----	2	3	1	-	3	-	-	-	-	-	-	-
FEMALE--	-	2	1	1	3	2	3	1	1	-	-	-
BLACK---MALE----	2	3	1	-	3	-	-	-	-	-	-	-
FEMALE--	-	2	1	1	3	2	3	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,065
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 NEOPLASMS OF UNSPECIFIED NATURE (239)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	-	1	1	1	4	6	1	5	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	4	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	3	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	1	-	-	2	1	3	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	2	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	10	14	15	21	21	26	34	28	24	9	-	-
WHITE-----MALE----	5	8	5	12	13	14	13	8	7	1	-	-
FEMALE--	3	4	7	8	4	11	16	17	15	7	-	-
ALL OTHER--MALE----	1	1	2	1	3	-	3	-	1	-	-	-
FEMALE--	1	1	1	-	1	1	2	3	1	1	-	-
BLACK---MALE----	1	1	2	1	3	-	3	-	1	-	-	-
FEMALE--	1	1	1	-	1	-	2	3	-	1	-	-
INDIANA -----	5	4	6	10	13	15	13	23	6	1	-	-
WHITE-----MALE----	2	3	4	3	4	7	6	4	2	1	-	-
FEMALE--	3	1	2	5	9	8	6	18	4	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
IOWA -----	-	1	-	3	3	1	4	3	5	-	-	-
WHITE-----MALE----	-	1	-	3	1	-	2	2	2	-	-	-
FEMALE--	-	-	-	-	2	1	2	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	-	1	4	3	3	4	10	5	-	-	-
WHITE-----MALE----	-	-	-	2	2	1	3	1	2	-	-	-
FEMALE--	1	-	1	2	-	2	1	8	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,066
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NEOPLASMS OF UNSPECIFIED NATURE (239)												
KENTUCKY -----	65	-	2	-	1	1	-	-	-	-	3	-
WHITE-----MALE----	28	-	2	-	-	-	-	-	-	-	2	-
FEMALE--	29	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	1	-	-	-	-	1	-
LOUISIANA -----	87	-	1	2	1	-	-	1	1	3	5	2
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	2	3	1
FEMALE--	30	-	-	1	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	9	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	19	-	-	1	1	-	-	-	1	-	1	-
BLACK---MALE----	9	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	19	-	-	1	1	-	-	-	1	-	1	-
MAINE -----	30	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	79	1	-	1	2	1	-	2	2	5	5	-
WHITE-----MALE----	23	1	-	-	-	-	-	1	1	1	-	-
FEMALE--	34	-	-	-	2	-	-	-	-	-	2	-
ALL OTHER--MALE----	11	-	-	1	-	-	-	-	1	4	3	-
FEMALE--	11	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	11	-	-	1	-	-	-	-	1	4	3	-
FEMALE--	10	-	-	-	-	1	-	1	-	-	-	-
MASSACHUSETTS -----	135	-	2	1	-	-	-	-	2	4	3	2
WHITE-----MALE----	52	-	1	-	-	-	-	-	-	3	1	2
FEMALE--	75	-	1	1	-	-	-	-	2	1	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
MICHIGAN -----	111	-	-	1	-	-	-	-	1	1	1	4
WHITE-----MALE----	42	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	53	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	1	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,066
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 NEOPLASMS OF UNSPECIFIED NATURE (239)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	2	2	9	9	10	10	9	5	1	-	-
WHITE-----MALE----	-	1	-	6	5	5	2	3	2	-	-	-
FEMALE--	-	1	2	3	3	3	7	6	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
LOUISIANA -----	2	7	4	9	11	12	15	6	3	2	-	-
WHITE-----MALE----	1	1	1	2	4	4	6	1	1	2	-	-
FEMALE--	-	5	2	5	4	5	3	1	1	-	-	-
ALL OTHER--MALE----	1	1	-	1	1	1	2	-	-	-	-	-
FEMALE--	-	-	1	1	2	2	4	4	1	-	-	-
BLACK---MALE----	1	1	-	1	1	1	2	-	-	-	-	-
FEMALE--	-	-	1	1	2	2	4	4	1	-	-	-
MAINE -----	-	1	3	2	1	4	8	8	2	-	-	-
WHITE-----MALE----	-	-	3	1	-	2	7	5	1	-	-	-
FEMALE--	-	1	-	1	1	2	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	4	5	7	13	16	3	6	2	2	-	-
WHITE-----MALE----	-	2	1	2	5	5	1	1	2	-	-	-
FEMALE--	2	2	3	4	6	8	1	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	1	1	2	2	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	1	2	2	1	2	-	-	-	-
MASSACHUSETTS -----	4	9	10	7	15	19	20	24	12	1	-	-
WHITE-----MALE----	-	6	2	2	7	7	11	8	2	-	-	-
FEMALE--	3	3	7	5	6	10	8	16	10	1	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
MICHIGAN -----	4	5	3	6	16	21	17	20	6	2	3	-
WHITE-----MALE----	2	2	1	3	6	8	5	9	2	-	1	-
FEMALE--	1	2	2	2	7	11	8	10	4	1	2	-
ALL OTHER--MALE----	1	-	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	1	-	1	2	1	2	1	-	1	-	-
BLACK---MALE----	1	-	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	2	1	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,069
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NEOPLASMS OF UNSPECIFIED NATURE (239)												
OHIO -----	244	-	2	1	3	1	1	2	2	2	7	6
WHITE-----MALE----	97	-	1	1	1	1	-	2	2	2	3	2
FEMALE--	131	-	1	-	2	-	1	-	-	-	2	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	49	-	-	1	1	-	-	1	-	-	2	1
WHITE-----MALE----	24	-	-	1	-	-	-	1	-	-	2	1
FEMALE--	20	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	57	-	-	1	-	-	2	1	1	2	6	1
WHITE-----MALE----	24	-	-	-	-	-	1	-	1	2	6	-
FEMALE--	32	-	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	275	1	1	2	2	4	2	3	2	7	7	9
WHITE-----MALE----	120	1	1	2	1	2	1	2	1	3	4	6
FEMALE--	125	-	-	-	-	2	-	-	-	1	2	1
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	1	2	1	1
FEMALE--	14	-	-	-	1	-	1	1	-	1	-	1
BLACK---MALE----	15	-	-	-	-	-	-	-	1	2	1	1
FEMALE--	12	-	-	-	1	-	1	1	-	1	-	-
RHODE ISLAND -----	18	-	-	-	-	-	-	-	-	-	2	2
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	43	-	3	-	-	-	-	1	-	1	2	1
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	16	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	5	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	1	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,069
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 NEOPLASMS OF UNSPECIFIED NATURE (239)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	9	8	19	23	26	46	33	28	17	6	2	-
WHITE-----MALE----	4	2	11	10	7	21	11	8	4	3	1	-
FEMALE--	4	4	6	12	18	23	20	20	12	3	1	-
ALL OTHER--MALE----	-	2	1	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	1	1	-	2	1	-	1	-	-	-
BLACK---MALE----	-	2	1	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	1	1	-	2	1	-	1	-	-	-
OKLAHOMA -----	1	3	4	7	7	8	2	4	7	-	-	-
WHITE-----MALE----	1	3	2	2	4	2	1	2	2	-	-	-
FEMALE--	-	-	2	3	3	4	-	2	5	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
OREGON -----	1	4	5	3	6	4	8	7	5	-	-	-
WHITE-----MALE----	-	3	3	2	-	1	1	2	2	-	-	-
FEMALE--	1	1	2	1	6	3	7	5	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	11	10	15	27	22	47	43	42	10	7	1	-
WHITE-----MALE----	6	3	9	14	11	23	14	14	1	1	-	-
FEMALE--	5	6	5	8	11	21	23	24	9	6	1	-
ALL OTHER--MALE----	-	1	1	3	-	1	4	1	-	-	-	-
FEMALE--	-	-	-	2	-	2	2	3	-	-	-	-
BLACK---MALE----	-	1	1	3	-	1	3	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	2	3	-	-	-	-
RHODE ISLAND -----	-	-	2	1	3	-	2	4	-	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	2	-	1	-	-
FEMALE--	-	-	2	1	3	-	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	1	6	4	4	5	6	2	1	2	1	-
WHITE-----MALE----	-	-	3	1	1	3	1	-	1	-	-	-
FEMALE--	2	-	2	2	1	-	2	2	-	2	1	-
ALL OTHER--MALE----	-	-	1	1	1	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	2	2	-	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	2	2	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,070
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 NEOPLASMS OF UNSPECIFIED NATURE (239)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	2	1	-	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	4	2	3	8	8	11	8	1	-	-	-
WHITE-----MALE----	-	2	1	1	3	2	3	4	-	-	-	-
FEMALE--	1	2	1	2	3	5	6	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	2	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	2	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
TEXAS -----	4	9	12	11	26	24	24	17	14	10	2	-
WHITE-----MALE----	3	5	4	4	10	7	9	6	5	2	1	-
FEMALE--	1	2	4	5	15	14	14	9	6	8	1	-
ALL OTHER--MALE----	-	1	2	2	-	2	1	1	1	-	-	-
FEMALE--	-	1	2	-	1	1	-	1	2	-	-	-
BLACK---MALE----	-	1	2	2	-	2	1	1	1	-	-	-
FEMALE--	-	1	2	-	1	-	-	1	2	-	-	-
UTAH -----	2	3	2	-	3	3	3	6	1	1	-	-
WHITE-----MALE----	-	2	1	-	2	2	1	2	1	-	-	-
FEMALE--	2	1	-	-	1	1	2	4	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	1	2	-	2	2	1	-	1	-
WHITE-----MALE----	-	-	-	1	1	-	-	1	-	-	1	-
FEMALE--	-	-	1	-	1	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	9	7	9	9	25	14	12	11	5	1	-	-
WHITE-----MALE----	4	5	3	4	5	7	4	2	1	-	-	-
FEMALE--	5	2	4	4	11	6	5	6	3	1	-	-
ALL OTHER--MALE----	-	-	1	1	3	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	6	1	2	2	1	-	-	-
BLACK---MALE----	-	-	1	1	2	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	6	1	2	2	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,072
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)												
0 UNITED STATES --	82,767	307	146	81	119	148	255	446	793	1,212	1,748	2,433
WHITE-----MALE----	30,150	125	66	35	41	67	103	189	343	556	767	1,087
FEMALE--	37,181	91	34	30	55	56	82	133	221	311	463	650
ALL OTHER--MALE----	6,256	48	22	7	10	7	39	63	138	207	297	383
FEMALE--	9,180	43	24	9	13	18	31	61	91	138	221	313
BLACK---MALE----	5,441	42	18	6	8	7	37	57	126	195	266	342
FEMALE--	8,276	36	19	8	10	17	29	58	82	126	206	280
ALABAMA -----	1,553	5	3	1	3	2	9	4	10	21	28	56
WHITE-----MALE----	410	2	1	1	2	2	1	3	8	4	10	14
FEMALE--	586	2	-	-	1	-	3	-	1	6	3	13
ALL OTHER--MALE----	205	1	1	-	-	-	5	-	1	8	9	11
FEMALE--	352	-	1	-	-	-	-	1	-	3	6	18
BLACK---MALE----	204	1	1	-	-	-	5	-	1	8	9	10
FEMALE--	349	-	1	-	-	-	-	1	-	3	6	17
ALASKA -----	76	-	-	-	-	-	-	-	1	-	3	1
WHITE-----MALE----	33	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,263	12	1	-	1	6	2	10	24	25	23	44
WHITE-----MALE----	499	4	1	-	-	3	1	5	13	14	9	19
FEMALE--	594	5	-	-	1	2	1	5	4	7	8	18
ALL OTHER--MALE----	65	-	-	-	-	-	-	-	6	1	3	5
FEMALE--	105	3	-	-	-	1	-	-	1	3	3	2
BLACK---MALE----	20	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	38	1	-	-	-	1	-	-	-	2	2	2
ARKANSAS -----	799	10	2	2	2	2	4	7	9	10	18	24
WHITE-----MALE----	270	3	2	1	1	1	2	2	3	6	6	11
FEMALE--	349	2	-	1	1	1	1	1	3	3	7	7
ALL OTHER--MALE----	73	3	-	-	-	-	1	4	3	1	2	3
FEMALE--	107	2	-	-	-	-	-	-	-	-	3	3
BLACK---MALE----	73	3	-	-	-	-	1	4	3	1	2	3
FEMALE--	106	2	-	-	-	-	-	-	-	-	3	3
CALIFORNIA -----	6,799	27	20	11	18	14	24	39	89	126	184	229
WHITE-----MALE----	2,592	12	12	4	6	6	12	13	46	54	78	107
FEMALE--	2,888	10	6	6	10	8	6	14	26	43	54	73
ALL OTHER--MALE----	601	5	-	1	-	-	2	5	11	14	21	26
FEMALE--	718	-	2	-	2	-	4	7	6	15	31	23
BLACK---MALE----	340	3	-	-	-	-	1	3	6	13	13	16
FEMALE--	491	-	2	-	2	-	2	4	5	12	26	19

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,072
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)												
0 UNITED STATES --	3,167	4,183	6,009	8,614	11,148	12,353	11,858	9,574	5,573	2,053	542	5
WHITE-----MALE----	1,346	1,749	2,489	3,498	4,383	4,715	4,140	2,779	1,264	360	47	1
FEMALE--	948	1,347	2,043	3,299	4,572	5,679	6,023	5,638	3,663	1,451	391	1
ALL OTHER--MALE----	431	493	635	716	860	741	566	355	169	48	20	1
FEMALE--	442	594	842	1,101	1,333	1,218	1,129	802	477	194	84	2
BLACK---MALE----	380	422	541	617	738	647	493	295	144	40	19	1
FEMALE--	402	529	778	975	1,190	1,088	1,023	729	431	182	77	1
ALABAMA -----	49	93	121	171	194	217	242	180	93	40	11	-
WHITE-----MALE----	13	28	39	57	55	57	56	33	18	6	-	-
FEMALE--	11	23	33	50	67	97	113	95	44	19	5	-
ALL OTHER--MALE----	10	15	17	27	31	19	23	10	10	4	3	-
FEMALE--	15	27	32	37	41	44	50	42	21	11	3	-
BLACK---MALE----	10	15	17	27	31	19	23	10	10	4	3	-
FEMALE--	15	27	32	36	41	44	49	42	21	11	3	-
ALASKA -----	7	7	11	10	13	10	7	6	-	-	-	-
WHITE-----MALE----	3	4	5	5	5	4	5	-	-	-	-	-
FEMALE--	3	2	5	4	7	6	1	6	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARIZONA -----	61	77	94	144	167	158	166	136	65	39	8	-
WHITE-----MALE----	24	23	45	63	65	57	69	53	22	8	1	-
FEMALE--	21	34	33	62	70	86	90	75	38	30	4	-
ALL OTHER--MALE----	7	6	11	8	7	2	1	5	1	1	1	-
FEMALE--	9	14	5	11	25	13	6	3	4	-	2	-
BLACK---MALE----	3	2	2	3	2	1	1	1	1	1	1	-
FEMALE--	1	4	2	-	10	7	3	2	1	-	-	-
ARKANSAS -----	29	33	58	69	94	105	132	109	60	18	2	-
WHITE-----MALE----	10	22	26	19	39	32	30	38	12	4	-	-
FEMALE--	9	7	21	28	41	49	65	58	33	10	1	-
ALL OTHER--MALE----	6	3	6	9	4	8	11	6	3	-	-	-
FEMALE--	4	1	5	13	10	16	26	7	12	4	1	-
BLACK---MALE----	6	3	6	9	4	8	11	6	3	-	-	-
FEMALE--	4	1	5	13	10	16	25	7	12	4	1	-
CALIFORNIA -----	306	372	528	745	1,011	1,045	867	698	307	110	28	1
WHITE-----MALE----	132	150	216	291	415	428	296	221	64	25	3	1
FEMALE--	98	122	195	299	389	419	443	379	196	70	22	-
ALL OTHER--MALE----	39	47	55	72	94	95	57	37	17	3	-	-
FEMALE--	37	53	62	83	113	103	71	61	30	12	3	-
BLACK---MALE----	24	23	35	41	51	57	28	17	7	2	-	-
FEMALE--	27	37	46	55	73	66	46	34	23	11	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,073
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	845	10	3	1	3	1	6	6	8	18	27	28
WHITE-----MALE----	330	4	-	-	1	-	5	3	6	9	15	19
FEMALE--	454	4	3	-	1	1	1	2	2	7	10	8
ALL OTHER--MALE----	28	2	-	-	1	-	-	1	-	2	2	-
FEMALE--	33	-	-	1	-	-	-	-	-	-	-	1
BLACK---MALE----	18	2	-	-	1	-	-	-	-	2	2	-
FEMALE--	30	-	-	1	-	-	-	-	-	-	-	1
CONNECTICUT -----	925	4	2	1	2	2	3	1	8	19	14	20
WHITE-----MALE----	371	2	1	1	-	-	2	1	3	10	7	9
FEMALE--	457	1	-	-	1	1	-	-	3	7	5	10
ALL OTHER--MALE----	43	1	1	-	1	-	1	-	1	2	2	1
FEMALE--	54	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	40	1	-	-	1	-	-	-	1	2	2	1
FEMALE--	51	-	-	-	-	1	-	-	1	-	-	-
DELAWARE -----	266	-	-	-	-	-	-	1	2	6	6	4
WHITE-----MALE----	86	-	-	-	-	-	-	-	1	2	1	1
FEMALE--	117	-	-	-	-	-	-	1	-	1	2	1
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	1	3	2	1
FEMALE--	37	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	25	-	-	-	-	-	-	-	1	3	2	1
FEMALE--	36	-	-	-	-	-	-	-	-	-	1	1
DISTRICT OF COLUMBIA ----	295	2	-	1	-	-	4	3	3	3	13	10
WHITE-----MALE----	19	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	23	2	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	100	-	-	-	-	-	1	2	2	2	10	7
FEMALE--	153	-	-	1	-	-	2	-	1	1	2	3
BLACK---MALE----	98	-	-	-	-	-	1	2	2	2	10	7
FEMALE--	153	-	-	1	-	-	2	-	1	1	2	3
FLORIDA -----	5,085	20	4	5	7	8	13	30	35	73	102	117
WHITE-----MALE----	2,076	9	1	4	4	1	4	13	16	36	45	51
FEMALE--	2,140	5	-	1	3	4	5	7	8	18	27	26
ALL OTHER--MALE----	347	3	1	-	-	-	3	3	8	8	13	24
FEMALE--	522	3	2	-	-	3	1	7	3	11	17	16
BLACK---MALE----	334	3	1	-	-	-	3	3	7	8	13	24
FEMALE--	512	3	2	-	-	3	1	7	3	11	17	16
GEORGIA -----	1,813	15	1	2	6	8	12	17	27	39	48	64
WHITE-----MALE----	520	1	-	1	1	4	2	4	7	13	15	26
FEMALE--	633	2	-	1	5	3	4	6	8	5	10	9
ALL OTHER--MALE----	245	6	1	-	-	1	3	2	9	15	12	16
FEMALE--	415	6	-	-	-	-	3	5	3	6	11	13
BLACK---MALE----	241	5	1	-	-	1	3	2	9	15	11	16
FEMALE--	409	5	-	-	-	-	3	5	3	6	11	13

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,073
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	31	37	50	80	90	105	129	109	69	27	7	-
WHITE-----MALE----	16	16	28	36	35	44	46	31	12	4	-	-
FEMALE--	10	16	17	36	46	55	81	74	53	20	7	-
ALL OTHER--MALE----	2	2	2	2	3	2	1	3	2	1	-	-
FEMALE--	3	3	3	6	6	4	1	1	2	2	-	-
BLACK---MALE----	1	2	1	1	2	2	-	-	2	-	-	-
FEMALE--	3	2	3	6	5	3	1	1	2	2	-	-
CONNECTICUT -----	31	51	62	83	114	148	140	116	64	35	5	-
WHITE-----MALE----	14	19	29	35	56	57	67	33	16	9	-	-
FEMALE--	9	18	21	36	46	80	67	78	43	26	5	-
ALL OTHER--MALE----	4	4	5	5	4	5	3	1	2	-	-	-
FEMALE--	4	10	7	7	8	6	3	4	3	-	-	-
BLACK---MALE----	4	4	5	5	4	5	2	1	2	-	-	-
FEMALE--	4	10	7	5	7	6	3	4	3	-	-	-
DELAWARE -----	9	16	19	34	37	37	46	25	16	7	1	-
WHITE-----MALE----	1	7	6	14	13	12	20	5	3	-	-	-
FEMALE--	5	5	10	15	9	18	20	15	8	6	1	-
ALL OTHER--MALE----	1	3	1	1	7	1	1	2	2	-	-	-
FEMALE--	2	1	2	4	8	6	5	3	3	1	-	-
BLACK---MALE----	-	3	1	1	7	1	1	2	2	-	-	-
FEMALE--	2	1	2	4	8	5	5	3	3	1	-	-
DISTRICT OF COLUMBIA ----	18	13	26	34	33	34	36	43	10	7	2	-
WHITE-----MALE----	-	2	-	2	-	4	3	5	-	1	-	-
FEMALE--	-	2	1	1	2	-	3	7	1	3	-	-
ALL OTHER--MALE----	7	3	10	13	13	12	8	9	1	-	-	-
FEMALE--	11	6	15	18	18	18	22	22	8	3	2	-
BLACK---MALE----	7	3	10	13	13	10	8	9	1	-	-	-
FEMALE--	11	6	15	18	18	18	22	22	8	3	2	-
FLORIDA -----	187	237	372	538	685	843	799	555	323	111	19	2
WHITE-----MALE----	68	111	141	229	322	359	346	186	104	25	1	-
FEMALE--	62	69	121	193	258	371	370	316	190	75	11	-
ALL OTHER--MALE----	28	25	48	40	40	47	32	11	8	3	1	1
FEMALE--	29	32	62	76	65	66	51	42	21	8	6	1
BLACK---MALE----	26	23	46	38	39	46	31	10	8	3	1	1
FEMALE--	29	31	62	72	64	65	49	41	21	8	6	1
GEORGIA -----	87	105	138	198	236	258	207	191	114	28	12	-
WHITE-----MALE----	32	41	47	65	57	88	49	45	18	4	-	-
FEMALE--	20	26	30	54	77	93	99	93	68	17	3	-
ALL OTHER--MALE----	20	19	19	30	31	24	19	12	5	-	1	-
FEMALE--	15	19	42	49	71	53	40	41	23	7	8	-
BLACK---MALE----	20	19	19	30	30	24	18	12	5	-	1	-
FEMALE--	15	19	41	49	70	52	40	41	21	7	8	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,074
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	275	2	2	-	-	-	-	1	1	5	6	10
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	107	-	-	-	-	-	-	-	-	3	4	3
FEMALE--	120	2	2	-	-	-	-	1	1	1	1	6
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	1	-	-	-	-
IDAHO -----	321	2	2	-	1	-	3	2	3	2	3	16
WHITE-----MALE----	151	1	1	-	-	-	2	1	3	2	2	11
FEMALE--	166	1	1	-	1	-	1	1	-	-	1	5
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3,656	15	8	4	4	6	5	28	32	57	73	101
WHITE-----MALE----	1,336	7	4	1	1	3	2	16	11	24	28	47
FEMALE--	1,584	3	1	1	3	2	1	5	10	8	17	22
ALL OTHER--MALE----	322	1	3	1	-	-	1	4	4	16	21	17
FEMALE--	414	4	-	1	-	1	1	3	7	9	7	15
BLACK---MALE----	301	1	3	1	-	-	1	4	4	15	21	17
FEMALE--	393	4	-	1	-	1	1	3	7	9	7	13
INDIANA -----	1,978	7	3	1	-	-	1	9	18	23	30	49
WHITE-----MALE----	762	4	2	1	-	-	1	4	10	12	16	28
FEMALE--	967	2	1	-	-	-	-	4	6	6	10	13
ALL OTHER--MALE----	101	1	-	-	-	-	-	1	1	1	3	5
FEMALE--	148	-	-	-	-	-	-	-	1	4	1	3
BLACK---MALE----	98	1	-	-	-	-	-	1	1	1	3	5
FEMALE--	146	-	-	-	-	-	-	-	1	4	1	3
IOWA -----	857	-	1	1	5	1	3	2	5	14	15	20
WHITE-----MALE----	367	-	-	-	1	-	2	-	2	10	7	13
FEMALE--	466	-	1	1	4	1	1	2	3	3	5	7
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	-
KANSAS -----	845	4	2	1	-	3	2	4	4	7	15	22
WHITE-----MALE----	318	3	2	1	-	3	1	3	1	4	6	10
FEMALE--	453	1	-	-	-	-	-	1	1	2	9	11
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	52	-	-	-	-	-	1	-	2	1	-	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	46	-	-	-	-	-	1	-	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,074
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	13	18	19	26	37	45	28	25	25	9	3	-
WHITE-----MALE----	-	2	1	5	2	7	2	1	2	-	-	-
FEMALE--	-	-	2	2	4	6	2	2	1	-	-	-
ALL OTHER--MALE----	8	12	10	9	9	17	8	12	8	3	1	-
FEMALE--	5	4	6	10	22	17	12	10	13	5	2	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	10	11	21	31	42	43	51	44	23	9	2	-
WHITE-----MALE----	6	5	9	16	23	20	21	21	7	-	-	-
FEMALE--	3	5	12	15	19	22	29	23	16	9	2	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	112	183	277	380	495	566	505	450	237	92	26	-
WHITE-----MALE----	48	78	108	151	197	226	175	144	47	15	3	-
FEMALE--	27	56	91	136	199	249	247	257	164	69	16	-
ALL OTHER--MALE----	20	29	33	38	47	33	28	18	6	1	1	-
FEMALE--	17	20	45	55	52	58	55	31	20	7	6	-
BLACK---MALE----	20	26	29	34	45	32	25	17	4	1	1	-
FEMALE--	17	18	44	52	49	57	49	29	19	7	6	-
INDIANA -----	63	100	139	205	267	323	304	220	158	45	13	-
WHITE-----MALE----	35	39	73	71	121	119	113	67	37	8	1	-
FEMALE--	18	46	43	93	97	171	165	141	105	36	10	-
ALL OTHER--MALE----	2	7	10	17	25	8	9	4	5	-	2	-
FEMALE--	8	8	13	24	24	25	17	8	11	1	-	-
BLACK---MALE----	2	7	10	17	23	8	8	4	5	-	2	-
FEMALE--	8	8	12	24	24	25	17	8	10	1	-	-
IOWA -----	23	30	59	74	98	104	131	114	104	43	10	-
WHITE-----MALE----	13	22	25	41	48	44	55	43	30	10	1	-
FEMALE--	9	6	32	28	45	58	76	70	74	33	7	-
ALL OTHER--MALE----	1	2	1	1	1	-	-	-	-	-	1	-
FEMALE--	-	-	1	4	4	2	-	1	-	-	1	-
BLACK---MALE----	1	2	1	1	1	-	-	-	-	-	1	-
FEMALE--	-	-	1	4	3	2	-	1	-	-	1	-
KANSAS -----	29	44	50	63	107	120	127	118	83	31	9	-
WHITE-----MALE----	14	20	22	25	51	40	49	37	18	8	-	-
FEMALE--	9	19	19	31	50	69	65	72	63	23	8	-
ALL OTHER--MALE----	2	1	4	2	5	4	2	1	-	-	-	-
FEMALE--	4	4	5	5	1	7	11	8	2	-	1	-
BLACK---MALE----	1	1	3	2	4	3	2	1	-	-	-	-
FEMALE--	4	4	5	3	1	6	11	7	1	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,075
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	1,296	4	5	4	2	-	4	6	12	14	36	46
WHITE-----MALE----	489	1	4	2	1	-	1	5	8	6	20	26
FEMALE--	666	2	-	1	1	-	3	1	3	5	10	15
ALL OTHER--MALE----	56	1	-	1	-	-	-	-	-	2	3	2
FEMALE--	85	-	1	-	-	-	-	-	1	1	3	3
BLACK---MALE----	56	1	-	1	-	-	-	-	-	2	3	2
FEMALE--	84	-	1	-	-	-	-	-	1	1	3	3
LOUISIANA -----	1,999	5	2	1	6	1	2	12	17	39	38	76
WHITE-----MALE----	485	1	1	-	2	-	1	5	6	17	7	22
FEMALE--	686	2	-	1	1	1	-	1	2	6	6	6
ALL OTHER--MALE----	314	2	-	-	2	-	1	5	3	8	15	25
FEMALE--	514	-	1	-	1	-	-	1	6	8	10	23
BLACK---MALE----	312	2	-	-	1	-	1	4	3	8	15	25
FEMALE--	507	-	1	-	1	-	-	1	5	8	10	23
MAINE -----	425	1	1	-	1	1	3	-	2	3	9	10
WHITE-----MALE----	187	1	1	-	1	1	1	-	1	3	6	6
FEMALE--	238	-	-	-	-	-	2	-	1	-	3	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,880	4	5	2	1	3	5	7	24	33	48	49
WHITE-----MALE----	573	-	1	-	1	2	2	1	6	12	20	21
FEMALE--	685	2	-	-	-	1	2	1	4	5	4	5
ALL OTHER--MALE----	270	-	2	-	-	-	-	2	9	10	18	12
FEMALE--	352	2	2	2	-	-	1	3	5	6	6	11
BLACK---MALE----	257	-	1	-	-	-	-	2	9	10	18	12
FEMALE--	341	2	-	2	-	-	1	3	5	6	6	11
MASSACHUSETTS -----	1,924	9	4	4	1	-	5	6	23	33	31	45
WHITE-----MALE----	830	5	1	3	1	-	1	4	12	21	18	31
FEMALE--	982	2	2	1	-	-	3	2	8	10	9	9
ALL OTHER--MALE----	56	2	1	-	-	-	-	-	2	1	2	3
FEMALE--	56	-	-	-	-	-	1	-	1	1	2	2
BLACK---MALE----	45	1	1	-	-	-	-	-	2	1	2	3
FEMALE--	52	-	-	-	-	-	1	-	1	1	2	2
MICHIGAN -----	3,210	13	6	1	5	10	10	16	25	47	59	95
WHITE-----MALE----	1,153	9	5	1	1	4	6	4	8	23	20	33
FEMALE--	1,523	2	-	-	3	3	2	5	8	12	24	32
ALL OTHER--MALE----	198	-	-	-	1	-	1	3	7	9	9	16
FEMALE--	336	2	1	-	-	3	1	4	2	3	6	14
BLACK---MALE----	185	-	-	-	1	-	1	3	7	9	9	15
FEMALE--	316	1	1	-	-	3	1	4	2	3	6	14

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,075
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)

KENTUCKY -----	39	63	91	133	170	197	197	156	76	24	17	-
WHITE-----MALE----	18	28	49	60	64	73	60	41	17	3	2	-
FEMALE--	12	26	35	57	82	104	121	101	56	17	14	-
ALL OTHER--MALE----	7	-	3	5	10	7	7	5	2	-	1	-
FEMALE--	2	9	4	11	14	13	9	9	1	4	-	-
BLACK---MALE----	7	-	3	5	10	7	7	5	2	-	1	-
FEMALE--	2	9	3	11	14	13	9	9	1	4	-	-
LOUISIANA -----	98	111	164	205	262	300	268	204	132	45	11	-
WHITE-----MALE----	24	32	47	64	64	80	57	35	17	2	1	-
FEMALE--	24	20	42	53	82	116	114	110	65	27	7	-
ALL OTHER--MALE----	23	29	27	22	38	42	35	16	17	4	-	-
FEMALE--	27	30	48	66	78	62	62	43	33	12	3	-
BLACK---MALE----	23	29	27	22	38	42	35	16	17	4	-	-
FEMALE--	27	30	48	65	78	61	62	42	30	12	3	-
MAINE -----	18	17	29	49	56	50	67	56	33	9	10	-
WHITE-----MALE----	13	13	17	28	24	18	26	20	7	-	-	-
FEMALE--	5	4	12	21	32	32	41	36	26	9	10	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	73	97	137	200	257	309	273	194	113	35	11	-
WHITE-----MALE----	20	32	37	74	85	105	78	54	19	2	1	-
FEMALE--	15	20	37	59	94	112	118	108	67	26	5	-
ALL OTHER--MALE----	15	23	32	28	33	37	28	11	9	-	1	-
FEMALE--	23	22	31	39	45	55	49	21	18	7	4	-
BLACK---MALE----	15	23	31	27	31	32	26	11	8	-	1	-
FEMALE--	22	22	31	38	44	53	47	19	18	7	4	-
MASSACHUSETTS -----	55	81	115	173	249	283	295	269	157	62	24	-
WHITE-----MALE----	29	51	55	91	117	133	145	71	27	12	2	-
FEMALE--	22	21	49	72	117	136	139	184	126	48	22	-
ALL OTHER--MALE----	2	5	4	4	7	10	5	6	1	1	-	-
FEMALE--	2	4	7	6	8	4	6	8	3	1	-	-
BLACK---MALE----	2	5	4	4	3	7	4	4	1	1	-	-
FEMALE--	2	4	7	5	7	3	6	8	3	-	-	-
MICHIGAN -----	116	143	216	332	449	510	453	388	223	80	13	-
WHITE-----MALE----	53	67	89	137	162	208	146	119	39	18	1	-
FEMALE--	33	44	81	140	206	233	243	228	158	56	10	-
ALL OTHER--MALE----	8	14	20	18	27	21	20	13	9	2	-	-
FEMALE--	22	18	26	37	54	48	44	28	17	4	2	-
BLACK---MALE----	8	13	18	17	22	20	18	13	9	2	-	-
FEMALE--	21	18	22	35	51	43	40	28	17	4	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,076
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	39	58	81	103	179	212	262	198	136	60	17	-
WHITE-----MALE----	25	33	48	48	90	107	98	67	38	19	3	-
FEMALE--	8	20	25	52	80	102	147	129	96	40	14	-
ALL OTHER--MALE----	5	-	2	-	7	1	6	-	-	1	-	-
FEMALE--	1	5	6	3	2	2	11	2	2	-	-	-
BLACK---MALE----	-	-	1	-	4	1	2	-	-	-	-	-
FEMALE--	-	3	3	1	-	1	6	2	1	-	-	-
MISSISSIPPI -----	32	48	61	62	101	94	103	80	46	24	9	-
WHITE-----MALE----	11	18	17	15	23	16	29	17	6	1	1	-
FEMALE--	5	8	13	12	29	35	31	37	19	11	2	-
ALL OTHER--MALE----	7	13	8	12	20	12	11	7	5	3	1	-
FEMALE--	9	9	23	23	29	31	32	19	16	9	5	-
BLACK---MALE----	7	13	8	12	20	12	11	7	5	3	1	-
FEMALE--	8	9	23	22	27	30	31	19	15	9	5	-
MISSOURI -----	59	98	122	179	246	269	247	245	146	57	15	-
WHITE-----MALE----	28	39	59	77	103	83	84	74	34	8	-	-
FEMALE--	20	41	40	84	103	155	143	140	97	45	14	-
ALL OTHER--MALE----	7	6	8	8	15	10	5	8	3	-	-	-
FEMALE--	4	12	15	10	25	21	15	23	12	4	1	-
BLACK---MALE----	6	6	7	8	14	10	5	8	3	-	-	-
FEMALE--	4	12	15	10	25	21	15	23	12	4	1	-
MONTANA -----	7	11	18	25	24	38	45	26	17	11	2	-
WHITE-----MALE----	4	5	8	10	13	10	24	11	5	1	1	-
FEMALE--	2	5	5	13	9	23	15	14	12	10	1	-
ALL OTHER--MALE----	1	1	4	-	1	3	-	1	-	-	-	-
FEMALE--	-	-	1	2	1	2	6	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEBRASKA -----	9	17	23	39	45	75	74	80	52	12	4	-
WHITE-----MALE----	5	7	17	15	22	30	32	26	21	4	2	-
FEMALE--	4	7	6	20	18	42	39	52	30	8	2	-
ALL OTHER--MALE----	-	1	-	-	3	2	2	-	-	-	-	-
FEMALE--	-	2	-	4	2	1	1	2	1	-	-	-
BLACK---MALE----	-	1	-	-	1	2	2	-	-	-	-	-
FEMALE--	-	2	-	4	2	-	1	1	1	-	-	-
NEVADA -----	14	21	31	45	58	50	38	39	15	5	1	-
WHITE-----MALE----	8	11	14	22	25	29	15	15	5	1	-	-
FEMALE--	6	4	10	17	26	18	20	19	10	4	1	-
ALL OTHER--MALE----	-	2	3	3	2	2	1	-	-	-	-	-
FEMALE--	-	4	4	3	5	1	2	5	-	-	-	-
BLACK---MALE----	-	1	3	3	2	2	1	-	-	-	-	-
FEMALE--	-	1	3	2	2	1	2	4	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,078
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)												
OHIO -----	4,813	11	9	7	4	9	14	17	42	62	84	117
WHITE-----MALE----	1,777	3	3	1	-	1	7	6	21	28	39	49
FEMALE--	2,375	6	4	3	2	4	3	7	13	18	25	41
ALL OTHER--MALE----	268	1	1	2	-	1	2	2	5	11	11	13
FEMALE--	393	1	1	1	2	3	2	2	3	5	9	14
BLACK---MALE----	265	1	1	2	-	1	2	2	5	11	11	13
FEMALE--	389	1	1	1	2	3	2	2	3	5	9	14
OKLAHOMA -----	985	5	1	-	1	1	2	10	13	16	24	29
WHITE-----MALE----	351	3	-	-	-	1	2	6	7	10	12	13
FEMALE--	452	-	1	-	1	-	-	2	2	4	6	7
ALL OTHER--MALE----	71	2	-	-	-	-	-	-	3	1	2	4
FEMALE--	111	-	-	-	-	-	-	2	1	1	4	5
BLACK---MALE----	32	1	-	-	-	-	-	-	3	1	1	1
FEMALE--	67	-	-	-	-	-	-	2	-	-	3	1
OREGON -----	965	1	-	2	3	2	4	7	9	13	15	22
WHITE-----MALE----	420	-	-	1	1	2	4	5	5	11	10	13
FEMALE--	498	-	-	1	-	-	-	2	4	2	4	5
ALL OTHER--MALE----	18	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	29	-	-	-	2	-	-	-	-	-	1	3
BLACK---MALE----	5	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	4,785	9	4	2	4	5	7	20	26	40	79	116
WHITE-----MALE----	1,823	3	2	1	1	3	3	5	11	17	43	65
FEMALE--	2,372	2	-	1	2	2	3	10	10	14	15	25
ALL OTHER--MALE----	253	2	-	-	-	-	-	3	3	6	13	15
FEMALE--	337	2	2	-	1	-	1	2	2	3	8	11
BLACK---MALE----	246	2	-	-	-	-	-	3	3	6	12	15
FEMALE--	332	2	2	-	1	-	1	2	2	3	8	11
RHODE ISLAND -----	340	1	1	-	-	-	-	1	1	2	4	7
WHITE-----MALE----	154	-	-	-	-	-	-	-	1	1	3	6
FEMALE--	168	-	-	-	-	-	-	1	-	1	1	1
ALL OTHER--MALE----	8	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	10	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1,281	2	1	-	3	2	5	9	16	27	26	47
WHITE-----MALE----	342	-	1	-	-	-	-	5	10	10	9	11
FEMALE--	406	-	-	-	1	-	3	2	2	3	4	7
ALL OTHER--MALE----	182	-	-	-	2	2	1	2	3	8	8	15
FEMALE--	351	2	-	-	-	-	1	-	1	6	5	14
BLACK---MALE----	179	-	-	-	2	2	1	2	3	8	8	15
FEMALE--	351	2	-	-	-	-	1	-	1	6	5	14

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,078
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	157	246	331	509	636	785	705	570	345	122	31	-
WHITE-----MALE----	76	115	132	208	263	306	242	164	88	25	-	-
FEMALE--	54	84	130	228	276	388	383	360	238	86	22	-
ALL OTHER--MALE----	15	24	32	32	41	33	26	13	1	2	-	-
FEMALE--	12	23	37	41	56	58	54	33	18	9	9	-
BLACK---MALE----	15	24	32	32	41	33	26	10	1	2	-	-
FEMALE--	12	23	35	40	55	58	54	33	18	9	9	-
OKLAHOMA -----	44	54	69	97	98	134	135	123	86	37	6	-
WHITE-----MALE----	17	24	21	38	40	44	46	38	24	5	-	-
FEMALE--	15	16	27	34	39	65	71	75	56	27	4	-
ALL OTHER--MALE----	4	5	14	11	9	9	4	2	-	1	-	-
FEMALE--	8	9	7	14	10	16	14	8	6	4	2	-
BLACK---MALE----	2	2	5	2	2	5	4	2	-	1	-	-
FEMALE--	5	5	5	6	6	11	11	6	3	2	1	-
OREGON -----	33	48	66	78	127	147	139	148	75	23	3	-
WHITE-----MALE----	18	21	34	29	59	76	61	43	20	6	1	-
FEMALE--	13	23	27	42	61	64	77	101	53	17	2	-
ALL OTHER--MALE----	-	3	2	4	2	2	1	2	-	-	-	-
FEMALE--	2	1	3	3	5	5	2	2	-	-	-	-
BLACK---MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	4	2	-	-	1	-	-	-
PENNSYLVANIA -----	148	229	321	513	667	771	750	587	351	113	22	1
WHITE-----MALE----	69	102	140	236	275	328	264	165	73	15	2	-
FEMALE--	43	77	121	205	318	376	418	373	249	89	18	1
ALL OTHER--MALE----	21	28	22	33	29	29	21	18	8	2	-	-
FEMALE--	15	22	38	39	45	38	47	31	21	7	2	-
BLACK---MALE----	21	27	20	32	28	29	20	18	8	2	-	-
FEMALE--	15	21	38	39	44	38	45	30	21	7	2	-
RHODE ISLAND -----	12	16	20	30	42	61	59	44	24	10	5	-
WHITE-----MALE----	7	8	13	14	25	23	25	17	6	4	1	-
FEMALE--	2	4	6	14	16	35	33	26	18	6	4	-
ALL OTHER--MALE----	1	2	-	2	-	1	-	1	-	-	-	-
FEMALE--	2	2	1	-	1	2	1	-	-	-	-	-
BLACK---MALE----	1	1	-	2	-	1	-	1	-	-	-	-
FEMALE--	2	1	-	-	1	2	1	-	-	-	-	-
SOUTH CAROLINA -----	64	68	111	144	197	180	169	113	64	25	8	-
WHITE-----MALE----	24	22	31	38	53	49	36	26	15	2	-	-
FEMALE--	13	18	31	41	56	55	68	54	32	13	3	-
ALL OTHER--MALE----	13	9	16	25	22	25	14	11	2	2	2	-
FEMALE--	14	19	33	40	66	51	51	22	15	8	3	-
BLACK---MALE----	13	9	15	25	21	25	14	11	2	1	2	-
FEMALE--	14	19	33	40	66	51	51	22	15	8	3	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,079
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	224	1	1	-	-	-	-	-	2	3	6	11
WHITE-----MALE----	81	-	-	-	-	-	-	-	-	1	-	7
FEMALE--	105	-	-	-	-	-	-	-	2	-	3	2
ALL OTHER--MALE----	9	-	1	-	-	-	-	-	-	-	2	1
FEMALE--	29	1	-	-	-	-	-	-	-	2	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,768	5	3	1	1	5	12	13	14	21	35	56
WHITE-----MALE----	580	1	1	1	-	1	1	4	6	6	17	20
FEMALE--	806	3	1	-	-	2	8	5	2	10	9	12
ALL OTHER--MALE----	139	1	-	-	1	1	1	2	3	2	5	11
FEMALE--	243	-	1	-	-	1	2	2	3	3	4	13
BLACK---MALE----	135	1	-	-	1	1	1	2	3	2	5	11
FEMALE--	240	-	1	-	-	1	2	2	3	3	4	13
TEXAS -----	6,039	23	15	5	7	13	25	35	59	89	146	182
WHITE-----MALE----	2,273	12	6	3	5	4	11	19	25	41	73	87
FEMALE--	2,766	9	4	2	1	7	7	7	17	26	36	55
ALL OTHER--MALE----	402	1	3	-	1	-	3	6	8	10	22	27
FEMALE--	598	1	2	-	-	2	4	3	9	12	15	13
BLACK---MALE----	388	1	3	-	-	-	3	6	8	10	21	25
FEMALE--	577	1	2	-	-	2	4	3	9	11	15	13
UTAH -----	536	2	1	1	1	4	4	3	6	17	13	15
WHITE-----MALE----	220	2	-	1	-	3	1	2	2	10	5	6
FEMALE--	286	-	1	-	1	1	3	1	4	5	7	6
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	217	1	1	1	-	-	1	2	2	3	5	5
WHITE-----MALE----	98	-	-	-	-	-	-	1	1	2	4	4
FEMALE--	119	1	1	1	-	-	1	1	1	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,824	7	1	-	3	5	7	12	18	28	47	55
WHITE-----MALE----	547	2	1	-	1	3	1	2	4	10	20	15
FEMALE--	726	3	-	-	2	2	3	4	5	9	16	20
ALL OTHER--MALE----	226	-	-	-	-	-	3	3	5	4	3	8
FEMALE--	325	2	-	-	-	-	-	3	4	5	8	12
BLACK---MALE----	225	-	-	-	-	-	3	3	5	4	3	8
FEMALE--	314	2	-	-	-	-	-	3	3	5	8	11

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,079
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	6	6	14	20	23	28	43	29	23	5	3	-
WHITE-----MALE----	3	3	8	11	9	7	12	9	9	2	-	-
FEMALE--	2	1	3	6	10	14	25	18	13	3	3	-
ALL OTHER--MALE----	1	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	2	2	3	3	6	5	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	93	95	130	190	234	239	247	207	120	34	13	-
WHITE-----MALE----	37	42	52	72	82	79	73	57	23	2	3	-
FEMALE--	30	32	50	67	107	115	126	114	80	25	8	-
ALL OTHER--MALE----	13	5	12	15	17	18	16	8	5	3	-	-
FEMALE--	13	16	16	36	28	27	32	28	12	4	2	-
BLACK---MALE----	12	5	12	12	17	18	16	8	5	3	-	-
FEMALE--	13	16	16	36	28	27	31	26	12	4	2	-
TEXAS -----	273	360	470	718	816	805	813	652	359	137	37	-
WHITE-----MALE----	115	144	208	297	336	313	276	185	86	25	2	-
FEMALE--	102	144	169	288	349	369	427	386	236	97	28	-
ALL OTHER--MALE----	26	29	39	52	53	47	35	25	11	3	1	-
FEMALE--	30	43	54	81	78	76	75	56	26	12	6	-
BLACK---MALE----	26	29	39	50	51	45	32	24	11	3	1	-
FEMALE--	30	41	52	74	77	69	75	55	26	12	6	-
UTAH -----	9	17	37	49	73	92	66	69	45	11	1	-
WHITE-----MALE----	4	8	21	15	32	39	26	23	16	4	-	-
FEMALE--	4	9	15	32	36	48	36	40	29	7	1	-
ALL OTHER--MALE----	-	-	1	2	3	2	1	5	-	-	-	-
FEMALE--	1	-	-	-	2	3	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	1	4	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
VERMONT -----	8	12	22	24	19	34	27	27	13	10	-	-
WHITE-----MALE----	4	6	9	17	11	15	10	9	3	2	-	-
FEMALE--	4	6	13	7	8	19	17	18	10	8	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	75	95	142	189	276	231	273	190	108	46	15	1
WHITE-----MALE----	34	38	52	66	83	75	80	39	16	4	1	-
FEMALE--	13	28	36	54	91	101	122	103	70	33	11	-
ALL OTHER--MALE----	15	13	27	28	48	24	25	14	5	-	1	-
FEMALE--	13	16	27	41	54	31	46	34	17	9	2	1
BLACK---MALE----	15	13	27	28	47	24	25	14	5	-	1	-
FEMALE--	13	16	25	40	52	31	45	33	16	9	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,080
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
WASHINGTON -----	63	80	126	146	196	236	218	179	87	43	13	-
WHITE-----MALE----	30	38	59	64	102	108	97	60	21	6	-	-
FEMALE--	29	33	54	66	74	108	109	114	62	35	13	-
ALL OTHER--MALE----	2	5	10	9	9	11	5	1	1	-	-	-
FEMALE--	2	4	3	7	11	9	7	4	3	2	-	-
BLACK---MALE----	2	4	4	3	5	5	3	1	1	-	-	-
FEMALE--	1	4	2	2	7	3	2	2	1	-	-	-
WEST VIRGINIA -----	38	40	68	94	135	127	129	87	58	29	5	-
WHITE-----MALE----	22	20	36	47	51	31	47	26	16	5	1	-
FEMALE--	15	19	26	40	73	89	75	56	40	24	3	-
ALL OTHER--MALE----	-	-	2	5	4	5	4	3	-	-	-	-
FEMALE--	1	1	4	2	7	2	3	2	2	-	1	-
BLACK---MALE----	-	-	2	5	4	5	4	3	-	-	-	-
FEMALE--	1	1	4	2	7	2	3	2	2	-	1	-
WISCONSIN -----	64	61	93	135	210	279	242	214	140	42	16	-
WHITE-----MALE----	29	31	47	64	101	129	100	73	32	10	4	-
FEMALE--	25	19	39	51	90	140	130	134	105	31	12	-
ALL OTHER--MALE----	3	5	1	11	6	4	5	2	-	-	-	-
FEMALE--	7	6	6	9	13	6	7	5	3	1	-	-
BLACK---MALE----	3	3	1	8	4	4	5	1	-	-	-	-
FEMALE--	4	5	5	5	8	5	7	4	3	1	-	-
WYOMING -----	5	2	7	11	15	14	14	13	10	6	1	-
WHITE-----MALE----	3	-	2	6	3	4	6	5	2	1	-	-
FEMALE--	2	2	3	5	10	9	8	8	8	5	1	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,081
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	79,061	295	143	79	118	146	251	437	787	1,201	1,733	2,405
WHITE-----MALE----	29,115	121	65	34	40	66	102	186	342	552	760	1,075
FEMALE--	34,961	88	34	29	55	56	80	130	218	308	459	641
ALL OTHER--MALE----	6,066	45	21	7	10	7	39	62	138	207	296	379
FEMALE--	8,919	41	23	9	13	17	30	59	89	134	218	310
BLACK---MALE----	5,274	39	17	6	8	7	37	56	126	195	265	339
FEMALE--	8,047	34	18	8	10	16	28	56	80	123	203	277
ALABAMA -----	1,473	4	3	1	3	2	9	3	10	21	28	55
WHITE-----MALE----	385	2	1	1	2	2	1	2	8	4	10	14
FEMALE--	551	2	-	-	1	-	3	-	1	6	3	13
ALL OTHER--MALE----	195	-	1	-	-	-	5	-	1	8	9	11
FEMALE--	342	-	1	-	-	-	-	1	-	3	6	17
BLACK---MALE----	194	-	1	-	-	-	5	-	1	8	9	10
FEMALE--	339	-	1	-	-	-	-	1	-	3	6	16
ALASKA -----	75	-	-	-	-	-	-	-	1	-	3	1
WHITE-----MALE----	32	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,163	12	1	-	1	6	2	10	24	25	23	44
WHITE-----MALE----	466	4	1	-	-	3	1	5	13	14	9	19
FEMALE--	536	5	-	-	1	2	1	5	4	7	8	18
ALL OTHER--MALE----	63	-	-	-	-	-	-	-	6	1	3	5
FEMALE--	98	3	-	-	-	1	-	-	1	3	3	2
BLACK---MALE----	19	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	37	1	-	-	-	1	-	-	-	2	2	2
ARKANSAS -----	748	10	2	2	2	2	4	6	9	10	18	24
WHITE-----MALE----	256	3	2	1	1	1	2	2	3	6	6	11
FEMALE--	324	2	-	1	1	1	1	1	3	3	7	7
ALL OTHER--MALE----	69	3	-	-	-	-	1	3	3	1	2	3
FEMALE--	99	2	-	-	-	-	-	-	-	-	3	3
BLACK---MALE----	69	3	-	-	-	-	1	3	3	1	2	3
FEMALE--	98	2	-	-	-	-	-	-	-	-	3	3
CALIFORNIA -----	6,674	27	20	11	18	14	24	39	88	125	183	227
WHITE-----MALE----	2,562	12	12	4	6	6	12	13	46	54	78	107
FEMALE--	2,804	10	6	6	10	8	6	14	25	43	53	72
ALL OTHER--MALE----	597	5	-	1	-	-	2	5	11	14	21	25
FEMALE--	711	-	2	-	2	-	4	7	6	14	31	23
BLACK---MALE----	339	3	-	-	-	-	1	3	6	13	13	16
FEMALE--	489	-	2	-	2	-	2	4	5	12	26	19

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,081
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	3,128	4,132	5,949	8,496	10,906	11,929	11,258	8,733	4,827	1,686	418	4
WHITE-----MALE----	1,328	1,734	2,461	3,455	4,293	4,561	3,962	2,544	1,099	297	38	-
FEMALE--	938	1,327	2,021	3,256	4,458	5,460	5,673	5,113	3,141	1,180	295	1
ALL OTHER--MALE----	426	481	629	693	842	718	539	325	145	41	15	1
FEMALE--	436	590	838	1,092	1,313	1,190	1,084	751	442	168	70	2
BLACK---MALE----	376	410	537	595	722	624	469	273	122	35	15	1
FEMALE--	398	527	774	967	1,173	1,060	984	683	403	159	65	1
ALABAMA -----	47	92	118	165	190	207	226	159	88	32	10	-
WHITE-----MALE----	11	28	39	54	54	56	50	24	18	4	-	-
FEMALE--	11	23	30	50	64	91	108	86	40	15	4	-
ALL OTHER--MALE----	10	14	17	25	31	18	20	9	9	4	3	-
FEMALE--	15	27	32	36	41	42	48	40	21	9	3	-
BLACK---MALE----	10	14	17	25	31	18	20	9	9	4	3	-
FEMALE--	15	27	32	35	41	42	47	40	21	9	3	-
ALASKA -----	7	7	11	10	12	10	7	6	-	-	-	-
WHITE-----MALE----	3	4	5	5	4	4	5	-	-	-	-	-
FEMALE--	3	2	5	4	7	6	1	6	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARIZONA -----	58	76	93	140	160	147	149	116	44	27	5	-
WHITE-----MALE----	23	23	44	61	59	52	63	48	16	7	1	-
FEMALE--	20	33	33	60	69	80	82	61	26	19	2	-
ALL OTHER--MALE----	7	6	11	8	7	2	1	4	-	1	1	-
FEMALE--	8	14	5	11	25	13	3	3	2	-	1	-
BLACK---MALE----	3	2	2	3	2	1	1	1	-	1	1	-
FEMALE--	1	4	2	-	10	7	2	2	1	-	-	-
ARKANSAS -----	29	33	57	68	91	97	126	95	48	14	1	-
WHITE-----MALE----	10	22	25	19	37	32	27	32	10	4	-	-
FEMALE--	9	7	21	28	41	44	62	53	25	7	-	-
ALL OTHER--MALE----	6	3	6	9	4	7	11	5	2	-	-	-
FEMALE--	4	1	5	12	9	14	26	5	11	3	1	-
BLACK---MALE----	6	3	6	9	4	7	11	5	2	-	-	-
FEMALE--	4	1	5	12	9	14	25	5	11	3	1	-
CALIFORNIA -----	306	372	528	743	1,000	1,036	848	672	277	99	17	-
WHITE-----MALE----	132	150	216	290	412	424	291	210	60	25	2	-
FEMALE--	98	122	195	298	385	414	430	366	171	59	13	-
ALL OTHER--MALE----	39	47	55	72	92	95	56	37	17	3	-	-
FEMALE--	37	53	62	83	111	103	71	59	29	12	2	-
BLACK---MALE----	24	23	35	41	50	57	28	17	7	2	-	-
FEMALE--	27	37	46	55	73	66	46	33	23	11	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,082
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	772	9	3	1	3	1	6	6	8	18	26	28
WHITE-----MALE----	305	3	-	-	1	-	5	3	6	9	14	19
FEMALE--	408	4	3	-	1	1	1	2	2	7	10	8
ALL OTHER--MALE----	27	2	-	-	1	-	-	1	-	2	2	-
FEMALE--	32	-	-	1	-	-	-	-	-	-	-	1
BLACK---MALE----	18	2	-	-	1	-	-	-	-	2	2	-
FEMALE--	29	-	-	1	-	-	-	-	-	-	-	1
CONNECTICUT -----	893	4	2	1	2	2	3	1	8	19	14	19
WHITE-----MALE----	362	2	1	1	-	-	2	1	3	10	7	8
FEMALE--	435	1	-	-	1	1	-	-	3	7	5	10
ALL OTHER--MALE----	42	1	1	-	1	-	1	-	1	2	2	1
FEMALE--	54	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	39	1	-	-	1	-	-	-	1	2	2	1
FEMALE--	51	-	-	-	-	1	-	-	1	-	-	-
DELAWARE -----	252	-	-	-	-	-	-	1	2	6	6	4
WHITE-----MALE----	82	-	-	-	-	-	-	-	1	2	1	1
FEMALE--	108	-	-	-	-	-	-	1	-	1	2	1
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	1	3	2	1
FEMALE--	37	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	24	-	-	-	-	-	-	-	1	3	2	1
FEMALE--	36	-	-	-	-	-	-	-	-	-	1	1
DISTRICT OF COLUMBIA ----	286	2	-	1	-	-	4	2	3	3	13	10
WHITE-----MALE----	19	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	22	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	99	-	-	-	-	-	1	2	2	2	10	7
FEMALE--	146	-	-	1	-	-	2	-	1	1	2	3
BLACK---MALE----	97	-	-	-	-	-	1	2	2	2	10	7
FEMALE--	146	-	-	1	-	-	2	-	1	1	2	3
FLORIDA -----	4,887	20	4	4	7	8	13	29	34	73	101	116
WHITE-----MALE----	2,020	9	1	3	4	1	4	13	16	36	44	51
FEMALE--	2,018	5	-	1	3	4	5	6	8	18	27	25
ALL OTHER--MALE----	336	3	1	-	-	-	3	3	8	8	13	24
FEMALE--	513	3	2	-	-	3	1	7	2	11	17	16
BLACK---MALE----	323	3	1	-	-	-	3	3	7	8	13	24
FEMALE--	505	3	2	-	-	3	1	7	2	11	17	16
GEORGIA -----	1,705	15	1	2	6	8	12	17	27	39	47	63
WHITE-----MALE----	499	1	-	1	1	4	2	4	7	13	15	26
FEMALE--	574	2	-	1	5	3	4	6	8	5	9	8
ALL OTHER--MALE----	237	6	1	-	-	1	3	2	9	15	12	16
FEMALE--	395	6	-	-	-	-	3	5	3	6	11	13
BLACK---MALE----	233	5	1	-	-	1	3	2	9	15	11	16
FEMALE--	390	5	-	-	-	-	3	5	3	6	11	13

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,082
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	31	37	49	79	88	97	118	92	49	19	4	-
WHITE-----MALE----	16	16	28	36	33	41	43	24	6	2	-	-
FEMALE--	10	16	16	35	46	50	73	65	39	15	4	-
ALL OTHER--MALE----	2	2	2	2	3	2	1	2	2	1	-	-
FEMALE--	3	3	3	6	6	4	1	1	2	1	-	-
BLACK---MALE----	1	2	1	1	2	2	-	-	2	-	-	-
FEMALE--	3	2	3	6	5	3	1	1	2	1	-	-
CONNECTICUT -----	31	51	60	82	112	144	140	107	55	31	5	-
WHITE-----MALE----	14	19	28	35	54	57	67	32	15	6	-	-
FEMALE--	9	18	20	35	46	77	67	70	35	25	5	-
ALL OTHER--MALE----	4	4	5	5	4	4	3	1	2	-	-	-
FEMALE--	4	10	7	7	8	6	3	4	3	-	-	-
BLACK---MALE----	4	4	5	5	4	4	2	1	2	-	-	-
FEMALE--	4	10	7	5	7	6	3	4	3	-	-	-
DELAWARE -----	9	15	19	34	35	35	43	22	13	7	1	-
WHITE-----MALE----	1	6	6	14	12	12	19	4	3	-	-	-
FEMALE--	5	5	10	15	8	16	18	13	6	6	1	-
ALL OTHER--MALE----	1	3	1	1	7	1	1	2	1	-	-	-
FEMALE--	2	1	2	4	8	6	5	3	3	1	-	-
BLACK---MALE----	-	3	1	1	7	1	1	2	1	-	-	-
FEMALE--	2	1	2	4	8	5	5	3	3	1	-	-
DISTRICT OF COLUMBIA ----	18	13	26	34	32	32	33	42	10	6	2	-
WHITE-----MALE----	-	2	-	2	-	4	3	5	-	1	-	-
FEMALE--	-	2	1	1	2	-	3	7	1	3	-	-
ALL OTHER--MALE----	7	3	10	13	12	12	8	9	1	-	-	-
FEMALE--	11	6	15	18	18	16	19	21	8	2	2	-
BLACK---MALE----	7	3	10	13	12	10	8	9	1	-	-	-
FEMALE--	11	6	15	18	18	16	19	21	8	2	2	-
FLORIDA -----	186	231	368	528	676	815	767	504	290	93	18	2
WHITE-----MALE----	67	109	139	226	321	351	336	170	98	20	1	-
FEMALE--	62	67	120	190	252	353	349	284	165	63	11	-
ALL OTHER--MALE----	28	24	47	39	38	45	31	10	7	2	1	1
FEMALE--	29	31	62	73	65	66	51	40	20	8	5	1
BLACK---MALE----	26	22	45	37	37	44	30	9	7	2	1	1
FEMALE--	29	31	62	70	64	65	49	39	20	8	5	1
GEORGIA -----	85	102	136	196	224	237	197	171	89	21	10	-
WHITE-----MALE----	32	41	46	65	55	82	47	40	13	4	-	-
FEMALE--	19	24	30	52	73	84	92	82	51	13	3	-
ALL OTHER--MALE----	20	18	18	30	30	21	19	11	4	-	1	-
FEMALE--	14	19	42	49	66	50	39	38	21	4	6	-
BLACK---MALE----	20	18	18	30	29	21	18	11	4	-	1	-
FEMALE--	14	19	41	49	65	49	39	38	20	4	6	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,083
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	256	2	2	-	-	-	-	1	1	5	6	10
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	99	-	-	-	-	-	-	-	-	3	4	3
FEMALE--	116	2	2	-	-	-	-	1	1	1	1	6
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	1	-	-	-	-
IDAHO -----	309	1	2	-	1	-	3	2	3	2	3	14
WHITE-----MALE----	148	-	1	-	-	-	2	1	3	2	2	10
FEMALE--	157	1	1	-	1	-	1	1	-	-	1	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3,482	15	8	4	4	6	5	27	32	57	73	100
WHITE-----MALE----	1,285	7	4	1	1	3	2	16	11	24	28	47
FEMALE--	1,475	3	1	1	3	2	1	5	10	8	17	21
ALL OTHER--MALE----	314	1	3	1	-	-	1	4	4	16	21	17
FEMALE--	408	4	-	1	-	1	1	2	7	9	7	15
BLACK---MALE----	293	1	3	1	-	-	1	4	4	15	21	17
FEMALE--	387	4	-	1	-	1	1	2	7	9	7	13
INDIANA -----	1,876	7	3	1	-	-	1	9	18	22	30	49
WHITE-----MALE----	728	4	2	1	-	-	1	4	10	12	16	28
FEMALE--	912	2	1	-	-	-	-	4	6	5	10	13
ALL OTHER--MALE----	98	1	-	-	-	-	-	1	1	1	3	5
FEMALE--	138	-	-	-	-	-	-	-	1	4	1	3
BLACK---MALE----	95	1	-	-	-	-	-	1	1	1	3	5
FEMALE--	136	-	-	-	-	-	-	-	1	4	1	3
IOWA -----	814	-	1	1	5	1	3	2	5	14	15	20
WHITE-----MALE----	349	-	-	-	1	-	2	-	2	10	7	13
FEMALE--	442	-	1	1	4	1	1	2	3	3	5	7
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	-
KANSAS -----	779	4	2	1	-	3	2	4	4	6	15	22
WHITE-----MALE----	304	3	2	1	-	3	1	3	1	3	6	10
FEMALE--	404	1	-	-	-	-	-	1	1	2	9	11
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	50	-	-	-	-	-	1	-	2	1	-	-
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	44	-	-	-	-	-	1	-	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,083
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	13	17	19	26	36	44	25	22	20	6	1	-
WHITE-----MALE----	-	1	1	5	1	7	2	1	1	-	-	-
FEMALE--	-	-	2	2	4	3	5	2	1	-	-	-
ALL OTHER--MALE----	8	12	10	9	9	17	7	9	6	2	-	-
FEMALE--	5	4	6	10	22	17	11	10	12	4	1	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	10	11	21	31	41	41	51	44	19	8	1	-
WHITE-----MALE----	6	5	9	16	23	19	21	21	7	-	-	-
FEMALE--	3	5	12	15	18	21	29	23	12	8	1	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	110	182	273	374	484	549	471	405	207	75	21	-
WHITE-----MALE----	48	77	107	151	193	213	165	133	39	12	3	-
FEMALE--	26	56	88	132	192	245	225	227	145	56	11	-
ALL OTHER--MALE----	19	29	33	36	47	33	27	16	4	1	1	-
FEMALE--	17	20	45	55	52	58	54	29	19	6	6	-
BLACK---MALE----	19	26	29	32	45	32	24	15	2	1	1	-
FEMALE--	17	18	44	52	49	57	48	27	18	6	6	-
INDIANA -----	62	99	139	202	254	311	284	206	137	33	9	-
WHITE-----MALE----	35	39	73	71	112	114	105	62	31	8	-	-
FEMALE--	17	46	43	92	94	167	155	132	93	25	7	-
ALL OTHER--MALE----	2	6	10	16	25	7	9	4	5	-	2	-
FEMALE--	8	8	13	23	23	23	15	8	8	-	-	-
BLACK---MALE----	2	6	10	16	23	7	8	4	5	-	2	-
FEMALE--	8	8	12	23	23	23	15	8	7	-	-	-
IOWA -----	23	28	58	73	96	101	126	106	91	38	7	-
WHITE-----MALE----	13	22	25	40	47	42	51	39	25	9	1	-
FEMALE--	9	5	31	28	44	57	75	66	66	29	4	-
ALL OTHER--MALE----	1	1	1	1	1	-	-	-	-	-	1	-
FEMALE--	-	-	1	4	4	2	-	1	-	-	1	-
BLACK---MALE----	1	1	1	1	1	-	-	-	-	-	1	-
FEMALE--	-	-	1	4	3	2	-	1	-	-	1	-
KANSAS -----	29	43	49	63	105	114	118	100	66	24	5	-
WHITE-----MALE----	14	19	22	25	51	37	46	32	17	8	-	-
FEMALE--	9	19	18	31	48	67	59	60	48	16	4	-
ALL OTHER--MALE----	2	1	4	2	5	3	2	1	-	-	-	-
FEMALE--	4	4	5	5	1	7	11	7	1	-	1	-
BLACK---MALE----	1	1	3	2	4	2	2	1	-	-	-	-
FEMALE--	4	4	5	3	1	6	11	6	-	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,084
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	1,234	4	5	4	2	-	4	6	12	13	36	45
WHITE-----MALE----	465	1	4	2	1	-	1	5	8	5	20	26
FEMALE--	633	2	-	1	1	-	3	1	3	5	10	14
ALL OTHER--MALE----	52	1	-	1	-	-	-	-	-	2	3	2
FEMALE--	84	-	1	-	-	-	-	-	1	1	3	3
BLACK---MALE----	52	1	-	1	-	-	-	-	-	2	3	2
FEMALE--	83	-	1	-	-	-	-	-	1	1	3	3
LOUISIANA -----	1,917	5	2	1	6	1	2	12	17	38	38	76
WHITE-----MALE----	465	1	1	-	2	-	1	5	6	17	7	22
FEMALE--	651	2	-	1	1	1	-	1	2	5	6	6
ALL OTHER--MALE----	299	2	-	-	2	-	1	5	3	8	15	25
FEMALE--	502	-	1	-	1	-	-	1	6	8	10	23
BLACK---MALE----	297	2	-	-	1	-	1	4	3	8	15	25
FEMALE--	495	-	1	-	1	-	-	1	5	8	10	23
MAINE -----	401	1	1	-	1	1	3	-	2	3	9	10
WHITE-----MALE----	182	1	1	-	1	1	1	-	1	3	6	6
FEMALE--	219	-	-	-	-	-	2	-	1	-	3	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,838	4	5	2	1	3	4	7	24	33	48	49
WHITE-----MALE----	559	-	1	-	1	2	2	1	6	12	20	21
FEMALE--	666	2	-	-	-	1	1	1	4	5	4	5
ALL OTHER--MALE----	268	-	2	-	-	-	-	2	9	10	18	12
FEMALE--	345	2	2	2	-	-	1	3	5	6	6	11
BLACK---MALE----	255	-	1	-	-	-	-	2	9	10	18	12
FEMALE--	335	2	-	2	-	-	1	3	5	6	6	11
MASSACHUSETTS -----	1,861	9	4	4	1	-	4	6	23	33	31	45
WHITE-----MALE----	811	5	1	3	1	-	1	4	12	21	18	31
FEMALE--	941	2	2	1	-	-	3	2	8	10	9	9
ALL OTHER--MALE----	54	2	1	-	-	-	-	-	2	1	2	3
FEMALE--	55	-	-	-	-	-	-	-	1	1	2	2
BLACK---MALE----	44	1	1	-	-	-	-	-	2	1	2	3
FEMALE--	51	-	-	-	-	-	-	-	1	1	2	2
MICHIGAN -----	3,050	13	6	1	5	10	10	16	23	47	57	94
WHITE-----MALE----	1,116	9	5	1	1	4	6	4	8	23	19	33
FEMALE--	1,416	2	-	-	3	3	2	5	7	12	23	32
ALL OTHER--MALE----	192	-	-	-	1	-	1	3	7	9	9	15
FEMALE--	326	2	1	-	-	3	1	4	1	3	6	14
BLACK---MALE----	180	-	-	-	1	-	1	3	7	9	9	14
FEMALE--	307	1	1	-	-	3	1	4	1	3	6	14

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,084
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	38	62	90	132	166	185	188	143	67	19	13	-
WHITE-----MALE----	17	28	48	59	61	67	55	39	14	2	2	-
FEMALE--	12	25	35	57	82	100	118	90	50	13	11	-
ALL OTHER--MALE----	7	-	3	5	9	6	6	5	2	-	-	-
FEMALE--	2	9	4	11	14	12	9	9	1	4	-	-
BLACK---MALE----	7	-	3	5	9	6	6	5	2	-	-	-
FEMALE--	2	9	3	11	14	12	9	9	1	4	-	-
LOUISIANA -----	97	110	161	201	255	292	256	188	113	36	10	-
WHITE-----MALE----	24	32	45	63	63	77	54	32	10	2	1	-
FEMALE--	23	20	42	51	80	114	111	100	59	20	6	-
ALL OTHER--MALE----	23	28	26	21	36	41	31	14	14	4	-	-
FEMALE--	27	30	48	66	76	60	60	42	30	10	3	-
BLACK---MALE----	23	28	26	21	36	41	31	14	14	4	-	-
FEMALE--	27	30	48	65	76	59	60	41	27	10	3	-
MAINE -----	18	16	29	49	56	48	61	50	26	9	8	-
WHITE-----MALE----	13	12	17	28	24	18	26	18	5	-	-	-
FEMALE--	5	4	12	21	32	30	35	32	21	9	8	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	73	96	136	197	256	301	266	188	106	31	8	-
WHITE-----MALE----	20	32	36	73	85	102	75	53	16	-	1	-
FEMALE--	15	20	37	58	94	108	115	104	63	25	4	-
ALL OTHER--MALE----	15	22	32	28	32	37	28	11	9	-	1	-
FEMALE--	23	22	31	38	45	54	48	20	18	6	2	-
BLACK---MALE----	15	22	31	27	30	32	26	11	8	-	1	-
FEMALE--	22	22	31	37	44	52	47	18	18	6	2	-
MASSACHUSETTS -----	55	81	115	173	243	274	285	259	142	52	22	-
WHITE-----MALE----	29	51	55	91	114	129	138	68	27	10	2	-
FEMALE--	22	21	49	72	114	131	136	178	111	41	20	-
ALL OTHER--MALE----	2	5	4	4	7	10	5	5	1	-	-	-
FEMALE--	2	4	7	6	8	4	6	8	3	1	-	-
BLACK---MALE----	2	5	4	4	3	7	4	4	1	-	-	-
FEMALE--	2	4	7	5	7	3	6	8	3	-	-	-
MICHIGAN -----	112	140	209	329	441	490	423	350	196	67	11	-
WHITE-----MALE----	52	67	87	135	161	201	137	114	35	13	1	-
FEMALE--	30	42	78	139	199	220	226	199	137	48	9	-
ALL OTHER--MALE----	8	13	20	18	27	21	18	12	8	2	-	-
FEMALE--	22	18	24	37	54	48	42	25	16	4	1	-
BLACK---MALE----	8	12	18	17	22	20	17	12	8	2	-	-
FEMALE--	21	18	20	35	51	43	39	25	16	4	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,085
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	38	58	81	101	176	206	247	183	118	46	11	-
WHITE-----MALE----	25	33	48	48	89	105	95	64	31	15	2	-
FEMALE--	7	20	25	50	79	98	135	117	85	30	9	-
ALL OTHER--MALE----	5	-	2	-	6	1	6	-	-	1	-	-
FEMALE--	1	5	6	3	2	2	11	2	2	-	-	-
BLACK---MALE----	-	-	1	-	4	1	2	-	-	-	-	-
FEMALE--	-	3	3	1	-	1	6	2	1	-	-	-
MISSISSIPPI -----	32	46	61	57	99	89	97	72	39	20	8	-
WHITE-----MALE----	11	18	17	15	23	15	27	16	6	1	1	-
FEMALE--	5	8	13	11	27	32	29	32	17	9	2	-
ALL OTHER--MALE----	7	11	8	8	20	12	10	7	3	2	1	-
FEMALE--	9	9	23	23	29	30	31	17	13	8	4	-
BLACK---MALE----	7	11	8	8	20	12	10	7	3	2	1	-
FEMALE--	8	9	23	22	27	29	30	17	12	8	4	-
MISSOURI -----	58	95	118	176	238	249	220	216	116	40	12	-
WHITE-----MALE----	28	38	57	77	100	72	76	67	29	6	-	-
FEMALE--	20	40	40	82	99	146	125	121	73	31	11	-
ALL OTHER--MALE----	7	6	8	7	14	10	5	7	2	-	-	-
FEMALE--	3	11	13	10	25	21	14	21	12	3	1	-
BLACK---MALE----	6	6	7	7	13	10	5	7	2	-	-	-
FEMALE--	3	11	13	10	25	21	14	21	12	3	1	-
MONTANA -----	7	11	16	25	23	35	44	25	15	8	2	-
WHITE-----MALE----	4	5	8	10	13	9	23	10	3	1	1	-
FEMALE--	2	5	5	13	8	21	15	14	12	7	1	-
ALL OTHER--MALE----	1	1	2	-	1	3	-	1	-	-	-	-
FEMALE--	-	-	1	2	1	2	6	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEBRASKA -----	9	17	23	39	43	73	69	72	43	6	3	-
WHITE-----MALE----	5	7	17	15	20	29	30	24	17	1	1	-
FEMALE--	4	7	6	20	18	41	36	46	25	5	2	-
ALL OTHER--MALE----	-	1	-	-	3	2	2	-	-	-	-	-
FEMALE--	-	2	-	4	2	1	1	2	1	-	-	-
BLACK---MALE----	-	1	-	-	1	2	2	-	-	-	-	-
FEMALE--	-	2	-	4	2	-	1	1	1	-	-	-
NEVADA -----	14	19	29	44	57	48	34	33	11	3	1	-
WHITE-----MALE----	8	10	13	22	25	27	15	11	5	-	-	-
FEMALE--	6	3	9	17	25	18	16	17	6	3	1	-
ALL OTHER--MALE----	-	2	3	2	2	2	1	-	-	-	-	-
FEMALE--	-	4	4	3	5	1	2	5	-	-	-	-
BLACK---MALE----	-	1	3	2	2	2	1	-	-	-	-	-
FEMALE--	-	1	3	2	2	1	2	4	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,087
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	4,579	8	8	7	4	9	13	15	42	62	84	114
WHITE-----MALE----	1,718	3	3	1	-	1	6	5	21	28	39	48
FEMALE--	2,228	5	4	3	2	4	3	6	13	18	25	41
ALL OTHER--MALE----	258	-	1	2	-	1	2	2	5	11	11	12
FEMALE--	375	-	-	1	2	3	2	2	3	5	9	13
BLACK---MALE----	256	-	1	2	-	1	2	2	5	11	11	12
FEMALE--	371	-	-	1	2	3	2	2	3	5	9	13
OKLAHOMA -----	915	5	1	-	1	1	2	9	13	16	24	29
WHITE-----MALE----	330	3	-	-	-	1	2	5	7	10	12	13
FEMALE--	409	-	1	-	1	-	-	2	2	4	6	7
ALL OTHER--MALE----	71	2	-	-	-	-	-	-	3	1	2	4
FEMALE--	105	-	-	-	-	-	-	2	1	1	4	5
BLACK---MALE----	32	1	-	-	-	-	-	-	3	1	1	1
FEMALE--	65	-	-	-	-	-	-	2	-	-	3	1
OREGON -----	920	1	-	2	3	2	4	7	9	13	15	22
WHITE-----MALE----	403	-	-	1	1	2	4	5	5	11	10	13
FEMALE--	471	-	-	1	-	-	-	2	4	2	4	5
ALL OTHER--MALE----	18	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	28	-	-	-	2	-	-	-	-	-	1	3
BLACK---MALE----	5	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	4,564	8	4	2	4	4	7	20	26	40	78	115
WHITE-----MALE----	1,753	3	2	1	1	2	3	5	11	17	42	64
FEMALE--	2,242	1	-	1	2	2	3	10	10	14	15	25
ALL OTHER--MALE----	245	2	-	-	-	-	-	3	3	6	13	15
FEMALE--	324	2	2	-	1	-	1	2	2	3	8	11
BLACK---MALE----	238	2	-	-	-	-	-	3	3	6	12	15
FEMALE--	320	2	2	-	1	-	1	2	2	3	8	11
RHODE ISLAND -----	335	1	1	-	-	-	-	1	1	2	4	7
WHITE-----MALE----	153	-	-	-	-	-	-	-	1	1	3	6
FEMALE--	164	-	-	-	-	-	-	1	-	1	1	1
ALL OTHER--MALE----	8	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	10	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1,226	2	1	-	3	2	5	9	15	26	25	47
WHITE-----MALE----	329	-	1	-	-	-	-	5	9	10	9	11
FEMALE--	385	-	-	-	1	-	3	2	2	3	4	7
ALL OTHER--MALE----	171	-	-	-	2	2	1	2	3	8	7	15
FEMALE--	341	2	-	-	-	-	1	-	1	5	5	14
BLACK---MALE----	169	-	-	-	2	2	1	2	3	8	7	15
FEMALE--	341	2	-	-	-	-	1	-	1	5	5	14

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,087
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	154	244	331	505	622	758	670	514	295	98	22	-
WHITE-----MALE----	75	115	132	207	258	295	235	148	78	20	-	-
FEMALE--	54	83	130	227	269	375	359	325	201	68	13	-
ALL OTHER--MALE----	14	24	32	31	40	31	25	11	1	2	-	-
FEMALE--	11	22	37	40	55	57	51	30	15	8	9	-
BLACK---MALE----	14	24	32	31	40	31	25	9	1	2	-	-
FEMALE--	11	22	35	39	54	57	51	30	15	8	9	-
OKLAHOMA -----	43	53	69	96	92	123	126	111	65	30	6	-
WHITE-----MALE----	17	23	21	38	38	42	44	33	17	4	-	-
FEMALE--	15	16	27	33	35	56	64	69	44	23	4	-
ALL OTHER--MALE----	4	5	14	11	9	9	4	2	-	1	-	-
FEMALE--	7	9	7	14	10	16	14	7	4	2	2	-
BLACK---MALE----	2	2	5	2	2	5	4	2	-	1	-	-
FEMALE--	5	5	5	6	6	11	11	6	1	2	1	-
OREGON -----	33	45	66	77	125	142	134	132	68	17	3	-
WHITE-----MALE----	18	20	34	29	58	73	59	37	18	4	1	-
FEMALE--	13	21	27	41	60	62	74	91	49	13	2	-
ALL OTHER--MALE----	-	3	2	4	2	2	1	2	-	-	-	-
FEMALE--	2	1	3	3	5	5	2	1	-	-	-	-
BLACK---MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	4	2	-	-	1	-	-	-
PENNSYLVANIA -----	146	226	319	507	654	744	706	532	308	96	17	1
WHITE-----MALE----	67	100	139	235	271	318	250	148	59	13	2	-
FEMALE--	43	77	120	201	310	362	394	339	225	74	13	1
ALL OTHER--MALE----	21	28	22	32	28	28	19	16	7	2	-	-
FEMALE--	15	21	38	39	45	36	43	29	17	7	2	-
BLACK---MALE----	21	27	20	31	27	28	18	16	7	2	-	-
FEMALE--	15	21	38	39	44	36	41	28	17	7	2	-
RHODE ISLAND -----	12	16	20	30	42	60	59	43	24	10	2	-
WHITE-----MALE----	7	8	13	14	25	22	25	17	6	4	1	-
FEMALE--	2	4	6	14	16	35	33	25	18	6	1	-
ALL OTHER--MALE----	1	2	-	2	-	1	-	1	-	-	-	-
FEMALE--	2	2	1	-	1	2	1	-	-	-	-	-
BLACK---MALE----	1	1	-	2	-	1	-	1	-	-	-	-
FEMALE--	2	1	-	-	1	2	1	-	-	-	-	-
SOUTH CAROLINA -----	63	67	111	143	191	175	158	95	59	22	7	-
WHITE-----MALE----	24	22	31	38	51	47	35	20	14	2	-	-
FEMALE--	13	18	31	41	53	54	63	47	28	12	3	-
ALL OTHER--MALE----	12	8	16	24	21	24	13	9	2	1	1	-
FEMALE--	14	19	33	40	66	50	47	19	15	7	3	-
BLACK---MALE----	12	8	15	24	20	24	13	9	2	1	1	-
FEMALE--	14	19	33	40	66	50	47	19	15	7	3	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,088
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	215	1	1	-	-	-	-	-	2	3	6	11
WHITE-----MALE----	79	-	-	-	-	-	-	-	-	1	-	7
FEMALE--	98	-	-	-	-	-	-	-	2	-	3	2
ALL OTHER--MALE----	9	-	1	-	-	-	-	-	-	-	2	1
FEMALE--	29	1	-	-	-	-	-	-	-	2	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,683	5	3	1	1	5	12	13	13	21	34	55
WHITE-----MALE----	551	1	1	1	-	1	1	4	6	6	16	20
FEMALE--	765	3	1	-	-	2	8	5	1	10	9	12
ALL OTHER--MALE----	130	1	-	-	1	1	1	2	3	2	5	10
FEMALE--	237	-	1	-	-	1	2	2	3	3	4	13
BLACK---MALE----	127	1	-	-	1	1	1	2	3	2	5	10
FEMALE--	234	-	1	-	-	1	2	2	3	3	4	13
TEXAS -----	5,789	22	15	5	6	13	25	35	59	88	143	181
WHITE-----MALE----	2,204	11	6	3	4	4	11	19	25	41	72	86
FEMALE--	2,618	9	4	2	1	7	7	7	17	26	35	55
ALL OTHER--MALE----	387	1	3	-	1	-	3	6	8	10	22	27
FEMALE--	580	1	2	-	-	2	4	3	9	11	14	13
BLACK---MALE----	374	1	3	-	-	-	3	6	8	10	21	25
FEMALE--	559	1	2	-	-	2	4	3	9	10	14	13
UTAH -----	510	2	1	1	1	4	4	3	6	17	13	15
WHITE-----MALE----	216	2	-	1	-	3	1	2	2	10	5	6
FEMALE--	267	-	1	-	1	1	3	1	4	5	7	6
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	208	1	1	1	-	-	1	2	2	3	5	5
WHITE-----MALE----	98	-	-	-	-	-	-	1	1	2	4	4
FEMALE--	110	1	1	1	-	-	1	1	1	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,731	6	1	-	3	5	7	11	18	27	47	54
WHITE-----MALE----	531	2	1	-	1	3	1	2	4	10	20	15
FEMALE--	672	3	-	-	2	2	3	4	5	9	16	20
ALL OTHER--MALE----	219	-	-	-	-	-	3	3	5	4	3	8
FEMALE--	309	1	-	-	-	-	-	2	4	4	8	11
BLACK---MALE----	218	-	-	-	-	-	3	3	5	4	3	8
FEMALE--	299	1	-	-	-	-	-	2	3	4	8	10

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,088
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	6	6	14	20	23	28	41	25	20	5	3	-
WHITE-----MALE----	3	3	8	11	9	7	12	7	9	2	-	-
FEMALE--	2	1	3	6	10	14	23	16	10	3	3	-
ALL OTHER--MALE----	1	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	2	2	3	3	6	5	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	90	94	128	187	230	233	228	185	105	32	8	-
WHITE-----MALE----	36	41	51	69	79	78	66	48	22	2	2	-
FEMALE--	29	32	49	67	106	113	117	104	69	24	4	-
ALL OTHER--MALE----	12	5	12	15	17	17	14	8	2	2	-	-
FEMALE--	13	16	16	36	28	25	31	25	12	4	2	-
BLACK---MALE----	12	5	12	12	17	17	14	8	2	2	-	-
FEMALE--	13	16	16	36	28	25	30	23	12	4	2	-
TEXAS -----	266	360	464	706	798	785	772	595	308	114	29	-
WHITE-----MALE----	109	144	204	292	329	306	266	171	79	21	1	-
FEMALE--	102	144	167	284	340	361	403	349	195	79	24	-
ALL OTHER--MALE----	26	29	39	49	51	45	33	22	10	2	-	-
FEMALE--	29	43	54	81	78	73	70	53	24	12	4	-
BLACK---MALE----	26	29	39	48	49	43	30	21	10	2	-	-
FEMALE--	29	41	52	74	77	66	70	52	24	12	4	-
UTAH -----	9	17	36	48	72	92	58	65	37	8	1	-
WHITE-----MALE----	4	8	21	14	31	39	25	23	15	4	-	-
FEMALE--	4	9	14	32	36	48	30	38	22	4	1	-
ALL OTHER--MALE----	-	-	1	2	3	2	1	3	-	-	-	-
FEMALE--	1	-	-	-	2	3	2	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	1	3	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
VERMONT -----	8	12	22	24	19	32	27	24	11	8	-	-
WHITE-----MALE----	4	6	9	17	11	15	10	9	3	2	-	-
FEMALE--	4	6	13	7	8	17	17	15	8	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	75	93	142	186	269	223	256	166	96	34	11	1
WHITE-----MALE----	34	37	52	64	83	73	74	35	15	4	1	-
FEMALE--	13	27	36	53	88	97	115	88	59	23	9	-
ALL OTHER--MALE----	15	13	27	28	47	23	23	12	5	-	-	-
FEMALE--	13	16	27	41	51	30	44	31	17	7	1	1
BLACK---MALE----	15	13	27	28	46	23	23	12	5	-	-	-
FEMALE--	13	16	25	40	49	30	43	31	16	7	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,089
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
WASHINGTON -----	63	79	126	144	194	225	209	165	75	39	10	-
WHITE-----MALE----	30	38	59	64	101	105	95	55	18	5	-	-
FEMALE--	29	32	54	64	73	100	102	106	53	32	10	-
ALL OTHER--MALE----	2	5	10	9	9	11	5	1	1	-	-	-
FEMALE--	2	4	3	7	11	9	7	3	3	2	-	-
BLACK---MALE----	2	4	4	3	5	5	3	1	1	-	-	-
FEMALE--	1	4	2	2	7	3	2	1	1	-	-	-
WEST VIRGINIA -----	38	40	68	92	131	119	122	76	49	25	5	-
WHITE-----MALE----	22	20	36	45	49	29	43	26	14	5	1	-
FEMALE--	15	19	26	40	71	83	72	46	33	20	3	-
ALL OTHER--MALE----	-	-	2	5	4	5	4	2	-	-	-	-
FEMALE--	1	1	4	2	7	2	3	2	2	-	1	-
BLACK---MALE----	-	-	2	5	4	5	4	2	-	-	-	-
FEMALE--	1	1	4	2	7	2	3	2	2	-	1	-
WISCONSIN -----	63	59	90	133	201	272	230	190	118	32	9	-
WHITE-----MALE----	28	31	45	63	100	126	94	63	28	9	2	-
FEMALE--	25	18	38	51	84	136	124	121	87	22	7	-
ALL OTHER--MALE----	3	4	1	10	6	4	5	2	-	-	-	-
FEMALE--	7	6	6	9	11	6	7	4	3	1	-	-
BLACK---MALE----	3	2	1	7	4	4	5	1	-	-	-	-
FEMALE--	4	5	5	5	7	5	7	3	3	1	-	-
WYOMING -----	5	2	7	11	15	14	13	11	9	3	-	-
WHITE-----MALE----	3	-	2	6	3	4	6	5	2	-	-	-
FEMALE--	2	2	3	5	10	9	7	6	7	3	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,090
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DISORDERS OF THYROID GLAND (240-246)												
0 UNITED STATES --	1,324	-	-	-	-	1	6	5	18	15	13	18
WHITE-----MALE----	255	-	-	-	-	-	1	1	3	3	5	5
FEMALE--	885	-	-	-	-	-	-	2	5	4	3	9
ALL OTHER--MALE----	61	-	-	-	-	-	3	2	5	2	1	-
FEMALE--	123	-	-	-	-	1	2	-	5	6	4	4
BLACK---MALE----	56	-	-	-	-	-	2	2	4	2	1	-
FEMALE--	115	-	-	-	-	1	2	-	5	6	4	3
ALABAMA -----	26	-	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	10	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	16	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	64	-	-	-	-	-	1	1	3	3	2	3
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	38	-	-	-	-	-	-	1	1	1	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,090
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 DISORDERS OF THYROID GLAND (240-246)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	28	36	40	59	108	175	226	268	195	88	24	1
WHITE-----MALE----	8	10	10	9	29	38	34	51	28	17	3	-
FEMALE--	9	10	22	36	59	118	180	187	156	67	18	-
ALL OTHER--MALE----	5	5	2	5	6	11	2	7	3	2	-	-
FEMALE--	6	11	6	9	14	8	10	23	8	2	3	1
BLACK---MALE----	5	4	2	5	5	11	2	7	3	1	-	-
FEMALE--	5	10	6	8	13	8	10	20	8	2	3	1
ALABAMA -----	2	-	1	1	1	5	3	8	1	1	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	1	3	3	6	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	-	-	1	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	1	1	2	3	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	1	2	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	-	-	-	3	2	3	4	2	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	2	2	2	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
CALIFORNIA -----	2	2	-	2	8	6	8	11	5	6	1	-
WHITE-----MALE----	1	1	-	-	3	1	1	1	-	3	-	-
FEMALE--	-	-	-	1	4	4	7	8	5	3	1	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	2	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,091
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 DISORDERS OF THYROID GLAND (240-246)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	14	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	12	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	89	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	62	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	31	-	-	-	-	-	-	-	1	1	1	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,091
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 DISORDERS OF THYROID GLAND (240-246)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	-	-	1	2	3	4	2	1	1	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	4	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	1	1	3	2	2	2	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	1	2	1	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	-	-	1	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	-	-	-
FLORIDA -----	1	2	-	4	8	9	20	19	15	8	-	1
WHITE-----MALE----	-	-	-	1	4	3	1	6	4	2	-	-
FEMALE--	-	2	-	3	4	5	18	13	10	6	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	1
GEORGIA -----	-	2	2	1	3	2	6	7	2	2	1	-
WHITE-----MALE----	-	1	1	-	1	-	1	2	-	-	-	-
FEMALE--	-	1	1	-	-	1	5	3	1	2	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,093
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 DISORDERS OF THYROID GLAND (240-246)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	-	-	-	4	7	4	4	2	1	1	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	4	5	4	3	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
LOUISIANA -----	2	-	-	5	1	4	4	7	2	4	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	2	1	2	4	4	1	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	1	-	-
FEMALE--	1	-	-	1	-	-	-	3	1	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	1	-	-
FEMALE--	1	-	-	1	-	-	-	3	1	-	-	-
MAINE -----	-	1	-	-	1	1	-	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	3	-	2	6	5	10	5	7	3	1	-
WHITE-----MALE----	-	-	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	1	-	2	3	4	9	5	7	3	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	-	2	2	2	-	4	11	7	1	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	-	2	-	-	-
FEMALE--	1	-	2	2	-	-	3	10	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
MICHIGAN -----	2	2	-	3	7	10	6	12	7	4	1	-
WHITE-----MALE----	-	-	-	-	2	3	-	2	1	2	1	-
FEMALE--	-	-	-	3	3	6	6	10	6	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	2	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,096
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DISORDERS OF THYROID GLAND (240-246)												
OHIO -----	96	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	73	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
OKLAHOMA -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	12	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	90	-	-	-	-	-	1	1	-	-	-	1
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	64	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	1	-	-	-	-	-
RHODE ISLAND -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	22	-	-	-	-	-	-	-	-	1	2	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,096
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 DISORDERS OF THYROID GLAND (240-246)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	1	3	4	5	8	10	17	15	22	8	2	-
WHITE-----MALE----	-	1	2	-	1	2	1	4	4	1	-	-
FEMALE--	1	2	1	2	7	8	14	11	18	7	2	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	2	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	-	2	-	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	2	2	4	1	2	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	2	2	3	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	2	-	3	9	13	17	19	15	7	-	-
WHITE-----MALE----	-	1	-	1	1	2	5	5	2	-	-	-
FEMALE--	2	-	-	2	5	7	12	14	13	7	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	3	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	3	2	-	-	-	-	-	-
RHODE ISLAND -----	1	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	-	1	-	4	5	5	2	-	1	-
WHITE-----MALE----	-	-	-	-	-	1	1	3	-	-	-	-
FEMALE--	1	-	-	-	-	1	4	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	-	-	1	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	-	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,097
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 DISORDERS OF THYROID GLAND (240-246)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	2	-	4	4	4	5	5	1	-	-
WHITE-----MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	2	4	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	2	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	2	1	1	-	-	-
TEXAS -----	1	1	6	5	4	10	9	16	12	6	3	-
WHITE-----MALE----	1	1	1	1	1	2	3	2	1	1	-	-
FEMALE--	-	-	4	3	3	8	6	13	9	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	2	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	2	-	1	-
UTAH -----	-	-	1	-	1	2	-	4	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	2	1	1	-	2	4	5	1	1	1	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	3	5	1	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,099
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DIABETES MELLITUS (250)												
0 UNITED STATES --	61,767	-	6	6	20	40	105	207	440	713	1,166	1,777
WHITE-----MALE----	22,829	-	3	1	2	14	40	78	199	334	498	774
FEMALE--	26,682	-	1	3	8	13	25	69	128	193	331	479
ALL OTHER--MALE----	4,817	-	1	1	4	4	24	28	62	118	189	285
FEMALE--	7,439	-	1	1	6	9	16	32	51	68	148	239
BLACK---MALE----	4,132	-	1	-	2	4	23	23	53	108	163	260
FEMALE--	6,668	-	1	1	5	9	16	30	44	60	135	211
ALABAMA -----	1,135	-	-	-	1	-	3	2	4	13	20	38
WHITE-----MALE----	282	-	-	-	-	-	-	1	3	3	5	7
FEMALE--	417	-	-	-	1	-	-	-	1	4	3	8
ALL OTHER--MALE----	149	-	-	-	-	-	3	-	-	4	7	10
FEMALE--	287	-	-	-	-	-	-	1	-	2	5	13
BLACK---MALE----	148	-	-	-	-	-	3	-	-	4	7	9
FEMALE--	284	-	-	-	-	-	-	1	-	2	5	12
ALASKA -----	65	-	-	-	-	-	-	-	1	-	3	1
WHITE-----MALE----	27	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ARIZONA -----	899	-	1	-	1	2	-	3	16	18	16	30
WHITE-----MALE----	362	-	1	-	-	1	-	-	11	9	7	12
FEMALE--	396	-	-	-	1	-	-	3	1	5	5	14
ALL OTHER--MALE----	55	-	-	-	-	-	-	-	4	1	2	3
FEMALE--	86	-	-	-	-	1	-	-	-	3	2	1
BLACK---MALE----	16	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	31	-	-	-	-	1	-	-	-	2	1	1
ARKANSAS -----	577	-	-	-	-	-	2	2	4	9	13	20
WHITE-----MALE----	179	-	-	-	-	-	1	1	1	5	5	8
FEMALE--	261	-	-	-	-	-	-	-	1	3	4	6
ALL OTHER--MALE----	53	-	-	-	-	-	1	1	2	1	2	3
FEMALE--	84	-	-	-	-	-	-	-	-	-	2	3
BLACK---MALE----	53	-	-	-	-	-	1	1	2	1	2	3
FEMALE--	84	-	-	-	-	-	-	-	-	-	2	3
CALIFORNIA -----	5,406	-	1	1	3	3	9	22	59	75	129	168
WHITE-----MALE----	2,063	-	1	-	1	2	6	6	32	36	57	80
FEMALE--	2,212	-	-	-	1	1	1	6	16	27	35	52
ALL OTHER--MALE----	511	-	-	1	-	-	-	5	7	6	14	19
FEMALE--	620	-	-	-	1	-	2	5	4	6	23	17
BLACK---MALE----	288	-	-	-	-	-	-	3	4	6	6	15
FEMALE--	421	-	-	-	1	-	2	3	3	5	18	14

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,099
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIABETES MELLITUS (250)												
0 UNITED STATES --	2,481	3,418	5,011	7,274	9,279	9,962	9,027	6,511	3,170	963	190	1
WHITE-----MALE----	1,029	1,393	2,001	2,909	3,632	3,827	3,218	1,941	758	165	13	-
FEMALE--	737	1,095	1,702	2,760	3,736	4,461	4,440	3,717	1,997	654	133	-
ALL OTHER--MALE----	347	410	563	610	741	620	434	247	93	29	7	-
FEMALE--	368	520	745	995	1,170	1,054	935	606	322	115	37	1
BLACK---MALE----	302	345	479	522	624	533	378	202	76	27	7	-
FEMALE--	331	461	684	878	1,041	933	841	547	296	109	35	-
ALABAMA -----	39	75	94	140	156	171	188	117	52	16	6	-
WHITE-----MALE----	9	21	31	41	41	50	41	17	11	1	-	-
FEMALE--	9	18	21	42	51	72	90	62	23	9	3	-
ALL OTHER--MALE----	8	10	16	22	25	14	15	7	4	2	2	-
FEMALE--	13	26	26	35	39	35	42	31	14	4	1	-
BLACK---MALE----	8	10	16	22	25	14	15	7	4	2	2	-
FEMALE--	13	26	26	34	39	35	41	31	14	4	1	-
ALASKA -----	5	6	9	8	12	10	6	4	-	-	-	-
WHITE-----MALE----	3	3	4	3	4	4	4	-	-	-	-	-
FEMALE--	1	2	4	4	7	6	1	4	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARIZONA -----	42	62	83	123	132	121	114	91	29	14	1	-
WHITE-----MALE----	12	20	40	52	51	42	49	41	10	4	-	-
FEMALE--	16	22	27	53	50	66	61	44	18	9	1	-
ALL OTHER--MALE----	7	6	11	7	7	2	1	3	-	1	-	-
FEMALE--	7	14	5	11	24	11	3	3	1	-	-	-
BLACK---MALE----	3	2	2	2	2	1	1	1	-	1	-	-
FEMALE--	-	4	2	-	10	5	2	2	1	-	-	-
ARKANSAS -----	22	30	48	60	75	81	101	70	32	7	1	-
WHITE-----MALE----	8	20	18	15	26	26	16	23	6	-	-	-
FEMALE--	5	7	21	25	37	37	55	38	18	4	-	-
ALL OTHER--MALE----	5	2	5	9	3	5	10	4	-	-	-	-
FEMALE--	4	1	4	11	9	13	20	5	8	3	1	-
BLACK---MALE----	5	2	5	9	3	5	10	4	-	-	-	-
FEMALE--	4	1	4	11	9	13	20	5	8	3	1	-
CALIFORNIA -----	244	319	448	644	866	887	696	549	203	70	10	-
WHITE-----MALE----	104	125	178	250	349	363	235	181	44	13	-	-
FEMALE--	75	108	164	253	328	343	349	282	119	43	9	-
ALL OTHER--MALE----	32	41	51	66	83	91	46	33	13	3	-	-
FEMALE--	33	45	55	75	106	90	66	53	27	11	1	-
BLACK---MALE----	20	19	34	38	42	53	24	16	6	2	-	-
FEMALE--	23	30	40	49	72	57	41	31	22	10	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,100
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DIABETES MELLITUS (250)												
COLORADO -----	552	-	-	-	1	1	2	3	4	12	18	20
WHITE-----MALE----	232	-	-	-	-	-	2	2	3	6	10	14
FEMALE--	278	-	-	-	1	1	-	1	1	4	7	5
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	712	-	-	-	1	-	1	-	3	8	11	15
WHITE-----MALE----	287	-	-	-	-	-	-	-	-	3	5	5
FEMALE--	341	-	-	-	-	-	-	-	2	3	5	9
ALL OTHER--MALE----	38	-	-	-	1	-	1	-	1	2	1	1
FEMALE--	46	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	36	-	-	-	1	-	-	-	1	2	1	1
FEMALE--	44	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	192	-	-	-	-	-	-	1	1	4	5	4
WHITE-----MALE----	62	-	-	-	-	-	-	-	1	2	1	1
FEMALE--	77	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	32	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	20	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	31	-	-	-	-	-	-	-	-	-	1	1
DISTRICT OF COLUMBIA ----	202	-	-	-	-	-	2	-	-	1	6	9
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	64	-	-	-	-	-	-	-	-	1	5	7
FEMALE--	114	-	-	-	-	-	2	-	-	-	-	2
BLACK---MALE----	62	-	-	-	-	-	-	-	-	1	5	7
FEMALE--	114	-	-	-	-	-	2	-	-	-	-	2
FLORIDA -----	3,803	-	-	1	-	2	4	13	16	35	67	81
WHITE-----MALE----	1,611	-	-	1	-	-	1	4	9	16	29	36
FEMALE--	1,507	-	-	-	-	1	1	4	4	11	20	17
ALL OTHER--MALE----	252	-	-	-	-	-	2	-	3	3	7	17
FEMALE--	433	-	-	-	-	1	-	5	-	5	11	11
BLACK---MALE----	240	-	-	-	-	-	2	-	2	3	7	17
FEMALE--	425	-	-	-	-	1	-	5	-	5	11	11
GEORGIA -----	1,291	-	-	-	-	2	7	9	14	21	26	46
WHITE-----MALE----	383	-	-	-	-	1	2	3	3	7	7	24
FEMALE--	421	-	-	-	-	-	2	2	5	2	6	5
ALL OTHER--MALE----	173	-	-	-	-	1	3	1	4	9	6	10
FEMALE--	314	-	-	-	-	-	-	3	2	3	7	7
BLACK---MALE----	171	-	-	-	-	1	3	1	4	9	5	10
FEMALE--	311	-	-	-	-	-	-	3	2	3	7	7

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,100
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIABETES MELLITUS (250)												
COLORADO -----	24	28	38	64	72	75	85	62	31	10	2	-
WHITE-----MALE----	12	12	23	29	30	34	29	20	5	1	-	-
FEMALE--	7	12	10	28	34	37	54	41	25	8	2	-
ALL OTHER--MALE----	2	2	2	2	3	1	1	1	1	-	-	-
FEMALE--	3	2	3	5	5	3	1	-	-	1	-	-
BLACK---MALE----	1	2	1	1	2	1	-	-	1	-	-	-
FEMALE--	3	1	3	5	4	2	-	-	-	1	-	-
CONNECTICUT -----	26	43	55	68	95	117	122	85	41	20	1	-
WHITE-----MALE----	12	14	23	29	43	51	59	27	13	3	-	-
FEMALE--	9	15	20	29	41	56	57	53	24	17	1	-
ALL OTHER--MALE----	3	4	5	5	4	4	3	1	2	-	-	-
FEMALE--	2	10	7	5	7	6	3	4	2	-	-	-
BLACK---MALE----	3	4	5	5	4	4	2	1	2	-	-	-
FEMALE--	2	10	7	4	6	6	3	4	2	-	-	-
DELAWARE -----	9	14	15	23	27	25	34	16	9	5	-	-
WHITE-----MALE----	1	5	4	9	9	10	13	3	3	-	-	-
FEMALE--	5	5	8	10	6	9	15	8	3	5	-	-
ALL OTHER--MALE----	1	3	1	1	5	1	1	2	1	-	-	-
FEMALE--	2	1	2	3	7	5	5	3	2	-	-	-
BLACK---MALE----	-	3	1	1	5	1	1	2	1	-	-	-
FEMALE--	2	1	2	3	7	4	5	3	2	-	-	-
DISTRICT OF COLUMBIA ----	14	10	22	31	25	25	23	24	6	4	-	-
WHITE-----MALE----	-	1	-	2	-	3	2	3	-	1	-	-
FEMALE--	-	2	1	1	1	-	2	3	-	1	-	-
ALL OTHER--MALE----	6	2	8	11	8	7	5	4	-	-	-	-
FEMALE--	8	5	13	17	16	15	14	14	6	2	-	-
BLACK---MALE----	6	2	8	11	8	5	5	4	-	-	-	-
FEMALE--	8	5	13	17	16	15	14	14	6	2	-	-
FLORIDA -----	140	194	307	454	552	670	616	393	194	59	5	-
WHITE-----MALE----	48	95	111	193	262	296	289	139	70	12	-	-
FEMALE--	50	52	102	158	196	277	259	209	104	39	3	-
ALL OTHER--MALE----	19	18	39	35	33	38	24	8	4	2	-	-
FEMALE--	23	29	55	68	61	59	44	37	16	6	2	-
BLACK---MALE----	17	16	37	34	32	37	23	7	4	2	-	-
FEMALE--	23	29	55	65	60	58	42	36	16	6	2	-
GEORGIA -----	72	86	108	172	188	192	150	126	54	11	7	-
WHITE-----MALE----	27	34	37	55	44	62	34	30	10	3	-	-
FEMALE--	18	19	24	46	60	70	67	59	30	5	1	-
ALL OTHER--MALE----	15	15	13	25	26	19	15	7	3	-	1	-
FEMALE--	12	18	34	46	58	41	34	30	11	3	5	-
BLACK---MALE----	15	15	13	25	25	19	15	7	3	-	1	-
FEMALE--	12	18	33	46	57	40	34	30	11	3	5	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,101
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DIABETES MELLITUS (250)												
HAWAII -----	214	-	-	-	-	-	-	1	1	3	4	9
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	89	-	-	-	-	-	-	-	-	2	2	3
FEMALE--	94	-	-	-	-	-	-	1	1	-	1	5
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
IDAHO -----	243	-	-	-	-	-	2	2	2	2	1	12
WHITE-----MALE----	115	-	-	-	-	-	1	1	2	2	-	9
FEMALE--	124	-	-	-	-	-	1	1	-	-	1	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,730	-	1	-	1	1	2	15	14	36	42	74
WHITE-----MALE----	1,027	-	-	-	-	-	-	9	4	17	18	35
FEMALE--	1,135	-	-	-	1	1	-	3	5	6	12	15
ALL OTHER--MALE----	242	-	1	-	-	-	1	3	2	7	10	13
FEMALE--	326	-	-	-	-	-	1	-	3	6	2	11
BLACK---MALE----	225	-	1	-	-	-	1	3	2	6	10	13
FEMALE--	305	-	-	-	-	-	1	-	3	6	2	9
INDIANA -----	1,490	-	-	-	-	-	-	4	10	14	20	39
WHITE-----MALE----	591	-	-	-	-	-	-	2	5	10	11	22
FEMALE--	702	-	-	-	-	-	-	2	5	2	6	10
ALL OTHER--MALE----	82	-	-	-	-	-	-	-	-	1	2	5
FEMALE--	115	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	79	-	-	-	-	-	-	-	-	1	2	5
FEMALE--	113	-	-	-	-	-	-	-	-	1	1	2
IOWA -----	605	-	-	-	-	-	1	-	3	9	12	15
WHITE-----MALE----	265	-	-	-	-	-	1	-	1	5	4	8
FEMALE--	319	-	-	-	-	-	-	-	2	3	5	7
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
KANSAS -----	603	-	-	-	-	-	1	2	1	3	9	17
WHITE-----MALE----	231	-	-	-	-	-	-	1	-	2	3	7
FEMALE--	308	-	-	-	-	-	-	1	-	1	6	9
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	46	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	41	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,101
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIABETES MELLITUS (250)												
HAWAII -----	13	14	17	20	32	38	24	19	14	4	1	-
WHITE-----MALE----	-	1	1	3	1	4	2	1	1	-	-	-
FEMALE--	-	-	1	1	4	2	5	1	-	-	-	-
ALL OTHER--MALE----	8	10	10	8	9	16	6	9	5	1	-	-
FEMALE--	5	3	5	8	18	16	11	8	8	3	1	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	6	11	19	24	34	37	41	31	14	5	-	-
WHITE-----MALE----	4	5	7	12	17	17	20	13	5	-	-	-
FEMALE--	1	5	12	12	17	19	20	18	9	5	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	86	147	226	325	420	457	398	305	130	41	9	-
WHITE-----MALE----	39	59	88	132	169	179	142	102	27	5	2	-
FEMALE--	19	45	69	109	165	204	189	169	88	30	5	-
ALL OTHER--MALE----	15	25	31	33	38	25	21	14	2	1	-	-
FEMALE--	13	18	38	51	48	49	46	20	13	5	2	-
BLACK---MALE----	15	22	29	29	36	24	19	13	1	1	-	-
FEMALE--	13	16	37	48	45	48	40	18	12	5	2	-
INDIANA -----	51	82	112	178	217	254	232	155	99	18	5	-
WHITE-----MALE----	27	36	62	62	100	97	89	46	19	3	-	-
FEMALE--	16	34	31	78	77	132	123	98	70	15	3	-
ALL OTHER--MALE----	2	6	8	16	20	6	8	3	3	-	2	-
FEMALE--	6	6	11	22	20	19	12	8	7	-	-	-
BLACK---MALE----	2	6	8	16	18	6	7	3	3	-	2	-
FEMALE--	6	6	10	22	20	19	12	8	6	-	-	-
IOWA -----	15	25	44	59	81	80	94	76	63	23	5	-
WHITE-----MALE----	7	20	19	30	42	33	37	29	21	7	1	-
FEMALE--	7	4	23	24	35	46	57	46	42	16	2	-
ALL OTHER--MALE----	1	1	1	1	1	-	-	-	-	-	1	-
FEMALE--	-	-	1	4	3	1	-	1	-	-	1	-
BLACK---MALE----	1	1	1	1	1	-	-	-	-	-	1	-
FEMALE--	-	-	1	4	2	1	-	1	-	-	1	-
KANSAS -----	24	36	44	52	91	94	95	78	39	14	3	-
WHITE-----MALE----	11	14	19	21	45	29	37	24	11	7	-	-
FEMALE--	7	17	16	24	41	56	46	47	28	7	2	-
ALL OTHER--MALE----	2	1	4	2	4	2	2	-	-	-	-	-
FEMALE--	4	4	5	5	1	7	10	7	-	-	1	-
BLACK---MALE----	1	1	3	2	3	1	2	-	-	-	-	-
FEMALE--	4	4	5	3	1	6	10	6	-	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,102
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DIABETES MELLITUS (250)												
KENTUCKY -----	977	-	-	-	1	-	2	3	8	11	28	34
WHITE-----MALE----	374	-	-	-	-	-	1	3	5	4	14	21
FEMALE--	484	-	-	-	1	-	1	-	2	4	9	10
ALL OTHER--MALE----	49	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	70	-	-	-	-	-	-	-	1	1	3	1
BLACK---MALE----	49	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	69	-	-	-	-	-	-	-	1	1	3	1
LOUISIANA -----	1,624	-	-	-	1	-	-	2	12	22	25	60
WHITE-----MALE----	384	-	-	-	-	-	-	-	3	9	5	15
FEMALE--	546	-	-	-	-	-	-	1	1	5	3	4
ALL OTHER--MALE----	251	-	-	-	1	-	-	1	2	5	10	22
FEMALE--	443	-	-	-	-	-	-	-	6	3	7	19
BLACK---MALE----	249	-	-	-	-	-	-	-	2	5	10	22
FEMALE--	437	-	-	-	-	-	-	-	5	3	7	19
MAINE -----	303	-	-	-	-	-	2	-	-	2	4	6
WHITE-----MALE----	136	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	167	-	-	-	-	-	2	-	-	-	2	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,413	-	-	-	-	1	3	3	10	18	29	34
WHITE-----MALE----	440	-	-	-	-	1	1	-	3	9	12	14
FEMALE--	482	-	-	-	-	-	1	-	1	3	3	4
ALL OTHER--MALE----	207	-	-	-	-	-	-	-	3	5	9	9
FEMALE--	284	-	-	-	-	-	1	3	3	1	5	7
BLACK---MALE----	198	-	-	-	-	-	-	-	3	5	9	9
FEMALE--	276	-	-	-	-	-	1	3	3	1	5	7
MASSACHUSETTS -----	1,354	-	-	-	-	-	-	4	11	13	21	29
WHITE-----MALE----	625	-	-	-	-	-	-	4	7	9	12	21
FEMALE--	646	-	-	-	-	-	-	-	4	4	7	4
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	46	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	30	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	43	-	-	-	-	-	-	-	-	-	2	1
MICHIGAN -----	2,352	-	-	-	1	2	3	7	12	29	40	70
WHITE-----MALE----	856	-	-	-	-	-	2	2	2	16	14	22
FEMALE--	1,095	-	-	-	1	-	-	3	4	7	16	27
ALL OTHER--MALE----	148	-	-	-	-	-	-	2	5	4	6	10
FEMALE--	253	-	-	-	-	2	1	-	1	2	4	11
BLACK---MALE----	137	-	-	-	-	-	-	2	5	4	6	10
FEMALE--	237	-	-	-	-	2	1	-	1	2	4	11

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,102
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIABETES MELLITUS (250)												
KENTUCKY -----	32	52	75	119	149	149	143	113	43	8	7	-
WHITE-----MALE----	14	22	38	55	57	54	45	27	12	-	2	-
FEMALE--	10	22	30	48	71	78	84	74	29	6	5	-
ALL OTHER--MALE----	7	-	3	5	9	6	6	5	2	-	-	-
FEMALE--	1	8	4	11	12	11	8	7	-	2	-	-
BLACK---MALE----	7	-	3	5	9	6	6	5	2	-	-	-
FEMALE--	1	8	3	11	12	11	8	7	-	2	-	-
LOUISIANA -----	80	102	141	184	231	264	221	153	93	28	5	-
WHITE-----MALE----	18	29	36	58	56	70	48	26	8	2	1	-
FEMALE--	20	17	39	45	74	98	94	80	49	15	1	-
ALL OTHER--MALE----	20	28	24	18	34	38	23	12	10	3	-	-
FEMALE--	22	28	42	63	67	58	56	35	26	8	3	-
BLACK---MALE----	20	28	24	18	34	38	23	12	10	3	-	-
FEMALE--	22	28	42	62	67	57	56	34	24	8	3	-
MAINE -----	14	9	22	42	47	41	48	38	21	4	3	-
WHITE-----MALE----	10	8	11	26	19	15	21	16	4	-	-	-
FEMALE--	4	1	11	16	28	26	27	22	17	4	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	62	75	116	168	206	249	209	141	70	15	4	-
WHITE-----MALE----	15	24	23	60	68	84	65	47	13	-	1	-
FEMALE--	13	14	32	49	73	83	84	71	38	11	2	-
ALL OTHER--MALE----	13	20	32	25	23	32	24	8	4	-	-	-
FEMALE--	21	17	29	34	42	50	36	15	15	4	1	-
BLACK---MALE----	13	20	31	25	21	29	22	8	3	-	-	-
FEMALE--	20	17	29	33	41	48	35	13	15	4	1	-
MASSACHUSETTS -----	41	62	93	139	206	227	222	173	85	22	6	-
WHITE-----MALE----	23	38	42	75	96	111	115	51	17	4	-	-
FEMALE--	15	18	40	55	96	104	99	111	65	18	6	-
ALL OTHER--MALE----	1	2	4	4	6	8	3	5	1	-	-	-
FEMALE--	2	4	7	5	8	4	5	6	2	-	-	-
BLACK---MALE----	1	2	4	4	3	5	3	4	1	-	-	-
FEMALE--	2	4	7	4	7	3	5	6	2	-	-	-
MICHIGAN -----	88	109	172	283	365	418	345	247	122	34	5	-
WHITE-----MALE----	40	52	67	119	131	169	111	79	25	5	-	-
FEMALE--	26	33	67	117	164	186	187	143	85	25	4	-
ALL OTHER--MALE----	6	9	17	15	26	21	14	10	2	1	-	-
FEMALE--	16	15	21	32	44	42	33	15	10	3	1	-
BLACK---MALE----	6	8	15	14	21	20	13	10	2	1	-	-
FEMALE--	15	15	17	31	41	37	31	15	10	3	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,103
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIABETES MELLITUS (250)												
MINNESOTA -----	33	51	70	87	147	178	209	139	92	25	5	-
WHITE-----MALE----	21	27	40	40	72	93	81	50	22	7	1	-
FEMALE--	6	19	22	44	67	83	112	87	69	18	4	-
ALL OTHER--MALE----	5	-	2	-	6	1	5	-	-	-	-	-
FEMALE--	1	5	6	3	2	1	11	2	1	-	-	-
BLACK---MALE----	-	-	1	-	4	1	1	-	-	-	-	-
FEMALE--	-	3	3	1	-	1	6	2	-	-	-	-
MISSISSIPPI -----	27	38	49	50	85	75	78	48	22	13	2	-
WHITE-----MALE----	9	13	10	14	20	13	22	10	5	-	-	-
FEMALE--	4	6	11	10	20	25	22	23	6	6	1	-
ALL OTHER--MALE----	6	11	5	5	18	9	9	1	3	2	-	-
FEMALE--	8	8	23	21	27	28	25	14	8	5	1	-
BLACK---MALE----	6	11	5	5	18	9	9	1	3	2	-	-
FEMALE--	7	8	23	20	25	27	25	14	7	5	1	-
MISSOURI -----	44	72	94	144	191	209	160	165	75	22	3	-
WHITE-----MALE----	19	29	43	58	81	64	52	53	16	3	-	-
FEMALE--	17	33	35	69	82	119	91	90	49	18	2	-
ALL OTHER--MALE----	5	4	6	7	13	7	5	6	1	-	-	-
FEMALE--	3	6	10	10	15	19	12	16	9	1	1	-
BLACK---MALE----	4	4	5	7	12	7	5	6	1	-	-	-
FEMALE--	3	6	10	10	15	19	12	16	9	1	1	-
MONTANA -----	6	6	16	23	19	32	39	17	10	5	1	-
WHITE-----MALE----	3	3	8	9	10	6	22	6	2	1	-	-
FEMALE--	2	2	5	12	7	21	11	10	8	4	1	-
ALL OTHER--MALE----	1	1	2	-	1	3	-	1	-	-	-	-
FEMALE--	-	-	1	2	1	2	6	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEBRASKA -----	6	12	21	35	35	59	52	55	31	4	3	-
WHITE-----MALE----	4	5	16	12	14	21	22	20	15	1	1	-
FEMALE--	2	4	5	19	16	35	28	33	16	3	2	-
ALL OTHER--MALE----	-	1	-	-	3	2	2	-	-	-	-	-
FEMALE--	-	2	-	4	2	1	-	2	-	-	-	-
BLACK---MALE----	-	1	-	-	1	2	2	-	-	-	-	-
FEMALE--	-	2	-	4	2	-	-	1	-	-	-	-
NEVADA -----	10	12	21	37	48	44	27	24	6	-	-	-
WHITE-----MALE----	6	4	9	19	24	26	14	8	3	-	-	-
FEMALE--	4	3	6	14	18	15	10	12	3	-	-	-
ALL OTHER--MALE----	-	2	3	2	1	2	1	-	-	-	-	-
FEMALE--	-	3	3	2	5	1	2	4	-	-	-	-
BLACK---MALE----	-	1	3	2	1	2	1	-	-	-	-	-
FEMALE--	-	1	2	1	2	1	2	3	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,105
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DIABETES MELLITUS (250)												
OHIO -----	3,611	-	-	-	1	5	7	8	25	38	55	81
WHITE-----MALE----	1,367	-	-	-	-	-	2	3	11	15	23	31
FEMALE--	1,735	-	-	-	-	2	2	3	8	17	19	29
ALL OTHER--MALE----	201	-	-	-	-	1	1	1	3	5	6	10
FEMALE--	308	-	-	-	1	2	2	1	3	1	7	11
BLACK---MALE----	199	-	-	-	-	1	1	1	3	5	6	10
FEMALE--	304	-	-	-	1	2	2	1	3	1	7	11
OKLAHOMA -----	722	-	-	-	-	-	2	5	9	11	16	27
WHITE-----MALE----	261	-	-	-	-	-	2	3	6	7	7	11
FEMALE--	315	-	-	-	-	-	-	1	1	3	4	7
ALL OTHER--MALE----	63	-	-	-	-	-	-	-	1	-	1	4
FEMALE--	83	-	-	-	-	-	-	1	1	1	4	5
BLACK---MALE----	25	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	46	-	-	-	-	-	-	1	-	-	3	1
OREGON -----	713	-	-	-	-	-	1	5	6	10	9	15
WHITE-----MALE----	313	-	-	-	-	-	1	3	4	9	7	9
FEMALE--	364	-	-	-	-	-	-	2	2	1	2	4
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	3,565	-	-	-	1	2	3	8	15	24	59	83
WHITE-----MALE----	1,413	-	-	-	-	1	2	3	7	10	32	50
FEMALE--	1,704	-	-	-	-	1	1	4	6	8	11	15
ALL OTHER--MALE----	189	-	-	-	-	-	-	-	-	4	11	9
FEMALE--	259	-	-	-	1	-	-	1	2	2	5	9
BLACK---MALE----	185	-	-	-	-	-	-	-	-	4	10	9
FEMALE--	257	-	-	-	1	-	-	1	2	2	5	9
RHODE ISLAND -----	266	-	-	-	-	-	-	-	-	2	3	7
WHITE-----MALE----	124	-	-	-	-	-	-	-	-	1	2	6
FEMALE--	129	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	937	-	-	-	1	1	1	5	11	13	14	40
WHITE-----MALE----	241	-	-	-	-	-	-	3	7	6	4	8
FEMALE--	273	-	-	-	1	-	1	-	1	-	4	5
ALL OTHER--MALE----	135	-	-	-	-	1	-	2	2	5	4	14
FEMALE--	288	-	-	-	-	-	-	-	1	2	2	13
BLACK---MALE----	134	-	-	-	-	1	-	2	2	5	4	14
FEMALE--	288	-	-	-	-	-	-	-	1	2	2	13

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,105
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIABETES MELLITUS (250)												
OHIO -----	127	210	282	420	525	641	541	399	180	53	13	-
WHITE-----MALE----	63	94	108	176	222	254	195	109	48	13	-	-
FEMALE--	45	72	113	188	222	311	286	258	122	32	6	-
ALL OTHER--MALE----	10	23	27	24	34	27	21	6	1	1	-	-
FEMALE--	9	21	34	32	47	49	39	26	9	7	7	-
BLACK---MALE----	10	23	27	24	34	27	21	4	1	1	-	-
FEMALE--	9	21	32	31	46	49	39	26	9	7	7	-
OKLAHOMA -----	35	43	63	86	81	105	105	73	38	19	4	-
WHITE-----MALE----	15	17	19	33	33	35	38	20	11	4	-	-
FEMALE--	12	14	24	30	30	49	53	46	25	13	3	-
ALL OTHER--MALE----	4	5	14	10	9	8	4	2	-	1	-	-
FEMALE--	4	7	6	13	9	13	10	5	2	1	1	-
BLACK---MALE----	2	2	5	1	2	4	4	2	-	1	-	-
FEMALE--	2	3	4	5	5	8	7	4	1	1	1	-
OREGON -----	28	37	52	65	104	114	110	104	48	5	-	-
WHITE-----MALE----	16	14	25	22	50	60	47	31	15	-	-	-
FEMALE--	10	19	23	36	48	48	63	69	32	5	-	-
ALL OTHER--MALE----	-	3	1	4	2	2	-	2	-	-	-	-
FEMALE--	2	1	3	3	4	4	-	2	1	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	3	2	-	-	1	-	-	-
PENNSYLVANIA -----	107	183	278	434	565	617	556	375	187	56	12	-
WHITE-----MALE----	47	82	118	200	236	268	207	102	37	10	1	-
FEMALE--	30	61	106	172	269	301	300	237	132	39	11	-
ALL OTHER--MALE----	17	21	20	26	26	22	15	11	5	2	-	-
FEMALE--	13	19	34	36	34	26	34	25	13	5	-	-
BLACK---MALE----	17	21	19	26	25	22	14	11	5	2	-	-
FEMALE--	13	19	34	36	34	26	33	24	13	5	-	-
RHODE ISLAND -----	9	11	19	30	35	44	46	35	17	7	1	-
WHITE-----MALE----	6	5	12	14	20	12	22	15	6	3	-	-
FEMALE--	1	3	6	14	14	29	24	19	11	4	1	-
ALL OTHER--MALE----	-	1	-	2	-	1	-	1	-	-	-	-
FEMALE--	2	2	1	-	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	1	-	1	-	-	-	-
FEMALE--	2	1	-	-	1	2	-	-	-	-	-	-
SOUTH CAROLINA -----	50	55	94	121	165	138	119	59	37	10	3	-
WHITE-----MALE----	17	18	22	30	45	35	25	12	9	-	-	-
FEMALE--	10	13	26	35	41	41	43	30	16	4	2	-
ALL OTHER--MALE----	10	6	15	20	21	20	8	6	1	-	-	-
FEMALE--	13	18	31	36	58	42	43	11	11	6	1	-
BLACK---MALE----	10	6	15	20	20	20	8	6	1	-	-	-
FEMALE--	13	18	31	36	58	42	43	11	11	6	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,106
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DIABETES MELLITUS (250)												
SOUTH DAKOTA -----	179	-	-	-	-	-	-	-	2	3	6	7
WHITE-----MALE----	66	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	79	-	-	-	-	-	-	-	2	-	3	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	27	-	-	-	-	-	-	-	-	2	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,252	-	-	-	-	3	5	4	8	10	21	43
WHITE-----MALE----	402	-	-	-	-	1	-	-	5	4	10	17
FEMALE--	555	-	-	-	-	1	4	3	-	4	5	8
ALL OTHER--MALE----	100	-	-	-	-	-	-	-	1	1	4	7
FEMALE--	195	-	-	-	-	1	1	1	2	1	2	11
BLACK---MALE----	97	-	-	-	-	-	-	-	1	1	4	7
FEMALE--	192	-	-	-	-	1	1	1	2	1	2	11
TEXAS -----	4,585	-	-	-	1	4	14	11	31	51	99	129
WHITE-----MALE----	1,733	-	-	-	-	1	6	2	15	23	46	58
FEMALE--	2,053	-	-	-	-	2	4	6	10	12	28	42
ALL OTHER--MALE----	301	-	-	-	1	-	1	1	2	7	15	20
FEMALE--	498	-	-	-	-	1	3	2	4	9	10	9
BLACK---MALE----	291	-	-	-	-	-	1	1	2	7	14	19
FEMALE--	478	-	-	-	-	1	3	2	4	8	10	9
UTAH -----	418	-	-	-	-	-	1	3	2	13	9	13
WHITE-----MALE----	179	-	-	-	-	-	1	2	1	8	4	6
FEMALE--	217	-	-	-	-	-	-	1	1	3	4	5
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	154	-	-	1	-	-	-	1	1	3	2	4
WHITE-----MALE----	75	-	-	-	-	-	-	-	1	2	2	3
FEMALE--	79	-	-	1	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,260	-	-	-	1	1	3	6	11	17	31	40
WHITE-----MALE----	391	-	-	-	1	1	-	1	2	5	11	9
FEMALE--	457	-	-	-	-	-	-	3	3	7	14	17
ALL OTHER--MALE----	165	-	-	-	-	-	3	1	3	2	2	7
FEMALE--	247	-	-	-	-	-	-	1	3	3	4	7
BLACK---MALE----	164	-	-	-	-	-	3	1	3	2	2	7
FEMALE--	238	-	-	-	-	-	-	1	2	3	4	7

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,106
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIABETES MELLITUS (250)												
SOUTH DAKOTA -----	5	4	12	18	21	25	34	20	17	3	2	-
WHITE-----MALE----	3	2	6	10	8	6	11	6	8	1	-	-
FEMALE--	1	1	3	5	9	12	18	12	8	2	2	-
ALL OTHER--MALE----	1	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	2	3	3	6	5	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	65	76	101	155	188	184	178	134	60	15	2	-
WHITE-----MALE----	24	31	40	53	58	59	55	33	12	-	-	-
FEMALE--	19	28	38	56	91	89	86	75	39	9	-	-
ALL OTHER--MALE----	11	5	10	13	15	13	13	5	-	2	-	-
FEMALE--	11	12	13	33	24	23	24	21	9	4	2	-
BLACK---MALE----	11	5	10	10	15	13	13	5	-	2	-	-
FEMALE--	11	12	13	33	24	23	23	19	9	4	2	-
TEXAS -----	213	306	395	608	707	662	625	451	194	71	13	-
WHITE-----MALE----	85	123	172	246	281	263	215	135	47	15	-	-
FEMALE--	80	124	144	247	309	295	319	251	121	47	12	-
ALL OTHER--MALE----	22	24	31	40	46	36	28	18	8	1	-	-
FEMALE--	26	35	48	75	71	68	63	47	18	8	1	-
BLACK---MALE----	22	24	31	40	44	35	25	17	8	1	-	-
FEMALE--	26	33	46	69	70	61	63	46	18	8	1	-
UTAH -----	9	14	33	45	63	74	49	52	31	6	1	-
WHITE-----MALE----	4	8	20	14	27	31	22	16	13	2	-	-
FEMALE--	4	6	12	29	31	40	25	33	18	4	1	-
ALL OTHER--MALE----	-	-	1	2	3	2	1	3	-	-	-	-
FEMALE--	1	-	-	-	2	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	1	3	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
VERMONT -----	4	9	16	19	16	25	22	19	7	5	-	-
WHITE-----MALE----	2	5	7	13	9	13	6	7	3	2	-	-
FEMALE--	2	4	9	6	7	12	16	12	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	59	71	123	158	214	176	185	104	46	11	2	1
WHITE-----MALE----	26	26	43	54	64	62	54	24	7	1	-	-
FEMALE--	8	24	30	43	68	69	82	51	27	9	2	-
ALL OTHER--MALE----	12	11	25	23	37	19	12	6	2	-	-	-
FEMALE--	13	10	25	38	45	26	37	23	10	1	-	1
BLACK---MALE----	12	11	25	23	36	19	12	6	2	-	-	-
FEMALE--	13	10	23	37	43	26	36	23	9	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,107
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 DIABETES MELLITUS (250)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
WASHINGTON -----	48	53	107	119	162	190	170	125	50	28	6	-
WHITE-----MALE----	23	26	48	54	84	86	83	46	13	3	-	-
FEMALE--	23	19	47	52	58	86	76	75	35	23	6	-
ALL OTHER--MALE----	1	5	9	7	9	9	4	1	1	-	-	-
FEMALE--	1	3	3	6	11	9	7	3	1	2	-	-
BLACK---MALE----	1	4	3	3	5	4	3	1	1	-	-	-
FEMALE--	-	3	2	2	7	3	2	1	-	-	-	-
WEST VIRGINIA -----	33	33	54	83	113	102	100	58	31	14	1	-
WHITE-----MALE----	18	15	30	41	42	26	33	20	5	4	-	-
FEMALE--	14	17	20	35	61	70	61	35	25	10	1	-
ALL OTHER--MALE----	-	-	2	5	4	5	4	2	-	-	-	-
FEMALE--	1	1	2	2	6	1	2	1	1	-	-	-
BLACK---MALE----	-	-	2	5	4	5	4	2	-	-	-	-
FEMALE--	1	1	2	2	6	1	2	1	1	-	-	-
WISCONSIN -----	46	45	69	110	170	235	178	145	74	15	3	-
WHITE-----MALE----	21	23	30	51	87	110	67	52	18	6	-	-
FEMALE--	18	13	32	41	69	115	100	88	53	8	3	-
ALL OTHER--MALE----	3	4	1	9	4	4	5	1	-	-	-	-
FEMALE--	4	5	6	9	10	6	6	4	3	1	-	-
BLACK---MALE----	3	2	1	6	2	4	5	-	-	-	-	-
FEMALE--	2	4	5	5	6	5	6	3	3	1	-	-
WYOMING -----	4	1	7	8	14	11	12	6	7	3	-	-
WHITE-----MALE----	2	-	2	4	3	1	6	4	2	-	-	-
FEMALE--	2	1	3	4	9	9	6	2	5	3	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,111
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 DISORDERS OF THE PITUITARY GLAND AND ITS HYPOTHALAMIC CONTROL (253)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	2	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	-	1	1	3	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	-	1	1	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	-	-	-	1	1	2	-	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,115
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 DISORDERS OF THE PITUITARY GLAND AND ITS HYPOTHALAMIC CONTROL (253)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	2	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
TEXAS -----	2	1	1	3	1	2	1	1	3	1	-	-
WHITE-----MALE----	-	-	1	1	1	1	-	-	1	-	-	-
FEMALE--	2	1	-	1	-	-	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
UTAH -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	1	-	1	4	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,127
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DISORDERS OF ADRENAL GLANDS (255)												
COLORADO -----	6	-	-	-	1	-	-	-	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	20	-	-	-	-	-	-	2	2	1	-	2
WHITE-----MALE----	6	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	1	2	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	8	-	-	-	-	1	-	1	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,135
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CYSTIC FIBROSIS (277.0)												
0 UNITED STATES --	430	8	8	23	45	69	67	64	56	41	24	10
WHITE-----MALE----	219	4	5	10	15	30	35	36	32	23	15	7
FEMALE--	194	3	1	12	27	34	31	27	23	17	9	3
ALL OTHER--MALE----	6	1	2	-	1	1	-	-	1	-	-	-
FEMALE--	11	-	-	1	2	4	1	1	-	1	-	-
BLACK---MALE----	5	1	1	-	1	1	-	-	1	-	-	-
FEMALE--	10	-	-	1	1	4	1	1	-	1	-	-
ALABAMA -----	5	-	-	-	-	1	2	-	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	12	1	-	-	-	2	2	2	2	1	-	2
WHITE-----MALE----	6	1	-	-	-	1	1	1	1	-	-	1
FEMALE--	6	-	-	-	-	1	1	1	1	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	8	-	-	-	1	1	2	2	2	-	-	-
WHITE-----MALE----	4	-	-	-	-	1	1	1	1	-	-	-
FEMALE--	4	-	-	-	1	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	49	-	1	4	6	6	7	6	5	5	4	2
WHITE-----MALE----	20	-	-	1	1	2	5	3	2	1	3	1
FEMALE--	28	-	1	3	5	4	2	3	3	3	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,138
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CYSTIC FIBROSIS (277.0)												
KENTUCKY -----	5	-	-	-	1	-	1	1	-	1	1	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	1	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	7	-	-	-	2	1	-	3	1	-	-	-
WHITE-----MALE----	5	-	-	-	1	-	-	3	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
MAINE -----	4	-	-	-	1	-	-	-	2	-	1	-
WHITE-----MALE----	3	-	-	-	1	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	8	-	1	1	1	2	-	1	-	-	1	1
WHITE-----MALE----	6	-	1	-	1	1	-	1	-	-	1	1
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	14	-	-	2	1	-	3	1	3	4	-	-
WHITE-----MALE----	7	-	-	1	1	-	1	-	2	2	-	-
FEMALE--	7	-	-	1	-	-	2	1	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	26	-	-	1	3	8	5	1	2	4	1	-
WHITE-----MALE----	17	-	-	1	1	4	4	-	1	4	1	-
FEMALE--	8	-	-	-	2	3	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,141
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CYSTIC FIBROSIS (277.0)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,144
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OBESITY (278.0)												
0 UNITED STATES --	1,983	-	-	2	1	5	26	48	79	141	182	248
WHITE-----MALE----	748	-	-	1	-	3	7	20	31	53	80	112
FEMALE--	785	-	-	-	1	-	5	11	24	44	46	74
ALL OTHER--MALE----	162	-	-	-	-	2	7	8	15	19	29	18
FEMALE--	288	-	-	1	-	-	7	9	9	25	27	44
BLACK---MALE----	150	-	-	-	-	2	7	8	14	18	26	14
FEMALE--	277	-	-	1	-	-	5	9	8	23	27	40
ALABAMA -----	44	-	-	-	-	-	2	1	-	4	3	6
WHITE-----MALE----	14	-	-	-	-	-	-	1	-	1	2	2
FEMALE--	16	-	-	-	-	-	1	-	-	1	-	3
ALL OTHER--MALE----	7	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	7	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
ALASKA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	27	-	-	-	-	-	-	1	3	-	4	6
WHITE-----MALE----	8	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	13	-	-	-	-	-	-	-	1	-	2	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
ARKANSAS -----	15	-	-	-	-	-	-	1	-	-	2	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	195	-	-	-	1	-	5	2	7	22	23	28
WHITE-----MALE----	65	-	-	-	-	-	1	1	3	5	8	11
FEMALE--	83	-	-	-	1	-	1	1	2	7	7	10
ALL OTHER--MALE----	19	-	-	-	-	-	1	-	2	5	3	2
FEMALE--	28	-	-	-	-	-	2	-	-	5	5	5
BLACK---MALE----	13	-	-	-	-	-	1	-	1	4	3	-
FEMALE--	23	-	-	-	-	-	-	-	-	4	5	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,144
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OBESITY (278.0)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	242	184	222	181	153	127	84	44	9	5	-	-
WHITE-----MALE----	97	76	92	64	47	33	20	12	-	-	-	-
FEMALE--	91	71	84	84	78	77	54	29	9	3	-	-
ALL OTHER--MALE----	18	12	10	8	10	4	1	1	-	-	-	-
FEMALE--	36	25	36	25	18	13	9	2	-	2	-	-
BLACK---MALE----	16	12	10	7	10	4	1	1	-	-	-	-
FEMALE--	36	24	36	24	18	13	9	2	-	2	-	-
ALABAMA -----	3	7	6	3	3	1	1	3	-	1	-	-
WHITE-----MALE----	1	3	1	1	1	-	1	-	-	-	-	-
FEMALE--	2	1	1	2	1	1	-	2	-	1	-	-
ALL OTHER--MALE----	-	2	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	3	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	2	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	3	-	-	-	-	1	-	-	-	-
ALASKA -----	1	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	3	1	3	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	3	2	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	5	1	3	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
CALIFORNIA -----	25	20	16	14	13	6	9	3	-	1	-	-
WHITE-----MALE----	6	9	7	3	4	3	3	1	-	-	-	-
FEMALE--	13	7	7	8	7	3	6	2	-	1	-	-
ALL OTHER--MALE----	3	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	2	2	3	1	-	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	2	2	2	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,145
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OBESITY (278.0)												
COLORADO -----	32	-	-	-	-	-	-	2	-	4	1	4
WHITE-----MALE----	10	-	-	-	-	-	-	1	-	1	-	2
FEMALE--	21	-	-	-	-	-	-	1	-	3	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	17	-	-	-	-	-	1	1	1	1	-	-
WHITE-----MALE----	7	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	7	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	6	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
FLORIDA -----	135	-	-	-	-	-	-	-	3	13	12	16
WHITE-----MALE----	46	-	-	-	-	-	-	-	-	4	5	8
FEMALE--	56	-	-	-	-	-	-	-	-	5	2	2
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	3	1	3	3
FEMALE--	18	-	-	-	-	-	-	-	-	3	2	3
BLACK---MALE----	15	-	-	-	-	-	-	-	3	1	3	3
FEMALE--	18	-	-	-	-	-	-	-	-	3	2	3
GEORGIA -----	55	-	-	-	-	1	2	1	2	4	7	11
WHITE-----MALE----	15	-	-	-	-	1	-	1	1	-	3	2
FEMALE--	12	-	-	-	-	-	-	-	1	1	1	3
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	19	-	-	-	-	-	2	-	-	2	2	6
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	19	-	-	-	-	-	2	-	-	2	2	6

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,145
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OBESITY (278.0)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	6	3	3	3	1	2	3	-	-	-	-	-
WHITE-----MALE----	4	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	2	3	3	2	1	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	4	1	2	1	4	-	-	-	-	-	-
WHITE-----MALE----	-	3	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	4	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	1	2	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	-	2	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
FLORIDA -----	19	7	19	10	10	11	11	3	1	-	-	-
WHITE-----MALE----	9	-	9	5	-	3	3	-	-	-	-	-
FEMALE--	5	6	6	4	9	7	6	3	1	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	3	1	1	1	1	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	3	1	1	1	1	-	-	-	-	-
GEORGIA -----	3	4	6	5	5	2	2	-	-	-	-	-
WHITE-----MALE----	1	3	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	2	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	3	1	-	-	-	-	-	-	-
FEMALE--	-	-	5	1	1	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	3	1	-	-	-	-	-	-	-
FEMALE--	-	-	5	1	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,146
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OBESITY (278.0)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	9	11	13	4	7	6	3	-	-	-	-	-
WHITE-----MALE----	2	2	5	-	2	3	-	-	-	-	-	-
FEMALE--	3	5	4	3	3	3	2	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	2	-	-	-	-	-	-	-
FEMALE--	4	2	4	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	2	-	-	2	-	-	-	-	-	-	-
FEMALE--	4	2	4	1	-	-	1	-	-	-	-	-
INDIANA -----	4	7	6	4	3	7	1	2	-	-	-	-
WHITE-----MALE----	3	1	4	1	1	2	-	1	-	-	-	-
FEMALE--	-	5	1	3	2	4	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	-	-	-	-	-	-
IOWA -----	2	1	1	1	2	1	2	1	-	-	-	-
WHITE-----MALE----	2	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	3	5	-	4	-	2	1	-	1	-	-	-
WHITE-----MALE----	1	3	-	1	-	1	-	-	-	-	-	-
FEMALE--	2	2	-	3	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,147
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OBESITY (278.0)												
KENTUCKY -----	28	-	-	-	-	-	-	-	2	1	3	5
WHITE-----MALE----	16	-	-	-	-	-	-	-	2	1	2	3
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	2
LOUISIANA -----	59	-	-	-	-	-	-	3	-	10	6	8
WHITE-----MALE----	14	-	-	-	-	-	-	1	-	5	-	3
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	1	-	2	2	-
FEMALE--	22	-	-	-	-	-	-	1	-	3	3	4
BLACK---MALE----	10	-	-	-	-	-	-	1	-	2	2	-
FEMALE--	22	-	-	-	-	-	-	1	-	3	3	4
MAINE -----	11	-	-	-	-	-	-	-	-	1	3	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	39	-	-	-	-	-	1	-	2	3	5	2
WHITE-----MALE----	16	-	-	-	-	-	1	-	-	2	2	1
FEMALE--	11	-	-	-	-	-	-	-	2	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	1
MASSACHUSETTS -----	36	-	-	-	-	-	1	-	3	4	2	6
WHITE-----MALE----	22	-	-	-	-	-	-	-	1	3	2	4
FEMALE--	13	-	-	-	-	-	1	-	2	1	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	64	-	-	-	-	-	1	5	4	2	3	9
WHITE-----MALE----	27	-	-	-	-	-	-	-	3	-	1	6
FEMALE--	24	-	-	-	-	-	1	1	-	2	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	9	-	-	-	-	-	-	4	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	9	-	-	-	-	-	-	4	-	-	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,150
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OBESITY (278.0)												
OHIO -----	100	-	-	-	-	1	-	3	5	7	11	13
WHITE-----MALE----	45	-	-	-	-	1	-	1	3	4	5	6
FEMALE--	41	-	-	-	-	-	-	1	2	1	3	5
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	2	2	1
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	2	2	1
OKLAHOMA -----	19	-	-	-	-	-	-	1	2	2	2	1
WHITE-----MALE----	7	-	-	-	-	-	-	1	1	1	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	23	-	-	1	-	-	-	-	-	-	-	4
WHITE-----MALE----	8	-	-	1	-	-	-	-	-	-	-	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	85	-	-	-	-	-	-	6	2	1	8	12
WHITE-----MALE----	33	-	-	-	-	-	-	2	1	1	4	4
FEMALE--	41	-	-	-	-	-	-	3	-	-	2	6
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	1	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	5	-	-	-	-	-	-	1	1	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	2	-
RHODE ISLAND -----	7	-	-	-	-	-	-	1	-	-	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	38	-	-	-	-	1	1	1	2	4	2	3
WHITE-----MALE----	14	-	-	-	-	-	-	1	1	2	1	1
FEMALE--	13	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	4	-	-	-	-	1	1	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	4	-	-	-	-	1	1	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,150
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OBESITY (278.0)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	6	9	10	12	7	9	4	3	-	-	-	-
WHITE-----MALE----	3	5	5	4	3	2	1	2	-	-	-	-
FEMALE--	3	4	4	5	3	6	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	3	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	3	1	1	-	-	-	-	-	-
OKLAHOMA -----	3	3	1	1	-	2	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	1	-	-	-	-	-	-
OREGON -----	2	2	3	-	5	2	1	1	2	-	-	-
WHITE-----MALE----	-	1	2	-	1	-	-	1	-	-	-	-
FEMALE--	2	1	1	-	4	2	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	14	9	12	6	6	5	2	1	1	-	-	-
WHITE-----MALE----	6	3	5	3	3	1	-	-	-	-	-	-
FEMALE--	7	5	6	3	2	3	2	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	-	-	-	-	-	-
RHODE ISLAND -----	2	-	-	-	-	2	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	1	7	5	2	3	1	-	-	-	-	-
WHITE-----MALE----	3	-	2	2	-	1	-	-	-	-	-	-
FEMALE--	1	1	4	2	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	2	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	2	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,151
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OBESITY (278.0)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	4	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	57	-	-	-	-	-	-	2	1	5	3	8
WHITE-----MALE----	16	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	28	-	-	-	-	-	-	1	-	3	1	4
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	9	-	-	-	-	-	-	-	1	1	1	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	9	-	-	-	-	-	-	-	1	1	1	1
TEXAS -----	157	-	-	-	-	-	5	5	10	11	11	27
WHITE-----MALE----	59	-	-	-	-	-	2	2	3	3	6	15
FEMALE--	62	-	-	-	-	-	-	-	3	7	3	8
ALL OTHER--MALE----	14	-	-	-	-	-	2	2	3	-	2	2
FEMALE--	22	-	-	-	-	-	1	1	1	1	-	2
BLACK---MALE----	14	-	-	-	-	-	2	2	3	-	2	2
FEMALE--	22	-	-	-	-	-	1	1	1	1	-	2
UTAH -----	18	-	-	-	-	-	1	-	1	2	2	2
WHITE-----MALE----	5	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	12	-	-	-	-	-	1	-	-	1	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	48	-	-	-	-	-	1	2	1	2	5	6
WHITE-----MALE----	20	-	-	-	-	-	1	-	-	1	1	2
FEMALE--	12	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	1	1	-	2	2
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	1	1	-	2	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,151
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OBESITY (278.0)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	2	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	12	5	4	3	8	3	3	-	-	-	-	-
WHITE-----MALE----	5	2	1	1	3	-	-	-	-	-	-	-
FEMALE--	5	1	3	1	3	3	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	2	2	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	2	2	-	1	-	-	-	-	-	-	-	-
TEXAS -----	21	12	20	11	7	7	7	3	-	-	-	-
WHITE-----MALE----	9	3	8	4	2	2	-	-	-	-	-	-
FEMALE--	8	4	8	5	3	4	6	3	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	3	5	3	1	2	1	1	-	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	3	5	3	1	2	1	1	-	-	-	-	-
UTAH -----	-	2	1	1	4	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	2	1	1	3	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	2	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	7	8	3	5	1	1	-	-	2	-	-
WHITE-----MALE----	3	5	4	-	2	1	-	-	-	-	-	-
FEMALE--	1	-	2	1	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	1	2	-	-	-	-	-	2	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	1	2	-	-	-	-	-	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,153
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	13,132	275	124	45	47	24	42	100	185	279	339	345
WHITE-----MALE----	4,932	114	57	20	22	13	18	45	75	134	161	174
FEMALE--	6,177	82	28	14	17	8	15	16	31	44	66	73
ALL OTHER--MALE----	994	40	17	6	4	-	5	23	55	68	74	75
FEMALE--	1,029	39	22	5	4	3	4	16	24	33	38	23
BLACK---MALE----	908	35	14	6	4	-	5	22	54	67	72	64
FEMALE--	950	32	17	5	3	2	4	15	23	32	36	23
ALABAMA -----	258	4	3	-	2	1	1	-	4	4	5	11
WHITE-----MALE----	82	2	1	-	2	1	1	-	3	-	3	5
FEMALE--	95	2	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	37	-	1	-	-	-	-	-	1	3	1	1
FEMALE--	44	-	1	-	-	-	-	-	-	-	1	3
BLACK---MALE----	37	-	1	-	-	-	-	-	1	3	1	1
FEMALE--	44	-	1	-	-	-	-	-	-	-	1	3
ALASKA -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	206	10	-	-	-	1	-	3	3	6	3	6
WHITE-----MALE----	85	3	-	-	-	-	-	3	1	5	2	4
FEMALE--	108	4	-	-	-	1	-	-	1	1	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	7	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	131	10	2	2	1	1	-	1	3	1	3	2
WHITE-----MALE----	64	3	2	1	1	-	-	-	1	1	1	2
FEMALE--	44	2	-	1	-	1	-	-	1	-	1	-
ALL OTHER--MALE----	11	3	-	-	-	-	-	1	1	-	-	-
FEMALE--	12	2	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	11	3	-	-	-	-	-	1	1	-	-	-
FEMALE--	11	2	-	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	929	26	18	6	7	3	2	6	13	18	22	26
WHITE-----MALE----	390	12	11	3	4	1	-	2	9	9	8	14
FEMALE--	422	9	5	3	2	2	2	2	2	5	8	7
ALL OTHER--MALE----	62	5	-	-	-	-	-	-	1	3	4	4
FEMALE--	55	-	2	-	1	-	-	2	1	1	2	1
BLACK---MALE----	36	3	-	-	-	-	-	-	1	3	4	1
FEMALE--	40	-	2	-	1	-	-	1	1	1	2	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,153
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	355	472	659	942	1,317	1,610	1,858	1,861	1,428	621	202	2
WHITE-----MALE----	186	251	353	456	570	645	668	527	308	114	21	-
FEMALE--	90	136	203	357	556	774	964	1,149	961	449	143	1
ALL OTHER--MALE----	56	53	52	68	84	80	98	68	49	10	8	1
FEMALE--	23	32	51	61	107	111	128	117	110	48	30	-
BLACK---MALE----	53	48	44	59	82	74	85	61	43	7	8	1
FEMALE--	23	31	48	55	97	102	122	111	97	45	27	-
ALABAMA -----	3	9	16	21	28	30	33	31	35	14	3	-
WHITE-----MALE----	-	4	7	12	12	6	7	6	7	3	-	-
FEMALE--	-	3	6	5	9	15	15	16	16	4	1	-
ALL OTHER--MALE----	2	2	-	3	5	3	5	2	5	2	1	-
FEMALE--	1	-	3	1	2	6	6	7	7	5	1	-
BLACK---MALE----	2	2	-	3	5	3	5	2	5	2	1	-
FEMALE--	1	-	3	1	2	6	6	7	7	5	1	-
ALASKA -----	-	1	2	1	-	-	1	2	-	-	-	-
WHITE-----MALE----	-	1	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	9	11	8	14	26	24	33	21	12	12	4	-
WHITE-----MALE----	8	2	4	7	8	9	14	7	4	3	1	-
FEMALE--	1	9	4	6	18	13	19	13	7	9	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	2	-	-	1	-	1	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
ARKANSAS -----	2	1	6	7	15	12	23	22	12	5	-	-
WHITE-----MALE----	1	1	5	4	10	5	11	8	3	4	-	-
FEMALE--	1	-	-	3	4	5	5	13	6	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	6	-	2	-	-	-
BLACK---MALE----	-	-	1	-	1	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	5	-	2	-	-	-
CALIFORNIA -----	34	30	61	80	109	130	133	108	69	22	6	-
WHITE-----MALE----	20	15	31	37	55	54	51	27	16	9	2	-
FEMALE--	10	6	21	33	43	60	67	73	47	12	3	-
ALL OTHER--MALE----	3	4	4	5	7	4	10	4	4	-	-	-
FEMALE--	1	5	5	5	4	12	5	4	2	1	1	-
BLACK---MALE----	2	2	1	2	7	4	4	1	1	-	-	-
FEMALE--	1	5	4	4	-	8	5	2	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,154
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	158	9	3	1	-	-	3	1	1	1	7	4
WHITE-----MALE----	52	3	-	-	-	-	2	-	1	1	4	3
FEMALE--	92	4	3	-	-	-	1	-	-	-	3	1
ALL OTHER--MALE----	6	2	-	-	-	-	-	1	-	-	-	-
FEMALE--	8	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	4	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	1	-	-	-	-	-	-	-	-
CONNECTICUT -----	141	4	2	1	-	1	1	-	4	7	2	4
WHITE-----MALE----	61	2	1	1	-	-	1	-	3	6	1	3
FEMALE--	73	1	-	-	-	1	-	-	-	1	-	1
ALL OTHER--MALE----	4	1	1	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
DELAWARE -----	47	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	68	2	-	1	-	-	2	1	3	2	5	1
WHITE-----MALE----	5	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	10	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	29	-	-	-	-	-	1	1	2	1	4	-
FEMALE--	24	-	-	1	-	-	-	-	1	1	1	1
BLACK---MALE----	29	-	-	-	-	-	1	1	2	1	4	-
FEMALE--	24	-	-	1	-	-	-	-	1	1	1	1
FLORIDA -----	802	15	4	2	4	2	3	11	13	22	21	15
WHITE-----MALE----	316	7	1	1	1	1	-	5	7	13	9	6
FEMALE--	366	3	-	1	3	-	1	1	2	2	5	3
ALL OTHER--MALE----	64	2	1	-	-	-	1	3	2	4	3	4
FEMALE--	56	3	2	-	-	1	1	2	2	3	4	2
BLACK---MALE----	63	2	1	-	-	-	1	3	2	4	3	4
FEMALE--	56	3	2	-	-	1	1	2	2	3	4	2
GEORGIA -----	295	15	-	1	1	-	2	3	7	12	12	6
WHITE-----MALE----	89	1	-	1	-	-	-	-	1	6	5	-
FEMALE--	103	2	-	-	1	-	1	1	1	1	1	-
ALL OTHER--MALE----	49	6	-	-	-	-	-	1	5	4	4	6
FEMALE--	54	6	-	-	-	-	1	1	-	1	2	-
BLACK---MALE----	47	5	-	-	-	-	-	1	5	4	4	6
FEMALE--	52	5	-	-	-	-	1	1	-	1	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,154
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	6	7	11	13	18	23	26	15	7	1	-
WHITE-----MALE----	-	4	4	5	3	6	10	4	1	1	-	-
FEMALE--	1	1	3	5	9	10	13	20	11	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	1	-	1	1	1	-	1	2	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	1	1	-	-	1	2	-	-	-
CONNECTICUT -----	2	4	4	11	14	20	14	20	12	10	4	-
WHITE-----MALE----	1	2	4	6	9	6	5	5	2	3	-	-
FEMALE--	-	2	-	5	4	14	9	15	9	7	4	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
DELAWARE -----	-	-	3	9	7	8	7	6	2	2	1	-
WHITE-----MALE----	-	-	2	3	3	2	4	1	-	-	-	-
FEMALE--	-	-	1	5	2	5	3	5	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	1	-	-
DISTRICT OF COLUMBIA ----	2	3	1	3	7	6	8	15	2	2	2	-
WHITE-----MALE----	-	1	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	3	1	2	-	-
ALL OTHER--MALE----	1	1	-	2	4	4	3	5	-	-	-	-
FEMALE--	1	1	1	1	2	1	4	5	1	-	2	-
BLACK---MALE----	1	1	-	2	4	4	3	5	-	-	-	-
FEMALE--	1	1	1	1	2	1	4	5	1	-	2	-
FLORIDA -----	25	28	41	58	101	120	116	83	78	26	13	1
WHITE-----MALE----	10	14	18	25	53	47	43	24	24	6	1	-
FEMALE--	6	7	12	25	40	62	62	56	49	18	8	-
ALL OTHER--MALE----	6	5	7	4	5	7	6	-	2	-	1	1
FEMALE--	3	2	4	4	3	4	5	3	3	2	3	-
BLACK---MALE----	6	5	7	3	5	7	6	-	2	-	1	1
FEMALE--	3	2	4	4	3	4	5	3	3	2	3	-
GEORGIA -----	10	8	18	17	26	41	38	36	32	8	2	-
WHITE-----MALE----	4	3	7	10	9	19	11	8	3	1	-	-
FEMALE--	1	3	4	4	9	12	18	18	19	6	1	-
ALL OTHER--MALE----	3	2	4	1	3	2	4	3	1	-	-	-
FEMALE--	2	-	3	2	5	8	5	7	9	1	1	-
BLACK---MALE----	3	2	4	1	3	2	3	3	1	-	-	-
FEMALE--	2	-	3	2	5	8	5	7	8	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,155
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	39	2	2	-	-	-	-	-	-	2	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	20	2	2	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
IDAHO -----	48	1	2	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	23	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	25	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	589	13	7	4	3	-	-	6	10	18	25	19
WHITE-----MALE----	210	6	4	1	1	-	-	3	4	6	8	10
FEMALE--	257	3	1	1	2	-	-	-	1	1	3	3
ALL OTHER--MALE----	65	1	2	1	-	-	-	1	2	9	11	4
FEMALE--	57	3	-	1	-	-	-	2	3	2	3	2
BLACK---MALE----	61	1	2	1	-	-	-	1	2	9	11	4
FEMALE--	57	3	-	1	-	-	-	2	3	2	3	2
INDIANA -----	278	7	3	-	-	-	-	4	3	4	4	5
WHITE-----MALE----	103	4	2	-	-	-	-	2	2	1	1	4
FEMALE--	146	2	1	-	-	-	-	1	-	1	2	1
ALL OTHER--MALE----	15	1	-	-	-	-	-	1	1	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	15	1	-	-	-	-	-	1	1	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	2	-	-
IOWA -----	171	-	1	1	2	-	-	1	1	3	1	2
WHITE-----MALE----	67	-	-	-	1	-	-	-	-	3	1	2
FEMALE--	102	-	1	1	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	134	4	2	-	-	1	-	-	3	2	3	3
WHITE-----MALE----	54	3	2	-	-	1	-	-	1	1	1	2
FEMALE--	74	1	-	-	-	-	-	-	1	-	2	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,156
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	195	4	5	4	-	-	1	2	2	-	4	6
WHITE-----MALE----	69	1	4	2	-	-	-	2	1	-	4	2
FEMALE--	115	2	-	1	-	-	1	-	1	-	-	4
ALL OTHER--MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	9	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	9	-	1	-	-	-	-	-	-	-	-	-
LOUISIANA -----	184	4	2	1	3	-	1	4	2	4	5	8
WHITE-----MALE----	58	1	1	-	1	-	-	1	2	3	2	4
FEMALE--	68	2	-	1	1	-	-	-	-	-	1	1
ALL OTHER--MALE----	31	1	-	-	1	-	1	3	-	-	2	3
FEMALE--	27	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	31	1	-	-	1	-	1	3	-	-	2	3
FEMALE--	26	-	1	-	-	-	-	-	-	1	-	-
MAINE -----	74	1	1	-	-	1	1	-	-	-	1	3
WHITE-----MALE----	35	1	1	-	-	1	1	-	-	-	1	3
FEMALE--	39	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	320	4	4	1	-	-	-	2	11	12	13	12
WHITE-----MALE----	89	-	-	-	-	-	-	-	3	1	5	5
FEMALE--	129	2	-	-	-	-	-	1	1	1	1	1
ALL OTHER--MALE----	53	-	2	-	-	-	-	1	5	5	7	3
FEMALE--	49	2	2	1	-	-	-	-	2	5	-	3
BLACK---MALE----	50	-	1	-	-	-	-	1	5	5	7	3
FEMALE--	47	2	-	1	-	-	-	-	2	5	-	3
MASSACHUSETTS -----	413	9	4	2	-	-	-	1	5	12	8	9
WHITE-----MALE----	150	5	1	2	-	-	-	-	2	7	4	5
FEMALE--	240	2	2	-	-	-	-	1	-	3	2	3
ALL OTHER--MALE----	16	2	1	-	-	-	-	-	2	1	2	-
FEMALE--	7	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	13	1	1	-	-	-	-	-	2	1	2	-
FEMALE--	6	-	-	-	-	-	-	-	1	1	-	1
MICHIGAN -----	541	13	6	-	1	-	1	3	4	12	11	14
WHITE-----MALE----	202	9	5	-	-	-	-	2	2	3	3	5
FEMALE--	246	2	-	-	-	-	-	-	1	3	5	4
ALL OTHER--MALE----	38	-	-	-	1	-	1	1	1	5	1	4
FEMALE--	55	2	1	-	-	-	-	-	-	1	2	1
BLACK---MALE----	38	-	-	-	1	-	1	1	1	5	1	4
FEMALE--	52	1	1	-	-	-	-	-	-	1	2	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,156
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	3	10	12	11	9	25	36	25	21	10	5	-
WHITE-----MALE----	1	6	8	4	2	11	7	10	2	2	-	-
FEMALE--	1	3	4	7	6	14	28	13	18	7	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	1	2	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	1	2	1	1	-	-
LOUISIANA -----	6	6	14	8	18	18	27	26	18	4	5	-
WHITE-----MALE----	4	3	7	3	7	5	6	6	2	-	-	-
FEMALE--	1	2	1	2	3	11	11	15	9	2	5	-
ALL OTHER--MALE----	1	-	2	2	1	1	8	1	4	-	-	-
FEMALE--	-	1	4	1	7	1	2	4	3	2	-	-
BLACK---MALE----	1	-	2	2	1	1	8	1	4	-	-	-
FEMALE--	-	1	4	1	7	1	2	4	2	2	-	-
MAINE -----	2	4	4	7	8	6	13	8	5	4	5	-
WHITE-----MALE----	2	4	3	2	5	3	5	2	1	-	-	-
FEMALE--	-	-	1	5	3	3	8	6	4	4	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	9	13	17	21	37	39	41	39	29	13	3	-
WHITE-----MALE----	4	7	11	9	12	15	8	6	3	-	-	-
FEMALE--	2	4	4	5	16	17	19	25	18	11	1	-
ALL OTHER--MALE----	2	1	-	3	7	4	4	3	5	-	1	-
FEMALE--	1	1	2	4	2	3	10	5	3	2	1	-
BLACK---MALE----	2	1	-	2	7	3	4	3	5	-	1	-
FEMALE--	1	1	2	4	2	3	10	5	3	2	1	-
MASSACHUSETTS -----	6	15	15	28	32	45	58	71	50	27	16	-
WHITE-----MALE----	3	11	10	14	14	17	23	16	8	6	2	-
FEMALE--	3	1	5	13	17	26	33	54	41	20	14	-
ALL OTHER--MALE----	-	3	-	-	1	2	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	1	-	-
BLACK---MALE----	-	3	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
MICHIGAN -----	10	25	26	34	66	58	69	90	65	28	5	-
WHITE-----MALE----	5	12	16	13	28	28	25	32	8	6	-	-
FEMALE--	1	8	7	13	30	25	31	46	45	20	5	-
ALL OTHER--MALE----	2	3	2	3	1	-	4	2	6	1	-	-
FEMALE--	2	2	1	5	7	5	9	10	6	1	-	-
BLACK---MALE----	2	3	2	3	1	-	4	2	6	1	-	-
FEMALE--	2	2	1	4	7	5	8	10	6	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,157
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	4	5	8	9	24	25	29	30	19	18	3	-
WHITE-----MALE----	4	5	7	6	14	11	10	9	7	6	-	-
FEMALE--	-	-	1	3	10	13	18	21	11	11	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MISSISSIPPI -----	4	3	8	3	12	11	18	23	16	6	6	-
WHITE-----MALE----	2	2	5	-	2	2	5	6	1	1	1	-
FEMALE--	1	1	2	1	6	6	7	9	10	2	1	-
ALL OTHER--MALE----	1	-	1	1	2	2	1	6	-	-	1	-
FEMALE--	-	-	-	1	2	1	5	2	5	3	3	-
BLACK---MALE----	1	-	1	1	2	2	1	6	-	-	1	-
FEMALE--	-	-	-	1	2	1	4	2	5	3	3	-
MISSOURI -----	7	14	17	28	40	32	51	43	39	18	8	-
WHITE-----MALE----	4	6	10	16	17	7	23	11	13	3	-	-
FEMALE--	2	3	3	12	13	21	27	26	22	13	8	-
ALL OTHER--MALE----	1	2	2	-	1	2	-	1	1	-	-	-
FEMALE--	-	3	2	-	9	2	1	5	3	2	-	-
BLACK---MALE----	1	2	2	-	1	2	-	1	1	-	-	-
FEMALE--	-	3	2	-	9	2	1	5	3	2	-	-
MONTANA -----	1	5	-	1	2	3	3	7	4	3	1	-
WHITE-----MALE----	1	2	-	1	2	3	1	4	1	-	1	-
FEMALE--	-	3	-	-	-	-	2	3	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	4	1	2	8	13	17	15	11	2	-	-
WHITE-----MALE----	-	2	1	1	6	7	8	3	2	-	-	-
FEMALE--	-	2	-	1	2	6	8	12	8	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
NEVADA -----	1	5	6	5	5	4	5	8	5	3	1	-
WHITE-----MALE----	1	5	2	2	1	1	1	2	2	-	-	-
FEMALE--	-	-	3	2	3	3	4	5	3	3	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,159
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	739	8	7	4	2	1	3	2	7	15	17	19
WHITE-----MALE----	279	3	3	-	-	-	2	1	4	7	11	11
FEMALE--	360	5	3	1	1	-	-	1	1	-	2	7
ALL OTHER--MALE----	49	-	1	2	-	-	1	-	2	6	4	1
FEMALE--	51	-	-	1	1	1	-	-	-	2	-	-
BLACK---MALE----	49	-	1	2	-	-	1	-	2	6	4	1
FEMALE--	51	-	-	1	1	1	-	-	-	2	-	-
OKLAHOMA -----	159	4	1	-	-	-	-	1	2	1	5	-
WHITE-----MALE----	57	3	-	-	-	-	-	-	-	1	4	-
FEMALE--	82	-	1	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	16	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	4	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	13	-	-	-	-	-	-	1	-	-	-	-
OREGON -----	158	1	-	1	1	-	1	-	1	2	5	3
WHITE-----MALE----	69	-	-	-	-	-	1	-	-	1	3	2
FEMALE--	81	-	-	1	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	793	7	3	1	2	-	1	5	7	12	10	19
WHITE-----MALE----	279	2	1	1	1	-	-	-	3	5	5	10
FEMALE--	414	1	-	-	1	-	1	2	2	4	2	3
ALL OTHER--MALE----	49	2	-	-	-	-	-	2	2	2	2	4
FEMALE--	51	2	2	-	-	-	-	1	-	1	1	2
BLACK---MALE----	46	2	-	-	-	-	-	2	2	2	2	4
FEMALE--	49	2	2	-	-	-	-	1	-	1	1	2
RHODE ISLAND -----	59	1	1	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	25	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	220	2	-	-	1	-	2	2	2	8	7	4
WHITE-----MALE----	65	-	-	-	-	-	-	-	1	2	3	2
FEMALE--	88	-	-	-	-	-	1	2	-	2	-	1
ALL OTHER--MALE----	29	-	-	-	1	-	-	-	1	3	2	1
FEMALE--	38	2	-	-	-	-	1	-	-	1	2	-
BLACK---MALE----	28	-	-	-	1	-	-	-	1	3	2	1
FEMALE--	38	2	-	-	-	-	1	-	-	1	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,159
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	20	21	34	65	79	96	107	95	93	37	7	-
WHITE-----MALE----	9	15	17	26	31	37	37	33	26	6	-	-
FEMALE--	5	5	11	31	35	48	56	53	61	29	5	-
ALL OTHER--MALE----	4	-	3	5	6	4	4	5	-	1	-	-
FEMALE--	2	1	3	3	7	7	10	4	6	1	2	-
BLACK---MALE----	4	-	3	5	6	4	4	5	-	1	-	-
FEMALE--	2	1	3	3	7	7	10	4	6	1	2	-
OKLAHOMA -----	5	6	5	9	11	16	20	36	27	9	1	-
WHITE-----MALE----	2	4	2	4	5	7	6	13	6	-	-	-
FEMALE--	3	1	2	3	5	6	10	21	19	9	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	2	4	2	2	-	1	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	2	4	2	-	-	-	-
OREGON -----	3	6	11	12	15	24	20	23	17	10	2	-
WHITE-----MALE----	2	5	7	7	6	13	11	4	3	3	1	-
FEMALE--	1	1	3	5	8	10	8	19	14	7	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	22	31	29	60	74	100	130	137	104	33	5	1
WHITE-----MALE----	13	14	16	29	31	45	38	41	20	3	1	-
FEMALE--	4	10	8	22	34	45	79	87	78	28	2	1
ALL OTHER--MALE----	3	7	2	6	2	4	4	5	2	-	-	-
FEMALE--	2	-	3	3	7	6	9	4	4	2	2	-
BLACK---MALE----	3	6	1	5	2	4	4	5	2	-	-	-
FEMALE--	2	-	3	3	6	6	8	4	4	2	2	-
RHODE ISLAND -----	-	4	1	-	7	14	11	8	7	3	1	-
WHITE-----MALE----	-	2	1	-	5	9	3	2	-	1	1	-
FEMALE--	-	1	-	-	2	5	7	6	7	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	5	11	10	16	21	30	33	31	20	12	3	-
WHITE-----MALE----	3	4	7	6	6	10	9	5	5	2	-	-
FEMALE--	1	4	1	4	10	11	15	17	10	8	1	-
ALL OTHER--MALE----	1	2	1	4	-	2	5	3	1	1	1	-
FEMALE--	-	1	1	2	5	7	4	6	4	1	1	-
BLACK---MALE----	1	2	-	4	-	2	5	3	1	1	1	-
FEMALE--	-	1	1	2	5	7	4	6	4	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,160
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	28	1	1	-	-	-	-	-	-	-	-	3
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	323	5	3	-	1	-	3	4	3	2	10	3
WHITE-----MALE----	121	1	1	-	-	-	-	2	-	2	5	1
FEMALE--	157	3	1	-	-	-	2	-	1	-	3	-
ALL OTHER--MALE----	22	1	-	-	1	-	-	1	2	-	1	2
FEMALE--	23	-	1	-	-	-	1	1	-	-	1	-
BLACK---MALE----	22	1	-	-	1	-	-	1	2	-	1	2
FEMALE--	23	-	1	-	-	-	1	1	-	-	1	-
TEXAS -----	906	20	13	2	5	2	3	14	12	23	30	22
WHITE-----MALE----	373	11	5	2	4	1	2	11	5	13	17	11
FEMALE--	415	8	3	-	1	1	1	-	1	6	4	4
ALL OTHER--MALE----	69	-	3	-	-	-	-	3	2	3	5	5
FEMALE--	49	1	2	-	-	-	-	-	4	1	4	2
BLACK---MALE----	66	-	3	-	-	-	-	3	2	3	5	4
FEMALE--	48	1	2	-	-	-	-	-	4	1	4	2
UTAH -----	56	2	1	1	-	2	1	-	1	1	1	-
WHITE-----MALE----	24	2	-	1	-	2	-	-	-	-	-	-
FEMALE--	28	-	1	-	-	-	1	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	41	1	1	-	-	-	-	-	-	-	3	1
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	23	1	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	378	6	1	-	-	2	-	1	5	7	11	6
WHITE-----MALE----	114	2	1	-	-	1	-	-	2	4	8	4
FEMALE--	175	3	-	-	-	1	-	-	2	-	-	1
ALL OTHER--MALE----	44	-	-	-	-	-	-	1	1	2	1	-
FEMALE--	45	1	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	44	-	-	-	-	-	-	1	1	2	1	-
FEMALE--	45	1	-	-	-	-	-	-	-	1	2	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,160
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	1	2	-	1	3	6	5	2	2	-	-
WHITE-----MALE----	-	-	2	-	1	1	1	1	-	1	-	-
FEMALE--	1	-	-	-	-	2	4	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	12	12	21	28	28	41	42	44	39	16	6	-
WHITE-----MALE----	7	8	9	14	15	18	11	14	9	2	2	-
FEMALE--	4	3	7	10	11	18	25	25	26	14	4	-
ALL OTHER--MALE----	1	-	2	2	-	3	1	3	2	-	-	-
FEMALE--	-	1	3	2	2	2	5	2	2	-	-	-
BLACK---MALE----	1	-	2	2	-	3	1	3	2	-	-	-
FEMALE--	-	1	3	2	2	2	5	2	2	-	-	-
TEXAS -----	29	38	41	76	79	102	126	122	99	35	13	-
WHITE-----MALE----	14	17	22	39	44	38	48	33	30	5	1	-
FEMALE--	12	13	10	27	25	52	68	80	64	25	10	-
ALL OTHER--MALE----	3	5	7	8	5	8	5	4	2	1	-	-
FEMALE--	-	3	2	2	5	4	5	5	3	4	2	-
BLACK---MALE----	3	5	7	7	5	7	5	4	2	1	-	-
FEMALE--	-	3	2	1	5	4	5	5	3	4	2	-
UTAH -----	-	1	1	2	4	14	8	8	6	2	-	-
WHITE-----MALE----	-	-	-	-	2	7	2	4	2	2	-	-
FEMALE--	-	1	1	2	2	5	5	3	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
VERMONT -----	-	1	5	4	3	6	5	5	3	3	-	-
WHITE-----MALE----	-	1	1	3	2	2	4	2	-	-	-	-
FEMALE--	-	-	4	1	1	4	1	3	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	10	13	10	23	48	42	60	57	48	20	8	-
WHITE-----MALE----	5	5	5	10	16	9	19	11	8	3	1	-
FEMALE--	2	3	3	9	17	27	26	32	30	13	6	-
ALL OTHER--MALE----	3	2	1	3	9	3	9	6	3	-	-	-
FEMALE--	-	3	1	1	6	3	6	8	7	4	1	-
BLACK---MALE----	3	2	1	3	9	3	9	6	3	-	-	-
FEMALE--	-	3	1	1	6	3	6	8	7	4	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,162
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
NUTRITIONAL DEFICIENCIES (260-269)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	39	51	60	118	242	424	600	841	746	367	124	1
WHITE-----MALE----	18	15	28	43	90	154	178	235	165	63	9	1
FEMALE--	10	20	22	43	114	219	350	525	522	271	96	-
ALL OTHER--MALE----	5	12	6	23	18	23	27	30	24	7	5	-
FEMALE--	6	4	4	9	20	28	45	51	35	26	14	-
BLACK---MALE----	4	12	4	22	16	23	24	22	22	5	4	-
FEMALE--	4	2	4	8	17	28	39	46	28	23	12	-
ALABAMA -----	2	1	3	6	4	10	16	21	5	8	1	-
WHITE-----MALE----	2	-	-	3	1	1	6	9	-	2	-	-
FEMALE--	-	-	3	-	3	6	5	9	4	4	1	-
ALL OTHER--MALE----	-	1	-	2	-	1	3	1	1	-	-	-
FEMALE--	-	-	-	1	-	2	2	2	-	2	-	-
BLACK---MALE----	-	1	-	2	-	1	3	1	1	-	-	-
FEMALE--	-	-	-	1	-	2	2	2	-	2	-	-
ALASKA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	1	1	4	7	11	17	20	21	12	3	-
WHITE-----MALE----	1	-	1	2	6	5	6	5	6	1	-	-
FEMALE--	1	1	-	2	1	6	8	14	12	11	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	3	-	2	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	-	-	1	1	3	8	6	14	12	4	1	-
WHITE-----MALE----	-	-	1	-	2	-	3	6	2	-	-	-
FEMALE--	-	-	-	-	-	5	3	5	8	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	1	1	2	-	2	1	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	1	1	2	-	2	1	1	-	-
CALIFORNIA -----	-	-	-	2	11	9	19	26	30	11	11	1
WHITE-----MALE----	-	-	-	1	3	4	5	11	4	-	1	1
FEMALE--	-	-	-	1	4	5	13	13	25	11	9	-
ALL OTHER--MALE----	-	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	2	1	-	1	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,163
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 NUTRITIONAL DEFICIENCIES (260-269)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	1	1	2	8	11	17	20	8	3	-
WHITE-----MALE----	-	-	-	-	2	3	3	7	6	2	-	-
FEMALE--	-	-	1	1	-	5	8	9	14	5	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	-	-	2	1	2	4	-	9	9	4	-	-
WHITE-----MALE----	-	-	1	-	2	-	-	1	1	3	-	-
FEMALE--	-	-	1	1	-	3	-	8	8	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	-	2	2	3	3	3	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	1	2	3	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	3	1	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	3	1	-	1	-	-
FLORIDA -----	1	6	4	10	9	28	32	51	33	18	1	-
WHITE-----MALE----	1	2	2	3	1	8	10	16	6	5	-	-
FEMALE--	-	2	1	3	6	18	21	32	25	12	-	-
ALL OTHER--MALE----	-	1	1	1	2	2	1	1	1	1	-	-
FEMALE--	-	1	-	3	-	-	-	2	1	-	1	-
BLACK---MALE----	-	1	1	1	2	2	1	1	1	1	-	-
FEMALE--	-	-	-	2	-	-	-	2	1	-	1	-
GEORGIA -----	2	3	2	2	12	21	10	20	25	7	2	-
WHITE-----MALE----	-	-	1	-	2	6	2	5	5	-	-	-
FEMALE--	1	2	-	2	4	9	7	11	17	4	-	-
ALL OTHER--MALE----	-	1	1	-	1	3	-	1	1	-	-	-
FEMALE--	1	-	-	-	5	3	1	3	2	3	2	-
BLACK---MALE----	-	1	1	-	1	3	-	1	1	-	-	-
FEMALE--	1	-	-	-	5	3	1	3	1	3	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,164
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 NUTRITIONAL DEFICIENCIES (260-269)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	1	-	-	1	1	3	3	5	3	2	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	3	2	1	1	-
FEMALE--	-	-	-	-	-	-	1	-	1	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	1	2	-	-	4	1	1	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	4	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2	1	4	6	11	17	34	45	30	17	5	-
WHITE-----MALE----	-	1	1	-	4	13	10	11	8	3	-	-
FEMALE--	1	-	3	4	7	4	22	30	19	13	5	-
ALL OTHER--MALE----	1	-	-	2	-	-	1	2	2	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	1	-	-
BLACK---MALE----	1	-	-	2	-	-	1	2	2	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	1	-	-
INDIANA -----	1	1	-	3	13	12	20	14	21	12	4	-
WHITE-----MALE----	-	-	-	-	9	5	8	5	6	-	1	-
FEMALE--	1	-	-	1	3	4	10	9	12	11	3	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	2	-	3	1	-	-
BLACK---MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	2	-	3	1	-	-
IOWA -----	-	2	1	1	2	3	5	8	13	5	3	-
WHITE-----MALE----	-	-	-	1	1	2	4	4	5	1	-	-
FEMALE--	-	1	1	-	1	1	1	4	8	4	3	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	1	1	-	2	6	9	18	17	7	4	-
WHITE-----MALE----	-	1	-	-	-	3	3	5	1	-	-	-
FEMALE--	-	-	1	-	2	2	6	12	15	7	4	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,165
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
NUTRITIONAL DEFICIENCIES (260-269)												
KENTUCKY -----	62	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	82	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	24	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	42	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	63	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	160	-	-	-	-	-	-	-	2	-	2	1
WHITE-----MALE----	37	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	107	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,165
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
NUTRITIONAL DEFICIENCIES (260-269)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	1	1	1	4	12	9	13	9	5	4	-
WHITE-----MALE----	1	-	1	1	3	6	5	2	3	1	-	-
FEMALE--	-	1	-	-	-	4	3	11	6	4	3	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	1	1	3	4	7	8	12	16	19	9	1	-
WHITE-----MALE----	-	-	2	1	1	3	3	3	7	-	-	-
FEMALE--	1	-	-	2	2	2	3	10	6	7	1	-
ALL OTHER--MALE----	-	1	1	1	2	1	4	2	3	-	-	-
FEMALE--	-	-	-	-	2	2	2	1	3	2	-	-
BLACK---MALE----	-	1	1	1	2	1	4	2	3	-	-	-
FEMALE--	-	-	-	-	2	2	2	1	3	2	-	-
MAINE -----	-	1	-	-	-	2	6	6	7	-	2	-
WHITE-----MALE----	-	1	-	-	-	-	-	2	2	-	-	-
FEMALE--	-	-	-	-	-	2	6	4	5	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	1	3	1	8	7	6	7	4	3	-
WHITE-----MALE----	-	-	1	1	-	3	3	1	3	2	-	-
FEMALE--	-	-	-	1	-	4	3	4	4	1	1	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	1	2	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	1	2	-
MASSACHUSETTS -----	-	-	-	-	6	9	10	10	15	10	2	-
WHITE-----MALE----	-	-	-	-	3	4	7	3	-	2	-	-
FEMALE--	-	-	-	-	3	5	3	6	15	7	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	4	3	7	3	8	20	30	38	27	13	2	-
WHITE-----MALE----	1	-	2	2	1	7	9	5	4	5	-	-
FEMALE--	3	2	3	1	7	13	17	29	21	8	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	2	1	1	-	-	-
FEMALE--	-	-	2	-	-	-	2	3	1	-	1	-
BLACK---MALE----	-	1	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	2	-	-	-	1	3	1	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,168
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
NUTRITIONAL DEFICIENCIES (260-269)												
OHIO -----	234	3	1	-	-	-	1	2	-	-	-	3
WHITE-----MALE----	59	-	-	-	-	-	1	1	-	-	-	1
FEMALE--	147	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	10	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	1	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	9	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	1	1	-	-	-	-	-	-	-	-	1
OKLAHOMA -----	70	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	21	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	43	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	45	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	221	1	-	-	-	1	-	-	-	-	1	1
WHITE-----MALE----	70	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	130	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	55	-	-	-	-	-	-	-	1	1	1	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,168
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
NUTRITIONAL DEFICIENCIES (260-269)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	3	2	-	4	14	27	35	56	50	24	9	-
WHITE-----MALE----	1	-	-	1	5	11	7	16	10	5	-	-
FEMALE--	-	1	-	1	7	13	24	35	37	18	9	-
ALL OTHER--MALE----	1	-	-	1	1	2	1	2	-	-	-	-
FEMALE--	1	1	-	1	1	1	3	3	3	1	-	-
BLACK---MALE----	1	-	-	1	1	2	1	1	-	-	-	-
FEMALE--	1	1	-	1	1	1	3	3	3	1	-	-
OKLAHOMA -----	1	1	-	1	6	11	9	12	21	7	-	-
WHITE-----MALE----	-	1	-	-	2	2	2	5	7	1	-	-
FEMALE--	-	-	-	1	4	9	7	6	12	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	2	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
OREGON -----	-	3	-	1	2	5	5	16	7	6	-	-
WHITE-----MALE----	-	1	-	-	1	3	2	6	2	2	-	-
FEMALE--	-	2	-	1	1	2	3	10	4	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	3	2	6	13	27	44	55	43	17	5	-
WHITE-----MALE----	2	2	1	1	4	10	14	17	14	2	-	-
FEMALE--	-	-	1	4	8	14	24	34	24	15	5	-
ALL OTHER--MALE----	-	-	-	1	1	1	2	2	1	-	-	-
FEMALE--	-	1	-	-	-	2	4	2	4	-	-	-
BLACK---MALE----	-	-	-	1	1	1	2	2	1	-	-	-
FEMALE--	-	-	-	-	-	2	4	2	4	-	-	-
RHODE ISLAND -----	-	-	-	-	-	1	-	1	-	-	3	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	-	1	6	5	11	18	5	3	1	-
WHITE-----MALE----	-	-	-	-	2	2	1	6	1	-	-	-
FEMALE--	-	-	-	-	3	1	5	7	4	1	-	-
ALL OTHER--MALE----	1	1	-	1	1	1	1	2	-	1	1	-
FEMALE--	-	-	-	-	-	1	4	3	-	1	-	-
BLACK---MALE----	1	1	-	1	1	1	1	2	-	-	1	-
FEMALE--	-	-	-	-	-	1	4	3	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,169
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
NUTRITIONAL DEFICIENCIES (260-269)												
SOUTH DAKOTA -----	9	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	85	-	-	-	-	-	-	-	1	-	1	1
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	41	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	250	1	-	-	1	-	-	-	-	1	3	1
WHITE-----MALE----	69	1	-	-	1	-	-	-	-	-	1	1
FEMALE--	148	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	1	1	-
UTAH -----	26	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	9	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	93	1	-	-	-	-	-	1	-	1	-	1
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	54	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	1	-	-	-	-	-	1	-	1	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	1	-	-	-	-	-	1	-	1	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,169
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 NUTRITIONAL DEFICIENCIES (260-269)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	2	4	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	1	2	3	4	6	19	22	15	2	5	-
WHITE-----MALE----	1	1	1	3	3	1	7	9	1	-	1	-
FEMALE--	1	-	1	-	1	2	9	10	11	1	4	-
ALL OTHER--MALE----	1	-	-	-	-	1	2	-	3	1	-	-
FEMALE--	-	-	-	-	-	2	1	3	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	2	-	3	1	-	-
FEMALE--	-	-	-	-	-	2	1	3	-	-	-	-
TEXAS -----	7	-	6	12	18	20	41	57	51	23	8	-
WHITE-----MALE----	6	-	4	5	7	7	10	14	7	4	1	-
FEMALE--	-	-	2	4	9	8	24	37	41	18	4	-
ALL OTHER--MALE----	-	-	-	3	2	2	2	3	1	1	1	-
FEMALE--	1	-	-	-	-	3	5	3	2	-	2	-
BLACK---MALE----	-	-	-	2	2	2	2	3	1	1	1	-
FEMALE--	1	-	-	-	-	3	5	3	2	-	2	-
UTAH -----	-	-	1	1	1	-	8	4	8	3	-	-
WHITE-----MALE----	-	-	-	1	1	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	6	2	7	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	2	-	3	2	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	3	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	2	-	3	7	8	17	24	12	12	4	-
WHITE-----MALE----	-	1	-	2	-	2	6	4	1	-	-	-
FEMALE--	-	1	-	1	3	4	7	15	11	10	2	-
ALL OTHER--MALE----	-	-	-	-	1	1	2	2	-	-	1	-
FEMALE--	-	-	-	-	3	1	2	3	-	2	1	-
BLACK---MALE----	-	-	-	-	1	1	2	2	-	-	1	-
FEMALE--	-	-	-	-	3	1	2	2	-	2	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,172
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 NUTRITIONAL MARASMUS (261)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	-	1	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
FLORIDA -----	-	1	-	1	-	4	3	4	4	1	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	3	2	2	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	1	1	-	2	2	1	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	1	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,177
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 NUTRITIONAL MARASMUS (261)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	2	-	-	1	1	-	1	6	5	2	1	-
WHITE-----MALE----	1	-	-	-	1	-	-	4	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	3	2	1	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	-	2	3	3	2	1	2	1	-
WHITE-----MALE----	-	-	-	-	2	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	2	2	1	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	1	-	1	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,180
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	29	36	47	98	198	356	512	726	667	343	115	1
WHITE-----MALE----	12	10	21	33	70	122	150	197	151	59	9	1
FEMALE--	8	13	18	35	101	189	301	459	467	255	90	-
ALL OTHER--MALE----	3	10	5	21	15	21	23	26	18	6	3	-
FEMALE--	6	3	3	9	12	24	38	44	31	23	13	-
BLACK---MALE----	2	10	3	20	14	21	21	20	16	5	2	-
FEMALE--	4	1	3	8	10	24	32	39	24	21	11	-
ALABAMA -----	2	1	3	6	3	8	15	19	5	8	-	-
WHITE-----MALE----	2	-	-	3	1	1	5	8	-	2	-	-
FEMALE--	-	-	3	-	2	5	5	8	4	4	-	-
ALL OTHER--MALE----	-	1	-	2	-	1	3	1	1	-	-	-
FEMALE--	-	-	-	1	-	1	2	2	-	2	-	-
BLACK---MALE----	-	1	-	2	-	1	3	1	1	-	-	-
FEMALE--	-	-	-	1	-	1	2	2	-	2	-	-
ALASKA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	1	1	2	6	9	13	17	21	10	3	-
WHITE-----MALE----	1	-	1	1	5	4	2	3	6	1	-	-
FEMALE--	1	1	-	1	1	5	8	14	12	9	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	3	-	2	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	-	-	-	1	2	7	6	12	11	4	1	-
WHITE-----MALE----	-	-	-	-	1	-	3	6	1	-	-	-
FEMALE--	-	-	-	-	-	4	3	4	8	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	1	1	2	-	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	1	1	2	-	1	1	1	-	-
CALIFORNIA -----	-	-	-	2	7	6	17	22	27	11	11	1
WHITE-----MALE----	-	-	-	1	3	2	3	8	3	-	1	1
FEMALE--	-	-	-	1	1	4	13	12	23	11	9	-
ALL OTHER--MALE----	-	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	1	-	1	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,181
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	1	-	1	8	10	16	20	6	3	-
WHITE-----MALE----	-	-	-	-	1	3	2	6	6	2	-	-
FEMALE--	-	-	1	-	-	5	8	9	14	4	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	2	1	2	3	-	9	9	3	-	-
WHITE-----MALE----	-	-	1	-	2	-	-	1	1	2	-	-
FEMALE--	-	-	1	1	-	2	-	8	8	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	2	2	3	3	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	2	2	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	1	-	1	-	-
FLORIDA -----	-	5	4	9	9	21	28	45	26	17	-	-
WHITE-----MALE----	-	1	2	3	1	7	9	13	5	5	-	-
FEMALE--	-	2	1	2	6	13	18	29	20	11	-	-
ALL OTHER--MALE----	-	1	1	1	2	1	1	1	-	1	-	-
FEMALE--	-	1	-	3	-	-	-	2	1	-	-	-
BLACK---MALE----	-	1	1	1	2	1	1	1	-	1	-	-
FEMALE--	-	-	-	2	-	-	-	2	1	-	-	-
GEORGIA -----	1	2	1	2	8	17	9	19	25	6	2	-
WHITE-----MALE----	-	-	1	-	1	4	2	5	5	-	-	-
FEMALE--	-	1	-	2	4	7	6	10	17	4	-	-
ALL OTHER--MALE----	-	1	-	-	1	3	-	1	1	-	-	-
FEMALE--	1	-	-	-	2	3	1	3	2	2	2	-
BLACK---MALE----	-	1	-	-	1	3	-	1	1	-	-	-
FEMALE--	1	-	-	-	2	3	1	3	1	2	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,182
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	-	-	-	-	-	2	2	5	3	2	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	2	1	1	-
FEMALE--	-	-	-	-	-	-	1	-	1	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	-	1	-	-	4	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	4	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	-	1	4	6	11	15	30	40	25	17	5	-
WHITE-----MALE----	-	1	1	-	4	11	9	11	8	3	-	-
FEMALE--	-	-	3	4	7	4	19	28	16	13	5	-
ALL OTHER--MALE----	-	-	-	2	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	1	-	-
BLACK---MALE----	-	-	-	2	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	1	-	-
INDIANA -----	1	1	-	3	10	8	18	11	19	12	4	-
WHITE-----MALE----	-	-	-	-	7	3	8	4	6	-	1	-
FEMALE--	1	-	-	1	3	2	9	7	10	11	3	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	-	3	1	-	-
BLACK---MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	-	3	1	-	-
IOWA -----	-	1	-	1	-	2	5	6	11	5	3	-
WHITE-----MALE----	-	-	-	1	-	1	4	3	4	1	-	-
FEMALE--	-	-	-	-	-	1	1	3	7	4	3	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	1	1	-	2	5	6	16	17	7	4	-
WHITE-----MALE----	-	1	-	-	-	2	3	5	1	-	-	-
FEMALE--	-	-	1	-	2	2	3	10	15	7	4	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,183
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	-	1	-	4	8	6	7	8	5	3	-
WHITE-----MALE----	-	-	1	-	3	4	3	2	2	1	-	-
FEMALE--	-	-	-	-	-	3	3	5	6	4	3	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	-	2	2	5	7	10	15	18	9	1	-
WHITE-----MALE----	-	-	1	-	1	2	3	3	6	-	-	-
FEMALE--	1	-	-	1	2	2	2	9	6	7	1	-
ALL OTHER--MALE----	-	-	1	1	2	1	3	2	3	-	-	-
FEMALE--	-	-	-	-	-	2	2	1	3	2	-	-
BLACK---MALE----	-	-	1	1	2	1	3	2	3	-	-	-
FEMALE--	-	-	-	-	-	2	2	1	3	2	-	-
MAINE -----	-	-	-	-	-	2	6	5	5	-	2	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	2	-	-	-
FEMALE--	-	-	-	-	-	2	6	3	3	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	1	1	1	6	7	6	7	4	3	-
WHITE-----MALE----	-	-	1	-	-	2	3	1	3	2	-	-
FEMALE--	-	-	-	-	-	3	3	4	4	1	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	1	2	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	1	2	-
MASSACHUSETTS -----	-	-	-	-	5	8	10	9	15	9	2	-
WHITE-----MALE----	-	-	-	-	2	3	7	2	-	1	-	-
FEMALE--	-	-	-	-	3	5	3	6	15	7	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	3	5	2	8	19	25	34	26	11	2	-
WHITE-----MALE----	-	-	2	2	1	7	7	4	4	5	-	-
FEMALE--	3	2	1	-	7	12	14	26	20	6	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	2	1	1	-	-	-
FEMALE--	-	-	2	-	-	-	2	3	1	-	1	-
BLACK---MALE----	-	1	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	2	-	-	-	1	3	1	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,186
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	1	2	-	3	12	22	28	45	39	20	8	-
WHITE-----MALE----	-	-	-	1	3	7	6	11	9	4	-	-
FEMALE--	-	1	-	1	7	12	18	30	28	15	8	-
ALL OTHER--MALE----	-	-	-	1	2	2	1	2	-	-	-	-
FEMALE--	1	1	-	1	1	1	3	2	2	1	-	-
BLACK---MALE----	-	-	-	-	1	2	1	1	-	-	-	-
FEMALE--	1	1	-	1	1	1	3	2	2	1	-	-
OKLAHOMA -----	1	1	-	1	6	9	7	10	18	6	-	-
WHITE-----MALE----	-	1	-	-	2	1	2	5	7	1	-	-
FEMALE--	-	-	-	1	4	8	5	4	9	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	2	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
OREGON -----	-	-	-	1	2	2	4	15	7	6	-	-
WHITE-----MALE----	-	-	-	-	1	1	2	5	2	2	-	-
FEMALE--	-	-	-	1	1	1	2	10	4	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	3	1	6	9	24	38	49	40	15	4	-
WHITE-----MALE----	2	2	-	1	2	10	12	15	13	1	-	-
FEMALE--	-	-	1	4	7	12	21	30	23	14	4	-
ALL OTHER--MALE----	-	-	-	1	-	1	2	2	-	-	-	-
FEMALE--	-	1	-	-	-	1	3	2	4	-	-	-
BLACK---MALE----	-	-	-	1	-	1	2	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	2	4	-	-	-
RHODE ISLAND -----	-	-	-	-	-	1	-	1	-	-	3	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	-	1	5	5	9	11	5	2	-	-
WHITE-----MALE----	-	-	-	-	2	2	1	2	1	-	-	-
FEMALE--	-	-	-	-	2	1	5	5	4	1	-	-
ALL OTHER--MALE----	1	1	-	1	1	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	2	-	1	-	-
BLACK---MALE----	1	1	-	1	1	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	2	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,187
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	67	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	215	1	-	-	1	-	-	-	-	1	2	1
WHITE-----MALE----	61	1	-	-	1	-	-	-	-	-	1	1
FEMALE--	123	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	-
UTAH -----	23	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	86	1	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	53	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	1	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,187
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	2	3	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	1	1	3	3	4	14	20	10	2	4	-
WHITE-----MALE----	1	1	-	3	2	-	4	7	1	-	1	-
FEMALE--	1	-	1	-	1	2	7	10	8	1	3	-
ALL OTHER--MALE----	1	-	-	-	-	1	2	-	1	1	-	-
FEMALE--	-	-	-	-	-	1	1	3	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	2	-	1	1	-	-
FEMALE--	-	-	-	-	-	1	1	3	-	-	-	-
TEXAS -----	5	-	5	11	17	19	33	48	41	22	8	-
WHITE-----MALE----	4	-	3	5	7	7	8	12	6	4	1	-
FEMALE--	-	-	2	3	8	7	19	30	32	17	4	-
ALL OTHER--MALE----	-	-	-	3	2	2	1	3	1	1	1	-
FEMALE--	1	-	-	-	-	3	5	3	2	-	2	-
BLACK---MALE----	-	-	-	2	2	2	1	3	1	1	1	-
FEMALE--	1	-	-	-	-	3	5	3	2	-	2	-
UTAH -----	-	-	-	1	1	-	6	4	8	3	-	-
WHITE-----MALE----	-	-	-	1	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	4	2	7	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	2	-	2	1	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	2	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	2	-	2	7	8	15	22	12	12	4	-
WHITE-----MALE----	-	1	-	1	-	2	5	3	1	-	-	-
FEMALE--	-	1	-	1	3	4	7	14	11	10	2	-
ALL OTHER--MALE----	-	-	-	-	1	1	2	2	-	-	1	-
FEMALE--	-	-	-	-	3	1	1	3	-	2	1	-
BLACK---MALE----	-	-	-	-	1	1	2	2	-	-	1	-
FEMALE--	-	-	-	-	3	1	1	2	-	2	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,190
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER NUTRITIONAL DEFICIENCIES (260,264-269)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	-	-	-	-	-	-	-	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	-	-	-	-	-	1	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	-	-	-	-	3	1	2	3	-	1	-
WHITE-----MALE----	1	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
GEORGIA -----	1	-	-	-	2	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,192
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER NUTRITIONAL DEFICIENCIES (260,264-269)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	12	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	5	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	11	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,195
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER NUTRITIONAL DEFICIENCIES (260,264-269)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	29	1	-	-	-	-	-	1	-	-	-	2
WHITE-----MALE----	9	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	17	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
OKLAHOMA -----	9	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	14	-	-	-	-	1	-	-	-	-	-	1
WHITE-----MALE----	7	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	8	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,195
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ALL OTHER NUTRITIONAL DEFICIENCIES (260,264-269)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	-	-	-	-	1	5	6	5	6	2	-	-
WHITE-----MALE----	-	-	-	-	1	4	1	1	-	1	-	-
FEMALE--	-	-	-	-	-	1	5	3	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	2	2	2	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	3	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	1	-	2	-	3	4	2	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	2	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	-	-	1	5	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,196
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER NUTRITIONAL DEFICIENCIES (260,264-269)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	9	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	18	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
UTAH -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,196
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ALL OTHER NUTRITIONAL DEFICIENCIES (260,264-269)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	-	2	2	1	3	-	1	-
WHITE-----MALE----	-	-	-	-	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
TEXAS -----	-	-	-	-	1	-	5	4	6	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	1	-	-	-
FEMALE--	-	-	-	-	1	-	4	2	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	1	-	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	1	-	-	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,198
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)												
0 UNITED STATES --	10,013	79	65	41	40	61	97	104	167	196	229	271
WHITE-----MALE----	3,979	31	16	17	15	17	24	20	40	40	67	80
FEMALE--	4,330	20	11	10	12	11	23	16	34	34	48	81
ALL OTHER--MALE----	820	12	22	9	8	19	21	37	47	63	71	57
FEMALE--	884	16	16	5	5	14	29	31	46	59	43	53
BLACK---MALE----	736	8	21	9	8	19	18	37	44	59	68	54
FEMALE--	793	11	14	5	5	13	28	30	46	56	43	49
ALABAMA -----	178	1	3	1	2	-	5	3	5	7	4	5
WHITE-----MALE----	53	-	-	1	1	-	-	-	-	1	1	-
FEMALE--	80	1	2	-	1	-	1	1	-	1	1	3
ALL OTHER--MALE----	20	-	1	-	-	-	1	-	1	4	2	1
FEMALE--	25	-	-	-	-	-	3	2	4	1	-	1
BLACK---MALE----	20	-	1	-	-	-	1	-	1	4	2	1
FEMALE--	24	-	-	-	-	-	3	2	4	1	-	1
ALASKA -----	9	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	156	-	1	1	1	2	4	2	2	-	3	6
WHITE-----MALE----	77	-	-	-	1	1	2	-	-	-	1	2
FEMALE--	63	-	-	-	-	1	1	-	1	-	1	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	11	-	1	1	-	-	1	2	-	-	1	2
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	1	-	-	1	2	-	-	1	1
ARKANSAS -----	126	1	-	-	-	1	4	-	2	-	1	2
WHITE-----MALE----	49	1	-	-	-	-	1	-	-	-	-	1
FEMALE--	55	-	-	-	-	1	1	-	-	-	-	1
ALL OTHER--MALE----	10	-	-	-	-	-	2	-	1	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	10	-	-	-	-	-	2	-	1	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	-	1	-
CALIFORNIA -----	748	17	8	8	7	13	6	10	12	9	17	22
WHITE-----MALE----	292	4	4	6	2	5	2	2	5	-	2	7
FEMALE--	305	6	1	1	2	3	2	5	3	2	6	8
ALL OTHER--MALE----	72	2	1	-	-	3	2	1	4	3	6	3
FEMALE--	79	5	2	1	3	2	-	2	-	4	3	4
BLACK---MALE----	33	1	1	-	-	3	-	1	3	1	4	3
FEMALE--	43	2	1	1	3	1	-	1	-	3	3	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,198
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)												
0 UNITED STATES --	245	322	455	739	1,143	1,412	1,600	1,441	876	350	79	1
WHITE-----MALE----	87	140	200	371	578	656	737	513	249	69	12	-
FEMALE--	82	101	160	268	444	609	703	810	554	242	57	-
ALL OTHER--MALE----	38	50	50	50	59	70	64	43	18	7	4	1
FEMALE--	38	31	45	50	62	77	96	75	55	32	6	-
BLACK---MALE----	36	45	43	41	53	62	55	30	15	6	4	1
FEMALE--	34	28	41	38	53	62	80	73	47	31	6	-
ALABAMA -----	1	7	9	13	25	16	13	29	22	6	1	-
WHITE-----MALE----	1	3	2	4	10	9	6	11	3	-	-	-
FEMALE--	-	2	3	5	12	4	7	16	16	4	-	-
ALL OTHER--MALE----	-	-	2	1	2	3	-	1	-	1	-	-
FEMALE--	-	2	2	3	1	-	-	1	3	1	1	-
BLACK---MALE----	-	-	2	1	2	3	-	1	-	1	-	-
FEMALE--	-	2	1	3	1	-	-	1	3	1	1	-
ALASKA -----	2	-	-	-	3	1	2	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	3	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	3	5	16	22	25	17	29	8	4	-	-
WHITE-----MALE----	-	2	1	11	11	13	12	16	2	2	-	-
FEMALE--	3	-	4	5	9	10	5	13	6	2	-	-
ALL OTHER--MALE----	1	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	4	1	5	9	10	17	31	23	11	2	2	-
WHITE-----MALE----	2	1	1	5	5	11	11	7	2	-	1	-
FEMALE--	2	-	2	3	2	4	15	14	8	2	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	2	-	1	-	1	-
FEMALE--	-	-	2	-	2	1	3	2	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	2	-	1	-	1	-
FEMALE--	-	-	2	-	2	1	3	2	-	-	-	-
CALIFORNIA -----	25	31	32	70	95	99	130	76	42	18	1	-
WHITE-----MALE----	8	10	8	31	40	46	61	30	13	6	-	-
FEMALE--	11	10	13	24	44	42	50	38	23	10	1	-
ALL OTHER--MALE----	2	7	8	7	4	4	6	5	3	1	-	-
FEMALE--	4	4	3	8	7	7	13	3	3	1	-	-
BLACK---MALE----	2	3	3	4	1	2	1	-	-	-	-	-
FEMALE--	4	2	2	3	3	4	3	2	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,199
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	107	1	-	-	-	1	-	1	1	1	1	2
WHITE-----MALE----	40	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	64	1	-	-	-	-	-	1	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	130	-	-	-	-	-	1	1	2	4	4	5
WHITE-----MALE----	56	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	56	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	10	-	-	-	-	-	-	1	2	1	-	2
FEMALE--	8	-	-	-	-	-	1	-	-	-	2	-
BLACK---MALE----	9	-	-	-	-	-	-	1	2	1	-	1
FEMALE--	7	-	-	-	-	-	1	-	-	-	2	-
DELAWARE -----	31	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ----	47	-	-	-	-	-	1	1	1	1	2	5
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	1	-	1	3
FEMALE--	15	-	-	-	-	-	1	1	-	1	1	2
BLACK---MALE----	18	-	-	-	-	-	-	-	1	-	1	3
FEMALE--	15	-	-	-	-	-	1	1	-	1	1	2
FLORIDA -----	690	3	6	5	4	3	3	3	15	14	20	15
WHITE-----MALE----	295	-	1	1	1	-	1	-	4	2	4	4
FEMALE--	286	-	-	1	-	-	-	1	1	3	8	1
ALL OTHER--MALE----	51	2	2	3	3	1	1	2	5	3	7	4
FEMALE--	58	1	3	-	-	2	1	-	5	6	1	6
BLACK---MALE----	51	2	3	3	3	1	2	2	5	3	7	4
FEMALE--	56	1	3	-	-	2	1	-	5	6	1	6
GEORGIA -----	252	3	6	4	3	1	6	6	9	6	16	13
WHITE-----MALE----	77	1	1	1	2	1	-	-	-	-	4	6
FEMALE--	81	-	-	1	-	-	-	-	1	-	2	1
ALL OTHER--MALE----	40	1	3	2	1	-	2	4	5	2	4	2
FEMALE--	54	1	2	-	-	-	4	2	3	4	6	4
BLACK---MALE----	39	1	3	2	1	-	1	4	5	2	4	2
FEMALE--	54	1	2	-	-	-	4	2	3	4	6	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,199
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	2	1	6	8	16	20	13	18	9	3	3	-
WHITE-----MALE----	-	-	2	3	7	11	7	7	-	-	1	-
FEMALE--	2	1	3	5	9	9	6	11	9	3	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	2	8	5	14	23	19	25	13	2	-	-
WHITE-----MALE----	-	1	2	4	10	8	14	11	2	-	-	-
FEMALE--	1	-	4	-	3	14	4	14	10	2	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	1	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	1	1	1	-	1	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	-	-	-	-	-	-
DELAWARE -----	-	-	2	4	5	5	2	5	2	4	-	-
WHITE-----MALE----	-	-	-	2	2	2	1	-	2	-	-	-
FEMALE--	-	-	1	2	3	2	1	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	1	-	-	1	-	3	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	1	-	-	1	-	3	-	1	-	-
DISTRICT OF COLUMBIA ----	2	3	4	1	3	6	7	2	4	3	1	-
WHITE-----MALE----	-	-	2	1	-	2	-	-	1	2	-	-
FEMALE--	-	-	-	-	1	-	1	1	2	1	-	-
ALL OTHER--MALE----	2	3	2	-	1	2	2	-	1	-	-	-
FEMALE--	-	-	-	-	1	2	4	1	-	-	1	-
BLACK---MALE----	2	3	2	-	1	2	2	-	1	-	-	-
FEMALE--	-	-	-	-	1	2	4	1	-	-	1	-
FLORIDA -----	10	25	26	38	75	102	120	108	64	28	3	-
WHITE-----MALE----	4	11	13	24	44	53	58	44	22	3	1	-
FEMALE--	5	7	5	10	25	45	51	58	39	24	2	-
ALL OTHER--MALE----	-	2	2	3	2	1	6	1	1	-	-	-
FEMALE--	1	5	6	1	4	3	5	5	2	1	-	-
BLACK---MALE----	-	2	2	3	2	1	6	1	1	-	-	-
FEMALE--	1	5	6	-	4	3	4	5	2	1	-	-
GEORGIA -----	10	7	13	19	24	28	23	34	17	3	1	-
WHITE-----MALE----	5	4	4	10	10	12	8	4	2	1	1	-
FEMALE--	-	1	7	5	5	9	10	25	12	2	-	-
ALL OTHER--MALE----	2	2	1	2	2	3	1	1	-	-	-	-
FEMALE--	3	-	1	2	7	4	4	4	3	-	-	-
BLACK---MALE----	2	2	1	2	2	3	1	1	-	-	-	-
FEMALE--	3	-	1	2	7	4	4	4	3	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,200
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)												
HAWAII -----	31	2	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	5	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	34	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	19	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	547	4	2	5	2	3	6	4	8	11	16	14
WHITE-----MALE----	199	1	-	-	1	-	1	-	1	2	5	4
FEMALE--	244	2	-	5	1	-	3	-	-	-	2	4
ALL OTHER--MALE----	55	1	2	-	-	1	1	4	3	5	7	4
FEMALE--	49	-	-	-	-	2	1	-	4	4	2	2
BLACK---MALE----	54	-	2	-	-	1	1	4	3	5	7	4
FEMALE--	49	-	-	-	-	2	1	-	4	4	2	2
INDIANA -----	209	3	1	-	-	2	2	2	4	3	6	4
WHITE-----MALE----	93	2	1	-	-	-	-	-	1	1	4	3
FEMALE--	96	1	-	-	-	2	-	-	1	-	1	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	2	2	2	1	-
FEMALE--	8	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	2	1	2	1	-
FEMALE--	8	-	-	-	-	-	2	-	-	-	-	-
IOWA -----	156	1	-	1	-	-	-	-	1	1	-	2
WHITE-----MALE----	75	1	-	1	-	-	-	-	1	-	-	1
FEMALE--	80	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	108	-	-	-	1	-	2	-	1	2	1	1
WHITE-----MALE----	45	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	54	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	2	-	-	2	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	2	-	-	2	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,200
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	1	1	2	4	7	6	4	1	2	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	3	1	2	1	-	-	-	-
FEMALE--	1	1	-	2	3	5	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	1	-	3	4	4	11	4	3	1	1	-
WHITE-----MALE----	1	-	-	2	3	2	5	3	-	1	1	-
FEMALE--	-	1	-	1	1	2	6	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	16	15	31	39	39	77	97	83	44	23	8	-
WHITE-----MALE----	8	6	19	17	18	32	38	25	12	7	2	-
FEMALE--	3	3	7	18	15	34	47	49	29	16	6	-
ALL OTHER--MALE----	2	4	2	2	4	8	2	2	1	-	-	-
FEMALE--	3	2	3	2	2	3	10	7	2	-	-	-
BLACK---MALE----	2	4	2	2	4	8	2	2	1	-	-	-
FEMALE--	3	2	3	2	2	3	10	7	2	-	-	-
INDIANA -----	8	6	11	17	30	27	31	26	19	4	3	-
WHITE-----MALE----	1	4	4	10	17	13	16	10	5	1	-	-
FEMALE--	5	2	4	7	11	11	15	16	14	3	2	-
ALL OTHER--MALE----	1	-	2	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	2	-	-	-	-	1	-
BLACK---MALE----	1	-	2	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	2	-	-	-	-	1	-
IOWA -----	2	2	4	10	17	21	27	33	22	8	4	-
WHITE-----MALE----	2	2	3	6	10	13	11	12	8	4	-	-
FEMALE--	-	-	1	3	7	8	16	21	14	4	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	2	2	3	16	12	15	20	18	8	3	-
WHITE-----MALE----	-	2	-	1	9	4	7	9	8	2	1	-
FEMALE--	1	-	1	2	6	8	8	10	9	6	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,201
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	139	1	-	-	-	2	1	2	1	1	3	3
WHITE-----MALE----	56	1	-	-	-	1	-	-	-	-	1	2
FEMALE--	74	-	-	-	-	1	1	2	-	-	2	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
LOUISIANA -----	206	2	3	-	-	2	1	4	3	6	7	11
WHITE-----MALE----	58	-	-	-	-	-	1	-	-	-	2	2
FEMALE--	80	1	1	-	-	-	-	-	1	-	-	5
ALL OTHER--MALE----	32	1	1	-	-	1	-	1	1	3	2	2
FEMALE--	36	-	1	-	-	1	-	3	1	3	3	2
BLACK---MALE----	32	1	1	-	-	1	-	1	1	3	2	2
FEMALE--	36	-	1	-	-	1	-	3	1	3	3	2
MAINE -----	51	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	223	6	2	-	1	1	3	1	6	7	7	11
WHITE-----MALE----	73	3	2	-	-	-	1	-	3	1	1	1
FEMALE--	75	-	-	-	-	-	1	-	-	1	-	2
ALL OTHER--MALE----	36	2	-	-	-	-	-	-	-	2	5	5
FEMALE--	39	1	-	-	1	1	1	1	3	3	1	3
BLACK---MALE----	34	2	-	-	-	-	-	-	-	2	5	5
FEMALE--	39	1	-	-	1	1	1	1	3	3	1	3
MASSACHUSETTS -----	238	-	-	1	-	-	4	2	1	4	1	5
WHITE-----MALE----	101	-	-	1	-	-	2	-	-	3	1	3
FEMALE--	124	-	-	-	-	-	-	1	1	-	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	8	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	7	-	-	-	-	-	1	-	-	1	-	-
MICHIGAN -----	387	2	-	-	-	4	3	6	7	5	8	9
WHITE-----MALE----	150	1	-	-	-	1	-	-	1	3	-	2
FEMALE--	161	1	-	-	-	-	2	-	1	-	1	3
ALL OTHER--MALE----	43	-	-	-	-	2	1	6	3	2	5	4
FEMALE--	33	-	-	-	-	1	-	-	2	-	2	-
BLACK---MALE----	43	-	-	-	-	2	1	6	3	2	5	4
FEMALE--	32	-	-	-	-	1	-	-	2	-	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,201
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	5	4	6	12	20	16	23	18	13	5	3	-
WHITE-----MALE----	2	3	2	6	11	7	10	6	4	-	-	-
FEMALE--	3	1	4	6	6	9	13	9	9	5	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	-	1	-
BLACK---MALE----	-	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	-	1	-
LOUISIANA -----	6	9	8	23	27	21	27	22	16	6	2	-
WHITE-----MALE----	-	3	4	9	12	7	6	8	4	-	-	-
FEMALE--	2	2	2	10	10	11	12	9	11	1	2	-
ALL OTHER--MALE----	2	4	1	2	4	1	3	3	-	-	-	-
FEMALE--	2	-	1	2	1	2	6	2	1	5	-	-
BLACK---MALE----	2	4	1	2	4	1	3	3	-	-	-	-
FEMALE--	2	-	1	2	1	2	6	2	1	5	-	-
MAINE -----	2	2	1	4	7	4	8	8	9	3	1	-
WHITE-----MALE----	2	1	1	3	2	4	7	4	2	1	-	-
FEMALE--	-	1	-	1	5	-	1	4	7	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	9	8	18	28	24	35	29	14	7	3	-
WHITE-----MALE----	-	1	4	8	15	10	9	9	5	-	-	-
FEMALE--	-	3	1	4	7	8	16	16	7	6	3	-
ALL OTHER--MALE----	1	1	2	3	5	3	4	2	-	1	-	-
FEMALE--	2	4	1	3	1	3	6	2	2	-	-	-
BLACK---MALE----	1	1	2	2	5	3	4	1	-	1	-	-
FEMALE--	2	4	1	3	1	3	6	2	2	-	-	-
MASSACHUSETTS -----	6	5	7	18	30	30	53	30	29	12	-	-
WHITE-----MALE----	3	2	5	10	15	11	21	12	9	3	-	-
FEMALE--	2	3	2	6	14	18	28	18	20	9	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	3	-	-	-	-	-
FEMALE--	1	-	-	2	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	2	1	1	-	-	-	-	-	-
MICHIGAN -----	10	10	21	33	42	58	67	58	28	11	5	-
WHITE-----MALE----	2	5	10	14	25	32	31	15	6	2	-	-
FEMALE--	2	3	7	15	15	17	30	37	17	7	3	-
ALL OTHER--MALE----	3	1	3	2	1	3	1	3	2	-	1	-
FEMALE--	3	1	1	2	1	6	5	3	3	2	1	-
BLACK---MALE----	3	1	3	2	1	3	1	3	2	-	1	-
FEMALE--	3	1	1	2	1	6	4	3	3	2	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,202
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)												
MINNESOTA -----	176	1	-	-	-	-	1	4	4	-	2	2
WHITE-----MALE----	87	1	-	-	-	-	1	4	1	-	-	1
FEMALE--	82	-	-	-	-	-	-	-	3	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
MISSISSIPPI -----	105	-	1	2	-	1	-	2	8	4	3	5
WHITE-----MALE----	22	-	-	1	-	-	-	-	2	-	1	-
FEMALE--	38	-	-	-	-	1	-	-	4	-	-	1
ALL OTHER--MALE----	23	-	1	1	-	-	-	1	2	2	-	3
FEMALE--	22	-	-	-	-	-	-	1	-	2	2	1
BLACK---MALE----	23	-	1	1	-	-	-	1	2	2	-	3
FEMALE--	22	-	-	-	-	-	-	1	-	2	2	1
MISSOURI -----	220	1	1	-	1	2	2	1	2	1	4	1
WHITE-----MALE----	89	1	1	-	-	-	-	1	1	-	1	1
FEMALE--	102	-	-	-	1	1	1	-	-	1	2	-
ALL OTHER--MALE----	16	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	16	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	1	-	1	-	-	-
MONTANA -----	33	-	-	-	-	-	-	1	1	-	-	1
WHITE-----MALE----	14	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	70	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	30	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
NEVADA -----	55	-	1	-	-	1	-	-	1	2	1	4
WHITE-----MALE----	20	-	1	-	-	-	-	-	-	1	1	2
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	2	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,204
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)												
OHIO -----	473	2	5	2	1	1	5	3	7	6	14	13
WHITE-----MALE----	181	1	2	-	-	-	2	-	2	2	3	2
FEMALE--	223	-	-	-	1	-	1	-	2	2	3	5
ALL OTHER--MALE----	31	-	1	1	-	-	-	2	1	1	6	3
FEMALE--	38	1	2	1	-	1	2	1	2	1	2	3
BLACK---MALE----	31	-	1	1	-	-	-	2	1	1	6	3
FEMALE--	38	1	2	1	-	1	2	1	2	1	2	3
OKLAHOMA -----	110	-	3	-	1	-	-	1	2	3	1	-
WHITE-----MALE----	44	-	-	-	1	-	-	1	1	1	-	-
FEMALE--	55	-	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	8	-	1	-	-	-	-	-	1	2	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
OREGON -----	127	1	1	-	1	-	-	-	1	1	-	3
WHITE-----MALE----	63	-	-	-	1	-	-	-	-	1	-	1
FEMALE--	60	-	1	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	569	2	-	1	-	1	3	6	6	11	6	13
WHITE-----MALE----	232	1	-	-	-	-	1	1	2	2	2	6
FEMALE--	271	-	-	-	-	-	2	-	2	1	-	3
ALL OTHER--MALE----	31	-	-	-	-	1	-	2	1	5	1	3
FEMALE--	35	1	-	1	-	-	-	3	1	3	3	1
BLACK---MALE----	30	-	-	-	-	1	-	2	1	4	1	3
FEMALE--	33	1	-	1	-	-	-	3	1	3	3	1
RHODE ISLAND -----	40	2	-	-	-	1	1	-	-	-	-	1
WHITE-----MALE----	19	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	164	1	2	-	-	2	2	4	3	8	7	7
WHITE-----MALE----	46	-	-	-	-	1	-	-	1	1	1	1
FEMALE--	48	-	-	-	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	39	-	2	-	-	1	1	1	-	3	6	1
FEMALE--	31	1	-	-	-	-	1	2	2	3	-	4
BLACK---MALE----	39	-	2	-	-	1	1	1	-	3	6	1
FEMALE--	30	1	-	-	-	-	1	2	2	3	-	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,204
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	10	18	28	34	51	65	76	68	42	20	2	-
WHITE-----MALE----	3	10	15	15	22	28	39	22	10	3	-	-
FEMALE--	5	7	12	13	25	31	35	38	30	12	1	-
ALL OTHER--MALE----	1	1	-	3	2	4	2	1	-	1	1	-
FEMALE--	1	-	1	3	2	2	-	7	2	4	-	-
BLACK---MALE----	1	1	-	3	2	4	2	1	-	1	1	-
FEMALE--	1	-	1	3	2	2	-	7	2	4	-	-
OKLAHOMA -----	1	4	4	6	8	19	18	22	13	4	-	-
WHITE-----MALE----	-	-	1	3	5	5	8	10	6	2	-	-
FEMALE--	1	3	2	2	2	13	9	12	7	2	-	-
ALL OTHER--MALE----	-	1	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OREGON -----	3	2	3	8	13	13	25	26	20	6	-	-
WHITE-----MALE----	-	-	2	5	7	8	15	13	9	1	-	-
FEMALE--	3	1	1	3	5	5	10	12	11	5	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	8	15	23	41	64	95	99	102	49	20	4	-
WHITE-----MALE----	1	8	14	20	30	52	44	32	10	5	1	-
FEMALE--	4	4	4	17	27	42	49	65	35	13	3	-
ALL OTHER--MALE----	1	1	3	2	5	-	2	2	2	-	-	-
FEMALE--	2	2	2	2	2	1	4	3	2	2	-	-
BLACK---MALE----	1	1	3	2	5	-	2	2	2	-	-	-
FEMALE--	2	2	1	1	2	1	4	3	2	2	-	-
RHODE ISLAND -----	-	-	1	6	5	3	8	7	5	-	-	-
WHITE-----MALE----	-	-	-	3	2	2	5	4	1	-	-	-
FEMALE--	-	-	1	2	3	1	3	3	4	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	11	8	13	23	23	18	13	13	1	1	-
WHITE-----MALE----	1	3	1	4	9	7	10	3	2	-	1	-
FEMALE--	-	3	3	6	9	8	4	6	5	1	-	-
ALL OTHER--MALE----	3	5	2	1	1	4	4	3	1	-	-	-
FEMALE--	-	-	2	2	4	4	-	1	5	-	-	-
BLACK---MALE----	3	5	2	1	1	4	4	3	1	-	-	-
FEMALE--	-	-	2	2	4	3	-	1	5	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,205
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	33	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	215	2	-	-	-	-	2	2	1	5	6	10
WHITE-----MALE----	85	1	-	-	-	-	-	-	-	2	3	1
FEMALE--	92	-	-	-	-	-	-	-	-	1	2	3
ALL OTHER--MALE----	19	1	-	-	-	-	1	1	1	1	-	3
FEMALE--	19	-	-	-	-	-	1	1	-	1	1	3
BLACK---MALE----	18	1	-	-	-	-	1	1	1	1	-	3
FEMALE--	19	-	-	-	-	-	1	1	-	1	1	3
TEXAS -----	648	5	9	2	5	3	6	8	17	19	14	25
WHITE-----MALE----	272	2	2	1	1	1	1	2	3	3	7	10
FEMALE--	283	1	2	-	2	1	3	2	7	8	1	9
ALL OTHER--MALE----	44	-	3	-	2	-	2	-	2	5	3	4
FEMALE--	49	2	2	1	-	1	-	4	5	3	3	2
BLACK---MALE----	40	-	3	-	2	-	2	-	2	5	3	4
FEMALE--	47	2	2	1	-	1	-	4	5	3	3	1
UTAH -----	54	1	-	1	-	-	1	-	-	-	1	1
WHITE-----MALE----	23	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	31	-	-	1	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	36	-	-	-	-	-	-	1	-	2	-	1
WHITE-----MALE----	17	-	-	-	-	-	-	1	-	2	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	237	2	2	-	1	2	4	4	7	5	3	8
WHITE-----MALE----	94	-	-	-	1	-	-	1	2	-	1	2
FEMALE--	85	2	1	-	-	-	2	-	-	1	1	4
ALL OTHER--MALE----	24	-	1	-	-	1	1	1	3	3	1	2
FEMALE--	34	-	-	-	-	1	1	2	2	1	-	-
BLACK---MALE----	24	-	1	-	-	1	1	1	3	3	1	2
FEMALE--	33	-	-	-	-	1	1	2	2	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,205
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	2	1	2	4	4	5	7	5	1	1	-
WHITE-----MALE----	-	2	-	2	3	-	3	3	3	1	-	-
FEMALE--	-	-	1	-	1	1	2	4	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	9	14	15	19	26	45	27	16	9	3	-
WHITE-----MALE----	2	3	6	10	12	9	22	9	3	2	-	-
FEMALE--	1	3	5	4	6	15	18	13	12	7	2	-
ALL OTHER--MALE----	-	2	2	1	-	1	3	1	-	-	1	-
FEMALE--	1	1	1	-	1	1	2	4	1	-	-	-
BLACK---MALE----	-	2	2	1	-	1	2	1	-	-	1	-
FEMALE--	1	1	1	-	1	1	2	4	1	-	-	-
TEXAS -----	13	22	36	57	82	85	86	97	40	15	2	-
WHITE-----MALE----	5	9	17	34	41	44	47	29	12	1	-	-
FEMALE--	3	8	15	19	38	34	33	60	24	11	2	-
ALL OTHER--MALE----	5	3	2	3	3	2	1	3	-	1	-	-
FEMALE--	-	2	2	1	-	5	5	5	4	2	-	-
BLACK---MALE----	5	3	1	1	3	2	1	2	-	1	-	-
FEMALE--	-	2	2	1	-	5	5	4	4	2	-	-
UTAH -----	-	1	4	4	7	11	10	7	4	1	-	-
WHITE-----MALE----	-	-	3	-	3	4	6	4	1	-	-	-
FEMALE--	-	1	1	4	4	7	4	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	1	1	1	5	5	5	6	5	1	-	-
WHITE-----MALE----	2	-	-	-	2	3	1	4	1	1	-	-
FEMALE--	-	1	1	1	3	2	4	2	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	5	17	18	30	37	43	23	13	6	2	-
WHITE-----MALE----	1	2	7	12	18	18	16	9	4	-	-	-
FEMALE--	2	3	5	4	5	16	15	11	6	5	2	-
ALL OTHER--MALE----	1	-	1	1	3	1	4	-	-	-	-	-
FEMALE--	1	-	4	1	4	2	8	3	3	1	-	-
BLACK---MALE----	1	-	1	1	3	1	4	-	-	-	-	-
FEMALE--	1	-	3	1	4	2	8	3	3	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,207
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ANEMIAS (280-285)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	4,332	31	40	29	25	35	57	75	90	97	107	108
WHITE-----MALE----	1,372	8	6	7	10	5	8	9	8	6	14	22
FEMALE--	1,968	7	5	9	5	4	8	4	11	13	19	21
ALL OTHER--MALE----	448	7	17	8	6	14	18	34	36	38	37	32
FEMALE--	544	9	12	5	4	12	23	28	35	40	37	33
BLACK---MALE----	419	4	17	8	6	14	16	34	35	38	37	30
FEMALE--	510	4	11	5	4	12	23	27	35	39	37	32
ALABAMA -----	86	-	1	1	-	-	5	1	5	3	1	2
WHITE-----MALE----	22	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	34	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	12	-	1	-	-	-	1	-	1	3	1	-
FEMALE--	18	-	-	-	-	-	3	1	4	-	-	1
BLACK---MALE----	12	-	1	-	-	-	1	-	1	3	1	-
FEMALE--	18	-	-	-	-	-	3	1	4	-	-	1
ALASKA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	62	-	-	1	1	1	2	2	-	-	1	1
WHITE-----MALE----	30	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	22	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	1	-	-	1	2	-	-	1	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	1	-	-	1	2	-	-	1	1
ARKANSAS -----	63	1	-	-	-	-	2	-	2	-	1	1
WHITE-----MALE----	22	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	2	-	1	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	6	-	-	-	-	-	2	-	1	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	1	-
CALIFORNIA -----	272	7	5	5	6	7	3	6	5	5	6	8
WHITE-----MALE----	91	-	1	3	2	2	1	2	1	-	-	1
FEMALE--	111	2	1	1	2	1	-	2	1	-	2	2
ALL OTHER--MALE----	25	2	1	-	-	3	2	-	3	1	1	1
FEMALE--	45	3	2	1	2	1	-	2	-	4	3	4
BLACK---MALE----	15	1	1	-	-	3	-	-	3	1	1	1
FEMALE--	31	-	1	1	2	1	-	1	-	3	3	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,207
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
ANEMIAS (280-285)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	92	119	140	210	378	501	665	711	507	248	66	1
WHITE-----MALE----	25	50	53	91	179	208	274	215	125	40	9	-
FEMALE--	24	26	47	82	151	227	317	424	333	180	51	-
ALL OTHER--MALE----	21	24	19	14	23	32	28	25	9	3	2	1
FEMALE--	22	19	21	23	25	34	46	47	40	25	4	-
BLACK---MALE----	20	21	18	13	20	28	27	19	8	3	2	1
FEMALE--	21	19	20	18	23	30	41	45	36	24	4	-
ALABAMA -----	-	2	4	4	7	7	6	18	14	5	-	-
WHITE-----MALE----	-	1	-	1	4	3	3	7	2	-	-	-
FEMALE--	-	-	2	1	2	2	3	10	9	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	2	-	1	-	1	-	-
FEMALE--	-	1	1	2	1	-	-	-	3	1	-	-
BLACK---MALE----	-	-	1	-	-	2	-	1	-	1	-	-
FEMALE--	-	1	1	2	1	-	-	-	3	1	-	-
ALASKA -----	-	-	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	2	3	4	7	9	8	13	3	2	-	-
WHITE-----MALE----	-	1	1	3	4	6	6	5	1	1	-	-
FEMALE--	-	-	2	1	2	3	2	8	2	1	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	1	1	2	5	8	13	15	5	1	2	-
WHITE-----MALE----	2	1	-	1	3	5	3	3	1	-	1	-
FEMALE--	1	-	-	1	1	3	6	10	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	-	-	1	-	1	-	3	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	-	-	1	-	1	-	3	2	-	-	-	-
CALIFORNIA -----	12	14	10	18	24	27	44	36	14	10	-	-
WHITE-----MALE----	5	4	3	5	11	8	25	12	2	3	-	-
FEMALE--	3	4	5	8	10	16	13	21	10	7	-	-
ALL OTHER--MALE----	1	4	2	-	1	-	1	1	1	-	-	-
FEMALE--	3	2	-	5	2	3	5	2	1	-	-	-
BLACK---MALE----	1	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	2	2	3	2	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,208
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ANEMIAS (280-285)												
COLORADO -----	42	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	43	-	-	-	-	-	1	1	2	2	2	1
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	2	1	-	1
FEMALE--	6	-	-	-	-	-	1	-	-	-	2	-
BLACK---MALE----	5	-	-	-	-	-	-	1	2	1	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	2	-
DELAWARE -----	19	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ----	21	-	-	-	-	-	1	1	-	1	1	2
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	1	1	-	1	1	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	1	1	-	1	1	1
FLORIDA -----	304	2	5	4	2	3	2	2	12	9	9	5
WHITE-----MALE----	107	-	-	-	1	-	-	-	2	1	-	1
FEMALE--	126	-	-	1	-	-	-	-	1	1	4	-
ALL OTHER--MALE----	34	1	2	3	1	1	1	2	4	3	4	2
FEMALE--	37	1	3	-	-	2	1	-	5	4	1	2
BLACK---MALE----	34	1	2	3	1	1	2	2	4	3	4	2
FEMALE--	37	1	3	-	-	2	1	-	5	4	1	2
GEORGIA -----	121	-	6	3	2	-	4	5	5	3	11	5
WHITE-----MALE----	24	-	1	-	1	-	-	-	-	-	1	1
FEMALE--	38	-	-	1	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	24	-	3	2	1	-	-	3	3	1	2	1
FEMALE--	35	-	2	-	-	-	4	2	2	2	6	3
BLACK---MALE----	24	-	3	2	1	-	-	3	3	1	2	1
FEMALE--	35	-	2	-	-	-	4	2	2	2	6	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,208
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ANEMIAS (280-285)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	1	3	5	7	6	9	5	2	3	-
WHITE-----MALE----	-	-	-	1	3	4	4	4	-	-	1	-
FEMALE--	-	-	-	2	2	3	2	5	5	2	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	1	2	1	5	2	5	9	6	2	-	-
WHITE-----MALE----	-	-	-	1	3	1	2	6	1	-	-	-
FEMALE--	-	-	2	-	1	-	3	3	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	-	-	1	2	3	1	1	4	2	4	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	2	-	-	-
FEMALE--	-	-	-	1	3	1	-	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	1	-	-	-	-	3	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	1	-	-	-	-	3	-	1	-	-
DISTRICT OF COLUMBIA ----	-	2	-	-	-	4	4	1	3	-	1	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	2	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	1	-
BLACK---MALE----	-	2	-	-	-	2	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	1	-
FLORIDA -----	1	12	13	11	26	33	50	44	38	19	2	-
WHITE-----MALE----	-	6	7	6	16	20	21	13	11	1	1	-
FEMALE--	-	4	3	3	6	10	22	27	25	18	1	-
ALL OTHER--MALE----	-	1	1	2	1	-	4	1	-	-	-	-
FEMALE--	1	1	2	-	3	3	3	3	2	-	-	-
BLACK---MALE----	-	1	1	2	1	-	4	1	-	-	-	-
FEMALE--	1	1	2	-	3	3	3	3	2	-	-	-
GEORGIA -----	3	4	4	4	11	6	9	21	12	2	1	-
WHITE-----MALE----	-	2	2	1	4	1	4	3	1	1	1	-
FEMALE--	-	-	1	1	3	3	4	14	8	1	-	-
ALL OTHER--MALE----	1	2	-	1	-	2	1	1	-	-	-	-
FEMALE--	2	-	1	1	4	-	-	3	3	-	-	-
BLACK---MALE----	1	2	-	1	-	2	1	1	-	-	-	-
FEMALE--	2	-	1	1	4	-	-	3	3	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,209
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 ANEMIAS (280-285)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	13	2	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	14	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	235	-	1	4	2	3	3	4	3	6	5	5
WHITE-----MALE----	68	-	-	-	1	-	1	-	-	1	1	1
FEMALE--	113	-	-	4	1	-	1	-	-	-	1	1
ALL OTHER--MALE----	26	-	1	-	-	1	1	4	1	2	2	1
FEMALE--	28	-	-	-	-	2	-	-	2	3	1	2
BLACK---MALE----	26	-	1	-	-	1	1	4	1	2	2	1
FEMALE--	28	-	-	-	-	2	-	-	2	3	1	2
INDIANA -----	89	-	-	-	-	1	1	2	2	2	3	3
WHITE-----MALE----	32	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	43	-	-	-	-	1	-	-	-	-	1	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	2	2	2	1	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	2	1	2	1	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	-
IOWA -----	63	-	-	1	-	-	-	-	1	1	-	-
WHITE-----MALE----	25	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	38	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	53	-	-	-	-	-	2	-	1	1	-	1
WHITE-----MALE----	18	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	2	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	2	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,209
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ANEMIAS (280-285)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	-	2	2	3	2	1	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	-	1	1	3	5	1	2	-	-	-
WHITE-----MALE----	1	-	-	1	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	3	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	7	5	7	8	14	30	34	41	27	19	7	-
WHITE-----MALE----	3	2	4	2	6	7	12	11	8	6	2	-
FEMALE--	-	1	2	4	4	16	18	25	17	13	5	-
ALL OTHER--MALE----	1	1	1	-	3	5	-	1	1	-	-	-
FEMALE--	3	1	-	2	1	2	4	4	1	-	-	-
BLACK---MALE----	1	1	1	-	3	5	-	1	1	-	-	-
FEMALE--	3	1	-	2	1	2	4	4	1	-	-	-
INDIANA -----	4	4	4	3	12	10	14	12	8	2	2	-
WHITE-----MALE----	1	2	1	2	8	5	6	4	-	-	-	-
FEMALE--	2	2	1	1	3	3	8	8	8	2	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	2	-	-	-	-	-	-
IOWA -----	-	-	3	3	5	7	12	12	10	5	3	-
WHITE-----MALE----	-	-	2	2	2	3	4	5	3	2	-	-
FEMALE--	-	-	1	1	3	4	8	7	7	3	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	2	-	3	4	4	14	13	6	2	-
WHITE-----MALE----	-	-	-	-	1	1	2	6	5	1	-	-
FEMALE--	-	-	1	-	2	3	2	7	8	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,210
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 ANEMIAS (280-285)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	81	-	-	-	-	2	1	1	1	-	2	2
WHITE-----MALE----	25	-	-	-	-	1	-	-	-	-	1	2
FEMALE--	50	-	-	-	-	1	1	1	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
LOUISIANA -----	108	1	2	-	-	1	-	3	3	4	6	4
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	38	1	1	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	16	-	-	-	-	1	-	1	1	1	2	1
FEMALE--	27	-	1	-	-	-	-	2	1	3	3	1
BLACK---MALE----	16	-	-	-	-	1	-	1	1	1	2	1
FEMALE--	27	-	1	-	-	-	-	2	1	3	3	1
MAINE -----	19	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	97	4	-	-	1	1	-	-	2	2	3	6
WHITE-----MALE----	25	2	-	-	-	-	-	-	-	1	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	22	1	-	-	-	-	-	-	-	-	3	3
FEMALE--	23	1	-	-	1	1	-	-	2	1	-	3
BLACK---MALE----	21	1	-	-	-	-	-	-	-	-	3	3
FEMALE--	23	1	-	-	1	1	-	-	2	1	-	3
MASSACHUSETTS -----	89	-	-	-	-	-	2	2	-	1	-	-
WHITE-----MALE----	31	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	52	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
MICHIGAN -----	153	1	-	-	-	3	2	6	4	-	5	4
WHITE-----MALE----	46	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	61	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	26	-	-	-	-	1	1	6	3	-	3	3
FEMALE--	20	-	-	-	-	1	-	-	1	-	2	-
BLACK---MALE----	26	-	-	-	-	1	1	6	3	-	3	3
FEMALE--	20	-	-	-	-	1	-	-	1	-	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,210
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
ANEMIAS (280-285)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	2	2	1	6	12	7	12	12	10	5	3	-
WHITE-----MALE----	-	2	-	3	5	1	5	4	1	-	-	-
FEMALE--	2	-	1	3	5	6	7	6	9	5	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	1	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	1	-
LOUISIANA -----	3	2	4	8	11	11	14	16	8	5	2	-
WHITE-----MALE----	-	1	2	1	7	5	3	3	4	-	-	-
FEMALE--	-	1	1	6	2	4	5	8	3	1	2	-
ALL OTHER--MALE----	1	-	1	1	2	1	-	3	-	-	-	-
FEMALE--	2	-	-	-	-	1	6	2	1	4	-	-
BLACK---MALE----	1	-	1	1	2	1	-	3	-	-	-	-
FEMALE--	2	-	-	-	-	1	6	2	1	4	-	-
MAINE -----	1	-	-	-	2	1	3	6	3	2	1	-
WHITE-----MALE----	1	-	-	-	1	1	2	3	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	3	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	6	2	4	8	13	13	16	10	3	2	-
WHITE-----MALE----	-	-	-	-	3	8	1	5	5	-	-	-
FEMALE--	-	1	-	1	2	1	6	8	3	3	2	-
ALL OTHER--MALE----	1	1	2	2	3	2	2	2	-	-	-	-
FEMALE--	-	4	-	1	-	2	4	1	2	-	-	-
BLACK---MALE----	1	1	2	2	3	2	2	1	-	-	-	-
FEMALE--	-	4	-	1	-	2	4	1	2	-	-	-
MASSACHUSETTS -----	1	3	1	2	10	7	25	9	17	9	-	-
WHITE-----MALE----	1	2	1	1	5	-	9	6	4	1	-	-
FEMALE--	-	1	-	1	4	7	14	3	13	8	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN -----	4	4	6	6	12	21	18	25	20	8	4	-
WHITE-----MALE----	1	2	4	2	7	10	8	4	5	1	-	-
FEMALE--	-	-	1	2	4	6	8	18	12	5	3	-
ALL OTHER--MALE----	2	1	1	1	-	1	-	2	1	-	-	-
FEMALE--	1	1	-	1	1	4	2	1	2	2	1	-
BLACK---MALE----	2	1	1	1	-	1	-	2	1	-	-	-
FEMALE--	1	1	-	1	1	4	2	1	2	2	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,213
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ANEMIAS (280-285)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	231	-	2	2	-	1	2	3	3	4	9	6
WHITE-----MALE----	71	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	117	-	-	-	-	-	1	-	-	1	1	1
ALL OTHER--MALE----	19	-	1	1	-	-	-	2	1	1	5	3
FEMALE--	24	-	1	1	-	1	1	1	2	1	2	2
BLACK---MALE----	19	-	1	1	-	-	-	2	1	1	5	3
FEMALE--	24	-	1	1	-	1	1	1	2	1	2	2
OKLAHOMA -----	46	-	-	-	-	-	-	-	1	1	1	-
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	57	1	1	-	-	-	-	-	-	1	-	2
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	32	-	1	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	259	2	-	1	-	1	2	5	2	5	4	7
WHITE-----MALE----	87	1	-	-	-	-	1	-	-	-	-	4
FEMALE--	135	-	-	-	-	-	1	-	-	-	-	2
ALL OTHER--MALE----	15	-	-	-	-	1	-	2	1	3	1	1
FEMALE--	22	1	-	1	-	-	-	3	1	2	3	-
BLACK---MALE----	15	-	-	-	-	1	-	2	1	3	1	1
FEMALE--	22	1	-	1	-	-	-	3	1	2	3	-
RHODE ISLAND -----	13	1	-	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	77	-	2	-	-	1	2	3	1	4	3	4
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	22	-	2	-	-	1	1	1	-	1	3	1
FEMALE--	21	-	-	-	-	-	1	2	1	3	-	2
BLACK---MALE----	22	-	2	-	-	1	1	1	-	1	3	1
FEMALE--	20	-	-	-	-	-	1	2	1	3	-	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,213
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ANEMIAS (280-285)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	2	7	7	15	18	24	37	42	31	15	1	-
WHITE-----MALE----	1	4	2	7	9	8	19	11	6	2	-	-
FEMALE--	-	2	5	7	8	13	18	26	23	10	1	-
ALL OTHER--MALE----	-	1	-	-	1	2	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	4	2	3	-	-
BLACK---MALE----	-	1	-	-	1	2	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	4	2	3	-	-
OKLAHOMA -----	-	2	2	2	3	10	8	8	4	4	-	-
WHITE-----MALE----	-	-	-	1	3	2	2	6	2	2	-	-
FEMALE--	-	1	2	-	-	7	6	2	2	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OREGON -----	2	-	1	1	3	4	10	14	14	3	-	-
WHITE-----MALE----	-	-	1	1	-	1	6	5	7	-	-	-
FEMALE--	2	-	-	-	2	3	4	8	7	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	5	7	11	20	35	51	48	28	17	4	-
WHITE-----MALE----	-	3	4	5	8	19	20	12	5	4	1	-
FEMALE--	2	1	1	6	9	16	27	34	22	11	3	-
ALL OTHER--MALE----	1	-	1	-	2	-	2	-	-	-	-	-
FEMALE--	1	1	1	-	1	-	2	2	1	2	-	-
BLACK---MALE----	1	-	1	-	2	-	2	-	-	-	-	-
FEMALE--	1	1	1	-	1	-	2	2	1	2	-	-
RHODE ISLAND -----	-	-	1	-	2	-	4	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	2	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	6	3	4	7	13	9	4	9	-	1	-
WHITE-----MALE----	-	2	-	1	2	3	5	2	1	-	1	-
FEMALE--	-	1	1	-	4	3	2	2	3	-	-	-
ALL OTHER--MALE----	1	3	1	1	-	3	2	-	1	-	-	-
FEMALE--	-	-	1	2	1	4	-	-	4	-	-	-
BLACK---MALE----	1	3	1	1	-	3	2	-	1	-	-	-
FEMALE--	-	-	1	2	1	3	-	-	4	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,214
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ANEMIAS (280-285)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	16	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	93	1	-	-	-	-	2	2	-	1	1	4
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	43	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	14	1	-	-	-	-	1	1	-	1	-	2
FEMALE--	9	-	-	-	-	-	1	1	-	-	1	1
BLACK---MALE----	14	1	-	-	-	-	1	1	-	1	-	2
FEMALE--	9	-	-	-	-	-	1	1	-	-	1	1
TEXAS -----	316	1	6	1	2	2	2	6	8	11	8	9
WHITE-----MALE----	104	-	1	-	-	1	-	2	-	-	3	3
FEMALE--	146	-	-	-	-	-	-	-	2	5	-	2
ALL OTHER--MALE----	30	-	3	-	2	-	2	-	2	4	2	3
FEMALE--	36	1	2	1	-	1	-	4	4	2	3	1
BLACK---MALE----	28	-	3	-	2	-	2	-	2	4	2	3
FEMALE--	34	1	2	1	-	1	-	4	4	2	3	-
UTAH -----	18	1	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	8	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	16	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	100	-	2	-	1	1	2	4	4	4	2	3
WHITE-----MALE----	25	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	39	-	1	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	15	-	1	-	-	-	1	1	2	3	1	1
FEMALE--	21	-	-	-	-	1	1	2	2	-	-	-
BLACK---MALE----	15	-	1	-	-	-	1	1	2	3	1	1
FEMALE--	20	-	-	-	-	1	1	2	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,214
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ANEMIAS (280-285)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	-	1	1	-	3	5	3	1	1	-
WHITE-----MALE----	-	1	-	1	1	-	1	2	1	1	-	-
FEMALE--	-	-	-	-	-	-	2	3	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	5	7	7	4	6	19	14	11	6	3	-
WHITE-----MALE----	-	1	4	5	1	3	8	2	2	1	-	-
FEMALE--	-	2	1	1	3	3	9	8	8	5	2	-
ALL OTHER--MALE----	-	1	2	1	-	-	2	1	-	-	1	-
FEMALE--	-	1	-	-	-	-	-	3	1	-	-	-
BLACK---MALE----	-	1	2	1	-	-	2	1	-	-	1	-
FEMALE--	-	1	-	-	-	-	-	3	1	-	-	-
TEXAS -----	5	9	14	21	39	38	39	59	22	12	2	-
WHITE-----MALE----	-	3	5	10	20	20	18	13	4	1	-	-
FEMALE--	2	2	6	11	17	15	19	40	15	8	2	-
ALL OTHER--MALE----	3	2	1	-	2	-	-	3	-	1	-	-
FEMALE--	-	2	2	-	-	3	2	3	3	2	-	-
BLACK---MALE----	3	2	-	-	2	-	-	2	-	1	-	-
FEMALE--	-	2	2	-	-	3	2	2	3	2	-	-
UTAH -----	-	-	-	-	3	2	5	3	2	1	-	-
WHITE-----MALE----	-	-	-	-	2	-	2	2	1	-	-	-
FEMALE--	-	-	-	-	1	2	3	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	1	-	1	3	2	3	1	2	-	-	-
WHITE-----MALE----	2	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	2	2	3	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	6	6	8	13	17	12	7	4	2	-
WHITE-----MALE----	-	1	1	4	3	4	5	3	2	-	-	-
FEMALE--	1	-	-	1	3	8	6	6	4	3	2	-
ALL OTHER--MALE----	-	-	1	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	4	1	1	-	4	3	1	1	-	-
BLACK---MALE----	-	-	1	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	3	1	1	-	4	3	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,219
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 DEFICIENCY ANEMIAS (280-281)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	-	1	1	1	2	1	1	1	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	1	1	2	1	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	-	-	1	-	-	-	-	1	1	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	-	1	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	-	1	1	-	2	2	2	3	-	1	-
WHITE-----MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	2	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,223
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 DEFICIENCY ANEMIAS (280-281)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	-	-	-	1	1	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	-	-	-	7	1	6	8	2	3	-	-
WHITE-----MALE----	-	-	-	-	5	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	3	6	1	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
UTAH -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	1	1	-	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,225
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEMOLYTIC ANEMIAS (282-283)												
0 UNITED STATES --	860	19	34	13	17	27	40	63	73	70	74	58
WHITE-----MALE----	120	3	3	1	4	2	2	5	4	-	3	2
FEMALE--	211	2	3	2	3	-	1	3	3	2	7	5
ALL OTHER--MALE----	258	6	17	7	6	13	16	28	33	34	32	25
FEMALE--	271	8	11	3	4	12	21	27	33	34	32	26
BLACK---MALE----	250	3	17	7	6	13	15	28	32	34	32	25
FEMALE--	261	3	10	3	4	12	21	26	33	34	32	26
ALABAMA -----	23	-	1	-	-	-	4	1	5	3	1	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	1	-	-	-	1	-	1	3	1	-
FEMALE--	11	-	-	-	-	-	3	1	4	-	-	-
BLACK---MALE----	7	-	1	-	-	-	1	-	1	3	1	-
FEMALE--	11	-	-	-	-	-	3	1	4	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	8	-	-	1	-	-	1	2	-	-	1	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	1	-	-	1	2	-	-	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	1	-	-	1	2	-	-	1	1
ARKANSAS -----	10	1	-	-	-	-	1	-	2	-	1	-
WHITE-----MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
CALIFORNIA -----	77	6	4	-	4	4	1	4	4	3	4	5
WHITE-----MALE----	11	-	1	-	1	1	-	1	-	-	-	-
FEMALE--	23	1	-	-	1	-	-	1	1	-	1	-
ALL OTHER--MALE----	17	2	1	-	-	2	1	-	3	1	1	1
FEMALE--	26	3	2	-	2	1	-	2	-	2	2	4
BLACK---MALE----	14	1	1	-	-	2	-	-	3	1	1	1
FEMALE--	20	-	1	-	2	1	-	1	-	2	2	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,225
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 HEMOLYTIC ANEMIAS (282-283)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	39	37	30	29	67	42	51	44	27	5	1	-
WHITE-----MALE----	8	5	5	9	20	11	16	8	9	-	-	-
FEMALE--	4	4	9	10	39	28	30	35	16	4	1	-
ALL OTHER--MALE----	14	13	7	2	3	1	-	-	-	1	-	-
FEMALE--	13	15	9	8	5	2	5	1	2	-	-	-
BLACK---MALE----	13	12	7	2	3	-	-	-	-	1	-	-
FEMALE--	13	15	9	7	5	1	5	1	1	-	-	-
ALABAMA -----	-	1	2	2	1	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	-	-	1	-	-	1	-	1	-	-	-
WHITE-----MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	5	6	4	3	8	5	3	3	1	-	-	-
WHITE-----MALE----	1	1	1	-	1	-	2	1	-	-	-	-
FEMALE--	-	1	1	1	6	5	1	2	1	-	-	-
ALL OTHER--MALE----	1	2	2	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	2	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	1	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,226
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 HEMOLYTIC ANEMIAS (282-283)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	6	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	10	-	-	-	-	-	1	-	2	1	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	2	1	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	2	1	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	1	-
DELAWARE -----	2	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ----	6	-	-	-	-	-	-	1	-	1	1	2
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	1	-	1	1	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	1	-	1	1	1
FLORIDA -----	65	1	5	4	2	3	2	2	8	6	6	3
WHITE-----MALE----	9	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	13	-	-	1	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	21	-	2	3	1	1	1	2	4	2	4	1
FEMALE--	22	1	3	-	-	2	1	-	3	4	1	2
BLACK---MALE----	21	-	2	3	1	1	2	2	4	2	4	1
FEMALE--	22	1	3	-	-	2	1	-	3	4	1	2
GEORGIA -----	41	-	5	1	1	-	4	5	4	2	9	4
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	16	-	3	1	1	-	-	3	2	-	2	1
FEMALE--	23	-	2	-	-	-	4	2	2	2	6	3
BLACK---MALE----	16	-	3	1	1	-	-	3	2	-	2	1
FEMALE--	23	-	2	-	-	-	4	2	2	2	6	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,226
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 HEMOLYTIC ANEMIAS (282-283)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	-	-	2	1	-	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	1	-	2	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	1	4	-	5	2	5	3	2	-	-	-
WHITE-----MALE----	-	-	1	-	2	-	2	1	1	-	-	-
FEMALE--	-	-	1	-	2	2	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	2	-	1	-	-	-	-	-	-	-
GEORGIA -----	2	2	-	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,227
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 HEMOLYTIC ANEMIAS (282-283)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	2	2	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	36	-	1	-	2	3	1	3	3	4	2	3
WHITE-----MALE----	4	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	-	1	-	-	1	1	3	1	2	1	1
FEMALE--	11	-	-	-	-	2	-	-	2	2	1	1
BLACK---MALE----	13	-	1	-	-	1	1	3	1	2	1	1
FEMALE--	11	-	-	-	-	2	-	-	2	2	1	1
INDIANA -----	18	-	-	-	-	-	1	1	2	2	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	2	2	1	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	1	1	2	1	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
IOWA -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	6	-	-	-	-	-	1	-	1	1	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,228
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 HEMOLYTIC ANEMIAS (282-283)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	8	-	-	-	-	-	-	1	1	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
LOUISIANA -----	26	-	2	-	-	1	-	3	3	4	4	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	1	-	1	1	1	2	-
FEMALE--	11	-	1	-	-	-	-	2	1	3	2	1
BLACK---MALE----	8	-	-	-	-	1	-	1	1	1	2	-
FEMALE--	11	-	1	-	-	-	-	2	1	3	2	1
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	27	2	-	-	1	1	-	-	2	1	3	6
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	-	-	3	3
FEMALE--	13	1	-	-	1	1	-	-	2	1	-	3
BLACK---MALE----	9	1	-	-	-	-	-	-	-	-	3	3
FEMALE--	13	1	-	-	1	1	-	-	2	1	-	3
MASSACHUSETTS -----	6	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	34	1	-	-	-	2	1	4	4	-	5	3
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	17	-	-	-	-	1	1	4	3	-	3	3
FEMALE--	6	-	-	-	-	1	-	-	1	-	2	-
BLACK---MALE----	17	-	-	-	-	1	1	4	3	-	3	3
FEMALE--	6	-	-	-	-	1	-	-	1	-	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,231
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEMOLYTIC ANEMIAS (282-283)												
OHIO -----	40	-	2	2	-	1	1	3	2	2	7	4
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	-	1	1	-	-	-	2	-	1	5	3
FEMALE--	13	-	1	1	-	1	1	1	2	1	2	1
BLACK---MALE----	13	-	1	1	-	-	-	2	-	1	5	3
FEMALE--	13	-	1	1	-	1	1	1	2	1	2	1
OKLAHOMA -----	6	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	12	1	1	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	41	-	-	-	-	1	1	5	2	5	4	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	1	-	2	1	3	1	1
FEMALE--	12	-	-	-	-	-	-	3	1	2	3	-
BLACK---MALE----	10	-	-	-	-	1	-	2	1	3	1	1
FEMALE--	12	-	-	-	-	-	-	3	1	2	3	-
RHODE ISLAND -----	5	1	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	29	-	2	-	-	1	2	3	1	4	3	3
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	-	2	-	-	1	1	1	-	1	3	1
FEMALE--	12	-	-	-	-	-	1	2	1	3	-	2
BLACK---MALE----	14	-	2	-	-	1	1	1	-	1	3	1
FEMALE--	12	-	-	-	-	-	1	2	1	3	-	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,231
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 HEMOLYTIC ANEMIAS (282-283)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	1	-	1	1	2	1	4	6	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	2	1	4	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
OKLAHOMA -----	-	1	-	-	1	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	1	-	1	1	2	3	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	1	-	2	4	2	6	3	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	2	-	1	-	-	-
FEMALE--	1	-	-	1	3	2	3	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	2	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	3	2	1	1	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	1	-	-	-
BLACK---MALE----	1	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,232
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 HEMOLYTIC ANEMIAS (282-283)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	19	1	-	-	-	-	2	2	-	-	-	3
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	1	-	-	-	-	1	1	-	-	-	2
FEMALE--	4	-	-	-	-	-	1	1	-	-	-	1
BLACK---MALE----	7	1	-	-	-	-	1	1	-	-	-	2
FEMALE--	4	-	-	-	-	-	1	1	-	-	-	1
TEXAS -----	66	1	4	1	2	2	2	5	6	6	5	2
WHITE-----MALE----	12	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	19	-	3	-	2	-	2	-	2	4	2	2
FEMALE--	20	1	1	1	-	1	-	4	4	2	3	-
BLACK---MALE----	19	-	3	-	2	-	2	-	2	4	2	2
FEMALE--	20	1	1	1	-	1	-	4	4	2	3	-
UTAH -----	2	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	26	-	1	-	-	1	2	2	4	2	1	2
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	9	-	1	-	-	-	1	1	2	2	-	1
FEMALE--	10	-	-	-	-	1	1	1	2	-	-	-
BLACK---MALE----	9	-	1	-	-	-	1	1	2	2	-	1
FEMALE--	10	-	-	-	-	1	1	1	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,232
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 HEMOLYTIC ANEMIAS (282-283)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	2	2	1	-	1	3	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	3	1	-	1	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
TEXAS -----	2	3	2	3	6	6	2	6	-	-	-	-
WHITE-----MALE----	-	-	-	2	3	4	1	-	-	-	-	-
FEMALE--	1	-	1	1	3	2	1	6	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	3	2	1	1	2	-	1	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	3	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	3	-	-	-	2	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,234
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 APLASTIC ANEMIA (284)												
0 UNITED STATES --	23	48	59	103	130	193	243	216	116	49	12	-
WHITE-----MALE----	8	26	26	54	69	91	117	79	36	12	2	-
FEMALE--	13	16	23	39	49	88	108	124	72	32	10	-
ALL OTHER--MALE----	1	6	4	4	7	5	8	1	2	-	-	-
FEMALE--	1	-	6	6	5	9	10	12	6	5	-	-
BLACK---MALE----	1	5	3	3	6	4	7	1	1	-	-	-
FEMALE--	1	-	5	3	4	7	8	11	6	5	-	-
ALABAMA -----	-	1	1	1	2	2	2	5	5	1	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	2	1	-	-	-
FEMALE--	-	-	-	1	2	1	2	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	3	3	4	7	3	4	-	-	-	-
WHITE-----MALE----	-	1	1	2	2	5	3	1	-	-	-	-
FEMALE--	-	-	2	1	1	2	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	1	1	2	3	1	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	3	-	-	1	-	-	-
FEMALE--	1	-	-	1	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	5	5	5	9	10	15	28	17	6	5	-	-
WHITE-----MALE----	2	1	2	3	7	6	18	4	-	1	-	-
FEMALE--	3	3	3	3	2	7	5	11	5	4	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	3	-	2	4	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	2	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,235
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 APLASTIC ANEMIA (284)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	1	3	2	2	4	2	-	-	-	-
WHITE-----MALE----	-	-	-	1	2	1	2	1	-	-	-	-
FEMALE--	-	-	-	2	-	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	1	-	1	2	4	-	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	3	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	-	-	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	6	3	5	9	13	24	9	8	4	1	-
WHITE-----MALE----	-	3	2	3	4	10	11	3	4	-	1	-
FEMALE--	-	2	1	2	3	3	10	5	4	4	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
GEORGIA -----	-	1	2	3	3	2	3	6	3	-	-	-
WHITE-----MALE----	-	1	1	1	1	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,236
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 APLASTIC ANEMIA (284)												
HAWAII -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	71	-	-	4	-	-	2	-	-	-	1	1
WHITE-----MALE----	27	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	40	-	-	4	-	-	1	-	-	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
INDIANA -----	23	-	-	-	-	1	-	-	-	-	1	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	14	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	25	-	-	1	-	-	-	-	1	1	-	-
WHITE-----MALE----	11	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	16	-	-	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,237
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 APLASTIC ANEMIA (284)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	2	-	2	6	1	5	4	4	-	-	-
WHITE-----MALE----	-	2	-	-	3	-	3	2	-	-	-	-
FEMALE--	1	-	-	2	2	1	2	2	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	3	4	3	4	2	4	1	1	1	-
WHITE-----MALE----	-	-	2	1	2	2	2	-	1	-	-	-
FEMALE--	-	-	1	3	-	1	-	2	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	1	-	-
MAINE -----	-	-	-	-	-	-	-	4	1	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	3	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	1	2	3	3	5	3	-	-	-
WHITE-----MALE----	-	-	-	-	2	3	-	2	1	-	-	-
FEMALE--	-	-	-	1	-	-	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
MASSACHUSETTS -----	-	3	-	1	3	5	8	-	7	1	-	-
WHITE-----MALE----	-	2	-	1	3	-	5	-	1	-	-	-
FEMALE--	-	1	-	-	-	5	3	-	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	-	2	2	2	7	5	10	2	1	1	-
WHITE-----MALE----	-	-	1	1	1	6	2	-	2	-	-	-
FEMALE--	-	-	-	1	-	1	2	9	-	1	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,240
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 APLASTIC ANEMIA (284)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	1	4	5	6	10	5	12	11	6	2	-	-
WHITE-----MALE----	1	2	2	4	4	3	7	3	1	1	-	-
FEMALE--	-	2	3	2	5	1	5	7	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
OKLAHOMA -----	-	1	1	1	1	1	-	4	2	1	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	4	1	1	-	-
FEMALE--	-	1	1	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	2	-	-	-	1	2	4	3	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	3	3	-	-	-
FEMALE--	2	-	-	-	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	3	2	6	8	14	18	13	2	5	-	-
WHITE-----MALE----	-	2	2	3	4	7	6	4	1	1	-	-
FEMALE--	1	1	-	3	4	7	12	8	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	2	-	-
RHODE ISLAND -----	-	-	1	-	-	-	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	2	1	1	1	5	2	1	3	-	-	-
WHITE-----MALE----	-	1	-	1	-	1	2	1	1	-	-	-
FEMALE--	-	-	1	-	1	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,241
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 APLASTIC ANEMIA (284)												
SOUTH DAKOTA -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	33	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	93	-	2	-	-	-	-	1	1	2	1	2
WHITE-----MALE----	39	-	1	-	-	-	-	1	-	-	1	1
FEMALE--	45	-	-	-	-	-	-	-	1	2	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	1	-	-	-	-	-	-	-	-	-
UTAH -----	9	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	35	-	1	-	1	-	-	1	-	-	1	1
WHITE-----MALE----	13	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	17	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,241
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 APLASTIC ANEMIA (284)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	-	1	1	-	1	1	1	-	-	-
WHITE-----MALE----	-	1	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	2	4	3	3	3	9	3	3	1	1	-
WHITE-----MALE----	-	1	3	3	1	1	5	1	-	1	-	-
FEMALE--	-	-	1	-	2	2	3	2	3	-	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	1	3	6	9	12	15	11	21	3	2	1	-
WHITE-----MALE----	-	1	1	5	4	7	6	10	1	-	-	-
FEMALE--	-	1	4	4	7	6	5	11	2	1	1	-
ALL OTHER--MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	1	-	-
BLACK---MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	1	-	-
UTAH -----	-	-	-	-	2	1	3	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	1	2	2	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	2	3	4	7	6	5	-	1	1	-
WHITE-----MALE----	-	-	1	3	2	3	2	1	-	-	-	-
FEMALE--	1	-	-	-	2	4	2	4	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,243
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER AND UNSPECIFIED ANEMIAS (285)												
0 UNITED STATES --	1,876	3	-	3	-	1	4	4	4	16	17	24
WHITE-----MALE----	600	2	-	-	-	1	2	2	-	4	6	9
FEMALE--	955	1	-	1	-	-	2	-	2	5	4	6
ALL OTHER--MALE----	132	-	-	1	-	-	-	2	2	3	4	4
FEMALE--	189	-	-	1	-	-	-	-	-	4	3	5
BLACK---MALE----	121	-	-	1	-	-	-	2	2	3	4	3
FEMALE--	178	-	-	1	-	-	-	-	-	4	3	5
ALABAMA -----	36	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALASKA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	20	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	33	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	55	-	-	1	-	1	1	1	-	1	-	-
WHITE-----MALE----	22	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	26	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,243
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND UNSPECIFIED ANEMIAS (285)												
0 UNITED STATES --	28	31	45	72	161	243	328	378	313	159	41	1
WHITE-----MALE----	8	17	18	26	78	99	127	105	71	20	5	-
FEMALE--	6	5	14	30	55	97	154	219	205	118	31	-
ALL OTHER--MALE----	6	5	8	8	13	25	18	22	7	2	1	1
FEMALE--	8	4	5	8	15	22	29	32	30	19	4	-
BLACK---MALE----	6	4	8	8	11	24	18	16	7	2	1	1
FEMALE--	7	4	5	7	14	21	26	32	27	18	4	-
ALABAMA -----	-	-	1	1	3	5	4	12	6	3	-	-
WHITE-----MALE----	-	-	-	1	2	2	3	5	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	6	3	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	2	-	1	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	-	2	1	-	-
BLACK---MALE----	-	-	1	-	-	2	-	1	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	-	2	1	-	-
ALASKA -----	-	-	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	-	-	3	2	5	4	2	2	-	-
WHITE-----MALE----	-	-	-	-	2	1	3	1	1	1	-	-
FEMALE--	-	-	-	-	1	1	2	3	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	-	-	3	4	9	13	2	-	1	-
WHITE-----MALE----	-	1	-	-	2	2	3	3	-	-	1	-
FEMALE--	-	-	-	-	1	2	4	8	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	-	-	-	-
CALIFORNIA -----	2	2	1	6	6	6	8	14	4	1	-	-
WHITE-----MALE----	2	1	-	2	3	2	2	5	2	-	-	-
FEMALE--	-	-	1	4	2	3	5	8	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,244
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER AND UNSPECIFIED ANEMIAS (285)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	-	-	-	4	1	5	3	-	3	-
WHITE-----MALE----	-	-	-	-	-	3	1	3	-	-	1	-
FEMALE--	-	-	-	-	-	1	-	2	3	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	1	-	3	1	3	2	6	1	-	-
WHITE-----MALE----	-	-	-	-	2	1	1	1	1	-	-	-
FEMALE--	-	-	1	-	-	-	2	1	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	1	3	-	1	4	2	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	2	-	-	-
FEMALE--	-	-	-	1	3	-	-	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	3	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	3	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	4	3	-	3	-	1	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	1	-
FLORIDA -----	-	5	5	5	12	17	20	31	26	14	1	-
WHITE-----MALE----	-	3	3	2	10	9	8	9	6	1	-	-
FEMALE--	-	2	1	1	1	5	8	19	18	13	1	-
ALL OTHER--MALE----	-	-	1	2	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	3	3	2	2	-	-	-
BLACK---MALE----	-	-	1	2	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	3	3	2	2	-	-	-
GEORGIA -----	1	-	2	1	5	4	6	14	8	2	-	-
WHITE-----MALE----	-	-	1	-	2	1	2	2	-	1	-	-
FEMALE--	-	-	1	1	1	2	3	9	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	2	3	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	2	3	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,245
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER AND UNSPECIFIED ANEMIAS (285)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	-	-	1	3	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2	4	4	2	6	19	18	23	15	12	4	-
WHITE-----MALE----	1	2	2	1	1	3	6	7	3	3	1	-
FEMALE--	-	-	2	-	3	9	8	13	11	9	3	-
ALL OTHER--MALE----	-	1	-	-	1	5	-	-	1	-	-	-
FEMALE--	1	1	-	1	1	2	4	3	-	-	-	-
BLACK---MALE----	-	1	-	-	1	5	-	-	1	-	-	-
FEMALE--	1	1	-	1	1	2	4	3	-	-	-	-
INDIANA -----	1	-	3	2	6	7	11	3	2	1	1	-
WHITE-----MALE----	-	-	1	1	3	3	5	2	-	-	-	-
FEMALE--	1	-	1	1	2	2	6	1	2	1	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
IOWA -----	-	-	1	1	1	1	4	7	6	2	2	-
WHITE-----MALE----	-	-	-	1	1	1	1	2	2	-	-	-
FEMALE--	-	-	1	-	-	-	3	5	4	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	-	-	2	3	1	7	6	3	1	-
WHITE-----MALE----	-	-	-	-	1	1	-	4	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	2	6	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,246
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER AND UNSPECIFIED ANEMIAS (285)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	-	-	2	3	3	6	6	5	5	2	-
WHITE-----MALE----	-	-	-	2	2	1	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	4	4	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	1	-
LOUISIANA -----	2	1	1	2	7	6	10	11	6	4	1	-
WHITE-----MALE----	-	1	-	-	4	3	1	2	2	-	-	-
FEMALE--	-	-	-	2	2	2	4	6	3	1	1	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	3	-	-	-	-
FEMALE--	2	-	-	-	-	-	5	-	1	3	-	-
BLACK---MALE----	-	-	1	-	1	1	-	3	-	-	-	-
FEMALE--	2	-	-	-	-	-	5	-	1	3	-	-
MAINE -----	1	-	-	-	2	1	3	2	-	2	-	-
WHITE-----MALE----	1	-	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	2	2	3	4	8	8	10	6	2	1	-
WHITE-----MALE----	-	-	-	-	-	5	1	3	4	-	-	-
FEMALE--	-	-	-	-	1	-	4	5	-	2	1	-
ALL OTHER--MALE----	-	-	2	2	3	2	2	1	-	-	-	-
FEMALE--	-	2	-	1	-	1	1	1	2	-	-	-
BLACK---MALE----	-	-	2	2	3	2	2	-	-	-	-	-
FEMALE--	-	2	-	1	-	1	1	1	2	-	-	-
MASSACHUSETTS -----	1	-	1	1	5	1	14	8	9	8	-	-
WHITE-----MALE----	1	-	1	-	2	-	3	5	3	1	-	-
FEMALE--	-	-	-	1	3	1	9	3	6	7	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	-	3	2	9	11	8	12	14	7	2	-
WHITE-----MALE----	-	-	2	-	5	3	4	4	2	1	-	-
FEMALE--	-	-	1	1	4	4	3	6	9	4	1	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	2	1	-	-	-
FEMALE--	1	-	-	-	-	3	1	-	2	2	1	-
BLACK---MALE----	1	-	-	1	-	1	-	2	1	-	-	-
FEMALE--	1	-	-	-	-	3	1	-	2	2	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,249
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER AND UNSPECIFIED ANEMIAS (285)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	-	3	1	8	6	18	18	22	21	10	1	-
WHITE-----MALE----	-	2	-	3	5	5	12	6	3	-	-	-
FEMALE--	-	-	1	4	1	11	6	13	17	7	1	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	2	1	3	-	-
BLACK---MALE----	-	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	2	1	3	-	-
OKLAHOMA -----	-	-	1	-	1	7	6	3	2	3	-	-
WHITE-----MALE----	-	-	-	-	1	2	2	2	1	1	-	-
FEMALE--	-	-	1	-	-	4	4	1	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	1	-	1	4	6	9	3	-	-
WHITE-----MALE----	-	-	-	1	-	-	2	2	4	-	-	-
FEMALE--	-	-	-	-	-	1	2	3	5	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	1	5	2	7	18	24	28	24	12	4	-
WHITE-----MALE----	-	1	2	1	4	12	12	8	3	3	1	-
FEMALE--	-	-	1	1	1	6	10	19	20	9	3	-
ALL OTHER--MALE----	1	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	1	-	-	-
BLACK---MALE----	1	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	1	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	1	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	-	2	4	8	6	2	5	-	1	-
WHITE-----MALE----	-	1	-	-	1	2	2	1	-	-	1	-
FEMALE--	-	-	-	-	2	1	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	2	2	-	1	-	-	-
FEMALE--	-	-	-	1	1	3	-	-	2	-	-	-
BLACK---MALE----	-	-	-	1	-	2	2	-	1	-	-	-
FEMALE--	-	-	-	1	1	3	-	-	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,250
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OTHER AND UNSPECIFIED ANEMIAS (285)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	2	4	2	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	2	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	2	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	1	3	1	2	7	9	7	3	1	-
WHITE-----MALE----	-	-	1	2	-	2	3	1	2	-	-	-
FEMALE--	-	1	-	-	1	-	3	4	4	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	3	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	3	1	-	-	-
TEXAS -----	2	3	6	9	14	16	20	24	17	7	1	-
WHITE-----MALE----	-	2	4	3	8	9	8	3	3	1	-	-
FEMALE--	1	1	1	6	5	6	10	17	12	4	1	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	2	-	1	-	-
FEMALE--	-	-	1	-	-	1	2	2	2	1	-	-
BLACK---MALE----	1	-	-	-	1	-	-	1	-	1	-	-
FEMALE--	-	-	1	-	-	1	2	2	2	1	-	-
UTAH -----	-	-	-	-	-	1	2	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	-	-	2	-	1	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	1	1	2	4	9	5	4	3	1	-
WHITE-----MALE----	-	-	-	-	-	1	3	1	1	-	-	-
FEMALE--	-	-	-	-	1	2	4	2	2	2	1	-
ALL OTHER--MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	2	1	1	-	-
BLACK---MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	2	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,252
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	23	32	46	62	88	125	111	114	62	24	4	-
WHITE-----MALE----	6	10	20	27	36	53	55	37	16	5	-	-
FEMALE--	9	13	18	28	46	60	45	70	43	18	2	-
ALL OTHER--MALE----	4	4	3	4	2	7	3	2	-	-	-	-
FEMALE--	4	5	5	3	4	5	8	5	3	1	2	-
BLACK---MALE----	4	4	2	3	2	7	3	2	-	-	-	-
FEMALE--	4	4	5	3	4	4	6	5	2	1	2	-
ALABAMA -----	-	1	-	1	2	3	1	3	3	-	1	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	1	2	2	-	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	1	-
ALASKA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	1	-	-	1	-	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	2	1	1	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	1	2	5	4	8	9	8	2	5	2	1	-
WHITE-----MALE----	-	1	1	2	4	7	4	1	3	-	-	-
FEMALE--	1	-	2	2	4	2	2	1	1	2	1	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	1	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,253
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	10	-	-	-	-	1	-	-	-	-	1	-
WHITE-----MALE----	3	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	12	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	49	-	1	-	-	-	-	-	-	2	-	4
WHITE-----MALE----	19	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	26	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
GEORGIA -----	24	1	-	-	1	-	-	-	-	2	-	3
WHITE-----MALE----	11	-	-	-	1	-	-	-	-	-	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,253
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	-	1	1	1	-	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	1	1	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	-	-	5	1	2	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	-	-	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
FLORIDA -----	1	3	1	1	6	8	7	9	4	2	-	-
WHITE-----MALE----	-	1	1	1	2	2	4	4	1	1	-	-
FEMALE--	1	1	-	-	4	6	3	5	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	1	-	1	3	2	4	3	2	1	-	-	-
WHITE-----MALE----	1	-	-	2	1	2	1	-	1	-	-	-
FEMALE--	-	-	1	1	-	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,255
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	-	1	1	1	2	3	3	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	2	1	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	-	1	1	4	1	2	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	3	-	-	-	-
FEMALE--	1	-	-	1	2	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	1	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	2	-	2	3	4	2	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	2	-	1	1	3	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MASSACHUSETTS -----	-	1	1	2	5	2	2	3	-	2	-	-
WHITE-----MALE----	-	-	-	-	3	-	-	1	-	1	-	-
FEMALE--	-	1	1	2	2	1	2	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	1	2	1	2	4	7	7	3	-	1	-	-
WHITE-----MALE----	-	-	-	1	2	5	4	-	-	-	-	-
FEMALE--	-	2	1	1	2	1	2	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,261
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	4,880	40	22	10	12	25	32	22	65	77	107	134
WHITE-----MALE----	2,303	21	9	8	3	11	14	9	27	28	48	47
FEMALE--	1,977	11	5	1	6	7	11	8	19	16	26	51
ALL OTHER--MALE----	321	2	5	1	2	5	2	2	10	18	28	22
FEMALE--	279	6	3	-	1	2	5	3	9	15	5	14
BLACK---MALE----	271	1	4	1	2	5	1	2	8	16	26	21
FEMALE--	228	6	2	-	1	1	4	3	9	13	5	12
ALABAMA -----	73	1	2	-	1	-	-	2	-	2	2	3
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	35	1	2	-	1	-	-	1	-	-	1	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	4	-	-	-	-	-	-	1	-	1	-	-
ALASKA -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	88	-	1	-	-	1	2	-	2	-	2	4
WHITE-----MALE----	45	-	-	-	-	1	1	-	-	-	1	1
FEMALE--	37	-	-	-	-	-	1	-	1	-	1	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	55	-	-	-	-	1	1	-	-	-	-	1
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	1	1	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	413	8	3	1	1	6	2	4	4	2	8	11
WHITE-----MALE----	173	3	3	1	-	3	1	-	3	-	2	5
FEMALE--	168	3	-	-	-	2	1	3	-	1	3	4
ALL OTHER--MALE----	42	-	-	-	-	-	-	1	1	1	3	2
FEMALE--	30	2	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	15	-	-	-	-	-	-	1	-	-	2	2
FEMALE--	10	2	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,261
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	130	171	269	467	677	786	824	616	307	78	9	-
WHITE-----MALE----	56	80	127	253	363	395	408	261	108	24	3	-
FEMALE--	49	62	95	158	247	322	341	316	178	44	4	-
ALL OTHER--MALE----	13	22	28	32	34	31	33	16	9	4	2	-
FEMALE--	12	7	19	24	33	38	42	23	12	6	-	-
BLACK---MALE----	12	20	23	25	31	27	25	9	7	3	2	-
FEMALE--	9	5	16	17	26	28	33	23	9	6	-	-
ALABAMA -----	1	4	5	8	16	6	6	8	5	1	-	-
WHITE-----MALE----	1	2	2	3	6	5	2	4	-	-	-	-
FEMALE--	-	2	1	3	8	-	4	3	5	1	-	-
ALL OTHER--MALE----	-	-	1	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALASKA -----	2	-	-	-	2	1	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	1	2	11	15	16	8	16	3	1	-	-
WHITE-----MALE----	-	1	-	8	7	7	5	11	1	1	-	-
FEMALE--	3	-	2	3	7	7	3	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	1	-	3	5	4	8	18	7	5	1	-	-
WHITE-----MALE----	-	-	1	3	2	5	8	4	1	-	-	-
FEMALE--	1	-	2	1	1	1	9	3	4	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	12	15	17	48	63	63	78	38	23	6	-	-
WHITE-----MALE----	3	5	4	24	25	31	32	17	8	3	-	-
FEMALE--	7	6	6	14	30	24	35	16	12	1	-	-
ALL OTHER--MALE----	1	2	5	7	3	4	5	4	2	1	-	-
FEMALE--	1	2	2	3	5	4	6	1	1	1	-	-
BLACK---MALE----	1	1	-	4	1	2	1	-	-	-	-	-
FEMALE--	1	-	1	1	1	1	-	1	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,262
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	55	1	-	-	-	-	-	1	-	1	-	2
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	34	1	-	-	-	-	-	1	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	75	-	-	-	-	-	-	-	-	1	2	3
WHITE-----MALE----	37	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	33	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	10	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	22	-	-	-	-	-	-	-	1	-	1	3
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	337	1	-	1	2	-	1	1	3	3	11	6
WHITE-----MALE----	169	-	-	1	-	-	1	-	2	1	4	2
FEMALE--	134	-	-	-	-	-	-	1	-	1	4	-
ALL OTHER--MALE----	16	1	-	-	2	-	-	-	1	-	3	1
FEMALE--	18	-	-	-	-	-	-	-	-	1	-	3
BLACK---MALE----	16	1	-	-	2	-	-	-	1	-	3	1
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	3
GEORGIA -----	107	2	-	1	-	1	2	1	4	1	5	5
WHITE-----MALE----	42	1	-	1	-	1	-	-	-	-	3	3
FEMALE--	36	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	14	-	-	-	-	-	2	1	2	1	2	1
FEMALE--	15	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	13	-	-	-	-	-	1	1	2	1	2	1
FEMALE--	15	1	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,262
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	1	4	4	10	13	5	7	4	1	-	-
WHITE-----MALE----	-	-	2	2	4	7	3	2	-	-	-	-
FEMALE--	1	1	2	2	6	6	2	5	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	1	5	4	9	16	13	14	6	-	-	-
WHITE-----MALE----	-	1	1	3	7	5	11	5	1	-	-	-
FEMALE--	1	-	2	-	2	11	1	9	4	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	2	2	4	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	2	2	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	4	-	3	2	2	1	1	3	-	-
WHITE-----MALE----	-	-	2	-	-	1	-	-	1	2	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	1	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	-	-	-
BLACK---MALE----	-	1	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	-	-	-
FLORIDA -----	8	10	12	26	43	61	63	55	22	7	1	-
WHITE-----MALE----	4	4	5	17	26	31	33	27	10	1	-	-
FEMALE--	4	2	2	7	15	29	26	26	11	5	1	-
ALL OTHER--MALE----	-	1	1	1	1	1	2	-	1	-	-	-
FEMALE--	-	3	4	1	1	-	2	2	-	1	-	-
BLACK---MALE----	-	1	1	1	1	1	2	-	1	-	-	-
FEMALE--	-	3	4	-	1	-	1	2	-	1	-	-
GEORGIA -----	6	3	8	12	11	18	11	11	4	1	-	-
WHITE-----MALE----	4	2	2	7	5	9	3	1	-	-	-	-
FEMALE--	-	1	5	3	2	5	4	9	4	1	-	-
ALL OTHER--MALE----	1	-	1	1	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	4	4	1	-	-	-	-
BLACK---MALE----	1	-	1	1	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	4	4	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,263
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	16	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	18	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	13	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	268	3	1	1	-	-	3	-	5	3	10	9
WHITE-----MALE----	119	-	-	-	-	-	-	-	1	1	3	3
FEMALE--	110	2	-	1	-	-	2	-	-	-	1	3
ALL OTHER--MALE----	24	1	1	-	-	-	-	-	2	2	5	3
FEMALE--	15	-	-	-	-	-	1	-	2	-	1	-
BLACK---MALE----	23	-	1	-	-	-	-	-	2	2	5	3
FEMALE--	15	-	-	-	-	-	1	-	2	-	1	-
INDIANA -----	100	3	1	-	-	1	1	-	1	1	3	1
WHITE-----MALE----	52	2	1	-	-	-	-	-	-	1	3	1
FEMALE--	44	1	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
IOWA -----	87	1	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	47	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	39	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	50	-	-	-	1	-	-	-	-	1	-	-
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,264
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	45	1	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	26	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	80	-	1	-	-	1	1	1	-	1	1	5
WHITE-----MALE----	25	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	13	-	1	-	-	-	-	-	-	1	-	1
FEMALE--	8	-	-	-	-	1	-	1	-	-	-	1
BLACK---MALE----	13	-	1	-	-	-	-	-	-	1	-	1
FEMALE--	8	-	-	-	-	1	-	1	-	-	-	1
MAINE -----	30	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	102	1	2	-	-	-	2	1	3	4	2	4
WHITE-----MALE----	43	1	2	-	-	-	1	-	2	-	1	-
FEMALE--	37	-	-	-	-	-	1	-	-	1	-	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	14	-	-	-	-	-	-	1	1	2	1	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	14	-	-	-	-	-	-	1	1	2	1	-
MASSACHUSETTS -----	130	-	-	1	-	-	2	-	1	3	1	4
WHITE-----MALE----	64	-	-	1	-	-	1	-	-	3	1	2
FEMALE--	60	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	205	1	-	-	-	1	-	-	3	5	3	5
WHITE-----MALE----	92	1	-	-	-	-	-	-	1	3	-	1
FEMALE--	87	-	-	-	-	-	-	-	1	-	1	3
ALL OTHER--MALE----	16	-	-	-	-	1	-	-	-	2	2	1
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	16	-	-	-	-	1	-	-	-	2	2	1
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,264
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	3	2	4	5	7	7	8	3	3	-	-	-
WHITE-----MALE----	2	1	2	2	6	5	3	1	3	-	-	-
FEMALE--	1	1	2	3	-	2	5	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
LOUISIANA -----	2	7	3	14	12	9	11	3	7	1	-	-
WHITE-----MALE----	-	2	2	8	4	2	2	2	-	-	-	-
FEMALE--	1	1	1	3	6	6	6	1	7	-	-	-
ALL OTHER--MALE----	1	4	-	1	1	-	3	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	-	-	1	-	-
BLACK---MALE----	1	4	-	1	1	-	3	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	-	-	1	-	-
MAINE -----	1	2	-	4	5	3	5	1	6	1	-	-
WHITE-----MALE----	1	1	-	3	1	3	5	1	1	1	-	-
FEMALE--	-	1	-	1	4	-	-	-	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	1	6	12	17	7	20	11	3	3	1	-
WHITE-----MALE----	-	1	4	8	11	1	8	3	-	-	-	-
FEMALE--	-	-	1	2	4	4	9	7	3	2	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	2	-	-	1	-	-
FEMALE--	2	-	1	2	1	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	2	-	-	1	-	-
FEMALE--	2	-	1	2	1	1	1	1	-	-	-	-
MASSACHUSETTS -----	5	1	5	14	15	21	26	18	12	1	-	-
WHITE-----MALE----	2	-	4	9	7	11	12	5	5	1	-	-
FEMALE--	2	1	1	3	8	10	12	13	7	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	-	-	-	-	-	-
MICHIGAN -----	5	4	14	25	26	30	42	30	8	2	1	-
WHITE-----MALE----	1	3	6	11	16	17	19	11	1	1	-	-
FEMALE--	2	1	5	12	9	10	20	17	5	1	-	-
ALL OTHER--MALE----	1	-	2	1	1	1	1	1	1	-	1	-
FEMALE--	1	-	1	1	-	2	2	1	1	-	-	-
BLACK---MALE----	1	-	2	1	1	1	1	1	1	-	1	-
FEMALE--	1	-	1	1	-	2	2	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,265
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	97	-	-	-	-	-	1	2	2	-	1	2
WHITE-----MALE----	54	-	-	-	-	-	1	2	-	-	-	1
FEMALE--	40	-	-	-	-	-	-	-	2	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	38	-	1	-	-	1	-	-	3	-	-	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	14	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	7	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
MISSOURI -----	110	1	-	-	-	1	-	-	2	-	2	1
WHITE-----MALE----	54	1	-	-	-	-	-	-	1	-	1	1
FEMALE--	40	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
MONTANA -----	19	-	-	-	-	-	-	1	1	-	-	1
WHITE-----MALE----	11	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	35	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
NEVADA -----	36	-	-	-	-	-	-	-	1	2	1	3
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,267
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	201	2	2	-	1	-	2	-	4	2	5	4
WHITE-----MALE----	95	1	2	-	-	-	1	-	2	1	2	1
FEMALE--	82	-	-	-	1	-	-	-	2	1	2	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	1	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	1	-	-	-	-	1	-	-	-	-	1
OKLAHOMA -----	54	-	3	-	1	-	-	1	1	1	-	-
WHITE-----MALE----	23	-	-	-	1	-	-	1	1	1	-	-
FEMALE--	27	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
OREGON -----	62	-	-	-	1	-	-	-	1	-	-	1
WHITE-----MALE----	35	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	26	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	267	-	-	-	-	-	1	1	3	6	2	5
WHITE-----MALE----	130	-	-	-	-	-	-	1	2	2	2	2
FEMALE--	110	-	-	-	-	-	1	-	1	1	-	1
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
RHODE ISLAND -----	23	1	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	14	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	71	-	-	-	-	1	-	-	2	4	4	3
WHITE-----MALE----	23	-	-	-	-	1	-	-	1	1	1	-
FEMALE--	25	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	2	3	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	14	-	-	-	-	-	-	-	-	2	3	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,267
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	8	11	19	17	25	36	33	17	8	4	1	-
WHITE-----MALE----	2	6	12	8	9	17	18	9	3	1	-	-
FEMALE--	5	5	6	5	13	16	13	5	5	1	-	-
ALL OTHER--MALE----	1	-	-	3	1	2	2	-	-	1	1	-
FEMALE--	-	-	1	1	2	1	-	3	-	1	-	-
BLACK---MALE----	1	-	-	3	1	2	2	-	-	1	1	-
FEMALE--	-	-	1	1	2	1	-	3	-	1	-	-
OKLAHOMA -----	-	2	1	3	5	8	8	11	9	-	-	-
WHITE-----MALE----	-	-	1	1	2	3	5	3	4	-	-	-
FEMALE--	-	2	-	2	2	5	2	8	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	2	2	6	9	9	13	11	5	1	-	-
WHITE-----MALE----	-	-	1	3	6	7	7	7	2	-	-	-
FEMALE--	1	1	1	3	3	2	6	4	3	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	9	14	25	39	53	44	43	17	2	-	-
WHITE-----MALE----	1	5	9	13	21	28	23	16	4	1	-	-
FEMALE--	2	2	2	8	14	24	19	24	10	1	-	-
ALL OTHER--MALE----	-	1	2	2	3	-	-	2	2	-	-	-
FEMALE--	-	1	1	2	1	1	2	1	1	-	-	-
BLACK---MALE----	-	1	2	2	3	-	-	2	2	-	-	-
FEMALE--	-	1	-	1	1	1	2	1	1	-	-	-
RHODE ISLAND -----	-	-	-	5	2	3	4	5	2	-	-	-
WHITE-----MALE----	-	-	-	3	-	2	3	4	-	-	-	-
FEMALE--	-	-	-	2	2	1	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	3	5	4	15	9	8	7	4	-	-	-
WHITE-----MALE----	1	-	1	1	7	4	4	-	1	-	-	-
FEMALE--	-	2	2	3	4	5	2	3	2	-	-	-
ALL OTHER--MALE----	1	1	1	-	1	-	2	3	-	-	-	-
FEMALE--	-	-	1	-	3	-	-	1	1	-	-	-
BLACK---MALE----	1	1	1	-	1	-	2	3	-	-	-	-
FEMALE--	-	-	1	-	3	-	-	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,268
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	15	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	97	1	-	-	-	-	-	-	1	3	4	5
WHITE-----MALE----	42	1	-	-	-	-	-	-	-	1	3	1
FEMALE--	44	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	1
TEXAS -----	291	4	3	1	2	1	3	1	9	7	6	15
WHITE-----MALE----	144	2	1	1	1	-	1	-	3	2	4	7
FEMALE--	122	1	2	-	1	1	2	1	5	3	1	6
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	12	1	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	11	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	12	1	-	-	-	-	-	-	1	1	-	1
UTAH -----	30	-	-	-	-	-	1	-	-	-	1	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	18	-	-	-	-	-	-	-	-	2	-	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	122	2	-	-	-	1	1	-	2	1	1	4
WHITE-----MALE----	62	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	40	2	-	-	-	-	1	-	-	-	-	2
ALL OTHER--MALE----	8	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	8	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,268
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	1	1	3	4	2	2	1	-	-	-
WHITE-----MALE----	-	1	-	1	2	-	2	1	1	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	4	6	7	10	16	23	9	2	3	-	-
WHITE-----MALE----	1	2	1	4	7	4	12	4	-	1	-	-
FEMALE--	1	1	4	3	2	11	9	5	2	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	1	-	-	-	-	-
TEXAS -----	7	9	17	34	41	43	37	34	14	3	-	-
WHITE-----MALE----	4	3	8	22	20	23	20	14	8	-	-	-
FEMALE--	1	5	8	8	20	16	14	18	6	3	-	-
ALL OTHER--MALE----	2	1	1	3	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	3	2	-	-	-	-
BLACK---MALE----	2	1	1	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	3	2	-	-	-	-
UTAH -----	-	1	4	2	4	7	4	4	2	-	-	-
WHITE-----MALE----	-	-	3	-	1	4	3	2	-	-	-	-
FEMALE--	-	1	1	2	3	3	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	2	2	2	4	3	1	-	-
WHITE-----MALE----	-	-	-	-	1	2	1	2	1	1	-	-
FEMALE--	-	-	1	-	1	-	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	4	10	11	22	22	20	11	5	2	-	-
WHITE-----MALE----	1	1	5	7	15	13	8	6	2	-	-	-
FEMALE--	1	3	5	3	2	7	6	5	1	2	-	-
ALL OTHER--MALE----	1	-	-	1	2	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	3	2	4	-	2	-	-	-
BLACK---MALE----	1	-	-	1	2	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	3	2	4	-	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,270
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 V. MENTAL DISORDERS (290-319)												
0 UNITED STATES --	44,010	5	8	9	21	59	127	280	544	967	1,234	1,301
WHITE-----MALE----	15,178	2	2	3	12	30	67	153	301	514	663	733
FEMALE--	24,199	1	2	3	5	12	36	63	108	195	209	193
ALL OTHER--MALE----	2,577	-	1	2	3	12	19	44	86	159	268	278
FEMALE--	2,056	2	3	1	1	5	5	20	49	99	94	97
BLACK---MALE----	2,255	-	1	2	1	9	18	34	67	140	238	246
FEMALE--	1,800	2	2	1	1	4	4	16	39	86	81	84
ALABAMA -----	685	-	-	-	-	1	3	3	6	12	21	26
WHITE-----MALE----	174	-	-	-	-	-	-	-	3	4	4	6
FEMALE--	343	-	-	-	-	-	3	3	-	-	1	4
ALL OTHER--MALE----	106	-	-	-	-	1	-	-	2	5	13	15
FEMALE--	62	-	-	-	-	-	-	-	1	3	3	1
BLACK---MALE----	106	-	-	-	-	1	-	-	2	5	13	15
FEMALE--	62	-	-	-	-	-	-	-	1	3	3	1
ALASKA -----	104	-	-	-	-	2	-	1	2	4	6	14
WHITE-----MALE----	32	-	-	-	-	1	-	1	1	1	3	4
FEMALE--	33	-	-	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	25	-	-	-	-	1	-	-	-	1	3	6
FEMALE--	14	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	978	-	-	1	1	4	2	7	18	30	48	31
WHITE-----MALE----	361	-	-	-	1	2	2	5	11	17	28	15
FEMALE--	541	-	-	1	-	-	-	1	2	7	9	5
ALL OTHER--MALE----	51	-	-	-	-	2	-	1	4	4	9	6
FEMALE--	25	-	-	-	-	-	-	-	1	2	2	5
BLACK---MALE----	12	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	315	-	-	1	-	-	-	1	1	8	7	6
WHITE-----MALE----	100	-	-	-	-	-	-	1	1	4	3	4
FEMALE--	179	-	-	1	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	3	2	1
FEMALE--	17	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	3	1	1
FEMALE--	17	-	-	-	-	-	-	-	-	1	1	-
CALIFORNIA -----	3,710	-	-	1	2	10	25	42	88	156	199	193
WHITE-----MALE----	1,542	-	-	-	2	4	14	29	59	98	118	135
FEMALE--	1,790	-	-	1	-	5	8	11	15	37	44	28
ALL OTHER--MALE----	208	-	-	-	-	-	2	1	9	9	27	22
FEMALE--	170	-	-	-	-	1	1	1	5	12	10	8
BLACK---MALE----	156	-	-	-	-	-	2	1	7	6	25	16
FEMALE--	115	-	-	-	-	1	-	-	2	10	8	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,270
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 V. MENTAL DISORDERS (290-319)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	1,016	961	1,047	1,419	2,324	4,295	7,348	9,333	7,636	3,330	736	10
WHITE-----MALE----	549	536	597	731	1,125	1,807	2,650	2,613	1,549	467	67	7
FEMALE--	194	196	252	443	901	2,081	4,179	6,178	5,664	2,673	611	-
ALL OTHER--MALE----	224	176	158	177	186	227	218	185	97	38	16	3
FEMALE--	49	53	40	68	112	180	301	357	326	152	42	-
BLACK---MALE----	197	157	143	155	169	201	189	164	75	31	15	3
FEMALE--	43	46	36	57	102	158	267	312	285	136	38	-
ALABAMA -----	15	21	19	29	39	73	114	145	109	39	10	-
WHITE-----MALE----	5	13	9	11	14	23	37	28	13	4	-	-
FEMALE--	1	2	2	9	12	38	58	98	74	32	6	-
ALL OTHER--MALE----	9	3	6	8	8	10	15	5	6	-	-	-
FEMALE--	-	3	2	1	5	2	4	14	16	3	4	-
BLACK---MALE----	9	3	6	8	8	10	15	5	6	-	-	-
FEMALE--	-	3	2	1	5	2	4	14	16	3	4	-
ALASKA -----	7	6	3	6	7	9	11	16	7	2	1	-
WHITE-----MALE----	3	2	1	3	3	3	3	3	-	-	-	-
FEMALE--	-	-	-	-	1	1	7	10	7	2	1	-
ALL OTHER--MALE----	3	2	1	2	2	3	1	-	-	-	-	-
FEMALE--	1	2	1	1	1	2	-	3	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	20	33	13	28	38	101	147	217	165	54	19	1
WHITE-----MALE----	8	20	6	13	17	45	51	71	36	9	3	1
FEMALE--	4	7	5	12	18	51	91	140	127	45	16	-
ALL OTHER--MALE----	4	5	2	3	2	3	3	2	1	-	-	-
FEMALE--	4	1	-	-	1	2	2	4	1	-	-	-
BLACK---MALE----	1	-	-	-	1	1	1	2	1	-	-	-
FEMALE--	-	-	-	-	1	1	2	1	-	-	-	-
ARKANSAS -----	5	2	10	8	16	45	62	76	47	17	3	-
WHITE-----MALE----	3	2	7	4	6	16	15	26	4	3	1	-
FEMALE--	1	-	2	-	9	24	37	45	43	13	2	-
ALL OTHER--MALE----	1	-	-	3	-	3	4	1	-	1	-	-
FEMALE--	-	-	1	1	1	2	6	4	-	-	-	-
BLACK---MALE----	1	-	-	3	-	3	4	1	-	1	-	-
FEMALE--	-	-	1	1	1	2	6	4	-	-	-	-
CALIFORNIA -----	130	112	114	136	207	363	512	606	506	253	54	1
WHITE-----MALE----	74	65	78	75	102	172	185	178	112	32	9	1
FEMALE--	35	30	23	44	87	155	286	390	353	196	42	-
ALL OTHER--MALE----	17	13	9	12	9	24	16	17	12	8	1	-
FEMALE--	4	4	4	5	9	12	25	21	29	17	2	-
BLACK---MALE----	15	13	7	11	8	16	11	7	5	5	1	-
FEMALE--	4	4	3	2	8	6	18	13	20	10	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,271
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 V. MENTAL DISORDERS (290-319)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	787	-	-	1	-	-	3	5	10	19	25	28
WHITE-----MALE----	279	-	-	-	-	-	2	4	4	10	16	21
FEMALE--	476	-	-	-	-	-	-	1	2	5	6	6
ALL OTHER--MALE----	24	-	-	1	-	-	-	-	4	2	2	1
FEMALE--	8	-	-	-	-	-	1	-	-	2	1	-
BLACK---MALE----	12	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
CONNECTICUT -----	506	-	-	-	1	-	2	3	4	12	12	13
WHITE-----MALE----	175	-	-	-	1	-	-	3	1	6	8	9
FEMALE--	304	-	-	-	-	-	1	-	3	4	1	2
ALL OTHER--MALE----	12	-	-	-	-	-	1	-	-	1	2	1
FEMALE--	15	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	11	-	-	-	-	-	1	-	-	1	2	1
FEMALE--	15	-	-	-	-	-	-	-	-	1	1	1
DELAWARE -----	74	-	-	-	-	-	-	1	2	2	1	3
WHITE-----MALE----	28	-	-	-	-	-	-	1	1	2	1	-
FEMALE--	39	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	1
DISTRICT OF COLUMBIA ----	116	-	-	-	-	-	1	1	2	5	1	8
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	48	-	-	-	-	-	1	1	1	3	1	7
FEMALE--	37	-	-	-	-	-	-	-	1	2	-	1
BLACK---MALE----	47	-	-	-	-	-	1	1	1	2	1	7
FEMALE--	35	-	-	-	-	-	-	-	1	2	-	1
FLORIDA -----	2,885	-	-	-	1	3	7	12	23	49	65	57
WHITE-----MALE----	1,054	-	-	-	1	2	3	7	11	29	40	33
FEMALE--	1,597	-	-	-	-	-	2	1	8	12	9	15
ALL OTHER--MALE----	131	-	-	-	-	-	2	3	1	5	10	6
FEMALE--	103	-	-	-	-	1	-	1	3	3	6	3
BLACK---MALE----	130	-	-	-	-	-	2	3	1	5	10	6
FEMALE--	102	-	-	-	-	1	-	-	3	3	6	3
GEORGIA -----	1,205	-	-	1	-	4	4	4	23	41	46	52
WHITE-----MALE----	339	-	-	1	-	1	-	1	9	11	13	17
FEMALE--	527	-	-	-	-	-	-	-	2	5	6	9
ALL OTHER--MALE----	205	-	-	-	-	2	4	2	6	14	21	21
FEMALE--	134	-	-	-	-	1	-	1	6	11	6	5
BLACK---MALE----	204	-	-	-	-	2	4	2	6	14	21	21
FEMALE--	134	-	-	-	-	1	-	1	6	11	6	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,271
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 V. MENTAL DISORDERS (290-319)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	20	16	11	20	44	68	124	167	146	70	10	-
WHITE-----MALE----	10	10	6	9	22	29	37	54	34	10	1	-
FEMALE--	8	4	5	9	22	34	83	112	110	60	9	-
ALL OTHER--MALE----	2	2	-	2	-	4	3	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	-	-	-
BLACK---MALE----	2	1	-	1	-	4	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
CONNECTICUT -----	5	7	16	8	25	57	69	107	114	38	13	-
WHITE-----MALE----	3	4	11	5	14	27	25	29	24	4	1	-
FEMALE--	1	1	2	3	11	29	41	74	87	32	12	-
ALL OTHER--MALE----	1	2	1	-	-	-	-	1	1	1	-	-
FEMALE--	-	-	2	-	-	1	3	3	2	1	-	-
BLACK---MALE----	1	2	1	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	2	-	-	1	3	3	2	1	-	-
DELAWARE -----	4	1	3	1	6	5	12	17	10	4	2	-
WHITE-----MALE----	2	-	2	1	4	2	5	6	1	-	-	-
FEMALE--	2	1	1	-	2	3	7	10	6	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	3	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	3	-	-	-
DISTRICT OF COLUMBIA ----	7	6	6	8	7	5	14	22	16	5	2	-
WHITE-----MALE----	2	-	2	1	-	1	2	4	1	-	1	-
FEMALE--	-	1	-	1	1	1	-	7	6	-	-	-
ALL OTHER--MALE----	4	3	4	5	5	-	7	4	1	1	-	-
FEMALE--	1	2	-	1	1	3	5	7	8	4	1	-
BLACK---MALE----	4	3	4	5	5	-	7	4	1	1	-	-
FEMALE--	1	2	-	1	1	3	5	7	6	4	1	-
FLORIDA -----	60	61	66	90	168	278	523	674	493	205	48	2
WHITE-----MALE----	37	36	38	47	72	110	202	213	124	42	5	2
FEMALE--	10	13	20	28	79	143	292	429	343	153	40	-
ALL OTHER--MALE----	10	9	7	10	11	19	10	15	11	1	1	-
FEMALE--	3	3	1	5	6	6	19	17	15	9	2	-
BLACK---MALE----	10	9	7	10	11	19	10	15	10	1	1	-
FEMALE--	3	3	1	5	6	6	19	17	15	9	2	-
GEORGIA -----	52	36	46	53	86	108	209	210	152	68	8	2
WHITE-----MALE----	24	12	16	25	41	34	59	43	28	2	1	1
FEMALE--	6	5	5	10	22	44	112	138	107	50	6	-
ALL OTHER--MALE----	20	17	21	14	17	18	14	9	-	4	-	1
FEMALE--	2	2	4	4	6	12	24	20	17	12	1	-
BLACK---MALE----	20	17	21	14	16	18	14	9	-	4	-	1
FEMALE--	2	2	4	4	6	12	24	20	17	12	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,272
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 V. MENTAL DISORDERS (290-319)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	2	2	2	5	5	20	26	32	25	9	2	-
WHITE-----MALE----	1	-	-	1	1	4	6	6	4	-	-	-
FEMALE--	-	-	1	1	-	4	5	8	8	4	1	-
ALL OTHER--MALE----	1	2	1	2	2	8	5	5	5	1	-	-
FEMALE--	-	-	-	1	2	4	10	13	8	4	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	1	3	4	11	25	38	38	38	20	2	-
WHITE-----MALE----	1	1	1	3	4	15	13	12	12	2	-	-
FEMALE--	-	-	2	-	5	10	25	26	26	18	2	-
ALL OTHER--MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	35	35	36	44	63	162	320	417	328	149	28	-
WHITE-----MALE----	22	19	22	19	33	71	119	102	58	20	3	-
FEMALE--	3	10	8	20	23	83	185	297	262	125	25	-
ALL OTHER--MALE----	8	3	5	4	4	3	7	2	-	-	-	-
FEMALE--	2	3	1	1	3	5	9	16	8	4	-	-
BLACK---MALE----	8	3	5	4	4	3	6	2	-	-	-	-
FEMALE--	2	3	1	1	3	5	9	16	8	4	-	-
INDIANA -----	21	18	18	40	42	79	152	179	144	70	16	-
WHITE-----MALE----	14	8	14	20	30	35	50	35	23	8	2	-
FEMALE--	2	2	4	12	8	37	96	137	116	61	14	-
ALL OTHER--MALE----	5	7	-	5	3	3	1	4	-	-	-	-
FEMALE--	-	1	-	3	1	4	5	3	5	1	-	-
BLACK---MALE----	5	7	-	5	3	3	1	4	-	-	-	-
FEMALE--	-	1	-	3	1	4	5	3	5	1	-	-
IOWA -----	9	5	8	9	26	56	98	164	139	63	26	-
WHITE-----MALE----	6	2	4	7	14	24	42	48	31	8	4	-
FEMALE--	2	3	4	2	11	28	54	115	107	55	22	-
ALL OTHER--MALE----	1	-	-	-	-	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	2	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
KANSAS -----	9	10	9	12	20	49	96	138	93	54	11	-
WHITE-----MALE----	7	8	8	5	13	25	38	42	22	9	2	-
FEMALE--	2	2	1	5	5	23	53	93	68	44	8	-
ALL OTHER--MALE----	-	-	-	1	1	1	1	1	2	1	1	-
FEMALE--	-	-	-	1	1	-	4	2	1	-	-	-
BLACK---MALE----	-	-	-	1	1	1	1	1	2	1	1	-
FEMALE--	-	-	-	1	1	-	3	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,273
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 V. MENTAL DISORDERS (290-319)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	623	1	-	-	-	-	2	3	4	11	10	14
WHITE-----MALE----	221	1	-	-	-	-	2	1	3	9	7	9
FEMALE--	363	-	-	-	-	-	-	2	1	2	3	1
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	555	1	-	-	-	2	4	5	11	14	22	21
WHITE-----MALE----	176	1	-	-	-	1	1	3	4	4	10	9
FEMALE--	245	-	-	-	-	-	2	1	1	2	2	3
ALL OTHER--MALE----	77	-	-	-	-	1	1	1	2	6	7	5
FEMALE--	57	-	-	-	-	-	-	-	4	2	3	4
BLACK---MALE----	76	-	-	-	-	1	1	1	2	6	7	5
FEMALE--	57	-	-	-	-	-	-	-	4	2	3	4
MAINE -----	381	-	-	-	-	1	1	2	1	2	6	5
WHITE-----MALE----	127	-	-	-	-	-	1	1	1	2	5	3
FEMALE--	253	-	-	-	-	1	-	1	-	-	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	796	-	-	-	1	-	3	3	8	16	15	33
WHITE-----MALE----	204	-	-	-	1	-	2	1	2	1	6	16
FEMALE--	434	-	-	-	-	-	-	-	1	3	2	2
ALL OTHER--MALE----	82	-	-	-	-	-	1	1	2	8	7	12
FEMALE--	76	-	-	-	-	-	-	1	3	4	-	3
BLACK---MALE----	79	-	-	-	-	-	1	1	2	7	7	12
FEMALE--	73	-	-	-	-	-	-	1	3	4	-	3
MASSACHUSETTS -----	1,273	-	-	-	-	1	6	3	14	13	25	20
WHITE-----MALE----	411	-	-	-	-	1	5	2	10	11	17	15
FEMALE--	828	-	-	-	-	-	1	1	3	1	6	5
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	10	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	-
MICHIGAN -----	1,431	-	1	-	1	1	6	19	40	67	102	73
WHITE-----MALE----	526	-	1	-	1	1	4	9	23	37	43	34
FEMALE--	690	-	-	-	-	-	-	4	8	14	14	10
ALL OTHER--MALE----	129	-	-	-	-	-	1	5	5	11	29	22
FEMALE--	86	-	-	-	-	-	1	1	4	5	16	7
BLACK---MALE----	123	-	-	-	-	-	1	5	5	11	27	22
FEMALE--	83	-	-	-	-	-	1	1	4	5	15	7

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,273
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 V. MENTAL DISORDERS (290-319)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	11	10	15	15	37	76	98	156	115	38	7	-
WHITE-----MALE----	6	6	9	11	25	32	33	48	16	3	-	-
FEMALE--	5	3	3	3	10	42	61	101	90	29	7	-
ALL OTHER--MALE----	-	1	2	1	2	2	2	1	4	1	-	-
FEMALE--	-	-	1	-	-	-	2	6	5	5	-	-
BLACK---MALE----	-	1	2	1	2	2	2	-	4	1	-	-
FEMALE--	-	-	1	-	-	-	2	6	5	5	-	-
LOUISIANA -----	13	12	18	27	35	54	109	101	73	25	8	-
WHITE-----MALE----	4	7	11	10	13	20	37	25	14	2	-	-
FEMALE--	1	-	4	7	9	17	55	67	46	21	7	-
ALL OTHER--MALE----	6	4	2	7	11	9	7	1	5	1	1	-
FEMALE--	2	1	1	3	2	8	10	8	8	1	-	-
BLACK---MALE----	6	4	2	7	11	9	7	1	4	1	1	-
FEMALE--	2	1	1	3	2	8	10	8	8	1	-	-
MAINE -----	3	7	7	12	27	40	62	80	76	40	9	-
WHITE-----MALE----	3	6	5	5	17	16	22	20	17	1	2	-
FEMALE--	-	1	2	7	9	24	40	60	59	39	7	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	21	14	14	22	38	87	136	174	142	54	15	-
WHITE-----MALE----	3	4	3	11	12	34	48	34	23	1	2	-
FEMALE--	2	2	6	6	22	35	74	122	102	46	9	-
ALL OTHER--MALE----	15	5	4	2	3	6	5	7	2	1	1	-
FEMALE--	1	3	1	3	1	12	9	11	15	6	3	-
BLACK---MALE----	14	5	4	2	3	6	4	7	2	1	1	-
FEMALE--	1	3	1	2	1	12	8	11	14	6	3	-
MASSACHUSETTS -----	26	20	19	30	63	108	212	295	264	132	22	-
WHITE-----MALE----	19	13	12	16	37	50	71	72	46	12	2	-
FEMALE--	6	6	5	14	25	55	135	216	213	118	18	-
ALL OTHER--MALE----	-	-	1	-	-	2	1	1	-	1	1	-
FEMALE--	1	1	1	-	1	1	5	6	5	1	1	-
BLACK---MALE----	-	-	1	-	-	2	1	1	-	1	1	-
FEMALE--	1	1	1	-	1	1	4	6	5	-	1	-
MICHIGAN -----	37	30	43	40	63	146	187	254	226	79	15	1
WHITE-----MALE----	16	19	23	16	34	59	67	82	44	10	2	1
FEMALE--	10	2	17	14	18	74	106	155	172	61	11	-
ALL OTHER--MALE----	9	8	3	7	7	9	5	4	2	2	-	-
FEMALE--	2	1	-	3	4	4	9	13	8	6	2	-
BLACK---MALE----	9	7	2	6	7	9	4	4	2	2	-	-
FEMALE--	2	1	-	3	4	3	8	13	8	6	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,274
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 V. MENTAL DISORDERS (290-319)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	31	23	31	45	59	123	245	356	335	183	36	-
WHITE-----MALE----	25	14	21	26	31	57	102	117	75	28	1	-
FEMALE--	5	6	8	18	25	61	138	234	257	153	35	-
ALL OTHER--MALE----	1	1	2	-	2	3	2	1	1	-	-	-
FEMALE--	-	2	-	1	1	2	3	4	2	2	-	-
BLACK---MALE----	-	1	2	-	1	3	1	1	1	-	-	-
FEMALE--	-	1	-	-	-	2	2	2	2	2	-	-
MISSISSIPPI -----	10	12	9	21	18	33	55	55	47	14	6	-
WHITE-----MALE----	3	6	3	11	6	15	17	11	8	3	1	-
FEMALE--	1	2	1	4	7	10	27	35	30	8	3	-
ALL OTHER--MALE----	4	4	4	5	3	5	2	5	1	-	2	-
FEMALE--	2	-	1	1	2	3	9	4	8	3	-	-
BLACK---MALE----	4	4	4	5	3	5	2	5	1	-	2	-
FEMALE--	2	-	1	1	2	3	9	4	8	3	-	-
MISSOURI -----	26	27	29	33	51	93	211	229	205	81	16	-
WHITE-----MALE----	16	15	19	9	21	39	71	65	50	10	1	-
FEMALE--	7	6	9	18	24	44	125	152	149	69	15	-
ALL OTHER--MALE----	3	5	1	5	5	4	8	5	1	1	-	-
FEMALE--	-	1	-	1	1	6	7	7	5	1	-	-
BLACK---MALE----	3	5	1	5	5	4	7	5	-	1	-	-
FEMALE--	-	1	-	1	1	6	7	7	5	1	-	-
MONTANA -----	8	3	3	5	8	21	37	48	35	26	6	-
WHITE-----MALE----	5	2	3	4	5	10	14	15	6	1	-	-
FEMALE--	3	1	-	1	3	11	23	33	28	25	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	3	4	2	9	18	20	44	87	64	23	9	-
WHITE-----MALE----	2	2	2	7	14	11	22	30	13	2	-	-
FEMALE--	1	2	-	-	4	8	22	56	49	21	9	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
NEVADA -----	8	7	10	11	16	16	26	29	22	3	2	-
WHITE-----MALE----	6	4	6	7	10	7	9	14	5	-	-	-
FEMALE--	1	-	4	4	5	8	16	12	17	3	2	-
ALL OTHER--MALE----	-	2	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	3	-	-	-	-
BLACK---MALE----	-	2	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,276
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 V. MENTAL DISORDERS (290-319)												
OHIO -----	2,081	-	-	-	-	3	1	7	10	25	27	33
WHITE-----MALE----	669	-	-	-	-	2	1	4	5	17	14	18
FEMALE--	1,219	-	-	-	-	1	-	3	3	3	3	4
ALL OTHER--MALE----	85	-	-	-	-	-	-	-	2	2	7	4
FEMALE--	108	-	-	-	-	-	-	-	-	3	3	7
BLACK---MALE----	82	-	-	-	-	-	-	-	2	2	7	4
FEMALE--	105	-	-	-	-	-	-	-	-	3	3	7
OKLAHOMA -----	503	-	1	-	-	1	1	1	6	10	6	15
WHITE-----MALE----	180	-	1	-	-	1	1	-	3	2	4	12
FEMALE--	283	-	-	-	-	-	-	-	2	6	1	1
ALL OTHER--MALE----	21	-	-	-	-	-	-	1	1	1	1	2
FEMALE--	19	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	971	-	-	-	2	1	2	12	9	19	18	21
WHITE-----MALE----	395	-	-	-	1	1	2	7	5	10	14	17
FEMALE--	548	-	-	-	1	-	-	5	2	7	1	3
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	2	1	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	1	3	-
BLACK---MALE----	8	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	2	-
PENNSYLVANIA -----	1,962	-	-	-	-	1	1	6	13	20	27	34
WHITE-----MALE----	612	-	-	-	-	-	1	2	8	17	15	23
FEMALE--	1,243	-	-	-	-	-	-	3	2	2	8	4
ALL OTHER--MALE----	51	-	-	-	-	-	-	1	2	1	3	7
FEMALE--	56	-	-	-	-	1	-	-	1	-	1	-
BLACK---MALE----	49	-	-	-	-	-	-	1	2	1	3	7
FEMALE--	54	-	-	-	-	1	-	-	1	-	1	-
RHODE ISLAND -----	183	-	-	-	-	-	-	-	1	1	2	1
WHITE-----MALE----	60	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	120	-	-	-	-	-	-	-	1	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	725	-	1	1	-	2	2	3	4	14	22	30
WHITE-----MALE----	207	-	-	-	-	1	-	2	-	3	6	13
FEMALE--	346	-	-	-	-	-	2	-	1	2	6	4
ALL OTHER--MALE----	84	-	-	-	-	1	-	-	2	3	7	9
FEMALE--	88	-	1	1	-	-	-	1	1	6	3	4
BLACK---MALE----	84	-	-	-	-	1	-	-	2	3	7	9
FEMALE--	88	-	1	1	-	-	-	1	1	6	3	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,276
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 V. MENTAL DISORDERS (290-319)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	29	29	35	69	98	252	384	478	398	162	41	-
WHITE-----MALE----	14	15	21	34	50	95	151	124	74	28	2	-
FEMALE--	10	6	8	20	35	139	206	318	305	124	31	-
ALL OTHER--MALE----	4	5	5	8	8	7	10	17	2	1	3	-
FEMALE--	1	3	1	7	5	11	17	19	17	9	5	-
BLACK---MALE----	4	5	5	8	7	6	10	16	2	1	3	-
FEMALE--	1	3	1	7	5	10	17	19	16	8	5	-
OKLAHOMA -----	13	12	10	13	27	36	87	132	84	42	6	-
WHITE-----MALE----	8	6	5	10	16	18	29	41	14	9	-	-
FEMALE--	1	4	4	1	8	15	55	84	66	30	5	-
ALL OTHER--MALE----	4	2	1	1	1	1	2	1	1	1	-	-
FEMALE--	-	-	-	1	2	2	1	6	3	2	1	-
BLACK---MALE----	1	1	1	-	1	1	1	1	1	1	-	-
FEMALE--	-	-	-	-	1	2	1	4	3	2	1	-
OREGON -----	11	15	18	35	52	88	174	230	185	66	13	-
WHITE-----MALE----	7	13	12	21	31	43	75	76	48	12	-	-
FEMALE--	2	2	4	9	20	43	96	150	137	53	13	-
ALL OTHER--MALE----	1	-	2	4	1	1	1	-	-	1	-	-
FEMALE--	1	-	-	1	-	1	2	4	-	-	-	-
BLACK---MALE----	-	-	-	2	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	-	-	-	-
PENNSYLVANIA -----	15	26	31	54	103	198	355	487	395	160	36	-
WHITE-----MALE----	8	18	19	25	45	91	127	134	55	23	1	-
FEMALE--	4	5	7	23	50	96	218	335	327	127	32	-
ALL OTHER--MALE----	3	2	3	3	5	5	3	8	3	2	-	-
FEMALE--	-	1	2	3	3	6	7	10	10	8	3	-
BLACK---MALE----	3	2	3	3	4	5	3	8	3	1	-	-
FEMALE--	-	1	2	3	3	6	6	9	10	8	3	-
RHODE ISLAND -----	1	5	2	5	8	14	39	38	37	22	7	-
WHITE-----MALE----	-	3	1	4	3	7	14	12	8	5	1	-
FEMALE--	1	1	1	1	5	7	23	26	29	17	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	21	21	25	22	41	89	122	145	110	40	10	-
WHITE-----MALE----	5	8	11	12	13	29	45	32	20	6	1	-
FEMALE--	2	5	3	5	14	39	60	96	71	29	7	-
ALL OTHER--MALE----	10	6	9	3	7	12	3	6	5	-	1	-
FEMALE--	4	2	2	2	7	9	14	11	14	5	1	-
BLACK---MALE----	10	6	9	3	7	12	3	6	5	-	1	-
FEMALE--	4	2	2	2	7	9	14	11	14	5	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,277
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 V. MENTAL DISORDERS (290-319)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	196	-	-	-	-	1	1	3	1	2	3	4
WHITE-----MALE----	67	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	104	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	18	-	-	-	-	-	1	2	-	1	2	2
FEMALE--	7	-	-	-	-	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,044	-	-	-	-	2	2	2	7	18	23	27
WHITE-----MALE----	364	-	-	-	-	1	-	1	4	7	13	14
FEMALE--	542	-	-	-	-	-	2	-	3	3	3	3
ALL OTHER--MALE----	73	-	-	-	-	1	-	1	-	6	6	8
FEMALE--	65	-	-	-	-	-	-	-	-	2	1	2
BLACK---MALE----	73	-	-	-	-	1	-	1	-	6	6	8
FEMALE--	64	-	-	-	-	-	-	-	-	2	1	2
TEXAS -----	2,284	1	-	-	2	3	10	23	27	49	58	42
WHITE-----MALE----	824	-	-	-	-	2	5	15	19	35	37	31
FEMALE--	1,277	1	-	-	1	-	4	7	7	11	13	3
ALL OTHER--MALE----	94	-	-	-	1	1	1	-	1	2	5	7
FEMALE--	89	-	-	-	-	-	-	1	-	1	3	1
BLACK---MALE----	90	-	-	-	-	1	1	-	1	2	5	6
FEMALE--	85	-	-	-	-	-	-	1	-	1	3	1
UTAH -----	306	-	-	-	-	-	2	2	5	8	12	3
WHITE-----MALE----	119	-	-	-	-	-	1	2	4	5	8	2
FEMALE--	181	-	-	-	-	-	1	-	1	3	3	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	139	-	-	-	-	-	-	-	1	-	1	4
WHITE-----MALE----	44	-	-	-	-	-	-	-	1	-	1	3
FEMALE--	95	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,053	-	-	-	1	-	1	1	6	16	16	21
WHITE-----MALE----	319	-	-	-	-	-	1	-	5	7	5	11
FEMALE--	532	-	-	-	-	-	-	-	-	2	2	6
ALL OTHER--MALE----	99	-	-	-	-	-	-	1	1	4	8	2
FEMALE--	103	-	-	-	1	-	-	-	-	3	1	2
BLACK---MALE----	98	-	-	-	-	-	-	1	1	4	8	2
FEMALE--	98	-	-	-	1	-	-	-	-	3	1	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,277
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 V. MENTAL DISORDERS (290-319)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	8	3	5	11	4	18	32	46	36	17	1	-
WHITE-----MALE----	4	2	3	7	3	6	17	15	4	3	-	-
FEMALE--	1	-	1	-	1	12	14	31	29	14	-	-
ALL OTHER--MALE----	3	1	1	4	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	3	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	24	25	21	29	84	109	203	220	167	66	15	-
WHITE-----MALE----	16	15	15	18	45	42	71	51	44	6	1	-
FEMALE--	2	4	4	7	25	56	107	147	109	55	12	-
ALL OTHER--MALE----	4	3	2	4	6	7	16	6	2	1	-	-
FEMALE--	2	3	-	-	8	4	9	16	12	4	2	-
BLACK---MALE----	4	3	2	4	6	7	16	6	2	1	-	-
FEMALE--	2	2	-	-	8	4	9	16	12	4	2	-
TEXAS -----	41	42	51	77	128	218	390	517	410	153	42	-
WHITE-----MALE----	32	26	26	42	60	95	134	144	81	33	7	-
FEMALE--	8	9	15	26	53	104	228	337	308	112	30	-
ALL OTHER--MALE----	1	6	5	7	10	10	12	14	6	3	2	-
FEMALE--	-	1	5	2	5	9	16	22	15	5	3	-
BLACK---MALE----	1	6	5	7	10	10	11	14	5	3	2	-
FEMALE--	-	1	4	2	4	9	15	21	15	5	3	-
UTAH -----	9	9	10	12	15	34	60	61	48	13	3	-
WHITE-----MALE----	6	3	6	6	7	14	28	12	10	5	-	-
FEMALE--	2	6	4	6	6	20	32	49	37	7	3	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
VERMONT -----	1	1	6	6	5	11	18	38	26	17	4	-
WHITE-----MALE----	1	-	4	3	3	4	3	11	7	2	1	-
FEMALE--	-	1	2	3	2	7	15	27	19	15	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	17	23	30	34	70	138	189	241	156	79	12	2
WHITE-----MALE----	10	13	8	14	36	52	57	57	32	10	-	1
FEMALE--	-	1	7	9	23	63	99	143	108	59	10	-
ALL OTHER--MALE----	5	7	13	8	6	10	15	14	3	1	-	1
FEMALE--	2	2	2	3	5	13	18	27	13	9	2	-
BLACK---MALE----	5	7	13	8	6	10	15	13	3	1	-	1
FEMALE--	2	2	2	2	5	13	16	27	12	8	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,279
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	31	41	141	387	1,053	2,359	4,244	5,226	4,289	1,810	388	-
WHITE-----MALE----	15	18	76	173	484	927	1,537	1,456	836	228	39	-
FEMALE--	12	16	52	168	467	1,218	2,427	3,492	3,211	1,486	323	-
ALL OTHER--MALE----	3	4	6	26	46	115	122	97	50	17	5	-
FEMALE--	1	3	7	20	56	99	158	181	192	79	21	-
BLACK---MALE----	3	3	5	24	44	101	106	80	37	12	4	-
FEMALE--	1	3	7	18	53	88	140	160	165	70	20	-
ALABAMA -----	-	1	2	6	14	26	52	72	44	16	7	-
WHITE-----MALE----	-	-	-	3	6	9	18	17	6	2	-	-
FEMALE--	-	1	-	2	3	14	25	50	30	12	3	-
ALL OTHER--MALE----	-	-	2	1	2	2	8	2	-	-	-	-
FEMALE--	-	-	-	-	3	1	1	3	8	2	4	-
BLACK---MALE----	-	-	2	1	2	2	8	2	-	-	-	-
FEMALE--	-	-	-	-	3	1	1	3	8	2	4	-
ALASKA -----	-	-	-	1	1	4	8	6	7	2	-	-
WHITE-----MALE----	-	-	-	1	1	2	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	5	4	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	1	9	14	51	76	116	91	32	6	-
WHITE-----MALE----	-	-	-	5	4	18	25	43	11	7	1	-
FEMALE--	-	-	-	3	9	29	47	72	79	25	5	-
ALL OTHER--MALE----	-	-	1	1	-	3	2	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	-	-	-	-
ARKANSAS -----	-	-	-	3	5	20	39	40	23	11	2	-
WHITE-----MALE----	-	-	-	1	2	8	6	14	1	1	1	-
FEMALE--	-	-	-	-	3	10	26	23	22	10	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	4	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	3	2	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	4	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	3	2	-	-	-	-
CALIFORNIA -----	4	3	12	32	109	236	354	434	364	184	40	-
WHITE-----MALE----	3	2	7	14	52	99	128	132	77	24	6	-
FEMALE--	1	1	4	12	45	111	201	271	251	144	33	-
ALL OTHER--MALE----	-	-	-	4	7	18	11	15	10	6	-	-
FEMALE--	-	-	1	2	5	8	14	16	26	10	1	-
BLACK---MALE----	-	-	-	4	6	12	8	6	4	3	-	-
FEMALE--	-	-	1	2	4	4	11	9	17	5	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,280
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	2	1	4	6	23	43	78	102	76	47	8	-
WHITE-----MALE----	-	-	2	4	10	16	27	32	17	6	1	-
FEMALE--	1	1	2	2	13	22	47	69	59	41	7	-
ALL OTHER--MALE----	1	-	-	-	-	4	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	4	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
CONNECTICUT -----	1	-	6	2	8	25	37	51	53	18	4	-
WHITE-----MALE----	1	-	4	-	3	9	14	13	11	-	-	-
FEMALE--	-	-	-	2	5	15	21	35	41	18	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	2	-	-	1	2	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	2	-	-	1	2	2	-	-	-	-
DELAWARE -----	-	-	1	-	3	3	9	9	3	4	1	-
WHITE-----MALE----	-	-	1	-	2	1	4	4	-	-	-	-
FEMALE--	-	-	-	-	1	2	5	5	1	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	1	2	1	8	8	9	3	1	-
WHITE-----MALE----	-	-	-	-	-	-	2	2	-	-	1	-
FEMALE--	-	-	-	-	1	-	-	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	4	-	1	1	-	-
FEMALE--	-	-	-	-	-	1	2	3	7	2	-	-
BLACK---MALE----	-	-	-	1	1	-	4	-	1	1	-	-
FEMALE--	-	-	-	-	-	1	2	3	5	2	-	-
FLORIDA -----	-	1	8	31	76	151	295	388	289	111	27	-
WHITE-----MALE----	-	-	6	16	31	53	113	111	68	15	3	-
FEMALE--	-	-	1	10	39	88	163	261	207	90	23	-
ALL OTHER--MALE----	-	1	1	1	3	9	8	5	6	-	-	-
FEMALE--	-	-	-	4	3	1	11	11	8	6	1	-
BLACK---MALE----	-	1	1	1	3	9	8	5	5	-	-	-
FEMALE--	-	-	-	4	3	1	11	11	8	6	1	-
GEORGIA -----	-	-	4	12	28	60	112	104	78	32	6	-
WHITE-----MALE----	-	-	1	5	17	19	29	19	12	1	1	-
FEMALE--	-	-	1	4	6	26	64	72	56	26	5	-
ALL OTHER--MALE----	-	-	1	3	2	9	4	5	-	1	-	-
FEMALE--	-	-	1	-	3	6	15	8	10	4	-	-
BLACK---MALE----	-	-	1	3	2	9	4	5	-	1	-	-
FEMALE--	-	-	1	-	3	6	15	8	10	4	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,281
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	1	-	-	1	8	11	10	8	5	-	-
WHITE-----MALE----	-	-	-	-	-	-	3	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	3	2	1	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	5	2	3	2	1	-	-
FEMALE--	-	-	-	-	1	3	3	3	4	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	1	2	5	9	21	24	22	10	2	-
WHITE-----MALE----	-	-	-	2	2	3	5	10	8	1	-	-
FEMALE--	-	-	1	-	3	6	16	14	14	9	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	-	5	6	15	30	90	186	206	184	70	11	-
WHITE-----MALE----	-	3	3	5	17	41	73	57	23	9	3	-
FEMALE--	-	2	3	8	10	44	106	139	157	59	8	-
ALL OTHER--MALE----	-	-	-	1	1	-	2	1	-	-	-	-
FEMALE--	-	-	-	1	2	5	5	9	4	2	-	-
BLACK---MALE----	-	-	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	2	5	5	9	4	2	-	-
INDIANA -----	-	-	7	7	11	39	90	109	73	45	11	-
WHITE-----MALE----	-	-	4	4	6	16	27	21	11	6	1	-
FEMALE--	-	-	3	2	4	19	59	85	58	39	10	-
ALL OTHER--MALE----	-	-	-	1	1	2	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	2	4	1	4	-	-	-
BLACK---MALE----	-	-	-	1	1	2	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	2	4	1	4	-	-	-
IOWA -----	1	1	2	2	11	32	72	96	104	41	13	-
WHITE-----MALE----	-	1	2	1	7	12	30	30	22	6	2	-
FEMALE--	1	-	-	1	3	19	41	65	81	35	11	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
KANSAS -----	1	1	5	4	9	32	57	78	55	27	5	-
WHITE-----MALE----	1	-	5	2	3	15	24	22	13	5	1	-
FEMALE--	-	1	-	1	4	16	30	53	41	22	3	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	1	-	-	1	-
FEMALE--	-	-	-	-	1	-	3	2	1	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	1	-	-	1	-
FEMALE--	-	-	-	-	1	-	2	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,282
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	1	4	5	11	31	56	80	58	19	4	-
WHITE-----MALE----	-	1	2	3	10	8	18	22	5	2	-	-
FEMALE--	-	-	2	2	1	23	35	54	48	16	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	1	2	-	-	-
FEMALE--	-	-	-	-	-	-	1	3	3	1	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	1	3	3	1	-	-
LOUISIANA -----	-	-	2	5	9	22	48	45	38	12	5	-
WHITE-----MALE----	-	-	1	2	3	6	15	7	5	1	-	-
FEMALE--	-	-	-	3	4	10	26	33	23	10	4	-
ALL OTHER--MALE----	-	-	-	-	2	3	4	-	5	-	1	-
FEMALE--	-	-	1	-	-	3	3	5	5	1	-	-
BLACK---MALE----	-	-	-	-	2	3	4	-	4	-	1	-
FEMALE--	-	-	1	-	-	3	3	5	5	1	-	-
MAINE -----	-	-	-	2	15	18	42	49	36	21	5	-
WHITE-----MALE----	-	-	-	-	10	6	14	13	10	-	-	-
FEMALE--	-	-	-	2	5	12	28	36	26	21	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	3	2	5	16	48	81	87	89	30	5	-
WHITE-----MALE----	-	-	-	2	3	19	28	16	19	1	1	-
FEMALE--	-	1	2	2	12	16	49	64	59	26	4	-
ALL OTHER--MALE----	1	1	-	1	-	3	1	3	1	-	-	-
FEMALE--	-	1	-	-	1	10	3	4	10	3	-	-
BLACK---MALE----	1	1	-	1	-	3	1	3	1	-	-	-
FEMALE--	-	1	-	-	1	10	2	4	10	3	-	-
MASSACHUSETTS -----	1	-	1	10	29	52	101	127	124	46	9	-
WHITE-----MALE----	-	-	-	5	16	23	36	34	22	3	1	-
FEMALE--	1	-	1	5	12	28	60	89	98	43	7	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	5	3	4	-	1	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	4	3	4	-	1	-
MICHIGAN -----	-	1	9	14	35	98	121	159	146	44	8	-
WHITE-----MALE----	-	1	1	5	14	36	45	51	28	6	-	-
FEMALE--	-	-	8	7	15	53	69	101	113	33	7	-
ALL OTHER--MALE----	-	-	-	1	3	6	5	3	-	2	-	-
FEMALE--	-	-	-	1	3	3	2	4	5	3	1	-
BLACK---MALE----	-	-	-	-	3	6	4	3	-	2	-	-
FEMALE--	-	-	-	1	3	2	2	4	5	3	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,283
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	2	-	4	15	22	61	131	178	170	97	17	-
WHITE-----MALE----	2	-	3	10	10	29	59	62	46	14	1	-
FEMALE--	-	-	1	5	12	27	70	116	124	82	16	-
ALL OTHER--MALE----	-	-	-	-	-	3	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	3	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	1	-	-
MISSISSIPPI -----	1	-	-	3	9	16	28	23	24	7	3	-
WHITE-----MALE----	1	-	-	3	3	8	10	5	3	2	-	-
FEMALE--	-	-	-	-	4	5	16	13	18	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	2	-	-	1	-
FEMALE--	-	-	-	-	2	2	1	3	3	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	2	-	-	1	-
FEMALE--	-	-	-	-	2	2	1	3	3	-	-	-
MISSOURI -----	2	-	3	10	34	49	117	117	113	43	7	-
WHITE-----MALE----	-	-	1	2	14	21	42	27	29	3	-	-
FEMALE--	2	-	2	7	16	24	66	83	82	38	7	-
ALL OTHER--MALE----	-	-	-	-	4	1	5	5	-	1	-	-
FEMALE--	-	-	-	1	-	3	4	2	2	1	-	-
BLACK---MALE----	-	-	-	-	4	1	4	5	-	1	-	-
FEMALE--	-	-	-	1	-	3	4	2	2	1	-	-
MONTANA -----	-	-	-	1	5	9	24	28	20	10	4	-
WHITE-----MALE----	-	-	-	-	2	3	8	6	3	1	-	-
FEMALE--	-	-	-	1	3	6	16	22	17	9	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	-	4	7	8	25	56	24	7	2	-
WHITE-----MALE----	-	-	-	3	4	5	15	17	4	1	-	-
FEMALE--	-	-	-	-	3	3	10	38	18	6	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
NEVADA -----	-	1	-	-	3	5	9	14	11	1	-	-
WHITE-----MALE----	-	1	-	-	3	3	2	6	2	-	-	-
FEMALE--	-	-	-	-	-	2	6	6	9	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,285
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	-	3	4	20	48	152	206	277	206	85	20	-
WHITE-----MALE----	-	2	3	5	23	53	73	70	35	12	2	-
FEMALE--	-	1	1	10	19	90	116	187	165	67	16	-
ALL OTHER--MALE----	-	-	-	4	2	4	6	9	-	1	-	-
FEMALE--	-	-	-	1	4	5	11	11	6	5	2	-
BLACK---MALE----	-	-	-	4	2	4	6	8	-	1	-	-
FEMALE--	-	-	-	1	4	4	11	11	5	5	2	-
OKLAHOMA -----	-	-	1	4	9	20	42	74	39	21	3	-
WHITE-----MALE----	-	-	-	3	5	11	14	22	4	1	-	-
FEMALE--	-	-	1	1	3	8	28	48	32	19	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	3	2	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	2	2	1	-	-
OREGON -----	-	-	-	6	22	50	112	134	101	37	9	-
WHITE-----MALE----	-	-	-	4	12	24	49	45	24	7	-	-
FEMALE--	-	-	-	2	9	25	62	88	77	30	9	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA -----	-	1	9	25	59	118	214	287	234	84	16	-
WHITE-----MALE----	-	-	4	7	28	54	78	76	30	10	1	-
FEMALE--	-	-	3	16	27	60	131	201	198	68	15	-
ALL OTHER--MALE----	-	-	-	-	2	2	2	4	1	1	-	-
FEMALE--	-	1	2	2	2	2	3	6	5	5	-	-
BLACK---MALE----	-	-	-	-	1	2	2	4	1	-	-	-
FEMALE--	-	1	2	2	2	2	2	6	5	5	-	-
RHODE ISLAND -----	1	1	-	2	5	6	21	18	16	9	1	-
WHITE-----MALE----	-	-	-	1	1	3	7	5	4	1	-	-
FEMALE--	1	1	-	1	4	3	13	13	12	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	2	5	21	59	94	91	68	27	6	-
WHITE-----MALE----	1	-	1	3	8	20	34	19	15	3	1	-
FEMALE--	-	-	-	1	10	25	47	64	43	20	4	-
ALL OTHER--MALE----	-	-	1	-	1	8	3	2	3	-	-	-
FEMALE--	-	1	-	1	2	6	10	6	7	4	1	-
BLACK---MALE----	-	-	1	-	1	8	3	2	3	-	-	-
FEMALE--	-	1	-	1	2	6	10	6	7	4	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,286
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	-	1	-	2	8	12	21	16	7	-	-
WHITE-----MALE----	1	-	1	-	1	1	7	8	2	1	-	-
FEMALE--	-	-	-	-	1	7	5	13	12	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	3	2	7	42	64	124	143	118	41	10	-
WHITE-----MALE----	-	1	1	5	25	23	44	31	31	3	1	-
FEMALE--	-	2	1	2	10	34	64	97	77	36	8	-
ALL OTHER--MALE----	-	-	-	-	2	5	9	3	1	1	-	-
FEMALE--	-	-	-	-	5	2	7	12	9	1	1	-
BLACK---MALE----	-	-	-	-	2	5	9	3	1	1	-	-
FEMALE--	-	-	-	-	5	2	7	12	9	1	1	-
TEXAS -----	4	3	8	18	58	121	221	270	242	86	24	-
WHITE-----MALE----	3	1	5	10	24	50	71	79	52	19	6	-
FEMALE--	1	2	3	7	31	63	136	172	180	63	15	-
ALL OTHER--MALE----	-	-	-	1	1	3	6	5	4	1	1	-
FEMALE--	-	-	-	-	2	5	8	14	6	3	2	-
BLACK---MALE----	-	-	-	1	1	3	6	5	4	1	1	-
FEMALE--	-	-	-	-	2	5	8	13	6	3	2	-
UTAH -----	1	1	2	2	9	19	25	31	21	8	1	-
WHITE-----MALE----	1	1	-	-	5	7	13	5	1	2	-	-
FEMALE--	-	-	2	2	4	12	12	26	20	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	2	3	3	7	10	21	12	6	-	-
WHITE-----MALE----	-	-	1	-	2	4	1	7	3	2	-	-
FEMALE--	-	-	1	3	1	3	9	14	9	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	6	12	39	78	112	140	70	42	11	-
WHITE-----MALE----	-	1	3	7	21	33	34	35	14	3	-	-
FEMALE--	-	-	3	3	14	33	57	85	50	34	9	-
ALL OTHER--MALE----	-	-	-	-	1	6	10	8	1	-	-	-
FEMALE--	-	-	-	2	3	6	11	12	5	5	2	-
BLACK---MALE----	-	-	-	-	1	6	10	7	1	-	-	-
FEMALE--	-	-	-	1	3	6	10	12	5	5	2	-

