

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,601

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
TEXAS -----	13,072	1	1	-	-	1	2	5	21	91	136	252
WHITE-----MALE----	5,895	1	-	-	-	1	1	3	10	58	86	158
FEMALE--	5,705	-	1	-	-	-	-	2	5	12	16	34
ALL OTHER--MALE----	749	-	-	-	-	-	1	-	4	14	24	42
FEMALE--	723	-	-	-	-	-	-	-	2	7	10	18
BLACK---MALE----	698	-	-	-	-	-	1	-	3	14	23	40
FEMALE--	696	-	-	-	-	-	-	-	2	7	9	18
UTAH -----	869	-	-	-	-	-	-	-	1	5	6	15
WHITE-----MALE----	483	-	-	-	-	-	-	-	-	4	4	13
FEMALE--	373	-	-	-	-	-	-	-	1	1	2	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	485	-	-	-	-	-	-	-	-	2	4	7
WHITE-----MALE----	250	-	-	-	-	-	-	-	-	2	3	5
FEMALE--	235	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4,325	-	-	-	-	-	1	3	6	36	63	88
WHITE-----MALE----	1,869	-	-	-	-	-	-	1	3	21	30	44
FEMALE--	1,687	-	-	-	-	-	-	1	2	8	12	19
ALL OTHER--MALE----	377	-	-	-	-	-	1	1	1	4	17	22
FEMALE--	392	-	-	-	-	-	-	-	-	3	4	3
BLACK---MALE----	361	-	-	-	-	-	1	1	1	4	16	21
FEMALE--	388	-	-	-	-	-	-	-	-	3	4	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,601
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	14	17	31	36	60	97	101	100	101	52	7	-
WHITE-----MALE----	11	14	22	26	37	59	57	42	32	14	1	-
FEMALE--	2	3	7	8	21	34	42	58	66	38	6	-
ALL OTHER--MALE----	1	-	-	1	2	3	2	-	-	-	-	-
FEMALE--	-	-	2	1	-	1	-	-	3	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
TENNESSEE -----	131	186	264	407	573	754	828	840	567	212	46	-
WHITE-----MALE----	64	109	157	223	297	384	330	269	130	24	5	-
FEMALE--	28	43	56	112	204	291	388	469	380	165	34	-
ALL OTHER--MALE----	26	23	28	32	33	33	41	43	23	4	2	-
FEMALE--	13	11	23	40	39	46	69	59	34	19	5	-
BLACK---MALE----	25	22	28	32	33	33	41	43	22	4	2	-
FEMALE--	12	11	23	40	39	46	68	57	32	19	5	-
TEXAS -----	404	553	759	1,070	1,526	1,858	2,037	2,198	1,431	577	147	2
WHITE-----MALE----	246	336	462	619	812	990	874	742	373	102	19	2
FEMALE--	71	113	173	311	532	690	1,005	1,266	941	428	105	-
ALL OTHER--MALE----	58	68	78	76	97	92	65	73	38	13	6	-
FEMALE--	29	36	46	64	85	86	93	117	79	34	17	-
BLACK---MALE----	54	62	73	72	91	85	59	67	36	12	6	-
FEMALE--	29	34	44	60	79	80	91	115	78	33	17	-
UTAH -----	22	32	47	66	101	115	169	156	89	38	7	-
WHITE-----MALE----	20	24	34	49	63	75	88	71	32	4	2	-
FEMALE--	1	8	11	17	36	35	78	85	57	34	5	-
ALL OTHER--MALE----	1	-	2	-	-	4	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
VERMONT -----	15	16	19	38	58	61	77	88	62	30	8	-
WHITE-----MALE----	13	14	12	26	37	33	43	39	17	5	1	-
FEMALE--	2	2	7	12	21	28	34	49	45	25	7	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	116	168	259	381	552	743	704	648	372	149	35	1
WHITE-----MALE----	71	106	137	211	276	377	273	209	82	24	4	-
FEMALE--	15	26	60	87	163	246	317	346	252	105	27	1
ALL OTHER--MALE----	18	25	32	50	49	59	50	39	7	2	-	-
FEMALE--	12	11	30	33	64	61	64	54	31	18	4	-
BLACK---MALE----	18	24	32	49	47	58	45	36	6	2	-	-
FEMALE--	12	11	30	33	63	61	63	52	31	18	4	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,602
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
WASHINGTON -----	78	114	163	300	429	650	718	640	439	172	40	-
WHITE-----MALE----	62	85	118	192	273	415	382	268	156	44	6	-
FEMALE--	10	21	35	86	138	212	311	357	270	123	34	-
ALL OTHER--MALE----	6	6	8	13	14	10	15	6	6	1	-	-
FEMALE--	-	2	2	9	4	13	10	9	7	4	-	-
BLACK---MALE----	2	1	-	6	10	3	8	-	1	1	-	-
FEMALE--	-	1	2	4	3	9	3	4	2	-	-	-
WEST VIRGINIA -----	42	71	140	201	303	368	418	372	222	102	26	-
WHITE-----MALE----	29	42	97	114	173	204	184	134	54	16	5	-
FEMALE--	10	27	40	79	122	156	221	223	159	81	18	-
ALL OTHER--MALE----	1	1	2	4	5	3	6	6	2	2	-	-
FEMALE--	2	1	1	4	3	5	7	9	7	3	3	-
BLACK---MALE----	1	1	1	4	4	3	6	6	2	2	-	-
FEMALE--	2	1	1	4	3	5	7	9	7	3	3	-
WISCONSIN -----	102	119	213	323	492	713	801	805	662	289	81	-
WHITE-----MALE----	67	89	151	217	309	405	406	295	196	75	8	-
FEMALE--	18	19	42	89	163	289	380	498	454	212	69	-
ALL OTHER--MALE----	11	6	10	13	11	10	6	5	7	-	-	-
FEMALE--	6	5	10	4	9	9	9	7	5	2	4	-
BLACK---MALE----	11	5	8	10	9	9	5	3	7	-	-	-
FEMALE--	6	5	7	4	8	5	7	6	4	2	4	-
WYOMING -----	9	8	18	38	28	43	42	47	29	8	2	-
WHITE-----MALE----	8	7	12	30	18	22	24	18	8	1	-	-
FEMALE--	1	1	6	7	9	21	18	29	20	7	2	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,603
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
DISEASES OF PULMONARY CIRCULATION (415-417)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	12,137	199	26	10	14	48	78	122	186	269	387	509
WHITE-----MALE----	4,119	69	9	2	5	12	15	38	39	81	130	159
FEMALE--	5,776	65	9	4	5	18	32	44	65	84	114	204
ALL OTHER--MALE----	947	39	3	1	2	5	12	14	33	42	58	52
FEMALE--	1,295	26	5	3	2	13	19	26	49	62	85	94
BLACK---MALE----	889	34	2	1	2	4	11	14	33	39	53	48
FEMALE--	1,207	19	4	3	1	12	18	25	46	58	78	87
ALABAMA -----	275	7	-	-	-	2	4	6	3	8	13	12
WHITE-----MALE----	70	2	-	-	-	1	1	4	1	-	2	1
FEMALE--	116	1	-	-	-	-	2	2	1	4	2	4
ALL OTHER--MALE----	34	3	-	-	-	-	1	-	-	2	5	1
FEMALE--	55	1	-	-	-	1	-	-	1	2	4	6
BLACK---MALE----	34	3	-	-	-	-	1	-	-	2	5	1
FEMALE--	55	1	-	-	-	1	-	-	1	2	4	6
ALASKA -----	12	-	1	-	-	-	-	-	-	-	-	3
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	1	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	176	3	1	1	-	-	1	3	1	2	7	8
WHITE-----MALE----	71	1	-	-	-	-	-	2	-	-	1	3
FEMALE--	91	1	-	1	-	-	-	-	1	1	4	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	10	1	1	-	-	-	1	1	-	1	-	2
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	6	-	-	-	-	-	1	1	-	1	-	1
ARKANSAS -----	196	2	-	-	-	-	4	-	3	2	5	7
WHITE-----MALE----	81	-	-	-	-	-	2	-	1	1	2	3
FEMALE--	86	1	-	-	-	-	2	-	-	-	2	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	18	1	-	-	-	-	-	-	1	-	1	2
BLACK---MALE----	10	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	18	1	-	-	-	-	-	-	1	-	1	2
CALIFORNIA -----	775	27	3	1	2	5	2	13	10	24	24	40
WHITE-----MALE----	266	7	1	1	-	2	-	4	3	8	10	12
FEMALE--	389	9	-	-	2	1	2	4	4	11	7	18
ALL OTHER--MALE----	55	8	1	-	-	-	-	4	1	2	4	3
FEMALE--	65	3	1	-	-	2	-	1	2	3	3	7
BLACK---MALE----	36	4	-	-	-	-	-	4	1	2	2	2
FEMALE--	46	2	1	-	-	1	-	1	2	2	1	6

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,603
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
DISEASES OF PULMONARY CIRCULATION (415-417)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	548	659	806	1,190	1,598	1,737	1,654	1,249	620	193	33	2
WHITE-----MALE----	184	227	332	443	627	678	540	352	133	39	4	1
FEMALE--	219	289	293	517	703	831	934	776	409	135	26	-
ALL OTHER--MALE----	71	59	92	102	109	100	74	52	24	2	1	-
FEMALE--	74	84	89	128	159	128	106	69	54	17	2	1
BLACK---MALE----	67	55	88	96	105	90	70	51	23	2	1	-
FEMALE--	69	79	84	117	150	119	100	66	52	17	2	1
ALABAMA -----	11	12	15	38	27	41	34	26	15	1	-	-
WHITE-----MALE----	3	2	4	11	7	17	5	6	3	-	-	-
FEMALE--	2	8	4	18	8	16	20	15	8	1	-	-
ALL OTHER--MALE----	2	2	2	1	2	7	4	2	-	-	-	-
FEMALE--	4	-	5	8	10	1	5	3	4	-	-	-
BLACK---MALE----	2	2	2	1	2	7	4	2	-	-	-	-
FEMALE--	4	-	5	8	10	1	5	3	4	-	-	-
ALASKA -----	-	-	1	-	4	-	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARIZONA -----	6	10	13	23	24	25	24	18	2	4	-	-
WHITE-----MALE----	-	5	6	10	13	8	17	5	-	-	-	-
FEMALE--	5	5	7	11	10	16	7	13	2	4	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ARKANSAS -----	11	9	16	21	33	27	20	23	13	-	-	-
WHITE-----MALE----	3	7	6	9	16	13	9	5	4	-	-	-
FEMALE--	6	2	5	8	13	12	10	14	9	-	-	-
ALL OTHER--MALE----	1	-	1	2	2	1	-	2	-	-	-	-
FEMALE--	1	-	4	2	2	1	1	2	-	-	-	-
BLACK---MALE----	1	-	1	2	1	1	-	2	-	-	-	-
FEMALE--	1	-	4	2	2	1	1	2	-	-	-	-
CALIFORNIA -----	34	49	55	72	90	95	101	78	37	11	2	-
WHITE-----MALE----	14	20	22	23	36	36	33	22	10	2	-	-
FEMALE--	10	23	23	34	47	47	61	53	24	7	2	-
ALL OTHER--MALE----	6	1	5	6	3	4	5	2	-	-	-	-
FEMALE--	4	5	5	9	4	8	2	1	3	2	-	-
BLACK---MALE----	3	1	3	4	2	3	3	2	-	-	-	-
FEMALE--	4	3	4	5	4	5	2	-	1	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,604
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
DISEASES OF PULMONARY CIRCULATION (415-417)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	202	5	-	-	-	-	-	1	4	8	2	13
WHITE-----MALE----	71	3	-	-	-	-	-	-	1	2	1	6
FEMALE--	117	2	-	-	-	-	-	-	1	4	-	7
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	7	-	-	-	-	-	-	1	1	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	7	-	-	-	-	-	-	1	1	1	-	-
CONNECTICUT -----	134	4	-	-	1	-	3	5	2	3	3	3
WHITE-----MALE----	51	2	-	-	-	-	1	2	1	1	1	2
FEMALE--	70	2	-	-	-	-	1	3	1	1	2	-
ALL OTHER--MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	1	-	-	1	-	1
BLACK---MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	1	-	-	1	-	1
DELAWARE -----	29	1	-	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	11	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
DISTRICT OF COLUMBIA ----	66	2	-	-	-	1	1	-	1	2	4	3
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	22	1	-	-	-	-	-	-	1	1	2	1
FEMALE--	35	1	-	-	-	1	1	-	-	1	2	2
BLACK---MALE----	22	1	-	-	-	-	-	-	1	1	2	1
FEMALE--	35	1	-	-	-	1	1	-	-	1	2	2
FLORIDA -----	646	9	1	-	1	2	3	2	7	18	21	20
WHITE-----MALE----	242	3	-	-	-	1	1	-	1	6	4	6
FEMALE--	281	3	1	-	-	1	-	1	3	4	6	7
ALL OTHER--MALE----	54	2	-	-	1	-	1	1	-	3	7	3
FEMALE--	69	1	-	-	-	-	1	-	3	5	4	4
BLACK---MALE----	52	2	-	-	1	-	1	1	-	3	7	3
FEMALE--	65	-	-	-	-	-	1	-	2	5	4	4
GEORGIA -----	419	5	1	1	2	2	10	5	9	10	20	18
WHITE-----MALE----	89	2	-	-	1	-	-	1	1	1	5	-
FEMALE--	170	2	1	-	1	-	2	-	1	2	3	6
ALL OTHER--MALE----	67	1	-	1	-	1	2	1	2	3	2	6
FEMALE--	93	-	-	-	-	1	6	3	5	4	10	6
BLACK---MALE----	67	1	-	1	-	1	2	1	2	3	2	6
FEMALE--	93	-	-	-	-	1	6	3	5	4	10	6

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,604
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
DISEASES OF PULMONARY CIRCULATION (415-417)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	13	14	15	18	20	24	22	16	17	8	2	-
WHITE-----MALE----	5	4	8	10	9	5	8	3	3	2	1	-
FEMALE--	8	10	5	6	10	18	13	12	14	6	1	-
ALL OTHER--MALE----	-	-	1	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	-	-	-	-
CONNECTICUT -----	5	10	6	8	17	21	26	11	5	1	-	-
WHITE-----MALE----	2	4	2	4	5	10	9	3	2	-	-	-
FEMALE--	2	2	3	4	10	10	17	8	3	1	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	1	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	1	-	2	1	-	-	-	-	-	-
DELAWARE -----	-	2	3	3	4	7	2	3	-	-	-	-
WHITE-----MALE----	-	1	-	1	2	2	-	3	-	-	-	-
FEMALE--	-	1	3	2	1	4	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	6	-	5	14	8	5	3	8	-	-	-
WHITE-----MALE----	-	-	-	-	2	1	-	1	1	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	2	3	-	-	4	2	2	1	2	-	-	-
FEMALE--	1	3	-	4	7	5	2	1	4	-	-	-
BLACK---MALE----	2	3	-	-	4	2	2	1	2	-	-	-
FEMALE--	1	3	-	4	7	5	2	1	4	-	-	-
FLORIDA -----	31	21	39	81	88	114	95	51	23	15	4	-
WHITE-----MALE----	11	5	17	36	42	45	36	17	6	4	1	-
FEMALE--	9	8	10	31	33	55	49	32	16	10	2	-
ALL OTHER--MALE----	6	2	7	4	3	7	7	-	-	-	-	-
FEMALE--	5	6	5	10	10	7	3	2	1	1	1	-
BLACK---MALE----	6	2	7	3	3	6	7	-	-	-	-	-
FEMALE--	5	6	5	9	9	7	3	2	1	1	1	-
GEORGIA -----	25	26	25	39	51	52	42	43	24	5	4	-
WHITE-----MALE----	8	8	9	11	12	11	9	6	3	-	1	-
FEMALE--	4	7	8	15	21	30	25	27	9	4	2	-
ALL OTHER--MALE----	6	7	3	8	7	6	3	4	3	-	1	-
FEMALE--	7	4	5	5	11	5	5	6	9	1	-	-
BLACK---MALE----	6	7	3	8	7	6	3	4	3	-	1	-
FEMALE--	7	4	5	5	11	5	5	6	9	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,605
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
DISEASES OF PULMONARY CIRCULATION (415-417)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	1	1	3	2	5	2	2	1	2	-	-	-
WHITE-----MALE----	-	-	3	1	2	-	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	1	-	1	3	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	4	2	2	3	2	9	3	6	1	1	-
WHITE-----MALE----	-	2	-	1	1	-	3	2	3	1	-	-
FEMALE--	-	2	2	1	2	2	6	1	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	22	39	37	63	82	85	76	69	33	12	3	-
WHITE-----MALE----	7	11	12	20	26	23	26	22	5	4	-	-
FEMALE--	10	15	17	25	37	42	40	41	22	6	3	-
ALL OTHER--MALE----	3	8	3	9	7	8	1	3	2	-	-	-
FEMALE--	2	5	5	9	12	12	9	3	4	2	-	-
BLACK---MALE----	3	8	3	8	7	8	1	3	2	-	-	-
FEMALE--	2	5	5	9	12	11	9	3	4	2	-	-
INDIANA -----	15	17	17	30	43	59	56	35	16	5	-	1
WHITE-----MALE----	5	7	5	11	23	25	22	9	7	3	-	-
FEMALE--	9	8	10	11	17	32	29	24	8	2	-	-
ALL OTHER--MALE----	1	-	1	3	-	1	4	2	-	-	-	-
FEMALE--	-	2	1	5	3	1	1	-	1	-	-	1
BLACK---MALE----	1	-	1	3	-	1	4	2	-	-	-	-
FEMALE--	-	2	1	5	3	1	1	-	1	-	-	1
IOWA -----	4	5	5	12	21	29	21	30	8	3	-	-
WHITE-----MALE----	1	3	4	6	7	11	8	8	1	1	-	-
FEMALE--	3	2	1	6	13	17	13	22	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
KANSAS -----	3	6	11	21	24	24	17	19	12	5	-	-
WHITE-----MALE----	2	2	5	8	9	12	8	8	3	1	-	-
FEMALE--	1	3	6	11	13	12	9	11	8	4	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	1	-	2	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	1	-	2	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,606
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
DISEASES OF PULMONARY CIRCULATION (415-417)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	197	3	1	-	-	1	2	2	4	5	9	7
WHITE-----MALE----	80	1	-	-	-	-	1	1	2	2	4	3
FEMALE--	101	1	1	-	-	1	1	1	1	2	2	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	7	1	-	-	-	-	-	-	1	-	2	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	7	1	-	-	-	-	-	-	1	-	2	-
LOUISIANA -----	210	3	-	-	-	1	3	4	4	4	10	10
WHITE-----MALE----	51	1	-	-	-	-	-	2	2	1	3	2
FEMALE--	85	-	-	-	-	1	1	1	1	2	4	3
ALL OTHER--MALE----	32	1	-	-	-	-	2	-	-	-	-	3
FEMALE--	42	1	-	-	-	-	-	1	1	1	3	2
BLACK---MALE----	32	1	-	-	-	-	2	-	-	-	-	3
FEMALE--	41	1	-	-	-	-	-	1	1	1	3	2
MAINE -----	54	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	39	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	248	4	1	1	1	-	-	8	7	7	10	13
WHITE-----MALE----	67	-	-	-	-	-	-	1	-	1	3	1
FEMALE--	80	2	-	-	-	-	-	-	1	1	3	2
ALL OTHER--MALE----	44	1	1	-	-	-	-	1	4	-	1	5
FEMALE--	57	1	-	1	1	-	-	6	2	5	3	5
BLACK---MALE----	43	1	1	-	-	-	-	1	4	-	1	5
FEMALE--	55	1	-	1	-	-	-	6	2	5	3	5
MASSACHUSETTS -----	246	3	1	-	-	2	1	3	3	5	5	12
WHITE-----MALE----	101	-	-	-	-	1	-	1	2	4	2	6
FEMALE--	135	3	1	-	-	1	-	2	1	1	2	5
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	1	-	-	-	1	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	1	-	-	-	1	1
MICHIGAN -----	361	9	-	-	-	3	-	4	3	7	6	15
WHITE-----MALE----	120	2	-	-	-	-	-	-	2	2	2	4
FEMALE--	167	4	-	-	-	2	-	4	1	3	2	6
ALL OTHER--MALE----	34	2	-	-	-	-	-	-	-	1	-	2
FEMALE--	40	1	-	-	-	1	-	-	-	1	2	3
BLACK---MALE----	33	2	-	-	-	-	-	-	-	1	-	2
FEMALE--	37	1	-	-	-	1	-	-	-	1	2	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,606
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
DISEASES OF PULMONARY CIRCULATION (415-417)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	11	11	15	14	29	31	22	17	12	1	-	-
WHITE-----MALE----	7	5	7	6	14	13	7	3	4	-	-	-
FEMALE--	4	6	7	7	11	17	14	14	8	1	-	-
ALL OTHER--MALE----	-	-	-	1	3	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	3	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
LOUISIANA -----	12	8	17	19	25	30	20	28	11	1	-	-
WHITE-----MALE----	6	1	4	8	5	8	3	5	-	-	-	-
FEMALE--	2	5	5	7	12	9	9	17	6	-	-	-
ALL OTHER--MALE----	1	-	5	3	2	5	4	3	3	-	-	-
FEMALE--	3	2	3	1	6	8	4	3	2	1	-	-
BLACK---MALE----	1	-	5	3	2	5	4	3	3	-	-	-
FEMALE--	3	2	3	1	6	7	4	3	2	1	-	-
MAINE -----	2	4	1	5	9	7	8	12	1	2	1	-
WHITE-----MALE----	-	2	-	1	5	-	2	5	-	-	-	-
FEMALE--	2	2	1	4	4	7	6	7	1	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	8	18	17	22	35	41	18	24	8	5	-	-
WHITE-----MALE----	1	4	6	3	14	15	7	9	1	1	-	-
FEMALE--	-	4	2	8	12	18	9	10	5	3	-	-
ALL OTHER--MALE----	4	3	5	5	3	6	2	2	1	-	-	-
FEMALE--	3	7	4	6	6	2	-	3	1	1	-	-
BLACK---MALE----	4	3	5	4	3	6	2	2	1	-	-	-
FEMALE--	3	6	4	6	6	2	-	3	1	1	-	-
MASSACHUSETTS -----	7	14	13	21	33	46	29	24	17	6	1	-
WHITE-----MALE----	1	6	8	9	11	21	12	7	8	2	-	-
FEMALE--	5	8	5	11	20	23	17	16	9	4	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	2	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	1	-	-	-	-
MICHIGAN -----	18	17	22	33	32	60	66	42	17	5	2	-
WHITE-----MALE----	5	8	9	12	11	21	25	13	3	1	-	-
FEMALE--	6	7	7	14	13	31	28	22	12	4	1	-
ALL OTHER--MALE----	3	2	5	4	4	4	1	4	2	-	-	-
FEMALE--	4	-	1	3	4	4	12	3	-	-	1	-
BLACK---MALE----	3	2	4	4	4	4	1	4	2	-	-	-
FEMALE--	3	-	1	3	3	4	11	3	-	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,607
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
DISEASES OF PULMONARY CIRCULATION (415-417)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	181	1	-	-	1	-	1	4	1	5	6	5
WHITE-----MALE----	69	1	-	-	1	-	-	1	-	2	4	1
FEMALE--	102	-	-	-	-	-	-	2	1	3	1	2
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	1	-	-	1	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	1	-	-	1	-
MISSISSIPPI -----	206	1	-	-	-	2	2	1	8	7	7	13
WHITE-----MALE----	57	-	-	-	-	-	-	1	1	2	3	4
FEMALE--	71	1	-	-	-	1	1	-	2	1	1	6
ALL OTHER--MALE----	30	-	-	-	-	-	1	-	3	-	1	2
FEMALE--	48	-	-	-	-	1	-	-	2	4	2	1
BLACK---MALE----	30	-	-	-	-	-	1	-	3	-	1	2
FEMALE--	48	-	-	-	-	1	-	-	2	4	2	1
MISSOURI -----	295	4	-	-	-	1	-	3	3	7	8	7
WHITE-----MALE----	96	-	-	-	-	-	-	1	-	3	2	-
FEMALE--	163	4	-	-	-	-	-	1	1	2	2	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	25	-	-	-	-	1	-	-	2	1	3	6
BLACK---MALE----	11	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	25	-	-	-	-	1	-	-	2	1	3	6
MONTANA -----	51	1	-	-	-	-	1	-	-	2	5	1
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	28	1	-	-	-	-	1	-	-	-	3	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	110	4	-	-	-	-	1	-	1	-	3	4
WHITE-----MALE----	49	2	-	-	-	-	1	-	-	-	1	3
FEMALE--	57	2	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	76	1	-	-	-	1	2	1	1	2	1	7
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	36	-	-	-	-	1	1	-	-	-	-	3
ALL OTHER--MALE----	6	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	7	-	-	-	-	-	1	-	1	1	-	1
BLACK---MALE----	6	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,607
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF PULMONARY CIRCULATION (415-417)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	9	8	17	11	21	24	23	25	12	6	1	-
WHITE-----MALE----	4	2	9	4	10	8	11	9	2	-	-	-
FEMALE--	5	5	6	7	10	16	12	15	10	6	1	-
ALL OTHER--MALE----	-	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	18	13	17	18	22	25	27	18	6	-	1	-
WHITE-----MALE----	6	4	7	4	6	9	6	3	1	-	-	-
FEMALE--	4	6	-	3	9	8	11	12	4	-	1	-
ALL OTHER--MALE----	5	1	5	4	1	1	4	1	1	-	-	-
FEMALE--	3	2	5	7	6	7	6	2	-	-	-	-
BLACK---MALE----	5	1	5	4	1	1	4	1	1	-	-	-
FEMALE--	3	2	5	7	6	7	6	2	-	-	-	-
MISSOURI -----	7	13	21	28	38	39	48	44	15	8	1	-
WHITE-----MALE----	1	5	11	13	19	15	12	10	2	1	1	-
FEMALE--	5	6	9	10	17	22	32	32	13	6	-	-
ALL OTHER--MALE----	-	2	-	3	1	1	1	-	-	-	-	-
FEMALE--	1	-	1	2	1	1	3	2	-	1	-	-
BLACK---MALE----	-	2	-	3	1	1	1	-	-	-	-	-
FEMALE--	1	-	1	2	1	1	3	2	-	1	-	-
MONTANA -----	2	1	3	4	3	7	13	2	3	3	-	-
WHITE-----MALE----	-	-	1	2	1	2	7	2	2	-	-	-
FEMALE--	1	1	2	2	2	5	5	-	1	3	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	3	4	11	8	18	12	16	14	8	3	-	-
WHITE-----MALE----	2	1	5	5	9	4	8	4	3	1	-	-
FEMALE--	1	3	4	2	9	8	8	10	5	2	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
NEVADA -----	8	2	2	8	12	9	9	3	5	2	-	-
WHITE-----MALE----	2	-	1	2	6	7	2	1	-	1	-	-
FEMALE--	3	1	1	4	6	1	7	2	5	1	-	-
ALL OTHER--MALE----	2	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,609
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
DISEASES OF PULMONARY CIRCULATION (415-417)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	526	7	1	-	-	1	5	3	9	10	11	22
WHITE-----MALE----	189	3	1	-	-	-	1	1	2	5	7	9
FEMALE--	256	1	-	-	-	-	3	1	6	3	3	8
ALL OTHER--MALE----	30	3	-	-	-	-	1	1	1	-	-	-
FEMALE--	51	-	-	-	-	1	-	-	-	2	1	5
BLACK---MALE----	30	3	-	-	-	-	1	1	1	-	-	-
FEMALE--	49	-	-	-	-	1	-	-	-	2	1	5
OKLAHOMA -----	190	4	-	1	-	-	-	1	4	4	8	5
WHITE-----MALE----	65	2	-	-	-	-	-	-	-	2	2	2
FEMALE--	102	-	-	1	-	-	-	1	4	-	4	3
ALL OTHER--MALE----	12	1	-	-	-	-	-	-	-	2	-	-
FEMALE--	11	1	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	10	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	1	-	-	-	-	-	-	-	-	1	-
OREGON -----	118	3	1	-	-	-	1	1	-	5	2	9
WHITE-----MALE----	48	3	1	-	-	-	1	-	-	-	-	6
FEMALE--	65	-	-	-	-	-	-	1	-	4	2	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	830	8	-	1	-	2	2	5	12	21	26	27
WHITE-----MALE----	307	4	-	-	-	1	-	3	5	7	7	9
FEMALE--	413	1	-	1	-	1	1	1	5	4	7	14
ALL OTHER--MALE----	54	2	-	-	-	-	-	1	2	5	8	3
FEMALE--	56	1	-	-	-	-	1	-	-	5	4	1
BLACK---MALE----	54	2	-	-	-	-	-	1	2	5	8	3
FEMALE--	53	1	-	-	-	-	1	-	-	5	3	1
RHODE ISLAND -----	55	1	1	-	-	-	-	-	-	2	2	4
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	27	1	1	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	2
SOUTH CAROLINA -----	234	2	1	-	-	2	3	3	12	4	10	7
WHITE-----MALE----	62	1	-	-	-	-	-	2	-	-	4	1
FEMALE--	82	-	-	-	-	-	1	1	3	2	1	3
ALL OTHER--MALE----	37	1	-	-	-	-	1	-	1	1	3	1
FEMALE--	53	-	1	-	-	2	1	-	8	1	2	2
BLACK---MALE----	37	1	-	-	-	-	1	-	1	1	3	1
FEMALE--	53	-	1	-	-	2	1	-	8	1	2	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,609
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
DISEASES OF PULMONARY CIRCULATION (415-417)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	16	25	38	58	78	81	78	50	29	4	-	-
WHITE-----MALE----	6	10	13	25	32	33	28	10	3	-	-	-
FEMALE--	9	9	18	24	30	39	42	34	23	3	-	-
ALL OTHER--MALE----	1	-	4	2	7	5	3	2	-	-	-	-
FEMALE--	-	6	3	7	9	4	5	4	3	1	-	-
BLACK---MALE----	1	-	4	2	7	5	3	2	-	-	-	-
FEMALE--	-	6	3	6	8	4	5	4	3	1	-	-
OKLAHOMA -----	10	13	15	17	31	25	20	16	13	2	1	-
WHITE-----MALE----	5	6	5	9	13	11	3	4	-	1	-	-
FEMALE--	4	6	7	6	17	12	14	11	10	1	1	-
ALL OTHER--MALE----	-	1	1	2	-	2	1	1	1	-	-	-
FEMALE--	1	-	2	-	1	-	2	-	2	-	-	-
BLACK---MALE----	-	1	1	2	-	1	1	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	2	-	2	-	-	-
OREGON -----	7	4	12	12	15	16	13	8	8	1	-	-
WHITE-----MALE----	2	-	6	3	4	7	8	5	1	1	-	-
FEMALE--	4	4	6	8	9	9	5	3	7	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	39	37	63	78	128	115	131	90	35	8	2	-
WHITE-----MALE----	16	12	31	29	52	59	37	27	8	-	-	-
FEMALE--	15	19	25	38	58	52	85	54	23	7	2	-
ALL OTHER--MALE----	3	2	4	7	11	-	4	2	-	-	-	-
FEMALE--	5	4	3	4	7	4	5	7	4	1	-	-
BLACK---MALE----	3	2	4	7	11	-	4	2	-	-	-	-
FEMALE--	4	4	3	4	7	4	5	6	4	1	-	-
RHODE ISLAND -----	3	-	4	3	8	8	9	8	1	-	1	-
WHITE-----MALE----	2	-	1	3	5	3	4	1	-	-	-	-
FEMALE--	1	-	3	-	3	4	5	6	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	11	14	21	22	26	39	28	19	7	2	1	-
WHITE-----MALE----	3	2	6	3	9	17	6	7	1	-	-	-
FEMALE--	3	4	5	11	7	12	14	9	4	1	1	-
ALL OTHER--MALE----	2	4	8	2	6	3	3	-	1	-	-	-
FEMALE--	3	4	2	6	4	7	5	3	1	1	-	-
BLACK---MALE----	2	4	8	2	6	3	3	-	1	-	-	-
FEMALE--	3	4	2	6	4	7	5	3	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,610
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DISEASES OF PULMONARY CIRCULATION (415-417)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	40	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	281	4	-	-	-	1	3	2	4	2	5	18
WHITE-----MALE----	81	1	-	-	-	-	-	-	1	-	1	3
FEMALE--	142	2	-	-	-	1	2	1	1	1	3	9
ALL OTHER--MALE----	27	1	-	-	-	-	1	-	1	-	1	2
FEMALE--	31	-	-	-	-	-	-	1	1	1	-	4
BLACK---MALE----	27	1	-	-	-	-	1	-	1	-	1	2
FEMALE--	31	-	-	-	-	-	-	1	1	1	-	4
TEXAS -----	752	12	4	-	-	-	10	14	13	13	26	30
WHITE-----MALE----	276	4	2	-	-	-	5	4	2	6	8	14
FEMALE--	346	4	1	-	-	-	3	4	2	5	10	9
ALL OTHER--MALE----	57	3	-	-	-	-	-	2	5	1	2	1
FEMALE--	73	1	1	-	-	-	2	4	4	1	6	6
BLACK---MALE----	53	2	-	-	-	-	-	2	5	1	2	1
FEMALE--	71	1	1	-	-	-	2	4	4	1	5	6
UTAH -----	75	4	-	-	-	-	-	2	1	-	1	4
WHITE-----MALE----	25	3	-	-	-	-	-	-	-	-	-	1
FEMALE--	46	1	-	-	-	-	-	2	1	-	-	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	26	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	348	8	1	-	1	1	-	1	4	6	7	12
WHITE-----MALE----	103	3	-	-	1	1	-	-	-	1	1	3
FEMALE--	152	2	1	-	-	-	-	1	2	1	1	6
ALL OTHER--MALE----	37	3	-	-	-	-	-	-	1	2	-	-
FEMALE--	56	-	-	-	-	-	-	-	1	2	5	3
BLACK---MALE----	36	3	-	-	-	-	-	-	1	2	-	-
FEMALE--	54	-	-	-	-	-	-	-	1	2	5	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,610
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
DISEASES OF PULMONARY CIRCULATION (415-417)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	2	3	-	5	7	6	4	9	-	2	1	-
WHITE-----MALE----	1	2	-	2	2	5	2	4	-	1	-	-
FEMALE--	1	1	-	3	4	1	1	5	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	12	19	25	24	53	30	40	20	14	5	-	-
WHITE-----MALE----	2	4	11	8	19	9	10	5	6	1	-	-
FEMALE--	4	13	10	12	21	15	24	12	7	4	-	-
ALL OTHER--MALE----	3	-	2	2	6	2	4	2	-	-	-	-
FEMALE--	3	2	2	2	7	4	2	1	1	-	-	-
BLACK---MALE----	3	-	2	2	6	2	4	2	-	-	-	-
FEMALE--	3	2	2	2	7	4	2	1	1	-	-	-
TEXAS -----	32	57	58	71	97	89	101	71	40	13	1	-
WHITE-----MALE----	12	23	28	25	41	33	37	25	6	1	-	-
FEMALE--	12	23	19	33	45	41	57	38	30	9	1	-
ALL OTHER--MALE----	4	6	6	5	7	8	3	3	-	1	-	-
FEMALE--	4	5	5	8	4	7	4	5	4	2	-	-
BLACK---MALE----	4	5	6	4	7	7	3	3	-	1	-	-
FEMALE--	4	5	5	7	4	7	4	5	4	2	-	-
UTAH -----	7	4	3	7	14	8	8	6	5	1	-	-
WHITE-----MALE----	-	2	1	4	6	3	1	1	3	-	-	-
FEMALE--	7	1	2	3	8	5	5	5	2	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
VERMONT -----	-	1	1	4	1	1	7	7	1	2	-	-
WHITE-----MALE----	-	-	1	1	1	-	1	2	-	1	-	-
FEMALE--	-	1	-	3	-	1	6	5	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	22	16	23	36	51	51	51	36	16	5	-	-
WHITE-----MALE----	5	4	8	15	21	19	12	6	2	1	-	-
FEMALE--	7	6	6	12	17	18	29	27	12	4	-	-
ALL OTHER--MALE----	5	2	4	5	6	2	7	-	-	-	-	-
FEMALE--	5	4	5	4	7	12	3	3	2	-	-	-
BLACK---MALE----	5	2	4	5	6	2	6	-	-	-	-	-
FEMALE--	5	4	5	4	7	12	2	3	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,612
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
OTHER FORMS OF HEART DISEASE (420-429)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	211,405	393	179	112	174	295	373	616	1,093	1,829	2,838	4,531
WHITE-----MALE----	84,213	139	64	41	60	122	164	277	506	932	1,460	2,388
FEMALE--	97,469	120	44	41	48	62	71	120	198	316	486	781
ALL OTHER--MALE----	15,147	73	30	14	44	69	96	132	229	356	558	928
FEMALE--	14,576	61	41	16	22	42	42	87	160	225	334	434
BLACK---MALE----	13,400	65	26	11	36	64	89	119	202	323	511	834
FEMALE--	13,245	55	32	14	20	38	37	84	152	214	309	411
ALABAMA -----	6,079	22	7	-	9	10	10	16	44	61	101	155
WHITE-----MALE----	2,122	11	1	-	5	1	6	7	18	30	45	72
FEMALE--	2,520	1	1	-	2	4	-	3	10	8	15	33
ALL OTHER--MALE----	645	5	4	-	2	3	3	3	11	11	26	32
FEMALE--	792	5	1	-	-	2	1	3	5	12	15	18
BLACK---MALE----	642	5	4	-	2	3	3	3	11	11	26	32
FEMALE--	788	5	1	-	-	2	1	3	5	12	15	18
ALASKA -----	172	1	1	-	-	-	-	1	2	1	3	5
WHITE-----MALE----	83	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	43	1	-	-	-	-	-	1	-	-	2	1
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	2	-	-	1
FEMALE--	26	-	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3,225	3	-	-	3	2	7	15	22	43	60	92
WHITE-----MALE----	1,605	-	-	-	2	-	4	9	14	26	46	69
FEMALE--	1,425	3	-	-	-	2	1	3	6	9	10	14
ALL OTHER--MALE----	104	-	-	-	1	-	-	1	2	3	4	4
FEMALE--	91	-	-	-	-	-	2	2	-	5	-	5
BLACK---MALE----	43	-	-	-	-	-	-	1	-	1	4	1
FEMALE--	43	-	-	-	-	-	-	1	-	2	-	4
ARKANSAS -----	2,246	5	3	3	1	2	4	5	8	23	25	31
WHITE-----MALE----	912	2	2	2	-	1	1	1	7	15	15	20
FEMALE--	1,042	-	-	-	1	-	1	1	1	4	3	3
ALL OTHER--MALE----	127	2	1	1	-	1	-	2	-	2	4	6
FEMALE--	165	1	-	-	-	-	2	1	-	2	3	2
BLACK---MALE----	126	2	1	1	-	1	-	2	-	2	4	6
FEMALE--	163	1	-	-	-	-	2	1	-	2	3	2
CALIFORNIA -----	17,441	40	22	18	19	30	30	56	120	175	277	474
WHITE-----MALE----	7,388	14	13	5	8	16	13	37	62	106	160	259
FEMALE--	7,544	17	4	11	6	8	8	8	23	25	42	74
ALL OTHER--MALE----	1,399	1	-	1	3	4	7	7	24	24	51	109
FEMALE--	1,110	8	5	1	2	2	2	4	11	20	24	32
BLACK---MALE----	881	1	-	-	1	3	6	6	19	15	40	74
FEMALE--	734	4	3	-	2	2	1	4	9	18	19	29

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,612
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
OTHER FORMS OF HEART DISEASE (420-429)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	5,761	7,529	10,944	15,669	21,875	27,908	34,320	34,851	25,914	11,205	2,953	43
WHITE-----MALE----	3,090	4,009	5,587	8,174	10,688	12,705	13,523	11,104	6,558	2,170	430	22
FEMALE--	1,106	1,656	2,742	4,557	7,612	11,669	17,247	20,832	17,424	8,148	2,178	11
ALL OTHER--MALE----	1,007	1,162	1,607	1,723	1,932	1,753	1,476	1,103	551	225	71	8
FEMALE--	558	702	1,008	1,215	1,643	1,781	2,074	1,812	1,381	662	274	2
BLACK---MALE----	910	1,054	1,443	1,554	1,727	1,544	1,274	921	439	186	60	8
FEMALE--	518	641	940	1,109	1,484	1,609	1,859	1,641	1,237	590	249	2
ALABAMA -----	176	227	350	518	636	787	1,013	934	674	257	72	-
WHITE-----MALE----	82	108	173	246	253	317	334	226	128	53	6	-
FEMALE--	34	54	73	134	221	307	472	527	427	155	39	-
ALL OTHER--MALE----	33	35	64	69	81	68	82	61	33	14	5	-
FEMALE--	27	30	40	69	81	95	125	120	86	35	22	-
BLACK---MALE----	32	35	64	69	81	67	82	61	32	14	5	-
FEMALE--	27	29	40	67	81	94	125	120	86	35	22	-
ALASKA -----	8	8	12	19	12	31	25	20	18	5	-	-
WHITE-----MALE----	3	6	6	12	7	19	12	7	5	2	-	-
FEMALE--	1	1	2	4	3	7	4	8	7	1	-	-
ALL OTHER--MALE----	2	1	3	2	1	1	4	1	2	-	-	-
FEMALE--	2	-	1	1	1	4	5	4	4	2	-	-
BLACK---MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	105	139	185	255	396	450	486	485	307	129	39	2
WHITE-----MALE----	70	88	117	146	228	219	231	199	95	30	10	2
FEMALE--	22	36	43	92	148	206	237	271	203	94	25	-
ALL OTHER--MALE----	7	8	12	13	10	16	8	7	6	-	2	-
FEMALE--	6	7	13	4	10	9	10	8	3	5	2	-
BLACK---MALE----	2	5	4	7	6	4	3	3	2	-	-	-
FEMALE--	2	3	7	2	5	3	5	6	1	1	1	-
ARKANSAS -----	38	73	103	144	232	309	389	412	293	117	26	-
WHITE-----MALE----	16	39	57	74	114	142	162	121	95	22	4	-
FEMALE--	11	22	28	49	84	136	196	244	170	74	14	-
ALL OTHER--MALE----	7	7	10	5	19	14	12	17	10	6	1	-
FEMALE--	4	5	8	16	15	17	19	30	18	15	7	-
BLACK---MALE----	7	7	10	5	18	14	12	17	10	6	1	-
FEMALE--	4	4	8	15	15	17	19	30	18	15	7	-
CALIFORNIA -----	631	809	1,013	1,311	1,833	2,233	2,608	2,602	2,026	904	199	11
WHITE-----MALE----	373	450	529	689	933	994	1,066	909	534	183	29	6
FEMALE--	104	164	253	400	587	928	1,246	1,471	1,344	658	158	5
ALL OTHER--MALE----	94	119	156	149	177	170	143	93	51	15	1	-
FEMALE--	60	76	75	73	136	141	153	129	97	48	11	-
BLACK---MALE----	70	84	114	103	116	102	71	34	17	5	-	-
FEMALE--	51	61	60	46	82	89	84	79	58	26	7	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,613
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OTHER FORMS OF HEART DISEASE (420-429)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	2,125	4	-	-	2	3	2	6	8	17	21	39
WHITE-----MALE----	872	3	-	-	-	-	2	2	5	11	14	27
FEMALE--	1,170	1	-	-	2	-	-	3	2	5	2	8
ALL OTHER--MALE----	51	-	-	-	-	2	-	-	1	1	4	2
FEMALE--	32	-	-	-	-	1	-	1	-	-	1	2
BLACK---MALE----	38	-	-	-	-	1	-	-	1	-	4	2
FEMALE--	25	-	-	-	-	1	-	-	-	-	1	2
CONNECTICUT -----	3,718	7	4	-	1	6	8	8	10	23	36	78
WHITE-----MALE----	1,522	3	2	-	-	1	5	2	7	10	19	42
FEMALE--	1,934	2	-	-	-	2	2	1	1	6	4	15
ALL OTHER--MALE----	136	1	1	-	1	2	-	3	-	4	7	16
FEMALE--	126	1	1	-	-	1	1	2	2	3	6	5
BLACK---MALE----	129	1	1	-	1	2	-	3	-	3	6	14
FEMALE--	118	1	1	-	-	1	2	2	2	2	6	5
DELAWARE -----	808	-	2	-	-	-	2	4	5	5	10	14
WHITE-----MALE----	311	-	-	-	-	-	2	1	3	-	6	10
FEMALE--	362	-	1	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	63	-	-	-	-	-	-	1	1	4	1	2
FEMALE--	72	-	1	-	-	-	-	2	1	-	2	2
BLACK---MALE----	60	-	-	-	-	-	-	1	1	4	1	2
FEMALE--	68	-	1	-	-	-	-	2	1	-	2	2
DISTRICT OF COLUMBIA ----	626	4	1	1	2	-	1	3	6	8	13	17
WHITE-----MALE----	76	1	-	-	-	-	-	1	2	-	-	1
FEMALE--	65	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	256	2	-	-	2	-	-	2	2	6	7	11
FEMALE--	229	1	1	1	-	-	1	-	2	2	6	4
BLACK---MALE----	256	2	-	-	2	-	-	2	2	6	7	11
FEMALE--	227	1	-	1	-	-	1	-	2	2	6	4
FLORIDA -----	11,558	15	6	4	6	13	19	37	47	102	143	206
WHITE-----MALE----	5,302	7	2	1	1	7	7	14	23	55	85	123
FEMALE--	5,176	2	1	2	1	4	3	9	5	10	18	34
ALL OTHER--MALE----	543	2	1	-	1	1	7	8	9	21	23	35
FEMALE--	537	4	2	1	3	1	2	6	10	16	17	14
BLACK---MALE----	532	2	1	-	1	1	7	8	9	21	23	34
FEMALE--	529	4	2	1	3	1	2	6	10	16	17	14
GEORGIA -----	6,772	9	8	4	5	15	18	28	39	94	109	205
WHITE-----MALE----	2,205	2	-	1	2	7	3	4	13	41	42	94
FEMALE--	2,672	-	2	1	1	-	4	4	3	6	13	21
ALL OTHER--MALE----	869	5	3	-	1	6	7	11	15	29	33	52
FEMALE--	1,026	2	3	2	1	2	4	9	8	18	21	38
BLACK---MALE----	854	5	3	-	1	6	7	11	13	28	33	52
FEMALE--	1,013	2	3	2	1	2	4	9	8	18	19	36

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,613
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
OTHER FORMS OF HEART DISEASE (420-429)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	46	52	85	151	194	244	337	396	321	158	39	-
WHITE-----MALE----	28	26	51	96	88	111	140	134	99	30	5	-
FEMALE--	12	18	28	45	96	125	186	257	218	128	34	-
ALL OTHER--MALE----	4	5	4	6	7	4	6	4	1	-	-	-
FEMALE--	2	3	2	4	3	4	5	1	3	-	-	-
BLACK---MALE----	4	5	2	5	3	2	6	2	1	-	-	-
FEMALE--	2	3	2	4	2	2	3	-	3	-	-	-
CONNECTICUT -----	104	111	166	268	408	489	629	625	460	210	67	-
WHITE-----MALE----	56	70	83	161	196	227	273	212	105	36	12	-
FEMALE--	23	32	56	86	169	235	338	399	341	168	54	-
ALL OTHER--MALE----	13	5	16	18	22	13	8	3	2	1	-	-
FEMALE--	12	4	11	3	21	14	10	11	12	5	1	-
BLACK---MALE----	13	5	16	16	21	13	8	3	2	1	-	-
FEMALE--	11	4	10	2	19	13	10	11	11	5	1	-
DELAWARE -----	13	32	33	58	100	109	140	128	93	44	16	-
WHITE-----MALE----	8	17	12	31	46	46	54	42	22	9	2	-
FEMALE--	2	3	10	16	36	41	68	78	62	33	10	-
ALL OTHER--MALE----	2	4	7	6	11	10	8	4	2	-	-	-
FEMALE--	1	8	4	5	7	12	10	4	7	2	4	-
BLACK---MALE----	2	4	7	6	10	10	7	3	2	-	-	-
FEMALE--	1	7	4	5	7	11	9	3	7	2	4	-
DISTRICT OF COLUMBIA ----	21	41	47	53	76	77	93	75	57	25	5	-
WHITE-----MALE----	1	5	3	3	11	9	13	10	14	2	-	-
FEMALE--	-	-	2	1	2	5	12	22	13	4	3	-
ALL OTHER--MALE----	12	30	27	30	28	33	29	19	12	3	1	-
FEMALE--	8	6	15	19	35	30	39	24	18	16	1	-
BLACK---MALE----	12	30	27	30	28	33	29	19	12	3	1	-
FEMALE--	8	6	15	19	35	29	39	24	18	16	1	-
FLORIDA -----	295	368	510	825	1,220	1,578	1,887	2,010	1,492	646	127	2
WHITE-----MALE----	176	217	282	493	677	835	886	749	466	167	29	-
FEMALE--	52	75	142	240	415	623	883	1,163	959	444	90	1
ALL OTHER--MALE----	41	51	53	52	68	61	48	34	16	9	1	1
FEMALE--	26	25	33	40	60	59	70	64	51	26	7	-
BLACK---MALE----	39	50	51	52	67	60	46	34	16	8	1	1
FEMALE--	26	23	33	40	57	59	69	63	51	25	7	-
GEORGIA -----	246	290	394	523	736	856	1,102	1,073	657	290	71	-
WHITE-----MALE----	94	134	180	214	298	329	309	268	125	40	5	-
FEMALE--	44	47	63	132	222	317	527	591	428	201	45	-
ALL OTHER--MALE----	59	65	88	99	108	86	100	62	25	14	1	-
FEMALE--	49	44	63	78	108	124	166	152	79	35	20	-
BLACK---MALE----	57	64	87	96	107	85	100	59	25	14	1	-
FEMALE--	48	44	63	76	106	124	165	150	79	35	19	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,614
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER FORMS OF HEART DISEASE (420-429)												
HAWAII -----	1,032	1	3	-	2	2	1	4	9	9	17	34
WHITE-----MALE----	171	-	-	-	1	-	-	-	1	2	6	10
FEMALE--	126	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	434	1	1	-	-	1	1	4	6	6	7	17
FEMALE--	301	-	2	-	1	1	-	-	2	1	3	6
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	638	3	-	1	1	1	2	3	-	6	3	7
WHITE-----MALE----	301	3	-	-	1	1	1	-	-	6	2	5
FEMALE--	330	-	-	1	-	-	1	1	-	-	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	2	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	9,465	17	10	2	9	17	20	31	49	80	140	233
WHITE-----MALE----	3,609	4	4	-	-	4	7	15	14	29	58	97
FEMALE--	4,066	2	2	-	2	4	4	2	9	15	28	36
ALL OTHER--MALE----	974	5	1	2	3	6	7	7	13	22	33	66
FEMALE--	816	6	3	-	4	3	2	7	13	14	21	34
BLACK---MALE----	934	5	1	2	3	6	6	7	12	22	33	60
FEMALE--	777	6	3	-	4	3	2	7	12	14	20	34
INDIANA -----	4,551	12	10	5	3	9	9	8	23	35	57	96
WHITE-----MALE----	1,842	5	2	1	2	5	3	6	19	16	30	52
FEMALE--	2,351	6	4	2	-	1	1	1	2	9	14	22
ALL OTHER--MALE----	186	1	-	2	1	1	4	1	2	7	4	16
FEMALE--	172	-	4	-	-	2	1	-	-	3	9	6
BLACK---MALE----	182	1	-	2	1	1	4	1	1	7	4	15
FEMALE--	170	-	4	-	-	2	1	-	-	3	7	6
IOWA -----	2,392	4	1	-	3	3	3	3	7	17	23	34
WHITE-----MALE----	1,069	2	-	-	2	2	3	3	3	12	16	19
FEMALE--	1,282	2	1	-	1	1	-	-	3	5	6	11
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	1	-	-	4
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	16	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
KANSAS -----	2,296	1	2	2	-	5	2	8	3	12	19	31
WHITE-----MALE----	915	1	1	1	-	3	-	4	1	8	12	15
FEMALE--	1,235	-	-	1	-	-	-	3	-	2	3	6
ALL OTHER--MALE----	75	-	1	-	-	1	1	-	1	2	2	9
FEMALE--	71	-	-	-	-	1	1	1	1	-	2	1
BLACK---MALE----	66	-	1	-	-	1	1	-	1	2	2	7
FEMALE--	61	-	-	-	-	-	1	1	1	-	2	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,614
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER FORMS OF HEART DISEASE (420-429)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	29	44	71	85	115	132	153	142	102	54	23	-
WHITE-----MALE----	4	5	17	17	25	24	28	16	7	7	1	-
FEMALE--	-	3	2	7	12	16	19	28	23	9	5	-
ALL OTHER--MALE----	21	24	35	40	46	55	57	60	30	17	5	-
FEMALE--	4	12	17	21	32	37	49	38	42	21	12	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
IDAHO -----	15	18	26	37	51	83	103	146	87	38	7	-
WHITE-----MALE----	6	16	17	24	18	48	51	50	35	15	2	-
FEMALE--	9	2	9	12	32	34	52	95	52	23	5	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	333	401	598	784	980	1,236	1,502	1,419	1,035	456	112	1
WHITE-----MALE----	142	181	287	362	454	538	616	449	252	75	21	-
FEMALE--	57	73	106	215	311	507	711	851	701	352	77	1
ALL OTHER--MALE----	95	95	135	129	119	96	57	49	25	6	3	-
FEMALE--	39	52	70	78	96	95	118	70	57	23	11	-
BLACK---MALE----	93	94	128	127	112	90	55	46	23	6	3	-
FEMALE--	38	49	68	77	91	89	108	67	54	21	10	-
INDIANA -----	104	151	225	309	453	586	758	787	608	249	54	-
WHITE-----MALE----	62	92	124	170	201	268	318	255	157	48	6	-
FEMALE--	24	34	73	113	198	279	406	507	424	183	48	-
ALL OTHER--MALE----	13	15	14	15	31	22	19	8	6	4	-	-
FEMALE--	5	10	14	11	23	17	15	17	21	14	-	-
BLACK---MALE----	13	15	13	14	31	22	19	8	6	4	-	-
FEMALE--	5	10	14	11	23	17	15	17	21	14	-	-
IOWA -----	48	79	104	165	226	321	400	410	329	160	52	-
WHITE-----MALE----	35	48	75	103	125	166	178	148	87	34	8	-
FEMALE--	12	29	26	61	95	147	215	261	240	122	44	-
ALL OTHER--MALE----	1	-	2	1	5	4	2	-	-	1	-	-
FEMALE--	-	2	1	-	1	4	5	1	2	3	-	-
BLACK---MALE----	-	-	1	1	5	2	2	-	-	1	-	-
FEMALE--	-	1	1	-	-	3	4	1	2	3	-	-
KANSAS -----	41	55	89	160	218	294	353	410	374	160	57	-
WHITE-----MALE----	25	27	48	81	121	153	150	149	86	20	9	-
FEMALE--	11	21	24	63	77	127	184	250	282	134	47	-
ALL OTHER--MALE----	3	4	8	9	15	6	8	3	1	-	1	-
FEMALE--	2	3	9	7	5	8	11	8	5	6	-	-
BLACK---MALE----	2	3	7	9	14	5	7	3	1	-	-	-
FEMALE--	2	2	8	5	5	6	9	8	4	6	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,615
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OTHER FORMS OF HEART DISEASE (420-429)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	3,850	3	2	-	2	7	4	8	25	27	41	55
WHITE-----MALE----	1,559	1	2	-	1	4	3	5	9	16	20	31
FEMALE--	2,002	1	-	-	-	3	1	1	6	3	14	12
ALL OTHER--MALE----	133	-	-	-	-	-	-	1	8	5	5	8
FEMALE--	156	1	-	-	1	-	-	1	2	3	2	4
BLACK---MALE----	128	-	-	-	-	-	-	1	8	5	4	8
FEMALE--	155	1	-	-	1	-	-	1	2	3	2	4
LOUISIANA -----	3,981	9	3	2	3	9	11	11	18	38	60	86
WHITE-----MALE----	1,234	2	2	-	1	1	1	2	3	11	27	30
FEMALE--	1,568	2	-	-	1	1	2	1	1	8	8	12
ALL OTHER--MALE----	541	3	1	1	-	5	7	3	8	7	18	24
FEMALE--	638	2	-	1	1	2	1	5	6	12	7	20
BLACK---MALE----	533	3	-	1	-	5	7	3	8	7	18	24
FEMALE--	634	2	-	1	1	2	1	4	6	12	7	20
MAINE -----	1,122	-	-	-	-	-	2	4	1	7	9	11
WHITE-----MALE----	483	-	-	-	-	-	2	3	-	7	8	10
FEMALE--	637	-	-	-	-	-	-	1	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4,121	6	5	2	3	4	8	14	32	59	84	143
WHITE-----MALE----	1,470	1	1	-	-	-	3	1	13	22	25	71
FEMALE--	1,552	2	-	1	-	1	3	3	3	8	10	16
ALL OTHER--MALE----	585	3	3	-	3	2	2	6	8	21	25	35
FEMALE--	514	-	1	1	-	1	-	4	8	8	24	21
BLACK---MALE----	571	2	3	-	3	2	2	5	8	21	24	35
FEMALE--	500	-	1	1	-	1	-	4	8	8	23	21
MASSACHUSETTS -----	5,515	6	2	2	3	8	7	13	29	39	59	82
WHITE-----MALE----	2,239	3	2	2	1	5	5	9	18	25	44	59
FEMALE--	3,070	3	-	-	1	2	1	3	7	8	10	16
ALL OTHER--MALE----	113	-	-	-	-	1	-	-	2	4	3	5
FEMALE--	93	-	-	-	1	-	1	1	2	2	2	2
BLACK---MALE----	92	-	-	-	-	1	-	-	2	4	2	4
FEMALE--	82	-	-	-	1	-	1	1	2	2	2	2
MICHIGAN -----	8,317	9	4	2	8	10	12	30	45	78	176	208
WHITE-----MALE----	3,190	-	1	2	2	4	4	14	14	31	71	103
FEMALE--	3,334	6	2	-	2	3	2	7	9	13	29	26
ALL OTHER--MALE----	985	2	1	-	3	3	3	7	11	19	50	57
FEMALE--	808	1	-	-	1	-	3	2	11	15	26	22
BLACK---MALE----	953	2	1	-	2	3	3	7	9	18	50	57
FEMALE--	778	1	-	-	1	-	3	2	11	15	26	20

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,615
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
OTHER FORMS OF HEART DISEASE (420-429)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	84	136	202	281	381	496	645	687	491	216	57	-
WHITE-----MALE----	55	74	109	150	216	228	265	202	119	40	9	-
FEMALE--	21	44	70	108	139	229	356	446	350	158	40	-
ALL OTHER--MALE----	4	8	14	17	10	14	13	13	4	6	3	-
FEMALE--	4	10	9	6	16	25	11	26	18	12	5	-
BLACK---MALE----	4	8	14	17	10	13	12	12	4	6	2	-
FEMALE--	4	10	9	6	16	25	11	26	17	12	5	-
LOUISIANA -----	126	152	194	305	416	527	617	656	456	223	59	-
WHITE-----MALE----	49	59	73	134	154	200	190	178	83	28	6	-
FEMALE--	22	34	49	74	109	182	268	342	287	141	24	-
ALL OTHER--MALE----	32	32	47	60	70	65	62	50	24	16	6	-
FEMALE--	23	27	25	37	83	80	97	86	62	38	23	-
BLACK---MALE----	31	32	44	60	70	64	62	48	24	16	6	-
FEMALE--	23	27	25	36	83	80	96	86	61	38	23	-
MAINE -----	20	29	48	90	109	158	182	177	170	82	23	-
WHITE-----MALE----	13	21	30	58	63	82	79	58	39	7	3	-
FEMALE--	7	8	18	32	46	76	103	118	131	75	20	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	158	217	247	313	425	535	593	585	425	204	51	8
WHITE-----MALE----	74	100	76	145	186	218	231	170	94	30	5	4
FEMALE--	15	23	51	61	132	197	237	325	277	147	39	1
ALL OTHER--MALE----	48	62	77	64	64	60	49	30	14	6	-	3
FEMALE--	21	32	43	43	43	60	76	60	40	21	7	-
BLACK---MALE----	47	61	77	62	63	58	48	28	13	6	-	3
FEMALE--	20	32	43	40	41	56	76	60	37	21	7	-
MASSACHUSETTS -----	118	145	236	317	527	718	934	1,015	779	365	111	-
WHITE-----MALE----	81	94	144	177	284	351	367	312	179	64	13	-
FEMALE--	27	37	73	118	221	332	545	691	585	296	94	-
ALL OTHER--MALE----	8	11	17	14	12	20	7	2	4	1	2	-
FEMALE--	2	3	2	8	10	15	15	10	11	4	2	-
BLACK---MALE----	6	11	14	13	10	16	4	1	2	-	2	-
FEMALE--	2	3	1	8	8	14	12	9	9	3	2	-
MICHIGAN -----	265	340	505	712	933	1,115	1,309	1,216	880	366	90	4
WHITE-----MALE----	125	158	229	306	416	486	499	384	243	83	13	2
FEMALE--	45	63	89	166	274	393	612	716	552	257	67	1
ALL OTHER--MALE----	63	77	119	140	138	123	87	46	30	4	2	-
FEMALE--	32	42	68	100	105	113	111	70	55	22	8	1
BLACK---MALE----	63	75	116	136	135	118	79	46	27	4	2	-
FEMALE--	28	41	68	98	100	108	106	68	53	20	8	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,616
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OTHER FORMS OF HEART DISEASE (420-429)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	3,002	6	4	3	1	2	1	11	9	16	31	40
WHITE-----MALE----	1,325	3	3	3	1	1	1	7	6	9	23	27
FEMALE--	1,611	2	-	-	-	-	-	2	2	5	5	11
ALL OTHER--MALE----	36	1	-	-	-	1	-	2	1	2	2	1
FEMALE--	30	-	1	-	-	-	-	-	-	-	1	1
BLACK---MALE----	25	1	-	-	-	1	-	1	-	2	2	1
FEMALE--	20	-	1	-	-	-	-	-	-	-	1	1
MISSISSIPPI -----	3,981	6	-	4	5	9	5	7	18	23	47	76
WHITE-----MALE----	1,142	2	-	-	-	1	1	1	3	8	13	31
FEMALE--	1,481	2	-	1	1	1	1	-	3	-	10	7
ALL OTHER--MALE----	618	1	-	-	4	4	2	3	7	8	14	27
FEMALE--	740	1	-	3	-	3	1	3	5	7	10	11
BLACK---MALE----	612	1	-	-	4	4	2	3	6	8	14	26
FEMALE--	736	1	-	3	-	3	1	3	5	7	10	11
MISSOURI -----	4,574	5	1	4	2	3	11	15	25	40	51	68
WHITE-----MALE----	1,795	2	-	3	-	1	7	9	12	22	24	34
FEMALE--	2,388	3	-	1	1	-	-	3	7	9	13	16
ALL OTHER--MALE----	193	-	1	-	1	1	3	1	5	5	6	12
FEMALE--	198	-	-	-	-	1	1	2	1	4	8	6
BLACK---MALE----	187	-	1	-	1	1	3	1	5	5	6	12
FEMALE--	194	-	-	-	-	1	1	2	1	4	8	6
MONTANA -----	830	2	-	-	1	-	3	2	-	5	3	13
WHITE-----MALE----	388	1	-	-	-	-	3	1	-	3	3	11
FEMALE--	408	-	-	-	1	-	-	1	-	1	-	-
ALL OTHER--MALE----	20	1	-	-	-	-	-	-	-	1	-	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1,881	5	-	-	1	3	2	2	6	9	19	29
WHITE-----MALE----	798	2	-	-	1	2	1	1	1	6	9	18
FEMALE--	1,027	2	-	-	1	1	1	-	3	3	6	9
ALL OTHER--MALE----	26	1	-	-	-	-	-	1	-	-	2	1
FEMALE--	30	-	-	-	-	-	-	-	2	-	2	1
BLACK---MALE----	19	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	24	-	-	-	-	-	-	-	2	-	1	1
NEVADA -----	1,677	3	-	-	5	1	3	5	7	12	13	30
WHITE-----MALE----	873	1	-	-	2	-	1	3	4	7	6	21
FEMALE--	665	1	-	-	2	-	1	-	2	1	4	5
ALL OTHER--MALE----	82	-	-	-	1	-	1	1	1	3	3	4
FEMALE--	57	1	-	-	-	1	-	1	-	1	-	-
BLACK---MALE----	59	-	-	-	-	-	-	1	1	2	2	4
FEMALE--	41	1	-	-	-	-	-	1	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,616
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER FORMS OF HEART DISEASE (420-429)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	53	68	95	165	225	340	486	604	508	268	66	-
WHITE-----MALE----	36	45	59	106	144	164	237	231	151	59	9	-
FEMALE--	11	19	30	53	71	169	246	367	354	208	56	-
ALL OTHER--MALE----	5	2	5	4	4	6	-	-	-	-	-	-
FEMALE--	1	2	1	2	6	1	3	6	3	1	1	-
BLACK---MALE----	4	2	4	1	3	3	-	-	-	-	-	-
FEMALE--	-	2	-	2	6	1	3	3	1	1	1	-
MISSISSIPPI -----	102	139	211	321	418	528	656	664	472	211	58	1
WHITE-----MALE----	39	49	80	119	168	182	183	153	79	24	5	1
FEMALE--	13	25	42	74	106	170	291	325	260	124	25	-
ALL OTHER--MALE----	27	43	42	75	72	80	75	69	40	18	7	-
FEMALE--	23	22	47	53	72	96	107	117	93	45	21	-
BLACK---MALE----	27	43	41	73	72	79	75	69	40	18	7	-
FEMALE--	22	22	46	53	71	96	106	117	93	45	21	-
MISSOURI -----	94	127	205	292	442	591	769	852	638	264	74	1
WHITE-----MALE----	46	71	110	163	235	270	287	258	185	43	13	-
FEMALE--	25	34	71	93	166	284	432	543	426	208	53	-
ALL OTHER--MALE----	12	13	19	19	25	16	24	20	5	4	1	-
FEMALE--	11	9	5	17	16	21	26	31	22	9	7	1
BLACK---MALE----	11	13	19	16	25	16	23	20	4	4	1	-
FEMALE--	10	8	5	17	15	21	26	30	22	9	7	1
MONTANA -----	18	25	32	55	76	121	153	145	108	53	15	-
WHITE-----MALE----	13	17	18	36	45	59	70	55	36	15	2	-
FEMALE--	2	6	9	16	29	60	79	86	70	35	13	-
ALL OTHER--MALE----	3	2	4	1	1	2	1	1	1	-	-	-
FEMALE--	-	-	1	2	1	-	3	3	1	3	-	-
BLACK---MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
NEBRASKA -----	34	52	72	114	138	212	289	378	310	158	48	-
WHITE-----MALE----	21	30	45	75	84	103	131	141	83	39	5	-
FEMALE--	11	18	22	32	48	106	151	231	225	117	41	-
ALL OTHER--MALE----	1	2	2	2	3	3	3	3	1	-	1	-
FEMALE--	1	2	3	5	3	-	4	3	1	2	1	-
BLACK---MALE----	1	2	1	1	2	2	2	2	1	-	1	-
FEMALE--	1	2	2	2	3	-	3	3	1	2	1	-
NEVADA -----	65	82	146	162	234	262	254	217	115	51	9	1
WHITE-----MALE----	44	51	93	108	146	142	118	85	27	13	-	1
FEMALE--	14	23	34	35	68	104	126	119	79	38	9	-
ALL OTHER--MALE----	5	5	14	12	13	7	4	5	3	-	-	-
FEMALE--	2	3	5	7	7	9	6	8	6	-	-	-
BLACK---MALE----	4	5	13	5	9	6	2	2	3	-	-	-
FEMALE--	1	3	3	7	6	6	5	5	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,617
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OTHER FORMS OF HEART DISEASE (420-429)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
NEW HAMPSHIRE -----	817	1	1	1	1	-	-	1	1	6	4	27
WHITE-----MALE----	398	-	1	-	1	-	-	1	1	4	3	20
FEMALE--	414	1	-	1	-	-	-	-	-	2	1	7
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY -----	6,100	9	6	3	3	4	16	13	29	47	73	125
WHITE-----MALE----	2,489	4	1	2	1	2	8	5	14	27	36	63
FEMALE--	2,888	-	2	1	2	1	3	3	1	8	10	21
ALL OTHER--MALE----	386	1	2	-	-	1	4	4	9	10	18	27
FEMALE--	337	4	1	-	-	-	1	1	5	2	9	14
BLACK---MALE----	363	1	2	-	-	-	4	4	8	10	17	26
FEMALE--	319	3	1	-	-	-	1	1	4	2	9	13
NEW MEXICO -----	1,449	2	1	-	2	-	1	1	6	7	14	33
WHITE-----MALE----	705	1	1	-	1	-	-	-	4	2	8	24
FEMALE--	648	1	-	-	1	-	-	-	1	4	3	4
ALL OTHER--MALE----	63	-	-	-	-	-	1	1	1	1	2	5
FEMALE--	33	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	14	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
NEW YORK -----	11,598	28	11	10	9	13	22	29	78	84	141	219
WHITE-----MALE----	4,561	3	3	3	5	5	13	11	34	47	71	114
FEMALE--	5,513	6	4	4	1	2	6	8	16	17	26	35
ALL OTHER--MALE----	834	9	2	2	1	1	2	7	12	13	37	43
FEMALE--	690	10	2	1	2	5	1	3	16	7	7	27
BLACK---MALE----	757	7	2	2	1	1	2	6	12	11	31	39
FEMALE--	633	10	1	1	2	5	1	3	16	7	6	25
NORTH CAROLINA -----	5,463	15	4	4	9	12	15	14	38	47	71	116
WHITE-----MALE----	1,799	5	2	1	4	5	3	8	13	17	24	44
FEMALE--	2,436	6	1	1	-	3	1	1	4	5	12	19
ALL OTHER--MALE----	601	3	-	-	5	3	9	4	15	11	23	35
FEMALE--	627	1	1	2	-	1	2	1	6	14	12	18
BLACK---MALE----	584	3	-	-	5	3	8	4	14	11	21	34
FEMALE--	607	1	1	1	-	1	2	1	6	13	12	18
NORTH DAKOTA -----	511	-	1	-	-	1	1	1	2	2	10	5
WHITE-----MALE----	233	-	-	-	-	-	1	-	1	2	6	4
FEMALE--	260	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	1	-	-	-	-	1	-	-	2	1
FEMALE--	6	-	-	-	-	-	-	-	1	-	2	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,618
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER FORMS OF HEART DISEASE (420-429)												
OHIO -----	9,353	18	4	2	6	4	12	23	43	80	131	192
WHITE-----MALE----	3,781	7	1	1	1	3	3	9	30	50	70	110
FEMALE--	4,557	9	1	1	3	1	4	6	3	13	31	36
ALL OTHER--MALE----	509	1	-	-	2	-	4	5	7	12	16	30
FEMALE--	506	1	2	-	-	-	1	3	3	5	14	16
BLACK---MALE----	497	1	-	-	2	-	4	5	7	12	15	30
FEMALE--	495	1	2	-	-	-	1	3	3	5	14	15
OKLAHOMA -----	3,376	10	6	2	2	6	4	4	13	31	40	54
WHITE-----MALE----	1,308	4	4	2	1	3	2	2	6	12	22	37
FEMALE--	1,751	3	1	-	1	-	1	1	6	12	11	12
ALL OTHER--MALE----	155	1	-	-	-	1	-	1	-	6	5	4
FEMALE--	162	2	1	-	-	2	1	-	1	1	2	1
BLACK---MALE----	91	-	-	-	-	1	-	1	-	3	4	4
FEMALE--	102	2	-	-	-	1	-	-	1	-	1	1
OREGON -----	2,108	5	1	-	3	2	1	5	4	14	15	22
WHITE-----MALE----	948	2	1	-	-	1	1	3	2	8	13	15
FEMALE--	1,117	3	-	-	2	1	-	1	1	3	2	6
ALL OTHER--MALE----	21	-	-	-	1	-	-	-	-	1	-	1
FEMALE--	22	-	-	-	-	-	-	1	1	2	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	11	-	-	-	-	-	-	1	1	2	-	-
PENNSYLVANIA -----	14,223	16	6	2	9	22	22	27	57	92	163	268
WHITE-----MALE----	5,664	6	-	1	2	9	10	9	35	50	92	132
FEMALE--	7,055	6	3	1	3	4	1	5	8	17	30	66
ALL OTHER--MALE----	776	4	1	-	3	6	6	7	7	15	25	51
FEMALE--	728	-	2	-	1	3	5	6	7	10	16	19
BLACK---MALE----	751	4	1	-	3	6	6	6	7	15	23	50
FEMALE--	712	-	1	-	1	3	5	6	7	10	14	19
RHODE ISLAND -----	672	2	1	-	-	-	-	3	2	5	10	10
WHITE-----MALE----	284	1	-	-	-	-	-	1	2	4	5	4
FEMALE--	370	1	-	-	-	-	-	-	-	1	5	5
ALL OTHER--MALE----	6	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
SOUTH CAROLINA -----	3,006	6	5	1	2	7	7	12	18	30	44	94
WHITE-----MALE----	882	3	1	-	-	3	2	3	3	13	15	32
FEMALE--	1,124	1	-	-	-	1	-	1	3	4	4	13
ALL OTHER--MALE----	498	1	3	-	1	3	5	5	9	8	15	33
FEMALE--	502	1	1	1	1	-	-	3	3	5	10	16
BLACK---MALE----	496	1	3	-	1	3	5	5	9	8	15	33
FEMALE--	500	1	1	1	1	-	-	3	3	5	10	16

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,618
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
OTHER FORMS OF HEART DISEASE (420-429)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	240	293	447	703	1,042	1,341	1,544	1,494	1,129	463	142	-
WHITE-----MALE----	122	162	243	373	510	635	607	456	272	94	22	-
FEMALE--	58	68	123	221	405	578	814	937	787	348	110	-
ALL OTHER--MALE----	38	39	45	65	75	63	50	40	12	2	3	-
FEMALE--	22	24	36	44	52	65	73	61	58	19	7	-
BLACK---MALE----	38	38	45	63	72	60	50	39	12	2	2	-
FEMALE--	22	24	34	44	51	64	71	60	56	18	7	-
OKLAHOMA -----	89	108	165	225	315	416	565	595	444	222	59	1
WHITE-----MALE----	47	62	88	123	146	204	210	176	102	43	11	1
FEMALE--	22	29	53	76	132	172	311	381	312	169	46	-
ALL OTHER--MALE----	13	15	14	10	19	19	20	9	16	2	-	-
FEMALE--	7	2	10	16	18	21	24	29	14	8	2	-
BLACK---MALE----	7	8	10	6	12	12	13	6	4	-	-	-
FEMALE--	6	1	7	7	13	12	17	17	9	6	1	-
OREGON -----	36	55	61	105	179	254	379	429	349	146	43	-
WHITE-----MALE----	21	34	31	68	119	141	172	165	103	38	10	-
FEMALE--	11	17	26	35	58	111	202	258	242	107	31	-
ALL OTHER--MALE----	2	2	3	1	1	1	3	2	2	1	-	-
FEMALE--	2	2	1	1	1	1	2	4	2	-	2	-
BLACK---MALE----	2	2	1	1	-	-	1	1	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	2	1	-	-	-
PENNSYLVANIA -----	322	470	649	966	1,514	1,946	2,430	2,460	1,848	727	205	2
WHITE-----MALE----	188	258	332	517	748	886	983	759	476	131	39	1
FEMALE--	69	102	169	276	581	884	1,284	1,563	1,272	553	158	-
ALL OTHER--MALE----	42	71	96	101	94	87	66	58	22	10	3	1
FEMALE--	23	39	52	72	91	89	97	80	78	33	5	-
BLACK---MALE----	41	65	93	99	91	82	66	57	22	10	3	1
FEMALE--	22	38	51	72	90	87	94	79	75	33	5	-
RHODE ISLAND -----	13	14	21	53	57	86	107	134	95	54	5	-
WHITE-----MALE----	10	10	11	29	34	44	50	42	24	11	2	-
FEMALE--	3	3	9	23	22	40	55	88	71	41	3	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	1	1	1	1	2	2	-	2	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	1	-	2	-	-
SOUTH CAROLINA -----	117	131	194	243	343	394	498	423	291	113	33	-
WHITE-----MALE----	44	54	68	89	130	142	126	92	43	15	4	-
FEMALE--	10	24	43	62	103	122	224	236	196	60	17	-
ALL OTHER--MALE----	43	28	42	61	60	72	55	39	7	6	2	-
FEMALE--	20	25	41	31	50	58	93	56	45	32	10	-
BLACK---MALE----	43	28	41	61	60	71	55	39	7	6	2	-
FEMALE--	20	25	41	30	50	58	93	55	45	32	10	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,619
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER FORMS OF HEART DISEASE (420-429)												
SOUTH DAKOTA -----	623	-	-	1	-	1	2	2	3	2	6	8
WHITE-----MALE----	278	-	-	1	-	-	2	1	1	2	2	6
FEMALE--	323	-	-	-	-	1	-	-	2	-	1	2
ALL OTHER--MALE----	10	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4,273	9	4	-	3	5	6	12	28	48	80	114
WHITE-----MALE----	1,667	2	1	-	1	3	1	3	6	25	39	47
FEMALE--	1,801	2	2	-	1	-	3	4	6	8	11	18
ALL OTHER--MALE----	403	3	-	-	-	1	2	5	10	9	18	27
FEMALE--	402	2	1	-	1	1	-	-	6	6	12	22
BLACK---MALE----	397	3	-	-	-	1	2	5	10	9	16	27
FEMALE--	400	2	1	-	-	1	-	-	6	6	12	22
TEXAS -----	11,871	38	14	14	10	26	25	56	80	125	188	314
WHITE-----MALE----	4,828	16	5	5	5	12	11	30	43	65	102	167
FEMALE--	5,405	9	6	5	3	5	7	15	17	19	31	57
ALL OTHER--MALE----	806	8	-	3	1	5	4	7	10	28	35	62
FEMALE--	832	5	3	1	1	4	3	4	10	13	20	28
BLACK---MALE----	781	8	-	2	1	5	3	7	9	27	35	61
FEMALE--	803	4	3	1	1	4	3	4	10	12	19	26
UTAH -----	996	2	-	2	2	1	3	4	3	8	5	17
WHITE-----MALE----	472	2	-	1	1	1	2	2	2	4	3	14
FEMALE--	513	-	-	1	1	-	1	2	1	4	2	3
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	494	-	1	1	-	1	-	1	2	3	2	8
WHITE-----MALE----	226	-	1	-	-	1	-	1	1	1	2	6
FEMALE--	265	-	-	1	-	-	-	-	1	2	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5,926	12	3	4	6	5	10	23	31	59	83	124
WHITE-----MALE----	2,098	1	1	1	3	1	6	13	12	20	38	61
FEMALE--	2,594	7	2	2	1	2	1	3	7	8	17	22
ALL OTHER--MALE----	596	3	-	1	1	1	2	3	6	20	17	33
FEMALE--	638	1	-	-	1	1	1	4	6	11	11	8
BLACK---MALE----	567	3	-	1	-	1	1	2	6	20	16	31
FEMALE--	610	1	-	-	1	1	1	4	6	11	11	8

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,619
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
OTHER FORMS OF HEART DISEASE (420-429)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	14	9	22	30	53	69	103	119	105	57	17	-
WHITE-----MALE----	10	7	12	19	34	36	49	50	34	10	2	-
FEMALE--	3	1	10	8	14	31	53	65	71	46	15	-
ALL OTHER--MALE----	1	1	-	2	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	4	1	1	3	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	141	167	261	350	461	621	649	644	464	169	37	-
WHITE-----MALE----	71	91	136	181	229	267	238	187	100	37	2	-
FEMALE--	25	38	59	93	151	243	322	379	310	103	23	-
ALL OTHER--MALE----	32	25	46	41	42	45	40	31	16	7	3	-
FEMALE--	13	13	20	35	39	66	49	47	38	22	9	-
BLACK---MALE----	32	25	45	40	41	45	39	31	16	7	3	-
FEMALE--	13	13	20	35	39	66	49	47	37	22	9	-
TEXAS -----	341	445	735	949	1,192	1,452	1,860	1,851	1,397	579	176	4
WHITE-----MALE----	203	241	402	533	574	675	685	579	351	104	17	3
FEMALE--	73	123	188	262	438	590	988	1,090	922	428	129	-
ALL OTHER--MALE----	42	50	87	82	90	93	77	73	28	11	9	1
FEMALE--	23	31	58	72	90	94	110	109	96	36	21	-
BLACK---MALE----	40	47	84	80	88	92	73	70	28	11	9	1
FEMALE--	23	31	57	68	86	92	108	103	92	35	21	-
UTAH -----	13	17	45	68	78	142	185	172	157	59	13	-
WHITE-----MALE----	8	11	24	44	48	74	85	77	48	17	4	-
FEMALE--	5	5	19	23	27	66	100	94	108	42	9	-
ALL OTHER--MALE----	-	-	1	-	2	2	-	1	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
VERMONT -----	16	8	22	27	44	62	90	102	61	35	8	-
WHITE-----MALE----	9	7	17	15	25	33	43	37	18	7	2	-
FEMALE--	7	1	5	11	19	28	47	65	43	28	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
VIRGINIA -----	179	225	329	436	671	825	918	961	668	276	77	1
WHITE-----MALE----	92	107	153	205	296	321	308	250	149	53	7	-
FEMALE--	28	55	66	121	215	333	453	576	431	190	53	1
ALL OTHER--MALE----	37	38	61	57	92	83	66	48	20	5	2	-
FEMALE--	22	25	49	53	68	88	91	87	68	28	15	-
BLACK---MALE----	36	36	60	53	86	80	63	46	19	5	2	-
FEMALE--	22	23	48	51	66	84	85	83	64	25	15	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,621
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE AND SUBACUTE ENDOCARDITIS (421)												
0 UNITED STATES --	843	5	4	-	2	4	5	11	19	43	66	60
WHITE-----MALE----	382	4	3	-	1	1	1	5	11	17	35	32
FEMALE--	277	1	-	-	-	-	3	5	3	11	10	5
ALL OTHER--MALE----	98	-	1	-	1	2	1	1	1	9	13	14
FEMALE--	86	-	-	-	-	1	-	-	4	6	8	9
BLACK---MALE----	87	-	1	-	1	2	-	1	1	8	13	12
FEMALE--	78	-	-	-	-	-	-	-	4	6	7	9
ALABAMA -----	9	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	13	-	-	-	-	-	-	-	2	1	1	2
WHITE-----MALE----	8	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	4	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	93	-	1	-	1	-	-	1	1	8	9	7
WHITE-----MALE----	49	-	1	-	-	-	-	-	-	5	6	5
FEMALE--	24	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	11	-	-	-	1	-	-	-	-	1	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	2	2	1
BLACK---MALE----	9	-	-	-	1	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	2	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,621
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ACUTE AND SUBACUTE ENDOCARDITIS (421)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	50	47	43	86	88	115	99	63	24	9	-	-
WHITE-----MALE----	22	23	15	41	42	53	45	21	7	3	-	-
FEMALE--	6	11	9	29	31	50	50	34	16	3	-	-
ALL OTHER--MALE----	13	7	12	8	6	3	2	4	-	-	-	-
FEMALE--	9	6	7	8	9	9	2	4	1	3	-	-
BLACK---MALE----	12	6	10	7	6	2	2	3	-	-	-	-
FEMALE--	9	5	7	7	9	6	2	4	1	2	-	-
ALABAMA -----	-	2	2	1	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	-	1	2	1	2	-	-	-	-	-
WHITE-----MALE----	1	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	5	8	2	9	6	14	11	7	2	1	-	-
WHITE-----MALE----	2	5	1	4	3	6	5	5	1	-	-	-
FEMALE--	-	3	-	2	3	7	5	1	1	-	-	-
ALL OTHER--MALE----	1	-	1	3	-	-	1	1	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	1	-	1	2	-	-	1	1	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,622
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ACUTE AND SUBACUTE ENDOCARDITIS (421)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	1	-	2	2	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	2	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	-	-	5	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	3	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	4	-	5	11	10	10	12	3	2	1	-	-
WHITE-----MALE----	1	-	1	4	4	6	4	1	-	-	-	-
FEMALE--	-	-	2	4	4	4	8	1	2	1	-	-
ALL OTHER--MALE----	2	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	2	2	-	-	1	-	-	-	-
BLACK---MALE----	2	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	2	2	-	-	1	-	-	-	-
GEORGIA -----	3	1	-	3	3	2	2	1	-	-	-	-
WHITE-----MALE----	1	-	-	1	2	1	1	-	-	-	-	-
FEMALE--	1	-	-	2	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,624
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE AND SUBACUTE ENDOCARDITIS (421)												
KENTUCKY -----	6	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	14	-	1	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	6	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	29	-	-	-	-	1	1	-	3	-	5	3
WHITE-----MALE----	10	-	-	-	-	-	-	-	2	-	-	1
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	1	-	-	-	-	4	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	9	-	-	-	-	1	-	-	-	-	4	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	1	1
MASSACHUSETTS -----	16	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
MICHIGAN -----	32	1	-	-	-	-	-	1	-	2	2	3
WHITE-----MALE----	8	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	9	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,624
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ACUTE AND SUBACUTE ENDOCARDITIS (421)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	2	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	1	-	1	3	3	-	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MAINE -----	1	1	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	1	2	2	3	2	2	2	-	-	-	-
WHITE-----MALE----	1	-	-	1	2	1	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
MASSACHUSETTS -----	1	-	1	1	4	1	1	2	-	2	-	-
WHITE-----MALE----	1	-	-	-	2	1	1	-	-	1	-	-
FEMALE--	-	-	-	1	2	-	-	2	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	2	3	6	3	1	3	2	-	1	-	-
WHITE-----MALE----	-	1	-	2	1	1	1	-	-	-	-	-
FEMALE--	-	-	2	2	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	1	1	-	2	-	-	-	1	-	1	-	-
BLACK---MALE----	1	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	1	1	-	2	-	-	-	1	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,627
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ACUTE AND SUBACUTE ENDOCARDITIS (421)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	2	3	1	3	4	2	5	2	2	-	-	-
WHITE-----MALE----	-	2	1	2	1	2	3	1	-	-	-	-
FEMALE--	1	1	-	1	2	-	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	2	-	3	-	1	3	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	2	-	-	1	1	1	2	-	1	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	4	2	5	7	12	14	7	2	1	-	-
WHITE-----MALE----	2	3	-	2	6	5	5	-	1	-	-	-
FEMALE--	1	-	-	1	1	7	8	4	1	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	1	-	-	1	2	-	1	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	1	2	-	1	-	-
RHODE ISLAND -----	-	-	-	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	-	-	3	-	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,628
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ACUTE AND SUBACUTE ENDOCARDITIS (421)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	1	2	1	4	4	-	-	1	-	-	-
WHITE-----MALE----	-	1	1	1	2	3	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
TEXAS -----	4	3	5	6	6	6	9	5	3	-	-	-
WHITE-----MALE----	2	-	3	3	3	5	7	1	2	-	-	-
FEMALE--	1	2	-	2	2	-	2	4	1	-	-	-
ALL OTHER--MALE----	-	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
UTAH -----	1	-	-	2	-	3	-	1	1	-	-	-
WHITE-----MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	-	1	2	3	2	3	1	-	-	-
WHITE-----MALE----	1	-	-	1	1	3	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,630
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	726	24	18	11	13	12	14	18	24	44	39	47
WHITE-----MALE----	314	8	5	5	1	6	8	9	10	17	17	21
FEMALE--	272	5	7	4	4	1	6	2	7	14	10	6
ALL OTHER--MALE----	69	7	1	-	5	3	-	4	4	8	7	11
FEMALE--	71	4	5	2	3	2	-	3	3	5	5	9
BLACK---MALE----	58	5	1	-	4	1	-	3	4	8	7	8
FEMALE--	61	4	2	2	3	2	-	3	3	5	2	7
ALABAMA -----	12	-	-	-	-	-	-	-	-	-	3	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	14	-	-	-	-	-	1	-	-	-	1	1
WHITE-----MALE----	9	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	7	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	67	5	4	1	1	1	2	4	1	3	1	6
WHITE-----MALE----	26	-	1	-	-	-	2	2	-	2	-	3
FEMALE--	28	2	1	1	1	-	1	1	1	1	-	1
ALL OTHER--MALE----	4	1	-	-	-	-	-	1	-	-	-	1
FEMALE--	9	2	2	-	-	1	-	-	-	-	1	1
BLACK---MALE----	3	1	-	-	-	-	-	1	-	-	-	1
FEMALE--	4	2	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,630
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	39	38	35	61	80	68	68	52	18	3	-	-
WHITE-----MALE----	20	16	16	34	37	31	25	20	5	3	-	-
FEMALE--	12	17	14	21	34	30	40	30	8	-	-	-
ALL OTHER--MALE----	5	3	2	2	4	1	1	1	-	-	-	-
FEMALE--	2	2	3	4	5	6	2	1	5	-	-	-
BLACK---MALE----	5	3	2	-	4	1	1	1	-	-	-	-
FEMALE--	1	2	3	4	5	5	2	1	5	-	-	-
ALABAMA -----	1	-	-	2	1	2	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	2	1	2	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	-	2	2	-	1	4	-	1	-	-
WHITE-----MALE----	-	-	-	1	1	-	1	2	-	1	-	-
FEMALE--	-	1	-	1	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	1	-	1	1	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	1	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	7	-	1	7	9	5	4	4	1	-	-	-
WHITE-----MALE----	3	-	-	3	3	4	1	2	-	-	-	-
FEMALE--	3	-	1	3	5	1	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,631
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	-	1	1	1	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	2	-	1	2	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	2	-	1	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
FLORIDA -----	4	2	2	6	2	5	2	2	1	-	-	-
WHITE-----MALE----	1	-	1	2	2	3	-	-	1	-	-	-
FEMALE--	-	1	1	3	-	-	2	2	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	2	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	2	-	-	-	-	-	-
GEORGIA -----	1	1	1	-	4	3	2	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,633
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	12	1	-	-	-	2	1	-	2	1	1	-
WHITE-----MALE----	5	-	-	-	-	1	1	-	1	1	-	-
FEMALE--	3	-	-	-	-	1	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	12	-	-	-	1	-	1	-	-	4	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	1	-	-	-	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	1	-	-	-	-	2	-	-
MAINE -----	5	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	12	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	24	-	1	-	-	-	-	-	1	1	1	1
WHITE-----MALE----	11	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	28	1	1	-	2	-	1	1	1	1	3	1
WHITE-----MALE----	9	-	1	-	-	-	-	-	-	-	2	-
FEMALE--	13	-	-	-	-	-	1	1	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	2	-	-	-	-	1	-	-
FEMALE--	3	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	2	-	-	-	-	1	-	-
FEMALE--	3	1	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,633
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	-	-	1	-	-	1	-	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
LOUISIANA -----	2	1	-	1	1	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	2	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	2	1	-	3	1	2	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	1	1	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	1	1	3	3	3	3	4	-	-	-	-
WHITE-----MALE----	-	-	1	3	2	1	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	2	2	3	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	-	2	1	4	3	3	1	1	-	-	-
WHITE-----MALE----	1	-	1	1	1	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	3	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,637
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	4	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	23	-	-	-	-	-	-	-	-	2	2	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
TEXAS -----	45	3	2	2	-	2	-	-	1	3	2	10
WHITE-----MALE----	17	2	-	-	-	1	-	-	-	1	1	4
FEMALE--	16	1	1	2	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	1	-	-	2
FEMALE--	8	-	1	-	-	-	-	-	1	1	1	3
BLACK---MALE----	4	-	-	-	-	1	-	-	1	-	-	2
FEMALE--	7	-	1	-	-	-	-	-	-	1	-	3
UTAH -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	20	1	-	1	-	-	-	1	-	-	1	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	8	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,639
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF ENDOCARDIUM (424)												
0 UNITED STATES --	17,181	7	5	3	6	12	12	34	63	123	146	221
WHITE-----MALE----	6,314	1	2	1	1	7	10	14	27	57	67	106
FEMALE--	9,576	4	3	-	4	3	1	10	18	21	36	48
ALL OTHER--MALE----	575	2	-	2	-	2	-	7	8	20	29	40
FEMALE--	716	-	-	-	1	-	1	3	10	25	14	27
BLACK---MALE----	472	2	-	2	-	2	-	6	6	19	28	34
FEMALE--	616	-	-	-	1	-	1	2	9	24	13	24
ALABAMA -----	222	-	-	-	-	-	-	1	2	1	4	8
WHITE-----MALE----	69	-	-	-	-	-	-	-	1	-	2	5
FEMALE--	119	-	-	-	-	-	-	1	1	-	1	2
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	1	1	-
ALASKA -----	26	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	275	-	-	-	-	-	1	1	-	1	-	7
WHITE-----MALE----	115	-	-	-	-	-	1	1	-	-	-	4
FEMALE--	151	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	118	1	-	-	-	1	-	-	-	1	3	1
WHITE-----MALE----	48	-	-	-	-	1	-	-	-	-	2	1
FEMALE--	55	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	-
CALIFORNIA -----	1,700	1	-	1	2	2	-	3	5	10	10	29
WHITE-----MALE----	629	-	-	1	-	1	-	1	1	3	6	16
FEMALE--	923	1	-	-	2	1	-	1	3	3	3	3
ALL OTHER--MALE----	67	-	-	-	-	-	-	1	-	3	1	8
FEMALE--	81	-	-	-	-	-	-	-	1	1	-	2
BLACK---MALE----	28	-	-	-	-	-	-	1	-	2	1	4
FEMALE--	48	-	-	-	-	-	-	-	1	1	-	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,639
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF ENDOCARDIUM (424)												
0 UNITED STATES --	227	341	534	870	1,598	2,367	3,393	3,763	2,483	842	130	1
WHITE-----MALE----	113	171	232	438	724	1,037	1,292	1,169	662	169	13	1
FEMALE--	56	108	205	328	732	1,172	1,932	2,427	1,717	642	109	-
ALL OTHER--MALE----	34	28	47	59	65	69	68	58	27	7	3	-
FEMALE--	24	34	50	45	77	89	101	109	77	24	5	-
BLACK---MALE----	32	25	39	48	60	54	47	44	16	5	3	-
FEMALE--	20	29	44	43	59	78	88	91	67	20	3	-
ALABAMA -----	4	5	9	16	25	27	48	33	32	7	-	-
WHITE-----MALE----	1	-	5	6	7	15	13	7	6	1	-	-
FEMALE--	2	3	2	5	16	8	29	23	21	5	-	-
ALL OTHER--MALE----	1	1	2	2	1	1	3	-	1	1	-	-
FEMALE--	-	1	-	3	1	3	3	3	4	-	-	-
BLACK---MALE----	1	1	2	2	1	1	3	-	1	1	-	-
FEMALE--	-	1	-	2	1	3	3	3	4	-	-	-
ALASKA -----	1	2	3	1	1	3	5	4	3	-	-	-
WHITE-----MALE----	-	1	-	-	-	2	2	2	2	-	-	-
FEMALE--	-	-	1	-	-	1	2	2	1	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	4	9	9	32	40	59	60	38	6	2	1
WHITE-----MALE----	3	3	3	6	12	16	23	29	11	2	-	1
FEMALE--	2	1	4	3	19	24	33	29	27	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	2	-	1	-	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	-	-	-	-
ARKANSAS -----	3	2	7	9	13	17	27	17	10	5	1	-
WHITE-----MALE----	-	-	3	5	6	10	11	7	2	-	-	-
FEMALE--	-	2	3	2	7	6	14	9	8	3	1	-
ALL OTHER--MALE----	1	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	1	1	-	2	-	-
BLACK---MALE----	1	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	1	1	-	2	-	-
CALIFORNIA -----	19	30	45	70	157	204	311	384	304	100	13	-
WHITE-----MALE----	9	15	19	35	82	90	127	125	78	19	1	-
FEMALE--	3	11	17	27	59	96	158	237	209	77	12	-
ALL OTHER--MALE----	3	1	5	5	5	5	13	8	8	1	-	-
FEMALE--	4	3	4	3	11	13	13	14	9	3	-	-
BLACK---MALE----	2	-	1	2	3	2	4	4	2	-	-	-
FEMALE--	2	2	2	2	4	8	9	8	6	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,640
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF ENDOCARDIUM (424)												
COLORADO -----	194	1	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	74	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	118	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	267	-	-	-	-	-	-	-	2	5	2	3
WHITE-----MALE----	103	-	-	-	-	-	-	-	2	3	1	3
FEMALE--	147	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	64	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	18	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	23	-	-	-	-	-	-	-	1	-	1	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	1
FLORIDA -----	1,285	-	-	-	-	-	1	-	4	9	10	14
WHITE-----MALE----	528	-	-	-	-	-	1	-	1	4	3	8
FEMALE--	683	-	-	-	-	-	-	-	-	1	4	4
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	3	-	2	2
FEMALE--	44	-	-	-	-	-	-	-	-	4	1	-
BLACK---MALE----	28	-	-	-	-	-	-	-	3	-	2	2
FEMALE--	44	-	-	-	-	-	-	-	-	4	1	-
GEORGIA -----	333	-	-	-	-	-	1	1	1	4	5	5
WHITE-----MALE----	110	-	-	-	-	-	1	-	1	1	3	1
FEMALE--	166	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	22	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	35	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	22	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	34	-	-	-	-	-	-	-	-	1	1	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,640
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER DISEASES OF ENDOCARDIUM (424)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	3	6	8	12	12	25	34	53	23	14	1	-
WHITE-----MALE----	2	3	4	6	5	5	17	17	7	6	-	-
FEMALE--	1	3	4	6	6	19	17	36	16	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	5	8	15	25	28	57	63	40	12	-	-
WHITE-----MALE----	-	1	3	8	13	11	20	23	10	5	-	-
FEMALE--	1	3	3	7	8	14	36	39	28	7	-	-
ALL OTHER--MALE----	1	-	1	-	2	3	1	-	1	-	-	-
FEMALE--	-	1	1	-	2	-	-	1	1	-	-	-
BLACK---MALE----	1	-	1	-	2	3	1	-	1	-	-	-
FEMALE--	-	1	1	-	2	-	-	1	1	-	-	-
DELAWARE -----	-	1	2	-	6	6	14	16	12	6	-	-
WHITE-----MALE----	-	-	-	-	2	4	3	5	1	2	-	-
FEMALE--	-	-	2	-	4	2	9	9	9	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	2	2	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	2	1	-	-
DISTRICT OF COLUMBIA ----	-	1	-	1	1	3	3	6	4	1	-	-
WHITE-----MALE----	-	1	-	-	1	1	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	2	-	1	-	-
BLACK---MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	2	-	1	-	-
FLORIDA -----	10	27	33	61	129	175	255	307	184	58	8	-
WHITE-----MALE----	6	14	14	34	54	92	117	99	63	14	4	-
FEMALE--	2	9	12	22	61	81	128	193	118	44	4	-
ALL OTHER--MALE----	-	3	2	2	7	1	4	4	-	-	-	-
FEMALE--	2	1	5	3	7	1	6	11	3	-	-	-
BLACK---MALE----	-	3	2	2	6	1	3	4	-	-	-	-
FEMALE--	2	1	5	3	7	1	6	11	3	-	-	-
GEORGIA -----	6	6	14	22	41	46	57	62	45	15	2	-
WHITE-----MALE----	4	4	6	10	15	21	8	21	11	3	-	-
FEMALE--	2	-	3	5	15	18	42	36	31	10	1	-
ALL OTHER--MALE----	-	1	3	5	6	1	-	2	1	-	-	-
FEMALE--	-	1	2	2	5	6	7	3	2	2	1	-
BLACK---MALE----	-	1	3	5	6	1	-	2	1	-	-	-
FEMALE--	-	1	2	2	4	6	7	3	2	2	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,641
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER DISEASES OF ENDOCARDIUM (424)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	2	3	2	8	11	13	19	8	3	1	-
WHITE-----MALE----	-	-	-	-	1	2	5	2	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	6	1	-	-	-
ALL OTHER--MALE----	-	-	1	2	1	6	5	5	3	1	-	-
FEMALE--	-	2	2	-	6	2	2	6	4	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	2	1	3	8	9	21	15	17	6	1	-
WHITE-----MALE----	-	1	1	2	3	6	10	9	4	2	-	-
FEMALE--	-	1	-	1	5	3	11	6	13	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	10	19	26	36	61	110	158	135	73	23	5	-
WHITE-----MALE----	5	8	16	16	25	55	68	37	20	4	-	-
FEMALE--	3	7	8	15	32	48	86	95	52	18	4	-
ALL OTHER--MALE----	-	2	2	4	1	3	-	1	-	-	-	-
FEMALE--	2	2	-	1	3	4	4	2	1	1	1	-
BLACK---MALE----	-	2	2	4	1	1	-	1	-	-	-	-
FEMALE--	2	1	-	1	3	4	4	2	1	1	1	-
INDIANA -----	4	9	16	35	37	61	69	82	66	16	3	-
WHITE-----MALE----	3	5	7	16	14	27	26	28	17	5	1	-
FEMALE--	-	3	7	16	21	29	43	52	46	11	2	-
ALL OTHER--MALE----	1	1	-	2	1	3	-	-	-	-	-	-
FEMALE--	-	-	2	1	1	2	-	2	3	-	-	-
BLACK---MALE----	1	1	-	1	1	3	-	-	-	-	-	-
FEMALE--	-	-	2	1	1	2	-	2	3	-	-	-
IOWA -----	4	6	7	9	21	34	64	79	43	20	1	-
WHITE-----MALE----	4	2	3	4	9	20	27	22	7	3	-	-
FEMALE--	-	4	4	5	12	14	36	57	36	17	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	4	4	13	20	31	32	44	39	11	4	-
WHITE-----MALE----	1	2	2	4	8	17	17	16	9	-	-	-
FEMALE--	-	2	1	9	12	12	13	28	30	11	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,642
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF ENDOCARDIUM (424)												
KENTUCKY -----	191	-	-	-	-	-	-	1	1	3	4	3
WHITE-----MALE----	74	-	-	-	-	-	-	1	-	1	2	2
FEMALE--	110	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
LOUISIANA -----	217	-	-	1	-	1	-	2	-	6	-	3
WHITE-----MALE----	77	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	95	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	16	-	-	1	-	1	-	-	-	1	-	-
FEMALE--	29	-	-	-	-	-	-	2	-	3	-	-
BLACK---MALE----	16	-	-	1	-	1	-	-	-	1	-	-
FEMALE--	28	-	-	-	-	-	-	1	-	3	-	-
MAINE -----	107	-	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	38	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	69	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	295	-	-	-	-	-	-	3	2	4	4	4
WHITE-----MALE----	98	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	156	-	-	-	-	-	-	1	-	-	1	2
ALL OTHER--MALE----	21	-	-	-	-	-	-	2	1	2	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	20	-	-	-	-	-	-	2	1	2	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	1	2	-
MASSACHUSETTS -----	509	-	-	-	1	2	3	-	6	4	4	2
WHITE-----MALE----	180	-	-	-	-	2	2	-	5	4	3	1
FEMALE--	317	-	-	-	1	-	-	-	1	-	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	563	-	-	-	1	1	-	3	1	6	5	11
WHITE-----MALE----	199	-	-	-	1	-	-	2	-	1	1	6
FEMALE--	311	-	-	-	-	1	-	1	-	1	1	1
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	2	3	1
FEMALE--	26	-	-	-	-	-	-	-	1	2	-	3
BLACK---MALE----	24	-	-	-	-	-	-	-	-	2	3	1
FEMALE--	22	-	-	-	-	-	-	-	1	2	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,642
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER DISEASES OF ENDOCARDIUM (424)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	11	11	9	21	23	38	31	30	4	-	-
WHITE-----MALE----	-	4	6	6	12	12	14	7	6	1	-	-
FEMALE--	1	6	5	2	9	10	24	23	24	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
LOUISIANA -----	6	6	9	16	22	27	51	42	20	4	1	-
WHITE-----MALE----	5	1	4	5	11	9	16	12	10	1	-	-
FEMALE--	-	2	1	7	5	13	29	25	7	3	1	-
ALL OTHER--MALE----	1	1	3	-	3	2	2	1	-	-	-	-
FEMALE--	-	2	1	4	3	3	4	4	3	-	-	-
BLACK---MALE----	1	1	3	-	3	2	2	1	-	-	-	-
FEMALE--	-	2	1	4	3	3	4	4	3	-	-	-
MAINE -----	3	-	1	6	7	19	21	20	21	7	-	-
WHITE-----MALE----	1	-	1	5	2	12	8	7	1	-	-	-
FEMALE--	2	-	-	1	5	7	13	13	20	7	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	9	11	10	27	46	52	59	47	11	2	-
WHITE-----MALE----	2	3	5	6	11	20	19	14	12	2	-	-
FEMALE--	1	1	3	3	12	20	28	39	34	9	2	-
ALL OTHER--MALE----	1	3	-	1	3	4	2	1	-	-	-	-
FEMALE--	-	2	3	-	1	2	3	5	1	-	-	-
BLACK---MALE----	1	3	-	1	3	3	2	1	-	-	-	-
FEMALE--	-	2	3	-	1	2	3	5	1	-	-	-
MASSACHUSETTS -----	-	6	12	21	41	56	92	145	72	33	9	-
WHITE-----MALE----	-	4	7	9	16	24	33	44	20	6	-	-
FEMALE--	-	2	4	12	24	29	58	100	49	27	8	-
ALL OTHER--MALE----	-	-	1	-	1	3	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	1	1	3	-	-	-
BLACK---MALE----	-	-	-	-	1	3	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	1	1	3	-	-	-
MICHIGAN -----	9	13	16	29	54	71	125	115	74	26	3	-
WHITE-----MALE----	2	4	6	18	23	24	59	32	16	4	-	-
FEMALE--	2	7	6	8	28	41	64	72	54	21	3	-
ALL OTHER--MALE----	3	-	4	3	1	4	1	4	1	-	-	-
FEMALE--	2	2	-	-	2	2	1	7	3	1	-	-
BLACK---MALE----	3	-	3	2	1	4	-	4	1	-	-	-
FEMALE--	1	2	-	-	2	2	1	6	3	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,643
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER DISEASES OF ENDOCARDIUM (424)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	2	5	4	11	29	46	59	95	61	35	4	-
WHITE-----MALE----	2	3	-	7	14	22	27	30	20	5	-	-
FEMALE--	-	2	3	3	14	23	32	63	41	29	4	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	1	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	1	-	-
MISSISSIPPI -----	-	2	7	3	8	15	21	16	11	1	-	-
WHITE-----MALE----	-	-	1	2	2	5	5	2	4	-	-	-
FEMALE--	-	-	1	1	4	9	11	12	7	1	-	-
ALL OTHER--MALE----	-	2	1	-	1	1	2	1	-	-	-	-
FEMALE--	-	-	4	-	1	-	3	1	-	-	-	-
BLACK---MALE----	-	2	1	-	1	1	2	1	-	-	-	-
FEMALE--	-	-	4	-	1	-	3	1	-	-	-	-
MISSOURI -----	4	5	5	18	35	48	64	98	51	23	2	-
WHITE-----MALE----	1	1	3	8	17	21	24	29	15	3	-	-
FEMALE--	2	3	2	7	16	22	38	64	34	20	1	-
ALL OTHER--MALE----	1	-	-	2	2	2	1	1	-	-	-	-
FEMALE--	-	1	-	1	-	3	1	4	2	-	1	-
BLACK---MALE----	1	-	-	1	2	2	1	1	-	-	-	-
FEMALE--	-	1	-	1	-	3	1	4	2	-	1	-
MONTANA -----	-	3	3	2	5	9	16	18	10	2	1	-
WHITE-----MALE----	-	1	2	1	2	5	5	12	2	-	-	-
FEMALE--	-	1	1	1	3	4	11	6	8	2	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	1	2	6	5	17	25	41	23	14	1	-
WHITE-----MALE----	-	1	1	1	3	4	10	12	5	4	-	-
FEMALE--	-	-	1	4	2	13	15	29	18	10	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NEVADA -----	1	4	3	5	11	9	15	16	9	4	1	-
WHITE-----MALE----	1	3	2	3	7	7	7	8	-	-	-	-
FEMALE--	-	-	1	2	3	1	7	8	8	4	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,645
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER DISEASES OF ENDOCARDIUM (424)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	11	11	31	49	70	120	140	137	106	36	6	-
WHITE-----MALE----	4	8	11	20	25	49	44	38	22	7	-	-
FEMALE--	3	3	15	21	37	61	91	93	78	28	6	-
ALL OTHER--MALE----	1	-	4	5	4	4	3	4	1	-	-	-
FEMALE--	3	-	1	3	4	6	2	2	5	1	-	-
BLACK---MALE----	1	-	4	5	4	3	3	4	1	-	-	-
FEMALE--	3	-	1	3	4	6	2	2	5	1	-	-
OKLAHOMA -----	9	4	7	11	18	28	40	39	16	13	2	-
WHITE-----MALE----	5	2	5	7	7	14	14	12	7	2	-	-
FEMALE--	2	2	2	4	10	11	24	25	9	10	2	-
ALL OTHER--MALE----	2	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	-	2	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	1	-	-
OREGON -----	2	7	5	12	23	41	61	82	57	17	5	-
WHITE-----MALE----	1	6	3	9	15	18	24	31	17	3	1	-
FEMALE--	1	1	2	3	8	23	36	50	40	14	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
PENNSYLVANIA -----	17	17	36	49	123	203	252	329	177	65	13	-
WHITE-----MALE----	5	10	13	29	62	89	88	91	42	12	3	-
FEMALE--	6	5	21	18	57	109	157	230	128	52	10	-
ALL OTHER--MALE----	3	1	1	1	4	3	1	4	1	-	-	-
FEMALE--	3	1	1	1	-	2	6	4	6	1	-	-
BLACK---MALE----	3	1	1	1	4	2	1	4	1	-	-	-
FEMALE--	3	1	1	1	-	2	6	4	6	1	-	-
RHODE ISLAND -----	2	-	3	2	5	9	14	29	9	6	-	-
WHITE-----MALE----	2	-	-	-	2	7	3	8	1	2	-	-
FEMALE--	-	-	3	2	3	2	11	21	8	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	3	8	10	23	31	35	32	21	6	1	-
WHITE-----MALE----	1	2	2	4	8	14	9	4	3	1	-	-
FEMALE--	-	1	5	1	9	8	21	23	16	4	1	-
ALL OTHER--MALE----	1	-	1	3	2	4	3	2	1	-	-	-
FEMALE--	2	-	-	2	4	5	2	3	1	1	-	-
BLACK---MALE----	1	-	1	3	2	4	3	2	1	-	-	-
FEMALE--	2	-	-	2	4	5	2	3	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,646
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF ENDOCARDIUM (424)												
SOUTH DAKOTA -----	41	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	274	-	-	-	-	-	-	1	2	2	3	5
WHITE-----MALE----	104	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	132	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	18	-	-	-	-	-	-	-	-	1	-	3
BLACK---MALE----	20	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	18	-	-	-	-	-	-	-	-	1	-	3
TEXAS -----	821	-	-	-	-	-	3	2	4	15	4	13
WHITE-----MALE----	304	-	-	-	-	-	2	-	2	5	3	6
FEMALE--	431	-	-	-	-	-	1	2	2	4	1	2
ALL OTHER--MALE----	36	-	-	-	-	-	-	-	-	3	-	2
FEMALE--	50	-	-	-	-	-	-	-	-	3	-	3
BLACK---MALE----	35	-	-	-	-	-	-	-	-	3	-	2
FEMALE--	47	-	-	-	-	-	-	-	-	2	-	3
UTAH -----	126	-	-	-	-	-	-	-	-	1	2	2
WHITE-----MALE----	55	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	70	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	44	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	375	-	1	-	-	-	-	2	3	3	3	3
WHITE-----MALE----	122	-	-	-	-	-	-	1	2	-	1	3
FEMALE--	206	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	2	2	-
FEMALE--	22	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	25	-	-	-	-	-	-	-	-	2	2	-
FEMALE--	21	-	-	-	-	-	-	-	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,646
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER DISEASES OF ENDOCARDIUM (424)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	2	1	8	9	12	4	4	-	-
WHITE-----MALE----	-	-	-	2	1	2	4	5	2	-	-	-
FEMALE--	-	-	-	-	-	6	5	7	2	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	8	5	19	41	43	46	40	41	13	1	-
WHITE-----MALE----	2	3	-	9	21	19	17	15	11	3	-	-
FEMALE--	2	1	5	7	14	16	27	21	29	8	1	-
ALL OTHER--MALE----	-	3	-	3	3	2	1	1	1	2	-	-
FEMALE--	-	1	-	-	3	6	1	3	-	-	-	-
BLACK---MALE----	-	3	-	3	3	2	1	1	1	2	-	-
FEMALE--	-	1	-	-	3	6	1	3	-	-	-	-
TEXAS -----	18	24	39	65	70	131	153	155	89	31	5	-
WHITE-----MALE----	9	9	17	33	35	46	58	43	32	4	-	-
FEMALE--	3	11	14	27	29	69	87	101	48	25	5	-
ALL OTHER--MALE----	6	3	2	2	4	7	2	3	2	-	-	-
FEMALE--	-	1	6	3	2	9	6	8	7	2	-	-
BLACK---MALE----	6	3	2	2	4	7	1	3	2	-	-	-
FEMALE--	-	1	6	3	2	8	6	7	7	2	-	-
UTAH -----	3	3	4	5	13	24	30	19	14	5	1	-
WHITE-----MALE----	2	2	1	1	4	9	16	8	6	3	-	-
FEMALE--	1	1	3	4	9	14	14	11	8	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	2	1	6	7	7	12	3	5	1	-
WHITE-----MALE----	-	-	1	1	3	5	3	5	2	-	-	-
FEMALE--	-	-	1	-	3	2	4	7	1	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	10	19	24	36	46	76	73	50	19	3	-
WHITE-----MALE----	1	8	6	13	19	11	24	20	11	2	-	-
FEMALE--	1	1	5	6	14	31	42	50	37	15	2	-
ALL OTHER--MALE----	2	1	4	3	2	2	4	1	1	-	1	-
FEMALE--	-	-	4	2	1	2	6	2	1	2	-	-
BLACK---MALE----	2	1	4	3	2	2	4	1	1	-	1	-
FEMALE--	-	-	4	2	1	2	6	2	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,648
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MITRAL VALVE DISORDERS (424.0)												
0 UNITED STATES --	2,287	-	2	-	-	3	2	3	14	28	34	39
WHITE-----MALE----	697	-	1	-	-	2	2	1	5	6	14	13
FEMALE--	1,388	-	1	-	-	1	-	2	4	11	14	10
ALL OTHER--MALE----	64	-	-	-	-	-	-	-	4	3	2	4
FEMALE--	138	-	-	-	-	-	-	-	1	8	4	12
BLACK---MALE----	50	-	-	-	-	-	-	-	4	3	2	2
FEMALE--	112	-	-	-	-	-	-	-	1	7	4	10
ALABAMA -----	34	-	-	-	-	-	-	-	1	1	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
ALASKA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	32	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	13	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	224	-	-	-	-	1	-	-	2	2	3	4
WHITE-----MALE----	64	-	-	-	-	1	-	-	-	1	1	1
FEMALE--	129	-	-	-	-	-	-	-	1	1	2	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	23	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,648
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MITRAL VALVE DISORDERS (424.0)												
0 UNITED STATES --	40	54	78	128	246	385	447	442	248	78	16	-
WHITE-----MALE----	17	17	26	43	95	130	138	121	51	13	2	-
FEMALE--	15	24	36	71	129	225	289	300	183	61	12	-
ALL OTHER--MALE----	5	5	6	5	4	11	4	8	1	-	2	-
FEMALE--	3	8	10	9	18	19	16	13	13	4	-	-
BLACK---MALE----	4	4	6	4	3	8	3	5	-	-	2	-
FEMALE--	2	7	7	8	13	17	10	10	13	3	-	-
ALABAMA -----	-	-	2	3	5	7	7	4	3	-	-	-
WHITE-----MALE----	-	-	-	1	1	2	-	1	-	-	-	-
FEMALE--	-	-	1	1	4	3	6	2	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALASKA -----	-	-	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	2	2	2	7	7	10	1	-	-	-
WHITE-----MALE----	-	-	1	2	2	2	2	3	-	-	-	-
FEMALE--	1	-	1	-	-	5	5	7	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	1	3	2	2	1	3	-	-	-
WHITE-----MALE----	-	-	-	-	2	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	5	7	4	7	26	39	41	47	24	10	2	-
WHITE-----MALE----	1	1	1	1	13	9	14	12	7	-	1	-
FEMALE--	1	4	2	6	10	27	22	28	14	9	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	4	1	-	-	-
FEMALE--	2	2	1	-	3	3	4	3	2	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	1	-	-	1	2	2	-	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,649
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MITRAL VALVE DISORDERS (424.0)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	-	1	1	1	4	6	10	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	3	2	-	-	-	-
FEMALE--	1	-	1	-	1	3	8	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	1	2	3	4	4	8	6	2	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	4	1	-	-	-	-
FEMALE--	1	1	1	2	3	3	4	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	-	1	1	3	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	1	1	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	7	6	9	24	28	35	36	20	5	1	-
WHITE-----MALE----	-	4	1	5	7	14	11	15	2	2	-	-
FEMALE--	1	3	4	4	16	14	23	19	17	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	2	1	-	-	-
GEORGIA -----	1	-	1	6	8	10	6	2	7	-	-	-
WHITE-----MALE----	1	-	-	1	3	3	1	-	-	-	-	-
FEMALE--	-	-	1	4	3	4	5	2	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	2	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	2	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,650
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MITRAL VALVE DISORDERS (424.0)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	-	1	-	5	-	2	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	3	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	-	1	3	3	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	-	6	7	6	11	16	19	16	8	3	-	-
WHITE-----MALE----	-	2	4	1	3	4	9	1	3	-	-	-
FEMALE--	-	2	2	4	8	10	10	14	5	3	-	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	1	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	1	-	-	-	-
INDIANA -----	-	-	-	6	4	18	7	10	8	2	-	-
WHITE-----MALE----	-	-	-	2	1	6	-	4	-	-	-	-
FEMALE--	-	-	-	2	3	11	7	5	8	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
IOWA -----	1	2	-	3	5	6	8	11	4	3	-	-
WHITE-----MALE----	1	1	-	1	1	2	-	2	-	-	-	-
FEMALE--	-	1	-	2	4	4	7	9	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	1	-	2	3	7	7	5	2	1	1	-
WHITE-----MALE----	-	-	-	-	1	6	4	2	1	-	-	-
FEMALE--	-	1	-	2	2	-	2	3	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,651
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MITRAL VALVE DISORDERS (424.0)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	4	3	1	2	-	4	3	3	1	-	-
WHITE-----MALE----	-	1	1	-	2	-	1	-	-	1	-	-
FEMALE--	1	3	2	-	-	-	3	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
LOUISIANA -----	-	4	3	-	4	5	3	6	-	-	-	-
WHITE-----MALE----	-	1	2	-	3	1	1	2	-	-	-	-
FEMALE--	-	1	-	-	-	3	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	2	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	2	-	-	1	-	-	-	-	-	-	-
MAINE -----	1	-	1	2	-	2	2	6	5	2	-	-
WHITE-----MALE----	1	-	1	1	-	-	-	3	1	-	-	-
FEMALE--	-	-	-	1	-	2	2	3	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	1	1	2	5	12	5	10	5	1	-	-
WHITE-----MALE----	1	-	-	1	3	4	-	4	-	-	-	-
FEMALE--	-	-	-	-	1	5	4	6	4	1	-	-
ALL OTHER--MALE----	-	1	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	1	-	-	-
BLACK---MALE----	-	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	1	-	-	-
MASSACHUSETTS -----	-	1	2	5	9	12	19	18	6	6	2	-
WHITE-----MALE----	-	1	1	1	2	2	5	6	1	-	-	-
FEMALE--	-	-	1	4	6	10	14	12	5	6	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	1	4	5	15	5	15	11	4	1	-	-
WHITE-----MALE----	-	-	2	1	6	2	8	3	-	-	-	-
FEMALE--	1	-	1	4	9	3	7	7	4	1	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,655
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MITRAL VALVE DISORDERS (424.0)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	3	2	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	1	-	7	7	6	7	6	5	1	-	-
WHITE-----MALE----	1	-	-	3	3	2	2	2	1	-	-	-
FEMALE--	-	-	-	3	4	3	4	3	4	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
TEXAS -----	5	1	5	10	13	19	20	20	11	3	1	-
WHITE-----MALE----	1	-	4	5	6	6	5	6	3	-	-	-
FEMALE--	2	1	-	5	7	10	13	12	7	2	1	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	2	1	1	1	-	-
BLACK---MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	1	1	1	-	-
UTAH -----	-	1	1	1	-	4	3	3	1	-	1	-
WHITE-----MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	2	3	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	1	-	-	1	1	2	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	1	2	1	8	11	12	9	2	-	-
WHITE-----MALE----	-	-	1	-	-	2	5	3	-	-	-	-
FEMALE--	1	-	-	2	1	6	6	9	9	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,657
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC VALVE DISORDERS (424.1)												
0 UNITED STATES --	111	159	249	477	913	1,397	2,234	2,623	1,750	621	91	1
WHITE-----MALE----	65	105	124	263	442	674	922	853	509	132	9	1
FEMALE--	21	35	82	157	385	634	1,195	1,660	1,174	469	77	-
ALL OTHER--MALE----	15	10	21	35	47	45	49	40	23	5	-	-
FEMALE--	10	9	22	22	39	44	68	70	44	15	5	-
BLACK---MALE----	14	10	17	29	44	35	33	32	15	4	-	-
FEMALE--	8	8	22	21	32	37	61	59	36	14	3	-
ALABAMA -----	2	2	5	8	14	12	29	25	21	6	-	-
WHITE-----MALE----	1	-	5	3	5	8	11	4	4	1	-	-
FEMALE--	1	1	-	2	7	3	15	19	13	4	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	2	-	1	1	-	-
FEMALE--	-	-	-	2	1	1	1	2	3	-	-	-
BLACK---MALE----	-	1	-	1	1	-	2	-	1	1	-	-
FEMALE--	-	-	-	2	1	1	1	2	3	-	-	-
ALASKA -----	1	1	2	1	1	1	2	4	2	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	1	2	2	-	-	-
FEMALE--	-	-	1	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	4	2	5	20	19	37	38	27	4	1	1
WHITE-----MALE----	-	3	1	3	8	7	17	18	9	2	-	1
FEMALE--	-	1	-	2	12	12	18	19	18	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ARKANSAS -----	2	-	2	2	5	9	15	10	6	4	1	-
WHITE-----MALE----	-	-	2	1	2	4	8	4	2	-	-	-
FEMALE--	-	-	-	-	3	4	7	5	4	3	1	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	1	-	-
CALIFORNIA -----	7	14	21	42	89	118	218	275	229	73	10	-
WHITE-----MALE----	4	11	9	22	46	66	95	98	62	17	-	-
FEMALE--	1	3	8	13	34	42	109	167	154	55	10	-
ALL OTHER--MALE----	1	-	3	4	3	3	9	3	6	1	-	-
FEMALE--	1	-	1	3	6	7	5	7	7	-	-	-
BLACK---MALE----	1	-	1	2	2	1	3	2	2	-	-	-
FEMALE--	-	-	1	2	3	4	3	6	4	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,658
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 AORTIC VALVE DISORDERS (424.1)												
COLORADO -----	120	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	49	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	70	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	187	-	-	-	-	-	-	-	1	4	2	2
WHITE-----MALE----	74	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	103	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	46	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	14	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	14	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
FLORIDA -----	797	-	-	-	-	-	1	-	-	4	4	9
WHITE-----MALE----	352	-	-	-	-	-	1	-	-	3	2	5
FEMALE--	404	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	21	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	21	-	-	-	-	-	-	-	-	1	-	-
GEORGIA -----	201	-	-	-	-	-	1	1	1	3	1	-
WHITE-----MALE----	80	-	-	-	-	-	1	-	1	1	1	-
FEMALE--	87	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	15	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,658
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 AORTIC VALVE DISORDERS (424.1)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	2	3	3	9	7	14	21	31	14	14	1	-
WHITE-----MALE----	2	2	3	4	4	3	10	9	5	6	-	-
FEMALE--	-	1	-	5	3	10	11	22	9	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	2	3	6	16	18	40	49	33	10	-	-
WHITE-----MALE----	-	1	3	4	10	7	12	17	9	5	-	-
FEMALE--	-	1	-	2	4	9	27	31	23	5	-	-
ALL OTHER--MALE----	1	-	-	-	-	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	-	-	-
DELAWARE -----	-	-	1	-	5	3	8	13	9	6	-	-
WHITE-----MALE----	-	-	-	-	2	2	2	4	1	2	-	-
FEMALE--	-	-	1	-	3	1	4	8	7	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	1	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	2	2	4	3	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	-	1	-	-
FLORIDA -----	4	11	7	25	72	114	164	206	128	44	4	-
WHITE-----MALE----	3	4	2	19	35	62	82	67	53	12	2	-
FEMALE--	1	5	2	5	28	51	73	129	73	32	2	-
ALL OTHER--MALE----	-	2	1	1	5	-	4	4	-	-	-	-
FEMALE--	-	-	2	-	4	1	5	6	2	-	-	-
BLACK---MALE----	-	2	1	1	4	-	3	4	-	-	-	-
FEMALE--	-	-	2	-	4	1	5	6	2	-	-	-
GEORGIA -----	4	3	10	9	24	29	34	41	27	11	2	-
WHITE-----MALE----	3	3	5	4	10	15	6	19	9	2	-	-
FEMALE--	1	-	1	1	8	10	22	20	16	7	1	-
ALL OTHER--MALE----	-	-	3	3	5	-	-	1	1	-	-	-
FEMALE--	-	-	1	1	1	4	6	1	1	2	1	-
BLACK---MALE----	-	-	3	3	5	-	-	1	1	-	-	-
FEMALE--	-	-	1	1	1	4	6	1	1	2	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,659
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 AORTIC VALVE DISORDERS (424.1)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	1	1	1	2	11	10	15	6	2	1	-
WHITE-----MALE----	-	-	-	-	-	2	4	1	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	4	1	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	6	4	4	2	-	-	-
FEMALE--	-	1	-	-	2	2	1	6	3	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	1	2	4	4	14	10	11	5	1	-
WHITE-----MALE----	-	1	1	1	1	3	6	6	2	2	-	-
FEMALE--	-	-	-	1	3	1	8	4	9	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	5	6	10	18	26	69	110	93	47	19	5	-
WHITE-----MALE----	2	4	7	10	13	39	49	29	14	4	-	-
FEMALE--	2	2	2	7	11	27	58	62	32	14	4	-
ALL OTHER--MALE----	-	-	1	1	1	2	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	1	3	1	1	1	1	-
BLACK---MALE----	-	-	1	1	1	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	1	3	1	1	1	1	-
INDIANA -----	2	5	8	18	21	29	50	53	40	12	3	-
WHITE-----MALE----	2	4	3	10	11	14	23	19	12	4	1	-
FEMALE--	-	1	3	7	9	13	27	34	26	8	2	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	-	2	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	-	2	-	-	-
IOWA -----	2	1	3	4	12	21	45	54	27	14	1	-
WHITE-----MALE----	2	1	2	2	6	15	21	16	4	2	-	-
FEMALE--	-	-	1	2	6	6	24	38	23	12	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	3	3	10	11	18	21	31	27	8	2	-
WHITE-----MALE----	-	2	2	4	5	9	10	10	6	-	-	-
FEMALE--	-	1	1	6	6	8	10	21	21	8	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,660
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 AORTIC VALVE DISORDERS (424.1)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	1	3	4	9	12	26	19	22	2	-	-
WHITE-----MALE----	-	1	2	4	7	6	12	5	5	-	-	-
FEMALE--	-	-	1	-	2	5	14	14	17	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	3	2	3	9	12	15	36	30	15	4	1	-
WHITE-----MALE----	3	-	1	3	6	6	13	9	9	1	-	-
FEMALE--	-	1	1	4	2	6	19	17	4	3	1	-
ALL OTHER--MALE----	-	1	-	-	3	1	2	-	-	-	-	-
FEMALE--	-	-	1	2	1	2	2	4	2	-	-	-
BLACK---MALE----	-	1	-	-	3	1	2	-	-	-	-	-
FEMALE--	-	-	1	2	1	2	2	4	2	-	-	-
MAINE -----	2	-	-	4	5	13	14	8	15	5	-	-
WHITE-----MALE----	-	-	-	4	2	9	6	3	-	-	-	-
FEMALE--	2	-	-	-	3	4	8	5	15	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	4	7	6	17	25	35	41	37	7	2	-
WHITE-----MALE----	1	3	5	5	7	10	12	9	11	1	-	-
FEMALE--	1	-	2	1	8	12	20	28	26	6	2	-
ALL OTHER--MALE----	1	1	-	-	2	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	3	-	-	-	-
BLACK---MALE----	1	1	-	-	2	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	3	-	-	-	-
MASSACHUSETTS -----	-	4	5	11	26	33	47	105	56	22	7	-
WHITE-----MALE----	-	3	4	5	11	17	22	34	16	2	-	-
FEMALE--	-	1	1	6	15	14	24	70	40	20	7	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
MICHIGAN -----	4	7	6	16	24	53	77	84	58	16	3	-
WHITE-----MALE----	2	4	3	12	10	19	41	26	12	2	-	-
FEMALE--	-	2	3	2	11	30	35	49	42	13	3	-
ALL OTHER--MALE----	2	-	-	2	1	4	-	4	1	-	-	-
FEMALE--	-	1	-	-	2	-	1	5	3	1	-	-
BLACK---MALE----	2	-	-	1	1	4	-	4	1	-	-	-
FEMALE--	-	1	-	-	2	-	1	4	3	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,661
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 AORTIC VALVE DISORDERS (424.1)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	1	2	-	7	22	30	42	71	47	26	2	-
WHITE-----MALE----	1	2	-	3	11	20	20	25	13	4	-	-
FEMALE--	-	-	-	3	11	10	22	45	34	21	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
MISSISSIPPI -----	-	1	4	2	4	10	12	11	11	1	-	-
WHITE-----MALE----	-	-	-	1	2	5	3	2	4	-	-	-
FEMALE--	-	-	1	1	1	4	8	8	7	1	-	-
ALL OTHER--MALE----	-	1	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	2	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	2	-	-	-	1	-	-	-	-	-
MISSOURI -----	2	1	3	11	20	35	42	71	32	17	1	-
WHITE-----MALE----	-	1	2	5	13	18	17	23	11	1	-	-
FEMALE--	1	-	1	3	6	13	23	43	20	16	-	-
ALL OTHER--MALE----	1	-	-	2	1	2	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	4	1	-	1	-
BLACK---MALE----	1	-	-	1	1	2	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	4	1	-	1	-
MONTANA -----	-	2	1	2	2	6	9	12	8	1	1	-
WHITE-----MALE----	-	1	-	1	1	3	1	8	2	-	-	-
FEMALE--	-	-	1	1	1	3	8	4	6	1	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	1	1	2	1	8	13	31	13	11	1	-
WHITE-----MALE----	-	1	-	-	1	3	7	10	3	4	-	-
FEMALE--	-	-	1	2	-	5	6	21	10	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	1	2	1	2	8	6	11	12	8	3	1	-
WHITE-----MALE----	1	2	1	1	5	5	6	7	-	-	-	-
FEMALE--	-	-	-	1	2	-	4	5	7	3	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,663
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 AORTIC VALVE DISORDERS (424.1)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	4	4	18	26	49	68	82	88	67	26	3	-
WHITE-----MALE----	2	3	6	14	18	33	29	24	17	4	-	-
FEMALE--	1	1	9	6	25	32	49	59	48	21	3	-
ALL OTHER--MALE----	-	-	3	4	3	2	3	3	1	-	-	-
FEMALE--	1	-	-	2	3	1	1	2	1	1	-	-
BLACK---MALE----	-	-	3	4	3	2	3	3	1	-	-	-
FEMALE--	1	-	-	2	3	1	1	2	1	1	-	-
OKLAHOMA -----	4	2	3	6	11	17	26	27	13	8	2	-
WHITE-----MALE----	4	1	2	3	4	10	9	11	6	2	-	-
FEMALE--	-	1	1	3	7	7	15	15	7	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
OREGON -----	-	2	3	7	13	30	40	64	40	12	3	-
WHITE-----MALE----	-	2	3	4	7	15	17	23	13	3	1	-
FEMALE--	-	-	-	3	6	15	23	40	27	9	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
PENNSYLVANIA -----	7	10	17	37	76	118	178	235	123	48	11	-
WHITE-----MALE----	2	6	10	24	39	53	70	69	34	6	3	-
FEMALE--	3	3	7	11	33	63	103	160	85	41	8	-
ALL OTHER--MALE----	-	-	-	1	4	2	1	3	1	-	-	-
FEMALE--	2	1	-	1	-	-	4	3	3	1	-	-
BLACK---MALE----	-	-	-	1	4	1	1	3	1	-	-	-
FEMALE--	2	1	-	1	-	-	4	3	3	1	-	-
RHODE ISLAND -----	-	-	2	1	3	4	9	17	7	4	-	-
WHITE-----MALE----	-	-	-	-	1	4	1	6	1	1	-	-
FEMALE--	-	-	2	1	2	-	8	11	6	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	2	7	5	11	15	27	22	13	5	-	-
WHITE-----MALE----	1	1	2	1	5	6	6	3	2	1	-	-
FEMALE--	-	1	4	1	3	4	16	14	9	4	-	-
ALL OTHER--MALE----	-	-	1	2	1	2	3	2	1	-	-	-
FEMALE--	1	-	-	1	2	3	2	3	1	-	-	-
BLACK---MALE----	-	-	1	2	1	2	3	2	1	-	-	-
FEMALE--	1	-	-	1	2	3	2	3	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,664
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 AORTIC VALVE DISORDERS (424.1)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	2	-	4	4	6	4	2	-	-
WHITE-----MALE----	-	-	-	2	-	2	1	3	2	-	-	-
FEMALE--	-	-	-	-	-	2	3	3	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	5	2	10	23	24	27	28	29	6	-	-
WHITE-----MALE----	1	2	-	5	13	13	11	11	9	2	-	-
FEMALE--	1	1	2	3	5	9	15	16	19	3	-	-
ALL OTHER--MALE----	-	1	-	2	2	1	-	1	1	1	-	-
FEMALE--	-	1	-	-	3	1	1	-	-	-	-	-
BLACK---MALE----	-	1	-	2	2	1	-	1	1	1	-	-
FEMALE--	-	1	-	-	3	1	1	-	-	-	-	-
TEXAS -----	9	13	19	37	45	83	105	112	60	21	2	-
WHITE-----MALE----	6	6	5	18	22	30	43	29	24	4	-	-
FEMALE--	-	5	8	16	17	43	57	77	28	16	2	-
ALL OTHER--MALE----	3	1	2	1	4	6	1	2	2	-	-	-
FEMALE--	-	1	4	2	2	4	4	4	6	1	-	-
BLACK---MALE----	3	1	2	1	4	6	-	2	2	-	-	-
FEMALE--	-	1	4	2	2	4	4	4	6	1	-	-
UTAH -----	1	1	2	-	8	15	16	10	7	4	-	-
WHITE-----MALE----	1	1	1	-	4	6	11	5	4	3	-	-
FEMALE--	-	-	1	-	4	9	5	5	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	4	5	5	9	2	2	1	-
WHITE-----MALE----	-	-	1	-	2	4	3	4	1	-	-	-
FEMALE--	-	-	-	-	2	1	2	5	1	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	5	11	15	24	23	55	48	28	10	2	-
WHITE-----MALE----	1	4	4	8	12	4	14	13	9	1	-	-
FEMALE--	-	1	3	3	9	15	31	34	17	9	2	-
ALL OTHER--MALE----	1	-	2	2	2	2	4	-	1	-	-	-
FEMALE--	-	-	2	2	1	2	6	1	1	-	-	-
BLACK---MALE----	1	-	2	2	2	2	4	-	1	-	-	-
FEMALE--	-	-	2	2	1	2	6	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,666
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	4,003	2	1	1	-	1	6	15	28	47	49	92
WHITE-----MALE----	1,361	-	-	-	-	-	5	5	10	19	15	38
FEMALE--	2,251	-	1	-	-	-	-	3	11	6	13	23
ALL OTHER--MALE----	179	2	-	1	-	1	-	5	1	11	14	20
FEMALE--	212	-	-	-	-	-	1	2	6	11	7	11
BLACK---MALE----	153	2	-	1	-	1	-	4	1	10	14	19
FEMALE--	186	-	-	-	-	-	1	2	5	11	6	10
ALABAMA -----	57	-	-	-	-	-	-	-	-	-	2	4
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	32	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALASKA -----	8	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	81	-	-	-	-	-	1	1	-	1	-	3
WHITE-----MALE----	31	-	-	-	-	-	1	1	-	-	-	1
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	45	1	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	352	-	-	-	-	-	-	2	2	5	3	11
WHITE-----MALE----	121	-	-	-	-	-	-	1	1	1	2	6
FEMALE--	190	-	-	-	-	-	-	1	1	-	-	2
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	3	1	3
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,666
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	76	128	207	265	439	585	712	698	485	143	23	-
WHITE-----MALE----	31	49	82	132	187	233	232	195	102	24	2	-
FEMALE--	20	49	87	100	218	313	448	467	360	112	20	-
ALL OTHER--MALE----	14	13	20	19	14	13	15	10	3	2	1	-
FEMALE--	11	17	18	14	20	26	17	26	20	5	-	-
BLACK---MALE----	14	11	16	15	13	11	11	7	1	1	1	-
FEMALE--	10	14	15	14	14	24	17	22	18	3	-	-
ALABAMA -----	2	3	2	5	6	8	12	4	8	1	-	-
WHITE-----MALE----	-	-	-	2	1	5	2	2	2	-	-	-
FEMALE--	1	2	1	2	5	2	8	2	5	1	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	1	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	1	-	-	-
ALASKA -----	-	1	-	-	-	1	3	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	-	5	2	10	14	15	12	10	2	1	-
WHITE-----MALE----	3	-	1	1	2	7	4	8	2	-	-	-
FEMALE--	1	-	3	1	7	7	10	3	8	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ARKANSAS -----	1	2	5	6	5	6	10	6	1	1	-	-
WHITE-----MALE----	-	-	1	4	2	4	2	3	-	-	-	-
FEMALE--	-	2	3	1	3	2	6	3	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	-	1	-	-
CALIFORNIA -----	7	9	20	21	42	47	52	62	51	17	1	-
WHITE-----MALE----	4	3	9	12	23	15	18	15	9	2	-	-
FEMALE--	1	4	7	8	15	27	27	42	41	13	1	-
ALL OTHER--MALE----	1	1	2	1	2	2	3	1	1	-	-	-
FEMALE--	1	1	2	-	2	3	4	4	-	2	-	-
BLACK---MALE----	1	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	1	1	-	-	2	4	2	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,667
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	3	4	2	4	7	7	12	7	-	-	-
WHITE-----MALE----	-	1	1	1	1	1	4	6	2	-	-	-
FEMALE--	-	2	3	1	2	6	3	6	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	2	3	6	5	6	9	8	5	2	-	-
WHITE-----MALE----	-	-	-	3	2	3	4	5	1	-	-	-
FEMALE--	-	1	2	3	1	2	5	3	3	2	-	-
ALL OTHER--MALE----	-	-	1	-	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
DELAWARE -----	-	-	1	-	-	2	3	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	-	1	-	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
FLORIDA -----	5	9	20	27	33	33	56	65	36	9	3	-
WHITE-----MALE----	3	6	11	10	12	16	24	17	8	-	2	-
FEMALE--	-	1	6	13	17	16	32	45	28	9	1	-
ALL OTHER--MALE----	-	1	1	1	2	1	-	-	-	-	-	-
FEMALE--	2	1	2	3	2	-	-	3	-	-	-	-
BLACK---MALE----	-	1	1	1	2	1	-	-	-	-	-	-
FEMALE--	2	1	2	3	2	-	-	3	-	-	-	-
GEORGIA -----	1	3	3	7	9	7	17	19	11	4	-	-
WHITE-----MALE----	-	1	1	5	2	3	1	2	2	1	-	-
FEMALE--	1	-	1	-	4	4	15	14	9	3	-	-
ALL OTHER--MALE----	-	1	-	2	1	-	-	1	-	-	-	-
FEMALE--	-	1	1	-	2	-	1	2	-	-	-	-
BLACK---MALE----	-	1	-	2	1	-	-	1	-	-	-	-
FEMALE--	-	1	1	-	1	-	1	2	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,669
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	62	-	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	38	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	56	-	-	1	-	-	-	1	-	3	-	2
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	28	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	4	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	4	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	1	-	1	-	-
MAINE -----	19	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	59	-	-	-	-	-	-	2	-	2	2	2
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	2	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	5	-	-	-	-	-	-	2	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	-
MASSACHUSETTS -----	98	-	-	-	-	-	1	-	4	1	-	1
WHITE-----MALE----	35	-	-	-	-	-	-	-	3	1	-	1
FEMALE--	57	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	136	-	-	-	-	-	-	1	1	5	1	5
WHITE-----MALE----	38	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	81	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	8	-	-	-	-	-	-	-	1	2	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	8	-	-	-	-	-	-	-	1	2	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,669
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	6	5	4	10	11	8	9	5	1	-	-
WHITE-----MALE----	-	2	3	2	3	6	1	2	1	-	-	-
FEMALE--	-	3	2	2	7	5	7	6	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	3	-	3	7	6	7	12	6	5	-	-	-
WHITE-----MALE----	2	-	1	2	2	2	2	1	1	-	-	-
FEMALE--	-	-	-	3	3	4	8	5	3	-	-	-
ALL OTHER--MALE----	1	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	2	-	1	-	-	-
BLACK---MALE----	1	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	2	-	1	-	-	-
MAINE -----	-	-	-	-	2	4	5	6	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	3	2	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	3	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	4	3	2	5	9	12	8	5	3	-	-
WHITE-----MALE----	-	-	-	-	1	6	7	1	1	1	-	-
FEMALE--	-	1	1	2	3	3	4	5	4	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	2	2	-	1	-	-	2	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	2	2	-	1	-	-	2	-	-	-	-
MASSACHUSETTS -----	-	1	5	5	6	11	26	22	10	5	-	-
WHITE-----MALE----	-	-	2	3	3	5	6	4	3	4	-	-
FEMALE--	-	1	2	2	3	5	20	18	4	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	3	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	3	-	-	-
MICHIGAN -----	2	5	6	8	15	13	33	20	12	9	-	-
WHITE-----MALE----	-	-	1	5	7	3	10	3	4	2	-	-
FEMALE--	1	5	2	2	8	8	22	16	8	7	-	-
ALL OTHER--MALE----	-	-	3	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	1	-	-	-	-
BLACK---MALE----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,672
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	6	5	12	17	14	33	38	31	28	5	3	-
WHITE-----MALE----	1	4	5	5	5	12	10	8	3	-	-	-
FEMALE--	2	1	5	10	8	19	27	22	22	5	3	-
ALL OTHER--MALE----	1	-	1	1	1	1	-	1	-	-	-	-
FEMALE--	2	-	1	1	-	1	1	-	3	-	-	-
BLACK---MALE----	1	-	1	1	1	-	-	1	-	-	-	-
FEMALE--	2	-	1	1	-	1	1	-	3	-	-	-
OKLAHOMA -----	4	2	4	3	5	7	10	10	3	3	-	-
WHITE-----MALE----	-	1	3	3	2	4	3	-	1	-	-	-
FEMALE--	2	1	1	-	2	2	7	9	2	3	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	4	2	3	8	5	13	12	13	2	2	-
WHITE-----MALE----	1	3	-	3	6	1	4	4	3	-	-	-
FEMALE--	-	1	2	-	2	4	9	8	10	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	7	9	11	31	52	40	52	35	9	1	-
WHITE-----MALE----	-	4	2	4	14	24	10	12	5	1	-	-
FEMALE--	1	2	5	7	17	25	29	38	29	8	1	-
ALL OTHER--MALE----	2	1	1	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	2	1	1	1	-	-	-
BLACK---MALE----	2	1	1	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	2	1	1	1	-	-	-
RHODE ISLAND -----	2	-	-	1	1	3	3	8	2	2	-	-
WHITE-----MALE----	2	-	-	-	-	1	1	2	-	1	-	-
FEMALE--	-	-	-	1	1	2	2	6	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	-	-	3	12	11	6	7	4	1	1	-
WHITE-----MALE----	-	-	-	2	3	7	3	1	1	-	-	-
FEMALE--	-	-	-	-	6	1	3	6	3	-	1	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	2	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	2	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,673
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	12	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	70	-	-	-	-	-	-	1	1	-	2	2
WHITE-----MALE----	21	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	6	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	2
TEXAS -----	180	-	-	-	-	-	1	-	2	5	-	6
WHITE-----MALE----	68	-	-	-	-	-	1	-	-	2	-	2
FEMALE--	95	-	-	-	-	-	-	-	2	2	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
UTAH -----	46	-	-	-	-	-	-	-	-	-	2	2
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	31	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	9	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	94	-	-	-	-	-	-	-	1	2	1	1
WHITE-----MALE----	36	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,673
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	1	1	3	5	-	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	2	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	2	3	2	11	13	12	6	7	6	1	-
WHITE-----MALE----	-	1	-	1	5	4	4	2	1	1	-	-
FEMALE--	1	-	3	1	5	4	8	2	6	4	1	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	4	-	2	-	-	-	-
BLACK---MALE----	-	1	-	-	1	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	4	-	2	-	-	-	-
TEXAS -----	4	10	15	18	12	29	28	23	18	7	2	-
WHITE-----MALE----	2	3	8	10	7	10	10	8	5	-	-	-
FEMALE--	1	5	6	6	5	16	17	12	13	7	2	-
ALL OTHER--MALE----	1	2	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	3	-	3	-	-	-	-
BLACK---MALE----	1	2	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	3	-	2	-	-	-	-
UTAH -----	2	1	1	4	5	5	11	6	6	1	-	-
WHITE-----MALE----	1	1	-	1	-	1	4	3	2	-	-	-
FEMALE--	1	-	1	3	5	4	7	3	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	1	2	2	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	4	7	7	11	15	10	13	13	7	1	-
WHITE-----MALE----	-	4	1	5	7	5	5	4	2	1	-	-
FEMALE--	-	-	2	1	4	10	5	7	11	5	-	-
ALL OTHER--MALE----	1	-	2	1	-	-	-	1	-	-	1	-
FEMALE--	-	-	2	-	-	-	-	1	-	1	-	-
BLACK---MALE----	1	-	2	1	-	-	-	1	-	-	1	-
FEMALE--	-	-	2	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,675
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEART FAILURE (428)												
0 UNITED STATES --	47,230	30	14	7	5	11	15	30	59	81	132	252
WHITE-----MALE----	16,317	9	6	1	2	3	7	11	18	45	52	95
FEMALE--	26,246	13	3	3	2	5	4	9	16	15	29	58
ALL OTHER--MALE----	1,907	4	2	1	1	1	1	3	11	11	32	58
FEMALE--	2,760	4	3	2	-	2	3	7	14	10	19	41
BLACK---MALE----	1,707	3	2	1	1	1	1	3	11	10	29	56
FEMALE--	2,510	4	3	2	-	2	3	7	14	10	17	38
ALABAMA -----	1,782	3	-	-	1	1	-	4	3	4	9	9
WHITE-----MALE----	536	1	-	-	-	-	-	1	-	-	2	2
FEMALE--	892	1	-	-	1	1	-	1	2	2	-	2
ALL OTHER--MALE----	143	-	-	-	-	-	-	1	-	1	4	3
FEMALE--	211	1	-	-	-	-	-	1	1	1	3	2
BLACK---MALE----	141	-	-	-	-	-	-	1	-	1	4	3
FEMALE--	210	1	-	-	-	-	-	1	1	1	3	2
ALASKA -----	33	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	490	1	-	-	-	-	-	-	1	3	2	4
WHITE-----MALE----	220	-	-	-	-	-	-	-	1	1	2	2
FEMALE--	245	1	-	-	-	-	-	-	-	2	-	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1,006	1	-	-	-	-	-	-	1	1	4	2
WHITE-----MALE----	378	1	-	-	-	-	-	-	1	1	3	1
FEMALE--	529	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	60	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	39	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	59	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	2,442	1	1	-	1	1	1	1	5	6	6	12
WHITE-----MALE----	840	-	1	-	1	1	1	1	3	3	3	3
FEMALE--	1,339	1	-	-	-	-	-	-	1	1	-	3
ALL OTHER--MALE----	101	-	-	-	-	-	-	-	-	2	2	4
FEMALE--	162	-	-	-	-	-	-	-	1	-	1	2
BLACK---MALE----	50	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	101	-	-	-	-	-	-	-	1	-	1	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,675
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEART FAILURE (428)												
0 UNITED STATES --	412	639	1,164	2,233	3,906	5,917	8,711	10,158	8,473	3,926	1,046	9
WHITE-----MALE----	204	292	526	1,092	1,840	2,601	3,296	3,162	2,108	785	158	4
FEMALE--	108	178	374	772	1,528	2,683	4,668	6,276	5,843	2,886	771	2
ALL OTHER--MALE----	60	81	143	188	254	289	264	263	150	68	20	2
FEMALE--	40	88	121	181	284	344	483	457	372	187	97	1
BLACK---MALE----	55	72	127	174	233	267	239	228	114	60	18	2
FEMALE--	37	79	112	168	256	315	429	418	329	175	91	1
ALABAMA -----	18	26	61	113	149	232	339	387	279	110	34	-
WHITE-----MALE----	9	9	27	51	59	92	117	93	52	20	1	-
FEMALE--	2	7	12	35	59	98	165	232	181	73	18	-
ALL OTHER--MALE----	4	3	15	15	14	21	20	19	15	4	4	-
FEMALE--	3	7	7	12	17	21	37	43	31	13	11	-
BLACK---MALE----	4	3	15	15	14	20	20	19	14	4	4	-
FEMALE--	3	7	7	11	17	21	37	43	31	13	11	-
ALASKA -----	-	-	-	-	4	6	6	5	10	2	-	-
WHITE-----MALE----	-	-	-	-	2	3	3	2	1	1	-	-
FEMALE--	-	-	-	-	2	2	1	2	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	2	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	10	7	20	43	66	83	103	90	40	12	-
WHITE-----MALE----	5	2	5	13	23	30	44	45	32	12	3	-
FEMALE--	-	5	-	7	15	32	36	56	56	26	7	-
ALL OTHER--MALE----	-	1	1	-	1	3	-	1	1	-	1	-
FEMALE--	-	2	1	-	4	1	3	1	1	2	1	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	1	-	-	1	-
ARKANSAS -----	8	15	25	39	98	144	190	224	170	70	14	-
WHITE-----MALE----	4	6	17	19	44	69	72	67	57	13	3	-
FEMALE--	1	8	6	16	37	67	108	134	99	45	7	-
ALL OTHER--MALE----	2	-	1	1	9	3	4	10	5	3	-	-
FEMALE--	1	1	1	3	8	5	6	13	9	9	4	-
BLACK---MALE----	2	-	1	1	9	3	4	10	5	3	-	-
FEMALE--	1	1	1	2	8	5	6	13	9	9	4	-
CALIFORNIA -----	17	35	48	104	214	300	439	527	450	215	58	-
WHITE-----MALE----	11	12	21	50	95	127	171	178	108	40	10	-
FEMALE--	2	6	16	40	79	145	228	307	305	159	46	-
ALL OTHER--MALE----	2	5	7	6	17	12	13	15	10	5	1	-
FEMALE--	2	12	4	8	23	16	27	27	27	11	1	-
BLACK---MALE----	2	2	5	3	13	7	6	4	1	1	-	-
FEMALE--	1	11	4	7	13	10	9	21	13	8	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,676
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEART FAILURE (428)												
COLORADO -----	660	-	-	-	-	-	-	-	-	1	3	3
WHITE-----MALE----	226	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	419	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	581	-	-	-	-	-	-	-	-	-	1	4
WHITE-----MALE----	184	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	379	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	134	-	-	-	-	-	-	1	-	-	-	2
WHITE-----MALE----	51	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	67	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	102	-	-	-	-	-	1	-	-	-	2	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	36	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	45	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	36	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	45	-	-	-	-	-	1	-	-	-	-	-
FLORIDA -----	1,059	1	1	1	-	-	1	2	1	2	4	5
WHITE-----MALE----	373	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	604	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	56	-	1	1	-	-	1	2	1	-	1	2
BLACK---MALE----	23	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	56	-	1	1	-	-	1	2	1	-	1	2
GEORGIA -----	1,479	1	1	-	-	-	1	-	4	6	6	20
WHITE-----MALE----	455	-	-	-	-	-	-	-	-	1	2	6
FEMALE--	681	-	-	-	-	-	-	-	-	-	1	5
ALL OTHER--MALE----	132	1	-	-	-	-	-	-	2	3	3	3
FEMALE--	211	-	1	-	-	-	1	-	2	2	-	6
BLACK---MALE----	129	1	-	-	-	-	-	-	2	3	3	3
FEMALE--	210	-	1	-	-	-	1	-	2	2	-	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,676
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 HEART FAILURE (428)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	3	7	7	22	47	65	121	146	141	78	16	-
WHITE-----MALE----	1	2	5	12	21	24	47	54	39	15	3	-
FEMALE--	1	4	2	8	24	39	70	91	100	63	13	-
ALL OTHER--MALE----	-	1	-	-	1	1	2	1	-	-	-	-
FEMALE--	1	-	-	2	1	1	2	-	2	-	-	-
BLACK---MALE----	-	1	-	-	1	1	2	-	-	-	-	-
FEMALE--	1	-	-	2	1	1	-	-	2	-	-	-
CONNECTICUT -----	4	3	9	20	52	63	116	138	110	47	14	-
WHITE-----MALE----	-	3	4	12	20	26	47	45	20	5	2	-
FEMALE--	3	-	3	7	28	36	67	90	89	41	12	-
ALL OTHER--MALE----	-	-	1	1	2	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	2	-	2	3	1	1	-	-
BLACK---MALE----	-	-	1	1	2	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	2	-	2	3	1	1	-	-
DELAWARE -----	3	3	1	7	15	17	29	23	17	12	4	-
WHITE-----MALE----	2	2	-	5	5	6	16	8	3	2	1	-
FEMALE--	1	-	-	2	6	10	12	13	11	10	2	-
ALL OTHER--MALE----	-	-	1	-	2	-	1	1	2	-	-	-
FEMALE--	-	1	-	-	2	1	-	1	1	-	1	-
BLACK---MALE----	-	-	1	-	2	-	1	1	2	-	-	-
FEMALE--	-	1	-	-	2	1	-	1	1	-	1	-
DISTRICT OF COLUMBIA ----	1	1	7	4	9	14	23	12	17	7	3	-
WHITE-----MALE----	-	-	1	-	1	1	3	-	2	-	-	-
FEMALE--	-	-	-	-	-	1	4	1	4	-	2	-
ALL OTHER--MALE----	1	-	3	2	4	6	6	4	7	1	-	-
FEMALE--	-	1	3	2	4	6	10	7	4	6	1	-
BLACK---MALE----	1	-	3	2	4	6	6	4	7	1	-	-
FEMALE--	-	1	3	2	4	6	10	7	4	6	1	-
FLORIDA -----	7	12	19	48	68	123	156	206	246	134	21	1
WHITE-----MALE----	6	6	8	28	41	55	51	69	62	37	4	-
FEMALE--	1	2	7	16	22	55	91	124	177	92	14	1
ALL OTHER--MALE----	-	2	1	-	3	8	5	3	2	1	-	-
FEMALE--	-	2	3	4	2	5	9	10	5	4	3	-
BLACK---MALE----	-	2	-	-	3	8	4	3	2	-	-	-
FEMALE--	-	2	3	4	2	5	9	10	5	4	3	-
GEORGIA -----	27	28	61	84	165	191	278	300	198	85	23	-
WHITE-----MALE----	14	16	26	32	68	79	76	74	43	15	3	-
FEMALE--	5	3	11	21	60	67	143	161	130	56	18	-
ALL OTHER--MALE----	5	2	8	14	17	25	17	20	6	6	-	-
FEMALE--	3	7	16	17	20	20	42	45	19	8	2	-
BLACK---MALE----	5	2	8	13	16	25	17	19	6	6	-	-
FEMALE--	3	7	16	17	20	20	42	45	19	8	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,677
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEART FAILURE (428)												
HAWAII -----	2	7	1	5	7	10	20	22	14	5	3	-
WHITE-----MALE----	-	1	-	1	4	1	3	4	2	2	-	-
FEMALE--	-	-	-	-	-	1	4	2	4	-	1	-
ALL OTHER--MALE----	2	3	1	3	2	4	7	12	4	2	-	-
FEMALE--	-	3	-	1	1	4	6	4	4	1	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	1	5	3	14	23	28	53	29	11	-	-
WHITE-----MALE----	-	1	3	3	4	12	16	21	12	2	-	-
FEMALE--	3	-	2	-	10	11	12	32	17	9	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	24	36	66	127	216	320	475	548	476	211	56	-
WHITE-----MALE----	11	14	33	60	95	130	195	162	120	34	10	-
FEMALE--	8	11	18	45	86	153	241	355	326	163	41	-
ALL OTHER--MALE----	3	4	9	10	16	15	10	10	7	3	-	-
FEMALE--	2	7	6	12	19	22	29	21	23	11	5	-
BLACK---MALE----	3	4	8	10	15	14	10	10	6	3	-	-
FEMALE--	1	6	6	12	17	18	22	19	22	9	4	-
INDIANA -----	11	19	33	66	129	191	280	322	271	131	28	-
WHITE-----MALE----	4	8	17	27	56	81	108	102	71	22	2	-
FEMALE--	4	6	13	31	59	100	163	209	190	99	26	-
ALL OTHER--MALE----	2	2	2	4	7	7	4	2	2	2	-	-
FEMALE--	1	3	1	4	7	3	5	9	8	8	-	-
BLACK---MALE----	2	2	2	4	7	7	4	2	2	2	-	-
FEMALE--	1	3	1	4	7	3	5	9	8	8	-	-
IOWA -----	-	7	4	3	13	22	27	42	54	21	8	-
WHITE-----MALE----	-	3	2	2	8	12	11	15	13	3	2	-
FEMALE--	-	4	2	1	5	10	15	27	40	18	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
KANSAS -----	4	3	15	29	44	90	129	166	157	87	30	-
WHITE-----MALE----	3	2	8	16	20	42	52	59	34	8	5	-
FEMALE--	1	1	4	9	18	43	69	104	121	76	25	-
ALL OTHER--MALE----	-	-	3	1	5	2	3	1	-	-	-	-
FEMALE--	-	-	-	3	1	3	5	2	2	3	-	-
BLACK---MALE----	-	-	3	1	5	1	3	1	-	-	-	-
FEMALE--	-	-	-	3	1	2	4	2	1	3	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,678
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEART FAILURE (428)												
KENTUCKY -----	1,257	-	-	-	-	1	1	2	3	1	3	8
WHITE-----MALE----	468	-	-	-	-	1	-	1	1	1	-	6
FEMALE--	713	-	-	-	-	-	1	1	2	-	3	2
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	47	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	29	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	46	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	955	2	-	-	-	-	1	-	3	6	5	8
WHITE-----MALE----	285	-	-	-	-	-	1	-	1	3	1	3
FEMALE--	420	1	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	95	1	-	-	-	-	-	-	1	1	1	3
FEMALE--	155	-	-	-	-	-	-	-	1	1	1	2
BLACK---MALE----	94	1	-	-	-	-	-	-	1	1	1	3
FEMALE--	154	-	-	-	-	-	-	-	1	1	1	2
MAINE -----	291	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	110	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	180	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	607	1	-	-	-	-	-	2	1	1	2	2
WHITE-----MALE----	196	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	293	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	53	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	65	-	-	-	-	-	-	1	-	1	1	1
BLACK---MALE----	51	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	65	-	-	-	-	-	-	1	-	1	1	1
MASSACHUSETTS -----	1,682	-	-	-	-	1	1	-	2	2	6	3
WHITE-----MALE----	541	-	-	-	-	1	1	-	1	1	2	1
FEMALE--	1,092	-	-	-	-	-	-	-	-	-	3	1
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	31	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	29	-	-	-	-	-	-	-	1	1	1	-
MICHIGAN -----	1,877	-	-	-	-	-	-	-	4	1	7	8
WHITE-----MALE----	648	-	-	-	-	-	-	-	1	1	3	3
FEMALE--	1,073	-	-	-	-	-	-	-	2	-	-	2
ALL OTHER--MALE----	66	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	90	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	64	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	81	-	-	-	-	-	-	-	1	-	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,678
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEART FAILURE (428)												
KENTUCKY -----	16	17	44	85	119	156	240	260	188	92	21	-
WHITE-----MALE----	11	8	18	40	59	75	98	76	45	25	3	-
FEMALE--	4	6	19	42	48	70	132	172	137	61	13	-
ALL OTHER--MALE----	1	1	5	2	3	4	3	4	2	2	2	-
FEMALE--	-	2	2	1	9	7	7	8	4	4	3	-
BLACK---MALE----	1	1	5	2	3	4	3	4	2	2	2	-
FEMALE--	-	2	2	1	9	7	7	8	3	4	3	-
LOUISIANA -----	14	17	27	75	101	141	156	186	127	68	18	-
WHITE-----MALE----	5	6	10	30	36	55	46	55	21	11	1	-
FEMALE--	3	5	6	16	36	49	71	97	87	42	4	-
ALL OTHER--MALE----	2	3	8	20	12	16	7	11	3	5	1	-
FEMALE--	4	3	3	9	17	21	32	23	16	10	12	-
BLACK---MALE----	2	3	7	20	12	16	7	11	3	5	1	-
FEMALE--	4	3	3	8	17	21	32	23	16	10	12	-
MAINE -----	-	-	5	15	26	29	56	61	63	26	10	-
WHITE-----MALE----	-	-	3	9	16	12	29	20	15	5	1	-
FEMALE--	-	-	2	6	10	17	27	40	48	21	9	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	15	18	35	49	86	125	113	90	50	13	-
WHITE-----MALE----	3	5	2	19	25	39	44	29	20	7	-	-
FEMALE--	1	-	7	7	16	33	51	66	60	41	10	-
ALL OTHER--MALE----	-	6	5	6	7	8	8	8	4	-	-	-
FEMALE--	-	4	4	3	1	6	22	10	6	2	3	-
BLACK---MALE----	-	6	5	6	7	7	8	7	4	-	-	-
FEMALE--	-	4	4	3	1	6	22	10	6	2	3	-
MASSACHUSETTS -----	7	18	30	48	116	195	326	368	348	156	55	-
WHITE-----MALE----	4	8	11	24	61	85	120	104	75	35	7	-
FEMALE--	2	10	15	23	50	98	199	260	266	120	45	-
ALL OTHER--MALE----	1	-	4	1	2	5	2	-	1	-	1	-
FEMALE--	-	-	-	-	3	7	5	4	6	1	2	-
BLACK---MALE----	1	-	3	1	2	5	1	-	-	-	1	-
FEMALE--	-	-	-	-	3	7	5	4	4	1	2	-
MICHIGAN -----	8	19	37	90	148	243	354	436	323	157	42	-
WHITE-----MALE----	2	10	17	52	63	95	133	138	86	35	9	-
FEMALE--	4	5	13	30	57	120	199	278	218	113	32	-
ALL OTHER--MALE----	-	3	3	4	13	12	9	10	4	3	-	-
FEMALE--	2	1	4	4	15	16	13	10	15	6	1	-
BLACK---MALE----	-	2	3	4	13	12	9	10	3	3	-	-
FEMALE--	1	1	4	4	14	13	11	9	14	6	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,679
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEART FAILURE (428)												
MINNESOTA -----	1,019	1	1	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	371	1	1	-	-	-	-	-	-	-	-	1
FEMALE--	633	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	992	-	-	1	-	-	-	-	3	3	5	14
WHITE-----MALE----	253	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	435	-	-	1	-	-	-	-	1	-	2	1
ALL OTHER--MALE----	114	-	-	-	-	-	-	-	1	1	1	5
FEMALE--	190	-	-	-	-	-	-	-	1	-	1	6
BLACK---MALE----	114	-	-	-	-	-	-	-	1	1	1	5
FEMALE--	190	-	-	-	-	-	-	-	1	-	1	6
MISSOURI -----	1,251	-	-	-	-	-	1	3	-	4	4	3
WHITE-----MALE----	447	-	-	-	-	-	1	1	-	3	2	1
FEMALE--	721	-	-	-	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	38	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	37	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	1
MONTANA -----	301	-	-	-	-	-	-	2	-	-	-	-
WHITE-----MALE----	131	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	163	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	529	-	-	-	-	-	-	1	1	-	4	4
WHITE-----MALE----	204	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	308	-	-	-	-	-	-	-	1	-	2	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	8	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	312	-	-	-	1	-	-	1	-	-	-	2
WHITE-----MALE----	126	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	158	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	16	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	12	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,679
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEART FAILURE (428)												
MINNESOTA -----	5	1	9	27	60	85	174	240	243	143	28	-
WHITE-----MALE----	3	-	3	16	41	34	78	90	68	31	4	-
FEMALE--	1	1	4	10	14	50	94	149	173	112	24	-
ALL OTHER--MALE----	1	-	2	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	4	-	2	1	2	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	4	-	-	-	-	-	-	-
MISSISSIPPI -----	20	17	24	45	86	143	183	196	160	74	18	-
WHITE-----MALE----	7	5	8	16	32	51	46	43	27	12	1	-
FEMALE--	3	1	6	11	26	42	91	114	88	42	6	-
ALL OTHER--MALE----	4	5	3	8	10	22	18	15	11	7	3	-
FEMALE--	6	6	7	10	18	28	28	24	34	13	8	-
BLACK---MALE----	4	5	3	8	10	22	18	15	11	7	3	-
FEMALE--	6	6	7	10	18	28	28	24	34	13	8	-
MISSOURI -----	9	19	43	48	93	163	209	277	240	102	32	1
WHITE-----MALE----	4	11	19	28	50	72	81	80	69	21	4	-
FEMALE--	2	6	18	15	36	80	120	181	160	75	25	-
ALL OTHER--MALE----	3	1	4	3	6	4	5	7	1	1	-	-
FEMALE--	-	1	2	2	1	7	3	9	10	5	3	1
BLACK---MALE----	2	1	4	3	6	4	5	7	1	1	-	-
FEMALE--	-	1	2	2	1	7	3	9	10	5	3	1
MONTANA -----	3	5	8	11	19	42	57	65	52	31	6	-
WHITE-----MALE----	3	3	5	7	13	22	27	21	19	10	-	-
FEMALE--	-	2	3	4	4	19	30	43	31	20	6	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	1	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	7	15	18	26	36	54	74	122	95	56	16	-
WHITE-----MALE----	3	10	11	13	12	31	31	46	28	13	3	-
FEMALE--	4	5	7	10	21	22	42	73	65	42	12	-
ALL OTHER--MALE----	-	-	-	-	2	1	1	2	1	-	1	-
FEMALE--	-	-	-	3	1	-	-	1	1	1	-	-
BLACK---MALE----	-	-	-	-	2	1	1	1	1	-	1	-
FEMALE--	-	-	-	1	1	-	-	1	1	1	-	-
NEVADA -----	3	6	11	17	41	64	60	55	31	17	3	-
WHITE-----MALE----	1	3	5	11	20	34	23	15	9	4	-	-
FEMALE--	2	2	4	4	19	25	34	34	18	13	3	-
ALL OTHER--MALE----	-	1	1	1	-	3	1	2	1	-	-	-
FEMALE--	-	-	1	1	2	2	2	4	3	-	-	-
BLACK---MALE----	-	1	-	-	-	3	1	1	1	-	-	-
FEMALE--	-	-	1	1	2	2	1	3	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,680
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEART FAILURE (428)												
NEW HAMPSHIRE -----	79	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	50	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY -----	1,270	-	-	-	-	-	-	-	2	1	3	5
WHITE-----MALE----	435	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	735	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	70	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	28	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	69	-	-	-	-	-	-	-	-	-	-	1
NEW MEXICO -----	237	-	1	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	90	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	134	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
NEW YORK -----	2,328	2	1	1	-	-	-	-	2	1	1	14
WHITE-----MALE----	831	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	1,327	1	-	1	-	-	-	-	1	-	-	4
ALL OTHER--MALE----	72	1	1	-	-	-	-	-	1	-	-	3
FEMALE--	98	-	-	-	-	-	-	-	-	-	-	4
BLACK---MALE----	64	-	1	-	-	-	-	-	1	-	-	3
FEMALE--	92	-	-	-	-	-	-	-	-	-	-	4
NORTH CAROLINA -----	1,069	4	1	-	-	-	-	-	1	2	2	7
WHITE-----MALE----	316	2	1	-	-	-	-	-	-	1	1	3
FEMALE--	576	2	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	80	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	97	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	77	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	95	-	-	-	-	-	-	-	-	1	-	2
NORTH DAKOTA -----	164	-	-	-	-	-	-	-	1	-	1	1
WHITE-----MALE----	59	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	100	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,681
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEART FAILURE (428)												
OHIO -----	2,220	1	1	-	1	-	-	1	4	1	5	6
WHITE-----MALE----	796	-	1	-	-	-	-	-	1	1	2	4
FEMALE--	1,255	1	-	-	-	-	1	-	1	-	1	-
ALL OTHER--MALE----	70	-	-	-	1	-	-	-	1	-	1	2
FEMALE--	99	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	67	-	-	-	1	-	-	-	1	-	-	2
FEMALE--	96	-	-	-	-	-	-	-	1	-	1	-
OKLAHOMA -----	1,221	1	1	-	-	-	-	-	-	3	5	4
WHITE-----MALE----	399	-	1	-	-	-	-	-	-	1	4	2
FEMALE--	740	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	42	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	22	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	26	1	-	-	-	-	-	-	-	-	-	-
OREGON -----	645	-	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	241	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	390	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3,085	1	-	-	1	3	2	2	4	5	7	16
WHITE-----MALE----	1,144	-	-	-	-	-	2	1	3	4	4	8
FEMALE--	1,748	1	-	-	1	2	-	-	-	1	1	4
ALL OTHER--MALE----	87	-	-	-	-	-	-	-	1	-	2	4
FEMALE--	106	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	86	-	-	-	-	-	-	-	1	-	2	4
FEMALE--	104	-	-	-	-	1	-	1	-	-	-	-
RHODE ISLAND -----	78	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	57	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	699	1	-	-	-	-	-	-	3	2	3	10
WHITE-----MALE----	204	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	286	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	92	1	-	-	-	-	-	-	1	-	2	6
FEMALE--	117	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	92	1	-	-	-	-	-	-	1	-	2	6
FEMALE--	116	-	-	-	-	-	-	-	1	-	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,681
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEART FAILURE (428)												
OHIO -----	22	23	42	96	217	291	431	495	365	167	51	-
WHITE-----MALE----	11	12	20	47	102	145	168	143	91	38	10	-
FEMALE--	6	6	12	37	95	123	231	327	256	120	38	-
ALL OTHER--MALE----	3	4	4	6	10	9	14	10	4	-	1	-
FEMALE--	2	1	6	6	10	14	18	15	14	9	2	-
BLACK---MALE----	3	4	4	6	9	8	14	10	4	-	1	-
FEMALE--	2	1	4	6	9	14	18	15	14	9	2	-
OKLAHOMA -----	11	18	43	57	96	145	217	253	223	115	28	1
WHITE-----MALE----	6	10	20	26	45	61	75	76	40	26	5	1
FEMALE--	3	6	18	24	41	73	128	166	166	88	23	-
ALL OTHER--MALE----	2	2	2	3	7	4	7	3	9	-	-	-
FEMALE--	-	-	3	4	3	7	7	8	8	1	-	-
BLACK---MALE----	2	2	2	2	4	2	3	3	1	-	-	-
FEMALE--	-	-	2	2	2	4	5	5	4	1	-	-
OREGON -----	3	7	11	12	40	60	120	137	160	68	24	-
WHITE-----MALE----	2	4	6	7	21	25	58	51	42	18	4	-
FEMALE--	1	2	4	4	18	34	60	83	115	50	19	-
ALL OTHER--MALE----	-	1	-	-	-	1	2	1	2	-	-	-
FEMALE--	-	-	1	1	1	-	-	2	1	-	1	-
BLACK---MALE----	-	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	24	35	62	150	252	413	620	649	551	218	69	1
WHITE-----MALE----	11	17	28	76	130	184	258	211	147	39	20	1
FEMALE--	10	9	22	49	102	202	335	412	384	166	47	-
ALL OTHER--MALE----	2	6	10	13	5	12	9	13	5	4	1	-
FEMALE--	1	3	2	12	15	15	18	13	15	9	1	-
BLACK---MALE----	2	6	10	12	5	12	9	13	5	4	1	-
FEMALE--	1	3	2	12	14	14	18	13	15	9	1	-
RHODE ISLAND -----	-	2	2	4	2	10	12	23	14	8	1	-
WHITE-----MALE----	-	2	1	2	1	3	4	3	3	1	-	-
FEMALE--	-	-	1	2	1	7	8	19	11	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
SOUTH CAROLINA -----	15	27	30	46	58	99	152	121	85	38	9	-
WHITE-----MALE----	4	12	8	25	24	43	38	29	10	5	3	-
FEMALE--	-	5	8	8	17	31	69	64	60	18	3	-
ALL OTHER--MALE----	6	3	8	9	7	11	16	14	4	4	-	-
FEMALE--	5	7	6	4	10	14	29	14	11	11	3	-
BLACK---MALE----	6	3	8	9	7	11	16	14	4	4	-	-
FEMALE--	5	7	6	4	10	14	29	13	11	11	3	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,682
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEART FAILURE (428)												
SOUTH DAKOTA -----	188	-	-	-	-	1	-	-	1	-	1	-
WHITE-----MALE----	69	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	111	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	501	-	1	-	-	-	-	-	-	1	3	3
WHITE-----MALE----	177	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	258	-	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	43	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	23	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	43	-	-	-	-	-	-	-	-	-	1	2
TEXAS -----	2,952	1	-	1	-	1	2	4	6	7	7	22
WHITE-----MALE----	1,031	1	-	-	-	-	-	2	-	5	4	11
FEMALE--	1,604	-	-	-	-	-	2	2	3	-	1	4
ALL OTHER--MALE----	136	-	-	-	-	1	-	-	1	1	2	3
FEMALE--	181	-	-	1	-	-	-	-	2	1	-	4
BLACK---MALE----	132	-	-	-	-	1	-	-	1	1	2	3
FEMALE--	170	-	-	1	-	-	-	-	2	1	-	3
UTAH -----	367	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	148	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	216	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	94	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	41	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	53	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,205	2	-	-	-	-	1	-	-	4	5	12
WHITE-----MALE----	388	-	-	-	-	-	1	-	-	2	2	4
FEMALE--	600	2	-	-	-	-	-	-	-	1	1	4
ALL OTHER--MALE----	90	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	127	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	87	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	118	-	-	-	-	-	-	-	-	1	1	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,682
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEART FAILURE (428)												
SOUTH DAKOTA -----	1	1	1	7	14	15	26	38	52	22	8	-
WHITE-----MALE----	1	1	-	3	10	7	13	15	13	5	1	-
FEMALE--	-	-	1	2	3	7	13	21	39	16	7	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	2	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	8	15	34	44	78	86	100	80	33	10	-
WHITE-----MALE----	3	2	6	11	22	37	28	30	24	12	-	-
FEMALE--	1	4	6	15	19	29	49	63	49	16	5	-
ALL OTHER--MALE----	-	1	2	5	1	5	3	4	-	-	1	-
FEMALE--	1	1	1	3	2	7	6	3	7	5	4	-
BLACK---MALE----	-	1	2	5	1	5	3	4	-	-	1	-
FEMALE--	1	1	1	3	2	7	6	3	7	5	4	-
TEXAS -----	40	60	79	195	258	334	529	631	495	220	58	2
WHITE-----MALE----	24	25	42	105	133	137	189	188	118	41	5	1
FEMALE--	8	25	24	56	91	151	290	393	345	164	45	-
ALL OTHER--MALE----	7	3	7	11	19	21	20	24	9	4	2	1
FEMALE--	1	7	6	23	15	25	30	26	23	11	6	-
BLACK---MALE----	6	3	7	11	19	21	18	23	9	4	2	1
FEMALE--	1	7	5	22	14	25	28	22	22	11	6	-
UTAH -----	-	-	8	17	22	45	72	85	75	36	6	-
WHITE-----MALE----	-	-	3	10	14	22	33	39	14	10	2	-
FEMALE--	-	-	5	7	7	23	39	45	60	26	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
VERMONT -----	1	1	-	4	4	15	19	17	18	15	-	-
WHITE-----MALE----	-	-	-	4	3	9	10	4	8	3	-	-
FEMALE--	1	1	-	-	1	6	9	13	10	12	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	11	21	30	71	117	160	206	264	190	81	29	1
WHITE-----MALE----	4	6	14	28	52	69	65	73	50	15	3	-
FEMALE--	3	5	6	28	36	62	100	151	118	61	21	1
ALL OTHER--MALE----	3	7	3	11	17	12	16	11	5	2	-	-
FEMALE--	1	3	7	4	12	17	25	29	17	3	5	-
BLACK---MALE----	3	7	3	11	15	12	16	11	4	2	-	-
FEMALE--	1	2	7	4	10	16	23	27	16	3	5	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,685
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	11	-	-	-	-	-	-	1	1	1	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	6	-	1	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	-	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	44	1	1	-	1	2	1	2	4	2	7	2
WHITE-----MALE----	13	-	-	-	-	1	-	-	1	1	2	1
FEMALE--	18	-	1	-	-	-	1	1	-	-	2	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	2	-	-	-
FEMALE--	8	1	-	-	1	1	-	-	1	1	3	-
BLACK---MALE----	5	-	-	-	-	-	-	1	2	-	-	-
FEMALE--	8	1	-	-	1	1	-	-	1	1	3	-
GEORGIA -----	22	-	1	-	-	1	-	2	1	-	1	3
WHITE-----MALE----	7	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	8	-	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	1	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,687
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	1	1	-	1	-	1	-	-	1	-	-
WHITE-----MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	4	3	-	1	1	2	2	-	1	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	2	1	-	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	1	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	2	1	1	-	2	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	-	-	-	1	-	-	1	-	-	1	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	2	2	1	1	3	6	8	4	1	-	-
WHITE-----MALE----	-	2	2	-	1	2	4	4	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	3	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,690
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	26	-	1	-	-	-	1	1	1	1	1	1
WHITE-----MALE----	13	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	9	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	1
OKLAHOMA -----	9	2	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	3	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	7	-	-	-	1	-	-	-	-	1	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	39	1	3	1	2	2	-	4	2	3	1	3
WHITE-----MALE----	12	1	-	-	1	1	-	-	1	1	1	1
FEMALE--	16	-	1	1	-	-	-	1	1	1	-	2
ALL OTHER--MALE----	6	-	1	-	6	1	-	3	-	-	-	-
FEMALE--	5	-	1	-	1	-	-	-	-	1	-	-
BLACK---MALE----	6	-	1	-	6	1	-	3	-	-	-	-
FEMALE--	5	-	1	-	1	-	-	-	-	1	-	-
RHODE ISLAND -----	5	-	1	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
SOUTH CAROLINA -----	8	-	-	1	-	-	-	2	1	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	1	-	-	-	2	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	1	-	-	-	2	-	-	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,691
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	28	1	-	-	-	-	1	-	-	2	1	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	13	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	46	1	2	2	-	2	1	1	3	2	4	4
WHITE-----MALE----	20	-	-	2	-	-	-	-	2	-	3	2
FEMALE--	19	-	2	-	-	2	1	-	-	1	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	1	-	-
UTAH -----	13	-	-	1	-	1	1	3	-	3	-	-
WHITE-----MALE----	6	-	-	1	-	1	-	1	-	1	-	-
FEMALE--	7	-	-	-	-	-	1	2	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	14	1	1	-	-	-	-	-	2	1	-	-
WHITE-----MALE----	7	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,693
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	144,705	307	115	79	139	235	308	491	896	1,493	2,419	3,918
WHITE-----MALE----	60,614	112	42	29	51	96	131	230	428	779	1,275	2,123
FEMALE--	60,786	91	20	31	37	49	50	85	147	239	389	653
ALL OTHER--MALE----	12,430	55	24	10	36	56	90	106	198	303	475	800
FEMALE--	10,875	49	29	9	15	34	37	70	123	172	280	342
BLACK---MALE----	11,015	50	21	7	30	53	84	96	173	274	432	720
FEMALE--	9,920	44	23	7	13	32	33	68	116	163	263	328
ALABAMA -----	4,042	17	7	-	8	9	10	11	39	55	85	135
WHITE-----MALE----	1,504	9	1	-	5	1	6	6	17	29	40	64
FEMALE--	1,497	-	1	-	1	3	-	1	7	6	13	29
ALL OTHER--MALE----	484	4	4	-	2	3	3	2	11	10	21	28
FEMALE--	557	4	1	-	-	2	1	2	4	10	11	14
BLACK---MALE----	483	4	4	-	2	3	3	2	11	10	21	28
FEMALE--	555	4	1	-	-	2	1	2	4	10	11	14
ALASKA -----	111	1	1	-	-	-	-	1	2	-	2	4
WHITE-----MALE----	59	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	21	1	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	2	-	-	1
FEMALE--	15	-	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2,419	2	-	-	3	1	5	13	19	38	56	77
WHITE-----MALE----	1,249	-	-	-	2	-	2	8	12	25	42	60
FEMALE--	1,012	2	-	-	-	1	1	2	5	7	10	8
ALL OTHER--MALE----	92	-	-	-	1	-	-	1	2	3	4	4
FEMALE--	66	-	-	-	-	-	2	-	-	3	-	5
BLACK---MALE----	41	-	-	-	-	-	-	1	-	1	4	1
FEMALE--	30	-	-	-	-	-	-	1	-	-	-	4
ARKANSAS -----	1,101	3	2	2	1	1	3	5	7	19	18	28
WHITE-----MALE----	476	1	1	2	-	-	-	1	6	12	10	18
FEMALE--	448	-	-	-	1	-	1	1	1	4	3	2
ALL OTHER--MALE----	81	1	1	-	-	1	-	2	-	2	3	6
FEMALE--	96	1	-	-	-	-	2	1	-	1	2	2
BLACK---MALE----	80	1	1	-	-	1	-	2	-	2	3	6
FEMALE--	95	1	-	-	-	-	2	1	-	1	2	2
CALIFORNIA -----	13,078	32	14	14	13	24	23	45	105	144	248	417
WHITE-----MALE----	5,820	14	9	4	6	13	7	31	58	90	144	232
FEMALE--	5,196	12	2	8	3	6	7	5	14	20	38	64
ALL OTHER--MALE----	1,215	-	-	1	2	4	7	5	24	17	47	95
FEMALE--	847	6	3	1	2	1	2	4	9	17	19	26
BLACK---MALE----	791	-	-	-	-	3	6	4	19	12	36	65
FEMALE--	574	2	3	-	2	1	1	4	7	15	17	24

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,693
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	5,001	6,429	9,138	12,383	16,168	19,396	21,988	20,734	14,872	6,398	1,766	32
WHITE-----MALE----	2,718	3,492	4,788	6,547	8,028	8,962	8,839	6,698	3,765	1,207	257	17
FEMALE--	909	1,328	2,131	3,398	5,274	7,711	10,526	12,019	9,808	4,593	1,290	8
ALL OTHER--MALE----	893	1,039	1,396	1,462	1,602	1,390	1,140	777	374	150	48	6
FEMALE--	481	570	823	976	1,264	1,333	1,483	1,240	925	448	171	1
BLACK---MALE----	804	945	1,259	1,321	1,423	1,219	984	645	309	121	39	6
FEMALE--	449	524	770	886	1,152	1,205	1,336	1,126	834	393	154	1
ALABAMA -----	153	194	277	386	460	524	624	512	360	139	37	-
WHITE-----MALE----	72	99	140	187	186	208	202	125	70	32	5	-
FEMALE--	29	44	59	93	145	199	278	271	222	76	20	-
ALL OTHER--MALE----	28	31	45	52	66	46	59	42	17	9	1	-
FEMALE--	24	20	33	54	63	71	85	74	51	22	11	-
BLACK---MALE----	27	31	45	52	66	46	59	42	17	9	1	-
FEMALE--	24	19	33	54	63	70	85	74	51	22	11	-
ALASKA -----	7	6	8	18	7	21	14	11	5	3	-	-
WHITE-----MALE----	3	5	5	12	5	13	7	3	2	1	-	-
FEMALE--	1	1	1	4	1	4	1	4	-	1	-	-
ALL OTHER--MALE----	2	-	2	1	1	1	4	1	1	-	-	-
FEMALE--	1	-	-	1	-	3	2	3	2	1	-	-
BLACK---MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	93	124	168	221	317	342	341	314	178	81	25	1
WHITE-----MALE----	61	83	109	124	191	172	163	121	52	14	7	1
FEMALE--	19	29	39	80	112	149	166	183	119	64	16	-
ALL OTHER--MALE----	7	7	11	13	9	13	7	4	5	-	1	-
FEMALE--	6	5	9	4	5	8	5	6	2	3	1	-
BLACK---MALE----	2	5	4	7	5	4	3	2	2	-	-	-
FEMALE--	2	3	5	2	2	2	3	4	1	1	-	-
ARKANSAS -----	27	56	71	95	121	144	170	166	111	40	11	-
WHITE-----MALE----	12	33	37	50	64	61	77	46	36	8	1	-
FEMALE--	10	12	19	30	40	61	74	97	61	25	6	-
ALL OTHER--MALE----	4	7	8	3	10	10	7	7	5	3	1	-
FEMALE--	1	4	7	12	7	12	12	16	9	4	3	-
BLACK---MALE----	4	7	8	3	9	10	7	7	5	3	1	-
FEMALE--	1	3	7	12	7	12	12	16	9	4	3	-
CALIFORNIA -----	577	734	915	1,119	1,444	1,705	1,841	1,674	1,266	588	126	10
WHITE-----MALE----	345	417	488	596	749	765	762	597	346	124	17	6
FEMALE--	93	143	217	327	440	676	850	920	826	422	99	4
ALL OTHER--MALE----	88	113	143	134	155	153	116	69	33	9	-	-
FEMALE--	51	61	67	62	100	111	113	88	61	33	10	-
BLACK---MALE----	65	82	107	96	100	93	60	25	14	4	-	-
FEMALE--	46	48	54	37	64	70	66	50	39	17	7	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,694
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	1,242	3	-	-	1	3	2	5	7	12	17	32
WHITE-----MALE----	555	2	-	-	-	-	2	1	4	6	12	24
FEMALE--	623	1	-	-	1	-	-	3	2	5	-	5
ALL OTHER--MALE----	45	-	-	-	-	2	-	-	1	1	4	2
FEMALE--	19	-	-	-	-	1	-	1	-	-	1	1
BLACK---MALE----	33	-	-	-	-	1	-	-	1	-	4	2
FEMALE--	16	-	-	-	-	1	-	-	-	-	1	1
CONNECTICUT -----	2,845	7	3	-	1	6	7	8	8	17	33	70
WHITE-----MALE----	1,227	3	2	-	-	1	5	2	5	7	18	39
FEMALE--	1,397	2	-	-	-	2	1	1	1	5	4	12
ALL OTHER--MALE----	117	1	1	-	1	2	-	3	-	3	6	14
FEMALE--	104	1	-	-	-	1	1	2	2	2	5	5
BLACK---MALE----	110	1	1	-	1	2	-	3	-	2	5	12
FEMALE--	97	1	-	-	-	1	1	2	2	1	5	5
DELAWARE -----	603	-	1	-	-	-	1	2	4	3	9	12
WHITE-----MALE----	239	-	-	-	-	-	1	-	2	-	5	9
FEMALE--	255	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	52	-	-	-	-	-	-	1	1	2	1	1
FEMALE--	57	-	1	-	-	-	-	1	1	-	2	2
BLACK---MALE----	49	-	-	-	-	-	-	1	1	2	1	1
FEMALE--	54	-	1	-	-	-	-	1	1	-	2	2
DISTRICT OF COLUMBIA ----	496	3	1	1	2	-	-	3	4	8	8	15
WHITE-----MALE----	60	1	-	-	-	-	-	1	1	-	-	-
FEMALE--	49	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	214	1	-	-	2	-	-	2	2	6	3	11
FEMALE--	173	1	1	1	-	-	-	-	1	2	5	3
BLACK---MALE----	214	1	-	-	2	-	-	2	2	6	3	11
FEMALE--	171	1	-	1	-	-	-	-	1	2	5	3
FLORIDA -----	9,071	12	3	3	3	11	15	30	38	86	120	183
WHITE-----MALE----	4,350	6	2	1	1	6	6	12	21	47	76	111
FEMALE--	3,833	1	-	2	-	4	1	8	5	8	11	29
ALL OTHER--MALE----	472	2	-	-	1	1	7	6	4	20	21	31
FEMALE--	416	3	1	-	1	-	1	4	8	11	12	12
BLACK---MALE----	466	2	-	-	1	1	7	6	4	20	21	30
FEMALE--	408	3	1	-	1	-	1	4	8	11	12	12
GEORGIA -----	4,898	8	6	4	4	13	15	24	32	80	96	174
WHITE-----MALE----	1,618	2	-	1	1	7	2	3	12	37	37	84
FEMALE--	1,804	-	1	1	1	-	3	3	2	5	9	15
ALL OTHER--MALE----	704	4	3	-	1	4	7	9	13	23	30	46
FEMALE--	772	2	2	2	1	2	3	9	5	15	20	29
BLACK---MALE----	692	4	3	-	1	4	7	9	11	22	30	46
FEMALE--	761	2	2	2	1	2	3	9	5	15	18	28

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,694
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	39	38	68	113	132	154	180	192	156	66	22	-
WHITE-----MALE----	24	21	41	76	60	82	76	61	52	9	2	-
FEMALE--	10	10	21	30	65	67	97	127	102	57	20	-
ALL OTHER--MALE----	4	4	4	6	6	3	4	3	1	-	-	-
FEMALE--	1	3	2	1	1	2	3	1	1	-	-	-
BLACK---MALE----	4	4	2	5	2	1	4	2	1	-	-	-
FEMALE--	1	3	2	1	1	1	3	-	1	-	-	-
CONNECTICUT -----	98	101	147	232	328	391	453	421	310	151	53	-
WHITE-----MALE----	56	66	76	141	162	186	204	143	75	26	10	-
FEMALE--	19	27	49	71	132	183	234	268	224	120	42	-
ALL OTHER--MALE----	12	5	13	17	18	9	7	3	1	1	-	-
FEMALE--	11	3	9	3	16	13	8	7	10	4	1	-
BLACK---MALE----	12	5	13	15	17	9	7	3	1	1	-	-
FEMALE--	10	3	8	2	14	13	8	7	9	4	1	-
DELAWARE -----	10	28	30	51	79	86	96	89	64	26	12	-
WHITE-----MALE----	6	15	12	26	39	36	35	29	18	5	1	-
FEMALE--	1	3	8	14	26	29	46	56	42	20	8	-
ALL OTHER--MALE----	2	4	6	6	9	10	6	3	-	-	-	-
FEMALE--	1	6	4	5	5	11	9	1	4	1	3	-
BLACK---MALE----	2	4	6	6	8	10	5	2	-	-	-	-
FEMALE--	1	5	4	5	5	10	8	1	4	1	3	-
DISTRICT OF COLUMBIA ----	20	39	40	48	65	60	67	57	36	17	2	-
WHITE-----MALE----	1	4	2	3	9	7	10	8	11	2	-	-
FEMALE--	-	-	2	1	2	4	8	20	6	4	1	-
ALL OTHER--MALE----	11	30	24	28	24	26	22	14	5	2	1	-
FEMALE--	8	5	12	16	30	23	27	15	14	9	-	-
BLACK---MALE----	11	30	24	28	24	26	22	14	5	2	1	-
FEMALE--	8	5	12	16	30	22	27	15	14	9	-	-
FLORIDA -----	266	326	451	696	1,010	1,265	1,459	1,485	1,058	453	97	1
WHITE-----MALE----	160	197	258	424	575	679	714	577	340	116	21	-
FEMALE--	47	62	120	195	328	483	651	839	661	307	71	-
ALL OTHER--MALE----	37	46	49	47	58	52	39	27	14	8	1	1
FEMALE--	22	21	24	30	49	51	55	42	43	22	4	-
BLACK---MALE----	35	45	48	47	58	51	39	27	14	8	1	1
FEMALE--	22	19	24	30	46	51	54	41	43	21	4	-
GEORGIA -----	206	254	316	413	522	614	762	708	413	188	46	-
WHITE-----MALE----	72	114	148	170	211	227	223	173	70	22	2	-
FEMALE--	36	44	49	104	146	229	339	391	267	133	26	-
ALL OTHER--MALE----	54	60	76	80	84	60	83	40	18	8	1	-
FEMALE--	44	36	43	59	81	98	117	104	58	25	17	-
BLACK---MALE----	52	59	75	78	84	59	83	38	18	8	1	-
FEMALE--	43	36	43	57	80	98	116	102	58	25	16	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,695
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	845	1	3	-	1	-	1	3	8	9	15	30
WHITE-----MALE----	135	-	-	-	-	-	-	-	1	2	5	9
FEMALE--	102	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	363	1	1	-	-	-	1	3	6	6	6	16
FEMALE--	245	-	2	-	1	-	-	-	1	1	3	4
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	374	2	-	1	1	-	2	3	-	5	3	6
WHITE-----MALE----	181	2	-	-	1	-	1	-	-	5	2	4
FEMALE--	186	-	-	1	-	-	1	1	-	-	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	2	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	6,093	10	5	1	8	13	18	24	45	63	115	209
WHITE-----MALE----	2,428	1	1	-	-	2	7	11	13	23	50	87
FEMALE--	2,207	2	1	-	2	3	3	1	9	10	22	30
ALL OTHER--MALE----	846	3	1	1	3	5	6	5	13	19	27	60
FEMALE--	612	4	2	-	3	3	2	7	10	11	16	32
BLACK---MALE----	812	3	1	1	3	5	5	5	12	19	27	54
FEMALE--	597	4	2	-	3	3	2	7	9	11	15	32
INDIANA -----	2,590	12	5	4	3	7	8	6	17	27	55	76
WHITE-----MALE----	1,154	5	2	1	2	4	3	4	14	12	30	38
FEMALE--	1,191	6	-	2	-	1	-	1	2	8	13	19
ALL OTHER--MALE----	138	1	-	1	1	1	4	1	1	5	4	14
FEMALE--	107	-	3	-	-	1	1	-	-	2	8	5
BLACK---MALE----	137	1	-	1	1	1	4	1	1	5	4	14
FEMALE--	105	-	3	-	-	1	1	-	-	2	6	5
IOWA -----	1,871	2	-	-	2	1	3	2	4	15	18	29
WHITE-----MALE----	887	1	-	-	2	1	3	2	2	11	14	18
FEMALE--	949	1	-	-	-	-	-	-	2	4	4	8
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1,314	1	2	2	-	4	2	5	3	9	15	28
WHITE-----MALE----	575	1	1	1	-	3	-	2	1	6	9	15
FEMALE--	637	-	-	1	-	-	-	2	-	2	3	5
ALL OTHER--MALE----	55	-	1	-	-	1	1	-	1	1	1	7
FEMALE--	47	-	-	-	-	-	1	1	1	-	2	1
BLACK---MALE----	47	-	1	-	-	1	1	-	1	1	1	5
FEMALE--	42	-	-	-	-	-	1	1	1	-	2	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,695
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	26	32	66	77	99	109	120	100	80	46	19	-
WHITE-----MALE----	4	3	16	15	19	21	20	10	5	4	1	-
FEMALE--	-	2	2	7	12	13	14	19	18	9	4	-
ALL OTHER--MALE----	18	20	33	35	43	44	45	43	23	14	5	-
FEMALE--	4	7	15	20	25	31	41	28	34	19	9	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
IDAHO -----	12	14	20	30	27	51	53	76	41	21	6	-
WHITE-----MALE----	6	13	13	19	10	30	24	19	19	11	2	-
FEMALE--	6	1	7	10	16	20	29	56	22	10	4	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	295	343	500	611	694	794	861	731	483	219	50	1
WHITE-----MALE----	126	157	235	280	331	350	349	248	112	35	10	-
FEMALE--	45	54	78	153	190	301	382	398	320	170	32	1
ALL OTHER--MALE----	89	89	123	115	102	77	46	38	18	3	3	-
FEMALE--	35	43	64	63	71	66	84	47	33	11	5	-
BLACK---MALE----	87	88	117	113	96	74	44	35	17	3	3	-
FEMALE--	35	42	62	62	68	65	82	46	31	11	5	-
INDIANA -----	88	123	174	204	284	327	402	377	269	99	23	-
WHITE-----MALE----	54	79	98	125	130	157	180	124	68	21	3	-
FEMALE--	20	25	53	64	116	146	197	241	187	70	20	-
ALL OTHER--MALE----	10	12	12	9	23	12	15	6	4	2	-	-
FEMALE--	4	7	11	6	15	12	10	6	10	6	-	-
BLACK---MALE----	10	12	11	9	23	12	15	6	4	2	-	-
FEMALE--	4	7	11	6	15	12	10	6	10	6	-	-
IOWA -----	44	65	92	153	190	263	308	288	230	119	43	-
WHITE-----MALE----	31	43	70	97	107	134	140	110	67	28	6	-
FEMALE--	12	20	19	55	77	121	163	177	162	87	37	-
ALL OTHER--MALE----	1	-	2	1	5	4	-	-	-	1	-	-
FEMALE--	-	2	1	-	1	4	5	1	1	3	-	-
BLACK---MALE----	-	-	1	1	5	2	-	-	-	1	-	-
FEMALE--	-	1	1	-	-	3	4	1	1	3	-	-
KANSAS -----	35	46	70	117	152	170	190	200	178	62	23	-
WHITE-----MALE----	20	21	38	60	91	93	80	74	43	12	4	-
FEMALE--	10	18	19	45	47	70	101	118	131	47	18	-
ALL OTHER--MALE----	3	4	5	8	10	4	4	2	1	-	1	-
FEMALE--	2	3	8	4	4	3	5	6	3	3	-	-
BLACK---MALE----	2	3	4	8	9	4	3	2	1	-	-	-
FEMALE--	2	2	7	2	4	2	5	6	3	3	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,696
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	2,377	2	2	-	2	4	2	5	19	20	32	44
WHITE-----MALE----	1,004	1	2	-	1	2	2	3	7	12	17	23
FEMALE--	1,172	1	-	-	-	2	-	-	3	2	8	9
ALL OTHER--MALE----	100	-	-	-	-	-	-	1	7	4	5	8
FEMALE--	101	-	-	-	1	-	-	1	2	2	2	4
BLACK---MALE----	96	-	-	-	-	-	-	1	7	4	4	8
FEMALE--	101	-	-	-	1	-	-	1	2	2	2	4
LOUISIANA -----	2,763	6	1	-	2	7	8	9	15	20	54	73
WHITE-----MALE----	857	2	-	-	1	-	-	2	2	5	25	25
FEMALE--	1,039	1	-	-	1	1	1	1	1	5	6	10
ALL OTHER--MALE----	421	2	1	-	-	4	6	3	7	4	17	20
FEMALE--	446	1	-	-	-	2	1	3	5	6	6	18
BLACK---MALE----	414	2	-	-	-	4	6	3	7	4	17	20
FEMALE--	444	1	-	-	-	2	1	3	5	6	6	18
MAINE -----	714	-	-	-	-	-	2	3	-	6	9	11
WHITE-----MALE----	328	-	-	-	-	-	2	2	-	6	8	10
FEMALE--	385	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3,159	4	5	1	3	3	6	9	26	51	70	131
WHITE-----MALE----	1,160	-	1	-	-	-	3	1	9	21	24	68
FEMALE--	1,088	2	-	1	-	1	2	1	3	8	8	14
ALL OTHER--MALE----	493	2	3	-	3	1	1	4	7	17	20	30
FEMALE--	418	-	1	-	-	1	-	3	7	5	18	19
BLACK---MALE----	482	1	3	-	3	1	1	3	7	17	19	30
FEMALE--	404	-	1	-	-	1	-	3	7	5	17	19
MASSACHUSETTS -----	3,276	6	1	2	2	4	3	12	20	32	47	72
WHITE-----MALE----	1,495	3	1	2	1	2	2	9	12	20	39	52
FEMALE--	1,641	3	-	-	-	2	1	2	5	7	6	14
ALL OTHER--MALE----	85	-	-	-	-	-	-	-	2	4	2	4
FEMALE--	55	-	-	-	1	-	-	1	1	1	-	2
BLACK---MALE----	68	-	-	-	-	-	-	-	2	4	1	3
FEMALE--	46	-	-	-	1	-	-	1	1	1	-	2
MICHIGAN -----	5,782	7	2	1	4	9	11	25	38	67	158	184
WHITE-----MALE----	2,307	-	-	1	1	4	4	11	12	29	63	93
FEMALE--	1,914	5	1	-	2	2	1	5	7	11	26	22
ALL OTHER--MALE----	882	2	1	-	-	3	3	7	11	15	44	53
FEMALE--	679	-	-	-	1	-	3	2	8	12	25	16
BLACK---MALE----	856	2	1	-	-	3	3	7	9	14	44	53
FEMALE--	662	-	-	-	1	-	3	2	8	12	25	16

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,696
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	66	105	146	185	240	316	365	396	271	119	36	-
WHITE-----MALE----	43	61	84	102	144	140	153	119	68	14	6	-
FEMALE--	16	31	46	64	82	149	199	251	189	93	27	-
ALL OTHER--MALE----	3	6	9	15	7	10	10	8	2	4	1	-
FEMALE--	4	7	7	4	7	17	3	18	12	8	2	-
BLACK---MALE----	3	6	9	15	7	9	9	8	2	4	-	-
FEMALE--	4	7	7	4	7	17	3	18	12	8	2	-
LOUISIANA -----	103	123	155	212	288	355	407	426	309	150	40	-
WHITE-----MALE----	37	50	59	98	105	135	128	110	52	16	5	-
FEMALE--	18	25	41	51	66	119	166	219	193	95	19	-
ALL OTHER--MALE----	29	27	35	39	54	46	52	38	21	11	5	-
FEMALE--	19	21	20	24	63	55	61	59	43	28	11	-
BLACK---MALE----	28	27	33	39	54	45	52	36	21	11	5	-
FEMALE--	19	21	20	24	63	55	60	59	42	28	11	-
MAINE -----	16	28	40	68	75	108	105	96	86	48	13	-
WHITE-----MALE----	11	20	26	43	44	56	42	31	23	2	2	-
FEMALE--	5	8	14	25	31	52	63	65	63	46	11	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	146	188	214	265	343	398	411	410	288	143	36	8
WHITE-----MALE----	67	91	69	118	147	157	167	125	62	21	5	4
FEMALE--	12	20	39	51	103	141	155	219	183	97	27	1
ALL OTHER--MALE----	46	52	71	56	53	48	39	21	10	6	-	3
FEMALE--	21	25	35	40	40	52	50	45	33	19	4	-
BLACK---MALE----	45	51	71	54	52	48	38	20	9	6	-	3
FEMALE--	20	25	35	37	38	48	50	45	30	19	4	-
MASSACHUSETTS -----	108	120	192	244	362	463	512	495	359	174	46	-
WHITE-----MALE----	75	82	125	141	202	240	212	163	84	22	6	-
FEMALE--	25	24	54	82	144	203	286	325	270	148	40	-
ALL OTHER--MALE----	6	11	11	13	9	12	5	2	3	1	-	-
FEMALE--	2	3	2	8	7	8	9	5	2	3	-	-
BLACK---MALE----	4	11	10	12	7	8	3	1	2	-	-	-
FEMALE--	2	3	1	8	5	7	6	4	2	2	-	-
MICHIGAN -----	245	304	445	585	723	794	818	654	478	181	45	4
WHITE-----MALE----	120	141	203	233	327	364	301	210	140	44	4	2
FEMALE--	39	51	67	125	185	229	343	362	276	122	32	1
ALL OTHER--MALE----	59	74	111	133	123	107	77	31	25	1	2	-
FEMALE--	27	38	64	94	88	94	97	51	37	14	7	1
BLACK---MALE----	59	73	109	130	120	102	70	31	23	1	2	-
FEMALE--	25	37	64	92	84	92	94	51	36	12	7	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,697
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	1,579	3	2	2	1	-	-	7	6	13	27	34
WHITE-----MALE----	804	2	1	2	1	-	-	6	5	9	21	23
FEMALE--	737	-	-	-	-	-	-	1	-	2	3	11
ALL OTHER--MALE----	22	1	-	-	-	-	-	-	1	2	2	-
FEMALE--	16	-	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	16	1	-	-	-	-	-	-	-	2	2	-
FEMALE--	11	-	1	-	-	-	-	-	-	-	1	-
MISSISSIPPI -----	2,880	6	-	3	5	8	5	7	14	19	40	58
WHITE-----MALE----	864	2	-	-	-	1	1	1	3	5	12	28
FEMALE--	993	2	-	-	1	1	1	-	2	-	8	6
ALL OTHER--MALE----	488	1	-	-	4	4	2	3	6	7	12	20
FEMALE--	535	1	-	3	-	2	1	3	3	7	8	4
BLACK---MALE----	483	1	-	-	4	4	2	3	5	7	12	20
FEMALE--	531	1	-	3	-	2	1	3	3	7	8	4
MISSOURI -----	2,923	4	1	4	2	3	8	8	23	32	41	60
WHITE-----MALE----	1,208	2	-	3	-	1	5	6	12	16	19	30
FEMALE--	1,437	2	-	1	1	-	-	-	5	8	11	16
ALL OTHER--MALE----	140	-	1	-	1	1	2	-	5	4	4	9
FEMALE--	138	-	-	-	-	1	1	2	1	4	7	5
BLACK---MALE----	136	-	1	-	1	1	2	-	5	4	4	9
FEMALE--	134	-	-	-	-	1	1	2	1	4	7	5
MONTANA -----	450	1	-	-	1	-	2	-	-	4	3	11
WHITE-----MALE----	223	-	-	-	-	-	2	-	-	3	3	11
FEMALE--	204	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1,201	5	-	-	1	3	1	1	5	7	13	22
WHITE-----MALE----	542	2	-	-	1	2	1	1	1	5	7	13
FEMALE--	622	2	-	-	-	1	-	-	2	2	3	7
ALL OTHER--MALE----	17	1	-	-	-	-	-	-	-	-	2	1
FEMALE--	20	-	-	-	-	-	-	-	2	-	1	1
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	17	-	-	-	-	-	-	-	2	-	1	1
NEVADA -----	1,272	3	-	-	2	1	3	3	6	11	11	24
WHITE-----MALE----	698	1	-	-	-	-	1	2	3	6	6	17
FEMALE--	469	1	-	-	2	-	1	-	2	1	2	5
ALL OTHER--MALE----	68	-	-	-	-	-	1	1	1	3	3	2
FEMALE--	37	1	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	49	-	-	-	-	-	-	1	1	2	2	2
FEMALE--	26	1	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,697
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	44	61	79	126	135	202	250	264	201	88	34	-
WHITE-----MALE----	30	42	55	82	89	106	131	110	62	22	5	-
FEMALE--	9	15	22	40	42	91	118	151	138	66	28	-
ALL OTHER--MALE----	4	2	1	2	3	4	-	-	-	-	-	-
FEMALE--	1	2	1	2	1	1	1	3	1	-	1	-
BLACK---MALE----	4	2	1	-	2	2	-	-	-	-	-	-
FEMALE--	-	2	-	2	1	1	1	1	-	-	1	-
MISSISSIPPI -----	79	120	179	272	319	369	451	450	301	136	38	1
WHITE-----MALE----	32	44	70	101	133	126	132	108	48	12	4	1
FEMALE--	9	24	35	62	73	119	189	197	165	81	18	-
ALL OTHER--MALE----	21	36	38	66	60	56	55	53	29	11	4	-
FEMALE--	17	16	36	43	53	68	75	92	59	32	12	-
BLACK---MALE----	21	36	37	64	60	55	55	53	29	11	4	-
FEMALE--	16	16	35	43	52	68	74	92	59	32	12	-
MISSOURI -----	80	102	154	223	312	378	493	472	346	137	40	-
WHITE-----MALE----	40	59	88	127	167	176	181	147	101	19	9	-
FEMALE--	21	24	49	69	113	181	272	295	231	111	27	-
ALL OTHER--MALE----	8	12	14	14	17	10	18	12	4	3	1	-
FEMALE--	11	7	3	13	15	11	22	18	10	4	3	-
BLACK---MALE----	8	12	14	12	17	10	17	12	3	3	1	-
FEMALE--	10	6	3	13	14	11	22	17	10	4	3	-
MONTANA -----	15	16	20	41	52	69	80	62	45	20	8	-
WHITE-----MALE----	10	12	11	27	30	32	38	22	15	5	2	-
FEMALE--	2	3	5	11	22	36	38	37	30	13	6	-
ALL OTHER--MALE----	3	1	3	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	1	2	-	-	3	2	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
NEBRASKA -----	27	36	51	79	96	141	189	214	191	88	31	-
WHITE-----MALE----	18	19	33	58	68	68	90	82	49	22	2	-
FEMALE--	7	13	14	18	25	71	93	129	142	65	28	-
ALL OTHER--MALE----	1	2	2	2	1	2	2	1	-	-	-	-
FEMALE--	1	2	2	1	2	-	4	2	-	1	1	-
BLACK---MALE----	1	2	1	1	-	1	1	1	-	-	-	-
FEMALE--	1	2	1	-	2	-	3	2	-	1	1	-
NEVADA -----	60	72	131	140	182	188	178	146	75	30	5	1
WHITE-----MALE----	41	45	86	94	119	100	87	62	18	9	-	1
FEMALE--	12	21	28	29	46	78	85	77	53	21	5	-
ALL OTHER--MALE----	5	4	13	11	12	4	3	3	2	-	-	-
FEMALE--	2	2	4	6	5	6	3	4	2	-	-	-
BLACK---MALE----	4	4	13	5	8	3	1	1	2	-	-	-
FEMALE--	1	2	2	6	4	4	3	2	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,699
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	6,304	16	2	2	5	4	10	20	36	72	106	174
WHITE-----MALE----	2,703	7	-	1	1	3	3	9	27	43	57	103
FEMALE--	2,824	7	-	1	3	1	2	5	1	12	24	32
ALL OTHER--MALE----	404	1	-	-	1	-	4	5	6	12	12	25
FEMALE--	373	1	2	-	-	-	1	1	2	5	13	14
BLACK---MALE----	396	1	-	-	1	-	4	5	6	12	12	25
FEMALE--	365	1	2	-	-	-	1	1	2	5	13	13
OKLAHOMA -----	1,933	7	4	2	2	6	4	4	11	27	30	49
WHITE-----MALE----	822	3	3	2	1	3	2	2	4	11	16	35
FEMALE--	892	2	-	-	1	-	1	1	6	10	8	9
ALL OTHER--MALE----	110	1	-	-	-	1	-	1	-	5	4	4
FEMALE--	109	1	1	-	-	2	1	-	1	1	2	1
BLACK---MALE----	65	-	-	-	-	1	-	1	-	2	3	4
FEMALE--	72	1	-	-	-	1	-	-	1	-	1	1
OREGON -----	1,123	3	1	-	2	2	1	5	4	10	9	20
WHITE-----MALE----	566	1	1	-	-	1	1	3	2	6	9	13
FEMALE--	531	2	-	-	1	1	-	1	1	1	-	6
ALL OTHER--MALE----	14	-	-	-	1	-	-	-	-	1	-	1
FEMALE--	12	-	-	-	-	-	-	1	1	2	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	10	-	-	-	-	-	-	1	1	2	-	-
PENNSYLVANIA -----	9,683	14	3	-	6	16	20	18	44	78	142	232
WHITE-----MALE----	4,002	5	-	-	1	7	8	7	28	41	79	117
FEMALE--	4,447	5	2	-	2	2	1	3	5	14	25	54
ALL OTHER--MALE----	655	4	-	-	3	5	6	4	5	14	23	44
FEMALE--	579	-	1	-	-	2	5	4	6	9	15	17
BLACK---MALE----	634	4	-	-	3	5	6	3	5	14	21	43
FEMALE--	566	-	-	-	-	2	5	4	6	9	14	17
RHODE ISLAND -----	502	2	-	-	-	-	-	2	2	5	10	7
WHITE-----MALE----	235	1	-	-	-	-	-	1	2	4	5	3
FEMALE--	252	1	-	-	-	-	-	-	-	1	5	3
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2,088	4	5	-	1	6	7	8	12	27	37	76
WHITE-----MALE----	614	2	1	-	-	2	2	3	3	11	13	27
FEMALE--	739	1	-	-	-	1	-	-	1	3	4	11
ALL OTHER--MALE----	376	-	3	-	-	3	5	4	6	8	11	24
FEMALE--	359	1	1	-	1	-	-	1	2	5	9	14
BLACK---MALE----	374	-	3	-	-	3	5	4	6	8	11	24
FEMALE--	358	1	1	-	1	-	-	1	2	5	9	14

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,699
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	201	252	372	551	749	920	963	854	650	260	85	-
WHITE-----MALE----	106	137	210	301	382	435	388	271	158	49	12	-
FEMALE--	47	57	96	161	269	390	489	513	448	200	66	-
ALL OTHER--MALE----	32	35	37	54	60	50	33	26	7	2	2	-
FEMALE--	16	23	29	35	38	45	53	44	37	9	5	-
BLACK---MALE----	32	34	37	52	58	49	33	25	7	2	1	-
FEMALE--	16	23	29	35	38	44	51	43	35	8	5	-
OKLAHOMA -----	68	82	113	152	198	241	304	302	205	93	29	-
WHITE-----MALE----	36	48	63	89	93	128	119	88	55	15	6	-
FEMALE--	16	20	32	45	79	88	157	189	137	70	21	-
ALL OTHER--MALE----	9	13	12	7	12	15	11	6	7	2	-	-
FEMALE--	7	1	6	11	14	10	17	19	6	6	2	-
BLACK---MALE----	3	6	8	4	8	10	9	3	3	-	-	-
FEMALE--	6	1	4	5	11	6	12	12	5	4	1	-
OREGON -----	31	38	44	81	113	152	196	206	131	60	14	-
WHITE-----MALE----	18	23	21	52	80	98	89	82	44	17	5	-
FEMALE--	9	12	20	28	32	53	105	122	86	42	9	-
ALL OTHER--MALE----	2	1	3	1	1	-	1	1	-	1	-	-
FEMALE--	2	2	-	-	-	1	1	1	1	-	-	-
BLACK---MALE----	2	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	1	1	-	-	-	-
PENNSYLVANIA -----	276	405	548	756	1,125	1,312	1,537	1,469	1,115	443	123	1
WHITE-----MALE----	170	227	290	406	547	605	629	455	284	80	16	-
FEMALE--	51	82	126	207	418	563	780	913	758	335	101	-
ALL OTHER--MALE----	37	62	84	86	85	72	56	40	16	6	2	1
FEMALE--	18	34	48	57	75	72	72	61	57	22	4	-
BLACK---MALE----	36	57	81	85	82	68	56	40	16	6	2	1
FEMALE--	17	33	47	57	75	71	69	60	54	22	4	-
RHODE ISLAND -----	10	12	16	46	50	65	79	80	72	40	4	-
WHITE-----MALE----	7	8	10	26	31	34	42	31	20	8	2	-
FEMALE--	3	3	5	19	18	29	35	46	52	30	2	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	1	1	1	1	2	1	-	2	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	2	-	-
SOUTH CAROLINA -----	95	97	155	184	256	264	310	267	185	69	23	-
WHITE-----MALE----	38	37	58	58	98	85	78	58	30	9	1	-
FEMALE--	10	18	29	52	74	83	134	147	120	38	13	-
ALL OTHER--MALE----	34	24	33	49	50	57	36	23	2	2	2	-
FEMALE--	13	18	35	25	34	39	62	39	33	20	7	-
BLACK---MALE----	34	24	32	49	50	56	36	23	2	2	2	-
FEMALE--	13	18	35	24	34	39	62	39	33	20	7	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,700
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	386	-	-	-	-	-	1	2	2	1	5	8
WHITE-----MALE----	186	-	-	-	-	-	1	1	1	1	2	6
FEMALE--	186	-	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3,431	8	3	-	3	5	5	11	26	39	71	105
WHITE-----MALE----	1,353	2	1	-	1	3	1	3	5	21	35	45
FEMALE--	1,385	2	1	-	1	-	2	4	5	5	11	18
ALL OTHER--MALE----	356	2	-	-	-	1	2	4	10	8	14	26
FEMALE--	337	2	1	-	1	1	-	-	6	5	11	16
BLACK---MALE----	350	2	-	-	-	1	2	4	10	8	12	26
FEMALE--	335	2	1	-	-	1	-	-	6	5	11	16
TEXAS -----	7,938	33	10	9	10	20	18	47	64	95	164	259
WHITE-----MALE----	3,416	13	5	3	5	10	9	27	38	52	86	140
FEMALE--	3,319	8	3	3	3	3	3	10	12	12	28	48
ALL OTHER--MALE----	620	8	-	3	1	3	3	6	6	24	32	54
FEMALE--	583	4	2	-	1	4	3	4	8	7	18	17
BLACK---MALE----	601	8	-	2	1	3	3	6	5	23	32	53
FEMALE--	569	3	2	-	1	4	3	4	8	7	18	16
UTAH -----	477	1	-	1	2	-	2	-	3	3	2	15
WHITE-----MALE----	257	1	-	-	1	-	2	-	2	1	2	13
FEMALE--	213	-	-	1	1	-	-	-	1	2	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	351	-	1	1	-	-	-	1	2	2	1	8
WHITE-----MALE----	162	-	1	-	-	-	-	1	1	1	1	6
FEMALE--	186	-	-	1	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4,296	8	1	3	6	5	9	20	26	49	74	107
WHITE-----MALE----	1,565	1	-	1	3	1	5	12	9	18	34	53
FEMALE--	1,773	5	1	1	1	2	1	2	7	6	16	18
ALL OTHER--MALE----	473	1	-	1	1	1	2	3	6	16	14	30
FEMALE--	485	1	-	-	1	1	1	3	4	9	10	6
BLACK---MALE----	447	1	-	1	-	1	1	2	6	16	13	28
FEMALE--	467	1	-	-	1	1	1	3	4	9	10	6

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,700
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	13	7	20	21	37	45	68	67	49	31	9	-
WHITE-----MALE----	9	5	11	14	23	27	32	28	19	5	1	-
FEMALE--	3	1	9	6	10	17	35	37	30	26	8	-
ALL OTHER--MALE----	1	1	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	3	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	128	150	237	292	370	492	508	494	336	122	26	-
WHITE-----MALE----	64	85	127	159	184	206	188	137	63	21	2	-
FEMALE--	20	33	48	69	115	195	243	290	227	79	17	-
ALL OTHER--MALE----	32	21	44	33	37	38	36	26	15	5	2	-
FEMALE--	12	11	18	31	34	53	41	41	31	17	5	-
BLACK---MALE----	32	21	43	32	36	38	35	26	15	5	2	-
FEMALE--	12	11	18	31	34	53	41	41	30	17	5	-
TEXAS -----	276	356	608	681	853	976	1,158	1,055	805	326	113	2
WHITE-----MALE----	168	205	338	390	401	486	427	343	198	58	12	2
FEMALE--	59	85	149	177	313	367	603	591	525	238	79	-
ALL OTHER--MALE----	29	43	77	68	66	65	55	46	17	7	7	-
FEMALE--	20	23	44	46	73	58	73	75	65	23	15	-
BLACK---MALE----	28	40	74	66	64	64	54	44	17	7	7	-
FEMALE--	20	23	44	43	70	57	73	74	62	22	15	-
UTAH -----	9	13	33	44	41	69	82	67	66	18	6	-
WHITE-----MALE----	5	9	20	32	29	41	36	30	27	4	2	-
FEMALE--	4	3	11	11	10	27	46	37	39	14	4	-
ALL OTHER--MALE----	-	-	1	-	2	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
VERMONT -----	14	7	20	22	33	40	64	73	40	15	7	-
WHITE-----MALE----	9	7	16	10	18	19	30	28	8	4	2	-
FEMALE--	5	-	4	11	15	20	34	45	32	11	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
VIRGINIA -----	162	194	276	337	514	611	629	617	427	176	45	-
WHITE-----MALE----	85	93	132	161	223	235	216	155	88	36	4	-
FEMALE--	24	49	55	86	165	238	307	370	275	114	30	-
ALL OTHER--MALE----	32	30	52	43	72	69	46	36	14	3	1	-
FEMALE--	21	22	37	47	54	69	60	56	50	23	10	-
BLACK---MALE----	31	28	51	39	68	66	43	34	14	3	1	-
FEMALE--	21	21	36	45	54	66	56	54	47	21	10	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,702
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CEREBROVASCULAR DISEASES (430-438)												
0 UNITED STATES --	159,942	233	49	42	42	61	106	220	500	1,029	1,693	2,649
WHITE-----MALE----	53,016	89	18	22	20	28	49	89	164	329	609	916
FEMALE--	85,280	71	16	14	12	21	35	71	170	329	440	778
ALL OTHER--MALE----	9,459	36	6	4	2	4	15	18	80	186	321	536
FEMALE--	12,187	37	9	2	8	8	7	42	86	185	323	419
BLACK---MALE----	7,972	30	6	3	2	4	12	15	70	163	284	470
FEMALE--	10,509	33	8	2	7	8	6	35	81	171	298	367
ALABAMA -----	2,860	3	-	1	2	1	2	4	18	25	39	69
WHITE-----MALE----	762	1	-	-	-	-	-	2	2	6	7	15
FEMALE--	1,270	1	-	1	2	-	1	1	6	2	9	9
ALL OTHER--MALE----	351	-	-	-	-	1	1	1	4	13	15	29
FEMALE--	477	1	-	-	-	-	-	-	6	4	8	16
BLACK---MALE----	347	-	-	-	-	1	1	1	4	13	15	28
FEMALE--	473	1	-	-	-	-	-	-	6	4	8	16
ALASKA -----	142	-	-	-	-	-	2	1	1	2	2	9
WHITE-----MALE----	38	-	-	-	-	-	1	-	-	-	-	2
FEMALE--	63	-	-	-	-	-	-	-	1	2	-	4
ALL OTHER--MALE----	15	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	26	-	-	-	-	-	-	1	-	-	1	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ARIZONA -----	2,347	3	2	1	-	-	3	3	9	12	15	39
WHITE-----MALE----	921	2	-	1	-	-	1	1	4	6	6	21
FEMALE--	1,305	-	1	-	-	-	1	2	5	5	5	14
ALL OTHER--MALE----	57	1	-	-	-	-	1	-	-	1	4	4
FEMALE--	64	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	20	1	-	-	-	-	-	-	-	-	2	2
FEMALE--	32	-	1	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2,295	2	-	1	-	-	1	4	9	14	16	37
WHITE-----MALE----	746	1	-	-	-	-	1	3	4	3	4	13
FEMALE--	1,207	1	-	1	-	-	-	-	3	6	5	10
ALL OTHER--MALE----	144	-	-	-	-	-	-	1	-	2	1	7
FEMALE--	198	-	-	-	-	-	-	-	2	3	6	7
BLACK---MALE----	141	-	-	-	-	-	-	1	-	2	1	7
FEMALE--	196	-	-	-	-	-	-	-	2	3	6	7
CALIFORNIA -----	16,545	24	7	5	8	4	14	25	59	113	203	288
WHITE-----MALE----	5,421	11	4	3	4	2	7	12	17	42	75	115
FEMALE--	8,540	4	1	2	3	2	5	12	25	35	59	78
ALL OTHER--MALE----	1,193	5	-	-	-	-	-	-	10	16	42	47
FEMALE--	1,391	4	2	-	1	-	2	1	7	20	27	48
BLACK---MALE----	548	2	-	-	-	-	-	-	4	11	28	25
FEMALE--	681	3	1	-	-	-	1	1	4	18	20	27

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,702
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
CEREBROVASCULAR DISEASES (430-438)												
0 UNITED STATES --	3,143	3,939	5,737	9,561	15,745	23,624	30,896	30,976	20,583	7,500	1,603	11
WHITE-----MALE----	1,160	1,530	2,320	3,990	6,546	9,478	10,904	8,933	4,469	1,179	172	2
FEMALE--	1,005	1,266	1,916	3,487	6,537	11,152	16,866	19,516	14,604	5,725	1,244	5
ALL OTHER--MALE----	550	660	823	1,047	1,299	1,326	1,115	871	394	128	36	2
FEMALE--	428	483	678	1,037	1,363	1,668	2,011	1,656	1,116	468	151	2
BLACK---MALE----	490	578	710	907	1,087	1,091	940	672	298	106	32	2
FEMALE--	353	426	586	880	1,178	1,415	1,723	1,405	986	402	137	2
ALABAMA -----	80	90	138	200	329	453	546	470	265	102	23	-
WHITE-----MALE----	23	23	45	71	96	150	150	113	42	16	-	-
FEMALE--	22	24	44	66	131	182	260	264	169	61	15	-
ALL OTHER--MALE----	15	28	26	31	43	46	49	31	13	4	1	-
FEMALE--	20	15	23	32	59	75	87	62	41	21	7	-
BLACK---MALE----	15	28	25	30	43	46	49	30	13	4	1	-
FEMALE--	20	15	23	31	59	74	86	61	41	21	7	-
ALASKA -----	6	5	8	5	14	32	16	19	17	3	-	-
WHITE-----MALE----	2	2	1	2	5	8	6	6	3	-	-	-
FEMALE--	-	3	2	1	7	16	8	6	10	3	-	-
ALL OTHER--MALE----	-	-	1	-	2	5	1	1	2	-	-	-
FEMALE--	4	-	4	2	-	3	1	6	2	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ARIZONA -----	38	57	84	139	205	383	506	450	288	91	19	-
WHITE-----MALE----	20	30	50	67	107	174	196	149	65	17	4	-
FEMALE--	16	24	27	56	89	190	292	284	209	72	13	-
ALL OTHER--MALE----	-	1	6	12	3	10	3	4	5	1	1	-
FEMALE--	2	2	1	4	6	9	15	13	9	1	1	-
BLACK---MALE----	-	-	3	5	1	3	-	1	2	-	-	-
FEMALE--	1	1	-	1	3	5	10	6	4	-	-	-
ARKANSAS -----	48	54	86	146	213	320	457	481	283	98	25	-
WHITE-----MALE----	20	29	35	59	90	124	163	131	52	13	1	-
FEMALE--	14	15	26	52	92	150	250	300	197	67	18	-
ALL OTHER--MALE----	8	6	11	18	16	21	20	15	10	7	1	-
FEMALE--	6	4	14	17	15	25	24	35	24	11	5	-
BLACK---MALE----	8	6	11	17	16	19	20	15	10	7	1	-
FEMALE--	6	4	13	17	14	25	24	35	24	11	5	-
CALIFORNIA -----	343	421	591	905	1,700	2,478	3,160	3,110	2,088	807	191	1
WHITE-----MALE----	136	161	221	373	671	945	1,104	911	468	118	21	-
FEMALE--	98	144	190	314	677	1,139	1,659	1,876	1,438	628	150	1
ALL OTHER--MALE----	56	67	106	109	171	180	151	132	76	16	9	-
FEMALE--	53	49	74	109	181	214	246	191	106	45	11	-
BLACK---MALE----	29	38	48	59	71	80	68	52	20	7	6	-
FEMALE--	24	24	32	53	90	108	114	78	59	21	3	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,703
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CEREBROVASCULAR DISEASES (430-438)												
COLORADO -----	1,680	1	-	-	-	-	1	1	4	11	18	28
WHITE-----MALE----	581	-	-	-	-	-	-	-	2	6	9	8
FEMALE--	1,036	1	-	-	-	-	1	1	2	4	5	18
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	40	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	20	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	29	-	-	-	-	-	-	-	-	-	1	1
CONNECTICUT -----	1,954	3	2	-	1	-	1	1	5	11	13	23
WHITE-----MALE----	679	1	2	-	1	-	1	-	4	4	4	9
FEMALE--	1,165	1	-	-	-	-	-	1	1	1	6	10
ALL OTHER--MALE----	47	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	63	1	-	-	-	-	-	-	-	5	1	2
BLACK---MALE----	39	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	57	1	-	-	-	-	-	-	-	5	-	2
DELAWARE -----	346	3	-	-	-	-	1	-	1	2	3	8
WHITE-----MALE----	112	1	-	-	-	-	1	-	-	-	2	1
FEMALE--	167	1	-	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	34	1	-	-	-	-	-	-	-	1	-	3
FEMALE--	33	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	34	1	-	-	-	-	-	-	-	1	-	3
FEMALE--	31	-	-	-	-	-	-	-	1	-	1	1
DISTRICT OF COLUMBIA ----	367	1	-	-	-	-	-	1	2	12	3	19
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	58	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	113	-	-	-	-	-	-	-	-	6	2	6
FEMALE--	161	1	-	-	-	-	-	1	2	4	1	10
BLACK---MALE----	112	-	-	-	-	-	-	-	-	6	2	6
FEMALE--	160	1	-	-	-	-	-	1	2	4	1	10
FLORIDA -----	9,872	14	1	1	1	2	8	17	37	49	93	147
WHITE-----MALE----	3,726	7	-	-	1	1	2	7	12	12	43	50
FEMALE--	5,024	4	-	1	-	1	4	4	13	21	22	38
ALL OTHER--MALE----	480	1	1	-	-	-	1	2	3	6	10	36
FEMALE--	642	2	-	-	-	-	1	4	9	10	18	23
BLACK---MALE----	471	1	1	-	-	-	1	2	3	6	10	36
FEMALE--	616	2	-	-	-	-	1	4	9	10	18	22
GEORGIA -----	4,254	8	1	1	3	2	4	10	23	42	68	130
WHITE-----MALE----	1,164	1	-	1	1	-	1	4	5	10	11	31
FEMALE--	1,858	2	-	-	1	-	1	5	6	12	10	24
ALL OTHER--MALE----	541	3	-	-	1	1	1	-	8	10	21	41
FEMALE--	691	2	1	-	-	1	1	1	4	10	26	34
BLACK---MALE----	533	2	-	-	1	1	1	-	8	10	21	40
FEMALE--	682	2	1	-	-	1	1	1	4	10	25	34

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,703
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
CEREBROVASCULAR DISEASES (430-438)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	29	46	54	63	157	262	295	364	231	92	23	-
WHITE-----MALE----	14	24	20	34	67	108	110	115	48	16	-	-
FEMALE--	11	21	28	26	81	145	180	239	178	72	23	-
ALL OTHER--MALE----	3	1	3	1	4	2	1	3	1	-	-	-
FEMALE--	1	-	3	2	5	7	4	7	4	4	-	-
BLACK---MALE----	3	1	3	-	4	2	1	2	-	-	-	-
FEMALE--	-	-	3	2	3	6	2	5	3	3	-	-
CONNECTICUT -----	24	44	61	103	165	283	418	395	276	99	26	-
WHITE-----MALE----	7	22	30	43	80	120	159	114	56	18	4	-
FEMALE--	11	11	18	53	75	150	239	271	215	80	22	-
ALL OTHER--MALE----	4	8	7	2	3	7	4	5	2	-	-	-
FEMALE--	2	3	6	5	7	6	16	5	3	1	-	-
BLACK---MALE----	3	6	6	2	3	5	3	4	2	-	-	-
FEMALE--	2	3	6	4	6	6	14	4	3	1	-	-
DELAWARE -----	11	11	14	27	48	45	68	55	36	12	1	-
WHITE-----MALE----	1	6	3	11	20	16	30	14	5	1	-	-
FEMALE--	5	2	7	12	17	24	27	35	26	7	-	-
ALL OTHER--MALE----	4	3	2	2	6	4	3	1	2	1	1	-
FEMALE--	1	-	2	2	5	1	8	5	3	3	-	-
BLACK---MALE----	4	3	2	2	6	4	3	1	2	1	1	-
FEMALE--	1	-	2	2	4	1	8	4	3	3	-	-
DISTRICT OF COLUMBIA ----	16	21	17	23	41	44	54	54	35	16	8	-
WHITE-----MALE----	2	1	3	5	2	6	4	4	4	1	-	-
FEMALE--	-	-	1	1	2	7	5	17	11	9	3	-
ALL OTHER--MALE----	8	14	2	11	15	12	19	10	7	1	-	-
FEMALE--	6	6	11	6	22	19	26	23	13	5	5	-
BLACK---MALE----	8	13	2	11	15	12	19	10	7	1	-	-
FEMALE--	6	6	11	6	22	19	26	23	13	4	5	-
FLORIDA -----	181	193	330	580	1,015	1,591	1,963	1,949	1,221	413	65	1
WHITE-----MALE----	72	78	141	260	479	716	779	637	331	88	10	-
FEMALE--	69	57	100	205	395	708	1,022	1,191	822	299	48	-
ALL OTHER--MALE----	19	30	57	65	61	67	59	36	17	5	3	1
FEMALE--	21	28	32	50	80	100	103	85	51	21	4	-
BLACK---MALE----	18	30	56	64	60	66	56	36	16	5	3	1
FEMALE--	20	27	32	48	77	95	98	81	47	21	4	-
GEORGIA -----	136	160	218	325	471	607	778	690	406	140	31	-
WHITE-----MALE----	35	46	67	110	161	199	246	153	65	13	4	-
FEMALE--	33	34	60	89	165	253	353	421	278	92	19	-
ALL OTHER--MALE----	37	52	45	62	75	75	59	31	10	6	3	-
FEMALE--	31	28	46	64	70	80	120	85	53	29	5	-
BLACK---MALE----	37	52	45	59	72	75	59	31	10	6	3	-
FEMALE--	31	28	45	61	69	80	117	85	53	29	5	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,704
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
CEREBROVASCULAR DISEASES (430-438)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	13	26	18	45	65	88	102	131	56	39	2	-
WHITE-----MALE----	3	2	2	2	9	11	18	10	1	3	-	-
FEMALE--	1	2	1	5	6	5	12	15	10	7	-	-
ALL OTHER--MALE----	4	13	6	22	31	43	34	63	15	8	-	-
FEMALE--	5	9	9	16	19	29	38	43	30	21	2	-
BLACK---MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
IDAHO -----	9	14	17	31	56	112	132	150	94	39	7	-
WHITE-----MALE----	4	9	8	18	26	52	59	60	29	9	-	-
FEMALE--	5	4	7	13	30	57	71	90	65	28	7	-
ALL OTHER--MALE----	-	1	2	-	-	2	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	124	174	263	444	700	1,105	1,452	1,413	1,001	350	74	-
WHITE-----MALE----	39	54	105	198	285	448	490	418	210	63	9	-
FEMALE--	38	56	90	152	301	515	858	904	732	269	59	-
ALL OTHER--MALE----	28	37	40	53	56	64	27	28	13	6	-	-
FEMALE--	19	27	28	41	58	78	77	63	46	12	6	-
BLACK---MALE----	25	35	38	51	50	62	25	22	11	5	-	-
FEMALE--	19	25	25	40	56	73	72	58	43	11	6	-
INDIANA -----	57	92	119	202	387	604	796	813	532	183	46	-
WHITE-----MALE----	24	36	57	84	155	265	286	231	98	26	5	-
FEMALE--	26	45	44	95	184	302	477	545	415	150	38	-
ALL OTHER--MALE----	1	5	7	11	29	11	12	14	5	2	1	-
FEMALE--	6	6	11	12	19	26	21	23	14	5	2	-
BLACK---MALE----	1	5	7	11	26	11	12	14	5	2	1	-
FEMALE--	5	5	11	12	18	25	21	22	14	5	2	-
IOWA -----	25	41	63	88	179	302	437	517	358	178	36	-
WHITE-----MALE----	10	20	27	48	90	134	180	145	84	34	1	-
FEMALE--	12	20	31	39	87	165	253	365	271	142	35	-
ALL OTHER--MALE----	2	-	3	1	1	3	1	3	1	1	-	-
FEMALE--	1	1	2	-	1	-	3	4	2	1	-	-
BLACK---MALE----	2	-	3	1	1	2	1	2	1	1	-	-
FEMALE--	-	1	2	-	1	-	2	4	2	1	-	-
KANSAS -----	25	31	61	69	152	227	359	420	323	132	27	-
WHITE-----MALE----	10	16	29	32	67	105	134	141	77	21	1	-
FEMALE--	9	11	26	28	75	111	213	269	235	104	21	-
ALL OTHER--MALE----	2	2	1	6	4	5	5	6	3	1	1	-
FEMALE--	4	2	5	3	6	6	7	4	8	6	4	-
BLACK---MALE----	2	2	-	6	2	5	4	5	3	1	1	-
FEMALE--	4	2	3	3	5	6	7	4	6	6	4	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,705
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CEREBROVASCULAR DISEASES (430-438)												
KENTUCKY -----	2,584	2	1	-	2	1	1	-	13	18	23	45
WHITE-----MALE----	933	1	1	-	2	1	-	-	4	9	13	19
FEMALE--	1,461	1	-	-	-	-	1	-	8	7	4	15
ALL OTHER--MALE----	75	-	-	-	-	-	-	-	-	2	2	6
FEMALE--	115	-	-	-	-	-	-	-	1	-	4	5
BLACK---MALE----	73	-	-	-	-	-	-	-	-	2	2	6
FEMALE--	113	-	-	-	-	-	-	-	1	-	4	5
LOUISIANA -----	2,576	3	1	1	-	1	-	5	17	27	36	59
WHITE-----MALE----	688	-	-	-	-	1	-	1	3	6	10	8
FEMALE--	1,071	1	1	-	-	-	-	1	2	6	2	11
ALL OTHER--MALE----	363	1	-	1	-	-	-	1	10	9	9	22
FEMALE--	454	1	-	-	-	-	-	2	2	6	15	18
BLACK---MALE----	358	1	-	1	-	-	-	1	10	8	9	22
FEMALE--	445	1	-	-	-	-	-	2	2	6	15	18
MAINE -----	731	2	-	-	-	2	1	1	4	8	3	11
WHITE-----MALE----	296	1	-	-	-	-	-	1	4	6	2	7
FEMALE--	433	1	-	-	-	2	1	-	-	2	-	4
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2,649	3	1	-	-	1	2	6	14	23	37	56
WHITE-----MALE----	766	-	-	-	-	-	-	2	1	2	3	16
FEMALE--	1,258	-	-	-	-	1	-	-	6	6	9	11
ALL OTHER--MALE----	276	1	1	-	-	-	2	1	3	6	10	19
FEMALE--	349	2	-	-	-	-	-	3	4	9	15	10
BLACK---MALE----	263	1	1	-	-	-	2	1	3	6	10	18
FEMALE--	337	2	-	-	-	-	-	3	4	9	15	10
MASSACHUSETTS -----	3,358	7	-	-	-	1	2	-	5	14	31	27
WHITE-----MALE----	1,115	3	-	-	-	1	1	-	2	9	17	13
FEMALE--	2,102	3	-	-	-	-	1	-	3	5	10	11
ALL OTHER--MALE----	56	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	85	1	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	39	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	59	-	-	-	-	-	-	-	-	-	1	1
MICHIGAN -----	5,755	13	2	3	1	1	1	9	14	37	78	108
WHITE-----MALE----	1,925	6	-	2	-	-	-	1	4	11	26	29
FEMALE--	3,014	2	2	1	-	-	-	4	4	12	17	40
ALL OTHER--MALE----	397	3	-	-	-	1	-	-	2	4	22	22
FEMALE--	419	2	-	-	1	-	1	4	4	10	13	17
BLACK---MALE----	368	3	-	-	-	1	-	-	1	4	22	20
FEMALE--	393	2	-	-	1	-	1	3	4	10	13	16

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,705
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
CEREBROVASCULAR DISEASES (430-438)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	46	64	106	159	275	343	511	514	324	114	22	-
WHITE-----MALE----	26	30	55	77	119	136	168	169	78	22	3	-
FEMALE--	13	26	38	67	135	185	310	321	229	84	17	-
ALL OTHER--MALE----	5	4	7	7	8	9	11	6	8	-	-	-
FEMALE--	2	4	6	8	13	13	22	18	9	8	2	-
BLACK---MALE----	5	4	6	7	8	9	10	6	8	-	-	-
FEMALE--	2	4	6	8	12	13	21	18	9	8	2	-
LOUISIANA -----	73	96	149	215	250	385	431	454	286	73	14	-
WHITE-----MALE----	17	26	45	68	81	127	129	108	44	12	2	-
FEMALE--	15	18	32	54	84	157	210	246	182	41	8	-
ALL OTHER--MALE----	24	31	36	42	43	35	35	41	19	3	1	-
FEMALE--	17	21	36	51	42	66	57	59	41	17	3	-
BLACK---MALE----	24	31	36	42	43	34	34	40	18	3	1	-
FEMALE--	16	21	35	49	42	65	56	58	39	17	3	-
MAINE -----	13	15	16	37	67	111	146	145	99	40	10	-
WHITE-----MALE----	8	7	9	24	31	40	69	52	26	8	1	-
FEMALE--	4	8	7	13	36	71	77	93	73	32	9	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	55	84	93	168	268	425	477	488	301	124	22	1
WHITE-----MALE----	16	27	33	55	81	148	168	136	55	19	4	-
FEMALE--	12	16	32	53	105	177	234	280	213	88	14	1
ALL OTHER--MALE----	14	20	20	26	36	50	29	24	9	3	2	-
FEMALE--	13	21	8	34	46	50	46	48	24	14	2	-
BLACK---MALE----	12	19	20	26	34	48	27	21	9	3	2	-
FEMALE--	13	21	8	32	42	47	45	47	24	13	2	-
MASSACHUSETTS -----	53	61	71	173	299	498	656	699	519	193	49	-
WHITE-----MALE----	28	32	32	77	129	212	249	181	87	36	6	-
FEMALE--	16	23	29	81	150	263	384	504	423	156	40	-
ALL OTHER--MALE----	5	4	3	9	8	10	7	5	-	-	1	-
FEMALE--	4	2	7	6	12	13	16	9	9	1	2	-
BLACK---MALE----	3	3	3	7	5	7	4	2	-	-	1	-
FEMALE--	4	2	5	2	7	8	12	8	6	1	2	-
MICHIGAN -----	102	142	204	343	577	889	1,120	1,071	725	268	47	-
WHITE-----MALE----	35	49	75	132	255	370	410	313	163	39	5	-
FEMALE--	28	56	69	127	227	398	602	672	511	203	39	-
ALL OTHER--MALE----	23	20	38	52	47	58	53	28	19	5	-	-
FEMALE--	16	17	22	32	48	63	55	58	32	21	3	-
BLACK---MALE----	21	19	33	49	42	53	51	27	18	4	-	-
FEMALE--	15	15	19	29	46	59	49	55	32	21	3	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,706
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CEREBROVASCULAR DISEASES (430-438)												
MINNESOTA -----	3,028	2	1	-	1	1	4	3	1	8	13	39
WHITE-----MALE----	1,125	-	1	-	-	-	1	3	-	5	10	23
FEMALE--	1,850	1	-	-	1	1	2	-	1	1	3	11
ALL OTHER--MALE----	29	-	-	-	-	-	1	-	-	1	-	2
FEMALE--	24	1	-	-	-	-	-	-	-	1	-	3
BLACK---MALE----	12	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	2
MISSISSIPPI -----	1,708	4	-	1	1	2	2	7	5	17	19	45
WHITE-----MALE----	447	-	-	-	-	1	1	-	4	3	5	5
FEMALE--	651	1	-	-	-	-	-	3	-	2	2	9
ALL OTHER--MALE----	286	2	-	1	-	-	1	1	1	8	5	20
FEMALE--	324	1	-	-	1	1	-	3	-	4	7	11
BLACK---MALE----	286	2	-	1	-	-	1	1	1	8	5	20
FEMALE--	319	1	-	-	1	1	-	3	-	4	7	11
MISSOURI -----	3,780	6	-	1	1	2	3	2	12	22	25	53
WHITE-----MALE----	1,262	1	-	1	1	-	2	-	3	8	11	22
FEMALE--	2,196	3	-	-	-	1	1	1	6	5	7	16
ALL OTHER--MALE----	130	1	-	-	-	-	-	-	3	5	4	10
FEMALE--	192	1	-	-	-	1	-	1	-	4	3	5
BLACK---MALE----	125	1	-	-	-	-	-	-	3	4	4	10
FEMALE--	189	1	-	-	-	1	-	1	-	3	3	5
MONTANA -----	550	1	-	1	-	-	-	1	-	3	1	10
WHITE-----MALE----	212	-	-	-	-	-	-	1	-	1	-	5
FEMALE--	321	1	-	-	-	-	-	-	-	1	1	4
ALL OTHER--MALE----	5	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1,140	1	-	1	-	-	1	1	-	5	13	8
WHITE-----MALE----	414	1	-	-	-	-	-	1	-	2	7	4
FEMALE--	688	-	-	1	-	-	1	-	-	2	5	2
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	13	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
NEVADA -----	796	1	-	-	1	1	1	4	2	5	5	12
WHITE-----MALE----	335	-	-	-	1	-	-	3	-	2	3	6
FEMALE--	401	1	-	-	-	1	-	-	1	3	1	4
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	35	-	-	-	-	-	1	1	-	-	-	2
BLACK---MALE----	18	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	25	-	-	-	-	-	1	-	-	-	-	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,706
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
CEREBROVASCULAR DISEASES (430-438)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	42	45	78	126	229	437	561	676	518	195	48	-
WHITE-----MALE----	16	25	35	62	104	207	228	228	144	28	5	-
FEMALE--	20	19	40	58	114	221	329	447	373	166	42	-
ALL OTHER--MALE----	5	1	2	4	6	3	2	1	-	-	1	-
FEMALE--	1	-	1	2	5	6	2	-	1	1	-	-
BLACK---MALE----	2	-	-	2	2	1	1	1	-	-	1	-
FEMALE--	-	-	-	1	4	1	1	-	1	-	-	-
MISSISSIPPI -----	56	54	81	130	214	247	297	275	161	73	17	-
WHITE-----MALE----	12	18	26	36	77	77	68	64	39	10	1	-
FEMALE--	17	9	17	34	55	98	119	150	83	44	8	-
ALL OTHER--MALE----	18	17	25	29	45	29	46	23	10	4	1	-
FEMALE--	9	10	13	31	37	43	64	38	29	15	7	-
BLACK---MALE----	18	17	25	29	45	29	46	23	10	4	1	-
FEMALE--	9	10	13	28	37	43	64	37	28	15	7	-
MISSOURI -----	62	76	142	240	334	517	696	823	567	163	33	-
WHITE-----MALE----	27	30	63	108	142	199	259	227	131	22	5	-
FEMALE--	24	31	52	102	150	285	398	543	412	132	27	-
ALL OTHER--MALE----	6	7	9	13	20	12	13	20	7	-	-	-
FEMALE--	5	8	18	17	22	21	26	33	17	9	1	-
BLACK---MALE----	6	7	9	12	20	12	12	18	7	-	-	-
FEMALE--	5	8	18	17	21	21	26	32	17	9	1	-
MONTANA -----	9	5	18	27	45	96	112	107	72	36	5	1
WHITE-----MALE----	5	2	9	13	26	45	44	38	16	7	-	-
FEMALE--	3	3	8	12	16	49	66	68	56	27	5	1
ALL OTHER--MALE----	-	-	-	1	2	-	1	-	-	-	-	-
FEMALE--	1	-	1	1	1	2	1	1	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NEBRASKA -----	21	13	30	47	86	166	229	257	178	73	10	-
WHITE-----MALE----	7	7	19	24	39	79	73	91	50	8	2	-
FEMALE--	12	5	8	19	43	80	150	160	127	65	8	-
ALL OTHER--MALE----	1	1	1	1	2	5	2	4	-	-	-	-
FEMALE--	1	-	2	3	2	2	4	2	1	-	-	-
BLACK---MALE----	-	-	1	-	-	5	2	2	-	-	-	-
FEMALE--	1	-	1	1	1	1	3	2	-	-	-	-
NEVADA -----	28	27	42	58	103	146	142	132	59	22	4	1
WHITE-----MALE----	14	18	23	29	47	68	60	39	16	3	2	1
FEMALE--	9	8	12	19	49	67	79	88	40	18	1	-
ALL OTHER--MALE----	1	1	3	5	3	6	-	2	2	-	-	-
FEMALE--	4	-	4	5	4	5	3	3	1	1	1	-
BLACK---MALE----	-	1	3	4	2	5	-	1	1	-	-	-
FEMALE--	2	-	2	5	3	4	2	1	1	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,708
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CEREBROVASCULAR DISEASES (430-438)												
OHIO -----	6,766	10	2	5	1	4	6	11	19	36	77	90
WHITE-----MALE----	2,274	6	-	1	-	-	4	5	10	12	32	29
FEMALE--	3,749	3	1	4	-	2	2	2	5	16	25	37
ALL OTHER--MALE----	325	1	1	-	-	-	-	1	1	3	9	9
FEMALE--	418	-	-	-	1	2	-	3	3	5	11	15
BLACK---MALE----	318	1	1	-	-	-	-	1	1	3	9	9
FEMALE--	405	-	-	-	1	2	-	3	3	5	11	14
OKLAHOMA -----	2,418	1	-	-	-	-	1	3	10	16	24	41
WHITE-----MALE----	830	-	-	-	-	-	-	1	5	3	6	17
FEMALE--	1,361	1	-	-	-	-	1	1	4	8	12	11
ALL OTHER--MALE----	81	-	-	-	-	-	-	-	1	4	3	6
FEMALE--	146	-	-	-	-	-	-	1	-	1	3	7
BLACK---MALE----	56	-	-	-	-	-	-	-	-	2	1	5
FEMALE--	100	-	-	-	-	-	-	-	-	1	3	4
OREGON -----	2,621	1	-	2	-	-	1	1	5	6	18	27
WHITE-----MALE----	965	1	-	2	-	-	1	-	5	4	5	8
FEMALE--	1,572	-	-	-	-	-	-	1	-	1	12	14
ALL OTHER--MALE----	43	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	21	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	2
PENNSYLVANIA -----	8,656	7	2	1	-	1	5	7	21	50	68	129
WHITE-----MALE----	3,019	4	1	1	-	1	2	5	8	17	23	52
FEMALE--	4,901	1	1	-	-	-	1	1	7	14	23	43
ALL OTHER--MALE----	298	2	-	-	-	-	2	-	2	9	9	24
FEMALE--	438	-	-	-	-	-	-	1	4	10	13	10
BLACK---MALE----	283	2	-	-	-	-	2	-	2	9	8	22
FEMALE--	419	-	-	-	-	-	-	1	4	10	13	9
RHODE ISLAND -----	585	2	-	-	-	-	-	-	-	1	11	9
WHITE-----MALE----	202	-	-	-	-	-	-	-	-	-	7	5
FEMALE--	368	2	-	-	-	-	-	-	-	1	3	4
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
SOUTH CAROLINA -----	2,853	3	-	-	4	2	3	4	11	22	41	65
WHITE-----MALE----	679	2	-	-	-	-	2	-	1	2	13	18
FEMALE--	1,209	-	-	-	1	1	1	2	3	12	7	7
ALL OTHER--MALE----	416	1	-	-	-	-	-	2	2	5	11	25
FEMALE--	549	-	-	-	3	1	-	-	5	3	10	15
BLACK---MALE----	413	1	-	-	-	-	-	2	2	5	11	24
FEMALE--	549	-	-	-	3	1	-	-	5	3	10	15

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,708
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
CEREBROVASCULAR DISEASES (430-438)												
OHIO -----	113	180	219	407	726	1,034	1,345	1,252	838	332	58	1
WHITE-----MALE----	36	71	99	186	322	424	472	354	167	38	5	1
FEMALE--	50	62	82	149	300	499	764	807	617	277	45	-
ALL OTHER--MALE----	17	29	24	34	64	42	35	38	13	4	-	-
FEMALE--	10	18	14	38	40	69	74	53	41	13	8	-
BLACK---MALE----	17	29	22	32	63	41	35	37	13	4	-	-
FEMALE--	10	18	14	35	38	68	72	50	40	13	8	-
OKLAHOMA -----	40	59	97	150	223	356	451	469	361	92	23	1
WHITE-----MALE----	16	27	52	71	108	139	145	142	79	17	2	-
FEMALE--	13	19	32	56	94	189	269	301	264	64	21	1
ALL OTHER--MALE----	6	6	6	9	6	13	10	6	3	2	-	-
FEMALE--	5	7	7	14	15	15	27	20	15	9	-	-
BLACK---MALE----	5	4	5	6	3	8	7	5	3	2	-	-
FEMALE--	3	3	6	7	10	11	21	14	11	6	-	-
OREGON -----	26	46	60	129	243	402	539	587	350	144	34	-
WHITE-----MALE----	10	21	20	68	115	176	214	195	94	23	3	-
FEMALE--	13	22	35	55	118	209	309	385	248	119	31	-
ALL OTHER--MALE----	3	2	5	4	5	6	4	6	3	1	-	-
FEMALE--	-	1	-	2	5	11	12	1	5	1	-	-
BLACK---MALE----	2	2	3	3	-	1	2	3	2	1	-	-
FEMALE--	-	1	-	-	3	1	1	-	2	-	-	-
PENNSYLVANIA -----	125	156	263	568	905	1,347	1,739	1,670	1,090	424	78	-
WHITE-----MALE----	51	66	119	248	418	573	651	473	233	68	5	-
FEMALE--	46	56	87	235	402	673	999	1,112	802	331	67	-
ALL OTHER--MALE----	15	15	28	39	39	53	27	21	9	3	1	-
FEMALE--	13	19	29	46	46	48	62	64	46	22	5	-
BLACK---MALE----	14	14	27	37	38	52	24	20	8	3	1	-
FEMALE--	12	17	29	44	43	44	60	62	44	22	5	-
RHODE ISLAND -----	6	12	10	27	47	78	109	138	86	36	13	-
WHITE-----MALE----	2	5	4	12	26	38	43	35	18	6	1	-
FEMALE--	3	7	5	15	21	37	60	102	66	30	12	-
ALL OTHER--MALE----	1	-	-	-	-	1	3	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	3	-	2	-	-	-
BLACK---MALE----	1	-	-	-	-	1	3	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	3	-	1	-	-	-
SOUTH CAROLINA -----	91	89	128	212	341	436	509	466	298	108	20	-
WHITE-----MALE----	25	27	37	61	101	128	122	86	39	14	1	-
FEMALE--	20	15	31	48	109	173	223	290	191	65	10	-
ALL OTHER--MALE----	34	30	32	49	58	66	49	30	15	7	-	-
FEMALE--	12	17	28	54	73	69	115	60	53	22	9	-
BLACK---MALE----	34	30	32	48	58	65	49	30	15	7	-	-
FEMALE--	12	17	28	54	73	69	115	60	53	22	9	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,709
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CEREBROVASCULAR DISEASES (430-438)												
SOUTH DAKOTA -----	483	1	-	-	-	-	-	-	-	4	3	4
WHITE-----MALE----	157	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	311	-	-	-	-	-	-	-	-	4	-	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4,010	7	-	1	2	-	5	1	13	30	55	66
WHITE-----MALE----	1,252	2	-	1	2	-	2	-	7	10	21	19
FEMALE--	2,063	2	-	-	-	-	2	-	2	9	9	20
ALL OTHER--MALE----	297	1	-	-	-	-	1	1	-	6	15	18
FEMALE--	398	2	-	-	-	-	-	-	4	5	10	9
BLACK---MALE----	293	1	-	-	-	-	1	1	-	5	15	18
FEMALE--	397	2	-	-	-	-	-	-	4	5	10	9
TEXAS -----	9,854	19	1	4	-	11	8	17	41	79	107	186
WHITE-----MALE----	3,202	10	-	3	-	8	6	7	20	31	41	80
FEMALE--	5,236	7	1	1	-	2	2	7	12	26	24	64
ALL OTHER--MALE----	595	2	-	-	-	1	-	1	5	10	21	25
FEMALE--	821	-	-	-	-	-	-	2	4	12	21	17
BLACK---MALE----	566	1	-	-	-	1	-	1	5	8	19	24
FEMALE--	776	-	-	-	-	-	-	2	4	12	20	16
UTAH -----	844	1	2	-	-	-	1	-	1	3	6	14
WHITE-----MALE----	353	1	1	-	-	-	-	-	1	2	4	5
FEMALE--	472	-	1	-	-	-	1	-	-	1	1	5
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	321	-	1	-	-	1	-	-	1	1	1	2
WHITE-----MALE----	117	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	198	-	-	-	-	1	-	-	-	1	-	1
ALL OTHER--MALE----	5	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3,856	7	2	-	-	2	3	5	10	39	46	47
WHITE-----MALE----	1,116	1	1	-	-	2	-	4	-	8	12	12
FEMALE--	1,817	3	1	-	-	-	2	-	4	13	11	10
ALL OTHER--MALE----	414	2	-	-	-	-	1	-	3	12	14	11
FEMALE--	509	1	-	-	-	-	-	1	3	6	9	14
BLACK---MALE----	397	2	-	-	-	-	1	-	3	12	13	9
FEMALE--	492	1	-	-	-	-	-	1	3	6	9	14

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,709
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
CEREBROVASCULAR DISEASES (430-438)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	6	6	13	20	40	69	105	107	68	32	5	-
WHITE-----MALE----	5	3	2	12	20	22	37	29	16	5	1	-
FEMALE--	1	2	11	8	17	43	66	74	52	27	4	-
ALL OTHER--MALE----	-	1	-	-	2	3	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	3	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	97	118	170	235	416	586	806	738	473	151	40	-
WHITE-----MALE----	39	43	67	95	161	216	260	191	98	17	1	-
FEMALE--	29	36	57	80	176	285	431	456	321	115	33	-
ALL OTHER--MALE----	20	24	20	28	36	41	40	32	12	1	1	-
FEMALE--	9	15	26	32	43	44	75	59	42	18	5	-
BLACK---MALE----	20	24	20	27	35	40	40	32	12	1	1	-
FEMALE--	9	15	26	32	43	44	74	59	42	18	5	-
TEXAS -----	232	275	385	591	942	1,320	1,871	1,922	1,314	424	104	1
WHITE-----MALE----	86	122	170	245	377	510	610	557	242	67	10	-
FEMALE--	78	86	128	218	402	631	1,022	1,184	946	320	75	-
ALL OTHER--MALE----	40	36	55	62	80	72	90	57	25	10	3	-
FEMALE--	28	31	32	66	83	107	149	124	101	27	16	1
BLACK---MALE----	38	33	53	58	78	69	85	55	25	10	3	-
FEMALE--	24	29	29	58	79	99	143	118	99	27	16	1
UTAH -----	5	13	13	43	79	119	187	191	129	29	8	-
WHITE-----MALE----	4	7	7	23	41	60	82	69	36	9	1	-
FEMALE--	1	6	4	18	37	56	103	120	92	19	7	-
ALL OTHER--MALE----	-	-	2	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	1	2	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
VERMONT -----	5	2	6	22	31	44	63	81	38	18	4	-
WHITE-----MALE----	4	-	2	7	12	23	28	29	8	1	-	-
FEMALE--	1	2	3	15	18	21	34	51	29	17	4	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	83	103	162	261	396	572	713	746	467	147	44	1
WHITE-----MALE----	19	27	53	98	123	210	211	189	110	29	7	-
FEMALE--	27	26	43	69	142	230	371	443	293	104	25	-
ALL OTHER--MALE----	26	24	37	53	69	61	46	38	11	6	-	-
FEMALE--	11	26	29	41	62	71	85	76	53	8	12	1
BLACK---MALE----	25	23	37	51	67	60	41	37	10	6	-	-
FEMALE--	10	26	27	40	61	68	81	74	52	6	12	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,710
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 CEREBROVASCULAR DISEASES (430-438)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
WASHINGTON -----	55	67	89	169	315	516	680	735	507	194	45	-
WHITE-----MALE----	31	38	37	81	135	222	280	247	105	38	4	-
FEMALE--	16	21	40	70	159	265	383	467	386	152	38	-
ALL OTHER--MALE----	4	3	6	7	12	15	4	10	3	1	-	-
FEMALE--	4	5	6	11	9	14	13	11	13	3	3	-
BLACK---MALE----	1	-	1	4	4	5	3	2	1	-	-	-
FEMALE--	-	4	1	3	5	3	5	6	6	-	-	-
WEST VIRGINIA -----	20	32	50	95	152	184	234	229	125	49	14	-
WHITE-----MALE----	10	18	21	48	79	71	83	71	22	12	2	-
FEMALE--	7	12	28	45	67	109	144	152	96	34	10	-
ALL OTHER--MALE----	1	2	1	2	-	1	2	-	1	1	2	-
FEMALE--	2	-	-	-	6	3	5	6	6	2	-	-
BLACK---MALE----	1	2	1	2	-	1	2	-	-	1	2	-
FEMALE--	2	-	-	-	6	3	5	6	6	2	-	-
WISCONSIN -----	43	71	93	186	304	498	741	810	579	236	34	-
WHITE-----MALE----	20	33	56	90	168	231	302	259	150	34	4	-
FEMALE--	19	27	30	80	121	245	420	535	425	197	29	-
ALL OTHER--MALE----	3	7	5	8	9	10	4	6	1	2	-	-
FEMALE--	1	4	2	8	6	12	15	10	3	3	1	-
BLACK---MALE----	3	5	4	8	6	9	3	4	1	1	-	-
FEMALE--	-	4	2	5	4	6	10	7	3	3	1	-
WYOMING -----	8	5	7	11	24	36	43	62	41	13	4	-
WHITE-----MALE----	4	3	6	5	10	17	14	15	12	-	-	-
FEMALE--	2	1	1	5	13	19	28	45	29	13	4	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	2	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,711
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUBARACHNOID HEMORRHAGE (430)												
0 UNITED STATES --	6,891	3	2	4	11	21	43	97	202	394	550	698
WHITE-----MALE----	1,975	-	1	2	9	8	24	35	61	119	203	220
FEMALE--	3,719	-	1	1	1	9	11	33	88	168	199	326
ALL OTHER--MALE----	398	3	-	1	-	1	4	7	23	38	54	54
FEMALE--	799	-	-	-	1	3	4	22	30	69	94	98
BLACK---MALE----	300	3	-	-	-	1	2	6	19	34	42	38
FEMALE--	633	-	-	-	1	3	4	16	27	60	87	85
ALABAMA -----	121	-	-	-	-	-	1	-	7	4	8	7
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	62	-	-	-	-	-	-	-	4	1	4	4
ALL OTHER--MALE----	10	-	-	-	-	-	1	-	-	1	2	1
FEMALE--	25	-	-	-	-	-	-	-	3	2	-	1
BLACK---MALE----	10	-	-	-	-	-	1	-	-	1	2	1
FEMALE--	25	-	-	-	-	-	-	-	3	2	-	1
ALASKA -----	18	-	-	-	-	-	-	1	1	1	1	3
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	1	1	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	92	-	-	-	-	-	2	2	2	5	5	11
WHITE-----MALE----	36	-	-	-	-	-	1	1	1	2	3	5
FEMALE--	52	-	-	-	-	-	-	1	1	3	2	6
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	66	-	-	-	-	-	1	1	1	2	2	2
WHITE-----MALE----	26	-	-	-	-	-	1	1	-	-	1	1
FEMALE--	32	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	1	-
CALIFORNIA -----	763	-	-	2	2	2	7	10	28	41	56	83
WHITE-----MALE----	211	-	-	1	2	2	5	5	9	15	21	25
FEMALE--	377	-	-	1	-	-	1	4	12	14	19	32
ALL OTHER--MALE----	63	-	-	-	-	-	-	-	3	2	12	12
FEMALE--	112	-	-	-	-	-	1	1	4	10	4	14
BLACK---MALE----	20	-	-	-	-	-	-	-	1	1	6	3
FEMALE--	44	-	-	-	-	-	1	1	3	9	2	9

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,711
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUBARACHNOID HEMORRHAGE (430)												
0 UNITED STATES --	653	603	579	611	694	660	562	336	137	29	1	1
WHITE-----MALE----	207	181	171	181	192	152	111	69	26	2	-	1
FEMALE--	329	322	317	343	401	432	385	232	98	23	-	-
ALL OTHER--MALE----	48	33	25	24	33	22	14	9	5	-	-	-
FEMALE--	69	67	66	63	68	54	52	26	8	4	1	-
BLACK---MALE----	38	25	18	19	24	16	8	4	3	-	-	-
FEMALE--	50	55	51	41	51	36	37	17	7	4	1	-
ALABAMA -----	13	7	12	12	14	15	14	6	1	-	-	-
WHITE-----MALE----	4	2	4	1	3	3	1	3	-	-	-	-
FEMALE--	6	4	6	7	6	9	7	3	1	-	-	-
ALL OTHER--MALE----	-	-	1	1	1	1	1	-	-	-	-	-
FEMALE--	3	1	1	3	4	2	5	-	-	-	-	-
BLACK---MALE----	-	-	1	1	1	1	1	-	-	-	-	-
FEMALE--	3	1	1	3	4	2	5	-	-	-	-	-
ALASKA -----	4	3	3	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	12	12	6	6	12	5	5	1	-	-	-
WHITE-----MALE----	4	5	4	1	2	5	1	1	-	-	-	-
FEMALE--	2	7	7	5	4	5	4	4	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	6	7	4	8	14	6	7	4	1	-	-	-
WHITE-----MALE----	3	4	2	3	4	2	3	1	-	-	-	-
FEMALE--	3	3	2	4	5	4	4	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	-	-	-	-	-	-	-
CALIFORNIA -----	59	69	64	67	68	87	64	38	13	2	1	-
WHITE-----MALE----	19	21	17	16	17	20	11	3	2	-	-	-
FEMALE--	27	34	34	37	36	45	41	29	9	2	-	-
ALL OTHER--MALE----	7	2	3	3	6	8	3	1	1	-	-	-
FEMALE--	6	12	10	11	9	14	9	5	1	-	1	-
BLACK---MALE----	2	1	-	2	1	3	-	-	-	-	-	-
FEMALE--	2	4	2	2	2	4	1	1	-	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,712
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUBARACHNOID HEMORRHAGE (430)												
COLORADO -----	78	-	-	-	-	-	1	1	2	3	10	9
WHITE-----MALE----	20	-	-	-	-	-	-	-	2	1	5	2
FEMALE--	54	-	-	-	-	-	1	1	-	2	3	7
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	79	-	-	-	1	-	-	-	2	3	4	9
WHITE-----MALE----	16	-	-	-	1	-	-	-	1	1	1	2
FEMALE--	52	-	-	-	-	-	-	-	1	-	2	6
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	2	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	2	-	1
DELAWARE -----	23	-	-	-	-	-	1	-	-	2	1	3
WHITE-----MALE----	5	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	14	-	-	-	-	-	-	-	-	2	-	4
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	2
FLORIDA -----	414	-	-	-	-	1	5	8	15	22	25	41
WHITE-----MALE----	126	-	-	-	-	-	2	4	3	5	12	16
FEMALE--	225	-	-	-	-	1	2	2	8	12	10	16
ALL OTHER--MALE----	25	-	-	-	-	-	-	1	1	2	-	2
FEMALE--	38	-	-	-	-	-	1	1	3	3	3	7
BLACK---MALE----	24	-	-	-	-	-	-	1	1	2	-	2
FEMALE--	35	-	-	-	-	-	1	1	3	3	3	6
GEORGIA -----	195	-	-	-	-	2	3	3	9	15	10	21
WHITE-----MALE----	46	-	-	-	-	-	1	1	3	1	1	6
FEMALE--	91	-	-	-	-	-	1	2	4	8	3	7
ALL OTHER--MALE----	12	-	-	-	-	1	-	-	1	2	-	2
FEMALE--	46	-	-	-	-	1	1	-	1	4	6	6
BLACK---MALE----	12	-	-	-	-	1	-	-	1	2	-	2
FEMALE--	44	-	-	-	-	1	1	-	1	4	6	6

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,712
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 SUBARACHNOID HEMORRHAGE (430)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	6	10	4	7	6	11	2	5	1	-	-	-
WHITE-----MALE----	2	1	-	1	2	3	-	1	-	-	-	-
FEMALE--	3	9	4	5	4	8	2	4	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CONNECTICUT -----	7	9	7	11	8	7	7	2	1	1	-	-
WHITE-----MALE----	2	2	2	1	3	-	-	-	-	-	-	-
FEMALE--	3	4	5	10	5	5	7	2	1	1	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	2	-	-	-	-	-	-
DELAWARE -----	5	2	1	3	4	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	4	1	-	1	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	2	1	2	1	-	1	-	-	-	-
WHITE-----MALE----	1	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	-	-	-
FLORIDA -----	41	26	31	45	36	50	36	24	6	2	-	-
WHITE-----MALE----	12	7	10	16	12	11	8	6	1	1	-	-
FEMALE--	24	14	13	23	21	32	24	17	5	1	-	-
ALL OTHER--MALE----	3	3	3	3	1	3	2	1	-	-	-	-
FEMALE--	2	2	5	3	2	4	2	-	-	-	-	-
BLACK---MALE----	2	3	3	3	1	3	2	1	-	-	-	-
FEMALE--	1	2	5	3	1	4	2	-	-	-	-	-
GEORGIA -----	24	20	23	15	17	11	10	8	3	1	-	-
WHITE-----MALE----	6	6	6	2	6	4	3	-	-	-	-	-
FEMALE--	10	8	8	8	10	6	7	6	3	-	-	-
ALL OTHER--MALE----	2	2	1	-	1	-	-	-	-	-	-	-
FEMALE--	6	4	8	5	-	1	-	2	-	1	-	-
BLACK---MALE----	2	2	1	-	1	-	-	-	-	-	-	-
FEMALE--	6	4	8	3	-	1	-	2	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,714
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUBARACHNOID HEMORRHAGE (430)												
KENTUCKY -----	125	-	-	-	1	-	-	-	6	12	9	12
WHITE-----MALE----	54	-	-	-	1	-	-	-	2	5	6	6
FEMALE--	66	-	-	-	-	-	-	-	4	6	1	6
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	2	-
LOUISIANA -----	114	1	-	-	-	-	-	2	4	10	11	8
WHITE-----MALE----	25	-	-	-	-	-	-	-	1	2	4	3
FEMALE--	53	-	-	-	-	-	-	-	2	4	1	3
ALL OTHER--MALE----	13	1	-	-	-	-	-	1	1	2	1	1
FEMALE--	23	-	-	-	-	-	-	1	-	2	5	1
BLACK---MALE----	13	1	-	-	-	-	-	1	1	2	1	1
FEMALE--	23	-	-	-	-	-	-	1	-	2	5	1
MAINE -----	30	-	-	-	-	1	-	-	1	2	-	3
WHITE-----MALE----	15	-	-	-	-	-	-	-	1	2	-	2
FEMALE--	15	-	-	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	126	-	-	-	-	-	1	3	8	13	14	14
WHITE-----MALE----	31	-	-	-	-	-	-	2	-	-	1	7
FEMALE--	56	-	-	-	-	-	-	-	3	6	6	6
ALL OTHER--MALE----	11	-	-	-	-	-	1	1	2	2	2	1
FEMALE--	28	-	-	-	-	-	-	-	3	5	5	-
BLACK---MALE----	11	-	-	-	-	-	1	1	2	2	2	1
FEMALE--	27	-	-	-	-	-	-	-	3	5	5	-
MASSACHUSETTS -----	120	-	-	-	-	1	1	-	2	8	12	5
WHITE-----MALE----	39	-	-	-	-	1	-	-	1	5	6	3
FEMALE--	75	-	-	-	-	-	1	-	1	3	4	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	260	-	-	-	-	-	1	7	8	14	34	27
WHITE-----MALE----	61	-	-	-	-	-	-	-	2	5	11	3
FEMALE--	147	-	-	-	-	-	-	4	4	6	11	16
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	2	6	4
FEMALE--	27	-	-	-	-	-	1	3	2	1	6	4
BLACK---MALE----	22	-	-	-	-	-	-	-	-	2	6	4
FEMALE--	25	-	-	-	-	-	1	2	2	1	6	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,714
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 SUBARACHNOID HEMORRHAGE (430)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	9	10	15	11	5	15	7	8	4	1	-	-
WHITE-----MALE----	6	6	5	6	-	6	2	2	1	-	-	-
FEMALE--	3	4	10	5	4	9	5	6	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
LOUISIANA -----	13	7	11	7	11	13	8	4	3	1	-	-
WHITE-----MALE----	3	1	2	3	3	1	1	1	-	-	-	-
FEMALE--	5	2	6	3	6	8	6	3	3	1	-	-
ALL OTHER--MALE----	1	2	-	-	2	1	-	-	-	-	-	-
FEMALE--	4	2	3	1	-	3	1	-	-	-	-	-
BLACK---MALE----	1	2	-	-	2	1	-	-	-	-	-	-
FEMALE--	4	2	3	1	-	3	1	-	-	-	-	-
MAINE -----	1	5	2	3	3	1	3	4	1	-	-	-
WHITE-----MALE----	1	1	1	2	1	-	2	2	-	-	-	-
FEMALE--	-	4	1	1	2	1	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	10	14	4	6	17	11	5	5	1	-	-	-
WHITE-----MALE----	1	4	3	2	4	4	2	1	-	-	-	-
FEMALE--	5	6	-	2	11	6	2	3	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	4	1	2	2	1	1	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	4	1	2	1	1	1	1	-	-	-	-
MASSACHUSETTS -----	11	11	5	12	11	16	11	9	4	1	-	-
WHITE-----MALE----	7	2	2	5	2	2	1	2	-	-	-	-
FEMALE--	4	8	3	6	9	14	9	7	4	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	20	22	20	17	24	26	21	19	-	-	-	-
WHITE-----MALE----	7	4	6	2	7	4	6	4	-	-	-	-
FEMALE--	8	14	10	12	11	21	15	15	-	-	-	-
ALL OTHER--MALE----	4	2	2	2	2	1	-	-	-	-	-	-
FEMALE--	1	2	2	1	4	-	-	-	-	-	-	-
BLACK---MALE----	4	2	1	1	1	1	-	-	-	-	-	-
FEMALE--	1	2	2	1	3	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,717
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUBARACHNOID HEMORRHAGE (430)												
OHIO -----	322	-	-	-	-	3	3	8	7	11	32	33
WHITE-----MALE----	92	-	-	-	-	-	3	3	5	3	17	5
FEMALE--	181	-	-	-	-	2	-	2	1	4	11	17
ALL OTHER--MALE----	11	-	-	-	-	-	-	1	1	2	-	3
FEMALE--	38	-	-	-	-	1	-	2	-	2	4	8
BLACK---MALE----	10	-	-	-	-	-	-	1	1	2	-	3
FEMALE--	36	-	-	-	-	1	-	2	-	2	4	8
OKLAHOMA -----	98	-	-	-	-	-	-	1	3	8	10	7
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	2	3	2
FEMALE--	55	-	-	-	-	-	-	-	2	3	6	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	2	-	1
FEMALE--	11	-	-	-	-	-	-	1	-	1	1	2
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	1
OREGON -----	103	-	-	-	-	-	1	-	1	4	3	14
WHITE-----MALE----	30	-	-	-	-	-	1	-	1	3	1	2
FEMALE--	69	-	-	-	-	-	-	-	-	1	2	11
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	352	-	-	-	-	-	1	1	8	11	32	38
WHITE-----MALE----	116	-	-	-	-	-	1	-	3	4	9	14
FEMALE--	192	-	-	-	-	-	-	-	4	2	13	21
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	1	2	5	2
FEMALE--	28	-	-	-	-	-	-	1	-	3	5	1
BLACK---MALE----	15	-	-	-	-	-	-	-	1	2	4	2
FEMALE--	27	-	-	-	-	-	-	1	-	3	5	1
RHODE ISLAND -----	26	-	-	-	-	-	-	-	-	1	5	4
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	17	-	-	-	-	-	-	-	-	1	2	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
SOUTH CAROLINA -----	97	-	-	-	1	1	1	2	1	5	8	12
WHITE-----MALE----	27	-	-	-	-	-	1	-	-	1	3	4
FEMALE--	49	-	-	-	-	1	-	1	1	4	4	4
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	14	-	-	-	1	-	-	-	-	-	1	3
BLACK---MALE----	7	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	14	-	-	-	1	-	-	-	-	-	1	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,717
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 SUBARACHNOID HEMORRHAGE (430)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	29	33	23	32	36	26	31	7	7	1	-	-
WHITE-----MALE----	4	11	9	10	7	7	6	-	2	-	-	-
FEMALE--	22	18	12	20	24	16	23	7	2	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	2	4	1	2	4	2	2	-	3	1	-	-
BLACK---MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	2	4	1	1	3	2	2	-	3	1	-	-
OKLAHOMA -----	5	13	15	8	10	4	8	5	1	-	-	-
WHITE-----MALE----	-	4	5	4	3	1	1	-	-	-	-	-
FEMALE--	3	7	9	3	6	3	6	4	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	2	-	1	-	-	1	1	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	1	-	-	-	-	-
OREGON -----	8	11	8	10	14	11	8	5	4	1	-	-
WHITE-----MALE----	4	3	1	4	5	1	1	2	1	-	-	-
FEMALE--	4	8	5	6	8	10	7	3	3	1	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	27	33	21	40	40	36	40	15	8	1	-	-
WHITE-----MALE----	13	11	7	14	11	13	9	4	3	-	-	-
FEMALE--	11	16	11	22	27	22	29	9	4	1	-	-
ALL OTHER--MALE----	2	1	1	-	-	1	-	-	1	-	-	-
FEMALE--	1	5	2	4	2	-	2	2	-	-	-	-
BLACK---MALE----	2	1	1	-	-	1	-	-	1	-	-	-
FEMALE--	1	4	2	4	2	-	2	2	-	-	-	-
RHODE ISLAND -----	3	2	1	1	3	3	2	1	-	-	-	-
WHITE-----MALE----	1	1	1	-	1	-	1	-	-	-	-	-
FEMALE--	2	1	-	1	2	3	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	9	7	6	10	10	7	9	3	4	1	-	-
WHITE-----MALE----	4	1	3	4	3	-	1	-	1	1	-	-
FEMALE--	3	6	2	4	4	5	7	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	1	1	-	-	-
FEMALE--	1	-	1	1	3	1	1	-	1	-	-	-
BLACK---MALE----	1	-	-	1	-	1	-	1	1	-	-	-
FEMALE--	1	-	1	1	3	1	1	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,718
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUBARACHNOID HEMORRHAGE (430)												
SOUTH DAKOTA -----	21	-	-	-	-	-	-	-	-	3	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	3	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	177	-	-	-	-	-	2	-	6	12	16	19
WHITE-----MALE----	52	-	-	-	-	-	2	-	4	6	5	3
FEMALE--	100	-	-	-	-	-	-	-	1	5	4	11
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	18	-	-	-	-	-	-	-	1	-	5	4
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	18	-	-	-	-	-	-	-	1	-	5	4
TEXAS -----	396	-	1	-	-	2	-	5	17	27	29	39
WHITE-----MALE----	126	-	-	-	-	2	-	1	7	10	14	20
FEMALE--	221	-	1	-	-	-	-	2	7	15	13	18
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	32	-	-	-	-	-	-	2	2	1	2	1
BLACK---MALE----	16	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	30	-	-	-	-	-	-	2	2	1	2	1
UTAH -----	24	-	-	-	-	-	-	-	-	-	2	2
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	8	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	157	1	-	-	-	-	1	1	4	14	10	13
WHITE-----MALE----	34	-	-	-	-	-	-	1	-	3	3	4
FEMALE--	81	-	-	-	-	-	1	-	2	7	4	4
ALL OTHER--MALE----	16	1	-	-	-	-	-	-	1	2	2	1
FEMALE--	26	-	-	-	-	-	-	-	1	2	1	4
BLACK---MALE----	13	1	-	-	-	-	-	-	1	2	2	-
FEMALE--	24	-	-	-	-	-	-	-	1	2	1	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,718
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 SUBARACHNOID HEMORRHAGE (430)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	2	1	2	3	1	2	2	1	3	-	-	-
WHITE-----MALE----	1	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	2	-	2	2	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	22	15	22	17	14	8	9	11	2	2	-	-
WHITE-----MALE----	9	4	5	5	4	2	1	2	-	-	-	-
FEMALE--	9	9	15	10	10	6	8	8	2	2	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	1	2	-	-	-	1	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	1	2	-	-	-	1	-	-	-	-
TEXAS -----	44	40	36	38	36	28	31	10	11	2	-	-
WHITE-----MALE----	11	15	8	12	8	7	7	2	2	-	-	-
FEMALE--	24	19	23	22	21	18	19	8	9	2	-	-
ALL OTHER--MALE----	4	2	2	2	1	1	3	-	-	-	-	-
FEMALE--	5	4	3	2	6	2	2	-	-	-	-	-
BLACK---MALE----	4	2	2	2	1	1	2	-	-	-	-	-
FEMALE--	5	4	3	1	6	1	2	-	-	-	-	-
UTAH -----	2	2	1	3	4	4	4	-	-	-	-	-
WHITE-----MALE----	2	1	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	2	3	4	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	1	3	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	12	14	12	8	13	23	18	10	3	-	-	-
WHITE-----MALE----	2	1	1	3	5	3	5	2	1	-	-	-
FEMALE--	6	8	7	4	3	17	11	6	1	-	-	-
ALL OTHER--MALE----	2	1	-	1	3	-	-	1	1	-	-	-
FEMALE--	2	4	4	-	2	3	2	1	-	-	-	-
BLACK---MALE----	2	-	-	1	3	-	-	1	-	-	-	-
FEMALE--	1	4	3	-	2	3	2	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,720
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
0 UNITED STATES --	23,573	36	10	20	14	24	37	67	177	379	680	1,093
WHITE-----MALE----	8,589	12	5	10	6	11	18	32	68	126	228	378
FEMALE--	10,667	8	1	8	7	9	9	21	46	85	138	235
ALL OTHER--MALE----	2,213	9	-	-	-	2	8	7	32	103	180	285
FEMALE--	2,104	7	4	2	1	2	2	7	31	65	134	195
BLACK---MALE----	1,793	7	-	-	-	2	7	5	28	88	166	255
FEMALE--	1,684	7	4	2	1	2	1	7	29	61	123	170
ALABAMA -----	472	1	-	1	2	1	-	3	7	10	16	35
WHITE-----MALE----	133	-	-	-	-	-	-	1	1	4	2	9
FEMALE--	182	-	-	1	2	-	-	1	2	-	2	3
ALL OTHER--MALE----	82	-	-	-	-	1	-	1	2	5	6	15
FEMALE--	75	1	-	-	-	-	-	-	2	1	6	8
BLACK---MALE----	81	-	-	-	-	1	-	1	2	5	6	14
FEMALE--	75	1	-	-	-	-	-	-	2	1	6	8
ALASKA -----	24	-	-	-	-	-	2	-	-	-	1	3
WHITE-----MALE----	8	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ARIZONA -----	335	-	-	1	-	-	-	1	4	3	4	20
WHITE-----MALE----	167	-	-	1	-	-	-	-	2	2	-	13
FEMALE--	147	-	-	-	-	-	-	1	2	-	2	4
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	295	-	-	1	-	-	-	1	2	8	10	20
WHITE-----MALE----	104	-	-	-	-	-	-	-	2	1	3	5
FEMALE--	146	-	-	1	-	-	-	-	-	3	2	7
ALL OTHER--MALE----	16	-	-	-	-	-	-	1	-	1	-	3
FEMALE--	29	-	-	-	-	-	-	-	-	3	5	5
BLACK---MALE----	16	-	-	-	-	-	-	1	-	1	-	3
FEMALE--	28	-	-	-	-	-	-	-	-	3	5	5
CALIFORNIA -----	2,547	3	2	2	3	2	4	6	22	38	87	126
WHITE-----MALE----	946	3	1	1	1	-	2	2	5	19	35	56
FEMALE--	1,020	-	-	1	2	2	1	4	10	10	20	25
ALL OTHER--MALE----	293	-	-	-	-	-	-	-	5	4	19	22
FEMALE--	288	-	1	-	-	-	1	-	2	5	13	23
BLACK---MALE----	115	-	-	-	-	-	-	-	3	2	14	14
FEMALE--	100	-	1	-	-	-	-	-	-	4	11	12

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,720
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
0 UNITED STATES --	1,172	1,276	1,539	2,240	3,048	3,828	3,727	2,679	1,200	282	43	2
WHITE-----MALE----	409	491	629	952	1,250	1,538	1,335	768	263	58	2	-
FEMALE--	316	374	521	842	1,348	1,861	2,068	1,689	842	203	36	-
ALL OTHER--MALE----	255	245	233	233	207	189	120	69	31	2	1	2
FEMALE--	192	166	156	213	243	240	204	153	64	19	4	-
BLACK---MALE----	218	213	188	181	151	136	84	42	18	1	1	2
FEMALE--	156	145	130	158	185	170	152	112	50	16	3	-
ALABAMA -----	29	33	29	52	64	69	52	51	13	3	1	-
WHITE-----MALE----	9	6	7	20	20	21	16	14	2	1	-	-
FEMALE--	7	8	9	22	28	31	28	31	6	1	-	-
ALL OTHER--MALE----	10	12	8	4	4	7	1	3	3	-	-	-
FEMALE--	3	7	5	6	12	10	7	3	2	1	1	-
BLACK---MALE----	10	12	8	4	4	7	1	3	3	-	-	-
FEMALE--	3	7	5	6	12	10	7	3	2	1	1	-
ALASKA -----	2	-	2	4	2	6	-	1	1	-	-	-
WHITE-----MALE----	1	-	-	1	1	2	-	1	1	-	-	-
FEMALE--	-	-	-	1	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	2	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	7	20	22	49	47	62	34	39	15	7	-	-
WHITE-----MALE----	3	13	13	28	25	33	19	10	5	-	-	-
FEMALE--	3	5	8	18	19	27	15	28	9	6	-	-
ALL OTHER--MALE----	-	-	1	3	1	1	-	1	1	-	-	-
FEMALE--	1	2	-	-	2	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
ARKANSAS -----	14	17	13	26	32	46	46	47	9	3	-	-
WHITE-----MALE----	5	9	5	8	17	18	16	14	1	-	-	-
FEMALE--	3	6	4	13	14	26	28	31	6	2	-	-
ALL OTHER--MALE----	4	1	2	3	-	1	-	-	-	-	-	-
FEMALE--	2	1	2	2	1	1	2	2	2	1	-	-
BLACK---MALE----	4	1	2	3	-	1	-	-	-	-	-	-
FEMALE--	2	1	2	2	-	1	2	2	2	1	-	-
CALIFORNIA -----	159	139	187	224	342	392	375	271	124	33	6	-
WHITE-----MALE----	60	61	64	89	128	167	138	79	29	6	-	-
FEMALE--	38	38	60	75	133	158	184	152	78	24	5	-
ALL OTHER--MALE----	33	25	43	29	39	27	24	14	9	-	-	-
FEMALE--	28	15	20	31	42	40	29	26	8	3	1	-
BLACK---MALE----	16	14	18	8	11	6	5	3	1	-	-	-
FEMALE--	11	6	8	7	13	9	9	5	2	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,721
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	223	-	-	-	-	-	-	-	-	4	2	12
WHITE-----MALE----	102	-	-	-	-	-	-	-	-	2	-	5
FEMALE--	108	-	-	-	-	-	-	-	-	1	1	6
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	306	-	-	-	-	-	1	1	2	7	6	6
WHITE-----MALE----	116	-	-	-	-	-	1	-	2	3	1	3
FEMALE--	164	-	-	-	-	-	-	1	-	1	3	3
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	13	-	-	-	-	-	-	-	-	3	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	13	-	-	-	-	-	-	-	-	3	-	-
DELAWARE -----	58	1	-	-	-	-	-	-	1	-	2	4
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	11	1	-	-	-	-	-	-	-	-	-	3
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	11	1	-	-	-	-	-	-	-	-	-	3
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	-
DISTRICT OF COLUMBIA ----	89	-	-	-	-	-	-	-	2	8	2	7
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	-	4	2	3
FEMALE--	38	-	-	-	-	-	-	-	2	3	-	3
BLACK---MALE----	37	-	-	-	-	-	-	-	-	4	2	3
FEMALE--	38	-	-	-	-	-	-	-	2	3	-	3
FLORIDA -----	1,491	2	-	1	1	1	1	4	13	14	37	63
WHITE-----MALE----	590	1	-	-	1	1	-	2	6	3	13	18
FEMALE--	704	-	-	1	-	-	-	1	3	5	7	14
ALL OTHER--MALE----	95	-	-	-	-	-	1	-	1	3	8	22
FEMALE--	102	1	-	-	-	-	-	1	3	3	9	9
BLACK---MALE----	93	-	-	-	-	-	1	-	1	3	8	22
FEMALE--	97	1	-	-	-	-	-	1	3	3	9	9
GEORGIA -----	730	1	-	1	1	-	1	2	7	19	41	52
WHITE-----MALE----	203	-	-	1	1	-	-	1	1	5	6	8
FEMALE--	255	-	-	-	-	-	-	-	1	3	4	5
ALL OTHER--MALE----	147	1	-	-	-	-	1	-	4	7	16	21
FEMALE--	125	-	-	-	-	-	-	1	1	4	15	18
BLACK---MALE----	141	-	-	-	-	-	1	-	4	7	16	21
FEMALE--	122	-	-	-	-	-	-	1	1	4	14	18

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,721
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	13	18	15	17	27	42	41	23	7	2	-	-
WHITE-----MALE----	6	14	7	9	11	23	14	10	1	-	-	-
FEMALE--	4	4	6	8	13	18	27	13	5	2	-	-
ALL OTHER--MALE----	2	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	2	1	-	-	1	-	-	-
BLACK---MALE----	2	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	12	10	23	31	41	49	66	29	18	3	1	-
WHITE-----MALE----	3	6	12	13	15	18	20	10	7	2	-	-
FEMALE--	5	2	8	15	24	29	43	19	10	-	1	-
ALL OTHER--MALE----	3	2	2	1	-	2	-	-	1	-	-	-
FEMALE--	1	-	1	2	2	-	3	-	-	1	-	-
BLACK---MALE----	3	2	2	1	-	1	-	-	1	-	-	-
FEMALE--	1	-	1	2	2	-	3	-	-	1	-	-
DELAWARE -----	3	4	4	8	12	7	3	5	4	-	-	-
WHITE-----MALE----	-	2	-	4	8	1	2	1	-	-	-	-
FEMALE--	-	-	3	3	3	5	1	4	4	-	-	-
ALL OTHER--MALE----	2	2	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	12	11	6	7	10	8	6	7	2	1	-	-
WHITE-----MALE----	1	1	-	1	1	2	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	7	6	1	4	1	2	5	1	1	1	-	-
FEMALE--	4	4	5	1	8	2	1	5	-	-	-	-
BLACK---MALE----	7	5	1	4	1	2	5	1	1	1	-	-
FEMALE--	4	4	5	1	8	2	1	5	-	-	-	-
FLORIDA -----	69	58	67	134	214	270	246	192	86	16	1	1
WHITE-----MALE----	28	19	33	57	102	125	96	57	23	5	-	-
FEMALE--	23	14	22	59	94	130	136	124	60	10	1	-
ALL OTHER--MALE----	7	12	8	10	7	6	5	3	1	-	-	1
FEMALE--	11	13	4	8	11	9	9	8	2	1	-	-
BLACK---MALE----	7	12	8	10	7	6	4	3	-	-	-	1
FEMALE--	11	12	4	7	11	9	6	8	2	1	-	-
GEORGIA -----	46	52	52	71	86	108	92	63	29	6	-	-
WHITE-----MALE----	15	16	13	27	28	39	28	10	3	1	-	-
FEMALE--	7	8	13	19	32	47	48	42	23	3	-	-
ALL OTHER--MALE----	13	20	12	12	13	17	8	2	-	-	-	-
FEMALE--	11	8	14	13	13	5	8	9	3	2	-	-
BLACK---MALE----	13	20	12	9	11	17	8	2	-	-	-	-
FEMALE--	11	8	13	13	12	5	8	9	3	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,723
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	349	-	-	-	-	1	1	-	5	3	5	14
WHITE-----MALE----	129	-	-	-	-	1	-	-	2	3	3	4
FEMALE--	185	-	-	-	-	-	1	-	2	-	1	2
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	6
FEMALE--	20	-	-	-	-	-	-	-	1	-	1	2
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	6
FEMALE--	19	-	-	-	-	-	-	-	1	-	1	2
LOUISIANA -----	406	-	-	-	-	1	-	2	10	8	17	26
WHITE-----MALE----	121	-	-	-	-	1	-	1	2	1	3	3
FEMALE--	121	-	-	-	-	-	-	1	-	1	1	4
ALL OTHER--MALE----	78	-	-	-	-	-	-	-	7	4	4	12
FEMALE--	86	-	-	-	-	-	-	-	1	2	9	7
BLACK---MALE----	75	-	-	-	-	-	-	-	7	3	4	12
FEMALE--	83	-	-	-	-	-	-	-	1	2	9	7
MAINE -----	111	-	-	-	-	-	-	1	-	2	-	5
WHITE-----MALE----	57	-	-	-	-	-	-	1	-	2	-	2
FEMALE--	54	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	426	-	-	-	-	-	-	2	5	8	15	21
WHITE-----MALE----	126	-	-	-	-	-	-	-	1	1	2	4
FEMALE--	169	-	-	-	-	-	-	-	3	-	-	2
ALL OTHER--MALE----	66	-	-	-	-	-	-	-	1	4	7	9
FEMALE--	65	-	-	-	-	-	-	2	-	3	6	6
BLACK---MALE----	61	-	-	-	-	-	-	-	1	4	7	9
FEMALE--	62	-	-	-	-	-	-	2	-	3	6	6
MASSACHUSETTS -----	526	-	-	-	-	-	-	-	1	2	11	14
WHITE-----MALE----	208	-	-	-	-	-	-	-	-	1	5	5
FEMALE--	280	-	-	-	-	-	-	-	1	1	5	7
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	1
MICHIGAN -----	836	3	-	2	-	-	-	1	4	17	18	46
WHITE-----MALE----	295	-	-	1	-	-	-	1	-	5	5	19
FEMALE--	373	1	-	1	-	-	-	-	-	5	2	9
ALL OTHER--MALE----	86	1	-	-	-	-	-	-	2	1	11	11
FEMALE--	82	1	-	-	-	-	-	-	2	6	-	7
BLACK---MALE----	79	1	-	-	-	-	-	-	1	1	11	9
FEMALE--	77	1	-	-	-	-	-	-	2	6	-	7

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,723
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	10	26	25	34	49	43	52	51	21	7	2	-
WHITE-----MALE----	5	11	15	19	19	12	17	11	6	1	-	-
FEMALE--	2	12	8	12	28	28	30	37	14	6	2	-
ALL OTHER--MALE----	2	1	1	2	-	-	2	1	-	-	-	-
FEMALE--	1	2	1	1	2	3	3	2	1	-	-	-
BLACK---MALE----	2	1	1	2	-	-	1	1	-	-	-	-
FEMALE--	1	2	1	1	2	3	2	2	1	-	-	-
LOUISIANA -----	29	30	40	50	37	59	35	41	20	1	-	-
WHITE-----MALE----	7	8	16	17	14	25	13	5	4	1	-	-
FEMALE--	7	4	8	13	9	18	16	29	10	-	-	-
ALL OTHER--MALE----	6	11	8	9	4	4	3	3	3	-	-	-
FEMALE--	9	7	8	11	10	12	3	4	3	-	-	-
BLACK---MALE----	6	11	8	9	4	4	2	3	2	-	-	-
FEMALE--	9	7	7	10	10	11	3	4	3	-	-	-
MAINE -----	5	4	4	10	13	22	19	21	4	1	-	-
WHITE-----MALE----	3	2	2	7	7	8	11	10	1	1	-	-
FEMALE--	2	2	2	3	6	14	8	11	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	29	30	23	35	51	87	54	46	16	3	1	-
WHITE-----MALE----	9	6	6	11	17	30	21	15	2	1	-	-
FEMALE--	4	4	10	12	24	40	28	27	12	2	1	-
ALL OTHER--MALE----	8	12	6	4	4	7	3	-	1	-	-	-
FEMALE--	8	8	1	8	6	10	2	4	1	-	-	-
BLACK---MALE----	6	11	6	4	3	6	3	-	1	-	-	-
FEMALE--	8	8	1	7	4	10	2	4	1	-	-	-
MASSACHUSETTS -----	19	25	21	50	63	97	105	61	40	15	2	-
WHITE-----MALE----	10	11	12	24	25	39	46	19	7	4	-	-
FEMALE--	4	11	7	20	33	49	58	41	30	11	2	-
ALL OTHER--MALE----	3	2	-	4	2	4	-	-	-	-	-	-
FEMALE--	2	1	2	2	3	5	1	1	3	-	-	-
BLACK---MALE----	1	2	-	3	1	2	-	-	-	-	-	-
FEMALE--	2	1	-	1	1	4	1	1	1	-	-	-
MICHIGAN -----	34	47	52	75	107	146	117	110	46	11	-	-
WHITE-----MALE----	6	21	20	26	42	60	42	35	9	3	-	-
FEMALE--	11	15	14	34	52	63	60	67	33	6	-	-
ALL OTHER--MALE----	9	6	12	10	5	5	9	2	2	-	-	-
FEMALE--	8	5	6	5	8	18	6	6	2	2	-	-
BLACK---MALE----	9	5	10	10	4	5	9	2	2	-	-	-
FEMALE--	7	5	5	4	8	18	5	5	2	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,724
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	16	13	26	38	59	80	65	49	26	9	-	-
WHITE-----MALE----	8	6	10	17	26	29	28	18	8	1	-	-
FEMALE--	5	6	15	18	33	48	36	31	18	8	-	-
ALL OTHER--MALE----	3	1	1	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	3	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MISSISSIPPI -----	17	16	16	25	33	23	26	23	7	3	1	-
WHITE-----MALE----	2	5	4	9	13	7	6	3	4	-	-	-
FEMALE--	4	2	2	6	12	12	15	13	3	3	-	-
ALL OTHER--MALE----	7	7	8	5	4	3	2	2	-	-	-	-
FEMALE--	4	2	2	5	4	1	3	5	-	-	1	-
BLACK---MALE----	7	7	8	5	4	3	2	2	-	-	-	-
FEMALE--	4	2	2	4	4	1	3	5	-	-	1	-
MISSOURI -----	22	24	33	54	70	78	84	60	33	10	1	-
WHITE-----MALE----	8	11	14	20	26	29	33	21	3	2	-	-
FEMALE--	8	10	13	26	33	45	49	31	30	7	1	-
ALL OTHER--MALE----	5	-	3	5	3	1	-	3	-	-	-	-
FEMALE--	1	3	3	3	8	3	2	5	-	1	-	-
BLACK---MALE----	5	-	3	5	3	1	-	3	-	-	-	-
FEMALE--	1	3	3	3	8	3	2	5	-	1	-	-
MONTANA -----	3	3	10	6	10	16	9	9	1	1	-	-
WHITE-----MALE----	2	2	3	4	3	4	2	3	1	1	-	-
FEMALE--	1	1	7	1	7	11	7	6	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NEBRASKA -----	8	8	2	13	18	24	21	21	9	-	1	-
WHITE-----MALE----	3	4	1	8	11	9	4	8	5	-	-	-
FEMALE--	5	3	1	5	6	14	17	11	4	-	1	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	13	10	13	15	22	25	27	13	3	-	1	-
WHITE-----MALE----	6	5	6	5	7	9	12	6	1	-	-	-
FEMALE--	4	5	4	7	13	14	15	6	2	-	1	-
ALL OTHER--MALE----	1	-	1	2	1	-	-	1	-	-	-	-
FEMALE--	2	-	2	1	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	2	1	1	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,726
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	1,015	1	-	2	-	1	-	3	9	16	28	27
WHITE-----MALE----	395	-	-	1	-	-	-	2	5	6	10	7
FEMALE--	481	1	-	1	-	-	-	-	3	8	8	10
ALL OTHER--MALE----	69	-	-	-	-	-	-	-	-	1	7	5
FEMALE--	70	-	-	-	-	1	-	1	1	1	3	5
BLACK---MALE----	67	-	-	-	-	-	-	-	-	1	7	5
FEMALE--	65	-	-	-	-	1	-	1	1	1	3	4
OKLAHOMA -----	273	-	-	-	-	-	-	2	4	5	7	18
WHITE-----MALE----	105	-	-	-	-	-	-	1	4	1	2	10
FEMALE--	130	-	-	-	-	-	-	1	-	2	3	4
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	2	1	3
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
OREGON -----	309	-	-	1	-	-	-	1	3	2	10	5
WHITE-----MALE----	126	-	-	1	-	-	-	-	3	1	3	1
FEMALE--	158	-	-	-	-	-	-	1	-	-	7	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	1,362	-	-	1	-	-	3	4	8	22	17	53
WHITE-----MALE----	527	-	-	1	-	-	1	4	4	7	8	22
FEMALE--	677	-	-	-	-	-	-	-	1	6	4	12
ALL OTHER--MALE----	81	-	-	-	-	-	2	-	-	5	2	14
FEMALE--	77	-	-	-	-	-	-	-	3	4	3	5
BLACK---MALE----	74	-	-	-	-	-	2	-	-	5	2	13
FEMALE--	73	-	-	-	-	-	-	-	3	4	3	5
RHODE ISLAND -----	99	1	-	-	-	-	-	-	-	-	4	2
WHITE-----MALE----	36	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	59	1	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	461	-	-	-	1	-	2	1	5	12	16	34
WHITE-----MALE----	129	-	-	-	-	-	1	-	1	1	4	8
FEMALE--	166	-	-	-	1	-	1	1	1	5	2	3
ALL OTHER--MALE----	89	-	-	-	-	-	-	-	1	5	7	13
FEMALE--	77	-	-	-	-	-	-	-	2	1	3	10
BLACK---MALE----	88	-	-	-	-	-	-	-	1	5	7	12
FEMALE--	77	-	-	-	-	-	-	-	2	1	3	10

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,726
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	47	50	69	91	142	174	192	96	52	13	2	-
WHITE-----MALE----	17	21	31	46	70	67	73	28	9	2	-	-
FEMALE--	17	14	25	29	57	90	102	61	42	11	2	-
ALL OTHER--MALE----	6	10	10	4	11	9	3	3	-	-	-	-
FEMALE--	7	5	3	12	4	8	14	4	1	-	-	-
BLACK---MALE----	6	10	9	4	11	9	3	2	-	-	-	-
FEMALE--	7	5	3	11	4	7	13	3	1	-	-	-
OKLAHOMA -----	14	11	20	27	30	43	46	32	12	1	1	-
WHITE-----MALE----	5	5	7	14	14	20	12	7	2	1	-	-
FEMALE--	5	2	11	8	13	22	30	22	6	-	1	-
ALL OTHER--MALE----	1	2	1	3	1	-	-	1	-	-	-	-
FEMALE--	3	2	1	2	2	1	4	2	4	-	-	-
BLACK---MALE----	1	2	-	2	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	2	2	-	3	1	3	-	-	-
OREGON -----	7	13	18	29	45	53	58	41	18	4	1	-
WHITE-----MALE----	2	6	7	11	22	25	22	14	8	-	-	-
FEMALE--	3	6	11	14	18	22	34	27	9	4	1	-
ALL OTHER--MALE----	2	1	-	2	3	2	-	-	-	-	-	-
FEMALE--	-	-	-	2	2	4	2	-	1	-	-	-
BLACK---MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
PENNSYLVANIA -----	47	47	82	140	193	228	246	152	87	29	3	-
WHITE-----MALE----	16	19	38	67	85	90	99	46	16	4	-	-
FEMALE--	15	15	29	47	90	123	139	102	67	24	3	-
ALL OTHER--MALE----	8	7	11	15	6	7	2	1	1	-	-	-
FEMALE--	8	6	4	11	12	8	6	3	3	1	-	-
BLACK---MALE----	7	6	10	13	6	6	2	1	1	-	-	-
FEMALE--	8	5	4	10	10	8	6	3	3	1	-	-
RHODE ISLAND -----	2	7	3	8	10	15	19	20	8	-	-	-
WHITE-----MALE----	-	3	1	2	4	6	11	4	1	-	-	-
FEMALE--	1	4	2	6	6	7	8	15	7	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
SOUTH CAROLINA -----	34	36	35	40	60	65	46	51	19	4	-	-
WHITE-----MALE----	9	12	13	12	20	27	9	8	4	-	-	-
FEMALE--	4	7	12	11	17	25	22	39	11	4	-	-
ALL OTHER--MALE----	17	10	5	9	11	6	5	-	-	-	-	-
FEMALE--	4	7	5	8	12	7	10	4	4	-	-	-
BLACK---MALE----	17	10	5	9	11	6	5	-	-	-	-	-
FEMALE--	4	7	5	8	12	7	10	4	4	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,727
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	62	-	-	-	-	-	-	-	-	-	2	2
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	525	2	-	-	-	-	1	-	4	10	24	18
WHITE-----MALE----	196	-	-	-	-	-	-	-	1	2	9	6
FEMALE--	218	1	-	-	-	-	1	-	1	2	2	5
ALL OTHER--MALE----	64	-	-	-	-	-	-	-	-	4	10	5
FEMALE--	47	1	-	-	-	-	-	-	2	2	3	2
BLACK---MALE----	62	-	-	-	-	-	-	-	-	4	10	5
FEMALE--	47	1	-	-	-	-	-	-	2	2	3	2
TEXAS -----	1,390	4	-	2	-	4	5	6	14	30	49	91
WHITE-----MALE----	522	-	-	1	-	1	4	3	8	13	17	35
FEMALE--	623	3	-	1	-	2	1	2	2	4	7	31
ALL OTHER--MALE----	121	1	-	-	-	1	-	1	3	8	17	12
FEMALE--	124	-	-	-	-	-	-	-	1	5	8	13
BLACK---MALE----	110	1	-	-	-	1	-	1	3	6	16	12
FEMALE--	99	-	-	-	-	-	-	-	1	5	7	12
UTAH -----	88	-	1	-	-	-	-	-	-	-	2	5
WHITE-----MALE----	43	-	1	-	-	-	-	-	-	-	2	1
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	45	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	613	1	1	-	-	2	1	1	4	16	23	17
WHITE-----MALE----	190	-	1	-	-	2	-	1	-	3	6	3
FEMALE--	252	-	-	-	-	-	1	-	2	5	5	3
ALL OTHER--MALE----	91	1	-	-	-	-	-	-	1	6	9	5
FEMALE--	80	-	-	-	-	-	-	-	1	2	3	6
BLACK---MALE----	85	1	-	-	-	-	-	-	1	6	8	4
FEMALE--	76	-	-	-	-	-	-	-	1	2	3	6

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,727
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	3	3	5	6	5	12	13	8	3	-	-	-
WHITE-----MALE----	3	2	-	4	5	5	4	2	1	-	-	-
FEMALE--	-	1	5	2	-	6	9	6	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	35	31	41	43	74	83	89	51	15	4	-	-
WHITE-----MALE----	13	6	21	18	27	34	38	18	2	1	-	-
FEMALE--	9	11	8	16	34	40	47	28	12	1	-	-
ALL OTHER--MALE----	7	7	5	7	6	5	3	4	1	-	-	-
FEMALE--	6	7	7	2	7	4	1	1	-	2	-	-
BLACK---MALE----	7	7	5	7	5	4	3	4	1	-	-	-
FEMALE--	6	7	7	2	7	4	1	1	-	2	-	-
TEXAS -----	84	71	110	132	158	196	204	138	76	12	4	-
WHITE-----MALE----	33	29	54	56	63	86	62	43	12	2	-	-
FEMALE--	22	26	38	50	74	93	120	79	56	9	3	-
ALL OTHER--MALE----	17	7	11	11	11	6	8	5	2	-	-	-
FEMALE--	12	9	7	15	10	11	14	11	6	1	1	-
BLACK---MALE----	15	6	11	9	10	5	8	4	2	-	-	-
FEMALE--	9	8	4	10	8	7	11	9	6	1	1	-
UTAH -----	2	4	2	11	12	15	18	11	4	1	-	-
WHITE-----MALE----	1	3	2	7	6	6	8	4	1	1	-	-
FEMALE--	1	1	-	4	6	9	10	6	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	1	3	8	7	9	11	1	1	-	-
WHITE-----MALE----	2	-	-	2	2	3	3	2	1	-	-	-
FEMALE--	-	-	1	1	6	4	6	8	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	37	37	42	58	80	88	102	78	23	2	-	-
WHITE-----MALE----	7	12	16	25	28	34	28	18	5	1	-	-
FEMALE--	12	5	11	19	31	34	59	48	16	1	-	-
ALL OTHER--MALE----	14	9	9	7	14	8	5	3	-	-	-	-
FEMALE--	4	11	6	7	7	12	10	9	2	-	-	-
BLACK---MALE----	13	9	9	7	13	8	4	2	-	-	-	-
FEMALE--	4	11	6	7	7	12	8	7	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,729
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)												
0 UNITED STATES --	1,430	-	-	1	-	1	-	2	4	14	29	46
WHITE-----MALE----	715	-	-	1	-	-	-	-	1	7	13	23
FEMALE--	584	-	-	-	-	1	-	1	2	4	7	14
ALL OTHER--MALE----	71	-	-	-	-	-	-	1	-	1	4	7
FEMALE--	60	-	-	-	-	-	-	-	1	2	5	2
BLACK---MALE----	58	-	-	-	-	-	-	1	-	1	4	5
FEMALE--	52	-	-	-	-	-	-	-	1	2	5	2
ALABAMA -----	16	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	24	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	16	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	151	-	-	-	-	-	-	-	-	1	4	4
WHITE-----MALE----	72	-	-	-	-	-	-	-	-	-	3	4
FEMALE--	62	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,729
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	50	64	91	140	207	244	244	176	92	20	5	-
WHITE-----MALE----	29	40	59	73	117	136	116	71	24	4	1	-
FEMALE--	14	13	23	51	75	92	112	95	63	14	3	-
ALL OTHER--MALE----	3	8	5	10	9	7	7	7	2	-	-	-
FEMALE--	4	3	4	6	6	9	9	3	3	2	1	-
BLACK---MALE----	3	8	5	8	5	5	5	7	1	-	-	-
FEMALE--	3	1	3	5	6	8	7	3	3	2	1	-
ALABAMA -----	-	3	3	1	3	2	2	1	-	-	-	-
WHITE-----MALE----	-	1	2	-	-	1	2	1	-	-	-	-
FEMALE--	-	-	1	1	3	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	1	-	3	3	3	5	3	2	-	-	-
WHITE-----MALE----	2	-	-	3	3	2	2	-	2	-	-	-
FEMALE--	-	1	-	-	-	1	3	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	-	2	2	2	4	3	1	-	-	-
WHITE-----MALE----	-	1	-	1	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3	6	12	15	23	29	23	20	10	1	-	-
WHITE-----MALE----	1	3	8	8	12	14	10	6	2	1	-	-
FEMALE--	2	1	3	4	10	13	8	13	8	-	-	-
ALL OTHER--MALE----	-	-	-	2	1	1	1	-	-	-	-	-
FEMALE--	-	2	1	1	-	1	4	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,730
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	1	1	-	1	2	1	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	4	3	2	4	4	2	-	-
WHITE-----MALE----	-	-	-	-	3	3	2	2	2	1	-	-
FEMALE--	-	-	-	-	1	-	-	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	1	2	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	5	3	5	12	14	23	19	17	6	2	-	-
WHITE-----MALE----	3	2	2	6	12	11	6	11	1	-	-	-
FEMALE--	2	1	2	5	2	12	13	5	5	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
GEORGIA -----	1	2	2	4	7	11	6	4	3	1	-	-
WHITE-----MALE----	-	-	2	-	3	7	1	4	-	-	-	-
FEMALE--	-	2	-	2	3	1	4	-	3	1	-	-
ALL OTHER--MALE----	1	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	-	-	-	-	-
BLACK---MALE----	1	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,732
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	2	1	1	4	8	4	2	1	1	1	1	-
WHITE-----MALE----	1	1	1	1	5	1	-	1	-	-	-	-
FEMALE--	1	-	-	3	3	3	2	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	-	3	1	2	1	5	2	1	-	-	-	-
WHITE-----MALE----	-	1	1	2	1	4	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	1	-	1	-	-	-	1	-	-	1	-	-
WHITE-----MALE----	1	-	1	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	-	5	3	6	-	6	4	2	1	-	-
WHITE-----MALE----	1	-	3	2	3	-	3	2	-	-	-	-
FEMALE--	-	-	2	1	3	-	3	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
MASSACHUSETTS -----	1	2	1	-	6	5	3	1	2	-	-	-
WHITE-----MALE----	-	2	1	-	5	2	-	-	1	-	-	-
FEMALE--	1	-	-	-	1	2	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	1	1	5	2	8	8	10	6	-	-	-	-
WHITE-----MALE----	1	-	2	-	4	2	8	1	-	-	-	-
FEMALE--	-	1	1	2	3	5	-	5	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,735
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	2	4	5	8	11	15	15	7	4	1	-	-
WHITE-----MALE----	2	2	4	2	7	8	7	3	-	-	-	-
FEMALE--	-	1	1	3	3	6	7	4	3	1	-	-
ALL OTHER--MALE----	-	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	1	-	-	-
BLACK---MALE----	-	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	1	-	-	-
OKLAHOMA -----	1	1	2	-	1	1	2	3	1	-	-	-
WHITE-----MALE----	1	1	1	-	1	1	2	2	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	-	4	3	5	6	3	1	-	-	-
WHITE-----MALE----	-	1	-	2	2	4	6	1	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	5	5	6	15	17	23	21	11	7	1	1	-
WHITE-----MALE----	4	3	4	6	9	20	14	6	2	-	-	-
FEMALE--	1	2	1	9	8	3	7	5	4	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
RHODE ISLAND -----	-	-	-	-	1	3	1	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	2	1	3	3	2	5	2	2	-	-	-
WHITE-----MALE----	-	2	-	2	1	-	1	2	1	-	-	-
FEMALE--	1	-	1	1	1	1	4	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,738
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	13,022	17	5	2	3	4	7	7	28	47	80	147
WHITE-----MALE----	4,352	2	2	2	1	3	2	3	6	22	28	59
FEMALE--	7,047	8	2	-	-	-	4	2	8	13	18	36
ALL OTHER--MALE----	713	4	-	-	1	-	1	-	9	3	21	29
FEMALE--	910	3	1	-	1	1	-	2	5	9	13	23
BLACK---MALE----	607	4	-	-	1	-	1	-	9	3	19	27
FEMALE--	797	3	-	-	-	1	-	2	5	9	12	21
ALABAMA -----	195	-	-	-	-	-	-	-	-	1	3	5
WHITE-----MALE----	64	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	93	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	13	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	1	2
ALASKA -----	29	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	122	1	-	-	-	-	1	-	2	1	-	2
WHITE-----MALE----	45	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	73	-	-	-	-	-	1	-	2	-	-	1
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	117	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	31	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	55	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1,302	1	1	1	1	-	1	1	1	7	8	15
WHITE-----MALE----	418	1	-	1	-	-	-	-	1	4	3	5
FEMALE--	702	-	-	-	-	-	1	1	-	-	1	6
ALL OTHER--MALE----	83	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	99	-	1	-	1	-	-	-	-	2	3	4
BLACK---MALE----	36	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	62	-	-	-	-	-	-	-	-	2	2	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,738
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	199	276	433	775	1,275	1,860	2,523	2,571	1,873	735	154	1
WHITE-----MALE----	85	115	187	351	589	713	904	745	405	113	15	-
FEMALE--	56	75	138	254	475	912	1,380	1,627	1,343	573	122	1
ALL OTHER--MALE----	35	51	64	93	105	102	75	68	39	10	3	-
FEMALE--	23	35	44	77	106	133	164	131	86	39	14	-
BLACK---MALE----	34	44	58	79	91	78	61	51	34	10	3	-
FEMALE--	21	30	38	69	88	116	146	112	76	34	14	-
ALABAMA -----	9	4	1	13	15	35	41	38	15	12	3	-
WHITE-----MALE----	2	3	-	7	6	14	11	13	2	4	-	-
FEMALE--	3	1	1	3	3	18	20	21	12	8	2	-
ALL OTHER--MALE----	1	-	-	2	2	-	3	1	1	-	-	-
FEMALE--	3	-	-	1	4	3	7	3	-	-	1	-
BLACK---MALE----	1	-	-	2	2	-	3	1	1	-	-	-
FEMALE--	3	-	-	1	4	3	6	3	-	-	1	-
ALASKA -----	-	-	2	-	2	7	5	6	3	2	-	-
WHITE-----MALE----	-	-	1	-	1	-	2	1	1	-	-	-
FEMALE--	-	-	-	-	1	6	2	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	4	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	3	4	5	11	24	27	28	8	4	1	-
WHITE-----MALE----	-	1	1	3	7	8	10	10	1	2	-	-
FEMALE--	-	1	2	2	4	16	16	18	7	2	1	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	2	4	2	10	25	20	23	22	6	1	-
WHITE-----MALE----	1	-	3	2	3	5	9	5	1	1	-	-
FEMALE--	-	-	1	-	3	11	9	14	14	2	1	-
ALL OTHER--MALE----	-	1	-	-	1	3	1	-	2	-	-	-
FEMALE--	-	1	-	-	3	6	1	4	5	3	-	-
BLACK---MALE----	-	1	-	-	1	3	1	-	2	-	-	-
FEMALE--	-	1	-	-	3	6	1	4	5	3	-	-
CALIFORNIA -----	13	28	50	57	143	187	248	247	194	84	14	-
WHITE-----MALE----	7	7	22	35	59	62	88	69	38	12	4	-
FEMALE--	5	10	13	13	55	94	128	157	139	69	10	-
ALL OTHER--MALE----	1	7	10	4	11	19	12	13	3	1	-	-
FEMALE--	-	4	5	5	18	12	20	8	14	2	-	-
BLACK---MALE----	1	5	6	2	3	7	4	4	1	1	-	-
FEMALE--	-	4	3	3	11	8	13	2	11	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,739
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	2	3	7	11	12	14	10	7	3	-
WHITE-----MALE----	-	-	1	1	2	6	6	7	4	2	-	-
FEMALE--	-	-	1	2	5	5	6	7	6	5	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	2	9	5	19	20	40	38	21	10	2	-
WHITE-----MALE----	1	1	5	5	8	8	15	8	1	2	-	-
FEMALE--	-	-	1	-	10	10	23	29	20	8	2	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	2	-	1	2	2	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	2	-	1	2	-	-	-	-	-	-
DELAWARE -----	1	-	2	4	2	3	3	2	1	-	-	-
WHITE-----MALE----	-	-	1	2	1	1	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	2	2	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	2	1	1	6	3	3	5	3	2	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	1	2	2	1	-
ALL OTHER--MALE----	-	1	-	-	3	2	1	1	-	-	-	-
FEMALE--	-	1	-	1	1	1	1	2	1	-	-	-
BLACK---MALE----	-	1	-	-	3	2	1	1	-	-	-	-
FEMALE--	-	1	-	1	1	1	1	2	1	-	-	-
FLORIDA -----	11	9	25	53	89	149	229	194	142	48	15	-
WHITE-----MALE----	3	7	9	29	52	62	98	52	50	10	3	-
FEMALE--	5	1	11	14	24	62	115	126	84	36	11	-
ALL OTHER--MALE----	3	1	4	6	7	7	8	4	2	-	1	-
FEMALE--	-	-	1	4	6	18	8	12	6	2	-	-
BLACK---MALE----	3	1	4	6	7	7	7	4	2	-	1	-
FEMALE--	-	-	1	3	6	17	8	12	5	2	-	-
GEORGIA -----	11	6	16	24	30	28	38	44	22	12	2	-
WHITE-----MALE----	5	3	7	10	15	11	10	13	3	1	-	-
FEMALE--	2	-	6	6	8	11	19	25	18	9	2	-
ALL OTHER--MALE----	3	2	1	6	4	3	2	-	-	1	-	-
FEMALE--	1	1	2	2	3	3	7	6	1	1	-	-
BLACK---MALE----	3	2	1	6	4	3	2	-	-	1	-	-
FEMALE--	1	1	2	2	3	3	7	6	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,740
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	1	6	1	1	5	12	2	15	1	2	-	-
WHITE-----MALE----	-	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	1	5	-	6	-	-	-	-
FEMALE--	1	2	-	1	3	6	1	6	1	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	2	-	2	6	5	4	4	3	-	-
WHITE-----MALE----	-	1	1	-	1	-	2	2	1	1	-	-
FEMALE--	-	-	1	-	1	5	3	2	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	12	16	22	47	64	112	144	144	113	32	12	-
WHITE-----MALE----	3	4	11	18	27	45	49	40	23	7	-	-
FEMALE--	2	4	5	13	29	53	85	95	83	23	11	-
ALL OTHER--MALE----	4	4	6	9	6	4	2	3	2	1	-	-
FEMALE--	3	4	-	7	2	10	8	6	5	1	1	-
BLACK---MALE----	4	4	6	9	6	4	2	2	1	1	-	-
FEMALE--	3	3	-	6	2	10	7	6	4	1	1	-
INDIANA -----	4	7	5	16	25	39	46	48	42	16	2	-
WHITE-----MALE----	1	3	4	8	16	23	13	19	4	-	1	-
FEMALE--	1	2	1	6	7	15	33	27	36	15	1	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	-	1	-	-	-
FEMALE--	2	1	-	1	1	1	-	2	1	1	-	-
BLACK---MALE----	-	1	-	1	1	-	-	-	1	-	-	-
FEMALE--	2	-	-	1	1	1	-	2	1	1	-	-
IOWA -----	1	1	6	6	15	21	27	24	31	25	1	-
WHITE-----MALE----	1	-	3	2	7	8	11	6	5	2	-	-
FEMALE--	-	1	3	4	8	13	14	17	26	23	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	2	-	6	9	11	18	32	21	11	1	-
WHITE-----MALE----	-	1	-	2	6	5	6	14	8	2	-	-
FEMALE--	-	1	-	2	3	5	12	17	13	8	1	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,741
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	4	5	3	11	28	25	34	51	30	12	2	-
WHITE-----MALE----	3	2	3	6	13	7	12	20	9	2	-	-
FEMALE--	1	3	-	5	11	16	20	30	20	9	2	-
ALL OTHER--MALE----	-	-	-	-	4	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	1	1	-	-
BLACK---MALE----	-	-	-	-	4	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	1	1	-	-
LOUISIANA -----	3	7	7	11	19	32	36	39	32	7	1	-
WHITE-----MALE----	-	3	3	3	8	9	7	13	7	3	-	-
FEMALE--	-	1	-	1	7	14	22	22	21	4	1	-
ALL OTHER--MALE----	3	1	-	1	2	2	3	3	4	-	-	-
FEMALE--	-	2	4	6	2	7	4	1	-	-	-	-
BLACK---MALE----	3	1	-	1	2	2	3	3	4	-	-	-
FEMALE--	-	2	4	6	2	7	4	1	-	-	-	-
MAINE -----	-	1	1	2	3	7	14	7	6	3	1	-
WHITE-----MALE----	-	1	-	1	1	2	2	1	-	1	-	-
FEMALE--	-	-	1	1	2	5	12	6	6	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	2	5	7	27	24	33	36	36	17	6	-
WHITE-----MALE----	-	2	2	4	10	7	8	11	4	4	-	-
FEMALE--	2	-	-	-	7	11	14	20	27	12	6	-
ALL OTHER--MALE----	1	-	3	2	5	2	5	-	1	-	-	-
FEMALE--	-	-	-	1	5	4	6	5	4	1	-	-
BLACK---MALE----	1	-	3	2	5	2	4	-	1	-	-	-
FEMALE--	-	-	-	-	5	3	6	5	4	1	-	-
MASSACHUSETTS -----	7	5	11	17	24	30	42	68	54	20	2	-
WHITE-----MALE----	3	3	2	9	12	13	15	20	7	1	1	-
FEMALE--	4	1	6	8	9	17	26	48	47	19	1	-
ALL OTHER--MALE----	-	1	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	1	-	-	-	-	-
MICHIGAN -----	12	16	26	43	84	100	144	152	111	40	7	-
WHITE-----MALE----	8	6	9	20	33	36	46	47	20	3	-	-
FEMALE--	1	7	9	10	27	45	73	85	74	28	7	-
ALL OTHER--MALE----	3	1	5	10	11	11	13	6	7	-	-	-
FEMALE--	-	2	3	3	13	8	12	14	10	9	-	-
BLACK---MALE----	3	1	4	9	9	11	12	6	6	-	-	-
FEMALE--	-	1	2	3	13	8	11	13	10	9	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,744
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	10	16	9	39	65	83	108	125	72	24	4	-
WHITE-----MALE----	5	5	1	15	31	30	45	29	16	1	-	-
FEMALE--	3	5	7	20	26	45	56	90	47	21	3	-
ALL OTHER--MALE----	1	4	-	3	2	2	2	2	4	1	-	-
FEMALE--	1	2	1	1	6	6	5	4	5	1	1	-
BLACK---MALE----	1	4	-	1	2	2	2	2	4	1	-	-
FEMALE--	1	2	1	1	6	6	5	3	5	1	1	-
OKLAHOMA -----	2	3	8	8	9	21	32	28	28	6	-	-
WHITE-----MALE----	1	-	6	4	4	7	10	4	4	-	-	-
FEMALE--	-	2	1	2	4	12	21	24	24	4	-	-
ALL OTHER--MALE----	1	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	-	-	2	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	-	-	2	-	-
OREGON -----	2	4	1	10	19	39	60	73	49	24	6	-
WHITE-----MALE----	-	-	-	7	11	18	24	24	9	7	-	-
FEMALE--	2	3	1	3	8	21	35	48	39	17	6	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	5	9	21	70	90	153	187	179	134	46	8	-
WHITE-----MALE----	2	5	11	29	48	65	68	64	33	7	2	-
FEMALE--	2	2	7	34	34	78	110	107	97	37	6	-
ALL OTHER--MALE----	1	1	1	2	5	3	-	4	-	-	-	-
FEMALE--	-	1	2	5	3	7	9	4	4	2	-	-
BLACK---MALE----	1	1	1	2	5	3	-	4	-	-	-	-
FEMALE--	-	1	2	4	2	5	9	4	3	2	-	-
RHODE ISLAND -----	-	-	1	5	4	9	5	14	8	2	-	-
WHITE-----MALE----	-	-	-	3	3	4	1	2	3	-	-	-
FEMALE--	-	-	-	2	1	5	4	12	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	8	1	16	16	20	39	51	32	32	14	3	-
WHITE-----MALE----	3	-	3	4	5	11	20	10	2	-	-	-
FEMALE--	3	-	4	4	9	17	20	16	27	11	2	-
ALL OTHER--MALE----	-	1	6	2	2	6	3	2	1	1	-	-
FEMALE--	2	-	3	6	4	5	8	4	2	2	1	-
BLACK---MALE----	-	1	6	2	2	6	3	2	1	1	-	-
FEMALE--	2	-	3	6	4	5	8	4	2	2	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,745
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	1	1	3	3	3	3	5	-	-
WHITE-----MALE----	-	-	-	1	-	2	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	3	3	5	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	7	14	17	35	49	50	69	50	25	6	-
WHITE-----MALE----	1	3	6	5	18	20	14	12	13	1	-	-
FEMALE--	1	2	3	6	8	19	28	47	33	22	5	-
ALL OTHER--MALE----	1	2	2	2	4	3	2	3	1	1	-	-
FEMALE--	-	-	3	4	5	7	6	7	3	1	1	-
BLACK---MALE----	1	2	2	2	4	3	2	3	1	1	-	-
FEMALE--	-	-	3	4	5	7	6	7	3	1	1	-
TEXAS -----	15	26	37	47	83	100	159	144	93	38	7	-
WHITE-----MALE----	9	16	14	22	38	36	66	50	21	5	-	-
FEMALE--	4	4	14	16	33	55	79	81	68	30	5	-
ALL OTHER--MALE----	1	4	8	7	8	2	2	4	2	2	-	-
FEMALE--	1	2	1	2	4	7	12	9	2	1	2	-
BLACK---MALE----	1	4	8	7	8	2	2	4	2	2	-	-
FEMALE--	1	2	1	2	3	7	12	9	2	1	2	-
UTAH -----	-	1	2	3	4	3	20	10	10	3	-	-
WHITE-----MALE----	-	-	1	1	3	2	12	3	2	2	-	-
FEMALE--	-	1	1	1	1	1	8	7	8	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	2	6	-	2	4	9	3	1	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	2	1	-	-	-
FEMALE--	-	1	1	5	-	2	4	7	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	13	11	21	25	36	50	40	40	13	4	-
WHITE-----MALE----	2	4	5	8	12	12	10	10	12	2	-	-
FEMALE--	-	3	5	5	6	17	34	28	25	9	3	-
ALL OTHER--MALE----	-	3	1	5	4	4	4	-	1	1	-	-
FEMALE--	-	3	-	3	3	3	2	2	2	1	1	-
BLACK---MALE----	-	3	1	4	4	4	4	-	1	1	-	-
FEMALE--	-	3	-	3	3	3	2	2	2	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,747
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CEREBRAL EMBOLISM (434.1)												
0 UNITED STATES --	13	17	23	60	82	127	128	116	66	13	5	-
WHITE-----MALE----	4	11	10	25	28	55	51	32	13	3	-	-
FEMALE--	5	3	11	28	49	63	65	75	49	9	4	-
ALL OTHER--MALE----	1	-	2	2	2	3	6	2	1	-	-	-
FEMALE--	3	3	-	5	3	6	6	7	3	1	1	-
BLACK---MALE----	1	-	2	1	2	2	5	2	-	-	-	-
FEMALE--	2	3	-	3	2	4	6	7	1	1	1	-
ALABAMA -----	1	-	1	1	1	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	1	2	-	1	2	-	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	-	3	1	2	5	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	3	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	-	1	1	7	9	18	15	13	5	1	-	-
WHITE-----MALE----	-	1	-	1	6	5	6	3	2	-	-	-
FEMALE--	-	-	1	4	3	10	8	10	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,748
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 CEREBRAL EMBOLISM (434.1)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	-	-	-	-	-	4	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	1	3	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	-	1	1	9	7	4	7	4	-	-	-
WHITE-----MALE----	-	-	1	-	2	5	2	2	-	-	-	-
FEMALE--	-	-	-	1	5	2	1	4	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
GEORGIA -----	1	1	1	3	1	1	4	2	-	1	-	-
WHITE-----MALE----	-	1	1	2	-	-	3	-	-	1	-	-
FEMALE--	1	-	-	1	-	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,750
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CEREBRAL EMBOLISM (434.1)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	-	1	-	1	1	5	4	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	2	-	1	1	1	-	1	-	-	1	-
WHITE-----MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	1	-
MAINE -----	-	-	-	-	2	1	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	2	1	1	3	2	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	2	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	1	2	2	6	3	3	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	4	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	-	1	1	7	1	4	1	3	2	-	1	-
WHITE-----MALE----	-	-	1	3	-	3	-	2	-	-	-	-
FEMALE--	-	-	-	4	1	-	1	1	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,756
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
0 UNITED STATES --	92,625	1	6	5	5	2	13	21	61	142	266	541
WHITE-----MALE----	29,849	-	-	2	2	2	4	9	17	40	98	191
FEMALE--	51,190	-	4	2	-	-	7	4	20	39	55	127
ALL OTHER--MALE----	4,859	-	1	1	-	-	2	1	12	34	51	135
FEMALE--	6,727	1	1	-	3	-	-	7	12	29	62	88
BLACK---MALE----	4,222	-	1	1	-	-	2	1	11	31	45	121
FEMALE--	5,968	-	1	-	3	-	-	6	12	28	56	79
ALABAMA -----	1,710	-	-	-	-	-	-	1	3	8	8	19
WHITE-----MALE----	447	-	-	-	-	-	-	1	1	2	-	4
FEMALE--	767	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	204	-	-	-	-	-	-	-	1	4	6	10
FEMALE--	292	-	-	-	-	-	-	-	1	1	1	4
BLACK---MALE----	201	-	-	-	-	-	-	-	1	4	6	10
FEMALE--	290	-	-	-	-	-	-	-	1	1	1	4
ALASKA -----	56	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,472	-	1	-	-	-	-	-	1	3	4	4
WHITE-----MALE----	536	-	-	-	-	-	-	-	1	1	3	2
FEMALE--	858	-	1	-	-	-	-	-	-	2	-	2
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	48	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1,450	-	-	-	-	-	-	-	5	3	3	12
WHITE-----MALE----	464	-	-	-	-	-	-	-	1	1	-	6
FEMALE--	788	-	-	-	-	-	-	-	3	1	3	1
ALL OTHER--MALE----	90	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	108	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	88	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	107	-	-	-	-	-	-	-	1	-	-	2
CALIFORNIA -----	9,055	-	-	-	1	-	1	2	6	17	33	47
WHITE-----MALE----	2,889	-	-	-	1	-	-	1	2	3	11	20
FEMALE--	4,972	-	-	-	-	-	1	1	2	5	12	12
ALL OTHER--MALE----	527	-	-	-	-	-	-	-	1	7	4	12
FEMALE--	667	-	-	-	-	-	-	-	1	2	6	3
BLACK---MALE----	275	-	-	-	-	-	-	-	-	5	4	7
FEMALE--	368	-	-	-	-	-	-	-	1	2	4	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,756
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
0 UNITED STATES --	870	1,439	2,568	4,777	8,692	13,960	19,348	20,178	13,689	4,991	1,047	3
WHITE-----MALE----	344	589	1,054	1,997	3,605	5,626	6,699	5,740	2,941	775	113	1
FEMALE--	235	392	751	1,657	3,544	6,503	10,663	12,787	9,760	3,829	809	2
ALL OTHER--MALE----	173	275	413	566	764	810	714	556	243	85	23	-
FEMALE--	118	183	350	557	779	1,021	1,272	1,095	745	302	102	-
BLACK---MALE----	165	248	365	513	659	699	629	446	192	73	20	-
FEMALE--	105	167	312	499	707	906	1,113	952	667	264	91	-
ALABAMA -----	23	38	80	106	199	274	377	311	184	67	12	-
WHITE-----MALE----	6	10	27	36	59	94	103	64	30	10	-	-
FEMALE--	4	10	25	28	78	99	180	178	117	37	8	-
ALL OTHER--MALE----	4	13	13	21	29	32	37	24	6	3	1	-
FEMALE--	9	5	15	21	33	49	57	45	31	17	3	-
BLACK---MALE----	4	13	12	20	29	32	37	23	6	3	1	-
FEMALE--	9	5	15	20	33	48	57	45	31	17	3	-
ALASKA -----	-	-	1	1	7	16	8	9	11	1	-	-
WHITE-----MALE----	-	-	-	1	3	6	2	2	1	-	-	-
FEMALE--	-	-	-	-	4	7	6	5	8	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	1	1	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ARIZONA -----	14	17	37	63	118	238	370	308	215	64	15	-
WHITE-----MALE----	5	9	24	25	61	104	139	102	47	10	3	-
FEMALE--	9	8	9	26	51	122	216	193	156	53	10	-
ALL OTHER--MALE----	-	-	3	8	2	6	3	1	4	1	1	-
FEMALE--	-	-	1	4	4	6	12	12	8	-	1	-
BLACK---MALE----	-	-	2	4	-	3	-	-	2	-	-	-
FEMALE--	-	-	-	1	2	4	8	5	3	-	-	-
ARKANSAS -----	25	24	56	86	133	203	307	308	189	80	16	-
WHITE-----MALE----	11	14	25	39	53	84	106	80	36	7	1	-
FEMALE--	7	5	13	28	61	90	169	201	134	60	12	-
ALL OTHER--MALE----	4	4	7	7	12	14	16	9	6	6	1	-
FEMALE--	3	1	11	12	7	15	16	18	13	7	2	-
BLACK---MALE----	4	4	7	7	12	12	16	9	6	6	1	-
FEMALE--	3	1	10	12	7	15	16	18	13	7	2	-
CALIFORNIA -----	85	148	225	424	892	1,375	1,908	1,961	1,307	509	113	1
WHITE-----MALE----	40	57	88	184	361	516	656	578	296	67	8	-
FEMALE--	18	52	62	146	354	655	1,043	1,195	908	412	93	1
ALL OTHER--MALE----	10	26	43	49	88	91	73	72	38	8	5	-
FEMALE--	17	13	32	45	89	113	136	116	65	22	7	-
BLACK---MALE----	8	15	21	34	41	49	40	32	13	3	3	-
FEMALE--	10	8	16	33	51	73	65	54	37	11	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,757
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	1,103	-	-	-	-	-	-	-	-	2	2	5
WHITE-----MALE----	343	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	722	-	-	-	-	-	-	-	-	1	1	4
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	1,124	-	-	-	-	-	-	-	-	-	2	7
WHITE-----MALE----	385	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	691	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	1
DELAWARE -----	204	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	66	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	104	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	191	-	-	-	-	-	-	1	-	2	1	6
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	57	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	85	-	-	-	-	-	-	1	-	1	1	4
BLACK---MALE----	57	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	84	-	-	-	-	-	-	1	-	1	1	4
FLORIDA -----	5,563	-	-	-	-	-	1	1	6	7	16	25
WHITE-----MALE----	2,099	-	-	-	-	-	-	1	3	1	10	6
FEMALE--	2,862	-	-	-	-	-	1	-	1	4	2	5
ALL OTHER--MALE----	247	-	-	-	-	-	-	-	-	1	1	8
FEMALE--	355	-	-	-	-	-	-	-	2	1	3	6
BLACK---MALE----	243	-	-	-	-	-	-	-	-	1	1	8
FEMALE--	343	-	-	-	-	-	-	-	2	1	3	6
GEORGIA -----	2,495	-	1	-	-	-	-	3	3	5	8	40
WHITE-----MALE----	650	-	-	-	-	-	-	1	1	1	2	12
FEMALE--	1,159	-	-	-	-	-	-	2	1	1	1	8
ALL OTHER--MALE----	282	-	-	-	-	-	-	-	1	1	3	13
FEMALE--	404	-	1	-	-	-	-	-	-	2	2	7
BLACK---MALE----	280	-	-	-	-	-	-	-	1	1	3	12
FEMALE--	400	-	1	-	-	-	-	-	-	2	2	7

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,757
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	9	14	27	33	92	170	211	271	185	65	17	-
WHITE-----MALE----	6	8	8	20	39	64	72	77	35	12	-	-
FEMALE--	3	5	15	11	50	99	135	185	146	50	17	-
ALL OTHER--MALE----	-	1	2	1	2	1	1	2	1	-	-	-
FEMALE--	-	-	2	1	1	6	3	7	3	3	-	-
BLACK---MALE----	-	1	2	-	2	1	1	2	-	-	-	-
FEMALE--	-	-	2	1	1	6	2	5	3	2	-	-
CONNECTICUT -----	4	19	18	45	82	172	247	265	182	63	18	-
WHITE-----MALE----	1	12	9	18	44	76	96	75	35	10	4	-
FEMALE--	3	4	3	24	32	90	138	184	144	53	14	-
ALL OTHER--MALE----	-	1	3	1	3	4	4	2	1	-	-	-
FEMALE--	-	2	3	2	3	2	9	4	2	-	-	-
BLACK---MALE----	-	1	2	1	3	4	3	1	1	-	-	-
FEMALE--	-	2	3	1	3	2	7	3	2	-	-	-
DELAWARE -----	2	5	6	10	23	30	49	41	27	10	1	-
WHITE-----MALE----	1	4	-	3	9	11	23	10	5	-	-	-
FEMALE--	1	1	3	7	9	15	19	25	18	6	-	-
ALL OTHER--MALE----	-	-	1	-	3	3	1	1	1	1	1	-
FEMALE--	-	-	2	-	2	1	6	5	3	3	-	-
BLACK---MALE----	-	-	1	-	3	3	1	1	1	1	1	-
FEMALE--	-	-	2	-	2	1	6	4	3	3	-	-
DISTRICT OF COLUMBIA ----	3	6	7	13	20	26	37	31	20	11	7	-
WHITE-----MALE----	-	-	1	3	-	4	3	2	3	1	-	-
FEMALE--	-	-	-	-	-	3	4	9	8	5	2	-
ALL OTHER--MALE----	1	5	1	6	10	8	11	8	5	-	-	-
FEMALE--	2	1	5	4	10	11	19	12	4	5	5	-
BLACK---MALE----	1	5	1	6	10	8	11	8	5	-	-	-
FEMALE--	2	1	5	4	10	11	19	12	4	4	5	-
FLORIDA -----	49	84	167	272	554	916	1,164	1,231	764	268	38	-
WHITE-----MALE----	24	39	75	124	248	419	474	411	201	58	5	-
FEMALE--	13	23	41	84	219	400	589	743	516	193	28	-
ALL OTHER--MALE----	5	11	34	36	36	38	37	24	12	3	1	-
FEMALE--	7	11	17	28	51	59	64	53	35	14	4	-
BLACK---MALE----	5	11	33	35	35	38	36	24	12	3	1	-
FEMALE--	7	11	17	28	50	55	62	50	33	14	4	-
GEORGIA -----	44	68	107	174	278	381	512	474	294	85	18	-
WHITE-----MALE----	7	17	32	53	93	110	159	101	51	9	1	-
FEMALE--	11	13	28	48	95	169	235	286	195	54	12	-
ALL OTHER--MALE----	15	25	26	34	44	44	37	24	9	4	2	-
FEMALE--	11	13	21	39	46	58	81	63	39	18	3	-
BLACK---MALE----	15	25	26	34	43	44	37	24	9	4	2	-
FEMALE--	11	13	21	38	46	58	78	63	39	18	3	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,758
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	3	7	10	27	34	43	68	82	42	24	2	-
WHITE-----MALE----	-	1	1	2	7	9	14	7	-	3	-	-
FEMALE--	1	-	-	2	3	3	8	7	9	4	-	-
ALL OTHER--MALE----	2	2	4	13	16	17	23	39	11	4	-	-
FEMALE--	-	4	5	10	8	14	23	29	22	13	2	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	5	8	18	34	68	90	106	74	28	6	-
WHITE-----MALE----	-	3	3	11	13	29	39	35	22	7	-	-
FEMALE--	-	2	3	7	21	38	50	71	52	19	6	-
ALL OTHER--MALE----	-	-	2	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	34	66	117	206	383	632	856	871	641	224	45	-
WHITE-----MALE----	9	26	49	94	151	276	288	273	138	38	7	-
FEMALE--	8	16	31	70	155	271	512	547	468	177	33	-
ALL OTHER--MALE----	9	16	19	27	38	36	16	15	8	3	-	-
FEMALE--	8	8	18	15	39	49	40	36	27	6	5	-
BLACK---MALE----	8	16	19	26	34	35	15	13	7	3	-	-
FEMALE--	8	8	16	15	37	46	38	33	27	5	5	-
INDIANA -----	13	35	65	99	237	365	540	557	378	121	29	-
WHITE-----MALE----	6	17	31	39	90	156	195	150	72	21	3	-
FEMALE--	6	12	22	50	115	183	321	382	295	94	23	-
ALL OTHER--MALE----	-	2	4	5	22	6	8	11	2	2	1	-
FEMALE--	1	4	8	5	10	20	16	14	9	4	2	-
BLACK---MALE----	-	2	4	5	19	6	8	11	2	2	1	-
FEMALE--	-	4	8	5	10	19	16	13	9	4	2	-
IOWA -----	8	18	27	49	105	202	308	379	260	125	29	-
WHITE-----MALE----	3	12	8	26	59	96	128	99	60	26	1	-
FEMALE--	4	6	16	22	44	105	178	275	197	97	28	-
ALL OTHER--MALE----	1	-	1	1	1	1	-	1	1	1	-	-
FEMALE--	-	-	2	-	1	-	2	4	2	1	-	-
BLACK---MALE----	1	-	1	1	1	1	-	1	1	1	-	-
FEMALE--	-	-	2	-	1	-	2	4	2	1	-	-
KANSAS -----	13	9	37	33	99	149	248	289	231	102	15	-
WHITE-----MALE----	8	4	15	16	45	67	91	93	51	15	-	-
FEMALE--	2	4	18	12	47	72	148	189	169	82	10	-
ALL OTHER--MALE----	1	-	1	2	4	5	4	3	3	1	1	-
FEMALE--	2	1	3	3	3	5	5	4	8	4	4	-
BLACK---MALE----	1	-	-	2	2	5	4	3	3	1	1	-
FEMALE--	2	1	2	3	2	5	5	4	6	4	4	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,759
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	1,552	-	-	-	-	-	-	-	-	2	5	9
WHITE-----MALE----	529	-	-	-	-	-	-	-	-	-	2	5
FEMALE--	908	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	42	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	73	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	41	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	72	-	-	-	-	-	-	-	-	-	1	2
LOUISIANA -----	1,514	-	1	1	-	-	-	1	1	6	5	20
WHITE-----MALE----	382	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	657	-	1	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	207	-	-	1	-	-	-	-	-	3	2	8
FEMALE--	268	-	-	-	-	-	-	1	1	1	1	9
BLACK---MALE----	206	-	-	1	-	-	-	-	-	3	2	8
FEMALE--	263	-	-	-	-	-	-	1	1	1	1	9
MAINE -----	438	-	-	-	-	-	1	-	2	2	2	2
WHITE-----MALE----	171	-	-	-	-	-	-	-	2	2	1	2
FEMALE--	265	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,391	-	1	-	-	-	1	-	1	1	4	11
WHITE-----MALE----	410	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	693	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	132	-	1	-	-	-	1	-	-	-	1	4
FEMALE--	156	-	-	-	-	-	-	-	1	1	2	3
BLACK---MALE----	126	-	1	-	-	-	1	-	-	-	1	3
FEMALE--	153	-	-	-	-	-	-	-	1	1	2	3
MASSACHUSETTS -----	1,756	-	-	-	-	-	1	-	1	3	2	4
WHITE-----MALE----	558	-	-	-	-	-	1	-	-	3	1	4
FEMALE--	1,135	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2,947	-	-	-	-	-	-	-	-	4	15	19
WHITE-----MALE----	999	-	-	-	-	-	-	-	-	-	7	6
FEMALE--	1,645	-	-	-	-	-	-	-	-	1	2	8
ALL OTHER--MALE----	142	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	161	-	-	-	-	-	-	-	-	2	5	4
BLACK---MALE----	134	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	150	-	-	-	-	-	-	-	-	2	5	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,759
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	18	20	54	88	156	215	344	330	218	79	14	-
WHITE-----MALE----	9	9	27	42	67	89	108	103	48	17	3	-
FEMALE--	6	7	18	37	78	112	214	210	156	56	11	-
ALL OTHER--MALE----	2	2	4	4	1	6	8	4	8	-	-	-
FEMALE--	1	2	5	5	10	8	14	13	6	6	-	-
BLACK---MALE----	2	2	3	4	1	6	8	4	8	-	-	-
FEMALE--	1	2	5	5	9	8	14	13	6	6	-	-
LOUISIANA -----	25	44	79	124	152	234	285	294	183	51	8	-
WHITE-----MALE----	6	12	21	38	44	73	83	66	27	5	2	-
FEMALE--	3	9	16	31	51	99	140	157	114	30	4	-
ALL OTHER--MALE----	13	14	23	28	32	24	21	25	9	3	1	-
FEMALE--	3	9	19	27	25	38	41	46	33	13	1	-
BLACK---MALE----	13	14	23	28	32	23	21	25	9	3	1	-
FEMALE--	3	9	19	26	25	38	40	45	31	13	1	-
MAINE -----	4	5	6	17	43	69	93	89	72	25	6	-
WHITE-----MALE----	1	3	4	10	20	26	44	29	23	3	1	-
FEMALE--	2	2	2	7	23	43	49	60	49	22	5	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	9	29	38	91	122	241	279	291	187	77	8	-
WHITE-----MALE----	3	10	14	26	35	90	96	79	39	13	3	-
FEMALE--	1	5	13	31	41	97	147	167	129	55	4	-
ALL OTHER--MALE----	4	7	8	16	22	28	15	18	5	1	1	-
FEMALE--	1	7	3	18	24	26	21	27	14	8	-	-
BLACK---MALE----	4	7	8	16	21	27	14	16	5	1	1	-
FEMALE--	1	7	3	18	23	25	20	27	14	8	-	-
MASSACHUSETTS -----	15	15	26	64	152	266	356	404	299	111	37	-
WHITE-----MALE----	8	11	13	21	61	120	131	98	56	26	4	-
FEMALE--	3	3	10	38	81	137	207	296	242	85	31	-
ALL OTHER--MALE----	2	1	1	3	4	4	5	5	-	-	-	-
FEMALE--	2	-	2	2	6	5	13	5	1	-	2	-
BLACK---MALE----	2	1	1	2	3	3	3	2	-	-	-	-
FEMALE--	2	-	2	-	5	2	9	5	1	-	2	-
MICHIGAN -----	27	46	80	144	280	460	632	612	429	170	29	-
WHITE-----MALE----	10	14	33	64	132	197	234	173	101	26	2	-
FEMALE--	5	18	25	47	114	208	359	393	308	132	25	-
ALL OTHER--MALE----	6	8	14	19	19	29	19	15	6	4	-	-
FEMALE--	6	6	8	14	15	26	20	31	14	8	2	-
BLACK---MALE----	5	8	13	18	18	27	18	14	6	4	-	-
FEMALE--	6	5	8	12	14	22	19	30	14	8	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,760
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	5	16	26	50	111	252	332	465	367	140	33	-
WHITE-----MALE----	2	12	13	26	56	128	134	155	99	19	2	-
FEMALE--	3	4	11	22	48	120	197	310	268	120	30	-
ALL OTHER--MALE----	-	-	1	1	3	2	-	-	-	-	1	-
FEMALE--	-	-	1	1	4	2	1	-	-	1	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	1	-
FEMALE--	-	-	-	1	3	-	-	-	-	-	-	-
MISSISSIPPI -----	21	20	46	76	132	186	221	209	119	56	11	-
WHITE-----MALE----	4	8	14	24	43	58	51	52	27	9	1	-
FEMALE--	6	1	11	20	33	67	80	113	60	31	5	-
ALL OTHER--MALE----	8	6	13	15	29	22	36	17	8	4	-	-
FEMALE--	3	5	8	17	27	39	54	27	24	12	5	-
BLACK---MALE----	8	6	13	15	29	22	36	17	8	4	-	-
FEMALE--	3	5	8	15	27	39	54	27	23	12	5	-
MISSOURI -----	16	24	66	129	178	327	458	566	385	99	21	-
WHITE-----MALE----	10	10	27	68	83	134	162	159	81	12	5	-
FEMALE--	5	8	23	48	73	170	269	375	289	82	16	-
ALL OTHER--MALE----	-	3	6	5	13	10	10	12	2	-	-	-
FEMALE--	1	3	10	8	9	13	17	20	13	5	-	-
BLACK---MALE----	-	3	6	5	13	10	10	11	2	-	-	-
FEMALE--	1	3	10	8	8	13	17	20	13	5	-	-
MONTANA -----	1	-	4	12	21	57	74	71	49	23	4	-
WHITE-----MALE----	1	-	4	6	14	31	28	25	9	4	-	-
FEMALE--	-	-	-	6	6	25	44	45	40	17	4	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	4	2	19	24	48	99	153	169	106	51	5	-
WHITE-----MALE----	1	-	10	13	22	50	49	58	31	7	-	-
FEMALE--	2	2	6	8	25	45	100	108	74	44	5	-
ALL OTHER--MALE----	-	-	1	-	-	3	2	2	-	-	-	-
FEMALE--	1	-	2	3	1	1	2	1	1	-	-	-
BLACK---MALE----	-	-	1	-	-	3	2	1	-	-	-	-
FEMALE--	1	-	1	1	1	-	1	1	-	-	-	-
NEVADA -----	5	11	19	30	63	93	89	82	37	13	3	-
WHITE-----MALE----	4	9	12	18	34	48	36	25	10	2	2	-
FEMALE--	-	1	5	7	27	39	51	54	24	10	-	-
ALL OTHER--MALE----	-	1	1	3	-	4	-	-	2	-	-	-
FEMALE--	1	-	1	2	2	2	2	3	1	1	1	-
BLACK---MALE----	-	1	1	3	-	4	-	-	1	-	-	-
FEMALE--	1	-	-	2	2	2	1	1	1	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,762
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	3,879	-	-	-	-	-	1	-	1	1	7	19
WHITE-----MALE----	1,255	-	-	-	-	-	1	-	-	-	2	11
FEMALE--	2,234	-	-	-	-	-	-	-	1	-	4	6
ALL OTHER--MALE----	179	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	211	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	178	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	209	-	-	-	-	-	-	-	-	1	1	2
OKLAHOMA -----	1,639	-	-	-	-	-	1	-	1	2	4	13
WHITE-----MALE----	560	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	937	-	-	-	-	-	1	-	1	2	1	4
ALL OTHER--MALE----	48	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	94	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	36	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	65	-	-	-	-	-	-	-	-	-	1	2
OREGON -----	1,472	-	-	-	-	-	-	-	1	-	2	4
WHITE-----MALE----	530	-	-	-	-	-	-	-	1	-	1	3
FEMALE--	906	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4,855	-	-	-	-	-	1	-	4	9	12	23
WHITE-----MALE----	1,609	-	-	-	-	-	-	-	-	4	4	10
FEMALE--	2,871	-	-	-	-	-	1	-	2	4	3	4
ALL OTHER--MALE----	149	-	-	-	-	-	-	-	1	1	1	6
FEMALE--	226	-	-	-	-	-	-	-	1	-	4	3
BLACK---MALE----	143	-	-	-	-	-	-	-	1	1	1	5
FEMALE--	219	-	-	-	-	-	-	-	1	-	4	2
RHODE ISLAND -----	304	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	95	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	203	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1,694	-	-	-	2	-	-	1	1	4	11	11
WHITE-----MALE----	365	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	733	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	232	-	-	-	-	-	-	1	-	-	3	7
FEMALE--	364	-	-	-	2	-	-	-	1	2	5	1
BLACK---MALE----	230	-	-	-	-	-	-	1	-	-	3	7
FEMALE--	364	-	-	-	2	-	-	-	1	2	5	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,762
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	19	66	94	203	395	617	802	827	570	217	39	1
WHITE-----MALE----	6	27	45	96	169	254	262	236	113	28	4	1
FEMALE--	5	20	30	69	163	296	476	531	425	179	29	-
ALL OTHER--MALE----	8	12	11	23	40	25	24	26	7	3	-	-
FEMALE--	-	7	8	15	23	42	40	34	25	7	6	-
BLACK---MALE----	8	12	11	23	40	24	24	26	7	3	-	-
FEMALE--	-	7	8	14	22	42	40	34	25	7	6	-
OKLAHOMA -----	16	29	47	94	151	253	324	340	273	72	19	-
WHITE-----MALE----	7	15	29	41	77	96	109	108	60	11	2	-
FEMALE--	5	8	10	38	61	136	187	212	201	53	17	-
ALL OTHER--MALE----	3	3	3	5	3	11	8	4	3	2	-	-
FEMALE--	1	3	5	10	10	10	20	16	9	6	-	-
BLACK---MALE----	2	1	3	4	2	7	7	4	3	2	-	-
FEMALE--	1	-	4	4	7	8	16	12	6	4	-	-
OREGON -----	5	10	24	58	130	231	312	366	215	91	23	-
WHITE-----MALE----	1	8	8	36	61	101	119	119	56	13	3	-
FEMALE--	3	2	13	21	65	123	184	244	153	76	20	-
ALL OTHER--MALE----	1	-	3	1	2	2	2	3	3	1	-	-
FEMALE--	-	-	-	-	2	5	7	-	3	1	-	-
BLACK---MALE----	1	-	2	1	-	-	1	1	2	1	-	-
FEMALE--	-	-	-	-	1	1	1	-	2	-	-	-
PENNSYLVANIA -----	33	48	110	265	471	756	1,036	1,061	693	284	49	-
WHITE-----MALE----	13	20	52	115	226	316	377	284	140	45	3	-
FEMALE--	15	18	33	108	205	377	599	717	522	222	41	-
ALL OTHER--MALE----	3	5	11	20	20	35	23	15	5	2	1	-
FEMALE--	2	5	14	22	20	28	37	45	26	15	4	-
BLACK---MALE----	3	5	11	20	19	35	20	14	5	2	1	-
FEMALE--	1	5	14	22	20	26	36	44	25	15	4	-
RHODE ISLAND -----	1	2	5	12	24	36	61	75	52	24	11	-
WHITE-----MALE----	1	-	2	6	13	17	19	23	10	2	1	-
FEMALE--	-	2	3	6	11	18	38	52	41	22	10	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	1	-	-	-
SOUTH CAROLINA -----	28	39	58	115	205	266	349	317	201	72	14	-
WHITE-----MALE----	8	10	15	29	61	72	76	52	24	11	1	-
FEMALE--	7	1	10	21	65	103	152	199	127	40	6	-
ALL OTHER--MALE----	10	18	16	32	31	42	37	18	12	5	-	-
FEMALE--	3	10	17	33	48	49	84	48	38	16	7	-
BLACK---MALE----	10	18	16	31	31	41	37	18	12	5	-	-
FEMALE--	3	10	17	33	48	49	84	48	38	16	7	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,763
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	332	1	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	103	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	219	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2,501	-	-	-	1	-	1	-	1	3	8	18
WHITE-----MALE----	761	-	-	-	1	-	-	-	1	1	4	6
FEMALE--	1,303	-	-	-	-	-	1	-	-	-	1	2
ALL OTHER--MALE----	175	-	-	-	-	-	-	-	-	-	2	9
FEMALE--	262	-	-	-	-	-	-	-	-	2	1	1
BLACK---MALE----	175	-	-	-	-	-	-	-	-	-	2	9
FEMALE--	261	-	-	-	-	-	-	-	-	2	1	1
TEXAS -----	5,554	-	-	1	-	1	-	2	4	11	17	34
WHITE-----MALE----	1,710	-	-	1	-	1	-	1	2	2	6	17
FEMALE--	3,055	-	-	-	-	-	-	1	2	3	2	7
ALL OTHER--MALE----	325	-	-	-	-	-	-	-	-	1	4	9
FEMALE--	464	-	-	-	-	-	-	-	-	5	5	1
BLACK---MALE----	316	-	-	-	-	-	-	-	-	1	3	9
FEMALE--	453	-	-	-	-	-	-	-	-	5	5	1
UTAH -----	546	-	1	-	-	-	1	-	1	-	2	5
WHITE-----MALE----	212	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	323	-	1	-	-	-	1	-	-	-	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	183	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	68	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	112	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2,242	-	-	-	-	-	1	1	1	8	8	14
WHITE-----MALE----	632	-	-	-	-	-	-	1	-	2	2	4
FEMALE--	1,064	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	235	-	-	-	-	-	1	-	1	4	-	4
FEMALE--	311	-	-	-	-	-	-	-	-	2	4	4
BLACK---MALE----	228	-	-	-	-	-	1	-	1	4	-	4
FEMALE--	303	-	-	-	-	-	-	-	-	2	4	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,763
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	1	5	8	30	49	74	83	50	25	3	-
WHITE-----MALE----	1	-	-	5	13	14	26	24	13	5	-	-
FEMALE--	-	-	5	3	16	32	46	57	37	20	3	-
ALL OTHER--MALE----	-	1	-	-	1	3	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	31	59	77	137	249	390	551	517	337	96	25	-
WHITE-----MALE----	13	27	27	56	94	137	173	134	73	13	1	-
FEMALE--	8	12	26	43	103	191	289	313	224	69	21	-
ALL OTHER--MALE----	10	14	11	16	23	30	30	23	6	-	1	-
FEMALE--	-	6	13	22	29	32	59	47	34	14	2	-
BLACK---MALE----	10	14	11	16	23	30	30	23	6	-	1	-
FEMALE--	-	6	13	22	29	32	58	47	34	14	2	-
TEXAS -----	72	106	158	291	522	760	1,163	1,222	845	278	67	-
WHITE-----MALE----	28	45	71	123	206	282	375	351	143	48	8	-
FEMALE--	24	28	42	96	218	362	636	766	617	204	47	-
ALL OTHER--MALE----	14	19	29	34	47	55	57	32	16	5	3	-
FEMALE--	6	14	16	38	51	61	95	73	69	21	9	-
BLACK---MALE----	14	17	28	32	47	54	55	32	16	5	3	-
FEMALE--	6	13	16	37	50	59	92	70	69	21	9	-
UTAH -----	1	5	6	22	48	76	111	141	101	19	6	-
WHITE-----MALE----	1	2	3	11	26	41	44	45	28	6	1	-
FEMALE--	-	3	2	10	21	32	66	95	72	13	5	-
ALL OTHER--MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
VERMONT -----	-	1	3	11	15	22	41	49	26	10	4	-
WHITE-----MALE----	-	-	1	4	8	11	20	18	5	-	-	-
FEMALE--	-	1	1	7	6	11	20	31	21	10	4	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	27	32	78	144	241	347	437	474	307	93	29	-
WHITE-----MALE----	6	9	25	50	69	124	133	119	65	18	5	-
FEMALE--	8	7	14	35	86	135	213	281	196	70	15	-
ALL OTHER--MALE----	9	10	21	33	43	43	32	24	8	2	-	-
FEMALE--	4	6	18	26	43	45	59	50	38	3	9	-
BLACK---MALE----	9	10	21	32	42	42	28	24	8	2	-	-
FEMALE--	4	6	17	25	42	42	57	50	38	3	9	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,764
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
WASHINGTON -----	12	23	40	87	184	302	447	500	363	140	35	-
WHITE-----MALE----	6	13	13	40	81	139	177	166	73	26	3	-
FEMALE--	3	8	20	37	93	144	260	320	278	110	29	-
ALL OTHER--MALE----	2	2	5	5	5	12	4	6	2	1	-	-
FEMALE--	1	-	2	5	5	7	6	8	10	3	3	-
BLACK---MALE----	1	-	1	3	-	4	3	1	1	-	-	-
FEMALE--	-	-	-	2	4	2	5	3	5	-	-	-
WEST VIRGINIA -----	5	11	22	49	90	119	152	148	90	32	10	-
WHITE-----MALE----	4	9	14	21	46	43	56	48	14	8	2	-
FEMALE--	1	2	7	26	40	72	91	96	70	21	8	-
ALL OTHER--MALE----	-	-	1	2	-	1	2	-	1	1	-	-
FEMALE--	-	-	-	-	4	3	3	4	5	2	-	-
BLACK---MALE----	-	-	1	2	-	1	2	-	-	1	-	-
FEMALE--	-	-	-	-	4	3	3	4	5	2	-	-
WISCONSIN -----	8	26	37	81	165	286	460	545	408	159	26	-
WHITE-----MALE----	5	9	21	36	92	132	182	174	100	20	3	-
FEMALE--	2	13	12	36	64	142	270	358	306	136	23	-
ALL OTHER--MALE----	1	2	3	4	8	5	2	5	-	1	-	-
FEMALE--	-	2	1	5	1	7	6	8	2	2	-	-
BLACK---MALE----	1	1	2	4	6	5	1	3	-	-	-	-
FEMALE--	-	2	1	4	1	4	4	6	2	2	-	-
WYOMING -----	2	1	2	8	11	21	30	47	30	8	3	-
WHITE-----MALE----	1	1	2	4	5	9	9	11	10	-	-	-
FEMALE--	-	-	-	4	6	12	21	35	20	8	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,765
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	186	264	504	958	1,747	2,945	4,364	4,920	3,526	1,430	348	4
WHITE-----MALE----	82	103	210	411	765	1,258	1,688	1,508	797	224	41	-
FEMALE--	50	87	155	312	645	1,289	2,193	3,011	2,449	1,074	270	2
ALL OTHER--MALE----	35	48	81	119	179	193	179	160	73	31	9	-
FEMALE--	19	26	58	116	158	205	304	241	207	101	28	2
BLACK---MALE----	31	40	74	106	155	155	148	120	50	22	8	-
FEMALE--	16	25	52	105	139	175	262	202	182	81	26	2
ALABAMA -----	5	5	12	15	33	58	60	63	51	20	7	-
WHITE-----MALE----	2	1	5	6	8	17	17	18	8	1	-	-
FEMALE--	2	1	1	5	12	25	25	31	32	15	5	-
ALL OTHER--MALE----	-	2	4	3	7	5	7	3	3	1	-	-
FEMALE--	1	1	2	1	6	11	11	11	8	3	2	-
BLACK---MALE----	-	2	4	3	7	5	7	3	3	1	-	-
FEMALE--	1	1	2	1	6	11	11	10	8	3	2	-
ALASKA -----	-	2	-	-	2	3	3	3	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	2	-	-	-	-
FEMALE--	-	2	-	-	1	1	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	9	3	8	11	20	43	63	67	47	16	3	-
WHITE-----MALE----	6	1	8	6	9	22	24	26	10	5	1	-
FEMALE--	2	2	-	4	11	18	37	38	36	11	2	-
ALL OTHER--MALE----	-	-	-	1	-	3	-	2	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	-	-	-
ARKANSAS -----	2	3	8	22	19	37	71	91	60	9	8	-
WHITE-----MALE----	-	1	-	6	10	13	27	27	14	5	-	-
FEMALE--	1	1	5	6	7	18	38	49	40	3	5	-
ALL OTHER--MALE----	-	-	2	7	1	3	1	5	2	1	-	-
FEMALE--	1	1	1	3	1	3	5	10	4	-	3	-
BLACK---MALE----	-	-	2	6	1	3	1	5	2	1	-	-
FEMALE--	1	1	1	3	1	3	5	10	4	-	3	-
CALIFORNIA -----	24	30	52	111	223	390	527	560	435	177	57	-
WHITE-----MALE----	9	11	22	40	88	161	195	173	99	32	9	-
FEMALE--	8	9	17	35	86	164	247	320	295	120	42	-
ALL OTHER--MALE----	5	7	7	21	26	33	37	32	24	7	4	-
FEMALE--	2	3	6	15	23	32	48	35	17	18	2	-
BLACK---MALE----	2	3	3	12	15	14	19	13	5	3	3	-
FEMALE--	1	2	3	8	13	13	23	15	9	8	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,766
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	189	1	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	78	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	104	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	251	3	1	-	-	-	-	-	1	1	1	-
WHITE-----MALE----	93	1	1	-	-	-	-	-	1	-	1	-
FEMALE--	144	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	37	2	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	10	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	42	1	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	24	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	24	1	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1,270	11	1	-	-	-	-	-	1	4	6	6
WHITE-----MALE----	457	6	-	-	-	-	-	-	-	2	3	3
FEMALE--	673	4	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	61	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	79	1	-	-	-	-	-	-	-	2	2	1
BLACK---MALE----	60	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	77	1	-	-	-	-	-	-	-	2	2	1
GEORGIA -----	526	7	-	-	2	-	-	1	3	2	2	8
WHITE-----MALE----	156	1	-	-	-	-	-	-	-	2	1	2
FEMALE--	221	2	-	-	1	-	-	1	-	-	-	2
ALL OTHER--MALE----	69	2	-	-	1	-	-	-	1	-	-	3
FEMALE--	80	2	-	-	-	-	-	-	2	-	1	1
BLACK---MALE----	69	2	-	-	1	-	-	-	1	-	-	3
FEMALE--	80	2	-	-	-	-	-	-	2	-	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,766
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	3	5	3	24	26	28	46	28	18	3	-
WHITE-----MALE----	-	-	4	3	12	11	17	18	8	2	-	-
FEMALE--	1	3	1	-	9	14	10	27	20	15	3	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	1	-	-
CONNECTICUT -----	-	4	4	11	10	29	56	56	49	20	5	-
WHITE-----MALE----	-	1	2	6	7	14	26	19	11	3	-	-
FEMALE--	-	1	1	4	2	14	28	34	37	17	5	-
ALL OTHER--MALE----	-	2	1	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	1	1	-	2	1	1	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	1	1	-	-	-
DELAWARE -----	-	-	1	2	6	3	10	7	4	2	-	-
WHITE-----MALE----	-	-	1	1	-	1	3	2	-	1	-	-
FEMALE--	-	-	-	1	2	2	3	5	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	2	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	2	1	1	3	6	8	7	10	2	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	3	1	2	-	-
ALL OTHER--MALE----	-	2	-	1	1	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	1	5	4	8	-	-	-	-
BLACK---MALE----	-	2	-	1	1	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	1	5	5	4	8	-	-	-
FLORIDA -----	6	13	34	63	99	176	265	284	213	77	11	-
WHITE-----MALE----	2	4	11	28	51	83	95	98	55	14	2	-
FEMALE--	2	4	11	19	30	70	144	172	148	58	8	-
ALL OTHER--MALE----	1	3	7	10	10	13	7	3	2	2	1	-
FEMALE--	1	2	5	6	8	10	19	11	8	3	-	-
BLACK---MALE----	1	3	7	10	10	12	7	3	2	2	1	-
FEMALE--	1	2	5	6	8	10	19	10	7	3	-	-
GEORGIA -----	9	11	17	34	52	67	116	95	55	34	11	-
WHITE-----MALE----	2	3	6	16	16	28	42	25	8	1	3	-
FEMALE--	2	3	5	5	17	18	39	60	36	25	5	-
ALL OTHER--MALE----	3	3	5	8	13	10	12	5	1	1	1	-
FEMALE--	2	2	1	5	6	11	23	5	10	7	2	-
BLACK---MALE----	3	3	5	8	13	10	12	5	1	1	1	-
FEMALE--	2	2	1	5	6	11	23	5	10	7	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,767
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	-	1	2	5	7	10	15	8	12	-	-
WHITE-----MALE----	-	-	-	-	1	1	2	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	3	-	-
ALL OTHER--MALE----	-	-	-	1	4	4	4	10	2	4	-	-
FEMALE--	-	-	1	1	-	2	4	3	4	5	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
IDAHO -----	-	1	3	3	8	20	22	26	12	7	1	-
WHITE-----MALE----	-	-	2	1	6	13	11	16	4	1	-	-
FEMALE--	-	-	1	2	2	7	11	10	8	6	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	7	9	22	49	79	151	204	238	174	78	14	-
WHITE-----MALE----	3	3	10	22	29	56	76	58	36	14	2	-
FEMALE--	2	2	7	15	35	75	113	162	124	59	12	-
ALL OTHER--MALE----	2	3	4	2	8	12	6	7	2	1	-	-
FEMALE--	-	1	1	10	7	8	9	11	12	4	-	-
BLACK---MALE----	2	2	4	2	8	12	5	5	2	1	-	-
FEMALE--	-	1	1	10	7	8	9	10	10	4	-	-
INDIANA -----	6	10	13	23	41	83	92	136	90	37	14	-
WHITE-----MALE----	2	1	6	11	17	37	34	36	18	4	1	-
FEMALE--	3	8	5	10	17	41	53	92	68	33	13	-
ALL OTHER--MALE----	-	1	2	2	3	4	2	3	1	-	-	-
FEMALE--	1	-	-	-	4	1	3	5	3	-	-	-
BLACK---MALE----	-	1	2	2	3	4	2	3	1	-	-	-
FEMALE--	1	-	-	-	3	1	3	5	3	-	-	-
IOWA -----	4	4	5	7	17	16	49	63	45	25	4	-
WHITE-----MALE----	1	2	2	4	8	5	24	24	12	6	-	-
FEMALE--	2	1	3	3	9	11	25	38	33	19	4	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
KANSAS -----	2	4	7	5	13	30	46	73	49	14	9	-
WHITE-----MALE----	1	4	3	3	5	18	22	23	12	2	1	-
FEMALE--	-	-	2	1	5	12	22	48	37	11	8	-
ALL OTHER--MALE----	1	-	-	1	-	-	1	2	-	-	-	-
FEMALE--	-	-	2	-	3	-	1	-	-	1	-	-
BLACK---MALE----	1	-	-	1	-	-	-	2	-	-	-	-
FEMALE--	-	-	1	-	3	-	1	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,768
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	309	2	1	-	1	-	-	-	1	1	2	7
WHITE-----MALE----	123	1	1	-	1	-	-	-	-	1	-	1
FEMALE--	163	1	-	-	-	-	-	-	1	-	2	5
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	316	-	-	-	-	-	-	-	-	1	1	4
WHITE-----MALE----	92	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	139	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	39	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	95	2	-	-	-	1	-	-	-	1	-	1
WHITE-----MALE----	37	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	58	1	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	459	3	-	-	-	1	-	1	-	-	2	2
WHITE-----MALE----	128	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	221	-	-	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	42	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	68	2	-	-	-	-	-	1	-	-	2	-
BLACK---MALE----	41	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	65	2	-	-	-	-	-	1	-	-	2	-
MASSACHUSETTS -----	626	5	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	202	3	-	-	-	-	-	-	-	-	2	-
FEMALE--	403	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	896	10	2	-	1	1	-	1	-	1	6	6
WHITE-----MALE----	309	6	-	-	-	-	-	-	-	-	2	-
FEMALE--	450	1	2	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	70	2	-	-	-	1	-	-	-	-	3	3
FEMALE--	67	1	-	-	1	-	-	1	-	1	-	1
BLACK---MALE----	65	2	-	-	-	1	-	-	-	-	3	3
FEMALE--	63	1	-	-	1	-	-	1	-	1	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,768
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	3	2	7	11	28	40	67	69	50	14	3	-
WHITE-----MALE----	2	1	3	3	14	21	27	31	14	2	-	-
FEMALE--	-	-	2	5	11	16	36	35	36	11	2	-
ALL OTHER--MALE----	1	1	2	1	3	2	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	3	3	-	1	1	-
BLACK---MALE----	1	1	2	1	3	2	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	3	3	-	1	1	-
LOUISIANA -----	2	3	11	20	29	41	65	74	48	13	4	-
WHITE-----MALE----	1	-	2	5	11	15	25	21	6	3	-	-
FEMALE--	-	-	2	6	10	17	24	35	34	6	3	-
ALL OTHER--MALE----	1	2	5	4	3	3	8	10	3	-	-	-
FEMALE--	-	1	2	5	5	6	8	8	5	4	1	-
BLACK---MALE----	1	2	5	4	3	3	8	9	3	-	-	-
FEMALE--	-	1	2	5	5	6	8	8	5	4	1	-
MAINE -----	2	-	2	5	3	11	16	22	16	10	3	-
WHITE-----MALE----	2	-	1	4	1	4	9	10	2	2	-	-
FEMALE--	-	-	1	1	2	7	7	12	14	8	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	7	17	25	42	60	100	105	58	26	7	1
WHITE-----MALE----	2	5	5	10	11	17	38	27	10	1	1	-
FEMALE--	-	1	6	7	17	21	40	63	42	18	3	1
ALL OTHER--MALE----	-	1	3	4	5	13	6	5	1	2	1	-
FEMALE--	-	-	3	4	9	9	16	10	5	5	2	-
BLACK---MALE----	-	1	3	4	5	13	6	4	1	2	1	-
FEMALE--	-	-	3	4	9	8	16	9	5	4	2	-
MASSACHUSETTS -----	-	3	6	28	41	78	136	153	119	46	8	-
WHITE-----MALE----	-	3	2	17	23	32	56	42	16	5	1	-
FEMALE--	-	-	2	9	16	42	78	109	99	40	6	-
ALL OTHER--MALE----	-	-	1	1	-	2	1	-	-	-	1	-
FEMALE--	-	-	1	1	2	2	1	2	4	1	-	-
BLACK---MALE----	-	-	1	1	-	2	1	-	-	-	1	-
FEMALE--	-	-	1	1	1	1	1	1	4	1	-	-
MICHIGAN -----	8	9	20	55	73	145	195	169	137	47	10	-
WHITE-----MALE----	3	4	4	17	37	68	74	51	33	7	3	-
FEMALE--	3	1	10	18	19	56	94	106	94	37	6	-
ALL OTHER--MALE----	1	3	4	11	10	11	11	5	4	1	-	-
FEMALE--	1	1	2	9	7	10	16	7	6	2	1	-
BLACK---MALE----	-	3	4	11	10	8	11	5	4	-	-	-
FEMALE--	1	1	1	9	7	10	13	7	6	2	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,769
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	499	2	1	-	1	-	-	1	-	-	1	2
WHITE-----MALE----	192	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	299	1	-	-	1	-	-	-	-	-	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	159	2	-	1	-	2	-	3	-	1	1	2
WHITE-----MALE----	43	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	67	-	-	-	-	-	-	2	-	-	-	2
ALL OTHER--MALE----	24	1	-	1	-	-	-	1	-	-	-	-
FEMALE--	25	1	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	24	1	-	1	-	-	-	1	-	-	-	-
FEMALE--	25	1	-	-	-	1	-	-	-	1	-	-
MISSOURI -----	446	4	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	142	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	266	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	25	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	24	1	-	-	-	-	-	-	-	-	-	-
MONTANA -----	96	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	43	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	52	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	166	1	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	59	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	101	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	99	-	-	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	32	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	59	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,769
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	3	4	11	13	34	56	111	120	92	37	10	-
WHITE-----MALE----	1	2	7	8	12	26	50	49	27	5	3	-
FEMALE--	1	2	4	5	19	30	61	70	64	32	7	-
ALL OTHER--MALE----	1	-	-	-	3	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MISSISSIPPI -----	2	7	6	6	26	16	29	26	16	9	4	-
WHITE-----MALE----	2	2	3	1	12	7	6	6	2	-	-	-
FEMALE--	-	3	-	2	3	8	17	13	9	6	2	-
ALL OTHER--MALE----	-	2	1	2	7	1	3	3	1	-	1	-
FEMALE--	-	-	2	1	4	-	3	4	4	3	1	-
BLACK---MALE----	-	2	1	2	7	1	3	3	1	-	1	-
FEMALE--	-	-	2	1	4	-	3	4	4	3	1	-
MISSOURI -----	2	4	14	17	30	47	79	115	91	34	8	-
WHITE-----MALE----	1	2	9	4	15	15	32	27	30	7	-	-
FEMALE--	-	2	2	10	10	27	43	80	56	25	8	-
ALL OTHER--MALE----	-	-	-	1	2	1	2	3	3	-	-	-
FEMALE--	1	-	3	2	3	4	2	5	2	2	-	-
BLACK---MALE----	-	-	-	1	2	1	2	2	3	-	-	-
FEMALE--	1	-	3	2	3	4	2	4	2	2	-	-
MONTANA -----	1	1	3	5	8	13	16	23	13	11	1	-
WHITE-----MALE----	1	-	2	2	7	8	7	9	5	2	-	-
FEMALE--	-	1	1	2	1	5	9	14	8	9	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	3	-	3	3	6	19	28	45	40	12	4	-
WHITE-----MALE----	2	-	3	-	2	8	10	19	11	-	2	-
FEMALE--	1	-	-	3	2	9	16	26	29	12	2	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
NEVADA -----	-	-	-	7	10	15	17	24	16	8	-	-
WHITE-----MALE----	-	-	-	2	4	7	9	5	3	1	-	-
FEMALE--	-	-	-	3	4	6	7	19	13	7	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,771
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	886	9	2	3	1	-	2	-	-	3	3	6
WHITE-----MALE----	305	6	-	-	-	-	-	-	-	1	1	4
FEMALE--	487	2	1	3	-	-	2	-	-	1	1	1
ALL OTHER--MALE----	37	1	1	-	-	-	-	-	-	-	-	1
FEMALE--	57	-	-	-	1	-	-	-	-	1	1	-
BLACK---MALE----	36	1	1	-	-	-	-	-	-	-	-	1
FEMALE--	54	-	-	-	1	-	-	-	-	1	1	-
OKLAHOMA -----	242	1	-	-	-	-	-	-	2	1	2	1
WHITE-----MALE----	89	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	137	1	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	404	1	-	1	-	-	-	-	-	-	-	1
WHITE-----MALE----	158	1	-	1	-	-	-	-	-	-	-	1
FEMALE--	234	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,012	5	2	-	-	1	-	1	1	2	1	7
WHITE-----MALE----	340	3	1	-	-	1	-	-	1	-	1	3
FEMALE--	577	1	1	-	-	-	-	1	-	1	-	2
ALL OTHER--MALE----	32	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	63	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	31	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	61	-	-	-	-	-	-	-	-	1	-	-
RHODE ISLAND -----	94	1	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	41	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	51	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	334	3	-	-	-	1	-	-	3	1	2	5
WHITE-----MALE----	86	2	-	-	-	-	-	-	-	-	2	1
FEMALE--	135	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	59	1	-	-	-	-	-	-	-	-	-	3
FEMALE--	54	-	-	-	-	1	-	-	2	-	-	1
BLACK---MALE----	59	1	-	-	-	-	-	-	-	-	-	3
FEMALE--	54	-	-	-	-	1	-	-	2	-	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,771
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	5	10	17	32	76	117	193	187	132	75	13	-
WHITE-----MALE----	1	4	9	16	38	57	75	58	27	7	1	-
FEMALE--	3	4	7	8	26	45	100	111	97	64	11	-
ALL OTHER--MALE----	1	2	-	1	10	5	6	7	2	-	-	-
FEMALE--	-	-	1	7	2	10	12	11	6	4	1	-
BLACK---MALE----	1	2	-	1	9	5	6	7	2	-	-	-
FEMALE--	-	-	1	7	2	10	11	10	5	4	1	-
OKLAHOMA -----	2	2	5	12	21	33	39	60	44	13	3	1
WHITE-----MALE----	2	2	4	7	9	13	11	21	13	5	-	-
FEMALE--	-	-	-	5	9	16	25	37	29	7	3	1
ALL OTHER--MALE----	-	-	1	-	1	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	2	3	1	1	2	1	-	-
BLACK---MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	1	2	-	-	-
OREGON -----	4	7	9	18	30	56	92	96	61	24	4	-
WHITE-----MALE----	3	3	4	8	14	25	41	35	19	3	-	-
FEMALE--	1	3	5	9	16	28	47	58	42	21	4	-
ALL OTHER--MALE----	-	-	-	1	-	2	2	2	-	-	-	-
FEMALE--	-	1	-	-	-	1	2	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	8	13	20	38	87	141	205	246	156	61	17	-
WHITE-----MALE----	3	7	5	17	38	64	82	67	36	11	-	-
FEMALE--	2	3	5	15	32	66	113	168	106	45	16	-
ALL OTHER--MALE----	1	1	4	2	8	7	2	1	2	1	-	-
FEMALE--	2	2	6	4	9	4	8	10	12	4	1	-
BLACK---MALE----	1	1	4	2	8	7	2	1	1	1	-	-
FEMALE--	2	2	6	4	9	4	7	9	12	4	1	-
RHODE ISLAND -----	-	1	-	-	5	11	20	25	18	10	2	-
WHITE-----MALE----	-	1	-	-	5	9	11	6	4	4	-	-
FEMALE--	-	-	-	-	-	2	8	19	13	6	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	11	4	12	25	41	57	49	61	39	17	3	-
WHITE-----MALE----	1	2	3	9	10	18	15	14	7	2	-	-
FEMALE--	2	1	2	5	13	22	18	34	24	10	2	-
ALL OTHER--MALE----	6	1	5	5	12	11	4	9	1	1	-	-
FEMALE--	2	-	2	6	6	6	12	4	7	4	1	-
BLACK---MALE----	6	1	5	5	12	11	4	9	1	1	-	-
FEMALE--	2	-	2	6	6	6	12	4	7	4	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,772
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	45	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	413	5	-	1	1	-	-	1	2	3	4	2
WHITE-----MALE----	127	2	-	1	1	-	-	-	1	-	3	1
FEMALE--	234	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	22	1	-	-	-	-	-	1	-	1	-	-
FEMALE--	30	1	-	-	-	-	-	-	1	1	1	1
BLACK---MALE----	21	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	30	1	-	-	-	-	-	-	1	1	1	1
TEXAS -----	1,610	15	-	-	-	1	-	2	3	5	5	7
WHITE-----MALE----	500	10	-	-	-	1	-	2	3	2	1	3
FEMALE--	886	4	-	-	-	-	-	-	-	2	-	2
ALL OTHER--MALE----	77	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	147	-	-	-	-	-	-	-	-	1	4	1
BLACK---MALE----	72	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	141	-	-	-	-	-	-	-	-	1	4	1
UTAH -----	116	1	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	58	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	55	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	53	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	551	5	-	-	-	-	-	1	1	1	2	2
WHITE-----MALE----	166	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	270	3	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	43	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	72	1	-	-	-	-	-	1	1	-	1	-
BLACK---MALE----	43	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	70	1	-	-	-	-	-	1	1	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,772
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	1	1	2	3	13	11	9	2	2	-
WHITE-----MALE----	-	1	1	1	1	1	5	3	2	-	1	-
FEMALE--	-	-	-	-	-	2	8	7	7	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	6	11	16	28	50	92	88	67	24	9	-
WHITE-----MALE----	1	3	4	8	13	21	31	25	10	2	-	-
FEMALE--	1	2	4	5	11	25	49	59	48	21	7	-
ALL OTHER--MALE----	1	-	1	2	2	3	5	1	4	-	-	-
FEMALE--	-	1	2	1	2	1	7	3	5	1	2	-
BLACK---MALE----	1	-	1	2	2	3	5	1	4	-	-	-
FEMALE--	-	1	2	1	2	1	7	3	5	1	2	-
TEXAS -----	10	23	37	73	122	218	299	389	280	94	26	1
WHITE-----MALE----	4	9	18	29	55	90	95	103	61	12	2	-
FEMALE--	1	9	10	28	45	96	159	244	191	75	20	-
ALL OTHER--MALE----	3	3	4	8	10	7	19	13	5	3	-	-
FEMALE--	2	2	5	8	12	25	26	29	23	4	4	1
BLACK---MALE----	3	3	3	8	10	7	17	12	5	3	-	-
FEMALE--	1	2	5	7	12	24	26	28	21	4	4	1
UTAH -----	-	1	2	3	11	18	33	26	13	5	2	-
WHITE-----MALE----	-	1	-	2	5	10	17	16	5	-	-	-
FEMALE--	-	-	1	1	6	8	15	10	8	4	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	1	4	11	9	12	8	6	-	-
WHITE-----MALE----	1	-	-	-	1	8	5	7	1	1	-	-
FEMALE--	-	-	-	1	3	3	4	5	6	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	6	16	27	35	73	102	136	89	39	11	1
WHITE-----MALE----	1	1	3	10	8	34	33	37	26	8	2	-
FEMALE--	1	2	6	6	15	25	53	76	51	24	7	-
ALL OTHER--MALE----	1	1	6	6	5	6	4	9	1	3	-	-
FEMALE--	1	2	1	5	7	8	12	14	11	4	2	1
BLACK---MALE----	1	1	6	6	5	6	4	9	1	3	-	-
FEMALE--	1	2	1	5	7	8	12	14	11	4	2	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,774
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	43,916	15	6	3	13	21	40	69	118	228	358	523
WHITE-----MALE----	19,179	8	2	-	6	7	20	32	44	96	171	270
FEMALE--	20,508	4	4	2	5	5	15	20	36	54	84	115
ALL OTHER--MALE----	1,959	2	-	-	-	4	3	8	18	42	57	87
FEMALE--	2,270	1	-	1	2	5	2	9	20	36	46	51
BLACK---MALE----	1,644	2	-	-	-	4	3	7	15	38	49	79
FEMALE--	2,011	1	-	1	1	4	1	8	16	33	40	48
ALABAMA -----	677	-	-	-	-	2	-	2	2	2	6	13
WHITE-----MALE----	279	-	-	-	-	-	-	1	-	-	4	7
FEMALE--	235	-	-	-	-	-	-	1	1	-	1	-
ALL OTHER--MALE----	81	-	-	-	-	1	-	-	-	2	1	4
FEMALE--	82	-	-	-	-	1	-	-	1	-	-	2
BLACK---MALE----	80	-	-	-	-	1	-	-	-	2	1	4
FEMALE--	82	-	-	-	-	1	-	-	1	-	-	2
ALASKA -----	36	-	-	-	-	-	-	-	-	3	-	-
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	707	-	-	-	-	-	-	1	2	3	7	8
WHITE-----MALE----	342	-	-	-	-	-	-	-	1	2	1	4
FEMALE--	340	-	-	-	-	-	-	1	1	-	4	1
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS -----	459	-	-	-	-	-	-	-	3	4	1	5
WHITE-----MALE----	219	-	-	-	-	-	-	-	2	2	-	2
FEMALE--	192	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	22	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	25	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	1	1	1
CALIFORNIA -----	4,323	4	-	1	1	1	6	8	16	27	44	45
WHITE-----MALE----	1,838	3	-	-	-	-	4	6	6	12	22	22
FEMALE--	2,014	1	-	1	1	1	1	1	4	7	12	7
ALL OTHER--MALE----	237	-	-	-	-	-	1	-	2	6	5	10
FEMALE--	234	-	-	-	-	-	-	1	4	2	5	6
BLACK---MALE----	103	-	-	-	-	-	1	-	-	5	4	5
FEMALE--	141	-	-	-	-	-	-	-	2	2	4	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,774
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	667	1,002	1,982	3,333	5,419	6,940	7,670	7,148	5,287	2,392	680	2
WHITE-----MALE----	375	570	1,177	1,916	2,963	3,569	3,459	2,506	1,434	465	88	1
FEMALE--	158	226	521	1,031	1,904	2,761	3,620	4,120	3,523	1,767	533	-
ALL OTHER--MALE----	82	123	173	213	274	290	261	181	99	31	10	1
FEMALE--	52	83	111	173	278	320	330	341	231	129	49	-
BLACK---MALE----	71	108	154	185	231	233	208	146	73	29	8	1
FEMALE--	48	76	91	157	244	288	286	292	211	120	45	-
ALABAMA -----	19	18	50	69	95	106	105	100	58	24	6	-
WHITE-----MALE----	7	9	31	31	44	58	37	30	15	4	1	-
FEMALE--	2	2	7	22	27	21	47	55	32	14	3	-
ALL OTHER--MALE----	7	4	7	8	15	13	5	9	4	1	-	-
FEMALE--	3	3	5	8	9	14	16	6	7	5	2	-
BLACK---MALE----	7	4	7	8	14	13	5	9	4	1	-	-
FEMALE--	3	3	5	8	9	14	16	6	7	5	2	-
ALASKA -----	3	1	1	4	4	6	7	1	2	3	1	-
WHITE-----MALE----	2	-	1	4	4	4	3	-	-	1	-	-
FEMALE--	-	1	-	-	-	1	2	1	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	11	13	35	40	101	120	122	131	81	25	7	-
WHITE-----MALE----	7	11	17	22	60	75	55	56	24	7	-	-
FEMALE--	4	2	16	16	38	41	66	70	55	18	7	-
ALL OTHER--MALE----	-	-	2	1	1	3	1	2	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	3	2	-	-	-
BLACK---MALE----	-	-	1	1	1	3	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	2	-	-	-
ARKANSAS -----	6	13	15	41	61	69	95	69	60	12	5	-
WHITE-----MALE----	4	8	11	28	31	43	42	23	21	1	1	-
FEMALE--	1	3	2	9	24	20	46	40	31	9	4	-
ALL OTHER--MALE----	1	2	-	3	2	3	4	5	5	-	-	-
FEMALE--	-	-	2	1	4	3	3	1	3	2	-	-
BLACK---MALE----	1	2	-	3	2	2	4	5	5	-	-	-
FEMALE--	-	-	2	-	4	3	3	1	3	2	-	-
CALIFORNIA -----	61	107	171	311	508	669	715	716	556	283	73	-
WHITE-----MALE----	31	59	92	164	277	342	322	257	153	56	10	-
FEMALE--	20	32	41	108	179	264	326	385	354	213	56	-
ALL OTHER--MALE----	10	12	17	26	30	35	32	30	17	3	1	-
FEMALE--	-	4	21	13	22	28	35	44	32	11	6	-
BLACK---MALE----	4	7	7	16	9	14	13	13	3	2	-	-
FEMALE--	-	3	11	7	14	18	17	22	23	9	4	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,775
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	721	-	-	-	-	-	-	-	3	7	1	9
WHITE-----MALE----	294	-	-	-	-	-	-	-	2	3	1	6
FEMALE--	401	-	-	-	-	-	-	-	1	2	-	2
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	1
CONNECTICUT -----	570	-	-	-	-	-	1	2	-	5	2	3
WHITE-----MALE----	269	-	-	-	-	-	-	1	-	3	1	2
FEMALE--	283	-	-	-	-	-	1	1	-	2	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	103	-	-	-	-	-	-	-	1	-	1	3
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	52	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	85	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	22	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	3,036	1	-	-	-	-	3	3	7	9	23	31
WHITE-----MALE----	1,462	1	-	-	-	-	1	2	2	2	13	18
FEMALE--	1,329	-	-	-	-	-	2	-	1	1	6	6
ALL OTHER--MALE----	130	-	-	-	-	-	-	-	2	2	2	5
FEMALE--	115	-	-	-	-	-	-	1	2	4	2	2
BLACK---MALE----	128	-	-	-	-	-	-	-	2	2	1	5
FEMALE--	111	-	-	-	-	-	-	1	1	4	2	2
GEORGIA -----	1,196	-	-	-	1	3	1	3	4	14	16	20
WHITE-----MALE----	440	-	-	-	-	1	-	1	1	5	7	8
FEMALE--	501	-	-	-	-	1	-	-	2	1	2	2
ALL OTHER--MALE----	113	-	-	-	-	-	1	-	1	5	5	9
FEMALE--	142	-	-	-	1	1	-	2	-	3	2	1
BLACK---MALE----	112	-	-	-	-	-	1	-	1	5	5	9
FEMALE--	140	-	-	-	1	-	-	2	-	3	2	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,775
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	10	11	20	46	68	110	129	116	117	59	15	-
WHITE-----MALE----	8	10	11	29	37	58	52	38	29	8	2	-
FEMALE--	2	-	8	15	26	49	73	76	87	48	12	-
ALL OTHER--MALE----	-	-	1	-	3	2	3	1	-	-	-	-
FEMALE--	-	1	-	2	2	1	1	1	1	3	1	-
BLACK---MALE----	-	-	1	-	2	1	1	1	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	1	1	3	1	-
CONNECTICUT -----	9	11	12	37	67	101	103	83	88	33	13	-
WHITE-----MALE----	9	8	7	26	37	56	51	32	30	3	3	-
FEMALE--	-	1	4	8	27	41	50	50	58	29	10	-
ALL OTHER--MALE----	-	1	1	1	1	2	1	-	-	-	-	-
FEMALE--	-	1	-	2	2	2	1	1	-	1	-	-
BLACK---MALE----	-	1	1	1	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	2	2	2	1	1	-	1	-	-
DELAWARE -----	2	-	7	10	17	15	9	14	14	9	1	-
WHITE-----MALE----	1	-	3	6	6	5	5	5	3	1	-	-
FEMALE--	1	-	2	2	5	10	3	9	10	7	1	-
ALL OTHER--MALE----	-	-	2	1	3	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	3	-	-	-	1	1	-	-
BLACK---MALE----	-	-	1	1	3	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	3	-	-	-	1	1	-	-
DISTRICT OF COLUMBIA ----	2	5	4	9	7	10	18	10	13	3	2	-
WHITE-----MALE----	-	-	1	2	2	-	1	-	1	-	-	-
FEMALE--	2	-	-	-	-	2	4	6	6	1	1	-
ALL OTHER--MALE----	-	2	3	3	2	3	4	3	1	-	-	-
FEMALE--	-	3	-	4	3	5	9	1	5	2	1	-
BLACK---MALE----	-	2	3	3	2	3	4	3	1	-	-	-
FEMALE--	-	3	-	4	3	5	9	1	5	2	1	-
FLORIDA -----	40	52	143	223	403	507	549	518	341	137	45	1
WHITE-----MALE----	25	30	95	145	243	280	258	204	103	34	5	1
FEMALE--	7	7	33	58	126	190	255	285	217	100	35	-
ALL OTHER--MALE----	6	11	11	11	21	18	24	9	6	1	1	-
FEMALE--	2	4	4	9	13	19	12	20	15	2	4	-
BLACK---MALE----	6	11	11	11	21	18	23	9	6	1	1	-
FEMALE--	2	4	2	9	12	19	12	20	15	2	4	-
GEORGIA -----	29	40	67	89	137	192	202	179	129	51	19	-
WHITE-----MALE----	14	21	34	53	66	89	64	43	26	6	1	-
FEMALE--	5	4	20	18	46	67	91	109	85	35	13	-
ALL OTHER--MALE----	6	12	7	6	13	16	16	8	4	3	1	-
FEMALE--	4	3	6	12	12	20	31	19	14	7	4	-
BLACK---MALE----	6	12	7	6	13	16	15	8	4	3	1	-
FEMALE--	4	3	6	12	12	20	30	19	14	7	4	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,776
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	1	5	3	3	18	27	30	21	12	2	1	-
WHITE-----MALE----	1	2	1	-	2	4	8	3	-	1	-	-
FEMALE--	-	-	-	-	5	1	1	1	3	-	-	-
ALL OTHER--MALE----	-	2	1	2	6	16	17	8	8	-	-	-
FEMALE--	-	1	1	1	5	6	4	9	1	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	4	2	6	14	19	32	38	40	25	12	-	-
WHITE-----MALE----	2	1	4	10	11	20	26	18	6	5	-	-
FEMALE--	2	1	2	4	8	12	12	22	17	7	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	27	38	82	143	254	278	368	304	224	119	30	-
WHITE-----MALE----	16	17	44	82	138	139	170	109	71	20	3	-
FEMALE--	3	10	18	46	79	117	171	172	142	91	25	-
ALL OTHER--MALE----	7	6	11	9	14	10	10	6	4	3	2	-
FEMALE--	1	5	9	6	23	12	17	17	7	5	-	-
BLACK---MALE----	6	5	11	8	14	9	9	5	4	3	2	-
FEMALE--	1	5	9	6	23	12	17	14	7	5	-	-
INDIANA -----	9	19	56	92	123	173	188	213	126	66	17	-
WHITE-----MALE----	6	14	37	49	69	98	88	70	30	15	4	-
FEMALE--	2	4	15	37	42	63	82	128	88	49	12	-
ALL OTHER--MALE----	1	-	2	5	5	8	8	6	1	-	-	-
FEMALE--	-	1	2	1	7	4	10	9	7	2	1	-
BLACK---MALE----	1	-	2	5	5	8	8	6	1	-	-	-
FEMALE--	-	1	2	1	7	4	10	9	7	2	1	-
IOWA -----	4	6	23	40	70	97	118	157	128	67	23	-
WHITE-----MALE----	3	2	16	27	40	59	66	55	36	14	1	-
FEMALE--	1	3	6	12	29	38	52	102	92	51	22	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	2	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	1	-	-
KANSAS -----	11	8	24	35	57	72	124	128	109	54	7	-
WHITE-----MALE----	5	4	16	16	35	40	64	47	24	9	1	-
FEMALE--	5	2	8	16	21	28	57	78	84	45	6	-
ALL OTHER--MALE----	-	1	-	1	-	3	3	1	-	-	-	-
FEMALE--	1	1	-	2	1	1	-	2	1	-	-	-
BLACK---MALE----	-	1	-	1	-	3	3	1	-	-	-	-
FEMALE--	1	1	-	2	1	1	-	2	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,777
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	608	-	-	-	1	1	1	1	3	3	7	7
WHITE-----MALE----	313	-	-	-	1	1	-	1	-	3	5	6
FEMALE--	260	-	-	-	-	-	1	-	1	-	2	1
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	16	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	729	-	-	-	-	1	1	-	1	3	8	11
WHITE-----MALE----	270	-	-	-	-	-	1	-	-	-	3	2
FEMALE--	280	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	77	-	-	-	-	-	-	-	1	1	3	4
FEMALE--	102	-	-	-	-	1	-	-	-	2	1	4
BLACK---MALE----	75	-	-	-	-	-	-	-	-	1	3	4
FEMALE--	100	-	-	-	-	1	-	-	-	2	1	4
MAINE -----	244	-	-	-	-	-	-	1	-	1	-	3
WHITE-----MALE----	112	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	131	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	650	-	1	-	-	-	-	3	1	5	12	5
WHITE-----MALE----	238	-	1	-	-	-	-	-	-	-	2	-
FEMALE--	285	-	-	-	-	-	-	2	1	1	2	1
ALL OTHER--MALE----	59	-	-	-	-	-	-	1	-	1	5	2
FEMALE--	68	-	-	-	-	-	-	-	-	3	3	2
BLACK---MALE----	56	-	-	-	-	-	-	1	-	1	5	2
FEMALE--	67	-	-	-	-	-	-	-	-	3	3	2
MASSACHUSETTS -----	1,089	-	-	-	-	-	-	1	3	7	4	6
WHITE-----MALE----	454	-	-	-	-	-	-	-	3	5	3	5
FEMALE--	599	-	-	-	-	-	-	1	-	1	1	1
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	-
MICHIGAN -----	1,759	2	-	-	-	-	1	1	5	6	14	22
WHITE-----MALE----	739	1	-	-	-	-	-	1	2	1	6	10
FEMALE--	876	-	-	-	-	-	1	-	1	4	5	4
ALL OTHER--MALE----	59	-	-	-	-	-	-	-	1	-	1	3
FEMALE--	85	1	-	-	-	-	-	-	1	1	2	5
BLACK---MALE----	55	-	-	-	-	-	-	-	1	-	1	3
FEMALE--	79	1	-	-	-	-	-	-	1	1	2	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,777
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	14	24	48	57	92	92	81	79	65	27	5	-
WHITE-----MALE----	10	19	27	33	58	42	48	30	26	3	-	-
FEMALE--	2	5	18	23	27	41	28	46	37	23	5	-
ALL OTHER--MALE----	-	-	3	-	2	4	3	2	-	-	-	-
FEMALE--	2	-	-	1	5	5	2	1	2	1	-	-
BLACK---MALE----	-	-	3	-	2	4	3	2	-	-	-	-
FEMALE--	2	-	-	1	5	5	2	1	2	1	-	-
LOUISIANA -----	22	18	35	57	83	133	133	117	69	28	9	-
WHITE-----MALE----	7	7	19	23	41	55	47	46	13	5	1	-
FEMALE--	4	3	8	17	17	51	64	47	43	17	7	-
ALL OTHER--MALE----	6	4	4	8	18	6	10	5	5	2	-	-
FEMALE--	5	4	4	9	7	21	12	19	8	4	1	-
BLACK---MALE----	6	4	4	8	18	6	9	5	5	2	-	-
FEMALE--	5	4	4	9	7	21	12	18	8	3	1	-
MAINE -----	1	5	5	18	38	41	41	43	31	11	5	-
WHITE-----MALE----	1	4	4	7	20	21	18	21	8	3	1	-
FEMALE--	-	1	1	11	18	20	23	21	23	8	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MARYLAND -----	12	15	35	53	92	109	88	104	77	32	6	-
WHITE-----MALE----	9	7	14	22	47	49	30	29	19	8	1	-
FEMALE--	1	2	8	18	28	39	49	63	48	18	4	-
ALL OTHER--MALE----	2	3	8	7	6	10	5	5	3	-	1	-
FEMALE--	-	3	5	6	11	11	4	7	7	6	-	-
BLACK---MALE----	2	3	7	6	6	10	5	5	2	-	1	-
FEMALE--	-	3	5	6	10	11	4	7	7	6	-	-
MASSACHUSETTS -----	17	15	47	63	132	167	187	209	136	66	29	-
WHITE-----MALE----	14	10	35	38	60	82	92	61	34	10	2	-
FEMALE--	1	4	9	20	68	82	92	140	99	54	26	-
ALL OTHER--MALE----	1	1	2	3	1	2	2	3	1	-	-	-
FEMALE--	1	-	1	2	3	1	1	5	2	2	1	-
BLACK---MALE----	-	1	2	3	1	2	2	3	1	-	-	-
FEMALE--	1	-	1	2	3	1	1	5	2	2	1	-
MICHIGAN -----	28	46	80	125	223	271	310	290	214	101	20	-
WHITE-----MALE----	19	27	52	69	121	132	134	89	54	18	3	-
FEMALE--	6	13	20	40	85	119	156	182	148	76	16	-
ALL OTHER--MALE----	2	3	6	8	6	12	8	6	3	-	-	-
FEMALE--	1	3	2	8	11	8	12	13	9	7	1	-
BLACK---MALE----	2	3	6	7	5	11	7	6	3	-	-	-
FEMALE--	1	3	2	8	11	6	9	13	8	7	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,778
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	8	12	35	67	98	123	142	133	113	61	14	-
WHITE-----MALE----	4	6	23	40	62	75	71	48	46	14	5	-
FEMALE--	3	5	11	25	34	42	70	83	67	47	9	-
ALL OTHER--MALE----	1	1	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	5	-	2	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
MISSISSIPPI -----	4	20	16	31	52	55	65	52	36	17	8	-
WHITE-----MALE----	2	7	9	17	24	18	24	16	8	1	-	-
FEMALE--	-	4	2	6	13	21	26	25	21	7	4	-
ALL OTHER--MALE----	-	6	1	7	9	10	7	5	1	4	-	-
FEMALE--	2	3	4	1	6	6	8	6	6	5	4	-
BLACK---MALE----	-	6	1	7	9	10	7	5	1	4	-	-
FEMALE--	2	3	4	1	6	5	8	6	6	5	4	-
MISSOURI -----	15	22	41	64	105	142	167	170	123	49	17	1
WHITE-----MALE----	9	14	20	43	58	69	76	59	33	9	2	-
FEMALE--	5	6	17	18	45	62	81	105	85	35	15	-
ALL OTHER--MALE----	1	1	2	1	1	7	1	2	1	1	-	1
FEMALE--	-	1	2	2	1	4	9	4	4	4	-	-
BLACK---MALE----	1	-	1	1	1	7	1	1	1	1	-	1
FEMALE--	-	1	2	2	1	4	9	4	4	4	-	-
MONTANA -----	2	4	8	11	25	24	32	33	12	9	2	-
WHITE-----MALE----	-	1	6	10	16	16	19	14	1	1	-	-
FEMALE--	2	2	2	1	9	8	11	19	11	7	2	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	3	7	8	21	21	43	62	77	85	44	11	-
WHITE-----MALE----	1	6	5	13	12	26	26	32	27	9	1	-
FEMALE--	2	1	2	7	8	15	34	43	56	34	10	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	1	2	2	1	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	1	2	2	1	-	-
NEVADA -----	8	4	14	33	40	33	42	19	19	5	2	-
WHITE-----MALE----	5	3	9	17	25	20	19	8	2	2	1	-
FEMALE--	3	1	4	13	12	12	22	11	16	3	-	-
ALL OTHER--MALE----	-	-	1	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	1	-	1	-	1	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,780
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	2,058	1	1	-	-	-	2	4	5	14	12	29
WHITE-----MALE----	918	1	-	-	-	-	1	2	4	5	5	13
FEMALE--	974	-	1	-	-	-	1	-	1	3	6	7
ALL OTHER--MALE----	77	-	-	-	-	-	-	-	-	4	1	6
FEMALE--	89	-	-	-	-	-	-	2	-	2	-	3
BLACK---MALE----	75	-	-	-	-	-	-	-	-	4	1	6
FEMALE--	86	-	-	-	-	-	-	2	-	2	-	3
OKLAHOMA -----	778	-	-	1	-	-	1	-	-	3	2	13
WHITE-----MALE----	320	-	-	-	-	-	-	-	-	-	1	8
FEMALE--	396	-	-	1	-	-	1	-	-	3	-	3
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	605	-	-	-	-	-	1	-	1	2	2	9
WHITE-----MALE----	314	-	-	-	-	-	1	-	1	1	1	4
FEMALE--	283	-	-	-	-	-	-	-	-	1	1	5
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	2,384	-	1	-	1	1	3	-	5	7	18	20
WHITE-----MALE----	1,042	-	-	-	-	-	2	-	1	3	10	14
FEMALE--	1,200	-	1	-	1	-	1	-	2	2	3	3
ALL OTHER--MALE----	66	-	-	-	-	1	-	-	-	-	5	3
FEMALE--	76	-	-	-	-	-	-	-	2	2	-	-
BLACK---MALE----	60	-	-	-	-	1	-	-	-	-	5	3
FEMALE--	71	-	-	-	-	-	-	-	2	2	-	-
RHODE ISLAND -----	185	-	-	-	1	-	-	-	-	1	-	1
WHITE-----MALE----	73	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	106	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	531	2	-	-	-	1	-	2	1	6	8	18
WHITE-----MALE----	211	-	-	-	-	-	-	-	-	4	1	5
FEMALE--	197	1	-	-	-	-	-	-	-	1	2	4
ALL OTHER--MALE----	55	1	-	-	-	1	-	2	-	-	3	6
FEMALE--	68	-	-	-	-	-	-	-	1	1	2	3
BLACK---MALE----	55	1	-	-	-	1	-	2	-	-	3	6
FEMALE--	67	-	-	-	-	-	-	-	1	1	2	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,780
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	21	32	91	163	260	337	383	330	222	114	37	-
WHITE-----MALE----	13	24	60	91	136	168	179	125	64	23	4	-
FEMALE--	3	6	21	51	96	148	173	188	150	88	31	-
ALL OTHER--MALE----	4	-	5	14	17	10	9	4	2	1	-	-
FEMALE--	1	2	5	7	11	11	22	13	6	2	2	-
BLACK---MALE----	4	-	5	13	17	10	8	4	2	1	-	-
FEMALE--	1	2	5	6	11	10	21	13	6	2	2	-
OKLAHOMA -----	17	16	35	49	83	110	132	152	104	40	20	-
WHITE-----MALE----	9	11	22	25	48	54	68	40	26	5	3	-
FEMALE--	5	1	9	17	30	50	56	101	73	31	15	-
ALL OTHER--MALE----	-	2	2	3	4	4	1	2	1	-	1	-
FEMALE--	3	2	2	4	1	2	7	9	4	4	1	-
BLACK---MALE----	-	1	2	2	3	3	1	1	1	-	1	-
FEMALE--	1	1	2	2	1	1	4	8	3	2	1	-
OREGON -----	5	14	26	56	65	106	105	97	71	37	8	-
WHITE-----MALE----	3	9	15	33	43	63	54	43	28	12	3	-
FEMALE--	2	4	9	23	19	43	50	53	43	25	5	-
ALL OTHER--MALE----	-	1	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	31	42	105	161	309	407	457	377	284	124	31	-
WHITE-----MALE----	20	22	64	97	170	212	192	123	82	26	4	-
FEMALE--	9	13	32	51	118	171	247	241	190	91	24	-
ALL OTHER--MALE----	2	3	4	8	12	13	7	3	2	3	-	-
FEMALE--	-	4	5	5	9	11	11	10	10	4	3	-
BLACK---MALE----	2	3	4	6	11	11	7	3	1	3	-	-
FEMALE--	-	4	5	5	8	11	9	8	10	4	3	-
RHODE ISLAND -----	3	4	5	17	24	30	39	25	28	5	2	-
WHITE-----MALE----	2	1	2	7	14	10	20	5	10	1	-	-
FEMALE--	1	2	3	8	10	20	19	20	17	4	2	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
SOUTH CAROLINA -----	15	27	22	73	70	93	76	52	46	15	4	-
WHITE-----MALE----	9	15	10	39	37	41	24	18	8	-	-	-
FEMALE--	1	4	3	21	19	38	34	24	30	11	4	-
ALL OTHER--MALE----	4	4	5	4	8	5	8	2	2	-	-	-
FEMALE--	1	4	4	9	6	9	10	8	6	4	-	-
BLACK---MALE----	4	4	5	4	8	5	8	2	2	-	-	-
FEMALE--	1	4	4	9	6	9	10	8	6	4	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,781
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	173	-	-	-	-	1	-	-	1	1	2	1
WHITE-----MALE----	82	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	84	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	985	1	-	-	2	-	1	1	2	4	8	15
WHITE-----MALE----	452	1	-	-	2	-	1	-	1	2	5	6
FEMALE--	414	-	-	-	-	-	-	1	1	2	1	3
ALL OTHER--MALE----	45	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	74	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE----	45	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	74	-	-	-	-	-	-	-	-	-	2	2
TEXAS -----	2,483	1	1	-	1	1	4	9	9	14	28	43
WHITE-----MALE----	1,054	1	-	-	1	1	1	6	2	7	17	24
FEMALE--	1,178	-	1	-	-	-	3	1	1	3	5	12
ALL OTHER--MALE----	114	-	-	-	-	-	-	1	3	2	3	6
FEMALE--	137	-	-	-	-	-	-	1	3	2	3	1
BLACK---MALE----	111	-	-	-	-	-	-	1	3	2	3	6
FEMALE--	133	-	-	-	-	-	-	1	3	1	3	1
UTAH -----	207	-	-	-	-	1	-	2	2	2	1	4
WHITE-----MALE----	102	-	-	-	-	1	-	2	2	1	1	4
FEMALE--	103	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	80	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	42	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	954	-	-	-	-	-	1	3	1	1	12	10
WHITE-----MALE----	348	-	-	-	-	-	-	-	-	-	5	4
FEMALE--	410	-	-	-	-	-	-	2	-	-	2	3
ALL OTHER--MALE----	86	-	-	-	-	-	-	1	1	-	3	2
FEMALE--	110	-	-	-	-	-	1	-	-	1	2	1
BLACK---MALE----	84	-	-	-	-	-	-	1	1	-	3	2
FEMALE--	108	-	-	-	-	-	1	-	-	1	2	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,781
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	2	3	4	10	22	23	28	31	22	13	9	-
WHITE-----MALE----	2	3	2	7	13	14	16	12	4	4	1	-
FEMALE--	-	-	1	2	9	8	11	18	17	9	8	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	19	25	50	100	144	153	177	139	98	35	11	-
WHITE-----MALE----	6	17	34	67	66	91	72	46	26	6	3	-
FEMALE--	6	6	10	24	60	50	86	74	57	25	8	-
ALL OTHER--MALE----	1	1	6	6	4	2	8	8	5	-	-	-
FEMALE--	6	1	-	3	14	10	11	11	10	4	-	-
BLACK---MALE----	1	1	6	6	4	2	8	8	5	-	-	-
FEMALE--	6	1	-	3	14	10	11	11	10	4	-	-
TEXAS -----	46	75	104	185	296	373	395	387	351	120	40	-
WHITE-----MALE----	25	40	63	108	159	194	163	122	94	21	5	-
FEMALE--	11	17	27	51	109	149	203	229	238	89	29	-
ALL OTHER--MALE----	6	10	10	10	13	15	13	12	6	2	2	-
FEMALE--	4	8	4	16	15	15	16	24	13	8	4	-
BLACK---MALE----	6	10	10	10	13	13	12	12	6	2	2	-
FEMALE--	3	8	4	15	14	15	16	24	13	8	4	-
UTAH -----	1	3	12	17	18	33	35	36	24	16	-	-
WHITE-----MALE----	1	2	9	13	6	17	17	16	5	5	-	-
FEMALE--	-	1	3	3	12	15	18	20	19	11	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	2	6	5	9	16	16	11	10	3	-	-
WHITE-----MALE----	1	1	4	3	5	7	9	7	2	2	-	-
FEMALE--	-	1	2	2	4	9	7	4	8	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	20	25	55	79	121	157	164	155	91	44	15	-
WHITE-----MALE----	5	11	27	34	49	71	71	47	17	7	-	-
FEMALE--	6	5	11	26	49	54	68	86	59	27	12	-
ALL OTHER--MALE----	4	5	12	7	14	16	8	9	2	2	-	-
FEMALE--	5	4	5	12	9	16	17	13	13	8	3	-
BLACK---MALE----	4	5	11	6	14	16	8	9	2	2	-	-
FEMALE--	5	4	5	12	8	16	17	13	13	7	3	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,783
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ATHEROSCLEROSIS (440)												
0 UNITED STATES --	16,740	2	-	-	-	-	1	2	8	17	43	72
WHITE-----MALE----	5,746	2	-	-	-	-	1	1	2	6	23	46
FEMALE--	9,633	-	-	-	-	-	-	1	4	3	12	11
ALL OTHER--MALE----	535	-	-	-	-	-	-	-	1	2	5	7
FEMALE--	826	-	-	-	-	-	-	-	1	6	3	8
BLACK---MALE----	458	-	-	-	-	-	-	-	1	2	4	7
FEMALE--	742	-	-	-	-	-	-	-	1	5	3	7
ALABAMA -----	239	-	-	-	-	-	-	-	-	-	-	3
WHITE-----MALE----	81	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	89	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	34	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	1
ALASKA -----	17	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	306	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	113	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	185	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	162	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	55	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	88	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
CALIFORNIA -----	1,890	-	-	-	-	-	1	1	2	1	5	8
WHITE-----MALE----	645	-	-	-	-	-	1	1	-	-	1	5
FEMALE--	1,062	-	-	-	-	-	-	-	1	-	2	-
ALL OTHER--MALE----	72	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	111	-	-	-	-	-	-	-	1	-	1	2
BLACK---MALE----	35	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	72	-	-	-	-	-	-	-	1	-	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,783
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ATHEROSCLEROSIS (440)												
0 UNITED STATES --	132	177	394	623	1,262	2,012	2,903	3,563	3,283	1,704	541	1
WHITE-----MALE----	81	88	220	338	594	909	1,161	1,089	808	307	69	1
FEMALE--	27	45	96	208	528	923	1,526	2,224	2,285	1,305	435	-
ALL OTHER--MALE----	13	24	46	35	67	76	95	89	54	16	5	-
FEMALE--	11	20	32	42	73	104	121	161	136	76	32	-
BLACK---MALE----	12	21	44	31	61	61	85	70	42	14	3	-
FEMALE--	10	19	28	36	69	91	110	139	124	72	28	-
ALABAMA -----	7	4	19	18	34	23	40	40	31	16	4	-
WHITE-----MALE----	2	1	10	6	14	9	15	11	9	2	-	-
FEMALE--	1	-	1	5	8	5	16	23	16	11	3	-
ALL OTHER--MALE----	2	1	6	4	8	3	3	6	1	-	-	-
FEMALE--	2	2	2	3	4	6	6	-	5	3	1	-
BLACK---MALE----	2	1	6	4	8	3	3	6	1	-	-	-
FEMALE--	2	2	2	3	4	6	6	-	5	3	1	-
ALASKA -----	1	-	1	3	1	4	4	-	1	1	1	-
WHITE-----MALE----	1	-	1	3	1	3	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	-	9	8	30	45	58	71	58	17	7	-
WHITE-----MALE----	1	-	5	3	16	21	21	24	17	4	-	-
FEMALE--	1	-	4	5	14	22	37	43	39	13	7	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	2	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
ARKANSAS -----	-	2	3	7	12	17	36	34	40	7	2	-
WHITE-----MALE----	-	2	2	4	7	7	10	10	12	-	1	-
FEMALE--	-	-	1	1	2	8	24	20	23	7	1	-
ALL OTHER--MALE----	-	-	-	2	1	1	-	3	4	-	-	-
FEMALE--	-	-	-	-	2	1	2	1	1	-	-	-
BLACK---MALE----	-	-	-	2	1	-	-	3	4	-	-	-
FEMALE--	-	-	-	-	2	1	2	1	1	-	-	-
CALIFORNIA -----	14	24	42	78	136	225	299	389	378	228	59	-
WHITE-----MALE----	11	12	18	37	73	108	119	115	94	42	8	-
FEMALE--	2	9	13	31	57	94	154	232	248	174	45	-
ALL OTHER--MALE----	1	3	3	7	3	9	10	18	11	3	1	-
FEMALE--	-	-	8	3	3	14	16	24	25	9	5	-
BLACK---MALE----	-	2	1	6	2	3	5	8	3	2	-	-
FEMALE--	-	-	6	-	2	8	11	11	20	8	3	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,784
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ATHEROSCLEROSIS (440)												
COLORADO -----	382	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	111	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	262	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	209	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	76	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	127	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	28	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	28	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1,133	-	-	-	-	-	-	-	-	-	1	4
WHITE-----MALE----	432	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	625	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	44	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	32	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	44	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	557	-	-	-	-	-	-	-	1	2	5	3
WHITE-----MALE----	159	-	-	-	-	-	-	-	1	1	3	2
FEMALE--	291	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	67	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	40	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	67	-	-	-	-	-	-	-	-	1	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,784
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ATHEROSCLEROSIS (440)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	3	1	5	12	15	42	57	80	98	52	15	-
WHITE-----MALE----	3	-	2	5	10	16	16	27	22	7	2	-
FEMALE--	-	-	3	6	5	25	40	52	76	43	12	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	1	-	2	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	2	1	-
CONNECTICUT -----	3	-	1	4	17	32	32	33	48	25	12	-
WHITE-----MALE----	3	-	-	3	7	14	18	9	15	2	3	-
FEMALE--	-	-	1	-	8	17	14	23	33	22	9	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	1	-	1	-	-
DELAWARE -----	-	-	-	3	2	1	3	5	7	6	1	-
WHITE-----MALE----	-	-	-	2	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	-	1	2	4	6	5	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ----	-	1	2	-	2	3	4	5	7	3	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	3	4	1	1	-
ALL OTHER--MALE----	-	-	2	-	1	1	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	1	3	2	-	-
BLACK---MALE----	-	-	2	-	1	1	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	1	3	2	-	-
FLORIDA -----	3	4	27	39	83	143	209	262	218	100	39	1
WHITE-----MALE----	2	2	16	26	42	76	85	89	64	20	5	1
FEMALE--	1	1	8	9	31	53	107	159	146	78	31	-
ALL OTHER--MALE----	-	1	2	2	4	7	11	3	1	1	-	-
FEMALE--	-	-	1	2	6	7	6	11	7	1	3	-
BLACK---MALE----	-	1	2	2	4	7	11	3	1	1	-	-
FEMALE--	-	-	1	2	6	7	6	11	7	1	3	-
GEORGIA -----	7	14	18	32	42	77	106	111	87	35	17	-
WHITE-----MALE----	4	7	7	19	13	28	34	23	12	5	-	-
FEMALE--	1	2	6	6	19	34	49	75	62	23	13	-
ALL OTHER--MALE----	1	4	2	1	4	6	10	4	4	2	1	-
FEMALE--	1	1	3	6	6	9	13	9	9	5	3	-
BLACK---MALE----	1	4	2	1	4	6	10	4	4	2	1	-
FEMALE--	1	1	3	6	6	9	13	9	9	5	3	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,785
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ATHEROSCLEROSIS (440)												
HAWAII -----	-	1	-	-	4	4	2	3	3	-	1	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	1	3	2	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	1	1	2	13	13	15	15	4	-	-
WHITE-----MALE----	-	-	-	-	1	6	7	6	2	1	-	-
FEMALE--	-	-	1	1	1	7	6	9	11	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	4	3	20	18	40	62	145	156	140	79	21	-
WHITE-----MALE----	2	2	6	6	23	32	69	52	36	10	2	-
FEMALE--	-	-	5	10	12	26	68	91	97	66	18	-
ALL OTHER--MALE----	2	1	6	1	2	1	3	2	2	1	1	-
FEMALE--	-	-	3	1	3	3	5	11	5	2	-	-
BLACK---MALE----	2	1	6	1	2	-	3	1	2	1	1	-
FEMALE--	-	-	3	1	3	3	5	9	5	2	-	-
INDIANA -----	3	2	7	20	28	44	70	125	83	51	14	-
WHITE-----MALE----	1	2	6	12	14	20	22	32	18	9	4	-
FEMALE--	1	-	1	6	13	21	39	82	62	41	10	-
ALL OTHER--MALE----	1	-	-	2	1	3	6	5	1	-	-	-
FEMALE--	-	-	-	-	-	-	3	6	2	1	-	-
BLACK---MALE----	1	-	-	2	1	3	6	5	1	-	-	-
FEMALE--	-	-	-	-	-	-	3	6	2	1	-	-
IOWA -----	-	1	6	9	26	38	57	98	91	54	21	-
WHITE-----MALE----	-	-	5	6	17	22	27	34	20	10	1	-
FEMALE--	-	1	1	3	8	16	30	64	71	42	20	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
KANSAS -----	1	1	1	6	19	28	60	86	70	35	6	-
WHITE-----MALE----	-	-	1	2	7	13	29	31	15	6	1	-
FEMALE--	1	-	-	3	12	15	30	54	54	29	5	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,786
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ATHEROSCLEROSIS (440)												
KENTUCKY -----	1	1	5	6	13	27	20	38	34	18	5	-
WHITE-----MALE----	-	1	2	2	6	10	9	12	12	1	-	-
FEMALE--	1	-	2	4	6	15	10	25	20	17	5	-
ALL OTHER--MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	2	-	-	-
BLACK---MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	2	-	-	-
LOUISIANA -----	3	3	4	9	25	40	52	66	44	21	8	-
WHITE-----MALE----	-	2	1	5	10	14	16	22	7	4	1	-
FEMALE--	-	-	1	2	6	17	26	30	30	14	7	-
ALL OTHER--MALE----	2	-	2	-	5	2	6	3	1	1	-	-
FEMALE--	1	1	-	2	4	7	4	11	6	2	-	-
BLACK---MALE----	2	-	2	-	5	2	5	3	1	1	-	-
FEMALE--	1	1	-	2	4	7	4	11	6	1	-	-
MAINE -----	-	2	2	1	7	11	12	20	19	8	4	-
WHITE-----MALE----	-	1	1	1	3	5	5	9	7	3	-	-
FEMALE--	-	1	1	-	4	6	7	11	12	5	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	6	2	6	18	16	39	35	20	5	-
WHITE-----MALE----	-	-	2	-	2	6	2	6	10	4	1	-
FEMALE--	-	-	-	1	2	11	14	31	22	11	4	-
ALL OTHER--MALE----	-	-	2	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	2	1	2	-	-	2	2	5	-	-
BLACK---MALE----	-	-	2	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	2	1	2	-	-	2	2	5	-	-
MASSACHUSETTS -----	6	4	9	14	19	36	54	87	72	43	23	-
WHITE-----MALE----	5	3	8	10	7	17	27	23	17	4	2	-
FEMALE--	-	-	1	4	11	19	27	64	55	39	21	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN -----	9	8	17	26	52	91	141	167	149	74	18	-
WHITE-----MALE----	7	4	12	15	21	45	58	43	32	14	3	-
FEMALE--	1	2	5	8	26	42	75	113	109	58	14	-
ALL OTHER--MALE----	-	2	-	-	1	2	3	6	2	-	-	-
FEMALE--	1	-	-	3	4	2	5	5	6	2	1	-
BLACK---MALE----	-	2	-	-	-	1	3	6	2	-	-	-
FEMALE--	1	-	-	3	4	2	4	5	5	2	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,787
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ATHEROSCLEROSIS (440)												
MINNESOTA -----	-	4	5	10	16	29	38	51	52	36	7	-
WHITE-----MALE----	-	2	4	8	9	17	18	17	21	8	3	-
FEMALE--	-	2	1	2	7	11	20	34	31	28	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	1	5	2	1	9	17	18	20	21	9	4	-
WHITE-----MALE----	1	2	1	-	2	5	5	5	4	-	-	-
FEMALE--	-	1	-	-	2	10	11	10	16	6	3	-
ALL OTHER--MALE----	-	2	-	1	4	1	-	3	-	1	-	-
FEMALE--	-	-	1	-	1	1	2	2	1	2	1	-
BLACK---MALE----	-	2	-	1	4	1	-	3	-	1	-	-
FEMALE--	-	-	1	-	1	1	2	2	1	2	1	-
MISSOURI -----	2	3	3	13	20	32	58	67	76	32	14	-
WHITE-----MALE----	2	1	1	8	9	15	28	20	16	8	2	-
FEMALE--	-	1	2	5	10	17	28	44	59	22	12	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	2	1	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	-	2	-	-
MONTANA -----	-	-	4	2	7	9	11	18	9	7	2	-
WHITE-----MALE----	-	-	4	2	5	6	6	8	-	1	-	-
FEMALE--	-	-	-	-	2	3	4	10	9	6	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	1	2	5	7	17	26	47	62	36	10	-
WHITE-----MALE----	1	1	1	3	5	10	10	21	17	6	1	-
FEMALE--	1	-	1	2	2	6	14	25	44	29	9	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	1	-	-
NEVADA -----	1	-	1	4	10	12	18	11	15	3	2	-
WHITE-----MALE----	1	-	-	3	6	9	8	5	2	1	1	-
FEMALE--	-	-	1	1	4	3	9	6	13	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,789
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ATHEROSCLEROSIS (440)												
OHIO -----	1	6	9	18	68	89	134	145	131	78	30	-
WHITE-----MALE----	1	6	6	10	34	40	56	44	35	18	3	-
FEMALE--	-	-	-	8	28	44	68	95	89	58	25	-
ALL OTHER--MALE----	-	-	2	-	5	2	3	2	2	1	-	-
FEMALE--	-	-	1	-	1	3	7	4	5	1	2	-
BLACK---MALE----	-	-	2	-	5	2	2	2	2	1	-	-
FEMALE--	-	-	1	-	1	3	6	4	5	1	2	-
OKLAHOMA -----	5	6	12	14	30	46	76	109	74	27	18	-
WHITE-----MALE----	3	4	9	6	16	18	32	30	14	2	3	-
FEMALE--	1	1	2	6	10	23	40	71	55	22	13	-
ALL OTHER--MALE----	-	-	-	2	3	3	1	2	1	-	1	-
FEMALE--	1	1	1	-	1	2	3	6	4	3	1	-
BLACK---MALE----	-	-	-	1	2	3	1	1	1	-	1	-
FEMALE--	-	1	1	-	1	1	3	5	3	2	1	-
OREGON -----	1	3	4	10	16	33	40	55	47	29	5	-
WHITE-----MALE----	1	2	4	3	9	19	17	26	19	8	1	-
FEMALE--	-	-	-	7	5	14	23	29	28	21	4	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	8	8	18	25	62	104	138	144	154	82	25	-
WHITE-----MALE----	6	4	13	10	25	47	53	37	47	17	3	-
FEMALE--	2	3	4	13	31	52	80	101	103	62	20	-
ALL OTHER--MALE----	-	1	-	2	4	2	3	-	-	2	-	-
FEMALE--	-	-	1	-	2	3	2	6	4	1	2	-
BLACK---MALE----	-	1	-	2	3	2	3	-	-	2	-	-
FEMALE--	-	-	1	-	2	3	2	5	4	1	2	-
RHODE ISLAND -----	-	-	2	1	5	8	9	4	14	3	1	-
WHITE-----MALE----	-	-	1	-	4	1	3	1	3	-	-	-
FEMALE--	-	-	1	-	1	7	6	3	11	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	2	1	5	9	28	23	26	24	12	2	-
WHITE-----MALE----	1	-	1	2	6	12	4	7	5	-	-	-
FEMALE--	-	2	-	3	2	10	13	16	17	9	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	2	1	1	-	-	-
FEMALE--	-	-	-	-	1	5	4	2	1	3	-	-
BLACK---MALE----	-	-	-	-	-	1	2	1	1	-	-	-
FEMALE--	-	-	-	-	1	5	4	2	1	3	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,790
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ATHEROSCLEROSIS (440)												
SOUTH DAKOTA -----	-	1	1	1	2	6	7	13	11	8	6	-
WHITE-----MALE----	-	1	1	-	1	3	4	5	-	2	1	-
FEMALE--	-	-	-	-	1	2	3	8	11	6	5	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	11	15	24	42	45	78	74	65	27	9	-
WHITE-----MALE----	4	6	7	16	16	20	26	22	17	4	3	-
FEMALE--	-	4	4	6	21	22	44	45	37	20	6	-
ALL OTHER--MALE----	1	-	4	1	1	1	5	3	3	-	-	-
FEMALE--	1	1	-	1	4	2	3	4	8	3	-	-
BLACK---MALE----	1	-	4	1	1	1	5	3	3	-	-	-
FEMALE--	1	1	-	1	4	2	3	4	8	3	-	-
TEXAS -----	7	14	16	26	84	105	178	200	219	85	30	-
WHITE-----MALE----	3	4	8	13	33	46	64	52	56	16	3	-
FEMALE--	2	5	4	7	43	45	97	130	151	64	25	-
ALL OTHER--MALE----	2	1	4	2	4	7	8	5	4	-	-	-
FEMALE--	-	4	-	4	4	7	9	13	8	5	2	-
BLACK---MALE----	2	1	4	2	4	7	7	5	4	-	-	-
FEMALE--	-	4	-	3	4	7	9	13	8	5	2	-
UTAH -----	-	-	2	1	2	12	11	23	17	12	-	-
WHITE-----MALE----	-	-	1	1	1	5	6	10	4	3	-	-
FEMALE--	-	-	1	-	1	7	5	13	13	9	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	2	2	-	4	2	3	4	3	-	-
WHITE-----MALE----	1	-	1	1	-	1	1	1	1	2	-	-
FEMALE--	-	-	1	1	-	3	1	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	7	20	21	28	49	67	71	55	26	12	-
WHITE-----MALE----	2	2	11	9	7	17	24	16	10	4	-	-
FEMALE--	3	1	3	6	16	21	33	42	35	17	10	-
ALL OTHER--MALE----	1	2	2	2	3	5	3	5	2	1	-	-
FEMALE--	-	2	4	4	2	6	7	8	8	4	2	-
BLACK---MALE----	1	2	2	2	3	5	3	5	2	1	-	-
FEMALE--	-	2	4	4	2	6	7	8	8	4	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,792
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 AORTIC ANEURYSM (441)												
0 UNITED STATES --	16,387	-	2	-	4	8	19	31	48	110	173	261
WHITE-----MALE----	9,316	-	1	-	3	2	10	18	23	60	98	145
FEMALE--	5,640	-	1	-	1	1	7	7	14	17	27	44
ALL OTHER--MALE----	801	-	-	-	-	3	2	4	5	22	31	54
FEMALE--	630	-	-	-	-	2	-	2	6	11	17	18
BLACK---MALE----	616	-	-	-	-	3	2	3	3	19	27	47
FEMALE--	524	-	-	-	-	2	-	2	5	11	15	16
ALABAMA -----	252	-	-	-	-	-	-	2	1	1	2	5
WHITE-----MALE----	128	-	-	-	-	-	-	1	-	-	1	3
FEMALE--	81	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	18	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	24	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	18	-	-	-	-	-	-	-	1	-	-	-
ALASKA -----	11	-	-	-	-	-	-	-	-	3	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	236	-	-	-	-	-	-	-	1	1	2	4
WHITE-----MALE----	151	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	80	-	-	-	-	-	-	-	1	-	2	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	172	-	-	-	-	-	-	-	1	2	1	3
WHITE-----MALE----	108	-	-	-	-	-	-	-	1	2	-	1
FEMALE--	49	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	1
CALIFORNIA -----	1,497	-	-	-	-	-	3	3	6	11	24	23
WHITE-----MALE----	831	-	-	-	-	-	1	3	2	6	17	11
FEMALE--	481	-	-	-	-	-	1	-	2	1	3	4
ALL OTHER--MALE----	116	-	-	-	-	-	1	-	2	2	1	8
FEMALE--	69	-	-	-	-	-	-	-	-	2	3	-
BLACK---MALE----	42	-	-	-	-	-	1	-	-	2	1	4
FEMALE--	34	-	-	-	-	-	-	-	-	2	3	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,792
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC ANEURYSM (441)												
0 UNITED STATES --	325	526	1,025	1,789	2,730	3,218	3,022	2,004	869	199	23	1
WHITE-----MALE----	209	350	691	1,153	1,708	1,911	1,594	916	353	67	4	-
FEMALE--	58	76	228	468	812	1,084	1,231	965	466	114	19	-
ALL OTHER--MALE----	42	65	74	107	109	119	95	44	21	3	-	1
FEMALE--	16	35	32	61	101	104	102	79	29	15	-	-
BLACK---MALE----	35	55	61	85	80	88	59	34	11	3	-	1
FEMALE--	15	32	23	53	84	94	77	60	24	11	-	-
ALABAMA -----	8	8	19	31	40	53	37	33	9	3	-	-
WHITE-----MALE----	3	4	13	17	19	36	15	13	2	1	-	-
FEMALE--	-	1	5	8	15	8	17	18	5	2	-	-
ALL OTHER--MALE----	4	2	1	4	5	4	1	-	1	-	-	-
FEMALE--	1	1	-	2	1	5	4	2	1	-	-	-
BLACK---MALE----	4	2	1	4	4	4	1	-	1	-	-	-
FEMALE--	1	1	-	2	1	5	4	2	1	-	-	-
ALASKA -----	1	1	-	-	2	1	2	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	10	13	21	50	46	39	31	10	4	-	-
WHITE-----MALE----	3	8	8	13	37	33	22	19	4	2	-	-
FEMALE--	1	2	5	7	13	12	16	12	6	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	4	4	6	25	30	32	37	14	10	2	1	-
WHITE-----MALE----	3	3	4	18	17	24	22	6	7	-	-	-
FEMALE--	-	-	1	6	12	5	12	8	3	1	1	-
ALL OTHER--MALE----	1	1	-	-	-	1	3	-	-	-	-	-
FEMALE--	-	-	1	1	1	2	-	-	-	1	-	-
BLACK---MALE----	1	1	-	-	-	1	3	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	-	-	-	1	-	-
CALIFORNIA -----	29	57	83	155	237	309	276	185	78	17	1	-
WHITE-----MALE----	15	37	54	93	141	175	149	88	35	4	-	-
FEMALE--	8	11	12	40	70	107	96	78	35	12	1	-
ALL OTHER--MALE----	6	7	11	14	16	19	17	7	5	-	-	-
FEMALE--	-	2	6	8	10	8	14	12	3	1	-	-
BLACK---MALE----	3	3	4	6	2	9	4	3	-	-	-	-
FEMALE--	-	2	2	5	5	6	2	7	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,793
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 AORTIC ANEURYSM (441)												
COLORADO -----	221	-	-	-	-	-	-	-	1	4	-	6
WHITE-----MALE----	130	-	-	-	-	-	-	-	1	3	-	5
FEMALE--	79	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	233	-	-	-	-	-	-	1	-	2	1	1
WHITE-----MALE----	142	-	-	-	-	-	-	1	-	2	-	1
FEMALE--	87	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	42	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	33	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1,201	-	-	-	-	-	1	1	2	4	12	17
WHITE-----MALE----	729	-	-	-	-	-	-	1	-	2	9	9
FEMALE--	394	-	-	-	-	-	1	-	-	1	2	3
ALL OTHER--MALE----	50	-	-	-	-	-	-	-	1	-	1	5
FEMALE--	28	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	48	-	-	-	-	-	-	-	1	-	-	5
FEMALE--	25	-	-	-	-	-	-	-	-	1	-	-
GEORGIA -----	365	-	-	-	-	1	1	1	1	7	6	14
WHITE-----MALE----	200	-	-	-	-	1	-	-	-	2	3	6
FEMALE--	99	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	39	-	-	-	-	-	1	-	-	3	3	7
FEMALE--	27	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	39	-	-	-	-	-	1	-	-	3	3	7
FEMALE--	27	-	-	-	-	-	-	1	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,793
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC ANEURYSM (441)												
COLORADO -----	2	9	15	25	35	41	49	21	10	3	-	-
WHITE-----MALE----	1	9	9	20	20	26	25	7	4	-	-	-
FEMALE--	1	-	5	4	11	13	22	13	5	3	-	-
ALL OTHER--MALE----	-	-	1	-	2	2	1	1	-	-	-	-
FEMALE--	-	-	-	1	2	-	1	-	1	-	-	-
BLACK---MALE----	-	-	1	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-
CONNECTICUT -----	3	6	8	23	36	49	47	33	20	3	-	-
WHITE-----MALE----	3	4	6	17	25	32	23	17	11	-	-	-
FEMALE--	-	1	1	6	11	17	23	16	9	3	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DELAWARE -----	1	-	7	6	9	8	1	3	3	1	-	-
WHITE-----MALE----	1	-	3	4	2	3	1	2	1	1	-	-
FEMALE--	-	-	2	-	4	5	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	2	1	7	5	4	7	2	3	-	-	-
WHITE-----MALE----	-	-	1	2	2	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	1	1	2	1	-	-	-
ALL OTHER--MALE----	-	2	-	3	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	2	2	3	4	-	1	-	-	-
BLACK---MALE----	-	2	-	3	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	2	2	3	4	-	1	-	-	-
FLORIDA -----	27	34	82	131	220	226	222	161	50	9	2	-
WHITE-----MALE----	19	23	61	85	148	143	122	84	19	4	-	-
FEMALE--	3	2	14	36	61	73	91	73	27	5	2	-
ALL OTHER--MALE----	5	6	4	5	8	7	5	1	2	-	-	-
FEMALE--	-	3	3	5	3	3	4	3	2	-	-	-
BLACK---MALE----	5	6	4	5	8	7	4	1	2	-	-	-
FEMALE--	-	3	1	5	3	3	4	3	2	-	-	-
GEORGIA -----	15	19	30	35	54	71	54	36	17	3	-	-
WHITE-----MALE----	10	11	19	25	37	43	24	13	6	-	-	-
FEMALE--	1	1	7	7	10	16	23	18	11	2	-	-
ALL OTHER--MALE----	3	5	3	2	4	6	1	1	-	-	-	-
FEMALE--	1	2	1	1	3	6	6	4	-	1	-	-
BLACK---MALE----	3	5	3	2	4	6	1	1	-	-	-	-
FEMALE--	1	2	1	1	3	6	6	4	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,794
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC ANEURYSM (441)												
HAWAII -----	-	3	2	2	10	17	25	13	6	1	-	-
WHITE-----MALE----	-	1	1	-	1	1	8	1	-	1	-	-
FEMALE--	-	-	-	-	2	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	2	-	1	4	12	14	4	4	-	-	-
FEMALE--	-	-	1	1	3	3	3	7	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	1	3	9	11	13	15	17	6	4	-	-
WHITE-----MALE----	2	1	3	6	7	9	12	10	3	2	-	-
FEMALE--	1	-	-	3	4	4	3	7	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	16	15	39	81	141	139	137	82	37	11	-	-
WHITE-----MALE----	11	8	28	55	86	70	70	41	14	4	-	-
FEMALE--	1	5	4	18	38	63	60	36	21	7	-	-
ALL OTHER--MALE----	3	1	3	7	6	3	2	1	1	-	-	-
FEMALE--	1	1	4	1	11	3	5	4	1	-	-	-
BLACK---MALE----	2	-	3	6	6	3	2	1	1	-	-	-
FEMALE--	1	1	4	1	11	3	5	4	1	-	-	-
INDIANA -----	4	13	30	52	68	93	75	54	22	5	-	-
WHITE-----MALE----	3	10	23	29	42	60	46	26	10	3	-	-
FEMALE--	1	3	6	21	22	28	23	24	11	2	-	-
ALL OTHER--MALE----	-	-	1	1	2	3	1	1	-	-	-	-
FEMALE--	-	-	-	1	2	2	5	3	1	-	-	-
BLACK---MALE----	-	-	1	1	2	3	1	1	-	-	-	-
FEMALE--	-	-	-	1	2	2	5	3	1	-	-	-
IOWA -----	2	2	14	26	23	45	39	29	22	3	1	-
WHITE-----MALE----	2	-	11	17	11	31	27	12	12	2	-	-
FEMALE--	-	1	3	8	12	14	12	17	10	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	7	3	15	16	24	29	36	24	15	6	1	-
WHITE-----MALE----	4	3	10	9	17	18	23	13	2	2	-	-
FEMALE--	2	-	5	5	6	10	11	10	13	4	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	1	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	1	1	1	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,795
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 AORTIC ANEURYSM (441)												
KENTUCKY -----	257	-	-	-	1	-	-	-	1	2	5	3
WHITE-----MALE----	167	-	-	-	1	-	-	-	-	2	5	3
FEMALE--	79	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	253	-	-	-	-	-	-	-	-	2	4	5
WHITE-----MALE----	125	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	78	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	26	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	24	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	25	-	-	-	-	-	-	-	-	1	-	2
MAINE -----	104	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	52	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	51	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	285	-	-	-	-	-	-	1	1	3	5	2
WHITE-----MALE----	139	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	99	-	-	-	-	-	-	1	1	1	2	-
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	25	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	20	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	25	-	-	-	-	-	-	-	-	1	-	1
MASSACHUSETTS -----	430	-	-	-	-	-	-	-	3	5	2	3
WHITE-----MALE----	229	-	-	-	-	-	-	-	3	5	2	3
FEMALE--	181	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	620	-	-	-	-	-	1	-	1	2	7	14
WHITE-----MALE----	344	-	-	-	-	-	-	-	1	-	4	7
FEMALE--	224	-	-	-	-	-	1	-	-	1	2	1
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	25	-	-	-	-	-	-	-	-	1	-	4
BLACK---MALE----	25	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	22	-	-	-	-	-	-	-	-	1	-	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,795
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC ANEURYSM (441)												
KENTUCKY -----	7	13	30	37	55	33	39	20	11	-	-	-
WHITE-----MALE----	6	12	16	23	38	22	24	10	5	-	-	-
FEMALE--	1	1	13	13	14	10	12	9	6	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	2	1	-	-	-	-
FEMALE--	-	-	-	1	2	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	2	1	-	-	-	-
FEMALE--	-	-	-	1	2	1	1	-	-	-	-	-
LOUISIANA -----	9	7	24	26	34	60	43	23	13	3	-	-
WHITE-----MALE----	5	3	15	13	22	31	18	10	4	1	-	-
FEMALE--	1	1	5	5	6	18	22	10	9	-	-	-
ALL OTHER--MALE----	2	2	1	5	6	2	1	-	-	1	-	-
FEMALE--	1	1	3	3	-	9	2	3	-	1	-	-
BLACK---MALE----	2	2	1	5	6	2	1	-	-	1	-	-
FEMALE--	1	1	3	3	-	9	2	2	-	1	-	-
MAINE -----	1	2	2	16	21	24	18	11	5	2	1	-
WHITE-----MALE----	1	2	2	6	14	13	8	4	-	-	1	-
FEMALE--	-	-	-	10	7	11	10	6	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MARYLAND -----	7	10	21	30	51	60	37	34	18	5	-	-
WHITE-----MALE----	6	3	10	15	33	31	18	14	5	3	-	-
FEMALE--	-	2	6	9	12	20	16	17	10	2	-	-
ALL OTHER--MALE----	1	2	4	3	2	3	-	2	1	-	-	-
FEMALE--	-	3	1	3	4	6	3	1	2	-	-	-
BLACK---MALE----	1	2	4	2	2	3	-	2	-	-	-	-
FEMALE--	-	3	1	3	4	6	3	1	2	-	-	-
MASSACHUSETTS -----	9	7	21	33	71	85	92	69	23	7	-	-
WHITE-----MALE----	8	5	16	21	40	42	44	24	12	4	-	-
FEMALE--	-	2	5	9	29	40	45	39	9	3	-	-
ALL OTHER--MALE----	1	-	-	2	1	2	2	3	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	3	2	-	-	-
BLACK---MALE----	-	-	-	2	1	2	2	3	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	3	2	-	-	-
MICHIGAN -----	12	28	44	66	113	119	102	71	32	7	1	-
WHITE-----MALE----	9	19	34	38	77	64	52	27	11	1	-	-
FEMALE--	2	5	5	21	31	44	46	41	18	5	1	-
ALL OTHER--MALE----	1	1	4	5	3	6	3	-	1	-	-	-
FEMALE--	-	3	1	2	2	5	1	3	2	1	-	-
BLACK---MALE----	1	1	4	4	3	6	2	-	1	-	-	-
FEMALE--	-	3	1	2	2	3	-	3	2	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,796
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC ANEURYSM (441)												
MINNESOTA -----	6	4	18	44	53	57	63	49	30	8	-	-
WHITE-----MALE----	3	2	14	27	39	41	35	22	17	5	-	-
FEMALE--	3	2	4	15	14	15	27	26	13	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	2	10	7	18	29	26	32	22	8	2	-	-
WHITE-----MALE----	1	4	5	12	17	10	15	9	3	1	-	-
FEMALE--	-	-	1	3	7	8	9	11	2	-	-	-
ALL OTHER--MALE----	-	3	1	3	2	4	4	1	-	-	-	-
FEMALE--	1	3	-	-	3	4	4	1	3	1	-	-
BLACK---MALE----	-	3	1	3	2	4	4	1	-	-	-	-
FEMALE--	1	3	-	-	3	4	1	3	1	-	-	-
MISSOURI -----	8	11	30	37	58	71	70	52	22	4	1	1
WHITE-----MALE----	6	10	16	26	35	42	34	24	8	-	-	-
FEMALE--	2	1	12	9	22	26	32	28	13	2	1	-
ALL OTHER--MALE----	-	-	2	1	1	2	1	-	-	1	-	1
FEMALE--	-	-	-	1	-	1	3	-	1	1	-	-
BLACK---MALE----	-	-	1	1	1	2	1	-	-	1	-	1
FEMALE--	-	-	-	1	-	1	3	-	1	1	-	-
MONTANA -----	-	3	4	7	11	12	11	9	2	2	-	-
WHITE-----MALE----	-	1	2	7	8	8	6	4	-	-	-	-
FEMALE--	-	1	2	-	3	4	5	5	2	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	5	3	8	6	17	25	16	11	1	-	-
WHITE-----MALE----	-	5	2	6	4	12	11	7	6	1	-	-
FEMALE--	1	-	1	2	2	5	14	8	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
NEVADA -----	4	3	9	16	26	9	13	6	-	2	-	-
WHITE-----MALE----	3	2	7	9	16	6	5	2	-	1	-	-
FEMALE--	1	1	2	6	7	2	8	4	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,798
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC ANEURYSM (441)												
OHIO -----	12	16	52	97	119	148	151	92	33	10	2	-
WHITE-----MALE----	7	13	38	60	72	84	76	42	16	-	-	-
FEMALE--	2	2	10	28	40	61	62	47	17	10	2	-
ALL OTHER--MALE----	3	-	3	8	2	2	4	2	-	-	-	-
FEMALE--	-	1	1	1	5	1	9	1	-	-	-	-
BLACK---MALE----	3	-	3	7	2	2	4	2	-	-	-	-
FEMALE--	-	1	1	1	5	1	9	1	-	-	-	-
OKLAHOMA -----	8	6	20	24	38	48	44	22	20	6	1	-
WHITE-----MALE----	4	5	11	16	25	27	30	6	10	2	-	-
FEMALE--	2	-	6	4	13	20	12	15	10	3	1	-
ALL OTHER--MALE----	-	1	2	1	-	1	-	-	-	-	-	-
FEMALE--	2	-	1	3	-	-	2	1	-	1	-	-
BLACK---MALE----	-	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	2	-	-	-	1	-	-	-	-
OREGON -----	2	6	13	31	31	48	45	24	11	3	1	-
WHITE-----MALE----	2	5	8	25	25	35	27	10	4	2	1	-
FEMALE--	-	1	3	6	6	13	17	13	7	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	17	22	52	96	169	202	217	127	53	11	-	-
WHITE-----MALE----	12	16	32	66	107	117	106	52	16	3	-	-
FEMALE--	4	4	16	23	54	74	107	71	33	8	-	-
ALL OTHER--MALE----	1	1	2	5	4	9	1	1	1	-	-	-
FEMALE--	-	1	2	2	4	2	3	3	3	-	-	-
BLACK---MALE----	1	1	2	3	4	8	1	1	1	-	-	-
FEMALE--	-	1	2	2	4	2	3	2	3	-	-	-
RHODE ISLAND -----	2	2	2	10	15	11	21	14	7	-	1	-
WHITE-----MALE----	1	-	1	6	8	5	13	3	4	-	-	-
FEMALE--	1	1	1	4	7	6	8	11	3	-	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6	16	6	37	37	40	34	12	6	-	-	-
WHITE-----MALE----	4	10	4	27	21	20	17	7	2	-	-	-
FEMALE--	-	-	-	7	10	16	12	4	4	-	-	-
ALL OTHER--MALE----	2	2	1	-	3	2	2	-	-	-	-	-
FEMALE--	-	4	1	3	3	2	3	1	-	-	-	-
BLACK---MALE----	2	2	1	-	3	2	2	-	-	-	-	-
FEMALE--	-	4	1	3	3	2	3	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,799
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC ANEURYSM (441)												
SOUTH DAKOTA -----	2	1	2	6	12	12	14	9	4	3	1	-
WHITE-----MALE----	2	1	1	5	5	8	8	3	-	1	-	-
FEMALE--	-	-	-	1	7	4	5	5	4	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	9	22	42	65	67	60	31	13	1	1	-
WHITE-----MALE----	2	8	18	32	35	48	32	19	5	1	-	-
FEMALE--	3	1	3	8	24	16	24	8	6	-	1	-
ALL OTHER--MALE----	-	-	1	1	2	1	1	1	1	-	-	-
FEMALE--	3	-	-	1	4	2	3	3	1	-	-	-
BLACK---MALE----	-	-	1	1	2	1	1	1	1	-	-	-
FEMALE--	3	-	-	1	4	2	3	3	1	-	-	-
TEXAS -----	17	39	45	86	117	169	126	88	52	7	1	-
WHITE-----MALE----	13	27	31	59	78	104	61	42	19	1	1	-
FEMALE--	3	4	10	21	27	56	59	36	30	5	-	-
ALL OTHER--MALE----	1	6	2	2	7	4	4	5	2	1	-	-
FEMALE--	-	2	2	4	5	5	2	5	1	-	-	-
BLACK---MALE----	1	6	2	2	7	3	4	5	2	1	-	-
FEMALE--	-	2	2	4	4	5	2	5	1	-	-	-
UTAH -----	1	2	10	13	10	11	13	9	2	2	-	-
WHITE-----MALE----	1	2	8	9	3	6	9	5	1	-	-	-
FEMALE--	-	-	2	3	7	4	4	4	1	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	2	3	6	10	8	6	4	-	-	-
WHITE-----MALE----	-	-	2	2	3	5	4	5	1	-	-	-
FEMALE--	-	-	-	1	3	5	4	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	10	18	31	65	64	54	52	10	7	1	-
WHITE-----MALE----	2	6	12	17	33	39	29	24	3	2	-	-
FEMALE--	2	1	4	8	21	14	19	23	7	2	1	-
ALL OTHER--MALE----	1	1	2	3	5	6	3	2	-	-	-	-
FEMALE--	2	2	-	3	6	5	3	3	-	3	-	-
BLACK---MALE----	1	1	1	2	5	6	3	2	-	-	-	-
FEMALE--	2	2	-	3	5	5	3	3	-	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,801
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	10,789	13	4	3	9	13	20	36	62	101	142	190
WHITE-----MALE----	4,117	6	1	-	3	5	9	13	19	30	50	79
FEMALE--	5,235	4	3	2	4	4	8	12	18	34	45	60
ALL OTHER--MALE----	623	2	-	-	-	1	1	4	12	18	21	26
FEMALE--	814	1	-	1	2	3	2	7	13	19	26	25
BLACK---MALE----	570	2	-	-	-	1	1	4	11	17	18	25
FEMALE--	745	1	-	1	1	2	1	6	10	17	22	25
ALABAMA -----	186	-	-	-	-	2	-	-	1	1	4	5
WHITE-----MALE----	70	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	65	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	22	-	-	-	-	1	-	-	-	1	1	2
FEMALE--	29	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	22	-	-	-	-	1	-	-	-	1	1	2
FEMALE--	29	-	-	-	-	1	-	-	-	-	-	1
ALASKA -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	165	-	-	-	-	-	-	1	1	2	5	3
WHITE-----MALE----	78	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	75	-	-	-	-	-	-	1	-	-	2	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS -----	125	-	-	-	-	-	-	-	1	1	-	2
WHITE-----MALE----	56	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	55	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	936	4	-	1	1	1	2	4	8	15	15	14
WHITE-----MALE----	362	3	-	-	-	-	2	2	4	6	4	6
FEMALE--	471	1	-	1	1	1	-	1	1	6	7	3
ALL OTHER--MALE----	49	-	-	-	-	-	-	-	-	3	3	1
FEMALE--	54	-	-	-	-	-	-	1	3	-	1	4
BLACK---MALE----	26	-	-	-	-	-	-	-	-	2	2	-
FEMALE--	35	-	-	-	-	-	-	-	1	-	-	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,801
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	210	299	563	921	1,427	1,710	1,745	1,581	1,135	489	116	-
WHITE-----MALE----	85	132	266	425	661	749	704	501	273	91	15	-
FEMALE--	73	105	197	355	564	754	863	931	772	348	79	-
ALL OTHER--MALE----	27	34	53	71	98	95	71	48	24	12	5	-
FEMALE--	25	28	47	70	104	112	107	101	66	38	17	-
BLACK---MALE----	24	32	49	69	90	84	64	42	20	12	5	-
FEMALE--	23	25	40	68	91	103	99	93	63	37	17	-
ALABAMA -----	4	6	12	20	21	30	28	27	18	5	2	-
WHITE-----MALE----	2	4	8	8	11	13	7	6	4	1	1	-
FEMALE--	1	1	1	9	4	8	14	14	11	1	-	-
ALL OTHER--MALE----	1	1	-	-	2	6	1	3	2	1	-	-
FEMALE--	-	-	3	3	4	3	6	4	1	2	1	-
BLACK---MALE----	1	1	-	-	2	6	1	3	2	1	-	-
FEMALE--	-	-	3	3	4	3	6	4	1	2	1	-
ALASKA -----	1	-	-	1	1	1	1	-	1	2	-	-
WHITE-----MALE----	-	-	-	1	1	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	3	13	11	21	29	25	29	13	4	-	-
WHITE-----MALE----	3	3	4	6	7	21	12	13	3	1	-	-
FEMALE--	2	-	7	4	11	7	13	15	10	3	-	-
ALL OTHER--MALE----	-	-	2	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ARKANSAS -----	2	7	6	9	19	20	22	21	10	3	2	-
WHITE-----MALE----	1	3	5	6	7	12	10	7	2	1	-	-
FEMALE--	1	3	-	2	10	7	10	12	5	1	2	-
ALL OTHER--MALE----	-	1	-	1	1	1	1	2	1	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	2	1	-	-
BLACK---MALE----	-	1	-	1	1	1	1	2	1	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	2	1	-	-
CALIFORNIA -----	18	26	46	78	135	135	140	142	100	38	13	-
WHITE-----MALE----	5	10	20	34	63	59	54	54	24	10	2	-
FEMALE--	10	12	16	37	52	63	76	75	71	27	10	-
ALL OTHER--MALE----	3	2	3	5	11	7	5	5	1	-	-	-
FEMALE--	-	2	7	2	9	6	5	8	4	1	1	-
BLACK---MALE----	1	2	2	4	5	2	4	2	-	-	-	-
FEMALE--	-	1	3	2	7	4	4	4	3	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,802
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	118	-	-	-	-	-	-	-	2	2	1	2
WHITE-----MALE----	53	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	60	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
CONNECTICUT -----	128	-	-	-	-	-	1	1	-	2	1	1
WHITE-----MALE----	51	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	69	-	-	-	-	-	1	1	-	2	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	33	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	24	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	702	1	-	-	-	-	2	2	5	5	10	10
WHITE-----MALE----	301	1	-	-	-	-	1	1	2	-	3	6
FEMALE--	310	-	-	-	-	-	1	-	1	-	4	2
ALL OTHER--MALE----	48	-	-	-	-	-	-	-	1	2	1	-
FEMALE--	43	-	-	-	-	-	-	1	1	3	2	2
BLACK---MALE----	48	-	-	-	-	-	-	-	1	2	1	-
FEMALE--	42	-	-	-	-	-	-	1	1	3	2	2
GEORGIA -----	274	-	-	-	1	2	-	2	2	5	5	3
WHITE-----MALE----	81	-	-	-	-	-	-	1	-	2	1	-
FEMALE--	111	-	-	-	-	1	-	-	1	-	1	1
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	48	-	-	-	1	1	-	1	-	1	2	-
BLACK---MALE----	33	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	46	-	-	-	1	-	-	1	-	1	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,802
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	5	1	-	9	18	27	23	15	9	4	-	-
WHITE-----MALE----	4	1	-	4	7	16	11	4	3	1	-	-
FEMALE--	1	-	-	5	10	11	11	11	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	3	5	3	10	14	20	24	17	20	5	1	-
WHITE-----MALE----	3	4	1	6	5	10	10	6	4	1	-	-
FEMALE--	-	-	2	2	8	7	13	11	16	4	1	-
ALL OTHER--MALE----	-	-	-	1	-	2	1	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-
DELAWARE -----	1	-	-	1	6	6	5	6	4	2	-	-
WHITE-----MALE----	-	-	-	-	3	2	4	2	1	-	-	-
FEMALE--	1	-	-	1	1	4	1	4	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	-	2	1	2	-	3	7	3	3	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	2	1	2	1	-	-	-
FEMALE--	-	2	-	2	-	1	4	-	1	-	1	-
BLACK---MALE----	-	-	1	-	-	2	1	2	1	-	-	-
FEMALE--	-	2	-	2	-	1	4	-	1	-	1	-
FLORIDA -----	10	14	34	53	100	138	118	95	73	28	4	-
WHITE-----MALE----	4	5	18	34	53	61	51	31	20	10	-	-
FEMALE--	3	4	11	13	34	64	57	53	44	17	2	-
ALL OTHER--MALE----	1	4	5	4	9	4	8	5	3	-	1	-
FEMALE--	2	1	-	2	4	9	2	6	6	1	1	-
BLACK---MALE----	1	4	5	4	9	4	8	5	3	-	1	-
FEMALE--	2	1	-	2	3	9	2	6	6	1	1	-
GEORGIA -----	7	7	19	22	41	44	42	32	25	13	2	-
WHITE-----MALE----	-	3	8	9	16	18	6	7	8	1	1	-
FEMALE--	3	1	7	5	17	17	19	16	12	10	-	-
ALL OTHER--MALE----	2	3	2	3	5	4	5	3	-	1	-	-
FEMALE--	2	-	2	5	3	5	12	6	5	1	1	-
BLACK---MALE----	2	3	2	3	5	4	4	3	-	1	-	-
FEMALE--	2	-	2	5	3	5	11	6	5	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,804
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	181	-	-	-	-	1	1	1	2	1	1	3
WHITE-----MALE----	90	-	-	-	-	1	-	1	-	1	-	2
FEMALE--	75	-	-	-	-	-	1	-	1	-	1	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	199	-	-	-	-	1	1	-	1	1	4	4
WHITE-----MALE----	63	-	-	-	-	-	1	-	-	-	-	2
FEMALE--	69	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	38	-	-	-	-	1	-	-	-	1	1	2
BLACK---MALE----	28	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	38	-	-	-	-	1	-	-	-	1	1	2
MAINE -----	53	-	-	-	-	-	-	1	-	-	-	2
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	29	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	216	-	1	-	-	-	-	2	-	1	6	3
WHITE-----MALE----	65	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	90	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	33	-	-	-	-	-	-	1	-	-	3	1
FEMALE--	28	-	-	-	-	-	-	-	-	1	3	1
BLACK---MALE----	32	-	-	-	-	-	-	1	-	-	3	1
FEMALE--	27	-	-	-	-	-	-	-	-	1	3	1
MASSACHUSETTS -----	288	-	-	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	100	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	175	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
MICHIGAN -----	382	1	-	-	-	-	-	1	4	4	3	8
WHITE-----MALE----	139	-	-	-	-	-	-	1	1	1	1	3
FEMALE--	198	-	-	-	-	-	-	-	1	3	2	3
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	29	1	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	16	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	28	1	-	-	-	-	-	-	1	-	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,804
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	6	10	13	14	24	32	22	21	20	9	-	-
WHITE-----MALE----	4	6	9	8	14	10	15	8	9	2	-	-
FEMALE--	-	4	3	6	7	16	6	12	11	6	-	-
ALL OTHER--MALE----	-	-	1	-	1	3	-	1	-	-	-	-
FEMALE--	2	-	-	-	2	3	1	-	-	1	-	-
BLACK---MALE----	-	-	1	-	1	3	-	1	-	-	-	-
FEMALE--	2	-	-	-	2	3	1	-	-	1	-	-
LOUISIANA -----	10	8	7	22	24	33	38	28	12	4	1	-
WHITE-----MALE----	2	2	3	5	9	10	13	14	2	-	-	-
FEMALE--	3	2	2	10	5	16	7	4	4	3	-	-
ALL OTHER--MALE----	2	2	1	3	7	2	3	2	4	-	-	-
FEMALE--	3	2	1	4	3	5	6	5	2	1	1	-
BLACK---MALE----	2	2	1	3	7	2	3	2	4	-	-	-
FEMALE--	3	2	1	4	3	5	6	5	2	1	1	-
MAINE -----	-	1	1	1	10	6	11	12	7	1	-	-
WHITE-----MALE----	-	1	1	-	3	3	5	8	1	-	-	-
FEMALE--	-	-	-	1	7	3	6	4	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	5	5	8	21	35	31	35	31	24	7	1	-
WHITE-----MALE----	3	4	2	7	12	12	10	9	4	1	-	-
FEMALE--	1	-	2	8	14	8	19	15	16	5	-	-
ALL OTHER--MALE----	1	1	2	4	4	6	5	3	1	-	1	-
FEMALE--	-	-	2	2	5	5	1	4	3	1	-	-
BLACK---MALE----	1	1	1	4	4	6	5	3	1	-	1	-
FEMALE--	-	-	2	2	4	5	1	4	3	1	-	-
MASSACHUSETTS -----	2	4	17	16	42	46	41	53	41	16	6	-
WHITE-----MALE----	1	2	11	7	13	23	21	14	5	2	-	-
FEMALE--	1	2	3	7	28	23	20	37	35	12	5	-
ALL OTHER--MALE----	-	-	2	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	1	1	-	-	2	-	2	1	-
BLACK---MALE----	-	-	2	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	1	1	-	-	2	-	2	1	-
MICHIGAN -----	7	10	19	33	58	61	67	52	33	20	1	-
WHITE-----MALE----	3	4	6	16	23	23	24	19	11	3	-	-
FEMALE--	3	6	10	11	28	33	35	28	21	13	1	-
ALL OTHER--MALE----	1	-	2	3	2	4	2	-	-	-	-	-
FEMALE--	-	-	1	3	5	1	6	5	1	4	-	-
BLACK---MALE----	1	-	2	3	2	4	2	-	-	-	-	-
FEMALE--	-	-	1	3	5	1	5	5	1	4	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,805
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	2	4	12	13	29	37	41	33	31	17	7	-
WHITE-----MALE----	1	2	5	5	14	17	18	9	8	1	2	-
FEMALE--	-	1	6	8	13	16	23	23	23	16	5	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	4	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
MISSISSIPPI -----	1	5	7	12	14	12	15	10	7	6	4	-
WHITE-----MALE----	-	1	3	5	5	3	4	2	1	-	-	-
FEMALE--	-	3	1	3	4	3	6	4	3	1	1	-
ALL OTHER--MALE----	-	1	-	3	3	5	3	1	1	3	-	-
FEMALE--	1	-	3	1	2	1	2	3	2	2	3	-
BLACK---MALE----	-	1	-	3	3	5	3	1	1	3	-	-
FEMALE--	1	-	3	1	2	1	2	3	2	2	3	-
MISSOURI -----	5	8	8	14	27	39	39	51	25	13	2	-
WHITE-----MALE----	1	3	3	9	14	12	14	15	9	1	-	-
FEMALE--	3	4	3	4	13	19	21	33	13	11	2	-
ALL OTHER--MALE----	1	-	-	-	-	5	-	-	-	-	-	-
FEMALE--	-	1	2	1	-	3	4	3	3	1	-	-
BLACK---MALE----	1	-	-	-	-	5	-	-	-	-	-	-
FEMALE--	-	1	2	1	-	3	4	3	3	1	-	-
MONTANA -----	2	1	-	2	7	3	10	6	1	-	-	-
WHITE-----MALE----	-	-	-	1	3	2	7	2	1	-	-	-
FEMALE--	2	1	-	1	4	1	2	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	1	3	8	8	9	11	14	12	7	1	-
WHITE-----MALE----	-	-	2	4	3	4	5	4	4	2	-	-
FEMALE--	-	1	-	3	4	4	6	10	7	5	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	1	-	-	-
NEVADA -----	3	1	4	13	4	12	11	2	4	-	-	-
WHITE-----MALE----	1	1	2	5	3	5	6	1	-	-	-	-
FEMALE--	2	-	1	6	1	7	5	1	3	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,807
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	581	1	1	-	-	-	2	3	2	5	6	12
WHITE-----MALE----	241	1	-	-	-	-	1	2	2	1	2	6
FEMALE--	271	-	1	-	-	-	1	-	-	1	4	5
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	3	-	-
FEMALE--	41	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	28	-	-	-	-	-	-	-	-	3	-	-
FEMALE--	39	-	-	-	-	-	-	1	-	-	-	1
OKLAHOMA -----	111	-	-	1	-	-	1	-	-	1	-	4
WHITE-----MALE----	40	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	63	-	-	1	-	-	1	-	-	1	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	140	-	-	-	-	-	-	-	1	2	-	5
WHITE-----MALE----	55	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	84	-	-	-	-	-	-	-	-	1	-	5
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	613	-	1	-	1	-	-	-	1	4	5	7
WHITE-----MALE----	233	-	-	-	-	-	-	-	-	2	3	5
FEMALE--	329	-	1	-	1	-	-	-	-	1	2	2
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	1	1	-	-
RHODE ISLAND -----	52	-	-	-	1	-	-	-	-	1	-	-
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	186	2	-	-	-	-	-	2	1	4	4	7
WHITE-----MALE----	54	-	-	-	-	-	-	-	-	3	-	-
FEMALE--	67	1	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	33	1	-	-	-	-	-	2	-	-	1	4
FEMALE--	32	-	-	-	-	-	-	-	1	1	1	1
BLACK---MALE----	33	1	-	-	-	-	-	2	-	-	1	4
FEMALE--	31	-	-	-	-	-	-	-	1	1	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,807
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	8	10	30	48	73	100	98	93	58	26	5	-
WHITE-----MALE----	5	5	16	21	30	44	47	39	13	5	1	-
FEMALE--	1	4	11	15	28	43	43	46	44	20	4	-
ALL OTHER--MALE----	1	-	-	6	10	6	2	-	-	-	-	-
FEMALE--	1	1	3	6	5	7	6	8	1	1	-	-
BLACK---MALE----	1	-	-	6	10	6	2	-	-	-	-	-
FEMALE--	1	1	3	5	5	6	6	8	1	1	-	-
OKLAHOMA -----	4	4	3	11	15	16	12	21	10	7	1	-
WHITE-----MALE----	2	2	2	3	7	9	6	4	2	1	-	-
FEMALE--	2	-	1	7	7	7	4	15	8	6	1	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	2	2	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
OREGON -----	2	5	9	15	18	25	20	18	13	5	2	-
WHITE-----MALE----	-	2	3	5	9	9	10	7	5	2	1	-
FEMALE--	2	3	6	10	8	16	10	11	8	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	6	12	35	40	78	101	102	106	77	31	6	-
WHITE-----MALE----	2	2	19	21	38	48	33	34	19	6	1	-
FEMALE--	3	6	12	15	33	45	60	69	54	21	4	-
ALL OTHER--MALE----	1	1	2	1	4	2	3	2	1	1	-	-
FEMALE--	-	3	2	3	3	6	6	1	3	3	1	-
BLACK---MALE----	1	1	2	1	4	1	3	2	-	1	-	-
FEMALE--	-	3	2	3	2	6	4	1	3	3	1	-
RHODE ISLAND -----	1	2	1	6	4	11	9	7	7	2	-	-
WHITE-----MALE----	1	1	-	1	2	4	4	1	3	1	-	-
FEMALE--	-	1	1	4	2	7	5	6	3	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
SOUTH CAROLINA -----	8	9	15	31	24	25	19	14	16	3	2	-
WHITE-----MALE----	4	5	5	10	10	9	3	4	1	-	-	-
FEMALE--	1	2	3	11	7	12	9	4	9	2	2	-
ALL OTHER--MALE----	2	2	4	4	5	2	4	1	1	-	-	-
FEMALE--	1	-	3	6	2	2	3	5	5	1	-	-
BLACK---MALE----	2	2	4	4	5	2	4	1	1	-	-	-
FEMALE--	1	-	3	6	2	2	3	5	5	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,808
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	48	-	-	-	-	1	-	-	1	-	-	1
WHITE-----MALE----	28	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	19	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	252	-	-	-	2	-	1	1	-	2	3	7
WHITE-----MALE----	101	-	-	-	2	-	1	-	-	1	1	3
FEMALE--	108	-	-	-	-	-	-	1	-	1	1	2
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	1
TEXAS -----	707	1	1	-	-	1	2	4	4	5	11	17
WHITE-----MALE----	278	1	-	-	-	1	-	2	-	1	6	7
FEMALE--	344	-	1	-	-	-	2	1	-	2	3	7
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	2	-	-	3
FEMALE--	52	-	-	-	-	-	-	1	2	2	2	-
BLACK---MALE----	32	-	-	-	-	-	-	-	2	-	-	3
FEMALE--	50	-	-	-	-	-	-	1	2	1	2	-
UTAH -----	49	-	-	-	-	-	-	2	2	2	-	1
WHITE-----MALE----	22	-	-	-	-	-	-	2	2	1	-	1
FEMALE--	27	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	19	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	260	-	-	-	-	-	1	1	1	1	5	6
WHITE-----MALE----	73	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	119	-	-	-	-	-	-	1	-	-	1	3
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	35	-	-	-	-	-	1	-	-	1	1	1
BLACK---MALE----	33	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	35	-	-	-	-	-	1	-	-	1	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,808
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	1	3	8	5	7	9	7	2	2	-
WHITE-----MALE----	-	1	-	2	7	3	4	4	4	1	-	-
FEMALE--	-	-	1	1	1	2	3	5	2	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	5	13	34	37	41	39	34	20	7	1	-
WHITE-----MALE----	-	3	9	19	15	23	14	5	4	1	-	-
FEMALE--	3	1	3	10	15	12	18	21	14	5	1	-
ALL OTHER--MALE----	-	1	1	4	1	-	2	4	1	-	-	-
FEMALE--	2	-	-	1	6	6	5	4	1	1	-	-
BLACK---MALE----	-	1	1	4	1	-	2	4	1	-	-	-
FEMALE--	2	-	-	1	6	6	5	4	1	1	-	-
TEXAS -----	22	22	43	73	95	99	91	99	80	28	9	-
WHITE-----MALE----	9	9	24	36	48	44	38	28	19	4	1	-
FEMALE--	6	8	13	23	39	48	47	63	57	20	4	-
ALL OTHER--MALE----	3	3	4	6	2	4	1	2	-	1	2	-
FEMALE--	4	2	2	8	6	3	5	6	4	3	2	-
BLACK---MALE----	3	3	4	6	2	3	1	2	-	1	2	-
FEMALE--	3	2	2	8	6	3	5	6	4	3	2	-
UTAH -----	-	1	-	3	6	10	11	4	5	2	-	-
WHITE-----MALE----	-	-	-	3	2	6	2	1	-	2	-	-
FEMALE--	-	1	-	-	4	4	9	3	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	2	2	-	3	2	6	2	2	-	-	-
WHITE-----MALE----	-	1	1	-	2	1	4	1	-	-	-	-
FEMALE--	-	1	1	-	1	1	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	8	17	27	28	44	43	32	26	11	2	-
WHITE-----MALE----	1	3	4	8	9	15	18	7	4	1	-	-
FEMALE--	1	3	4	12	12	19	16	21	17	8	1	-
ALL OTHER--MALE----	2	2	8	2	6	5	2	2	-	1	-	-
FEMALE--	3	-	1	5	1	5	7	2	5	1	1	-
BLACK---MALE----	2	2	8	2	6	5	2	2	-	1	-	-
FEMALE--	3	-	1	5	1	5	7	2	5	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,810
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	4,243	64	6	6	1	8	18	39	51	102	155	187
WHITE-----MALE----	1,584	28	3	3	-	1	5	10	17	37	69	86
FEMALE--	1,969	16	1	3	1	3	5	11	15	26	42	61
ALL OTHER--MALE----	329	12	1	-	-	4	2	4	9	17	23	25
FEMALE--	361	8	1	-	-	-	6	14	10	22	21	15
BLACK---MALE----	293	10	1	-	-	4	2	3	9	16	23	23
FEMALE--	330	7	1	-	-	-	6	13	10	22	21	15
ALABAMA -----	80	2	-	-	-	-	-	-	1	1	5	2
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	30	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	12	2	-	-	-	-	-	-	-	1	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	12	2	-	-	-	-	-	-	-	1	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	2	-
ALASKA -----	6	1	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	5	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	67	-	-	1	-	-	-	-	-	3	5	3
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	2	4	2
FEMALE--	28	-	-	1	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	47	1	-	-	-	-	-	1	-	-	2	1
WHITE-----MALE----	20	1	-	-	-	-	-	-	-	-	2	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	342	12	1	-	-	1	4	7	9	12	7	21
WHITE-----MALE----	137	6	-	-	-	1	-	2	4	7	3	10
FEMALE--	156	3	-	-	-	-	1	3	3	2	4	9
ALL OTHER--MALE----	23	1	-	-	-	-	-	2	1	1	-	2
FEMALE--	26	2	1	-	-	-	3	-	1	2	-	-
BLACK---MALE----	14	1	-	-	-	-	-	1	1	1	-	1
FEMALE--	21	2	1	-	-	-	3	-	1	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,810
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	194	236	276	396	459	575	573	478	293	106	20	-
WHITE-----MALE----	74	106	123	180	204	219	189	143	67	17	3	-
FEMALE--	76	82	94	148	183	294	323	287	205	78	15	-
ALL OTHER--MALE----	26	26	31	33	35	26	27	14	10	3	1	-
FEMALE--	18	22	28	35	37	36	34	34	11	8	1	-
BLACK---MALE----	24	25	25	30	31	24	19	10	10	3	1	-
FEMALE--	16	20	26	33	34	29	27	32	11	6	1	-
ALABAMA -----	6	1	4	5	10	9	12	16	4	2	-	-
WHITE-----MALE----	2	-	2	2	6	4	3	3	-	-	-	-
FEMALE--	1	1	1	2	1	3	7	8	1	2	-	-
ALL OTHER--MALE----	2	-	-	-	2	1	1	1	1	-	-	-
FEMALE--	1	-	1	1	1	1	1	4	2	-	-	-
BLACK---MALE----	2	-	-	-	2	1	1	1	1	-	-	-
FEMALE--	1	-	1	1	1	1	1	4	2	-	-	-
ALASKA -----	-	-	-	-	1	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	4	5	7	6	12	5	9	1	2	-	-
WHITE-----MALE----	1	2	3	7	4	6	1	2	-	1	-	-
FEMALE--	3	2	-	-	2	5	4	6	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	-	1	4	8	9	7	2	6	2	-	-
WHITE-----MALE----	1	-	-	2	6	4	3	-	1	-	-	-
FEMALE--	1	-	-	-	2	5	3	2	5	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	1	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	1	-	-	1	-	-
CALIFORNIA -----	20	21	32	26	25	45	41	28	21	6	3	-
WHITE-----MALE----	11	10	8	14	7	16	21	7	7	2	1	-
FEMALE--	9	10	15	9	15	24	16	16	12	3	2	-
ALL OTHER--MALE----	-	-	4	2	1	2	3	3	1	-	-	-
FEMALE--	-	1	5	1	2	3	1	2	1	1	-	-
BLACK---MALE----	-	-	2	1	1	1	2	1	1	-	-	-
FEMALE--	-	1	3	1	2	1	-	2	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,811
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	61	1	-	-	-	-	-	-	3	2	5	6
WHITE-----MALE----	22	-	-	-	-	-	-	-	2	2	2	-
FEMALE--	30	1	-	-	-	-	-	-	1	-	1	5
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	51	1	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	23	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	28	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	13	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	17	1	-	-	-	-	-	-	1	-	-	3
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	1	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	1	-	-	-	-	-	-	1	-	-	2
FLORIDA -----	261	6	1	-	-	1	-	1	6	2	14	9
WHITE-----MALE----	102	2	1	-	-	-	-	-	1	-	6	7
FEMALE--	125	2	-	-	-	1	-	-	2	1	3	1
ALL OTHER--MALE----	14	1	-	-	-	-	-	-	1	1	2	1
FEMALE--	20	1	-	-	-	-	-	1	2	-	3	-
BLACK---MALE----	14	1	-	-	-	-	-	-	1	1	2	1
FEMALE--	20	1	-	-	-	-	-	1	2	-	3	-
GEORGIA -----	102	2	1	-	-	1	-	3	1	5	2	4
WHITE-----MALE----	35	-	-	-	-	-	-	1	-	-	2	2
FEMALE--	34	1	-	-	-	-	-	2	-	1	-	1
ALL OTHER--MALE----	18	1	1	-	-	1	-	-	1	3	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	18	1	1	-	-	1	-	-	1	3	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	1	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,811
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	7	3	4	4	5	7	5	3	3	2	1	-
WHITE-----MALE----	2	2	1	1	3	6	-	-	1	-	-	-
FEMALE--	3	1	-	3	2	1	4	3	2	2	1	-
ALL OTHER--MALE----	1	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
CONNECTICUT -----	1	-	3	2	11	12	8	7	2	1	-	-
WHITE-----MALE----	1	-	3	1	5	5	3	2	-	-	-	-
FEMALE--	-	-	-	1	6	7	5	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	2	1	5	1	3	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	4	-	2	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	-	5	-	1	-	2	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	3	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	2	-	1	-	-	1	-	1	-	-
BLACK---MALE----	1	-	3	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	2	-	1	-	-	1	-	1	-	-
FLORIDA -----	8	15	19	23	36	38	29	35	13	1	4	-
WHITE-----MALE----	3	9	7	3	12	16	14	20	1	-	-	-
FEMALE--	4	6	9	14	20	18	14	15	12	1	2	-
ALL OTHER--MALE----	1	-	1	2	1	2	-	-	-	-	1	-
FEMALE--	-	-	2	4	3	2	1	-	-	-	1	-
BLACK---MALE----	1	-	1	2	1	2	-	-	-	-	1	-
FEMALE--	-	-	2	4	3	2	1	-	-	-	1	-
GEORGIA -----	10	8	3	11	11	18	9	6	3	3	1	-
WHITE-----MALE----	3	2	3	7	4	7	2	2	-	-	-	-
FEMALE--	4	2	-	1	4	4	6	2	2	3	1	-
ALL OTHER--MALE----	1	4	-	-	-	4	1	1	-	-	-	-
FEMALE--	2	-	-	3	3	3	-	1	1	-	-	-
BLACK---MALE----	1	4	-	-	-	4	1	1	-	-	-	-
FEMALE--	2	-	-	3	3	3	-	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,812
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	30	-	-	-	-	-	-	2	-	-	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	12	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	193	1	-	1	-	1	-	4	1	5	9	8
WHITE-----MALE----	75	-	-	1	-	-	-	-	1	2	4	4
FEMALE--	86	-	-	-	-	1	-	1	-	-	3	3
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	23	-	-	-	-	-	-	3	-	2	1	-
BLACK---MALE----	9	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	22	-	-	-	-	-	-	3	-	2	1	-
INDIANA -----	106	2	-	-	-	-	-	-	-	4	6	3
WHITE-----MALE----	35	1	-	-	-	-	-	-	-	2	3	-
FEMALE--	55	1	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	8	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	7	-	-	-	-	-	-	-	-	2	-	-
IOWA -----	50	1	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	24	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
KANSAS -----	42	2	-	-	-	-	-	1	-	1	1	2
WHITE-----MALE----	15	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,813
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	79	2	-	-	-	-	-	1	1	3	4	4
WHITE-----MALE----	33	1	-	-	-	-	-	1	-	2	2	2
FEMALE--	39	1	-	-	-	-	-	-	1	-	2	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	2
LOUISIANA -----	58	1	-	-	-	-	1	-	-	2	2	-
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	11	1	-	-	-	-	-	-	-	-	2	-
FEMALE--	10	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	11	1	-	-	-	-	-	-	-	-	2	-
FEMALE--	9	-	-	-	-	-	1	-	-	-	-	-
MAINE -----	23	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	68	2	-	-	-	-	1	-	-	-	4	5
WHITE-----MALE----	20	1	-	-	-	-	1	-	-	-	4	1
FEMALE--	29	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	99	-	1	-	-	1	-	-	-	1	3	3
WHITE-----MALE----	38	-	1	-	-	-	-	-	-	1	1	2
FEMALE--	55	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	5	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	216	3	1	-	1	-	3	1	6	12	9	8
WHITE-----MALE----	77	1	-	-	-	-	2	-	1	3	3	3
FEMALE--	93	1	1	-	1	-	-	-	1	4	4	3
ALL OTHER--MALE----	23	-	-	-	-	-	1	-	2	1	1	2
FEMALE--	23	1	-	-	-	-	-	1	2	4	1	-
BLACK---MALE----	22	-	-	-	-	-	1	-	2	1	1	2
FEMALE--	22	1	-	-	-	-	-	1	2	4	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,813
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	2	6	7	7	6	7	17	7	4	1	-	-
WHITE-----MALE----	1	4	4	4	3	3	2	3	1	-	-	-
FEMALE--	1	2	3	2	3	3	14	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
LOUISIANA -----	4	5	2	4	9	6	10	6	5	1	-	-
WHITE-----MALE----	4	1	1	2	3	2	2	1	1	-	-	-
FEMALE--	-	1	-	-	2	4	5	2	3	1	-	-
ALL OTHER--MALE----	-	1	1	-	2	-	2	2	-	-	-	-
FEMALE--	-	2	-	2	2	-	1	1	1	-	-	-
BLACK---MALE----	-	1	1	-	2	-	2	2	-	-	-	-
FEMALE--	-	1	-	2	2	-	1	1	1	-	-	-
MAINE -----	2	2	2	3	1	6	-	3	1	2	-	-
WHITE-----MALE----	1	1	2	1	-	3	-	-	-	1	-	-
FEMALE--	1	1	-	2	1	3	-	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	4	1	6	8	8	10	7	8	1	-	-
WHITE-----MALE----	-	2	-	-	3	1	5	1	1	-	-	-
FEMALE--	1	1	-	1	4	5	5	4	5	1	-	-
ALL OTHER--MALE----	1	1	1	2	1	1	-	-	2	-	-	-
FEMALE--	1	-	-	3	-	1	-	2	-	-	-	-
BLACK---MALE----	1	1	1	2	1	1	-	-	2	-	-	-
FEMALE--	1	-	-	3	-	1	-	2	-	-	-	-
MASSACHUSETTS -----	5	5	6	7	11	9	19	12	10	6	-	-
WHITE-----MALE----	-	3	4	2	5	2	7	5	2	3	-	-
FEMALE--	3	1	2	5	5	6	12	7	8	3	-	-
ALL OTHER--MALE----	2	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	9	22	21	16	31	24	14	17	10	7	1	-
WHITE-----MALE----	2	7	9	6	17	8	5	5	4	1	-	-
FEMALE--	3	12	8	6	8	14	6	11	3	6	1	-
ALL OTHER--MALE----	2	2	2	4	2	1	-	1	2	-	-	-
FEMALE--	2	1	2	-	4	1	3	-	1	-	-	-
BLACK---MALE----	2	2	1	4	2	1	-	1	2	-	-	-
FEMALE--	1	1	2	-	4	1	3	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,816
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	197	3	1	-	-	-	-	1	-	1	5	10
WHITE-----MALE----	73	2	1	-	-	-	-	1	-	-	2	5
FEMALE--	99	1	-	-	-	-	-	-	-	1	2	4
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
OKLAHOMA -----	64	-	-	-	-	-	-	-	1	5	2	2
WHITE-----MALE----	27	-	-	-	-	-	-	-	1	2	2	1
FEMALE--	28	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	-
OREGON -----	47	-	-	-	-	-	-	-	2	1	-	3
WHITE-----MALE----	23	-	-	-	-	-	-	-	2	-	-	1
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	250	1	-	-	-	-	-	-	3	1	9	10
WHITE-----MALE----	96	1	-	-	-	-	-	-	-	-	5	5
FEMALE--	129	-	-	-	-	-	-	-	2	-	3	3
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	13	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	1
RHODE ISLAND -----	17	-	-	-	-	-	-	1	-	-	1	2
WHITE-----MALE----	6	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	70	-	-	-	-	1	2	-	1	1	-	6
WHITE-----MALE----	24	-	-	-	-	-	1	-	-	1	-	3
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	10	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	1	-	1	-	-	1
BLACK---MALE----	10	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	1	-	1	-	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,816
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	9	10	8	28	18	22	29	25	22	5	-	-
WHITE-----MALE----	3	4	4	13	9	7	9	9	4	-	-	-
FEMALE--	3	4	3	9	6	13	15	16	17	5	-	-
ALL OTHER--MALE----	1	1	-	3	3	2	5	-	-	-	-	-
FEMALE--	2	1	1	3	-	-	-	-	1	-	-	-
BLACK---MALE----	1	1	-	3	3	2	5	-	-	-	-	-
FEMALE--	2	1	1	3	-	-	-	-	1	-	-	-
OKLAHOMA -----	2	3	1	9	11	13	2	10	1	2	-	-
WHITE-----MALE----	-	1	1	5	6	4	-	4	-	-	-	-
FEMALE--	1	1	-	3	2	8	2	6	1	2	-	-
ALL OTHER--MALE----	1	-	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
OREGON -----	1	-	5	4	2	8	11	6	4	-	-	-
WHITE-----MALE----	1	-	3	2	2	2	7	3	-	-	-	-
FEMALE--	-	-	2	2	-	6	4	3	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	10	9	19	26	32	42	46	20	16	6	-	-
WHITE-----MALE----	7	3	10	14	10	20	12	4	4	1	-	-
FEMALE--	1	3	7	10	18	20	31	15	11	5	-	-
ALL OTHER--MALE----	1	2	1	1	2	1	1	-	1	-	-	-
FEMALE--	1	1	1	1	2	1	2	1	-	-	-	-
BLACK---MALE----	1	2	1	1	2	1	1	-	1	-	-	-
FEMALE--	1	1	1	1	2	-	1	1	-	-	-	-
RHODE ISLAND -----	1	1	1	1	1	6	-	2	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	3	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	3	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	3	1	8	6	11	8	11	5	2	-	-
WHITE-----MALE----	3	-	1	2	2	4	1	3	3	-	-	-
FEMALE--	-	1	-	3	2	5	4	7	1	1	-	-
ALL OTHER--MALE----	1	1	-	1	2	1	2	-	-	-	-	-
FEMALE--	-	1	-	2	-	1	1	1	1	1	-	-
BLACK---MALE----	1	1	-	1	2	1	2	-	-	-	-	-
FEMALE--	-	1	-	2	-	1	1	1	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,817
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	116	1	-	1	-	-	1	-	3	4	5	6
WHITE-----MALE----	35	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	60	1	-	1	-	-	-	-	1	2	3	4
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	12	-	-	-	-	-	1	-	-	1	1	1
BLACK---MALE----	9	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	12	-	-	-	-	-	1	-	-	1	1	1
TEXAS -----	202	2	-	-	-	-	2	2	3	4	5	10
WHITE-----MALE----	82	1	-	-	-	-	-	-	1	-	3	7
FEMALE--	87	1	-	-	-	-	2	1	-	1	1	3
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	23	-	-	-	-	-	-	1	2	1	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	23	-	-	-	-	-	-	1	2	1	-	-
UTAH -----	27	1	-	1	-	-	-	-	-	-	-	1
WHITE-----MALE----	13	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	14	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	120	3	-	-	-	-	-	2	2	5	4	9
WHITE-----MALE----	37	1	-	-	-	-	-	-	-	-	-	3
FEMALE--	52	-	-	-	-	-	-	-	-	3	-	2
ALL OTHER--MALE----	19	1	-	-	-	-	-	1	1	-	3	2
FEMALE--	12	1	-	-	-	-	-	1	1	2	1	2
BLACK---MALE----	18	1	-	-	-	-	-	1	1	-	3	2
FEMALE--	12	1	-	-	-	-	-	1	1	2	1	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,817
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	1	-	1	2	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	6	8	10	10	12	14	22	6	1	-	-
WHITE-----MALE----	2	5	3	4	4	4	4	5	2	-	-	-
FEMALE--	4	-	2	5	4	8	9	13	3	-	-	-
ALL OTHER--MALE----	-	-	2	-	1	-	1	1	-	1	-	-
FEMALE--	-	1	1	1	1	-	-	3	1	-	-	-
BLACK---MALE----	-	-	2	-	1	-	1	1	-	1	-	-
FEMALE--	-	1	1	1	1	-	-	3	1	-	-	-
TEXAS -----	5	11	14	11	30	34	23	21	17	5	3	-
WHITE-----MALE----	4	5	6	7	18	13	6	4	6	1	-	-
FEMALE--	1	4	7	4	7	14	14	13	9	2	3	-
ALL OTHER--MALE----	-	2	-	-	1	1	1	-	1	1	-	-
FEMALE--	-	-	1	-	4	6	2	4	1	1	-	-
BLACK---MALE----	-	2	-	-	1	1	1	-	1	1	-	-
FEMALE--	-	-	1	-	4	6	2	4	1	1	-	-
UTAH -----	3	2	2	3	-	2	5	5	2	-	-	-
WHITE-----MALE----	1	1	2	2	-	1	2	1	1	-	-	-
FEMALE--	2	1	-	-	-	1	2	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	5	3	-	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	5	2	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	9	8	5	6	11	16	17	8	11	4	-	-
WHITE-----MALE----	3	3	2	4	4	4	7	4	1	1	-	-
FEMALE--	2	2	2	1	4	11	9	4	9	3	-	-
ALL OTHER--MALE----	2	3	1	1	3	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	2	3	-	1	3	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	1	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,819
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	1,709	8	1	1	1	5	16	27	38	64	79	105
WHITE-----MALE----	596	5	1	1	-	1	3	5	13	20	26	45
FEMALE--	819	1	-	-	1	1	5	10	11	18	29	44
ALL OTHER--MALE----	124	-	-	-	-	3	2	2	7	12	8	9
FEMALE--	170	2	-	-	-	-	6	10	7	14	16	7
BLACK---MALE----	117	-	-	-	-	3	2	1	7	11	8	9
FEMALE--	162	2	-	-	-	-	6	9	7	14	16	7
ALABAMA -----	21	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ALASKA -----	2	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	23	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	13	1	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	3	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	224	-	-	-	-	1	4	5	9	10	7	15
WHITE-----MALE----	90	-	-	-	-	1	-	2	4	5	3	8
FEMALE--	106	-	-	-	-	-	1	2	3	2	4	6
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	1	1	-	1
FEMALE--	16	-	-	-	-	-	3	-	1	2	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	15	-	-	-	-	-	3	-	1	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,819
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	96	106	117	156	161	225	192	178	89	36	8	-
WHITE-----MALE----	38	48	47	64	64	74	67	49	16	7	2	-
FEMALE--	38	43	49	63	73	122	107	112	61	26	5	-
ALL OTHER--MALE----	10	7	8	15	7	12	8	9	4	-	1	-
FEMALE--	10	8	13	14	17	17	10	8	8	3	-	-
BLACK---MALE----	10	7	6	15	7	12	7	7	4	-	1	-
FEMALE--	9	8	13	13	17	13	9	8	8	3	-	-
ALABAMA -----	1	-	1	1	3	4	5	1	3	-	-	-
WHITE-----MALE----	1	-	-	-	2	3	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	2	-	-	-
ALASKA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	2	2	2	3	4	2	3	-	1	-	-
WHITE-----MALE----	-	2	1	2	1	1	1	1	-	1	-	-
FEMALE--	3	-	-	-	2	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	1	2	1	2	2	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	1	-	-	-	-	-
CALIFORNIA -----	14	17	15	19	20	29	25	18	11	3	2	-
WHITE-----MALE----	6	8	5	9	5	11	14	4	3	1	1	-
FEMALE--	8	9	8	9	12	15	10	9	6	1	1	-
ALL OTHER--MALE----	-	-	1	-	1	1	1	3	1	-	-	-
FEMALE--	-	-	1	1	2	2	-	2	1	1	-	-
BLACK---MALE----	-	-	-	-	1	1	1	1	1	-	-	-
FEMALE--	-	-	1	1	2	1	-	2	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,820
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	4	1	-	1	1	3	3	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	3	-	-	-	-	-	-
FEMALE--	2	1	-	1	1	-	3	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	1	1	3	1	2	1	-	-	-	-
WHITE-----MALE----	1	-	1	-	2	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	-	2	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
FLORIDA -----	6	6	12	6	15	20	8	20	5	-	2	-
WHITE-----MALE----	2	4	3	1	6	8	3	10	1	-	-	-
FEMALE--	3	2	6	3	7	9	4	10	4	-	1	-
ALL OTHER--MALE----	1	-	1	1	-	1	-	-	-	-	1	-
FEMALE--	-	-	2	1	2	2	1	-	-	-	-	-
BLACK---MALE----	1	-	1	1	-	1	-	-	-	-	1	-
FEMALE--	-	-	2	1	2	2	1	-	-	-	-	-
GEORGIA -----	5	4	3	5	6	5	4	-	2	2	-	-
WHITE-----MALE----	1	1	3	3	3	-	-	-	-	-	-	-
FEMALE--	2	1	-	1	2	2	3	-	1	2	-	-
ALL OTHER--MALE----	-	2	-	-	-	1	1	-	-	-	-	-
FEMALE--	2	-	-	1	1	2	-	-	1	-	-	-
BLACK---MALE----	-	2	-	-	-	1	1	-	-	-	-	-
FEMALE--	2	-	-	1	1	2	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,821
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	7	-	-	-	-	-	-	2	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	70	-	-	-	-	-	4	1	3	4	3	
WHITE-----MALE----	20	-	-	-	-	-	-	1	1	1	1	
FEMALE--	38	-	-	-	-	-	1	-	-	3	2	
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	
FEMALE--	11	-	-	-	-	-	3	-	1	-	-	
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	
FEMALE--	11	-	-	-	-	-	3	-	1	-	-	
INDIANA -----	28	1	-	-	-	-	-	-	-	2	1	
WHITE-----MALE----	9	1	-	-	-	-	-	-	-	2	-	
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	
IOWA -----	19	-	-	-	-	-	-	-	-	2	-	
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	
KANSAS -----	14	-	-	-	-	-	1	-	1	-	1	
WHITE-----MALE----	6	-	-	-	-	-	-	-	1	-	-	
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,822
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	33	1	-	-	-	-	-	-	1	1	2	2
WHITE-----MALE----	13	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	17	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	25	-	-	-	-	-	1	-	-	1	2	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
MAINE -----	9	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	25	2	-	-	-	-	1	-	-	-	2	1
WHITE-----MALE----	7	1	-	-	-	-	1	-	-	-	2	-
FEMALE--	14	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	25	-	1	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	9	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	122	-	-	-	1	-	2	1	6	9	5	7
WHITE-----MALE----	38	-	-	-	-	-	1	-	1	3	1	3
FEMALE--	54	-	-	-	1	-	-	-	1	2	3	3
ALL OTHER--MALE----	14	-	-	-	-	-	1	-	2	-	-	1
FEMALE--	16	-	-	-	-	-	-	1	2	4	1	-
BLACK---MALE----	14	-	-	-	-	-	1	-	2	-	-	1
FEMALE--	16	-	-	-	-	-	-	1	2	4	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,822
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	2	2	4	3	1	2	8	2	2	-	-	-
WHITE-----MALE----	1	2	1	1	-	1	2	1	-	-	-	-
FEMALE--	1	-	3	1	1	-	6	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	1	1	-	3	4	5	4	1	-	-	-
WHITE-----MALE----	2	-	1	-	1	1	2	1	-	-	-	-
FEMALE--	-	1	-	-	-	3	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	1	-	-	-
MAINE -----	-	1	2	2	1	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	2	1	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	1	-	3	1	2	3	4	3	1	-	-
WHITE-----MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	2	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	-	1	-	-	-	-
MASSACHUSETTS -----	1	1	2	3	4	-	5	3	3	-	-	-
WHITE-----MALE----	-	1	1	-	2	-	2	-	1	-	-	-
FEMALE--	1	-	1	3	2	-	3	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	6	17	14	12	12	12	3	7	5	3	-	-
WHITE-----MALE----	2	5	6	3	4	4	2	1	2	-	-	-
FEMALE--	2	10	6	5	5	7	-	5	1	3	-	-
ALL OTHER--MALE----	1	1	-	4	1	1	-	1	1	-	-	-
FEMALE--	1	1	2	-	2	-	1	-	1	-	-	-
BLACK---MALE----	1	1	-	4	1	1	-	1	1	-	-	-
FEMALE--	1	1	2	-	2	-	1	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,825
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	65	-	-	-	-	-	-	1	-	1	5	6
WHITE-----MALE----	24	-	-	-	-	-	-	1	-	-	2	3
FEMALE--	31	-	-	-	-	-	-	-	-	1	2	3
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
OKLAHOMA -----	23	-	-	-	-	-	-	-	1	4	-	2
WHITE-----MALE----	10	-	-	-	-	-	-	-	1	2	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
OREGON -----	15	-	-	-	-	-	-	-	1	1	-	2
WHITE-----MALE----	7	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	84	-	-	-	-	-	-	-	1	1	4	6
WHITE-----MALE----	36	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	39	-	-	-	-	-	-	-	1	-	2	3
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
RHODE ISLAND -----	5	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	28	-	-	-	-	1	2	-	1	1	-	1
WHITE-----MALE----	6	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,825
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	3	2	1	7	5	8	9	10	6	1	-	-
WHITE-----MALE----	-	1	-	3	4	2	2	5	1	-	-	-
FEMALE--	1	1	1	1	1	4	5	5	5	1	-	-
ALL OTHER--MALE----	1	-	-	1	-	2	2	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	2	2	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	-	-	-	-	-	-
OKLAHOMA -----	1	1	-	2	5	5	-	-	-	2	-	-
WHITE-----MALE----	-	1	-	2	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	4	-	-	-	2	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	1	2	-	2	2	2	1	-	-	-
WHITE-----MALE----	1	-	1	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	6	4	10	5	11	11	19	2	2	2	-	-
WHITE-----MALE----	5	1	6	4	4	4	6	1	-	-	-	-
FEMALE--	-	1	4	1	6	6	11	1	1	2	-	-
ALL OTHER--MALE----	1	2	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	1	-	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	2	2	5	5	4	3	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	3	4	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	1	-	-
BLACK---MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,826
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	44	-	-	-	-	-	1	-	2	2	3	5
WHITE-----MALE----	13	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	1	1	2	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	1	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	1	1
TEXAS -----	87	-	-	-	-	-	2	2	2	3	1	8
WHITE-----MALE----	32	-	-	-	-	-	-	-	1	-	1	6
FEMALE--	43	-	-	-	-	-	2	1	-	1	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	10	-	-	-	-	-	-	1	1	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	10	-	-	-	-	-	-	1	1	1	-	-
UTAH -----	11	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	37	-	-	-	-	-	-	-	1	5	1	3
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	3	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,826
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	2	1	2	6	4	2	9	1	-	-	-
WHITE-----MALE----	2	1	-	-	3	1	1	3	1	-	-	-
FEMALE--	2	-	1	2	1	3	1	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	-
TEXAS -----	2	4	4	5	11	15	11	11	2	2	2	-
WHITE-----MALE----	2	1	1	4	6	6	2	2	-	-	-	-
FEMALE--	-	2	3	1	3	6	9	8	2	1	2	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	3	-	1	-	1	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	3	-	1	-	1	-	-
UTAH -----	2	1	1	-	-	2	2	3	-	-	-	-
WHITE-----MALE----	1	1	1	-	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	2	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	2	2	4	3	7	3	4	1	-	-
WHITE-----MALE----	-	-	1	2	2	-	3	1	-	1	-	-
FEMALE--	-	-	1	-	1	3	3	2	4	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,829
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	34	1	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	40	1	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	16	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	24	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	11	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	12	1	-	-	-	-	-	-	1	-	-	2
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	1	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	1	-	-	-	-	-	-	1	-	-	1
FLORIDA -----	137	5	1	-	-	1	-	-	2	1	3	3
WHITE-----MALE----	57	2	1	-	-	-	-	-	1	-	3	3
FEMALE--	70	2	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	59	2	1	-	-	-	-	1	-	3	1	4
WHITE-----MALE----	23	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	18	1	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	10	1	1	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	10	1	1	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,829
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	3	2	4	3	4	4	2	3	3	1	1	-
WHITE-----MALE----	-	2	1	1	3	3	-	-	1	-	-	-
FEMALE--	1	-	-	2	1	1	1	3	2	1	1	-
ALL OTHER--MALE----	1	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
CONNECTICUT -----	-	-	2	1	8	11	6	6	2	1	-	-
WHITE-----MALE----	-	-	2	1	3	5	2	1	-	-	-	-
FEMALE--	-	-	-	-	5	6	4	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	1	1	4	1	3	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	3	-	2	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	3	-	1	-	2	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	1	-	-	-
BLACK---MALE----	-	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	1	-	-
FLORIDA -----	2	9	7	17	21	18	21	15	8	1	2	-
WHITE-----MALE----	1	5	4	2	6	8	11	10	-	-	-	-
FEMALE--	1	4	3	11	13	9	10	5	8	1	1	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	3	1	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	3	1	-	-	-	-	-	1	-
GEORGIA -----	5	4	-	6	5	13	5	6	1	1	1	-
WHITE-----MALE----	2	1	-	4	1	7	2	2	-	-	-	-
FEMALE--	2	1	-	-	2	2	3	2	1	1	1	-
ALL OTHER--MALE----	1	2	-	-	-	3	-	1	-	-	-	-
FEMALE--	-	-	-	2	2	1	-	1	-	-	-	-
BLACK---MALE----	1	2	-	-	-	3	-	1	-	-	-	-
FEMALE--	-	-	-	2	2	1	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,831
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	4	3	4	5	5	9	5	2	1	-	-
WHITE-----MALE----	-	2	3	3	3	2	-	2	1	-	-	-
FEMALE--	-	2	-	1	2	3	8	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
LOUISIANA -----	2	4	1	4	6	2	5	2	4	1	-	-
WHITE-----MALE----	2	1	-	2	2	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	1	4	2	3	1	-	-
ALL OTHER--MALE----	-	1	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	2	-	2	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	2	1	-	-	-	-	-	-	-
MAINE -----	2	1	-	1	-	4	-	2	1	2	-	-
WHITE-----MALE----	1	1	-	-	-	1	-	-	-	1	-	-
FEMALE--	1	-	-	1	-	3	-	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	3	1	3	7	6	7	3	5	-	-	-
WHITE-----MALE----	-	1	-	-	3	-	4	1	1	-	-	-
FEMALE--	1	1	-	-	3	4	3	1	2	-	-	-
ALL OTHER--MALE----	1	1	1	2	1	1	-	-	2	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
BLACK---MALE----	1	1	1	2	1	1	-	-	2	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
MASSACHUSETTS -----	4	4	4	4	7	9	14	9	7	6	-	-
WHITE-----MALE----	-	2	3	2	3	2	5	5	1	3	-	-
FEMALE--	2	1	1	2	3	6	9	4	6	3	-	-
ALL OTHER--MALE----	2	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	5	7	4	19	12	11	10	5	4	1	-
WHITE-----MALE----	-	2	3	3	13	4	3	4	2	1	-	-
FEMALE--	1	2	2	1	3	7	6	6	2	3	1	-
ALL OTHER--MALE----	1	1	2	-	1	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	2	1	2	-	-	-	-	-
BLACK---MALE----	1	1	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	1	2	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,834
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	6	8	7	21	13	14	20	15	16	4	-	-
WHITE-----MALE----	3	3	4	10	5	5	7	4	3	-	-	-
FEMALE--	2	3	2	8	5	9	10	11	12	4	-	-
ALL OTHER--MALE----	-	1	-	2	3	-	3	-	-	-	-	-
FEMALE--	1	1	1	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	2	3	-	3	-	-	-	-	-
FEMALE--	1	1	1	1	-	-	-	-	1	-	-	-
OKLAHOMA -----	1	2	1	7	6	8	2	10	1	-	-	-
WHITE-----MALE----	-	-	1	3	3	4	-	4	-	-	-	-
FEMALE--	1	1	-	3	1	4	2	6	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
OREGON -----	-	-	4	2	2	6	9	4	3	-	-	-
WHITE-----MALE----	-	-	2	1	2	2	6	2	-	-	-	-
FEMALE--	-	-	2	1	-	4	3	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	5	9	21	21	31	27	18	14	4	-	-
WHITE-----MALE----	2	2	4	10	6	16	6	3	4	1	-	-
FEMALE--	1	2	3	9	12	14	20	14	10	3	-	-
ALL OTHER--MALE----	-	-	1	1	2	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	1	1	1	1	-	-	-	-
BLACK---MALE----	-	-	1	1	2	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	1	-	1	1	-	-	-	-
RHODE ISLAND -----	1	1	-	1	1	4	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	3	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	3	1	6	4	6	3	7	2	1	-	-
WHITE-----MALE----	3	-	1	2	1	3	1	3	2	-	-	-
FEMALE--	-	1	-	2	2	2	-	3	-	1	-	-
ALL OTHER--MALE----	1	1	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	1	1	-	-	-	-
BLACK---MALE----	1	1	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	1	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,835
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	72	1	-	1	-	-	-	-	1	2	2	1
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	38	1	-	1	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
TEXAS -----	115	2	-	-	-	-	-	-	1	1	4	2
WHITE-----MALE----	50	1	-	-	-	-	-	-	-	-	2	1
FEMALE--	44	1	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	13	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	13	-	-	-	-	-	-	-	1	-	-	-
UTAH -----	16	1	-	1	-	-	-	-	-	-	-	1
WHITE-----MALE----	7	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	10	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	83	3	-	-	-	-	-	2	1	-	3	6
WHITE-----MALE----	26	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	15	1	-	-	-	-	-	1	-	-	2	2
FEMALE--	8	1	-	-	-	-	-	1	1	-	1	1
BLACK---MALE----	14	1	-	-	-	-	-	1	-	-	2	2
FEMALE--	8	1	-	-	-	-	-	1	1	-	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,835
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	1	-	1	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	4	7	8	4	8	12	13	5	1	-	-
WHITE-----MALE----	-	4	3	4	1	3	3	2	1	-	-	-
FEMALE--	2	-	1	3	3	5	8	9	3	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	1	1	-	-	-	2	1	-	-	-
BLACK---MALE----	-	-	2	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	1	1	-	-	-	2	1	-	-	-
TEXAS -----	3	7	10	6	19	19	12	10	15	3	1	-
WHITE-----MALE----	2	4	5	3	12	7	4	2	6	1	-	-
FEMALE--	1	2	4	3	4	8	5	5	7	1	1	-
ALL OTHER--MALE----	-	1	-	-	1	1	1	-	1	1	-	-
FEMALE--	-	-	1	-	2	3	2	3	1	-	-	-
BLACK---MALE----	-	1	-	-	1	1	1	-	1	1	-	-
FEMALE--	-	-	1	-	2	3	2	3	1	-	-	-
UTAH -----	1	1	1	3	-	-	3	2	2	-	-	-
WHITE-----MALE----	-	-	1	2	-	-	1	-	1	-	-	-
FEMALE--	1	1	-	-	-	-	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	3	3	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	2	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	8	8	3	4	7	13	10	5	7	3	-	-
WHITE-----MALE----	3	3	1	2	2	4	4	3	1	-	-	-
FEMALE--	2	2	1	1	3	8	6	2	5	3	-	-
ALL OTHER--MALE----	1	3	1	1	2	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	3	-	1	2	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,837
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
0 UNITED STATES --	220,368	869	359	175	222	260	316	482	726	1,154	1,762	2,469
WHITE-----MALE----	96,601	331	118	64	72	88	107	155	242	423	660	973
FEMALE--	102,564	209	110	53	59	70	91	148	218	322	503	791
ALL OTHER--MALE----	11,555	192	77	35	45	57	62	96	149	238	333	413
FEMALE--	9,648	137	54	23	46	45	56	83	117	171	266	292
BLACK---MALE----	9,644	167	66	30	40	55	54	81	134	218	310	382
FEMALE--	8,258	120	49	19	39	41	51	77	103	157	243	260
ALABAMA -----	3,658	12	8	-	3	2	10	13	7	25	33	54
WHITE-----MALE----	1,565	2	3	-	-	1	2	3	-	12	10	22
FEMALE--	1,451	3	1	-	1	-	3	6	2	4	7	15
ALL OTHER--MALE----	345	7	-	-	1	-	1	-	3	7	11	12
FEMALE--	297	-	4	-	1	1	4	4	2	2	5	5
BLACK---MALE----	342	7	-	-	1	-	1	-	3	7	11	12
FEMALE--	292	-	3	-	1	1	4	4	2	2	5	5
ALASKA -----	173	4	2	-	1	-	-	-	2	1	3	2
WHITE-----MALE----	49	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	63	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	31	3	-	-	-	-	-	-	1	-	-	1
FEMALE--	30	-	2	-	1	-	-	-	1	-	1	-
BLACK---MALE----	5	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3,920	48	5	5	7	7	4	15	10	24	41	36
WHITE-----MALE----	1,910	20	2	2	2	1	2	6	4	9	21	19
FEMALE--	1,835	17	2	2	4	5	2	6	3	10	13	14
ALL OTHER--MALE----	107	5	1	1	1	-	-	2	3	5	5	2
FEMALE--	68	6	-	-	-	1	-	1	-	-	2	1
BLACK---MALE----	34	4	-	1	1	-	-	1	-	-	2	-
FEMALE--	21	3	-	-	-	-	-	1	-	-	1	1
ARKANSAS -----	2,474	22	9	1	-	3	5	5	8	14	11	29
WHITE-----MALE----	1,169	5	5	1	-	1	1	2	3	7	8	14
FEMALE--	1,055	7	2	-	-	2	1	2	2	3	-	13
ALL OTHER--MALE----	152	5	2	-	-	-	1	-	-	3	3	2
FEMALE--	98	5	-	-	-	-	2	1	3	1	-	-
BLACK---MALE----	151	5	2	-	-	-	1	-	-	3	3	2
FEMALE--	95	5	-	-	-	-	2	1	3	1	-	-
CALIFORNIA -----	24,775	118	34	25	29	22	31	45	83	101	175	250
WHITE-----MALE----	10,233	47	17	8	13	8	11	12	25	44	70	104
FEMALE--	11,913	42	12	8	6	7	11	15	39	29	62	81
ALL OTHER--MALE----	1,459	19	4	7	5	3	8	11	8	19	21	40
FEMALE--	1,170	10	1	2	5	4	1	7	11	9	22	25
BLACK---MALE----	669	13	3	6	3	2	4	5	6	16	13	30
FEMALE--	661	6	1	2	3	4	1	4	8	8	17	20

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,837
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
0 UNITED STATES --	3,490	5,800	10,070	18,120	28,683	36,962	40,584	35,097	21,934	8,638	2,170	26
WHITE-----MALE----	1,529	2,622	4,734	9,016	14,122	18,143	18,900	14,257	7,372	2,244	419	10
FEMALE--	1,255	2,189	3,945	7,183	11,929	15,944	18,733	18,434	13,100	5,744	1,527	7
ALL OTHER--MALE----	385	583	844	1,131	1,550	1,706	1,618	1,160	605	214	58	4
FEMALE--	321	406	547	790	1,082	1,169	1,333	1,246	857	436	166	5
BLACK---MALE----	351	524	741	966	1,278	1,384	1,274	922	449	163	51	4
FEMALE--	290	361	478	685	922	981	1,105	1,041	719	372	140	5
ALABAMA -----	59	114	199	364	460	613	666	548	323	118	27	-
WHITE-----MALE----	31	54	97	194	221	295	294	207	83	33	1	-
FEMALE--	13	34	55	121	167	240	276	250	183	55	15	-
ALL OTHER--MALE----	10	17	27	30	46	44	56	44	22	6	1	-
FEMALE--	5	9	20	19	26	34	40	47	35	24	10	-
BLACK---MALE----	9	17	27	30	46	44	55	44	21	6	1	-
FEMALE--	5	9	20	18	25	33	39	47	35	24	10	-
ALASKA -----	3	13	7	22	29	32	22	14	13	2	1	-
WHITE-----MALE----	1	4	2	7	14	6	5	4	5	-	-	-
FEMALE--	-	2	4	8	9	15	10	5	4	1	1	-
ALL OTHER--MALE----	2	5	1	4	3	4	2	2	3	-	-	-
FEMALE--	-	2	-	3	3	7	5	3	1	1	-	-
BLACK---MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARIZONA -----	53	106	176	347	563	720	690	575	340	114	34	-
WHITE-----MALE----	27	56	100	188	298	392	323	270	122	36	10	-
FEMALE--	23	43	69	143	251	309	345	296	192	70	16	-
ALL OTHER--MALE----	2	6	4	12	8	11	14	5	15	3	2	-
FEMALE--	1	1	3	4	6	8	4	4	11	5	6	-
BLACK---MALE----	1	5	3	4	4	1	4	1	2	-	-	-
FEMALE--	-	1	1	-	2	2	3	1	3	1	1	-
ARKANSAS -----	40	63	121	224	335	420	429	398	228	90	19	-
WHITE-----MALE----	17	24	69	125	179	203	213	176	90	24	2	-
FEMALE--	18	29	39	82	133	170	180	188	119	52	13	-
ALL OTHER--MALE----	3	7	8	12	18	26	25	24	9	4	-	-
FEMALE--	2	3	5	5	5	21	11	10	10	10	4	-
BLACK---MALE----	3	7	8	12	18	26	24	24	9	4	-	-
FEMALE--	2	3	5	5	5	19	10	10	10	10	4	-
CALIFORNIA -----	361	580	1,002	1,809	3,088	4,236	4,822	4,109	2,570	1,013	268	4
WHITE-----MALE----	166	259	433	860	1,355	1,914	2,112	1,591	867	261	53	3
FEMALE--	138	220	422	726	1,353	1,916	2,267	2,176	1,510	670	202	1
ALL OTHER--MALE----	20	56	88	131	236	242	253	173	83	31	1	-
FEMALE--	37	45	59	92	144	164	190	169	110	51	12	-
BLACK---MALE----	14	35	50	64	115	101	94	60	19	15	1	-
FEMALE--	26	24	38	59	81	90	91	89	55	29	5	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,838
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	3,002	12	5	3	4	2	3	3	7	20	24	44
WHITE-----MALE----	1,441	7	3	2	2	1	-	2	3	9	13	23
FEMALE--	1,473	4	-	1	2	1	3	1	3	10	9	18
ALL OTHER--MALE----	48	-	1	-	-	-	-	-	-	-	2	1
FEMALE--	40	1	1	-	-	-	-	-	1	1	-	2
BLACK---MALE----	33	-	1	-	-	-	-	-	-	-	2	1
FEMALE--	30	1	1	-	-	-	-	-	1	1	-	-
CONNECTICUT -----	2,773	4	3	2	2	4	1	5	7	15	17	29
WHITE-----MALE----	1,229	2	2	-	-	2	1	3	3	6	11	10
FEMALE--	1,424	-	1	1	1	1	-	-	3	5	3	15
ALL OTHER--MALE----	65	2	-	1	-	-	-	-	1	4	2	3
FEMALE--	55	-	-	-	1	1	-	2	-	-	1	1
BLACK---MALE----	58	2	-	1	-	-	-	-	1	4	2	3
FEMALE--	52	-	-	-	1	1	-	2	-	-	1	1
DELAWARE -----	570	1	-	-	-	-	-	2	1	2	4	5
WHITE-----MALE----	242	1	-	-	-	-	-	1	-	-	1	-
FEMALE--	261	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	33	-	-	-	-	-	-	1	1	-	-	1
BLACK---MALE----	34	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	33	-	-	-	-	-	-	1	1	-	-	1
DISTRICT OF COLUMBIA ----	455	2	3	1	1	3	-	1	2	8	7	13
WHITE-----MALE----	45	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	81	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	167	2	3	1	-	2	-	1	-	2	4	5
FEMALE--	162	-	-	-	1	1	-	-	1	5	3	6
BLACK---MALE----	167	2	3	1	-	2	-	1	-	2	4	5
FEMALE--	161	-	-	-	1	1	-	-	1	5	3	6
FLORIDA -----	13,719	46	21	8	6	14	11	25	40	75	125	140
WHITE-----MALE----	6,375	18	4	1	1	7	4	7	12	21	44	59
FEMALE--	6,352	8	6	4	-	3	3	6	12	20	33	43
ALL OTHER--MALE----	578	8	5	2	2	3	1	4	11	20	29	27
FEMALE--	414	12	6	1	3	1	3	8	5	14	19	11
BLACK---MALE----	559	8	5	2	2	3	1	4	11	20	29	25
FEMALE--	405	12	6	1	3	1	3	8	5	14	19	11
GEORGIA -----	5,516	27	14	5	-	7	11	16	24	37	71	85
WHITE-----MALE----	2,153	8	1	2	-	4	3	1	8	8	19	23
FEMALE--	2,292	2	4	1	-	1	4	4	1	9	16	33
ALL OTHER--MALE----	611	12	5	1	-	1	2	8	13	14	23	19
FEMALE--	460	5	4	1	-	1	2	3	2	6	13	10
BLACK---MALE----	607	12	5	1	-	1	2	8	13	14	23	19
FEMALE--	448	5	4	1	-	1	2	3	2	5	12	10

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,838
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	43	63	136	280	405	524	570	450	261	115	28	-
WHITE-----MALE----	27	31	62	164	194	272	286	195	111	28	6	-
FEMALE--	14	27	65	109	197	237	271	247	149	85	20	-
ALL OTHER--MALE----	1	3	7	2	9	11	6	4	1	-	-	-
FEMALE--	1	2	2	5	5	4	7	4	-	2	2	-
BLACK---MALE----	1	3	4	2	5	7	4	2	1	-	-	-
FEMALE--	1	2	2	4	4	3	4	3	-	1	2	-
CONNECTICUT -----	32	58	100	195	326	420	533	516	339	137	28	-
WHITE-----MALE----	15	22	49	114	160	197	261	209	121	34	7	-
FEMALE--	11	27	44	73	152	209	256	293	212	96	21	-
ALL OTHER--MALE----	5	6	4	2	8	7	10	4	3	3	-	-
FEMALE--	1	3	3	6	6	7	6	10	3	4	-	-
BLACK---MALE----	5	6	3	1	6	5	10	3	3	3	-	-
FEMALE--	1	3	3	5	6	7	5	9	3	4	-	-
DELAWARE -----	11	22	31	55	87	88	88	89	58	21	5	-
WHITE-----MALE----	6	6	13	34	45	41	32	41	16	5	-	-
FEMALE--	5	11	11	18	35	35	47	42	32	15	5	-
ALL OTHER--MALE----	-	2	4	1	4	9	4	2	4	-	-	-
FEMALE--	-	3	3	2	3	3	5	4	6	1	-	-
BLACK---MALE----	-	2	4	1	4	9	4	2	4	-	-	-
FEMALE--	-	3	3	2	3	3	5	4	6	1	-	-
DISTRICT OF COLUMBIA ----	13	16	18	39	62	62	73	66	44	14	7	-
WHITE-----MALE----	-	1	2	4	7	9	12	3	5	1	-	-
FEMALE--	-	-	1	4	8	15	16	14	10	6	4	-
ALL OTHER--MALE----	9	12	8	19	24	24	20	18	12	1	-	-
FEMALE--	4	3	7	12	23	14	25	31	17	6	3	-
BLACK---MALE----	9	12	8	19	24	24	20	18	12	1	-	-
FEMALE--	4	3	6	12	23	14	25	31	17	6	3	-
FLORIDA -----	191	313	649	1,133	1,899	2,415	2,629	2,194	1,234	447	96	8
WHITE-----MALE----	83	143	323	581	948	1,212	1,270	976	489	138	31	3
FEMALE--	71	108	240	463	843	1,072	1,248	1,120	703	286	59	1
ALL OTHER--MALE----	21	41	62	60	67	84	57	43	22	8	-	1
FEMALE--	16	21	24	29	41	47	54	55	20	15	6	3
BLACK---MALE----	20	40	59	60	63	79	56	41	22	8	-	1
FEMALE--	16	21	24	28	40	46	53	52	18	15	6	3
GEORGIA -----	144	218	329	531	753	938	928	808	416	126	28	-
WHITE-----MALE----	53	90	129	247	333	420	393	257	128	24	2	-
FEMALE--	42	68	125	185	292	374	392	423	221	79	16	-
ALL OTHER--MALE----	33	39	55	68	77	78	76	60	20	5	2	-
FEMALE--	16	21	20	31	51	66	67	68	47	18	8	-
BLACK---MALE----	33	39	54	68	76	77	76	59	20	5	2	-
FEMALE--	14	21	20	30	51	62	65	68	46	18	8	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,839
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	716	2	1	3	1	2	2	3	2	8	7	9
WHITE-----MALE----	105	-	-	-	-	-	-	-	1	1	3	1
FEMALE--	101	-	-	-	-	-	-	-	-	2	1	1
ALL OTHER--MALE----	297	2	-	1	-	1	1	2	-	1	1	2
FEMALE--	213	-	1	2	1	-	1	1	1	4	2	5
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	916	6	-	2	-	1	2	2	3	7	9	13
WHITE-----MALE----	495	3	-	-	-	1	1	1	2	2	6	8
FEMALE--	411	3	-	2	-	-	1	-	-	5	3	5
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	9,732	42	22	5	13	21	25	32	40	58	94	132
WHITE-----MALE----	4,011	11	7	1	3	6	11	8	8	18	27	43
FEMALE--	4,493	7	7	1	4	4	3	6	11	14	21	33
ALL OTHER--MALE----	667	16	5	-	4	6	2	4	13	20	26	29
FEMALE--	561	8	3	3	2	5	9	14	8	6	20	27
BLACK---MALE----	623	15	5	-	4	6	2	4	12	20	26	29
FEMALE--	537	8	3	3	2	5	9	14	8	6	20	25
INDIANA -----	5,090	23	9	6	5	5	10	8	10	31	27	51
WHITE-----MALE----	2,350	9	5	1	2	1	6	3	4	13	12	20
FEMALE--	2,476	8	1	2	2	3	1	3	3	15	12	24
ALL OTHER--MALE----	129	4	2	2	1	-	2	1	2	2	2	1
FEMALE--	135	2	1	1	-	1	1	1	1	1	1	6
BLACK---MALE----	126	4	2	2	1	-	2	1	2	2	2	1
FEMALE--	129	2	1	1	-	1	1	1	1	1	1	4
IOWA -----	2,842	6	1	2	6	1	4	2	6	4	14	16
WHITE-----MALE----	1,411	3	-	2	5	-	-	-	2	2	4	11
FEMALE--	1,397	2	-	-	1	-	4	2	3	2	9	3
ALL OTHER--MALE----	21	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	13	-	1	-	-	-	-	-	1	-	1	2
BLACK---MALE----	15	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	10	-	1	-	-	-	-	-	1	-	1	2
KANSAS -----	2,361	3	8	2	3	2	3	2	8	13	16	17
WHITE-----MALE----	1,142	1	3	1	2	-	1	1	4	10	6	6
FEMALE--	1,135	1	5	-	-	-	1	1	2	2	8	10
ALL OTHER--MALE----	42	1	-	1	-	2	-	-	2	-	-	1
FEMALE--	42	-	-	-	1	-	1	-	-	1	2	-
BLACK---MALE----	37	1	-	1	-	2	-	-	2	-	-	1
FEMALE--	32	-	-	-	1	-	1	-	-	1	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,839
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	11	14	23	43	88	119	131	128	79	33	7	-
WHITE-----MALE----	2	3	1	8	14	22	20	19	8	2	-	-
FEMALE--	1	4	2	4	13	22	13	16	15	5	1	-
ALL OTHER--MALE----	3	3	11	21	39	43	68	53	32	11	2	-
FEMALE--	5	4	9	10	22	32	30	40	24	15	4	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
IDAHO -----	10	23	41	81	116	167	181	126	96	21	9	-
WHITE-----MALE----	6	13	23	48	64	99	105	64	38	8	3	-
FEMALE--	4	9	17	33	50	68	74	60	58	13	6	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	1	1	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ILLINOIS -----	169	260	445	741	1,197	1,652	1,828	1,465	969	427	95	-
WHITE-----MALE----	65	121	198	334	577	772	845	529	318	94	15	-
FEMALE--	52	85	160	304	485	710	828	812	578	298	70	-
ALL OTHER--MALE----	35	32	51	62	85	98	85	62	21	9	2	-
FEMALE--	17	22	36	41	50	72	70	62	52	26	8	-
BLACK---MALE----	34	31	47	57	79	91	74	58	20	8	1	-
FEMALE--	16	22	33	39	49	68	64	62	49	25	7	-
INDIANA -----	70	141	247	469	724	861	940	781	452	175	45	-
WHITE-----MALE----	36	71	117	244	374	450	459	330	140	39	14	-
FEMALE--	25	57	106	193	324	380	449	424	285	131	28	-
ALL OTHER--MALE----	5	8	13	17	12	13	18	12	11	-	1	-
FEMALE--	4	5	11	15	14	18	14	15	16	5	2	-
BLACK---MALE----	5	8	13	15	11	13	18	12	11	-	1	-
FEMALE--	4	5	11	15	12	18	13	14	16	5	2	-
IOWA -----	30	73	127	201	339	446	518	491	356	158	41	-
WHITE-----MALE----	14	41	66	116	204	261	269	239	118	44	10	-
FEMALE--	13	31	58	83	131	183	246	249	233	113	31	-
ALL OTHER--MALE----	2	1	2	2	2	2	3	3	2	-	-	-
FEMALE--	1	-	1	-	2	-	-	-	3	1	-	-
BLACK---MALE----	-	1	1	2	2	1	3	2	1	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	1	1	-	-
KANSAS -----	29	56	101	191	283	368	415	423	262	125	31	-
WHITE-----MALE----	14	30	59	111	161	195	209	186	102	34	6	-
FEMALE--	14	24	37	73	113	163	191	225	151	89	25	-
ALL OTHER--MALE----	-	2	4	4	8	8	4	3	2	-	-	-
FEMALE--	1	-	1	3	1	2	11	9	7	2	-	-
BLACK---MALE----	-	-	4	3	7	8	3	3	2	-	-	-
FEMALE--	-	-	1	3	1	1	5	9	5	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,840
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	3,812	12	3	2	4	7	2	5	10	8	21	31
WHITE-----MALE----	1,856	5	3	2	1	4	2	2	4	4	12	14
FEMALE--	1,769	4	-	-	2	2	-	2	1	3	7	13
ALL OTHER--MALE----	96	2	-	-	1	1	-	-	3	1	-	2
FEMALE--	91	1	-	-	-	-	-	1	2	-	2	2
BLACK---MALE----	95	2	-	-	1	1	-	-	3	1	-	2
FEMALE--	91	1	-	-	-	-	-	1	2	-	2	2
LOUISIANA -----	3,011	27	10	2	6	5	4	12	8	18	39	35
WHITE-----MALE----	1,146	10	-	-	1	2	-	3	2	7	14	7
FEMALE--	1,198	1	2	1	3	2	2	2	1	5	8	12
ALL OTHER--MALE----	389	12	4	-	1	1	2	5	3	4	12	11
FEMALE--	278	4	4	1	1	-	-	2	2	2	5	5
BLACK---MALE----	386	12	4	-	1	1	2	5	3	4	12	11
FEMALE--	277	4	4	-	1	-	-	2	2	2	5	5
MAINE -----	1,236	1	3	1	-	-	1	4	2	4	6	8
WHITE-----MALE----	569	1	-	-	-	-	-	2	2	2	4	5
FEMALE--	666	-	2	1	-	-	1	2	-	2	2	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
MARYLAND -----	3,810	15	8	5	3	4	7	10	17	32	42	57
WHITE-----MALE----	1,440	7	1	1	-	-	1	3	3	2	4	13
FEMALE--	1,632	3	2	1	1	2	-	2	3	1	11	8
ALL OTHER--MALE----	383	4	2	-	2	-	4	3	4	16	12	23
FEMALE--	355	1	3	3	-	2	2	2	7	13	15	13
BLACK---MALE----	364	4	2	-	2	-	4	3	4	16	12	23
FEMALE--	338	1	3	3	-	1	2	2	7	13	14	13
MASSACHUSETTS -----	6,144	10	6	6	1	8	7	13	13	28	42	49
WHITE-----MALE----	2,652	5	4	2	-	5	4	7	7	11	20	28
FEMALE--	3,312	1	1	3	-	2	-	4	2	10	14	18
ALL OTHER--MALE----	100	2	1	1	1	-	2	-	3	5	3	3
FEMALE--	80	2	-	-	-	1	1	2	1	2	5	-
BLACK---MALE----	86	2	-	1	1	-	1	-	3	5	3	3
FEMALE--	64	2	-	-	-	1	-	1	-	2	5	-
MICHIGAN -----	7,669	31	17	9	11	19	16	15	33	41	83	108
WHITE-----MALE----	3,304	11	3	4	4	2	2	6	10	17	25	37
FEMALE--	3,499	7	6	1	2	5	6	2	13	12	17	27
ALL OTHER--MALE----	478	6	6	2	2	6	3	4	5	4	20	29
FEMALE--	388	7	2	2	3	6	5	3	5	8	21	15
BLACK---MALE----	448	6	6	1	2	6	3	4	5	4	19	28
FEMALE--	358	6	2	1	2	5	5	3	5	6	20	15

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,840
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	63	146	240	333	557	624	660	530	392	122	40	-
WHITE-----MALE----	26	70	126	176	295	358	364	217	126	31	14	-
FEMALE--	35	63	96	139	241	247	269	289	247	84	25	-
ALL OTHER--MALE----	1	8	14	11	12	7	14	9	6	3	1	-
FEMALE--	1	5	4	7	9	12	13	15	13	4	-	-
BLACK---MALE----	1	8	14	10	12	7	14	9	6	3	1	-
FEMALE--	1	5	4	7	9	12	13	15	13	4	-	-
LOUISIANA -----	58	91	161	283	428	484	519	426	270	110	15	-
WHITE-----MALE----	21	36	63	131	162	216	211	156	72	29	3	-
FEMALE--	14	33	51	93	171	187	205	201	140	56	8	-
ALL OTHER--MALE----	14	12	22	39	55	51	67	39	27	7	1	-
FEMALE--	9	10	25	20	40	30	36	30	31	18	3	-
BLACK---MALE----	14	12	22	38	55	50	66	39	27	7	1	-
FEMALE--	9	10	25	20	40	30	36	30	31	18	3	-
MAINE -----	16	26	48	94	175	208	227	205	130	59	18	-
WHITE-----MALE----	10	15	19	45	83	110	119	85	49	17	1	-
FEMALE--	6	11	29	49	92	98	108	120	81	42	17	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	79	89	154	303	536	627	701	588	349	141	41	2
WHITE-----MALE----	25	29	58	129	246	296	264	214	99	37	7	1
FEMALE--	22	34	48	106	199	233	328	309	210	83	25	1
ALL OTHER--MALE----	17	16	31	37	52	61	48	27	14	9	1	-
FEMALE--	15	10	17	31	39	37	61	38	26	12	8	-
BLACK---MALE----	17	16	29	37	47	53	44	27	14	9	1	-
FEMALE--	15	10	16	28	39	34	56	36	25	12	8	-
MASSACHUSETTS -----	61	110	192	374	674	930	1,188	1,189	803	344	96	-
WHITE-----MALE----	32	58	96	185	362	454	562	468	242	78	22	-
FEMALE--	26	46	88	175	293	450	608	689	550	259	73	-
ALL OTHER--MALE----	1	2	3	11	11	18	8	15	6	4	-	-
FEMALE--	2	4	5	3	8	8	10	17	5	3	1	-
BLACK---MALE----	-	1	2	9	10	14	8	14	6	3	-	-
FEMALE--	1	4	4	3	8	5	10	12	3	2	1	-
MICHIGAN -----	131	196	355	711	1,061	1,310	1,334	1,109	729	275	73	2
WHITE-----MALE----	45	87	156	330	487	639	646	454	248	77	13	1
FEMALE--	46	68	140	297	460	574	590	565	435	175	51	-
ALL OTHER--MALE----	22	31	35	48	61	49	59	52	20	11	3	-
FEMALE--	18	10	24	36	53	48	39	38	26	12	6	1
BLACK---MALE----	18	28	33	47	57	45	56	49	18	10	3	-
FEMALE--	18	8	23	33	45	46	38	36	22	12	6	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,841
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	41	62	123	250	385	541	682	580	438	171	51	-
WHITE-----MALE----	17	30	62	143	222	302	353	274	174	51	9	-
FEMALE--	20	26	56	103	154	228	320	303	263	117	40	-
ALL OTHER--MALE----	2	5	2	3	6	6	4	1	1	3	1	-
FEMALE--	2	1	3	1	3	5	5	2	-	-	1	-
BLACK---MALE----	2	2	-	2	3	2	1	1	-	1	1	-
FEMALE--	2	1	1	-	-	2	3	2	-	-	1	-
MISSISSIPPI -----	53	88	137	191	314	337	362	334	223	80	22	-
WHITE-----MALE----	22	27	61	79	152	159	149	108	64	15	1	-
FEMALE--	14	35	38	68	103	120	143	157	109	39	13	-
ALL OTHER--MALE----	10	12	27	27	29	36	41	32	27	8	4	-
FEMALE--	7	14	11	17	30	22	29	37	23	18	4	-
BLACK---MALE----	10	12	27	26	28	36	41	32	27	8	4	-
FEMALE--	7	14	10	17	30	22	29	37	23	18	4	-
MISSOURI -----	79	139	211	425	686	891	1,024	916	592	249	61	-
WHITE-----MALE----	47	67	85	214	320	436	481	390	180	63	8	-
FEMALE--	26	58	106	174	308	395	490	480	388	175	46	-
ALL OTHER--MALE----	1	8	9	22	35	35	29	17	9	5	1	-
FEMALE--	5	6	11	15	23	25	24	29	15	6	6	-
BLACK---MALE----	1	8	9	21	34	33	28	17	9	5	1	-
FEMALE--	5	6	11	14	22	23	23	29	15	6	6	-
MONTANA -----	7	21	45	78	120	161	170	148	89	21	13	-
WHITE-----MALE----	4	10	30	49	68	85	88	70	45	8	2	-
FEMALE--	3	10	14	22	49	72	77	75	42	13	11	-
ALL OTHER--MALE----	-	1	-	4	3	4	3	2	1	-	-	-
FEMALE--	-	-	1	3	-	-	2	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	14	45	55	121	161	222	285	278	203	97	20	-
WHITE-----MALE----	6	23	31	63	92	118	160	126	70	26	4	-
FEMALE--	7	18	19	51	62	100	122	148	129	71	16	-
ALL OTHER--MALE----	1	3	3	5	4	2	1	1	-	-	-	-
FEMALE--	-	1	2	2	3	2	2	3	4	-	-	-
BLACK---MALE----	1	2	3	5	2	2	1	-	-	-	-	-
FEMALE--	-	1	1	-	3	1	2	2	4	-	-	-
NEVADA -----	24	50	100	170	234	267	249	138	75	20	5	-
WHITE-----MALE----	13	27	49	95	120	136	113	60	26	5	2	-
FEMALE--	10	16	47	66	104	120	126	74	45	13	3	-
ALL OTHER--MALE----	1	6	3	4	6	7	6	2	3	-	-	-
FEMALE--	-	1	1	5	4	4	4	2	1	2	-	-
BLACK---MALE----	1	5	2	3	3	4	3	2	1	-	-	-
FEMALE--	-	1	1	3	2	2	2	-	-	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,843
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	9,875	23	15	13	12	9	10	18	24	45	71	94
WHITE-----MALE----	4,416	13	6	5	2	4	4	5	10	17	43	39
FEMALE--	4,709	5	7	5	6	3	2	6	6	15	18	33
ALL OTHER--MALE----	399	3	1	2	2	1	3	3	4	6	6	7
FEMALE--	351	2	1	1	2	1	1	4	4	7	4	15
BLACK---MALE----	384	3	1	2	2	1	2	3	4	6	6	7
FEMALE--	341	2	1	1	2	1	1	4	4	7	4	14
OKLAHOMA -----	3,366	18	4	4	6	5	2	5	12	16	22	33
WHITE-----MALE----	1,536	9	-	4	1	3	-	-	5	8	9	12
FEMALE--	1,600	3	2	-	-	1	1	4	2	4	11	11
ALL OTHER--MALE----	120	4	1	-	3	1	1	1	4	1	1	6
FEMALE--	110	2	1	-	2	-	-	-	1	3	1	4
BLACK---MALE----	78	2	1	-	1	1	1	1	3	1	1	3
FEMALE--	62	2	1	-	1	-	-	-	-	2	1	2
OREGON -----	2,941	5	1	-	1	2	3	4	7	12	12	24
WHITE-----MALE----	1,428	3	1	-	-	1	3	2	1	9	5	12
FEMALE--	1,460	2	-	-	-	1	-	2	5	3	5	9
ALL OTHER--MALE----	28	-	-	-	1	-	-	-	1	-	1	2
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	12	-	-	-	1	-	-	-	-	-	1	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	12,051	32	17	5	10	11	11	26	33	38	81	114
WHITE-----MALE----	5,628	15	7	2	6	6	5	6	8	19	33	47
FEMALE--	5,596	6	4	1	2	3	2	11	12	9	20	35
ALL OTHER--MALE----	432	7	5	1	-	1	2	5	5	2	18	21
FEMALE--	395	4	1	1	2	1	2	4	8	8	10	11
BLACK---MALE----	416	7	5	1	-	1	2	5	5	2	16	21
FEMALE--	387	4	1	1	2	1	1	4	8	8	10	10
RHODE ISLAND -----	837	3	1	-	-	1	-	-	3	3	4	8
WHITE-----MALE----	373	2	1	-	-	1	-	-	2	-	3	2
FEMALE--	442	-	-	-	-	-	-	-	1	1	1	4
ALL OTHER--MALE----	10	1	-	-	-	-	-	-	-	2	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3,068	8	5	3	3	1	10	8	17	31	29	43
WHITE-----MALE----	1,227	2	2	2	-	-	1	2	5	5	5	9
FEMALE--	1,208	2	2	-	-	-	1	1	5	7	7	11
ALL OTHER--MALE----	342	3	1	1	2	-	5	4	5	6	6	13
FEMALE--	291	1	-	-	1	1	3	1	2	13	11	10
BLACK---MALE----	340	3	1	1	2	-	5	4	5	6	5	13
FEMALE--	288	1	-	-	1	1	3	1	2	13	11	9

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,843
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	142	255	497	861	1,377	1,760	1,879	1,414	870	382	104	-
WHITE-----MALE----	66	119	230	423	673	899	869	576	288	104	21	-
FEMALE--	53	101	209	358	612	767	889	767	520	254	73	-
ALL OTHER--MALE----	14	18	36	49	49	61	59	36	27	9	3	-
FEMALE--	9	17	22	31	43	33	62	35	35	15	7	-
BLACK---MALE----	13	18	35	45	46	61	57	35	25	9	3	-
FEMALE--	9	16	20	31	42	33	60	34	34	14	7	-
OKLAHOMA -----	64	82	174	280	474	546	554	534	359	139	30	3
WHITE-----MALE----	32	36	99	144	239	283	269	219	110	45	8	1
FEMALE--	21	36	61	121	204	236	251	293	231	89	17	1
ALL OTHER--MALE----	5	6	5	7	17	17	18	12	7	1	1	1
FEMALE--	6	4	9	8	14	10	16	10	11	4	4	-
BLACK---MALE----	3	6	3	3	12	11	10	8	5	-	1	1
FEMALE--	4	3	4	4	6	8	8	6	6	1	3	-
OREGON -----	39	75	131	234	422	528	577	446	268	119	31	-
WHITE-----MALE----	19	35	68	115	233	276	301	200	100	38	6	-
FEMALE--	17	38	60	115	183	245	270	238	164	80	23	-
ALL OTHER--MALE----	3	2	2	3	1	3	1	4	3	1	-	-
FEMALE--	-	-	1	1	5	4	5	4	1	-	2	-
BLACK---MALE----	2	2	2	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	2	-	-	-	-	1	-
PENNSYLVANIA -----	155	259	443	931	1,563	2,154	2,326	2,053	1,222	452	113	2
WHITE-----MALE----	78	110	228	487	826	1,120	1,128	908	436	130	23	-
FEMALE--	48	105	156	369	636	913	1,082	1,055	742	303	81	1
ALL OTHER--MALE----	15	32	36	36	55	77	52	39	16	5	1	1
FEMALE--	14	12	23	39	46	44	64	51	28	14	8	-
BLACK---MALE----	15	31	33	36	53	73	50	38	16	4	1	1
FEMALE--	14	12	22	39	45	44	64	49	27	13	8	-
RHODE ISLAND -----	11	19	19	62	92	109	169	149	123	45	16	-
WHITE-----MALE----	4	13	7	31	50	52	80	58	50	15	2	-
FEMALE--	6	4	12	28	40	55	88	89	70	30	13	-
ALL OTHER--MALE----	-	1	-	2	1	1	1	-	-	-	-	-
FEMALE--	1	1	-	1	1	1	-	2	3	-	1	-
BLACK---MALE----	-	1	-	2	1	1	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	-	1	3	-	1	-
SOUTH CAROLINA -----	78	123	190	330	426	526	499	413	233	75	16	1
WHITE-----MALE----	26	50	82	148	201	256	217	127	71	13	2	1
FEMALE--	22	40	80	108	142	177	188	231	130	45	9	-
ALL OTHER--MALE----	14	18	19	43	50	60	48	25	10	6	3	-
FEMALE--	16	15	9	31	33	33	46	30	22	11	2	-
BLACK---MALE----	14	18	19	42	50	60	48	25	10	6	3	-
FEMALE--	16	14	9	31	33	33	46	29	22	11	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,844
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	664	2	5	2	1	-	1	1	2	2	6	6
WHITE-----MALE----	355	1	2	2	1	-	-	-	-	1	4	5
FEMALE--	281	-	3	-	-	-	-	1	2	-	1	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	12	1	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4,761	16	3	3	5	8	11	16	19	27	35	64
WHITE-----MALE----	2,118	2	1	-	1	3	2	3	4	10	12	24
FEMALE--	2,089	4	1	1	-	3	4	10	6	8	9	20
ALL OTHER--MALE----	301	5	1	2	3	2	3	3	5	6	8	11
FEMALE--	253	5	-	-	1	-	2	-	4	3	6	9
BLACK---MALE----	297	5	-	2	3	2	3	3	5	6	8	11
FEMALE--	249	5	-	-	1	-	1	-	4	3	6	8
TEXAS -----	12,190	56	24	12	15	17	27	38	49	80	112	179
WHITE-----MALE----	5,436	28	7	8	6	2	8	9	26	33	44	76
FEMALE--	5,641	15	8	2	2	3	10	11	7	27	32	61
ALL OTHER--MALE----	597	6	6	2	4	8	3	10	9	13	26	24
FEMALE--	516	7	3	-	3	4	6	8	7	7	10	18
BLACK---MALE----	574	5	5	2	4	8	2	10	9	13	24	23
FEMALE--	487	7	3	-	2	4	6	7	7	7	10	17
UTAH -----	1,065	6	2	-	3	-	1	2	6	9	6	9
WHITE-----MALE----	560	4	2	-	-	-	-	1	1	5	5	6
FEMALE--	482	-	-	-	3	-	1	-	5	3	1	2
ALL OTHER--MALE----	15	1	-	-	-	-	-	1	-	1	-	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	478	-	-	-	-	-	-	-	1	2	3	6
WHITE-----MALE----	223	-	-	-	-	-	-	-	-	2	-	6
FEMALE--	252	-	-	-	-	-	-	-	1	-	3	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5,023	14	12	1	2	4	6	10	16	34	43	64
WHITE-----MALE----	2,023	4	3	-	-	-	3	5	7	7	19	15
FEMALE--	2,235	1	4	-	-	2	2	2	7	11	8	18
ALL OTHER--MALE----	427	4	3	-	2	1	1	1	1	12	5	15
FEMALE--	338	5	2	1	-	1	-	2	1	4	11	16
BLACK---MALE----	406	4	2	-	2	1	1	1	1	12	5	14
FEMALE--	325	4	2	1	-	1	-	2	1	4	10	16

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,844
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	6	12	15	41	84	96	133	118	75	41	15	-
WHITE-----MALE----	3	7	7	23	55	57	72	64	33	16	2	-
FEMALE--	1	1	8	15	25	34	58	53	41	25	13	-
ALL OTHER--MALE----	1	3	-	2	3	2	2	1	-	-	-	-
FEMALE--	1	1	-	1	1	3	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	88	179	282	396	684	775	832	716	427	142	33	-
WHITE-----MALE----	34	89	125	196	344	408	415	286	126	29	4	-
FEMALE--	33	75	118	153	279	310	330	355	256	90	24	-
ALL OTHER--MALE----	14	5	22	23	36	34	50	38	22	8	-	-
FEMALE--	7	10	17	24	25	23	37	37	23	15	5	-
BLACK---MALE----	14	5	22	22	36	33	49	38	22	8	-	-
FEMALE--	7	10	17	24	23	23	37	37	23	15	5	-
TEXAS -----	216	367	643	1,065	1,717	2,035	2,053	1,828	1,143	410	102	2
WHITE-----MALE----	90	172	322	550	855	1,027	954	752	350	104	13	-
FEMALE--	90	151	247	401	711	881	963	962	709	268	79	1
ALL OTHER--MALE----	19	23	41	57	88	78	73	52	34	15	6	-
FEMALE--	17	21	33	57	63	49	63	62	50	23	4	1
BLACK---MALE----	18	22	41	55	86	73	69	50	34	15	6	-
FEMALE--	16	20	31	53	58	45	56	61	49	23	4	1
UTAH -----	12	33	47	78	125	179	200	176	115	43	13	-
WHITE-----MALE----	5	17	26	44	71	111	106	89	52	13	2	-
FEMALE--	7	15	21	29	51	65	94	86	62	27	10	-
ALL OTHER--MALE----	-	1	-	4	3	2	-	-	-	2	-	-
FEMALE--	-	-	-	1	-	1	-	1	1	1	1	-
BLACK---MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	12	25	44	54	93	82	77	50	16	9	-
WHITE-----MALE----	1	5	11	23	36	50	41	32	13	3	-	-
FEMALE--	3	7	13	21	18	43	40	45	37	13	8	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	86	155	213	442	617	878	895	828	477	189	36	1
WHITE-----MALE----	32	72	97	205	289	426	346	305	138	46	4	-
FEMALE--	35	43	76	154	237	343	430	418	298	122	23	1
ALL OTHER--MALE----	11	23	25	53	64	61	75	52	12	2	4	-
FEMALE--	8	17	15	30	27	48	44	53	29	19	5	-
BLACK---MALE----	11	23	23	50	59	61	70	49	12	1	4	-
FEMALE--	8	16	15	30	25	47	42	50	27	19	5	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,846
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DISEASES OF THE UPPER RESPIRATORY TRACT (460-465,470-478)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	540	24	23	11	3	9	4	8	12	16	17	14
WHITE-----MALE----	229	11	5	8	2	5	3	4	6	4	9	6
FEMALE--	225	5	11	-	1	1	1	1	3	3	3	3
ALL OTHER--MALE----	49	6	4	3	-	3	-	2	-	7	3	2
FEMALE--	37	2	3	-	-	-	-	1	3	2	2	3
BLACK---MALE----	46	6	3	3	-	3	-	2	-	7	3	1
FEMALE--	31	2	2	-	-	-	-	1	3	2	1	1
ALABAMA -----	5	1	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	2	1	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	-	-	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	3	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	10	1	-	-	-	-	1	-	-	2	-	-
WHITE-----MALE----	3	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	52	6	2	2	1	1	1	-	3	2	3	1
WHITE-----MALE----	24	3	1	1	1	1	1	-	1	-	2	1
FEMALE--	22	3	1	-	-	-	-	-	1	2	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,849
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DISEASES OF THE UPPER RESPIRATORY TRACT (460-465,470-478)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	8	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	11	1	-	-	1	1	-	-	-	-	-	1
WHITE-----MALE----	6	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	5	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	13	1	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
MASSACHUSETTS -----	10	-	-	-	-	-	-	1	-	-	-	1
WHITE-----MALE----	9	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	15	1	-	1	-	-	-	-	1	-	-	-
WHITE-----MALE----	8	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,852
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
DISEASES OF THE UPPER RESPIRATORY TRACT (460-465,470-478)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	2	-	2	1	1	3	4	6	1	1	1	-
WHITE-----MALE----	2	-	1	1	-	2	1	2	-	-	-	-
FEMALE--	-	-	1	-	1	-	3	4	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	1	1	1	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	-	-	-	1	2	3	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	1	1	-	-	-
FEMALE--	-	1	-	-	-	1	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	-	3	3	2	2	3	7	1	1	-	-
WHITE-----MALE----	1	-	2	1	-	2	2	2	-	1	-	-
FEMALE--	1	-	1	2	2	-	-	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	-	2	1	2	4	4	2	1	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	1	1	1	2	4	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,855
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE UPPER RESPIRATORY INFECTIONS (460-465)												
0 UNITED STATES --	214	18	15	6	2	3	2	3	3	11	8	1
WHITE-----MALE----	82	10	3	5	1	1	1	2	-	3	6	1
FEMALE--	108	4	9	-	1	-	1	1	1	3	-	-
ALL OTHER--MALE----	17	4	3	1	-	2	-	-	-	4	2	-
FEMALE--	7	-	-	-	-	-	-	-	2	1	-	-
BLACK---MALE----	16	4	2	1	-	2	-	-	-	4	2	-
FEMALE--	7	-	-	-	-	-	-	-	2	1	-	-
ALABAMA -----	3	1	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	-	-	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	2	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	8	1	-	-	-	-	1	-	-	2	-	-
WHITE-----MALE----	2	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	19	4	2	1	-	-	1	-	1	2	-	-
WHITE-----MALE----	8	2	1	1	-	-	1	-	-	-	-	-
FEMALE--	10	2	1	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,858
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ACUTE UPPER RESPIRATORY INFECTIONS (460-465)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	4	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	6	1	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	3	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	6	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	6	1	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,861
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ACUTE UPPER RESPIRATORY INFECTIONS (460-465)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	-	-	-	1	-	-	3	3	1	-	1	-
WHITE-----MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	1	-	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	1	-	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	-	-	1	-	-	1	2	-	1	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	1	1	-	2	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,873
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	219,828	845	336	164	219	251	312	474	714	1,138	1,745	2,455
WHITE-----MALE----	96,372	320	113	56	70	83	104	151	236	419	651	967
FEMALE--	102,339	204	99	53	58	69	90	147	215	319	500	788
ALL OTHER--MALE----	11,506	186	73	32	45	54	62	94	149	231	330	411
FEMALE--	9,611	135	51	23	46	45	56	82	114	169	264	289
BLACK---MALE----	9,598	161	63	27	40	52	54	79	134	211	307	381
FEMALE--	8,227	118	47	19	39	41	51	76	100	155	242	259
ALABAMA -----	3,653	11	8	-	3	2	10	13	7	25	33	53
WHITE-----MALE----	1,563	2	3	-	-	1	2	3	-	12	10	21
FEMALE--	1,451	3	1	-	1	-	3	6	2	4	7	15
ALL OTHER--MALE----	342	6	-	-	1	-	1	-	3	7	11	12
FEMALE--	297	-	4	-	1	1	4	4	2	2	5	5
BLACK---MALE----	339	6	-	-	1	-	1	-	3	7	11	12
FEMALE--	292	-	3	-	1	1	4	4	2	2	5	5
ALASKA -----	171	3	1	-	1	-	-	-	2	1	3	2
WHITE-----MALE----	49	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	63	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	30	2	-	-	-	-	-	-	1	-	-	1
FEMALE--	29	-	1	-	1	-	-	-	1	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3,914	48	5	4	7	7	4	14	10	24	41	36
WHITE-----MALE----	1,907	20	2	1	2	1	2	5	4	9	21	19
FEMALE--	1,832	17	2	2	4	5	2	6	3	10	13	14
ALL OTHER--MALE----	107	5	1	1	1	-	-	2	3	5	5	2
FEMALE--	68	6	-	-	-	1	-	1	-	-	2	1
BLACK---MALE----	34	4	-	1	1	-	-	1	-	-	2	-
FEMALE--	21	3	-	-	-	-	-	1	-	-	1	1
ARKANSAS -----	2,464	21	9	1	-	3	4	5	8	12	11	29
WHITE-----MALE----	1,166	4	5	1	-	1	1	2	3	6	8	14
FEMALE--	1,049	7	2	-	-	2	-	2	2	3	-	13
ALL OTHER--MALE----	151	5	2	-	-	-	1	-	-	2	3	2
FEMALE--	98	5	-	-	-	-	2	1	3	1	-	-
BLACK---MALE----	150	5	2	-	-	-	1	-	-	2	3	2
FEMALE--	95	5	-	-	-	-	2	1	3	1	-	-
CALIFORNIA -----	24,723	112	32	23	28	21	30	45	80	99	172	249
WHITE-----MALE----	10,209	44	16	7	12	7	10	12	24	44	68	103
FEMALE--	11,891	39	11	8	6	7	11	15	38	27	62	81
ALL OTHER--MALE----	1,457	19	4	6	5	3	8	11	8	19	21	40
FEMALE--	1,166	10	1	2	5	4	1	7	10	9	21	25
BLACK---MALE----	668	13	3	5	3	2	4	5	6	16	13	30
FEMALE--	659	6	1	2	3	4	1	4	7	8	17	20

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,873
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	3,474	5,785	10,043	18,086	28,629	36,918	40,528	35,024	21,886	8,616	2,160	26
WHITE-----MALE----	1,523	2,618	4,723	8,997	14,095	18,114	18,874	14,233	7,358	2,239	418	10
FEMALE--	1,247	2,182	3,936	7,173	11,908	15,932	18,712	18,387	13,068	5,727	1,518	7
ALL OTHER--MALE----	384	580	842	1,129	1,547	1,703	1,615	1,158	605	214	58	4
FEMALE--	320	405	542	787	1,079	1,169	1,327	1,246	855	436	166	5
BLACK---MALE----	350	521	739	964	1,275	1,381	1,272	920	449	163	51	4
FEMALE--	289	361	474	682	919	981	1,099	1,041	717	372	140	5
ALABAMA -----	59	114	198	362	460	613	666	548	323	118	27	-
WHITE-----MALE----	31	54	97	193	221	295	294	207	83	33	1	-
FEMALE--	13	34	55	121	167	240	276	250	183	55	15	-
ALL OTHER--MALE----	10	17	26	29	46	44	56	44	22	6	1	-
FEMALE--	5	9	20	19	26	34	40	47	35	24	10	-
BLACK---MALE----	9	17	26	29	46	44	55	44	21	6	1	-
FEMALE--	5	9	20	18	25	33	39	47	35	24	10	-
ALASKA -----	3	13	7	22	29	32	22	14	13	2	1	-
WHITE-----MALE----	1	4	2	7	14	6	5	4	5	-	-	-
FEMALE--	-	2	4	8	9	15	10	5	4	1	1	-
ALL OTHER--MALE----	2	5	1	4	3	4	2	2	3	-	-	-
FEMALE--	-	2	-	3	3	7	5	3	1	1	-	-
BLACK---MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARIZONA -----	53	106	175	347	562	720	689	575	340	113	34	-
WHITE-----MALE----	27	56	100	188	298	392	322	270	122	36	10	-
FEMALE--	23	43	68	143	250	309	345	296	192	69	16	-
ALL OTHER--MALE----	2	6	4	12	8	11	14	5	15	3	2	-
FEMALE--	1	1	3	4	6	8	4	4	11	5	6	-
BLACK---MALE----	1	5	3	4	4	1	4	1	2	-	-	-
FEMALE--	-	1	1	-	2	2	3	1	3	1	1	-
ARKANSAS -----	40	62	119	224	335	419	428	398	227	90	19	-
WHITE-----MALE----	17	24	69	125	179	202	213	176	90	24	2	-
FEMALE--	18	28	37	82	133	170	179	188	118	52	13	-
ALL OTHER--MALE----	3	7	8	12	18	26	25	24	9	4	-	-
FEMALE--	2	3	5	5	5	21	11	10	10	10	4	-
BLACK---MALE----	3	7	8	12	18	26	24	24	9	4	-	-
FEMALE--	2	3	5	5	5	19	10	10	10	10	4	-
CALIFORNIA -----	357	578	1,001	1,806	3,086	4,233	4,816	4,105	2,568	1,011	267	4
WHITE-----MALE----	164	258	432	858	1,353	1,914	2,110	1,590	866	261	53	3
FEMALE--	136	220	422	726	1,353	1,913	2,264	2,173	1,509	668	201	1
ALL OTHER--MALE----	20	56	88	131	236	242	252	173	83	31	1	-
FEMALE--	37	44	59	91	144	164	190	169	110	51	12	-
BLACK---MALE----	14	35	50	64	115	101	94	60	19	15	1	-
FEMALE--	26	24	38	58	81	90	91	89	55	29	5	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,874
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	2,994	10	5	2	4	2	3	3	7	20	23	44
WHITE-----MALE----	1,435	6	3	1	2	1	-	2	3	9	12	23
FEMALE--	1,471	3	-	1	2	1	3	1	3	10	9	18
ALL OTHER--MALE----	48	-	1	-	-	-	-	-	-	-	2	1
FEMALE--	40	1	1	-	-	-	-	-	1	1	-	2
BLACK---MALE----	33	-	1	-	-	-	-	-	-	-	2	1
FEMALE--	30	1	1	-	-	-	-	-	1	1	-	-
CONNECTICUT -----	2,768	4	3	2	2	4	1	5	7	15	17	29
WHITE-----MALE----	1,225	2	2	-	-	2	1	3	3	6	11	10
FEMALE--	1,423	-	1	1	1	1	-	-	3	5	3	15
ALL OTHER--MALE----	65	2	-	1	-	-	-	-	1	4	2	3
FEMALE--	55	-	-	-	1	1	-	2	-	-	1	1
BLACK---MALE----	58	2	-	1	-	-	-	-	1	4	2	3
FEMALE--	52	-	-	-	1	1	-	2	-	-	1	1
DELAWARE -----	568	1	-	-	-	-	-	2	1	2	4	5
WHITE-----MALE----	242	1	-	-	-	-	-	1	-	-	1	-
FEMALE--	261	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	32	-	-	-	-	-	-	1	1	-	-	1
BLACK---MALE----	33	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	32	-	-	-	-	-	-	1	1	-	-	1
DISTRICT OF COLUMBIA ----	454	2	3	1	1	2	-	1	2	8	7	13
WHITE-----MALE----	45	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	81	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	166	2	3	1	-	1	-	1	-	2	4	5
FEMALE--	162	-	-	-	1	1	-	-	1	5	3	6
BLACK---MALE----	166	2	3	1	-	1	-	1	-	2	4	5
FEMALE--	161	-	-	-	1	1	-	-	1	5	3	6
FLORIDA -----	13,686	45	19	7	6	12	11	24	39	75	125	139
WHITE-----MALE----	6,360	17	3	1	1	6	4	7	12	21	44	59
FEMALE--	6,338	8	5	4	-	2	3	5	12	20	33	43
ALL OTHER--MALE----	577	8	5	1	2	3	1	4	11	20	29	27
FEMALE--	411	12	6	1	3	1	3	8	4	14	19	10
BLACK---MALE----	558	8	5	1	2	3	1	4	11	20	29	25
FEMALE--	402	12	6	1	3	1	3	8	4	14	19	10
GEORGIA -----	5,506	26	13	5	-	7	10	16	24	37	70	85
WHITE-----MALE----	2,150	8	1	2	-	4	2	1	8	8	19	23
FEMALE--	2,290	2	4	1	-	1	4	4	1	9	16	33
ALL OTHER--MALE----	607	12	4	1	-	1	2	8	13	14	22	19
FEMALE--	459	4	4	1	-	1	2	3	2	6	13	10
BLACK---MALE----	603	12	4	1	-	1	2	8	13	14	22	19
FEMALE--	447	4	4	1	-	1	2	3	2	5	12	10

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,874
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	43	63	136	280	404	523	570	450	261	113	28	-
WHITE-----MALE----	27	31	62	164	194	271	286	195	111	26	6	-
FEMALE--	14	27	65	109	196	237	271	247	149	85	20	-
ALL OTHER--MALE----	1	3	7	2	9	11	6	4	1	-	-	-
FEMALE--	1	2	2	5	5	4	7	4	-	2	2	-
BLACK---MALE----	1	3	4	2	5	7	4	2	1	-	-	-
FEMALE--	1	2	2	4	4	3	4	3	-	1	2	-
CONNECTICUT -----	32	58	100	195	325	419	532	514	339	137	28	-
WHITE-----MALE----	15	22	49	114	159	196	260	208	121	34	7	-
FEMALE--	11	27	44	73	152	209	256	292	212	96	21	-
ALL OTHER--MALE----	5	6	4	2	8	7	10	4	3	3	-	-
FEMALE--	1	3	3	6	6	7	6	10	3	4	-	-
BLACK---MALE----	5	6	3	1	6	5	10	3	3	3	-	-
FEMALE--	1	3	3	5	6	7	5	9	3	4	-	-
DELAWARE -----	11	22	31	54	86	88	88	89	58	21	5	-
WHITE-----MALE----	6	6	13	34	45	41	32	41	16	5	-	-
FEMALE--	5	11	11	18	35	35	47	42	32	15	5	-
ALL OTHER--MALE----	-	2	4	-	4	9	4	2	4	-	-	-
FEMALE--	-	3	3	2	2	3	5	4	6	1	-	-
BLACK---MALE----	-	2	4	-	4	9	4	2	4	-	-	-
FEMALE--	-	3	3	2	2	3	5	4	6	1	-	-
DISTRICT OF COLUMBIA ----	13	16	18	39	62	62	73	66	44	14	7	-
WHITE-----MALE----	-	1	2	4	7	9	12	3	5	1	-	-
FEMALE--	-	-	1	4	8	15	16	14	10	6	4	-
ALL OTHER--MALE----	9	12	8	19	24	24	20	18	12	1	-	-
FEMALE--	4	3	7	12	23	14	25	31	17	6	3	-
BLACK---MALE----	9	12	8	19	24	24	20	18	12	1	-	-
FEMALE--	4	3	6	12	23	14	25	31	17	6	3	-
FLORIDA -----	190	313	649	1,133	1,893	2,410	2,625	2,190	1,230	447	96	8
WHITE-----MALE----	83	143	323	581	946	1,208	1,267	974	488	138	31	3
FEMALE--	70	108	240	463	839	1,071	1,248	1,118	700	286	59	1
ALL OTHER--MALE----	21	41	62	60	67	84	57	43	22	8	-	1
FEMALE--	16	21	24	29	41	47	53	55	20	15	6	3
BLACK---MALE----	20	40	59	60	63	79	56	41	22	8	-	1
FEMALE--	16	21	24	28	40	46	52	52	18	15	6	3
GEORGIA -----	143	218	329	531	752	938	928	806	415	125	28	-
WHITE-----MALE----	53	90	129	247	332	420	393	256	128	24	2	-
FEMALE--	42	68	125	185	292	374	392	423	220	78	16	-
ALL OTHER--MALE----	32	39	55	68	77	78	76	59	20	5	2	-
FEMALE--	16	21	20	31	51	66	67	68	47	18	8	-
BLACK---MALE----	32	39	54	68	76	77	76	58	20	5	2	-
FEMALE--	14	21	20	30	51	62	65	68	46	18	8	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,875
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	716	2	1	3	1	2	2	3	2	8	7	9
WHITE-----MALE----	105	-	-	-	-	-	-	-	1	1	3	1
FEMALE--	101	-	-	-	-	1	-	-	-	2	1	1
ALL OTHER--MALE----	297	2	-	1	-	1	1	2	-	1	1	2
FEMALE--	213	-	1	2	1	-	1	1	1	4	2	5
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	913	6	-	2	-	1	2	2	3	7	9	13
WHITE-----MALE----	492	3	-	-	-	1	1	1	2	2	6	8
FEMALE--	411	3	-	2	-	-	1	-	-	5	3	5
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	9,717	42	21	5	13	21	25	31	40	58	92	132
WHITE-----MALE----	4,007	11	7	1	3	6	11	8	8	18	25	43
FEMALE--	4,486	7	7	1	4	4	3	6	11	14	21	33
ALL OTHER--MALE----	665	16	4	-	4	6	2	4	13	20	26	29
FEMALE--	559	8	3	3	2	5	9	13	8	6	20	27
BLACK---MALE----	621	15	4	-	4	6	2	4	12	20	26	29
FEMALE--	535	8	3	3	2	5	9	13	8	6	20	25
INDIANA -----	5,080	22	8	6	5	5	10	8	10	30	27	51
WHITE-----MALE----	2,347	9	4	1	2	1	6	3	4	13	12	20
FEMALE--	2,471	8	1	2	2	3	1	3	3	14	12	24
ALL OTHER--MALE----	128	3	2	2	1	-	2	1	2	2	2	1
FEMALE--	134	2	1	1	-	1	1	1	1	1	1	6
BLACK---MALE----	125	3	2	2	1	-	2	1	2	2	2	1
FEMALE--	128	2	1	1	-	1	1	1	1	1	1	4
IOWA -----	2,837	6	1	2	6	1	4	2	6	4	14	16
WHITE-----MALE----	1,409	3	-	2	5	-	-	-	2	2	4	11
FEMALE--	1,394	2	-	-	1	-	4	2	3	2	9	3
ALL OTHER--MALE----	21	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	13	-	1	-	-	-	-	-	1	-	1	2
BLACK---MALE----	15	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	10	-	1	-	-	-	-	-	1	-	1	2
KANSAS -----	2,353	3	7	2	3	2	3	2	7	13	16	17
WHITE-----MALE----	1,140	1	3	1	2	-	1	1	3	10	6	6
FEMALE--	1,129	1	4	-	-	-	1	1	2	2	8	10
ALL OTHER--MALE----	42	1	-	1	-	2	-	-	2	-	-	1
FEMALE--	42	-	-	-	1	-	1	-	-	1	2	-
BLACK---MALE----	37	1	-	1	-	2	-	-	2	-	-	1
FEMALE--	32	-	-	-	1	-	1	-	-	1	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,875
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	11	14	23	43	88	119	131	128	79	33	7	-
WHITE-----MALE----	2	3	1	8	14	22	20	19	8	2	-	-
FEMALE--	1	4	2	4	13	22	13	16	15	5	1	-
ALL OTHER--MALE----	3	3	11	21	39	43	68	53	32	11	2	-
FEMALE--	5	4	9	10	22	32	30	40	24	15	4	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
IDAHO -----	10	23	40	81	116	166	181	125	96	21	9	-
WHITE-----MALE----	6	13	22	48	64	98	105	63	38	8	3	-
FEMALE--	4	9	17	33	50	68	74	60	58	13	6	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	1	1	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ILLINOIS -----	168	260	445	740	1,195	1,650	1,826	1,465	967	426	95	-
WHITE-----MALE----	65	121	198	334	576	772	844	529	318	94	15	-
FEMALE--	51	85	160	303	485	709	827	812	576	297	70	-
ALL OTHER--MALE----	35	32	51	62	85	97	85	62	21	9	2	-
FEMALE--	17	22	36	41	49	72	70	62	52	26	8	-
BLACK---MALE----	34	31	47	57	79	90	74	58	20	8	1	-
FEMALE--	16	22	33	39	48	68	64	62	49	25	7	-
INDIANA -----	70	141	246	468	723	861	939	781	450	174	45	-
WHITE-----MALE----	36	71	117	244	373	450	458	330	140	39	14	-
FEMALE--	25	57	105	192	324	380	449	424	284	130	28	-
ALL OTHER--MALE----	5	8	13	17	12	13	18	12	11	-	1	-
FEMALE--	4	5	11	15	14	18	14	15	15	5	2	-
BLACK---MALE----	5	8	13	15	11	13	18	12	11	-	1	-
FEMALE--	4	5	11	15	12	18	13	14	15	5	2	-
IOWA -----	30	73	127	200	338	446	516	490	356	158	41	-
WHITE-----MALE----	14	41	66	115	204	261	268	239	118	44	10	-
FEMALE--	13	31	58	83	130	183	245	248	233	113	31	-
ALL OTHER--MALE----	2	1	2	2	2	2	3	3	2	-	-	-
FEMALE--	1	-	1	-	2	-	-	-	3	1	-	-
BLACK---MALE----	-	1	1	2	2	1	3	2	1	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	1	1	-	-
KANSAS -----	28	56	101	190	282	368	414	423	262	123	31	-
WHITE-----MALE----	13	30	59	111	161	195	209	186	102	34	6	-
FEMALE--	14	24	37	72	112	163	190	225	151	87	25	-
ALL OTHER--MALE----	-	2	4	4	8	8	4	3	2	-	-	-
FEMALE--	1	-	1	3	1	2	11	9	7	2	-	-
BLACK---MALE----	-	-	4	3	7	8	3	3	2	-	-	-
FEMALE--	-	-	1	3	1	1	5	9	5	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,876
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	3,804	12	3	1	4	7	2	5	10	8	21	31
WHITE-----MALE----	1,850	5	3	1	1	4	2	2	4	4	12	14
FEMALE--	1,767	4	-	-	2	2	-	2	1	3	7	13
ALL OTHER--MALE----	96	2	-	-	1	1	-	-	3	1	-	2
FEMALE--	91	1	-	-	-	-	-	1	2	-	2	2
BLACK---MALE----	95	2	-	-	1	1	-	-	3	1	-	2
FEMALE--	91	1	-	-	-	-	-	1	2	-	2	2
LOUISIANA -----	3,000	26	10	2	5	4	4	12	8	18	39	34
WHITE-----MALE----	1,140	10	-	-	-	1	-	3	2	7	14	7
FEMALE--	1,194	1	2	1	3	2	2	2	1	5	8	11
ALL OTHER--MALE----	388	11	4	-	1	1	2	5	3	4	12	11
FEMALE--	278	4	4	1	1	-	-	2	2	2	5	5
BLACK---MALE----	385	11	4	-	1	1	2	5	3	4	12	11
FEMALE--	277	4	4	-	1	-	-	2	2	2	5	5
MAINE -----	1,231	1	2	1	-	-	1	4	2	4	6	8
WHITE-----MALE----	568	1	-	-	-	-	-	2	2	2	4	5
FEMALE--	662	-	1	1	-	-	1	2	-	2	2	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
MARYLAND -----	3,797	14	8	5	3	4	7	10	17	31	42	57
WHITE-----MALE----	1,433	7	1	1	-	-	1	3	3	2	4	13
FEMALE--	1,630	3	2	1	1	2	-	2	3	1	11	8
ALL OTHER--MALE----	381	3	2	-	2	-	4	3	4	16	12	23
FEMALE--	353	1	3	3	-	2	2	2	7	12	15	13
BLACK---MALE----	362	3	2	-	2	-	4	3	4	16	12	23
FEMALE--	336	1	3	3	-	1	2	2	7	12	14	13
MASSACHUSETTS -----	6,134	10	6	6	1	8	7	12	13	28	42	48
WHITE-----MALE----	2,643	5	4	2	-	5	4	6	7	11	20	27
FEMALE--	3,312	1	1	3	-	2	-	4	2	10	14	18
ALL OTHER--MALE----	100	2	1	1	1	-	2	-	3	5	3	3
FEMALE--	79	2	-	-	-	1	1	2	1	2	5	-
BLACK---MALE----	86	2	-	1	1	-	1	-	3	5	3	3
FEMALE--	63	2	-	-	-	1	-	1	-	2	5	-
MICHIGAN -----	7,654	30	17	8	11	19	16	15	32	41	83	108
WHITE-----MALE----	3,296	10	3	3	4	2	2	6	10	17	25	37
FEMALE--	3,494	7	6	1	2	5	6	2	13	12	17	27
ALL OTHER--MALE----	477	6	6	2	2	6	3	4	5	4	20	29
FEMALE--	387	7	2	2	3	6	5	3	4	8	21	15
BLACK---MALE----	447	6	6	1	2	6	3	4	5	4	19	28
FEMALE--	357	6	2	1	2	5	5	3	4	6	20	15

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,876
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	63	146	239	332	557	623	660	530	390	121	39	-
WHITE-----MALE----	26	70	125	175	295	357	364	217	126	30	13	-
FEMALE--	35	63	96	139	241	247	269	289	245	84	25	-
ALL OTHER--MALE----	1	8	14	11	12	7	14	9	6	3	1	-
FEMALE--	1	5	4	7	9	12	13	15	13	4	-	-
BLACK---MALE----	1	8	14	10	12	7	14	9	6	3	1	-
FEMALE--	1	5	4	7	9	12	13	15	13	4	-	-
LOUISIANA -----	58	91	161	283	427	481	519	425	268	110	15	-
WHITE-----MALE----	21	36	63	131	162	213	211	156	71	29	3	-
FEMALE--	14	33	51	93	170	187	205	200	139	56	8	-
ALL OTHER--MALE----	14	12	22	39	55	51	67	39	27	7	1	-
FEMALE--	9	10	25	20	40	30	36	30	31	18	3	-
BLACK---MALE----	14	12	22	38	55	50	66	39	27	7	1	-
FEMALE--	9	10	25	20	40	30	36	30	31	18	3	-
MAINE -----	15	26	48	94	175	208	227	205	127	59	18	-
WHITE-----MALE----	10	15	19	45	83	110	119	85	48	17	1	-
FEMALE--	5	11	29	49	92	98	108	120	79	42	17	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	79	89	154	302	530	626	699	587	349	141	41	2
WHITE-----MALE----	25	29	58	128	242	295	263	214	99	37	7	1
FEMALE--	22	34	48	106	198	233	328	308	210	83	25	1
ALL OTHER--MALE----	17	16	31	37	51	61	48	27	14	9	1	-
FEMALE--	15	10	17	31	39	37	60	38	26	12	8	-
BLACK---MALE----	17	16	29	37	46	53	44	27	14	9	1	-
FEMALE--	15	10	16	28	39	34	55	36	25	12	8	-
MASSACHUSETTS -----	61	110	191	373	673	930	1,188	1,187	800	344	96	-
WHITE-----MALE----	32	58	96	184	361	454	562	466	239	78	22	-
FEMALE--	26	46	88	175	293	450	608	689	550	259	73	-
ALL OTHER--MALE----	1	2	3	11	11	18	8	15	6	4	-	-
FEMALE--	2	4	4	3	8	8	10	17	5	3	1	-
BLACK---MALE----	-	1	2	9	10	14	8	14	6	3	-	-
FEMALE--	1	4	3	3	8	5	10	12	3	2	1	-
MICHIGAN -----	131	195	353	710	1,060	1,308	1,332	1,107	728	275	73	2
WHITE-----MALE----	45	87	154	330	487	638	644	453	248	77	13	1
FEMALE--	46	68	140	296	459	573	590	564	434	175	51	-
ALL OTHER--MALE----	22	30	35	48	61	49	59	52	20	11	3	-
FEMALE--	18	10	24	36	53	48	39	38	26	12	6	1
BLACK---MALE----	18	27	33	47	57	45	56	49	18	10	3	-
FEMALE--	18	8	23	33	45	46	38	36	22	12	6	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,877
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	41	61	123	249	384	540	679	578	437	170	51	-
WHITE-----MALE----	17	29	62	142	221	302	351	272	173	51	9	-
FEMALE--	20	26	56	103	154	227	319	303	263	116	40	-
ALL OTHER--MALE----	2	5	2	3	6	6	4	1	1	3	1	-
FEMALE--	2	1	3	1	3	5	5	2	-	-	1	-
BLACK---MALE----	2	2	-	2	3	2	1	1	-	1	1	-
FEMALE--	2	1	1	-	-	2	3	2	-	-	1	-
MISSISSIPPI -----	53	88	136	190	313	336	361	334	223	80	22	-
WHITE-----MALE----	22	27	61	78	151	158	149	108	64	15	1	-
FEMALE--	14	35	37	68	103	120	143	157	109	39	13	-
ALL OTHER--MALE----	10	12	27	27	29	36	40	32	27	8	4	-
FEMALE--	7	14	11	17	30	22	29	37	23	18	4	-
BLACK---MALE----	10	12	27	26	28	36	40	32	27	8	4	-
FEMALE--	7	14	10	17	30	22	29	37	23	18	4	-
MISSOURI -----	79	139	211	425	684	891	1,022	914	592	249	61	-
WHITE-----MALE----	47	67	85	214	319	436	480	389	180	63	8	-
FEMALE--	26	58	106	174	307	395	489	479	388	175	46	-
ALL OTHER--MALE----	1	8	9	22	35	35	29	17	9	5	1	-
FEMALE--	5	6	11	15	23	25	24	29	15	6	6	-
BLACK---MALE----	1	8	9	21	34	33	28	17	9	5	1	-
FEMALE--	5	6	11	14	22	23	23	29	15	6	6	-
MONTANA -----	7	21	45	78	119	161	170	147	89	21	13	-
WHITE-----MALE----	4	10	30	49	67	85	88	69	45	8	2	-
FEMALE--	3	10	14	22	49	72	77	75	42	13	11	-
ALL OTHER--MALE----	-	1	-	4	3	4	3	2	1	-	-	-
FEMALE--	-	-	1	3	-	-	2	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	14	45	55	121	161	221	285	277	203	97	19	-
WHITE-----MALE----	6	23	31	63	92	117	160	126	70	26	4	-
FEMALE--	7	18	19	51	62	100	122	147	129	71	15	-
ALL OTHER--MALE----	1	3	3	5	4	2	1	1	-	-	-	-
FEMALE--	-	1	2	2	3	2	2	3	4	-	-	-
BLACK---MALE----	1	2	3	5	2	2	1	-	-	-	-	-
FEMALE--	-	1	1	-	3	1	2	2	4	-	-	-
NEVADA -----	24	50	100	170	234	267	249	137	74	20	4	-
WHITE-----MALE----	13	27	49	95	120	136	113	60	26	5	2	-
FEMALE--	10	16	47	66	104	120	126	73	44	13	2	-
ALL OTHER--MALE----	1	6	3	4	6	7	6	2	3	-	-	-
FEMALE--	-	1	1	5	4	4	4	2	1	2	-	-
BLACK---MALE----	1	5	2	3	3	4	3	2	1	-	-	-
FEMALE--	-	1	1	3	2	2	2	-	-	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,879
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	9,848	22	12	13	11	9	10	18	24	45	71	94
WHITE-----MALE----	4,405	12	5	5	2	4	4	5	10	17	43	39
FEMALE--	4,694	5	5	5	5	3	2	6	6	15	18	33
ALL OTHER--MALE----	398	3	1	2	2	1	3	3	4	6	6	7
FEMALE--	351	2	1	1	2	1	1	4	4	7	4	15
BLACK---MALE----	383	3	1	2	2	1	2	3	4	6	6	7
FEMALE--	341	2	1	1	2	1	1	4	4	7	4	14
OKLAHOMA -----	3,357	17	4	4	6	5	2	4	12	16	22	32
WHITE-----MALE----	1,533	9	-	4	1	3	-	-	5	8	9	12
FEMALE--	1,597	3	2	-	-	1	1	4	2	4	11	11
ALL OTHER--MALE----	119	4	1	-	3	1	1	-	4	1	1	6
FEMALE--	108	1	1	-	2	-	-	-	1	3	1	3
BLACK---MALE----	77	2	1	-	1	1	1	-	3	1	1	3
FEMALE--	61	1	1	-	1	-	-	-	-	2	1	2
OREGON -----	2,931	5	1	-	1	2	3	4	7	12	12	24
WHITE-----MALE----	1,424	3	1	-	-	1	3	2	1	9	5	12
FEMALE--	1,454	2	-	-	-	1	-	2	5	3	5	9
ALL OTHER--MALE----	28	-	-	-	1	-	-	-	1	-	1	2
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	12	-	-	-	1	-	-	-	-	-	1	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	12,023	32	16	5	10	10	11	26	33	38	80	113
WHITE-----MALE----	5,615	15	7	2	6	5	5	6	8	19	33	46
FEMALE--	5,582	6	3	1	2	3	2	11	12	9	19	35
ALL OTHER--MALE----	432	7	5	1	-	1	2	5	5	2	18	21
FEMALE--	394	4	1	1	2	1	2	4	8	8	10	11
BLACK---MALE----	416	7	5	1	-	1	2	5	5	2	16	21
FEMALE--	386	4	1	1	2	1	1	4	8	8	10	10
RHODE ISLAND -----	835	3	1	-	-	1	-	-	1	3	4	8
WHITE-----MALE----	371	2	1	-	-	1	-	-	-	-	3	2
FEMALE--	442	-	-	-	-	-	-	-	1	1	1	4
ALL OTHER--MALE----	10	1	-	-	-	-	-	-	-	2	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3,047	8	5	3	3	1	10	7	17	30	28	42
WHITE-----MALE----	1,223	2	2	2	-	-	1	2	5	5	5	9
FEMALE--	1,198	2	2	-	-	-	1	1	5	7	7	11
ALL OTHER--MALE----	336	3	1	1	2	-	5	3	5	5	5	12
FEMALE--	290	1	-	-	1	1	3	1	2	13	11	10
BLACK---MALE----	334	3	1	1	2	-	5	3	5	5	4	12
FEMALE--	287	1	-	-	1	1	3	1	2	13	11	9

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,879
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	140	255	495	860	1,376	1,757	1,875	1,408	869	381	103	-
WHITE-----MALE----	64	119	229	422	673	897	868	574	288	104	21	-
FEMALE--	53	101	208	358	611	767	886	763	519	253	72	-
ALL OTHER--MALE----	14	18	36	49	49	60	59	36	27	9	3	-
FEMALE--	9	17	22	31	43	33	62	35	35	15	7	-
BLACK---MALE----	13	18	35	45	46	60	57	35	25	9	3	-
FEMALE--	9	16	20	31	42	33	60	34	34	14	7	-
OKLAHOMA -----	64	82	174	280	473	545	553	533	357	139	30	3
WHITE-----MALE----	32	36	99	144	239	282	268	219	109	45	8	1
FEMALE--	21	36	61	121	203	236	251	292	230	89	17	1
ALL OTHER--MALE----	5	6	5	7	17	17	18	12	7	1	1	1
FEMALE--	6	4	9	8	14	10	16	10	11	4	4	-
BLACK---MALE----	3	6	3	3	12	11	10	8	5	-	1	1
FEMALE--	4	3	4	4	6	8	8	6	6	1	3	-
OREGON -----	39	74	131	234	422	527	575	443	265	119	31	-
WHITE-----MALE----	19	35	68	115	233	276	299	199	99	38	6	-
FEMALE--	17	37	60	115	183	244	270	236	162	80	23	-
ALL OTHER--MALE----	3	2	2	3	1	3	1	4	3	1	-	-
FEMALE--	-	-	1	1	5	4	5	4	1	-	2	-
BLACK---MALE----	2	2	2	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	2	-	-	-	-	1	-
PENNSYLVANIA -----	153	259	440	928	1,561	2,152	2,323	2,046	1,221	451	113	2
WHITE-----MALE----	77	110	226	486	826	1,118	1,126	906	436	129	23	-
FEMALE--	47	105	155	367	634	913	1,082	1,050	741	303	81	1
ALL OTHER--MALE----	15	32	36	36	55	77	52	39	16	5	1	1
FEMALE--	14	12	23	39	46	44	63	51	28	14	8	-
BLACK---MALE----	15	31	33	36	53	73	50	38	16	4	1	1
FEMALE--	14	12	22	39	45	44	63	49	27	13	8	-
RHODE ISLAND -----	11	19	19	62	92	109	169	149	123	45	16	-
WHITE-----MALE----	4	13	7	31	50	52	80	58	50	15	2	-
FEMALE--	6	4	12	28	40	55	88	89	70	30	13	-
ALL OTHER--MALE----	-	1	-	2	1	1	1	-	-	-	-	-
FEMALE--	1	1	-	1	1	1	-	2	3	-	1	-
BLACK---MALE----	-	1	-	2	1	1	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	-	1	3	-	1	-
SOUTH CAROLINA -----	78	122	190	328	425	524	495	409	231	74	16	1
WHITE-----MALE----	26	50	82	147	201	255	216	127	70	13	2	1
FEMALE--	22	40	80	107	141	176	186	227	130	44	9	-
ALL OTHER--MALE----	14	17	19	43	50	60	47	25	10	6	3	-
FEMALE--	16	15	9	31	33	33	46	30	21	11	2	-
BLACK---MALE----	14	17	19	42	50	60	47	25	10	6	3	-
FEMALE--	16	14	9	31	33	33	46	29	21	11	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,880
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	662	2	5	2	1	-	1	1	2	2	5	6
WHITE-----MALE----	353	1	2	2	1	-	-	-	-	1	3	5
FEMALE--	281	-	3	-	-	-	-	1	2	-	1	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	12	1	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4,746	16	3	3	5	8	11	16	18	25	35	64
WHITE-----MALE----	2,112	2	1	-	1	3	2	3	3	9	12	24
FEMALE--	2,084	4	1	1	-	3	4	10	6	8	9	20
ALL OTHER--MALE----	299	5	1	2	3	2	3	3	5	5	8	11
FEMALE--	251	5	-	-	1	-	2	-	4	3	6	9
BLACK---MALE----	295	5	-	2	3	2	3	3	5	5	8	11
FEMALE--	247	5	-	-	1	-	1	-	4	3	6	8
TEXAS -----	12,152	55	23	11	15	16	27	36	49	80	109	178
WHITE-----MALE----	5,421	27	7	7	6	2	8	7	26	33	42	76
FEMALE--	5,623	15	8	2	2	3	10	11	7	27	31	60
ALL OTHER--MALE----	596	6	6	2	4	7	3	10	9	13	26	24
FEMALE--	512	7	2	-	3	4	6	8	7	7	10	18
BLACK---MALE----	573	5	5	2	4	7	2	10	9	13	24	23
FEMALE--	483	7	2	-	2	4	6	7	7	7	10	17
UTAH -----	1,059	5	2	-	3	-	1	2	4	9	6	9
WHITE-----MALE----	559	3	2	-	-	-	-	1	1	5	5	6
FEMALE--	477	-	-	-	3	-	1	-	3	3	1	2
ALL OTHER--MALE----	15	1	-	-	-	-	-	1	-	1	-	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	477	-	-	-	-	-	-	-	1	2	3	6
WHITE-----MALE----	223	-	-	-	-	-	-	-	-	2	-	6
FEMALE--	251	-	-	-	-	-	-	-	1	-	3	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5,016	14	11	1	2	4	6	10	16	33	42	64
WHITE-----MALE----	2,020	4	3	-	-	-	3	5	7	7	18	15
FEMALE--	2,234	1	4	-	-	2	2	2	7	11	8	18
ALL OTHER--MALE----	424	4	2	-	2	1	1	1	1	11	5	15
FEMALE--	338	5	2	1	-	1	-	2	1	4	11	16
BLACK---MALE----	404	4	2	-	2	1	1	1	1	11	5	14
FEMALE--	325	4	2	1	-	1	-	2	1	4	10	16

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,880
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	6	12	15	41	84	96	133	117	75	41	15	-
WHITE-----MALE----	3	7	7	23	55	57	72	63	33	16	2	-
FEMALE--	1	1	8	15	25	34	58	53	41	25	13	-
ALL OTHER--MALE----	1	3	-	2	3	2	2	1	-	-	-	-
FEMALE--	1	1	-	1	1	3	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	88	179	282	394	680	775	830	714	426	141	33	-
WHITE-----MALE----	34	89	125	195	342	408	415	286	125	29	4	-
FEMALE--	33	75	118	153	278	310	329	353	256	89	24	-
ALL OTHER--MALE----	14	5	22	23	35	34	50	38	22	8	-	-
FEMALE--	7	10	17	23	25	23	36	37	23	15	5	-
BLACK---MALE----	14	5	22	22	35	33	49	38	22	8	-	-
FEMALE--	7	10	17	23	23	23	36	37	23	15	5	-
TEXAS -----	216	364	641	1,065	1,713	2,032	2,049	1,822	1,140	410	99	2
WHITE-----MALE----	90	170	321	550	852	1,025	954	752	349	104	13	-
FEMALE--	90	150	247	401	710	880	961	956	707	268	76	1
ALL OTHER--MALE----	19	23	41	57	88	78	73	52	34	15	6	-
FEMALE--	17	21	32	57	63	49	61	62	50	23	4	1
BLACK---MALE----	18	22	41	55	86	73	69	50	34	15	6	-
FEMALE--	16	20	30	53	58	45	54	61	49	23	4	1
UTAH -----	12	33	47	77	125	178	200	175	115	43	13	-
WHITE-----MALE----	5	17	26	44	71	111	106	89	52	13	2	-
FEMALE--	7	15	21	28	51	64	94	85	62	27	10	-
ALL OTHER--MALE----	-	1	-	4	3	2	-	-	-	2	-	-
FEMALE--	-	-	-	1	-	1	-	1	1	1	1	-
BLACK---MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	12	25	44	54	93	82	77	49	16	9	-
WHITE-----MALE----	1	5	11	23	36	50	41	32	13	3	-	-
FEMALE--	3	7	13	21	18	43	40	45	36	13	8	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	86	154	212	442	617	876	895	828	477	189	36	1
WHITE-----MALE----	32	72	96	205	289	425	346	305	138	46	4	-
FEMALE--	35	42	76	154	237	343	430	418	298	122	23	1
ALL OTHER--MALE----	11	23	25	53	64	60	75	52	12	2	4	-
FEMALE--	8	17	15	30	27	48	44	53	29	19	5	-
BLACK---MALE----	11	23	23	50	59	60	70	49	12	1	4	-
FEMALE--	8	16	15	30	25	47	42	50	27	19	5	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,882
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ACUTE BRONCHITIS AND BRONCHIOLITIS (466)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	10	6	19	26	46	44	65	69	57	24	7	-
WHITE-----MALE----	-	1	8	8	23	21	24	22	16	2	-	-
FEMALE--	8	5	10	17	20	19	37	44	37	20	6	-
ALL OTHER--MALE----	1	-	-	1	2	3	-	2	2	-	1	-
FEMALE--	1	-	1	-	1	1	4	1	2	2	-	-
BLACK---MALE----	1	-	-	1	1	2	-	1	2	-	1	-
FEMALE--	1	-	-	-	-	1	3	1	2	2	-	-
ALABAMA -----	-	-	-	-	-	1	-	1	2	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	2	1	1	1	1	3	1	-	-	-
WHITE-----MALE----	-	-	1	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	-	-	-	5	4	1	9	8	8	4	-	-
WHITE-----MALE----	-	-	-	-	1	1	6	2	3	-	-	-
FEMALE--	-	-	-	5	2	-	2	5	4	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,883
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ACUTE BRONCHITIS AND BRONCHIOLITIS (466)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	-	-	1	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	1	-	-	-	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	-	2	4	5	6	4	4	1	-	1	-
WHITE-----MALE----	-	-	1	2	1	4	2	1	-	-	-	-
FEMALE--	1	-	1	2	4	2	2	3	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	-	-	-	1	2	1	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,891
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA (480-486)												
0 UNITED STATES --	82,982	481	165	67	61	83	112	202	358	584	863	1,020
WHITE-----MALE----	32,678	184	53	23	23	32	37	69	128	227	357	425
FEMALE--	40,821	116	53	27	21	24	36	62	109	144	200	276
ALL OTHER--MALE----	5,044	106	37	9	10	12	20	42	76	145	184	221
FEMALE--	4,439	75	22	8	7	15	19	29	45	68	122	98
BLACK---MALE----	4,156	88	34	7	9	11	19	34	69	132	174	202
FEMALE--	3,773	68	19	5	6	15	17	28	40	59	112	87
ALABAMA -----	1,323	4	4	-	2	2	6	6	2	11	12	17
WHITE-----MALE----	468	2	1	-	-	1	2	2	-	4	4	6
FEMALE--	574	-	-	-	1	-	1	1	1	2	1	6
ALL OTHER--MALE----	141	2	-	-	-	-	1	-	1	4	7	4
FEMALE--	140	-	3	-	1	1	2	3	-	1	-	1
BLACK---MALE----	140	2	-	-	-	-	1	-	1	4	7	4
FEMALE--	139	-	2	-	1	1	2	3	-	1	-	1
ALASKA -----	36	3	-	-	-	-	-	-	1	-	2	1
WHITE-----MALE----	9	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	9	2	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,259	37	2	2	3	1	-	6	4	13	24	18
WHITE-----MALE----	590	17	1	1	1	-	-	2	2	5	13	10
FEMALE--	574	15	-	-	1	1	-	2	1	4	8	5
ALL OTHER--MALE----	56	3	1	1	1	-	-	2	1	4	2	2
FEMALE--	39	2	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	15	3	-	1	1	-	-	1	-	-	-	-
FEMALE--	12	1	-	-	-	-	-	-	-	-	1	1
ARKANSAS -----	939	5	3	-	-	1	2	4	4	7	6	10
WHITE-----MALE----	390	-	-	-	-	1	1	1	1	4	5	4
FEMALE--	436	1	2	-	-	-	-	2	2	2	-	6
ALL OTHER--MALE----	57	1	1	-	-	-	-	-	-	1	1	-
FEMALE--	56	3	-	-	-	-	1	1	1	-	-	-
BLACK---MALE----	57	1	1	-	-	-	-	-	-	1	1	-
FEMALE--	55	3	-	-	-	-	1	1	1	-	-	-
CALIFORNIA -----	11,071	70	17	11	7	5	9	21	35	53	81	102
WHITE-----MALE----	4,313	28	6	4	3	1	4	5	13	24	39	46
FEMALE--	5,500	26	9	5	3	1	3	9	18	15	25	32
ALL OTHER--MALE----	675	12	2	1	1	2	1	4	1	12	7	19
FEMALE--	583	4	-	1	-	1	1	3	3	2	10	5
BLACK---MALE----	309	8	2	-	1	1	-	1	1	10	3	14
FEMALE--	311	2	-	1	-	1	1	2	2	2	8	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,891
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA (480-486)												
0 UNITED STATES --	1,052	1,443	2,132	3,674	6,839	10,610	15,562	16,982	13,209	5,833	1,640	10
WHITE-----MALE----	467	670	949	1,818	3,345	5,112	6,783	6,291	4,005	1,373	302	5
FEMALE--	303	415	711	1,225	2,523	4,382	7,312	9,366	8,302	4,036	1,176	2
ALL OTHER--MALE----	176	228	299	376	588	646	740	597	354	135	42	1
FEMALE--	106	130	173	255	383	470	727	728	548	289	120	2
BLACK---MALE----	159	208	258	327	480	520	566	458	264	99	37	1
FEMALE--	94	120	153	226	318	392	601	609	458	246	98	2
ALABAMA -----	13	29	43	62	117	168	270	274	190	72	19	-
WHITE-----MALE----	7	16	18	31	49	66	104	89	43	22	1	-
FEMALE--	3	4	9	20	41	74	118	139	113	30	10	-
ALL OTHER--MALE----	2	7	10	5	19	17	26	21	11	3	1	-
FEMALE--	1	2	6	6	8	11	22	25	23	17	7	-
BLACK---MALE----	2	7	10	5	19	17	26	21	10	3	1	-
FEMALE--	1	2	6	6	8	11	22	25	23	17	7	-
ALASKA -----	1	4	1	-	3	3	5	7	4	-	1	-
WHITE-----MALE----	-	2	-	-	2	-	1	1	2	-	-	-
FEMALE--	-	1	-	-	-	2	1	1	2	-	1	-
ALL OTHER--MALE----	1	1	1	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	3	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	14	24	30	60	118	176	212	233	184	72	26	-
WHITE-----MALE----	8	12	13	38	72	104	93	113	54	25	6	-
FEMALE--	4	7	12	19	40	65	107	115	113	42	13	-
ALL OTHER--MALE----	1	4	2	2	3	4	10	2	9	1	1	-
FEMALE--	1	1	3	1	3	3	2	3	8	4	6	-
BLACK---MALE----	-	3	1	-	-	-	3	1	1	-	-	-
FEMALE--	-	1	1	-	1	-	1	1	2	1	1	-
ARKANSAS -----	10	22	20	51	75	124	183	202	136	58	16	-
WHITE-----MALE----	3	7	11	29	36	54	79	89	47	17	1	-
FEMALE--	4	12	5	17	33	50	86	95	77	31	11	-
ALL OTHER--MALE----	3	1	1	4	3	7	12	12	6	4	-	-
FEMALE--	-	2	3	1	3	13	6	6	6	6	4	-
BLACK---MALE----	3	1	1	4	3	7	12	12	6	4	-	-
FEMALE--	-	2	3	1	3	13	5	6	6	6	4	-
CALIFORNIA -----	114	156	263	479	893	1,542	2,197	2,291	1,734	764	225	2
WHITE-----MALE----	63	84	118	225	404	708	949	818	544	181	44	2
FEMALE--	30	49	103	172	345	648	996	1,253	1,063	525	170	-
ALL OTHER--MALE----	10	17	32	43	90	101	135	110	52	23	-	-
FEMALE--	11	6	10	39	54	85	117	110	75	35	11	-
BLACK---MALE----	8	11	18	25	42	47	51	42	13	11	-	-
FEMALE--	5	2	8	27	23	48	57	56	37	21	5	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,892
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA (480-486)												
COLORADO -----	972	6	3	-	-	-	2	3	4	10	9	23
WHITE-----MALE----	409	4	2	-	-	-	-	2	2	6	4	11
FEMALE--	532	2	-	-	-	-	2	1	1	4	3	10
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	15	-	1	-	-	-	-	-	1	-	-	2
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	11	-	1	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	1,137	3	1	1	-	3	-	2	2	8	5	13
WHITE-----MALE----	466	2	1	-	-	2	-	1	-	2	4	3
FEMALE--	601	-	-	1	-	1	-	-	1	3	-	7
ALL OTHER--MALE----	35	1	-	-	-	-	-	-	1	3	1	2
FEMALE--	35	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	31	1	-	-	-	-	-	-	1	3	1	2
FEMALE--	32	-	-	-	-	-	-	1	-	-	-	1
DELAWARE -----	199	1	-	-	-	-	-	-	1	2	1	1
WHITE-----MALE----	70	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	99	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	14	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	14	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	203	1	2	-	-	-	-	1	1	1	6	10
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	73	1	2	-	-	-	-	1	-	-	4	4
FEMALE--	81	-	-	-	-	-	-	-	1	1	2	4
BLACK---MALE----	73	1	2	-	-	-	-	1	-	-	4	4
FEMALE--	81	-	-	-	-	-	-	-	1	1	2	4
FLORIDA -----	3,795	25	11	5	1	7	1	9	26	39	60	69
WHITE-----MALE----	1,678	8	3	1	-	4	1	4	8	10	24	26
FEMALE--	1,729	7	1	3	1	2	-	1	9	10	11	19
ALL OTHER--MALE----	224	4	4	1	1	-	-	1	7	12	18	18
FEMALE--	164	6	3	-	-	1	-	3	2	7	7	6
BLACK---MALE----	219	4	4	1	1	-	-	1	7	12	18	17
FEMALE--	161	6	3	-	-	1	-	3	2	7	7	6
GEORGIA -----	2,091	13	8	3	-	4	4	7	16	27	40	41
WHITE-----MALE----	677	5	-	1	-	2	-	1	4	8	8	10
FEMALE--	895	1	2	1	-	1	1	2	1	6	8	13
ALL OTHER--MALE----	284	5	3	1	-	-	2	4	9	9	14	12
FEMALE--	235	2	3	-	-	1	1	-	2	4	10	6
BLACK---MALE----	282	5	3	1	-	-	2	4	9	9	14	12
FEMALE--	233	2	3	-	-	1	1	-	2	3	10	6

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,892
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 PNEUMONIA (480-486)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	21	14	25	38	75	115	177	201	146	76	24	-
WHITE-----MALE----	13	6	8	24	31	61	83	78	54	15	5	-
FEMALE--	7	4	14	12	42	50	93	119	91	59	18	-
ALL OTHER--MALE----	-	2	2	1	2	4	1	1	1	-	-	-
FEMALE--	1	2	1	1	-	-	-	3	-	2	1	-
BLACK---MALE----	-	2	1	1	1	3	1	-	1	-	-	-
FEMALE--	1	2	1	1	-	-	-	2	-	1	1	-
CONNECTICUT -----	11	18	30	43	88	111	210	256	210	97	25	-
WHITE-----MALE----	5	5	14	25	50	58	104	92	73	19	6	-
FEMALE--	2	8	13	14	27	47	97	154	133	74	19	-
ALL OTHER--MALE----	4	3	1	1	5	2	5	3	2	1	-	-
FEMALE--	-	2	2	3	6	4	4	7	2	3	-	-
BLACK---MALE----	4	3	-	1	4	1	5	2	2	1	-	-
FEMALE--	-	2	2	2	6	4	3	6	2	3	-	-
DELAWARE -----	4	4	4	15	19	26	32	34	37	15	3	-
WHITE-----MALE----	4	1	-	11	9	11	10	11	8	4	-	-
FEMALE--	-	2	2	4	8	10	18	19	22	10	3	-
ALL OTHER--MALE----	-	-	2	-	2	3	1	2	3	-	-	-
FEMALE--	-	1	-	-	-	2	3	2	4	1	-	-
BLACK---MALE----	-	-	2	-	2	3	1	2	3	-	-	-
FEMALE--	-	1	-	-	-	2	3	2	4	1	-	-
DISTRICT OF COLUMBIA ----	6	7	7	8	21	24	31	32	29	11	5	-
WHITE-----MALE----	-	-	1	-	1	4	4	2	4	1	-	-
FEMALE--	-	-	-	1	2	4	4	6	5	5	3	-
ALL OTHER--MALE----	6	5	4	2	10	9	8	9	8	-	-	-
FEMALE--	-	2	2	5	8	7	15	15	12	5	2	-
BLACK---MALE----	6	5	4	2	10	9	8	9	8	-	-	-
FEMALE--	-	2	2	5	8	7	15	15	12	5	2	-
FLORIDA -----	56	65	118	170	351	493	702	758	543	230	54	2
WHITE-----MALE----	22	25	55	91	193	260	339	328	190	68	17	1
FEMALE--	17	15	36	54	119	191	321	393	332	151	37	-
ALL OTHER--MALE----	9	15	19	16	21	28	21	14	10	5	-	-
FEMALE--	8	10	8	9	18	14	21	23	11	6	-	1
BLACK---MALE----	9	14	19	16	20	26	21	14	10	5	-	-
FEMALE--	8	10	8	9	17	14	21	23	9	6	-	1
GEORGIA -----	46	60	75	112	198	276	376	409	267	88	21	-
WHITE-----MALE----	14	19	18	42	69	124	142	120	73	15	2	-
FEMALE--	9	13	25	31	75	101	161	224	151	57	12	-
ALL OTHER--MALE----	19	21	26	31	29	25	34	24	11	4	1	-
FEMALE--	4	7	6	8	25	26	39	41	32	12	6	-
BLACK---MALE----	19	21	25	31	29	25	34	23	11	4	1	-
FEMALE--	4	7	6	8	25	25	39	41	32	12	6	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,893
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA (480-486)												
HAWAII -----	331	1	1	2	-	-	1	-	1	4	3	5
WHITE-----MALE----	43	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	37	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	145	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	106	-	1	2	-	-	1	-	-	2	1	3
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	300	2	-	2	-	-	1	-	2	4	3	6
WHITE-----MALE----	136	1	-	-	-	-	-	-	2	2	3	3
FEMALE--	160	1	-	2	-	-	1	-	-	2	-	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3,912	30	15	1	3	4	11	9	18	30	43	62
WHITE-----MALE----	1,486	8	6	-	1	2	6	2	5	11	12	25
FEMALE--	1,886	5	6	-	1	2	2	2	4	6	8	11
ALL OTHER--MALE----	299	10	1	-	1	-	-	2	6	12	14	17
FEMALE--	241	7	2	1	-	-	3	3	3	1	9	9
BLACK---MALE----	280	9	1	-	1	-	-	2	6	12	14	17
FEMALE--	234	7	2	1	-	-	3	3	3	1	9	9
INDIANA -----	1,681	8	5	2	1	1	4	3	4	15	10	13
WHITE-----MALE----	723	5	3	-	-	-	4	1	1	8	6	9
FEMALE--	869	-	-	1	1	1	-	1	2	5	4	2
ALL OTHER--MALE----	50	3	2	1	-	-	-	1	-	1	-	1
FEMALE--	39	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	48	3	2	1	-	-	-	1	-	1	-	1
FEMALE--	39	-	-	-	-	-	-	-	1	1	-	1
IOWA -----	1,127	5	-	2	1	-	1	1	3	1	9	10
WHITE-----MALE----	472	3	-	2	-	-	-	-	1	-	3	7
FEMALE--	642	1	-	-	1	-	1	1	1	1	5	2
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	1
KANSAS -----	906	2	2	1	2	-	1	2	4	2	7	4
WHITE-----MALE----	392	1	1	1	1	-	1	1	3	1	3	1
FEMALE--	482	1	1	-	-	-	-	1	-	1	3	3
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	22	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	19	-	-	-	1	-	-	-	-	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,893
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 PNEUMONIA (480-486)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	3	5	7	12	32	48	61	70	47	22	6	-
WHITE-----MALE----	-	1	1	2	4	3	11	10	4	2	-	-
FEMALE--	-	2	-	-	2	10	3	6	9	3	1	-
ALL OTHER--MALE----	1	1	5	7	17	23	30	33	17	7	2	-
FEMALE--	2	1	1	3	9	12	17	21	17	10	3	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	6	5	18	22	29	58	58	60	16	6	-
WHITE-----MALE----	2	3	3	11	9	18	24	26	21	6	2	-
FEMALE--	-	3	1	7	11	11	33	32	39	10	4	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ILLINOIS -----	58	72	115	149	304	475	762	781	585	313	72	-
WHITE-----MALE----	22	33	43	59	158	230	328	270	185	70	10	-
FEMALE--	14	17	39	54	98	180	363	437	362	220	55	-
ALL OTHER--MALE----	16	15	20	22	33	37	38	35	14	6	-	-
FEMALE--	6	7	13	14	15	28	33	39	24	17	7	-
BLACK---MALE----	15	15	18	20	32	35	33	32	13	5	-	-
FEMALE--	6	7	11	14	14	27	32	39	24	16	6	-
INDIANA -----	14	28	49	82	155	212	333	337	263	108	34	-
WHITE-----MALE----	10	16	25	47	84	109	153	141	75	17	9	-
FEMALE--	2	11	18	29	63	94	168	185	173	87	22	-
ALL OTHER--MALE----	1	1	3	4	7	4	8	6	6	-	1	-
FEMALE--	1	-	3	2	1	5	4	5	9	4	2	-
BLACK---MALE----	1	1	3	3	6	4	8	6	6	-	1	-
FEMALE--	1	-	3	2	1	5	4	5	9	4	2	-
IOWA -----	7	17	30	27	85	147	186	240	213	111	31	-
WHITE-----MALE----	4	8	17	14	58	80	83	101	59	25	7	-
FEMALE--	2	8	12	13	27	66	101	138	153	85	24	-
ALL OTHER--MALE----	1	1	1	-	-	1	2	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	1	-	-	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
KANSAS -----	5	14	22	38	57	106	152	207	167	86	25	-
WHITE-----MALE----	3	5	12	23	30	62	75	80	62	21	5	-
FEMALE--	2	8	9	13	26	44	71	118	97	64	20	-
ALL OTHER--MALE----	-	1	-	2	1	-	2	2	1	-	-	-
FEMALE--	-	-	1	-	-	-	4	7	7	1	-	-
BLACK---MALE----	-	-	-	2	1	-	2	2	1	-	-	-
FEMALE--	-	-	1	-	-	-	3	7	5	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,894
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA (480-486)												
KENTUCKY -----	1,309	4	1	1	-	2	2	-	4	5	11	9
WHITE-----MALE----	561	1	1	1	-	1	2	-	3	2	7	6
FEMALE--	668	2	-	-	-	-	-	-	-	2	4	1
ALL OTHER--MALE----	37	-	-	-	-	1	-	-	-	1	-	2
FEMALE--	43	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	37	-	-	-	-	1	-	-	-	1	-	2
FEMALE--	43	1	-	-	-	-	-	-	1	-	-	-
LOUISIANA -----	1,041	16	2	-	2	-	2	3	3	13	16	12
WHITE-----MALE----	345	4	-	-	-	-	-	2	-	7	7	3
FEMALE--	441	1	1	-	2	-	1	-	-	2	3	5
ALL OTHER--MALE----	139	7	1	-	-	-	1	1	3	3	5	2
FEMALE--	116	4	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	139	7	1	-	-	-	1	1	3	3	5	2
FEMALE--	116	4	-	-	-	-	-	-	-	1	1	2
MAINE -----	387	1	1	-	-	-	-	1	1	2	1	1
WHITE-----MALE----	173	1	-	-	-	-	-	-	1	1	-	1
FEMALE--	214	-	1	-	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,432	5	2	1	2	1	3	6	7	19	21	18
WHITE-----MALE----	487	2	-	1	-	-	-	3	2	1	1	3
FEMALE--	609	1	2	-	1	1	-	-	1	-	5	2
ALL OTHER--MALE----	176	2	-	-	1	-	2	1	2	13	9	10
FEMALE--	160	-	-	-	-	-	1	2	2	5	6	3
BLACK---MALE----	167	2	-	-	1	-	2	1	2	13	9	10
FEMALE--	152	-	-	-	-	-	1	2	2	5	6	3
MASSACHUSETTS -----	2,789	5	1	3	-	3	1	6	8	13	18	19
WHITE-----MALE----	1,127	2	1	1	-	2	1	4	5	7	11	13
FEMALE--	1,593	1	-	2	-	1	-	2	2	4	4	5
ALL OTHER--MALE----	31	1	-	-	-	-	-	-	1	2	1	1
FEMALE--	38	1	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	28	1	-	-	-	-	-	-	1	2	1	1
FEMALE--	33	1	-	-	-	-	-	-	-	-	2	-
MICHIGAN -----	2,987	15	11	3	4	6	7	6	17	26	45	45
WHITE-----MALE----	1,165	2	1	1	3	-	-	4	5	14	12	19
FEMALE--	1,395	6	4	1	1	2	5	-	8	5	7	7
ALL OTHER--MALE----	238	3	4	-	-	1	1	1	2	3	14	15
FEMALE--	189	4	2	1	-	3	1	1	2	4	12	4
BLACK---MALE----	224	3	4	-	-	1	1	1	2	3	13	14
FEMALE--	177	4	2	-	-	3	1	1	2	2	12	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,894
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 PNEUMONIA (480-486)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	13	33	41	47	108	163	245	272	238	82	28	-
WHITE-----MALE----	9	18	20	26	55	94	119	98	71	16	11	-
FEMALE--	3	13	16	15	46	60	114	158	156	62	16	-
ALL OTHER--MALE----	1	1	3	5	4	2	7	4	3	2	1	-
FEMALE--	-	1	2	1	3	7	5	12	8	2	-	-
BLACK---MALE----	1	1	3	5	4	2	7	4	3	2	1	-
FEMALE--	-	1	2	1	3	7	5	12	8	2	-	-
LOUISIANA -----	17	16	36	48	87	138	190	206	156	69	9	-
WHITE-----MALE----	2	6	15	22	25	61	67	67	38	17	2	-
FEMALE--	6	4	8	11	39	52	81	100	83	36	6	-
ALL OTHER--MALE----	7	4	5	13	13	16	20	20	13	5	-	-
FEMALE--	2	2	8	2	10	9	22	19	22	11	1	-
BLACK---MALE----	7	4	5	13	13	16	20	20	13	5	-	-
FEMALE--	2	2	8	2	10	9	22	19	22	11	1	-
MAINE -----	2	5	4	16	30	43	83	77	76	29	14	-
WHITE-----MALE----	2	4	3	10	19	24	43	35	21	7	1	-
FEMALE--	-	1	1	6	11	19	40	42	55	22	13	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	19	21	29	78	144	211	285	254	191	88	27	-
WHITE-----MALE----	6	5	7	33	76	93	93	84	51	21	5	-
FEMALE--	3	6	7	16	30	70	133	140	119	54	18	-
ALL OTHER--MALE----	8	7	10	15	23	32	22	8	8	3	-	-
FEMALE--	2	3	5	14	15	16	37	22	13	10	4	-
BLACK---MALE----	8	7	8	15	21	29	20	8	8	3	-	-
FEMALE--	2	3	5	13	15	15	32	21	13	10	4	-
MASSACHUSETTS -----	15	26	54	86	175	323	549	635	515	258	76	-
WHITE-----MALE----	10	16	25	46	107	179	251	233	137	60	16	-
FEMALE--	5	8	24	34	62	139	288	388	371	194	59	-
ALL OTHER--MALE----	-	1	2	4	3	4	5	3	2	1	-	-
FEMALE--	-	1	3	2	3	1	5	11	5	3	1	-
BLACK---MALE----	-	1	2	2	3	3	5	3	2	1	-	-
FEMALE--	-	1	3	2	3	1	5	9	3	2	1	-
MICHIGAN -----	50	50	89	156	266	391	524	599	453	170	52	2
WHITE-----MALE----	17	26	32	76	122	185	232	225	135	45	8	1
FEMALE--	12	9	32	47	96	162	238	320	286	111	36	-
ALL OTHER--MALE----	13	12	15	19	29	21	29	32	13	8	3	-
FEMALE--	8	3	10	14	19	23	25	22	19	6	5	1
BLACK---MALE----	11	11	14	18	29	20	27	30	11	8	3	-
FEMALE--	8	2	10	14	16	21	25	21	17	6	5	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,895
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 PNEUMONIA (480-486)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	12	11	15	40	72	137	222	252	276	124	40	-
WHITE-----MALE----	5	7	10	31	40	74	117	110	106	36	8	-
FEMALE--	5	2	4	7	29	58	101	141	170	85	30	-
ALL OTHER--MALE----	1	1	-	1	2	2	1	1	-	3	1	-
FEMALE--	1	1	1	1	1	3	3	-	-	-	1	-
BLACK---MALE----	1	-	-	1	1	1	-	1	-	1	1	-
FEMALE--	1	1	-	-	-	2	1	-	-	-	1	-
MISSISSIPPI -----	16	27	38	48	77	97	143	177	140	57	14	-
WHITE-----MALE----	9	11	14	15	33	34	43	47	32	10	-	-
FEMALE--	3	5	10	18	23	36	68	89	76	28	9	-
ALL OTHER--MALE----	2	7	11	10	12	16	15	13	15	3	2	-
FEMALE--	2	4	3	5	9	11	17	28	17	16	3	-
BLACK---MALE----	2	7	11	9	12	16	15	13	15	3	2	-
FEMALE--	2	4	3	5	9	11	17	28	17	16	3	-
MISSOURI -----	20	24	34	87	171	256	396	474	382	163	44	-
WHITE-----MALE----	10	13	12	45	77	118	173	184	90	35	5	-
FEMALE--	7	8	16	29	73	112	202	263	275	120	36	-
ALL OTHER--MALE----	1	3	2	11	13	14	12	10	7	3	-	-
FEMALE--	2	-	4	2	8	12	9	17	10	5	3	-
BLACK---MALE----	1	3	2	11	13	13	12	10	7	3	-	-
FEMALE--	2	-	4	2	7	10	8	17	10	5	3	-
MONTANA -----	1	3	2	10	12	32	45	51	48	11	9	-
WHITE-----MALE----	-	3	1	7	6	11	24	22	24	5	1	-
FEMALE--	1	-	1	1	6	19	18	28	24	6	8	-
ALL OTHER--MALE----	-	-	-	2	-	2	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	9	6	7	16	34	51	88	122	125	67	11	-
WHITE-----MALE----	3	4	3	10	18	20	44	47	37	17	3	-
FEMALE--	5	2	3	5	15	28	44	74	87	50	8	-
ALL OTHER--MALE----	1	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	1	1	-	-	-
BLACK---MALE----	1	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
NEVADA -----	7	12	20	32	51	47	65	59	32	12	2	-
WHITE-----MALE----	3	8	8	15	29	23	30	22	8	3	1	-
FEMALE--	3	4	11	14	16	20	27	36	22	8	1	-
ALL OTHER--MALE----	1	-	-	1	3	2	5	-	1	-	-	-
FEMALE--	-	-	1	2	3	2	3	1	1	1	-	-
BLACK---MALE----	1	-	-	-	1	2	2	-	-	-	-	-
FEMALE--	-	-	1	2	1	-	2	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,897
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA (480-486)												
OHIO -----	3,304	14	9	5	2	3	1	10	7	19	32	31
WHITE-----MALE----	1,359	7	3	2	-	1	1	4	3	10	23	14
FEMALE--	1,664	4	4	2	2	1	-	3	2	5	5	11
ALL OTHER--MALE----	145	2	1	1	-	-	-	2	1	2	3	2
FEMALE--	136	1	1	-	-	1	-	1	1	2	1	4
BLACK---MALE----	143	2	1	1	-	-	-	2	1	2	3	2
FEMALE--	133	1	1	-	-	1	-	1	1	2	1	4
OKLAHOMA -----	1,351	7	1	1	3	1	1	1	8	9	8	16
WHITE-----MALE----	548	3	-	1	1	-	-	-	3	6	4	6
FEMALE--	700	1	-	-	-	1	1	1	1	1	4	6
ALL OTHER--MALE----	57	3	1	-	1	-	-	-	3	1	-	2
FEMALE--	46	-	-	-	1	-	-	-	1	1	-	2
BLACK---MALE----	38	1	1	-	-	-	-	-	2	1	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	956	4	-	-	1	1	-	1	2	7	6	12
WHITE-----MALE----	425	2	-	-	-	1	-	-	1	5	3	7
FEMALE--	513	2	-	-	-	-	-	1	-	2	2	4
ALL OTHER--MALE----	11	-	-	-	1	-	-	-	1	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	1	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4,367	25	9	2	6	1	4	14	23	15	42	43
WHITE-----MALE----	1,804	12	4	1	3	1	2	2	6	8	21	16
FEMALE--	2,242	5	3	-	2	-	1	7	7	2	7	13
ALL OTHER--MALE----	157	5	1	-	-	-	1	2	4	1	7	9
FEMALE--	164	3	1	1	1	-	3	6	4	4	7	5
BLACK---MALE----	151	5	1	-	-	-	1	2	4	1	7	9
FEMALE--	162	3	1	1	1	-	3	6	4	4	7	5
RHODE ISLAND -----	320	3	1	-	-	1	-	-	1	1	2	6
WHITE-----MALE----	146	2	1	-	-	1	-	-	-	-	2	2
FEMALE--	165	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1,094	4	3	-	2	1	5	3	8	17	17	15
WHITE-----MALE----	395	2	1	-	-	-	-	1	2	3	4	3
FEMALE--	425	1	1	-	-	-	-	-	2	5	4	1
ALL OTHER--MALE----	156	-	1	-	1	-	4	2	3	4	4	7
FEMALE--	118	1	-	-	1	1	1	-	1	5	5	4
BLACK---MALE----	155	-	1	-	1	-	4	2	3	4	3	7
FEMALE--	117	1	-	-	1	1	1	-	1	5	5	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,897
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 PNEUMONIA (480-486)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	39	61	90	158	304	454	664	603	495	228	75	-
WHITE-----MALE----	14	32	38	78	156	237	286	238	136	60	16	-
FEMALE--	15	19	36	56	123	182	334	332	321	156	51	-
ALL OTHER--MALE----	4	4	14	15	12	28	20	15	14	3	2	-
FEMALE--	6	6	2	9	13	7	24	18	24	9	6	-
BLACK---MALE----	4	4	14	15	12	28	20	14	13	3	2	-
FEMALE--	6	5	1	9	13	7	24	18	23	9	6	-
OKLAHOMA -----	16	26	39	67	115	156	221	288	240	103	24	-
WHITE-----MALE----	6	12	24	39	57	73	100	108	65	33	7	-
FEMALE--	6	7	11	26	47	74	103	167	160	69	14	-
ALL OTHER--MALE----	2	5	2	1	8	6	8	7	6	-	1	-
FEMALE--	2	2	2	1	3	3	10	6	9	1	2	-
BLACK---MALE----	1	5	1	1	5	5	5	5	4	-	1	-
FEMALE--	1	2	1	1	-	3	7	4	6	-	2	-
OREGON -----	13	12	18	33	75	107	195	190	164	91	24	-
WHITE-----MALE----	5	6	11	19	47	59	100	72	58	25	4	-
FEMALE--	7	6	6	14	27	47	92	114	106	65	18	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	3	-	1	-	-
FEMALE--	-	-	1	-	-	-	3	1	-	-	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	36	68	95	163	343	632	865	931	685	284	80	1
WHITE-----MALE----	21	29	49	87	167	329	388	367	204	70	17	-
FEMALE--	6	21	23	57	151	270	427	522	453	205	59	1
ALL OTHER--MALE----	6	11	12	6	15	25	22	17	10	3	-	-
FEMALE--	3	7	11	13	10	8	28	25	18	6	4	-
BLACK---MALE----	6	10	10	6	14	25	20	17	10	3	-	-
FEMALE--	3	7	11	13	10	8	28	24	17	6	4	-
RHODE ISLAND -----	2	10	2	11	20	30	56	72	65	28	9	-
WHITE-----MALE----	2	8	2	5	12	17	31	27	23	10	1	-
FEMALE--	-	1	-	6	7	13	25	43	41	18	8	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
SOUTH CAROLINA -----	24	32	30	58	108	167	201	198	140	48	12	1
WHITE-----MALE----	8	10	14	23	52	76	85	60	42	6	2	1
FEMALE--	5	9	7	14	27	53	70	111	76	33	6	-
ALL OTHER--MALE----	5	8	7	15	20	24	24	12	8	5	2	-
FEMALE--	6	5	2	6	9	14	22	15	14	4	2	-
BLACK---MALE----	5	8	7	15	20	24	24	12	8	5	2	-
FEMALE--	6	5	2	6	9	14	22	14	14	4	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,898
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA (480-486)												
SOUTH DAKOTA -----	273	1	4	-	1	-	1	1	2	1	2	2
WHITE-----MALE----	127	1	1	-	1	-	-	-	-	1	1	1
FEMALE--	130	-	3	-	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,820	12	1	1	1	3	3	7	4	13	16	20
WHITE-----MALE----	692	2	1	-	-	1	-	2	-	5	10	6
FEMALE--	849	2	-	-	-	-	2	3	2	4	2	4
ALL OTHER--MALE----	140	5	-	1	1	2	1	2	1	3	2	6
FEMALE--	139	3	-	-	-	-	-	-	1	1	2	4
BLACK---MALE----	139	5	-	1	1	2	1	2	1	3	2	6
FEMALE--	137	3	-	-	-	-	-	-	1	1	2	3
TEXAS -----	4,013	22	10	2	3	7	13	16	25	37	63	78
WHITE-----MALE----	1,559	14	2	1	3	1	2	3	14	17	27	37
FEMALE--	1,994	4	3	1	-	2	6	5	4	11	16	23
ALL OTHER--MALE----	241	1	5	-	-	3	2	3	6	7	14	14
FEMALE--	219	3	-	-	-	1	3	5	1	2	6	4
BLACK---MALE----	233	1	4	-	-	3	2	3	6	7	13	14
FEMALE--	207	3	-	-	-	1	3	5	1	2	6	4
UTAH -----	467	5	1	-	-	-	-	1	2	8	4	6
WHITE-----MALE----	209	3	1	-	-	-	-	-	-	5	4	4
FEMALE--	242	-	-	-	-	-	-	-	2	2	-	2
ALL OTHER--MALE----	10	1	-	-	-	-	-	1	-	1	-	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	165	-	-	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	75	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	89	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,861	4	4	1	-	1	1	4	9	16	17	17
WHITE-----MALE----	685	1	2	-	-	-	1	2	4	4	7	3
FEMALE--	862	-	2	-	-	-	-	2	4	3	2	2
ALL OTHER--MALE----	164	1	-	-	-	-	-	-	-	8	3	8
FEMALE--	150	2	-	1	-	1	-	-	1	1	5	4
BLACK---MALE----	156	1	-	-	-	-	-	-	-	8	3	7
FEMALE--	144	2	-	1	-	1	-	-	1	1	5	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,898
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA (480-486)												
SOUTH DAKOTA -----	2	4	2	5	22	26	49	59	48	26	15	-
WHITE-----MALE----	-	2	2	2	16	13	27	30	18	9	2	-
FEMALE--	-	-	-	2	4	11	20	28	29	17	13	-
ALL OTHER--MALE----	1	1	-	1	2	1	1	1	-	-	-	-
FEMALE--	1	1	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	21	41	56	87	175	238	355	374	266	103	23	-
WHITE-----MALE----	7	23	24	35	78	110	147	145	75	18	3	-
FEMALE--	6	10	20	35	76	104	148	184	164	68	15	-
ALL OTHER--MALE----	6	2	7	6	9	10	36	23	12	5	-	-
FEMALE--	2	6	5	11	12	14	24	22	15	12	5	-
BLACK---MALE----	6	2	7	6	9	9	36	23	12	5	-	-
FEMALE--	2	6	5	11	11	14	24	22	15	12	5	-
TEXAS -----	68	73	112	212	327	460	720	789	650	242	83	1
WHITE-----MALE----	34	35	60	113	148	221	295	274	194	52	12	-
FEMALE--	18	29	29	64	130	198	358	461	399	170	62	1
ALL OTHER--MALE----	7	5	13	14	28	26	32	26	25	4	6	-
FEMALE--	9	4	10	21	21	15	35	28	32	16	3	-
BLACK---MALE----	7	4	13	14	28	24	30	25	25	4	6	-
FEMALE--	8	3	9	19	21	15	29	28	31	16	3	-
UTAH -----	5	7	9	19	28	66	86	93	82	35	10	-
WHITE-----MALE----	1	3	4	8	14	43	37	39	32	10	1	-
FEMALE--	4	3	5	8	13	22	49	53	49	22	8	-
ALL OTHER--MALE----	-	1	-	2	1	1	-	-	-	2	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	1	1	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	2	5	4	13	25	31	36	24	14	7	-
WHITE-----MALE----	-	1	2	-	12	18	20	10	6	3	-	-
FEMALE--	-	1	3	4	1	7	11	26	18	11	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	25	38	39	95	149	254	351	412	278	120	26	-
WHITE-----MALE----	13	19	19	43	76	127	115	138	80	29	2	-
FEMALE--	6	6	10	26	40	92	181	214	175	80	17	-
ALL OTHER--MALE----	4	9	6	17	25	16	30	27	5	1	4	-
FEMALE--	2	4	4	9	8	19	25	33	18	10	3	-
BLACK---MALE----	4	9	6	17	22	16	29	25	5	-	4	-
FEMALE--	2	4	4	9	8	19	23	31	16	10	3	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,900
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VIRAL PNEUMONIA (480)												
0 UNITED STATES --	451	96	31	3	4	3	5	5	5	6	6	12
WHITE-----MALE----	175	33	9	1	1	-	-	1	-	1	2	3
FEMALE--	193	30	13	1	2	2	2	1	1	2	1	4
ALL OTHER--MALE----	40	17	4	-	1	-	-	2	3	3	2	2
FEMALE--	43	16	5	1	-	1	3	1	1	-	1	3
BLACK---MALE----	32	14	4	-	1	-	-	1	3	3	1	1
FEMALE--	36	15	5	1	-	1	3	1	1	-	1	3
ALABAMA -----	5	2	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	27	15	1	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	14	6	1	-	-	-	-	-	-	-	-	1
FEMALE--	9	6	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	7	2	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	87	18	4	1	2	-	-	2	2	2	3	-
WHITE-----MALE----	33	7	-	-	-	-	-	1	-	-	1	-
FEMALE--	42	9	4	1	1	-	-	-	1	1	-	-
ALL OTHER--MALE----	8	2	-	-	1	-	-	1	-	1	2	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	5	2	-	-	1	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,900
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VIRAL PNEUMONIA (480)												
0 UNITED STATES --	7	11	15	18	49	49	44	32	30	15	5	-
WHITE-----MALE----	2	6	12	10	22	24	17	16	8	4	3	-
FEMALE--	3	4	2	8	24	22	23	16	20	10	2	-
ALL OTHER--MALE----	-	1	-	-	1	1	2	-	-	1	-	-
FEMALE--	2	-	1	-	2	2	2	-	2	-	-	-
BLACK---MALE----	-	1	-	-	1	-	1	-	-	1	-	-
FEMALE--	1	-	1	-	1	1	-	-	1	-	-	-
ALABAMA -----	-	1	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	-	1	2	-	3	2	1	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	2	1	1	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	5	-	2	-	6	12	12	6	7	3	-	-
WHITE-----MALE----	2	-	2	-	3	5	5	4	2	1	-	-
FEMALE--	2	-	-	-	3	5	6	2	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,903
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VIRAL PNEUMONIA (480)												
KENTUCKY -----	6	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	8	5	1	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	3	1	-	-	-	-	-	-	-	-	1
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	3	1	-	-	-	-	-	-	-	-	1
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MAINE -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	16	4	2	-	2	-	1	-	-	-	-	-
WHITE-----MALE----	5	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	7	2	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	1	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,909
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)												
0 UNITED STATES --	5,703	53	22	6	7	13	21	31	69	109	166	197
WHITE-----MALE----	2,299	20	9	2	3	4	7	10	22	37	65	73
FEMALE--	2,448	10	3	2	2	5	7	6	20	32	40	54
ALL OTHER--MALE----	541	15	8	2	1	2	4	11	16	26	36	45
FEMALE--	415	8	2	-	1	2	3	4	11	14	25	25
BLACK---MALE----	449	14	6	-	1	2	4	7	14	24	34	44
FEMALE--	367	8	1	-	1	2	3	4	10	12	22	23
ALABAMA -----	88	-	-	-	-	-	-	-	-	1	2	3
WHITE-----MALE----	32	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	36	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	7	2	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	75	1	1	1	1	-	2	1	1	2	4	2
WHITE-----MALE----	32	-	-	1	-	-	-	1	-	2	3	1
FEMALE--	30	1	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	11	-	1	-	1	-	-	1	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	47	-	-	-	-	-	-	-	1	-	-	2
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
CALIFORNIA -----	847	9	2	3	1	2	4	4	6	14	18	26
WHITE-----MALE----	340	5	2	1	-	-	2	1	4	5	7	10
FEMALE--	402	2	-	1	1	-	2	2	1	4	6	7
ALL OTHER--MALE----	67	1	-	1	-	1	-	1	-	5	2	7
FEMALE--	38	1	-	-	-	1	-	-	1	-	3	2
BLACK---MALE----	40	1	-	-	-	1	-	-	-	5	1	7
FEMALE--	24	1	-	-	-	1	-	-	1	-	2	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,909
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	173	203	257	332	568	679	935	914	635	256	54	3
WHITE-----MALE----	72	86	96	165	273	333	398	333	210	66	14	1
FEMALE--	52	57	96	104	195	277	423	498	370	161	33	1
ALL OTHER--MALE----	29	36	38	38	63	41	58	43	19	7	2	1
FEMALE--	20	24	27	25	37	28	56	40	36	22	5	-
BLACK---MALE----	27	34	35	31	51	27	41	31	14	5	2	1
FEMALE--	18	22	24	22	30	24	49	34	33	20	5	-
ALABAMA -----	1	6	5	5	5	10	14	19	13	4	-	-
WHITE-----MALE----	1	3	1	2	4	4	5	9	1	1	-	-
FEMALE--	-	1	2	2	-	6	8	7	7	1	-	-
ALL OTHER--MALE----	-	2	2	-	1	-	1	2	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	4	2	-	-
BLACK---MALE----	-	2	2	-	1	-	1	2	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	4	2	-	-
ALASKA -----	-	2	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	4	3	2	7	12	10	9	5	6	-	-
WHITE-----MALE----	1	3	-	1	3	7	4	2	1	2	-	-
FEMALE--	1	1	1	1	2	3	5	6	4	3	-	-
ALL OTHER--MALE----	-	-	2	-	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	5	1	4	7	1	6	8	11	-	-	-
WHITE-----MALE----	1	1	-	3	4	-	5	3	4	-	-	-
FEMALE--	-	3	-	1	3	1	-	4	6	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	1	-	-	-
CALIFORNIA -----	20	29	38	50	85	108	140	139	96	42	11	-
WHITE-----MALE----	9	14	20	29	35	52	55	47	27	10	5	-
FEMALE--	7	10	14	17	34	45	69	82	64	28	6	-
ALL OTHER--MALE----	3	3	2	2	10	8	11	7	2	1	-	-
FEMALE--	1	2	2	2	6	3	5	3	3	3	-	-
BLACK---MALE----	2	3	2	1	5	5	4	2	1	-	-	-
FEMALE--	-	-	1	2	4	2	2	2	2	3	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,910
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	7	5	1	4	5	9	8	5	5	-	-	-
WHITE-----MALE----	3	2	-	4	-	5	3	2	2	-	-	-
FEMALE--	3	1	1	-	5	4	5	3	3	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	6	5	3	4	5	7	6	4	2	-	-
WHITE-----MALE----	-	3	-	1	3	4	4	2	2	-	-	-
FEMALE--	-	1	4	2	1	1	2	4	2	2	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	1	2	2	2	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	3	1	1	-	2	2	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
FLORIDA -----	7	9	16	20	44	41	65	58	42	23	4	1
WHITE-----MALE----	3	3	5	12	23	27	36	30	13	9	2	1
FEMALE--	2	3	7	3	18	12	25	24	27	12	2	-
ALL OTHER--MALE----	-	3	3	4	1	1	1	3	1	-	-	-
FEMALE--	2	-	1	1	2	1	3	1	1	2	-	-
BLACK---MALE----	-	3	3	4	1	1	1	3	1	-	-	-
FEMALE--	2	-	1	1	2	1	3	1	1	2	-	-
GEORGIA -----	2	4	6	4	15	15	11	13	7	-	-	-
WHITE-----MALE----	-	1	-	2	6	7	5	6	3	-	-	-
FEMALE--	-	-	3	2	3	5	4	7	3	-	-	-
ALL OTHER--MALE----	1	3	2	-	3	1	2	-	-	-	-	-
FEMALE--	1	-	1	-	3	2	-	-	1	-	-	-
BLACK---MALE----	1	3	2	-	3	1	2	-	-	-	-	-
FEMALE--	1	-	1	-	3	1	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,912
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	70	-	-	-	-	-	-	-	1	-	1	2
WHITE-----MALE----	34	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	57	3	-	-	-	-	-	-	2	2	2	-
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	9	2	-	-	-	-	-	-	2	1	-	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	2	-	-	-	-	-	-	2	1	-	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	-
MAINE -----	13	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	58	-	-	-	-	-	-	-	-	1	3	4
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
MASSACHUSETTS -----	129	1	-	-	-	1	-	-	2	4	1	-
WHITE-----MALE----	61	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	62	-	-	-	-	1	-	-	1	3	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
MICHIGAN -----	189	3	3	-	-	1	1	1	5	4	12	13
WHITE-----MALE----	81	1	1	-	-	-	-	-	1	4	4	4
FEMALE--	65	2	-	-	-	-	1	-	2	-	-	1
ALL OTHER--MALE----	25	-	2	-	-	1	-	-	-	-	6	5
FEMALE--	18	-	-	-	-	-	-	1	2	-	2	3
BLACK---MALE----	23	-	2	-	-	1	-	-	-	-	5	4
FEMALE--	18	-	-	-	-	-	-	1	2	-	2	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,912
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	3	2	6	3	7	6	11	12	12	3	1	-
WHITE-----MALE----	1	1	3	1	4	4	7	3	4	1	1	-
FEMALE--	1	1	2	1	2	2	4	9	7	2	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
LOUISIANA -----	-	2	3	4	2	10	11	10	6	-	-	-
WHITE-----MALE----	-	1	1	2	-	6	2	5	1	-	-	-
FEMALE--	-	-	2	2	1	2	6	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	3	1	-	-	-	-
FEMALE--	-	1	-	-	1	2	-	1	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	3	1	-	-	-	-
FEMALE--	-	1	-	-	1	2	-	1	2	-	-	-
MAINE -----	-	-	-	-	4	2	4	1	1	-	1	-
WHITE-----MALE----	-	-	-	-	3	-	3	1	1	-	-	-
FEMALE--	-	-	-	-	1	2	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	2	2	5	5	8	10	9	5	3	-	-
WHITE-----MALE----	-	-	-	1	3	4	4	2	1	-	-	-
FEMALE--	1	1	-	1	-	3	6	5	3	3	-	-
ALL OTHER--MALE----	-	1	1	2	2	1	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	1	-	-	-
BLACK---MALE----	-	1	1	2	2	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	1	-	-	-
MASSACHUSETTS -----	1	4	9	4	10	18	25	24	14	10	1	-
WHITE-----MALE----	1	1	4	3	6	9	14	13	8	-	-	-
FEMALE--	-	2	3	1	4	9	11	10	6	10	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	1	-	-	-	-
MICHIGAN -----	8	6	15	9	22	18	25	17	21	5	-	-
WHITE-----MALE----	3	3	6	7	9	8	9	6	12	3	-	-
FEMALE--	3	2	5	1	9	10	12	8	8	1	-	-
ALL OTHER--MALE----	1	1	2	-	2	-	2	2	-	1	-	-
FEMALE--	1	-	2	1	2	-	2	1	1	-	-	-
BLACK---MALE----	1	1	2	-	2	-	2	2	-	1	-	-
FEMALE--	1	-	2	1	2	-	2	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,914
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)