

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 628

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PANCREAS (157)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	1,222	-	-	-	-	-	-	-	1	9	15	36
WHITE-----MALE----	549	-	-	-	-	-	-	-	1	6	7	22
FEMALE--	515	-	-	-	-	-	-	-	-	1	5	5
ALL OTHER--MALE----	75	-	-	-	-	-	-	-	-	2	-	8
FEMALE--	83	-	-	-	-	-	-	-	-	-	3	1
BLACK---MALE----	73	-	-	-	-	-	-	-	-	2	-	7
FEMALE--	80	-	-	-	-	-	-	-	-	-	2	1
OKLAHOMA -----	334	-	-	-	-	-	-	-	2	1	8	13
WHITE-----MALE----	155	-	-	-	-	-	-	-	-	-	5	9
FEMALE--	151	-	-	-	-	-	-	-	2	1	3	3
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	327	-	-	-	-	-	-	-	-	-	6	6
WHITE-----MALE----	138	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	178	-	-	-	-	-	-	-	-	-	4	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,526	-	-	-	-	-	-	-	4	6	25	36
WHITE-----MALE----	664	-	-	-	-	-	-	-	3	4	13	18
FEMALE--	709	-	-	-	-	-	-	-	1	1	11	12
ALL OTHER--MALE----	64	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	89	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	61	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	87	-	-	-	-	-	-	-	-	1	-	2
RHODE ISLAND -----	129	-	-	-	-	-	-	-	-	1	1	5
WHITE-----MALE----	59	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	62	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	400	-	-	-	-	-	-	-	-	3	8	10
WHITE-----MALE----	143	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	146	-	-	-	-	-	-	-	-	-	4	2
ALL OTHER--MALE----	41	-	-	-	-	-	-	-	-	-	2	5
FEMALE--	70	-	-	-	-	-	-	-	-	2	2	1
BLACK---MALE----	41	-	-	-	-	-	-	-	-	-	2	5
FEMALE--	70	-	-	-	-	-	-	-	-	2	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 628

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PANCREAS (157)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	59	75	110	153	222	191	196	104	35	14	2	-
WHITE-----MALE----	34	36	48	82	108	86	82	28	8	1	-	-
FEMALE--	12	26	46	51	85	87	96	63	23	13	2	-
ALL OTHER--MALE----	7	7	9	10	14	6	7	4	1	-	-	-
FEMALE--	6	6	7	10	15	12	11	9	3	-	-	-
BLACK---MALE----	7	7	9	10	14	6	7	3	1	-	-	-
FEMALE--	5	5	7	10	15	12	11	9	3	-	-	-
OKLAHOMA -----	13	20	35	39	59	38	54	33	16	1	2	-
WHITE-----MALE----	5	13	19	16	32	16	18	16	6	-	-	-
FEMALE--	6	6	10	19	24	21	31	15	7	1	2	-
ALL OTHER--MALE----	1	-	2	2	2	1	2	1	1	-	-	-
FEMALE--	1	1	4	2	1	-	3	1	2	-	-	-
BLACK---MALE----	1	-	1	2	2	1	1	1	1	-	-	-
FEMALE--	1	1	4	1	1	-	2	1	1	-	-	-
OREGON -----	15	12	21	38	72	59	50	32	14	2	-	-
WHITE-----MALE----	8	7	9	17	35	20	23	12	1	-	-	-
FEMALE--	6	5	12	21	33	37	26	20	12	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	4	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	1	-	-	-
PENNSYLVANIA -----	68	79	117	187	251	298	232	150	57	13	3	-
WHITE-----MALE----	35	41	68	103	107	119	83	54	14	2	-	-
FEMALE--	24	29	40	61	117	147	129	89	37	8	3	-
ALL OTHER--MALE----	5	4	6	7	13	16	7	1	-	-	-	-
FEMALE--	4	5	3	16	14	16	13	6	6	3	-	-
BLACK---MALE----	5	3	6	6	13	15	7	1	-	-	-	-
FEMALE--	4	5	3	16	14	16	11	6	6	3	-	-
RHODE ISLAND -----	5	14	11	13	18	23	14	18	5	-	1	-
WHITE-----MALE----	4	6	7	7	10	10	5	5	1	-	-	-
FEMALE--	-	6	3	6	7	11	9	13	4	-	-	-
ALL OTHER--MALE----	1	2	1	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	2	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
SOUTH CAROLINA -----	23	31	49	46	64	55	61	32	18	-	-	-
WHITE-----MALE----	8	12	25	18	25	22	23	4	3	-	-	-
FEMALE--	8	9	14	18	23	19	26	15	8	-	-	-
ALL OTHER--MALE----	5	5	5	2	8	4	1	3	1	-	-	-
FEMALE--	2	5	5	8	8	10	11	10	6	-	-	-
BLACK---MALE----	5	5	5	2	8	4	1	3	1	-	-	-
FEMALE--	2	5	5	8	8	10	11	10	6	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 629

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PANCREAS (157)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	5	5	6	11	18	11	11	9	7	1	-	-
WHITE-----MALE----	4	3	2	7	8	6	5	5	2	-	-	-
FEMALE--	1	2	3	4	9	5	6	4	5	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	32	45	61	93	94	89	69	55	24	5	1	-
WHITE-----MALE----	17	23	26	48	39	41	28	17	4	1	-	-
FEMALE--	12	9	18	29	32	36	31	28	18	4	1	-
ALL OTHER--MALE----	1	5	6	10	11	7	1	3	-	-	-	-
FEMALE--	2	8	11	6	12	5	9	7	2	-	-	-
BLACK---MALE----	1	5	6	9	11	7	1	3	-	-	-	-
FEMALE--	2	8	11	6	12	5	9	7	2	-	-	-
TEXAS -----	67	107	153	216	268	268	213	137	77	14	2	-
WHITE-----MALE----	36	56	66	97	114	95	78	41	15	3	1	-
FEMALE--	19	37	62	81	125	134	115	80	51	6	1	-
ALL OTHER--MALE----	6	11	14	24	9	17	7	6	5	1	-	-
FEMALE--	6	3	11	14	20	22	13	10	6	4	-	-
BLACK---MALE----	6	9	14	20	9	16	7	6	5	1	-	-
FEMALE--	5	3	11	14	20	19	12	9	6	4	-	-
UTAH -----	4	8	11	17	14	16	10	12	4	1	-	-
WHITE-----MALE----	3	5	6	11	7	8	6	5	1	1	-	-
FEMALE--	1	2	4	5	7	7	4	7	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
VERMONT -----	2	2	4	11	8	5	9	8	7	-	-	-
WHITE-----MALE----	2	2	3	8	5	-	3	4	1	-	-	-
FEMALE--	-	-	1	3	3	5	6	4	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	24	36	67	66	107	105	74	59	22	6	-	-
WHITE-----MALE----	14	14	33	29	53	40	25	19	4	-	-	-
FEMALE--	5	13	17	21	33	48	30	25	10	6	-	-
ALL OTHER--MALE----	3	3	11	10	10	6	10	5	1	-	-	-
FEMALE--	2	6	6	6	11	11	9	10	7	-	-	-
BLACK---MALE----	3	2	11	9	10	6	10	5	-	-	-	-
FEMALE--	2	6	6	6	11	11	9	10	6	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 631

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	73	87	134	212	272	293	268	205	111	48	6	1
WHITE-----MALE----	31	31	49	88	108	121	98	58	30	9	2	-
FEMALE--	30	46	69	108	137	146	149	134	73	33	3	-
ALL OTHER--MALE----	2	5	8	6	12	11	9	4	3	-	-	1
FEMALE--	10	5	8	10	15	15	12	9	5	6	1	-
BLACK---MALE----	2	5	6	5	11	6	6	4	1	-	-	1
FEMALE--	9	5	8	9	13	14	9	9	5	5	-	-
ALABAMA -----	-	-	1	1	3	3	-	2	-	1	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	1	6	4	6	7	1	3	-	-	-
WHITE-----MALE----	-	1	1	4	2	3	6	-	2	-	-	-
FEMALE--	1	-	-	2	2	3	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	4	3	4	2	1	4	1	-	-	-
WHITE-----MALE----	-	-	3	2	2	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	3	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	-	-	-	-
CALIFORNIA -----	9	7	9	18	29	30	26	11	12	5	-	-
WHITE-----MALE----	5	2	4	13	13	13	9	2	3	1	-	-
FEMALE--	2	5	5	5	12	13	16	7	7	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	3	1	1	1	-	-	-
FEMALE--	2	-	-	-	4	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	3	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 632

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	3	1	3	4	5	3	3	1	1	-	-
WHITE-----MALE----	-	1	1	-	3	2	-	1	-	-	-	-
FEMALE--	-	2	-	3	1	3	3	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	3	1	5	5	4	6	3	2	-	-
WHITE-----MALE----	-	-	1	-	1	3	3	2	2	1	-	-
FEMALE--	1	-	2	1	4	2	1	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
FLORIDA -----	9	9	9	16	20	13	24	10	14	1	1	-
WHITE-----MALE----	6	3	4	6	9	6	14	1	4	-	-	-
FEMALE--	2	4	5	10	9	7	9	8	9	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	2	-	-	2	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	2	-	-	2	-	-	1	1	-	-	-
GEORGIA -----	-	1	3	2	4	5	6	4	2	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	4	2	-	-	-	-
FEMALE--	-	-	2	1	2	4	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	2	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 634

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	2	2	3	1	6	9	4	4	2	-	-	-
WHITE-----MALE----	-	1	1	1	2	4	1	2	-	-	-	-
FEMALE--	1	1	2	-	4	4	1	2	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	1	3	1	3	4	3	3	1	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	2	-	1	2	2	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	1	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
MAINE -----	2	1	2	3	4	3	4	3	1	-	-	-
WHITE-----MALE----	1	1	1	1	1	2	2	-	-	-	-	-
FEMALE--	1	-	1	2	3	1	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	4	3	3	4	1	7	1	3	2	-	-
WHITE-----MALE----	-	1	2	-	1	-	3	-	2	-	-	-
FEMALE--	-	1	1	1	2	1	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	1	1	-	2	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	1	1	-	2	-	-
MASSACHUSETTS -----	2	2	3	6	11	13	8	6	3	-	1	-
WHITE-----MALE----	-	1	2	-	8	7	1	4	1	-	-	-
FEMALE--	1	1	1	6	3	5	7	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	7	4	6	13	11	15	16	10	4	4	-	1
WHITE-----MALE----	5	1	2	3	4	8	3	3	1	2	-	-
FEMALE--	1	3	3	8	7	5	11	7	3	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	1	-	1	1	-	2	2	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	1	-	1	1	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 637

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	2	6	8	12	8	12	11	12	4	3	1	-
WHITE-----MALE----	-	1	2	5	2	5	5	6	-	2	-	-
FEMALE--	1	5	5	5	5	7	6	6	3	-	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	1	1	-	-
OKLAHOMA -----	1	1	3	2	1	3	-	1	-	1	-	-
WHITE-----MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	1	1	3	1	-	2	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	2	1	1	5	4	5	3	4	3	3	-	-
WHITE-----MALE----	1	-	1	2	1	2	3	1	-	-	-	-
FEMALE--	1	1	-	3	2	3	-	3	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	2	11	13	28	25	24	20	9	1	1	-
WHITE-----MALE----	1	-	6	6	10	12	8	7	1	-	1	-
FEMALE--	-	2	4	5	18	12	14	12	8	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	2	-	1	1	-	-	1	-	-
BLACK---MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	2	-	1	1	-	-	1	-	-
RHODE ISLAND -----	-	-	1	1	-	1	1	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	2	-	-	-
FEMALE--	-	-	1	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	1	2	3	6	-	2	1	1	-	-
WHITE-----MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	3	-	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 638

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	1	-	1	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	5	3	4	5	4	8	5	2	1	-	-
WHITE-----MALE----	1	1	1	3	1	3	-	2	1	-	-	-
FEMALE--	1	2	1	-	4	1	6	3	1	1	-	-
ALL OTHER--MALE----	-	2	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	2	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
TEXAS -----	5	4	9	14	11	23	9	16	5	3	1	-
WHITE-----MALE----	3	1	4	4	8	8	4	2	2	1	1	-
FEMALE--	2	2	3	9	3	12	4	13	3	2	-	-
ALL OTHER--MALE----	-	-	2	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	2	1	-	-	-	-	-
UTAH -----	-	1	2	1	1	1	1	2	1	-	-	-
WHITE-----MALE----	-	1	1	1	-	-	-	2	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	1	-	4	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	2	3	5	9	7	5	3	-	1	-	-
WHITE-----MALE----	-	1	-	2	3	1	1	1	-	-	-	-
FEMALE--	-	1	2	3	5	3	4	2	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	3	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	3	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 640

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
0 UNITED STATES --	158,465	2	3	-	2	15	23	65	210	771	2,110	4,126
WHITE-----MALE----	82,786	2	1	-	-	4	13	28	100	302	912	1,925
FEMALE--	56,486	-	1	-	-	2	6	24	67	283	686	1,295
ALL OTHER--MALE----	12,469	-	-	-	2	4	2	8	25	105	316	600
FEMALE--	6,724	-	1	-	-	5	2	5	18	81	196	306
BLACK---MALE----	11,018	-	-	-	2	3	2	5	20	95	283	543
FEMALE--	5,861	-	1	-	-	4	2	5	12	69	167	269
ALABAMA -----	2,972	1	-	-	-	-	-	2	5	23	32	77
WHITE-----MALE----	1,607	1	-	-	-	-	-	-	2	8	13	37
FEMALE--	818	-	-	-	-	-	-	1	2	6	8	19
ALL OTHER--MALE----	392	-	-	-	-	-	-	-	1	7	11	18
FEMALE--	155	-	-	-	-	-	-	1	-	2	-	3
BLACK---MALE----	387	-	-	-	-	-	-	-	1	7	11	18
FEMALE--	153	-	-	-	-	-	-	1	-	2	-	3
ALASKA -----	201	-	-	-	-	-	-	-	-	2	5	16
WHITE-----MALE----	92	-	-	-	-	-	-	-	-	2	3	6
FEMALE--	55	-	-	-	-	-	-	-	-	-	1	5
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2,501	-	-	-	-	1	1	1	3	5	24	35
WHITE-----MALE----	1,402	-	-	-	-	1	-	1	1	2	11	17
FEMALE--	1,009	-	-	-	-	-	1	-	2	2	11	15
ALL OTHER--MALE----	65	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	47	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	1
ARKANSAS -----	2,042	-	-	-	-	-	1	-	-	9	20	52
WHITE-----MALE----	1,182	-	-	-	-	-	-	-	-	6	6	25
FEMALE--	632	-	-	-	-	-	1	-	-	3	11	16
ALL OTHER--MALE----	168	-	-	-	-	-	-	-	-	-	2	8
FEMALE--	60	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	166	-	-	-	-	-	-	-	-	-	2	8
FEMALE--	57	-	-	-	-	-	-	-	-	-	1	3
CALIFORNIA -----	14,271	-	-	-	-	2	3	8	24	51	164	343
WHITE-----MALE----	6,742	-	-	-	-	1	1	5	12	17	73	156
FEMALE--	5,554	-	-	-	-	-	1	2	7	17	41	111
ALL OTHER--MALE----	1,240	-	-	-	-	1	-	1	3	10	22	48
FEMALE--	735	-	-	-	-	-	1	-	2	7	28	28
BLACK---MALE----	714	-	-	-	-	-	-	-	1	7	11	29
FEMALE--	423	-	-	-	-	-	1	-	1	4	15	17

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 640

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
0 UNITED STATES --	8,034	12,319	18,162	25,968	30,343	26,671	17,707	8,685	2,668	508	71	2
WHITE-----MALE----	3,976	6,216	9,638	14,142	16,300	14,273	9,231	4,357	1,160	185	20	1
FEMALE--	2,660	4,099	5,912	8,750	10,679	9,884	6,994	3,595	1,251	261	37	-
ALL OTHER--MALE----	941	1,379	1,747	2,014	2,170	1,626	926	436	133	30	4	1
FEMALE--	457	625	865	1,062	1,194	888	556	297	124	32	10	-
BLACK---MALE----	856	1,238	1,566	1,786	1,902	1,423	789	369	109	23	3	1
FEMALE--	414	566	753	927	1,052	768	457	256	103	28	8	-
ALABAMA -----	167	255	389	506	550	471	293	151	39	10	1	-
WHITE-----MALE----	84	128	235	292	297	263	155	79	11	1	1	-
FEMALE--	45	75	92	139	145	125	93	43	20	5	-	-
ALL OTHER--MALE----	31	38	48	55	72	60	28	17	4	2	-	-
FEMALE--	7	14	14	20	36	23	17	12	4	2	-	-
BLACK---MALE----	31	38	48	54	72	59	26	16	4	2	-	-
FEMALE--	7	14	14	19	35	23	17	12	4	2	-	-
ALASKA -----	16	21	26	46	37	18	10	2	1	1	-	-
WHITE-----MALE----	7	9	12	24	19	7	2	1	-	-	-	-
FEMALE--	4	7	8	9	11	5	4	1	-	-	-	-
ALL OTHER--MALE----	5	4	3	9	5	5	4	-	-	-	-	-
FEMALE--	-	1	3	4	2	1	-	-	1	1	-	-
BLACK---MALE----	2	1	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	95	157	248	417	514	487	321	140	46	5	1	-
WHITE-----MALE----	55	90	144	228	284	299	161	80	25	2	1	-
FEMALE--	34	55	96	172	214	177	152	55	21	2	-	-
ALL OTHER--MALE----	6	11	6	10	7	8	8	5	-	-	-	-
FEMALE--	-	1	2	7	9	3	-	-	-	1	-	-
BLACK---MALE----	5	7	4	8	5	5	5	5	-	-	-	-
FEMALE--	-	1	-	6	3	3	-	-	-	1	-	-
ARKANSAS -----	89	182	272	352	386	314	213	113	30	9	-	-
WHITE-----MALE----	52	97	167	207	220	195	125	63	15	4	-	-
FEMALE--	24	60	76	111	118	94	65	37	13	3	-	-
ALL OTHER--MALE----	12	21	20	30	32	14	15	11	2	1	-	-
FEMALE--	1	4	9	4	16	11	8	2	-	1	-	-
BLACK---MALE----	11	21	20	29	32	14	15	11	2	1	-	-
FEMALE--	1	4	8	4	14	11	8	2	-	1	-	-
CALIFORNIA -----	673	1,030	1,515	2,264	2,665	2,592	1,748	878	249	53	9	-
WHITE-----MALE----	310	482	699	1,102	1,279	1,236	835	403	108	19	4	-
FEMALE--	241	370	532	840	1,047	1,070	742	389	113	28	3	-
ALL OTHER--MALE----	72	122	188	213	213	181	101	46	15	4	-	-
FEMALE--	50	56	96	109	126	105	70	40	13	2	2	-
BLACK---MALE----	48	80	113	130	115	105	48	20	5	2	-	-
FEMALE--	34	37	58	67	82	57	27	17	4	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 641

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
COLORADO -----	1,369	-	1	-	-	-	-	1	2	6	13	28
WHITE-----MALE----	751	-	-	-	-	-	-	-	1	2	10	12
FEMALE--	550	-	-	-	-	-	-	-	1	3	3	12
ALL OTHER--MALE----	45	-	-	-	-	-	-	1	-	1	-	3
FEMALE--	23	-	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	36	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	21	-	1	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1,934	-	-	-	-	-	-	-	3	9	26	39
WHITE-----MALE----	976	-	-	-	-	-	-	-	-	6	11	17
FEMALE--	828	-	-	-	-	-	-	-	2	3	10	18
ALL OTHER--MALE----	75	-	-	-	-	-	-	-	1	-	4	3
FEMALE--	55	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	71	-	-	-	-	-	-	-	1	-	4	3
FEMALE--	52	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	502	-	-	-	-	-	-	1	1	6	7	13
WHITE-----MALE----	254	-	-	-	-	-	-	-	-	4	1	4
FEMALE--	171	-	-	-	-	-	-	1	1	1	4	5
ALL OTHER--MALE----	44	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	41	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	2
DISTRICT OF COLUMBIA ----	372	-	-	-	-	-	1	-	-	3	8	12
WHITE-----MALE----	40	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	180	-	-	-	-	-	1	-	-	2	3	8
FEMALE--	124	-	-	-	-	-	-	-	-	1	5	3
BLACK---MALE----	179	-	-	-	-	-	1	-	-	2	3	8
FEMALE--	123	-	-	-	-	-	-	-	-	1	4	3
FLORIDA -----	12,000	-	-	-	-	-	-	8	19	48	148	274
WHITE-----MALE----	6,578	-	-	-	-	-	-	3	10	17	62	133
FEMALE--	4,467	-	-	-	-	-	-	5	6	23	50	87
ALL OTHER--MALE----	624	-	-	-	-	-	-	-	1	4	19	39
FEMALE--	331	-	-	-	-	-	-	-	2	4	17	15
BLACK---MALE----	604	-	-	-	-	-	-	-	1	4	18	38
FEMALE--	313	-	-	-	-	-	-	-	2	4	15	14
GEORGIA -----	4,046	-	-	-	-	-	1	2	11	26	76	135
WHITE-----MALE----	1,932	-	-	-	-	-	-	1	5	5	27	48
FEMALE--	1,241	-	-	-	-	-	-	-	3	9	24	37
ALL OTHER--MALE----	635	-	-	-	-	-	1	-	2	7	16	30
FEMALE--	238	-	-	-	-	-	-	1	1	5	9	20
BLACK---MALE----	629	-	-	-	-	-	1	-	2	7	16	30
FEMALE--	232	-	-	-	-	-	-	1	-	5	9	19

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 641

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
COLORADO -----	82	88	177	225	229	261	153	76	24	2	1	-
WHITE-----MALE----	30	42	106	130	125	160	89	30	12	1	1	-
FEMALE--	45	36	59	85	98	94	61	40	12	1	-	-
ALL OTHER--MALE----	5	6	6	6	5	3	3	6	-	-	-	-
FEMALE--	2	4	6	4	1	4	-	-	-	-	-	-
BLACK---MALE----	5	4	5	5	5	3	1	5	-	-	-	-
FEMALE--	2	4	5	4	1	4	-	-	-	-	-	-
CONNECTICUT -----	94	137	206	294	348	331	262	138	34	12	1	-
WHITE-----MALE----	36	69	98	176	179	170	126	62	18	7	1	-
FEMALE--	45	51	86	107	143	149	125	68	16	5	-	-
ALL OTHER--MALE----	3	10	13	8	15	8	5	5	-	-	-	-
FEMALE--	10	7	9	3	11	4	6	3	-	-	-	-
BLACK---MALE----	3	8	13	8	14	8	4	5	-	-	-	-
FEMALE--	9	7	9	3	11	4	5	3	-	-	-	-
DELAWARE -----	31	43	50	86	90	95	50	19	9	-	-	1
WHITE-----MALE----	20	20	28	49	43	52	20	10	2	-	-	1
FEMALE--	6	16	11	27	32	31	23	6	7	-	-	-
ALL OTHER--MALE----	3	3	7	7	8	7	4	1	-	-	-	-
FEMALE--	2	4	4	3	7	5	3	2	-	-	-	-
BLACK---MALE----	3	3	4	7	8	7	4	1	-	-	-	-
FEMALE--	2	4	3	3	7	5	3	2	-	-	-	-
DISTRICT OF COLUMBIA ----	25	33	45	65	58	51	36	23	10	2	-	-
WHITE-----MALE----	4	3	3	8	7	8	1	2	2	1	-	-
FEMALE--	2	2	1	4	1	4	8	5	1	-	-	-
ALL OTHER--MALE----	11	18	27	28	29	28	15	9	1	-	-	-
FEMALE--	8	10	14	25	21	11	12	7	6	1	-	-
BLACK---MALE----	11	18	27	28	29	28	14	9	1	-	-	-
FEMALE--	8	10	14	25	21	11	12	7	6	1	-	-
FLORIDA -----	534	809	1,197	1,962	2,372	2,084	1,461	805	218	58	3	-
WHITE-----MALE----	266	443	661	1,125	1,329	1,186	796	423	103	20	1	-
FEMALE--	185	253	399	687	908	781	600	339	105	37	2	-
ALL OTHER--MALE----	60	86	84	99	83	75	41	25	8	-	-	-
FEMALE--	23	27	53	51	52	42	24	18	2	1	-	-
BLACK---MALE----	58	83	81	94	80	75	40	24	8	-	-	-
FEMALE--	22	26	50	48	50	38	24	17	2	1	-	-
GEORGIA -----	265	408	522	659	724	631	362	150	65	9	-	-
WHITE-----MALE----	115	183	257	342	354	313	197	63	20	2	-	-
FEMALE--	72	125	143	186	227	211	115	55	31	3	-	-
ALL OTHER--MALE----	60	74	93	95	112	84	34	18	8	1	-	-
FEMALE--	18	26	29	36	31	23	16	14	6	3	-	-
BLACK---MALE----	59	73	93	95	110	83	33	18	8	1	-	-
FEMALE--	17	26	29	33	31	23	16	14	6	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 642

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
HAWAII -----	21	41	53	78	101	82	57	27	9	4	-	-
WHITE-----MALE----	7	4	13	11	17	18	10	4	1	-	-	-
FEMALE--	3	2	9	11	13	9	7	4	1	-	-	-
ALL OTHER--MALE----	7	28	22	36	48	31	18	14	6	4	-	-
FEMALE--	4	7	9	20	23	24	22	5	1	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	22	36	69	77	118	105	66	24	5	1	-	-
WHITE-----MALE----	10	22	43	44	81	60	41	17	4	1	-	-
FEMALE--	12	12	24	32	36	44	24	7	1	-	-	-
ALL OTHER--MALE----	-	2	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	387	553	746	1,104	1,283	1,206	797	347	112	19	-	-
WHITE-----MALE----	194	253	384	575	669	617	399	186	45	6	-	-
FEMALE--	118	164	228	357	415	437	327	142	56	9	-	-
ALL OTHER--MALE----	48	83	95	107	123	98	46	9	8	2	-	-
FEMALE--	27	53	39	65	76	54	25	10	3	2	-	-
BLACK---MALE----	45	79	91	106	119	92	42	9	7	2	-	-
FEMALE--	27	52	39	64	74	53	25	8	3	2	-	-
INDIANA -----	182	289	441	692	772	616	394	203	54	12	7	-
WHITE-----MALE----	96	155	258	390	428	330	223	116	25	4	3	-
FEMALE--	71	106	142	250	290	246	159	69	27	7	2	-
ALL OTHER--MALE----	10	17	34	32	36	21	10	13	2	-	1	-
FEMALE--	5	11	7	20	18	19	2	5	-	1	1	-
BLACK---MALE----	10	17	34	31	36	21	10	12	2	-	1	-
FEMALE--	5	10	7	20	18	17	2	5	-	1	1	-
IOWA -----	62	132	209	271	337	317	235	103	44	14	2	-
WHITE-----MALE----	36	85	122	168	219	197	149	58	27	8	1	-
FEMALE--	25	46	82	99	115	116	86	44	17	6	1	-
ALL OTHER--MALE----	-	-	3	3	2	2	-	1	-	-	-	-
FEMALE--	1	1	2	1	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	2	3	2	2	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	2	-	-	-	-	-	-
KANSAS -----	70	106	191	249	278	285	207	90	35	4	-	-
WHITE-----MALE----	39	64	115	151	178	179	116	60	13	3	-	-
FEMALE--	23	34	67	87	90	96	83	29	19	1	-	-
ALL OTHER--MALE----	7	5	5	8	6	8	5	1	2	-	-	-
FEMALE--	1	3	4	3	4	2	3	-	1	-	-	-
BLACK---MALE----	7	5	4	8	6	5	5	1	2	-	-	-
FEMALE--	1	3	3	1	2	1	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 643

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	3,194	-	-	-	-	-	-	-	1	23	28	98
WHITE-----MALE----	1,886	-	-	-	-	-	-	-	1	10	16	64
FEMALE--	1,102	-	-	-	-	-	-	-	-	10	9	27
ALL OTHER--MALE----	108	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	98	-	-	-	-	-	-	-	-	2	2	6
BLACK---MALE----	107	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	96	-	-	-	-	-	-	-	-	1	2	6
LOUISIANA -----	2,921	-	-	-	-	-	-	-	5	20	45	100
WHITE-----MALE----	1,281	-	-	-	-	-	-	-	1	3	13	37
FEMALE--	830	-	-	-	-	-	-	-	-	8	9	14
ALL OTHER--MALE----	541	-	-	-	-	-	-	-	3	5	12	35
FEMALE--	269	-	-	-	-	-	-	-	1	4	11	14
BLACK---MALE----	535	-	-	-	-	-	-	-	3	4	11	35
FEMALE--	263	-	-	-	-	-	-	-	1	4	11	14
MAINE -----	887	-	-	-	-	-	-	-	2	3	11	19
WHITE-----MALE----	504	-	-	-	-	-	-	-	1	1	6	11
FEMALE--	380	-	-	-	-	-	-	-	1	2	5	7
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2,941	-	-	-	-	2	1	-	4	19	43	93
WHITE-----MALE----	1,276	-	-	-	-	-	1	-	1	5	20	33
FEMALE--	958	-	-	-	-	-	-	-	-	7	10	22
ALL OTHER--MALE----	459	-	-	-	-	1	-	-	3	4	8	27
FEMALE--	248	-	-	-	-	1	-	-	-	3	5	11
BLACK---MALE----	443	-	-	-	-	1	-	-	3	4	8	27
FEMALE--	241	-	-	-	-	1	-	-	-	3	5	10
MASSACHUSETTS -----	3,750	-	-	-	-	1	-	2	2	17	36	97
WHITE-----MALE----	1,958	-	-	-	-	-	-	1	2	9	19	41
FEMALE--	1,633	-	-	-	-	-	-	-	-	8	16	50
ALL OTHER--MALE----	96	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	63	-	-	-	-	1	-	1	-	-	-	3
BLACK---MALE----	78	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	53	-	-	-	-	1	-	1	-	-	-	3
MICHIGAN -----	5,795	-	-	-	-	1	3	2	8	44	86	167
WHITE-----MALE----	2,955	-	-	-	-	1	2	2	5	15	33	81
FEMALE--	2,026	-	-	-	-	-	1	-	3	15	34	58
ALL OTHER--MALE----	492	-	-	-	-	-	-	-	-	7	9	17
FEMALE--	322	-	-	-	-	-	-	-	-	7	10	11
BLACK---MALE----	469	-	-	-	-	-	-	-	-	7	9	17
FEMALE--	293	-	-	-	-	-	-	-	-	7	9	10

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 643

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
KENTUCKY -----	199	286	453	576	632	454	265	134	37	6	2	-
WHITE-----MALE----	126	165	266	354	369	270	156	67	19	3	-	-
FEMALE--	63	98	154	190	222	157	96	57	15	3	1	-
ALL OTHER--MALE----	6	13	23	18	24	9	5	5	2	-	-	-
FEMALE--	4	10	10	14	17	18	8	5	1	-	1	-
BLACK---MALE----	6	13	23	17	24	9	5	5	2	-	-	-
FEMALE--	4	10	10	14	17	17	8	5	1	-	1	-
LOUISIANA -----	144	242	377	497	556	459	270	145	51	9	1	-
WHITE-----MALE----	55	106	146	227	270	224	111	69	19	-	-	-
FEMALE--	39	58	101	134	151	147	102	41	22	4	-	-
ALL OTHER--MALE----	36	61	84	84	94	60	33	24	6	3	1	-
FEMALE--	14	17	46	52	41	28	24	11	4	2	-	-
BLACK---MALE----	34	61	84	83	93	60	33	24	6	3	1	-
FEMALE--	14	17	44	50	40	27	24	11	4	2	-	-
MAINE -----	46	57	82	146	189	149	111	60	11	1	-	-
WHITE-----MALE----	27	31	40	86	121	85	59	29	7	-	-	-
FEMALE--	19	26	42	58	68	64	52	31	4	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	165	248	349	480	575	468	298	143	44	9	-	-
WHITE-----MALE----	57	105	156	221	260	212	119	74	12	-	-	-
FEMALE--	42	69	96	142	180	184	126	47	24	9	-	-
ALL OTHER--MALE----	43	50	70	71	87	47	33	9	6	-	-	-
FEMALE--	23	24	27	46	48	25	20	13	2	-	-	-
BLACK---MALE----	42	47	68	68	85	45	31	9	5	-	-	-
FEMALE--	23	24	26	44	47	24	20	13	1	-	-	-
MASSACHUSETTS -----	170	271	420	551	713	613	486	275	77	17	2	-
WHITE-----MALE----	82	129	239	313	387	309	253	135	31	8	-	-
FEMALE--	75	128	161	213	297	280	218	131	45	9	2	-
ALL OTHER--MALE----	9	7	16	16	18	16	6	4	-	-	-	-
FEMALE--	4	7	4	9	11	8	9	5	1	-	-	-
BLACK---MALE----	7	6	15	15	14	12	4	3	-	-	-	-
FEMALE--	4	7	4	9	7	6	6	5	-	-	-	-
MICHIGAN -----	297	473	667	945	1,120	959	633	278	94	11	7	-
WHITE-----MALE----	142	227	335	510	588	508	315	149	39	1	2	-
FEMALE--	90	165	226	312	381	337	251	101	41	7	4	-
ALL OTHER--MALE----	30	57	64	80	96	66	44	13	8	1	-	-
FEMALE--	35	24	42	43	55	48	23	15	6	2	1	-
BLACK---MALE----	25	53	62	76	93	64	44	10	8	1	-	-
FEMALE--	34	21	37	39	50	44	20	14	5	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 644

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
MINNESOTA -----	2,198	-	-	-	-	-	-	2	4	17	35	54
WHITE-----MALE----	1,278	-	-	-	-	-	-	-	2	7	19	34
FEMALE--	852	-	-	-	-	-	-	2	1	7	15	16
ALL OTHER--MALE----	41	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	27	-	-	-	-	-	-	-	-	3	1	3
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	2
MISSISSIPPI -----	1,891	-	-	-	-	-	1	2	3	16	31	50
WHITE-----MALE----	857	-	-	-	-	-	-	2	-	1	4	21
FEMALE--	496	-	-	-	-	-	-	-	3	5	8	9
ALL OTHER--MALE----	388	-	-	-	-	-	-	-	-	8	14	14
FEMALE--	150	-	-	-	-	-	1	-	-	2	5	6
BLACK---MALE----	387	-	-	-	-	-	-	-	-	8	14	14
FEMALE--	149	-	-	-	-	-	1	-	-	2	5	6
MISSOURI -----	3,813	-	-	-	-	-	1	4	2	29	39	91
WHITE-----MALE----	2,045	-	-	-	-	-	1	1	-	14	13	45
FEMALE--	1,399	-	-	-	-	-	-	2	2	10	16	29
ALL OTHER--MALE----	219	-	-	-	-	-	-	1	-	4	6	11
FEMALE--	150	-	-	-	-	-	-	-	-	1	4	6
BLACK---MALE----	210	-	-	-	-	-	-	1	-	4	6	11
FEMALE--	148	-	-	-	-	-	-	-	-	1	4	6
MONTANA -----	487	-	-	-	-	-	-	-	-	2	2	6
WHITE-----MALE----	256	-	-	-	-	-	-	-	-	2	-	4
FEMALE--	212	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	905	-	-	-	-	-	-	-	1	5	16	20
WHITE-----MALE----	564	-	-	-	-	-	-	-	1	1	7	14
FEMALE--	311	-	-	-	-	-	-	-	-	2	9	4
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	16	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
NEVADA -----	1,072	-	-	-	-	-	-	-	-	3	11	33
WHITE-----MALE----	584	-	-	-	-	-	-	-	-	1	5	17
FEMALE--	414	-	-	-	-	-	-	-	-	1	4	14
ALL OTHER--MALE----	43	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	31	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	28	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 644

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
MINNESOTA -----	91	189	270	333	390	375	252	136	40	9	1	-
WHITE-----MALE----	44	111	157	189	237	233	151	75	16	2	1	-
FEMALE--	44	69	99	136	145	128	99	60	24	7	-	-
ALL OTHER--MALE----	2	6	9	6	6	8	2	-	-	-	-	-
FEMALE--	1	3	5	2	2	6	-	1	-	-	-	-
BLACK---MALE----	2	6	8	3	1	3	1	-	-	-	-	-
FEMALE--	1	1	3	-	2	2	-	1	-	-	-	-
MISSISSIPPI -----	111	145	241	317	318	302	215	98	35	5	1	-
WHITE-----MALE----	48	68	121	161	152	145	86	38	8	2	-	-
FEMALE--	24	35	49	73	88	87	69	33	11	2	-	-
ALL OTHER--MALE----	26	32	52	63	60	54	43	17	5	-	-	-
FEMALE--	13	10	19	20	18	16	17	10	11	1	1	-
BLACK---MALE----	26	32	52	63	59	54	43	17	5	-	-	-
FEMALE--	13	10	19	20	18	16	16	10	11	1	1	-
MISSOURI -----	183	313	476	645	721	614	414	203	62	16	-	-
WHITE-----MALE----	88	167	271	364	405	314	228	99	29	6	-	-
FEMALE--	65	113	157	215	249	259	152	94	27	9	-	-
ALL OTHER--MALE----	15	22	25	40	40	27	17	6	4	1	-	-
FEMALE--	15	11	23	26	27	14	17	4	2	-	-	-
BLACK---MALE----	14	22	24	38	39	24	16	6	4	1	-	-
FEMALE--	15	11	23	25	27	13	17	4	2	-	-	-
MONTANA -----	17	28	61	71	99	86	73	32	9	1	-	-
WHITE-----MALE----	9	15	31	40	57	41	35	20	2	-	-	-
FEMALE--	7	11	26	30	39	40	36	12	7	1	-	-
ALL OTHER--MALE----	1	1	3	-	3	3	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	2	2	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	45	68	84	143	170	169	97	62	18	6	1	-
WHITE-----MALE----	21	43	59	91	109	111	62	33	6	5	1	-
FEMALE--	21	19	19	45	60	56	34	29	12	1	-	-
ALL OTHER--MALE----	3	4	3	4	1	2	1	-	-	-	-	-
FEMALE--	-	2	3	3	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	2	3	1	2	1	-	-	-	-	-
FEMALE--	-	1	2	3	-	-	-	-	-	-	-	-
NEVADA -----	62	96	143	197	222	170	80	43	11	-	1	-
WHITE-----MALE----	38	39	88	121	124	87	39	20	5	-	-	-
FEMALE--	19	47	41	65	88	71	37	20	6	-	1	-
ALL OTHER--MALE----	3	6	8	6	5	8	1	3	-	-	-	-
FEMALE--	2	4	6	5	5	4	3	-	-	-	-	-
BLACK---MALE----	2	4	3	5	4	6	1	1	-	-	-	-
FEMALE--	1	2	4	4	2	2	3	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 646

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
OHIO -----	7,436	-	1	-	1	1	1	1	9	32	97	195
WHITE-----MALE----	3,980	-	-	-	-	-	1	1	4	18	48	97
FEMALE--	2,649	-	1	-	-	-	-	-	2	10	28	60
ALL OTHER--MALE----	473	-	-	-	1	1	-	-	2	3	9	24
FEMALE--	334	-	-	-	-	-	-	-	1	1	12	14
BLACK---MALE----	461	-	-	-	1	1	-	-	2	3	9	23
FEMALE--	327	-	-	-	-	-	-	-	-	1	12	14
OKLAHOMA -----	2,431	-	-	-	1	1	-	-	-	6	42	57
WHITE-----MALE----	1,375	-	-	-	-	-	-	-	-	4	20	33
FEMALE--	850	-	-	-	-	-	-	-	-	2	14	17
ALL OTHER--MALE----	134	-	-	-	1	1	-	-	-	-	4	3
FEMALE--	72	-	-	-	-	-	-	-	-	-	4	4
BLACK---MALE----	81	-	-	-	1	1	-	-	-	-	3	2
FEMALE--	43	-	-	-	-	-	-	-	-	-	3	3
OREGON -----	2,082	-	-	-	-	-	1	-	1	6	27	39
WHITE-----MALE----	1,179	-	-	-	-	-	1	-	1	2	10	22
FEMALE--	857	-	-	-	-	-	-	-	-	4	16	15
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	8,493	1	-	-	-	-	-	4	11	30	113	201
WHITE-----MALE----	4,597	1	-	-	-	-	-	1	5	13	59	90
FEMALE--	3,035	-	-	-	-	-	-	2	2	13	39	65
ALL OTHER--MALE----	529	-	-	-	-	-	-	-	3	2	9	32
FEMALE--	332	-	-	-	-	-	-	1	1	2	6	14
BLACK---MALE----	514	-	-	-	-	-	-	-	3	1	8	32
FEMALE--	321	-	-	-	-	-	-	1	1	2	6	14
RHODE ISLAND -----	764	-	-	-	-	-	-	1	1	3	9	23
WHITE-----MALE----	434	-	-	-	-	-	-	1	-	1	8	10
FEMALE--	312	-	-	-	-	-	-	-	1	2	1	11
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2,363	-	-	-	-	-	-	1	7	12	38	77
WHITE-----MALE----	1,176	-	-	-	-	-	-	1	3	4	13	33
FEMALE--	676	-	-	-	-	-	-	-	2	3	10	18
ALL OTHER--MALE----	365	-	-	-	-	-	-	-	-	2	9	18
FEMALE--	146	-	-	-	-	-	-	-	2	3	6	8
BLACK---MALE----	362	-	-	-	-	-	-	-	-	2	9	17
FEMALE--	146	-	-	-	-	-	-	-	2	3	6	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 646

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
OHIO -----	349	576	842	1,308	1,509	1,230	823	338	94	26	3	-
WHITE-----MALE----	182	302	463	738	821	643	452	164	38	8	-	-
FEMALE--	118	191	288	429	533	480	298	149	42	18	2	-
ALL OTHER--MALE----	33	48	55	78	88	67	41	15	8	-	-	-
FEMALE--	16	35	36	63	67	40	32	10	6	-	1	-
BLACK---MALE----	31	47	55	76	87	65	39	14	8	-	-	-
FEMALE--	16	35	36	61	65	39	31	10	6	-	1	-
OKLAHOMA -----	124	176	303	428	443	415	255	130	38	9	3	-
WHITE-----MALE----	62	106	171	255	256	238	140	71	15	4	-	-
FEMALE--	50	56	101	154	150	146	90	49	17	3	1	-
ALL OTHER--MALE----	10	9	20	13	26	19	17	7	2	1	1	-
FEMALE--	2	5	11	6	11	12	8	3	4	1	1	-
BLACK---MALE----	5	6	13	6	16	14	7	5	1	1	-	-
FEMALE--	1	4	7	2	4	7	6	2	2	1	1	-
OREGON -----	94	169	227	305	389	379	269	138	30	6	2	-
WHITE-----MALE----	51	93	122	175	237	220	155	68	19	3	-	-
FEMALE--	40	74	100	122	144	152	110	64	11	3	2	-
ALL OTHER--MALE----	2	1	4	7	6	5	3	4	-	-	-	-
FEMALE--	1	1	1	1	2	2	1	2	-	-	-	-
BLACK---MALE----	1	-	-	4	3	1	2	2	-	-	-	-
FEMALE--	1	-	-	-	2	1	-	-	-	-	-	-
PENNSYLVANIA -----	394	597	890	1,401	1,673	1,494	999	493	172	18	2	-
WHITE-----MALE----	200	320	495	795	935	835	520	244	76	7	1	-
FEMALE--	130	189	286	446	590	539	415	225	85	8	1	-
ALL OTHER--MALE----	40	52	61	97	103	68	39	15	6	2	-	-
FEMALE--	24	36	48	63	45	52	25	9	5	1	-	-
BLACK---MALE----	39	52	59	96	97	66	38	15	6	2	-	-
FEMALE--	23	33	46	62	42	51	25	9	5	1	-	-
RHODE ISLAND -----	37	57	86	116	131	155	91	37	16	1	-	-
WHITE-----MALE----	19	24	43	67	81	99	55	19	7	-	-	-
FEMALE--	15	31	42	45	47	54	35	18	9	1	-	-
ALL OTHER--MALE----	3	2	-	2	2	2	-	-	-	-	-	-
FEMALE--	-	-	1	2	1	-	1	-	-	-	-	-
BLACK---MALE----	3	1	-	2	2	2	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	167	206	330	395	449	348	224	78	26	4	1	-
WHITE-----MALE----	78	95	185	209	230	177	103	31	12	2	-	-
FEMALE--	39	64	72	111	134	109	77	29	7	1	-	-
ALL OTHER--MALE----	43	34	53	57	58	43	30	12	4	1	1	-
FEMALE--	7	13	20	18	27	19	14	6	3	-	-	-
BLACK---MALE----	43	34	52	57	58	42	30	12	4	1	1	-
FEMALE--	7	13	20	18	27	19	14	6	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 647

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
SOUTH DAKOTA -----	402	-	-	-	-	-	-	-	1	2	2	5
WHITE-----MALE----	270	-	-	-	-	-	-	-	1	1	1	5
FEMALE--	108	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3,937	-	-	-	-	-	4	4	4	22	65	120
WHITE-----MALE----	2,234	-	-	-	-	-	-	1	2	11	34	62
FEMALE--	1,193	-	-	-	-	-	-	1	1	6	16	35
ALL OTHER--MALE----	332	-	-	-	-	-	-	1	1	3	11	16
FEMALE--	178	-	-	-	-	-	-	1	-	2	4	7
BLACK---MALE----	328	-	-	-	-	-	-	1	1	3	11	16
FEMALE--	173	-	-	-	-	-	-	1	-	2	4	6
TEXAS -----	9,787	-	1	-	-	-	2	1	16	38	153	287
WHITE-----MALE----	5,257	-	1	-	-	-	2	-	8	16	66	136
FEMALE--	3,280	-	-	-	-	-	-	-	5	15	51	75
ALL OTHER--MALE----	836	-	-	-	-	-	-	1	1	2	24	52
FEMALE--	414	-	-	-	-	-	-	-	2	5	12	24
BLACK---MALE----	798	-	-	-	-	-	-	-	1	2	22	49
FEMALE--	385	-	-	-	-	-	-	-	2	5	10	23
UTAH -----	363	-	-	-	-	-	-	-	1	5	5	10
WHITE-----MALE----	230	-	-	-	-	-	-	-	-	4	2	4
FEMALE--	122	-	-	-	-	-	-	-	-	1	2	5
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	360	-	-	-	-	-	-	-	-	1	3	8
WHITE-----MALE----	226	-	-	-	-	-	-	-	-	-	3	5
FEMALE--	132	-	-	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3,960	-	-	-	-	-	-	2	-	17	43	118
WHITE-----MALE----	1,935	-	-	-	-	-	-	1	-	7	15	57
FEMALE--	1,245	-	-	-	-	-	-	1	-	4	8	33
ALL OTHER--MALE----	518	-	-	-	-	-	-	-	-	4	15	21
FEMALE--	262	-	-	-	-	-	-	-	-	2	5	7
BLACK---MALE----	501	-	-	-	-	-	-	-	-	3	14	21
FEMALE--	248	-	-	-	-	-	-	-	-	2	4	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 647

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
SOUTH DAKOTA -----	10	30	37	58	99	80	45	17	13	3	-	-
WHITE-----MALE----	3	20	26	39	64	56	36	9	7	2	-	-
FEMALE--	5	7	10	11	29	22	8	8	6	1	-	-
ALL OTHER--MALE----	1	3	-	5	6	2	-	-	-	-	-	-
FEMALE--	1	-	1	3	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	240	367	525	678	767	549	338	186	61	9	2	-
WHITE-----MALE----	145	221	295	379	444	315	196	99	26	4	-	-
FEMALE--	59	105	160	213	213	170	108	71	30	3	2	-
ALL OTHER--MALE----	27	32	47	51	72	42	21	8	-	-	-	-
FEMALE--	9	9	23	35	38	22	13	8	5	2	-	-
BLACK---MALE----	27	31	45	51	71	42	21	8	-	-	-	-
FEMALE--	9	9	22	33	37	22	13	8	5	2	-	-
TEXAS -----	484	789	1,171	1,651	1,937	1,554	995	521	159	22	5	1
WHITE-----MALE----	245	412	633	915	1,071	859	530	278	77	7	1	-
FEMALE--	151	253	342	522	658	546	373	202	72	11	4	-
ALL OTHER--MALE----	65	96	138	133	133	97	63	23	6	1	-	1
FEMALE--	23	28	58	81	75	52	29	18	4	3	-	-
BLACK---MALE----	62	94	131	126	129	92	62	21	5	1	-	1
FEMALE--	21	27	51	78	70	47	27	18	4	2	-	-
UTAH -----	14	29	33	57	63	63	47	29	6	1	-	-
WHITE-----MALE----	9	18	25	38	41	42	27	16	4	-	-	-
FEMALE--	5	10	7	15	21	20	20	13	2	1	-	-
ALL OTHER--MALE----	-	-	-	3	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
VERMONT -----	21	29	35	66	90	49	33	17	8	-	-	-
WHITE-----MALE----	13	18	22	43	57	29	21	11	4	-	-	-
FEMALE--	8	11	12	23	32	20	12	6	4	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
VIRGINIA -----	210	335	464	654	796	685	378	189	59	10	-	-
WHITE-----MALE----	109	161	233	328	391	339	186	79	25	4	-	-
FEMALE--	62	95	141	204	253	224	125	69	23	3	-	-
ALL OTHER--MALE----	25	59	60	88	96	76	40	29	4	1	-	-
FEMALE--	14	20	30	34	56	46	27	12	7	2	-	-
BLACK---MALE----	25	58	58	83	93	73	39	29	4	1	-	-
FEMALE--	13	19	28	33	54	44	25	11	7	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 649

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF LARYNX (161)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
UNITED STATES --	247	395	560	609	624	546	354	182	70	6	-	1
WHITE-----MALE----	145	239	333	386	404	358	240	129	45	5	-	-
FEMALE--	35	49	95	107	112	111	68	30	13	1	-	-
ALL OTHER--MALE----	59	89	112	81	93	68	35	19	9	-	-	1
FEMALE--	8	18	20	35	15	9	11	4	3	-	-	-
BLACK---MALE----	56	85	108	77	85	64	30	18	7	-	-	1
FEMALE--	8	17	17	32	14	6	11	3	3	-	-	-
ALABAMA -----	8	5	7	9	15	13	4	4	1	-	-	-
WHITE-----MALE----	6	5	5	4	11	7	1	3	-	-	-	-
FEMALE--	-	-	2	1	2	1	1	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	2	1	5	2	1	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	2	1	5	2	1	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	-	-	-	-	-
ALASKA -----	2	-	1	-	1	-	1	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	3	10	12	14	13	5	5	-	-	-	-
WHITE-----MALE----	2	3	7	7	10	11	3	3	-	-	-	-
FEMALE--	2	-	3	4	4	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	8	8	6	4	4	5	-	-	-	-
WHITE-----MALE----	-	1	5	5	3	2	4	2	-	-	-	-
FEMALE--	1	-	1	2	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	2	-	-	3	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	2	-	-	3	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	16	31	45	52	53	52	28	18	8	-	-	-
WHITE-----MALE----	12	22	28	35	30	30	16	12	6	-	-	-
FEMALE--	2	3	9	12	13	15	8	4	1	-	-	-
ALL OTHER--MALE----	2	6	6	2	9	6	4	-	1	-	-	-
FEMALE--	-	-	2	3	1	1	-	2	-	-	-	-
BLACK---MALE----	2	5	4	2	7	6	3	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 650

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF LARYNX (161)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	2	5	5	4	6	6	4	1	-	-	-	-
WHITE-----MALE----	1	2	4	1	5	4	4	1	-	-	-	-
FEMALE--	1	2	1	3	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	4	7	4	3	5	9	9	3	1	1	-	-
WHITE-----MALE----	2	3	3	1	2	4	6	1	1	1	-	-
FEMALE--	1	1	1	2	2	3	2	2	-	-	-	-
ALL OTHER--MALE----	1	2	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	1	2	-	3	1	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	5	3	5	-	4	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	4	1	3	-	4	-	-	-	-	-	-
FEMALE--	-	-	2	2	-	-	-	-	-	-	-	-
BLACK---MALE----	1	4	1	3	-	4	-	-	-	-	-	-
FEMALE--	-	-	2	2	-	-	-	-	-	-	-	-
FLORIDA -----	22	32	31	47	53	50	28	20	7	-	-	-
WHITE-----MALE----	11	22	21	35	44	35	19	14	5	-	-	-
FEMALE--	5	3	3	7	7	12	4	5	1	-	-	-
ALL OTHER--MALE----	6	7	6	4	2	2	4	1	1	-	-	-
FEMALE--	-	-	1	1	-	1	1	-	-	-	-	-
BLACK---MALE----	6	7	6	4	2	2	4	1	1	-	-	-
FEMALE--	-	-	1	1	-	1	1	-	-	-	-	-
GEORGIA -----	8	12	15	15	22	14	10	1	3	-	-	-
WHITE-----MALE----	5	6	5	8	11	8	6	1	1	-	-	-
FEMALE--	-	1	-	2	3	4	1	-	1	-	-	-
ALL OTHER--MALE----	2	4	10	3	7	2	2	-	1	-	-	-
FEMALE--	1	1	-	2	1	-	1	-	-	-	-	-
BLACK---MALE----	2	4	10	3	7	2	1	-	1	-	-	-
FEMALE--	1	1	-	2	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 652

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF LARYNX (161)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	8	9	17	13	12	7	4	4	1	-	-	-
WHITE-----MALE----	5	7	9	8	8	5	4	4	1	-	-	-
FEMALE--	2	2	4	3	2	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	2	2	-	-	-	-	-	-	-
FEMALE--	1	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	2	2	-	-	-	-	-	-	-
FEMALE--	1	-	2	-	-	-	-	-	-	-	-	-
LOUISIANA -----	9	11	6	9	15	9	3	4	2	-	-	-
WHITE-----MALE----	5	6	1	5	5	4	2	3	-	-	-	-
FEMALE--	1	1	-	1	3	2	1	-	1	-	-	-
ALL OTHER--MALE----	2	3	4	2	5	2	-	1	-	-	-	-
FEMALE--	1	1	1	1	2	1	-	-	1	-	-	-
BLACK---MALE----	1	3	4	2	5	2	-	1	-	-	-	-
FEMALE--	1	1	1	1	2	1	-	-	1	-	-	-
MAINE -----	2	2	4	2	4	3	1	-	-	-	-	-
WHITE-----MALE----	2	1	3	2	4	2	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6	10	12	12	15	6	4	5	1	-	-	-
WHITE-----MALE----	1	4	2	6	6	4	1	3	-	-	-	-
FEMALE--	-	1	2	-	3	-	2	1	-	-	-	-
ALL OTHER--MALE----	5	4	8	3	5	2	1	1	1	-	-	-
FEMALE--	-	1	-	3	1	-	-	-	-	-	-	-
BLACK---MALE----	5	4	8	3	5	2	1	1	1	-	-	-
FEMALE--	-	1	-	3	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	6	8	12	20	13	14	13	6	1	1	-	-
WHITE-----MALE----	3	3	6	15	9	12	10	3	1	1	-	-
FEMALE--	2	3	3	3	3	2	3	3	-	-	-	-
ALL OTHER--MALE----	1	2	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	-	-	-	-	-
MICHIGAN -----	9	16	27	27	24	26	14	11	1	-	-	-
WHITE-----MALE----	4	7	15	16	15	18	9	7	-	-	-	-
FEMALE--	-	2	3	6	5	5	3	2	-	-	-	-
ALL OTHER--MALE----	3	6	9	4	4	3	2	1	1	-	-	-
FEMALE--	2	1	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	3	6	9	4	4	3	2	1	1	-	-	-
FEMALE--	2	1	-	1	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 655

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF LARYNX (161)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	11	18	25	26	35	23	14	6	2	-	-	-
WHITE-----MALE----	3	13	14	17	24	14	9	5	1	-	-	-
FEMALE--	6	1	7	2	1	3	1	1	1	-	-	-
ALL OTHER--MALE----	2	3	2	4	8	6	2	-	-	-	-	-
FEMALE--	-	1	2	3	2	-	2	-	-	-	-	-
BLACK---MALE----	2	3	2	4	8	6	2	-	-	-	-	-
FEMALE--	-	1	2	3	2	-	2	-	-	-	-	-
OKLAHOMA -----	5	2	9	8	9	7	2	5	-	-	-	-
WHITE-----MALE----	4	1	7	6	5	4	1	3	-	-	-	-
FEMALE--	1	-	1	2	2	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	1	6	2	5	5	5	4	-	-	-	-
WHITE-----MALE----	1	1	4	2	4	5	5	3	-	-	-	-
FEMALE--	-	-	2	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	11	16	41	29	28	26	22	8	9	-	-	-
WHITE-----MALE----	7	11	28	20	19	15	14	7	5	-	-	-
FEMALE--	1	1	8	1	7	6	7	1	3	-	-	-
ALL OTHER--MALE----	2	3	5	5	2	5	1	-	1	-	-	-
FEMALE--	1	1	-	3	-	-	-	-	-	-	-	-
BLACK---MALE----	2	3	5	5	2	5	1	-	1	-	-	-
FEMALE--	1	1	-	3	-	-	-	-	-	-	-	-
RHODE ISLAND -----	4	-	3	3	6	5	3	1	1	-	-	-
WHITE-----MALE----	4	-	2	2	5	5	3	1	1	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6	4	9	11	8	6	6	1	-	-	-	-
WHITE-----MALE----	4	-	4	6	3	3	4	-	-	-	-	-
FEMALE--	-	2	2	1	2	2	1	1	-	-	-	-
ALL OTHER--MALE----	2	2	3	2	3	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-
BLACK---MALE----	2	2	3	2	3	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 656

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF LARYNX (161)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	1	1	3	5	-	2	-	-	-	-	-
WHITE-----MALE----	1	1	1	2	4	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	9	22	13	12	9	8	2	2	-	-	-
WHITE-----MALE----	3	6	13	7	8	8	4	1	1	-	-	-
FEMALE--	-	1	2	4	1	-	3	-	1	-	-	-
ALL OTHER--MALE----	1	1	7	2	3	1	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	6	2	3	1	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
TEXAS -----	18	30	36	37	38	38	23	13	4	-	-	1
WHITE-----MALE----	12	22	24	23	28	28	15	9	4	-	-	-
FEMALE--	3	-	4	6	7	6	5	1	-	-	-	-
ALL OTHER--MALE----	2	7	7	6	3	4	1	3	-	-	-	1
FEMALE--	1	1	1	2	-	-	2	-	-	-	-	-
BLACK---MALE----	2	7	7	5	3	3	1	3	-	-	-	1
FEMALE--	1	1	-	2	-	-	2	-	-	-	-	-
UTAH -----	1	-	1	1	-	1	1	1	-	-	-	-
WHITE-----MALE----	1	-	1	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	2	2	2	-	2	-	-	-	-	-
WHITE-----MALE----	1	1	2	2	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	20	14	12	14	7	8	5	3	-	-	-
WHITE-----MALE----	3	14	11	5	12	6	5	3	1	-	-	-
FEMALE--	1	2	-	3	2	-	1	-	1	-	-	-
ALL OTHER--MALE----	3	4	2	4	-	1	-	2	1	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	-	-	-	-
BLACK---MALE----	3	4	2	4	-	1	-	2	1	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 658

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF TRACHEA, BRONCHUS, AND LUNG (162)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	153,310	1	1	-	1	7	10	53	178	735	2,014	3,934
WHITE-----MALE----	79,624	1	-	-	-	2	6	21	78	286	868	1,825
FEMALE--	55,436	-	1	-	-	1	3	23	62	274	663	1,269
ALL OTHER--MALE----	11,728	-	-	-	1	1	-	6	21	95	295	548
FEMALE--	6,522	-	-	-	-	3	1	3	17	80	188	292
BLACK---MALE----	10,336	-	-	-	1	1	-	4	17	85	264	494
FEMALE--	5,678	-	-	-	-	3	1	3	11	68	159	256
ALABAMA -----	2,891	1	-	-	-	-	-	1	5	22	31	76
WHITE-----MALE----	1,560	1	-	-	-	-	-	-	2	8	13	37
FEMALE--	807	-	-	-	-	-	-	1	2	6	8	19
ALL OTHER--MALE----	375	-	-	-	-	-	-	-	1	6	10	17
FEMALE--	149	-	-	-	-	-	-	-	-	2	-	3
BLACK---MALE----	370	-	-	-	-	-	-	-	1	6	10	17
FEMALE--	147	-	-	-	-	-	-	-	-	2	-	3
ALASKA -----	194	-	-	-	-	-	-	-	-	2	5	16
WHITE-----MALE----	88	-	-	-	-	-	-	-	-	2	3	6
FEMALE--	54	-	-	-	-	-	-	-	-	-	1	5
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2,413	-	-	-	-	-	-	1	3	5	22	32
WHITE-----MALE----	1,346	-	-	-	-	-	-	1	1	2	11	16
FEMALE--	981	-	-	-	-	-	-	-	2	2	9	14
ALL OTHER--MALE----	61	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	44	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	1
ARKANSAS -----	1,996	-	-	-	-	-	1	-	-	9	20	52
WHITE-----MALE----	1,155	-	-	-	-	-	-	-	-	6	6	25
FEMALE--	623	-	-	-	-	-	1	-	-	3	11	16
ALL OTHER--MALE----	160	-	-	-	-	-	-	-	-	-	2	8
FEMALE--	58	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	158	-	-	-	-	-	-	-	-	-	2	8
FEMALE--	56	-	-	-	-	-	-	-	-	-	1	3
CALIFORNIA -----	13,815	-	-	-	-	-	1	7	19	48	155	327
WHITE-----MALE----	6,454	-	-	-	-	-	-	4	8	15	65	147
FEMALE--	5,450	-	-	-	-	-	-	2	6	16	41	110
ALL OTHER--MALE----	1,190	-	-	-	-	-	-	1	3	10	22	44
FEMALE--	721	-	-	-	-	-	1	-	2	7	27	26
BLACK---MALE----	677	-	-	-	-	-	-	-	1	7	11	27
FEMALE--	416	-	-	-	-	-	1	-	1	4	14	16

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 658

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF TRACHEA, BRONCHUS, AND LUNG (162)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	7,712	11,837	17,464	25,198	29,510	25,926	17,207	8,402	2,552	497	70	1
WHITE-----MALE----	3,785	5,918	9,224	13,663	15,766	13,796	8,907	4,174	1,105	178	20	1
FEMALE--	2,608	4,030	5,781	8,597	10,510	9,712	6,876	3,524	1,208	257	37	-
ALL OTHER--MALE----	874	1,284	1,621	1,917	2,063	1,546	886	414	122	30	4	-
FEMALE--	445	605	838	1,021	1,171	872	538	290	117	32	9	-
BLACK---MALE----	793	1,148	1,444	1,697	1,808	1,350	756	348	100	23	3	-
FEMALE--	402	547	729	890	1,030	757	441	250	96	28	7	-
ALABAMA -----	157	250	379	496	533	457	287	147	38	10	1	-
WHITE-----MALE----	78	123	227	287	286	256	153	76	11	1	1	-
FEMALE--	44	75	90	138	142	124	91	43	19	5	-	-
ALL OTHER--MALE----	28	38	48	53	71	55	26	16	4	2	-	-
FEMALE--	7	14	14	18	34	22	17	12	4	2	-	-
BLACK---MALE----	28	38	48	52	71	54	24	15	4	2	-	-
FEMALE--	7	14	14	17	33	22	17	12	4	2	-	-
ALASKA -----	14	21	25	46	36	17	9	1	1	1	-	-
WHITE-----MALE----	6	9	12	24	18	7	1	-	-	-	-	-
FEMALE--	4	7	8	9	11	4	4	1	-	-	-	-
ALL OTHER--MALE----	4	4	2	9	5	5	4	-	-	-	-	-
FEMALE--	-	1	3	4	2	1	-	-	1	1	-	-
BLACK---MALE----	2	1	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	89	151	235	402	500	473	313	135	46	5	1	-
WHITE-----MALE----	52	85	136	218	274	288	157	77	25	2	1	-
FEMALE--	31	54	91	168	210	174	149	54	21	2	-	-
ALL OTHER--MALE----	6	11	6	9	7	8	7	4	-	-	-	-
FEMALE--	-	1	2	7	9	3	-	-	-	1	-	-
BLACK---MALE----	5	7	4	7	5	5	5	4	-	-	-	-
FEMALE--	-	1	-	6	3	3	-	-	-	1	-	-
ARKANSAS -----	88	181	263	343	380	308	207	105	30	9	-	-
WHITE-----MALE----	52	96	162	202	217	191	119	60	15	4	-	-
FEMALE--	23	60	75	108	117	92	65	36	13	3	-	-
ALL OTHER--MALE----	12	21	19	29	30	14	15	7	2	1	-	-
FEMALE--	1	4	7	4	16	11	8	2	-	1	-	-
BLACK---MALE----	11	21	19	28	30	14	15	7	2	1	-	-
FEMALE--	1	4	7	4	14	11	8	2	-	1	-	-
CALIFORNIA -----	649	994	1,461	2,193	2,593	2,518	1,702	850	236	53	9	-
WHITE-----MALE----	291	455	668	1,055	1,238	1,193	808	384	100	19	4	-
FEMALE--	238	367	519	822	1,028	1,048	731	382	109	28	3	-
ALL OTHER--MALE----	70	116	180	210	202	173	95	46	14	4	-	-
FEMALE--	50	56	94	106	125	104	68	38	13	2	2	-
BLACK---MALE----	46	75	107	127	108	98	43	20	5	2	-	-
FEMALE--	34	37	57	66	81	57	26	16	4	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 659

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF TRACHEA, BRONCHUS, AND LUNG (162)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	1,324	-	-	-	-	-	-	1	1	6	13	24
WHITE-----MALE----	721	-	-	-	-	-	-	-	-	2	10	9
FEMALE--	539	-	-	-	-	-	-	-	1	3	3	12
ALL OTHER--MALE----	42	-	-	-	-	-	-	1	-	1	-	2
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	33	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1,875	-	-	-	-	-	-	-	3	9	26	39
WHITE-----MALE----	944	-	-	-	-	-	-	-	-	6	11	17
FEMALE--	809	-	-	-	-	-	-	-	2	3	10	18
ALL OTHER--MALE----	69	-	-	-	-	-	-	-	1	-	4	3
FEMALE--	53	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	65	-	-	-	-	-	-	-	1	-	4	3
FEMALE--	50	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	488	-	-	-	-	-	-	1	1	5	7	12
WHITE-----MALE----	248	-	-	-	-	-	-	-	-	3	1	4
FEMALE--	167	-	-	-	-	-	-	1	1	1	4	5
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	37	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	2
DISTRICT OF COLUMBIA ----	348	-	-	-	-	-	-	-	-	3	7	10
WHITE-----MALE----	39	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	164	-	-	-	-	-	-	-	-	2	2	7
FEMALE--	118	-	-	-	-	-	-	-	-	1	5	2
BLACK---MALE----	163	-	-	-	-	-	-	-	-	2	2	7
FEMALE--	117	-	-	-	-	-	-	-	-	1	4	2
FLORIDA -----	11,575	-	-	-	-	-	-	8	17	46	140	265
WHITE-----MALE----	6,281	-	-	-	-	-	-	3	8	16	57	128
FEMALE--	4,386	-	-	-	-	-	-	5	6	23	49	85
ALL OTHER--MALE----	583	-	-	-	-	-	-	-	1	3	18	37
FEMALE--	325	-	-	-	-	-	-	-	2	4	16	15
BLACK---MALE----	563	-	-	-	-	-	-	-	1	3	17	36
FEMALE--	307	-	-	-	-	-	-	-	2	4	14	14
GEORGIA -----	3,917	-	-	-	-	-	-	2	9	21	72	130
WHITE-----MALE----	1,870	-	-	-	-	-	-	1	4	4	26	47
FEMALE--	1,223	-	-	-	-	-	-	-	2	7	24	36
ALL OTHER--MALE----	596	-	-	-	-	-	-	-	2	5	15	28
FEMALE--	228	-	-	-	-	-	-	1	1	5	7	19
BLACK---MALE----	591	-	-	-	-	-	-	-	2	5	15	28
FEMALE--	222	-	-	-	-	-	-	1	-	5	7	18

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 659

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF TRACHEA, BRONCHUS, AND LUNG (162)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	80	83	171	219	223	253	149	74	24	2	1	-
WHITE-----MALE----	29	40	101	129	120	154	85	28	12	1	1	-
FEMALE--	44	34	58	81	97	92	61	40	12	1	-	-
ALL OTHER--MALE----	5	5	6	5	5	3	3	6	-	-	-	-
FEMALE--	2	4	6	4	1	4	-	-	-	-	-	-
BLACK---MALE----	5	3	5	4	5	3	1	5	-	-	-	-
FEMALE--	2	4	5	4	1	4	-	-	-	-	-	-
CONNECTICUT -----	89	129	200	289	342	321	251	133	32	11	1	-
WHITE-----MALE----	33	65	94	174	176	165	119	60	17	6	1	-
FEMALE--	44	50	84	104	141	146	122	65	15	5	-	-
ALL OTHER--MALE----	2	8	13	8	14	7	4	5	-	-	-	-
FEMALE--	10	6	9	3	11	3	6	3	-	-	-	-
BLACK---MALE----	2	6	13	8	13	7	3	5	-	-	-	-
FEMALE--	9	6	9	3	11	3	5	3	-	-	-	-
DELAWARE -----	29	40	50	83	88	95	48	19	9	-	-	1
WHITE-----MALE----	19	19	28	47	42	52	20	10	2	-	-	1
FEMALE--	6	14	11	27	31	31	22	6	7	-	-	-
ALL OTHER--MALE----	2	3	7	6	8	7	3	1	-	-	-	-
FEMALE--	2	4	4	3	7	5	3	2	-	-	-	-
BLACK---MALE----	2	3	4	6	8	7	3	1	-	-	-	-
FEMALE--	2	4	3	3	7	5	3	2	-	-	-	-
DISTRICT OF COLUMBIA -----	24	28	41	60	58	47	35	23	10	2	-	-
WHITE-----MALE----	4	3	2	8	7	8	1	2	2	1	-	-
FEMALE--	2	1	1	4	1	4	8	5	1	-	-	-
ALL OTHER--MALE----	10	14	26	25	29	24	15	9	1	-	-	-
FEMALE--	8	10	12	23	21	11	11	7	6	1	-	-
BLACK---MALE----	10	14	26	25	29	24	14	9	1	-	-	-
FEMALE--	8	10	12	23	21	11	11	7	6	1	-	-
FLORIDA -----	505	767	1,155	1,899	2,298	2,009	1,422	776	207	58	3	-
WHITE-----MALE----	252	414	632	1,081	1,270	1,129	772	401	97	20	1	-
FEMALE--	177	248	395	674	895	766	590	333	101	37	2	-
ALL OTHER--MALE----	53	78	76	95	81	73	37	24	7	-	-	-
FEMALE--	23	27	52	49	52	41	23	18	2	1	-	-
BLACK---MALE----	51	75	73	90	78	73	36	23	7	-	-	-
FEMALE--	22	26	49	46	50	37	23	17	2	1	-	-
GEORGIA -----	255	396	505	644	699	615	351	149	60	9	-	-
WHITE-----MALE----	109	177	250	334	341	304	190	62	19	2	-	-
FEMALE--	72	124	143	184	223	207	114	55	29	3	-	-
ALL OTHER--MALE----	57	70	83	92	105	81	32	18	7	1	-	-
FEMALE--	17	25	29	34	30	23	15	14	5	3	-	-
BLACK---MALE----	56	69	83	92	103	80	32	18	7	1	-	-
FEMALE--	16	25	29	31	30	23	15	14	5	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 660

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF TRACHEA, BRONCHUS, AND LUNG (162)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	18	41	52	75	100	77	52	27	9	4	-	-
WHITE-----MALE----	5	4	13	10	17	15	9	4	1	-	-	-
FEMALE--	3	2	8	11	13	9	7	4	1	-	-	-
ALL OTHER--MALE----	6	28	22	34	47	30	15	14	6	4	-	-
FEMALE--	4	7	9	20	23	23	21	5	1	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	20	35	66	74	112	102	63	22	5	1	-	-
WHITE-----MALE----	9	21	41	43	75	58	40	15	4	1	-	-
FEMALE--	11	12	23	30	36	43	22	7	1	-	-	-
ALL OTHER--MALE----	-	2	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	377	529	715	1,065	1,253	1,173	776	341	104	19	-	-
WHITE-----MALE----	187	241	370	547	651	600	384	183	42	6	-	-
FEMALE--	117	161	223	353	409	430	325	139	53	9	-	-
ALL OTHER--MALE----	46	75	84	101	119	90	44	9	7	2	-	-
FEMALE--	27	52	38	64	74	53	23	10	2	2	-	-
BLACK---MALE----	43	71	80	101	116	84	40	9	6	2	-	-
FEMALE--	27	51	38	63	72	52	23	8	2	2	-	-
INDIANA -----	177	282	433	677	762	604	385	202	51	11	7	-
WHITE-----MALE----	95	148	255	381	423	319	216	115	25	3	3	-
FEMALE--	69	106	139	244	288	245	157	69	25	7	2	-
ALL OTHER--MALE----	8	17	32	32	33	21	10	13	1	-	1	-
FEMALE--	5	11	7	20	18	19	2	5	-	1	1	-
BLACK---MALE----	8	17	32	31	33	21	10	12	1	-	1	-
FEMALE--	5	10	7	20	18	17	2	5	-	1	1	-
IOWA -----	62	128	205	267	328	310	231	99	42	14	2	-
WHITE-----MALE----	36	82	121	165	211	192	145	55	27	8	1	-
FEMALE--	25	45	79	98	114	114	86	43	15	6	1	-
ALL OTHER--MALE----	-	-	3	3	2	2	-	1	-	-	-	-
FEMALE--	1	1	2	1	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	2	3	2	2	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	2	-	-	-	-	-	-
KANSAS -----	68	103	185	240	275	278	201	87	35	4	-	-
WHITE-----MALE----	37	62	110	146	177	177	113	58	13	3	-	-
FEMALE--	23	34	66	83	88	92	81	28	19	1	-	-
ALL OTHER--MALE----	7	4	5	8	6	7	4	1	2	-	-	-
FEMALE--	1	3	4	3	4	2	3	-	1	-	-	-
BLACK---MALE----	7	4	4	8	6	4	4	1	2	-	-	-
FEMALE--	1	3	3	1	2	1	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 661

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF TRACHEA, BRONCHUS, AND LUNG (162)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	3,088	-	-	-	-	-	-	-	1	22	28	95
WHITE-----MALE----	1,819	-	-	-	-	-	-	-	1	9	16	62
FEMALE--	1,075	-	-	-	-	-	-	-	-	10	9	26
ALL OTHER--MALE----	102	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	92	-	-	-	-	-	-	-	-	2	2	6
BLACK---MALE----	101	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	90	-	-	-	-	-	-	-	-	1	2	6
LOUISIANA -----	2,812	-	-	-	-	-	-	-	3	20	41	92
WHITE-----MALE----	1,233	-	-	-	-	-	-	-	-	3	12	36
FEMALE--	809	-	-	-	-	-	-	-	-	8	8	13
ALL OTHER--MALE----	513	-	-	-	-	-	-	-	2	5	11	30
FEMALE--	257	-	-	-	-	-	-	-	1	4	10	13
BLACK---MALE----	509	-	-	-	-	-	-	-	2	4	10	30
FEMALE--	251	-	-	-	-	-	-	-	1	4	10	13
MAINE -----	863	-	-	-	-	-	-	-	2	3	11	19
WHITE-----MALE----	486	-	-	-	-	-	-	-	1	1	6	11
FEMALE--	374	-	-	-	-	-	-	-	1	2	5	7
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2,852	-	-	-	-	1	1	-	4	19	43	91
WHITE-----MALE----	1,241	-	-	-	-	-	1	-	1	5	20	33
FEMALE--	944	-	-	-	-	-	-	-	-	7	10	22
ALL OTHER--MALE----	426	-	-	-	-	-	-	-	3	4	8	26
FEMALE--	241	-	-	-	-	1	-	-	-	3	5	10
BLACK---MALE----	410	-	-	-	-	-	-	-	3	4	8	26
FEMALE--	234	-	-	-	-	1	-	-	-	3	5	9
MASSACHUSETTS -----	3,630	-	-	-	-	1	-	1	-	16	33	94
WHITE-----MALE----	1,880	-	-	-	-	-	-	-	-	9	16	39
FEMALE--	1,601	-	-	-	-	-	-	-	-	7	16	49
ALL OTHER--MALE----	90	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	59	-	-	-	-	1	-	1	-	-	-	3
BLACK---MALE----	73	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	50	-	-	-	-	1	-	1	-	-	-	3
MICHIGAN -----	5,585	-	-	-	-	1	1	2	6	41	83	163
WHITE-----MALE----	2,837	-	-	-	-	1	1	2	4	13	31	79
FEMALE--	1,976	-	-	-	-	-	-	-	2	14	33	56
ALL OTHER--MALE----	457	-	-	-	-	-	-	-	-	7	9	17
FEMALE--	315	-	-	-	-	-	-	-	-	7	10	11
BLACK---MALE----	434	-	-	-	-	-	-	-	-	7	9	17
FEMALE--	286	-	-	-	-	-	-	-	-	7	9	10

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 661

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF TRACHEA, BRONCHUS, AND LUNG (162)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	190	275	435	558	615	440	258	128	36	6	1	-
WHITE-----MALE----	120	157	257	343	357	262	151	63	18	3	-	-
FEMALE--	61	96	149	185	219	151	95	55	15	3	1	-
ALL OTHER--MALE----	6	13	21	16	22	9	5	5	2	-	-	-
FEMALE--	3	9	8	14	17	18	7	5	1	-	-	-
BLACK---MALE----	6	13	21	15	22	9	5	5	2	-	-	-
FEMALE--	3	9	8	14	17	17	7	5	1	-	-	-
LOUISIANA -----	134	229	366	484	534	449	264	137	49	9	1	-
WHITE-----MALE----	49	99	143	220	259	219	109	65	19	-	-	-
FEMALE--	38	56	99	133	148	145	98	38	21	4	-	-
ALL OTHER--MALE----	34	58	80	81	88	58	33	23	6	3	1	-
FEMALE--	13	16	44	50	39	27	24	11	3	2	-	-
BLACK---MALE----	33	58	80	81	87	58	33	23	6	3	1	-
FEMALE--	13	16	42	48	38	26	24	11	3	2	-	-
MAINE -----	43	55	77	143	184	145	109	60	11	1	-	-
WHITE-----MALE----	25	30	36	83	116	82	59	29	7	-	-	-
FEMALE--	18	25	41	58	68	63	50	31	4	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	156	238	335	466	559	461	293	133	43	9	-	-
WHITE-----MALE----	54	101	153	213	254	208	118	68	12	-	-	-
FEMALE--	42	68	94	142	176	183	123	44	24	9	-	-
ALL OTHER--MALE----	38	46	61	68	82	45	32	8	5	-	-	-
FEMALE--	22	23	27	43	47	25	20	13	2	-	-	-
BLACK---MALE----	37	43	59	65	80	43	30	8	4	-	-	-
FEMALE--	22	23	26	41	46	24	20	13	1	-	-	-
MASSACHUSETTS -----	161	263	405	527	700	595	472	268	76	16	2	-
WHITE-----MALE----	77	126	232	297	378	295	242	132	30	7	-	-
FEMALE--	72	125	156	207	294	277	215	127	45	9	2	-
ALL OTHER--MALE----	8	5	14	16	17	16	6	4	-	-	-	-
FEMALE--	4	7	3	7	11	7	9	5	1	-	-	-
BLACK---MALE----	6	5	13	15	13	12	4	3	-	-	-	-
FEMALE--	4	7	3	7	7	6	6	5	-	-	-	-
MICHIGAN -----	286	454	637	911	1,088	926	615	263	90	11	7	-
WHITE-----MALE----	137	218	318	493	568	487	303	141	38	1	2	-
FEMALE--	90	162	222	301	373	329	247	96	40	7	4	-
ALL OTHER--MALE----	27	51	55	75	92	62	42	12	7	1	-	-
FEMALE--	32	23	42	42	55	48	23	14	5	2	1	-
BLACK---MALE----	22	47	53	71	89	60	42	9	7	1	-	-
FEMALE--	31	20	37	38	50	44	20	13	4	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 662

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF TRACHEA, BRONCHUS, AND LUNG (162)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	2,130	-	-	-	-	-	-	2	2	17	34	52
WHITE-----MALE----	1,227	-	-	-	-	-	-	-	-	7	18	33
FEMALE--	842	-	-	-	-	-	2	1	7	15	16	
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	23	-	-	-	-	-	-	-	-	3	1	2
BLACK---MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	1
MISSISSIPPI -----	1,843	-	-	-	-	-	2	3	15	30	49	
WHITE-----MALE----	836	-	-	-	-	-	-	2	-	1	4	21
FEMALE--	493	-	-	-	-	-	-	-	3	5	8	9
ALL OTHER--MALE----	368	-	-	-	-	-	-	-	-	7	13	14
FEMALE--	146	-	-	-	-	-	-	-	-	2	5	5
BLACK---MALE----	367	-	-	-	-	-	-	-	-	7	13	14
FEMALE--	145	-	-	-	-	-	-	-	-	2	5	5
MISSOURI -----	3,704	-	-	-	-	-	1	3	1	28	37	89
WHITE-----MALE----	1,980	-	-	-	-	-	-	1	-	13	13	43
FEMALE--	1,370	-	-	-	-	-	-	2	1	10	15	29
ALL OTHER--MALE----	207	-	-	-	-	-	-	1	-	4	5	11
FEMALE--	147	-	-	-	-	-	-	-	-	1	4	6
BLACK---MALE----	198	-	-	-	-	-	-	1	-	4	5	11
FEMALE--	145	-	-	-	-	-	-	-	-	1	4	6
MONTANA -----	475	-	-	-	-	-	-	-	-	2	2	6
WHITE-----MALE----	252	-	-	-	-	-	-	-	-	2	-	4
FEMALE--	205	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	882	-	-	-	-	-	-	-	1	5	16	20
WHITE-----MALE----	545	-	-	-	-	-	-	-	1	1	7	14
FEMALE--	308	-	-	-	-	-	-	-	-	2	9	4
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	15	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
NEVADA -----	1,035	-	-	-	-	-	-	-	-	3	10	32
WHITE-----MALE----	554	-	-	-	-	-	-	-	-	1	4	16
FEMALE--	408	-	-	-	-	-	-	-	-	1	4	14
ALL OTHER--MALE----	43	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	30	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	28	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	19	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 662

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF TRACHEA, BRONCHUS, AND LUNG (162)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	89	184	262	317	383	368	239	132	40	8	1	-
WHITE-----MALE----	43	108	150	175	232	229	140	74	16	1	1	-
FEMALE--	43	68	98	135	144	128	97	57	24	7	-	-
ALL OTHER--MALE----	2	6	9	5	5	7	2	-	-	-	-	-
FEMALE--	1	2	5	2	2	4	-	1	-	-	-	-
BLACK---MALE----	2	6	8	2	1	2	1	-	-	-	-	-
FEMALE--	1	-	3	-	2	1	-	1	-	-	-	-
MISSISSIPPI -----	107	139	233	313	308	296	211	96	35	5	1	-
WHITE-----MALE----	46	65	117	159	148	141	85	37	8	2	-	-
FEMALE--	24	35	49	72	86	87	69	33	11	2	-	-
ALL OTHER--MALE----	24	29	49	62	56	52	41	16	5	-	-	-
FEMALE--	13	10	18	20	18	16	16	10	11	1	1	-
BLACK---MALE----	24	29	49	62	55	52	41	16	5	-	-	-
FEMALE--	13	10	18	20	18	16	15	10	11	1	1	-
MISSOURI -----	179	303	461	625	704	596	403	199	60	15	-	-
WHITE-----MALE----	85	160	262	351	394	305	223	96	28	6	-	-
FEMALE--	64	112	153	211	245	252	148	94	26	8	-	-
ALL OTHER--MALE----	15	20	23	38	39	25	16	5	4	1	-	-
FEMALE--	15	11	23	25	26	14	16	4	2	-	-	-
BLACK---MALE----	14	20	22	36	38	22	15	5	4	1	-	-
FEMALE--	15	11	23	24	26	13	16	4	2	-	-	-
MONTANA -----	17	27	61	70	96	83	71	30	9	1	-	-
WHITE-----MALE----	9	15	31	40	56	40	34	19	2	-	-	-
FEMALE--	7	10	26	29	37	39	35	11	7	1	-	-
ALL OTHER--MALE----	1	1	3	-	3	2	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	2	2	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	43	63	84	139	165	165	94	62	18	6	1	-
WHITE-----MALE----	19	38	59	89	106	107	59	33	6	5	1	-
FEMALE--	21	19	19	44	58	56	34	29	12	1	-	-
ALL OTHER--MALE----	3	4	3	3	1	2	1	-	-	-	-	-
FEMALE--	-	2	3	3	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	2	2	1	2	1	-	-	-	-	-
FEMALE--	-	1	2	3	-	-	-	-	-	-	-	-
NEVADA -----	61	90	140	187	215	167	77	41	11	-	1	-
WHITE-----MALE----	37	34	87	113	117	85	37	18	5	-	-	-
FEMALE--	19	46	40	63	88	70	36	20	6	-	1	-
ALL OTHER--MALE----	3	6	8	6	5	8	1	3	-	-	-	-
FEMALE--	2	4	5	5	5	4	3	-	-	-	-	-
BLACK---MALE----	2	4	3	5	4	6	1	1	-	-	-	-
FEMALE--	1	2	3	4	2	2	3	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 664

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF TRACHEA, BRONCHUS, AND LUNG (162)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	7,200	-	1	-	1	1	-	-	7	31	91	181
WHITE-----MALE----	3,841	-	-	-	-	-	-	-	3	18	47	89
FEMALE--	2,598	-	1	-	-	-	-	-	2	9	25	56
ALL OTHER--MALE----	441	-	-	-	1	1	-	-	1	3	9	22
FEMALE--	320	-	-	-	-	-	-	-	1	1	10	14
BLACK---MALE----	430	-	-	-	1	1	-	-	1	3	9	21
FEMALE--	313	-	-	-	-	-	-	-	-	1	10	14
OKLAHOMA -----	2,364	-	-	-	-	-	-	-	-	6	41	54
WHITE-----MALE----	1,336	-	-	-	-	-	-	-	-	4	20	31
FEMALE--	832	-	-	-	-	-	-	-	-	2	13	16
ALL OTHER--MALE----	125	-	-	-	-	-	-	-	-	-	4	3
FEMALE--	71	-	-	-	-	-	-	-	-	-	4	4
BLACK---MALE----	74	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	43	-	-	-	-	-	-	-	-	-	3	3
OREGON -----	2,024	-	-	-	-	-	-	-	1	6	26	37
WHITE-----MALE----	1,136	-	-	-	-	-	-	-	1	2	10	20
FEMALE--	842	-	-	-	-	-	-	-	-	4	15	15
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	8,223	-	-	-	-	-	-	4	11	28	110	191
WHITE-----MALE----	4,427	-	-	-	-	-	-	1	5	12	57	85
FEMALE--	2,974	-	-	-	-	-	-	2	2	12	38	64
ALL OTHER--MALE----	496	-	-	-	-	-	-	-	3	2	9	28
FEMALE--	326	-	-	-	-	-	-	1	1	2	6	14
BLACK---MALE----	481	-	-	-	-	-	-	-	3	1	8	28
FEMALE--	315	-	-	-	-	-	-	1	1	2	6	14
RHODE ISLAND -----	731	-	-	-	-	-	-	1	1	3	9	21
WHITE-----MALE----	406	-	-	-	-	-	-	1	-	1	8	8
FEMALE--	308	-	-	-	-	-	-	-	1	2	1	11
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2,286	-	-	-	-	-	-	-	5	12	35	74
WHITE-----MALE----	1,139	-	-	-	-	-	-	-	1	4	13	30
FEMALE--	662	-	-	-	-	-	-	-	2	3	8	18
ALL OTHER--MALE----	347	-	-	-	-	-	-	-	-	2	8	18
FEMALE--	138	-	-	-	-	-	-	-	2	3	6	8
BLACK---MALE----	344	-	-	-	-	-	-	-	-	2	8	17
FEMALE--	138	-	-	-	-	-	-	-	2	3	6	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 664

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF TRACHEA, BRONCHUS, AND LUNG (162)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	336	555	811	1,276	1,464	1,197	803	325	91	26	3	-
WHITE-----MALE----	178	287	447	717	791	626	439	154	37	8	-	-
FEMALE--	112	189	279	425	529	470	295	146	40	18	2	-
ALL OTHER--MALE----	30	45	53	74	79	61	39	15	8	-	-	-
FEMALE--	16	34	32	60	65	40	30	10	6	-	1	-
BLACK---MALE----	29	44	53	72	78	59	37	14	8	-	-	-
FEMALE--	16	34	32	58	63	39	29	10	6	-	1	-
OKLAHOMA -----	118	174	291	419	433	403	253	122	38	9	3	-
WHITE-----MALE----	58	105	162	248	251	232	139	67	15	4	-	-
FEMALE--	49	56	99	152	147	143	89	45	17	3	1	-
ALL OTHER--MALE----	9	8	19	13	24	17	17	7	2	1	1	-
FEMALE--	2	5	11	6	11	11	8	3	4	1	1	-
BLACK---MALE----	4	6	12	6	14	13	7	5	1	1	-	-
FEMALE--	1	4	7	2	4	7	6	2	2	1	1	-
OREGON -----	92	168	221	300	379	369	256	131	30	6	2	-
WHITE-----MALE----	49	92	118	171	230	212	145	64	19	3	-	-
FEMALE--	40	74	98	121	141	150	107	61	11	3	2	-
ALL OTHER--MALE----	2	1	4	7	6	5	3	4	-	-	-	-
FEMALE--	1	1	1	1	2	2	1	2	-	-	-	-
BLACK---MALE----	1	-	-	4	3	1	2	2	-	-	-	-
FEMALE--	1	-	-	-	2	1	-	-	-	-	-	-
PENNSYLVANIA -----	378	578	841	1,367	1,628	1,454	971	482	160	18	2	-
WHITE-----MALE----	190	307	462	771	909	811	503	236	70	7	1	-
FEMALE--	128	187	276	444	577	528	405	222	80	8	1	-
ALL OTHER--MALE----	37	49	55	92	98	63	38	15	5	2	-	-
FEMALE--	23	35	48	60	44	52	25	9	5	1	-	-
BLACK---MALE----	36	49	53	91	92	61	37	15	5	2	-	-
FEMALE--	22	32	46	59	41	51	25	9	5	1	-	-
RHODE ISLAND -----	32	57	82	112	124	149	88	36	15	1	-	-
WHITE-----MALE----	15	24	40	64	75	94	52	18	6	-	-	-
FEMALE--	14	31	41	44	47	53	35	18	9	1	-	-
ALL OTHER--MALE----	3	2	-	2	2	2	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	1	-	-	-	-	-
BLACK---MALE----	3	1	-	2	2	2	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	159	201	318	382	437	340	218	76	25	3	1	-
WHITE-----MALE----	73	95	181	202	225	173	99	30	12	1	-	-
FEMALE--	39	62	70	110	132	106	76	28	7	1	-	-
ALL OTHER--MALE----	41	31	49	55	53	43	29	12	4	1	1	-
FEMALE--	6	13	18	15	27	18	14	6	2	-	-	-
BLACK---MALE----	41	31	48	55	53	42	29	12	4	1	1	-
FEMALE--	6	13	18	15	27	18	14	6	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 665

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF TRACHEA, BRONCHUS, AND LUNG (162)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	387	-	-	-	-	-	-	-	-	2	2	5
WHITE-----MALE----	257	-	-	-	-	-	-	-	-	1	1	5
FEMALE--	108	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3,812	-	-	-	-	-	-	2	4	20	62	114
WHITE-----MALE----	2,158	-	-	-	-	-	-	1	2	10	32	60
FEMALE--	1,174	-	-	-	-	-	-	1	1	6	16	35
ALL OTHER--MALE----	309	-	-	-	-	-	-	-	1	2	11	13
FEMALE--	171	-	-	-	-	-	-	-	-	2	3	6
BLACK---MALE----	306	-	-	-	-	-	-	-	1	2	11	13
FEMALE--	166	-	-	-	-	-	-	-	-	2	3	5
TEXAS -----	9,454	-	-	-	-	-	1	-	14	38	148	277
WHITE-----MALE----	5,038	-	-	-	-	-	1	-	7	16	63	130
FEMALE--	3,226	-	-	-	-	-	-	-	5	15	50	75
ALL OTHER--MALE----	788	-	-	-	-	-	-	-	-	2	23	49
FEMALE--	402	-	-	-	-	-	-	-	2	5	12	23
BLACK---MALE----	754	-	-	-	-	-	-	-	-	2	22	46
FEMALE--	374	-	-	-	-	-	-	-	2	5	10	22
UTAH -----	348	-	-	-	-	-	-	-	1	4	5	9
WHITE-----MALE----	215	-	-	-	-	-	-	-	-	3	2	3
FEMALE--	122	-	-	-	-	-	-	-	-	1	2	5
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	347	-	-	-	-	-	-	-	-	1	2	7
WHITE-----MALE----	214	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	131	-	-	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3,827	-	-	-	-	-	-	1	-	16	40	109
WHITE-----MALE----	1,854	-	-	-	-	-	-	1	-	7	15	53
FEMALE--	1,226	-	-	-	-	-	-	-	-	4	8	32
ALL OTHER--MALE----	490	-	-	-	-	-	-	-	-	3	12	17
FEMALE--	257	-	-	-	-	-	-	-	-	2	5	7
BLACK---MALE----	473	-	-	-	-	-	-	-	-	2	11	17
FEMALE--	243	-	-	-	-	-	-	-	-	2	4	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 665

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF TRACHEA, BRONCHUS, AND LUNG (162)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	9	29	35	55	94	80	43	17	13	3	-	-
WHITE-----MALE----	2	19	24	37	60	56	34	9	7	2	-	-
FEMALE--	5	7	10	11	29	22	8	8	6	1	-	-
ALL OTHER--MALE----	1	3	-	4	5	2	-	-	-	-	-	-
FEMALE--	1	-	1	3	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	233	355	498	662	752	534	325	182	58	9	2	-
WHITE-----MALE----	140	212	278	370	433	304	189	98	25	4	-	-
FEMALE--	59	104	157	209	212	167	103	70	29	3	2	-
ALL OTHER--MALE----	26	31	40	48	69	41	20	7	-	-	-	-
FEMALE--	8	8	23	35	38	22	13	7	4	2	-	-
BLACK---MALE----	26	30	39	48	68	41	20	7	-	-	-	-
FEMALE--	8	8	22	33	37	22	13	7	4	2	-	-
TEXAS -----	462	752	1,123	1,607	1,887	1,507	959	500	152	22	5	-
WHITE-----MALE----	230	385	602	891	1,036	827	504	265	73	7	1	-
FEMALE--	147	252	335	514	647	537	366	199	69	11	4	-
ALL OTHER--MALE----	63	88	129	125	129	92	62	19	6	1	-	-
FEMALE--	22	27	57	77	75	51	27	17	4	3	-	-
BLACK---MALE----	60	86	122	119	125	88	61	17	5	1	-	-
FEMALE--	20	26	51	74	70	46	25	17	4	2	-	-
UTAH -----	13	29	30	55	61	60	46	28	6	1	-	-
WHITE-----MALE----	8	18	22	36	39	39	26	15	4	-	-	-
FEMALE--	5	10	7	15	21	20	20	13	2	1	-	-
ALL OTHER--MALE----	-	-	-	3	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
VERMONT -----	20	27	33	64	88	49	31	17	8	-	-	-
WHITE-----MALE----	12	16	20	41	55	29	20	11	4	-	-	-
FEMALE--	8	11	12	23	32	20	11	6	4	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
VIRGINIA -----	201	313	448	636	777	671	367	182	56	10	-	-
WHITE-----MALE----	105	147	220	319	376	327	180	76	24	4	-	-
FEMALE--	60	91	141	200	251	224	122	68	22	3	-	-
ALL OTHER--MALE----	22	55	58	83	96	74	40	26	3	1	-	-
FEMALE--	14	20	29	34	54	46	25	12	7	2	-	-
BLACK---MALE----	22	54	56	78	93	71	39	26	3	1	-	-
FEMALE--	13	19	27	33	52	44	23	11	7	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 667

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF ALL OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS (160,163-165)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	75	87	138	161	209	199	146	101	46	5	1	-
WHITE-----MALE----	46	59	81	93	130	119	84	54	10	2	-	-
FEMALE--	17	20	36	46	57	61	50	41	30	3	-	-
ALL OTHER--MALE----	8	6	14	16	14	12	5	3	2	-	-	-
FEMALE--	4	2	7	6	8	7	7	3	4	-	1	-
BLACK---MALE----	7	5	14	12	9	9	3	3	2	-	-	-
FEMALE--	4	2	7	5	8	5	5	3	4	-	1	-
ALABAMA -----	2	-	3	1	2	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	3	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	3	3	3	-	1	3	-	-	-	-	-
WHITE-----MALE----	1	2	1	3	-	-	1	-	-	-	-	-
FEMALE--	1	1	2	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	1	-	2	2	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	2	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	8	5	9	19	19	22	18	10	5	-	-	-
WHITE-----MALE----	7	5	3	12	11	13	11	7	2	-	-	-
FEMALE--	1	-	4	6	6	7	3	3	3	-	-	-
ALL OTHER--MALE----	-	-	2	1	2	2	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	2	1	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 668

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF ALL OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS (160,163-165)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	1	2	-	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	1	2	2	1	1	2	2	1	-	-	-
WHITE-----MALE----	1	1	1	1	1	1	1	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	1	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	1	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
FLORIDA -----	7	10	11	16	21	25	11	9	4	-	-	-
WHITE-----MALE----	3	7	8	9	15	22	5	8	1	-	-	-
FEMALE--	3	2	1	6	6	3	6	1	3	-	-	-
ALL OTHER--MALE----	1	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
GEORGIA -----	2	-	2	-	3	2	1	-	2	-	-	-
WHITE-----MALE----	1	-	2	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 670

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF ALL OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS (160,163-165)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	2	1	5	5	7	3	2	-	-	1	-
WHITE-----MALE----	1	1	-	3	4	3	1	-	-	-	-	-
FEMALE--	-	-	1	2	1	4	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	1	-
LOUISIANA -----	1	2	5	4	7	1	3	4	-	-	-	-
WHITE-----MALE----	1	1	2	2	6	1	-	1	-	-	-	-
FEMALE--	-	1	2	-	-	-	3	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
MAINE -----	1	-	1	1	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	-	2	2	1	1	1	5	-	-	-	-
WHITE-----MALE----	2	-	1	2	-	-	-	3	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	3	-	3	4	-	4	1	1	-	-	-	-
WHITE-----MALE----	2	-	1	1	-	2	1	-	-	-	-	-
FEMALE--	1	-	2	3	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	3	3	7	8	7	4	4	3	-	-	-
WHITE-----MALE----	1	2	2	1	5	3	3	1	1	-	-	-
FEMALE--	-	1	1	5	3	3	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 673

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF ALL OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS (160,163-165)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	2	3	6	6	10	10	6	7	1	-	-	-
WHITE-----MALE----	1	2	2	4	6	3	4	5	-	-	-	-
FEMALE--	-	1	2	2	3	7	2	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	1	-	3	1	1	5	-	3	-	-	-	-
WHITE-----MALE----	-	-	2	1	-	2	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	2	-	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	-	3	5	5	8	3	-	-	-	-
WHITE-----MALE----	1	-	-	2	3	3	5	1	-	-	-	-
FEMALE--	-	-	-	1	2	2	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	5	3	8	5	17	14	6	3	3	-	-	-
WHITE-----MALE----	3	2	5	4	7	9	3	1	1	-	-	-
FEMALE--	1	1	2	1	6	5	3	2	2	-	-	-
ALL OTHER--MALE----	1	-	1	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
RHODE ISLAND -----	1	-	1	1	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	1	3	2	4	2	-	1	1	1	-	-
WHITE-----MALE----	1	-	-	1	2	1	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	2	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	1	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	2	1	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 674

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF ALL OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS (160,163-165)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	3	5	3	3	6	5	2	1	-	-	-
WHITE-----MALE----	2	3	4	2	3	3	3	-	-	-	-	-
FEMALE--	-	-	1	-	-	3	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	1	-	-	-
TEXAS -----	4	7	12	7	12	9	13	8	3	-	-	-
WHITE-----MALE----	3	5	7	1	7	4	11	4	-	-	-	-
FEMALE--	1	1	3	2	4	3	2	2	3	-	-	-
ALL OTHER--MALE----	-	1	2	2	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	1	-	-	-	-
BLACK---MALE----	-	1	2	2	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	1	-	-	-	-
UTAH -----	-	-	2	1	2	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	2	1	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	2	2	6	5	7	3	2	-	-	-	-
WHITE-----MALE----	1	-	2	4	3	6	1	-	-	-	-	-
FEMALE--	1	2	-	1	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 676

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
0 UNITED STATES --	56,826	6	30	54	68	175	183	343	708	1,607	2,652	3,790
WHITE-----MALE----	8,260	1	13	19	25	81	71	106	167	291	380	484
FEMALE--	41,367	3	11	23	33	60	71	156	390	979	1,745	2,571
ALL OTHER--MALE----	594	1	1	6	6	17	26	22	29	26	40	49
FEMALE--	6,605	1	5	6	4	17	15	59	122	311	487	686
BLACK---MALE----	512	1	1	4	6	16	24	17	26	23	35	43
FEMALE--	5,886	1	3	5	2	14	14	55	113	287	417	590
ALABAMA -----	907	-	-	1	2	2	3	6	15	30	44	86
WHITE-----MALE----	125	-	-	-	1	-	2	1	1	6	5	12
FEMALE--	570	-	-	1	1	-	1	4	7	14	25	49
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	194	-	-	-	-	2	-	1	6	9	13	23
BLACK---MALE----	18	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	193	-	-	-	-	2	-	1	6	9	13	22
ALASKA -----	62	-	1	-	1	2	-	-	-	7	6	4
WHITE-----MALE----	9	-	-	-	1	2	-	-	-	1	-	1
FEMALE--	41	-	1	-	-	-	-	-	-	4	4	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	2	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ARIZONA -----	912	-	2	-	-	2	-	5	11	24	43	53
WHITE-----MALE----	160	-	1	-	-	2	-	2	5	6	11	6
FEMALE--	720	-	1	-	-	-	-	2	6	16	30	45
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	27	-	-	-	-	-	-	-	-	2	2	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	2	2	-
ARKANSAS -----	598	-	-	1	-	2	2	2	6	22	34	37
WHITE-----MALE----	92	-	-	1	-	1	1	-	2	4	8	3
FEMALE--	423	-	-	-	-	1	-	2	3	13	20	20
ALL OTHER--MALE----	7	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	76	-	-	-	-	-	-	-	1	4	6	13
BLACK---MALE----	6	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	74	-	-	-	-	-	-	-	1	4	6	12
CALIFORNIA -----	5,677	1	2	8	9	23	18	35	81	186	295	425
WHITE-----MALE----	911	-	-	3	4	14	7	9	26	41	38	66
FEMALE--	4,061	1	1	4	4	6	11	17	45	108	191	274
ALL OTHER--MALE----	58	-	-	1	-	2	-	3	1	1	6	3
FEMALE--	647	-	1	-	1	1	-	6	9	36	60	82
BLACK---MALE----	28	-	-	-	-	2	-	1	1	1	4	2
FEMALE--	377	-	-	-	1	-	-	4	5	23	39	42

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 676

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
0 UNITED STATES --	4,611	4,739	5,046	6,056	6,934	6,868	5,849	4,155	2,131	702	119	-
WHITE-----MALE----	570	663	755	955	1,060	1,085	810	476	203	42	3	-
FEMALE--	3,318	3,342	3,557	4,359	5,152	5,185	4,563	3,380	1,765	598	106	-
ALL OTHER--MALE----	57	50	58	65	45	44	29	18	5	-	-	-
FEMALE--	666	684	676	677	677	554	447	281	158	62	10	-
BLACK---MALE----	49	45	50	53	40	36	23	16	4	-	-	-
FEMALE--	576	594	599	596	624	509	413	262	145	58	9	-
ALABAMA -----	61	77	93	88	105	97	92	66	25	12	2	-
WHITE-----MALE----	9	10	12	11	20	15	9	8	3	-	-	-
FEMALE--	36	52	60	62	59	63	66	44	18	7	1	-
ALL OTHER--MALE----	1	1	3	1	1	2	-	4	-	-	-	-
FEMALE--	15	14	18	14	25	17	17	10	4	5	1	-
BLACK---MALE----	1	1	3	1	1	2	-	4	-	-	-	-
FEMALE--	15	14	18	14	25	17	17	10	4	5	1	-
ALASKA -----	6	6	3	8	9	2	3	3	1	-	-	-
WHITE-----MALE----	1	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	5	4	2	5	6	2	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	1	2	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ARIZONA -----	79	69	96	85	108	120	111	58	29	12	5	-
WHITE-----MALE----	10	9	11	17	22	20	23	9	4	2	-	-
FEMALE--	67	55	79	66	85	92	88	49	24	10	5	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	2	4	6	1	1	7	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	4	4	1	1	4	-	-	1	-	-	-
ARKANSAS -----	44	59	61	55	60	73	66	43	24	7	-	-
WHITE-----MALE----	5	6	11	7	10	7	18	6	2	-	-	-
FEMALE--	32	45	41	44	40	59	44	34	20	5	-	-
ALL OTHER--MALE----	1	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	6	7	8	3	10	7	4	3	2	2	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	6	6	8	3	10	7	4	3	2	2	-	-
CALIFORNIA -----	500	499	521	602	682	707	530	330	160	51	12	-
WHITE-----MALE----	71	72	71	84	109	134	88	50	19	4	1	-
FEMALE--	351	350	376	431	519	529	403	252	131	46	11	-
ALL OTHER--MALE----	7	5	6	6	5	6	4	2	-	-	-	-
FEMALE--	71	72	68	81	49	38	35	26	10	1	-	-
BLACK---MALE----	1	3	2	2	4	3	1	1	-	-	-	-
FEMALE--	33	37	43	45	32	24	26	16	7	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 677

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
COLORADO -----	651	-	1	1	2	1	2	2	14	23	32	56
WHITE-----MALE----	107	-	-	-	-	-	1	-	2	6	6	11
FEMALE--	518	-	1	1	2	1	1	2	10	16	23	40
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	21	-	-	-	-	-	-	-	1	-	3	3
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	20	-	-	-	-	-	-	-	1	-	2	3
CONNECTICUT -----	781	-	-	-	-	2	2	-	5	15	41	46
WHITE-----MALE----	86	-	-	-	-	1	-	-	1	3	3	8
FEMALE--	643	-	-	-	-	-	1	-	4	10	33	35
ALL OTHER--MALE----	7	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	45	-	-	-	-	-	-	-	-	2	5	3
BLACK---MALE----	7	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	44	-	-	-	-	-	-	-	-	2	5	3
DELAWARE -----	178	-	-	-	-	-	-	2	3	5	7	9
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	130	-	-	-	-	-	-	1	-	2	5	7
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	27	-	-	-	-	-	-	1	3	2	1	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	1	3	2	1	2
DISTRICT OF COLUMBIA ----	160	-	1	-	-	2	-	2	1	6	4	9
WHITE-----MALE----	11	-	1	-	-	1	-	-	-	1	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	2	-	3
ALL OTHER--MALE----	9	-	-	-	-	1	-	1	-	-	-	1
FEMALE--	112	-	-	-	-	-	-	1	1	3	4	5
BLACK---MALE----	9	-	-	-	-	1	-	1	-	-	-	1
FEMALE--	112	-	-	-	-	-	-	1	1	3	4	5
FLORIDA -----	3,684	1	-	1	3	8	14	18	47	75	147	214
WHITE-----MALE----	644	1	-	-	2	4	3	7	11	14	30	29
FEMALE--	2,696	-	-	1	1	1	6	7	24	46	92	151
ALL OTHER--MALE----	34	-	-	-	-	1	5	-	2	-	4	2
FEMALE--	310	-	-	-	-	2	-	4	10	15	21	32
BLACK---MALE----	33	-	-	-	-	1	5	-	2	-	3	2
FEMALE--	302	-	-	-	-	2	-	4	9	15	21	30
GEORGIA -----	1,395	-	1	-	1	4	7	13	29	33	81	111
WHITE-----MALE----	181	-	-	-	-	1	2	4	1	6	6	15
FEMALE--	835	-	1	-	1	2	1	4	13	9	40	55
ALL OTHER--MALE----	27	-	-	-	-	1	2	-	1	1	2	4
FEMALE--	352	-	-	-	-	-	2	5	14	17	33	37
BLACK---MALE----	26	-	-	-	-	1	2	-	1	1	2	4
FEMALE--	342	-	-	-	-	-	2	5	14	17	30	37

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 677

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
COLORADO -----	63	46	67	69	67	64	48	56	29	7	1	-
WHITE-----MALE----	12	7	5	18	16	10	6	5	1	1	-	-
FEMALE--	51	39	55	49	50	51	42	51	27	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	7	2	1	2	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	7	2	1	2	-	-	1	1	-	-
CONNECTICUT -----	63	59	60	77	95	98	86	70	45	13	4	-
WHITE-----MALE----	3	6	10	9	8	15	7	5	6	1	-	-
FEMALE--	50	41	50	66	81	81	74	64	38	11	4	-
ALL OTHER--MALE----	2	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	9	-	2	6	2	5	1	1	1	-	-
BLACK---MALE----	2	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	9	-	1	6	2	5	1	1	1	-	-
DELAWARE -----	13	15	20	18	27	26	11	10	11	-	1	-
WHITE-----MALE----	-	1	5	3	6	1	2	-	1	-	-	-
FEMALE--	9	11	15	11	19	22	9	9	9	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	3	-	4	2	3	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	4	2	3	-	1	-	-	-	-
DISTRICT OF COLUMBIA -----	8	11	18	23	22	24	14	8	4	1	2	-
WHITE-----MALE----	-	1	-	-	-	1	2	3	1	-	-	-
FEMALE--	2	3	2	4	2	5	2	2	-	-	1	-
ALL OTHER--MALE----	-	2	1	-	2	1	-	-	-	-	-	-
FEMALE--	6	5	15	19	18	17	10	3	3	1	1	-
BLACK---MALE----	-	2	1	-	2	1	-	-	-	-	-	-
FEMALE--	6	5	15	19	18	17	10	3	3	1	1	-
FLORIDA -----	260	255	313	407	525	483	406	304	152	50	1	-
WHITE-----MALE----	35	35	51	74	100	106	77	49	15	1	-	-
FEMALE--	192	185	213	305	392	352	316	240	125	46	1	-
ALL OTHER--MALE----	3	1	3	1	4	5	3	-	-	-	-	-
FEMALE--	30	34	46	27	29	20	10	15	12	3	-	-
BLACK---MALE----	3	1	3	1	4	5	3	-	-	-	-	-
FEMALE--	30	32	45	26	29	19	10	15	12	3	-	-
GEORGIA -----	131	142	136	142	140	143	136	87	46	10	2	-
WHITE-----MALE----	14	19	16	19	19	27	14	13	5	-	-	-
FEMALE--	82	89	77	91	92	88	90	55	35	8	2	-
ALL OTHER--MALE----	4	2	1	3	1	4	1	-	-	-	-	-
FEMALE--	31	32	42	29	28	24	31	19	6	2	-	-
BLACK---MALE----	4	2	1	3	1	3	1	-	-	-	-	-
FEMALE--	29	29	41	29	27	24	31	19	6	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 678

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
HAWAII -----	166	-	-	-	-	-	-	3	2	2	10	10
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	4	-
FEMALE--	37	-	-	-	-	-	-	2	-	1	-	4
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	100	-	-	-	-	-	-	1	1	1	6	6
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
IDAHO -----	219	-	-	1	1	1	-	1	1	7	12	8
WHITE-----MALE----	36	-	-	-	1	1	-	1	-	3	1	1
FEMALE--	178	-	-	1	-	-	-	-	1	4	11	7
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,670	-	2	1	3	10	16	16	40	81	119	187
WHITE-----MALE----	336	-	-	1	1	4	8	3	13	10	10	19
FEMALE--	1,905	-	-	-	2	4	4	7	22	44	70	114
ALL OTHER--MALE----	37	-	-	-	-	2	3	1	1	3	2	4
FEMALE--	392	-	2	-	-	-	1	5	4	24	37	50
BLACK---MALE----	33	-	-	-	-	2	3	1	1	3	1	3
FEMALE--	376	-	2	-	-	-	1	5	4	22	35	49
INDIANA -----	1,230	-	-	2	4	9	3	8	10	20	54	81
WHITE-----MALE----	185	-	-	-	2	5	-	3	3	10	11	11
FEMALE--	948	-	-	1	2	4	2	5	7	6	34	61
ALL OTHER--MALE----	5	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	92	-	-	-	-	-	1	-	-	4	8	9
BLACK---MALE----	5	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	90	-	-	-	-	-	1	-	-	4	8	9
IOWA -----	607	-	-	1	-	2	3	5	3	15	27	33
WHITE-----MALE----	86	-	-	-	-	-	2	2	1	5	6	3
FEMALE--	514	-	-	1	-	1	1	3	2	10	20	28
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
KANSAS -----	563	-	1	2	-	5	2	3	4	21	29	27
WHITE-----MALE----	115	-	1	1	-	4	1	1	2	5	6	7
FEMALE--	412	-	-	1	-	1	-	1	2	13	20	17
ALL OTHER--MALE----	3	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	3	3	3
BLACK---MALE----	3	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	3	3	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 678

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	14	17	17	22	20	18	14	9	5	3	-	-
WHITE-----MALE----	5	1	2	1	2	3	1	3	-	-	-	-
FEMALE--	4	3	1	6	5	4	3	3	1	-	-	-
ALL OTHER--MALE----	-	-	1	1	2	-	1	1	-	-	-	-
FEMALE--	5	13	13	14	11	11	9	2	4	3	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	25	20	18	25	28	27	23	17	3	1	-	-
WHITE-----MALE----	-	4	3	6	2	8	4	1	-	-	-	-
FEMALE--	25	15	13	17	26	19	19	16	3	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ILLINOIS -----	222	225	240	299	327	293	266	182	106	30	5	-
WHITE-----MALE----	25	27	27	60	41	42	20	13	8	4	-	-
FEMALE--	154	156	168	196	246	216	220	159	95	25	3	-
ALL OTHER--MALE----	1	2	3	6	4	2	2	1	-	-	-	-
FEMALE--	42	40	42	37	36	33	24	9	3	1	2	-
BLACK---MALE----	1	2	3	6	3	1	2	1	-	-	-	-
FEMALE--	40	36	41	36	35	31	24	9	3	1	2	-
INDIANA -----	93	114	124	154	149	137	124	82	47	11	4	-
WHITE-----MALE----	15	13	23	24	20	20	15	6	4	-	-	-
FEMALE--	67	90	91	119	113	110	107	73	42	10	4	-
ALL OTHER--MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	11	11	9	9	16	7	2	3	1	1	-	-
BLACK---MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	10	11	9	8	16	7	2	3	1	1	-	-
IOWA -----	48	52	48	61	62	71	79	59	25	11	2	-
WHITE-----MALE----	3	9	8	8	7	15	11	5	-	1	-	-
FEMALE--	45	43	40	52	55	56	67	54	24	10	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-
KANSAS -----	48	33	38	72	72	63	60	44	31	7	1	-
WHITE-----MALE----	11	7	13	11	12	16	8	6	2	-	1	-
FEMALE--	30	21	23	57	58	46	51	36	28	7	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	4	2	4	2	1	1	2	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	3	1	3	1	1	1	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 679

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
KENTUCKY -----	857	-	1	-	-	-	4	6	12	27	35	60
WHITE-----MALE----	129	-	1	-	-	-	-	3	1	2	7	6
FEMALE--	673	-	-	-	-	-	2	1	8	23	25	49
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	51	-	-	-	-	-	2	2	2	2	3	5
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	51	-	-	-	-	-	2	2	2	2	3	5
LOUISIANA -----	891	-	-	2	-	1	4	8	12	35	46	68
WHITE-----MALE----	99	-	-	-	-	1	1	-	2	5	4	7
FEMALE--	524	-	-	-	-	-	1	4	5	12	18	33
ALL OTHER--MALE----	19	-	-	-	-	-	2	-	-	1	2	3
FEMALE--	249	-	-	2	-	-	-	4	5	17	22	25
BLACK---MALE----	19	-	-	-	-	-	2	-	-	1	2	3
FEMALE--	249	-	-	2	-	-	-	4	5	17	22	25
MAINE -----	278	-	-	-	1	-	-	3	2	7	14	19
WHITE-----MALE----	46	-	-	-	1	-	-	2	1	2	2	5
FEMALE--	232	-	-	-	-	-	-	1	1	5	12	14
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,085	-	1	2	4	2	3	5	22	32	48	70
WHITE-----MALE----	131	-	-	-	1	1	-	1	5	5	9	6
FEMALE--	682	-	-	-	1	-	-	1	10	16	20	37
ALL OTHER--MALE----	24	-	-	-	2	-	1	2	-	1	-	3
FEMALE--	248	-	1	2	-	1	2	1	7	10	19	24
BLACK---MALE----	22	-	-	-	2	-	1	1	-	-	-	3
FEMALE--	236	-	1	2	-	1	2	1	7	9	15	24
MASSACHUSETTS -----	1,509	-	1	-	3	3	2	8	17	37	66	81
WHITE-----MALE----	217	-	1	-	1	1	1	5	2	2	12	10
FEMALE--	1,232	-	-	-	-	1	1	1	13	35	43	66
ALL OTHER--MALE----	6	-	-	-	1	-	-	1	2	-	-	-
FEMALE--	54	-	-	-	1	1	-	1	-	-	11	5
BLACK---MALE----	5	-	-	-	1	-	-	-	2	-	-	-
FEMALE--	44	-	-	-	-	1	-	-	-	-	8	4
MICHIGAN -----	2,014	-	-	2	4	9	4	17	23	58	94	125
WHITE-----MALE----	255	-	-	1	2	1	2	4	5	10	16	17
FEMALE--	1,476	-	-	1	1	4	2	7	17	38	58	81
ALL OTHER--MALE----	14	-	-	-	-	2	-	2	-	-	1	2
FEMALE--	269	-	-	-	1	2	-	4	1	10	19	25
BLACK---MALE----	14	-	-	-	-	2	-	2	-	-	1	2
FEMALE--	254	-	-	-	1	1	-	4	1	10	17	23

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 679

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
KENTUCKY -----	78	66	80	95	114	103	83	53	29	11	-	-
WHITE-----MALE----	11	11	14	18	17	24	6	6	2	-	-	-
FEMALE--	62	54	62	73	89	74	72	46	22	11	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	4	1	3	4	7	5	5	1	5	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	4	1	3	4	7	5	5	1	5	-	-	-
LOUISIANA -----	86	73	73	98	97	104	89	51	31	12	1	-
WHITE-----MALE----	11	13	10	9	10	12	4	7	3	-	-	-
FEMALE--	54	34	41	67	65	63	61	36	21	9	-	-
ALL OTHER--MALE----	-	2	1	3	-	2	2	1	-	-	-	-
FEMALE--	21	24	21	19	22	27	22	7	7	3	1	-
BLACK---MALE----	-	2	1	3	-	2	2	1	-	-	-	-
FEMALE--	21	24	21	19	22	27	22	7	7	3	1	-
MAINE -----	22	20	24	24	33	35	33	29	7	4	1	-
WHITE-----MALE----	3	3	3	4	6	4	4	4	2	-	-	-
FEMALE--	19	17	21	20	27	31	29	25	5	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	101	93	110	107	128	120	110	71	44	9	3	-
WHITE-----MALE----	11	15	10	15	19	12	11	6	4	-	-	-
FEMALE--	55	47	73	66	84	89	81	56	36	7	3	-
ALL OTHER--MALE----	4	-	3	4	1	2	1	-	-	-	-	-
FEMALE--	31	31	24	22	24	17	17	9	4	2	-	-
BLACK---MALE----	4	-	3	4	1	2	1	-	-	-	-	-
FEMALE--	29	30	22	21	24	17	16	9	4	2	-	-
MASSACHUSETTS -----	117	106	123	150	195	178	180	130	79	29	4	-
WHITE-----MALE----	19	18	18	20	29	24	24	22	7	1	-	-
FEMALE--	94	83	98	124	162	149	154	104	72	28	4	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	4	5	6	5	4	5	2	4	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	4	6	5	4	4	2	4	-	-	-	-
MICHIGAN -----	154	178	182	221	233	243	213	151	70	30	3	-
WHITE-----MALE----	18	21	24	26	30	25	32	13	6	2	-	-
FEMALE--	108	129	126	164	171	203	161	122	57	23	3	-
ALL OTHER--MALE----	1	-	1	3	1	-	-	1	-	-	-	-
FEMALE--	27	28	31	28	31	15	20	15	7	5	-	-
BLACK---MALE----	1	-	1	3	1	-	-	1	-	-	-	-
FEMALE--	27	26	29	26	30	15	18	15	6	5	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 680

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
MINNESOTA -----	911	-	-	-	1	5	2	4	9	17	38	54
WHITE-----MALE----	134	-	-	-	1	-	1	3	3	3	4	8
FEMALE--	758	-	-	-	-	5	1	1	4	13	32	43
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	2	1	2	3
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	2	1	1	2
MISSISSIPPI -----	594	-	-	1	-	3	1	3	7	17	30	38
WHITE-----MALE----	66	-	-	-	-	1	-	-	1	2	5	-
FEMALE--	324	-	-	-	-	-	-	2	5	5	11	18
ALL OTHER--MALE----	26	-	-	1	-	1	1	-	-	-	2	2
FEMALE--	178	-	-	-	-	1	-	1	1	10	12	18
BLACK---MALE----	25	-	-	1	-	-	1	-	-	-	2	2
FEMALE--	177	-	-	-	-	1	-	1	1	10	12	18
MISSOURI -----	1,169	1	-	1	1	3	7	6	16	39	60	80
WHITE-----MALE----	178	-	-	1	-	1	5	1	4	8	9	9
FEMALE--	874	-	-	-	1	1	2	4	7	20	46	58
ALL OTHER--MALE----	14	1	-	-	-	1	-	-	3	2	-	1
FEMALE--	103	-	-	-	-	-	-	1	2	9	5	12
BLACK---MALE----	14	1	-	-	-	1	-	-	3	2	-	1
FEMALE--	101	-	-	-	-	-	-	1	2	9	5	11
MONTANA -----	171	-	-	-	-	-	1	1	1	2	7	11
WHITE-----MALE----	24	-	-	-	-	-	1	-	-	-	2	3
FEMALE--	143	-	-	-	-	-	-	1	1	2	4	7
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	332	-	-	-	-	-	2	2	5	8	15	20
WHITE-----MALE----	45	-	-	-	-	-	1	1	2	1	3	4
FEMALE--	276	-	-	-	-	-	1	1	3	6	12	16
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
NEVADA -----	315	-	-	2	-	-	1	3	2	11	20	22
WHITE-----MALE----	61	-	-	1	-	-	-	2	1	3	4	3
FEMALE--	225	-	-	1	-	-	1	1	1	7	14	15
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	1	2	4
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	1	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 680

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	66	85	75	77	109	118	95	82	49	21	4	-
WHITE-----MALE----	13	13	13	9	16	19	15	8	3	2	-	-
FEMALE--	49	70	61	68	91	98	79	74	46	19	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	1	-	2	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	1	-	2	1	1	-	-	-	-	-
MISSISSIPPI -----	46	48	51	81	78	57	64	40	21	6	2	-
WHITE-----MALE----	7	7	6	9	11	6	5	5	1	-	-	-
FEMALE--	25	21	30	43	46	34	40	28	13	2	1	-
ALL OTHER--MALE----	2	3	3	4	2	-	1	3	1	-	-	-
FEMALE--	12	17	12	25	19	17	18	4	6	4	1	-
BLACK---MALE----	2	3	3	4	2	-	1	3	1	-	-	-
FEMALE--	12	17	12	25	19	17	18	3	6	4	1	-
MISSOURI -----	84	98	98	93	137	126	146	94	56	19	4	-
WHITE-----MALE----	12	22	13	17	23	16	25	6	6	-	-	-
FEMALE--	65	65	69	68	104	100	110	83	49	18	4	-
ALL OTHER--MALE----	-	-	-	-	-	2	2	2	-	-	-	-
FEMALE--	7	11	16	8	10	8	9	3	1	1	-	-
BLACK---MALE----	-	-	-	-	-	2	2	2	-	-	-	-
FEMALE--	7	10	16	8	10	8	9	3	1	1	-	-
MONTANA -----	16	11	16	21	16	18	24	15	6	5	-	-
WHITE-----MALE----	2	1	1	4	2	2	5	1	-	-	-	-
FEMALE--	13	10	15	17	13	16	19	14	6	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	27	24	27	24	38	48	38	21	23	7	3	-
WHITE-----MALE----	4	3	5	3	8	3	3	1	3	-	-	-
FEMALE--	22	21	19	20	28	44	33	20	20	7	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	3	1	2	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	2	1	2	-	-	-	-	-
NEVADA -----	27	33	32	35	43	37	17	21	7	1	1	-
WHITE-----MALE----	2	5	7	11	12	5	2	2	1	-	-	-
FEMALE--	24	25	20	23	25	28	15	18	5	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	3	5	-	6	3	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	3	-	4	3	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 682

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
OHIO -----	2,509	-	-	2	3	4	8	10	25	61	115	152
WHITE-----MALE----	353	-	-	2	1	2	5	4	8	8	17	25
FEMALE--	1,918	-	-	-	2	2	3	4	11	44	88	113
ALL OTHER--MALE----	15	-	-	-	-	-	-	1	2	-	2	-
FEMALE--	223	-	-	-	-	-	-	1	4	9	8	14
BLACK---MALE----	15	-	-	-	-	-	-	1	2	-	2	-
FEMALE--	218	-	-	-	-	-	-	1	4	9	8	13
OKLAHOMA -----	765	-	-	2	3	2	4	4	12	17	27	49
WHITE-----MALE----	128	-	-	1	2	1	1	1	2	1	-	9
FEMALE--	557	-	-	-	1	1	1	2	7	15	24	34
ALL OTHER--MALE----	8	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	72	-	-	1	-	-	1	-	2	1	3	6
BLACK---MALE----	8	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	46	-	-	-	-	-	1	-	2	1	2	2
OREGON -----	683	-	-	2	1	1	-	9	9	14	26	49
WHITE-----MALE----	108	-	-	1	-	1	-	1	1	2	5	6
FEMALE--	552	-	-	1	1	-	-	8	8	10	20	39
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	18	-	-	-	-	-	-	-	-	2	1	2
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	1
PENNSYLVANIA -----	3,191	-	4	-	2	3	4	15	30	76	125	189
WHITE-----MALE----	399	-	2	-	-	1	1	6	8	11	29	16
FEMALE--	2,511	-	2	-	2	2	3	5	18	56	83	148
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	266	-	-	-	-	-	-	4	3	8	13	25
BLACK---MALE----	14	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	260	-	-	-	-	-	-	4	3	8	13	23
RHODE ISLAND -----	259	-	-	1	-	2	-	3	3	6	7	13
WHITE-----MALE----	45	-	-	1	-	-	-	-	1	1	-	2
FEMALE--	204	-	-	-	-	2	-	3	2	5	6	11
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
SOUTH CAROLINA -----	791	-	1	-	1	4	5	4	3	26	39	62
WHITE-----MALE----	108	-	-	-	1	2	2	-	1	6	2	8
FEMALE--	437	-	1	-	-	2	3	2	1	9	20	24
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	227	-	-	-	-	-	-	2	1	10	16	28
BLACK---MALE----	19	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	227	-	-	-	-	-	-	2	1	10	16	28

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 682

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
OHIO -----	208	207	209	252	324	324	279	181	107	29	9	-
WHITE-----MALE----	35	20	29	37	56	47	28	20	7	2	-	-
FEMALE--	149	168	157	188	232	253	233	149	90	23	9	-
ALL OTHER--MALE----	1	1	1	3	-	3	-	-	1	-	-	-
FEMALE--	23	18	22	24	36	21	18	12	9	4	-	-
BLACK---MALE----	1	1	1	3	-	3	-	-	1	-	-	-
FEMALE--	21	18	21	24	36	21	17	12	9	4	-	-
OKLAHOMA -----	60	60	74	86	103	89	87	51	24	10	1	-
WHITE-----MALE----	9	10	12	18	17	14	16	8	5	1	-	-
FEMALE--	44	42	55	53	75	66	69	41	18	8	1	-
ALL OTHER--MALE----	-	2	-	1	1	1	-	-	-	-	-	-
FEMALE--	7	6	7	14	10	8	2	2	1	1	-	-
BLACK---MALE----	-	2	-	1	1	1	-	-	-	-	-	-
FEMALE--	4	3	4	11	7	6	1	1	-	1	-	-
OREGON -----	60	73	65	75	82	77	61	47	24	8	-	-
WHITE-----MALE----	9	13	9	15	7	16	13	6	3	-	-	-
FEMALE--	47	59	55	59	71	60	47	41	18	8	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	3	1	1	1	4	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	2	1	1	-	1	-	-	-
PENNSYLVANIA -----	229	226	258	353	447	442	359	256	125	41	7	-
WHITE-----MALE----	21	33	38	57	61	46	40	19	7	3	-	-
FEMALE--	178	162	191	265	342	378	298	227	108	36	7	-
ALL OTHER--MALE----	1	1	3	4	3	1	-	-	-	-	-	-
FEMALE--	29	30	26	27	41	17	21	10	10	2	-	-
BLACK---MALE----	1	1	3	3	3	1	-	-	-	-	-	-
FEMALE--	27	29	25	27	41	17	21	10	10	2	-	-
RHODE ISLAND -----	12	18	19	24	30	41	29	29	15	6	1	-
WHITE-----MALE----	1	4	6	4	3	8	5	7	1	1	-	-
FEMALE--	9	13	11	19	26	31	24	22	14	5	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	2	-	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	2	-	1	2	-	-	-	-	-	-
SOUTH CAROLINA -----	80	80	88	76	87	87	70	44	25	8	1	-
WHITE-----MALE----	10	10	10	15	12	14	9	4	2	-	-	-
FEMALE--	42	43	50	38	48	53	44	33	17	6	1	-
ALL OTHER--MALE----	4	2	1	2	4	1	-	1	-	-	-	-
FEMALE--	24	25	27	21	23	19	17	6	6	2	-	-
BLACK---MALE----	4	2	1	2	4	1	-	1	-	-	-	-
FEMALE--	24	25	27	21	23	19	17	6	6	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 683

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
SOUTH DAKOTA -----	138	-	-	-	-	2	-	2	1	2	4	8
WHITE-----MALE----	22	-	-	-	-	1	-	1	-	-	1	1
FEMALE--	110	-	-	-	-	1	-	1	1	1	2	6
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,170	-	1	1	-	6	4	6	18	31	59	98
WHITE-----MALE----	186	-	1	1	-	3	1	2	7	5	3	13
FEMALE--	791	-	-	-	-	1	1	4	7	18	50	65
ALL OTHER--MALE----	10	-	-	-	-	1	1	-	1	2	-	1
FEMALE--	183	-	-	-	-	1	1	-	3	6	6	19
BLACK---MALE----	8	-	-	-	-	1	-	-	1	2	-	-
FEMALE--	182	-	-	-	-	1	1	-	3	6	6	18
TEXAS -----	3,454	1	4	6	4	12	8	24	46	121	193	250
WHITE-----MALE----	584	-	3	2	-	7	3	9	10	21	27	32
FEMALE--	2,423	-	1	3	3	5	3	11	29	81	131	178
ALL OTHER--MALE----	38	-	-	1	1	-	-	2	-	4	5	3
FEMALE--	409	1	-	-	-	-	2	2	7	15	30	37
BLACK---MALE----	36	-	-	-	1	-	-	2	-	4	5	3
FEMALE--	391	1	-	-	-	-	2	2	6	15	29	29
UTAH -----	274	-	-	-	-	1	-	2	6	9	15	12
WHITE-----MALE----	49	-	-	-	-	-	-	1	1	3	4	2
FEMALE--	214	-	-	-	-	1	-	1	4	6	11	10
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	123	-	-	-	-	-	-	1	-	4	7	10
WHITE-----MALE----	17	-	-	-	-	-	-	1	-	2	-	1
FEMALE--	106	-	-	-	-	-	-	-	-	2	7	9
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,426	-	2	-	1	5	3	6	19	59	79	95
WHITE-----MALE----	177	-	1	-	-	1	2	2	1	9	8	6
FEMALE--	959	-	-	-	-	2	-	2	9	35	48	62
ALL OTHER--MALE----	27	-	-	-	-	1	1	-	3	-	1	2
FEMALE--	263	-	1	-	1	1	-	2	6	15	22	25
BLACK---MALE----	26	-	-	-	-	1	1	-	3	-	1	2
FEMALE--	252	-	-	-	-	1	-	2	6	14	21	24

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 683

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
SOUTH DAKOTA -----	13	10	8	10	22	10	23	8	15	-	-	-
WHITE-----MALE----	-	2	1	4	5	2	3	1	-	-	-	-
FEMALE--	12	8	7	6	16	8	19	7	15	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	106	103	114	123	144	120	105	77	45	8	1	-
WHITE-----MALE----	16	18	23	14	23	22	14	11	7	2	-	-
FEMALE--	63	67	80	94	101	81	74	49	32	3	1	-
ALL OTHER--MALE----	1	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	26	17	11	14	19	17	17	17	6	3	-	-
BLACK---MALE----	1	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	26	17	11	14	19	17	17	17	6	3	-	-
TEXAS -----	291	302	313	378	395	393	311	241	112	43	6	-
WHITE-----MALE----	32	49	60	70	68	68	60	40	15	8	-	-
FEMALE--	206	210	211	262	284	286	214	181	85	34	5	-
ALL OTHER--MALE----	7	5	1	1	2	2	4	-	-	-	-	-
FEMALE--	46	38	41	45	41	37	33	20	12	1	1	-
BLACK---MALE----	7	5	1	-	2	2	4	-	-	-	-	-
FEMALE--	43	38	40	43	40	36	33	20	12	1	1	-
UTAH -----	22	17	18	33	40	46	27	16	4	5	1	-
WHITE-----MALE----	5	3	4	2	6	9	6	2	1	-	-	-
FEMALE--	17	12	14	29	33	35	20	13	3	4	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	2	-	2	-	1	1	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	1	-	-
VERMONT -----	5	8	5	12	18	18	17	14	4	-	-	-
WHITE-----MALE----	1	2	1	1	3	1	4	-	-	-	-	-
FEMALE--	4	6	4	11	15	17	13	14	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	123	128	141	142	179	184	122	83	43	10	2	-
WHITE-----MALE----	14	18	16	23	22	22	18	10	4	-	-	-
FEMALE--	88	75	93	94	130	130	87	62	34	7	1	-
ALL OTHER--MALE----	2	2	5	4	2	1	3	-	-	-	-	-
FEMALE--	19	33	27	21	25	31	14	11	5	3	1	-
BLACK---MALE----	2	2	4	4	2	1	3	-	-	-	-	-
FEMALE--	18	32	25	20	25	30	14	11	5	3	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 685

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OF BONE AND ARTICULAR CARTILAGE (170)												
0 UNITED STATES --	1,179	-	4	16	40	97	80	52	48	44	51	43
WHITE-----MALE----	580	-	3	7	16	49	34	30	32	25	33	21
FEMALE--	446	-	-	8	21	35	30	13	8	15	10	11
ALL OTHER--MALE----	86	-	1	-	2	8	13	3	7	2	5	6
FEMALE--	67	-	-	1	1	5	3	6	1	2	3	5
BLACK---MALE----	80	-	1	-	2	8	11	2	7	2	5	5
FEMALE--	53	-	-	1	1	4	2	5	1	2	2	4
ALABAMA -----	37	-	-	1	2	1	3	-	2	1	-	-
WHITE-----MALE----	20	-	-	-	1	-	2	-	-	1	-	-
FEMALE--	11	-	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	1	-	-	1	-	-	-
ALASKA -----	5	-	-	-	1	1	-	-	-	-	-	3
WHITE-----MALE----	3	-	-	-	1	1	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	13	-	-	-	-	2	-	1	2	1	2	-
WHITE-----MALE----	8	-	-	-	-	2	-	-	2	1	2	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	21	-	-	-	-	1	-	-	1	1	-	2
WHITE-----MALE----	10	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	10	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	120	-	-	2	6	12	7	8	5	3	6	6
WHITE-----MALE----	64	-	-	1	3	7	3	4	4	2	4	3
FEMALE--	39	-	-	1	2	4	4	2	1	1	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	11	-	-	-	1	1	-	1	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 686

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF BONE AND ARTICULAR CARTILAGE (170)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	10	-	-	-	2	-	-	-	1	3	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	1	2	-	-
FEMALE--	4	-	-	-	2	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	15	-	-	-	-	1	-	-	1	-	3	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	5	-	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	65	-	-	1	2	5	9	3	2	3	2	2
WHITE-----MALE----	35	-	-	-	1	4	1	2	1	3	2	1
FEMALE--	21	-	-	1	1	-	4	1	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	1	4	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	1	4	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
GEORGIA -----	25	-	-	-	-	3	3	2	-	-	1	2
WHITE-----MALE----	13	-	-	-	-	1	2	1	-	-	-	1
FEMALE--	8	-	-	-	-	2	-	-	-	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 688

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OF BONE AND ARTICULAR CARTILAGE (170)												
KENTUCKY -----	1	6	3	2	4	3	4	2	-	-	-	-
WHITE-----MALE----	-	5	-	1	2	1	1	1	-	-	-	-
FEMALE--	1	1	3	1	2	2	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	-	1	3	2	3	2	3	-	-	-	-
WHITE-----MALE----	2	-	-	-	1	2	-	3	-	-	-	-
FEMALE--	-	-	1	2	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	1	7	1	-	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	4	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	3	-	2	3	5	-	-	2	-	1	-
WHITE-----MALE----	-	1	-	-	2	1	-	-	-	-	-	-
FEMALE--	1	2	-	2	1	3	-	-	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	1	2	5	3	3	4	-	4	3	-	-	-
WHITE-----MALE----	1	-	4	2	1	3	-	-	1	-	-	-
FEMALE--	-	1	-	1	1	1	-	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 691

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF BONE AND ARTICULAR CARTILAGE (170)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	41	-	-	1	2	3	1	1	4	2	2	3
WHITE-----MALE----	23	-	-	1	-	1	1	1	3	2	2	1
FEMALE--	16	-	-	-	2	2	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	20	-	-	1	3	1	1	-	1	-	1	-
WHITE-----MALE----	10	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	7	-	-	-	1	-	-	-	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
OREGON -----	13	-	-	1	-	1	-	2	2	-	1	-
WHITE-----MALE----	6	-	-	-	-	1	-	-	1	-	1	-
FEMALE--	6	-	-	1	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	42	-	1	-	1	2	1	3	4	3	3	2
WHITE-----MALE----	22	-	1	-	-	1	-	2	4	1	3	1
FEMALE--	18	-	-	-	1	1	1	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-
RHODE ISLAND -----	5	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	26	-	-	-	-	2	3	1	-	-	-	2
WHITE-----MALE----	10	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	9	-	-	-	-	2	2	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 692

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF BONE AND ARTICULAR CARTILAGE (170)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	4	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	21	-	-	-	-	4	2	-	-	-	-	1
WHITE-----MALE----	11	-	-	-	-	2	1	-	-	-	-	1
FEMALE--	7	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	95	-	1	1	2	8	4	5	2	7	3	3
WHITE-----MALE----	53	-	1	1	-	5	3	4	2	2	1	2
FEMALE--	33	-	-	-	2	3	-	-	-	4	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
UTAH -----	6	-	-	-	-	-	-	1	1	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	19	-	-	-	-	3	-	-	-	2	2	-
WHITE-----MALE----	6	-	-	-	-	1	-	-	-	-	2	-
FEMALE--	8	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 692

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OF BONE AND ARTICULAR CARTILAGE (170)												
SOUTH DAKOTA -----	1	-	-	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	2	3	-	2	3	-	-	2	-	-	-
WHITE-----MALE----	1	1	2	-	-	2	-	-	1	-	-	-
FEMALE--	-	1	1	-	2	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	2	9	8	6	7	12	5	7	2	1	-	-
WHITE-----MALE----	1	5	5	5	3	7	2	2	2	-	-	-
FEMALE--	1	3	2	1	4	5	-	5	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
UTAH -----	-	-	1	-	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	-	1	3	4	2	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 694

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF CONNECTIVE AND OTHER SOFT TISSUE (171)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	4,034	5	25	37	26	66	63	96	103	144	176	215
WHITE-----MALE----	1,678	1	10	12	7	25	21	35	48	60	89	88
FEMALE--	1,767	2	11	15	12	21	22	33	33	51	48	84
ALL OTHER--MALE----	252	1	-	6	4	9	12	15	16	17	21	17
FEMALE--	337	1	4	4	3	11	8	13	6	16	18	26
BLACK---MALE----	212	1	-	4	4	8	12	12	14	16	18	15
FEMALE--	282	1	2	3	1	9	8	12	5	15	12	22
ALABAMA -----	51	-	-	-	-	1	-	1	-	4	2	8
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	22	-	-	-	-	-	-	1	-	1	-	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	6	-	-	-	-	1	-	-	-	-	-	3
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	5	-	-	-	-	1	-	-	-	-	-	2
ALASKA -----	7	-	1	-	-	1	-	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	80	-	2	-	-	-	-	2	3	1	6	4
WHITE-----MALE----	41	-	1	-	-	-	-	1	3	-	4	2
FEMALE--	37	-	1	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	48	-	-	1	-	1	1	1	1	2	1	-
WHITE-----MALE----	20	-	-	1	-	1	-	-	1	1	1	-
FEMALE--	20	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	434	1	2	6	3	9	5	9	13	16	18	20
WHITE-----MALE----	162	-	-	2	1	6	2	3	5	5	9	9
FEMALE--	208	1	1	3	2	1	3	4	5	8	4	10
ALL OTHER--MALE----	30	-	-	1	-	2	-	-	1	1	3	-
FEMALE--	34	-	1	-	-	-	-	2	2	2	2	1
BLACK---MALE----	14	-	-	-	-	2	-	-	1	1	2	-
FEMALE--	18	-	-	-	-	-	-	2	1	2	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 694

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF CONNECTIVE AND OTHER SOFT TISSUE (171)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	274	311	358	437	460	523	390	210	91	22	2	-
WHITE-----MALE----	97	122	160	193	202	241	160	81	21	5	-	-
FEMALE--	126	143	149	180	208	236	198	113	66	15	1	-
ALL OTHER--MALE----	27	12	19	26	16	18	6	9	1	-	-	-
FEMALE--	24	34	30	38	34	28	26	7	3	2	1	-
BLACK---MALE----	21	11	18	18	14	14	3	8	1	-	-	-
FEMALE--	19	28	25	34	30	23	22	6	3	1	1	-
ALABAMA -----	2	5	3	4	8	6	4	3	-	-	-	-
WHITE-----MALE----	-	2	2	1	4	2	-	-	-	-	-	-
FEMALE--	2	3	1	2	3	3	4	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALASKA -----	1	-	1	2	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	6	8	10	9	7	9	7	-	1	-	-
WHITE-----MALE----	1	3	5	4	8	2	3	3	-	1	-	-
FEMALE--	3	3	3	6	1	5	6	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	4	6	5	6	4	7	3	1	1	-	-
WHITE-----MALE----	1	-	3	1	2	3	4	1	-	-	-	-
FEMALE--	1	3	2	2	4	1	2	2	1	1	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	1	-	-	-	-	-
CALIFORNIA -----	37	42	35	39	46	64	43	15	10	1	-	-
WHITE-----MALE----	11	11	15	14	21	21	17	7	3	-	-	-
FEMALE--	15	21	15	18	22	38	23	6	7	1	-	-
ALL OTHER--MALE----	6	3	3	4	1	3	1	1	-	-	-	-
FEMALE--	5	7	2	3	2	2	2	1	-	-	-	-
BLACK---MALE----	1	2	2	1	1	1	-	-	-	-	-	-
FEMALE--	2	5	1	1	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 695

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF CONNECTIVE AND OTHER SOFT TISSUE (171)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	52	-	1	1	-	1	1	1	2	3	1	8
WHITE-----MALE----	23	-	-	-	-	-	-	-	1	2	-	5
FEMALE--	26	-	1	1	-	1	1	1	1	-	1	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	53	-	-	-	-	1	2	-	1	2	3	2
WHITE-----MALE----	19	-	-	-	-	1	-	-	-	1	1	1
FEMALE--	29	-	-	-	-	-	1	-	1	1	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	13	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	12	-	-	-	-	1	-	1	-	1	-	1
WHITE-----MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	238	1	-	-	-	2	3	2	6	5	13	9
WHITE-----MALE----	111	1	-	-	-	-	1	-	1	3	7	2
FEMALE--	104	-	-	-	-	1	1	1	4	1	3	5
ALL OTHER--MALE----	10	-	-	-	-	-	1	-	1	-	2	1
FEMALE--	13	-	-	-	-	1	-	1	-	1	1	1
BLACK---MALE----	10	-	-	-	-	-	1	-	1	-	2	1
FEMALE--	13	-	-	-	-	1	-	1	-	1	1	1
GEORGIA -----	85	-	1	-	1	1	2	1	3	1	5	5
WHITE-----MALE----	33	-	-	-	-	-	-	1	1	-	2	4
FEMALE--	26	-	1	-	1	-	-	-	1	1	-	1
ALL OTHER--MALE----	12	-	-	-	-	1	1	-	1	-	2	-
FEMALE--	14	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	11	-	-	-	-	1	1	-	1	-	2	-
FEMALE--	12	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 695

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF CONNECTIVE AND OTHER SOFT TISSUE (171)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	2	3	2	6	6	4	5	5	-	-	-	-
WHITE-----MALE----	1	2	-	4	4	2	1	1	-	-	-	-
FEMALE--	1	1	2	2	2	1	4	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	4	8	6	3	4	7	5	2	2	1	-	-
WHITE-----MALE----	1	3	2	-	1	3	3	1	1	-	-	-
FEMALE--	-	5	4	3	3	4	2	1	1	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	3	1	3	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	-	1	2	1	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
FLORIDA -----	12	13	21	31	33	37	28	18	3	1	-	-
WHITE-----MALE----	4	7	8	17	19	19	15	6	1	-	-	-
FEMALE--	7	5	9	12	13	15	13	11	2	1	-	-
ALL OTHER--MALE----	-	1	2	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	2	2	1	1	-	1	-	-	-	-
BLACK---MALE----	-	1	2	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	2	2	1	1	-	1	-	-	-	-
GEORGIA -----	10	8	6	9	8	9	8	6	1	-	-	-
WHITE-----MALE----	3	5	1	3	4	4	2	3	-	-	-	-
FEMALE--	1	1	1	4	4	3	4	2	1	-	-	-
ALL OTHER--MALE----	3	-	1	1	-	2	-	-	-	-	-	-
FEMALE--	3	2	3	1	-	-	2	1	-	-	-	-
BLACK---MALE----	3	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	3	1	3	1	-	-	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 697

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
OF CONNECTIVE AND OTHER SOFT TISSUE (171)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	51	-	1	-	-	-	2	1	1	1	2	-
WHITE-----MALE----	19	-	1	-	-	-	-	1	-	1	2	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	2	-	-	-	-	-
LOUISIANA -----	50	-	-	2	-	1	1	-	1	3	2	5
WHITE-----MALE----	15	-	-	-	-	1	-	-	-	1	2	2
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	9	-	-	2	-	-	-	-	1	1	-	1
BLACK---MALE----	9	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	9	-	-	2	-	-	-	-	1	1	-	1
MAINE -----	21	-	-	-	1	-	-	2	1	-	1	1
WHITE-----MALE----	9	-	-	-	1	-	-	1	1	-	1	-
FEMALE--	12	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	68	-	1	1	2	1	1	2	1	5	2	5
WHITE-----MALE----	23	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	21	-	-	-	-	-	-	1	-	3	-	1
ALL OTHER--MALE----	9	-	-	-	2	-	-	1	-	-	-	2
FEMALE--	15	-	1	1	-	1	1	-	-	1	-	1
BLACK---MALE----	8	-	-	-	2	-	-	-	-	-	-	2
FEMALE--	15	-	1	1	-	1	1	-	-	1	-	1
MASSACHUSETTS -----	95	-	1	-	1	3	-	2	3	1	6	5
WHITE-----MALE----	46	-	1	-	-	1	-	-	-	-	2	2
FEMALE--	41	-	-	-	-	1	-	1	1	1	2	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	2	-	-	-
FEMALE--	5	-	-	-	1	1	-	-	-	-	2	-
BLACK---MALE----	2	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	1	-
MICHIGAN -----	142	-	-	2	3	4	1	7	4	5	5	9
WHITE-----MALE----	67	-	-	1	1	-	-	4	3	2	3	5
FEMALE--	53	-	-	1	1	1	1	-	1	1	2	2
ALL OTHER--MALE----	6	-	-	-	-	1	-	2	-	-	-	1
FEMALE--	16	-	-	-	1	2	-	1	-	2	-	1
BLACK---MALE----	6	-	-	-	-	1	-	2	-	-	-	1
FEMALE--	13	-	-	-	1	1	-	1	-	2	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 697

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF CONNECTIVE AND OTHER SOFT TISSUE (171)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	6	4	3	5	5	9	6	2	3	-	-	-
WHITE-----MALE----	-	-	-	2	3	5	2	1	1	-	-	-
FEMALE--	6	4	2	2	1	4	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-
LOUISIANA -----	1	4	2	8	4	7	4	2	3	-	-	-
WHITE-----MALE----	1	2	-	1	-	2	2	1	-	-	-	-
FEMALE--	-	-	1	5	3	3	1	-	3	-	-	-
ALL OTHER--MALE----	-	2	1	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-
BLACK---MALE----	-	2	1	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-
MAINE -----	1	2	2	2	1	2	2	1	1	1	-	-
WHITE-----MALE----	1	1	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	1	2	1	1	2	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	7	2	5	7	7	7	7	1	4	-	-	-
WHITE-----MALE----	3	1	-	2	3	4	3	-	2	-	-	-
FEMALE--	1	-	3	3	1	1	4	1	2	-	-	-
ALL OTHER--MALE----	1	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	2	1	2	-	2	2	-	-	-	-	-	-
BLACK---MALE----	1	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	2	1	2	-	2	2	-	-	-	-	-	-
MASSACHUSETTS -----	10	11	6	9	12	7	9	9	-	-	-	-
WHITE-----MALE----	4	5	5	4	7	4	6	5	-	-	-	-
FEMALE--	6	6	1	4	5	3	3	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MICHIGAN -----	10	10	15	13	14	16	12	9	2	1	-	-
WHITE-----MALE----	6	3	6	6	9	8	7	3	-	-	-	-
FEMALE--	3	4	8	6	5	8	3	4	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	3	1	1	-	-	2	1	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	2	-	1	-	-	2	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 698

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF CONNECTIVE AND OTHER SOFT TISSUE (171)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	4	9	4	7	7	12	6	4	2	-	-	-
WHITE-----MALE----	2	5	1	3	4	4	4	1	2	-	-	-
FEMALE--	2	4	3	4	3	8	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	4	2	5	2	4	1	6	3	1	-	-	-
WHITE-----MALE----	2	-	2	-	4	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	5	1	1	-	-	-
ALL OTHER--MALE----	2	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	2	1	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	2	1	-	-	1	-	-	-	-	-
MISSOURI -----	5	7	5	7	10	13	8	4	1	1	-	-
WHITE-----MALE----	3	3	1	5	4	4	3	1	-	-	-	-
FEMALE--	2	4	3	2	6	7	2	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	-	-	-	-	-
MONTANA -----	3	2	2	2	1	-	3	2	2	-	-	-
WHITE-----MALE----	2	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	1	2	1	1	1	-	3	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	2	2	1	1	8	-	1	-	1	-	-
WHITE-----MALE----	-	1	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	6	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
NEVADA -----	4	-	7	3	3	-	1	-	1	-	-	-
WHITE-----MALE----	1	-	2	2	-	-	-	-	1	-	-	-
FEMALE--	3	-	3	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 700

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
OF CONNECTIVE AND OTHER SOFT TISSUE (171)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	168	-	-	1	1	1	4	4	4	4	8	7
WHITE-----MALE----	76	-	-	1	1	1	2	1	3	1	6	6
FEMALE--	78	-	-	-	-	-	2	2	-	2	2	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	1	-	-
OKLAHOMA -----	49	-	-	1	-	1	1	3	1	2	1	4
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	26	-	-	-	-	1	-	2	-	2	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	6	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	57	-	-	1	1	-	-	1	-	2	1	1
WHITE-----MALE----	26	-	-	1	-	-	-	-	-	1	1	-
FEMALE--	29	-	-	-	1	-	-	1	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	191	-	3	-	1	1	1	3	3	3	8	11
WHITE-----MALE----	88	-	1	-	-	-	-	1	1	1	7	3
FEMALE--	81	-	2	-	1	1	1	2	2	2	1	7
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND -----	23	-	-	-	-	1	-	-	-	1	-	1
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	66	-	1	-	1	2	2	2	1	3	3	4
WHITE-----MALE----	29	-	-	-	1	2	1	-	1	2	1	3
FEMALE--	18	-	1	-	-	-	1	1	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	15	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	15	-	-	-	-	-	-	1	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 700

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF CONNECTIVE AND OTHER SOFT TISSUE (171)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	12	19	20	15	22	16	14	10	5	1	-	-
WHITE-----MALE----	6	5	4	9	11	11	2	6	-	-	-	-
FEMALE--	5	12	15	3	9	4	12	4	4	1	-	-
ALL OTHER--MALE----	1	-	-	2	-	1	-	-	1	-	-	-
FEMALE--	-	2	1	1	2	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	2	-	1	-	-	1	-	-	-
FEMALE--	-	2	1	1	2	-	-	-	-	-	-	-
OKLAHOMA -----	2	6	2	6	9	4	4	1	1	-	-	-
WHITE-----MALE----	1	2	-	2	2	-	1	-	1	-	-	-
FEMALE--	1	3	2	1	6	4	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	-	-	-	-	-
OREGON -----	5	3	2	10	6	11	5	5	3	-	-	-
WHITE-----MALE----	-	3	2	6	1	6	3	1	1	-	-	-
FEMALE--	3	-	-	4	5	5	2	4	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	12	18	17	30	23	23	23	5	4	2	-	-
WHITE-----MALE----	4	8	12	16	9	10	10	3	-	2	-	-
FEMALE--	4	7	2	7	11	12	13	2	4	-	-	-
ALL OTHER--MALE----	1	-	2	3	2	1	-	-	-	-	-	-
FEMALE--	3	3	1	4	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	2	2	2	1	-	-	-	-	-	-
FEMALE--	3	3	1	4	1	-	-	-	-	-	-	-
RHODE ISLAND -----	2	2	4	2	1	4	2	3	-	-	-	-
WHITE-----MALE----	1	1	3	1	1	3	1	1	-	-	-	-
FEMALE--	-	1	1	-	-	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	3	6	8	10	5	6	2	2	-	-	-
WHITE-----MALE----	3	1	3	2	3	3	2	1	-	-	-	-
FEMALE--	2	2	-	3	3	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	3	2	3	2	2	-	1	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	3	2	3	2	2	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 701

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF CONNECTIVE AND OTHER SOFT TISSUE (171)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	1	1	1	2	3	-	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	5	10	3	15	12	5	7	3	-	-	-
WHITE-----MALE----	2	3	6	2	5	5	2	5	1	-	-	-
FEMALE--	-	2	4	1	7	6	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	-	-	-	-
TEXAS -----	25	21	19	35	28	44	20	8	6	2	1	-
WHITE-----MALE----	8	11	12	15	14	18	8	1	1	1	-	-
FEMALE--	13	6	6	16	11	19	11	7	5	1	-	-
ALL OTHER--MALE----	3	1	1	1	-	2	-	-	-	-	-	-
FEMALE--	1	3	-	3	3	5	1	-	-	-	1	-
BLACK---MALE----	3	1	1	-	-	2	-	-	-	-	-	-
FEMALE--	1	3	-	3	3	4	1	-	-	-	1	-
UTAH -----	3	2	1	4	3	4	3	-	-	-	-	-
WHITE-----MALE----	1	1	1	1	1	3	3	-	-	-	-	-
FEMALE--	2	-	-	3	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	3	-	1	-	1	3	1	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	9	8	10	12	9	16	13	4	4	-	-	-
WHITE-----MALE----	5	1	5	7	2	9	4	2	-	-	-	-
FEMALE--	2	4	2	3	5	4	6	2	4	-	-	-
ALL OTHER--MALE----	1	-	3	-	-	1	1	-	-	-	-	-
FEMALE--	1	3	-	2	2	2	2	-	-	-	-	-
BLACK---MALE----	1	-	3	-	-	1	1	-	-	-	-	-
FEMALE--	1	3	-	2	2	2	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 703

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MELANOMA OF SKIN (172)												
0 UNITED STATES --	570	580	643	761	919	904	703	446	195	44	6	-
WHITE-----MALE----	343	396	418	499	587	561	406	235	79	9	-	-
FEMALE--	218	167	208	243	314	322	278	198	109	34	6	-
ALL OTHER--MALE----	4	5	9	5	7	8	6	3	2	-	-	-
FEMALE--	5	12	8	14	11	13	13	10	5	1	-	-
BLACK---MALE----	3	3	7	4	6	6	4	2	1	-	-	-
FEMALE--	3	8	6	8	8	9	12	10	5	1	-	-
ALABAMA -----	11	7	11	9	19	18	9	10	4	1	-	-
WHITE-----MALE----	5	4	5	6	12	9	3	5	1	-	-	-
FEMALE--	6	2	5	2	5	9	5	4	3	1	-	-
ALL OTHER--MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	1	-	-	-	-
BLACK---MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	1	-	-	-	-
ALASKA -----	2	1	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	11	4	7	15	17	23	23	9	4	-	-	-
WHITE-----MALE----	7	4	6	9	12	15	13	5	2	-	-	-
FEMALE--	4	-	-	5	5	8	10	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	9	7	8	7	9	7	12	5	2	-	-	-
WHITE-----MALE----	4	4	5	4	6	4	6	4	1	-	-	-
FEMALE--	4	3	2	2	3	3	6	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	1	-	-	-	-
CALIFORNIA -----	69	66	65	76	95	115	72	36	14	7	2	-
WHITE-----MALE----	44	43	45	48	69	76	47	22	4	1	-	-
FEMALE--	23	19	16	25	25	36	21	14	9	6	2	-
ALL OTHER--MALE----	1	1	2	-	1	-	2	-	-	-	-	-
FEMALE--	1	3	2	3	-	3	2	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 704

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MELANOMA OF SKIN (172)												
COLORADO -----	15	10	11	13	10	7	5	5	2	1	-	-
WHITE-----MALE----	10	4	4	10	7	6	2	4	1	-	-	-
FEMALE--	5	6	7	3	3	1	3	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	4	7	7	7	10	16	10	10	5	-	-	-
WHITE-----MALE----	2	2	5	4	6	7	4	2	2	-	-	-
FEMALE--	2	5	2	3	4	9	6	8	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	1	5	4	7	1	3	-	1	-	-	-
WHITE-----MALE----	-	1	4	2	4	-	2	-	-	-	-	-
FEMALE--	1	-	1	2	3	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	1	-	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
FLORIDA -----	32	25	39	56	82	78	63	50	15	3	-	-
WHITE-----MALE----	21	17	29	37	52	62	39	27	6	-	-	-
FEMALE--	11	7	10	18	29	16	23	22	8	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	1	-	-	-
GEORGIA -----	16	15	18	15	16	24	13	9	3	-	-	-
WHITE-----MALE----	9	11	11	10	11	18	6	6	2	-	-	-
FEMALE--	7	4	7	5	5	4	5	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 706

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MELANOMA OF SKIN (172)												
KENTUCKY -----	13	7	15	17	16	22	7	6	1	1	-	-
WHITE-----MALE----	9	6	9	11	10	18	2	3	-	-	-	-
FEMALE--	4	1	5	6	6	4	5	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
LOUISIANA -----	12	10	9	8	6	11	3	1	2	1	-	-
WHITE-----MALE----	7	9	8	5	3	6	-	-	-	-	-	-
FEMALE--	5	1	1	3	2	3	3	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
MAINE -----	3	4	2	5	5	4	3	3	1	-	-	-
WHITE-----MALE----	1	2	2	3	3	4	2	1	1	-	-	-
FEMALE--	2	2	-	2	2	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	9	14	7	10	19	10	11	6	5	-	-	-
WHITE-----MALE----	5	12	6	6	12	3	6	4	2	-	-	-
FEMALE--	4	2	1	4	7	5	4	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MASSACHUSETTS -----	21	17	21	19	31	21	14	16	9	3	-	-
WHITE-----MALE----	13	11	12	13	14	11	10	12	6	1	-	-
FEMALE--	8	6	9	5	17	10	4	4	3	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	12	26	16	25	25	21	27	12	6	-	-	-
WHITE-----MALE----	8	18	11	14	18	11	18	8	3	-	-	-
FEMALE--	4	8	4	9	7	10	8	4	3	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 709

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MELANOMA OF SKIN (172)												
OHIO -----	35	17	31	27	48	35	29	17	7	3	1	-
WHITE-----MALE----	23	12	20	21	36	22	16	10	2	1	-	-
FEMALE--	12	5	10	5	11	11	13	6	5	1	1	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	1	-	-
BLACK---MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	1	-	-
OKLAHOMA -----	5	7	14	9	14	12	14	10	1	-	-	-
WHITE-----MALE----	5	6	8	7	10	8	9	4	1	-	-	-
FEMALE--	-	1	6	2	3	4	5	6	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
OREGON -----	8	10	10	11	7	11	10	6	3	-	-	-
WHITE-----MALE----	6	9	5	5	4	6	5	3	-	-	-	-
FEMALE--	1	1	5	6	3	5	5	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	29	24	37	39	57	46	45	26	7	1	-	-
WHITE-----MALE----	14	19	20	28	36	24	19	11	2	-	-	-
FEMALE--	15	5	17	11	20	22	26	15	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
RHODE ISLAND -----	-	3	2	5	3	5	3	6	1	-	-	-
WHITE-----MALE----	-	2	1	3	2	2	2	3	-	-	-	-
FEMALE--	-	1	-	2	1	3	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	8	11	8	6	9	9	7	4	2	-	-	-
WHITE-----MALE----	6	7	5	5	3	6	4	1	1	-	-	-
FEMALE--	2	3	3	1	5	2	3	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 710

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MELANOMA OF SKIN (172)												
SOUTH DAKOTA -----	21	-	-	-	-	1	-	1	-	-	-	2
WHITE-----MALE----	15	-	-	-	-	1	-	1	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	170	-	-	-	-	1	1	4	3	5	8	15
WHITE-----MALE----	98	-	-	-	-	1	-	1	3	3	3	7
FEMALE--	68	-	-	-	-	-	-	3	-	2	5	7
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
TEXAS -----	487	-	-	-	-	-	1	7	8	13	30	39
WHITE-----MALE----	290	-	-	-	-	-	-	2	5	8	17	22
FEMALE--	186	-	-	-	-	-	1	5	3	5	12	17
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
UTAH -----	39	-	-	-	-	1	-	-	2	1	2	2
WHITE-----MALE----	25	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	13	-	-	-	-	1	-	-	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	15	-	-	-	-	-	-	-	-	2	-	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	180	-	-	-	-	-	-	4	1	9	12	8
WHITE-----MALE----	98	-	-	-	-	-	-	2	-	8	6	5
FEMALE--	76	-	-	-	-	-	-	1	1	1	6	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 710

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MELANOMA OF SKIN (172)												
SOUTH DAKOTA -----	-	3	1	3	6	1	3	-	-	-	-	-
WHITE-----MALE----	-	1	1	2	5	1	2	-	-	-	-	-
FEMALE--	-	2	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	17	16	16	13	24	18	14	9	6	-	-	-
WHITE-----MALE----	11	10	12	7	14	12	9	3	2	-	-	-
FEMALE--	5	6	4	6	9	6	5	6	4	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
TEXAS -----	31	37	37	58	64	54	53	37	12	5	1	-
WHITE-----MALE----	18	26	23	36	36	30	35	24	6	2	-	-
FEMALE--	13	7	12	22	27	24	15	13	6	3	1	-
ALL OTHER--MALE----	-	2	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	2	2	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	2	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	2	2	-	-	-	2	-	-	-	-	-
UTAH -----	3	2	3	3	8	7	4	1	-	-	-	-
WHITE-----MALE----	2	2	2	1	5	4	3	1	-	-	-	-
FEMALE--	1	-	1	2	3	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	2	1	-	4	2	2	-	-	-	-	-
WHITE-----MALE----	1	1	1	-	2	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	2	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	18	18	15	17	26	21	15	10	6	-	-	-
WHITE-----MALE----	6	12	7	13	14	7	9	5	4	-	-	-
FEMALE--	11	5	7	4	11	14	6	4	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 715

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER MALIGNANT NEOPLASMS OF SKIN (173)												
KENTUCKY -----	3	-	6	6	3	1	3	4	2	1	-	-
WHITE-----MALE----	2	-	5	4	2	-	1	1	1	-	-	-
FEMALE--	-	-	1	2	1	1	2	3	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	2	3	4	7	1	6	3	6	-	-	-
WHITE-----MALE----	-	1	1	3	6	1	2	2	3	-	-	-
FEMALE--	-	-	2	-	1	-	2	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
MAINE -----	1	-	-	-	3	2	2	2	1	-	-	-
WHITE-----MALE----	1	-	-	-	3	-	1	2	1	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	1	6	3	3	6	2	1	1	1	1	-
WHITE-----MALE----	1	1	4	2	2	4	1	1	-	-	-	-
FEMALE--	-	-	2	1	1	2	1	-	1	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	2	1	2	2	5	9	9	7	5	1	-	-
WHITE-----MALE----	2	1	1	2	3	5	7	4	-	-	-	-
FEMALE--	-	-	-	-	2	4	2	3	5	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	4	2	5	4	5	5	13	5	6	5	2	-
WHITE-----MALE----	3	-	1	2	2	2	4	2	2	2	-	-
FEMALE--	1	2	3	1	3	3	7	2	3	2	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	1	1	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	1	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 719

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER MALIGNANT NEOPLASMS OF SKIN (173)												
SOUTH DAKOTA -----	-	-	-	-	-	1	2	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	5	2	6	5	6	7	8	5	2	-	-
WHITE-----MALE----	2	3	2	5	4	3	3	3	3	2	-	-
FEMALE--	-	1	-	1	1	3	4	4	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
TEXAS -----	7	12	20	16	21	18	22	18	14	8	2	-
WHITE-----MALE----	3	6	16	12	14	11	15	12	5	5	-	-
FEMALE--	-	5	3	4	6	5	6	6	9	3	2	-
ALL OTHER--MALE----	4	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	-	-	-	-
BLACK---MALE----	4	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	-	-	-	-
UTAH -----	2	-	-	-	-	4	-	2	1	-	1	-
WHITE-----MALE----	2	-	-	-	-	2	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	7	7	4	6	8	8	7	3	-	-	-
WHITE-----MALE----	2	5	4	3	3	3	5	3	-	-	-	-
FEMALE--	-	-	-	-	1	4	2	4	3	-	-	-
ALL OTHER--MALE----	-	2	2	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	2	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 721

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF FEMALE BREAST (174)		TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0	UNITED STATES --	41,943	-	-	-	-	1	10	108	411	1,100	1,991	2,923
	WHITE-----FEMALE--	35,901	-	-	-	-	1	7	69	297	809	1,529	2,276
	ALL OTHER--FEMALE--	6,042	-	-	-	-	-	3	39	114	291	462	647
	BLACK---FEMALE--	5,424	-	-	-	-	-	3	37	106	269	400	556
	ALABAMA -----	649	-	-	-	-	-	-	3	10	19	34	59
	WHITE-----FEMALE--	472	-	-	-	-	-	-	2	5	10	21	39
	ALL OTHER--FEMALE--	177	-	-	-	-	-	-	1	5	9	13	20
	BLACK---FEMALE--	177	-	-	-	-	-	-	1	5	9	13	20
	ALASKA -----	41	-	-	-	-	-	-	-	-	6	3	1
	WHITE-----FEMALE--	31	-	-	-	-	-	-	-	-	4	1	1
	ALL OTHER--FEMALE--	10	-	-	-	-	-	-	-	-	2	2	-
	BLACK---FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
	ARIZONA -----	652	-	-	-	-	-	-	1	4	17	28	41
	WHITE-----FEMALE--	627	-	-	-	-	-	-	1	4	15	26	40
	ALL OTHER--FEMALE--	25	-	-	-	-	-	-	-	-	2	2	1
	BLACK---FEMALE--	19	-	-	-	-	-	-	-	-	2	2	-
	ARKANSAS -----	427	-	-	-	-	-	-	1	4	16	24	31
	WHITE-----FEMALE--	359	-	-	-	-	-	-	1	3	12	18	19
	ALL OTHER--FEMALE--	68	-	-	-	-	-	-	-	1	4	6	12
	BLACK---FEMALE--	66	-	-	-	-	-	-	-	1	4	6	11
	CALIFORNIA -----	4,098	-	-	-	-	-	2	11	41	116	226	323
	WHITE-----FEMALE--	3,515	-	-	-	-	-	2	8	34	83	170	243
	ALL OTHER--FEMALE--	583	-	-	-	-	-	-	3	7	33	56	80
	BLACK---FEMALE--	348	-	-	-	-	-	-	2	4	21	37	41

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 721

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF FEMALE BREAST (174)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	3,574	3,605	3,756	4,482	5,149	4,998	4,357	3,204	1,627	557	90	-
WHITE-----FEMALE--	2,945	2,975	3,136	3,862	4,529	4,494	3,960	2,946	1,483	501	82	-
ALL OTHER--FEMALE--	629	630	620	620	620	504	397	258	144	56	8	-
BLACK---FEMALE--	547	550	554	550	577	468	370	241	133	55	8	-
ALABAMA -----	43	59	71	69	70	67	71	45	17	10	2	-
WHITE-----FEMALE--	28	45	54	56	48	50	56	38	14	5	1	-
ALL OTHER--FEMALE--	15	14	17	13	22	17	15	7	3	5	1	-
BLACK---FEMALE--	15	14	17	13	22	17	15	7	3	5	1	-
ALASKA -----	3	5	2	6	8	2	3	1	1	-	-	-
WHITE-----FEMALE--	3	3	2	5	6	2	3	-	1	-	-	-
ALL OTHER--FEMALE--	-	2	-	1	2	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ARIZONA -----	61	56	79	56	79	83	71	41	22	8	5	-
WHITE-----FEMALE--	60	52	74	55	78	76	71	41	21	8	5	-
ALL OTHER--FEMALE--	1	4	5	1	1	7	-	-	1	-	-	-
BLACK---FEMALE--	-	4	4	1	1	4	-	-	1	-	-	-
ARKANSAS -----	31	44	44	40	43	59	36	31	18	5	-	-
WHITE-----FEMALE--	26	38	37	39	33	52	33	29	16	3	-	-
ALL OTHER--FEMALE--	5	6	7	1	10	7	3	2	2	2	-	-
BLACK---FEMALE--	5	5	7	1	10	7	3	2	2	2	-	-
CALIFORNIA -----	372	367	403	450	508	480	378	254	120	38	9	-
WHITE-----FEMALE--	309	306	341	377	462	447	347	229	111	37	9	-
ALL OTHER--FEMALE--	63	61	62	73	46	33	31	25	9	1	-	-
BLACK---FEMALE--	30	30	41	42	32	23	24	15	6	-	-	-

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF FEMALE BREAST (174)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	458	-	-	-	-	-	-	1	6	15	22	35
WHITE-----FEMALE--	437	-	-	-	-	-	-	1	5	15	19	32
ALL OTHER--FEMALE--	21	-	-	-	-	-	-	-	1	-	3	3
BLACK---FEMALE--	20	-	-	-	-	-	-	-	1	-	2	3
CONNECTICUT -----	593	-	-	-	-	-	-	-	3	9	31	37
WHITE-----FEMALE--	550	-	-	-	-	-	-	-	3	7	27	34
ALL OTHER--FEMALE--	43	-	-	-	-	-	-	-	-	2	4	3
BLACK---FEMALE--	42	-	-	-	-	-	-	-	-	2	4	3
DELAWARE -----	134	-	-	-	-	-	-	2	3	4	4	9
WHITE-----FEMALE--	111	-	-	-	-	-	-	1	-	2	3	7
ALL OTHER--FEMALE--	23	-	-	-	-	-	-	1	3	2	1	2
BLACK---FEMALE--	21	-	-	-	-	-	-	1	3	2	1	2
DISTRICT OF COLUMBIA ----	129	-	-	-	-	-	-	1	1	4	4	6
WHITE-----FEMALE--	24	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--FEMALE--	105	-	-	-	-	-	-	1	1	3	4	5
BLACK---FEMALE--	105	-	-	-	-	-	-	1	1	3	4	5
FLORIDA -----	2,643	-	-	-	-	-	-	6	28	53	101	168
WHITE-----FEMALE--	2,356	-	-	-	-	-	-	3	18	39	81	138
ALL OTHER--FEMALE--	287	-	-	-	-	-	-	3	10	14	20	30
BLACK---FEMALE--	279	-	-	-	-	-	-	3	9	14	20	28
GEORGIA -----	1,065	-	-	-	-	-	1	6	23	24	68	85
WHITE-----FEMALE--	734	-	-	-	-	-	-	2	9	7	36	49
ALL OTHER--FEMALE--	331	-	-	-	-	-	1	4	14	17	32	36
BLACK---FEMALE--	323	-	-	-	-	-	1	4	14	17	30	36

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 722

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF FEMALE BREAST (174)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	45	32	53	45	46	47	35	45	26	4	1	-
WHITE-----FEMALE--	45	32	46	43	45	45	35	45	25	3	1	-
ALL OTHER--FEMALE--	-	-	7	2	1	2	-	-	1	1	-	-
BLACK---FEMALE--	-	-	7	2	1	2	-	-	1	1	-	-
CONNECTICUT -----	55	40	43	60	79	69	67	53	33	11	3	-
WHITE-----FEMALE--	48	31	43	58	73	67	62	52	32	10	3	-
ALL OTHER--FEMALE--	7	9	-	2	6	2	5	1	1	1	-	-
BLACK---FEMALE--	7	9	-	1	6	2	5	1	1	1	-	-
DELAWARE -----	11	14	12	12	17	21	7	8	9	-	1	-
WHITE-----FEMALE--	8	11	12	8	16	19	7	8	8	-	1	-
ALL OTHER--FEMALE--	3	3	-	4	1	2	-	-	1	-	-	-
BLACK---FEMALE--	3	2	-	4	1	2	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	8	7	15	22	18	22	10	5	3	1	2	-
WHITE-----FEMALE--	2	2	2	4	2	5	2	2	-	-	1	-
ALL OTHER--FEMALE--	6	5	13	18	16	17	8	3	3	1	1	-
BLACK---FEMALE--	6	5	13	18	16	17	8	3	3	1	1	-
FLORIDA -----	202	198	231	293	369	335	286	211	119	42	1	-
WHITE-----FEMALE--	173	167	189	269	341	316	276	198	108	39	1	-
ALL OTHER--FEMALE--	29	31	42	24	28	19	10	13	11	3	-	-
BLACK---FEMALE--	29	29	41	23	28	18	10	13	11	3	-	-
GEORGIA -----	102	114	106	109	109	101	107	66	35	8	1	-
WHITE-----FEMALE--	74	84	69	81	81	78	80	48	29	6	1	-
ALL OTHER--FEMALE--	28	30	37	28	28	23	27	18	6	2	-	-
BLACK---FEMALE--	26	28	36	28	27	23	27	18	6	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 723

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF FEMALE BREAST (174)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	113	-	-	-	-	-	-	1	1	2	6	10
WHITE-----FEMALE--	32	-	-	-	-	-	-	1	-	1	-	4
ALL OTHER--FEMALE--	81	-	-	-	-	-	-	-	1	1	6	6
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
IDAHO -----	155	-	-	-	-	-	-	-	1	4	8	7
WHITE-----FEMALE--	151	-	-	-	-	-	-	-	1	4	8	7
ALL OTHER--FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,038	-	-	-	-	-	-	6	21	55	101	152
WHITE-----FEMALE--	1,675	-	-	-	-	-	-	2	17	35	65	105
ALL OTHER--FEMALE--	363	-	-	-	-	-	-	4	4	20	36	47
BLACK---FEMALE--	347	-	-	-	-	-	-	4	4	18	34	46
INDIANA -----	911	-	-	-	-	-	1	3	4	10	38	63
WHITE-----FEMALE--	829	-	-	-	-	-	1	3	4	6	30	55
ALL OTHER--FEMALE--	82	-	-	-	-	-	-	-	-	4	8	8
BLACK---FEMALE--	81	-	-	-	-	-	-	-	-	4	8	8
IOWA -----	466	-	-	-	-	-	-	2	1	8	20	28
WHITE-----FEMALE--	460	-	-	-	-	-	-	2	1	8	19	26
ALL OTHER--FEMALE--	6	-	-	-	-	-	-	-	-	-	1	2
BLACK---FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
KANSAS -----	389	-	-	-	-	-	-	-	1	15	17	18
WHITE-----FEMALE--	359	-	-	-	-	-	-	-	1	12	16	15
ALL OTHER--FEMALE--	30	-	-	-	-	-	-	-	-	3	1	3
BLACK---FEMALE--	26	-	-	-	-	-	-	-	-	3	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 723

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF FEMALE BREAST (174)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	8	15	13	17	12	12	9	4	3	-	-	-
WHITE-----FEMALE--	3	3	1	6	4	3	3	3	-	-	-	-
ALL OTHER--FEMALE--	5	12	12	11	8	9	6	1	3	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	23	15	12	18	20	15	16	14	1	1	-	-
WHITE-----FEMALE--	23	14	11	16	20	15	16	14	1	1	-	-
ALL OTHER--FEMALE--	-	1	1	2	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ILLINOIS -----	181	174	181	216	259	223	209	152	79	24	5	-
WHITE-----FEMALE--	139	139	142	182	225	190	187	144	77	23	3	-
ALL OTHER--FEMALE--	42	35	39	34	34	33	22	8	2	1	2	-
BLACK---FEMALE--	40	31	38	33	33	31	22	8	2	1	2	-
INDIANA -----	73	92	86	111	112	103	101	64	40	9	1	-
WHITE-----FEMALE--	62	82	78	103	99	96	100	62	39	8	1	-
ALL OTHER--FEMALE--	11	10	8	8	13	7	1	2	1	1	-	-
BLACK---FEMALE--	10	10	8	8	13	7	1	2	1	1	-	-
IOWA -----	40	40	35	44	51	51	59	52	24	9	2	-
WHITE-----FEMALE--	40	40	35	43	51	51	58	52	23	9	2	-
ALL OTHER--FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-
BLACK---FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-
KANSAS -----	33	19	25	57	53	41	47	34	24	5	-	-
WHITE-----FEMALE--	26	15	23	53	52	40	46	32	23	5	-	-
ALL OTHER--FEMALE--	7	4	2	4	1	1	1	2	1	-	-	-
BLACK---FEMALE--	6	3	1	3	1	1	1	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 724

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF FEMALE BREAST (174)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	617	-	-	-	-	-	-	3	8	21	26	49
WHITE-----FEMALE--	572	-	-	-	-	-	-	1	6	19	23	44
ALL OTHER--FEMALE--	45	-	-	-	-	-	-	2	2	2	3	5
BLACK---FEMALE--	45	-	-	-	-	-	-	2	2	2	3	5
LOUISIANA -----	696	-	-	-	-	-	-	5	8	28	39	52
WHITE-----FEMALE--	461	-	-	-	-	-	-	1	4	12	17	28
ALL OTHER--FEMALE--	235	-	-	-	-	-	-	4	4	16	22	24
BLACK---FEMALE--	235	-	-	-	-	-	-	4	4	16	22	24
MAINE -----	204	-	-	-	-	-	-	-	1	4	12	13
WHITE-----FEMALE--	204	-	-	-	-	-	-	-	1	4	12	13
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	829	-	-	-	-	-	1	1	14	22	37	50
WHITE-----FEMALE--	600	-	-	-	-	-	-	-	7	13	18	29
ALL OTHER--FEMALE--	229	-	-	-	-	-	1	1	7	9	19	21
BLACK---FEMALE--	217	-	-	-	-	-	1	1	7	8	15	21
MASSACHUSETTS -----	1,126	-	-	-	-	-	-	1	8	30	48	63
WHITE-----FEMALE--	1,078	-	-	-	-	-	-	-	8	30	39	58
ALL OTHER--FEMALE--	48	-	-	-	-	-	-	1	-	-	9	5
BLACK---FEMALE--	40	-	-	-	-	-	-	-	-	-	7	4
MICHIGAN -----	1,543	-	-	-	-	-	-	8	16	39	68	96
WHITE-----FEMALE--	1,303	-	-	-	-	-	-	5	15	31	50	72
ALL OTHER--FEMALE--	240	-	-	-	-	-	-	3	1	8	18	24
BLACK---FEMALE--	229	-	-	-	-	-	-	3	1	8	16	22

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 724

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF FEMALE BREAST (174)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	55	49	53	65	86	68	63	39	23	9	-	-
WHITE-----FEMALE--	51	48	51	62	79	63	59	38	19	9	-	-
ALL OTHER--FEMALE--	4	1	2	3	7	5	4	1	4	-	-	-
BLACK---FEMALE--	4	1	2	3	7	5	4	1	4	-	-	-
LOUISIANA -----	70	56	57	75	78	81	74	41	20	11	1	-
WHITE-----FEMALE--	49	33	36	57	59	56	54	34	13	8	-	-
ALL OTHER--FEMALE--	21	23	21	18	19	25	20	7	7	3	1	-
BLACK---FEMALE--	21	23	21	18	19	25	20	7	7	3	1	-
MAINE -----	17	14	19	17	24	27	25	23	4	3	1	-
WHITE-----FEMALE--	17	14	19	17	24	27	25	23	4	3	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	78	75	89	79	96	96	87	61	33	8	2	-
WHITE-----FEMALE--	49	45	67	57	74	81	71	52	29	6	2	-
ALL OTHER--FEMALE--	29	30	22	22	22	15	16	9	4	2	-	-
BLACK---FEMALE--	27	29	20	21	22	15	15	9	4	2	-	-
MASSACHUSETTS -----	83	74	94	117	141	133	147	97	62	25	3	-
WHITE-----FEMALE--	79	69	88	113	137	129	145	93	62	25	3	-
ALL OTHER--FEMALE--	4	5	6	4	4	4	2	4	-	-	-	-
BLACK---FEMALE--	2	4	6	4	4	3	2	4	-	-	-	-
MICHIGAN -----	127	138	139	173	186	196	158	121	53	24	1	-
WHITE-----FEMALE--	100	114	111	147	155	181	143	108	49	21	1	-
ALL OTHER--FEMALE--	27	24	28	26	31	15	15	13	4	3	-	-
BLACK---FEMALE--	27	23	27	24	30	15	13	13	4	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 725

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF FEMALE BREAST (174)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	680	-	-	-	-	-	-	1	4	10	30	41
WHITE-----FEMALE--	661	-	-	-	-	-	-	1	2	9	28	38
ALL OTHER--FEMALE--	19	-	-	-	-	-	-	-	2	1	2	3
BLACK---FEMALE--	14	-	-	-	-	-	-	-	2	1	1	2
MISSISSIPPI -----	430	-	-	-	-	-	-	2	5	14	21	33
WHITE-----FEMALE--	269	-	-	-	-	-	-	1	4	4	10	15
ALL OTHER--FEMALE--	161	-	-	-	-	-	-	1	1	10	11	18
BLACK---FEMALE--	160	-	-	-	-	-	-	1	1	10	11	18
MISSOURI -----	855	-	-	-	-	-	-	2	7	25	44	58
WHITE-----FEMALE--	760	-	-	-	-	-	-	2	5	17	39	48
ALL OTHER--FEMALE--	95	-	-	-	-	-	-	-	2	8	5	10
BLACK---FEMALE--	93	-	-	-	-	-	-	-	2	8	5	9
MONTANA -----	116	-	-	-	-	-	-	-	-	2	5	7
WHITE-----FEMALE--	112	-	-	-	-	-	-	-	-	2	4	6
ALL OTHER--FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	253	-	-	-	-	-	-	1	3	6	11	16
WHITE-----FEMALE--	244	-	-	-	-	-	-	1	3	5	11	16
ALL OTHER--FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
NEVADA -----	214	-	-	-	-	-	-	-	1	7	16	17
WHITE-----FEMALE--	191	-	-	-	-	-	-	-	1	6	14	13
ALL OTHER--FEMALE--	23	-	-	-	-	-	-	-	-	1	2	4
BLACK---FEMALE--	15	-	-	-	-	-	-	-	-	1	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 725

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF FEMALE BREAST (174)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	47	67	53	61	83	81	74	68	38	18	4	-
WHITE-----FEMALE--	43	65	52	61	81	80	73	68	38	18	4	-
ALL OTHER--FEMALE--	4	2	1	-	2	1	1	-	-	-	-	-
BLACK---FEMALE--	1	2	1	-	2	1	1	-	-	-	-	-
MISSISSIPPI -----	34	34	35	61	58	43	42	28	15	4	1	-
WHITE-----FEMALE--	23	18	25	40	40	30	26	24	9	-	-	-
ALL OTHER--FEMALE--	11	16	10	21	18	13	16	4	6	4	1	-
BLACK---FEMALE--	11	16	10	21	18	13	16	3	6	4	1	-
MISSOURI -----	68	71	77	71	103	90	104	72	45	14	4	-
WHITE-----FEMALE--	61	60	62	63	93	83	97	69	44	13	4	-
ALL OTHER--FEMALE--	7	11	15	8	10	7	7	3	1	1	-	-
BLACK---FEMALE--	7	10	15	8	10	7	7	3	1	1	-	-
MONTANA -----	9	8	13	16	12	15	14	10	3	2	-	-
WHITE-----FEMALE--	8	8	13	16	11	15	14	10	3	2	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	18	20	18	18	25	37	35	17	20	6	2	-
WHITE-----FEMALE--	17	20	17	17	23	36	33	17	20	6	2	-
ALL OTHER--FEMALE--	1	-	1	1	2	1	2	-	-	-	-	-
BLACK---FEMALE--	-	-	1	1	2	1	2	-	-	-	-	-
NEVADA -----	20	24	19	18	26	28	13	18	6	1	-	-
WHITE-----FEMALE--	19	21	16	18	22	25	13	17	5	1	-	-
ALL OTHER--FEMALE--	1	3	3	-	4	3	-	1	1	-	-	-
BLACK---FEMALE--	1	1	2	-	2	3	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 727

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF FEMALE BREAST (174)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	1,907	-	-	-	-	-	1	2	14	45	87	115
WHITE-----FEMALE--	1,698	-	-	-	-	-	1	1	11	38	79	101
ALL OTHER--FEMALE--	209	-	-	-	-	-	-	1	3	7	8	14
BLACK---FEMALE--	204	-	-	-	-	-	-	1	3	7	8	13
OKLAHOMA -----	535	-	-	-	-	-	-	-	8	12	20	35
WHITE-----FEMALE--	473	-	-	-	-	-	-	-	6	11	17	29
ALL OTHER--FEMALE--	62	-	-	-	-	-	-	-	2	1	3	6
BLACK---FEMALE--	39	-	-	-	-	-	-	-	2	1	2	2
OREGON -----	480	-	-	-	-	-	-	2	7	9	19	35
WHITE-----FEMALE--	465	-	-	-	-	-	-	2	7	7	18	33
ALL OTHER--FEMALE--	15	-	-	-	-	-	-	-	-	2	1	2
BLACK---FEMALE--	9	-	-	-	-	-	-	-	-	1	1	1
PENNSYLVANIA -----	2,467	-	-	-	-	-	1	6	17	52	88	151
WHITE-----FEMALE--	2,219	-	-	-	-	-	1	3	14	45	75	127
ALL OTHER--FEMALE--	248	-	-	-	-	-	-	3	3	7	13	24
BLACK---FEMALE--	242	-	-	-	-	-	-	3	3	7	13	22
RHODE ISLAND -----	178	-	-	-	-	-	-	2	2	3	5	11
WHITE-----FEMALE--	171	-	-	-	-	-	-	2	2	3	4	11
ALL OTHER--FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
BLACK---FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
SOUTH CAROLINA -----	572	-	-	-	-	-	-	1	2	19	33	47
WHITE-----FEMALE--	368	-	-	-	-	-	-	1	1	9	18	21
ALL OTHER--FEMALE--	204	-	-	-	-	-	-	-	1	10	15	26
BLACK---FEMALE--	204	-	-	-	-	-	-	-	1	10	15	26

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 727

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF FEMALE BREAST (174)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	154	167	150	202	242	249	221	144	87	22	5	-
WHITE-----FEMALE--	131	151	129	179	209	230	203	133	78	19	5	-
ALL OTHER--FEMALE--	23	16	21	23	33	19	18	11	9	3	-	-
BLACK---FEMALE--	21	16	20	23	33	19	17	11	9	3	-	-
OKLAHOMA -----	50	43	52	60	71	64	60	35	15	9	1	-
WHITE-----FEMALE--	43	38	45	48	64	57	58	34	14	8	1	-
ALL OTHER--FEMALE--	7	5	7	12	7	7	2	1	1	1	-	-
BLACK---FEMALE--	4	3	4	9	4	5	1	1	-	1	-	-
OREGON -----	43	58	49	48	66	49	40	33	14	8	-	-
WHITE-----FEMALE--	42	57	49	47	62	48	39	33	13	8	-	-
ALL OTHER--FEMALE--	1	1	-	1	4	1	1	-	1	-	-	-
BLACK---FEMALE--	-	-	-	1	2	1	1	-	1	-	-	-
PENNSYLVANIA -----	182	174	197	265	342	350	276	218	105	36	7	-
WHITE-----FEMALE--	157	147	172	242	304	333	255	208	95	34	7	-
ALL OTHER--FEMALE--	25	27	25	23	38	17	21	10	10	2	-	-
BLACK---FEMALE--	23	26	24	23	38	17	21	10	10	2	-	-
RHODE ISLAND -----	10	12	10	17	26	28	19	15	12	5	1	-
WHITE-----FEMALE--	9	11	9	17	25	26	19	15	12	5	1	-
ALL OTHER--FEMALE--	1	1	1	-	1	2	-	-	-	-	-	-
BLACK---FEMALE--	1	1	1	-	1	2	-	-	-	-	-	-
SOUTH CAROLINA -----	59	59	68	53	58	61	53	32	18	8	1	-
WHITE-----FEMALE--	36	36	45	34	38	45	38	26	13	6	1	-
ALL OTHER--FEMALE--	23	23	23	19	20	16	15	6	5	2	-	-
BLACK---FEMALE--	23	23	23	19	20	16	15	6	5	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 728

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF FEMALE BREAST (174)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	95	-	-	-	-	-	-	-	1	1	2	6
WHITE-----FEMALE--	92	-	-	-	-	-	-	-	1	1	2	5
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	837	-	-	-	-	-	-	-	9	21	49	72
WHITE-----FEMALE--	665	-	-	-	-	-	-	-	6	15	44	54
ALL OTHER--FEMALE--	172	-	-	-	-	-	-	-	3	6	5	18
BLACK---FEMALE--	171	-	-	-	-	-	-	-	3	6	5	17
TEXAS -----	2,404	-	-	-	-	-	2	6	32	81	139	188
WHITE-----FEMALE--	2,029	-	-	-	-	-	1	4	25	66	112	152
ALL OTHER--FEMALE--	375	-	-	-	-	-	1	2	7	15	27	36
BLACK---FEMALE--	358	-	-	-	-	-	1	2	6	15	26	28
UTAH -----	191	-	-	-	-	-	-	-	2	5	10	9
WHITE-----FEMALE--	183	-	-	-	-	-	-	-	1	5	10	9
ALL OTHER--FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
BLACK---FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	93	-	-	-	-	-	-	-	-	2	7	9
WHITE-----FEMALE--	93	-	-	-	-	-	-	-	-	2	7	9
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,057	-	-	-	-	-	-	1	14	45	63	80
WHITE-----FEMALE--	821	-	-	-	-	-	-	-	8	31	41	56
ALL OTHER--FEMALE--	236	-	-	-	-	-	-	1	6	14	22	24
BLACK---FEMALE--	228	-	-	-	-	-	-	1	6	13	21	23

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 728

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF FEMALE BREAST (174)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	12	6	6	5	14	6	15	7	14	-	-	-
WHITE-----FEMALE--	11	6	6	5	13	6	15	7	14	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	83	74	82	100	98	81	79	53	29	6	1	-
WHITE-----FEMALE--	58	57	71	86	82	65	63	37	23	3	1	-
ALL OTHER--FEMALE--	25	17	11	14	16	16	16	16	6	3	-	-
BLACK---FEMALE--	25	17	11	14	16	16	16	16	6	3	-	-
TEXAS -----	224	222	225	261	274	263	211	170	77	27	2	-
WHITE-----FEMALE--	179	189	188	219	236	233	182	150	65	26	2	-
ALL OTHER--FEMALE--	45	33	37	42	38	30	29	20	12	1	-	-
BLACK---FEMALE--	42	33	36	40	37	30	29	20	12	1	-	-
UTAH -----	14	13	13	26	29	31	18	13	3	5	-	-
WHITE-----FEMALE--	14	12	13	24	29	30	17	12	3	4	-	-
ALL OTHER--FEMALE--	-	1	-	2	-	1	1	1	-	1	-	-
BLACK---FEMALE--	-	1	-	-	-	-	-	1	-	1	-	-
VERMONT -----	3	3	4	11	12	15	11	12	4	-	-	-
WHITE-----FEMALE--	3	3	4	11	12	15	11	12	4	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	92	95	109	106	133	133	83	62	30	9	2	-
WHITE-----FEMALE--	75	66	84	87	111	106	72	52	25	6	1	-
ALL OTHER--FEMALE--	17	29	25	19	22	27	11	10	5	3	1	-
BLACK---FEMALE--	16	29	23	18	22	26	11	10	5	3	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 730

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OF MALE BREAST (175)												
0 UNITED STATES --	26	36	41	52	48	59	39	25	11	1	-	-
WHITE-----MALE----	21	31	30	41	41	52	33	23	10	1	-	-
ALL OTHER--MALE----	5	5	11	11	7	7	6	2	1	-	-	-
BLACK---MALE----	5	5	9	11	7	7	6	2	1	-	-	-
ALABAMA -----	1	1	-	1	-	1	-	2	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	1	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	-	-	1	2	1	1	1	-	-	-
WHITE-----MALE----	-	1	-	-	1	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	-	1	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	5	3	3	3	4	6	4	4	-	-	-	-
WHITE-----MALE----	5	3	2	2	3	4	4	4	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 731

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF MALE BREAST (175)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	-	-	4	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	4	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	2	1	-	-	2	-	1	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	-	2	2	4	5	3	3	-	-	-	-
WHITE-----MALE----	-	-	2	2	3	4	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	-	-	-	-	-
GEORGIA -----	-	1	-	2	1	3	2	-	1	-	-	-
WHITE-----MALE----	-	1	-	1	-	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 736

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF MALE BREAST (175)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	2	-	-	1	3	2	2	1	-	-	-	-
WHITE-----MALE----	2	-	-	1	3	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
OKLAHOMA -----	-	-	1	2	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	2	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	-	1	5	3	3	2	2	-	-	-	-
WHITE-----MALE----	1	-	1	4	2	3	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
RHODE ISLAND -----	-	1	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	-	1	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	1	2	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	2	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 737

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF MALE BREAST (175)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
TEXAS -----	2	1	4	2	1	2	-	1	1	-	-	-
WHITE-----MALE----	2	1	4	2	1	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	2	2	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 739

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
0 UNITED STATES --	59,010	1	3	2	3	16	73	170	361	601	932	1,479
WHITE-----MALE----	27,574	-	1	-	-	9	34	31	50	58	53	97
FEMALE--	21,907	1	1	1	1	5	25	100	242	414	656	1,102
ALL OTHER--MALE----	5,907	-	-	1	-	1	2	3	7	6	15	37
FEMALE--	3,622	-	1	-	2	1	12	36	62	123	208	243
BLACK---MALE----	5,524	-	-	1	-	-	1	3	6	5	13	37
FEMALE--	3,144	-	1	-	2	1	10	29	55	105	169	190
ALABAMA -----	1,090	-	-	-	-	1	2	4	8	12	21	22
WHITE-----MALE----	417	-	-	-	-	-	1	-	2	-	2	-
FEMALE--	293	-	-	-	-	1	1	1	4	6	11	15
ALL OTHER--MALE----	248	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	132	-	-	-	-	-	-	2	2	6	8	5
BLACK---MALE----	248	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	131	-	-	-	-	-	-	2	2	6	8	5
ALASKA -----	64	-	-	-	-	-	-	1	-	-	1	7
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	36	-	-	-	-	-	-	1	-	-	-	4
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ARIZONA -----	905	-	-	-	-	-	1	6	11	6	14	17
WHITE-----MALE----	527	-	-	-	-	-	-	2	-	-	-	3
FEMALE--	330	-	-	-	-	-	-	4	10	5	13	12
ALL OTHER--MALE----	24	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	1	1	1	2
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	652	-	1	-	-	-	-	2	5	8	15	16
WHITE-----MALE----	286	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	242	-	1	-	-	-	-	1	3	6	13	9
ALL OTHER--MALE----	75	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	49	-	-	-	-	-	-	-	1	2	2	4
BLACK---MALE----	75	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	49	-	-	-	-	-	-	-	1	2	2	4
CALIFORNIA -----	5,773	-	-	-	-	5	13	28	44	75	102	197
WHITE-----MALE----	2,732	-	-	-	-	4	7	8	6	9	2	13
FEMALE--	2,195	-	-	-	-	-	5	15	30	48	72	145
ALL OTHER--MALE----	473	-	-	-	-	1	-	-	2	-	1	4
FEMALE--	373	-	-	-	-	-	1	5	6	18	27	35
BLACK---MALE----	348	-	-	-	-	-	-	-	2	-	-	4
FEMALE--	197	-	-	-	-	-	-	4	5	10	12	16

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 739

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
0 UNITED STATES --	1,903	2,550	3,707	5,951	8,924	10,544	10,018	7,395	3,464	813	97	3
WHITE-----MALE----	225	530	1,039	2,350	4,091	5,700	6,066	4,549	2,144	500	46	1
FEMALE--	1,337	1,526	1,950	2,458	3,285	3,251	2,656	1,827	855	186	28	-
ALL OTHER--MALE----	79	193	366	676	1,046	1,188	992	808	366	100	20	1
FEMALE--	262	301	352	467	502	405	304	211	99	27	3	1
BLACK---MALE----	76	183	351	632	998	1,130	902	741	334	91	19	1
FEMALE--	218	254	300	417	451	361	267	192	94	25	2	1
ALABAMA -----	24	41	53	122	156	200	199	133	74	17	1	-
WHITE-----MALE----	2	9	16	32	58	95	90	70	30	9	1	-
FEMALE--	14	17	18	39	47	45	39	18	14	3	-	-
ALL OTHER--MALE----	2	5	7	34	34	46	52	39	22	4	-	-
FEMALE--	6	10	12	17	17	14	18	6	8	1	-	-
BLACK---MALE----	2	5	7	34	34	46	52	39	22	4	-	-
FEMALE--	6	10	12	17	17	13	18	6	8	1	-	-
ALASKA -----	5	7	3	7	14	7	4	7	1	-	-	-
WHITE-----MALE----	-	1	1	-	5	-	3	4	1	-	-	-
FEMALE--	3	4	1	6	8	6	1	2	-	-	-	-
ALL OTHER--MALE----	-	2	1	-	1	-	-	1	-	-	-	-
FEMALE--	2	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	21	35	42	84	144	176	177	109	47	11	4	-
WHITE-----MALE----	3	11	15	40	87	119	125	76	35	8	3	-
FEMALE--	16	22	24	39	53	46	47	26	10	3	-	-
ALL OTHER--MALE----	-	-	1	1	1	9	3	6	2	-	-	-
FEMALE--	2	2	2	4	3	2	2	1	-	-	1	-
BLACK---MALE----	-	-	1	1	1	7	2	4	1	-	-	-
FEMALE--	-	1	1	3	1	1	1	-	-	-	-	-
ARKANSAS -----	19	22	37	86	90	112	103	78	51	6	-	1
WHITE-----MALE----	3	3	12	28	37	65	60	38	32	5	-	-
FEMALE--	13	13	18	36	39	33	26	19	12	-	-	-
ALL OTHER--MALE----	1	2	2	12	8	10	14	17	6	-	-	1
FEMALE--	2	4	5	10	6	4	3	4	1	1	-	-
BLACK---MALE----	1	2	2	12	8	10	14	17	6	-	-	1
FEMALE--	2	4	5	10	6	4	3	4	1	1	-	-
CALIFORNIA -----	210	264	380	561	846	1,018	936	703	313	71	7	-
WHITE-----MALE----	18	49	127	227	383	581	590	454	198	50	6	-
FEMALE--	151	169	186	246	333	311	230	161	79	13	1	-
ALL OTHER--MALE----	6	19	37	48	82	85	84	73	25	6	-	-
FEMALE--	35	27	30	40	48	41	32	15	11	2	-	-
BLACK---MALE----	4	17	34	34	64	66	57	47	15	4	-	-
FEMALE--	20	17	14	18	25	22	15	8	9	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 740

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
COLORADO -----	652	-	-	-	-	-	1	-	2	5	10	31
WHITE-----MALE----	337	-	-	-	-	-	1	-	-	-	1	2
FEMALE--	279	-	-	-	-	-	-	-	2	4	8	25
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	1	4
BLACK---MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	2
CONNECTICUT -----	725	-	-	-	-	-	1	3	5	4	5	18
WHITE-----MALE----	368	-	-	-	-	-	1	-	-	-	1	3
FEMALE--	288	-	-	-	-	-	-	2	4	3	4	14
ALL OTHER--MALE----	45	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	44	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	1	1	-	1
DELAWARE -----	192	-	-	-	-	-	-	1	1	4	1	3
WHITE-----MALE----	80	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	74	-	-	-	-	-	-	1	1	2	1	2
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	1
DISTRICT OF COLUMBIA ----	148	-	-	-	-	-	-	-	2	-	2	4
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	70	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	43	-	-	-	-	-	-	-	2	-	1	3
BLACK---MALE----	70	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	42	-	-	-	-	-	-	-	2	-	1	3
FLORIDA -----	4,244	-	1	-	-	-	3	17	26	38	64	89
WHITE-----MALE----	2,275	-	-	-	-	-	2	5	2	3	3	3
FEMALE--	1,430	-	-	-	-	-	-	9	22	25	42	67
ALL OTHER--MALE----	329	-	-	-	-	-	-	-	-	2	1	4
FEMALE--	210	-	1	-	-	-	1	3	2	8	18	15
BLACK---MALE----	323	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	200	-	1	-	-	-	1	2	2	8	18	12
GEORGIA -----	1,408	-	-	-	-	1	3	4	7	14	32	39
WHITE-----MALE----	494	-	-	-	-	1	2	-	1	-	1	2
FEMALE--	415	-	-	-	-	-	-	1	3	9	15	23
ALL OTHER--MALE----	315	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	184	-	-	-	-	-	1	3	3	5	16	10
BLACK---MALE----	315	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	176	-	-	-	-	-	1	3	3	5	15	10

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 740

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	29	29	43	69	85	99	108	89	46	6	-	-
WHITE-----MALE----	4	4	14	38	43	64	66	62	33	5	-	-
FEMALE--	24	23	28	26	37	31	37	23	10	1	-	-
ALL OTHER--MALE----	1	1	-	4	3	4	5	4	3	-	-	-
FEMALE--	-	1	1	1	2	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	4	2	2	3	4	2	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
CONNECTICUT -----	24	33	38	63	98	132	133	102	56	9	1	-
WHITE-----MALE----	2	8	9	28	46	74	95	60	37	4	-	-
FEMALE--	21	16	21	28	42	47	33	33	16	3	1	-
ALL OTHER--MALE----	-	4	6	4	6	8	4	8	3	1	-	-
FEMALE--	1	5	2	3	4	3	1	1	-	1	-	-
BLACK---MALE----	-	3	6	4	6	8	4	8	3	1	-	-
FEMALE--	1	5	2	3	4	3	-	-	-	1	-	-
DELAWARE -----	6	8	15	23	30	40	24	28	6	2	-	-
WHITE-----MALE----	-	3	4	7	9	19	17	17	2	1	-	-
FEMALE--	5	3	9	8	12	16	4	5	4	1	-	-
ALL OTHER--MALE----	-	-	2	3	8	4	1	5	-	-	-	-
FEMALE--	1	2	-	5	1	1	2	1	-	-	-	-
BLACK---MALE----	-	-	2	2	8	4	1	4	-	-	-	-
FEMALE--	1	2	-	5	1	1	1	1	-	-	-	-
DISTRICT OF COLUMBIA -----	9	4	10	20	21	21	27	21	6	1	-	-
WHITE-----MALE----	-	1	-	-	2	3	4	6	2	-	-	-
FEMALE--	1	-	3	1	1	1	4	3	1	-	-	-
ALL OTHER--MALE----	2	-	2	10	10	16	14	12	3	1	-	-
FEMALE--	6	3	5	9	8	1	5	-	-	-	-	-
BLACK---MALE----	2	-	2	10	10	16	14	12	3	1	-	-
FEMALE--	6	3	5	8	8	1	5	-	-	-	-	-
FLORIDA -----	110	157	251	388	638	767	770	580	264	73	8	-
WHITE-----MALE----	17	46	77	169	344	456	512	392	188	52	4	-
FEMALE--	74	81	131	159	200	237	183	135	48	16	1	-
ALL OTHER--MALE----	5	12	25	32	64	58	58	39	21	5	3	-
FEMALE--	14	18	18	28	30	16	17	14	7	-	-	-
BLACK---MALE----	5	11	24	32	62	58	57	39	21	5	3	-
FEMALE--	14	18	16	27	28	15	17	14	7	-	-	-
GEORGIA -----	51	54	119	151	212	266	222	150	76	6	1	-
WHITE-----MALE----	6	7	29	48	71	117	100	68	40	1	-	-
FEMALE--	28	25	45	52	59	61	54	28	11	1	-	-
ALL OTHER--MALE----	4	10	20	28	59	63	57	46	19	4	1	-
FEMALE--	13	12	25	23	23	25	11	8	6	-	-	-
BLACK---MALE----	4	10	20	28	59	63	57	46	19	4	1	-
FEMALE--	10	12	24	22	21	25	11	8	6	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 741

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
HAWAII -----	2	9	13	13	22	25	30	21	10	5	1	-
WHITE-----MALE----	-	-	1	3	5	7	7	3	2	1	-	-
FEMALE--	-	1	3	-	6	3	1	-	-	-	-	-
ALL OTHER--MALE----	-	2	2	8	5	12	19	16	7	4	1	-
FEMALE--	2	6	7	2	6	3	3	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	7	13	28	32	33	40	25	21	5	-	-
WHITE-----MALE----	-	2	1	14	18	23	31	19	20	5	-	-
FEMALE--	2	5	12	14	14	9	6	6	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	87	116	155	283	434	476	435	353	145	31	3	-
WHITE-----MALE----	6	21	41	90	199	239	255	219	86	20	1	-
FEMALE--	67	66	74	128	153	144	117	91	36	6	1	-
ALL OTHER--MALE----	5	9	25	39	55	62	49	31	19	4	1	-
FEMALE--	9	20	15	26	27	31	14	12	4	1	-	-
BLACK---MALE----	5	9	25	37	54	62	45	29	19	4	1	-
FEMALE--	9	19	14	25	25	28	13	12	4	1	-	-
INDIANA -----	46	51	88	130	193	238	217	171	96	29	7	-
WHITE-----MALE----	9	9	22	58	100	140	133	107	57	17	4	-
FEMALE--	32	38	59	54	68	77	67	52	29	5	2	-
ALL OTHER--MALE----	-	3	2	9	14	16	13	8	8	5	1	-
FEMALE--	5	1	5	9	11	5	4	4	2	2	-	-
BLACK---MALE----	-	3	2	9	14	16	13	8	8	4	1	-
FEMALE--	5	1	5	9	11	5	4	4	2	2	-	-
IOWA -----	14	24	42	62	99	147	143	101	56	12	1	-
WHITE-----MALE----	4	4	9	33	54	79	103	77	38	8	-	-
FEMALE--	10	18	33	28	45	66	38	23	16	4	1	-
ALL OTHER--MALE----	-	1	-	1	-	1	2	1	2	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	1	2	1	2	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
KANSAS -----	15	23	30	39	71	91	104	83	33	11	-	-
WHITE-----MALE----	1	7	11	14	33	55	68	58	18	7	-	-
FEMALE--	14	11	17	17	30	30	31	21	14	3	-	-
ALL OTHER--MALE----	-	2	2	7	5	4	2	4	1	1	-	-
FEMALE--	-	3	-	1	3	2	3	-	-	-	-	-
BLACK---MALE----	-	2	1	6	5	3	2	4	1	1	-	-
FEMALE--	-	-	-	-	3	2	3	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 742

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
KENTUCKY -----	883	-	-	-	-	-	1	4	9	13	18	20
WHITE-----MALE----	434	-	-	-	-	-	1	-	2	2	2	3
FEMALE--	355	-	-	-	-	-	-	3	6	10	12	16
ALL OTHER--MALE----	62	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	32	-	-	-	-	-	-	1	1	1	3	1
BLACK---MALE----	60	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	31	-	-	-	-	-	-	1	1	1	2	1
LOUISIANA -----	985	-	-	-	1	-	3	1	14	14	11	31
WHITE-----MALE----	329	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	252	-	-	-	-	-	-	-	6	7	5	13
ALL OTHER--MALE----	244	-	-	-	-	-	1	-	2	1	-	-
FEMALE--	160	-	-	-	1	-	2	1	5	6	6	16
BLACK---MALE----	243	-	-	-	-	-	1	-	2	1	-	-
FEMALE--	156	-	-	-	1	-	2	1	4	6	6	15
MAINE -----	277	-	-	-	-	-	-	1	3	3	4	7
WHITE-----MALE----	153	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	122	-	-	-	-	-	-	1	2	3	4	6
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,099	-	-	-	-	-	1	6	7	10	33	28
WHITE-----MALE----	382	-	-	-	-	-	-	1	-	1	4	2
FEMALE--	353	-	-	-	-	-	-	3	3	7	12	21
ALL OTHER--MALE----	235	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	129	-	-	-	-	-	1	2	4	2	17	4
BLACK---MALE----	232	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	125	-	-	-	-	-	1	2	3	2	17	4
MASSACHUSETTS -----	1,390	-	-	-	-	-	2	-	10	13	15	31
WHITE-----MALE----	749	-	-	-	-	-	2	-	4	4	1	3
FEMALE--	569	-	-	-	-	-	-	-	6	7	13	26
ALL OTHER--MALE----	51	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	21	-	-	-	-	-	-	-	-	2	-	2
BLACK---MALE----	47	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	18	-	-	-	-	-	-	-	-	2	-	2
MICHIGAN -----	2,175	-	-	-	-	-	4	11	8	20	26	54
WHITE-----MALE----	1,029	-	-	-	-	-	2	1	2	5	3	4
FEMALE--	808	-	-	-	-	-	2	6	5	14	20	42
ALL OTHER--MALE----	240	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	98	-	-	-	-	-	-	4	1	1	3	7
BLACK---MALE----	231	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	92	-	-	-	-	-	-	2	1	1	3	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 742

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
KENTUCKY -----	30	29	62	94	126	151	136	121	54	15	-	-
WHITE-----MALE----	2	7	23	45	61	83	85	78	31	9	-	-
FEMALE--	26	20	31	40	51	52	36	32	15	5	-	-
ALL OTHER--MALE----	-	1	4	4	10	13	10	10	8	1	-	-
FEMALE--	2	1	4	5	4	3	5	1	-	-	-	-
BLACK---MALE----	-	1	3	4	10	13	10	10	7	1	-	-
FEMALE--	2	1	4	5	4	3	5	1	-	-	-	-
LOUISIANA -----	30	42	66	107	150	173	151	119	56	13	3	-
WHITE-----MALE----	2	8	18	31	53	72	64	51	23	4	-	-
FEMALE--	20	15	21	29	38	39	33	18	7	1	-	-
ALL OTHER--MALE----	-	5	14	23	37	46	39	42	25	7	2	-
FEMALE--	8	14	13	24	22	16	15	8	1	1	1	-
BLACK---MALE----	-	5	13	23	37	46	39	42	25	7	2	-
FEMALE--	7	14	12	24	22	16	15	8	1	1	1	-
MAINE -----	12	8	17	29	43	55	40	36	14	5	-	-
WHITE-----MALE----	3	3	6	18	24	33	26	22	11	5	-	-
FEMALE--	9	5	11	11	19	20	14	14	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MARYLAND -----	50	64	64	102	170	180	196	115	57	15	1	-
WHITE-----MALE----	8	10	14	26	55	73	96	53	30	8	1	-
FEMALE--	25	29	29	34	51	49	53	21	13	3	-	-
ALL OTHER--MALE----	3	10	11	30	46	49	34	35	12	4	-	-
FEMALE--	14	15	10	12	18	9	13	6	2	-	-	-
BLACK---MALE----	3	9	11	30	46	49	33	34	12	4	-	-
FEMALE--	14	14	9	12	18	9	12	6	2	-	-	-
MASSACHUSETTS -----	41	64	67	143	173	278	264	195	76	16	2	-
WHITE-----MALE----	6	13	22	61	84	179	180	126	53	11	-	-
FEMALE--	35	46	42	74	78	88	71	58	21	2	2	-
ALL OTHER--MALE----	-	3	2	7	7	10	9	8	2	2	-	-
FEMALE--	-	2	1	1	4	1	4	3	-	1	-	-
BLACK---MALE----	-	3	2	7	6	10	8	8	1	1	-	-
FEMALE--	-	-	1	1	4	1	3	3	-	1	-	-
MICHIGAN -----	57	94	142	224	342	400	354	274	134	26	5	-
WHITE-----MALE----	4	22	40	93	147	213	221	168	84	16	4	-
FEMALE--	46	57	76	97	133	119	85	70	29	7	-	-
ALL OTHER--MALE----	4	6	12	26	43	61	38	28	18	2	1	-
FEMALE--	3	9	14	8	19	7	10	8	3	1	-	-
BLACK---MALE----	4	6	12	25	41	60	38	26	15	2	1	-
FEMALE--	3	8	13	7	19	7	10	8	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 743

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
MINNESOTA -----	1,015	-	-	-	-	1	1	2	2	7	10	18
WHITE-----MALE----	599	-	-	-	-	-	-	1	2	2	-	-
FEMALE--	383	-	-	-	-	1	-	1	-	5	9	17
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	1	-	-	-	1	1
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	1
MISSISSIPPI -----	628	-	-	-	-	-	-	-	4	4	12	16
WHITE-----MALE----	190	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	157	-	-	-	-	-	-	-	3	2	4	5
ALL OTHER--MALE----	189	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	92	-	-	-	-	-	-	-	1	2	6	5
BLACK---MALE----	187	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	91	-	-	-	-	-	-	-	1	2	6	4
MISSOURI -----	1,201	-	-	-	-	3	1	3	4	9	13	36
WHITE-----MALE----	546	-	-	-	-	1	1	1	-	-	1	1
FEMALE--	495	-	-	-	-	2	-	2	3	6	9	31
ALL OTHER--MALE----	108	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	52	-	-	-	-	-	-	-	1	2	3	2
BLACK---MALE----	106	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	50	-	-	-	-	-	-	-	1	2	2	2
MONTANA -----	243	-	-	-	-	1	-	-	1	1	3	5
WHITE-----MALE----	152	-	-	-	-	1	-	-	-	1	-	1
FEMALE--	88	-	-	-	-	-	-	-	1	-	3	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	372	-	-	-	-	-	-	1	4	-	4	3
WHITE-----MALE----	213	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	152	-	-	-	-	-	-	1	4	-	4	3
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	314	-	-	-	-	-	-	1	1	4	10	11
WHITE-----MALE----	168	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	118	-	-	-	-	-	-	1	-	2	6	9
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	1	1	2	2
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	1	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 743

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
MINNESOTA -----	27	43	57	89	129	169	205	153	81	16	5	-
WHITE-----MALE----	4	12	22	47	72	115	146	110	55	9	2	-
FEMALE--	21	22	33	37	55	49	57	42	25	6	3	-
ALL OTHER--MALE----	-	2	2	4	1	3	2	1	1	-	-	-
FEMALE--	2	7	-	1	1	2	-	-	-	1	-	-
BLACK---MALE----	-	2	2	3	1	3	-	1	1	-	-	-
FEMALE--	1	2	-	1	-	1	-	-	-	-	-	-
MISSISSIPPI -----	13	28	40	63	89	122	103	87	38	6	3	-
WHITE-----MALE----	2	5	2	19	26	44	39	37	13	1	-	-
FEMALE--	4	9	17	19	32	22	17	16	5	2	-	-
ALL OTHER--MALE----	2	5	13	13	17	43	45	26	13	3	3	-
FEMALE--	5	9	8	12	14	13	2	8	7	-	-	-
BLACK---MALE----	2	5	12	13	17	43	45	25	13	3	3	-
FEMALE--	5	9	8	12	14	13	2	8	7	-	-	-
MISSOURI -----	45	44	62	106	196	210	210	159	80	16	4	-
WHITE-----MALE----	4	8	23	42	93	106	117	95	44	8	1	-
FEMALE--	30	33	33	48	72	70	71	49	28	5	3	-
ALL OTHER--MALE----	3	1	4	8	21	29	19	10	8	2	-	-
FEMALE--	8	2	2	8	10	5	3	5	-	1	-	-
BLACK---MALE----	3	1	4	8	21	29	18	10	8	1	-	-
FEMALE--	8	2	2	7	10	5	3	5	-	1	-	-
MONTANA -----	5	10	9	15	36	49	53	35	15	5	-	-
WHITE-----MALE----	-	5	4	9	28	27	40	21	11	4	-	-
FEMALE--	5	5	5	6	8	21	12	14	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	9	17	18	36	59	64	59	56	32	9	1	-
WHITE-----MALE----	1	4	6	21	38	37	36	39	24	6	1	-
FEMALE--	8	12	11	13	21	27	22	17	7	2	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	1	-	1	1	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	1	-	1	1	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
NEVADA -----	12	12	21	25	68	58	50	28	10	3	-	-
WHITE-----MALE----	1	2	8	9	40	42	34	21	7	2	-	-
FEMALE--	11	8	10	13	23	13	14	5	3	-	-	-
ALL OTHER--MALE----	-	2	3	3	4	2	1	2	-	1	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	1	3	3	3	2	1	2	-	1	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 745

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	2,615	1	-	-	-	-	2	5	16	27	40	63
WHITE-----MALE----	1,196	-	-	-	-	-	1	1	1	-	1	3
FEMALE--	1,058	1	-	-	-	-	1	4	13	20	35	55
ALL OTHER--MALE----	243	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	118	-	-	-	-	-	-	-	2	6	4	4
BLACK---MALE----	241	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	114	-	-	-	-	-	-	-	2	5	4	3
OKLAHOMA -----	757	-	-	-	-	-	-	-	8	9	11	20
WHITE-----MALE----	362	-	-	-	-	-	-	-	1	1	-	3
FEMALE--	289	-	-	-	-	-	-	-	6	7	9	15
ALL OTHER--MALE----	63	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	43	-	-	-	-	-	-	-	1	1	1	2
BLACK---MALE----	48	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	1	-	-
OREGON -----	809	-	-	-	-	-	-	-	6	6	10	19
WHITE-----MALE----	473	-	-	-	-	-	-	-	3	1	2	-
FEMALE--	317	-	-	-	-	-	-	-	3	4	6	18
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	1
PENNSYLVANIA -----	3,314	-	-	-	-	-	6	3	18	32	39	63
WHITE-----MALE----	1,582	-	-	-	-	-	2	1	3	4	4	2
FEMALE--	1,331	-	-	-	-	-	1	2	14	23	32	51
ALL OTHER--MALE----	236	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	165	-	-	-	-	-	3	-	1	5	2	10
BLACK---MALE----	232	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	158	-	-	-	-	-	3	-	1	5	2	10
RHODE ISLAND -----	256	-	-	-	-	-	-	-	2	5	4	3
WHITE-----MALE----	144	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	99	-	-	-	-	-	-	-	1	4	4	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	884	-	-	-	-	-	2	3	5	10	9	23
WHITE-----MALE----	295	-	-	-	-	-	-	1	-	1	1	2
FEMALE--	239	-	-	-	-	-	2	1	3	6	7	13
ALL OTHER--MALE----	234	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	116	-	-	-	-	-	-	1	2	3	1	8
BLACK---MALE----	234	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	113	-	-	-	-	-	-	1	2	2	-	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 745

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
OHIO -----	87	107	180	258	404	471	463	306	148	31	6	-
WHITE-----MALE----	7	28	39	116	189	242	274	183	93	16	2	-
FEMALE--	69	71	113	94	149	150	136	84	46	13	4	-
ALL OTHER--MALE----	1	4	18	39	48	57	39	28	6	1	-	-
FEMALE--	10	4	10	9	18	22	14	11	3	1	-	-
BLACK---MALE----	1	4	18	39	47	56	39	28	6	1	-	-
FEMALE--	8	4	10	9	18	22	14	11	3	1	-	-
OKLAHOMA -----	33	29	51	80	97	119	137	96	50	14	2	1
WHITE-----MALE----	3	6	14	35	47	74	82	59	28	6	2	1
FEMALE--	24	18	28	30	37	33	42	22	11	7	-	-
ALL OTHER--MALE----	-	4	4	9	7	9	8	11	9	1	-	-
FEMALE--	6	1	5	6	6	3	5	4	2	-	-	-
BLACK---MALE----	-	4	3	7	4	8	5	9	7	1	-	-
FEMALE--	3	1	3	5	4	2	2	2	2	-	-	-
OREGON -----	21	25	34	97	140	136	133	115	53	12	2	-
WHITE-----MALE----	5	3	14	49	77	82	93	88	43	12	1	-
FEMALE--	16	22	16	46	59	53	37	26	10	-	1	-
ALL OTHER--MALE----	-	-	1	1	3	1	3	1	-	-	-	-
FEMALE--	-	-	3	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	95	134	209	331	514	582	622	408	212	41	4	1
WHITE-----MALE----	9	27	56	114	238	305	394	265	127	29	2	-
FEMALE--	68	84	115	171	212	207	171	106	63	10	1	-
ALL OTHER--MALE----	2	5	15	30	45	51	45	26	14	1	1	-
FEMALE--	16	18	23	16	19	19	12	11	8	1	-	1
BLACK---MALE----	2	5	15	29	45	50	43	26	14	1	1	-
FEMALE--	14	16	22	16	19	19	11	11	7	1	-	1
RHODE ISLAND -----	8	8	22	18	29	55	47	39	9	6	1	-
WHITE-----MALE----	2	2	5	7	15	37	37	27	4	5	-	-
FEMALE--	6	6	15	8	13	14	9	11	5	-	1	-
ALL OTHER--MALE----	-	-	-	-	1	3	-	1	-	-	-	-
FEMALE--	-	-	2	3	-	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	3	-	1	-	-	-	-
FEMALE--	-	-	2	2	-	1	1	-	-	1	-	-
SOUTH CAROLINA -----	29	31	68	104	154	137	163	111	27	7	1	-
WHITE-----MALE----	4	3	14	31	53	54	74	42	14	1	-	-
FEMALE--	19	15	23	29	41	26	29	21	3	-	1	-
ALL OTHER--MALE----	1	3	20	24	44	43	47	40	7	5	-	-
FEMALE--	5	10	11	20	16	14	13	8	3	1	-	-
BLACK---MALE----	1	3	20	24	44	43	47	40	7	5	-	-
FEMALE--	5	10	11	20	15	14	13	8	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 746

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
SOUTH DAKOTA -----	183	-	-	-	-	-	-	1	1	4	2	2
WHITE-----MALE----	117	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	57	-	-	-	-	-	-	-	-	2	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	1	1	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,236	-	-	-	-	-	2	4	6	12	25	33
WHITE-----MALE----	515	-	-	-	-	-	1	-	1	1	1	1
FEMALE--	467	-	-	-	-	-	1	2	5	8	15	27
ALL OTHER--MALE----	157	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	97	-	-	-	-	-	-	1	-	3	7	4
BLACK---MALE----	155	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	95	-	-	-	-	-	-	1	-	3	6	4
TEXAS -----	3,369	-	1	-	1	1	6	9	28	37	58	94
WHITE-----MALE----	1,531	-	1	-	-	1	4	2	3	3	5	14
FEMALE--	1,231	-	-	-	1	-	2	4	17	24	41	65
ALL OTHER--MALE----	387	-	-	-	-	-	-	-	2	1	1	3
FEMALE--	220	-	-	-	-	-	-	3	6	9	11	12
BLACK---MALE----	381	-	-	-	-	-	-	-	2	1	1	3
FEMALE--	206	-	-	-	-	-	-	3	6	9	10	11
UTAH -----	337	-	-	-	-	1	-	1	3	1	3	10
WHITE-----MALE----	204	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	128	-	-	-	-	-	-	1	3	1	3	10
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	142	-	-	-	-	-	-	1	-	2	4	5
WHITE-----MALE----	72	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	69	-	-	-	-	-	-	1	-	1	3	5
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,443	-	-	-	-	-	-	6	6	21	22	33
WHITE-----MALE----	587	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	471	-	-	-	-	-	-	4	3	16	16	22
ALL OTHER--MALE----	260	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	125	-	-	-	-	-	-	1	2	5	6	9
BLACK---MALE----	254	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	115	-	-	-	-	-	-	1	2	4	5	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 746

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
SOUTH DAKOTA -----	4	4	12	22	23	38	27	24	10	8	1	-
WHITE-----MALE----	2	1	9	9	20	27	17	17	8	6	-	-
FEMALE--	2	3	2	12	3	10	9	6	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	46	52	87	132	193	206	193	169	61	12	3	-
WHITE-----MALE----	4	11	20	59	77	104	113	85	31	5	1	-
FEMALE--	29	30	48	48	75	63	44	50	18	3	1	-
ALL OTHER--MALE----	2	7	11	11	27	25	27	27	11	4	1	-
FEMALE--	11	4	8	14	14	14	9	7	1	-	-	-
BLACK---MALE----	2	7	11	11	27	25	27	26	10	4	1	-
FEMALE--	10	4	8	14	14	14	9	7	1	-	-	-
TEXAS -----	119	169	214	391	513	576	502	405	194	45	6	-
WHITE-----MALE----	17	41	68	158	228	309	300	240	112	21	4	-
FEMALE--	84	99	108	163	179	170	125	90	45	14	-	-
ALL OTHER--MALE----	5	10	18	39	78	67	62	63	29	7	2	-
FEMALE--	13	19	20	31	28	30	15	12	8	3	-	-
BLACK---MALE----	4	10	18	38	77	66	60	63	29	7	2	-
FEMALE--	11	18	19	29	27	27	14	11	8	3	-	-
UTAH -----	15	12	21	29	39	56	69	45	24	8	-	-
WHITE-----MALE----	4	4	10	14	26	40	44	34	21	6	-	-
FEMALE--	9	8	11	15	13	16	23	10	3	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	4	11	11	22	30	23	10	9	5	-	-
WHITE-----MALE----	2	-	5	5	11	19	14	7	4	3	-	-
FEMALE--	2	4	6	6	11	11	9	3	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	46	59	87	156	233	276	240	177	66	13	2	-
WHITE-----MALE----	9	10	19	54	89	133	140	90	32	9	-	-
FEMALE--	27	31	43	52	73	62	53	51	16	2	-	-
ALL OTHER--MALE----	5	12	11	31	51	66	37	27	14	2	2	-
FEMALE--	5	6	14	19	20	15	10	9	4	-	-	-
BLACK---MALE----	5	12	10	31	50	64	37	26	13	2	2	-
FEMALE--	4	6	12	17	19	15	10	9	4	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 748

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF CERVIX UTERI (180)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	4,499	-	-	-	-	1	22	81	199	327	437	526
WHITE-----FEMALE--	3,371	-	-	-	-	1	14	61	147	250	309	393
ALL OTHER--FEMALE--	1,128	-	-	-	-	-	8	20	52	77	128	133
BLACK---FEMALE--	969	-	-	-	-	-	8	16	45	67	115	110
ALABAMA -----	81	-	-	-	-	-	1	1	5	5	12	9
WHITE-----FEMALE--	46	-	-	-	-	-	1	1	3	3	7	5
ALL OTHER--FEMALE--	35	-	-	-	-	-	-	-	2	2	5	4
BLACK---FEMALE--	35	-	-	-	-	-	-	-	2	2	5	4
ALASKA -----	4	-	-	-	-	-	-	1	-	-	1	-
WHITE-----FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	60	-	-	-	-	-	-	3	5	3	8	3
WHITE-----FEMALE--	49	-	-	-	-	-	-	3	4	2	7	3
ALL OTHER--FEMALE--	11	-	-	-	-	-	-	-	1	1	1	-
BLACK---FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	59	-	-	-	-	-	-	1	3	6	10	6
WHITE-----FEMALE--	48	-	-	-	-	-	-	1	3	5	8	3
ALL OTHER--FEMALE--	11	-	-	-	-	-	-	-	-	1	2	3
BLACK---FEMALE--	11	-	-	-	-	-	-	-	-	1	2	3
CALIFORNIA -----	482	-	-	-	-	-	3	13	22	33	46	63
WHITE-----FEMALE--	377	-	-	-	-	-	3	10	17	23	37	52
ALL OTHER--FEMALE--	105	-	-	-	-	-	-	3	5	10	9	11
BLACK---FEMALE--	56	-	-	-	-	-	-	2	4	6	6	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 748

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF CERVIX UTERI (180)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	450	390	400	399	353	325	261	198	99	27	4	-
WHITE-----FEMALE--	342	276	309	306	271	242	201	152	72	23	2	-
ALL OTHER--FEMALE--	108	114	91	93	82	83	60	46	27	4	2	-
BLACK---FEMALE--	87	97	75	82	73	68	53	43	26	3	1	-
ALABAMA -----	1	6	5	10	4	8	4	7	3	-	-	-
WHITE-----FEMALE--	-	3	2	5	3	5	4	4	-	-	-	-
ALL OTHER--FEMALE--	1	3	3	5	1	3	-	3	3	-	-	-
BLACK---FEMALE--	1	3	3	5	1	3	-	3	3	-	-	-
ALASKA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	7	3	8	7	7	1	3	-	1	-	1	-
WHITE-----FEMALE--	5	2	6	6	6	1	3	-	1	-	-	-
ALL OTHER--FEMALE--	2	1	2	1	1	-	-	-	-	-	1	-
BLACK---FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ARKANSAS -----	6	4	4	5	6	3	1	4	-	-	-	-
WHITE-----FEMALE--	5	3	4	5	5	3	1	2	-	-	-	-
ALL OTHER--FEMALE--	1	1	-	-	1	-	-	2	-	-	-	-
BLACK---FEMALE--	1	1	-	-	1	-	-	2	-	-	-	-
CALIFORNIA -----	62	44	40	50	32	28	23	12	10	1	-	-
WHITE-----FEMALE--	48	34	33	44	21	18	18	10	8	1	-	-
ALL OTHER--FEMALE--	14	10	7	6	11	10	5	2	2	-	-	-
BLACK---FEMALE--	7	6	3	1	6	3	1	2	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 749

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF CERVIX UTERI (180)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	45	-	-	-	-	-	-	-	2	2	5	14
WHITE-----FEMALE--	39	-	-	-	-	-	-	-	2	2	4	11
ALL OTHER--FEMALE--	6	-	-	-	-	-	-	-	-	-	1	3
BLACK---FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
CONNECTICUT -----	34	-	-	-	-	-	-	1	3	4	1	6
WHITE-----FEMALE--	29	-	-	-	-	-	-	1	2	3	1	5
ALL OTHER--FEMALE--	5	-	-	-	-	-	-	-	1	1	-	1
BLACK---FEMALE--	5	-	-	-	-	-	-	-	1	1	-	1
DELAWARE -----	20	-	-	-	-	-	-	1	1	3	-	1
WHITE-----FEMALE--	15	-	-	-	-	-	-	1	1	2	-	1
ALL OTHER--FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ----	14	-	-	-	-	-	-	-	1	-	1	2
WHITE-----FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	13	-	-	-	-	-	-	-	1	-	1	2
BLACK---FEMALE--	13	-	-	-	-	-	-	-	1	-	1	2
FLORIDA -----	294	-	-	-	-	-	1	8	17	21	44	35
WHITE-----FEMALE--	225	-	-	-	-	-	-	6	15	17	29	26
ALL OTHER--FEMALE--	69	-	-	-	-	-	1	2	2	4	15	9
BLACK---FEMALE--	63	-	-	-	-	-	1	1	2	4	15	6
GEORGIA -----	129	-	-	-	-	-	1	4	4	11	15	17
WHITE-----FEMALE--	72	-	-	-	-	-	-	1	2	7	7	9
ALL OTHER--FEMALE--	57	-	-	-	-	-	1	3	2	4	8	8
BLACK---FEMALE--	55	-	-	-	-	-	1	3	2	4	8	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 749

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF CERVIX UTERI (180)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	5	3	5	2	1	2	3	1	-	-	-	-
WHITE-----FEMALE--	5	3	4	2	-	2	3	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT -----	3	4	1	3	1	3	-	3	1	-	-	-
WHITE-----FEMALE--	2	4	1	2	1	3	-	3	1	-	-	-
ALL OTHER--FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
DELAWARE -----	3	3	2	3	-	-	-	1	2	-	-	-
WHITE-----FEMALE--	2	1	2	2	-	-	-	1	2	-	-	-
ALL OTHER--FEMALE--	1	2	-	1	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	2	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	1	2	2	1	-	1	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	3	1	2	2	-	-	1	-	-	-	-	-
BLACK---FEMALE--	3	1	2	2	-	-	1	-	-	-	-	-
FLORIDA -----	23	22	28	19	23	21	16	8	7	1	-	-
WHITE-----FEMALE--	17	14	26	14	17	18	12	8	5	1	-	-
ALL OTHER--FEMALE--	6	8	2	5	6	3	4	-	2	-	-	-
BLACK---FEMALE--	6	8	2	5	5	2	4	-	2	-	-	-
GEORGIA -----	18	8	8	7	8	10	10	5	3	-	-	-
WHITE-----FEMALE--	13	5	4	3	4	7	6	3	1	-	-	-
ALL OTHER--FEMALE--	5	3	4	4	4	3	4	2	2	-	-	-
BLACK---FEMALE--	4	3	4	4	3	3	4	2	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 751

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF CERVIX UTERI (180)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	93	-	-	-	-	-	-	1	4	8	10	8
WHITE-----FEMALE--	80	-	-	-	-	-	-	-	3	7	8	8
ALL OTHER--FEMALE--	13	-	-	-	-	-	-	1	1	1	2	-
BLACK---FEMALE--	13	-	-	-	-	-	-	1	1	1	2	-
LOUISIANA -----	92	-	-	-	-	-	1	-	7	9	4	15
WHITE-----FEMALE--	41	-	-	-	-	-	-	-	4	5	1	7
ALL OTHER--FEMALE--	51	-	-	-	-	-	1	-	3	4	3	8
BLACK---FEMALE--	48	-	-	-	-	-	1	-	2	4	3	7
MAINE -----	22	-	-	-	-	-	-	1	2	1	2	3
WHITE-----FEMALE--	22	-	-	-	-	-	-	1	2	1	2	3
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	93	-	-	-	-	-	1	3	5	5	15	8
WHITE-----FEMALE--	50	-	-	-	-	-	-	2	1	4	3	6
ALL OTHER--FEMALE--	43	-	-	-	-	-	1	1	4	1	12	2
BLACK---FEMALE--	41	-	-	-	-	-	1	1	3	1	12	2
MASSACHUSETTS -----	79	-	-	-	-	-	-	-	2	4	5	9
WHITE-----FEMALE--	70	-	-	-	-	-	-	-	2	2	5	8
ALL OTHER--FEMALE--	9	-	-	-	-	-	-	-	-	2	-	1
BLACK---FEMALE--	7	-	-	-	-	-	-	-	-	2	-	1
MICHIGAN -----	122	-	-	-	-	-	-	5	4	9	11	18
WHITE-----FEMALE--	93	-	-	-	-	-	-	4	3	8	9	13
ALL OTHER--FEMALE--	29	-	-	-	-	-	-	1	1	1	2	5
BLACK---FEMALE--	26	-	-	-	-	-	-	-	1	1	2	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 751

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF CERVIX UTERI (180)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	8	9	7	10	10	7	5	3	2	1	-	-
WHITE-----FEMALE--	7	8	6	9	9	6	3	3	2	1	-	-
ALL OTHER--FEMALE--	1	1	1	1	1	1	2	-	-	-	-	-
BLACK---FEMALE--	1	1	1	1	1	1	2	-	-	-	-	-
LOUISIANA -----	4	8	12	12	4	8	5	2	1	-	-	-
WHITE-----FEMALE--	2	4	6	5	2	3	1	-	1	-	-	-
ALL OTHER--FEMALE--	2	4	6	7	2	5	4	2	-	-	-	-
BLACK---FEMALE--	2	4	5	7	2	5	4	2	-	-	-	-
MAINE -----	3	2	2	2	2	-	1	1	-	-	-	-
WHITE-----FEMALE--	3	2	2	2	2	-	1	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	11	9	8	4	4	6	6	5	2	1	-	-
WHITE-----FEMALE--	6	5	5	4	3	3	3	3	1	1	-	-
ALL OTHER--FEMALE--	5	4	3	-	1	3	3	2	1	-	-	-
BLACK---FEMALE--	5	4	3	-	1	3	2	2	1	-	-	-
MASSACHUSETTS -----	9	9	5	11	7	4	7	6	1	-	-	-
WHITE-----FEMALE--	9	7	4	11	5	3	7	6	1	-	-	-
ALL OTHER--FEMALE--	-	2	1	-	2	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	1	-	2	1	-	-	-	-	-	-
MICHIGAN -----	8	10	13	9	15	4	5	9	1	1	-	-
WHITE-----FEMALE--	6	9	9	6	8	4	5	7	1	1	-	-
ALL OTHER--FEMALE--	2	1	4	3	7	-	-	2	-	-	-	-
BLACK---FEMALE--	2	1	4	2	7	-	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 752

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF CERVIX UTERI (180)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	45	-	-	-	-	-	-	1	-	2	5	3
WHITE-----FEMALE--	38	-	-	-	-	-	-	1	-	2	4	2
ALL OTHER--FEMALE--	7	-	-	-	-	-	-	-	-	-	1	1
BLACK---FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
MISSISSIPPI -----	61	-	-	-	-	-	-	-	3	2	6	7
WHITE-----FEMALE--	28	-	-	-	-	-	-	-	2	1	2	4
ALL OTHER--FEMALE--	33	-	-	-	-	-	-	-	1	1	4	3
BLACK---FEMALE--	32	-	-	-	-	-	-	-	1	1	4	2
MISSOURI -----	90	-	-	-	-	1	-	2	4	6	5	14
WHITE-----FEMALE--	73	-	-	-	-	1	-	2	3	5	4	13
ALL OTHER--FEMALE--	17	-	-	-	-	-	-	-	1	1	1	1
BLACK---FEMALE--	17	-	-	-	-	-	-	-	1	1	1	1
MONTANA -----	11	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	13	-	-	-	-	-	-	1	3	-	-	1
WHITE-----FEMALE--	12	-	-	-	-	-	-	1	3	-	-	1
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	28	-	-	-	-	-	-	1	1	1	5	4
WHITE-----FEMALE--	23	-	-	-	-	-	-	1	-	1	3	2
ALL OTHER--FEMALE--	5	-	-	-	-	-	-	-	1	-	2	2
BLACK---FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 754

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF CERVIX UTERI (180)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	192	-	-	-	-	-	1	1	12	16	17	17
WHITE-----FEMALE--	159	-	-	-	-	-	1	1	10	12	15	14
ALL OTHER--FEMALE--	33	-	-	-	-	-	-	-	2	4	2	3
BLACK---FEMALE--	31	-	-	-	-	-	-	-	2	3	2	2
OKLAHOMA -----	74	-	-	-	-	-	-	-	4	7	5	10
WHITE-----FEMALE--	61	-	-	-	-	-	-	-	3	6	5	8
ALL OTHER--FEMALE--	13	-	-	-	-	-	-	-	1	1	-	2
BLACK---FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
OREGON -----	56	-	-	-	-	-	-	-	-	2	3	11
WHITE-----FEMALE--	52	-	-	-	-	-	-	-	-	2	2	10
ALL OTHER--FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
PENNSYLVANIA -----	242	-	-	-	-	-	4	1	9	18	11	22
WHITE-----FEMALE--	189	-	-	-	-	-	1	1	8	16	10	16
ALL OTHER--FEMALE--	53	-	-	-	-	-	3	-	1	2	1	6
BLACK---FEMALE--	50	-	-	-	-	-	3	-	1	2	1	6
RHODE ISLAND -----	15	-	-	-	-	-	-	-	1	1	2	1
WHITE-----FEMALE--	14	-	-	-	-	-	-	-	1	1	2	1
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	79	-	-	-	-	-	1	2	4	6	5	14
WHITE-----FEMALE--	47	-	-	-	-	-	1	1	2	5	4	8
ALL OTHER--FEMALE--	32	-	-	-	-	-	-	1	2	1	1	6
BLACK---FEMALE--	31	-	-	-	-	-	-	1	2	1	-	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 754

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF CERVIX UTERI (180)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	18	17	17	15	9	21	11	11	6	2	1	-
WHITE-----FEMALE--	14	15	16	13	7	16	10	8	4	2	1	-
ALL OTHER--FEMALE--	4	2	1	2	2	5	1	3	2	-	-	-
BLACK---FEMALE--	4	2	1	2	2	5	1	3	2	-	-	-
OKLAHOMA -----	8	3	7	4	7	4	7	6	2	-	-	-
WHITE-----FEMALE--	6	3	5	4	5	4	6	4	2	-	-	-
ALL OTHER--FEMALE--	2	-	2	-	2	-	1	2	-	-	-	-
BLACK---FEMALE--	1	-	1	-	2	-	-	1	-	-	-	-
OREGON -----	5	3	2	9	5	10	4	2	-	-	-	-
WHITE-----FEMALE--	5	3	1	8	5	10	4	2	-	-	-	-
ALL OTHER--FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	30	23	28	20	24	18	18	8	5	3	-	-
WHITE-----FEMALE--	20	14	20	18	20	16	16	6	4	3	-	-
ALL OTHER--FEMALE--	10	9	8	2	4	2	2	2	1	-	-	-
BLACK---FEMALE--	9	8	8	2	4	2	2	2	-	-	-	-
RHODE ISLAND -----	2	1	1	-	1	-	2	2	1	-	-	-
WHITE-----FEMALE--	2	1	1	-	1	-	1	2	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	3	7	6	5	7	7	7	4	-	1	-	-
WHITE-----FEMALE--	2	3	4	4	5	2	3	3	-	-	-	-
ALL OTHER--FEMALE--	1	4	2	1	2	5	4	1	-	1	-	-
BLACK---FEMALE--	1	4	2	1	2	5	4	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 755

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF CERVIX UTERI (180)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	9	-	-	-	-	-	-	-	1	3	-	1
WHITE-----FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--FEMALE--	4	-	-	-	-	-	-	-	1	2	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	120	-	-	-	-	-	1	1	2	7	16	16
WHITE-----FEMALE--	89	-	-	-	-	-	1	1	2	5	11	12
ALL OTHER--FEMALE--	31	-	-	-	-	-	-	-	-	2	5	4
BLACK---FEMALE--	31	-	-	-	-	-	-	-	-	2	5	4
TEXAS -----	303	-	-	-	-	-	-	5	18	24	25	29
WHITE-----FEMALE--	222	-	-	-	-	-	-	3	13	16	18	23
ALL OTHER--FEMALE--	81	-	-	-	-	-	-	2	5	8	7	6
BLACK---FEMALE--	78	-	-	-	-	-	-	2	5	8	7	6
UTAH -----	20	-	-	-	-	-	-	-	1	1	1	4
WHITE-----FEMALE--	19	-	-	-	-	-	-	-	1	1	1	4
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	16	-	-	-	-	-	-	-	-	1	-	3
WHITE-----FEMALE--	15	-	-	-	-	-	-	-	-	1	-	3
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	108	-	-	-	-	-	-	2	3	14	12	15
WHITE-----FEMALE--	69	-	-	-	-	-	-	1	2	9	8	10
ALL OTHER--FEMALE--	39	-	-	-	-	-	-	1	1	5	4	5
BLACK---FEMALE--	34	-	-	-	-	-	-	1	1	4	4	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 755

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF CERVIX UTERI (180)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	1	-	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	16	8	11	13	9	7	4	8	-	1	-	-
WHITE-----FEMALE--	14	5	8	6	8	6	3	6	-	1	-	-
ALL OTHER--FEMALE--	2	3	3	7	1	1	1	2	-	-	-	-
BLACK---FEMALE--	2	3	3	7	1	1	1	2	-	-	-	-
TEXAS -----	23	28	25	36	30	22	20	9	8	1	-	-
WHITE-----FEMALE--	20	17	19	29	20	13	16	7	7	1	-	-
ALL OTHER--FEMALE--	3	11	6	7	10	9	4	2	1	-	-	-
BLACK---FEMALE--	3	10	5	6	10	9	4	2	1	-	-	-
UTAH -----	6	3	1	1	-	-	2	-	-	-	-	-
WHITE-----FEMALE--	5	3	1	1	-	-	2	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	-	1	2	1	2	2	-	1	-	-	-
WHITE-----FEMALE--	2	-	1	2	1	2	2	-	1	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	10	7	8	14	5	5	3	2	1	-	-
WHITE-----FEMALE--	4	7	4	6	8	4	2	2	1	1	-	-
ALL OTHER--FEMALE--	3	3	3	2	6	1	3	1	1	-	-	-
BLACK---FEMALE--	2	3	2	2	6	1	3	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 757

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OF OTHER PARTS OF UTERUS (179,181-182)												
0 UNITED STATES --	6,207	-	1	-	-	1	3	10	26	51	72	152
WHITE-----FEMALE--	5,169	-	-	-	-	-	1	7	23	41	53	130
ALL OTHER--FEMALE--	1,038	-	1	-	-	1	2	3	3	10	19	22
BLACK---FEMALE--	942	-	1	-	-	1	1	2	3	8	13	13
ALABAMA -----	89	-	-	-	-	-	-	-	-	3	1	1
WHITE-----FEMALE--	54	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--FEMALE--	35	-	-	-	-	-	-	-	-	2	1	-
BLACK---FEMALE--	35	-	-	-	-	-	-	-	-	2	1	-
ALASKA -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	87	-	-	-	-	-	-	-	1	2	1	2
WHITE-----FEMALE--	80	-	-	-	-	-	-	-	1	2	1	1
ALL OTHER--FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	72	-	-	-	-	-	-	-	1	1	-	-
WHITE-----FEMALE--	52	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	20	-	-	-	-	-	-	-	1	1	-	-
BLACK---FEMALE--	20	-	-	-	-	-	-	-	1	1	-	-
CALIFORNIA -----	577	-	-	-	-	-	-	3	3	5	7	20
WHITE-----FEMALE--	486	-	-	-	-	-	-	2	3	4	2	17
ALL OTHER--FEMALE--	91	-	-	-	-	-	-	1	-	1	5	3
BLACK---FEMALE--	52	-	-	-	-	-	-	1	-	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 757

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OF OTHER PARTS OF UTERUS (179,181-182)												
0 UNITED STATES --	233	393	569	751	1,053	1,017	850	636	312	68	8	1
WHITE-----FEMALE--	187	312	444	586	868	877	737	561	280	54	8	-
ALL OTHER--FEMALE--	46	81	125	165	185	140	113	75	32	14	-	1
BLACK---FEMALE--	39	69	114	159	170	134	101	70	30	13	-	1
ALABAMA -----	3	7	5	16	16	13	14	4	4	2	-	-
WHITE-----FEMALE--	2	4	2	8	8	12	8	3	3	2	-	-
ALL OTHER--FEMALE--	1	3	3	8	8	1	6	1	1	-	-	-
BLACK---FEMALE--	1	3	3	8	8	1	6	1	1	-	-	-
ALASKA -----	-	2	-	1	1	1	-	2	-	-	-	-
WHITE-----FEMALE--	-	2	-	1	1	1	-	2	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	3	4	10	18	12	18	8	4	2	-	-
WHITE-----FEMALE--	2	3	4	8	16	12	16	8	4	2	-	-
ALL OTHER--FEMALE--	-	-	-	2	2	-	2	-	-	-	-	-
BLACK---FEMALE--	-	-	-	2	1	-	1	-	-	-	-	-
ARKANSAS -----	1	3	7	16	15	8	9	5	6	-	-	-
WHITE-----FEMALE--	1	1	6	11	12	5	6	5	5	-	-	-
ALL OTHER--FEMALE--	-	2	1	5	3	3	3	-	1	-	-	-
BLACK---FEMALE--	-	2	1	5	3	3	3	-	1	-	-	-
CALIFORNIA -----	26	39	49	59	97	112	73	45	33	6	-	-
WHITE-----FEMALE--	19	32	40	51	83	102	58	42	27	4	-	-
ALL OTHER--FEMALE--	7	7	9	8	14	10	15	3	6	2	-	-
BLACK---FEMALE--	4	4	5	4	7	7	9	1	5	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 758

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF OTHER PARTS OF UTERUS (179,181-182)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	6	3	7	2	6	7	10	11	6	-	-	-
WHITE-----FEMALE--	6	3	7	1	5	7	10	11	6	-	-	-
ALL OTHER--FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
CONNECTICUT -----	1	4	6	6	14	20	10	12	7	1	1	-
WHITE-----FEMALE--	1	1	6	4	13	17	10	11	7	-	1	-
ALL OTHER--FEMALE--	-	3	-	2	1	3	-	1	-	1	-	-
BLACK---FEMALE--	-	3	-	2	1	3	-	-	-	1	-	-
DELAWARE -----	1	-	1	-	3	2	2	3	-	-	-	-
WHITE-----FEMALE--	1	-	1	-	3	2	1	2	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	3	4	2	-	1	1	-	-	-	-
WHITE-----FEMALE--	-	-	1	1	-	-	1	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	2	3	2	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	2	3	2	-	-	-	-	-	-	-
FLORIDA -----	13	20	38	49	62	68	58	57	18	7	1	-
WHITE-----FEMALE--	10	15	31	39	53	61	51	48	15	7	1	-
ALL OTHER--FEMALE--	3	5	7	10	9	7	7	9	3	-	-	-
BLACK---FEMALE--	3	5	6	10	8	7	7	9	3	-	-	-
GEORGIA -----	4	10	16	24	17	23	15	11	8	-	-	-
WHITE-----FEMALE--	-	4	8	14	11	13	14	8	6	-	-	-
ALL OTHER--FEMALE--	4	6	8	10	6	10	1	3	2	-	-	-
BLACK---FEMALE--	4	6	8	10	6	10	1	3	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 759

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF OTHER PARTS OF UTERUS (179,181-182)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	1	2	2	-	4	1	2	1	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	2	2	-	2	1	2	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	3	5	1	2	-	1	-	-	-	-
WHITE-----FEMALE--	-	1	3	5	1	2	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	10	21	16	36	54	54	47	29	13	1	1	-
WHITE-----FEMALE--	9	16	13	29	45	42	40	25	12	-	1	-
ALL OTHER--FEMALE--	1	5	3	7	9	12	7	4	1	1	-	-
BLACK---FEMALE--	1	4	2	7	9	11	7	4	1	1	-	-
INDIANA -----	10	8	14	18	15	17	18	22	11	2	-	-
WHITE-----FEMALE--	9	8	12	14	12	13	16	20	10	1	-	-
ALL OTHER--FEMALE--	1	-	2	4	3	4	2	2	1	1	-	-
BLACK---FEMALE--	1	-	2	4	3	4	2	2	1	1	-	-
IOWA -----	2	5	8	4	13	21	11	10	2	1	-	-
WHITE-----FEMALE--	2	4	8	4	13	20	11	10	2	1	-	-
ALL OTHER--FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
KANSAS -----	1	1	3	3	8	14	12	8	3	1	-	-
WHITE-----FEMALE--	1	-	3	3	8	12	11	8	3	1	-	-
ALL OTHER--FEMALE--	-	1	-	-	-	2	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 760

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF OTHER PARTS OF UTERUS (179,181-182)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	3	6	9	9	14	14	8	6	1	-	-
WHITE-----FEMALE--	1	3	4	9	9	13	12	8	6	1	-	-
ALL OTHER--FEMALE--	-	-	2	-	-	1	2	-	-	-	-	-
BLACK---FEMALE--	-	-	2	-	-	1	2	-	-	-	-	-
LOUISIANA -----	5	5	5	17	19	13	7	9	4	1	-	-
WHITE-----FEMALE--	4	2	1	10	7	11	6	7	3	-	-	-
ALL OTHER--FEMALE--	1	3	4	7	12	2	1	2	1	1	-	-
BLACK---FEMALE--	1	3	4	7	12	2	1	2	1	1	-	-
MAINE -----	1	1	2	6	6	5	6	6	1	-	-	-
WHITE-----FEMALE--	1	1	2	6	6	5	6	6	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	10	9	9	10	26	17	21	9	4	2	-	-
WHITE-----FEMALE--	5	5	5	5	20	15	16	6	4	2	-	-
ALL OTHER--FEMALE--	5	4	4	5	6	2	5	3	-	-	-	-
BLACK---FEMALE--	5	4	3	5	6	2	5	3	-	-	-	-
MASSACHUSETTS -----	3	12	10	17	25	29	20	20	6	2	-	-
WHITE-----FEMALE--	3	12	10	16	23	29	19	18	6	1	-	-
ALL OTHER--FEMALE--	-	-	-	1	2	-	1	2	-	1	-	-
BLACK---FEMALE--	-	-	-	1	2	-	-	2	-	1	-	-
MICHIGAN -----	9	18	23	29	36	34	30	24	11	3	-	-
WHITE-----FEMALE--	9	12	19	26	31	31	25	22	9	2	-	-
ALL OTHER--FEMALE--	-	6	4	3	5	3	5	2	2	1	-	-
BLACK---FEMALE--	-	6	4	3	5	3	5	2	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 761

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF OTHER PARTS OF UTERUS (179,181-182)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	4	4	8	11	11	14	15	11	11	2	2	-
WHITE-----FEMALE--	4	4	8	10	11	14	15	11	11	1	2	-
ALL OTHER--FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
BLACK---FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MISSISSIPPI -----	2	2	6	6	12	7	5	9	3	-	-	-
WHITE-----FEMALE--	1	1	4	2	5	1	4	5	-	-	-	-
ALL OTHER--FEMALE--	1	1	2	4	7	6	1	4	3	-	-	-
BLACK---FEMALE--	1	1	2	4	7	6	1	4	3	-	-	-
MISSOURI -----	6	9	9	20	22	17	21	19	12	2	1	-
WHITE-----FEMALE--	6	9	9	17	18	16	20	17	12	2	1	-
ALL OTHER--FEMALE--	-	-	-	3	4	1	1	2	-	-	-	-
BLACK---FEMALE--	-	-	-	3	4	1	1	2	-	-	-	-
MONTANA -----	1	1	-	2	2	3	3	3	-	-	-	-
WHITE-----FEMALE--	1	1	-	2	2	3	3	3	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	3	5	5	3	6	3	10	4	2	-	-	-
WHITE-----FEMALE--	3	5	5	3	6	3	10	4	2	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	2	1	2	3	6	6	1	-	1	-	-	-
WHITE-----FEMALE--	2	1	2	3	6	5	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 763

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF OTHER PARTS OF UTERUS (179,181-182)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	333	-	-	-	-	-	-	-	1	2	6	7
WHITE-----FEMALE--	297	-	-	-	-	-	-	-	1	2	6	7
ALL OTHER--FEMALE--	36	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	82	-	-	-	-	-	-	-	1	-	1	3
WHITE-----FEMALE--	71	-	-	-	-	-	-	-	1	-	1	3
ALL OTHER--FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	71	-	-	-	-	-	-	-	1	1	-	-
WHITE-----FEMALE--	70	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
PENNSYLVANIA -----	410	-	-	-	-	-	-	-	-	3	5	1
WHITE-----FEMALE--	352	-	-	-	-	-	-	-	-	3	4	1
ALL OTHER--FEMALE--	58	-	-	-	-	-	-	-	-	-	1	-
BLACK---FEMALE--	56	-	-	-	-	-	-	-	-	-	1	-
RHODE ISLAND -----	24	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	76	-	-	-	-	-	-	-	-	1	1	1
WHITE-----FEMALE--	41	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	35	-	-	-	-	-	-	-	-	1	-	1
BLACK---FEMALE--	35	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 763

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF OTHER PARTS OF UTERUS (179,181-182)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	15	18	38	36	62	56	48	29	11	3	1	-
WHITE-----FEMALE--	14	18	32	33	50	49	44	26	11	3	1	-
ALL OTHER--FEMALE--	1	-	6	3	12	7	4	3	-	-	-	-
BLACK---FEMALE--	-	-	6	3	12	7	4	3	-	-	-	-
OKLAHOMA -----	2	5	8	12	14	8	14	4	7	3	-	-
WHITE-----FEMALE--	2	4	7	10	11	6	13	4	6	3	-	-
ALL OTHER--FEMALE--	-	1	1	2	3	2	1	-	1	-	-	-
BLACK---FEMALE--	-	1	1	2	2	1	1	-	1	-	-	-
OREGON -----	3	3	4	9	17	11	7	9	6	-	-	-
WHITE-----FEMALE--	3	3	4	9	17	11	7	9	6	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	13	28	41	53	72	69	53	44	24	3	-	1
WHITE-----FEMALE--	11	20	30	48	62	63	47	40	20	3	-	-
ALL OTHER--FEMALE--	2	8	11	5	10	6	6	4	4	-	-	1
BLACK---FEMALE--	1	7	11	5	10	6	6	4	4	-	-	1
RHODE ISLAND -----	1	1	5	4	4	5	-	2	1	1	-	-
WHITE-----FEMALE--	1	1	4	2	4	5	-	2	1	-	-	-
ALL OTHER--FEMALE--	-	-	1	2	-	-	-	-	-	1	-	-
BLACK---FEMALE--	-	-	1	1	-	-	-	-	-	1	-	-
SOUTH CAROLINA -----	5	3	9	14	16	11	10	5	-	-	-	-
WHITE-----FEMALE--	3	1	4	7	9	6	7	3	-	-	-	-
ALL OTHER--FEMALE--	2	2	5	7	7	5	3	2	-	-	-	-
BLACK---FEMALE--	2	2	5	7	7	5	3	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 764

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF OTHER PARTS OF UTERUS (179,181-182)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	2	5	1	4	3	-	-	-	-	-
WHITE-----FEMALE--	-	1	1	5	1	4	3	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	10	13	15	25	20	15	18	4	-	-	-
WHITE-----FEMALE--	4	10	9	9	18	14	12	13	4	-	-	-
ALL OTHER--FEMALE--	2	-	4	6	7	6	3	5	-	-	-	-
BLACK---FEMALE--	2	-	4	6	7	6	3	5	-	-	-	-
TEXAS -----	10	20	36	46	53	48	42	33	16	6	-	-
WHITE-----FEMALE--	9	19	28	34	46	37	35	29	13	4	-	-
ALL OTHER--FEMALE--	1	1	8	12	7	11	7	4	3	2	-	-
BLACK---FEMALE--	1	1	8	12	7	11	6	4	3	2	-	-
UTAH -----	-	2	4	5	5	5	7	6	1	-	-	-
WHITE-----FEMALE--	-	2	4	5	5	5	7	6	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	2	-	4	6	4	2	3	1	-	-
WHITE-----FEMALE--	-	1	2	-	4	6	4	2	3	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	5	13	20	23	19	21	21	6	-	-	-
WHITE-----FEMALE--	3	4	8	13	17	11	18	15	5	-	-	-
ALL OTHER--FEMALE--	-	1	5	7	6	8	3	6	1	-	-	-
BLACK---FEMALE--	-	1	5	7	5	8	3	6	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 766

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OF OVARY AND OTHER UTERINE ADNEXA (183)												
0 UNITED STATES --	13,673	1	1	1	3	4	12	42	76	149	332	625
WHITE-----FEMALE--	12,330	1	1	1	1	4	10	31	69	116	276	544
ALL OTHER--FEMALE--	1,343	-	-	-	2	-	2	11	7	33	56	81
BLACK---FEMALE--	1,130	-	-	-	2	-	1	9	7	28	37	62
ALABAMA -----	232	-	-	-	-	1	-	2	1	4	6	9
WHITE-----FEMALE--	177	-	-	-	-	1	-	-	1	2	4	8
ALL OTHER--FEMALE--	55	-	-	-	-	-	-	2	-	2	2	1
BLACK---FEMALE--	54	-	-	-	-	-	-	2	-	2	2	1
ALASKA -----	29	-	-	-	-	-	-	-	-	-	-	4
WHITE-----FEMALE--	26	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ARIZONA -----	197	-	-	-	-	-	-	1	5	1	5	8
WHITE-----FEMALE--	192	-	-	-	-	-	-	1	5	1	5	7
ALL OTHER--FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	144	-	1	-	-	-	-	-	-	1	5	6
WHITE-----FEMALE--	127	-	1	-	-	-	-	-	-	1	5	5
ALL OTHER--FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA -----	1,422	-	-	-	-	-	3	3	11	27	44	93
WHITE-----FEMALE--	1,255	-	-	-	-	-	2	3	10	21	31	74
ALL OTHER--FEMALE--	167	-	-	-	-	-	1	-	1	6	13	19
BLACK---FEMALE--	83	-	-	-	-	-	-	-	1	3	4	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 766

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF OVARY AND OTHER UTERINE ADNEXA (183)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
UNITED STATES --	874	1,007	1,274	1,677	2,224	2,138	1,656	1,053	435	77	12	-
WHITE-----FEMALE--	772	906	1,147	1,479	2,011	1,966	1,540	969	404	71	11	-
ALL OTHER--FEMALE--	102	101	127	198	213	172	116	84	31	6	1	-
BLACK---FEMALE--	86	84	103	166	187	149	98	75	29	6	1	-
ALABAMA -----	16	14	18	29	42	33	36	11	10	-	-	-
WHITE-----FEMALE--	12	10	14	25	34	24	26	9	7	-	-	-
ALL OTHER--FEMALE--	4	4	4	4	8	9	10	2	3	-	-	-
BLACK---FEMALE--	4	4	4	4	8	8	10	2	3	-	-	-
ALASKA -----	3	2	1	6	6	6	1	-	-	-	-	-
WHITE-----FEMALE--	3	2	1	5	6	5	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	9	18	12	25	31	35	27	15	4	1	-	-
WHITE-----FEMALE--	9	17	12	24	31	33	27	15	4	1	-	-
ALL OTHER--FEMALE--	-	1	-	1	-	2	-	-	-	-	-	-
BLACK---FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	8	10	11	24	23	23	17	10	5	-	-	-
WHITE-----FEMALE--	7	9	7	19	21	22	17	8	5	-	-	-
ALL OTHER--FEMALE--	1	1	4	5	2	1	-	2	-	-	-	-
BLACK---FEMALE--	1	1	4	5	2	1	-	2	-	-	-	-
CALIFORNIA -----	92	111	125	171	239	203	145	106	40	8	1	-
WHITE-----FEMALE--	79	101	111	146	217	182	133	98	38	8	1	-
ALL OTHER--FEMALE--	13	10	14	25	22	21	12	8	2	-	-	-
BLACK---FEMALE--	8	7	6	12	11	12	5	4	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 767

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF OVARY AND OTHER UTERINE ADNEXA (183)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	166	-	-	-	-	-	-	-	-	3	3	10
WHITE-----FEMALE--	163	-	-	-	-	-	-	-	-	2	3	9
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
CONNECTICUT -----	178	-	-	-	-	-	-	1	2	-	3	5
WHITE-----FEMALE--	170	-	-	-	-	-	-	1	2	-	3	5
ALL OTHER--FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	48	-	-	-	-	-	-	-	-	-	-	2
WHITE-----FEMALE--	40	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	29	-	-	-	-	-	-	-	1	-	1	2
WHITE-----FEMALE--	10	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--FEMALE--	19	-	-	-	-	-	-	-	1	-	-	1
BLACK---FEMALE--	18	-	-	-	-	-	-	-	1	-	-	1
FLORIDA -----	857	-	-	-	-	-	-	3	4	9	10	34
WHITE-----FEMALE--	786	-	-	-	-	-	-	3	4	6	8	30
ALL OTHER--FEMALE--	71	-	-	-	-	-	-	-	-	3	2	4
BLACK---FEMALE--	69	-	-	-	-	-	-	-	-	3	2	4
GEORGIA -----	315	-	-	-	-	-	-	-	2	2	12	15
WHITE-----FEMALE--	244	-	-	-	-	-	-	-	1	1	4	13
ALL OTHER--FEMALE--	71	-	-	-	-	-	-	-	1	1	8	2
BLACK---FEMALE--	65	-	-	-	-	-	-	-	1	1	7	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 767

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF OVARY AND OTHER UTERINE ADNEXA (183)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	13	18	15	21	29	20	20	9	4	1	-	-
WHITE-----FEMALE--	13	17	15	21	29	20	20	9	4	1	-	-
ALL OTHER--FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	17	11	16	21	28	24	23	16	8	3	-	-
WHITE-----FEMALE--	17	9	14	21	25	24	22	16	8	3	-	-
ALL OTHER--FEMALE--	-	2	2	-	3	-	1	-	-	-	-	-
BLACK---FEMALE--	-	2	2	-	3	-	-	-	-	-	-	-
DELAWARE -----	2	2	5	10	9	12	4	1	1	-	-	-
WHITE-----FEMALE--	2	2	5	6	8	11	3	1	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	4	1	1	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	4	1	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	2	3	4	3	2	6	1	1	-	-	-
WHITE-----FEMALE--	1	-	2	-	-	1	2	1	1	-	-	-
ALL OTHER--FEMALE--	2	2	1	4	3	1	4	-	-	-	-	-
BLACK---FEMALE--	2	2	1	3	3	1	4	-	-	-	-	-
FLORIDA -----	49	53	77	114	133	153	111	74	27	6	-	-
WHITE-----FEMALE--	44	48	69	102	118	148	106	69	25	6	-	-
ALL OTHER--FEMALE--	5	5	8	12	15	5	5	5	2	-	-	-
BLACK---FEMALE--	5	5	7	11	15	5	5	5	2	-	-	-
GEORGIA -----	18	19	44	40	53	53	35	17	5	-	-	-
WHITE-----FEMALE--	14	16	33	32	42	41	30	14	3	-	-	-
ALL OTHER--FEMALE--	4	3	11	8	11	12	5	3	2	-	-	-
BLACK---FEMALE--	2	3	10	7	10	12	5	3	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 768

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF OVARY AND OTHER UTERINE ADNEXA (183)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	1	5	7	2	7	5	2	1	1	-	-	-
WHITE-----FEMALE--	-	1	3	-	3	3	1	-	-	-	-	-
ALL OTHER--FEMALE--	1	4	4	2	4	2	1	1	1	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	2	8	7	13	7	4	3	1	-	-	-
WHITE-----FEMALE--	2	2	8	7	13	7	4	3	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	41	42	53	98	105	95	68	57	14	3	-	-
WHITE-----FEMALE--	38	33	47	83	89	82	64	53	14	3	-	-
ALL OTHER--FEMALE--	3	9	6	15	16	13	4	4	-	-	-	-
BLACK---FEMALE--	3	9	6	14	14	13	3	4	-	-	-	-
INDIANA -----	18	25	38	27	50	57	39	31	12	2	2	-
WHITE-----FEMALE--	17	25	35	26	44	56	37	30	11	2	2	-
ALL OTHER--FEMALE--	1	-	3	1	6	1	2	1	1	-	-	-
BLACK---FEMALE--	1	-	3	1	6	1	2	1	1	-	-	-
IOWA -----	6	13	21	19	29	37	21	9	10	1	-	-
WHITE-----FEMALE--	6	13	21	19	29	37	21	9	10	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	5	7	11	12	21	15	18	10	7	1	-	-
WHITE-----FEMALE--	5	7	11	11	19	15	16	10	7	1	-	-
ALL OTHER--FEMALE--	-	-	-	1	2	-	2	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	2	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 769

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF OVARY AND OTHER UTERINE ADNEXA (183)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	205	-	-	-	-	-	-	1	3	2	5	8
WHITE-----FEMALE--	192	-	-	-	-	-	-	1	3	2	4	7
ALL OTHER--FEMALE--	13	-	-	-	-	-	-	-	-	-	1	1
BLACK---FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	211	-	-	-	1	-	1	1	3	3	3	10
WHITE-----FEMALE--	145	-	-	-	-	-	-	-	2	1	3	3
ALL OTHER--FEMALE--	66	-	-	-	1	-	1	1	1	2	-	7
BLACK---FEMALE--	65	-	-	-	1	-	1	1	1	2	-	7
MAINE -----	56	-	-	-	-	-	-	-	-	1	1	3
WHITE-----FEMALE--	55	-	-	-	-	-	-	-	-	1	1	3
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	245	-	-	-	-	-	-	2	2	1	9	13
WHITE-----FEMALE--	201	-	-	-	-	-	-	1	2	1	7	12
ALL OTHER--FEMALE--	44	-	-	-	-	-	-	1	-	-	2	1
BLACK---FEMALE--	43	-	-	-	-	-	-	1	-	-	2	1
MASSACHUSETTS -----	332	-	-	-	-	-	-	-	3	2	7	15
WHITE-----FEMALE--	327	-	-	-	-	-	-	-	3	2	7	14
ALL OTHER--FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN -----	507	-	-	-	-	-	2	5	1	4	11	22
WHITE-----FEMALE--	474	-	-	-	-	-	2	2	1	4	11	21
ALL OTHER--FEMALE--	33	-	-	-	-	-	-	3	-	-	-	1
BLACK---FEMALE--	30	-	-	-	-	-	-	2	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 769

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF OVARY AND OTHER UTERINE ADNEXA (183)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	16	8	22	26	34	33	21	21	4	1	-	-
WHITE-----FEMALE--	15	8	21	22	31	32	21	20	4	1	-	-
ALL OTHER--FEMALE--	1	-	1	4	3	1	-	1	-	-	-	-
BLACK---FEMALE--	1	-	1	4	3	1	-	1	-	-	-	-
LOUISIANA -----	17	15	16	22	35	32	36	11	3	1	1	-
WHITE-----FEMALE--	12	9	13	13	27	23	26	9	3	1	-	-
ALL OTHER--FEMALE--	5	6	3	9	8	9	10	2	-	-	1	-
BLACK---FEMALE--	4	6	3	9	8	9	10	2	-	-	1	-
MAINE -----	5	2	7	3	9	14	4	5	2	-	-	-
WHITE-----FEMALE--	5	2	7	3	9	13	4	5	2	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MARYLAND -----	18	26	22	28	37	33	32	13	9	-	-	-
WHITE-----FEMALE--	14	19	19	22	27	29	28	12	8	-	-	-
ALL OTHER--FEMALE--	4	7	3	6	10	4	4	1	1	-	-	-
BLACK---FEMALE--	4	6	3	6	10	4	4	1	1	-	-	-
MASSACHUSETTS -----	22	26	25	45	47	53	45	29	11	-	2	-
WHITE-----FEMALE--	22	26	25	45	47	53	42	28	11	-	2	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	3	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	3	1	-	-	-	-
MICHIGAN -----	30	38	49	61	94	79	52	39	16	4	-	-
WHITE-----FEMALE--	30	36	43	59	88	76	47	35	15	4	-	-
ALL OTHER--FEMALE--	-	2	6	2	6	3	5	4	1	-	-	-
BLACK---FEMALE--	-	1	5	2	6	3	5	4	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 770

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF OVARY AND OTHER UTERINE ADNEXA (183)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	227	-	-	-	-	1	-	-	-	1	4	10
WHITE-----FEMALE--	222	-	-	-	-	1	-	-	-	1	4	10
ALL OTHER--FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	129	-	-	-	-	-	-	-	1	2	4	3
WHITE-----FEMALE--	99	-	-	-	-	-	-	-	1	1	2	1
ALL OTHER--FEMALE--	30	-	-	-	-	-	-	-	-	1	2	2
BLACK---FEMALE--	30	-	-	-	-	-	-	-	-	1	2	2
MISSOURI -----	298	-	-	-	-	1	-	-	-	2	6	14
WHITE-----FEMALE--	275	-	-	-	-	1	-	-	-	1	4	13
ALL OTHER--FEMALE--	23	-	-	-	-	-	-	-	-	1	2	1
BLACK---FEMALE--	21	-	-	-	-	-	-	-	-	1	1	1
MONTANA -----	55	-	-	-	-	-	-	-	1	-	1	3
WHITE-----FEMALE--	54	-	-	-	-	-	-	-	1	-	1	2
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	92	-	-	-	-	-	-	-	-	-	4	1
WHITE-----FEMALE--	91	-	-	-	-	-	-	-	-	-	4	1
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	70	-	-	-	-	-	-	-	-	1	3	7
WHITE-----FEMALE--	68	-	-	-	-	-	-	-	-	-	3	7
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 770

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF OVARY AND OTHER UTERINE ADNEXA (183)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	14	17	22	22	40	30	32	25	8	1	-	-
WHITE-----FEMALE--	13	15	22	22	39	29	32	25	8	1	-	-
ALL OTHER--FEMALE--	1	2	-	-	1	1	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	2	9	12	17	31	21	11	13	3	-	-	-
WHITE-----FEMALE--	2	5	8	11	26	18	11	10	3	-	-	-
ALL OTHER--FEMALE--	-	4	4	6	5	3	-	3	-	-	-	-
BLACK---FEMALE--	-	4	4	6	5	3	-	3	-	-	-	-
MISSOURI -----	19	19	20	30	51	50	44	26	11	4	1	-
WHITE-----FEMALE--	17	18	19	28	45	47	43	24	11	3	1	-
ALL OTHER--FEMALE--	2	1	1	2	6	3	1	2	-	1	-	-
BLACK---FEMALE--	2	1	1	1	6	3	1	2	-	1	-	-
MONTANA -----	4	2	3	3	3	14	8	10	2	1	-	-
WHITE-----FEMALE--	4	2	3	3	3	14	8	10	2	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	4	7	5	10	13	23	9	12	4	-	-	-
WHITE-----FEMALE--	4	7	4	10	13	23	9	12	4	-	-	-
ALL OTHER--FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
NEVADA -----	6	4	5	8	16	4	11	3	2	-	-	-
WHITE-----FEMALE--	6	4	5	8	15	4	11	3	2	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 772

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF OVARY AND OTHER UTERINE ADNEXA (183)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	43	37	64	48	84	88	78	46	25	4	2	-
WHITE-----FEMALE--	38	35	62	44	81	78	71	41	25	3	2	-
ALL OTHER--FEMALE--	5	2	2	4	3	10	7	5	-	1	-	-
BLACK---FEMALE--	4	2	2	4	3	10	7	5	-	1	-	-
OKLAHOMA -----	20	11	18	18	21	22	24	15	3	2	-	-
WHITE-----FEMALE--	16	11	16	15	20	21	21	13	2	2	-	-
ALL OTHER--FEMALE--	4	-	2	3	1	1	3	2	1	-	-	-
BLACK---FEMALE--	2	-	1	3	-	1	1	1	1	-	-	-
OREGON -----	8	16	12	26	32	30	23	12	4	-	1	-
WHITE-----FEMALE--	8	16	10	26	32	30	23	12	4	-	1	-
ALL OTHER--FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	40	48	65	112	127	122	100	58	37	4	1	-
WHITE-----FEMALE--	36	47	61	104	125	112	97	53	35	3	1	-
ALL OTHER--FEMALE--	4	1	4	8	2	10	3	5	2	1	-	-
BLACK---FEMALE--	4	1	3	8	2	10	2	5	2	1	-	-
RHODE ISLAND -----	3	4	10	7	8	10	8	6	1	-	1	-
WHITE-----FEMALE--	3	4	9	6	8	9	8	6	1	-	1	-
ALL OTHER--FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
SOUTH CAROLINA -----	16	15	19	27	30	16	20	17	4	-	-	-
WHITE-----FEMALE--	14	11	15	16	24	12	16	12	2	-	-	-
ALL OTHER--FEMALE--	2	4	4	11	6	4	4	5	2	-	-	-
BLACK---FEMALE--	2	4	4	11	5	4	4	5	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 773

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF OVARY AND OTHER UTERINE ADNEXA (183)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	32	-	-	-	-	-	-	-	-	-	1	1
WHITE-----FEMALE--	31	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	289	-	-	-	-	-	-	2	3	3	5	12
WHITE-----FEMALE--	258	-	-	-	-	-	-	1	3	2	3	12
ALL OTHER--FEMALE--	31	-	-	-	-	-	-	1	-	1	2	-
BLACK---FEMALE--	29	-	-	-	-	-	-	1	-	1	1	-
TEXAS -----	759	-	-	-	1	-	2	1	5	5	21	31
WHITE-----FEMALE--	687	-	-	-	1	-	2	1	4	4	18	27
ALL OTHER--FEMALE--	72	-	-	-	-	-	-	-	1	1	3	4
BLACK---FEMALE--	62	-	-	-	-	-	-	-	1	1	2	3
UTAH -----	67	-	-	-	-	-	-	1	1	-	2	6
WHITE-----FEMALE--	67	-	-	-	-	-	-	1	1	-	2	6
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	30	-	-	-	-	-	-	1	-	-	2	2
WHITE-----FEMALE--	30	-	-	-	-	-	-	1	-	-	2	2
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	324	-	-	-	-	-	-	3	1	5	5	13
WHITE-----FEMALE--	279	-	-	-	-	-	-	3	-	5	4	9
ALL OTHER--FEMALE--	45	-	-	-	-	-	-	-	1	-	1	4
BLACK---FEMALE--	42	-	-	-	-	-	-	-	1	-	1	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 773

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF OVARY AND OTHER UTERINE ADNEXA (183)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	1	1	7	2	6	6	4	1	1	-	-
WHITE-----FEMALE--	1	1	1	6	2	6	6	4	1	1	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	17	15	30	34	53	46	29	28	11	1	-	-
WHITE-----FEMALE--	10	14	29	33	47	40	25	28	10	1	-	-
ALL OTHER--FEMALE--	7	1	1	1	6	6	4	-	1	-	-	-
BLACK---FEMALE--	6	1	1	1	6	6	4	-	1	-	-	-
TEXAS -----	62	65	65	105	115	120	76	54	23	8	-	-
WHITE-----FEMALE--	53	60	59	94	105	111	72	48	21	7	-	-
ALL OTHER--FEMALE--	9	5	6	11	10	9	4	6	2	1	-	-
BLACK---FEMALE--	7	5	6	10	9	6	4	5	2	1	-	-
UTAH -----	4	3	5	9	8	9	12	4	2	1	-	-
WHITE-----FEMALE--	4	3	5	9	8	9	12	4	2	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	3	3	4	6	3	3	1	1	1	-	-
WHITE-----FEMALE--	-	3	3	4	6	3	3	1	1	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	21	22	36	41	51	52	33	32	8	1	-	-
WHITE-----FEMALE--	19	20	30	31	44	46	31	30	6	1	-	-
ALL OTHER--FEMALE--	2	2	6	10	7	6	2	2	2	-	-	-
BLACK---FEMALE--	2	2	5	8	7	6	2	2	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 775

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)												
0 UNITED STATES --	1,150	-	-	-	-	-	-	3	3	10	23	42
WHITE-----FEMALE--	1,037	-	-	-	-	-	-	1	3	7	18	35
ALL OTHER--FEMALE--	113	-	-	-	-	-	-	2	-	3	5	7
BLACK---FEMALE--	103	-	-	-	-	-	-	2	-	2	4	5
ALABAMA -----	23	-	-	-	-	-	-	-	-	-	-	1
WHITE-----FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	2	-	-	-	-	-	-	-	-	-	-	1
WHITE-----FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	10	-	-	-	-	-	-	-	-	-	-	1
WHITE-----FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	16	-	-	-	-	-	-	-	-	-	-	1
WHITE-----FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	87	-	-	-	-	-	-	1	-	1	2	4
WHITE-----FEMALE--	77	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--FEMALE--	10	-	-	-	-	-	-	1	-	1	-	2
BLACK---FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 775

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
UNITED STATES --	42	37	59	98	157	176	193	151	108	41	7	-
WHITE-----FEMALE--	36	32	50	87	135	166	178	145	99	38	7	-
ALL OTHER--FEMALE--	6	5	9	11	22	10	15	6	9	3	-	-
BLACK---FEMALE--	6	4	8	10	21	10	15	4	9	3	-	-
ALABAMA -----	-	-	2	1	2	5	3	2	5	2	-	-
WHITE-----FEMALE--	-	-	-	1	2	4	1	2	4	1	-	-
ALL OTHER--FEMALE--	-	-	2	-	-	1	2	-	1	1	-	-
BLACK---FEMALE--	-	-	2	-	-	1	2	-	1	1	-	-
ALASKA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	2	1	-	-	1	4	1	-	-	-
WHITE-----FEMALE--	-	-	2	1	-	-	1	3	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	1	1	3	2	4	2	1	-	-
WHITE-----FEMALE--	-	-	1	1	1	3	2	4	2	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
CALIFORNIA -----	6	2	2	6	13	9	21	13	7	-	-	-
WHITE-----FEMALE--	5	2	2	5	12	9	21	11	6	-	-	-
ALL OTHER--FEMALE--	1	-	-	1	1	-	-	2	1	-	-	-
BLACK---FEMALE--	1	-	-	1	1	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 776

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	2	2	3	2	4	2	-	-	-	-
WHITE-----FEMALE--	-	-	2	2	3	2	4	2	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	2	-	1	3	3	1	3	-	-	-	-
WHITE-----FEMALE--	1	2	-	1	3	3	1	3	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	-	1	3	-	1	1	1	-	-
WHITE-----FEMALE--	-	-	1	-	1	3	-	1	1	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	3	-	1	1	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	3	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	3	-	-	-	-	-	-	-
FLORIDA -----	3	4	6	5	12	11	15	10	3	2	-	-
WHITE-----FEMALE--	3	4	5	4	12	10	14	10	3	2	-	-
ALL OTHER--FEMALE--	-	-	1	1	-	1	1	-	-	-	-	-
BLACK---FEMALE--	-	-	1	1	-	1	1	-	-	-	-	-
GEORGIA -----	1	-	2	4	4	-	5	3	1	1	-	-
WHITE-----FEMALE--	1	-	-	3	2	-	4	3	1	1	-	-
ALL OTHER--FEMALE--	-	-	2	1	2	-	1	-	-	-	-	-
BLACK---FEMALE--	-	-	2	1	2	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 777

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2	2	1	3	5	14	7	5	5	2	-	-
WHITE-----FEMALE--	1	2	1	2	5	13	6	5	5	2	-	-
ALL OTHER--FEMALE--	1	-	-	1	-	1	1	-	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	1	1	-	-	-	-	-
INDIANA -----	2	-	1	5	3	3	8	-	4	1	-	-
WHITE-----FEMALE--	1	-	1	4	2	3	8	-	4	1	-	-
ALL OTHER--FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
IOWA -----	-	-	-	1	-	4	4	2	4	1	1	-
WHITE-----FEMALE--	-	-	-	1	-	4	4	2	4	1	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	1	-	2	2	1	2	2	2	1	-	-
WHITE-----FEMALE--	-	-	-	2	1	1	2	2	2	1	-	-
ALL OTHER--FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 778

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	3	1	-	-	2	1	1	1	3	2	-	-
WHITE-----FEMALE--	3	1	-	-	2	1	-	1	3	2	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
LOUISIANA -----	2	1	1	2	2	2	-	4	-	-	-	-
WHITE-----FEMALE--	2	-	1	1	2	2	-	2	-	-	-	-
ALL OTHER--FEMALE--	-	1	-	1	-	-	-	2	-	-	-	-
BLACK---FEMALE--	-	1	-	1	-	-	-	2	-	-	-	-
MAINE -----	-	-	-	-	2	2	3	2	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	2	2	3	2	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	4	2	2	7	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	3	1	2	6	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
MASSACHUSETTS -----	1	1	3	2	3	3	3	6	3	1	-	-
WHITE-----FEMALE--	1	1	3	2	3	3	3	6	3	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	-	5	6	7	9	8	6	4	-	-	-
WHITE-----FEMALE--	1	-	5	6	6	8	8	6	4	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 781

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)												
OHIO -----	3	3	4	4	12	7	13	9	7	5	-	-
WHITE-----FEMALE--	3	3	3	4	11	7	11	9	6	5	-	-
ALL OTHER--FEMALE--	-	-	1	-	1	-	2	-	1	-	-	-
BLACK---FEMALE--	-	-	1	-	1	-	2	-	1	-	-	-
OKLAHOMA -----	-	-	-	2	1	2	2	1	1	2	-	-
WHITE-----FEMALE--	-	-	-	1	1	2	2	1	1	2	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	1	3	6	2	3	3	-	-	-	-
WHITE-----FEMALE--	-	-	1	3	5	2	3	3	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	3	4	2	8	17	12	7	5	1	-	-
WHITE-----FEMALE--	1	3	4	1	5	16	11	7	4	1	-	-
ALL OTHER--FEMALE--	-	-	-	1	3	1	1	-	1	-	-	-
BLACK---FEMALE--	-	-	-	1	3	1	1	-	1	-	-	-
RHODE ISLAND -----	-	-	1	-	-	-	-	1	2	-	-	-
WHITE-----FEMALE--	-	-	1	-	-	-	-	1	2	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	3	4	6	5	3	2	-	1	-
WHITE-----FEMALE--	-	-	-	2	3	6	3	3	1	-	1	-
ALL OTHER--FEMALE--	-	-	-	1	1	-	2	-	1	-	-	-
BLACK---FEMALE--	-	-	-	1	1	-	2	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 782

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	2	1	1	1	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	2	1	1	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	1	2	-	2	4	5	3	4	1	1	-
WHITE-----FEMALE--	1	1	2	-	2	3	4	3	4	1	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
TEXAS -----	2	5	2	7	9	10	2	6	6	2	-	-
WHITE-----FEMALE--	2	3	2	6	8	9	2	6	4	2	-	-
ALL OTHER--FEMALE--	-	2	-	1	1	1	-	-	2	-	-	-
BLACK---FEMALE--	-	2	-	1	1	1	-	-	2	-	-	-
UTAH -----	-	-	1	-	-	2	2	-	-	1	-	-
WHITE-----FEMALE--	-	-	1	-	-	2	2	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	1	2	5	1	4	4	4	-	-	-
WHITE-----FEMALE--	1	-	1	2	4	1	2	4	4	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 784

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PROSTATE (185)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
UNITED STATES --	274	693	1,368	2,987	5,084	6,838	7,026	5,322	2,502	597	64	2
WHITE-----MALE----	199	504	1,006	2,317	4,045	5,652	6,036	4,516	2,137	498	45	1
ALL OTHER--MALE----	75	189	362	670	1,039	1,186	990	806	365	99	19	1
BLACK---MALE----	72	180	348	628	992	1,128	900	739	333	90	18	1
ALABAMA -----	4	14	23	65	92	141	142	109	52	13	1	-
WHITE-----MALE----	2	9	16	32	58	95	90	70	30	9	1	-
ALL OTHER--MALE----	2	5	7	33	34	46	52	39	22	4	-	-
BLACK---MALE----	2	5	7	33	34	46	52	39	22	4	-	-
ALASKA -----	-	3	2	-	6	-	3	5	1	-	-	-
WHITE-----MALE----	-	1	1	-	5	-	3	4	1	-	-	-
ALL OTHER--MALE----	-	2	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	11	16	40	86	127	128	82	37	8	3	-
WHITE-----MALE----	3	11	15	39	85	118	125	76	35	8	3	-
ALL OTHER--MALE----	-	-	1	1	1	9	3	6	2	-	-	-
BLACK---MALE----	-	-	1	1	1	7	2	4	1	-	-	-
ARKANSAS -----	4	5	13	40	45	75	74	55	38	5	-	1
WHITE-----MALE----	3	3	11	28	37	65	60	38	32	5	-	-
ALL OTHER--MALE----	1	2	2	12	8	10	14	17	6	-	-	1
BLACK---MALE----	1	2	2	12	8	10	14	17	6	-	-	1
CALIFORNIA -----	23	66	161	273	461	661	670	519	223	56	5	-
WHITE-----MALE----	17	47	124	225	379	577	587	446	198	50	5	-
ALL OTHER--MALE----	6	19	37	48	82	84	83	73	25	6	-	-
BLACK---MALE----	4	17	34	34	64	65	56	47	15	4	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 785

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PROSTATE (185)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	3	5	13	42	46	68	70	66	36	5	-	-
WHITE-----MALE----	3	4	13	38	43	64	65	62	33	5	-	-
ALL OTHER--MALE----	-	1	-	4	3	4	5	4	3	-	-	-
BLACK---MALE----	-	1	-	4	2	2	3	4	2	-	-	-
CONNECTICUT -----	2	10	15	32	52	80	96	68	40	5	-	-
WHITE-----MALE----	2	6	9	28	46	72	92	60	37	4	-	-
ALL OTHER--MALE----	-	4	6	4	6	8	4	8	3	1	-	-
BLACK---MALE----	-	3	6	4	6	8	4	8	3	1	-	-
DELAWARE -----	-	3	6	10	17	23	18	22	2	1	-	-
WHITE-----MALE----	-	3	4	7	9	19	17	17	2	1	-	-
ALL OTHER--MALE----	-	-	2	3	8	4	1	5	-	-	-	-
BLACK---MALE----	-	-	2	2	8	4	1	4	-	-	-	-
DISTRICT OF COLUMBIA ----	2	1	2	10	12	19	18	18	5	1	-	-
WHITE-----MALE----	-	1	-	-	2	3	4	6	2	-	-	-
ALL OTHER--MALE----	2	-	2	10	10	16	14	12	3	1	-	-
BLACK---MALE----	2	-	2	10	10	16	14	12	3	1	-	-
FLORIDA -----	19	58	100	195	398	509	566	430	209	57	7	-
WHITE-----MALE----	14	46	76	164	337	451	508	391	188	52	4	-
ALL OTHER--MALE----	5	12	24	31	61	58	58	39	21	5	3	-
BLACK---MALE----	5	11	23	31	59	58	57	39	21	5	3	-
GEORGIA -----	9	16	48	74	130	180	156	114	59	5	1	-
WHITE-----MALE----	5	6	28	46	71	117	99	68	40	1	-	-
ALL OTHER--MALE----	4	10	20	28	59	63	57	46	19	4	1	-
BLACK---MALE----	4	10	20	28	59	63	57	46	19	4	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 786

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PROSTATE (185)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	1	3	10	10	19	26	19	9	5	1	-
WHITE-----MALE----	-	-	1	3	5	7	7	3	2	1	-	-
ALL OTHER--MALE----	-	1	2	7	5	12	19	16	7	4	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	1	14	18	24	34	19	20	5	-	-
WHITE-----MALE----	-	1	1	14	18	23	31	19	20	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	3	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
ILLINOIS -----	8	29	63	128	251	297	303	249	105	24	2	-
WHITE-----MALE----	4	20	39	89	196	235	254	218	86	20	1	-
ALL OTHER--MALE----	4	9	24	39	55	62	49	31	19	4	1	-
BLACK---MALE----	4	9	24	37	54	62	45	29	19	4	1	-
INDIANA -----	9	11	24	65	113	156	145	114	64	22	5	-
WHITE-----MALE----	9	9	22	57	99	140	132	106	56	17	4	-
ALL OTHER--MALE----	-	2	2	8	14	16	13	8	8	5	1	-
BLACK---MALE----	-	2	2	8	14	16	13	8	8	4	1	-
IOWA -----	4	5	8	34	53	79	105	78	40	8	-	-
WHITE-----MALE----	4	4	8	33	53	78	103	77	38	8	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	2	1	2	-	-	-
BLACK---MALE----	-	1	-	1	-	1	2	1	2	-	-	-
KANSAS -----	-	9	12	21	38	58	69	61	19	7	-	-
WHITE-----MALE----	-	7	11	14	33	54	67	57	18	6	-	-
ALL OTHER--MALE----	-	2	1	7	5	4	2	4	1	1	-	-
BLACK---MALE----	-	2	1	6	5	3	2	4	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 787

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PROSTATE (185)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	2	8	24	48	69	96	95	88	39	10	-	-
WHITE-----MALE----	2	7	20	44	59	83	85	78	31	9	-	-
ALL OTHER--MALE----	-	1	4	4	10	13	10	10	8	1	-	-
BLACK---MALE----	-	1	3	4	10	13	10	10	7	1	-	-
LOUISIANA -----	2	11	31	54	90	118	103	93	48	11	2	-
WHITE-----MALE----	2	7	17	31	53	72	64	51	23	4	-	-
ALL OTHER--MALE----	-	4	14	23	37	46	39	42	25	7	2	-
BLACK---MALE----	-	4	13	23	37	46	39	42	25	7	2	-
MAINE -----	2	3	6	17	23	34	26	22	11	5	-	-
WHITE-----MALE----	2	3	6	17	23	33	26	22	11	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
MARYLAND -----	9	20	24	55	100	121	129	88	42	12	1	-
WHITE-----MALE----	6	10	13	25	54	72	95	53	30	8	1	-
ALL OTHER--MALE----	3	10	11	30	46	49	34	35	12	4	-	-
BLACK---MALE----	3	9	11	30	46	49	33	34	12	4	-	-
MASSACHUSETTS -----	6	16	23	67	89	188	186	133	55	13	-	-
WHITE-----MALE----	6	13	21	60	82	178	177	126	53	11	-	-
ALL OTHER--MALE----	-	3	2	7	7	10	9	7	2	2	-	-
BLACK---MALE----	-	3	2	7	6	10	8	7	1	1	-	-
MICHIGAN -----	8	28	49	118	187	272	256	195	102	18	5	-
WHITE-----MALE----	4	22	37	92	144	211	218	167	84	16	4	-
ALL OTHER--MALE----	4	6	12	26	43	61	38	28	18	2	1	-
BLACK---MALE----	4	6	12	25	41	60	38	26	15	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 788

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PROSTATE (185)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	3	13	23	49	73	117	147	109	56	9	2	-
WHITE-----MALE----	3	11	21	45	72	114	145	108	55	9	2	-
ALL OTHER--MALE----	-	2	2	4	1	3	2	1	1	-	-	-
BLACK---MALE----	-	2	2	3	1	3	-	1	1	-	-	-
MISSISSIPPI -----	4	10	15	31	42	87	82	63	26	4	3	-
WHITE-----MALE----	2	5	2	19	25	44	38	37	13	1	-	-
ALL OTHER--MALE----	2	5	13	12	17	43	44	26	13	3	3	-
BLACK---MALE----	2	5	12	12	17	43	44	25	13	3	3	-
MISSOURI -----	7	9	27	50	113	134	136	105	52	9	1	-
WHITE-----MALE----	4	8	23	42	92	105	117	95	44	7	1	-
ALL OTHER--MALE----	3	1	4	8	21	29	19	10	8	2	-	-
BLACK---MALE----	3	1	4	8	21	29	18	10	8	1	-	-
MONTANA -----	-	5	4	9	28	28	41	21	11	4	-	-
WHITE-----MALE----	-	5	4	9	28	27	40	21	11	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	4	6	22	38	37	37	38	24	7	1	-
WHITE-----MALE----	1	4	6	20	38	37	36	38	23	6	1	-
ALL OTHER--MALE----	-	-	-	2	-	-	1	-	1	1	-	-
BLACK---MALE----	-	-	-	2	-	-	1	-	1	1	-	-
NEVADA -----	1	4	11	12	44	44	35	23	7	3	-	-
WHITE-----MALE----	1	2	8	9	40	42	34	21	7	2	-	-
ALL OTHER--MALE----	-	2	3	3	4	2	1	2	-	1	-	-
BLACK---MALE----	-	1	3	3	3	2	1	2	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 790

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PROSTATE (185)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	8	27	56	154	236	297	313	211	99	17	2	-
WHITE-----MALE----	7	23	38	115	188	240	274	183	93	16	2	-
ALL OTHER--MALE----	1	4	18	39	48	57	39	28	6	1	-	-
BLACK---MALE----	1	4	18	39	47	56	39	28	6	1	-	-
OKLAHOMA -----	2	10	17	44	54	82	90	70	36	7	2	1
WHITE-----MALE----	2	6	13	35	47	73	82	59	27	6	2	1
ALL OTHER--MALE----	-	4	4	9	7	9	8	11	9	1	-	-
BLACK---MALE----	-	4	3	7	4	8	5	9	7	1	-	-
OREGON -----	4	2	15	50	79	81	96	89	43	12	1	-
WHITE-----MALE----	4	2	14	49	76	80	93	88	43	12	1	-
ALL OTHER--MALE----	-	-	1	1	3	1	3	1	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	1	1	-	-	-	-
PENNSYLVANIA -----	10	30	69	141	279	355	438	290	140	30	3	-
WHITE-----MALE----	8	26	54	111	234	304	393	264	126	29	2	-
ALL OTHER--MALE----	2	4	15	30	45	51	45	26	14	1	1	-
BLACK---MALE----	2	4	15	29	45	50	43	26	14	1	1	-
RHODE ISLAND -----	1	2	5	7	16	40	37	28	4	5	-	-
WHITE-----MALE----	1	2	5	7	15	37	37	27	4	5	-	-
ALL OTHER--MALE----	-	-	-	-	1	3	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	3	-	1	-	-	-	-
SOUTH CAROLINA -----	4	5	34	55	97	97	121	82	21	5	-	-
WHITE-----MALE----	3	2	14	31	53	54	74	42	14	1	-	-
ALL OTHER--MALE----	1	3	20	24	44	43	47	40	7	4	-	-
BLACK---MALE----	1	3	20	24	44	43	47	40	7	4	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 791

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PROSTATE (185)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	2	1	9	9	20	27	18	17	8	6	-	-
WHITE-----MALE----	2	1	9	9	20	26	17	17	8	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	18	31	70	103	127	140	112	42	9	2	-
WHITE-----MALE----	3	11	20	59	76	102	113	85	31	5	1	-
ALL OTHER--MALE----	2	7	11	11	27	25	27	27	11	4	1	-
BLACK---MALE----	2	7	11	11	27	25	27	26	10	4	1	-
TEXAS -----	21	48	82	193	303	371	362	299	141	28	6	-
WHITE-----MALE----	16	38	65	155	227	304	300	236	112	21	4	-
ALL OTHER--MALE----	5	10	17	38	76	67	62	63	29	7	2	-
BLACK---MALE----	4	10	17	38	75	66	60	63	29	7	2	-
UTAH -----	5	3	10	14	26	40	46	34	21	6	-	-
WHITE-----MALE----	4	3	10	14	26	40	44	33	21	6	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	2	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	5	5	11	19	14	7	4	3	-	-
WHITE-----MALE----	-	-	5	5	11	19	14	7	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	13	20	29	84	138	199	175	115	46	11	1	-
WHITE-----MALE----	8	8	18	53	88	133	138	88	32	9	-	-
ALL OTHER--MALE----	5	12	11	31	50	66	37	27	14	2	1	-
BLACK---MALE----	5	12	10	31	49	64	37	26	13	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 793

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF TESTIS (186)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	316	-	-	1	-	9	31	31	49	53	37	29
WHITE-----MALE----	287	-	-	-	-	8	29	29	43	48	34	23
ALL OTHER--MALE----	29	-	-	1	-	1	2	2	6	5	3	6
BLACK---MALE----	24	-	-	1	-	-	1	2	5	4	2	6
ALABAMA -----	5	-	-	-	-	-	1	-	2	-	2	-
WHITE-----MALE----	5	-	-	-	-	-	1	-	2	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	-	-	-	-	-	1	2	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	2	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	-	-	-	-	-	-	1	-	-	-	2
WHITE-----MALE----	2	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA -----	51	-	-	-	-	4	7	8	8	8	1	8
WHITE-----MALE----	47	-	-	-	-	3	7	8	6	8	1	7
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	2	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	2	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 802

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OF PENIS AND OTHER MALE GENITAL ORGANS (187)												
UNITED STATES --	14	18	28	34	41	40	26	31	6	3	2	-
WHITE-----MALE----	11	15	24	28	35	38	24	29	5	2	1	-
ALL OTHER--MALE----	3	3	4	6	6	2	2	2	1	1	1	-
BLACK---MALE----	3	2	3	4	5	2	2	2	1	1	1	-
ALABAMA -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	1	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	-	1	3	1	3	3	4	7	-	-	1	-
WHITE-----MALE----	-	1	3	1	3	2	3	7	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 808

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OF PENIS AND OTHER MALE GENITAL ORGANS (187)												
OHIO -----	-	4	1	1	1	2	-	-	-	-	-	-
WHITE-----MALE----	-	4	1	1	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	1	-	1	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	1	-	1	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	2	1	3	3	1	1	-	-	-	-	-
WHITE-----MALE----	1	1	1	3	3	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 809

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OF PENIS AND OTHER MALE GENITAL ORGANS (187)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	-	-	-	1	2	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	2	3	4	3	3	-	4	-	-	-	-
WHITE-----MALE----	-	2	2	3	1	3	-	4	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	2	-	-	-	-	-	-	-
UTAH -----	-	1	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	1	1	1	-	1	2	-	-	1	-
WHITE-----MALE----	-	1	1	1	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 811

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)												
0 UNITED STATES --	23,395	6	18	26	7	8	10	17	46	124	333	632
WHITE-----MALE----	13,534	3	4	9	2	2	3	4	15	56	179	378
FEMALE--	7,609	3	7	9	2	5	1	5	11	34	104	172
ALL OTHER--MALE----	1,303	-	3	6	-	1	3	4	15	22	35	53
FEMALE--	949	-	4	2	3	-	3	4	5	12	15	29
BLACK---MALE----	1,104	-	3	5	-	1	3	4	12	21	29	41
FEMALE--	839	-	4	2	3	-	3	4	5	10	15	26
ALABAMA -----	350	-	-	-	1	-	-	-	2	3	5	8
WHITE-----MALE----	178	-	-	-	-	-	-	-	-	-	4	6
FEMALE--	106	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	1	3	-	1
FEMALE--	26	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	40	-	-	-	-	-	-	-	1	3	-	1
FEMALE--	26	-	-	-	1	-	-	-	-	-	-	-
ALASKA -----	23	-	-	1	-	-	-	-	-	-	2	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	4	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	411	-	-	-	-	-	-	-	-	3	8	12
WHITE-----MALE----	258	-	-	-	-	-	-	-	-	2	3	9
FEMALE--	131	-	-	-	-	-	-	-	-	-	3	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	237	-	-	-	-	-	-	1	-	-	5	7
WHITE-----MALE----	128	-	-	-	-	-	-	-	-	-	2	6
FEMALE--	77	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	18	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA -----	2,280	1	1	7	-	1	1	3	6	13	26	76
WHITE-----MALE----	1,337	-	-	3	-	1	-	-	2	8	15	46
FEMALE--	699	1	1	3	-	-	-	1	2	3	7	19
ALL OTHER--MALE----	153	-	-	-	-	-	1	1	1	2	2	7
FEMALE--	91	-	-	1	-	-	-	1	1	-	2	4
BLACK---MALE----	76	-	-	-	-	-	1	1	1	2	-	4
FEMALE--	61	-	-	1	-	-	-	1	1	-	2	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 811

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)												
0 UNITED STATES --	1,035	1,350	1,891	2,793	3,517	3,943	3,616	2,500	1,171	299	53	-
WHITE-----MALE----	635	821	1,168	1,719	2,174	2,393	2,045	1,259	529	114	22	-
FEMALE--	273	348	501	784	1,022	1,218	1,311	1,059	546	168	26	-
ALL OTHER--MALE----	83	123	136	181	189	184	121	94	43	5	2	-
FEMALE--	44	58	86	109	132	148	139	88	53	12	3	-
BLACK---MALE----	72	103	116	153	160	149	104	83	39	4	2	-
FEMALE--	38	52	73	95	117	134	120	78	47	10	3	-
ALABAMA -----	12	17	18	59	50	64	55	33	18	5	-	-
WHITE-----MALE----	6	11	10	32	27	30	28	15	7	2	-	-
FEMALE--	3	3	2	18	16	20	21	12	6	2	-	-
ALL OTHER--MALE----	1	3	3	3	5	10	4	3	3	-	-	-
FEMALE--	2	-	3	6	2	4	2	3	2	1	-	-
BLACK---MALE----	1	3	3	3	5	10	4	3	3	-	-	-
FEMALE--	2	-	3	6	2	4	2	3	2	1	-	-
ALASKA -----	-	2	-	5	6	2	1	1	1	1	-	-
WHITE-----MALE----	-	2	-	2	3	1	1	1	1	1	-	-
FEMALE--	-	-	-	1	3	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	11	23	25	54	53	76	74	40	24	7	1	-
WHITE-----MALE----	6	17	13	32	38	58	46	21	11	2	-	-
FEMALE--	3	3	10	20	12	15	28	18	12	5	1	-
ALL OTHER--MALE----	1	2	-	2	3	1	-	1	-	-	-	-
FEMALE--	1	1	2	-	-	2	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	13	15	24	23	29	40	38	27	13	2	-	-
WHITE-----MALE----	6	11	16	11	14	21	21	15	4	1	-	-
FEMALE--	5	4	5	6	11	14	12	11	7	-	-	-
ALL OTHER--MALE----	1	-	3	3	3	2	3	-	1	-	-	-
FEMALE--	1	-	-	3	1	3	2	1	1	1	-	-
BLACK---MALE----	1	-	3	3	3	2	3	-	1	-	-	-
FEMALE--	1	-	-	3	1	3	2	1	1	1	-	-
CALIFORNIA -----	93	132	179	256	347	355	376	254	113	34	6	-
WHITE-----MALE----	65	68	103	152	217	208	224	151	54	17	3	-
FEMALE--	22	42	50	73	93	109	126	82	46	16	3	-
ALL OTHER--MALE----	4	17	19	23	23	27	9	13	4	-	-	-
FEMALE--	2	5	7	8	14	11	17	8	9	1	-	-
BLACK---MALE----	2	9	11	10	12	10	3	9	1	-	-	-
FEMALE--	1	3	4	6	10	8	10	3	7	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 812

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)												
COLORADO -----	263	-	-	-	-	-	-	-	-	-	6	4
WHITE-----MALE----	170	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	90	-	-	-	-	-	-	-	-	-	4	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	317	-	-	-	-	-	-	-	-	1	5	6
WHITE-----MALE----	199	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	107	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	68	-	-	-	-	-	1	-	-	1	-	-
WHITE-----MALE----	38	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	33	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1,672	1	1	2	1	2	1	3	4	8	15	43
WHITE-----MALE----	1,037	1	-	-	1	-	-	-	3	4	9	26
FEMALE--	529	-	-	-	-	2	1	-	1	2	4	12
ALL OTHER--MALE----	64	-	-	2	-	-	-	1	-	2	1	2
FEMALE--	42	-	1	-	-	-	-	2	-	-	1	3
BLACK---MALE----	63	-	-	2	-	-	-	1	-	2	1	1
FEMALE--	40	-	1	-	-	-	-	2	-	-	1	3
GEORGIA -----	487	-	-	1	2	-	-	-	4	2	8	22
WHITE-----MALE----	243	-	-	1	-	-	-	-	-	-	4	11
FEMALE--	140	-	-	-	-	-	-	-	-	1	2	6
ALL OTHER--MALE----	55	-	-	-	-	-	-	-	3	1	1	4
FEMALE--	49	-	-	-	2	-	-	-	1	-	1	1
BLACK---MALE----	55	-	-	-	-	-	-	-	3	1	1	4
FEMALE--	48	-	-	-	2	-	-	-	1	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 812

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)												
COLORADO -----	15	15	20	32	48	38	38	28	13	5	1	-
WHITE-----MALE----	12	11	16	26	33	22	23	16	4	2	-	-
FEMALE--	3	4	3	6	15	15	15	12	9	3	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	14	15	28	27	35	60	60	47	14	3	2	-
WHITE-----MALE----	11	13	20	19	26	41	28	26	5	3	1	-
FEMALE--	2	2	5	8	6	18	32	21	8	-	1	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	3	-	2	1	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	3	-	2	1	-	-	1	-	-	-
DELAWARE -----	5	2	10	10	10	11	11	5	2	-	-	-
WHITE-----MALE----	3	1	7	3	6	2	9	4	2	-	-	-
FEMALE--	-	-	2	3	2	5	2	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	3	1	2	-	-	-	-	-	-
FEMALE--	1	1	-	1	1	2	-	-	-	-	-	-
BLACK---MALE----	1	-	1	3	1	2	-	-	-	-	-	-
FEMALE--	1	1	-	1	1	2	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	3	1	2	7	5	5	5	4	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	1	3	2	2	4	1	-	-	-	-
FEMALE--	-	-	1	3	3	1	-	2	1	-	-	-
BLACK---MALE----	3	1	1	3	2	2	4	-	-	-	-	-
FEMALE--	-	-	1	3	3	1	-	2	1	-	-	-
FLORIDA -----	55	72	115	177	267	314	296	189	82	21	3	-
WHITE-----MALE----	34	48	71	131	151	207	191	113	37	9	1	-
FEMALE--	18	14	34	34	96	101	90	66	41	12	1	-
ALL OTHER--MALE----	2	5	9	9	16	1	7	5	2	-	-	-
FEMALE--	1	5	1	3	4	5	8	5	2	-	1	-
BLACK---MALE----	2	5	9	9	16	1	7	5	2	-	-	-
FEMALE--	1	5	1	3	4	4	7	5	2	-	1	-
GEORGIA -----	27	44	35	76	62	71	72	36	23	1	1	-
WHITE-----MALE----	15	27	22	40	24	42	33	14	9	1	-	-
FEMALE--	6	9	5	19	20	22	24	17	9	-	-	-
ALL OTHER--MALE----	4	6	4	10	8	4	7	2	1	-	-	-
FEMALE--	2	2	4	7	10	3	8	3	4	-	1	-
BLACK---MALE----	4	6	4	10	8	4	7	2	1	-	-	-
FEMALE--	2	2	4	6	10	3	8	3	4	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 813

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)												
HAWAII -----	5	3	7	12	7	11	16	7	4	1	-	-
WHITE-----MALE----	1	1	3	5	3	3	4	2	1	-	-	-
FEMALE--	-	-	1	1	-	1	2	2	-	-	-	-
ALL OTHER--MALE----	2	1	1	4	3	6	4	2	-	1	-	-
FEMALE--	2	1	2	2	1	1	6	1	3	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	10	6	18	17	20	12	9	7	-	1	-
WHITE-----MALE----	3	6	3	11	12	16	9	4	5	-	1	-
FEMALE--	-	4	3	7	5	4	3	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	45	66	94	102	151	188	169	113	35	13	1	-
WHITE-----MALE----	27	39	52	53	101	101	94	62	17	1	1	-
FEMALE--	12	16	24	31	37	64	62	42	14	12	-	-
ALL OTHER--MALE----	5	8	13	7	7	9	5	2	1	-	-	-
FEMALE--	1	3	5	11	6	14	8	7	3	-	-	-
BLACK---MALE----	3	8	12	7	7	9	5	2	1	-	-	-
FEMALE--	1	2	5	11	6	13	8	6	3	-	-	-
INDIANA -----	33	44	51	68	72	101	97	54	23	7	2	-
WHITE-----MALE----	22	30	28	41	48	58	49	26	9	1	-	-
FEMALE--	7	12	19	22	18	41	41	24	13	6	2	-
ALL OTHER--MALE----	2	1	2	3	4	-	1	2	-	-	-	-
FEMALE--	2	1	2	2	2	2	6	2	1	-	-	-
BLACK---MALE----	2	1	2	3	3	-	1	2	-	-	-	-
FEMALE--	2	1	2	2	2	2	5	2	1	-	-	-
IOWA -----	12	14	18	36	46	43	44	38	29	6	2	-
WHITE-----MALE----	9	10	12	21	33	25	29	21	17	2	2	-
FEMALE--	3	4	6	13	13	17	15	17	12	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
KANSAS -----	10	15	20	22	37	31	43	27	21	6	1	-
WHITE-----MALE----	7	7	16	11	24	19	22	11	9	1	-	-
FEMALE--	3	6	4	9	12	11	20	15	12	5	1	-
ALL OTHER--MALE----	-	2	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 814

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)												
KENTUCKY -----	342	-	-	1	-	-	-	1	-	3	5	9
WHITE-----MALE----	224	-	-	-	-	-	-	1	-	3	3	4
FEMALE--	99	-	-	-	-	-	-	-	-	-	-	5
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	10	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	10	-	-	1	-	-	-	-	-	-	-	-
LOUISIANA -----	366	-	-	-	-	-	1	1	1	5	1	14
WHITE-----MALE----	157	-	-	-	-	-	-	-	-	1	1	5
FEMALE--	116	-	-	-	-	-	-	-	-	2	-	4
ALL OTHER--MALE----	53	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	40	-	-	-	-	-	1	1	1	-	-	3
BLACK---MALE----	53	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	38	-	-	-	-	-	1	1	1	-	-	3
MAINE -----	156	-	-	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	100	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	56	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	417	-	-	1	1	-	-	-	1	7	5	14
WHITE-----MALE----	204	-	-	-	-	-	-	-	-	3	2	11
FEMALE--	134	-	-	1	1	-	-	-	-	2	3	2
ALL OTHER--MALE----	43	-	-	-	-	-	-	-	1	2	-	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	41	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	1
MASSACHUSETTS -----	626	-	1	-	-	-	-	-	3	1	6	12
WHITE-----MALE----	388	-	1	-	-	-	-	-	2	-	4	6
FEMALE--	215	-	-	-	-	-	-	-	1	-	2	5
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	11	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN -----	887	-	1	1	-	-	1	-	-	4	11	17
WHITE-----MALE----	500	-	-	-	-	-	-	-	-	1	5	7
FEMALE--	299	-	1	1	-	-	-	-	-	2	5	9
ALL OTHER--MALE----	51	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	37	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	42	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	35	-	-	-	-	-	1	-	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 814

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	22	22	34	38	46	64	53	25	13	5	1	-
WHITE-----MALE----	13	16	29	28	31	53	22	11	6	3	1	-
FEMALE--	7	4	2	9	13	9	28	13	7	2	-	-
ALL OTHER--MALE----	1	1	2	-	1	-	2	-	-	-	-	-
FEMALE--	1	1	1	1	1	2	1	1	-	-	-	-
BLACK---MALE----	1	1	2	-	1	-	2	-	-	-	-	-
FEMALE--	1	1	1	1	1	2	1	1	-	-	-	-
LOUISIANA -----	21	29	39	52	54	52	42	38	15	2	-	-
WHITE-----MALE----	10	12	17	22	24	25	21	15	4	-	-	-
FEMALE--	5	7	9	17	15	13	15	17	10	2	-	-
ALL OTHER--MALE----	4	6	6	10	10	8	2	3	1	-	-	-
FEMALE--	2	4	7	3	5	6	4	3	-	-	-	-
BLACK---MALE----	4	6	6	10	10	8	2	3	1	-	-	-
FEMALE--	2	4	7	3	4	5	4	3	-	-	-	-
MAINE -----	5	4	11	20	25	26	34	16	10	1	-	-
WHITE-----MALE----	4	3	8	14	13	19	22	9	6	-	-	-
FEMALE--	1	1	3	6	12	7	12	7	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	21	26	34	41	51	74	62	35	36	7	1	-
WHITE-----MALE----	14	14	22	22	28	33	32	9	12	2	-	-
FEMALE--	3	3	7	12	10	29	22	16	18	5	-	-
ALL OTHER--MALE----	4	6	3	4	6	6	3	3	4	-	1	-
FEMALE--	-	3	2	3	7	6	5	7	2	-	-	-
BLACK---MALE----	4	6	3	4	6	5	3	3	4	-	1	-
FEMALE--	-	3	2	3	6	6	5	7	2	-	-	-
MASSACHUSETTS -----	18	32	44	56	96	117	123	76	34	6	1	-
WHITE-----MALE----	14	20	36	38	56	72	76	46	13	4	-	-
FEMALE--	4	9	7	16	35	39	44	29	21	2	1	-
ALL OTHER--MALE----	-	3	1	-	3	4	1	-	-	-	-	-
FEMALE--	-	-	-	2	2	2	2	1	-	-	-	-
BLACK---MALE----	-	2	1	-	3	3	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	2	1	-	-	-	-
MICHIGAN -----	28	53	66	121	161	137	126	105	43	7	5	-
WHITE-----MALE----	17	31	45	78	101	75	72	51	12	3	2	-
FEMALE--	6	12	13	32	45	46	45	49	26	4	3	-
ALL OTHER--MALE----	2	7	5	6	7	11	5	2	4	-	-	-
FEMALE--	3	3	3	5	8	5	4	3	1	-	-	-
BLACK---MALE----	2	4	3	4	7	10	4	2	4	-	-	-
FEMALE--	3	3	3	3	8	5	4	3	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 815

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)												
MINNESOTA -----	21	20	32	52	57	69	81	65	27	11	2	-
WHITE-----MALE----	13	15	20	31	39	44	48	32	12	3	-	-
FEMALE--	5	5	12	19	16	24	32	33	14	7	2	-
ALL OTHER--MALE----	-	-	-	2	1	1	1	-	1	1	-	-
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	1	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	10	14	17	28	31	28	23	22	8	3	-	-
WHITE-----MALE----	3	5	12	15	24	18	8	8	3	1	-	-
FEMALE--	5	4	2	8	4	4	7	10	2	1	-	-
ALL OTHER--MALE----	-	3	2	3	1	5	3	2	2	-	-	-
FEMALE--	2	2	1	2	2	1	5	2	1	1	-	-
BLACK---MALE----	-	3	2	3	1	5	3	2	2	-	-	-
FEMALE--	2	1	1	2	2	1	5	2	1	1	-	-
MISSOURI -----	19	32	47	66	58	74	71	58	29	6	1	-
WHITE-----MALE----	9	22	28	31	34	45	44	28	12	-	-	-
FEMALE--	9	7	14	26	24	22	22	28	17	3	1	-
ALL OTHER--MALE----	1	3	2	4	-	4	3	2	-	1	-	-
FEMALE--	-	-	3	5	-	3	2	-	-	2	-	-
BLACK---MALE----	1	3	2	4	-	4	3	2	-	1	-	-
FEMALE--	-	-	3	5	-	3	2	-	-	1	-	-
MONTANA -----	3	5	8	8	15	19	10	9	3	-	1	-
WHITE-----MALE----	-	5	3	7	10	12	7	7	1	-	-	-
FEMALE--	2	-	5	1	5	6	3	2	2	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	8	10	13	15	23	23	22	12	12	2	-	-
WHITE-----MALE----	6	6	8	11	16	10	13	5	5	1	-	-
FEMALE--	1	3	5	4	6	12	9	7	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
NEVADA -----	3	8	23	12	30	19	24	12	3	-	-	-
WHITE-----MALE----	2	6	18	9	18	14	15	8	-	-	-	-
FEMALE--	1	2	4	2	11	4	9	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 817

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)												
OHIO -----	1,083	-	-	-	-	-	1	2	-	5	21	24
WHITE-----MALE----	650	-	-	-	-	-	1	1	-	2	12	15
FEMALE--	358	-	-	-	-	-	-	1	-	1	6	9
ALL OTHER--MALE----	42	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	33	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	40	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	33	-	-	-	-	-	-	-	-	2	1	-
OKLAHOMA -----	296	-	-	-	-	-	-	-	1	-	7	6
WHITE-----MALE----	168	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	106	-	-	-	-	-	-	-	1	-	5	2
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	304	-	-	-	-	-	-	-	-	1	2	7
WHITE-----MALE----	195	-	-	-	-	-	-	-	-	1	1	5
FEMALE--	103	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,350	1	-	1	1	-	-	-	2	3	20	30
WHITE-----MALE----	809	1	-	1	1	-	-	-	-	2	7	18
FEMALE--	455	-	-	-	-	-	-	-	-	1	11	10
ALL OTHER--MALE----	46	-	-	-	-	-	-	-	2	-	2	2
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	44	-	-	-	-	-	-	-	2	-	2	2
FEMALE--	39	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	101	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	52	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	297	-	-	-	-	-	-	1	1	2	3	9
WHITE-----MALE----	155	-	-	-	-	-	-	-	-	1	2	5
FEMALE--	75	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	40	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	27	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	40	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	26	-	-	-	-	-	-	-	1	-	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 817

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)												
OHIO -----	56	68	88	137	164	174	165	110	55	10	3	-
WHITE-----MALE----	44	39	56	94	97	111	94	53	29	2	-	-
FEMALE--	11	21	26	36	52	49	63	52	21	7	3	-
ALL OTHER--MALE----	1	4	4	4	7	8	3	5	4	-	-	-
FEMALE--	-	4	2	3	8	6	5	-	1	1	-	-
BLACK---MALE----	1	4	4	3	7	8	3	5	3	-	-	-
FEMALE--	-	4	2	3	8	6	5	-	1	1	-	-
OKLAHOMA -----	18	30	18	34	43	46	45	37	8	2	1	-
WHITE-----MALE----	12	16	9	21	30	29	28	13	4	1	-	-
FEMALE--	5	13	6	10	8	14	14	22	4	1	1	-
ALL OTHER--MALE----	-	1	3	2	3	2	3	-	-	-	-	-
FEMALE--	1	-	-	1	2	1	-	2	-	-	-	-
BLACK---MALE----	-	-	1	1	1	1	3	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	2	-	-	-	-
OREGON -----	11	13	21	31	54	60	45	33	20	6	-	-
WHITE-----MALE----	8	7	13	22	35	42	31	15	12	3	-	-
FEMALE--	3	6	6	9	18	17	13	17	8	3	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	53	66	103	139	232	246	206	165	64	16	2	-
WHITE-----MALE----	34	36	69	89	149	157	120	84	31	9	1	-
FEMALE--	13	20	28	42	70	81	70	75	27	6	1	-
ALL OTHER--MALE----	3	6	3	4	6	5	6	3	3	1	-	-
FEMALE--	3	4	3	4	7	3	10	3	3	-	-	-
BLACK---MALE----	3	6	3	4	6	5	4	3	3	1	-	-
FEMALE--	3	4	3	4	7	3	9	3	3	-	-	-
RHODE ISLAND -----	6	4	6	9	15	24	10	11	12	2	-	-
WHITE-----MALE----	2	1	1	7	11	13	5	6	4	1	-	-
FEMALE--	3	3	5	2	4	8	5	5	8	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	16	24	32	41	50	46	40	21	8	3	-	-
WHITE-----MALE----	11	12	18	27	32	20	15	8	4	-	-	-
FEMALE--	1	3	8	7	9	15	15	8	3	3	-	-
ALL OTHER--MALE----	3	6	3	5	8	5	5	3	-	-	-	-
FEMALE--	1	3	3	2	1	6	5	2	1	-	-	-
BLACK---MALE----	3	6	3	5	8	5	5	3	-	-	-	-
FEMALE--	1	3	3	2	-	6	5	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 818

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)												
SOUTH DAKOTA -----	4	1	5	5	15	10	17	7	3	2	-	-
WHITE-----MALE----	3	1	4	5	13	5	10	6	2	1	-	-
FEMALE--	1	-	1	-	1	5	7	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	23	22	53	51	69	73	55	41	13	4	-	-
WHITE-----MALE----	11	16	34	23	38	41	27	22	6	1	-	-
FEMALE--	7	5	14	20	26	23	21	15	6	3	-	-
ALL OTHER--MALE----	5	1	4	5	1	4	4	3	1	-	-	-
FEMALE--	-	-	1	3	4	5	3	1	-	-	-	-
BLACK---MALE----	5	1	4	5	1	4	4	3	1	-	-	-
FEMALE--	-	-	1	3	4	5	3	1	-	-	-	-
TEXAS -----	73	92	118	188	162	233	181	129	66	13	-	-
WHITE-----MALE----	49	63	64	121	100	140	98	58	25	4	-	-
FEMALE--	19	23	38	48	50	72	65	55	33	9	-	-
ALL OTHER--MALE----	4	3	7	16	9	9	10	10	4	-	-	-
FEMALE--	1	3	9	3	3	12	8	6	4	-	-	-
BLACK---MALE----	3	3	6	16	9	8	10	9	4	-	-	-
FEMALE--	1	3	9	3	3	12	8	6	4	-	-	-
UTAH -----	10	6	9	13	15	18	14	6	8	-	-	-
WHITE-----MALE----	8	3	5	9	7	13	11	5	6	-	-	-
FEMALE--	2	2	2	4	8	5	3	1	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	5	3	8	8	7	10	5	6	1	-	-
WHITE-----MALE----	2	3	1	6	3	6	4	-	4	-	-	-
FEMALE--	-	2	2	2	5	1	6	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	20	29	34	73	88	82	66	55	21	9	3	-
WHITE-----MALE----	9	17	21	43	55	39	33	20	6	2	2	-
FEMALE--	8	7	8	13	23	29	22	23	10	7	-	-
ALL OTHER--MALE----	3	3	4	12	8	6	4	7	2	-	1	-
FEMALE--	-	2	1	5	2	8	7	5	3	-	-	-
BLACK---MALE----	3	3	4	12	8	6	4	7	2	-	1	-
FEMALE--	-	2	1	4	2	8	7	5	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 820

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF BLADDER (188)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	293	400	685	1,177	1,730	2,135	2,206	1,599	817	224	46	-
WHITE-----MALE----	201	267	461	785	1,134	1,404	1,343	875	396	95	21	-
FEMALE--	61	87	145	284	445	566	704	605	353	118	20	-
ALL OTHER--MALE----	19	30	44	63	89	91	77	59	29	3	2	-
FEMALE--	12	16	35	45	62	74	82	60	39	8	3	-
BLACK---MALE----	17	24	42	57	72	80	67	53	26	3	2	-
FEMALE--	12	14	32	42	56	67	71	53	34	7	3	-
ALABAMA -----	2	8	7	25	24	36	34	23	12	5	-	-
WHITE-----MALE----	1	7	5	12	13	20	20	12	5	2	-	-
FEMALE--	1	-	1	9	8	8	10	8	4	2	-	-
ALL OTHER--MALE----	-	1	-	2	3	6	3	2	1	-	-	-
FEMALE--	-	-	1	2	-	2	1	1	2	1	-	-
BLACK---MALE----	-	1	-	2	3	6	3	2	1	-	-	-
FEMALE--	-	-	1	2	-	2	1	1	2	1	-	-
ALASKA -----	-	-	-	3	5	1	1	1	-	1	-	-
WHITE-----MALE----	-	-	-	2	2	1	1	1	-	1	-	-
FEMALE--	-	-	-	1	3	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	7	15	28	26	42	47	26	15	5	-	-
WHITE-----MALE----	1	6	9	16	18	32	30	13	7	2	-	-
FEMALE--	-	1	5	11	8	9	17	13	7	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	2	1	6	11	8	21	21	11	8	1	-	-
WHITE-----MALE----	-	-	4	6	5	11	12	5	3	1	-	-
FEMALE--	2	1	2	1	2	8	4	6	4	-	-	-
ALL OTHER--MALE----	-	-	-	2	1	-	3	-	-	-	-	-
FEMALE--	-	-	-	2	-	2	2	-	1	-	-	-
BLACK---MALE----	-	-	-	2	1	-	3	-	-	-	-	-
FEMALE--	-	-	-	2	-	2	2	-	1	-	-	-
CALIFORNIA -----	31	40	61	109	187	184	233	169	95	26	6	-
WHITE-----MALE----	22	22	36	69	118	126	151	110	45	15	3	-
FEMALE--	7	12	18	30	46	41	66	47	39	11	3	-
ALL OTHER--MALE----	2	3	5	7	16	11	6	8	3	-	-	-
FEMALE--	-	3	2	3	7	6	10	4	8	-	-	-
BLACK---MALE----	1	1	3	5	8	4	2	5	1	-	-	-
FEMALE--	-	2	2	2	5	4	6	1	6	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 821

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF BLADDER (188)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	4	10	8	16	19	23	20	13	6	4	1	-
WHITE-----MALE----	4	8	7	11	13	15	15	8	2	2	-	-
FEMALE--	-	2	1	5	6	7	5	5	4	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	3	7	11	14	20	41	40	34	8	3	2	-
WHITE-----MALE----	2	6	9	11	13	28	20	21	2	3	1	-
FEMALE--	1	1	2	3	4	12	20	13	5	-	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	1	-	-	-
DELAWARE -----	3	1	6	2	8	7	9	4	2	-	-	-
WHITE-----MALE----	1	1	3	-	6	-	8	4	2	-	-	-
FEMALE--	-	-	2	-	1	4	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	2	1	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	2	1	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	2	-	2	5	3	2	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	2	1	2	2	1	-	-	-	-
FEMALE--	-	-	1	3	2	-	-	1	-	-	-	-
BLACK---MALE----	2	-	1	2	1	2	2	-	-	-	-	-
FEMALE--	-	-	1	3	2	-	-	1	-	-	-	-
FLORIDA -----	18	22	55	87	134	173	201	127	59	15	3	-
WHITE-----MALE----	12	20	36	66	87	122	131	84	32	6	1	-
FEMALE--	5	2	14	14	38	48	57	37	23	9	1	-
ALL OTHER--MALE----	1	-	4	6	9	1	6	2	2	-	-	-
FEMALE--	-	-	1	1	-	2	7	4	2	-	1	-
BLACK---MALE----	1	-	4	6	9	1	6	2	2	-	-	-
FEMALE--	-	-	1	1	-	2	6	4	2	-	1	-
GEORGIA -----	10	13	8	27	37	38	46	21	16	1	1	-
WHITE-----MALE----	6	8	6	12	14	23	21	9	5	1	-	-
FEMALE--	1	2	-	7	13	11	15	10	8	-	-	-
ALL OTHER--MALE----	2	1	1	3	5	1	6	1	-	-	-	-
FEMALE--	1	2	1	5	5	3	4	1	3	-	1	-
BLACK---MALE----	2	1	1	3	5	1	6	1	-	-	-	-
FEMALE--	1	2	1	5	5	3	4	1	3	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 823

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF BLADDER (188)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	6	4	14	13	18	26	26	9	10	4	1	-
WHITE-----MALE----	2	3	12	11	13	23	10	6	4	2	1	-
FEMALE--	3	1	2	2	5	3	14	2	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	-	-	-	-
LOUISIANA -----	6	6	9	21	24	26	25	23	10	1	-	-
WHITE-----MALE----	3	5	2	8	12	15	15	8	4	-	-	-
FEMALE--	1	-	2	7	7	7	7	10	6	1	-	-
ALL OTHER--MALE----	1	1	2	5	2	2	2	3	-	-	-	-
FEMALE--	1	-	3	1	3	2	1	2	-	-	-	-
BLACK---MALE----	1	1	2	5	2	2	2	3	-	-	-	-
FEMALE--	1	-	3	1	3	1	1	2	-	-	-	-
MAINE -----	2	1	7	6	12	16	22	9	8	-	-	-
WHITE-----MALE----	2	1	4	3	8	12	17	5	6	-	-	-
FEMALE--	-	-	3	3	4	4	5	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6	9	13	22	28	42	34	19	25	5	1	-
WHITE-----MALE----	6	7	10	13	15	21	17	4	9	1	-	-
FEMALE--	-	-	-	6	5	13	13	10	13	4	-	-
ALL OTHER--MALE----	-	-	2	1	4	4	3	1	2	-	1	-
FEMALE--	-	2	1	2	4	4	1	4	1	-	-	-
BLACK---MALE----	-	-	2	1	4	4	3	1	2	-	1	-
FEMALE--	-	2	1	2	3	4	1	4	1	-	-	-
MASSACHUSETTS -----	4	12	18	27	51	78	80	54	20	4	1	-
WHITE-----MALE----	2	7	13	20	32	49	54	32	10	2	-	-
FEMALE--	2	3	4	6	17	25	25	21	10	2	1	-
ALL OTHER--MALE----	-	2	1	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	1	1	-	-	-	-
BLACK---MALE----	-	1	1	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	1	-	-	-	-
MICHIGAN -----	9	22	24	55	71	70	66	69	26	6	4	-
WHITE-----MALE----	6	16	19	41	52	44	39	33	9	2	2	-
FEMALE--	3	4	3	10	13	18	22	31	14	4	2	-
ALL OTHER--MALE----	-	2	1	2	3	6	2	2	2	-	-	-
FEMALE--	-	-	1	2	3	2	3	3	1	-	-	-
BLACK---MALE----	-	1	1	1	3	6	2	2	2	-	-	-
FEMALE--	-	-	1	1	3	2	3	3	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 824

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF BLADDER (188)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	3	8	6	19	28	37	41	49	15	9	1	-
WHITE-----MALE----	1	7	5	12	20	24	25	25	7	3	-	-
FEMALE--	1	1	1	7	7	13	15	24	7	5	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	3	7	3	8	15	15	12	13	5	3	-	-
WHITE-----MALE----	2	2	3	5	11	10	3	4	2	1	-	-
FEMALE--	1	2	-	2	2	2	2	6	1	1	-	-
ALL OTHER--MALE----	-	3	-	-	-	2	3	2	1	-	-	-
FEMALE--	-	-	-	1	2	1	4	1	1	1	-	-
BLACK---MALE----	-	3	-	-	-	2	3	2	1	-	-	-
FEMALE--	-	-	-	1	2	1	4	1	1	1	-	-
MISSOURI -----	5	9	11	23	26	41	48	35	17	4	1	-
WHITE-----MALE----	3	8	8	13	17	29	28	22	8	-	-	-
FEMALE--	2	1	2	7	9	6	15	13	9	2	1	-
ALL OTHER--MALE----	-	-	1	2	-	3	3	-	-	1	-	-
FEMALE--	-	-	-	1	-	3	2	-	-	1	-	-
BLACK---MALE----	-	-	1	2	-	3	3	-	-	1	-	-
FEMALE--	-	-	-	1	-	3	2	-	-	1	-	-
MONTANA -----	1	1	2	4	8	13	5	7	1	-	1	-
WHITE-----MALE----	-	1	1	4	6	9	4	6	1	-	-	-
FEMALE--	1	-	1	-	2	3	1	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	3	3	5	11	11	17	7	8	2	-	-
WHITE-----MALE----	1	-	3	4	9	5	11	3	3	1	-	-
FEMALE--	-	2	-	1	2	6	6	4	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
NEVADA -----	1	5	12	6	14	9	16	8	3	-	-	-
WHITE-----MALE----	1	4	11	5	10	6	11	6	-	-	-	-
FEMALE--	-	1	1	-	4	2	5	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 826

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF BLADDER (188)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	17	13	30	63	78	100	98	78	43	8	1	-
WHITE-----MALE----	16	10	24	47	47	71	61	42	25	2	-	-
FEMALE--	-	3	5	14	24	22	34	33	15	5	1	-
ALL OTHER--MALE----	1	-	-	-	3	4	1	3	3	-	-	-
FEMALE--	-	-	1	2	4	3	2	-	-	1	-	-
BLACK---MALE----	1	-	-	-	3	4	1	3	2	-	-	-
FEMALE--	-	-	1	2	4	3	2	-	-	1	-	-
OKLAHOMA -----	3	8	4	13	20	22	29	24	4	2	1	-
WHITE-----MALE----	3	5	3	8	18	16	22	10	3	1	-	-
FEMALE--	-	3	-	4	1	5	6	13	1	1	1	-
ALL OTHER--MALE----	-	-	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
OREGON -----	6	4	10	10	26	33	26	19	15	5	-	-
WHITE-----MALE----	4	4	8	9	21	22	20	11	11	3	-	-
FEMALE--	2	-	2	1	5	10	5	8	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	11	16	37	53	119	136	135	104	50	14	2	-
WHITE-----MALE----	8	9	26	35	82	93	85	58	23	9	1	-
FEMALE--	2	4	8	16	32	41	38	41	21	5	1	-
ALL OTHER--MALE----	-	2	1	-	1	1	6	2	3	-	-	-
FEMALE--	1	1	2	2	4	1	6	3	3	-	-	-
BLACK---MALE----	-	2	1	-	1	1	4	2	3	-	-	-
FEMALE--	1	1	2	2	4	1	6	3	3	-	-	-
RHODE ISLAND -----	2	2	2	5	10	14	5	5	6	2	-	-
WHITE-----MALE----	1	-	-	3	7	9	4	2	2	1	-	-
FEMALE--	1	2	2	2	3	3	1	3	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	7	5	11	16	25	20	20	12	6	3	-	-
WHITE-----MALE----	6	3	6	13	15	11	9	3	3	-	-	-
FEMALE--	1	-	2	2	4	5	5	5	2	3	-	-
ALL OTHER--MALE----	-	2	2	1	5	2	2	3	-	-	-	-
FEMALE--	-	-	1	-	1	2	4	1	1	-	-	-
BLACK---MALE----	-	2	2	1	5	2	2	3	-	-	-	-
FEMALE--	-	-	1	-	-	2	4	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 827

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF BLADDER (188)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	-	2	2	7	4	8	4	1	2	-	-
WHITE-----MALE----	1	-	1	2	5	2	6	4	-	1	-	-
FEMALE--	-	-	1	-	1	2	2	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	4	21	16	30	32	30	22	13	1	-	-
WHITE-----MALE----	3	4	13	9	16	18	17	12	6	-	-	-
FEMALE--	1	-	6	5	12	8	9	8	6	1	-	-
ALL OTHER--MALE----	1	-	1	2	-	3	1	1	1	-	-	-
FEMALE--	-	-	1	-	2	3	1	1	-	-	-	-
BLACK---MALE----	1	-	1	2	-	3	1	1	1	-	-	-
FEMALE--	-	-	1	-	2	3	1	1	-	-	-	-
TEXAS -----	16	20	38	73	67	113	100	77	50	9	-	-
WHITE-----MALE----	14	13	22	47	49	76	53	32	19	2	-	-
FEMALE--	1	5	8	18	14	28	36	33	24	7	-	-
ALL OTHER--MALE----	1	1	1	5	4	6	6	6	4	-	-	-
FEMALE--	-	1	7	3	-	3	5	6	3	-	-	-
BLACK---MALE----	1	1	1	5	4	5	6	5	4	-	-	-
FEMALE--	-	1	7	3	-	3	5	6	3	-	-	-
UTAH -----	5	3	6	8	8	11	8	4	7	-	-	-
WHITE-----MALE----	5	2	4	5	6	8	8	3	6	-	-	-
FEMALE--	-	1	-	3	2	3	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	2	1	3	5	5	5	5	3	-	-	-
WHITE-----MALE----	-	1	-	2	1	4	1	-	2	-	-	-
FEMALE--	-	1	1	1	4	1	4	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	7	11	21	41	46	38	34	15	6	2	-
WHITE-----MALE----	1	3	9	15	25	24	23	13	5	1	1	-
FEMALE--	4	3	2	4	12	14	9	14	7	5	-	-
ALL OTHER--MALE----	2	1	-	2	3	5	3	4	2	-	1	-
FEMALE--	-	-	-	-	1	3	3	3	1	-	-	-
BLACK---MALE----	2	1	-	2	3	5	3	4	2	-	1	-
FEMALE--	-	-	-	-	1	3	3	3	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 829

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
UNITED STATES --	11,813	6	18	25	7	8	10	16	40	89	257	481
WHITE-----MALE----	6,395	3	4	9	2	2	3	3	12	36	138	286
FEMALE--	4,140	3	7	9	2	5	1	5	10	22	78	130
ALL OTHER--MALE----	780	-	3	6	-	1	3	4	13	20	30	45
FEMALE--	498	-	4	1	3	-	3	4	5	11	11	20
BLACK---MALE----	648	-	3	5	-	1	3	4	11	19	27	33
FEMALE--	433	-	4	1	3	-	3	4	5	9	11	17
ALABAMA -----	173	-	-	-	1	-	-	-	2	3	5	7
WHITE-----MALE----	80	-	-	-	-	-	-	-	-	-	4	5
FEMALE--	55	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	1	3	-	1
FEMALE--	16	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	22	-	-	-	-	-	-	-	1	3	-	1
FEMALE--	16	-	-	-	1	-	-	-	-	-	-	-
ALASKA -----	10	-	-	1	-	-	-	-	-	-	1	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	195	-	-	-	-	-	-	-	-	3	5	11
WHITE-----MALE----	123	-	-	-	-	-	-	-	-	2	2	9
FEMALE--	54	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	146	-	-	-	-	-	-	1	-	-	5	6
WHITE-----MALE----	80	-	-	-	-	-	-	-	-	-	2	5
FEMALE--	47	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	12	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA -----	1,115	1	1	6	-	1	1	3	6	10	16	66
WHITE-----MALE----	605	-	-	3	-	1	-	-	2	6	10	38
FEMALE--	376	1	1	3	-	-	-	1	2	2	5	19
ALL OTHER--MALE----	89	-	-	-	-	-	1	1	1	2	-	6
FEMALE--	45	-	-	-	-	-	-	1	1	-	1	3
BLACK---MALE----	45	-	-	-	-	-	1	1	1	2	-	3
FEMALE--	30	-	-	-	-	-	-	1	1	-	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 829

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	742	950	1,206	1,616	1,787	1,808	1,410	901	354	75	7	-
WHITE-----MALE----	434	554	707	934	1,040	989	702	384	133	19	1	-
FEMALE--	212	261	356	500	577	652	607	454	193	50	6	-
ALL OTHER--MALE----	64	93	92	118	100	93	44	35	14	2	-	-
FEMALE--	32	42	51	64	70	74	57	28	14	4	-	-
BLACK---MALE----	55	79	74	96	88	69	37	30	13	1	-	-
FEMALE--	26	38	41	53	61	67	49	25	13	3	-	-
ALABAMA -----	10	9	11	34	26	28	21	10	6	-	-	-
WHITE-----MALE----	5	4	5	20	14	10	8	3	2	-	-	-
FEMALE--	2	3	1	9	8	12	11	4	2	-	-	-
ALL OTHER--MALE----	1	2	3	1	2	4	1	1	2	-	-	-
FEMALE--	2	-	2	4	2	2	1	2	-	-	-	-
BLACK---MALE----	1	2	3	1	2	4	1	1	2	-	-	-
FEMALE--	2	-	2	4	2	2	1	2	-	-	-	-
ALASKA -----	-	2	-	2	1	1	-	-	1	-	-	-
WHITE-----MALE----	-	2	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	10	16	10	26	27	34	27	14	9	2	1	-
WHITE-----MALE----	5	11	4	16	20	26	16	8	4	-	-	-
FEMALE--	3	2	5	9	4	6	11	5	5	2	1	-
ALL OTHER--MALE----	1	2	-	1	3	1	-	1	-	-	-	-
FEMALE--	1	1	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	11	14	18	12	21	19	17	16	5	1	-	-
WHITE-----MALE----	6	11	12	5	9	10	9	10	1	-	-	-
FEMALE--	3	3	3	5	9	6	8	5	3	-	-	-
ALL OTHER--MALE----	1	-	3	1	2	2	-	-	1	-	-	-
FEMALE--	1	-	-	1	1	1	-	1	-	1	-	-
BLACK---MALE----	1	-	3	1	2	2	-	-	1	-	-	-
FEMALE--	1	-	-	1	1	1	-	1	-	1	-	-
CALIFORNIA -----	62	92	118	147	160	171	143	85	18	8	-	-
WHITE-----MALE----	43	46	67	83	99	82	73	41	9	2	-	-
FEMALE--	15	30	32	43	47	68	60	35	7	5	-	-
ALL OTHER--MALE----	2	14	14	16	7	16	3	5	1	-	-	-
FEMALE--	2	2	5	5	7	5	7	4	1	1	-	-
BLACK---MALE----	1	8	8	5	4	6	1	4	-	-	-	-
FEMALE--	1	1	2	4	5	4	4	2	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 830

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	138	-	-	-	-	-	-	-	-	-	5	4
WHITE-----MALE----	85	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	51	-	-	-	-	-	-	-	-	-	3	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	130	-	-	-	-	-	-	-	-	1	4	3
WHITE-----MALE----	81	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	44	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	25	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	15	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	756	1	1	2	1	2	1	3	4	6	12	26
WHITE-----MALE----	427	1	-	-	1	-	-	-	3	3	7	16
FEMALE--	274	-	-	-	-	2	1	-	1	1	4	6
ALL OTHER--MALE----	32	-	-	2	-	-	-	1	-	2	-	2
FEMALE--	23	-	1	-	-	-	-	2	-	-	1	2
BLACK---MALE----	31	-	-	2	-	-	-	1	-	2	-	1
FEMALE--	22	-	1	-	-	-	-	2	-	-	1	2
GEORGIA -----	261	-	-	1	2	-	-	-	3	2	6	17
WHITE-----MALE----	134	-	-	1	-	-	-	-	-	-	4	7
FEMALE--	71	-	-	-	-	-	-	-	-	1	1	5
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	2	1	1	4
FEMALE--	22	-	-	-	2	-	-	-	1	-	-	1
BLACK---MALE----	34	-	-	-	-	-	-	-	2	1	1	4
FEMALE--	21	-	-	-	2	-	-	-	1	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 830

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	11	5	12	16	29	15	18	15	7	1	-	-
WHITE-----MALE----	8	3	9	15	20	7	8	8	2	-	-	-
FEMALE--	3	2	2	1	9	8	10	7	5	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	11	8	17	13	15	19	20	13	6	-	-	-
WHITE-----MALE----	9	7	11	8	13	13	8	5	3	-	-	-
FEMALE--	1	1	3	5	2	6	12	8	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	3	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	3	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	1	4	8	2	4	2	1	-	-	-	-
WHITE-----MALE----	2	-	4	3	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	3	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	-	2	2	3	3	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	1	-	-	-
BLACK---MALE----	1	1	-	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	1	-	-	-
FLORIDA -----	37	50	60	90	133	141	95	62	23	6	-	-
WHITE-----MALE----	22	28	35	65	64	85	60	29	5	3	-	-
FEMALE--	13	12	20	20	58	53	33	29	18	3	-	-
ALL OTHER--MALE----	1	5	5	3	7	-	1	3	-	-	-	-
FEMALE--	1	5	-	2	4	3	1	1	-	-	-	-
BLACK---MALE----	1	5	5	3	7	-	1	3	-	-	-	-
FEMALE--	1	5	-	2	4	2	1	1	-	-	-	-
GEORGIA -----	17	31	27	49	25	33	26	15	7	-	-	-
WHITE-----MALE----	9	19	16	28	10	19	12	5	4	-	-	-
FEMALE--	5	7	5	12	7	11	9	7	1	-	-	-
ALL OTHER--MALE----	2	5	3	7	3	3	1	1	1	-	-	-
FEMALE--	1	-	3	2	5	-	4	2	1	-	-	-
BLACK---MALE----	2	5	3	7	3	3	1	1	1	-	-	-
FEMALE--	1	-	3	1	5	-	4	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 831

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	5	3	4	9	3	8	5	3	1	1	-	-
WHITE-----MALE----	1	1	1	3	2	3	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	1	1	3	1	4	2	1	-	1	-	-
FEMALE--	2	1	2	2	-	1	3	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	4	3	14	13	11	6	6	2	-	-	-
WHITE-----MALE----	1	3	1	9	10	8	4	3	2	-	-	-
FEMALE--	-	1	2	5	3	3	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	29	48	61	60	78	91	62	44	10	2	-	-
WHITE-----MALE----	13	28	31	28	47	46	25	19	5	-	-	-
FEMALE--	11	12	19	21	25	35	30	19	3	2	-	-
ALL OTHER--MALE----	4	6	8	4	4	2	3	2	-	-	-	-
FEMALE--	1	2	3	7	2	8	4	4	2	-	-	-
BLACK---MALE----	3	6	7	4	4	2	3	2	-	-	-	-
FEMALE--	1	2	3	7	2	7	4	4	2	-	-	-
INDIANA -----	30	30	34	43	48	52	35	19	11	4	-	-
WHITE-----MALE----	19	21	18	22	31	27	16	6	5	-	-	-
FEMALE--	7	8	15	17	13	25	16	12	5	4	-	-
ALL OTHER--MALE----	2	1	1	3	4	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	3	1	1	-	-	-
BLACK---MALE----	2	1	1	3	3	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	3	1	1	-	-	-
IOWA -----	10	12	13	20	28	23	23	16	12	2	-	-
WHITE-----MALE----	8	8	10	10	19	12	14	4	8	-	-	-
FEMALE--	2	4	3	8	9	11	9	12	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
KANSAS -----	7	10	10	14	13	16	23	13	6	3	-	-
WHITE-----MALE----	5	6	7	5	6	9	10	4	1	-	-	-
FEMALE--	2	4	3	9	7	7	12	9	5	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 832

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	208	-	-	1	-	-	-	1	-	3	5	6
WHITE-----MALE----	135	-	-	-	-	-	-	1	-	3	3	2
FEMALE--	58	-	-	-	-	-	-	-	-	-	-	4
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	7	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	7	-	-	1	-	-	-	-	-	-	-	-
LOUISIANA -----	212	-	-	-	-	-	1	1	1	5	1	11
WHITE-----MALE----	84	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	68	-	-	-	-	-	-	-	-	2	-	4
ALL OTHER--MALE----	35	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	25	-	-	-	-	-	1	1	1	-	-	1
BLACK---MALE----	35	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	24	-	-	-	-	-	1	1	1	-	-	1
MAINE -----	73	-	-	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	42	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	205	-	-	1	1	-	-	-	1	5	3	10
WHITE-----MALE----	97	-	-	-	-	-	-	-	-	2	1	9
FEMALE--	67	-	-	1	1	-	-	-	-	1	2	1
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	1	2	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	23	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	269	-	1	-	-	-	-	-	3	1	3	7
WHITE-----MALE----	162	-	1	-	-	-	-	-	2	-	2	3
FEMALE--	96	-	-	-	-	-	-	-	1	-	1	3
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN -----	457	-	1	1	-	-	1	-	-	2	9	13
WHITE-----MALE----	233	-	-	-	-	-	-	-	-	-	3	6
FEMALE--	172	-	1	1	-	-	-	-	-	1	5	7
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	21	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	24	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	20	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 832

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	16	18	20	25	28	38	27	16	3	1	-	-
WHITE-----MALE----	11	13	17	17	18	30	12	5	2	1	-	-
FEMALE--	4	3	-	7	8	6	14	11	1	-	-	-
ALL OTHER--MALE----	1	1	2	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	1	1	1	2	-	-	-	-	-	-
BLACK---MALE----	1	1	2	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	1	1	1	2	-	-	-	-	-	-
LOUISIANA -----	15	23	30	31	30	26	17	15	5	1	-	-
WHITE-----MALE----	7	7	15	14	12	10	6	7	-	-	-	-
FEMALE--	4	7	7	10	8	6	8	7	4	1	-	-
ALL OTHER--MALE----	3	5	4	5	8	6	-	-	1	-	-	-
FEMALE--	1	4	4	2	2	4	3	1	-	-	-	-
BLACK---MALE----	3	5	4	5	8	6	-	-	1	-	-	-
FEMALE--	1	4	4	2	1	4	3	1	-	-	-	-
MAINE -----	3	3	4	14	13	10	12	7	2	1	-	-
WHITE-----MALE----	2	2	4	11	5	7	5	4	-	-	-	-
FEMALE--	1	1	-	3	8	3	7	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	15	17	21	19	23	32	28	16	11	2	-	-
WHITE-----MALE----	8	7	12	9	13	12	15	5	3	1	-	-
FEMALE--	3	3	7	6	5	16	9	6	5	1	-	-
ALL OTHER--MALE----	4	6	1	3	2	2	-	2	2	-	-	-
FEMALE--	-	1	1	1	3	2	4	3	1	-	-	-
BLACK---MALE----	4	6	1	3	2	1	-	2	2	-	-	-
FEMALE--	-	1	1	1	3	2	4	3	1	-	-	-
MASSACHUSETTS -----	14	20	26	29	45	39	43	22	14	2	-	-
WHITE-----MALE----	12	13	23	18	24	23	22	14	3	2	-	-
FEMALE--	2	6	3	10	18	14	19	8	11	-	-	-
ALL OTHER--MALE----	-	1	-	-	2	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	2	1	1	-	2	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
MICHIGAN -----	19	31	42	66	90	67	60	36	17	1	1	-
WHITE-----MALE----	11	15	26	37	49	31	33	18	3	1	-	-
FEMALE--	3	8	10	22	32	28	23	18	12	-	1	-
ALL OTHER--MALE----	2	5	4	4	4	5	3	-	2	-	-	-
FEMALE--	3	3	2	3	5	3	1	-	-	-	-	-
BLACK---MALE----	2	3	2	3	4	4	2	-	2	-	-	-
FEMALE--	3	3	2	2	5	3	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 835

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	543	-	-	-	-	-	1	2	-	5	19	15
WHITE-----MALE----	298	-	-	-	-	-	1	1	-	2	10	10
FEMALE--	198	-	-	-	-	-	-	1	-	1	6	5
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	20	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	26	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	20	-	-	-	-	-	-	-	-	2	1	-
OKLAHOMA -----	164	-	-	-	-	-	-	-	1	-	6	5
WHITE-----MALE----	78	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	70	-	-	-	-	-	-	-	1	-	4	2
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	144	-	-	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	78	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	62	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	660	1	-	1	1	-	-	-	2	-	16	24
WHITE-----MALE----	373	1	-	1	1	-	-	-	-	-	5	15
FEMALE--	240	-	-	-	-	-	-	-	-	-	9	7
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	2	-	2	2
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	30	-	-	-	-	-	-	-	2	-	2	2
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	48	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	167	-	-	-	-	-	-	1	1	1	-	8
WHITE-----MALE----	82	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	45	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	23	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	23	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	1	-	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 835

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	39	55	58	74	86	74	67	32	12	2	2	-
WHITE-----MALE----	28	29	32	47	50	40	33	11	4	-	-	-
FEMALE--	11	18	21	22	28	27	29	19	6	2	2	-
ALL OTHER--MALE----	-	4	4	4	4	4	2	2	1	-	-	-
FEMALE--	-	4	1	1	4	3	3	-	1	-	-	-
BLACK---MALE----	-	4	4	3	4	4	2	2	1	-	-	-
FEMALE--	-	4	1	1	4	3	3	-	1	-	-	-
OKLAHOMA -----	15	22	14	21	23	24	16	13	4	-	-	-
WHITE-----MALE----	9	11	6	13	12	13	6	3	1	-	-	-
FEMALE--	5	10	6	6	7	9	8	9	3	-	-	-
ALL OTHER--MALE----	-	1	2	1	2	2	2	-	-	-	-	-
FEMALE--	1	-	-	1	2	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
OREGON -----	5	9	11	21	28	27	19	14	5	1	-	-
WHITE-----MALE----	4	3	5	13	14	20	11	4	1	-	-	-
FEMALE--	1	6	4	8	13	7	8	9	4	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	42	50	66	86	113	110	71	61	14	2	-	-
WHITE-----MALE----	26	27	43	54	67	64	35	26	8	-	-	-
FEMALE--	11	16	20	26	38	40	32	34	6	1	-	-
ALL OTHER--MALE----	3	4	2	4	5	4	-	1	-	1	-	-
FEMALE--	2	3	1	2	3	2	4	-	-	-	-	-
BLACK---MALE----	3	4	2	4	5	4	-	1	-	1	-	-
FEMALE--	2	3	1	2	3	2	3	-	-	-	-	-
RHODE ISLAND -----	4	2	4	4	5	10	5	6	6	-	-	-
WHITE-----MALE----	1	1	1	4	4	4	1	4	2	-	-	-
FEMALE--	2	1	3	-	1	5	4	2	4	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	9	19	21	25	25	26	20	9	2	-	-	-
WHITE-----MALE----	5	9	12	14	17	9	6	5	1	-	-	-
FEMALE--	-	3	6	5	5	10	10	3	1	-	-	-
ALL OTHER--MALE----	3	4	1	4	3	3	3	-	-	-	-	-
FEMALE--	1	3	2	2	-	4	1	1	-	-	-	-
BLACK---MALE----	3	4	1	4	3	3	3	-	-	-	-	-
FEMALE--	1	3	2	2	-	4	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 836

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	3	1	3	3	8	6	9	3	2	-	-	-
WHITE-----MALE----	2	1	3	3	8	3	4	2	2	-	-	-
FEMALE--	1	-	-	-	-	3	5	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	18	18	32	35	39	41	25	19	-	3	-	-
WHITE-----MALE----	8	12	21	14	22	23	10	10	-	1	-	-
FEMALE--	6	5	8	15	14	15	12	7	-	2	-	-
ALL OTHER--MALE----	4	1	3	3	1	1	3	2	-	-	-	-
FEMALE--	-	-	-	3	2	2	-	-	-	-	-	-
BLACK---MALE----	4	1	3	3	1	1	3	2	-	-	-	-
FEMALE--	-	-	-	3	2	2	-	-	-	-	-	-
TEXAS -----	57	72	80	115	95	120	81	52	16	4	-	-
WHITE-----MALE----	35	50	42	74	51	64	45	26	6	2	-	-
FEMALE--	18	18	30	30	36	44	29	22	9	2	-	-
ALL OTHER--MALE----	3	2	6	11	5	3	4	4	-	-	-	-
FEMALE--	1	2	2	-	3	9	3	-	1	-	-	-
BLACK---MALE----	2	2	5	11	5	3	4	4	-	-	-	-
FEMALE--	1	2	2	-	3	9	3	-	1	-	-	-
UTAH -----	5	3	3	5	7	7	6	2	1	-	-	-
WHITE-----MALE----	3	1	1	4	1	5	3	2	-	-	-	-
FEMALE--	2	1	2	1	6	2	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	3	2	5	3	2	5	-	3	1	-	-
WHITE-----MALE----	2	2	1	4	2	2	3	-	2	-	-	-
FEMALE--	-	1	1	1	1	-	2	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	13	22	23	52	47	36	28	21	6	3	1	-
WHITE-----MALE----	8	14	12	28	30	15	10	7	1	1	1	-
FEMALE--	4	4	6	9	11	15	13	9	3	2	-	-
ALL OTHER--MALE----	1	2	4	10	5	1	1	3	-	-	-	-
FEMALE--	-	2	1	5	1	5	4	2	2	-	-	-
BLACK---MALE----	1	2	4	10	5	1	1	3	-	-	-	-
FEMALE--	-	2	1	4	1	5	4	2	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 838

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
0 UNITED STATES --	51,098	34	223	246	161	149	159	288	469	854	1,353	1,965
WHITE-----MALE----	22,876	11	99	102	76	69	84	147	245	399	653	969
FEMALE--	22,087	11	77	99	59	43	42	96	164	318	470	651
ALL OTHER--MALE----	3,094	8	29	20	14	17	22	34	29	74	126	190
FEMALE--	3,041	4	18	25	12	20	11	11	31	63	104	155
BLACK---MALE----	2,681	7	22	15	9	13	16	33	20	64	111	165
FEMALE--	2,588	1	11	21	10	14	9	7	24	47	90	130
ALABAMA -----	1,269	-	4	5	1	2	2	4	9	12	30	43
WHITE-----MALE----	530	-	1	2	-	-	1	2	4	6	10	17
FEMALE--	446	-	3	1	1	2	-	-	3	2	11	5
ALL OTHER--MALE----	149	-	-	1	-	-	-	1	2	1	6	8
FEMALE--	144	-	-	1	-	-	1	1	-	3	3	13
BLACK---MALE----	144	-	-	1	-	-	-	1	2	1	4	8
FEMALE--	144	-	-	1	-	-	1	1	-	3	3	13
ALASKA -----	66	-	1	-	-	-	-	1	1	2	2	4
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	22	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	10	-	1	-	-	-	-	-	-	-	-	2
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	873	1	5	4	2	3	5	9	5	12	23	38
WHITE-----MALE----	433	1	1	-	-	2	2	5	4	8	11	19
FEMALE--	385	-	4	3	1	1	1	4	1	4	11	15
ALL OTHER--MALE----	31	-	-	-	1	-	2	-	-	-	-	3
FEMALE--	24	-	-	1	-	-	-	-	-	-	1	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	1	-	-	-	-	-	-	-	1
ARKANSAS -----	505	-	3	3	1	2	1	1	5	8	14	20
WHITE-----MALE----	226	-	3	1	1	2	-	-	2	2	8	12
FEMALE--	214	-	-	2	-	-	1	-	1	4	6	4
ALL OTHER--MALE----	31	-	-	-	-	-	-	1	1	-	-	3
FEMALE--	34	-	-	-	-	-	-	-	1	2	-	1
BLACK---MALE----	30	-	-	-	-	-	-	1	1	-	-	3
FEMALE--	32	-	-	-	-	-	-	-	1	1	-	1
CALIFORNIA -----	4,828	3	30	38	22	21	17	27	57	104	135	202
WHITE-----MALE----	2,179	-	12	19	13	8	8	15	28	49	60	101
FEMALE--	2,063	1	9	12	7	7	5	7	18	43	53	75
ALL OTHER--MALE----	306	1	6	2	1	3	3	4	5	7	16	15
FEMALE--	280	1	3	5	1	3	1	1	6	5	6	11
BLACK---MALE----	159	1	3	1	-	1	-	4	1	2	8	10
FEMALE--	129	-	2	1	-	2	-	-	4	2	3	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 838

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
0 UNITED STATES --	2,826	3,536	4,785	6,231	7,590	7,563	6,184	4,083	1,852	477	70	-
WHITE-----MALE----	1,346	1,709	2,302	3,112	3,629	3,438	2,457	1,403	502	112	12	-
FEMALE--	1,027	1,304	1,749	2,386	3,169	3,412	3,181	2,294	1,179	314	42	-
ALL OTHER--MALE----	274	303	406	398	397	332	212	142	57	10	-	-
FEMALE--	179	220	328	335	395	381	334	244	114	41	16	-
BLACK---MALE----	243	266	362	346	346	291	180	118	45	9	-	-
FEMALE--	153	186	272	280	339	324	297	218	102	39	14	-
ALABAMA -----	76	128	131	164	186	186	146	84	43	12	1	-
WHITE-----MALE----	30	59	64	77	70	80	64	31	10	2	-	-
FEMALE--	24	38	35	56	76	72	55	33	23	6	-	-
ALL OTHER--MALE----	18	18	22	20	21	14	6	8	2	1	-	-
FEMALE--	4	13	10	11	19	20	21	12	8	3	1	-
BLACK---MALE----	18	17	22	19	21	14	6	7	2	1	-	-
FEMALE--	4	13	10	11	19	20	21	12	8	3	1	-
ALASKA -----	5	5	14	5	12	8	3	2	-	1	-	-
WHITE-----MALE----	3	2	2	5	5	3	2	-	-	-	-	-
FEMALE--	1	1	4	-	5	5	1	2	-	1	-	-
ALL OTHER--MALE----	1	2	4	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	4	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ARIZONA -----	47	60	88	94	141	137	106	62	24	7	-	-
WHITE-----MALE----	25	36	47	61	62	66	50	21	10	2	-	-
FEMALE--	18	21	36	28	61	68	52	40	11	5	-	-
ALL OTHER--MALE----	2	1	2	3	12	1	1	1	2	-	-	-
FEMALE--	2	2	3	2	6	2	3	-	1	-	-	-
BLACK---MALE----	-	-	1	1	7	1	1	-	-	-	-	-
FEMALE--	1	1	1	-	1	-	2	-	1	-	-	-
ARKANSAS -----	37	37	39	61	80	68	63	37	15	10	-	-
WHITE-----MALE----	19	18	23	28	41	30	23	8	2	3	-	-
FEMALE--	13	16	11	23	36	29	34	21	9	4	-	-
ALL OTHER--MALE----	2	2	-	7	3	4	3	2	2	1	-	-
FEMALE--	3	1	5	3	-	5	3	6	2	2	-	-
BLACK---MALE----	2	2	-	7	3	4	2	2	2	1	-	-
FEMALE--	3	1	4	3	-	5	3	6	2	2	-	-
CALIFORNIA -----	285	366	465	535	707	714	555	353	151	36	5	-
WHITE-----MALE----	138	177	219	259	319	354	228	106	55	10	1	-
FEMALE--	101	135	169	212	325	286	281	207	82	25	3	-
ALL OTHER--MALE----	28	32	43	32	31	33	21	15	8	-	-	-
FEMALE--	18	22	34	32	32	41	25	25	6	1	1	-
BLACK---MALE----	16	16	28	13	16	19	10	7	3	-	-	-
FEMALE--	11	12	14	11	17	17	11	13	2	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 839

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
COLORADO -----	661	-	1	6	4	4	1	5	6	7	17	28
WHITE-----MALE----	333	-	1	4	1	1	1	4	3	3	11	17
FEMALE--	295	-	-	1	1	3	-	1	3	3	6	10
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	1	2	-	-	-	-	1	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	1	1	-	-	-	-	1	-	-
CONNECTICUT -----	785	-	2	2	2	-	1	3	7	13	9	21
WHITE-----MALE----	352	-	-	1	2	-	-	2	5	7	6	10
FEMALE--	379	-	2	-	-	-	1	1	2	6	2	10
ALL OTHER--MALE----	28	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	26	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	1
DELAWARE -----	139	-	-	2	-	1	-	1	1	4	6	3
WHITE-----MALE----	65	-	-	-	-	1	-	1	-	3	2	1
FEMALE--	55	-	-	1	-	-	-	-	1	-	2	-
ALL OTHER--MALE----	10	-	-	1	-	-	-	-	-	-	1	2
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	10	-	-	1	-	-	-	-	-	-	1	2
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	-
DISTRICT OF COLUMBIA ----	137	-	-	-	-	-	-	1	1	3	2	4
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	18	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	53	-	-	-	-	-	-	1	-	1	-	2
FEMALE--	51	-	-	-	-	-	-	-	-	2	1	1
BLACK---MALE----	53	-	-	-	-	-	-	1	-	1	-	2
FEMALE--	51	-	-	-	-	-	-	-	-	2	1	1
FLORIDA -----	2,955	2	20	9	7	12	8	9	35	45	73	87
WHITE-----MALE----	1,443	2	14	2	3	6	4	3	19	27	42	47
FEMALE--	1,255	-	4	5	3	2	3	3	12	13	19	25
ALL OTHER--MALE----	135	-	2	1	1	2	1	2	1	4	11	9
FEMALE--	122	-	-	1	-	2	-	1	3	1	1	6
BLACK---MALE----	131	-	2	1	1	2	1	2	1	4	10	9
FEMALE--	111	-	-	1	-	1	-	1	3	-	1	5
GEORGIA -----	1,446	1	3	5	3	3	2	14	8	32	49	74
WHITE-----MALE----	554	-	1	4	1	1	1	5	4	14	19	27
FEMALE--	524	-	-	-	-	-	1	4	2	8	14	16
ALL OTHER--MALE----	197	-	-	-	2	1	-	4	2	5	7	16
FEMALE--	171	1	2	1	-	1	-	1	-	5	9	15
BLACK---MALE----	194	-	-	-	1	1	-	4	2	4	7	16
FEMALE--	165	-	2	1	-	1	-	1	-	5	8	15

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 839

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
COLORADO -----	47	49	66	72	110	79	81	41	29	7	1	-
WHITE-----MALE----	29	28	48	38	50	31	28	20	11	4	-	-
FEMALE--	15	19	13	30	59	42	48	21	16	3	1	-
ALL OTHER--MALE----	3	2	3	2	-	2	2	-	-	-	-	-
FEMALE--	-	-	2	2	1	4	3	-	2	-	-	-
BLACK---MALE----	1	2	2	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	2	1	1	1	1	-	2	-	-	-
CONNECTICUT -----	42	44	60	81	124	141	105	74	43	8	3	-
WHITE-----MALE----	21	19	30	38	72	60	42	23	11	2	1	-
FEMALE--	16	19	26	34	48	72	55	48	30	6	1	-
ALL OTHER--MALE----	5	2	2	7	1	5	3	1	1	-	-	-
FEMALE--	-	4	2	2	3	4	5	2	1	-	1	-
BLACK---MALE----	5	2	2	7	1	5	3	-	-	-	-	-
FEMALE--	-	4	2	2	3	3	5	2	1	-	1	-
DELAWARE -----	7	4	15	14	27	26	15	11	1	1	-	-
WHITE-----MALE----	2	3	11	4	14	11	6	5	-	1	-	-
FEMALE--	4	-	3	9	11	12	7	4	1	-	-	-
ALL OTHER--MALE----	1	1	1	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	3	1	2	-	-	-	-
BLACK---MALE----	1	1	1	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	3	1	2	-	-	-	-
DISTRICT OF COLUMBIA ----	19	16	13	10	23	9	15	11	8	2	-	-
WHITE-----MALE----	1	2	2	1	3	-	1	2	2	-	-	-
FEMALE--	-	1	2	1	1	2	6	-	2	1	-	-
ALL OTHER--MALE----	12	9	5	4	12	3	3	1	-	-	-	-
FEMALE--	6	4	4	4	7	4	5	8	4	1	-	-
BLACK---MALE----	12	9	5	4	12	3	3	1	-	-	-	-
FEMALE--	6	4	4	4	7	4	5	8	4	1	-	-
FLORIDA -----	129	194	255	386	394	464	399	289	106	24	8	-
WHITE-----MALE----	67	84	124	217	216	241	162	110	43	8	2	-
FEMALE--	50	83	93	142	156	193	220	155	58	12	4	-
ALL OTHER--MALE----	5	15	23	17	10	14	7	8	2	-	-	-
FEMALE--	7	12	15	10	12	16	10	16	3	4	2	-
BLACK---MALE----	5	15	22	16	10	14	7	8	1	-	-	-
FEMALE--	6	10	13	10	11	15	10	15	3	4	2	-
GEORGIA -----	100	117	158	185	219	173	138	109	44	9	-	-
WHITE-----MALE----	36	49	71	81	93	67	40	34	4	2	-	-
FEMALE--	29	38	47	60	78	73	70	46	32	6	-	-
ALL OTHER--MALE----	25	18	23	29	25	17	10	11	2	-	-	-
FEMALE--	10	12	17	15	23	16	18	18	6	1	-	-
BLACK---MALE----	25	17	23	29	25	17	10	11	2	-	-	-
FEMALE--	10	12	16	15	22	14	18	18	6	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 840

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
HAWAII -----	6	6	15	14	17	20	18	20	10	1	1	-
WHITE-----MALE----	2	3	3	3	6	2	1	3	2	-	-	-
FEMALE--	1	1	2	-	2	2	5	4	1	-	-	-
ALL OTHER--MALE----	2	2	3	3	7	8	6	8	3	1	-	-
FEMALE--	1	-	7	8	2	8	6	5	4	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
IDAHO -----	9	12	21	20	29	28	25	14	5	3	-	-
WHITE-----MALE----	5	5	11	10	15	20	14	8	2	1	-	-
FEMALE--	4	7	10	10	13	8	11	5	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	114	148	250	279	341	348	305	174	73	20	1	-
WHITE-----MALE----	53	68	119	136	173	141	121	60	16	4	-	-
FEMALE--	41	56	83	109	132	173	151	103	46	15	1	-
ALL OTHER--MALE----	10	17	28	16	17	20	12	1	6	-	-	-
FEMALE--	10	7	20	18	19	14	21	10	5	1	-	-
BLACK---MALE----	10	17	28	15	15	19	10	1	6	-	-	-
FEMALE--	9	6	16	17	18	14	20	10	5	1	-	-
INDIANA -----	51	63	119	134	182	181	145	86	48	9	1	-
WHITE-----MALE----	27	37	54	69	96	85	59	29	13	1	1	-
FEMALE--	18	18	54	55	76	82	76	51	32	7	-	-
ALL OTHER--MALE----	3	5	6	4	4	4	3	4	2	-	-	-
FEMALE--	3	3	5	6	6	10	7	2	1	1	-	-
BLACK---MALE----	3	5	6	4	4	4	3	4	2	-	-	-
FEMALE--	3	3	5	6	6	9	7	2	1	1	-	-
IOWA -----	35	31	41	66	58	74	53	44	31	8	1	-
WHITE-----MALE----	18	17	14	32	26	33	18	17	9	3	-	-
FEMALE--	16	14	26	33	32	41	34	27	22	5	1	-
ALL OTHER--MALE----	1	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	17	23	43	54	62	74	56	39	25	4	1	-
WHITE-----MALE----	11	10	21	28	40	34	28	19	4	1	-	-
FEMALE--	6	12	19	25	20	38	27	20	21	3	1	-
ALL OTHER--MALE----	-	1	2	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	1	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 841

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
KENTUCKY -----	770	-	6	5	3	3	2	4	10	10	17	34
WHITE-----MALE----	363	-	2	2	1	1	-	2	6	7	8	21
FEMALE--	356	-	3	3	2	2	1	1	4	2	9	10
ALL OTHER--MALE----	24	-	1	-	-	-	1	-	-	1	-	3
FEMALE--	27	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	24	-	1	-	-	-	1	-	-	1	-	3
FEMALE--	26	-	-	-	-	-	-	1	-	-	-	-
LOUISIANA -----	963	2	3	5	3	2	4	5	4	16	23	50
WHITE-----MALE----	346	1	2	1	-	-	2	5	1	9	10	17
FEMALE--	344	1	1	-	2	-	1	-	3	4	6	12
ALL OTHER--MALE----	132	-	-	1	-	2	1	-	-	1	1	13
FEMALE--	141	-	-	3	1	-	-	-	-	2	6	8
BLACK---MALE----	131	-	-	1	-	2	1	-	-	1	1	13
FEMALE--	139	-	-	3	1	-	-	-	-	2	6	8
MAINE -----	321	-	-	1	1	1	1	4	2	6	6	7
WHITE-----MALE----	163	-	-	-	1	1	-	2	1	1	3	5
FEMALE--	158	-	-	1	-	-	1	2	1	5	3	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	992	1	7	6	4	1	-	3	9	24	27	48
WHITE-----MALE----	392	1	-	2	2	-	-	2	4	11	9	20
FEMALE--	367	-	3	3	1	1	-	1	3	7	6	13
ALL OTHER--MALE----	121	-	2	1	-	-	-	-	-	2	8	7
FEMALE--	112	-	2	-	1	-	-	-	2	4	4	8
BLACK---MALE----	116	-	2	1	-	-	-	-	-	2	8	7
FEMALE--	102	-	1	-	1	-	-	-	2	4	4	7
MASSACHUSETTS -----	1,504	2	2	3	2	4	1	7	5	20	29	38
WHITE-----MALE----	704	-	1	2	-	2	-	4	4	13	12	23
FEMALE--	738	2	1	1	2	1	1	3	1	6	15	10
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	30	-	-	-	-	1	-	-	-	1	1	1
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	25	-	-	-	-	1	-	-	-	1	1	1
MICHIGAN -----	1,815	1	7	16	8	10	6	16	10	27	36	71
WHITE-----MALE----	793	-	5	4	5	5	3	7	5	16	15	32
FEMALE--	803	-	1	8	3	3	-	6	3	10	16	27
ALL OTHER--MALE----	109	1	1	2	-	-	1	2	-	1	3	7
FEMALE--	110	-	-	2	-	2	2	1	2	-	2	5
BLACK---MALE----	99	1	1	1	-	-	1	2	-	1	3	7
FEMALE--	100	-	-	2	-	1	2	1	1	-	2	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 841

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
KENTUCKY -----	41	52	86	86	132	107	83	58	26	4	1	-
WHITE-----MALE----	26	24	42	42	65	49	39	20	5	-	1	-
FEMALE--	14	22	38	38	56	52	41	36	19	3	-	-
ALL OTHER--MALE----	1	1	2	2	4	3	2	2	-	1	-	-
FEMALE--	-	5	4	4	7	3	1	-	2	-	-	-
BLACK---MALE----	1	1	2	2	4	3	2	2	-	1	-	-
FEMALE--	-	4	4	4	7	3	1	-	2	-	-	-
LOUISIANA -----	59	68	90	113	156	135	110	75	35	3	2	-
WHITE-----MALE----	18	27	37	43	62	49	36	19	6	-	1	-
FEMALE--	22	21	22	42	52	52	46	32	23	2	-	-
ALL OTHER--MALE----	12	13	12	18	22	14	9	12	1	-	-	-
FEMALE--	7	7	19	10	20	20	19	12	5	1	1	-
BLACK---MALE----	12	13	11	18	22	14	9	12	1	-	-	-
FEMALE--	7	7	18	10	20	19	19	12	5	1	1	-
MAINE -----	14	23	24	40	46	50	43	36	15	1	-	-
WHITE-----MALE----	10	17	16	26	17	25	21	14	3	-	-	-
FEMALE--	4	6	8	14	29	25	22	22	12	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	55	66	92	125	143	150	116	70	39	5	1	-
WHITE-----MALE----	21	25	36	56	66	68	33	25	10	-	1	-
FEMALE--	23	25	21	40	46	63	60	29	20	2	-	-
ALL OTHER--MALE----	7	13	19	19	12	10	10	6	4	1	-	-
FEMALE--	4	3	16	10	19	9	13	10	5	2	-	-
BLACK---MALE----	7	12	19	18	12	9	9	5	4	1	-	-
FEMALE--	3	3	14	9	18	9	10	10	5	2	-	-
MASSACHUSETTS -----	66	91	105	173	249	253	216	139	62	32	5	-
WHITE-----MALE----	34	42	56	106	126	118	91	46	18	5	1	-
FEMALE--	29	47	43	60	114	127	114	88	42	27	4	-
ALL OTHER--MALE----	1	1	5	3	4	4	7	1	1	-	-	-
FEMALE--	2	1	1	4	5	4	4	4	1	-	-	-
BLACK---MALE----	1	-	4	2	4	2	6	1	1	-	-	-
FEMALE--	2	-	1	3	3	4	4	3	1	-	-	-
MICHIGAN -----	121	135	160	218	284	263	226	125	64	10	1	-
WHITE-----MALE----	55	69	80	98	138	105	90	46	11	4	-	-
FEMALE--	45	41	62	94	124	131	108	68	48	4	1	-
ALL OTHER--MALE----	13	16	9	13	10	15	11	4	-	-	-	-
FEMALE--	8	9	9	13	12	12	17	7	5	2	-	-
BLACK---MALE----	13	13	8	11	10	13	10	4	-	-	-	-
FEMALE--	7	7	8	12	10	12	17	7	5	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 842

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
MINNESOTA -----	42	77	73	117	139	139	127	92	34	14	-	-
WHITE-----MALE----	19	47	44	71	75	69	46	36	9	3	-	-
FEMALE--	21	25	28	42	60	68	78	54	25	9	-	-
ALL OTHER--MALE----	1	2	-	2	4	1	-	2	-	-	-	-
FEMALE--	1	3	1	2	-	1	3	-	-	2	-	-
BLACK---MALE----	-	1	-	1	1	1	-	2	-	-	-	-
FEMALE--	-	2	1	1	-	-	2	-	-	2	-	-
MISSISSIPPI -----	33	53	80	80	83	78	56	48	18	10	2	-
WHITE-----MALE----	13	27	36	30	39	26	18	13	4	3	-	-
FEMALE--	13	16	24	23	24	23	25	20	8	3	-	-
ALL OTHER--MALE----	4	5	11	16	7	17	6	7	3	2	-	-
FEMALE--	3	5	9	11	13	12	7	8	3	2	2	-
BLACK---MALE----	4	5	11	16	7	17	6	7	3	2	-	-
FEMALE--	2	5	9	11	13	12	7	8	3	2	2	-
MISSOURI -----	79	89	119	152	170	181	138	108	47	10	2	-
WHITE-----MALE----	42	44	66	71	88	78	65	41	16	1	-	-
FEMALE--	27	29	41	63	69	83	62	59	26	8	2	-
ALL OTHER--MALE----	4	7	7	11	8	12	4	3	1	-	-	-
FEMALE--	6	9	5	7	5	8	7	5	4	1	-	-
BLACK---MALE----	4	7	7	9	8	12	4	3	1	-	-	-
FEMALE--	5	8	5	6	5	7	6	5	4	1	-	-
MONTANA -----	9	9	16	29	27	28	28	16	3	2	-	-
WHITE-----MALE----	5	5	11	18	10	18	11	7	1	-	-	-
FEMALE--	4	4	5	9	14	9	17	9	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	3	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	14	27	22	34	59	38	46	26	20	2	-	-
WHITE-----MALE----	9	15	13	16	34	16	15	9	5	1	-	-
FEMALE--	5	12	9	18	22	21	30	16	14	1	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
NEVADA -----	19	30	38	56	53	46	36	23	8	1	-	-
WHITE-----MALE----	7	16	22	37	26	19	16	8	2	1	-	-
FEMALE--	9	12	16	15	25	26	19	14	5	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	3	2	1	1	1	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 844

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
OHIO -----	2,461	-	4	6	9	5	12	16	25	40	66	80
WHITE-----MALE----	1,131	-	1	1	4	2	11	10	15	14	28	36
FEMALE--	1,091	-	2	4	3	3	1	6	8	17	27	36
ALL OTHER--MALE----	125	-	1	1	1	-	-	-	2	7	4	5
FEMALE--	114	-	-	-	1	-	-	-	-	2	7	3
BLACK---MALE----	121	-	1	1	1	-	-	-	2	6	4	5
FEMALE--	114	-	-	-	1	-	-	-	-	2	7	3
OKLAHOMA -----	618	-	1	5	1	3	1	2	5	13	20	30
WHITE-----MALE----	300	-	1	2	1	1	1	1	4	8	10	15
FEMALE--	244	-	-	1	-	1	-	1	1	2	7	9
ALL OTHER--MALE----	44	-	-	1	-	-	-	-	-	1	1	3
FEMALE--	30	-	-	1	-	1	-	-	-	2	2	3
BLACK---MALE----	31	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	12	-	-	1	-	-	-	-	-	-	1	1
OREGON -----	596	1	4	2	3	1	3	6	6	12	14	29
WHITE-----MALE----	293	-	2	1	1	-	2	4	4	5	9	18
FEMALE--	290	-	-	1	1	1	1	2	2	6	5	11
ALL OTHER--MALE----	10	1	2	-	1	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	1	-	1	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3,125	2	12	11	8	8	6	12	31	38	60	95
WHITE-----MALE----	1,382	-	3	9	3	3	2	7	13	16	36	50
FEMALE--	1,415	2	4	2	5	2	1	5	12	15	20	33
ALL OTHER--MALE----	162	-	3	-	-	2	2	-	2	5	2	7
FEMALE--	166	-	2	-	-	1	1	-	4	2	2	5
BLACK---MALE----	151	-	3	-	-	1	2	-	1	5	2	7
FEMALE--	157	-	2	-	-	-	1	-	4	2	2	3
RHODE ISLAND -----	202	-	-	-	2	-	1	3	-	1	1	2
WHITE-----MALE----	82	-	-	-	1	-	1	1	-	1	-	1
FEMALE--	115	-	-	-	1	-	-	2	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	643	1	5	1	2	2	3	7	3	11	14	26
WHITE-----MALE----	252	1	1	-	2	2	1	3	2	5	8	13
FEMALE--	222	-	2	1	-	-	-	1	-	3	2	2
ALL OTHER--MALE----	73	-	1	-	-	-	2	3	-	2	1	5
FEMALE--	96	-	1	-	-	-	-	-	1	1	3	6
BLACK---MALE----	71	-	1	-	-	-	2	2	-	2	1	5
FEMALE--	96	-	1	-	-	-	-	-	1	1	3	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 844

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
OHIO -----	131	154	205	327	390	392	307	197	76	17	2	-
WHITE-----MALE----	69	81	98	170	191	190	127	65	15	3	-	-
FEMALE--	45	56	82	125	157	174	156	122	53	12	2	-
ALL OTHER--MALE----	14	8	16	15	18	16	9	5	3	-	-	-
FEMALE--	3	9	9	17	24	12	15	5	5	2	-	-
BLACK---MALE----	14	8	15	15	17	16	8	5	3	-	-	-
FEMALE--	3	9	9	17	24	12	15	5	5	2	-	-
OKLAHOMA -----	36	40	63	89	89	83	55	53	20	7	2	-
WHITE-----MALE----	14	20	37	54	42	38	25	18	6	2	-	-
FEMALE--	15	16	20	22	33	39	27	32	12	5	1	-
ALL OTHER--MALE----	5	3	5	10	7	3	3	-	2	-	-	-
FEMALE--	2	1	1	3	7	3	-	3	-	-	1	-
BLACK---MALE----	5	2	2	8	6	1	2	-	2	-	-	-
FEMALE--	-	1	-	1	3	2	-	2	-	-	-	-
OREGON -----	32	36	45	57	81	93	96	51	18	5	1	-
WHITE-----MALE----	17	18	22	30	38	50	46	20	6	-	-	-
FEMALE--	15	18	21	26	42	40	50	30	12	5	1	-
ALL OTHER--MALE----	-	-	1	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA -----	142	195	272	385	502	518	418	256	126	23	5	-
WHITE-----MALE----	82	97	125	193	229	233	156	81	34	9	1	-
FEMALE--	41	64	102	155	219	240	240	155	82	13	3	-
ALL OTHER--MALE----	12	17	22	20	28	22	6	8	3	1	-	-
FEMALE--	7	17	23	17	26	23	16	12	7	-	1	-
BLACK---MALE----	10	16	20	18	26	22	6	8	3	1	-	-
FEMALE--	7	15	23	17	24	21	16	12	7	-	1	-
RHODE ISLAND -----	6	9	14	26	36	34	27	24	13	2	1	-
WHITE-----MALE----	5	6	6	7	16	13	10	8	5	1	-	-
FEMALE--	1	3	8	18	20	19	16	15	8	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
SOUTH CAROLINA -----	49	45	70	76	95	99	71	34	24	5	-	-
WHITE-----MALE----	19	17	27	31	44	34	28	7	7	-	-	-
FEMALE--	19	19	20	23	29	41	31	16	12	1	-	-
ALL OTHER--MALE----	6	5	9	11	9	9	6	4	-	-	-	-
FEMALE--	5	4	14	11	13	15	6	7	5	4	-	-
BLACK---MALE----	6	5	9	10	9	9	6	4	-	-	-	-
FEMALE--	5	4	14	11	13	15	6	7	5	4	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 845

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
SOUTH DAKOTA -----	153	-	1	-	-	-	-	1	1	2	2	4
WHITE-----MALE----	63	-	-	-	-	-	-	1	1	1	1	1
FEMALE--	80	-	-	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,069	1	2	8	5	3	2	13	13	22	33	47
WHITE-----MALE----	477	-	1	4	2	1	2	10	6	7	14	22
FEMALE--	446	1	1	2	2	1	-	3	7	7	11	17
ALL OTHER--MALE----	64	-	-	1	-	1	-	-	-	4	5	5
FEMALE--	82	-	-	1	1	-	-	-	-	4	3	3
BLACK---MALE----	62	-	-	1	-	-	-	-	-	4	4	5
FEMALE--	81	-	-	1	1	-	-	-	-	4	3	3
TEXAS -----	2,613	6	19	18	10	7	15	19	21	59	95	120
WHITE-----MALE----	1,167	3	7	8	5	2	5	7	16	27	49	57
FEMALE--	1,126	1	11	9	2	2	8	9	5	24	34	45
ALL OTHER--MALE----	162	2	-	1	2	2	2	3	-	3	6	12
FEMALE--	158	-	1	-	1	1	-	-	-	5	6	6
BLACK---MALE----	154	2	-	1	2	2	2	3	-	3	6	10
FEMALE--	145	-	-	-	1	1	-	-	-	2	4	6
UTAH -----	249	1	4	1	2	1	-	1	3	4	8	11
WHITE-----MALE----	131	-	1	1	2	-	-	1	1	3	6	9
FEMALE--	115	1	3	-	-	1	-	-	2	1	2	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	134	-	2	-	-	-	-	1	1	1	7	7
WHITE-----MALE----	61	-	-	-	-	-	-	-	-	1	3	4
FEMALE--	71	-	2	-	-	-	-	1	1	-	4	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,235	1	3	5	4	2	3	8	17	22	43	41
WHITE-----MALE----	527	-	-	1	-	1	2	5	9	10	16	23
FEMALE--	484	-	2	2	2	-	1	2	4	5	16	10
ALL OTHER--MALE----	116	1	1	1	1	-	-	1	1	5	6	7
FEMALE--	108	-	-	1	1	1	-	-	3	2	5	1
BLACK---MALE----	114	1	1	1	1	-	-	1	1	5	6	7
FEMALE--	105	-	-	1	1	1	-	-	3	2	5	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 845

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
SOUTH DAKOTA -----	5	14	13	14	20	17	27	14	11	7	-	-
WHITE-----MALE----	2	5	7	10	9	6	9	8	1	1	-	-
FEMALE--	2	8	5	4	8	10	16	6	10	6	-	-
ALL OTHER--MALE----	1	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	66	97	119	136	150	132	109	77	22	10	2	-
WHITE-----MALE----	31	50	60	66	69	55	37	29	8	3	-	-
FEMALE--	28	33	40	55	68	63	53	37	12	5	-	-
ALL OTHER--MALE----	3	6	6	10	6	6	7	4	-	-	-	-
FEMALE--	4	8	13	5	7	8	12	7	2	2	2	-
BLACK---MALE----	3	6	6	10	6	6	7	4	-	-	-	-
FEMALE--	4	8	12	5	7	8	12	7	2	2	2	-
TEXAS -----	161	186	261	319	386	349	262	193	82	22	3	-
WHITE-----MALE----	80	96	115	158	174	170	100	63	22	3	-	-
FEMALE--	47	70	95	128	165	152	138	113	55	13	-	-
ALL OTHER--MALE----	16	12	31	19	26	8	10	5	2	-	-	-
FEMALE--	18	8	20	14	21	19	14	12	3	6	3	-
BLACK---MALE----	15	12	30	17	25	7	10	5	2	-	-	-
FEMALE--	18	8	19	13	18	19	14	11	3	5	3	-
UTAH -----	13	13	24	26	30	32	33	27	13	2	-	-
WHITE-----MALE----	6	8	15	10	21	18	12	10	6	1	-	-
FEMALE--	7	5	9	15	9	14	19	17	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
VERMONT -----	8	13	11	12	21	25	10	8	5	2	-	-
WHITE-----MALE----	6	9	6	7	8	10	4	2	-	1	-	-
FEMALE--	2	4	5	5	12	14	6	6	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
VIRGINIA -----	76	92	102	177	179	161	146	104	37	9	3	-
WHITE-----MALE----	33	43	44	84	80	78	50	35	10	3	-	-
FEMALE--	24	33	32	64	74	66	68	56	16	4	3	-
ALL OTHER--MALE----	8	12	18	14	12	9	11	4	3	1	-	-
FEMALE--	11	4	8	15	13	8	17	9	8	1	-	-
BLACK---MALE----	7	12	18	14	11	9	11	4	3	1	-	-
FEMALE--	8	4	8	15	13	8	17	9	8	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 850

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF EYE (190)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	1	1	2	1	3	1	-	1	-	1	-
WHITE-----MALE----	1	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	-	-	-	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 856

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF BRAIN (191)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	12,193	21	122	157	121	100	90	178	272	444	599	769
WHITE-----MALE----	6,137	9	56	59	63	42	52	91	154	243	350	445
FEMALE--	5,132	6	45	65	38	32	27	63	93	153	189	262
ALL OTHER--MALE----	464	3	13	12	10	14	10	16	15	26	31	34
FEMALE--	460	3	8	21	10	12	1	8	10	22	29	28
BLACK---MALE----	373	2	11	9	7	11	7	15	11	21	26	25
FEMALE--	368	1	4	20	8	9	1	5	8	14	26	19
ALABAMA -----	189	-	2	3	-	1	1	-	5	3	10	8
WHITE-----MALE----	89	-	1	1	-	-	1	-	3	2	3	4
FEMALE--	71	-	1	1	-	1	-	-	1	-	4	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	1	1	3	1
FEMALE--	14	-	-	1	-	-	-	-	-	-	-	3
BLACK---MALE----	13	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	14	-	-	1	-	-	-	-	-	-	-	3
ALASKA -----	15	-	-	-	-	-	-	1	-	1	2	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	184	1	4	4	1	3	2	4	1	7	6	17
WHITE-----MALE----	90	1	1	-	-	2	1	1	1	6	5	9
FEMALE--	84	-	3	3	-	1	-	3	-	1	1	7
ALL OTHER--MALE----	7	-	-	-	1	-	1	-	-	-	-	1
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
ARKANSAS -----	165	-	2	2	1	1	1	-	2	4	7	10
WHITE-----MALE----	84	-	2	-	1	1	-	-	2	2	4	7
FEMALE--	65	-	-	2	-	-	1	-	-	1	3	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1,311	2	17	22	17	12	10	20	27	53	61	88
WHITE-----MALE----	683	-	7	10	10	5	6	11	14	28	35	48
FEMALE--	498	1	6	8	5	3	3	5	9	19	18	32
ALL OTHER--MALE----	76	-	3	2	1	3	1	3	3	4	6	5
FEMALE--	54	1	1	2	1	1	-	1	1	2	2	3
BLACK---MALE----	35	-	2	1	-	1	-	3	1	1	3	3
FEMALE--	21	-	-	1	-	1	-	-	1	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 856

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF BRAIN (191)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	942	1,053	1,238	1,503	1,631	1,441	913	457	118	21	3	-
WHITE-----MALE----	503	542	648	779	804	704	368	185	33	7	-	-
FEMALE--	367	426	489	637	728	666	514	238	79	13	2	-
ALL OTHER--MALE----	37	47	45	46	50	28	13	11	3	-	-	-
FEMALE--	35	38	56	41	49	43	18	23	3	1	1	-
BLACK---MALE----	27	38	39	36	45	24	8	9	2	-	-	-
FEMALE--	29	32	44	34	40	35	15	20	2	1	1	-
ALABAMA -----	10	26	18	30	23	30	11	4	3	1	-	-
WHITE-----MALE----	5	13	12	14	7	13	7	2	1	-	-	-
FEMALE--	3	9	5	13	12	13	4	1	2	1	-	-
ALL OTHER--MALE----	2	2	-	-	1	3	-	1	-	-	-	-
FEMALE--	-	2	1	3	3	1	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	1	3	-	-	-	-	-	-
FEMALE--	-	2	1	3	3	1	-	-	-	-	-	-
ALASKA -----	2	2	1	1	2	1	1	-	-	-	-	-
WHITE-----MALE----	2	1	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	13	16	15	23	24	24	9	8	1	1	-	-
WHITE-----MALE----	7	7	7	14	6	14	5	3	-	-	-	-
FEMALE--	6	9	6	8	15	10	4	5	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ARKANSAS -----	17	17	19	17	28	14	15	4	2	2	-	-
WHITE-----MALE----	7	11	7	8	14	7	9	1	-	1	-	-
FEMALE--	6	5	8	7	13	6	5	3	2	1	-	-
ALL OTHER--MALE----	1	1	-	2	1	-	1	-	-	-	-	-
FEMALE--	3	-	4	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	2	1	-	-	-	-	-	-	-
FEMALE--	3	-	3	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	105	127	126	143	153	157	100	54	16	1	-	-
WHITE-----MALE----	56	67	69	83	79	81	48	17	8	1	-	-
FEMALE--	34	48	42	51	67	62	48	30	7	-	-	-
ALL OTHER--MALE----	10	7	8	7	2	5	2	3	1	-	-	-
FEMALE--	5	5	7	2	5	9	2	4	-	-	-	-
BLACK---MALE----	5	2	6	3	1	1	-	2	-	-	-	-
FEMALE--	3	3	1	1	2	3	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 857

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF BRAIN (191)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	156	-	1	5	4	2	1	4	5	2	7	10
WHITE-----MALE----	88	-	1	3	1	-	1	3	2	1	4	6
FEMALE--	62	-	-	1	1	2	-	1	3	1	3	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	2	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	1	-	-	-	-	-	-	-
CONNECTICUT -----	138	-	2	-	1	-	-	2	3	6	1	9
WHITE-----MALE----	71	-	-	-	1	-	-	2	3	4	-	4
FEMALE--	65	-	2	-	-	-	-	-	-	2	1	5
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	34	-	-	2	-	1	-	1	1	2	3	1
WHITE-----MALE----	15	-	-	-	-	1	-	1	-	2	-	1
FEMALE--	16	-	-	1	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ----	11	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	870	2	14	6	6	8	6	5	24	26	38	39
WHITE-----MALE----	467	2	12	1	3	4	3	3	12	16	25	24
FEMALE--	348	-	1	3	2	2	2	-	10	9	10	13
ALL OTHER--MALE----	32	-	1	1	1	2	1	1	1	1	3	1
FEMALE--	23	-	-	1	-	-	-	1	1	-	-	1
BLACK---MALE----	31	-	1	1	1	2	1	1	1	1	2	1
FEMALE--	23	-	-	1	-	-	-	1	1	-	-	1
GEORGIA -----	288	-	1	2	2	3	1	7	6	13	11	16
WHITE-----MALE----	125	-	1	1	-	1	-	3	4	7	6	5
FEMALE--	113	-	-	-	-	-	1	2	-	4	3	5
ALL OTHER--MALE----	26	-	-	-	2	1	-	2	2	-	1	4
FEMALE--	24	-	-	1	-	1	-	-	-	2	1	2
BLACK---MALE----	25	-	-	-	1	1	-	2	2	-	1	4
FEMALE--	22	-	-	1	-	1	-	-	-	2	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 857

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF BRAIN (191)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	18	11	16	20	24	12	7	5	2	-	-	-
WHITE-----MALE----	13	6	12	12	12	5	2	3	1	-	-	-
FEMALE--	4	5	3	7	12	7	5	2	1	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	8	12	10	15	18	20	18	10	3	-	-	-
WHITE-----MALE----	6	4	7	8	10	8	10	4	-	-	-	-
FEMALE--	2	8	2	7	8	12	8	5	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DELAWARE -----	2	-	6	4	3	5	2	1	-	-	-	-
WHITE-----MALE----	-	-	4	2	1	1	1	1	-	-	-	-
FEMALE--	2	-	2	2	2	4	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	1	2	-	3	-	1	1	-	-	-	-
WHITE-----MALE----	-	1	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	-	-	-	-
FLORIDA -----	59	70	79	123	113	120	77	43	11	1	-	-
WHITE-----MALE----	29	29	33	79	63	66	33	25	5	-	-	-
FEMALE--	28	32	39	40	46	46	43	15	6	1	-	-
ALL OTHER--MALE----	1	6	3	2	3	2	1	1	-	-	-	-
FEMALE--	1	3	4	2	1	6	-	2	-	-	-	-
BLACK---MALE----	1	6	3	2	3	2	1	1	-	-	-	-
FEMALE--	1	3	4	2	1	6	-	2	-	-	-	-
GEORGIA -----	22	26	41	36	43	28	18	12	-	-	-	-
WHITE-----MALE----	8	13	23	13	20	11	4	5	-	-	-	-
FEMALE--	9	10	10	19	16	15	13	6	-	-	-	-
ALL OTHER--MALE----	2	1	3	3	3	1	1	-	-	-	-	-
FEMALE--	3	2	5	1	4	1	-	1	-	-	-	-
BLACK---MALE----	2	1	3	3	3	1	1	-	-	-	-	-
FEMALE--	3	2	4	1	3	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 859

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF BRAIN (191)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	212	-	4	3	3	3	2	3	6	6	4	18
WHITE-----MALE----	108	-	1	2	1	1	-	1	3	5	2	11
FEMALE--	94	-	2	1	2	2	1	1	3	1	2	6
ALL OTHER--MALE----	4	-	1	-	-	-	1	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	4	-	1	-	-	-	1	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
LOUISIANA -----	191	2	2	4	1	2	2	1	3	8	11	15
WHITE-----MALE----	83	1	1	-	-	-	1	1	1	6	7	8
FEMALE--	69	1	1	-	-	-	1	-	2	1	1	4
ALL OTHER--MALE----	18	-	-	1	-	2	-	-	-	-	-	2
FEMALE--	21	-	-	3	1	-	-	-	-	1	3	1
BLACK---MALE----	18	-	-	1	-	2	-	-	-	-	-	2
FEMALE--	21	-	-	3	1	-	-	-	-	1	3	1
MAINE -----	74	-	-	-	1	1	1	2	-	4	2	4
WHITE-----MALE----	42	-	-	-	1	1	-	-	-	1	1	4
FEMALE--	32	-	-	-	-	-	1	2	-	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	206	1	5	4	3	1	-	-	5	10	7	12
WHITE-----MALE----	103	1	-	2	2	-	-	-	3	5	3	6
FEMALE--	73	-	2	2	-	1	-	-	1	2	1	3
ALL OTHER--MALE----	14	-	2	-	-	-	-	-	-	2	2	-
FEMALE--	16	-	1	-	1	-	-	-	1	1	1	3
BLACK---MALE----	14	-	2	-	-	-	-	-	-	2	2	-
FEMALE--	13	-	-	-	1	-	-	-	1	1	1	2
MASSACHUSETTS -----	267	2	2	1	2	2	2	2	3	9	11	14
WHITE-----MALE----	138	-	1	1	-	-	-	2	2	5	7	10
FEMALE--	126	2	1	-	2	1	-	-	1	3	4	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	1	-	-
MICHIGAN -----	500	1	5	11	5	6	5	12	7	20	22	28
WHITE-----MALE----	247	-	3	3	4	1	3	5	4	13	12	14
FEMALE--	212	-	1	4	1	3	-	5	2	7	8	11
ALL OTHER--MALE----	21	1	1	2	-	-	1	1	-	-	1	1
FEMALE--	20	-	-	2	-	2	1	1	1	-	1	2
BLACK---MALE----	18	1	1	1	-	-	1	1	-	-	1	1
FEMALE--	16	-	-	2	-	1	1	1	-	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 859

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF BRAIN (191)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	19	17	28	22	26	22	19	7	-	-	-	-
WHITE-----MALE----	12	9	13	10	14	12	9	2	-	-	-	-
FEMALE--	7	6	15	11	9	10	10	5	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	2	-	-	-	-	-	-	-
LOUISIANA -----	11	21	17	24	28	14	15	7	3	-	-	-
WHITE-----MALE----	7	9	8	12	10	3	6	1	1	-	-	-
FEMALE--	3	9	6	8	9	7	9	5	2	-	-	-
ALL OTHER--MALE----	-	1	1	3	7	1	-	-	-	-	-	-
FEMALE--	1	2	2	1	2	3	-	1	-	-	-	-
BLACK---MALE----	-	1	1	3	7	1	-	-	-	-	-	-
FEMALE--	1	2	2	1	2	3	-	1	-	-	-	-
MAINE -----	8	9	5	8	7	11	6	5	-	-	-	-
WHITE-----MALE----	6	8	2	7	-	4	3	4	-	-	-	-
FEMALE--	2	1	3	1	7	7	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	19	14	18	35	26	22	15	6	3	-	-	-
WHITE-----MALE----	8	7	8	21	13	12	8	2	2	-	-	-
FEMALE--	10	5	8	8	9	10	6	4	1	-	-	-
ALL OTHER--MALE----	-	1	1	3	3	-	-	-	-	-	-	-
FEMALE--	1	1	1	3	1	-	1	-	-	-	-	-
BLACK---MALE----	-	1	1	3	3	-	-	-	-	-	-	-
FEMALE--	1	1	1	3	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	20	23	20	30	48	40	22	8	8	-	-	-
WHITE-----MALE----	10	14	12	19	19	22	9	3	2	-	-	-
FEMALE--	10	9	8	11	29	18	13	5	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	40	44	52	63	62	56	36	21	4	-	-	-
WHITE-----MALE----	22	27	31	26	26	30	12	10	1	-	-	-
FEMALE--	14	14	17	36	32	24	20	10	3	-	-	-
ALL OTHER--MALE----	2	3	1	1	1	2	2	1	-	-	-	-
FEMALE--	2	-	3	-	3	-	2	-	-	-	-	-
BLACK---MALE----	2	3	1	-	1	2	1	1	-	-	-	-
FEMALE--	2	-	3	-	2	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 860

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF BRAIN (191)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	19	21	24	30	27	20	15	7	2	-	-	-
WHITE-----MALE----	10	16	16	17	15	13	3	2	-	-	-	-
FEMALE--	9	5	8	12	12	6	12	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MISSISSIPPI -----	9	9	18	14	19	13	10	7	-	1	-	-
WHITE-----MALE----	5	4	11	4	9	6	1	2	-	-	-	-
FEMALE--	4	5	5	7	4	4	8	4	-	1	-	-
ALL OTHER--MALE----	-	-	-	2	2	2	1	-	-	-	-	-
FEMALE--	-	-	2	1	4	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	2	2	2	1	-	-	-	-	-
FEMALE--	-	-	2	1	4	1	-	1	-	-	-	-
MISSOURI -----	26	25	22	36	31	27	20	15	2	-	-	-
WHITE-----MALE----	18	12	14	19	15	6	11	4	1	-	-	-
FEMALE--	8	11	6	17	13	20	9	10	1	-	-	-
ALL OTHER--MALE----	-	2	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	2	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	-	-	-	-
MONTANA -----	2	4	8	4	7	4	4	-	-	-	-	-
WHITE-----MALE----	2	3	7	2	1	3	2	-	-	-	-	-
FEMALE--	-	1	1	2	6	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	6	9	6	9	20	8	11	5	-	-	-	-
WHITE-----MALE----	3	6	2	5	14	5	6	1	-	-	-	-
FEMALE--	3	3	4	4	6	3	5	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	2	6	9	6	5	6	7	3	-	-	-	-
WHITE-----MALE----	1	3	7	5	5	4	2	1	-	-	-	-
FEMALE--	-	3	2	1	-	1	5	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 862

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF BRAIN (191)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	41	46	51	60	84	61	28	12	1	1	-	-
WHITE-----MALE----	25	24	27	38	45	39	9	7	-	-	-	-
FEMALE--	13	17	24	21	35	21	17	5	-	1	-	-
ALL OTHER--MALE----	2	2	-	1	1	1	-	-	1	-	-	-
FEMALE--	1	3	-	-	3	-	2	-	-	-	-	-
BLACK---MALE----	2	2	-	1	1	1	-	-	1	-	-	-
FEMALE--	1	3	-	-	3	-	2	-	-	-	-	-
OKLAHOMA -----	9	13	18	18	14	19	6	8	-	1	-	-
WHITE-----MALE----	3	7	12	14	8	8	3	1	-	1	-	-
FEMALE--	4	4	5	3	5	10	3	6	-	-	-	-
ALL OTHER--MALE----	1	2	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	1	2	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
OREGON -----	15	15	11	26	19	26	15	7	2	-	-	-
WHITE-----MALE----	9	8	2	15	9	15	7	4	-	-	-	-
FEMALE--	6	7	9	10	10	11	8	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	41	44	65	76	83	95	42	22	9	1	1	-
WHITE-----MALE----	24	22	33	32	35	50	19	7	3	1	-	-
FEMALE--	14	18	27	40	41	44	22	12	5	-	1	-
ALL OTHER--MALE----	1	1	3	3	4	1	1	1	-	-	-	-
FEMALE--	2	3	2	1	3	-	-	2	1	-	-	-
BLACK---MALE----	-	1	2	2	4	1	1	1	-	-	-	-
FEMALE--	2	2	2	1	3	-	-	2	1	-	-	-
RHODE ISLAND -----	2	2	3	7	9	2	5	5	1	-	-	-
WHITE-----MALE----	2	-	2	2	3	2	-	2	-	-	-	-
FEMALE--	-	2	1	5	6	-	4	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	27	15	25	21	28	24	13	2	-	1	-	-
WHITE-----MALE----	13	6	12	11	17	8	4	-	-	-	-	-
FEMALE--	13	8	9	8	7	13	8	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	2	1	1	1	-	-	-	-	-
FEMALE--	-	1	4	-	3	2	-	-	-	1	-	-
BLACK---MALE----	1	-	-	2	1	1	1	-	-	-	-	-
FEMALE--	-	1	4	-	3	2	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 863

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF BRAIN (191)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	32	-	-	-	-	-	-	-	-	1	2	2
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	17	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	303	-	1	3	4	1	2	10	7	10	19	22
WHITE-----MALE----	142	-	-	2	2	-	2	7	3	6	9	11
FEMALE--	135	-	1	1	1	-	-	3	4	2	6	8
ALL OTHER--MALE----	12	-	-	-	-	1	-	-	-	2	2	1
FEMALE--	14	-	-	-	1	-	-	-	-	-	2	2
BLACK---MALE----	11	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	14	-	-	-	1	-	-	-	-	-	2	2
TEXAS -----	785	2	14	12	9	4	8	13	14	40	47	56
WHITE-----MALE----	371	2	6	5	5	1	-	6	12	20	29	29
FEMALE--	360	-	7	7	2	2	7	5	2	16	15	24
ALL OTHER--MALE----	24	-	-	-	1	1	1	2	-	1	1	2
FEMALE--	30	-	1	-	1	-	-	-	-	3	2	1
BLACK---MALE----	23	-	-	-	1	1	1	2	-	1	1	1
FEMALE--	28	-	-	-	1	-	-	-	-	2	2	1
UTAH -----	50	1	1	1	2	-	-	1	-	2	5	4
WHITE-----MALE----	28	-	-	1	2	-	-	1	-	1	4	3
FEMALE--	22	1	1	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	28	-	-	-	-	-	-	-	1	1	3	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	15	-	-	-	-	-	-	-	1	-	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	261	1	1	3	2	1	1	6	8	7	17	19
WHITE-----MALE----	116	-	-	1	-	-	-	4	4	3	7	15
FEMALE--	113	-	1	-	2	-	1	2	1	2	7	4
ALL OTHER--MALE----	12	1	-	1	-	-	-	-	1	1	1	-
FEMALE--	20	-	-	1	-	1	-	-	2	1	2	-
BLACK---MALE----	12	1	-	1	-	-	-	-	1	1	1	-
FEMALE--	19	-	-	1	-	1	-	-	2	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 863

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF BRAIN (191)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	2	5	2	6	6	1	2	1	1	1	-	-
WHITE-----MALE----	2	1	2	4	2	-	1	1	-	-	-	-
FEMALE--	-	4	-	2	4	1	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	17	26	36	38	46	34	16	9	1	1	-	-
WHITE-----MALE----	6	15	17	17	24	9	8	3	-	1	-	-
FEMALE--	10	11	16	18	19	23	7	4	1	-	-	-
ALL OTHER--MALE----	-	-	1	2	2	-	-	1	-	-	-	-
FEMALE--	1	-	2	1	1	2	1	1	-	-	-	-
BLACK---MALE----	-	-	1	2	2	-	-	1	-	-	-	-
FEMALE--	1	-	2	1	1	2	1	1	-	-	-	-
TEXAS -----	55	66	64	98	100	80	58	34	9	1	1	-
WHITE-----MALE----	32	37	29	41	42	45	18	11	1	-	-	-
FEMALE--	19	25	28	53	52	30	38	19	8	1	-	-
ALL OTHER--MALE----	2	2	3	2	3	-	1	2	-	-	-	-
FEMALE--	2	2	4	2	3	5	1	2	-	-	1	-
BLACK---MALE----	2	2	3	2	3	-	1	2	-	-	-	-
FEMALE--	2	2	4	2	3	5	1	2	-	-	1	-
UTAH -----	4	2	10	4	6	1	4	-	1	1	-	-
WHITE-----MALE----	3	1	6	2	1	-	2	-	-	1	-	-
FEMALE--	1	1	4	2	5	1	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	5	3	1	3	7	-	-	-	-	-	-
WHITE-----MALE----	3	4	2	-	1	2	-	-	-	-	-	-
FEMALE--	1	1	1	1	2	5	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	18	24	22	42	30	27	16	16	-	-	-	-
WHITE-----MALE----	6	11	12	16	11	11	6	9	-	-	-	-
FEMALE--	9	12	7	22	18	11	8	6	-	-	-	-
ALL OTHER--MALE----	-	1	2	1	-	3	-	-	-	-	-	-
FEMALE--	3	-	1	3	1	2	2	1	-	-	-	-
BLACK---MALE----	-	1	2	1	-	3	-	-	-	-	-	-
FEMALE--	2	-	1	3	1	2	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 865

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM (192)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	17	22	21	19	41	38	31	13	7	-	-	-
WHITE-----MALE----	10	10	12	12	14	19	13	3	-	-	-	-
FEMALE--	4	9	8	5	22	16	14	10	7	-	-	-
ALL OTHER--MALE----	2	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	1	3	1	1	3	2	4	-	-	-	-	-
BLACK---MALE----	2	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	1	3	1	1	3	2	3	-	-	-	-	-
ALABAMA -----	-	1	-	-	2	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	2	1	2	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	1	3	-	4	6	1	-	1	-	-	-
WHITE-----MALE----	-	1	2	-	-	5	-	-	-	-	-	-
FEMALE--	-	-	1	-	3	1	1	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 874

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	1,948	9	80	69	23	13	16	16	22	41	41	80
WHITE-----MALE----	759	1	33	35	9	5	8	7	8	12	19	32
FEMALE--	926	2	26	23	11	1	5	8	9	17	19	29
ALL OTHER--MALE----	107	5	15	8	1	3	2	1	1	6	1	5
FEMALE--	156	1	6	3	2	4	1	-	4	6	2	14
BLACK---MALE----	76	5	10	6	1	2	1	1	1	5	1	4
FEMALE--	120	-	6	1	2	2	1	-	4	5	2	11
ALABAMA -----	24	-	2	1	-	-	-	-	-	-	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALASKA -----	2	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	30	-	-	-	1	-	-	1	-	2	2	2
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	16	-	-	-	1	-	-	1	-	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	15	-	-	1	-	-	-	-	-	1	-	-
WHITE-----MALE----	5	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	235	1	11	11	3	-	1	1	5	5	6	8
WHITE-----MALE----	93	-	4	7	3	-	-	-	4	1	2	3
FEMALE--	104	-	3	2	-	-	-	1	-	3	4	4
ALL OTHER--MALE----	14	1	3	-	-	-	1	-	-	-	-	-
FEMALE--	24	-	1	2	-	-	-	-	1	1	-	1
BLACK---MALE----	3	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	1	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 874

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	97	109	143	218	255	275	230	139	61	9	2	-
WHITE-----MALE----	43	56	72	103	107	100	60	33	14	1	1	-
FEMALE--	48	42	49	87	125	147	146	85	41	5	1	-
ALL OTHER--MALE----	3	3	6	10	9	8	10	9	1	-	-	-
FEMALE--	3	8	16	18	14	20	14	12	5	3	-	-
BLACK---MALE----	2	3	4	8	5	7	6	4	-	-	-	-
FEMALE--	2	7	13	13	8	18	9	8	5	3	-	-
ALABAMA -----	-	5	1	1	3	5	2	2	1	-	-	-
WHITE-----MALE----	-	2	-	-	1	2	1	1	-	-	-	-
FEMALE--	-	1	-	1	2	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	1	-	-	-	-	-	-
ALASKA -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	1	-	5	4	3	3	2	1	-	-	-
WHITE-----MALE----	1	-	-	3	3	1	2	-	-	-	-	-
FEMALE--	2	1	-	2	-	2	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	-	-	2	3	1	4	-	-	1	-	-
WHITE-----MALE----	-	-	-	2	2	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
CALIFORNIA -----	17	11	17	27	30	25	33	19	3	1	-	-
WHITE-----MALE----	8	8	6	13	7	10	10	5	2	-	-	-
FEMALE--	7	2	9	11	18	13	16	9	1	1	-	-
ALL OTHER--MALE----	2	-	1	-	3	-	2	1	-	-	-	-
FEMALE--	-	1	1	3	2	2	5	4	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 875

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	4	-	-	2	5	5	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	2	1	1	-	1	-	-	-
FEMALE--	4	-	-	1	3	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	-	3	2	5	5	2	1	3	1	-	-
WHITE-----MALE----	2	-	2	-	3	1	1	-	-	1	-	-
FEMALE--	-	-	1	1	2	4	-	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
DELAWARE -----	-	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	4	8	13	13	13	17	13	12	6	1	-	-
WHITE-----MALE----	2	4	9	8	7	9	5	2	3	-	-	-
FEMALE--	2	3	4	4	6	8	8	8	3	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
GEORGIA -----	1	2	2	4	6	6	4	2	1	-	-	-
WHITE-----MALE----	1	2	1	2	2	1	2	-	-	-	-	-
FEMALE--	-	-	1	1	4	5	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 877

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	1	3	3	4	5	3	3	1	-	-	-
WHITE-----MALE----	-	-	2	1	2	2	-	1	-	-	-	-
FEMALE--	-	1	1	1	1	3	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
LOUISIANA -----	-	2	2	5	3	7	5	1	-	-	1	-
WHITE-----MALE----	-	2	2	1	1	1	-	-	-	-	1	-
FEMALE--	-	-	-	2	2	5	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	1	-	-	-	-	-
MAINE -----	-	-	-	-	2	1	1	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	2	3	2	1	5	6	5	-	-	-	-
WHITE-----MALE----	2	1	-	1	-	2	1	-	-	-	-	-
FEMALE--	2	1	1	1	1	2	5	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	2	-	-	-	-
MASSACHUSETTS -----	3	2	6	5	3	11	6	2	1	1	-	-
WHITE-----MALE----	1	1	3	4	1	6	1	-	1	-	-	-
FEMALE--	2	1	2	1	2	4	5	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
MICHIGAN -----	6	5	6	5	4	7	2	6	2	-	-	-
WHITE-----MALE----	3	1	2	2	1	2	1	2	-	-	-	-
FEMALE--	3	3	3	2	3	5	1	3	2	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 880

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	89	-	1	2	2	-	2	-	-	2	4	2
WHITE-----MALE----	37	-	1	1	1	-	1	-	-	-	2	2
FEMALE--	42	-	-	-	-	-	1	-	-	-	2	-
ALL OTHER--MALE----	4	-	-	1	-	-	-	-	-	2	-	-
FEMALE--	6	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	1	-	-	-	-	-	-	-
OKLAHOMA -----	19	-	-	1	1	-	-	-	-	-	1	1
WHITE-----MALE----	13	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	6	-	-	1	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	29	-	2	-	-	-	1	-	1	2	-	3
WHITE-----MALE----	11	-	1	-	-	-	1	-	1	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	2	-	3
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	121	-	5	2	1	1	1	1	1	1	1	3
WHITE-----MALE----	50	-	1	2	-	-	1	1	-	-	1	1
FEMALE--	53	-	2	-	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	2	-	-	1	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	5	-	2	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	-	1	-	-	-
RHODE ISLAND -----	10	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	22	-	3	-	-	-	-	-	1	2	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	1	-	-	-	-	-	1	1	-	-
BLACK---MALE----	4	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	1	-	-	-	-	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 880

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	2	4	3	17	14	14	10	3	7	-	-	-
WHITE-----MALE----	2	2	-	8	7	7	1	1	1	-	-	-
FEMALE--	-	2	2	8	6	6	8	2	5	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	-	1	-	-	-
OKLAHOMA -----	2	-	3	4	3	-	2	1	-	-	-	-
WHITE-----MALE----	1	-	3	3	3	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	1	2	9	3	4	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	4	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	5	2	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	6	9	13	13	13	18	18	8	5	-	1	-
WHITE-----MALE----	3	4	9	4	8	6	4	4	1	-	-	-
FEMALE--	3	4	1	6	4	8	14	4	4	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	3	2	1	3	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	3	2	1	3	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	2	2	2	3	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	2	1	3	5	1	-	1	-	-	-
WHITE-----MALE----	1	-	-	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	3	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	3	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 881

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	37	1	1	2	1	-	-	1	-	2	1	-
WHITE-----MALE----	13	-	1	-	-	-	-	1	-	1	-	-
FEMALE--	17	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	1	-	-	-	-	-	1	1	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	1	-	-	-	-	-	1	1	-
TEXAS -----	111	3	5	4	-	2	2	1	-	-	2	7
WHITE-----MALE----	36	-	1	2	-	-	1	-	-	-	-	2
FEMALE--	58	1	4	1	-	-	1	1	-	-	2	4
ALL OTHER--MALE----	8	2	-	1	-	1	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	6	2	-	1	-	1	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	1	-	-	-	-	-	-
UTAH -----	10	-	3	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	5	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	10	-	2	-	-	-	-	1	-	-	1	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	2	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	42	-	2	2	2	-	-	-	-	3	1	2
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	18	-	1	2	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	5	-	1	-	1	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	5	-	1	-	1	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 881

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	-	1	-	1	-	2	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	4	2	4	5	3	1	4	2	1	-	-
WHITE-----MALE----	2	2	-	3	-	1	-	-	2	-	-	-
FEMALE--	-	2	1	1	4	2	1	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
TEXAS -----	5	7	8	12	15	13	11	9	3	2	-	-
WHITE-----MALE----	1	3	4	7	2	3	5	5	-	-	-	-
FEMALE--	3	4	3	2	12	8	5	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	1	-	1	2	1	1	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	1	2	1	1	-	-	1	1	-	-
UTAH -----	1	1	1	-	-	2	-	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	1	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	3	1	1	3	10	7	3	1	-	-	-
WHITE-----MALE----	1	2	-	1	2	3	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	5	4	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 883

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OF ALL OTHER AND UNSPECIFIED SITES (195-199)												
0 UNITED STATES --	36,419	3	15	13	13	29	43	86	170	356	693	1,095
WHITE-----MALE----	15,733	1	9	5	4	18	19	46	81	138	272	483
FEMALE--	15,784	2	4	7	7	8	9	21	61	142	255	350
ALL OTHER--MALE----	2,504	-	1	-	2	-	7	16	12	41	93	150
FEMALE--	2,398	-	1	1	-	3	8	3	16	35	73	112
BLACK---MALE----	2,218	-	1	-	1	-	7	16	7	37	83	136
FEMALE--	2,077	-	-	-	-	2	6	2	11	28	62	99
ALABAMA -----	1,049	-	-	1	1	1	1	4	4	9	20	34
WHITE-----MALE----	432	-	-	1	-	-	-	2	1	4	7	13
FEMALE--	361	-	-	-	1	1	-	-	2	2	7	5
ALL OTHER--MALE----	132	-	-	-	-	-	-	1	1	-	3	7
FEMALE--	124	-	-	-	-	-	1	1	-	3	3	9
BLACK---MALE----	129	-	-	-	-	-	-	1	1	-	2	7
FEMALE--	124	-	-	-	-	-	1	1	-	3	3	9
ALASKA -----	49	-	-	-	-	-	-	-	1	1	-	3
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	645	-	1	-	-	-	2	4	4	3	14	19
WHITE-----MALE----	324	-	-	-	-	-	1	4	3	2	5	8
FEMALE--	279	-	1	-	-	-	1	-	1	1	8	8
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS -----	321	-	1	-	-	1	-	1	2	3	6	10
WHITE-----MALE----	136	-	1	-	-	1	-	-	-	-	3	5
FEMALE--	140	-	-	-	-	-	-	-	1	2	3	2
ALL OTHER--MALE----	22	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	23	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	22	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	23	-	-	-	-	-	-	-	1	1	-	1
CALIFORNIA -----	3,217	-	1	4	2	7	5	6	25	43	65	101
WHITE-----MALE----	1,369	-	1	1	-	2	2	4	10	18	21	49
FEMALE--	1,435	-	-	2	2	3	2	1	9	20	30	35
ALL OTHER--MALE----	214	-	-	-	-	-	-	1	2	3	10	10
FEMALE--	199	-	-	1	-	2	1	-	4	2	4	7
BLACK---MALE----	120	-	-	-	-	-	-	1	-	1	5	7
FEMALE--	101	-	-	-	-	1	-	-	2	1	2	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 883

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF ALL OTHER AND UNSPECIFIED SITES (195-199)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	1,757	2,338	3,360	4,459	5,626	5,769	4,980	3,454	1,654	442	64	-
WHITE-----MALE----	780	1,095	1,554	2,204	2,685	2,598	2,003	1,173	453	101	11	-
FEMALE--	605	821	1,196	1,641	2,278	2,560	2,491	1,950	1,044	294	38	-
ALL OTHER--MALE----	232	251	355	341	335	295	188	122	53	10	-	-
FEMALE--	140	171	255	273	328	316	298	209	104	37	15	-
BLACK---MALE----	212	223	319	301	293	260	165	105	43	9	-	-
FEMALE--	121	144	214	230	287	269	270	190	94	35	13	-
ALABAMA -----	66	96	111	131	158	151	132	78	39	11	1	-
WHITE-----MALE----	25	44	51	62	62	65	56	28	9	2	-	-
FEMALE--	21	27	30	41	61	58	49	31	20	5	-	-
ALL OTHER--MALE----	16	16	22	20	20	10	6	7	2	1	-	-
FEMALE--	4	9	8	8	15	18	21	12	8	3	1	-
BLACK---MALE----	16	15	22	19	20	10	6	7	2	1	-	-
FEMALE--	4	9	8	8	15	18	21	12	8	3	1	-
ALASKA -----	3	3	12	4	10	7	2	2	-	1	-	-
WHITE-----MALE----	1	1	2	4	4	2	1	-	-	-	-	-
FEMALE--	1	1	3	-	4	5	1	2	-	1	-	-
ALL OTHER--MALE----	1	1	4	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	3	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ARIZONA -----	31	43	71	61	110	110	93	52	21	6	-	-
WHITE-----MALE----	17	29	39	41	51	51	43	18	10	2	-	-
FEMALE--	10	11	29	16	45	56	47	33	8	4	-	-
ALL OTHER--MALE----	2	1	1	3	9	1	1	1	2	-	-	-
FEMALE--	2	2	2	1	5	2	2	-	1	-	-	-
BLACK---MALE----	-	-	1	1	4	1	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	1	-	1	-	-	-
ARKANSAS -----	18	20	20	42	49	52	43	33	13	7	-	-
WHITE-----MALE----	12	7	16	18	25	23	14	7	2	2	-	-
FEMALE--	5	11	3	16	22	21	26	18	7	3	-	-
ALL OTHER--MALE----	1	1	-	5	2	4	1	2	2	1	-	-
FEMALE--	-	1	1	3	-	4	2	6	2	1	-	-
BLACK---MALE----	1	1	-	5	2	4	1	2	2	1	-	-
FEMALE--	-	1	1	3	-	4	2	6	2	1	-	-
CALIFORNIA -----	159	225	318	360	511	521	418	279	128	34	5	-
WHITE-----MALE----	71	99	141	160	228	254	169	84	45	9	1	-
FEMALE--	60	85	117	148	233	209	214	167	71	24	3	-
ALL OTHER--MALE----	15	25	34	25	26	28	17	11	7	-	-	-
FEMALE--	13	16	26	27	24	30	18	17	5	1	1	-
BLACK---MALE----	9	14	22	10	15	18	10	5	3	-	-	-
FEMALE--	8	9	13	10	14	13	9	11	2	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 884

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
OF ALL OTHER AND UNSPECIFIED SITES (195-199)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	473	-	-	-	-	-	-	1	1	5	10	14
WHITE-----MALE----	233	-	-	-	-	-	-	1	1	2	7	9
FEMALE--	214	-	-	-	-	-	-	-	-	2	3	4
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	607	-	-	1	1	-	1	1	4	5	6	9
WHITE-----MALE----	264	-	-	1	1	-	-	-	2	3	4	4
FEMALE--	294	-	-	-	-	-	1	1	2	2	1	4
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	1
DELAWARE -----	102	-	-	-	-	-	-	-	-	1	3	2
WHITE-----MALE----	50	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	37	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	121	-	-	-	-	-	-	-	1	3	2	3
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	46	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	48	-	-	-	-	-	-	-	-	2	1	1
BLACK---MALE----	46	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	48	-	-	-	-	-	-	-	-	2	1	1
FLORIDA -----	1,908	-	1	-	-	2	1	1	8	15	32	47
WHITE-----MALE----	896	-	-	-	-	1	-	-	6	9	16	23
FEMALE--	820	-	1	-	-	-	1	-	1	2	8	12
ALL OTHER--MALE----	98	-	-	-	-	-	-	1	-	3	7	8
FEMALE--	94	-	-	-	-	1	-	-	1	1	1	4
BLACK---MALE----	95	-	-	-	-	-	-	1	-	3	7	8
FEMALE--	84	-	-	-	-	1	-	-	1	-	1	3
GEORGIA -----	1,100	-	-	1	-	-	1	7	2	17	36	53
WHITE-----MALE----	404	-	-	1	-	-	1	2	-	6	12	19
FEMALE--	388	-	-	-	-	-	-	2	2	4	10	11
ALL OTHER--MALE----	170	-	-	-	-	-	-	2	-	4	6	12
FEMALE--	138	-	-	-	-	-	-	1	-	3	8	11
BLACK---MALE----	168	-	-	-	-	-	-	2	-	3	6	12
FEMALE--	135	-	-	-	-	-	-	1	-	3	7	11

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 884

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF ALL OTHER AND UNSPECIFIED SITES (195-199)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	25	38	50	50	78	61	70	36	26	7	1	-
WHITE-----MALE----	16	22	36	25	35	24	25	17	9	4	-	-
FEMALE--	7	14	10	22	42	32	40	19	15	3	1	-
ALL OTHER--MALE----	2	2	2	1	-	2	2	-	-	-	-	-
FEMALE--	-	-	2	2	1	3	3	-	2	-	-	-
BLACK---MALE----	1	2	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	2	1	1	1	1	-	2	-	-	-
CONNECTICUT -----	32	30	47	63	100	113	84	63	37	7	3	-
WHITE-----MALE----	13	14	21	29	59	50	31	19	11	1	1	-
FEMALE--	14	10	23	26	37	54	46	42	24	6	1	-
ALL OTHER--MALE----	5	2	1	7	1	5	3	1	1	-	-	-
FEMALE--	-	4	2	1	3	4	4	1	1	-	1	-
BLACK---MALE----	5	2	1	7	1	5	3	-	-	-	-	-
FEMALE--	-	4	2	1	3	3	4	1	1	-	1	-
DELAWARE -----	5	4	9	10	23	20	13	10	1	1	-	-
WHITE-----MALE----	2	3	7	2	13	10	5	4	-	1	-	-
FEMALE--	2	-	1	7	8	7	6	4	1	-	-	-
ALL OTHER--MALE----	1	1	1	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	3	1	2	-	-	-	-
BLACK---MALE----	1	1	1	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	3	1	2	-	-	-	-
DISTRICT OF COLUMBIA ----	16	15	10	9	19	9	14	10	8	2	-	-
WHITE-----MALE----	1	1	-	1	2	-	1	2	2	-	-	-
FEMALE--	-	1	2	-	1	2	5	-	2	1	-	-
ALL OTHER--MALE----	10	9	4	4	10	3	3	1	-	-	-	-
FEMALE--	5	4	4	4	6	4	5	7	4	1	-	-
BLACK---MALE----	10	9	4	4	10	3	3	1	-	-	-	-
FEMALE--	5	4	4	4	6	4	5	7	4	1	-	-
FLORIDA -----	66	111	157	248	261	316	294	229	89	22	8	-
WHITE-----MALE----	36	50	79	129	143	163	117	79	35	8	2	-
FEMALE--	20	44	47	97	101	131	161	131	49	10	4	-
ALL OTHER--MALE----	4	9	20	14	6	12	6	6	2	-	-	-
FEMALE--	6	8	11	8	11	10	10	13	3	4	2	-
BLACK---MALE----	4	9	19	13	6	12	6	6	1	-	-	-
FEMALE--	5	6	9	8	10	9	10	12	3	4	2	-
GEORGIA -----	77	86	110	143	167	138	116	95	42	9	-	-
WHITE-----MALE----	27	33	45	64	71	55	34	29	3	2	-	-
FEMALE--	20	27	34	40	55	52	55	38	32	6	-	-
ALL OTHER--MALE----	23	17	20	26	22	16	9	11	2	-	-	-
FEMALE--	7	9	11	13	19	15	18	17	5	1	-	-
BLACK---MALE----	23	16	20	26	22	16	9	11	2	-	-	-
FEMALE--	7	9	11	13	19	13	18	17	5	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 885

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF ALL OTHER AND UNSPECIFIED SITES (195-199)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	4	4	11	9	12	17	14	16	7	1	1	-
WHITE-----MALE----	2	2	2	2	4	2	1	3	2	-	-	-
FEMALE--	-	1	1	-	2	2	4	4	-	-	-	-
ALL OTHER--MALE----	1	1	2	2	4	6	4	5	2	1	-	-
FEMALE--	1	-	6	5	2	7	5	4	3	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
IDAHO -----	5	9	12	12	16	18	21	10	4	3	-	-
WHITE-----MALE----	4	3	6	6	7	13	13	5	2	1	-	-
FEMALE--	1	6	6	6	8	5	8	4	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	74	105	173	200	264	274	242	156	70	18	1	-
WHITE-----MALE----	29	45	73	93	126	108	99	54	15	3	-	-
FEMALE--	28	41	60	77	107	133	116	91	44	14	1	-
ALL OTHER--MALE----	8	15	22	14	15	19	10	1	6	-	-	-
FEMALE--	9	4	18	16	16	14	17	10	5	1	-	-
BLACK---MALE----	8	15	22	14	14	18	8	1	6	-	-	-
FEMALE--	8	3	14	15	16	14	16	10	5	1	5	-
INDIANA -----	34	38	77	104	135	145	116	77	46	9	1	-
WHITE-----MALE----	16	22	28	53	69	72	49	27	13	1	1	-
FEMALE--	12	9	39	41	57	59	57	45	30	7	-	-
ALL OTHER--MALE----	3	5	6	4	4	4	3	4	2	-	-	-
FEMALE--	3	2	4	6	5	10	7	1	1	1	-	-
BLACK---MALE----	3	5	6	4	4	4	3	4	2	-	-	-
FEMALE--	3	2	4	6	5	9	7	1	1	1	-	-
IOWA -----	15	10	21	36	34	52	39	39	25	8	1	-
WHITE-----MALE----	9	5	7	15	15	23	11	15	8	3	-	-
FEMALE--	6	5	14	20	19	29	27	24	17	5	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	10	15	28	36	39	48	43	30	25	3	1	-
WHITE-----MALE----	7	6	13	20	24	21	20	15	4	-	-	-
FEMALE--	3	8	12	15	13	25	22	15	21	3	1	-
ALL OTHER--MALE----	-	1	2	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	1	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 886

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
OF ALL OTHER AND UNSPECIFIED SITES (195-199)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	518	-	-	-	-	-	-	1	4	3	10	14
WHITE-----MALE----	237	-	-	-	-	-	-	1	3	1	4	8
FEMALE--	243	-	-	-	-	-	-	-	1	1	6	4
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	19	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	737	-	1	-	1	-	2	3	-	8	12	33
WHITE-----MALE----	252	-	1	-	-	-	1	3	-	3	3	8
FEMALE--	257	-	-	-	1	-	-	-	-	3	5	7
ALL OTHER--MALE----	112	-	-	-	-	-	1	-	-	1	1	11
FEMALE--	116	-	-	-	-	-	-	-	-	1	3	7
BLACK---MALE----	111	-	-	-	-	-	1	-	-	1	1	11
FEMALE--	114	-	-	-	-	-	-	-	-	1	3	7
MAINE -----	235	-	-	-	-	-	-	1	-	2	4	3
WHITE-----MALE----	114	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	121	-	-	-	-	-	-	-	-	2	2	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	742	-	-	1	-	-	-	3	4	14	19	34
WHITE-----MALE----	274	-	-	-	-	-	-	2	1	6	5	13
FEMALE--	276	-	-	1	-	-	-	1	2	5	5	10
ALL OTHER--MALE----	102	-	-	-	-	-	-	-	-	-	6	6
FEMALE--	90	-	-	-	-	-	-	-	1	3	3	5
BLACK---MALE----	98	-	-	-	-	-	-	-	-	-	6	6
FEMALE--	83	-	-	-	-	-	-	-	1	3	3	5
MASSACHUSETTS -----	1,182	-	-	-	-	1	1	2	2	11	16	22
WHITE-----MALE----	539	-	-	-	-	1	-	-	2	8	5	11
FEMALE--	586	-	-	-	-	-	1	2	-	3	9	7
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	26	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	1
MICHIGAN -----	1,237	-	1	-	1	2	1	4	2	6	13	39
WHITE-----MALE----	518	-	1	-	-	2	-	2	-	3	3	17
FEMALE--	549	-	-	-	1	-	-	1	1	2	7	14
ALL OTHER--MALE----	85	-	-	-	-	-	-	1	-	1	2	6
FEMALE--	85	-	-	-	-	-	1	-	1	-	1	2
BLACK---MALE----	79	-	-	-	-	-	-	1	-	1	2	6
FEMALE--	79	-	-	-	-	-	1	-	1	-	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 886

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF ALL OTHER AND UNSPECIFIED SITES (195-199)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	22	34	55	61	100	78	60	47	24	4	1	-
WHITE-----MALE----	14	15	27	31	47	35	29	16	5	-	1	-
FEMALE--	7	15	22	26	46	38	28	29	17	3	-	-
ALL OTHER--MALE----	1	1	2	2	2	3	2	2	-	1	-	-
FEMALE--	-	3	4	2	5	2	1	-	2	-	-	-
BLACK---MALE----	1	1	2	2	2	3	2	2	-	1	-	-
FEMALE--	-	2	4	2	5	2	1	-	2	-	-	-
LOUISIANA -----	47	45	71	84	123	114	90	67	32	3	1	-
WHITE-----MALE----	11	16	27	30	51	45	30	18	5	-	-	-
FEMALE--	18	12	16	32	40	40	34	26	21	2	-	-
ALL OTHER--MALE----	12	12	11	15	14	13	8	12	1	-	-	-
FEMALE--	6	5	17	7	18	16	18	11	5	1	1	-
BLACK---MALE----	12	12	10	15	14	13	8	12	1	-	-	-
FEMALE--	6	5	16	7	18	15	18	11	5	1	1	-
MAINE -----	6	13	19	32	37	38	36	30	13	1	-	-
WHITE-----MALE----	4	8	14	19	15	21	17	10	2	-	-	-
FEMALE--	2	5	5	13	22	17	19	20	11	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	30	50	70	88	114	122	93	59	35	5	1	-
WHITE-----MALE----	9	17	27	34	52	53	23	23	8	-	1	-
FEMALE--	11	19	12	31	35	51	49	24	18	2	-	-
ALL OTHER--MALE----	7	12	18	16	9	10	9	4	4	1	-	-
FEMALE--	3	2	13	7	18	8	12	8	5	2	-	-
BLACK---MALE----	7	11	18	15	9	9	8	4	4	1	-	-
FEMALE--	2	2	11	6	17	8	10	8	5	2	-	-
MASSACHUSETTS -----	43	65	79	138	196	201	187	129	53	31	5	-
WHITE-----MALE----	23	27	41	83	104	90	80	43	15	5	1	-
FEMALE--	17	36	33	48	83	104	96	81	36	26	4	-
ALL OTHER--MALE----	1	1	5	3	4	4	7	1	1	-	-	-
FEMALE--	2	1	-	4	5	3	4	4	1	-	-	-
BLACK---MALE----	1	-	4	2	4	2	6	1	1	-	-	-
FEMALE--	2	-	-	3	3	3	4	3	1	-	-	-
MICHIGAN -----	73	85	101	148	216	196	185	97	57	10	-	-
WHITE-----MALE----	28	41	47	70	110	70	76	34	10	4	-	-
FEMALE--	28	24	41	55	88	101	85	54	43	4	-	-
ALL OTHER--MALE----	11	12	7	11	9	13	9	3	-	-	-	-
FEMALE--	6	8	6	12	9	12	15	6	4	2	-	-
BLACK---MALE----	11	9	7	10	9	11	9	3	-	-	-	-
FEMALE--	5	6	5	11	8	12	15	6	4	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 887

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF ALL OTHER AND UNSPECIFIED SITES (195-199)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	19	51	48	79	105	110	104	82	30	13	-	-
WHITE-----MALE----	8	28	27	51	59	50	42	34	9	3	-	-
FEMALE--	9	18	20	26	43	59	59	46	21	8	-	-
ALL OTHER--MALE----	1	2	-	2	3	-	-	2	-	-	-	-
FEMALE--	1	3	1	-	-	1	3	-	-	2	-	-
BLACK---MALE----	-	1	-	1	1	-	-	2	-	-	-	-
FEMALE--	-	2	1	-	-	-	2	-	-	2	-	-
MISSISSIPPI -----	22	43	61	66	61	63	45	41	17	9	2	-
WHITE-----MALE----	8	23	24	26	28	18	17	11	4	3	-	-
FEMALE--	7	11	19	16	19	19	16	16	8	2	-	-
ALL OTHER--MALE----	4	5	11	14	5	15	5	7	3	2	-	-
FEMALE--	3	4	7	10	9	11	7	7	2	2	2	-
BLACK---MALE----	4	5	11	14	5	15	5	7	3	2	-	-
FEMALE--	2	4	7	10	9	11	7	7	2	2	2	-
MISSOURI -----	49	64	92	110	135	149	110	87	45	10	2	-
WHITE-----MALE----	22	32	49	49	70	71	50	37	15	1	-	-
FEMALE--	18	18	33	43	55	59	50	44	25	8	2	-
ALL OTHER--MALE----	4	5	6	11	6	12	4	2	1	-	-	-
FEMALE--	5	9	4	7	4	7	6	4	4	1	-	-
BLACK---MALE----	4	5	6	9	6	12	4	2	1	-	-	-
FEMALE--	5	8	4	6	4	6	6	4	4	1	-	-
MONTANA -----	7	5	8	25	20	22	22	14	3	2	-	-
WHITE-----MALE----	3	2	4	16	9	14	9	7	1	-	-	-
FEMALE--	4	3	4	7	8	7	13	7	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	3	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	8	18	14	23	37	29	34	20	19	2	-	-
WHITE-----MALE----	6	9	9	10	18	11	9	8	4	1	-	-
FEMALE--	2	9	5	13	16	17	24	12	14	1	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
NEVADA -----	17	20	29	49	47	39	27	20	8	1	-	-
WHITE-----MALE----	6	10	15	31	21	15	13	7	2	1	-	-
FEMALE--	9	8	14	14	24	24	13	13	5	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	3	2	-	1	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 889

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF ALL OTHER AND UNSPECIFIED SITES (195-199)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	86	104	148	249	289	316	266	180	68	16	2	-
WHITE-----MALE----	41	55	69	124	136	144	116	57	14	3	-	-
FEMALE--	31	37	55	96	116	146	130	113	48	11	2	-
ALL OTHER--MALE----	12	6	16	13	17	15	9	5	2	-	-	-
FEMALE--	2	6	8	16	20	11	11	5	4	2	-	-
BLACK---MALE----	12	6	15	13	16	15	8	5	2	-	-	-
FEMALE--	2	6	8	16	20	11	11	5	4	2	-	-
OKLAHOMA -----	24	25	42	66	71	63	46	43	20	6	2	-
WHITE-----MALE----	9	13	22	36	30	30	20	17	6	1	-	-
FEMALE--	10	10	15	18	28	29	23	24	12	5	1	-
ALL OTHER--MALE----	4	1	4	10	6	2	3	-	2	-	-	-
FEMALE--	1	1	1	2	7	2	-	2	-	-	1	-
BLACK---MALE----	4	-	2	8	5	-	2	-	2	-	-	-
FEMALE--	-	1	-	1	3	1	-	1	-	-	-	-
OREGON -----	13	21	32	28	52	62	77	43	16	4	1	-
WHITE-----MALE----	6	10	18	14	24	34	38	16	6	-	-	-
FEMALE--	7	11	12	14	27	25	39	26	10	4	1	-
ALL OTHER--MALE----	-	-	1	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA -----	94	141	193	291	402	402	357	225	112	22	3	-
WHITE-----MALE----	54	71	82	157	185	175	132	70	30	8	1	-
FEMALE--	24	42	74	105	172	187	204	138	73	13	1	-
ALL OTHER--MALE----	11	16	19	15	24	20	5	7	3	1	-	-
FEMALE--	5	12	18	14	21	20	16	10	6	-	1	-
BLACK---MALE----	10	15	18	14	22	20	5	7	3	1	-	-
FEMALE--	5	11	18	14	19	18	16	10	6	-	1	-
RHODE ISLAND -----	4	7	11	17	24	30	19	18	11	2	1	-
WHITE-----MALE----	3	6	4	5	12	11	10	6	5	1	-	-
FEMALE--	1	1	7	11	12	18	9	11	6	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
SOUTH CAROLINA -----	19	29	41	53	64	69	57	31	23	4	-	-
WHITE-----MALE----	4	11	14	19	25	25	23	7	7	-	-	-
FEMALE--	6	11	10	14	21	27	23	13	12	1	-	-
ALL OTHER--MALE----	5	4	9	9	8	7	5	4	-	-	-	-
FEMALE--	4	3	8	11	10	10	6	7	4	3	-	-
BLACK---MALE----	5	4	9	8	8	7	5	4	-	-	-	-
FEMALE--	4	3	8	11	10	10	6	7	4	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 890

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF ALL OTHER AND UNSPECIFIED SITES (195-199)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	110	-	-	-	-	-	-	1	1	1	-	2
WHITE-----MALE----	44	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	57	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	717	-	-	1	-	1	-	2	6	9	12	23
WHITE-----MALE----	316	-	-	1	-	-	-	2	3	-	5	10
FEMALE--	288	-	-	-	-	1	-	-	3	4	4	8
ALL OTHER--MALE----	51	-	-	-	-	-	-	-	-	2	3	4
FEMALE--	62	-	-	-	-	-	-	-	-	3	-	1
BLACK---MALE----	50	-	-	-	-	-	-	-	-	2	2	4
FEMALE--	62	-	-	-	-	-	-	-	-	3	-	1
TEXAS -----	1,684	1	-	1	1	1	3	3	7	18	45	56
WHITE-----MALE----	744	1	-	-	-	1	2	1	4	7	19	26
FEMALE--	693	-	-	1	-	-	1	1	3	7	17	16
ALL OTHER--MALE----	129	-	-	-	1	-	1	1	-	2	5	9
FEMALE--	118	-	-	-	-	-	-	-	-	2	4	5
BLACK---MALE----	124	-	-	-	1	-	1	1	-	2	5	9
FEMALE--	107	-	-	-	-	-	-	-	-	-	2	5
UTAH -----	187	-	-	-	-	1	-	-	3	2	3	6
WHITE-----MALE----	97	-	-	-	-	-	-	-	1	2	2	5
FEMALE--	87	-	-	-	-	1	-	-	2	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	94	-	-	-	-	-	-	-	-	-	3	6
WHITE-----MALE----	45	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	47	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	921	-	-	-	-	1	2	2	9	12	25	20
WHITE-----MALE----	394	-	-	-	-	1	2	1	5	5	9	7
FEMALE--	346	-	-	-	-	-	-	-	3	3	8	5
ALL OTHER--MALE----	99	-	-	-	-	-	-	1	-	3	5	7
FEMALE--	82	-	-	-	-	-	-	-	1	1	3	1
BLACK---MALE----	97	-	-	-	-	-	-	1	-	3	5	7
FEMALE--	80	-	-	-	-	-	-	-	1	1	3	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 890

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF ALL OTHER AND UNSPECIFIED SITES (195-199)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	2	8	10	8	12	15	22	12	10	6	-	-
WHITE-----MALE----	-	3	4	6	6	5	8	7	1	1	-	-
FEMALE--	1	4	5	2	3	9	12	5	9	5	-	-
ALL OTHER--MALE----	1	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	47	67	81	94	99	94	90	62	19	8	2	-
WHITE-----MALE----	23	33	43	46	45	44	28	25	6	2	-	-
FEMALE--	18	20	23	36	45	38	44	28	11	5	-	-
ALL OTHER--MALE----	3	6	5	8	4	6	7	3	-	-	-	-
FEMALE--	3	8	10	4	5	6	11	6	2	1	2	-
BLACK---MALE----	3	6	5	8	4	6	7	3	-	-	-	-
FEMALE--	3	8	10	4	5	6	11	6	2	1	2	-
TEXAS -----	100	111	186	207	267	249	190	148	69	19	2	-
WHITE-----MALE----	47	55	80	108	127	119	76	47	21	3	-	-
FEMALE--	24	41	63	73	100	110	94	88	44	11	-	-
ALL OTHER--MALE----	14	9	28	16	23	7	8	3	2	-	-	-
FEMALE--	15	6	15	10	17	13	12	10	2	5	2	-
BLACK---MALE----	13	9	27	15	22	6	8	3	2	-	-	-
FEMALE--	15	6	14	9	14	13	12	9	2	4	2	-
UTAH -----	8	10	13	22	22	29	29	26	12	1	-	-
WHITE-----MALE----	3	6	9	8	19	16	10	10	6	-	-	-
FEMALE--	5	4	4	13	3	13	17	16	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
VERMONT -----	3	8	8	10	16	17	9	7	5	2	-	-
WHITE-----MALE----	3	5	4	6	7	7	4	2	-	1	-	-
FEMALE--	-	3	4	4	8	9	5	5	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
VIRGINIA -----	57	64	77	131	145	123	122	84	35	9	3	-
WHITE-----MALE----	26	29	32	65	67	64	42	26	10	3	-	-
FEMALE--	15	20	22	41	55	49	56	48	14	4	3	-
ALL OTHER--MALE----	8	11	16	13	12	5	11	3	3	1	-	-
FEMALE--	8	4	7	12	11	5	13	7	8	1	-	-
BLACK---MALE----	7	11	16	13	11	5	11	3	3	1	-	-
FEMALE--	6	4	7	12	11	5	13	7	8	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 892

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
0 UNITED STATES --	55,835	35	140	208	231	289	412	524	692	965	1,336	1,776
WHITE-----MALE----	26,532	12	61	93	114	146	203	266	364	443	660	931
FEMALE--	23,237	18	47	72	79	91	125	137	191	301	397	533
ALL OTHER--MALE----	3,222	2	16	25	25	28	59	80	77	137	163	189
FEMALE--	2,844	3	16	18	13	24	25	41	60	84	116	123
BLACK---MALE----	2,693	-	14	15	18	23	50	58	68	119	148	163
FEMALE--	2,435	1	10	16	11	20	21	34	51	71	87	108
ALABAMA -----	870	-	-	6	2	5	5	12	16	18	14	29
WHITE-----MALE----	384	-	-	3	2	2	1	6	11	8	5	10
FEMALE--	309	-	-	1	-	-	1	4	2	4	3	9
ALL OTHER--MALE----	93	-	-	-	-	2	-	1	2	5	3	7
FEMALE--	84	-	-	2	-	1	3	1	1	1	3	3
BLACK---MALE----	92	-	-	-	-	2	-	1	2	5	3	7
FEMALE--	83	-	-	2	-	1	3	1	1	1	3	3
ALASKA -----	55	-	-	-	2	3	1	1	1	3	3	-
WHITE-----MALE----	24	-	-	-	1	3	-	1	-	1	1	-
FEMALE--	20	-	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	1	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ARIZONA -----	815	-	3	3	6	3	5	6	11	17	16	24
WHITE-----MALE----	422	-	1	1	2	3	2	4	6	8	10	16
FEMALE--	357	-	-	2	4	-	3	-	3	8	5	7
ALL OTHER--MALE----	23	-	1	-	-	-	-	2	1	1	1	-
FEMALE--	13	-	1	-	-	-	-	-	1	-	-	1
BLACK---MALE----	9	-	-	-	-	-	-	2	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	642	-	1	5	1	4	3	4	6	10	9	10
WHITE-----MALE----	299	-	1	3	1	2	2	1	5	2	6	5
FEMALE--	267	-	-	2	-	1	-	1	-	6	2	3
ALL OTHER--MALE----	35	-	-	-	-	1	-	-	1	1	1	1
FEMALE--	41	-	-	-	-	-	1	2	-	1	-	1
BLACK---MALE----	35	-	-	-	-	1	-	-	1	1	1	1
FEMALE--	40	-	-	-	-	-	1	2	-	1	-	1
CALIFORNIA -----	5,664	6	20	27	47	35	42	65	84	112	172	212
WHITE-----MALE----	2,758	2	8	18	23	20	19	34	58	67	81	126
FEMALE--	2,223	3	8	7	18	6	15	19	14	26	53	57
ALL OTHER--MALE----	361	1	3	-	4	3	3	8	5	13	15	20
FEMALE--	322	-	1	2	2	6	5	4	7	6	23	9
BLACK---MALE----	168	-	2	-	2	1	2	2	3	8	12	13
FEMALE--	170	-	-	2	-	4	2	1	4	3	12	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 892

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
0 UNITED STATES --	2,420	3,155	4,294	6,277	8,481	9,110	7,882	5,052	2,057	433	66	-
WHITE-----MALE----	1,260	1,589	2,141	3,292	4,267	4,380	3,579	1,922	673	118	18	-
FEMALE--	785	1,112	1,566	2,304	3,401	3,994	3,744	2,794	1,221	282	43	-
ALL OTHER--MALE----	216	246	327	364	421	375	262	143	58	9	-	-
FEMALE--	159	208	260	317	392	361	297	193	105	24	5	-
BLACK---MALE----	180	195	278	308	361	301	217	125	44	8	-	-
FEMALE--	131	178	227	268	334	307	270	176	93	17	4	-
ALABAMA -----	39	61	72	111	148	116	121	52	35	7	1	-
WHITE-----MALE----	19	32	27	50	76	48	54	15	14	1	-	-
FEMALE--	9	17	26	44	50	45	46	29	12	6	1	-
ALL OTHER--MALE----	7	4	13	12	7	12	12	4	2	-	-	-
FEMALE--	4	8	6	5	15	11	9	4	7	-	-	-
BLACK---MALE----	7	4	12	12	7	12	12	4	2	-	-	-
FEMALE--	4	8	6	4	15	11	9	4	7	-	-	-
ALASKA -----	5	6	1	10	7	5	2	2	2	-	1	-
WHITE-----MALE----	3	3	-	4	4	2	-	1	-	-	-	-
FEMALE--	1	1	1	5	2	3	1	1	2	-	1	-
ALL OTHER--MALE----	1	2	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARIZONA -----	26	61	74	108	129	136	106	59	20	2	-	-
WHITE-----MALE----	14	32	38	55	73	74	54	18	10	1	-	-
FEMALE--	9	24	31	51	53	59	49	38	10	1	-	-
ALL OTHER--MALE----	1	5	4	2	3	1	1	-	-	-	-	-
FEMALE--	2	-	1	-	-	2	2	3	-	-	-	-
BLACK---MALE----	-	2	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	1	-	-	-	-
ARKANSAS -----	30	52	45	67	108	110	99	57	18	3	-	-
WHITE-----MALE----	15	28	27	38	53	47	32	26	5	-	-	-
FEMALE--	11	18	12	24	41	55	54	25	10	2	-	-
ALL OTHER--MALE----	1	2	3	-	7	5	9	2	1	-	-	-
FEMALE--	3	4	3	5	7	3	4	4	2	1	-	-
BLACK---MALE----	1	2	3	-	7	5	9	2	1	-	-	-
FEMALE--	3	3	3	5	7	3	4	4	2	1	-	-
CALIFORNIA -----	259	344	466	635	749	908	734	494	207	41	5	-
WHITE-----MALE----	144	163	226	326	360	459	349	189	73	10	3	-
FEMALE--	81	115	170	234	294	356	332	270	116	27	2	-
ALL OTHER--MALE----	19	40	36	38	51	46	26	16	13	1	-	-
FEMALE--	15	26	34	37	44	47	27	19	5	3	-	-
BLACK---MALE----	9	16	18	14	25	14	16	6	5	-	-	-
FEMALE--	8	15	18	17	22	30	13	10	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 893

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
COLORADO -----	644	1	2	2	1	5	5	7	11	15	18	28
WHITE-----MALE----	354	1	2	1	1	2	3	4	9	8	11	16
FEMALE--	266	-	-	1	-	3	2	3	2	6	4	9
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	1	3	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	773	-	-	1	2	6	10	6	11	12	22	19
WHITE-----MALE----	362	-	-	-	1	3	8	4	4	3	10	10
FEMALE--	373	-	-	1	1	2	2	1	6	8	8	7
ALL OTHER--MALE----	24	-	-	-	-	-	-	1	-	1	4	1
FEMALE--	14	-	-	-	-	1	-	-	1	-	-	1
BLACK---MALE----	18	-	-	-	-	-	-	1	-	1	3	-
FEMALE--	12	-	-	-	-	1	-	-	1	-	-	-
DELAWARE -----	162	-	-	1	1	-	1	1	1	3	2	7
WHITE-----MALE----	71	-	-	-	1	-	1	-	-	2	1	4
FEMALE--	71	-	-	1	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	14	-	-	-	-	-	-	1	1	1	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	14	-	-	-	-	-	-	1	1	1	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	107	-	1	1	1	-	1	2	3	4	6	3
WHITE-----MALE----	15	-	-	1	-	-	-	1	-	1	2	2
FEMALE--	12	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	33	-	1	-	1	-	-	1	-	2	1	1
FEMALE--	47	-	-	-	-	-	1	-	2	-	2	-
BLACK---MALE----	32	-	1	-	1	-	-	1	-	2	1	1
FEMALE--	46	-	-	-	-	-	1	-	2	-	2	-
FLORIDA -----	3,975	-	7	9	16	17	19	40	50	73	96	115
WHITE-----MALE----	1,990	-	2	2	7	7	8	11	24	35	49	69
FEMALE--	1,602	-	2	2	5	4	3	10	14	19	29	31
ALL OTHER--MALE----	207	-	3	2	3	3	6	11	7	10	14	12
FEMALE--	176	-	-	3	1	3	2	8	5	9	4	3
BLACK---MALE----	201	-	3	2	2	3	6	9	7	10	13	12
FEMALE--	168	-	-	3	1	3	2	8	5	8	4	3
GEORGIA -----	1,221	-	2	1	7	4	15	10	18	22	36	53
WHITE-----MALE----	492	-	-	-	1	2	6	3	6	8	17	20
FEMALE--	466	-	-	-	1	2	5	3	5	4	9	11
ALL OTHER--MALE----	139	-	1	-	2	-	4	4	4	4	8	16
FEMALE--	124	-	1	1	3	-	-	-	3	6	2	6
BLACK---MALE----	132	-	1	-	2	-	4	2	4	4	7	15
FEMALE--	123	-	1	1	3	-	-	-	3	6	2	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 893

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
COLORADO -----	28	46	46	58	99	105	86	55	21	5	-	-
WHITE-----MALE----	16	28	24	36	58	60	45	19	8	2	-	-
FEMALE--	11	18	19	19	38	43	38	34	13	3	-	-
ALL OTHER--MALE----	-	-	3	2	3	1	3	1	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	3	2	2	1	2	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	-	-	-	-
CONNECTICUT -----	34	33	40	85	113	129	117	91	35	5	2	-
WHITE-----MALE----	15	18	25	49	53	54	58	39	6	2	-	-
FEMALE--	16	11	13	31	54	70	57	51	29	3	2	-
ALL OTHER--MALE----	2	2	1	3	5	3	1	-	-	-	-	-
FEMALE--	1	2	1	2	1	2	1	1	-	-	-	-
BLACK---MALE----	2	2	-	2	4	2	1	-	-	-	-	-
FEMALE--	1	2	1	1	1	2	1	1	-	-	-	-
DELAWARE -----	3	8	15	16	26	35	17	15	10	-	-	-
WHITE-----MALE----	2	4	5	8	14	13	7	5	4	-	-	-
FEMALE--	-	4	9	5	7	19	9	9	6	-	-	-
ALL OTHER--MALE----	1	-	1	1	4	2	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	1	1	-	-	-	-
BLACK---MALE----	1	-	1	1	4	2	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	1	1	-	-	-	-
DISTRICT OF COLUMBIA -----	2	3	5	20	12	19	15	3	5	1	-	-
WHITE-----MALE----	1	-	-	1	1	1	2	-	2	-	-	-
FEMALE--	-	-	-	2	1	3	2	-	1	-	-	-
ALL OTHER--MALE----	-	1	4	6	3	6	5	1	-	-	-	-
FEMALE--	1	2	1	11	7	9	6	2	2	1	-	-
BLACK---MALE----	-	1	4	6	3	6	4	1	-	-	-	-
FEMALE--	1	2	1	11	6	9	6	2	2	1	-	-
FLORIDA -----	136	189	286	418	609	718	630	374	135	33	5	-
WHITE-----MALE----	67	97	141	227	315	376	312	167	56	16	2	-
FEMALE--	46	60	98	146	256	302	294	189	72	17	3	-
ALL OTHER--MALE----	16	19	23	24	18	18	8	5	5	-	-	-
FEMALE--	7	13	24	21	20	22	16	13	2	-	-	-
BLACK---MALE----	16	18	23	23	18	18	8	5	5	-	-	-
FEMALE--	7	12	23	18	19	22	16	13	1	-	-	-
GEORGIA -----	61	86	82	162	184	182	160	92	37	7	-	-
WHITE-----MALE----	30	42	38	77	69	80	52	31	7	3	-	-
FEMALE--	20	23	28	40	88	77	79	50	17	4	-	-
ALL OTHER--MALE----	5	13	7	26	13	13	11	7	1	-	-	-
FEMALE--	6	8	9	19	14	12	18	4	12	-	-	-
BLACK---MALE----	5	13	6	25	13	13	11	7	-	-	-	-
FEMALE--	6	8	9	19	14	12	18	4	12	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 894

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
HAWAII -----	12	9	14	14	36	29	28	9	6	1	1	-
WHITE-----MALE----	5	2	2	2	8	5	3	4	-	-	-	-
FEMALE--	1	-	4	1	3	2	3	1	-	-	-	-
ALL OTHER--MALE----	4	4	6	7	9	14	16	3	3	-	-	-
FEMALE--	2	3	2	4	16	8	6	1	3	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
IDAHO -----	7	10	13	28	36	39	31	16	8	3	-	-
WHITE-----MALE----	5	5	8	19	26	25	15	7	3	1	-	-
FEMALE--	2	5	5	9	9	14	16	9	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	118	134	186	277	386	405	364	245	88	7	4	-
WHITE-----MALE----	64	73	83	141	183	177	154	84	30	1	1	-
FEMALE--	35	42	67	98	163	182	188	147	54	6	2	-
ALL OTHER--MALE----	12	8	27	27	21	21	8	3	2	-	-	-
FEMALE--	7	11	9	11	19	25	14	11	2	-	1	-
BLACK---MALE----	9	8	23	25	21	15	7	3	2	-	-	-
FEMALE--	6	10	8	11	19	21	14	11	2	-	1	-
INDIANA -----	50	56	104	147	216	226	176	102	50	12	3	-
WHITE-----MALE----	30	25	56	74	119	100	74	36	19	1	-	-
FEMALE--	19	28	39	66	84	116	96	63	29	10	3	-
ALL OTHER--MALE----	-	2	8	4	10	6	4	2	-	-	-	-
FEMALE--	1	1	1	3	3	4	2	1	2	1	-	-
BLACK---MALE----	-	2	8	4	10	4	4	2	-	-	-	-
FEMALE--	1	1	1	3	3	4	2	1	2	1	-	-
IOWA -----	25	38	45	67	120	124	100	80	40	10	-	-
WHITE-----MALE----	13	25	23	39	66	76	50	22	9	4	-	-
FEMALE--	11	12	22	27	53	46	50	58	31	6	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-
KANSAS -----	19	23	43	57	92	108	78	70	36	12	2	-
WHITE-----MALE----	11	16	23	23	56	47	37	27	12	2	-	-
FEMALE--	6	4	16	31	27	54	38	42	24	9	2	-
ALL OTHER--MALE----	2	2	2	-	5	1	1	1	-	-	-	-
FEMALE--	-	1	2	3	4	6	2	-	-	1	-	-
BLACK---MALE----	2	1	2	-	5	1	1	1	-	-	-	-
FEMALE--	-	1	2	2	4	5	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 895

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
KENTUCKY -----	856	2	1	5	1	2	6	10	16	10	18	25
WHITE-----MALE----	455	1	1	3	1	1	4	7	9	4	8	13
FEMALE--	346	1	-	2	-	1	1	3	5	6	8	9
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	25	-	-	-	-	-	1	-	1	-	1	1
BLACK---MALE----	30	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	23	-	-	-	-	-	1	-	1	-	1	-
LOUISIANA -----	879	-	-	2	5	5	12	5	11	18	21	23
WHITE-----MALE----	332	-	-	1	2	3	4	3	3	7	7	10
FEMALE--	342	-	-	1	2	1	4	1	3	4	9	5
ALL OTHER--MALE----	95	-	-	-	-	1	3	1	3	4	2	3
FEMALE--	110	-	-	-	1	-	1	-	2	3	3	5
BLACK---MALE----	94	-	-	-	-	1	3	1	3	4	2	3
FEMALE--	108	-	-	-	1	-	1	-	2	3	3	5
MAINE -----	310	-	1	1	2	2	-	-	5	3	7	10
WHITE-----MALE----	160	-	-	1	1	2	-	-	4	1	3	3
FEMALE--	150	-	1	-	1	-	-	-	1	2	4	7
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	946	-	8	2	3	4	6	10	19	25	18	45
WHITE-----MALE----	385	-	1	-	-	1	2	3	9	6	8	15
FEMALE--	351	-	4	1	-	1	3	2	6	7	3	15
ALL OTHER--MALE----	109	-	2	1	3	2	1	2	2	9	5	7
FEMALE--	101	-	1	-	-	-	-	3	2	3	2	8
BLACK---MALE----	104	-	2	1	3	2	1	2	2	9	5	7
FEMALE--	96	-	1	-	-	-	-	3	2	3	2	8
MASSACHUSETTS -----	1,320	-	3	2	4	7	14	13	16	14	20	25
WHITE-----MALE----	632	-	-	2	2	3	9	9	10	9	7	12
FEMALE--	631	-	3	-	2	2	5	3	6	4	8	12
ALL OTHER--MALE----	24	-	-	-	-	-	-	1	-	1	3	1
FEMALE--	33	-	-	-	-	2	-	-	-	-	2	-
BLACK---MALE----	19	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	24	-	-	-	-	1	-	-	-	-	2	-
MICHIGAN -----	2,054	-	3	6	4	9	14	26	23	32	42	65
WHITE-----MALE----	962	-	2	4	3	2	6	14	12	12	23	32
FEMALE--	844	-	-	2	-	6	4	7	9	11	10	23
ALL OTHER--MALE----	121	-	-	-	1	1	4	3	-	5	7	-
FEMALE--	127	-	1	-	-	-	-	2	2	4	2	10
BLACK---MALE----	116	-	-	-	1	1	4	3	-	5	7	-
FEMALE--	118	-	1	-	-	-	-	2	2	4	2	10

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 895

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	53	52	72	110	124	141	110	59	26	9	4	-
WHITE-----MALE----	29	25	35	70	70	76	59	23	12	2	2	-
FEMALE--	18	22	33	35	48	55	44	33	14	7	1	-
ALL OTHER--MALE----	5	3	2	3	3	6	3	1	-	-	-	-
FEMALE--	1	2	2	2	3	4	4	2	-	-	1	-
BLACK---MALE----	5	3	2	3	3	6	3	1	-	-	-	-
FEMALE--	1	2	2	2	2	4	4	2	-	-	1	-
LOUISIANA -----	44	62	72	102	135	136	116	73	29	8	-	-
WHITE-----MALE----	16	23	34	40	51	49	40	32	6	1	-	-
FEMALE--	14	20	22	38	55	55	58	24	20	6	-	-
ALL OTHER--MALE----	5	9	8	12	14	16	8	5	-	1	-	-
FEMALE--	9	10	8	12	15	16	10	12	3	-	-	-
BLACK---MALE----	5	9	8	12	14	15	8	5	-	1	-	-
FEMALE--	9	10	8	10	15	16	10	12	3	-	-	-
MAINE -----	14	25	26	34	43	53	42	26	10	6	-	-
WHITE-----MALE----	9	17	14	18	21	29	18	14	3	2	-	-
FEMALE--	5	8	12	16	22	24	24	12	7	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	55	50	76	104	136	166	119	65	27	8	-	-
WHITE-----MALE----	25	15	31	51	58	72	54	25	8	1	-	-
FEMALE--	19	18	23	31	50	66	50	31	16	5	-	-
ALL OTHER--MALE----	6	7	14	10	13	16	5	3	1	-	-	-
FEMALE--	5	10	8	12	15	12	10	6	2	2	-	-
BLACK---MALE----	6	5	13	9	13	15	5	3	1	-	-	-
FEMALE--	5	9	7	11	14	11	10	6	2	2	-	-
MASSACHUSETTS -----	58	78	86	125	182	215	242	150	50	16	-	-
WHITE-----MALE----	38	38	47	70	100	99	100	64	10	3	-	-
FEMALE--	16	33	29	52	76	108	136	84	39	13	-	-
ALL OTHER--MALE----	2	4	1	2	2	4	3	-	-	-	-	-
FEMALE--	2	3	9	1	4	4	3	2	1	-	-	-
BLACK---MALE----	2	4	1	1	1	4	2	-	-	-	-	-
FEMALE--	2	3	6	1	3	3	3	-	-	-	-	-
MICHIGAN -----	108	114	160	275	314	306	285	177	74	15	2	-
WHITE-----MALE----	53	54	70	155	151	133	138	71	20	6	1	-
FEMALE--	38	44	63	91	110	153	126	95	44	7	1	-
ALL OTHER--MALE----	7	8	12	19	24	12	10	4	4	-	-	-
FEMALE--	10	8	15	10	29	8	11	7	6	2	-	-
BLACK---MALE----	7	6	11	18	24	11	10	4	4	-	-	-
FEMALE--	10	6	14	9	27	6	10	7	6	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 898

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
OHIO -----	2,596	1	5	8	13	16	19	19	20	47	64	84
WHITE-----MALE----	1,229	1	2	6	7	13	13	12	8	20	33	49
FEMALE--	1,154	-	2	1	5	2	5	5	10	15	17	25
ALL OTHER--MALE----	113	-	-	-	1	-	1	2	2	7	10	6
FEMALE--	100	-	1	1	-	1	-	-	-	5	4	4
BLACK---MALE----	111	-	-	-	1	-	1	2	2	7	10	6
FEMALE--	99	-	1	1	-	1	-	-	-	5	4	4
OKLAHOMA -----	762	1	1	3	4	6	4	6	7	15	15	14
WHITE-----MALE----	356	-	1	1	-	2	1	3	5	10	7	7
FEMALE--	319	-	-	1	2	1	1	3	1	3	2	3
ALL OTHER--MALE----	39	1	-	1	1	2	1	-	-	2	1	4
FEMALE--	48	-	-	-	1	1	-	-	1	-	5	-
BLACK---MALE----	21	-	-	-	-	-	1	-	-	2	1	2
FEMALE--	31	-	-	-	1	1	1	-	1	-	3	-
OREGON -----	737	-	2	1	2	5	1	6	6	12	24	25
WHITE-----MALE----	364	-	2	1	1	1	-	3	3	6	10	17
FEMALE--	353	-	-	-	1	4	1	1	3	3	11	5
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	-	1	1	2
FEMALE--	8	-	-	-	-	-	-	1	-	2	2	1
BLACK---MALE----	7	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
PENNSYLVANIA -----	3,127	-	11	11	5	17	23	23	37	41	63	91
WHITE-----MALE----	1,521	-	4	2	3	7	14	14	20	20	36	53
FEMALE--	1,387	-	4	8	2	10	9	3	12	12	15	28
ALL OTHER--MALE----	119	-	1	1	-	-	-	6	3	4	11	6
FEMALE--	100	-	2	-	-	-	-	-	2	5	1	4
BLACK---MALE----	109	-	1	1	-	-	-	4	3	4	10	6
FEMALE--	96	-	1	-	-	-	-	-	2	5	1	3
RHODE ISLAND -----	243	-	1	2	2	2	-	1	3	5	5	9
WHITE-----MALE----	122	-	-	1	1	1	-	1	1	3	4	6
FEMALE--	114	-	1	1	1	1	-	-	1	1	-	3
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	737	1	2	3	1	4	8	7	7	9	11	18
WHITE-----MALE----	269	-	1	1	-	2	1	2	4	-	1	6
FEMALE--	273	1	1	-	-	2	3	3	2	2	3	5
ALL OTHER--MALE----	98	-	-	2	1	-	-	1	-	5	2	5
FEMALE--	97	-	-	-	-	-	4	1	1	2	5	2
BLACK---MALE----	98	-	-	2	1	-	-	1	-	5	2	5
FEMALE--	96	-	-	-	-	-	4	1	1	2	5	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 898

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
OHIO -----	115	136	195	299	423	400	381	255	79	16	1	-
WHITE-----MALE----	66	69	109	139	213	179	178	84	23	5	-	-
FEMALE--	35	55	64	139	178	194	184	160	46	11	1	-
ALL OTHER--MALE----	7	8	11	7	20	15	9	5	2	-	-	-
FEMALE--	7	4	11	14	12	12	10	6	8	-	-	-
BLACK---MALE----	7	8	11	7	19	14	9	5	2	-	-	-
FEMALE--	6	4	11	14	12	12	10	6	8	-	-	-
OKLAHOMA -----	32	44	75	74	104	121	100	97	27	10	2	-
WHITE-----MALE----	13	30	37	41	44	60	46	38	9	1	-	-
FEMALE--	14	11	30	24	49	51	46	51	17	7	2	-
ALL OTHER--MALE----	2	1	5	4	3	3	3	4	1	-	-	-
FEMALE--	3	2	3	5	8	7	5	4	-	2	-	-
BLACK---MALE----	1	1	3	3	2	1	2	2	-	-	-	-
FEMALE--	2	1	2	4	3	4	4	4	-	-	-	-
OREGON -----	30	33	52	66	102	140	126	72	24	5	3	-
WHITE-----MALE----	16	16	31	39	49	67	65	29	8	-	-	-
FEMALE--	13	16	20	26	52	71	60	42	16	5	3	-
ALL OTHER--MALE----	-	1	1	1	1	1	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	116	151	250	352	489	558	439	303	123	23	1	-
WHITE-----MALE----	61	73	119	197	259	286	190	115	43	5	-	-
FEMALE--	40	67	114	135	193	243	223	177	73	18	1	-
ALL OTHER--MALE----	8	6	10	11	24	13	9	5	1	-	-	-
FEMALE--	7	5	7	9	13	16	17	6	6	-	-	-
BLACK---MALE----	6	5	10	11	21	13	8	5	1	-	-	-
FEMALE--	7	5	7	9	12	16	16	6	6	-	-	-
RHODE ISLAND -----	11	14	13	35	30	32	32	34	7	4	1	-
WHITE-----MALE----	7	9	4	18	18	16	15	13	3	-	1	-
FEMALE--	2	5	9	17	12	15	16	21	4	4	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
SOUTH CAROLINA -----	38	53	65	70	119	124	100	69	21	5	2	-
WHITE-----MALE----	12	17	37	26	42	49	37	25	4	2	-	-
FEMALE--	11	17	9	27	48	54	36	33	13	2	1	-
ALL OTHER--MALE----	8	11	8	12	13	9	14	3	3	1	-	-
FEMALE--	7	8	11	5	16	12	13	8	1	-	1	-
BLACK---MALE----	8	11	8	12	13	9	14	3	3	1	-	-
FEMALE--	7	8	10	5	16	12	13	8	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 899

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
SOUTH DAKOTA -----	201	-	-	1	1	3	2	1	-	7	1	3
WHITE-----MALE----	107	-	-	-	-	2	1	-	-	4	1	1
FEMALE--	88	-	-	1	1	-	1	1	-	2	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,182	-	4	4	3	7	8	12	16	15	24	43
WHITE-----MALE----	537	-	1	1	3	5	5	6	6	6	14	19
FEMALE--	489	-	3	1	-	-	2	4	3	6	5	12
ALL OTHER--MALE----	81	-	-	1	-	1	1	1	5	2	3	4
FEMALE--	75	-	-	1	-	1	-	1	2	1	2	8
BLACK---MALE----	79	-	-	1	-	1	1	1	4	2	3	4
FEMALE--	73	-	-	1	-	1	-	1	2	1	2	7
TEXAS -----	3,461	4	8	22	21	21	34	41	49	77	98	110
WHITE-----MALE----	1,702	2	5	9	9	7	18	26	25	37	57	53
FEMALE--	1,400	2	2	10	9	10	10	11	17	27	30	34
ALL OTHER--MALE----	201	-	-	2	1	3	6	3	3	9	6	12
FEMALE--	158	-	1	1	2	1	-	1	4	4	5	11
BLACK---MALE----	180	-	-	-	-	3	4	2	3	8	6	11
FEMALE--	146	-	1	1	2	1	-	1	4	4	4	10
UTAH -----	304	-	2	2	2	-	3	5	5	5	9	13
WHITE-----MALE----	170	-	1	-	1	-	3	4	3	4	6	7
FEMALE--	126	-	1	2	1	-	1	1	1	1	3	5
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
VERMONT -----	118	-	-	-	-	-	1	1	1	3	4	9
WHITE-----MALE----	74	-	-	-	-	-	1	1	-	3	2	7
FEMALE--	44	-	-	-	-	-	-	-	1	-	2	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,290	-	5	4	3	4	11	20	22	30	37	47
WHITE-----MALE----	534	-	2	-	-	2	5	8	12	10	15	29
FEMALE--	494	-	-	1	1	2	-	2	2	7	14	8
ALL OTHER--MALE----	146	-	1	3	2	-	5	6	3	10	3	5
FEMALE--	116	-	2	-	-	-	1	4	5	3	5	5
BLACK---MALE----	141	-	1	2	2	-	4	6	3	10	3	5
FEMALE--	108	-	2	-	-	-	1	3	5	3	4	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 899

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
SOUTH DAKOTA -----	2	9	11	20	39	43	28	18	10	2	-	-
WHITE-----MALE----	2	6	7	9	24	22	17	6	5	-	-	-
FEMALE--	-	3	3	11	15	19	11	12	5	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	54	74	98	145	181	178	150	107	51	8	-	-
WHITE-----MALE----	24	32	54	70	85	81	73	34	14	4	-	-
FEMALE--	22	28	37	51	77	79	63	62	32	2	-	-
ALL OTHER--MALE----	4	7	4	11	10	10	7	6	2	2	-	-
FEMALE--	4	7	3	13	9	8	7	5	3	-	-	-
BLACK---MALE----	4	7	4	11	10	9	7	6	2	2	-	-
FEMALE--	4	7	3	12	9	8	7	5	3	-	-	-
TEXAS -----	161	186	269	409	499	563	456	286	118	24	5	-
WHITE-----MALE----	79	100	141	220	259	288	205	116	40	5	1	-
FEMALE--	53	66	95	138	206	238	219	144	61	14	4	-
ALL OTHER--MALE----	21	7	18	29	20	23	14	13	9	2	-	-
FEMALE--	8	13	15	22	14	14	18	13	8	3	-	-
BLACK---MALE----	19	7	16	26	18	21	12	13	9	2	-	-
FEMALE--	4	13	14	19	14	12	18	13	8	3	-	-
UTAH -----	12	23	18	32	38	46	43	32	11	3	-	-
WHITE-----MALE----	8	12	11	18	20	23	28	13	6	2	-	-
FEMALE--	4	10	6	14	16	22	14	19	5	1	-	-
ALL OTHER--MALE----	-	-	1	-	2	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	11	8	12	18	16	18	7	5	1	-	-
WHITE-----MALE----	3	7	5	6	10	10	11	4	3	1	-	-
FEMALE--	-	4	3	6	8	6	7	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	69	79	110	132	196	204	167	92	47	8	3	-
WHITE-----MALE----	26	33	46	65	90	80	67	27	14	3	-	-
FEMALE--	23	26	44	40	79	94	73	48	24	4	2	-
ALL OTHER--MALE----	11	12	7	19	22	14	12	10	1	-	-	-
FEMALE--	9	8	13	8	5	16	15	7	8	1	1	-
BLACK---MALE----	10	10	7	19	22	14	12	10	1	-	-	-
FEMALE--	7	6	13	7	5	16	15	7	7	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 901

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LYMPHOSARCOMA AND RETICULOSARCOMA (200)												
0 UNITED STATES --	51	41	80	105	110	129	117	76	21	4	-	-
WHITE-----MALE----	29	24	35	61	55	54	53	27	5	1	-	-
FEMALE--	12	14	33	36	47	70	53	46	14	2	-	-
ALL OTHER--MALE----	6	3	4	5	4	5	6	3	1	-	-	-
FEMALE--	4	-	8	3	4	-	5	-	1	1	-	-
BLACK---MALE----	5	3	4	4	3	5	6	2	1	-	-	-
FEMALE--	3	-	6	3	4	-	4	-	-	-	-	-
ALABAMA -----	1	1	-	4	1	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	3	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	2	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	2	2	5	2	-	1	-	-	-	-	-
WHITE-----MALE----	-	1	1	3	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	2	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	-	1	1	1	2	1	2	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	4	3	13	6	6	9	14	7	2	2	-	-
WHITE-----MALE----	2	2	7	4	1	5	9	2	-	-	-	-
FEMALE--	-	-	5	-	4	4	3	5	2	1	-	-
ALL OTHER--MALE----	1	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	1	-	-	1	-	-
BLACK---MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 907

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LYMPHOSARCOMA AND RETICULOSARCOMA (200)												
OHIO -----	2	2	5	5	5	5	5	2	-	-	-	-
WHITE-----MALE----	-	1	3	3	3	2	1	-	-	-	-	-
FEMALE--	1	1	2	2	2	3	4	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	1	1	3	3	-	1	1	-	-	-
WHITE-----MALE----	-	-	1	-	1	1	-	1	1	-	-	-
FEMALE--	-	-	-	1	2	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	-	2	5	1	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	1	3	1	-	1	-	-	-	-
FEMALE--	1	-	-	1	2	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	1	2	5	4	7	8	7	-	-	-	-
WHITE-----MALE----	2	1	-	3	1	3	4	1	-	-	-	-
FEMALE--	-	-	2	2	3	4	4	6	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	1	1	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	1	3	-	-	3	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 908

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LYMPHOSARCOMA AND RETICULOSARCOMA (200)												
SOUTH DAKOTA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	11	-	-	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	6	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	65	-	-	-	-	2	1	-	1	-	5	2
WHITE-----MALE----	38	-	-	-	-	1	1	-	-	-	5	2
FEMALE--	19	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
UTAH -----	10	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	23	-	-	-	-	-	-	2	-	-	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 910

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HODGKIN'S DISEASE (201)												
0 UNITED STATES --	1,443	-	-	2	9	18	56	88	110	120	109	84
WHITE-----MALE----	661	-	-	-	1	9	27	44	48	47	50	55
FEMALE--	601	-	-	2	6	2	18	25	41	49	36	19
ALL OTHER--MALE----	99	-	-	-	-	2	5	9	15	18	14	3
FEMALE--	82	-	-	-	2	5	6	10	6	6	9	7
BLACK---MALE----	92	-	-	-	-	2	5	8	15	15	13	3
FEMALE--	72	-	-	-	2	4	5	8	6	6	8	5
ALABAMA -----	22	-	-	-	-	1	-	4	3	3	-	1
WHITE-----MALE----	11	-	-	-	-	-	-	2	2	2	-	1
FEMALE--	8	-	-	-	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	1	-	-	-	-
ALASKA -----	2	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	19	-	-	-	-	1	-	-	2	1	1	-
WHITE-----MALE----	9	-	-	-	-	1	-	-	1	1	1	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	15	-	-	-	-	-	-	1	3	3	1	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	2	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	1	-	-
CALIFORNIA -----	163	-	-	-	3	2	7	6	8	14	9	15
WHITE-----MALE----	73	-	-	-	1	1	3	2	4	7	3	9
FEMALE--	72	-	-	-	2	-	3	4	3	5	4	4
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	12	-	-	-	-	1	1	-	1	1	1	2
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	8	-	-	-	-	-	1	-	1	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 910

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HODGKIN'S DISEASE (201)												
0 UNITED STATES --	75	83	80	119	132	140	112	64	35	7	-	-
WHITE-----MALE----	36	39	33	70	61	61	50	21	8	1	-	-
FEMALE--	25	33	36	45	63	70	58	40	27	6	-	-
ALL OTHER--MALE----	9	6	7	-	6	4	-	1	-	-	-	-
FEMALE--	5	5	4	4	2	5	4	2	-	-	-	-
BLACK---MALE----	9	6	6	-	6	3	-	1	-	-	-	-
FEMALE--	5	5	3	4	2	4	3	2	-	-	-	-
ALABAMA -----	1	1	-	1	3	3	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALASKA -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	5	3	-	2	1	1	-	-	-	-
WHITE-----MALE----	1	1	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	4	3	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	-	-	1	2	-	1	-	1	-	-	-
WHITE-----MALE----	1	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	12	11	5	10	17	21	16	4	2	1	-	-
WHITE-----MALE----	5	4	2	1	10	8	11	2	-	-	-	-
FEMALE--	5	5	3	8	7	10	4	2	2	1	-	-
ALL OTHER--MALE----	2	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	2	1	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 911

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HODGKIN'S DISEASE (201)												
COLORADO -----	11	-	-	-	-	-	1	-	2	2	-	-
WHITE-----MALE----	6	-	-	-	-	-	1	-	1	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	19	-	-	-	-	-	1	1	5	-	-	2
WHITE-----MALE----	9	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	9	-	-	-	-	-	1	-	3	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
DELAWARE -----	3	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	4	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
FLORIDA -----	101	-	-	-	1	1	-	5	7	8	8	9
WHITE-----MALE----	49	-	-	-	-	-	-	3	1	2	4	7
FEMALE--	41	-	-	-	1	-	-	-	4	6	2	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	2	2	-	2	1
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	2	2	-	2	1
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
GEORGIA -----	45	-	-	-	1	1	2	3	5	4	6	3
WHITE-----MALE----	18	-	-	-	-	-	1	1	1	3	-	2
FEMALE--	11	-	-	-	-	1	1	1	-	-	2	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	2	1	4	1
FEMALE--	4	-	-	-	1	-	-	-	2	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	1	2	1	3	1
FEMALE--	4	-	-	-	1	-	-	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 913

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HODGKIN'S DISEASE (201)												
KENTUCKY -----	23	-	-	-	-	-	1	2	4	-	-	5
WHITE-----MALE----	15	-	-	-	-	-	-	1	2	-	-	3
FEMALE--	4	-	-	-	-	-	-	1	1	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	1	-	-	-
LOUISIANA -----	26	-	-	-	-	-	4	1	1	2	2	1
WHITE-----MALE----	9	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	10	-	-	-	-	-	2	-	-	1	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	30	-	-	-	-	-	-	1	3	4	2	3
WHITE-----MALE----	13	-	-	-	-	-	-	-	2	1	1	2
FEMALE--	12	-	-	-	-	-	-	-	1	3	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
MASSACHUSETTS -----	28	-	-	-	-	-	1	2	4	2	3	-
WHITE-----MALE----	7	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	1	4	1	3	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	61	-	-	-	-	-	-	9	2	4	3	4
WHITE-----MALE----	24	-	-	-	-	-	-	3	-	1	1	3
FEMALE--	29	-	-	-	-	-	-	3	2	2	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	2	-	-	1	1
BLACK---MALE----	3	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	2	-	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 913

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HODGKIN'S DISEASE (201)												
KENTUCKY -----	2	1	-	4	1	2	1	-	-	-	-	-
WHITE-----MALE----	2	1	-	4	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
LOUISIANA -----	2	5	1	1	2	1	2	1	-	-	-	-
WHITE-----MALE----	1	3	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
MAINE -----	1	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	-	2	3	2	2	1	3	1	-	-	-
WHITE-----MALE----	1	-	-	2	2	1	-	1	-	-	-	-
FEMALE--	1	-	1	1	-	1	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
MASSACHUSETTS -----	1	3	1	-	3	4	2	2	-	-	-	-
WHITE-----MALE----	-	2	-	-	1	2	-	-	-	-	-	-
FEMALE--	1	1	1	-	2	2	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	3	3	5	11	5	5	3	1	-	-	-
WHITE-----MALE----	1	1	3	3	4	1	1	1	1	-	-	-
FEMALE--	1	2	-	2	6	4	4	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 916

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HODGKIN'S DISEASE (201)												
OHIO -----	53	-	-	-	2	-	2	1	5	5	5	2
WHITE-----MALE----	25	-	-	-	-	-	2	1	1	3	3	2
FEMALE--	24	-	-	-	2	-	-	-	3	1	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
OKLAHOMA -----	19	-	-	-	-	-	1	1	1	1	-	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	8	-	-	-	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	24	-	-	-	-	-	-	2	2	4	2	2
WHITE-----MALE----	14	-	-	-	-	-	-	1	1	3	2	2
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	77	-	-	1	-	-	5	2	9	6	6	3
WHITE-----MALE----	38	-	-	-	-	-	3	2	7	1	3	2
FEMALE--	30	-	-	1	-	-	2	-	1	4	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	1	3	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	1	1	3	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	5	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	18	-	-	-	-	-	3	1	1	1	2	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	9	-	-	-	-	-	2	1	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	2	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 917

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HODGKIN'S DISEASE (201)												
SOUTH DAKOTA -----	3	-	-	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	31	-	-	-	-	-	1	-	6	2	2	2
WHITE-----MALE----	15	-	-	-	-	-	-	-	3	-	1	2
FEMALE--	11	-	-	-	-	-	1	-	1	1	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	2	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	2	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	81	-	-	-	1	2	5	4	-	11	8	2
WHITE-----MALE----	39	-	-	-	-	1	3	4	-	3	5	1
FEMALE--	36	-	-	-	-	-	1	-	-	5	3	1
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	3	-	-
FEMALE--	2	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	1	-	-	3	-	-
FEMALE--	2	-	-	-	1	1	-	-	-	-	-	-
UTAH -----	8	-	-	-	-	-	-	2	-	1	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	2	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	-	-	-	-	-	-	1	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	45	-	-	-	-	-	1	6	3	4	5	2
WHITE-----MALE----	29	-	-	-	-	-	1	3	2	1	4	2
FEMALE--	10	-	-	-	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	2	-	-
FEMALE--	3	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	2	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 919

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)												
0 UNITED STATES --	22,807	3	5	20	25	47	101	156	290	426	611	795
WHITE-----MALE----	10,802	1	3	10	11	23	42	91	174	215	342	450
FEMALE--	10,098	2	1	3	10	12	34	33	62	110	150	218
ALL OTHER--MALE----	1,073	-	1	6	3	7	19	25	32	70	74	90
FEMALE--	834	-	-	1	1	5	6	7	22	31	45	37
BLACK---MALE----	834	-	-	4	3	6	16	19	25	62	70	76
FEMALE--	676	-	-	1	1	4	5	5	21	27	38	33
ALABAMA -----	352	-	-	-	-	-	-	3	6	13	5	13
WHITE-----MALE----	161	-	-	-	-	-	-	2	4	5	2	4
FEMALE--	144	-	-	-	-	-	-	1	1	2	2	4
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	1	5	-	3
FEMALE--	18	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	28	-	-	-	-	-	-	-	1	5	-	3
FEMALE--	18	-	-	-	-	-	-	-	-	1	1	2
ALASKA -----	19	-	-	-	-	1	-	-	1	1	1	-
WHITE-----MALE----	8	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ARIZONA -----	355	-	-	1	1	-	2	3	2	7	8	13
WHITE-----MALE----	185	-	-	-	-	-	1	2	1	5	6	11
FEMALE--	156	-	-	1	1	-	1	-	-	2	1	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	257	-	-	-	-	-	2	1	3	3	2	8
WHITE-----MALE----	130	-	-	-	-	-	1	1	3	1	1	4
FEMALE--	106	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	13	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	12	-	-	-	-	-	1	-	-	-	-	1
CALIFORNIA -----	2,377	1	2	5	5	7	8	19	41	49	90	104
WHITE-----MALE----	1,139	1	1	3	3	5	3	12	33	32	49	67
FEMALE--	969	-	-	1	2	-	3	2	3	5	24	27
ALL OTHER--MALE----	153	-	1	-	-	-	-	4	3	9	8	9
FEMALE--	116	-	-	1	-	2	2	1	2	3	9	1
BLACK---MALE----	65	-	-	-	-	-	-	2	1	6	7	6
FEMALE--	50	-	-	1	-	1	1	-	2	1	6	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 919

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)												
0 UNITED STATES --	1,091	1,346	1,806	2,566	3,445	3,851	3,270	2,022	770	140	21	-
WHITE-----MALE----	605	734	933	1,332	1,693	1,804	1,368	707	227	32	5	-
FEMALE--	341	469	694	1,034	1,522	1,823	1,746	1,228	497	95	14	-
ALL OTHER--MALE----	94	77	97	104	122	119	75	40	16	2	-	-
FEMALE--	51	66	82	96	108	105	81	47	30	11	2	-
BLACK---MALE----	77	53	78	81	93	79	52	31	7	2	-	-
FEMALE--	40	54	67	74	88	78	69	39	24	7	1	-
ALABAMA -----	17	32	28	46	63	45	47	24	9	1	-	-
WHITE-----MALE----	11	21	8	22	35	15	20	8	4	-	-	-
FEMALE--	2	8	11	22	23	25	25	14	3	1	-	-
ALL OTHER--MALE----	3	1	7	2	2	2	1	1	1	-	-	-
FEMALE--	1	2	2	-	3	3	1	1	1	-	-	-
BLACK---MALE----	3	1	6	2	2	2	1	1	1	-	-	-
FEMALE--	1	2	2	-	3	3	1	1	1	-	-	-
ALASKA -----	2	4	1	3	1	2	1	-	1	-	-	-
WHITE-----MALE----	1	2	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	12	28	34	44	63	59	45	20	12	1	-	-
WHITE-----MALE----	7	19	21	20	32	30	20	5	5	-	-	-
FEMALE--	4	7	12	23	29	27	25	14	7	1	-	-
ALL OTHER--MALE----	-	2	1	1	2	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	11	22	18	29	42	51	45	11	7	2	-	-
WHITE-----MALE----	7	15	11	18	22	21	17	5	3	-	-	-
FEMALE--	4	6	5	10	17	28	22	6	3	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	3	-	-	-	-	-
FEMALE--	-	1	1	1	2	1	3	-	1	1	-	-
BLACK---MALE----	-	-	1	-	1	1	3	-	-	-	-	-
FEMALE--	-	-	1	1	2	1	3	-	1	1	-	-
CALIFORNIA -----	123	158	201	244	340	373	311	203	81	10	2	-
WHITE-----MALE----	72	85	100	118	161	179	125	67	20	2	1	-
FEMALE--	36	44	74	98	140	161	169	121	52	6	1	-
ALL OTHER--MALE----	8	17	17	13	22	17	10	9	6	-	-	-
FEMALE--	7	12	10	15	17	16	7	6	3	2	-	-
BLACK---MALE----	3	7	9	2	10	3	6	3	-	-	-	-
FEMALE--	3	6	4	4	7	9	2	1	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 920

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)												
COLORADO -----	264	-	-	-	-	-	3	3	6	8	5	12
WHITE-----MALE----	138	-	-	-	-	-	1	1	6	6	3	8
FEMALE--	119	-	-	-	-	-	2	2	-	2	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	338	-	-	-	1	1	3	-	2	8	13	8
WHITE-----MALE----	150	-	-	-	-	1	3	-	1	2	6	5
FEMALE--	178	-	-	-	1	-	-	-	1	5	6	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	68	-	-	-	-	-	-	1	1	2	2	6
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	1	1	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	1	1	1	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	35	-	-	-	-	-	-	2	1	2	1	1
WHITE-----MALE----	6	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	11	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
FLORIDA -----	1,639	-	-	-	2	4	9	15	24	37	46	52
WHITE-----MALE----	824	-	-	-	-	2	1	6	14	23	31	32
FEMALE--	706	-	-	-	1	1	2	2	5	4	8	15
ALL OTHER--MALE----	56	-	-	-	-	1	6	4	2	5	6	5
FEMALE--	53	-	-	-	1	-	-	3	3	5	1	-
BLACK---MALE----	55	-	-	-	-	1	6	3	2	5	6	5
FEMALE--	50	-	-	-	1	-	-	3	3	5	1	-
GEORGIA -----	469	-	-	-	-	-	2	1	7	7	15	20
WHITE-----MALE----	197	-	-	-	-	-	-	-	4	3	9	8
FEMALE--	196	-	-	-	-	-	2	1	2	1	3	2
ALL OTHER--MALE----	42	-	-	-	-	-	-	-	-	1	2	7
FEMALE--	34	-	-	-	-	-	-	-	1	2	1	3
BLACK---MALE----	40	-	-	-	-	-	-	-	-	1	2	6
FEMALE--	34	-	-	-	-	-	-	-	1	2	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 920

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)												
COLORADO -----	13	17	22	17	46	41	36	24	6	5	-	-
WHITE-----MALE----	8	9	11	10	25	19	19	7	3	2	-	-
FEMALE--	4	8	11	7	20	21	17	17	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	13	16	20	28	54	58	59	36	16	2	-	-
WHITE-----MALE----	7	6	16	14	26	21	25	14	2	1	-	-
FEMALE--	6	8	4	12	27	35	34	22	14	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
DELAWARE -----	1	3	7	6	9	12	6	6	6	-	-	-
WHITE-----MALE----	1	3	2	2	6	4	1	1	1	-	-	-
FEMALE--	-	-	5	2	2	8	5	5	5	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	2	2	5	1	7	6	-	2	1	-	-
WHITE-----MALE----	1	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	1	2	1	-	2	3	-	-	-	-	-
FEMALE--	1	1	-	3	1	2	1	-	-	1	-	-
BLACK---MALE----	-	1	2	1	-	2	2	-	-	-	-	-
FEMALE--	1	1	-	3	1	2	1	-	-	1	-	-
FLORIDA -----	58	71	122	168	244	317	260	148	49	13	-	-
WHITE-----MALE----	29	41	67	92	121	163	121	55	21	5	-	-
FEMALE--	21	24	40	69	114	141	135	89	27	8	-	-
ALL OTHER--MALE----	5	1	5	3	4	6	2	-	1	-	-	-
FEMALE--	3	5	10	4	5	7	2	4	-	-	-	-
BLACK---MALE----	5	1	5	3	4	6	2	-	1	-	-	-
FEMALE--	3	4	10	3	4	7	2	4	-	-	-	-
GEORGIA -----	30	31	24	67	73	65	72	36	19	-	-	-
WHITE-----MALE----	18	17	10	32	30	29	24	12	1	-	-	-
FEMALE--	8	10	11	18	37	33	38	17	13	-	-	-
ALL OTHER--MALE----	2	3	1	12	4	1	5	4	-	-	-	-
FEMALE--	2	1	2	5	2	2	5	3	5	-	-	-
BLACK---MALE----	2	3	1	11	4	1	5	4	-	-	-	-
FEMALE--	2	1	2	5	2	2	5	3	5	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 921

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)												
HAWAII -----	6	3	5	6	12	17	19	3	4	1	1	-
WHITE-----MALE----	5	1	1	1	5	2	2	2	-	-	-	-
FEMALE--	-	-	2	1	-	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	2	2	2	9	11	1	2	-	-	-
FEMALE--	1	1	-	2	5	4	4	-	2	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
IDAHO -----	4	4	7	9	18	16	11	5	4	-	-	-
WHITE-----MALE----	2	2	4	6	13	8	7	4	2	-	-	-
FEMALE--	2	2	3	3	5	8	4	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	55	56	72	104	154	159	159	92	35	3	1	-
WHITE-----MALE----	30	31	32	57	71	74	67	25	9	-	1	-
FEMALE--	15	21	32	41	73	73	87	64	24	3	-	-
ALL OTHER--MALE----	7	3	6	4	7	7	1	1	-	-	-	-
FEMALE--	3	1	2	2	3	5	4	2	2	-	-	-
BLACK---MALE----	6	3	4	4	7	2	1	1	-	-	-	-
FEMALE--	3	1	2	2	3	4	4	2	2	-	-	-
INDIANA -----	23	26	31	63	85	95	84	39	19	4	2	-
WHITE-----MALE----	14	13	15	35	51	43	28	14	5	-	-	-
FEMALE--	9	12	14	24	32	49	54	25	14	4	2	-
ALL OTHER--MALE----	-	1	2	2	2	3	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	2	2	2	2	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	-	-	-	-
IOWA -----	8	17	18	28	55	60	37	27	15	3	-	-
WHITE-----MALE----	2	10	8	19	27	38	20	8	3	2	-	-
FEMALE--	5	6	10	9	27	22	17	19	12	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
KANSAS -----	9	16	21	26	33	40	36	30	10	3	-	-
WHITE-----MALE----	6	12	13	10	21	17	16	10	2	-	-	-
FEMALE--	2	2	8	15	10	21	19	20	8	2	-	-
ALL OTHER--MALE----	1	1	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	-	-	1	-	-
BLACK---MALE----	1	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 922

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)												
KENTUCKY -----	324	-	-	-	-	-	1	4	4	4	6	12
WHITE-----MALE----	169	-	-	-	-	-	-	3	3	2	3	7
FEMALE--	141	-	-	-	-	-	1	1	1	2	1	4
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	333	-	-	-	-	-	1	2	3	4	9	9
WHITE-----MALE----	129	-	-	-	-	-	-	2	-	1	4	4
FEMALE--	142	-	-	-	-	-	-	-	1	-	3	3
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	2	1	1	-
FEMALE--	33	-	-	-	-	-	1	-	-	2	1	2
BLACK---MALE----	28	-	-	-	-	-	-	-	2	1	1	-
FEMALE--	31	-	-	-	-	-	1	-	-	2	1	2
MAINE -----	132	-	-	-	-	-	-	-	3	2	2	4
WHITE-----MALE----	72	-	-	-	-	-	-	-	3	1	1	1
FEMALE--	60	-	-	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	369	-	-	-	-	2	2	3	4	10	8	18
WHITE-----MALE----	161	-	-	-	-	-	1	2	2	4	2	4
FEMALE--	143	-	-	-	-	1	1	-	1	2	2	6
ALL OTHER--MALE----	38	-	-	-	-	1	-	1	1	3	3	4
FEMALE--	27	-	-	-	-	-	-	-	-	1	1	4
BLACK---MALE----	34	-	-	-	-	1	-	1	1	3	3	4
FEMALE--	26	-	-	-	-	-	-	-	-	1	1	4
MASSACHUSETTS -----	587	-	-	1	-	2	6	2	6	5	9	12
WHITE-----MALE----	271	-	-	1	-	1	4	2	4	4	3	8
FEMALE--	295	-	-	-	-	1	2	-	2	1	3	3
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	-
MICHIGAN -----	875	-	-	-	-	3	5	6	8	13	28	30
WHITE-----MALE----	397	-	-	-	-	-	3	4	5	2	16	13
FEMALE--	399	-	-	-	-	2	1	1	2	6	6	14
ALL OTHER--MALE----	43	-	-	-	-	1	1	1	-	3	5	-
FEMALE--	36	-	-	-	-	-	-	-	1	2	1	3
BLACK---MALE----	41	-	-	-	-	1	1	1	-	3	5	-
FEMALE--	32	-	-	-	-	-	-	-	1	2	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 922

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)												
KENTUCKY -----	13	21	36	48	49	54	42	21	5	2	2	-
WHITE-----MALE----	5	10	21	22	29	29	23	9	2	-	1	-
FEMALE--	6	11	15	22	20	24	16	12	3	2	-	-
ALL OTHER--MALE----	1	-	-	3	-	1	3	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	3	-	1	3	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	1	-
LOUISIANA -----	22	23	27	47	51	55	39	24	13	4	-	-
WHITE-----MALE----	8	11	12	18	19	20	12	13	4	1	-	-
FEMALE--	8	7	11	18	22	24	24	10	8	3	-	-
ALL OTHER--MALE----	3	3	2	5	5	6	1	-	-	-	-	-
FEMALE--	3	2	2	6	5	5	2	1	1	-	-	-
BLACK---MALE----	3	3	2	5	5	5	1	-	-	-	-	-
FEMALE--	3	2	2	4	5	5	2	1	1	-	-	-
MAINE -----	9	17	11	12	17	22	15	11	4	3	-	-
WHITE-----MALE----	5	11	5	7	10	12	7	7	2	-	-	-
FEMALE--	4	6	6	5	7	10	8	4	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	21	26	28	42	46	73	47	27	9	3	-	-
WHITE-----MALE----	9	9	15	23	18	37	23	9	3	-	-	-
FEMALE--	8	11	9	12	23	23	19	16	6	3	-	-
ALL OTHER--MALE----	2	4	3	4	2	9	1	-	-	-	-	-
FEMALE--	2	2	1	3	3	4	4	2	-	-	-	-
BLACK---MALE----	2	2	3	3	2	8	1	-	-	-	-	-
FEMALE--	2	2	-	3	3	4	4	2	-	-	-	-
MASSACHUSETTS -----	26	43	41	58	75	103	109	64	19	6	-	-
WHITE-----MALE----	16	21	20	31	44	45	37	24	5	1	-	-
FEMALE--	9	19	15	26	29	58	69	40	13	5	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	2	6	1	1	-	2	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	5	1	1	-	2	-	-	-	-	-
MICHIGAN -----	52	50	59	121	121	147	127	74	26	4	1	-
WHITE-----MALE----	26	25	27	69	55	61	61	23	3	4	-	-
FEMALE--	20	17	25	45	53	80	58	48	20	-	1	-
ALL OTHER--MALE----	3	4	2	7	7	4	3	1	1	-	-	-
FEMALE--	3	4	5	-	6	2	5	2	2	-	-	-
BLACK---MALE----	3	3	2	6	7	4	3	1	1	-	-	-
FEMALE--	3	4	4	-	6	-	4	2	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 925

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)												
OHIO -----	1,084	-	1	1	2	3	5	6	7	20	23	41
WHITE-----MALE----	505	-	1	1	-	3	2	4	5	9	11	27
FEMALE--	515	-	-	-	1	-	2	1	2	5	5	10
ALL OTHER--MALE----	37	-	-	-	1	-	1	1	-	6	6	3
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	36	-	-	-	1	-	1	1	-	6	6	3
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	1
OKLAHOMA -----	286	-	-	-	-	1	1	-	3	11	6	9
WHITE-----MALE----	132	-	-	-	-	-	-	-	2	8	3	5
FEMALE--	122	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	15	-	-	-	-	1	1	-	1	-	2	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	10	-	-	-	-	1	1	-	1	-	2	-
OREGON -----	275	-	-	-	-	-	-	1	-	6	13	8
WHITE-----MALE----	127	-	-	-	-	-	-	1	-	2	6	6
FEMALE--	141	-	-	-	-	-	-	-	-	2	6	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	2	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
PENNSYLVANIA -----	1,272	-	-	-	-	1	4	7	14	12	28	35
WHITE-----MALE----	627	-	-	-	-	-	2	6	7	7	18	20
FEMALE--	591	-	-	-	-	1	2	-	7	5	6	13
ALL OTHER--MALE----	28	-	-	-	-	-	-	1	-	-	4	1
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	24	-	-	-	-	-	-	1	-	-	4	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND -----	111	-	-	-	-	-	-	1	-	2	3	5
WHITE-----MALE----	58	-	-	-	-	-	-	1	-	2	3	5
FEMALE--	51	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	274	-	-	1	-	-	-	3	5	4	3	8
WHITE-----MALE----	115	-	-	-	-	-	-	-	3	-	-	4
FEMALE--	107	-	-	-	-	-	-	2	1	1	-	1
ALL OTHER--MALE----	23	-	-	1	-	-	-	-	-	2	-	2
FEMALE--	29	-	-	-	-	-	-	1	1	1	3	1
BLACK---MALE----	23	-	-	1	-	-	-	-	-	2	-	2
FEMALE--	28	-	-	-	-	-	-	1	1	1	3	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 925

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)												
OHIO -----	54	51	90	123	182	167	157	108	37	6	-	-
WHITE-----MALE----	32	29	51	62	81	79	63	30	14	1	-	-
FEMALE--	16	19	33	54	90	84	89	76	23	5	-	-
ALL OTHER--MALE----	3	1	2	1	7	1	3	1	-	-	-	-
FEMALE--	3	2	4	6	4	3	2	1	-	-	-	-
BLACK---MALE----	3	1	2	1	6	1	3	1	-	-	-	-
FEMALE--	3	2	4	6	4	3	2	1	-	-	-	-
OKLAHOMA -----	10	17	31	30	35	49	37	36	7	3	-	-
WHITE-----MALE----	4	13	15	16	11	23	16	14	2	-	-	-
FEMALE--	4	4	12	12	21	23	18	19	4	2	-	-
ALL OTHER--MALE----	2	-	3	1	1	1	2	1	1	-	-	-
FEMALE--	-	-	1	1	2	2	1	2	-	1	-	-
BLACK---MALE----	1	-	2	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	2	-	-	-	-
OREGON -----	9	12	21	26	36	53	55	24	8	3	-	-
WHITE-----MALE----	6	6	13	13	11	22	29	9	3	-	-	-
FEMALE--	3	5	8	13	25	30	26	14	5	3	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	62	65	93	147	192	253	183	127	45	4	-	-
WHITE-----MALE----	35	33	41	86	106	130	76	42	16	2	-	-
FEMALE--	22	30	46	56	76	114	98	85	28	2	-	-
ALL OTHER--MALE----	3	1	3	2	4	6	3	-	-	-	-	-
FEMALE--	2	1	3	3	6	3	6	-	1	-	-	-
BLACK---MALE----	1	1	3	2	2	6	3	-	-	-	-	-
FEMALE--	2	1	3	3	5	3	6	-	1	-	-	-
RHODE ISLAND -----	7	8	8	16	8	13	20	16	2	2	-	-
WHITE-----MALE----	5	6	3	8	5	5	8	6	1	-	-	-
FEMALE--	1	2	5	8	3	7	12	10	1	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
SOUTH CAROLINA -----	19	18	26	26	42	57	29	25	6	1	1	-
WHITE-----MALE----	7	6	14	11	18	25	15	11	1	-	-	-
FEMALE--	5	7	5	13	18	25	11	13	4	-	1	-
ALL OTHER--MALE----	5	3	3	2	2	1	-	-	1	1	-	-
FEMALE--	2	2	4	-	4	6	3	1	-	-	-	-
BLACK---MALE----	5	3	3	2	2	1	-	-	1	1	-	-
FEMALE--	2	2	3	-	4	6	3	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 926

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)												
SOUTH DAKOTA -----	94	-	-	-	-	1	-	-	-	1	-	2
WHITE-----MALE----	48	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	44	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	485	-	-	-	-	2	2	6	7	4	11	16
WHITE-----MALE----	231	-	-	-	-	2	1	4	2	1	6	11
FEMALE--	206	-	-	-	-	-	-	2	2	2	2	4
ALL OTHER--MALE----	27	-	-	-	-	-	1	-	2	1	2	-
FEMALE--	21	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	27	-	-	-	-	-	1	-	2	1	2	-
FEMALE--	20	-	-	-	-	-	-	-	1	-	1	1
TEXAS -----	1,369	-	-	2	2	4	1	15	25	32	39	45
WHITE-----MALE----	657	-	-	1	1	1	-	10	12	18	27	23
FEMALE--	604	-	-	-	1	1	1	4	8	10	9	16
ALL OTHER--MALE----	61	-	-	1	-	2	-	1	3	3	3	4
FEMALE--	47	-	-	-	-	-	-	-	2	1	-	2
BLACK---MALE----	54	-	-	-	-	2	-	-	3	2	3	4
FEMALE--	43	-	-	-	-	-	-	-	2	1	-	2
UTAH -----	97	-	-	-	-	-	1	2	3	1	2	6
WHITE-----MALE----	46	-	-	-	-	-	1	1	2	-	2	1
FEMALE--	48	-	-	-	-	-	-	1	1	1	-	4
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
VERMONT -----	46	-	-	-	-	-	-	-	-	3	1	2
WHITE-----MALE----	32	-	-	-	-	-	-	-	-	3	1	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	487	-	-	1	1	-	3	2	9	13	12	20
WHITE-----MALE----	192	-	-	-	-	-	1	-	7	5	6	12
FEMALE--	217	-	-	-	-	-	-	-	-	3	4	3
ALL OTHER--MALE----	43	-	-	1	1	-	2	2	1	5	-	2
FEMALE--	35	-	-	-	-	-	-	-	1	-	2	3
BLACK---MALE----	43	-	-	1	1	-	2	2	1	5	-	2
FEMALE--	32	-	-	-	-	-	-	-	1	-	2	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 926

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)												
SOUTH DAKOTA -----	1	5	6	12	23	18	16	6	2	1	-	-
WHITE-----MALE----	1	4	4	6	14	7	8	1	1	-	-	-
FEMALE--	-	1	1	6	9	10	8	5	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	22	28	41	57	77	85	57	47	19	4	-	-
WHITE-----MALE----	11	12	25	26	43	43	27	12	3	2	-	-
FEMALE--	6	10	15	23	26	39	28	31	14	2	-	-
ALL OTHER--MALE----	3	4	-	5	3	2	1	3	-	-	-	-
FEMALE--	2	2	1	3	5	1	1	1	2	-	-	-
BLACK---MALE----	3	4	-	5	3	2	1	3	-	-	-	-
FEMALE--	2	2	1	2	5	1	1	1	2	-	-	-
TEXAS -----	78	77	113	169	187	245	168	118	38	8	3	-
WHITE-----MALE----	40	49	65	85	85	112	65	48	13	2	-	-
FEMALE--	25	24	36	68	93	121	96	62	22	4	3	-
ALL OTHER--MALE----	10	-	6	8	6	7	2	3	1	1	-	-
FEMALE--	3	4	6	8	3	5	5	5	2	1	-	-
BLACK---MALE----	10	-	6	7	5	6	1	3	1	1	-	-
FEMALE--	2	4	5	8	3	3	5	5	2	1	-	-
UTAH -----	5	9	3	13	11	17	11	12	1	-	-	-
WHITE-----MALE----	2	6	2	6	6	6	7	4	-	-	-	-
FEMALE--	3	3	1	7	4	10	4	8	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	5	6	5	10	5	5	2	1	-	-	-
WHITE-----MALE----	1	4	4	4	5	4	2	1	1	-	-	-
FEMALE--	-	1	2	1	5	1	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	29	29	49	45	80	82	62	35	13	2	-	-
WHITE-----MALE----	12	12	18	19	37	27	21	9	5	1	-	-
FEMALE--	11	10	20	19	38	47	34	22	6	-	-	-
ALL OTHER--MALE----	3	3	4	5	4	4	4	2	-	-	-	-
FEMALE--	3	4	7	2	1	4	3	2	2	1	-	-
BLACK---MALE----	3	3	4	5	4	4	4	2	-	-	-	-
FEMALE--	2	3	7	1	1	4	3	2	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 928

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)												
0 UNITED STATES --	409	690	899	1,357	1,865	1,801	1,573	959	340	59	3	-
WHITE-----MALE----	201	278	397	597	865	776	684	354	108	20	-	-
FEMALE--	115	239	301	491	706	751	676	474	177	27	3	-
ALL OTHER--MALE----	46	97	106	144	134	121	100	52	20	4	-	-
FEMALE--	47	76	95	125	160	153	113	79	35	8	-	-
BLACK---MALE----	42	82	94	133	123	109	91	49	19	3	-	-
FEMALE--	44	72	90	113	145	139	108	77	35	7	-	-
ALABAMA -----	6	13	18	22	28	28	25	10	6	2	-	-
WHITE-----MALE----	3	3	7	8	10	10	9	3	2	-	-	-
FEMALE--	-	4	5	7	8	7	6	4	1	2	-	-
ALL OTHER--MALE----	1	2	3	5	4	7	7	2	-	-	-	-
FEMALE--	2	4	3	2	6	4	3	1	3	-	-	-
BLACK---MALE----	1	2	3	5	4	7	7	2	-	-	-	-
FEMALE--	2	4	3	2	6	4	3	1	3	-	-	-
ALASKA -----	1	-	-	1	4	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	8	13	13	25	26	33	27	9	3	-	-	-
WHITE-----MALE----	4	3	6	13	16	18	16	3	2	-	-	-
FEMALE--	2	8	4	12	10	14	9	6	1	-	-	-
ALL OTHER--MALE----	1	2	3	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	6	17	12	14	22	16	17	12	5	-	-	-
WHITE-----MALE----	2	7	7	7	11	4	2	2	1	-	-	-
FEMALE--	2	6	3	4	5	8	12	5	2	-	-	-
ALL OTHER--MALE----	1	2	-	-	3	3	2	2	1	-	-	-
FEMALE--	1	2	2	3	3	1	1	3	1	-	-	-
BLACK---MALE----	1	2	-	-	3	3	2	2	1	-	-	-
FEMALE--	1	2	2	3	3	1	1	3	1	-	-	-
CALIFORNIA -----	35	61	82	136	146	196	144	87	33	9	-	-
WHITE-----MALE----	19	25	32	67	67	94	64	32	13	3	-	-
FEMALE--	11	16	30	46	57	72	66	49	17	5	-	-
ALL OTHER--MALE----	2	15	7	10	10	9	7	1	2	1	-	-
FEMALE--	3	5	13	13	12	21	7	5	1	-	-	-
BLACK---MALE----	1	6	4	6	7	5	5	-	2	-	-	-
FEMALE--	3	5	10	9	6	16	4	3	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 929

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)												
COLORADO -----	128	-	-	-	-	-	-	-	-	1	2	3
WHITE-----MALE----	70	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	46	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	133	-	-	-	-	-	-	-	-	1	2	5
WHITE-----MALE----	57	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	64	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	30	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	30	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	727	-	-	-	-	-	-	-	-	1	5	16
WHITE-----MALE----	329	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	276	-	-	-	-	-	-	-	-	-	2	6
ALL OTHER--MALE----	62	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	60	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	62	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	58	-	-	-	-	-	-	-	-	-	2	1
GEORGIA -----	252	-	-	-	-	-	-	-	-	2	4	9
WHITE-----MALE----	94	-	-	-	-	-	-	-	-	1	1	5
FEMALE--	79	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	36	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	43	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	36	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	43	-	-	-	-	-	-	-	-	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 929

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)												
COLORADO -----	4	10	13	13	19	26	20	15	2	-	-	-
WHITE-----MALE----	2	6	8	8	12	17	9	5	1	-	-	-
FEMALE--	2	4	2	5	6	8	8	8	1	-	-	-
ALL OTHER--MALE----	-	-	3	-	1	-	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	3	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
CONNECTICUT -----	7	4	7	19	24	22	19	19	2	1	1	-
WHITE-----MALE----	3	3	1	7	13	6	11	9	-	-	-	-
FEMALE--	2	1	4	11	8	14	7	10	2	1	1	-
ALL OTHER--MALE----	1	-	1	1	3	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	1	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	-	-	-	-	-
DELAWARE -----	1	2	5	2	6	6	5	2	-	-	-	-
WHITE-----MALE----	-	1	2	1	3	1	3	-	-	-	-	-
FEMALE--	-	1	2	-	1	4	2	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	1	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	1	10	4	7	4	2	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	2	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	6	3	4	3	1	1	-	-	-
BLACK---MALE----	-	-	1	2	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	6	2	4	3	1	1	-	-	-
FLORIDA -----	31	50	65	80	134	130	115	71	25	3	1	-
WHITE-----MALE----	14	24	26	39	64	63	47	34	11	2	-	-
FEMALE--	8	10	18	22	56	50	59	31	12	1	1	-
ALL OTHER--MALE----	6	10	9	11	6	9	2	1	2	-	-	-
FEMALE--	3	6	12	8	8	8	7	5	-	-	-	-
BLACK---MALE----	6	10	9	11	6	9	2	1	2	-	-	-
FEMALE--	3	6	11	7	8	8	7	5	-	-	-	-
GEORGIA -----	6	24	16	46	43	46	34	16	5	1	-	-
WHITE-----MALE----	2	9	8	21	13	16	11	5	1	1	-	-
FEMALE--	3	5	4	8	17	20	12	7	1	-	-	-
ALL OTHER--MALE----	1	6	1	10	4	4	4	3	-	-	-	-
FEMALE--	-	4	3	7	9	6	7	1	3	-	-	-
BLACK---MALE----	1	6	1	10	4	4	4	3	-	-	-	-
FEMALE--	-	4	3	7	9	6	7	1	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 930

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)												
HAWAII -----	1	3	3	2	8	4	2	2	-	-	-	-
WHITE-----MALE----	-	1	1	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	2	3	1	-	-	-	-	-
FEMALE--	-	1	-	1	5	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	2	1	8	1	8	7	3	-	1	-	-
WHITE-----MALE----	1	1	-	5	1	6	3	-	-	-	-	-
FEMALE--	-	1	1	3	-	2	4	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	19	25	44	63	86	72	64	46	12	-	-	-
WHITE-----MALE----	10	12	17	23	42	24	24	12	2	-	-	-
FEMALE--	5	8	12	20	27	32	34	28	9	-	-	-
ALL OTHER--MALE----	2	3	12	16	5	5	1	-	1	-	-	-
FEMALE--	2	2	3	4	12	11	5	6	-	-	-	-
BLACK---MALE----	1	3	11	14	5	4	-	-	1	-	-	-
FEMALE--	2	1	2	4	12	9	5	6	-	-	-	-
INDIANA -----	13	12	19	31	47	42	35	18	13	1	-	-
WHITE-----MALE----	8	6	10	16	20	14	15	6	5	-	-	-
FEMALE--	4	5	6	14	22	26	16	10	6	-	-	-
ALL OTHER--MALE----	-	-	3	1	3	2	3	2	-	-	-	-
FEMALE--	1	1	-	-	2	-	1	-	2	1	-	-
BLACK---MALE----	-	-	3	1	3	2	3	2	-	-	-	-
FEMALE--	1	1	-	-	2	-	1	-	2	1	-	-
IOWA -----	7	7	11	9	28	26	22	26	5	1	-	-
WHITE-----MALE----	6	5	8	4	13	18	8	6	2	1	-	-
FEMALE--	1	2	3	5	15	8	14	20	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	5	1	9	8	24	20	20	12	4	3	-	-
WHITE-----MALE----	1	1	5	2	16	7	8	6	1	-	-	-
FEMALE--	3	-	2	5	4	9	11	5	3	3	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	3	4	1	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	3	4	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 931

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)												
KENTUCKY -----	155	-	-	-	-	-	-	1	1	-	2	3
WHITE-----MALE----	74	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	64	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	174	-	-	-	-	-	-	-	-	1	4	4
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	54	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	42	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	25	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	42	-	-	-	-	-	-	-	-	-	1	2
MAINE -----	67	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	34	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	191	-	-	-	-	-	-	-	1	-	2	3
WHITE-----MALE----	60	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	64	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	42	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	41	-	-	-	-	-	-	-	1	-	-	1
MASSACHUSETTS -----	232	-	-	-	-	-	-	1	-	1	1	3
WHITE-----MALE----	112	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	103	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	369	-	-	-	-	-	-	-	-	1	4	11
WHITE-----MALE----	167	-	-	-	-	-	-	-	-	-	2	5
FEMALE--	129	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	41	-	-	-	-	-	-	-	-	1	-	3
BLACK---MALE----	31	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	40	-	-	-	-	-	-	-	-	1	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 931

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)												
KENTUCKY -----	17	9	14	12	26	31	23	10	6	-	-	-
WHITE-----MALE----	12	4	6	10	14	12	10	3	-	-	-	-
FEMALE--	4	2	7	2	9	14	11	5	6	-	-	-
ALL OTHER--MALE----	1	2	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	2	4	2	1	-	-	-	-
BLACK---MALE----	1	2	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	2	4	2	1	-	-	-	-
LOUISIANA -----	6	16	13	26	31	29	23	20	-	1	-	-
WHITE-----MALE----	2	4	7	5	5	8	8	10	-	-	-	-
FEMALE--	1	4	1	11	13	10	9	4	-	-	-	-
ALL OTHER--MALE----	1	3	2	4	6	5	1	1	-	1	-	-
FEMALE--	2	5	3	6	7	6	5	5	-	-	-	-
BLACK---MALE----	1	3	2	4	6	5	1	1	-	1	-	-
FEMALE--	2	5	3	6	7	6	5	5	-	-	-	-
MAINE -----	1	2	6	11	17	9	10	8	2	-	-	-
WHITE-----MALE----	1	1	4	4	7	4	6	5	1	-	-	-
FEMALE--	-	1	2	7	10	5	4	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	11	14	24	22	38	35	23	14	3	1	-	-
WHITE-----MALE----	4	2	6	7	13	10	9	5	-	-	-	-
FEMALE--	4	4	7	7	12	14	9	6	1	-	-	-
ALL OTHER--MALE----	1	1	7	2	7	4	2	-	1	-	-	-
FEMALE--	2	7	4	6	6	7	3	3	1	1	-	-
BLACK---MALE----	1	1	6	2	7	4	2	-	1	-	-	-
FEMALE--	2	7	4	6	6	6	3	3	1	1	-	-
MASSACHUSETTS -----	8	16	17	31	36	43	44	20	9	2	-	-
WHITE-----MALE----	3	8	9	14	22	19	23	9	2	-	-	-
FEMALE--	2	6	7	16	13	19	18	11	7	2	-	-
ALL OTHER--MALE----	2	2	-	1	-	3	2	-	-	-	-	-
FEMALE--	1	-	1	-	1	2	1	-	-	-	-	-
BLACK---MALE----	2	2	-	1	-	3	2	-	-	-	-	-
FEMALE--	1	-	1	-	1	2	1	-	-	-	-	-
MICHIGAN -----	17	28	33	59	70	61	46	27	10	2	-	-
WHITE-----MALE----	8	12	14	23	32	31	21	15	4	-	-	-
FEMALE--	5	11	12	20	21	25	17	11	4	-	-	-
ALL OTHER--MALE----	-	4	3	8	6	2	4	1	2	-	-	-
FEMALE--	4	1	4	8	11	3	4	-	-	2	-	-
BLACK---MALE----	-	3	3	8	6	2	4	1	2	-	-	-
FEMALE--	4	1	4	7	11	3	4	-	-	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 934

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)												
OHIO -----	463	-	-	-	-	-	-	-	-	3	3	16
WHITE-----MALE----	204	-	-	-	-	-	-	-	-	2	1	6
FEMALE--	189	-	-	-	-	-	-	-	-	1	1	6
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	38	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	3
OKLAHOMA -----	136	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	60	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	53	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	145	-	-	-	-	-	-	-	-	-	3	1
WHITE-----MALE----	81	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	59	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	603	-	-	-	-	-	-	-	-	4	7	13
WHITE-----MALE----	280	-	-	-	-	-	-	-	-	1	5	8
FEMALE--	239	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	42	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	42	-	-	-	-	-	-	-	-	2	1	2
BLACK---MALE----	40	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	41	-	-	-	-	-	-	-	-	2	1	1
RHODE ISLAND -----	33	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	171	-	-	-	-	-	-	-	-	1	2	4
WHITE-----MALE----	51	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	49	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	35	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	36	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	35	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	36	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 934

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)												
OHIO -----	14	38	31	64	80	77	78	47	11	1	-	-
WHITE-----MALE----	9	15	16	25	41	28	41	19	1	-	-	-
FEMALE--	3	17	7	35	30	35	28	22	3	1	-	-
ALL OTHER--MALE----	1	5	5	3	6	9	4	3	1	-	-	-
FEMALE--	1	1	3	1	3	5	5	3	6	-	-	-
BLACK---MALE----	1	5	5	3	6	8	4	3	1	-	-	-
FEMALE--	-	1	3	1	3	5	5	3	6	-	-	-
OKLAHOMA -----	10	12	15	16	21	26	20	10	3	1	-	-
WHITE-----MALE----	4	8	4	8	9	14	4	5	3	-	-	-
FEMALE--	3	3	8	6	9	8	13	3	-	-	-	-
ALL OTHER--MALE----	-	-	2	1	-	1	-	2	-	-	-	-
FEMALE--	3	1	1	1	3	3	3	-	-	1	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	2	1	1	1	2	2	3	-	-	-	-	-
OREGON -----	10	5	11	16	24	26	28	14	7	-	-	-
WHITE-----MALE----	7	2	10	8	13	19	14	5	2	-	-	-
FEMALE--	3	3	1	7	10	6	14	9	5	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	14	33	55	71	131	96	93	62	22	2	-	-
WHITE-----MALE----	8	12	28	37	60	45	39	27	9	1	-	-
FEMALE--	3	16	20	24	57	39	43	27	9	1	-	-
ALL OTHER--MALE----	2	2	4	8	9	4	4	3	1	-	-	-
FEMALE--	1	3	3	2	5	8	7	5	3	-	-	-
BLACK---MALE----	2	2	4	8	8	4	3	3	1	-	-	-
FEMALE--	1	3	3	2	5	8	7	5	3	-	-	-
RHODE ISLAND -----	2	1	2	6	5	3	5	6	2	-	-	-
WHITE-----MALE----	1	-	1	1	4	1	3	2	1	-	-	-
FEMALE--	1	1	1	5	1	2	2	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	7	17	14	19	36	24	28	15	3	1	-	-
WHITE-----MALE----	2	5	6	6	9	7	9	4	-	1	-	-
FEMALE--	-	4	1	7	12	11	6	6	1	-	-	-
ALL OTHER--MALE----	3	4	2	3	7	1	9	1	2	-	-	-
FEMALE--	2	4	5	3	8	5	4	4	-	-	-	-
BLACK---MALE----	3	4	2	3	7	1	9	1	2	-	-	-
FEMALE--	2	4	5	3	8	5	4	4	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 935

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)												
SOUTH DAKOTA -----	1	3	3	3	8	11	3	5	-	1	-	-
WHITE-----MALE----	1	1	1	2	3	6	2	1	-	-	-	-
FEMALE--	-	2	2	1	5	4	1	4	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	14	21	19	35	43	32	43	20	6	1	-	-
WHITE-----MALE----	6	9	11	10	13	11	19	5	2	1	-	-
FEMALE--	7	7	7	14	24	15	14	10	3	-	-	-
ALL OTHER--MALE----	1	2	-	4	5	3	4	2	1	-	-	-
FEMALE--	-	3	1	7	1	3	6	3	-	-	-	-
BLACK---MALE----	1	2	-	4	5	2	4	2	1	-	-	-
FEMALE--	-	3	1	7	1	3	6	3	-	-	-	-
TEXAS -----	22	42	55	86	124	105	106	50	34	5	-	-
WHITE-----MALE----	9	12	23	33	62	49	53	18	7	2	-	-
FEMALE--	9	17	25	33	47	45	40	23	19	2	-	-
ALL OTHER--MALE----	2	6	4	10	7	5	5	5	4	-	-	-
FEMALE--	2	7	3	10	8	6	8	4	4	1	-	-
BLACK---MALE----	2	6	3	9	7	5	5	5	4	-	-	-
FEMALE--	2	7	3	9	8	6	8	4	4	1	-	-
UTAH -----	2	3	6	7	10	12	16	7	2	-	-	-
WHITE-----MALE----	2	1	4	4	4	7	11	3	1	-	-	-
FEMALE--	-	2	2	3	6	5	5	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	2	-	2	3	4	1	1	-	-	-	-
WHITE-----MALE----	1	2	-	2	2	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	10	29	23	41	44	48	43	28	9	1	-	-
WHITE-----MALE----	3	10	8	18	19	16	16	6	3	1	-	-
FEMALE--	-	10	9	10	16	19	15	13	4	-	-	-
ALL OTHER--MALE----	4	6	2	9	6	5	5	6	-	-	-	-
FEMALE--	3	3	4	4	3	8	7	3	2	-	-	-
BLACK---MALE----	4	4	2	9	6	5	5	6	-	-	-	-
FEMALE--	3	2	4	4	3	8	7	3	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 937

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LEUKEMIA (204-208)												
0 UNITED STATES --	20,313	32	134	175	191	213	237	251	264	367	476	610
WHITE-----MALE----	10,171	11	57	76	100	106	121	113	125	159	207	301
FEMALE--	8,112	16	46	64	61	75	71	73	86	131	174	222
ALL OTHER--MALE----	1,094	2	15	18	20	18	32	42	27	39	52	48
FEMALE--	936	3	16	17	10	14	13	23	26	38	43	39
BLACK---MALE----	905	-	14	10	13	14	26	30	25	34	43	41
FEMALE--	768	1	10	15	8	12	11	20	18	31	24	32
ALABAMA -----	318	-	-	5	1	4	5	5	4	2	8	9
WHITE-----MALE----	147	-	-	2	1	2	1	2	3	1	3	4
FEMALE--	109	-	-	1	-	-	1	2	-	1	1	3
ALL OTHER--MALE----	28	-	-	-	-	2	-	1	1	-	2	1
FEMALE--	34	-	-	2	-	-	3	-	-	-	2	1
BLACK---MALE----	28	-	-	-	-	2	-	1	1	-	2	1
FEMALE--	33	-	-	2	-	-	3	-	-	-	2	1
ALASKA -----	23	-	-	-	2	1	1	1	-	2	2	-
WHITE-----MALE----	11	-	-	-	1	1	-	1	-	1	1	-
FEMALE--	8	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	264	-	3	2	5	2	3	3	6	7	4	9
WHITE-----MALE----	138	-	1	1	2	2	1	2	3	2	1	5
FEMALE--	115	-	-	1	3	-	2	-	2	5	3	4
ALL OTHER--MALE----	5	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	6	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	238	-	1	5	1	4	1	2	-	4	6	1
WHITE-----MALE----	115	-	1	3	1	2	1	-	-	1	4	-
FEMALE--	106	-	-	2	-	1	-	1	-	3	1	1
ALL OTHER--MALE----	11	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	11	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	2,067	5	18	22	38	23	24	35	31	46	54	69
WHITE-----MALE----	1,063	1	7	15	18	12	11	17	18	25	21	37
FEMALE--	781	3	8	6	14	6	8	12	8	16	21	24
ALL OTHER--MALE----	122	1	2	-	4	2	3	3	1	3	3	6
FEMALE--	101	-	1	1	2	3	2	3	4	2	9	2
BLACK---MALE----	51	-	2	-	2	-	2	-	1	1	1	4
FEMALE--	44	-	-	1	-	3	-	1	1	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 937

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LEUKEMIA (204-208)												
0 UNITED STATES --	794	995	1,429	2,130	2,929	3,189	2,810	1,931	891	223	42	-
WHITE-----MALE----	389	514	743	1,232	1,593	1,685	1,424	813	325	64	13	-
FEMALE--	292	357	502	698	1,063	1,280	1,211	1,006	506	152	26	-
ALL OTHER--MALE----	61	63	113	111	155	126	81	47	21	3	-	-
FEMALE--	52	61	71	89	118	98	94	65	39	4	3	-
BLACK---MALE----	47	51	96	90	136	105	68	42	17	3	-	-
FEMALE--	39	47	61	74	95	86	86	58	34	3	3	-
ALABAMA -----	14	14	26	38	53	39	48	18	20	4	1	-
WHITE-----MALE----	4	7	12	16	30	21	25	4	8	1	-	-
FEMALE--	6	4	10	15	16	12	14	11	8	3	1	-
ALL OTHER--MALE----	3	1	3	4	1	3	4	1	1	-	-	-
FEMALE--	1	2	1	3	6	3	5	2	3	-	-	-
BLACK---MALE----	3	1	3	4	1	3	4	1	1	-	-	-
FEMALE--	1	2	1	2	6	3	5	2	3	-	-	-
ALASKA -----	2	2	-	3	2	2	-	1	1	-	1	-
WHITE-----MALE----	2	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	1	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARIZONA -----	5	17	20	31	38	42	32	29	5	1	-	-
WHITE-----MALE----	2	8	9	19	25	25	16	10	3	1	-	-
FEMALE--	3	8	10	11	12	17	15	17	2	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
ARKANSAS -----	9	13	14	22	41	41	35	32	5	1	-	-
WHITE-----MALE----	5	6	8	11	19	21	13	19	-	-	-	-
FEMALE--	4	6	4	10	18	18	19	12	5	1	-	-
ALL OTHER--MALE----	-	-	2	-	3	1	3	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	2	-	3	1	3	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	1	-	-	-	-
CALIFORNIA -----	85	111	165	239	240	309	249	193	89	19	3	-
WHITE-----MALE----	46	47	85	136	121	173	140	86	40	5	2	-
FEMALE--	29	50	58	82	86	109	90	93	43	14	1	-
ALL OTHER--MALE----	6	6	12	14	18	19	8	6	5	-	-	-
FEMALE--	4	8	10	7	15	8	11	8	1	-	-	-
BLACK---MALE----	2	1	5	6	8	6	4	3	3	-	-	-
FEMALE--	1	3	4	2	9	4	6	6	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 938

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LEUKEMIA (204-208)												
COLORADO -----	228	1	2	2	1	5	-	4	3	4	10	13
WHITE-----MALE----	133	1	2	1	1	2	-	3	2	1	6	7
FEMALE--	90	-	-	1	-	3	-	1	1	3	3	6
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	278	-	-	1	1	5	5	5	4	3	6	4
WHITE-----MALE----	142	-	-	-	1	2	4	3	2	1	2	1
FEMALE--	121	-	-	1	-	2	1	1	2	2	2	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	6	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	5	-	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	61	-	-	1	1	-	-	-	-	-	-	1
WHITE-----MALE----	30	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	27	-	-	1	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	38	-	1	1	1	-	1	-	1	1	5	1
WHITE-----MALE----	7	-	-	1	-	-	-	-	-	-	2	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	12	-	1	-	1	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	1	-	1	-	1	-
BLACK---MALE----	12	-	1	-	1	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	1	-	1	-	1	-
FLORIDA -----	1,429	-	6	8	11	12	10	18	18	25	34	37
WHITE-----MALE----	752	-	1	1	7	5	7	2	8	9	11	24
FEMALE--	543	-	2	2	2	3	1	7	5	9	17	9
ALL OTHER--MALE----	74	-	3	2	2	2	-	4	3	3	5	2
FEMALE--	60	-	-	3	-	2	2	5	2	4	1	2
BLACK---MALE----	70	-	3	2	1	2	-	4	3	3	4	2
FEMALE--	57	-	-	3	-	2	2	5	2	3	1	2
GEORGIA -----	443	-	2	1	5	3	11	6	6	9	11	21
WHITE-----MALE----	179	-	-	-	1	2	5	2	1	1	7	5
FEMALE--	176	-	-	-	1	1	2	1	3	3	3	8
ALL OTHER--MALE----	46	-	1	-	1	-	4	3	2	2	1	6
FEMALE--	42	-	1	1	2	-	-	-	-	3	-	2
BLACK---MALE----	42	-	1	-	1	-	4	1	2	2	1	6
FEMALE--	41	-	1	1	2	-	-	-	-	3	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 938

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LEUKEMIA (204-208)												
COLORADO -----	9	16	9	26	30	37	28	15	13	-	-	-
WHITE-----MALE----	5	10	4	17	19	24	17	7	4	-	-	-
FEMALE--	4	6	5	6	10	13	11	8	9	-	-	-
ALL OTHER--MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	12	13	12	38	34	46	38	32	16	2	1	-
WHITE-----MALE----	3	9	7	28	14	25	21	14	4	1	-	-
FEMALE--	8	2	5	8	18	20	16	17	12	1	1	-
ALL OTHER--MALE----	1	1	-	1	2	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	1	-	-	-	-
BLACK---MALE----	1	1	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	1	-	-	-	-
DELAWARE -----	1	3	3	7	11	16	6	7	4	-	-	-
WHITE-----MALE----	1	-	1	4	5	8	3	4	3	-	-	-
FEMALE--	-	3	2	3	4	7	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	2	4	6	5	5	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	3	2	2	1	-	-	-	-	-
FEMALE--	-	1	1	1	3	3	2	1	1	-	-	-
BLACK---MALE----	-	-	1	3	2	2	1	-	-	-	-	-
FEMALE--	-	1	1	1	3	3	2	1	1	-	-	-
FLORIDA -----	44	59	86	151	211	244	235	140	59	17	4	-
WHITE-----MALE----	21	29	43	87	122	137	132	72	23	9	2	-
FEMALE--	17	22	34	45	76	97	92	61	32	8	2	-
ALL OTHER--MALE----	5	6	9	10	6	3	4	3	2	-	-	-
FEMALE--	1	2	-	9	7	7	7	4	2	-	-	-
BLACK---MALE----	5	5	9	9	6	3	4	3	2	-	-	-
FEMALE--	1	2	-	8	7	7	7	4	1	-	-	-
GEORGIA -----	17	29	40	43	61	68	53	39	12	6	-	-
WHITE-----MALE----	5	16	20	22	21	33	17	14	5	2	-	-
FEMALE--	7	7	13	13	32	23	28	25	2	4	-	-
ALL OTHER--MALE----	1	3	3	3	5	8	2	-	1	-	-	-
FEMALE--	4	3	4	5	3	4	6	-	4	-	-	-
BLACK---MALE----	1	3	2	3	5	8	2	-	-	-	-	-
FEMALE--	4	3	4	5	3	4	6	-	4	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 939

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LEUKEMIA (204-208)												
HAWAII -----	5	3	5	6	16	8	7	4	2	-	-	-
WHITE-----MALE----	-	-	-	-	3	3	1	1	-	-	-	-
FEMALE--	-	-	1	-	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	4	2	3	5	5	2	4	2	1	-	-	-
FEMALE--	1	1	1	1	6	3	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	3	5	6	16	12	13	5	3	2	-	-
WHITE-----MALE----	2	2	4	4	11	8	5	3	1	1	-	-
FEMALE--	-	1	1	2	4	4	8	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	42	51	62	102	133	154	133	101	38	4	3	-
WHITE-----MALE----	22	29	32	56	64	72	60	46	17	1	-	-
FEMALE--	15	12	19	34	58	64	62	50	20	3	2	-
ALL OTHER--MALE----	3	2	7	7	7	9	6	2	1	-	-	-
FEMALE--	2	8	4	5	4	9	5	3	-	-	1	-
BLACK---MALE----	2	2	7	7	7	9	6	2	1	-	-	-
FEMALE--	1	8	4	5	4	8	5	3	-	-	1	-
INDIANA -----	13	16	51	48	78	80	56	42	18	7	1	-
WHITE-----MALE----	8	6	29	21	42	39	31	15	9	1	-	-
FEMALE--	5	10	19	25	30	37	25	26	9	6	1	-
ALL OTHER--MALE----	-	-	2	1	5	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	3	-	1	-	-	-	-
BLACK---MALE----	-	-	2	1	5	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	3	-	1	-	-	-	-
IOWA -----	9	12	12	30	34	34	39	26	18	5	-	-
WHITE-----MALE----	5	9	5	16	24	19	22	8	4	-	-	-
FEMALE--	4	3	7	13	10	13	17	18	14	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
KANSAS -----	4	6	12	17	32	45	20	26	20	5	2	-
WHITE-----MALE----	4	3	5	8	17	22	11	10	9	2	-	-
FEMALE--	-	2	5	9	12	22	8	16	11	3	2	-
ALL OTHER--MALE----	-	1	1	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 940

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LEUKEMIA (204-208)												
KENTUCKY -----	343	2	1	5	1	2	4	2	6	5	10	5
WHITE-----MALE----	194	1	1	3	1	1	4	2	2	2	4	3
FEMALE--	129	1	-	2	-	1	-	-	3	3	6	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	12	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	329	-	-	1	5	5	5	1	7	10	6	9
WHITE-----MALE----	132	-	-	-	2	3	2	-	3	4	1	4
FEMALE--	132	-	-	1	2	1	2	1	2	3	4	1
ALL OTHER--MALE----	35	-	-	-	-	1	1	-	-	3	-	3
FEMALE--	30	-	-	-	1	-	-	-	2	-	1	1
BLACK---MALE----	35	-	-	-	-	1	1	-	-	3	-	3
FEMALE--	30	-	-	-	1	-	-	-	2	-	1	1
MAINE -----	103	-	1	1	2	2	-	-	2	1	5	5
WHITE-----MALE----	53	-	-	1	1	2	-	-	1	-	2	1
FEMALE--	50	-	1	-	1	-	-	-	1	1	3	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	339	-	8	2	3	2	4	6	11	11	6	19
WHITE-----MALE----	145	-	1	-	-	1	1	1	5	1	3	5
FEMALE--	121	-	4	1	-	-	2	2	4	2	-	9
ALL OTHER--MALE----	44	-	2	1	3	1	1	-	1	6	2	3
FEMALE--	29	-	1	-	-	-	-	3	1	2	1	2
BLACK---MALE----	44	-	2	1	3	1	1	-	1	6	2	3
FEMALE--	26	-	1	-	-	-	-	3	1	2	1	2
MASSACHUSETTS -----	459	-	3	1	4	5	7	5	5	6	7	10
WHITE-----MALE----	233	-	-	1	2	2	4	3	5	5	4	2
FEMALE--	208	-	3	-	2	1	3	1	-	1	2	8
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	12	-	-	-	-	2	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	1	-	-	-	-	1	-
MICHIGAN -----	708	-	3	5	4	5	9	10	12	14	7	19
WHITE-----MALE----	352	-	2	4	3	1	3	6	6	9	4	10
FEMALE--	271	-	-	1	-	4	3	3	5	3	3	6
ALL OTHER--MALE----	41	-	-	-	1	-	3	1	-	1	-	-
FEMALE--	44	-	1	-	-	-	-	-	1	1	-	3
BLACK---MALE----	39	-	-	-	1	-	3	1	-	1	-	-
FEMALE--	40	-	1	-	-	-	-	-	1	1	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 940

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LEUKEMIA (204-208)												
KENTUCKY -----	20	21	22	45	48	51	42	27	15	7	2	-
WHITE-----MALE----	10	10	8	33	26	34	25	11	10	2	1	-
FEMALE--	7	9	11	11	19	14	16	15	5	5	1	-
ALL OTHER--MALE----	3	1	1	-	2	3	-	-	-	-	-	-
FEMALE--	-	1	2	1	1	-	1	1	-	-	-	-
BLACK---MALE----	3	1	1	-	2	3	-	-	-	-	-	-
FEMALE--	-	1	2	1	-	-	1	1	-	-	-	-
LOUISIANA -----	13	17	31	27	45	50	50	28	16	3	-	-
WHITE-----MALE----	5	4	14	15	24	21	19	9	2	-	-	-
FEMALE--	5	8	10	9	17	19	22	10	12	3	-	-
ALL OTHER--MALE----	-	2	4	3	3	5	6	4	-	-	-	-
FEMALE--	3	3	3	-	1	5	3	5	2	-	-	-
BLACK---MALE----	-	2	4	3	3	5	6	4	-	-	-	-
FEMALE--	3	3	3	-	1	5	3	5	2	-	-	-
MAINE -----	3	6	8	10	9	21	14	6	4	3	-	-
WHITE-----MALE----	3	5	5	7	4	13	4	2	-	2	-	-
FEMALE--	-	1	3	3	5	8	10	4	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	18	10	21	36	48	54	43	20	13	4	-	-
WHITE-----MALE----	10	4	10	18	24	24	22	9	5	1	-	-
FEMALE--	5	3	5	11	14	26	17	7	7	2	-	-
ALL OTHER--MALE----	3	2	3	4	4	3	2	3	-	-	-	-
FEMALE--	-	1	3	3	6	1	2	1	1	1	-	-
BLACK---MALE----	3	2	3	4	4	3	2	3	-	-	-	-
FEMALE--	-	-	3	2	5	1	2	1	1	1	-	-
MASSACHUSETTS -----	20	14	26	35	67	64	86	64	22	8	-	-
WHITE-----MALE----	16	6	18	24	33	33	39	31	3	2	-	-
FEMALE--	4	6	5	10	31	28	47	31	19	6	-	-
ALL OTHER--MALE----	-	1	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	2	-	2	2	-	2	-	-	-	-
BLACK---MALE----	-	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	-	-	-
MICHIGAN -----	33	31	63	85	109	85	100	67	37	9	1	-
WHITE-----MALE----	15	15	25	56	57	39	52	30	12	2	1	-
FEMALE--	12	13	26	23	30	38	44	30	20	7	-	-
ALL OTHER--MALE----	3	-	7	4	11	5	2	2	1	-	-	-
FEMALE--	3	3	5	2	11	3	2	5	4	-	-	-
BLACK---MALE----	3	-	6	4	11	4	2	2	1	-	-	-
FEMALE--	3	1	5	2	9	3	2	5	4	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 943

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LEUKEMIA (204-208)												
OHIO -----	959	1	4	6	9	13	12	11	8	19	30	24
WHITE-----MALE----	476	1	1	4	7	10	9	6	2	6	15	13
FEMALE--	409	-	2	1	2	2	3	4	5	8	9	9
ALL OTHER--MALE----	35	-	-	-	-	-	-	1	1	1	3	2
FEMALE--	39	-	1	1	-	1	-	-	-	4	3	-
BLACK---MALE----	35	-	-	-	-	-	-	1	1	1	3	2
FEMALE--	39	-	1	1	-	1	-	-	-	4	3	-
OKLAHOMA -----	305	1	1	3	4	4	1	5	1	3	6	4
WHITE-----MALE----	144	-	1	1	-	1	-	3	1	2	3	1
FEMALE--	130	-	-	1	2	1	-	2	-	-	2	2
ALL OTHER--MALE----	16	1	-	1	1	2	1	-	-	1	-	1
FEMALE--	15	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	10	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	9	-	-	-	1	-	-	-	-	-	1	-
OREGON -----	279	-	2	1	2	5	1	3	4	2	6	13
WHITE-----MALE----	135	-	2	1	1	1	-	1	2	1	1	8
FEMALE--	138	-	-	-	1	4	1	1	2	1	4	4
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,130	-	11	10	4	16	14	13	14	15	20	39
WHITE-----MALE----	558	-	4	2	3	7	9	5	6	9	10	23
FEMALE--	501	-	4	7	1	9	5	3	4	2	7	13
ALL OTHER--MALE----	41	-	1	1	-	-	-	5	2	2	3	2
FEMALE--	30	-	2	-	-	-	-	-	2	2	-	1
BLACK---MALE----	37	-	1	1	-	-	-	3	2	2	2	2
FEMALE--	28	-	1	-	-	-	-	-	2	2	-	1
RHODE ISLAND -----	90	-	1	2	2	2	-	-	2	3	1	3
WHITE-----MALE----	46	-	-	1	1	1	-	-	1	1	-	1
FEMALE--	40	-	1	1	1	1	-	-	-	1	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	265	1	2	2	1	4	5	3	1	3	4	5
WHITE-----MALE----	97	-	1	1	-	2	1	2	-	-	1	-
FEMALE--	105	1	1	-	-	2	1	-	1	1	2	3
ALL OTHER--MALE----	38	-	-	1	1	-	-	1	-	2	1	1
FEMALE--	25	-	-	-	-	-	3	-	-	-	-	1
BLACK---MALE----	38	-	-	1	1	-	-	1	-	2	1	1
FEMALE--	25	-	-	-	-	-	3	-	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 943

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LEUKEMIA (204-208)												
OHIO -----	43	41	66	103	151	145	137	95	31	9	1	-
WHITE-----MALE----	24	22	38	47	86	67	71	35	8	4	-	-
FEMALE--	15	17	20	46	53	69	61	57	20	5	1	-
ALL OTHER--MALE----	2	2	4	3	7	5	2	1	1	-	-	-
FEMALE--	2	-	4	7	5	4	3	2	2	-	-	-
BLACK---MALE----	2	2	4	3	7	5	2	1	1	-	-	-
FEMALE--	2	-	4	7	5	4	3	2	2	-	-	-
OKLAHOMA -----	12	14	27	24	41	41	42	48	15	6	2	-
WHITE-----MALE----	5	8	17	14	21	21	25	16	3	1	-	-
FEMALE--	7	4	9	5	15	17	15	29	12	5	2	-
ALL OTHER--MALE----	-	1	-	2	2	1	1	1	-	-	-	-
FEMALE--	-	1	1	3	3	2	1	2	-	-	-	-
BLACK---MALE----	-	1	-	2	1	1	1	1	-	-	-	-
FEMALE--	-	-	1	2	-	1	1	2	-	-	-	-
OREGON -----	8	15	19	21	37	59	36	31	9	2	3	-
WHITE-----MALE----	2	8	8	16	22	24	20	14	3	-	-	-
FEMALE--	5	7	10	5	15	35	15	17	6	2	3	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	35	48	97	122	155	196	148	103	52	17	1	-
WHITE-----MALE----	15	25	49	68	89	105	66	44	17	2	-	-
FEMALE--	14	20	44	49	54	83	76	57	33	15	1	-
ALL OTHER--MALE----	2	3	3	1	10	3	2	1	-	-	-	-
FEMALE--	4	-	1	4	2	5	4	1	2	-	-	-
BLACK---MALE----	2	2	3	1	10	3	2	1	-	-	-	-
FEMALE--	4	-	1	4	2	5	3	1	2	-	-	-
RHODE ISLAND -----	1	5	3	12	15	15	7	10	3	2	1	-
WHITE-----MALE----	1	3	-	8	8	10	4	4	1	-	1	-
FEMALE--	-	2	3	4	7	5	2	6	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	12	15	23	21	37	43	40	27	12	3	1	-
WHITE-----MALE----	3	6	16	7	15	17	12	9	3	1	-	-
FEMALE--	6	5	3	6	14	18	18	13	8	2	-	-
ALL OTHER--MALE----	-	4	3	6	4	7	5	2	-	-	-	-
FEMALE--	3	-	1	2	4	1	5	3	1	-	1	-
BLACK---MALE----	-	4	3	6	4	7	5	2	-	-	-	-
FEMALE--	3	-	1	2	4	1	5	3	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 944

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LEUKEMIA (204-208)												
SOUTH DAKOTA -----	64	-	-	1	1	2	2	-	-	4	1	1
WHITE-----MALE----	39	-	-	-	-	1	1	-	-	2	1	-
FEMALE--	22	-	-	1	1	-	1	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	409	-	4	3	3	5	5	5	2	8	8	18
WHITE-----MALE----	194	-	1	-	3	3	4	1	1	5	4	5
FEMALE--	164	-	3	1	-	-	1	2	-	2	3	6
ALL OTHER--MALE----	26	-	-	1	-	1	-	1	1	-	-	3
FEMALE--	25	-	-	1	-	1	-	1	-	1	1	4
BLACK---MALE----	25	-	-	1	-	1	-	1	-	-	-	3
FEMALE--	24	-	-	1	-	1	-	1	-	1	1	3
TEXAS -----	1,281	4	8	20	18	13	27	22	22	32	35	39
WHITE-----MALE----	686	2	5	8	8	4	14	12	13	15	17	17
FEMALE--	472	2	2	10	8	8	8	7	9	12	14	12
ALL OTHER--MALE----	77	-	-	1	1	1	5	2	-	2	1	5
FEMALE--	46	-	1	1	1	-	-	1	-	3	3	5
BLACK---MALE----	66	-	-	-	-	1	3	2	-	2	1	5
FEMALE--	40	-	1	1	1	-	-	1	-	3	2	4
UTAH -----	120	-	2	2	2	-	2	1	2	3	5	5
WHITE-----MALE----	74	-	1	-	1	-	2	1	1	3	4	5
FEMALE--	41	-	1	2	1	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	49	-	-	-	-	-	1	-	1	-	2	5
WHITE-----MALE----	27	-	-	-	-	-	1	-	-	-	1	3
FEMALE--	22	-	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	443	-	5	3	2	4	7	10	10	12	15	15
WHITE-----MALE----	198	-	2	-	-	2	3	4	3	4	4	10
FEMALE--	159	-	-	1	1	2	-	1	2	3	7	4
ALL OTHER--MALE----	48	-	1	2	1	-	3	4	1	2	2	-
FEMALE--	38	-	2	-	-	-	1	1	4	3	2	1
BLACK---MALE----	45	-	1	1	1	-	2	4	1	2	2	-
FEMALE--	35	-	2	-	-	-	1	1	4	3	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 944

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LEUKEMIA (204-208)												
SOUTH DAKOTA -----	-	1	2	5	7	13	9	7	8	-	-	-
WHITE-----MALE----	-	1	2	1	6	9	7	4	4	-	-	-
FEMALE--	-	-	-	4	1	4	2	3	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	18	24	33	51	57	58	46	37	21	3	-	-
WHITE-----MALE----	7	10	15	33	28	25	25	14	9	1	-	-
FEMALE--	9	11	14	13	25	24	19	21	10	-	-	-
ALL OTHER--MALE----	-	1	3	2	2	5	2	1	1	2	-	-
FEMALE--	2	2	1	3	2	4	-	1	1	-	-	-
BLACK---MALE----	-	1	3	2	2	5	2	1	1	2	-	-
FEMALE--	2	2	1	3	2	4	-	1	1	-	-	-
TEXAS -----	51	59	89	140	175	193	169	109	43	11	2	-
WHITE-----MALE----	28	35	47	91	105	119	80	45	19	1	1	-
FEMALE--	14	21	29	34	60	61	77	56	19	8	1	-
ALL OTHER--MALE----	7	1	8	11	7	10	7	4	3	1	-	-
FEMALE--	2	2	5	4	3	3	5	4	2	1	-	-
BLACK---MALE----	5	1	7	10	6	9	6	4	3	1	-	-
FEMALE--	-	2	5	2	3	3	5	4	2	1	-	-
UTAH -----	4	9	9	8	16	15	13	11	8	3	-	-
WHITE-----MALE----	3	4	5	5	9	9	9	5	5	2	-	-
FEMALE--	1	4	3	3	6	6	3	6	3	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	3	2	4	4	5	12	4	4	1	-	-
WHITE-----MALE----	1	1	1	-	3	3	8	2	2	1	-	-
FEMALE--	-	2	1	4	1	2	4	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	25	16	29	43	63	70	58	25	23	5	3	-
WHITE-----MALE----	6	8	16	26	30	34	30	9	6	1	-	-
FEMALE--	12	5	11	10	21	28	21	12	12	4	2	-
ALL OTHER--MALE----	4	2	1	5	11	4	2	2	1	-	-	-
FEMALE--	3	1	1	2	1	4	5	2	4	-	1	-
BLACK---MALE----	3	2	1	5	11	4	2	2	1	-	-	-
FEMALE--	2	1	1	2	1	4	5	2	3	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 946

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LYMPHOID LEUKEMIA (204)												
0 UNITED STATES --	5,864	16	42	92	93	87	98	69	60	72	84	110
WHITE-----MALE----	3,063	5	16	42	52	43	55	40	34	31	45	70
FEMALE--	2,244	8	18	37	28	31	27	13	19	25	28	25
ALL OTHER--MALE----	315	1	3	6	11	7	15	11	5	9	4	12
FEMALE--	242	2	5	7	2	6	1	5	2	7	7	3
BLACK---MALE----	280	-	3	5	6	4	12	9	4	9	4	8
FEMALE--	211	1	2	6	1	6	1	5	1	4	3	3
ALABAMA -----	92	-	-	2	-	2	2	-	-	1	1	1
WHITE-----MALE----	42	-	-	-	-	1	1	-	-	1	-	1
FEMALE--	27	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	11	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	11	-	-	1	-	-	-	-	-	-	-	-
ALASKA -----	6	-	-	-	1	-	1	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	76	-	2	2	4	1	2	-	1	1	1	-
WHITE-----MALE----	40	-	1	1	2	1	1	-	1	-	-	-
FEMALE--	32	-	-	1	2	-	1	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	69	-	-	2	1	3	1	-	-	-	1	-
WHITE-----MALE----	35	-	-	2	1	1	1	-	-	-	1	-
FEMALE--	27	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	570	4	10	12	25	16	10	14	5	13	11	16
WHITE-----MALE----	321	1	3	10	14	8	7	10	4	5	6	9
FEMALE--	196	2	6	2	6	4	3	4	1	7	4	3
ALL OTHER--MALE----	32	1	1	-	4	2	-	-	-	-	-	4
FEMALE--	21	-	-	-	1	2	-	-	-	1	1	-
BLACK---MALE----	20	-	1	-	2	-	-	-	-	-	-	3
FEMALE--	14	-	-	-	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 946

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LYMPHOID LEUKEMIA (204)												
0 UNITED STATES --	166	234	336	577	808	905	861	675	356	101	22	-
WHITE-----MALE----	94	128	193	365	448	501	426	299	139	29	8	-
FEMALE--	43	74	97	161	279	338	374	337	199	69	14	-
ALL OTHER--MALE----	18	15	32	29	47	33	32	17	6	2	-	-
FEMALE--	11	17	14	22	34	33	29	22	12	1	-	-
BLACK---MALE----	17	13	30	25	44	32	30	17	6	2	-	-
FEMALE--	9	15	11	21	32	32	25	22	10	1	-	-
ALABAMA -----	5	3	4	7	17	16	19	5	6	1	-	-
WHITE-----MALE----	3	2	1	4	6	7	11	1	3	-	-	-
FEMALE--	1	1	2	1	7	5	3	2	2	1	-	-
ALL OTHER--MALE----	1	-	1	1	1	2	3	1	-	-	-	-
FEMALE--	-	-	-	1	3	2	2	1	1	-	-	-
BLACK---MALE----	1	-	1	1	1	2	3	1	-	-	-	-
FEMALE--	-	-	-	1	3	2	2	1	1	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	5	3	9	7	12	10	12	2	1	-	-
WHITE-----MALE----	-	3	1	6	5	6	4	5	2	1	-	-
FEMALE--	1	2	1	2	2	6	5	7	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ARKANSAS -----	2	3	4	7	13	11	10	9	2	-	-	-
WHITE-----MALE----	2	1	2	5	6	6	2	5	-	-	-	-
FEMALE--	-	1	1	2	5	5	6	4	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	15	20	38	52	68	78	66	52	34	8	3	-
WHITE-----MALE----	6	12	22	35	36	53	32	26	17	3	2	-
FEMALE--	7	4	11	12	27	23	29	20	15	5	1	-
ALL OTHER--MALE----	2	1	3	4	2	1	3	2	2	-	-	-
FEMALE--	-	3	2	1	3	1	2	4	-	-	-	-
BLACK---MALE----	1	1	2	3	-	-	3	2	2	-	-	-
FEMALE--	-	2	1	1	3	1	-	4	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 947

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
LYMPHOID LEUKEMIA (204)												
COLORADO -----	64	-	-	1	-	1	-	1	2	1	2	2
WHITE-----MALE----	35	-	-	1	-	-	-	-	1	1	2	1
FEMALE--	29	-	-	-	-	1	-	1	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	66	-	-	-	-	-	1	-	-	1	-	-
WHITE-----MALE----	35	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	16	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	8	-	-	1	1	-	-	-	-	-	-	1
WHITE-----MALE----	2	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	377	-	1	3	4	3	4	2	5	7	6	6
WHITE-----MALE----	222	-	-	-	3	2	3	1	3	2	3	6
FEMALE--	120	-	-	1	-	-	-	-	1	3	2	-
ALL OTHER--MALE----	21	-	1	1	1	-	-	1	-	-	1	-
FEMALE--	14	-	-	1	-	1	1	-	1	2	-	-
BLACK---MALE----	20	-	1	1	-	-	-	1	-	-	1	-
FEMALE--	12	-	-	1	-	1	1	-	1	1	-	-
GEORGIA -----	115	-	-	-	2	1	7	1	2	-	1	5
WHITE-----MALE----	53	-	-	-	1	1	3	1	-	-	1	1
FEMALE--	41	-	-	-	-	-	1	-	1	-	-	2
ALL OTHER--MALE----	13	-	-	-	-	-	3	-	1	-	-	2
FEMALE--	8	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	-	3	-	1	-	-	2
FEMALE--	8	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 947

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LYMPHOID LEUKEMIA (204)												
COLORADO -----	1	5	2	5	10	13	8	5	5	-	-	-
WHITE-----MALE----	1	3	-	3	4	10	6	1	1	-	-	-
FEMALE--	-	2	2	2	6	3	2	4	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	6	1	7	7	12	12	10	5	2	-	-
WHITE-----MALE----	1	4	1	4	3	6	7	5	2	1	-	-
FEMALE--	1	-	-	2	4	6	5	4	3	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
DELAWARE -----	-	1	-	3	1	6	1	2	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	3	1	1	1	-	-	-
FEMALE--	-	1	-	2	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	2	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
FLORIDA -----	11	14	19	40	59	60	60	46	18	8	1	-
WHITE-----MALE----	6	8	15	31	36	41	26	26	7	3	-	-
FEMALE--	3	6	3	4	17	16	31	18	9	5	1	-
ALL OTHER--MALE----	2	-	1	3	5	-	2	2	1	-	-	-
FEMALE--	-	-	-	2	1	3	1	-	1	-	-	-
BLACK---MALE----	2	-	1	3	5	-	2	2	1	-	-	-
FEMALE--	-	-	-	2	1	3	1	-	-	-	-	-
GEORGIA -----	4	7	3	10	13	18	15	18	5	3	-	-
WHITE-----MALE----	3	5	2	5	4	7	6	8	3	2	-	-
FEMALE--	-	-	-	4	7	7	6	10	2	1	-	-
ALL OTHER--MALE----	-	1	-	-	2	2	2	-	-	-	-	-
FEMALE--	1	1	1	1	-	2	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	2	2	2	-	-	-	-	-
FEMALE--	1	1	1	1	-	2	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 949

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LYMPHOID LEUKEMIA (204)												
KENTUCKY -----	5	3	4	14	18	18	14	5	7	3	2	-
WHITE-----MALE----	3	1	2	11	12	11	9	3	6	1	1	-
FEMALE--	1	2	2	3	6	6	4	2	1	2	1	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
LOUISIANA -----	3	3	9	10	8	14	13	10	6	2	-	-
WHITE-----MALE----	2	1	2	6	3	5	7	6	-	-	-	-
FEMALE--	-	-	4	2	2	6	4	3	5	2	-	-
ALL OTHER--MALE----	-	1	2	2	3	3	2	1	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	2	2	3	3	2	1	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	1	-	-	-
MAINE -----	2	1	2	4	1	3	9	5	2	2	-	-
WHITE-----MALE----	2	1	2	3	-	3	2	1	-	2	-	-
FEMALE--	-	-	-	1	1	-	7	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	2	5	5	12	12	18	7	3	1	-	-
WHITE-----MALE----	3	1	3	1	7	5	9	4	1	-	-	-
FEMALE--	-	-	1	4	3	5	6	2	2	1	-	-
ALL OTHER--MALE----	1	1	1	-	2	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	1	1	1	-	2	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
MASSACHUSETTS -----	3	5	10	11	17	17	20	19	10	8	-	-
WHITE-----MALE----	3	1	8	8	8	8	10	8	3	2	-	-
FEMALE--	-	3	1	2	8	9	10	11	7	6	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
MICHIGAN -----	12	8	16	32	33	23	26	22	14	5	1	-
WHITE-----MALE----	6	5	8	22	17	10	13	9	3	2	1	-
FEMALE--	4	3	4	8	7	11	12	12	10	3	-	-
ALL OTHER--MALE----	2	-	4	1	5	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	4	1	1	1	1	-	-	-
BLACK---MALE----	2	-	4	1	5	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	4	1	1	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 952

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LYMPHOID LEUKEMIA (204)												
OHIO -----	12	11	16	35	48	41	53	33	16	3	1	-
WHITE-----MALE----	6	6	9	19	29	15	25	14	3	2	-	-
FEMALE--	5	5	6	11	15	25	26	18	12	1	1	-
ALL OTHER--MALE----	-	-	1	2	4	-	1	-	-	-	-	-
FEMALE--	1	-	-	3	-	1	1	1	1	-	-	-
BLACK---MALE----	-	-	1	2	4	-	1	-	-	-	-	-
FEMALE--	1	-	-	3	-	1	1	1	1	-	-	-
OKLAHOMA -----	1	3	8	7	13	15	14	16	6	1	-	-
WHITE-----MALE----	1	2	5	5	5	7	8	4	1	-	-	-
FEMALE--	-	1	3	1	6	7	6	10	5	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
OREGON -----	1	3	8	6	16	11	9	8	5	1	3	-
WHITE-----MALE----	-	1	3	4	10	6	6	5	2	-	-	-
FEMALE--	1	2	5	2	6	5	2	3	3	1	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	11	21	29	37	53	46	41	20	7	-	-
WHITE-----MALE----	2	8	11	17	20	27	24	19	7	-	-	-
FEMALE--	-	2	10	11	13	25	19	21	13	7	-	-
ALL OTHER--MALE----	1	1	-	-	4	1	2	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	1	-	-	-	-
BLACK---MALE----	1	-	-	-	4	1	2	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	1	-	-	-	-
RHODE ISLAND -----	-	1	2	2	2	7	3	4	-	1	1	-
WHITE-----MALE----	-	1	-	1	2	5	2	2	-	-	1	-
FEMALE--	-	-	2	1	-	2	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	4	7	8	12	14	12	11	4	1	-	-
WHITE-----MALE----	-	1	5	5	6	8	1	4	2	-	-	-
FEMALE--	1	2	2	-	1	2	7	7	1	1	-	-
ALL OTHER--MALE----	-	1	-	3	2	4	2	-	-	-	-	-
FEMALE--	1	-	-	-	3	-	2	-	1	-	-	-
BLACK---MALE----	-	1	-	3	2	4	2	-	-	-	-	-
FEMALE--	1	-	-	-	3	-	2	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 953

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LYMPHOID LEUKEMIA (204)												
SOUTH DAKOTA -----	-	-	-	2	4	4	2	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	3	2	1	1	-	-	-	-
FEMALE--	-	-	-	2	1	2	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	4	7	20	22	22	13	14	8	1	-	-
WHITE-----MALE----	-	2	2	12	12	9	6	5	4	-	-	-
FEMALE--	2	1	4	4	7	8	6	9	4	-	-	-
ALL OTHER--MALE----	-	-	1	1	2	3	1	-	-	1	-	-
FEMALE--	-	1	-	3	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	2	3	1	-	-	1	-	-
FEMALE--	-	1	-	3	1	2	-	-	-	-	-	-
TEXAS -----	15	14	26	30	47	56	49	44	19	4	2	-
WHITE-----MALE----	9	8	14	19	34	38	24	22	10	-	1	-
FEMALE--	2	5	5	8	10	13	22	18	8	3	1	-
ALL OTHER--MALE----	3	-	4	2	1	3	1	2	1	1	-	-
FEMALE--	1	1	3	1	2	2	2	2	-	-	-	-
BLACK---MALE----	3	-	4	2	1	3	1	2	1	1	-	-
FEMALE--	-	1	3	-	2	2	2	2	-	-	-	-
UTAH -----	1	3	4	4	6	8	3	4	5	2	-	-
WHITE-----MALE----	1	1	3	3	2	6	2	1	4	1	-	-
FEMALE--	-	1	-	1	4	2	1	3	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	2	3	1	3	2	1	-	-	-
WHITE-----MALE----	-	-	1	-	2	1	3	-	1	-	-	-
FEMALE--	-	-	-	2	1	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	4	9	10	21	24	18	13	11	4	-	-
WHITE-----MALE----	1	1	3	5	12	13	11	7	3	1	-	-
FEMALE--	-	1	5	3	5	8	6	6	6	3	-	-
ALL OTHER--MALE----	-	1	-	1	3	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	1	3	1	-	2	-	-	-
BLACK---MALE----	-	1	-	1	3	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	1	3	1	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 955

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYELOID LEUKEMIA (205)												
0 UNITED STATES --	8,996	6	51	47	63	76	103	135	149	226	290	386
WHITE-----MALE----	4,481	2	21	15	32	31	47	47	64	94	117	180
FEMALE--	3,597	2	17	15	19	33	35	46	49	83	114	157
ALL OTHER--MALE----	495	1	7	9	6	7	13	27	18	25	38	27
FEMALE--	423	1	6	8	6	5	8	15	18	24	21	22
BLACK---MALE----	396	-	7	3	4	7	10	18	17	21	31	25
FEMALE--	335	-	4	8	6	4	6	13	14	20	11	18
ALABAMA -----	115	-	-	-	1	1	2	2	2	1	5	6
WHITE-----MALE----	49	-	-	-	1	-	-	-	1	-	2	3
FEMALE--	45	-	-	-	-	-	-	2	-	1	1	2
ALL OTHER--MALE----	11	-	-	-	-	1	-	-	1	-	1	1
FEMALE--	10	-	-	-	-	-	2	-	-	-	1	-
BLACK---MALE----	11	-	-	-	-	1	-	-	1	-	1	1
FEMALE--	10	-	-	-	-	-	2	-	-	-	1	-
ALASKA -----	11	-	-	-	-	-	-	1	-	2	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	99	-	-	-	-	-	1	3	3	3	3	6
WHITE-----MALE----	52	-	-	-	-	-	-	2	1	-	1	3
FEMALE--	45	-	-	-	-	-	1	-	2	3	2	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	101	-	1	2	-	1	-	1	-	2	5	1
WHITE-----MALE----	51	-	1	-	-	1	-	-	-	-	3	-
FEMALE--	45	-	-	2	-	-	-	1	-	2	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	965	-	4	8	4	4	11	15	22	28	36	39
WHITE-----MALE----	481	-	2	5	2	2	2	3	12	16	15	19
FEMALE--	372	-	1	2	2	2	5	6	5	8	14	17
ALL OTHER--MALE----	61	-	1	-	-	-	2	3	1	3	2	1
FEMALE--	51	-	-	1	-	-	2	3	4	1	5	2
BLACK---MALE----	22	-	1	-	-	-	1	-	1	1	1	1
FEMALE--	16	-	-	1	-	-	-	1	1	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 955

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MYELOID LEUKEMIA (205)												
0 UNITED STATES --	452	540	764	1,013	1,343	1,365	1,070	614	242	51	10	-
WHITE-----MALE----	215	281	377	571	746	711	569	258	86	14	3	-
FEMALE--	178	201	298	349	484	571	440	323	143	36	4	-
ALL OTHER--MALE----	28	33	53	52	65	49	22	13	2	-	-	-
FEMALE--	31	25	36	41	48	34	39	20	11	1	3	-
BLACK---MALE----	22	25	46	39	55	35	18	11	2	-	-	-
FEMALE--	24	17	29	32	35	27	36	18	10	-	3	-
ALABAMA -----	5	6	14	16	21	10	14	3	6	-	-	-
WHITE-----MALE----	-	1	6	6	15	7	6	1	-	-	-	-
FEMALE--	3	3	5	8	6	3	5	2	4	-	-	-
ALL OTHER--MALE----	1	1	2	1	-	-	1	-	1	-	-	-
FEMALE--	1	1	1	1	-	-	2	-	1	-	-	-
BLACK---MALE----	1	1	2	1	-	-	1	-	1	-	-	-
FEMALE--	1	1	1	1	-	-	2	-	1	-	-	-
ALASKA -----	-	2	-	3	2	1	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARIZONA -----	2	9	11	14	13	14	9	8	-	-	-	-
WHITE-----MALE----	1	5	6	7	7	11	5	3	-	-	-	-
FEMALE--	1	4	5	7	6	3	4	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ARKANSAS -----	5	9	8	10	15	18	13	8	2	-	-	-
WHITE-----MALE----	2	5	5	4	8	11	7	4	-	-	-	-
FEMALE--	3	4	3	5	7	6	5	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
CALIFORNIA -----	52	64	93	125	112	143	108	68	24	5	-	-
WHITE-----MALE----	30	28	42	64	58	74	68	25	13	1	-	-
FEMALE--	15	28	39	49	36	55	34	40	10	4	-	-
ALL OTHER--MALE----	4	5	4	9	11	12	1	2	-	-	-	-
FEMALE--	3	3	8	3	7	2	5	1	1	-	-	-
BLACK---MALE----	1	-	2	3	6	4	-	-	-	-	-	-
FEMALE--	1	-	3	-	3	-	3	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 956

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYELOID LEUKEMIA (205)												
COLORADO -----	119	-	2	1	1	2	-	1	1	3	5	11
WHITE-----MALE----	71	-	2	-	1	1	-	1	1	-	3	6
FEMALE--	45	-	-	1	-	1	-	-	-	3	1	5
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	123	-	-	-	-	4	3	5	3	2	6	3
WHITE-----MALE----	61	-	-	-	-	1	2	3	2	1	2	1
FEMALE--	56	-	-	-	-	2	1	1	1	1	2	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	30	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	24	-	-	-	-	-	1	-	1	1	4	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	1	-	1	-	-	-
FLORIDA -----	704	-	3	4	5	6	4	13	11	12	22	22
WHITE-----MALE----	348	-	-	-	3	-	3	1	4	5	6	11
FEMALE--	287	-	2	1	2	3	1	6	4	3	12	7
ALL OTHER--MALE----	34	-	1	1	-	2	-	1	2	3	3	2
FEMALE--	35	-	-	2	-	1	-	5	1	1	1	2
BLACK---MALE----	31	-	1	1	-	2	-	1	2	3	2	2
FEMALE--	34	-	-	2	-	1	-	5	1	1	1	2
GEORGIA -----	191	-	2	1	2	1	4	4	2	7	5	14
WHITE-----MALE----	73	-	-	-	-	-	2	-	1	1	3	4
FEMALE--	75	-	-	-	1	1	1	1	1	2	1	6
ALL OTHER--MALE----	19	-	1	-	-	-	1	3	-	1	1	2
FEMALE--	24	-	1	1	1	-	-	-	-	3	-	2
BLACK---MALE----	17	-	1	-	-	-	1	1	-	1	1	2
FEMALE--	23	-	1	1	1	-	-	-	-	3	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 956

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MYELOID LEUKEMIA (205)												
COLORADO -----	7	9	6	15	18	18	10	5	4	-	-	-
WHITE-----MALE----	4	5	4	11	13	11	5	2	1	-	-	-
FEMALE--	3	4	2	3	4	7	5	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	9	5	7	17	14	15	13	10	6	-	1	-
WHITE-----MALE----	2	4	4	14	4	5	9	5	2	-	-	-
FEMALE--	6	1	3	3	10	9	4	5	4	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	1	-	2	4	7	8	3	2	3	-	-	-
WHITE-----MALE----	1	-	1	3	2	4	2	1	2	-	-	-
FEMALE--	-	-	1	1	4	4	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	4	3	3	3	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	3	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	2	1	1	1	-	-	-
BLACK---MALE----	-	-	-	3	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	2	1	1	1	-	-	-
FLORIDA -----	23	36	51	79	106	124	107	55	15	4	2	-
WHITE-----MALE----	10	16	19	41	64	62	68	27	4	2	2	-
FEMALE--	11	13	26	26	38	58	35	26	11	2	-	-
ALL OTHER--MALE----	1	5	6	5	-	1	1	-	-	-	-	-
FEMALE--	1	2	-	7	4	3	3	2	-	-	-	-
BLACK---MALE----	1	4	6	4	-	1	1	-	-	-	-	-
FEMALE--	1	2	-	6	4	3	3	2	-	-	-	-
GEORGIA -----	8	15	21	21	27	26	23	5	3	-	-	-
WHITE-----MALE----	1	7	10	13	10	12	6	2	1	-	-	-
FEMALE--	5	5	7	4	13	10	14	3	-	-	-	-
ALL OTHER--MALE----	1	1	2	1	2	3	-	-	-	-	-	-
FEMALE--	1	2	2	3	2	1	3	-	2	-	-	-
BLACK---MALE----	1	1	2	1	2	3	-	-	-	-	-	-
FEMALE--	1	2	2	3	2	1	3	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 957

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MYELOID LEUKEMIA (205)												
HAWAII -----	2	1	2	3	8	3	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	3	3	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	4	2	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	2	5	4	8	6	4	2	1	-	-	-
WHITE-----MALE----	1	2	4	3	4	3	1	2	-	-	-	-
FEMALE--	-	-	1	1	3	3	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	21	22	30	53	69	47	40	28	4	1	1	-
WHITE-----MALE----	12	12	20	28	37	24	19	10	2	-	-	-
FEMALE--	8	4	6	19	30	20	18	17	2	1	-	-
ALL OTHER--MALE----	-	2	2	3	2	1	2	-	-	-	-	-
FEMALE--	1	4	2	3	-	2	1	1	-	-	1	-
BLACK---MALE----	-	2	2	3	2	1	2	-	-	-	-	-
FEMALE--	1	4	2	3	-	1	1	1	-	-	1	-
INDIANA -----	3	6	25	20	45	33	18	17	3	3	-	-
WHITE-----MALE----	1	1	12	9	26	14	11	5	-	-	-	-
FEMALE--	2	5	12	10	14	15	7	11	3	3	-	-
ALL OTHER--MALE----	-	-	1	-	4	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	3	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	4	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	3	-	1	-	-	-	-
IOWA -----	5	11	5	17	18	14	13	9	7	-	-	-
WHITE-----MALE----	2	8	-	8	12	6	8	3	3	-	-	-
FEMALE--	3	3	5	9	6	7	5	6	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	2	4	6	7	15	21	8	9	7	2	-	-
WHITE-----MALE----	2	2	2	4	6	9	6	4	1	1	-	-
FEMALE--	-	1	3	3	7	12	2	5	6	1	-	-
ALL OTHER--MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 958

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYELOID LEUKEMIA (205)												
KENTUCKY -----	140	-	1	2	-	2	-	1	1	1	6	4
WHITE-----MALE----	72	-	1	1	-	1	-	1	-	-	2	3
FEMALE--	58	-	-	1	-	1	-	-	-	1	4	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	159	-	-	-	2	2	2	1	5	7	5	8
WHITE-----MALE----	65	-	-	-	-	2	1	-	2	4	1	4
FEMALE--	72	-	-	-	1	-	1	1	1	2	3	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	11	-	-	-	1	-	-	-	2	-	1	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	11	-	-	-	1	-	-	-	2	-	1	-
MAINE -----	46	-	-	-	1	-	-	-	2	1	3	5
WHITE-----MALE----	22	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	24	-	-	-	1	-	-	-	1	1	2	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	166	-	5	1	1	-	2	-	6	10	4	10
WHITE-----MALE----	64	-	1	-	-	-	-	-	1	-	2	2
FEMALE--	65	-	2	1	-	-	2	-	3	2	-	5
ALL OTHER--MALE----	20	-	1	-	1	-	-	-	1	6	1	2
FEMALE--	17	-	1	-	-	-	-	-	1	2	1	1
BLACK---MALE----	20	-	1	-	1	-	-	-	1	6	1	2
FEMALE--	14	-	1	-	-	-	-	-	1	2	1	1
MASSACHUSETTS -----	191	-	1	-	1	2	4	4	2	2	4	7
WHITE-----MALE----	98	-	-	-	-	1	3	2	2	1	3	2
FEMALE--	85	-	1	-	1	-	1	1	-	1	1	5
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	6	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	281	-	-	-	-	1	5	7	7	7	5	11
WHITE-----MALE----	136	-	-	-	-	-	1	5	4	5	2	5
FEMALE--	111	-	-	-	-	1	1	2	2	1	3	5
ALL OTHER--MALE----	16	-	-	-	-	-	3	-	-	1	-	-
FEMALE--	18	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	15	-	-	-	-	-	3	-	-	1	-	-
FEMALE--	16	-	-	-	-	-	-	-	1	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 958

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MYELOID LEUKEMIA (205)												
KENTUCKY -----	10	13	8	20	21	13	18	16	1	2	-	-
WHITE-----MALE----	5	7	2	13	9	10	10	7	-	-	-	-
FEMALE--	4	6	4	6	10	2	8	8	1	2	-	-
ALL OTHER--MALE----	1	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	1	-	-	-	-
BLACK---MALE----	1	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	-	-	-
LOUISIANA -----	9	9	17	11	21	26	18	7	8	1	-	-
WHITE-----MALE----	3	-	9	4	12	12	7	2	2	-	-	-
FEMALE--	4	7	5	6	9	11	9	4	6	1	-	-
ALL OTHER--MALE----	-	1	2	1	-	1	2	-	-	-	-	-
FEMALE--	2	1	1	-	-	2	-	1	-	-	-	-
BLACK---MALE----	-	1	2	1	-	1	2	-	-	-	-	-
FEMALE--	2	1	1	-	-	2	-	1	-	-	-	-
MAINE -----	1	4	5	3	5	9	4	1	2	-	-	-
WHITE-----MALE----	1	3	2	1	3	6	2	1	-	-	-	-
FEMALE--	-	1	3	2	2	3	2	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	9	8	11	19	21	32	11	9	7	-	-	-
WHITE-----MALE----	4	3	5	12	9	14	5	3	3	-	-	-
FEMALE--	4	3	4	4	5	17	6	4	3	-	-	-
ALL OTHER--MALE----	1	1	1	2	2	-	-	1	-	-	-	-
FEMALE--	-	1	1	1	5	1	-	1	1	-	-	-
BLACK---MALE----	1	1	1	2	2	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	4	1	-	1	1	-	-	-
MASSACHUSETTS -----	9	6	11	15	35	31	31	24	2	-	-	-
WHITE-----MALE----	6	4	6	9	17	18	14	10	-	-	-	-
FEMALE--	3	1	4	6	17	11	17	13	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	18	18	27	35	41	33	35	18	12	1	-	-
WHITE-----MALE----	8	7	11	23	22	14	18	8	3	-	-	-
FEMALE--	6	8	12	10	12	16	17	7	7	1	-	-
ALL OTHER--MALE----	1	-	2	2	5	1	-	1	-	-	-	-
FEMALE--	3	3	2	-	2	2	-	2	2	-	-	-
BLACK---MALE----	1	-	2	2	5	-	-	1	-	-	-	-
FEMALE--	3	1	2	-	2	2	-	2	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 961

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYELOID LEUKEMIA (205)												
OHIO -----	384	1	2	-	4	3	6	9	6	11	17	11
WHITE-----MALE----	196	1	1	-	3	2	4	4	2	4	8	5
FEMALE--	160	-	1	-	1	1	2	4	3	6	6	5
ALL OTHER--MALE----	15	-	-	-	-	-	-	1	1	-	2	1
FEMALE--	13	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	15	-	-	-	-	-	-	1	1	-	2	1
FEMALE--	13	-	-	-	-	-	-	-	-	1	1	-
OKLAHOMA -----	130	1	-	1	1	1	3	1	1	1	5	1
WHITE-----MALE----	68	-	-	-	-	-	-	2	1	1	2	-
FEMALE--	51	-	-	-	-	1	-	1	-	-	2	1
ALL OTHER--MALE----	3	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	1	-	-	-	-	-	1	-
OREGON -----	146	-	1	1	1	3	1	1	3	2	4	9
WHITE-----MALE----	74	-	1	1	-	1	-	-	1	1	-	5
FEMALE--	69	-	-	-	1	2	1	-	2	1	4	4
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	476	-	6	3	-	8	7	9	7	7	12	22
WHITE-----MALE----	230	-	2	1	-	4	4	2	4	5	6	11
FEMALE--	203	-	1	2	-	4	3	3	1	-	4	9
ALL OTHER--MALE----	23	-	1	-	-	-	-	4	1	1	2	1
FEMALE--	20	-	2	-	-	-	-	-	1	1	-	1
BLACK---MALE----	21	-	1	-	-	-	-	2	1	1	2	1
FEMALE--	18	-	1	-	-	-	-	-	1	1	-	1
RHODE ISLAND -----	29	-	-	1	1	1	-	-	1	1	1	2
WHITE-----MALE----	12	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	1	-	-	-	1	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	116	-	-	1	1	-	2	3	1	2	1	4
WHITE-----MALE----	40	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	50	-	-	-	-	-	1	-	1	1	1	2
ALL OTHER--MALE----	18	-	-	1	1	-	-	1	-	1	-	1
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	18	-	-	1	1	-	-	1	-	1	-	1
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 961

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MYELOID LEUKEMIA (205)												
OHIO -----	20	21	32	46	59	60	47	23	3	3	-	-
WHITE-----MALE----	12	13	17	20	34	28	27	8	2	1	-	-
FEMALE--	5	8	12	23	20	29	17	14	1	2	-	-
ALL OTHER--MALE----	2	-	2	-	1	3	1	1	-	-	-	-
FEMALE--	1	-	1	3	4	-	2	-	-	-	-	-
BLACK---MALE----	2	-	2	-	1	3	1	1	-	-	-	-
FEMALE--	1	-	1	3	4	-	2	-	-	-	-	-
OKLAHOMA -----	9	8	17	9	19	14	15	16	3	4	1	-
WHITE-----MALE----	4	6	11	6	12	8	8	6	-	1	-	-
FEMALE--	5	2	5	1	6	6	5	9	3	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	2	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	1	-	-	-	-
OREGON -----	6	7	11	14	16	36	15	13	1	1	-	-
WHITE-----MALE----	2	4	5	11	10	16	10	6	-	-	-	-
FEMALE--	3	3	5	3	6	20	5	7	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	23	29	49	49	69	82	49	27	13	5	-	-
WHITE-----MALE----	10	11	22	26	41	42	21	11	5	2	-	-
FEMALE--	9	16	24	19	21	34	27	16	7	3	-	-
ALL OTHER--MALE----	1	2	2	1	5	2	-	-	-	-	-	-
FEMALE--	3	-	1	3	2	4	1	-	1	-	-	-
BLACK---MALE----	1	2	2	1	5	2	-	-	-	-	-	-
FEMALE--	3	-	1	3	2	4	-	-	1	-	-	-
RHODE ISLAND -----	-	2	1	3	5	4	1	3	2	-	-	-
WHITE-----MALE----	-	1	-	3	1	2	1	1	1	-	-	-
FEMALE--	-	1	1	-	4	2	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	7	8	15	8	16	19	16	9	2	-	1	-
WHITE-----MALE----	2	3	11	1	5	7	7	2	-	-	-	-
FEMALE--	5	2	1	5	9	9	6	5	2	-	-	-
ALL OTHER--MALE----	-	3	2	1	2	3	1	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	2	1	-	-	1	-
BLACK---MALE----	-	3	2	1	2	3	1	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	2	1	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 962

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYELOID LEUKEMIA (205)												
SOUTH DAKOTA -----	28	-	-	-	1	-	1	-	-	1	1	1
WHITE-----MALE----	20	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	7	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	189	-	3	1	1	3	-	3	1	2	4	12
WHITE-----MALE----	85	-	-	-	1	3	-	-	-	2	2	4
FEMALE--	89	-	3	-	-	-	-	1	-	-	2	5
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	8	-	-	1	-	-	-	1	-	-	-	3
BLACK---MALE----	6	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	7	-	-	1	-	-	-	1	-	-	-	2
TEXAS -----	561	-	2	2	9	5	11	9	11	24	17	24
WHITE-----MALE----	301	-	2	-	3	1	5	3	6	11	8	10
FEMALE--	206	-	-	-	4	3	5	4	5	10	8	7
ALL OTHER--MALE----	36	-	-	1	1	1	1	1	-	2	1	4
FEMALE--	18	-	-	1	1	-	-	1	-	1	-	3
BLACK---MALE----	31	-	-	-	-	1	1	1	-	2	1	4
FEMALE--	16	-	-	1	1	-	-	1	-	1	-	3
UTAH -----	50	-	-	1	1	-	1	-	1	3	3	4
WHITE-----MALE----	34	-	-	-	1	-	1	-	1	3	2	4
FEMALE--	14	-	-	1	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	24	-	-	-	-	-	-	-	-	-	2	3
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	182	-	2	-	1	2	4	5	8	6	5	13
WHITE-----MALE----	84	-	1	-	-	1	1	2	1	2	2	9
FEMALE--	64	-	-	-	-	1	-	-	2	2	2	3
ALL OTHER--MALE----	20	-	1	-	1	-	2	2	1	-	1	-
FEMALE--	14	-	-	-	-	-	1	1	4	2	-	1
BLACK---MALE----	19	-	1	-	1	-	1	2	1	-	1	-
FEMALE--	14	-	-	-	-	-	1	1	4	2	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 962

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MYELOID LEUKEMIA (205)												
SOUTH DAKOTA -----	-	1	-	2	2	8	4	3	3	-	-	-
WHITE-----MALE----	-	1	-	1	2	7	3	2	1	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	14	15	19	24	25	23	22	11	6	-	-	-
WHITE-----MALE----	6	5	10	15	10	11	11	3	2	-	-	-
FEMALE--	6	9	8	8	14	11	10	8	4	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	1	1	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	1	-	1	1	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
TEXAS -----	23	27	39	75	83	89	62	37	12	-	-	-
WHITE-----MALE----	12	15	22	49	49	57	27	15	6	-	-	-
FEMALE--	8	11	13	19	30	26	29	19	5	-	-	-
ALL OTHER--MALE----	2	1	2	5	3	5	4	1	1	-	-	-
FEMALE--	1	-	2	2	1	1	2	2	-	-	-	-
BLACK---MALE----	1	1	1	5	3	5	3	1	1	-	-	-
FEMALE--	-	-	2	1	1	1	2	2	-	-	-	-
UTAH -----	2	4	4	4	8	4	5	3	2	-	-	-
WHITE-----MALE----	2	2	2	2	6	2	3	2	1	-	-	-
FEMALE--	-	2	2	2	1	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	2	1	2	1	2	6	2	2	1	-	-
WHITE-----MALE----	-	-	-	-	1	2	3	2	1	1	-	-
FEMALE--	-	2	1	2	-	-	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	18	5	13	19	26	25	21	3	4	-	2	-
WHITE-----MALE----	5	3	7	14	13	11	10	-	2	-	-	-
FEMALE--	9	2	5	3	9	12	8	3	2	-	1	-
ALL OTHER--MALE----	3	-	1	2	4	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	2	-	-	-	1	-
BLACK---MALE----	3	-	1	2	4	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	2	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 964

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MONOCYTTIC LEUKEMIA (206)												
0 UNITED STATES --	6	8	15	25	25	26	45	18	10	-	-	-
WHITE-----MALE----	4	5	7	12	10	12	24	5	5	-	-	-
FEMALE--	2	2	7	10	10	14	19	11	5	-	-	-
ALL OTHER--MALE----	-	-	1	3	3	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	2	-	2	1	-	-	-	-
BLACK---MALE----	-	-	-	3	2	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	2	-	2	1	-	-	-	-
ALABAMA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	-	2	5	2	1	5	1	-	-	-	-
WHITE-----MALE----	-	-	-	4	2	-	1	1	-	-	-	-
FEMALE--	1	-	1	1	-	1	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 967

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MONOCYTTIC LEUKEMIA (206)												
KENTUCKY -----	-	-	2	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	1	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	1	-	1	-	4	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	4	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	-	1	1	1	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 970

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MONOCYTIC LEUKEMIA (206)												
OHIO -----	10	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	11	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	5	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	12	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	-	2	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 971

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
--------------------------	-------	-------	-----	-----	-------	-------	-------	-------	-------	-------	-------	-------

MONOCYTIC LEUKEMIA (206)