

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,289

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALCOHOLIC PSYCHOSES (291)												
COLORADO -----	8	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	19	-	-	-	-	-	-	-	-	1	3	3
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	19	-	-	-	-	-	-	-	-	2	1	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,289

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALCOHOLIC PSYCHOSES (291)												
COLORADO -----	1	1	-	1	-	1	-	2	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	3	-	2	2	2	1	2	-	-	-	-
WHITE-----MALE----	-	2	-	1	2	1	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	4	-	1	2	2	4	-	2	-	-	-	-
WHITE-----MALE----	1	-	1	2	1	3	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,295

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALCOHOLIC PSYCHOSES (291)												
SOUTH DAKOTA -----	-	-	-	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	-	-	1	2	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	1	-	2	2	2	2	1	1	-	-	-	-
WHITE-----MALE----	1	-	1	2	1	2	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	-	1	3	2	1	-	1	-	-	-	-
WHITE-----MALE----	2	-	1	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,297

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER PSYCHOSES (292-299)												
0 UNITED STATES --	21	57	103	218	616	1,409	2,599	3,470	2,983	1,377	300	-
WHITE-----MALE----	12	27	61	99	275	583	984	1,006	609	199	31	-
FEMALE--	7	25	30	85	261	702	1,432	2,222	2,225	1,086	243	-
ALL OTHER--MALE----	1	2	8	19	42	67	81	79	45	21	2	-
FEMALE--	1	3	4	15	38	57	102	163	104	71	24	-
BLACK---MALE----	1	2	8	18	35	60	73	69	37	18	2	-
FEMALE--	1	3	4	14	34	51	93	147	92	66	23	-
ALABAMA -----	-	1	-	4	6	26	43	46	38	14	5	-
WHITE-----MALE----	-	-	-	2	1	10	12	13	6	4	-	-
FEMALE--	-	1	-	1	1	13	28	23	25	9	4	-
ALL OTHER--MALE----	-	-	-	1	2	1	1	5	2	1	-	-
FEMALE--	-	-	-	-	2	2	2	5	5	-	1	-
BLACK---MALE----	-	-	-	1	2	1	1	5	2	1	-	-
FEMALE--	-	-	-	-	2	2	2	5	5	-	1	-
ALASKA -----	1	-	-	-	1	1	3	3	-	1	-	-
WHITE-----MALE----	1	-	-	-	1	-	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	3	2	16	30	55	73	62	25	9	-
WHITE-----MALE----	-	1	1	-	5	13	22	14	16	4	-	-
FEMALE--	1	-	2	2	10	16	31	57	46	20	9	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ARKANSAS -----	1	-	-	2	8	11	13	27	32	2	1	-
WHITE-----MALE----	1	-	-	1	3	3	5	5	7	-	1	-
FEMALE--	-	-	-	1	4	6	8	20	23	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
CALIFORNIA -----	1	2	5	11	28	54	80	136	106	53	16	-
WHITE-----MALE----	-	-	4	6	11	22	27	47	20	7	2	-
FEMALE--	-	2	1	3	14	30	47	76	78	46	11	-
ALL OTHER--MALE----	1	-	-	-	1	2	-	6	4	-	-	-
FEMALE--	-	-	-	2	2	-	6	7	4	-	3	-
BLACK---MALE----	1	-	-	-	-	1	-	5	-	-	-	-
FEMALE--	-	-	-	2	1	-	2	4	2	-	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,298

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER PSYCHOSES (292-299)												
COLORADO -----	1	2	3	5	10	22	50	58	58	18	6	-
WHITE-----MALE----	1	1	2	2	5	5	22	18	8	2	-	-
FEMALE--	-	1	1	3	4	16	28	37	50	15	5	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	1	-
BLACK---MALE----	-	-	-	-	1	1	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	1	-
CONNECTICUT -----	-	3	1	2	10	33	44	49	50	28	5	-
WHITE-----MALE----	-	2	1	-	7	16	19	17	10	5	1	-
FEMALE--	-	1	-	2	3	13	25	31	39	23	3	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	1	-	1	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	1	-	1	-
DELAWARE -----	-	-	-	2	1	6	6	9	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	2	-	-	-	-
FEMALE--	-	-	-	1	1	5	5	6	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	3	4	5	10	4	1	1	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	4	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	4	3	-	-	-	-
FEMALE--	-	-	-	-	2	2	1	2	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	4	2	-	-	-	-
FEMALE--	-	-	-	-	2	2	1	2	1	1	-	-
FLORIDA -----	1	2	4	13	43	91	172	216	203	85	11	-
WHITE-----MALE----	1	1	1	6	24	43	76	65	50	19	2	-
FEMALE--	-	1	1	5	15	42	89	142	146	65	8	-
ALL OTHER--MALE----	-	-	1	1	2	4	5	5	2	-	-	-
FEMALE--	-	-	1	1	2	2	2	4	5	1	1	-
BLACK---MALE----	-	-	1	1	2	4	4	5	2	-	-	-
FEMALE--	-	-	1	1	2	2	2	4	5	1	1	-
GEORGIA -----	-	4	3	5	17	55	90	74	72	30	8	-
WHITE-----MALE----	-	2	1	2	3	28	24	15	12	-	-	-
FEMALE--	-	2	1	1	9	19	52	52	52	21	5	-
ALL OTHER--MALE----	-	-	1	2	2	4	8	3	4	1	1	-
FEMALE--	-	-	-	-	3	4	6	4	4	8	2	-
BLACK---MALE----	-	-	1	2	2	4	7	3	4	1	1	-
FEMALE--	-	-	-	-	3	4	6	4	4	8	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,299

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER PSYCHOSES (292-299)												
HAWAII -----	-	-	-	2	5	7	8	14	12	6	-	-
WHITE-----MALE----	-	-	-	1	1	2	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	6	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	1	4	3	1	-	-
FEMALE--	-	-	-	-	2	3	4	2	6	3	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	3	5	13	15	20	10	4	2	-
WHITE-----MALE----	-	-	-	3	4	7	7	6	3	2	-	-
FEMALE--	-	-	-	-	1	6	8	14	7	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	-	3	6	5	24	49	104	140	122	63	14	-
WHITE-----MALE----	-	2	4	1	10	22	30	43	21	8	4	-
FEMALE--	-	-	1	2	9	24	72	90	91	54	10	-
ALL OTHER--MALE----	-	-	1	2	4	3	-	-	5	-	-	-
FEMALE--	-	1	-	-	1	-	2	7	5	1	-	-
BLACK---MALE----	-	-	1	1	4	3	-	-	5	-	-	-
FEMALE--	-	1	-	-	1	-	2	7	5	1	-	-
INDIANA -----	1	1	2	6	14	38	68	84	65	32	5	-
WHITE-----MALE----	1	-	-	4	4	14	29	24	18	2	-	-
FEMALE--	-	-	2	2	7	21	34	55	45	28	5	-
ALL OTHER--MALE----	-	-	-	-	-	2	2	1	1	1	-	-
FEMALE--	-	1	-	-	3	1	3	4	1	1	-	-
BLACK---MALE----	-	-	-	-	-	2	2	1	1	1	-	-
FEMALE--	-	1	-	-	3	1	3	4	1	1	-	-
IOWA -----	-	-	2	2	4	14	23	38	34	16	3	-
WHITE-----MALE----	-	-	1	1	1	7	11	13	5	2	-	-
FEMALE--	-	-	1	1	3	7	12	25	29	14	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	1	-	3	6	21	35	44	34	17	7	-
WHITE-----MALE----	-	1	-	1	2	9	14	13	8	5	1	-
FEMALE--	-	-	-	2	4	11	19	30	25	12	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,300

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER PSYCHOSES (292-299)												
KENTUCKY -----	-	3	8	7	10	25	34	53	45	23	2	-
WHITE-----MALE----	-	3	5	2	7	9	15	17	12	5	-	-
FEMALE--	-	-	3	5	2	14	18	33	31	17	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	-	3	1	1	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	-	3	1	1	-	-
LOUISIANA -----	-	3	2	2	9	9	30	35	32	11	1	-
WHITE-----MALE----	-	-	1	2	4	1	5	8	7	2	-	-
FEMALE--	-	3	-	-	2	5	16	21	23	5	-	-
ALL OTHER--MALE----	-	-	1	-	2	1	6	-	-	1	-	-
FEMALE--	-	-	-	-	1	2	3	6	2	3	1	-
BLACK---MALE----	-	-	1	-	2	1	5	-	-	1	-	-
FEMALE--	-	-	-	-	1	2	3	6	2	3	1	-
MAINE -----	-	1	-	1	10	7	28	34	28	14	3	-
WHITE-----MALE----	-	-	-	1	6	2	14	7	5	2	-	-
FEMALE--	-	1	-	-	4	5	13	27	23	12	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	2	6	9	50	61	106	81	34	12	-
WHITE-----MALE----	-	-	1	2	4	13	23	29	17	1	-	-
FEMALE--	-	-	1	3	3	30	31	66	56	27	8	-
ALL OTHER--MALE----	-	-	-	1	-	5	1	1	3	2	-	-
FEMALE--	-	-	-	-	2	2	6	10	5	4	4	-
BLACK---MALE----	-	-	-	1	-	4	-	1	3	2	-	-
FEMALE--	-	-	-	-	2	2	5	10	5	4	4	-
MASSACHUSETTS -----	-	-	2	6	28	53	111	155	139	72	16	-
WHITE-----MALE----	-	-	1	3	8	22	41	43	25	13	1	-
FEMALE--	-	-	1	2	17	28	64	108	111	58	15	-
ALL OTHER--MALE----	-	-	-	1	2	1	4	-	1	-	-	-
FEMALE--	-	-	-	-	1	2	2	4	2	1	-	-
BLACK---MALE----	-	-	-	1	2	1	4	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	2	3	2	1	-	-
MICHIGAN -----	1	4	1	5	21	33	67	81	76	36	6	-
WHITE-----MALE----	-	3	1	2	10	10	25	26	16	5	-	-
FEMALE--	1	-	-	2	7	21	37	49	57	28	6	-
ALL OTHER--MALE----	-	1	-	1	3	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	4	6	2	3	-	-
BLACK---MALE----	-	1	-	1	3	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	4	5	2	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,301

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER PSYCHOSES (292-299)												
MINNESOTA -----	1	2	4	6	31	61	120	170	162	70	22	-
WHITE-----MALE----	1	1	3	2	18	27	52	53	33	9	1	-
FEMALE--	-	1	1	4	12	32	68	115	128	59	21	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	1	1	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	1	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	1	-	-
MISSISSIPPI -----	-	-	4	2	3	12	17	18	12	6	1	-
WHITE-----MALE----	-	-	-	1	1	2	4	2	-	-	-	-
FEMALE--	-	-	1	-	-	5	8	12	11	4	-	-
ALL OTHER--MALE----	-	-	1	-	2	3	3	2	-	-	-	-
FEMALE--	-	-	2	1	-	2	2	2	1	2	1	-
BLACK---MALE----	-	-	1	-	2	3	3	2	-	-	-	-
FEMALE--	-	-	2	1	-	2	2	2	1	2	1	-
MISSOURI -----	-	2	1	1	9	32	55	73	71	36	8	-
WHITE-----MALE----	-	2	1	-	3	13	21	27	21	8	2	-
FEMALE--	-	-	-	1	5	17	30	42	50	26	6	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	2	-	1	-	-
FEMALE--	-	-	-	-	1	-	4	2	-	1	-	-
BLACK---MALE----	-	-	-	-	-	2	-	2	-	1	-	-
FEMALE--	-	-	-	-	-	-	4	2	-	1	-	-
MONTANA -----	-	-	-	1	2	4	14	18	14	7	5	-
WHITE-----MALE----	-	-	-	1	1	2	5	6	2	-	2	-
FEMALE--	-	-	-	-	1	2	9	11	12	6	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	-	2	1	2	3	16	24	25	10	1	-
WHITE-----MALE----	-	-	1	1	-	2	4	4	5	2	-	-
FEMALE--	1	-	1	-	2	1	10	20	18	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
NEVADA -----	-	-	1	3	2	5	17	17	7	5	2	-
WHITE-----MALE----	-	-	1	1	1	1	6	4	1	-	-	-
FEMALE--	-	-	-	2	1	3	9	11	6	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,303

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER PSYCHOSES (292-299)												
OHIO -----	2	4	4	9	43	79	147	199	167	87	20	-
WHITE-----MALE----	1	1	2	6	19	38	55	52	30	9	-	-
FEMALE--	1	2	1	3	20	37	84	132	134	74	17	-
ALL OTHER--MALE----	-	1	1	-	4	4	4	9	1	1	-	-
FEMALE--	-	-	-	-	-	-	4	6	2	3	3	-
BLACK---MALE----	-	1	1	-	4	4	4	9	1	1	-	-
FEMALE--	-	-	-	-	-	-	4	6	2	3	3	-
OKLAHOMA -----	-	-	-	3	11	21	44	60	48	18	3	-
WHITE-----MALE----	-	-	-	2	6	8	13	17	6	-	-	-
FEMALE--	-	-	-	1	3	12	29	38	39	13	3	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	3	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	3	5	-	-
BLACK---MALE----	-	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	2	4	-	-
OREGON -----	1	1	4	5	15	32	71	81	75	24	6	-
WHITE-----MALE----	1	-	4	2	8	16	33	33	12	2	-	-
FEMALE--	-	1	-	2	7	14	37	48	62	22	6	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA -----	1	3	12	15	33	61	117	185	149	68	24	-
WHITE-----MALE----	1	1	7	7	17	26	48	48	29	8	3	-
FEMALE--	-	2	5	5	11	32	57	124	109	54	20	-
ALL OTHER--MALE----	-	-	-	-	2	-	5	3	4	-	1	-
FEMALE--	-	-	-	3	3	3	7	10	7	6	-	-
BLACK---MALE----	-	-	-	-	2	-	5	3	4	-	1	-
FEMALE--	-	-	-	3	3	3	7	10	7	6	-	-
RHODE ISLAND -----	-	-	2	1	4	9	23	26	19	8	-	-
WHITE-----MALE----	-	-	-	-	3	4	10	7	5	3	-	-
FEMALE--	-	-	2	1	1	5	13	19	14	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	1	1	5	10	20	53	48	42	23	3	-
WHITE-----MALE----	1	-	1	3	5	4	19	13	7	2	-	-
FEMALE--	1	1	-	-	5	10	21	21	29	19	2	-
ALL OTHER--MALE----	-	-	-	1	-	2	5	3	2	-	-	-
FEMALE--	-	-	-	1	-	4	8	11	4	2	1	-
BLACK---MALE----	-	-	-	1	-	2	5	3	2	-	-	-
FEMALE--	-	-	-	1	-	4	8	10	4	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,304

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL OTHER PSYCHOSES (292-299)												
SOUTH DAKOTA -----	61	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	275	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	87	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	170	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	712	-	-	-	-	-	-	1	-	-	1	1
WHITE-----MALE----	221	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	445	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	110	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	81	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	50	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	385	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	100	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	221	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	38	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	37	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,304

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER PSYCHOSES (292-299)												
SOUTH DAKOTA -----	1	-	1	-	1	7	8	14	19	8	-	-
WHITE-----MALE----	-	-	1	-	1	4	4	5	6	3	-	-
FEMALE--	1	-	-	-	-	2	4	9	13	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	4	12	9	32	60	78	51	24	3	-
WHITE-----MALE----	-	-	1	7	5	10	18	23	17	5	-	-
FEMALE--	-	1	2	5	4	19	35	50	34	17	3	-
ALL OTHER--MALE----	-	-	1	-	-	1	3	1	-	1	-	-
FEMALE--	-	-	-	-	-	2	4	4	-	1	-	-
BLACK---MALE----	-	-	1	-	-	1	3	1	-	1	-	-
FEMALE--	-	-	-	-	-	2	4	4	-	1	-	-
TEXAS -----	2	5	4	14	27	81	136	198	149	79	14	-
WHITE-----MALE----	2	3	3	7	10	33	55	59	30	13	4	-
FEMALE--	-	1	-	2	14	42	75	125	112	64	9	-
ALL OTHER--MALE----	-	-	1	3	1	3	1	6	2	-	-	-
FEMALE--	-	1	-	2	2	3	5	8	5	2	1	-
BLACK---MALE----	-	-	1	3	1	3	1	6	2	-	-	-
FEMALE--	-	1	-	2	2	3	5	8	5	2	1	-
UTAH -----	-	-	1	2	7	11	27	24	20	13	4	-
WHITE-----MALE----	-	-	1	1	2	3	11	5	5	1	-	-
FEMALE--	-	-	-	1	5	8	16	19	15	12	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	2	1	6	7	16	14	4	-	-
WHITE-----MALE----	-	-	-	1	-	3	1	5	3	-	-	-
FEMALE--	-	-	-	1	1	3	6	11	11	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	2	3	6	14	64	76	99	85	31	3	-
WHITE-----MALE----	-	-	2	3	8	24	21	26	12	4	-	-
FEMALE--	-	2	1	2	4	28	41	59	61	20	3	-
ALL OTHER--MALE----	-	-	-	1	-	7	9	3	2	3	-	-
FEMALE--	-	-	-	-	2	5	5	11	10	4	-	-
BLACK---MALE----	-	-	-	1	-	7	8	2	2	3	-	-
FEMALE--	-	-	-	-	2	5	5	11	9	4	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,306

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALCOHOL DEPENDENCE SYNDROME (303)												
0 UNITED STATES --	5,204	1	-	-	-	5	8	45	183	401	644	850
WHITE-----MALE----	3,121	-	-	-	-	5	4	27	95	230	391	512
FEMALE--	936	1	-	-	-	-	1	10	43	74	126	123
ALL OTHER--MALE----	900	-	-	-	-	-	1	7	24	65	92	173
FEMALE--	247	-	-	-	-	-	2	1	21	32	35	42
BLACK---MALE----	785	-	-	-	-	-	-	6	19	44	75	158
FEMALE--	199	-	-	-	-	-	1	-	9	24	31	35
ALABAMA -----	97	-	-	-	-	-	-	1	2	8	20	16
WHITE-----MALE----	43	-	-	-	-	-	-	-	1	2	8	6
FEMALE--	14	-	-	-	-	-	-	-	-	1	3	4
ALL OTHER--MALE----	31	-	-	-	-	-	-	1	1	4	7	6
FEMALE--	9	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	31	-	-	-	-	-	-	1	1	4	7	6
FEMALE--	9	-	-	-	-	-	-	-	-	1	2	-
ALASKA -----	29	-	-	-	-	-	-	1	4	1	5	3
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	7	-	-	-	-	-	-	1	3	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	123	-	-	-	-	-	-	1	4	10	11	24
WHITE-----MALE----	74	-	-	-	-	-	-	1	-	2	6	17
FEMALE--	24	-	-	-	-	-	-	-	1	4	2	3
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	1	3	3	2
FEMALE--	7	-	-	-	-	-	-	-	2	1	-	2
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	29	-	-	-	-	-	-	1	1	1	1	6
WHITE-----MALE----	19	-	-	-	-	-	-	1	-	1	1	3
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA -----	659	-	-	-	-	-	2	9	26	39	80	102
WHITE-----MALE----	427	-	-	-	-	-	1	5	18	27	59	65
FEMALE--	147	-	-	-	-	-	-	3	5	6	15	17
ALL OTHER--MALE----	57	-	-	-	-	-	-	1	-	5	3	17
FEMALE--	28	-	-	-	-	-	1	-	3	1	3	3
BLACK---MALE----	45	-	-	-	-	-	-	1	-	3	2	15
FEMALE--	19	-	-	-	-	-	-	-	1	1	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,306

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
ALCOHOL DEPENDENCE SYNDROME (303)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	723	605	571	471	337	206	105	31	11	2	-	5
WHITE-----MALE----	443	346	352	288	201	130	66	20	5	1	-	5
FEMALE--	116	96	99	87	76	42	28	10	4	-	-	-
ALL OTHER--MALE----	129	132	97	82	54	30	10	1	2	1	-	-
FEMALE--	35	31	23	14	6	4	1	-	-	-	-	-
BLACK---MALE----	116	117	88	78	44	29	8	1	1	1	-	-
FEMALE--	31	28	20	11	5	3	1	-	-	-	-	-
ALABAMA -----	21	13	3	8	2	2	1	-	-	-	-	-
WHITE-----MALE----	10	9	1	2	2	2	-	-	-	-	-	-
FEMALE--	3	-	-	3	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	2	1	2	-	-	1	-	-	-	-	-
FEMALE--	2	2	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	6	2	1	2	-	-	1	-	-	-	-	-
FEMALE--	2	2	1	1	-	-	-	-	-	-	-	-
ALASKA -----	2	3	2	3	2	3	-	-	-	-	-	-
WHITE-----MALE----	2	1	1	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	2	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	15	13	11	13	8	7	4	2	-	-	-	-
WHITE-----MALE----	10	9	7	8	4	5	3	2	-	-	-	-
FEMALE--	2	3	3	2	1	2	1	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	3	3	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	6	6	3	2	1	1	-	-	-	-	-	-
WHITE-----MALE----	5	3	2	2	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	2	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	93	56	75	73	50	35	12	4	1	1	-	1
WHITE-----MALE----	59	35	47	47	30	21	7	3	1	1	-	1
FEMALE--	19	13	17	19	15	12	5	1	-	-	-	-
ALL OTHER--MALE----	9	3	8	5	4	2	-	-	-	-	-	-
FEMALE--	6	5	3	2	1	-	-	-	-	-	-	-
BLACK---MALE----	6	2	7	4	3	2	-	-	-	-	-	-
FEMALE--	4	5	3	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,307

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALCOHOL DEPENDENCE SYNDROME (303)												
COLORADO -----	105	-	-	-	-	-	-	3	6	10	17	11
WHITE-----MALE----	70	-	-	-	-	-	-	2	4	4	11	8
FEMALE--	28	-	-	-	-	-	-	1	1	5	6	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	31	-	-	-	-	-	-	-	4	2	3	8
WHITE-----MALE----	22	-	-	-	-	-	-	-	3	1	1	5
FEMALE--	4	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	8	-	-	-	-	-	-	-	1	1	1	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	15	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	381	-	-	-	-	-	-	4	6	30	45	57
WHITE-----MALE----	231	-	-	-	-	-	-	2	3	21	30	35
FEMALE--	90	-	-	-	-	-	-	1	2	7	11	14
ALL OTHER--MALE----	49	-	-	-	-	-	-	1	-	1	2	6
FEMALE--	11	-	-	-	-	-	-	-	1	1	2	2
BLACK---MALE----	46	-	-	-	-	-	-	1	-	1	1	5
FEMALE--	11	-	-	-	-	-	-	-	1	1	2	2
GEORGIA -----	246	-	-	-	-	-	1	-	7	18	31	40
WHITE-----MALE----	93	-	-	-	-	-	-	-	2	5	8	15
FEMALE--	36	-	-	-	-	-	-	-	2	2	8	3
ALL OTHER--MALE----	88	-	-	-	-	-	-	-	1	5	12	18
FEMALE--	29	-	-	-	-	-	1	-	2	6	3	4
BLACK---MALE----	87	-	-	-	-	-	-	-	1	5	12	18
FEMALE--	29	-	-	-	-	-	1	-	2	6	3	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,307

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALCOHOL DEPENDENCE SYNDROME (303)												
COLORADO -----	12	8	15	8	8	6	1	-	-	-	-	-
WHITE-----MALE----	9	4	11	6	6	5	-	-	-	-	-	-
FEMALE--	2	2	3	2	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	4	1	5	2	-	1	1	-	-	-	-	-
WHITE-----MALE----	3	1	5	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	1	1	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	2	2	3	2	-	1	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	2	3	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	2	3	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	51	54	47	34	25	17	6	3	-	-	-	2
WHITE-----MALE----	35	30	26	20	14	9	4	-	-	-	-	2
FEMALE--	11	10	10	7	7	6	1	3	-	-	-	-
ALL OTHER--MALE----	5	12	10	6	3	2	1	-	-	-	-	-
FEMALE--	-	2	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	5	12	9	6	3	2	1	-	-	-	-	-
FEMALE--	-	2	1	1	1	-	-	-	-	-	-	-
GEORGIA -----	29	32	31	23	20	10	2	1	-	1	-	-
WHITE-----MALE----	16	12	14	9	7	4	-	1	-	-	-	-
FEMALE--	3	4	6	3	2	2	1	-	-	-	-	-
ALL OTHER--MALE----	6	12	8	10	10	4	1	-	-	1	-	-
FEMALE--	4	4	3	1	1	-	-	-	-	-	-	-
BLACK---MALE----	6	12	8	10	9	4	1	-	-	1	-	-
FEMALE--	4	4	3	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,309

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALCOHOL DEPENDENCE SYNDROME (303)												
KENTUCKY -----	64	-	-	-	-	-	-	-	-	6	9	12
WHITE-----MALE----	41	-	-	-	-	-	-	-	-	4	8	8
FEMALE--	14	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	65	-	-	-	-	1	-	-	-	5	9	11
WHITE-----MALE----	21	-	-	-	-	1	-	-	-	1	1	4
FEMALE--	9	-	-	-	-	-	-	-	-	-	3	2
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	2	4	5
FEMALE--	6	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	29	-	-	-	-	-	-	-	-	2	4	5
FEMALE--	6	-	-	-	-	-	-	-	-	2	1	-
MAINE -----	37	-	-	-	-	-	-	-	-	1	5	7
WHITE-----MALE----	31	-	-	-	-	-	-	-	-	1	5	5
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	77	-	-	-	-	-	-	1	3	3	5	14
WHITE-----MALE----	40	-	-	-	-	-	-	-	-	2	3	9
FEMALE--	10	-	-	-	-	-	-	1	2	-	1	1
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	1	1	1	4
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	20	-	-	-	-	-	-	-	1	1	1	4
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	131	-	-	-	-	-	-	-	5	11	26	15
WHITE-----MALE----	92	-	-	-	-	-	-	-	3	8	19	11
FEMALE--	30	-	-	-	-	-	-	-	2	2	7	3
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	178	-	-	-	-	-	-	2	6	26	16	32
WHITE-----MALE----	106	-	-	-	-	-	-	2	4	20	9	16
FEMALE--	40	-	-	-	-	-	-	-	1	4	4	8
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	2	2	7
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	25	-	-	-	-	-	-	-	-	2	2	7
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,312

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALCOHOL DEPENDENCE SYNDROME (303)												
OHIO -----	117	-	-	-	-	-	-	1	3	6	18	28
WHITE-----MALE----	81	-	-	-	-	-	-	1	2	3	16	15
FEMALE--	14	-	-	-	-	-	-	-	1	3	-	2
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	2	7
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	4
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	2	7
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	4
OKLAHOMA -----	57	-	-	-	-	-	-	-	2	2	6	8
WHITE-----MALE----	34	-	-	-	-	-	-	-	1	1	1	4
FEMALE--	11	-	-	-	-	-	-	-	-	1	2	3
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	123	-	-	-	-	1	1	1	2	5	14	11
WHITE-----MALE----	95	-	-	-	-	1	-	1	-	3	9	8
FEMALE--	22	-	-	-	-	-	-	-	2	1	4	3
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	112	1	-	-	-	-	1	-	3	12	11	14
WHITE-----MALE----	74	-	-	-	-	-	1	-	1	7	6	8
FEMALE--	19	1	-	-	-	-	-	-	1	4	4	3
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	16	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	1
RHODE ISLAND -----	15	-	-	-	-	-	-	-	2	2	1	3
WHITE-----MALE----	13	-	-	-	-	-	-	-	2	2	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
SOUTH CAROLINA -----	103	-	-	-	-	-	-	-	2	9	9	21
WHITE-----MALE----	42	-	-	-	-	-	-	-	-	4	2	8
FEMALE--	13	-	-	-	-	-	-	-	-	1	3	4
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	2	2	2	7
FEMALE--	9	-	-	-	-	-	-	-	-	2	2	2
BLACK---MALE----	39	-	-	-	-	-	-	-	2	2	2	7
FEMALE--	9	-	-	-	-	-	-	-	-	2	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,312

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALCOHOL DEPENDENCE SYNDROME (303)												
OHIO -----	16	10	11	9	8	4	2	-	1	-	-	-
WHITE-----MALE----	11	5	10	8	7	2	1	-	-	-	-	-
FEMALE--	3	2	1	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	2	3	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	3	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	6	9	6	5	7	3	3	-	-	-	-	-
WHITE-----MALE----	4	6	5	3	4	2	3	-	-	-	-	-
FEMALE--	-	1	1	-	3	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	12	21	21	7	13	10	4	-	-	-	-	-
WHITE-----MALE----	10	18	17	5	11	8	4	-	-	-	-	-
FEMALE--	1	3	2	2	2	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	11	13	10	9	10	8	5	2	2	-	-	-
WHITE-----MALE----	7	8	7	7	9	5	4	2	2	-	-	-
FEMALE--	2	-	1	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	1	5	2	2	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	5	2	2	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	3	1	-	1	2	-	-	-	-	-	-	-
WHITE-----MALE----	3	1	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	16	11	10	7	5	9	3	1	-	-	-	-
WHITE-----MALE----	6	7	4	2	2	5	2	-	-	-	-	-
FEMALE--	1	1	1	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	7	3	5	4	2	4	-	1	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	7	3	5	4	2	4	-	1	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,313

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALCOHOL DEPENDENCE SYNDROME (303)												
SOUTH DAKOTA -----	2	2	1	1	3	-	-	-	-	-	-	-
WHITE-----MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	19	10	14	9	6	2	3	1	-	-	-	-
WHITE-----MALE----	11	7	9	8	4	2	1	-	-	-	-	-
FEMALE--	-	1	2	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	5	2	2	1	2	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	2	2	1	2	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
TEXAS -----	31	25	20	21	10	10	4	3	1	-	-	1
WHITE-----MALE----	21	13	14	18	9	7	2	3	-	-	-	1
FEMALE--	7	5	5	1	-	3	2	-	1	-	-	-
ALL OTHER--MALE----	3	7	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	7	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
UTAH -----	5	-	4	3	3	2	-	-	-	-	-	-
WHITE-----MALE----	4	-	2	3	3	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	14	22	15	18	8	2	2	-	-	-	-	-
WHITE-----MALE----	6	10	10	6	2	1	1	-	-	-	-	-
FEMALE--	2	2	2	5	5	-	1	-	-	-	-	-
ALL OTHER--MALE----	5	8	3	6	-	1	-	-	-	-	-	-
FEMALE--	1	2	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	5	8	3	6	-	1	-	-	-	-	-	-
FEMALE--	1	2	-	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,324

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	5,906	8	3	3	4	35	85	136	233	367	459	371
WHITE-----MALE----	2,208	1	1	1	1	21	62	73	130	198	229	184
FEMALE--	2,782	1	2	2	2	10	7	30	42	64	77	60
ALL OTHER--MALE----	551	4	-	-	1	4	14	23	39	70	97	88
FEMALE--	365	2	-	-	-	-	2	10	22	35	56	39
BLACK---MALE----	489	3	-	-	1	2	12	18	33	58	92	82
FEMALE--	329	2	-	-	-	-	1	9	17	31	53	36
ALABAMA -----	132	1	-	-	-	1	-	1	1	4	5	6
WHITE-----MALE----	30	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	64	-	-	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	22	1	-	-	-	-	-	1	1	2	3	3
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	22	1	-	-	-	-	-	1	1	2	3	3
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
ALASKA -----	16	-	-	-	-	-	-	2	2	1	2	5
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	2	2	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	99	-	-	-	-	1	2	1	4	13	5	3
WHITE-----MALE----	37	-	-	-	-	1	-	-	2	7	4	2
FEMALE--	44	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	2	1	-	5	-	1
FEMALE--	5	-	-	-	-	-	-	-	2	1	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	1	1	-
ARKANSAS -----	64	-	-	-	-	-	-	1	1	3	4	3
WHITE-----MALE----	17	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	41	-	-	-	-	-	-	-	-	2	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
CALIFORNIA -----	555	-	-	-	-	4	14	25	38	63	73	74
WHITE-----MALE----	284	-	-	-	-	3	13	18	25	36	47	48
FEMALE--	206	-	-	-	-	1	1	4	8	18	17	14
ALL OTHER--MALE----	36	-	-	-	-	-	-	2	3	8	4	8
FEMALE--	29	-	-	-	-	-	-	1	2	1	5	4
BLACK---MALE----	25	-	-	-	-	-	-	2	2	5	4	7
FEMALE--	21	-	-	-	-	-	-	1	1	1	4	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,324

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	215	158	152	168	273	419	702	886	791	352	81	5
WHITE-----MALE----	110	81	77	64	116	166	244	244	144	49	9	3
FEMALE--	39	40	48	77	125	211	414	596	594	274	67	-
ALL OTHER--MALE----	57	32	18	19	18	17	20	14	11	3	-	2
FEMALE--	9	5	9	8	14	25	24	32	42	26	5	-
BLACK---MALE----	52	30	18	16	14	15	19	12	8	2	-	2
FEMALE--	8	5	8	8	13	19	19	31	40	24	5	-
ALABAMA -----	4	5	2	6	5	13	24	18	25	7	4	-
WHITE-----MALE----	1	2	1	-	3	5	5	6	1	1	-	-
FEMALE--	1	-	1	4	2	5	16	9	16	5	3	-
ALL OTHER--MALE----	2	3	-	1	-	3	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	2	3	7	1	1	-
BLACK---MALE----	2	3	-	1	-	3	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	2	3	7	1	1	-
ALASKA -----	-	1	-	-	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	5	2	3	5	8	14	12	13	6	-	-
WHITE-----MALE----	-	2	-	1	3	3	4	3	5	-	-	-
FEMALE--	1	1	2	1	2	4	10	9	8	6	-	-
ALL OTHER--MALE----	1	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	-	1	2	4	8	3	18	8	5	1	-
WHITE-----MALE----	1	-	-	1	1	4	-	6	-	1	-	-
FEMALE--	-	-	1	1	3	4	3	12	8	4	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	33	20	8	12	21	19	38	51	41	18	2	1
WHITE-----MALE----	20	10	6	5	9	7	12	14	7	3	-	1
FEMALE--	9	7	2	4	10	12	21	35	30	11	2	-
ALL OTHER--MALE----	3	2	-	2	1	-	-	2	1	-	-	-
FEMALE--	1	1	-	1	1	-	5	-	3	4	-	-
BLACK---MALE----	2	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	1	-	1	-	3	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,325

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)												
COLORADO -----	58	-	-	-	-	1	-	-	2	1	6	6
WHITE-----MALE----	29	-	-	-	-	1	-	-	2	1	5	4
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
CONNECTICUT -----	51	-	-	-	-	-	-	-	3	3	3	1
WHITE-----MALE----	15	-	-	-	-	-	-	-	2	2	2	1
FEMALE--	33	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	14	-	-	-	-	-	-	2	1	2	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	2	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	9	-	-	-	-	-	-	-	-	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
FLORIDA -----	446	-	1	-	-	2	3	4	4	14	23	14
WHITE-----MALE----	158	-	-	-	-	2	2	3	1	7	15	6
FEMALE--	240	-	1	-	-	-	-	-	1	4	5	3
ALL OTHER--MALE----	27	-	-	-	-	-	1	1	2	2	2	3
FEMALE--	21	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	27	-	-	-	-	-	1	1	2	2	2	3
FEMALE--	21	-	-	-	-	-	-	-	-	1	1	2
GEORGIA -----	133	-	-	-	-	-	2	1	5	10	16	9
WHITE-----MALE----	40	-	-	-	-	-	2	-	2	5	3	1
FEMALE--	48	-	-	-	-	-	-	-	-	2	3	1
ALL OTHER--MALE----	29	-	-	-	-	-	-	1	-	2	5	4
FEMALE--	16	-	-	-	-	-	-	-	3	1	5	3
BLACK---MALE----	28	-	-	-	-	-	-	1	-	2	5	3
FEMALE--	15	-	-	-	-	-	-	-	3	1	5	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,325

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	3	3	3	2	2	10	10	5	4	-	-
WHITE-----MALE----	-	2	1	2	1	1	5	3	-	1	-	-
FEMALE--	-	1	2	1	1	1	5	7	5	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	4	-	2	4	3	5	7	8	6	1	-
WHITE-----MALE----	-	2	-	-	2	1	-	2	1	-	-	-
FEMALE--	1	2	-	2	2	2	4	5	6	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
DELAWARE -----	-	1	1	-	-	-	-	2	3	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	2	2	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	1	2	-	1	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	1	-	-	-
FLORIDA -----	11	5	6	11	21	38	66	89	87	38	9	-
WHITE-----MALE----	7	5	4	7	7	15	27	23	17	9	1	-
FEMALE--	1	-	1	4	10	20	30	62	63	29	6	-
ALL OTHER--MALE----	3	-	-	-	3	2	5	1	2	-	-	-
FEMALE--	-	-	1	-	1	1	4	3	5	-	2	-
BLACK---MALE----	3	-	-	-	3	2	5	1	2	-	-	-
FEMALE--	-	-	1	-	1	1	4	3	5	-	2	-
GEORGIA -----	11	8	3	7	5	14	14	9	11	8	-	-
WHITE-----MALE----	2	5	-	3	3	5	2	3	2	2	-	-
FEMALE--	1	1	-	2	1	8	11	5	8	5	-	-
ALL OTHER--MALE----	8	2	3	2	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	1	1	-	1	1	-	-	-
BLACK---MALE----	8	2	3	2	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	1	1	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,327

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	97	-	-	-	-	-	1	2	6	7	3	3
WHITE-----MALE----	47	-	-	-	-	-	1	2	5	6	3	1
FEMALE--	45	-	-	-	-	-	-	-	1	1	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	111	-	-	-	-	-	3	4	4	10	12	9
WHITE-----MALE----	39	-	-	-	-	-	1	1	1	5	4	3
FEMALE--	37	-	-	-	-	-	-	-	2	1	4	2
ALL OTHER--MALE----	19	-	-	-	-	-	2	3	1	2	3	2
FEMALE--	16	-	-	-	-	-	-	-	-	2	1	2
BLACK---MALE----	19	-	-	-	-	-	2	3	1	2	3	2
FEMALE--	16	-	-	-	-	-	-	-	-	2	1	2
MAINE -----	27	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	81	-	-	-	-	1	1	2	7	13	10	9
WHITE-----MALE----	26	-	-	-	-	1	-	1	5	6	2	3
FEMALE--	27	-	-	-	-	-	-	-	1	3	1	-
ALL OTHER--MALE----	19	-	-	-	-	-	1	-	-	4	4	4
FEMALE--	9	-	-	-	-	-	-	1	1	-	3	2
BLACK---MALE----	19	-	-	-	-	-	1	-	-	4	4	4
FEMALE--	9	-	-	-	-	-	-	1	1	-	3	2
MASSACHUSETTS -----	187	-	-	1	-	-	2	2	6	5	5	2
WHITE-----MALE----	55	-	-	-	-	-	2	2	4	3	5	2
FEMALE--	127	-	-	1	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
MICHIGAN -----	326	1	-	-	-	4	12	20	18	39	72	35
WHITE-----MALE----	122	-	-	-	-	3	9	9	11	15	25	11
FEMALE--	87	1	-	-	-	-	1	5	1	9	10	2
ALL OTHER--MALE----	73	-	-	-	-	1	2	4	3	8	20	14
FEMALE--	44	-	-	-	-	-	-	2	3	7	17	8
BLACK---MALE----	70	-	-	-	-	1	2	4	3	8	20	14
FEMALE--	43	-	-	-	-	-	-	2	3	7	17	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,327

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	3	2	4	4	10	15	17	14	5	-	-
WHITE-----MALE----	-	2	-	1	2	5	6	8	5	-	-	-
FEMALE--	-	1	1	3	2	5	9	9	7	4	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	2	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	2	1	-	-
LOUISIANA -----	4	5	1	1	8	5	18	10	14	2	1	-
WHITE-----MALE----	3	2	-	-	5	4	6	4	-	-	-	-
FEMALE--	-	1	-	-	2	-	8	4	10	2	1	-
ALL OTHER--MALE----	-	1	1	-	1	-	2	1	-	-	-	-
FEMALE--	1	1	-	1	-	1	2	1	4	-	-	-
BLACK---MALE----	-	1	1	-	1	-	2	1	-	-	-	-
FEMALE--	1	1	-	1	-	1	2	1	4	-	-	-
MAINE -----	-	2	-	1	2	3	7	5	4	2	-	-
WHITE-----MALE----	-	1	-	-	-	2	1	3	2	1	-	-
FEMALE--	-	1	-	1	2	-	6	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	3	-	1	4	7	3	8	7	-	2	1
WHITE-----MALE----	1	-	-	-	3	2	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	4	3	7	6	-	2	-
ALL OTHER--MALE----	1	3	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	1	3	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
MASSACHUSETTS -----	3	-	2	3	6	16	19	45	46	19	5	-
WHITE-----MALE----	3	-	1	-	2	9	5	11	5	1	-	-
FEMALE--	-	-	1	3	4	7	14	32	40	18	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
MICHIGAN -----	22	10	7	7	6	8	18	19	20	8	-	-
WHITE-----MALE----	6	2	3	4	1	4	8	4	7	-	-	-
FEMALE--	2	2	3	3	4	4	8	14	11	7	-	-
ALL OTHER--MALE----	12	5	-	-	1	-	2	-	1	-	-	-
FEMALE--	2	1	1	-	-	-	-	1	1	1	-	-
BLACK---MALE----	11	5	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	1	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,328

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	124	-	-	1	-	2	2	1	4	5	5	1
WHITE-----MALE----	49	-	-	-	-	2	2	-	2	2	4	1
FEMALE--	65	-	-	1	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	2	1	1	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
MISSISSIPPI -----	55	-	-	-	-	-	1	3	2	4	3	1
WHITE-----MALE----	17	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	18	-	-	-	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	3	2	1
FEMALE--	9	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	1	3	2	1
FEMALE--	9	-	-	-	-	-	-	1	-	-	-	-
MISSOURI -----	142	-	-	-	-	2	1	2	1	4	8	7
WHITE-----MALE----	51	-	-	-	-	2	1	-	1	2	5	5
FEMALE--	73	-	-	-	-	-	-	2	-	1	1	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
MONTANA -----	16	-	-	-	-	1	-	-	-	2	-	2
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	69	-	-	-	-	1	-	1	2	1	1	1
WHITE-----MALE----	26	-	-	-	-	-	-	1	2	1	-	1
FEMALE--	42	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	25	-	-	-	-	-	1	1	2	4	1	1
WHITE-----MALE----	15	-	-	-	-	-	1	-	2	3	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,328

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	3	1	4	2	6	10	21	17	21	15	3	-
WHITE-----MALE----	3	1	1	-	4	2	6	6	9	3	1	-
FEMALE--	-	-	2	1	1	7	15	10	12	12	2	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
MISSISSIPPI -----	4	1	-	2	6	5	8	3	7	5	-	-
WHITE-----MALE----	3	1	-	-	2	3	2	-	2	1	-	-
FEMALE--	-	-	-	1	2	2	3	2	4	1	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	1	3	-	-
BLACK---MALE----	1	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	1	3	-	-
MISSOURI -----	5	2	1	4	6	11	21	27	21	15	3	1
WHITE-----MALE----	3	2	-	3	3	5	5	3	7	3	1	-
FEMALE--	1	-	1	1	2	3	14	20	13	11	2	-
ALL OTHER--MALE----	1	-	-	-	1	1	1	1	-	-	-	1
FEMALE--	-	-	-	-	-	2	1	3	1	1	-	-
BLACK---MALE----	1	-	-	-	1	1	1	1	-	-	-	1
FEMALE--	-	-	-	-	-	2	1	3	1	1	-	-
MONTANA -----	-	-	-	1	3	-	2	3	2	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	2	2	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	2	1	1	2	3	10	17	8	16	2	-
WHITE-----MALE----	-	1	1	1	1	-	3	9	1	3	1	-
FEMALE--	-	1	-	-	1	3	7	8	7	13	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	-	3	-	1	1	2	4	1	2	-	1
WHITE-----MALE----	-	-	3	-	1	-	2	-	-	-	-	1
FEMALE--	-	-	-	-	-	1	-	3	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,330

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	5	2	5	4	15	11	38	55	41	15	8	-
WHITE-----MALE----	4	2	3	1	6	4	14	16	2	4	1	-
FEMALE--	-	-	-	1	8	5	21	36	37	11	7	-
ALL OTHER--MALE----	1	-	2	1	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	3	2	-	-	-
BLACK---MALE----	1	-	2	1	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	3	2	-	-	-
OKLAHOMA -----	2	3	4	5	1	8	7	15	9	6	-	-
WHITE-----MALE----	1	-	2	3	-	3	3	4	2	-	-	-
FEMALE--	1	3	1	2	1	4	3	11	7	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	2	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	2	-	-
OREGON -----	1	2	7	4	6	10	16	22	9	1	-	-
WHITE-----MALE----	1	1	5	1	3	6	5	4	3	1	-	-
FEMALE--	-	1	2	3	2	4	11	18	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	5	6	6	9	6	24	37	54	48	20	7	1
WHITE-----MALE----	1	5	3	2	4	8	16	11	7	3	-	-
FEMALE--	2	1	3	7	2	15	21	41	40	16	5	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	1	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	1	-	1	2	-
BLACK---MALE----	2	-	-	-	-	1	-	1	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	1	-	1	2	-
RHODE ISLAND -----	2	-	-	-	2	1	4	2	2	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	1	-	-	-	2	1	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	2	4	3	4	7	7	7	9	2	-	-
WHITE-----MALE----	2	1	3	-	1	1	3	-	2	-	-	-
FEMALE--	-	-	1	2	1	3	4	4	5	-	-	-
ALL OTHER--MALE----	2	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	3	-	3	2	2	-	-
BLACK---MALE----	2	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	3	-	3	2	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,331

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)												
SOUTH DAKOTA -----	21	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	112	-	-	-	1	-	1	2	5	10	7	5
WHITE-----MALE----	48	-	-	-	-	-	-	1	3	8	4	1
FEMALE--	46	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	13	-	-	-	1	-	1	-	2	-	-	2
FEMALE--	5	-	-	-	-	-	-	1	-	1	1	1
BLACK---MALE----	13	-	-	-	1	-	1	-	2	-	-	2
FEMALE--	5	-	-	-	-	-	-	1	-	1	1	1
TEXAS -----	349	1	1	-	-	1	10	6	9	16	22	16
WHITE-----MALE----	131	-	1	-	-	-	9	5	4	10	15	11
FEMALE--	186	-	-	-	-	1	-	1	2	4	5	4
ALL OTHER--MALE----	16	-	-	-	-	-	1	-	2	1	1	-
FEMALE--	16	1	-	-	-	-	-	-	1	1	1	1
BLACK---MALE----	16	-	-	-	-	-	1	-	2	1	1	-
FEMALE--	16	1	-	-	-	-	-	-	1	1	1	1
UTAH -----	26	-	-	-	-	-	-	-	1	-	2	3
WHITE-----MALE----	10	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
VERMONT -----	17	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	135	-	-	-	-	1	-	1	2	4	4	3
WHITE-----MALE----	35	-	-	-	-	-	-	-	2	2	1	1
FEMALE--	65	-	-	-	-	1	-	1	-	-	2	1
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,331

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	5	4	3	3	3	2	-
WHITE-----MALE----	-	-	-	-	-	3	1	1	-	1	-	-
FEMALE--	-	-	-	-	-	1	3	2	3	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	3	8	2	8	17	8	12	12	5	1	-
WHITE-----MALE----	3	1	5	-	2	8	5	3	1	2	1	-
FEMALE--	2	1	2	1	5	6	3	9	11	2	-	-
ALL OTHER--MALE----	-	1	1	1	1	2	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	1	1	1	2	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
TEXAS -----	12	8	14	10	17	21	42	60	54	20	9	-
WHITE-----MALE----	5	3	8	3	5	5	17	16	11	3	-	-
FEMALE--	4	5	4	5	9	14	24	39	41	15	9	-
ALL OTHER--MALE----	3	-	2	1	1	2	1	1	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	4	2	2	-	-
BLACK---MALE----	3	-	2	1	1	2	1	1	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	4	2	2	-	-
UTAH -----	1	-	-	3	3	1	4	6	2	-	-	-
WHITE-----MALE----	1	-	-	-	2	-	1	3	-	-	-	-
FEMALE--	-	-	-	3	1	1	3	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	2	1	1	-	-	3	1	2	2	-	-
WHITE-----MALE----	2	1	1	1	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	-	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	4	7	5	11	14	20	26	16	14	-	-
WHITE-----MALE----	-	2	2	2	3	4	3	9	3	1	-	-
FEMALE--	1	-	3	1	4	7	16	11	7	10	-	-
ALL OTHER--MALE----	2	2	2	2	1	1	1	2	2	-	-	-
FEMALE--	-	-	-	-	3	2	-	4	4	3	-	-
BLACK---MALE----	2	2	2	2	1	1	1	2	2	-	-	-
FEMALE--	-	-	-	-	3	2	-	4	4	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,333

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MENTAL RETARDATION (317-319)												
UNITED STATES --	420	-	7	8	9	14	21	22	31	29	35	28
WHITE-----MALE----	217	-	5	4	1	10	13	11	13	11	18	18
FEMALE--	147	-	1	3	4	3	4	7	9	10	12	6
ALL OTHER--MALE----	28	-	1	-	2	-	2	2	4	5	2	2
FEMALE--	28	-	-	1	2	1	2	2	5	3	3	2
BLACK---MALE----	25	-	-	-	1	-	2	2	4	5	2	1
FEMALE--	25	-	-	-	2	1	1	2	4	3	3	2
ALABAMA -----	7	-	-	1	-	-	1	-	2	1	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	2	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	1	-	2	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	7	-	-	1	1	-	1	1	-	-	-	1
WHITE-----MALE----	3	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	35	-	1	-	2	4	3	7	5	4	2	-
WHITE-----MALE----	15	-	1	-	-	3	1	2	3	2	1	-
FEMALE--	13	-	-	-	1	1	1	2	1	2	1	-
ALL OTHER--MALE----	3	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	1	1	-	-	-
BLACK---MALE----	3	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,334

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MENTAL RETARDATION (317-319)												
COLORADO -----	2	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	7	-	-	1	-	-	-	1	-	-	1	-
WHITE-----MALE----	5	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
FLORIDA -----	13	-	-	1	-	1	-	1	1	3	-	-
WHITE-----MALE----	7	-	-	-	-	1	-	1	1	1	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	8	-	-	1	-	-	1	-	1	1	1	-
WHITE-----MALE----	4	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,336

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MENTAL RETARDATION (317-319)												
KENTUCKY -----	7	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	7	-	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
MAINE -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	15	-	-	-	1	-	3	-	-	2	1	2
WHITE-----MALE----	8	-	-	-	-	-	2	-	-	1	-	1
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	17	-	-	-	1	-	-	-	-	1	1	3
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	12	-	-	-	-	-	-	1	-	-	1	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,339

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MENTAL RETARDATION (317-319)												
OHIO -----	22	-	2	-	2	-	-	1	-	-	2	2
WHITE-----MALE----	12	-	1	-	1	-	-	1	-	-	1	1
FEMALE--	8	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
OKLAHOMA -----	6	-	1	-	-	-	-	-	1	-	-	2
WHITE-----MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	3	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	28	-	-	-	-	-	-	1	3	2	4	3
WHITE-----MALE----	19	-	-	-	-	-	-	1	2	-	3	2
FEMALE--	7	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
RHODE ISLAND -----	3	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
SOUTH CAROLINA -----	10	-	-	-	-	-	1	1	1	2	1	1
WHITE-----MALE----	4	-	-	-	-	-	1	1	1	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,340

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MENTAL RETARDATION (317-319)												
SOUTH DAKOTA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	1	1	1	2	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	2	-	1	1	-	1	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	-	1	-	1	2	3	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,342

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
0 UNITED STATES --	56,245	431	396	267	288	370	380	399	485	663	926	1,166
WHITE-----MALE----	22,498	158	163	103	135	194	177	178	221	301	422	488
FEMALE--	28,847	160	128	88	82	83	106	107	147	221	323	431
ALL OTHER--MALE----	2,355	65	56	36	46	56	60	65	65	70	108	144
FEMALE--	2,545	48	49	40	25	37	37	49	52	71	73	103
BLACK---MALE----	1,985	52	49	32	35	48	48	55	58	61	101	125
FEMALE--	2,241	37	41	33	20	30	34	44	49	67	67	94
ALABAMA -----	957	10	3	6	5	9	8	12	6	14	22	15
WHITE-----MALE----	323	4	2	3	4	4	-	3	2	7	7	4
FEMALE--	455	1	-	-	1	1	3	4	1	3	5	5
ALL OTHER--MALE----	75	1	1	2	-	1	4	3	1	2	7	2
FEMALE--	104	4	-	1	-	3	1	2	2	2	3	4
BLACK---MALE----	73	1	1	2	-	1	4	3	1	1	7	2
FEMALE--	101	3	-	1	-	3	1	2	2	2	3	4
ALASKA -----	57	-	3	-	1	-	1	2	1	-	4	6
WHITE-----MALE----	24	-	1	-	1	-	-	-	1	-	2	2
FEMALE--	23	-	-	-	-	-	1	1	-	-	2	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	2	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ARIZONA -----	1,080	16	7	10	6	6	8	7	9	8	13	22
WHITE-----MALE----	474	6	3	3	3	3	2	3	5	1	7	11
FEMALE--	552	7	3	4	2	2	4	2	2	6	4	8
ALL OTHER--MALE----	36	2	-	1	1	1	2	2	2	1	1	2
FEMALE--	18	1	1	2	-	-	-	-	-	-	1	1
BLACK---MALE----	10	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	1	-	-	-	-	-	-	-	1
ARKANSAS -----	599	5	5	5	3	3	4	6	7	6	8	17
WHITE-----MALE----	241	2	3	4	2	3	3	3	1	1	3	5
FEMALE--	304	3	-	-	-	-	1	3	2	3	4	8
ALL OTHER--MALE----	31	-	1	1	-	-	-	-	2	1	-	4
FEMALE--	23	-	1	-	1	-	-	-	2	1	1	-
BLACK---MALE----	31	-	1	1	-	-	-	-	2	1	-	4
FEMALE--	23	-	1	-	1	-	-	-	2	1	1	-
CALIFORNIA -----	5,118	46	43	30	31	44	39	40	46	62	91	129
WHITE-----MALE----	2,115	21	21	14	17	21	20	18	28	25	50	55
FEMALE--	2,530	14	15	14	8	14	10	10	8	25	28	54
ALL OTHER--MALE----	240	7	3	-	4	5	5	8	5	7	10	12
FEMALE--	233	4	4	2	2	4	4	4	5	5	3	8
BLACK---MALE----	140	4	1	-	3	4	4	3	5	4	7	12
FEMALE--	132	2	2	1	-	1	2	3	3	5	3	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,342

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
0 UNITED STATES --	1,356	1,504	1,963	3,219	5,287	8,569	10,765	9,896	5,745	1,858	309	3
WHITE-----MALE----	580	652	874	1,557	2,556	4,007	4,568	3,407	1,432	290	33	2
FEMALE--	567	619	815	1,360	2,304	3,981	5,614	5,977	4,010	1,469	255	-
ALL OTHER--MALE----	108	119	138	145	196	289	247	212	104	19	6	1
FEMALE--	101	114	136	157	231	292	336	300	199	80	15	-
BLACK---MALE----	95	100	122	127	163	238	208	167	84	13	3	1
FEMALE--	95	103	125	139	199	246	293	268	172	71	14	-
ALABAMA -----	23	21	37	56	86	158	190	166	85	23	2	-
WHITE-----MALE----	8	5	14	31	27	53	84	44	16	1	-	-
FEMALE--	9	12	13	11	44	78	87	101	56	18	2	-
ALL OTHER--MALE----	4	1	6	5	4	11	6	11	3	-	-	-
FEMALE--	2	3	4	9	11	16	13	10	10	4	-	-
BLACK---MALE----	4	1	6	5	4	10	6	11	3	-	-	-
FEMALE--	2	3	4	8	11	16	13	10	9	4	-	-
ALASKA -----	3	3	2	5	5	6	6	6	3	-	-	-
WHITE-----MALE----	2	1	-	2	1	5	2	3	1	-	-	-
FEMALE--	-	2	2	3	3	-	3	2	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	25	22	28	57	104	169	206	190	128	33	6	-
WHITE-----MALE----	11	12	9	29	57	80	104	75	43	7	-	-
FEMALE--	10	10	16	23	44	81	99	112	84	24	5	-
ALL OTHER--MALE----	4	-	1	3	2	6	1	2	-	1	1	-
FEMALE--	-	-	2	2	1	2	2	1	1	1	-	-
BLACK---MALE----	1	-	-	1	2	2	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	1	1	-	-
ARKANSAS -----	16	13	32	39	62	82	115	108	50	10	3	-
WHITE-----MALE----	9	6	12	20	25	36	46	44	11	2	-	-
FEMALE--	6	7	17	15	33	40	65	53	33	8	3	-
ALL OTHER--MALE----	1	-	3	4	1	5	3	2	3	-	-	-
FEMALE--	-	-	-	-	3	1	1	9	3	-	-	-
BLACK---MALE----	1	-	3	4	1	5	3	2	3	-	-	-
FEMALE--	-	-	-	-	3	1	1	9	3	-	-	-
CALIFORNIA -----	121	134	156	269	460	777	963	873	553	169	41	1
WHITE-----MALE----	62	51	62	127	222	389	409	321	148	28	5	1
FEMALE--	48	63	77	114	197	316	482	500	366	133	34	-
ALL OTHER--MALE----	7	10	12	9	21	33	34	31	15	1	1	-
FEMALE--	4	10	5	19	20	39	38	21	24	7	1	-
BLACK---MALE----	5	3	9	5	11	16	19	18	7	-	-	-
FEMALE--	3	8	4	10	7	26	23	10	10	4	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,343

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
COLORADO -----	862	8	7	2	-	4	3	6	7	6	9	17
WHITE-----MALE----	351	5	3	2	-	2	1	3	6	4	5	8
FEMALE--	483	3	4	-	-	2	-	1	1	2	3	7
ALL OTHER--MALE----	9	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	2	-	-	1	2
BLACK---MALE----	9	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	2	-	-	-	2
CONNECTICUT -----	700	1	6	4	3	2	3	2	4	11	9	17
WHITE-----MALE----	279	1	3	1	2	-	1	-	2	3	4	7
FEMALE--	395	-	2	1	-	-	1	2	1	6	4	8
ALL OTHER--MALE----	17	-	1	2	1	1	-	-	-	2	1	1
FEMALE--	9	-	-	-	-	1	-	-	1	-	-	1
BLACK---MALE----	17	-	1	2	1	1	-	-	-	2	1	1
FEMALE--	7	-	-	-	-	1	1	-	1	-	-	1
DELAWARE -----	135	1	-	-	1	2	1	3	1	-	3	1
WHITE-----MALE----	44	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	71	-	-	-	1	1	-	-	1	-	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	12	1	-	-	-	-	1	2	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	11	1	-	-	-	-	1	2	-	-	-	-
DISTRICT OF COLUMBIA ----	103	1	2	-	2	-	1	1	-	-	3	2
WHITE-----MALE----	16	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	23	1	-	-	2	-	1	-	-	-	1	1
FEMALE--	44	-	2	-	-	-	-	-	-	-	1	1
BLACK---MALE----	22	-	-	-	2	-	1	-	-	-	1	1
FEMALE--	44	-	2	-	-	-	-	-	-	-	1	1
FLORIDA -----	3,811	19	26	11	12	13	28	25	22	37	54	56
WHITE-----MALE----	1,646	8	10	3	6	6	17	7	9	19	24	30
FEMALE--	1,909	4	5	4	3	3	5	6	8	13	17	16
ALL OTHER--MALE----	133	4	6	2	2	4	4	7	4	2	11	8
FEMALE--	123	3	5	2	1	-	2	5	1	3	2	2
BLACK---MALE----	130	4	6	2	2	4	4	7	4	2	10	8
FEMALE--	122	3	5	2	1	-	2	5	1	3	2	2
GEORGIA -----	1,380	17	13	10	10	9	6	10	14	24	23	31
WHITE-----MALE----	437	3	6	5	5	2	4	5	1	9	6	8
FEMALE--	671	4	3	-	1	2	-	-	3	5	6	6
ALL OTHER--MALE----	125	6	3	3	2	5	-	2	5	5	7	12
FEMALE--	147	4	1	2	2	-	2	3	5	5	4	5
BLACK---MALE----	120	5	3	3	1	5	-	2	4	5	7	11
FEMALE--	144	4	1	2	1	-	2	3	5	5	4	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,343

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.

VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	20	19	26	57	82	116	156	171	108	34	4	-
WHITE-----MALE----	9	8	13	25	42	60	58	65	25	6	1	-
FEMALE--	10	9	11	30	38	54	95	103	79	28	3	-
ALL OTHER--MALE----	1	-	-	1	1	1	1	1	1	-	-	-
FEMALE--	-	2	2	1	1	1	2	2	3	-	-	-
BLACK---MALE----	1	-	-	1	1	1	1	1	1	-	-	-
FEMALE--	-	2	2	1	1	1	2	2	3	-	-	-
CONNECTICUT -----	8	22	26	39	68	103	143	137	66	21	5	-
WHITE-----MALE----	4	14	14	20	28	41	63	50	17	4	-	-
FEMALE--	4	7	8	19	37	60	80	86	49	15	5	-
ALL OTHER--MALE----	-	-	4	-	1	2	-	-	-	1	-	-
FEMALE--	-	1	-	-	2	-	-	1	-	1	-	-
BLACK---MALE----	-	-	4	-	1	2	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	1	-	-
DELAWARE -----	5	2	3	5	18	27	26	19	11	6	-	-
WHITE-----MALE----	3	-	1	2	8	10	10	6	-	2	-	-
FEMALE--	1	2	2	1	7	13	15	13	9	4	-	-
ALL OTHER--MALE----	-	-	-	1	1	2	-	-	1	-	-	-
FEMALE--	1	-	-	1	2	2	1	-	1	-	-	-
BLACK---MALE----	-	-	-	1	1	2	-	-	1	-	-	-
FEMALE--	1	-	-	1	2	1	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	2	5	7	5	8	12	20	10	11	9	2	-
WHITE-----MALE----	2	2	-	1	1	1	7	-	1	-	-	-
FEMALE--	-	1	-	-	1	2	2	4	4	3	2	-
ALL OTHER--MALE----	-	1	1	2	2	4	3	1	2	1	-	-
FEMALE--	-	1	6	2	4	5	8	5	4	5	-	-
BLACK---MALE----	-	1	1	2	2	4	3	1	2	1	-	-
FEMALE--	-	1	6	2	4	5	8	5	4	5	-	-
FLORIDA -----	80	87	111	205	356	629	789	703	401	127	20	-
WHITE-----MALE----	42	44	43	88	192	306	360	283	117	28	4	-
FEMALE--	22	36	47	100	145	290	398	404	272	96	15	-
ALL OTHER--MALE----	10	4	12	5	6	16	17	6	2	-	1	-
FEMALE--	6	3	9	12	13	17	14	10	10	3	-	-
BLACK---MALE----	10	4	12	5	6	15	16	6	2	-	1	-
FEMALE--	6	3	9	12	12	17	14	10	10	3	-	-
GEORGIA -----	36	56	37	74	124	220	257	225	135	47	2	-
WHITE-----MALE----	14	21	16	31	54	85	74	53	29	6	-	-
FEMALE--	8	19	12	32	51	105	148	136	91	37	2	-
ALL OTHER--MALE----	6	6	4	6	11	12	9	15	6	-	-	-
FEMALE--	8	10	5	5	8	18	26	21	9	4	-	-
BLACK---MALE----	6	6	4	5	11	12	9	15	6	-	-	-
FEMALE--	8	10	5	5	8	17	26	21	8	4	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,344

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
HAWAII -----	183	-	1	1	3	2	3	2	1	4	2	6
WHITE-----MALE----	31	-	-	-	-	-	1	-	1	2	2	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	78	-	-	-	2	1	2	-	-	1	-	5
FEMALE--	54	-	1	1	1	1	-	2	-	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	297	-	2	1	5	2	1	1	1	2	3	6
WHITE-----MALE----	148	-	1	1	2	2	-	1	-	1	1	2
FEMALE--	147	-	1	-	3	-	-	-	1	1	2	4
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,576	16	16	14	15	15	12	13	18	35	37	50
WHITE-----MALE----	1,012	3	6	3	6	10	7	5	10	13	13	17
FEMALE--	1,322	6	4	4	6	2	3	6	4	12	15	21
ALL OTHER--MALE----	95	4	3	1	-	1	2	2	3	3	5	7
FEMALE--	147	3	3	6	3	2	-	-	1	7	4	5
BLACK---MALE----	94	4	3	1	-	1	2	2	3	3	5	7
FEMALE--	141	3	2	6	3	1	-	-	1	6	4	5
INDIANA -----	1,364	11	9	7	11	9	4	11	11	20	29	27
WHITE-----MALE----	570	2	3	4	7	8	2	6	6	10	13	11
FEMALE--	728	8	5	2	3	1	1	3	4	8	11	12
ALL OTHER--MALE----	28	1	1	1	-	-	1	1	-	-	3	2
FEMALE--	38	-	-	-	1	-	-	1	1	2	2	2
BLACK---MALE----	26	1	1	1	-	-	-	1	-	-	3	2
FEMALE--	38	-	-	-	1	-	-	1	1	2	2	2
IOWA -----	743	3	7	2	3	4	4	1	2	5	11	12
WHITE-----MALE----	319	1	4	1	2	2	2	1	1	2	5	5
FEMALE--	416	2	2	1	1	2	2	-	1	2	6	7
ALL OTHER--MALE----	5	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	690	1	4	-	3	6	3	1	5	8	17	22
WHITE-----MALE----	309	-	3	-	1	5	2	-	3	4	12	14
FEMALE--	352	1	1	-	2	1	1	-	2	3	5	6
ALL OTHER--MALE----	15	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	14	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,344

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
HAWAII -----	3	4	5	9	23	28	27	34	15	9	1	-
WHITE-----MALE----	-	1	2	2	5	1	6	6	1	1	-	-
FEMALE--	-	1	-	1	1	2	5	4	4	1	1	-
ALL OTHER--MALE----	2	2	2	4	11	12	7	17	7	3	-	-
FEMALE--	1	-	1	2	6	13	9	7	3	4	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	8	13	10	18	20	46	61	55	32	9	1	-
WHITE-----MALE----	4	6	7	8	12	23	31	29	15	2	-	-
FEMALE--	4	7	3	10	8	23	29	26	17	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	48	73	69	147	221	404	517	444	300	100	12	-
WHITE-----MALE----	15	31	31	84	114	186	224	149	69	11	5	-
FEMALE--	19	32	24	52	83	192	265	273	212	81	6	-
ALL OTHER--MALE----	6	4	3	4	11	11	14	7	2	2	-	-
FEMALE--	8	6	11	7	13	15	14	15	17	6	1	-
BLACK---MALE----	6	4	2	4	11	11	14	7	2	2	-	-
FEMALE--	8	6	10	7	13	13	14	15	17	6	1	-
INDIANA -----	34	29	42	78	119	211	279	259	116	43	5	-
WHITE-----MALE----	21	14	17	41	64	96	118	93	27	7	-	-
FEMALE--	11	11	24	30	51	110	149	158	85	36	5	-
ALL OTHER--MALE----	1	1	1	2	2	2	7	1	1	-	-	-
FEMALE--	1	3	-	5	2	3	5	7	3	-	-	-
BLACK---MALE----	1	1	1	2	2	2	7	1	-	-	-	-
FEMALE--	1	3	-	5	2	3	5	7	3	-	-	-
IOWA -----	17	9	22	38	67	120	142	144	88	38	4	-
WHITE-----MALE----	8	8	12	22	41	58	59	52	29	4	-	-
FEMALE--	8	1	10	16	26	59	83	91	58	34	4	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
KANSAS -----	23	21	30	37	57	104	120	114	83	30	1	-
WHITE-----MALE----	6	10	16	16	32	61	50	49	20	5	-	-
FEMALE--	13	10	12	19	24	38	68	60	61	24	1	-
ALL OTHER--MALE----	3	-	2	1	-	2	1	3	1	-	-	-
FEMALE--	1	1	-	1	1	3	1	2	1	1	-	-
BLACK---MALE----	3	-	2	1	-	2	-	3	1	-	-	-
FEMALE--	1	1	-	1	1	3	-	2	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,345

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
KENTUCKY -----	910	7	8	6	6	5	4	8	6	11	14	17
WHITE-----MALE----	360	4	3	2	2	2	-	5	3	5	7	12
FEMALE--	503	3	4	3	3	3	3	2	1	6	5	2
ALL OTHER--MALE----	22	-	-	-	1	-	1	1	1	-	1	-
FEMALE--	25	-	1	1	-	-	-	-	1	-	1	3
BLACK---MALE----	21	-	-	-	1	-	1	1	-	-	1	-
FEMALE--	24	-	1	1	-	-	-	-	1	-	1	3
LOUISIANA -----	951	8	11	7	8	14	7	12	17	9	19	17
WHITE-----MALE----	325	3	2	4	3	4	3	7	4	4	4	4
FEMALE--	413	1	2	-	-	2	1	-	3	2	6	7
ALL OTHER--MALE----	110	2	2	1	4	6	2	2	4	2	3	5
FEMALE--	103	2	5	2	1	2	1	3	6	1	6	1
BLACK---MALE----	110	2	2	1	4	6	2	2	4	2	3	5
FEMALE--	103	2	5	2	1	2	1	3	6	1	6	1
MAINE -----	352	1	-	-	2	1	3	1	4	-	4	9
WHITE-----MALE----	146	-	-	-	1	1	3	-	2	-	3	6
FEMALE--	204	1	-	-	1	-	-	1	2	-	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,026	9	8	3	6	5	6	14	4	19	12	18
WHITE-----MALE----	401	4	2	-	1	1	3	3	1	6	3	8
FEMALE--	452	2	1	1	1	-	2	4	1	3	3	3
ALL OTHER--MALE----	75	1	1	-	4	3	1	6	1	3	5	3
FEMALE--	98	2	4	2	-	1	-	1	1	7	1	4
BLACK---MALE----	67	1	1	-	3	2	1	6	1	3	4	3
FEMALE--	94	2	4	2	-	1	-	1	1	7	1	4
MASSACHUSETTS -----	1,614	10	2	3	4	8	5	4	15	12	22	33
WHITE-----MALE----	652	4	1	1	1	4	2	4	7	6	13	23
FEMALE--	908	4	1	1	1	2	3	-	5	4	9	9
ALL OTHER--MALE----	26	1	-	1	1	1	-	-	2	1	-	-
FEMALE--	28	1	-	-	1	1	-	-	1	1	-	1
BLACK---MALE----	23	1	-	1	1	1	-	-	2	1	-	-
FEMALE--	24	1	-	-	1	1	-	-	1	1	-	1
MICHIGAN -----	2,108	12	21	18	13	12	16	26	26	33	62	60
WHITE-----MALE----	864	6	9	10	4	7	8	10	17	17	28	18
FEMALE--	1,032	4	6	3	6	4	2	10	6	8	21	18
ALL OTHER--MALE----	95	1	2	1	1	-	5	2	2	3	7	13
FEMALE--	117	1	4	4	2	1	1	4	1	5	6	11
BLACK---MALE----	92	1	2	1	1	-	5	2	2	3	7	12
FEMALE--	113	1	4	4	2	1	1	4	1	5	6	11

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,345

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
KENTUCKY -----	19	21	33	47	94	135	162	168	101	35	3	-
WHITE-----MALE----	8	9	17	30	47	57	59	62	22	4	-	-
FEMALE--	8	10	11	15	43	72	98	101	79	28	3	-
ALL OTHER--MALE----	3	1	4	1	-	2	2	3	-	1	-	-
FEMALE--	-	1	1	1	4	4	3	2	-	2	-	-
BLACK---MALE----	3	1	4	1	-	2	2	3	-	1	-	-
FEMALE--	-	1	1	1	3	4	3	2	-	2	-	-
LOUISIANA -----	20	32	39	53	94	140	164	174	82	18	6	-
WHITE-----MALE----	5	13	15	26	39	62	51	49	21	2	-	-
FEMALE--	9	8	10	14	39	62	83	98	47	15	4	-
ALL OTHER--MALE----	2	5	7	9	9	12	12	14	7	-	-	-
FEMALE--	4	6	7	4	7	4	18	13	7	1	2	-
BLACK---MALE----	2	5	7	9	9	12	12	14	7	-	-	-
FEMALE--	4	6	7	4	7	4	18	13	7	1	2	-
MAINE -----	9	8	18	24	22	44	56	76	48	16	6	-
WHITE-----MALE----	2	5	11	14	7	24	27	28	12	-	-	-
FEMALE--	7	3	7	10	15	20	28	48	36	16	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	27	22	42	68	118	160	194	162	96	27	6	-
WHITE-----MALE----	8	5	17	34	55	72	92	55	26	4	1	-
FEMALE--	12	9	8	24	44	65	86	93	64	21	5	-
ALL OTHER--MALE----	3	5	7	8	7	8	6	3	-	-	-	-
FEMALE--	4	3	10	2	12	15	10	11	6	2	-	-
BLACK---MALE----	3	4	6	7	7	7	5	3	-	-	-	-
FEMALE--	4	3	9	2	12	14	9	11	5	2	-	-
MASSACHUSETTS -----	27	31	51	83	153	261	303	285	212	79	11	-
WHITE-----MALE----	12	15	21	51	77	122	138	94	48	8	-	-
FEMALE--	14	11	28	30	69	132	156	189	159	71	10	-
ALL OTHER--MALE----	-	2	1	1	4	5	4	-	2	-	-	-
FEMALE--	1	3	1	1	3	2	5	2	3	-	1	-
BLACK---MALE----	-	1	1	1	3	5	3	-	2	-	-	-
FEMALE--	1	3	1	1	2	2	4	-	3	-	1	-
MICHIGAN -----	59	75	98	125	204	325	364	334	168	46	10	1
WHITE-----MALE----	22	35	43	63	97	156	159	112	31	10	1	1
FEMALE--	23	30	44	52	89	148	185	203	128	34	8	-
ALL OTHER--MALE----	5	5	6	6	7	7	8	7	5	2	-	-
FEMALE--	9	5	5	4	11	14	12	12	4	-	1	-
BLACK---MALE----	5	5	5	6	7	7	7	7	5	2	-	-
FEMALE--	9	4	5	4	10	12	12	12	4	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,346

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.

VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	30	30	29	78	94	203	253	263	162	51	13	-
WHITE-----MALE----	14	17	15	40	52	105	125	102	36	14	1	-
FEMALE--	16	10	13	37	39	95	128	159	126	35	12	-
ALL OTHER--MALE----	-	3	1	-	1	1	-	-	-	1	-	-
FEMALE--	-	-	-	1	2	2	-	2	-	1	-	-
BLACK---MALE----	-	1	1	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	-	-	-
MISSISSIPPI -----	13	19	16	26	45	62	73	78	25	7	2	-
WHITE-----MALE----	3	4	8	11	12	22	33	24	4	1	-	-
FEMALE--	8	9	6	10	26	36	32	48	13	4	2	-
ALL OTHER--MALE----	1	2	-	-	3	3	3	2	6	-	-	-
FEMALE--	1	4	2	5	4	1	5	4	2	2	-	-
BLACK---MALE----	1	2	-	-	3	3	3	2	6	-	-	-
FEMALE--	1	4	2	5	4	1	5	4	2	2	-	-
MISSOURI -----	36	37	40	84	153	208	262	239	149	45	8	-
WHITE-----MALE----	17	19	20	40	79	87	104	79	44	5	1	-
FEMALE--	13	15	15	34	61	110	133	153	96	38	7	-
ALL OTHER--MALE----	2	3	4	3	7	7	8	4	3	-	-	-
FEMALE--	4	-	1	7	6	4	17	3	6	2	-	-
BLACK---MALE----	2	3	4	3	7	6	8	3	3	-	-	-
FEMALE--	4	-	1	7	6	4	17	3	6	2	-	-
MONTANA -----	6	7	6	8	18	28	45	40	21	8	1	-
WHITE-----MALE----	3	2	3	5	11	10	23	21	5	2	-	-
FEMALE--	3	3	2	3	7	16	22	19	16	6	1	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	9	10	15	18	44	52	89	82	68	34	5	-
WHITE-----MALE----	3	6	8	9	27	25	38	24	12	7	-	-
FEMALE--	6	4	6	8	16	27	50	57	56	27	5	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
NEVADA -----	7	5	18	14	40	43	49	42	14	4	-	-
WHITE-----MALE----	2	3	6	11	25	19	23	16	2	-	-	-
FEMALE--	2	2	11	3	13	23	24	25	11	3	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	1	-	2	1	1	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,348

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49

VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	2,608	15	10	13	9	18	16	15	21	26	44	48
WHITE-----MALE----	1,050	9	4	5	3	13	8	10	10	17	21	22
FEMALE--	1,388	4	5	6	4	3	5	4	8	8	18	19
ALL OTHER--MALE----	81	2	-	1	1	2	2	1	2	-	2	4
FEMALE--	89	-	1	1	1	-	1	-	1	1	3	3
BLACK---MALE----	75	2	-	-	1	2	1	1	2	-	2	4
FEMALE--	88	-	1	1	1	-	1	-	1	1	3	3
OKLAHOMA -----	709	5	7	6	4	3	3	5	6	9	16	19
WHITE-----MALE----	270	1	4	2	2	2	2	4	3	3	6	7
FEMALE--	386	2	2	2	2	-	1	-	1	4	7	8
ALL OTHER--MALE----	25	2	1	-	-	1	-	1	1	1	1	3
FEMALE--	28	-	-	2	-	-	-	-	1	1	2	1
BLACK---MALE----	14	2	1	-	-	1	-	1	1	-	1	1
FEMALE--	16	-	-	1	-	-	-	-	1	1	1	1
OREGON -----	939	3	3	4	4	5	6	2	2	7	11	16
WHITE-----MALE----	381	1	2	1	3	4	4	1	2	4	7	9
FEMALE--	537	2	-	3	1	1	1	1	-	3	4	7
ALL OTHER--MALE----	12	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2,807	26	14	7	8	13	15	13	26	25	36	47
WHITE-----MALE----	1,144	8	7	2	4	8	9	7	11	11	23	20
FEMALE--	1,485	11	7	4	3	4	4	2	8	9	9	21
ALL OTHER--MALE----	93	5	-	1	1	-	-	3	5	2	2	4
FEMALE--	85	2	-	-	-	1	2	1	2	3	2	2
BLACK---MALE----	88	5	-	1	1	-	-	3	5	2	2	3
FEMALE--	81	2	-	-	-	1	2	1	2	3	2	2
RHODE ISLAND -----	233	2	-	1	-	-	3	1	-	3	2	4
WHITE-----MALE----	80	-	-	1	-	-	3	1	-	2	2	2
FEMALE--	143	1	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
SOUTH CAROLINA -----	735	5	6	3	2	5	7	12	11	12	16	19
WHITE-----MALE----	240	2	3	-	-	2	2	3	3	6	4	4
FEMALE--	323	1	1	-	1	1	2	4	5	2	4	6
ALL OTHER--MALE----	82	2	1	2	-	1	3	2	2	3	5	5
FEMALE--	90	-	1	1	1	1	-	3	1	1	3	4
BLACK---MALE----	81	1	1	2	-	1	3	2	2	3	5	5
FEMALE--	90	-	1	1	1	1	-	3	1	1	3	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,348

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
OHIO -----	69	67	93	153	260	415	527	449	246	78	16	-
WHITE-----MALE----	25	31	36	67	135	188	217	160	57	11	1	-
FEMALE--	32	29	40	73	108	204	290	272	179	62	15	-
ALL OTHER--MALE----	3	3	9	5	10	17	7	7	2	1	-	-
FEMALE--	9	4	8	8	7	6	13	10	8	4	-	-
BLACK---MALE----	3	2	8	5	9	16	7	7	2	1	-	-
FEMALE--	9	4	8	8	7	6	13	10	7	4	-	-
OKLAHOMA -----	17	16	37	30	70	85	148	132	73	16	1	1
WHITE-----MALE----	10	5	15	17	32	41	57	37	16	3	1	-
FEMALE--	5	8	21	11	35	44	81	88	51	13	-	-
ALL OTHER--MALE----	2	1	-	1	1	-	2	4	2	-	-	1
FEMALE--	-	2	1	1	2	-	8	3	4	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	2	1	-	-	1
FEMALE--	-	-	-	1	2	-	5	2	1	-	-	-
OREGON -----	19	18	23	44	81	144	191	210	102	39	5	-
WHITE-----MALE----	7	9	15	23	40	64	86	75	20	3	1	-
FEMALE--	11	9	7	21	39	74	101	132	80	36	4	-
ALL OTHER--MALE----	-	-	-	-	1	4	2	3	-	-	-	-
FEMALE--	1	-	1	-	1	2	2	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	2	2	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	-	2	-	-	-
PENNSYLVANIA -----	60	79	103	164	298	492	557	483	245	84	12	-
WHITE-----MALE----	22	36	44	86	152	217	241	154	61	20	1	-
FEMALE--	33	35	44	67	130	238	297	307	179	62	11	-
ALL OTHER--MALE----	1	5	4	7	9	23	11	8	2	-	-	-
FEMALE--	4	3	11	4	7	14	8	14	3	2	-	-
BLACK---MALE----	1	5	4	7	8	20	11	8	2	-	-	-
FEMALE--	3	3	11	4	7	13	7	13	3	2	-	-
RHODE ISLAND -----	5	8	4	20	8	30	56	37	32	12	5	-
WHITE-----MALE----	3	2	3	8	2	13	22	12	4	-	-	-
FEMALE--	2	4	-	9	5	17	34	25	27	12	5	-
ALL OTHER--MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	1	-	-	-
SOUTH CAROLINA -----	15	26	43	40	81	119	125	101	65	16	6	-
WHITE-----MALE----	8	12	17	18	33	44	36	27	12	4	-	-
FEMALE--	2	6	12	13	34	47	70	57	40	11	4	-
ALL OTHER--MALE----	5	5	6	3	6	15	8	2	5	-	1	-
FEMALE--	-	3	8	6	8	13	11	15	8	1	1	-
BLACK---MALE----	5	5	6	3	6	15	8	2	5	-	1	-
FEMALE--	-	3	8	6	8	13	11	15	8	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,349

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
SOUTH DAKOTA -----	193	1	-	2	1	1	1	4	3	4	7	2
WHITE-----MALE----	75	-	-	1	-	-	1	-	2	2	3	-
FEMALE--	106	-	-	-	1	-	-	2	-	2	3	2
ALL OTHER--MALE----	8	-	-	1	-	1	-	2	1	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,096	11	10	7	8	13	8	12	11	16	18	15
WHITE-----MALE----	422	6	5	1	3	8	4	5	4	6	8	8
FEMALE--	548	3	2	4	1	2	1	4	2	3	5	2
ALL OTHER--MALE----	61	1	-	2	3	1	2	3	4	5	3	3
FEMALE--	65	1	3	-	1	2	1	-	1	2	2	2
BLACK---MALE----	59	1	-	2	3	1	1	3	4	4	3	3
FEMALE--	64	1	3	-	1	2	1	-	1	2	2	1
TEXAS -----	3,661	25	30	21	22	38	41	31	31	51	59	62
WHITE-----MALE----	1,450	10	9	10	11	18	11	16	12	24	25	27
FEMALE--	1,888	15	16	8	8	8	17	11	11	13	22	21
ALL OTHER--MALE----	147	-	4	1	3	5	7	2	6	10	5	8
FEMALE--	176	-	1	2	-	7	6	2	2	4	7	6
BLACK---MALE----	138	-	2	1	3	5	7	2	6	10	4	7
FEMALE--	170	-	1	2	-	7	6	1	2	4	6	6
UTAH -----	411	5	4	1	3	3	6	4	7	3	5	12
WHITE-----MALE----	188	-	-	-	1	2	3	3	3	1	4	2
FEMALE--	217	4	3	1	2	1	2	1	2	2	1	10
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	1	1	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	152	-	1	2	-	1	-	1	2	1	1	-
WHITE-----MALE----	60	-	1	1	-	1	-	1	1	-	1	-
FEMALE--	92	-	-	1	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,271	7	6	5	6	8	5	9	14	13	25	25
WHITE-----MALE----	448	3	3	3	1	3	1	3	6	3	14	11
FEMALE--	622	-	1	2	3	2	3	2	3	4	6	6
ALL OTHER--MALE----	96	3	1	-	1	2	1	3	2	3	3	2
FEMALE--	105	1	1	-	1	1	-	1	3	3	2	6
BLACK---MALE----	94	3	1	-	1	2	1	3	2	3	3	2
FEMALE--	102	1	1	-	1	1	-	1	3	3	2	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,349

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
SOUTH DAKOTA -----	3	7	7	7	9	26	33	36	31	5	3	-
WHITE-----MALE----	-	3	2	2	6	14	17	14	8	-	-	-
FEMALE--	3	1	5	5	3	11	15	22	23	5	3	-
ALL OTHER--MALE----	-	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	29	35	50	66	91	152	207	193	109	31	4	-
WHITE-----MALE----	13	16	30	31	42	61	92	51	27	1	-	-
FEMALE--	10	10	15	28	39	82	102	128	74	27	4	-
ALL OTHER--MALE----	3	5	2	4	2	3	6	6	2	1	-	-
FEMALE--	3	4	3	3	8	6	7	8	6	2	-	-
BLACK---MALE----	3	5	2	4	2	3	6	6	2	1	-	-
FEMALE--	3	4	3	3	8	6	7	8	6	2	-	-
TEXAS -----	91	106	127	217	327	528	686	652	393	107	16	-
WHITE-----MALE----	42	44	67	90	153	252	281	223	106	17	2	-
FEMALE--	41	43	50	98	146	242	364	391	268	82	13	-
ALL OTHER--MALE----	3	9	5	15	13	15	13	17	5	1	-	-
FEMALE--	5	10	5	14	15	19	28	21	14	7	1	-
BLACK---MALE----	3	9	5	14	12	15	12	15	5	1	-	-
FEMALE--	5	9	5	14	14	19	26	21	14	7	1	-
UTAH -----	8	8	15	27	37	57	88	67	42	9	-	-
WHITE-----MALE----	-	5	8	17	19	35	46	30	8	1	-	-
FEMALE--	8	3	7	10	18	22	41	37	34	8	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
VERMONT -----	5	-	3	6	17	23	35	25	19	10	-	-
WHITE-----MALE----	1	-	2	1	10	12	11	12	4	1	-	-
FEMALE--	4	-	1	5	7	11	24	13	15	9	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	43	31	41	86	137	206	230	225	109	32	8	-
WHITE-----MALE----	19	9	10	40	47	92	93	58	25	3	1	-
FEMALE--	15	14	22	35	69	90	111	133	71	26	4	-
ALL OTHER--MALE----	3	7	6	5	8	11	16	11	5	1	2	-
FEMALE--	6	1	3	6	13	13	10	23	8	2	1	-
BLACK---MALE----	3	7	6	4	8	11	16	11	5	1	1	-
FEMALE--	6	1	3	5	13	12	10	22	8	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,351

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DISEASES OF THE NERVOUS SYSTEM (320-359)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	56,140	424	391	266	286	368	377	397	483	659	924	1,162
WHITE-----MALE----	22,459	153	161	103	134	192	175	177	220	299	420	488
FEMALE--	28,796	158	127	87	81	83	105	106	146	221	323	428
ALL OTHER--MALE----	2,350	65	55	36	46	56	60	65	65	69	108	144
FEMALE--	2,535	48	48	40	25	37	37	49	52	70	73	102
BLACK---MALE----	1,980	52	48	32	35	48	48	55	58	60	101	125
FEMALE--	2,232	37	40	33	20	30	34	44	49	66	67	93
ALABAMA -----	955	9	3	6	5	9	8	12	6	14	22	15
WHITE-----MALE----	322	3	2	3	4	4	-	3	2	7	7	4
FEMALE--	454	1	-	-	1	1	3	4	1	3	5	5
ALL OTHER--MALE----	75	1	1	2	-	1	4	3	1	2	7	2
FEMALE--	104	4	-	1	-	3	1	2	2	2	3	4
BLACK---MALE----	73	1	1	2	-	1	4	3	1	1	7	2
FEMALE--	101	3	-	1	-	3	1	2	2	2	3	4
ALASKA -----	57	-	3	-	1	-	1	2	1	-	4	6
WHITE-----MALE----	24	-	1	-	1	-	-	-	1	-	2	2
FEMALE--	23	-	-	-	-	-	1	1	-	-	2	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	2	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ARIZONA -----	1,079	16	7	10	6	6	8	7	9	8	13	22
WHITE-----MALE----	474	6	3	3	3	3	2	3	5	1	7	11
FEMALE--	552	7	3	4	2	2	4	2	2	6	4	8
ALL OTHER--MALE----	36	2	-	1	1	1	2	2	2	1	1	2
FEMALE--	17	1	1	2	-	-	-	-	-	-	1	1
BLACK---MALE----	10	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	1	-	-	-	-	-	-	-	1
ARKANSAS -----	599	5	5	5	3	3	4	6	7	6	8	17
WHITE-----MALE----	241	2	3	4	2	3	3	3	1	1	3	5
FEMALE--	304	3	-	-	-	-	1	3	2	3	4	8
ALL OTHER--MALE----	31	-	1	1	-	-	-	-	2	1	-	4
FEMALE--	23	-	1	-	1	-	-	-	2	1	1	-
BLACK---MALE----	31	-	1	1	-	-	-	-	2	1	-	4
FEMALE--	23	-	1	-	1	-	-	-	2	1	1	-
CALIFORNIA -----	5,109	46	42	30	30	43	38	40	46	62	91	129
WHITE-----MALE----	2,108	21	21	14	16	20	19	18	28	25	50	55
FEMALE--	2,528	14	14	14	8	14	10	10	8	25	28	54
ALL OTHER--MALE----	240	7	3	-	4	5	5	8	5	7	10	12
FEMALE--	233	4	4	2	2	4	4	4	5	5	3	8
BLACK---MALE----	140	4	1	-	3	4	4	3	5	4	7	12
FEMALE--	132	2	2	1	-	1	2	3	3	5	3	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,351

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF THE NERVOUS SYSTEM (320-359)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	1,353	1,502	1,959	3,214	5,280	8,566	10,755	9,880	5,736	1,847	308	3
WHITE-----MALE----	579	652	872	1,557	2,552	4,006	4,566	3,401	1,429	288	33	2
FEMALE--	567	618	813	1,356	2,301	3,980	5,607	5,969	4,006	1,460	254	-
ALL OTHER--MALE----	107	118	138	145	196	288	247	212	104	19	6	1
FEMALE--	100	114	136	156	231	292	335	298	197	80	15	-
BLACK---MALE----	94	99	122	127	163	237	208	167	84	13	3	1
FEMALE--	94	103	125	139	199	246	292	266	170	71	14	-
ALABAMA -----	23	21	37	56	86	158	189	166	85	23	2	-
WHITE-----MALE----	8	5	14	31	27	53	84	44	16	1	-	-
FEMALE--	9	12	13	11	44	78	86	101	56	18	2	-
ALL OTHER--MALE----	4	1	6	5	4	11	6	11	3	-	-	-
FEMALE--	2	3	4	9	11	16	13	10	10	4	-	-
BLACK---MALE----	4	1	6	5	4	10	6	11	3	-	-	-
FEMALE--	2	3	4	8	11	16	13	10	9	4	-	-
ALASKA -----	3	3	2	5	5	6	6	6	3	-	-	-
WHITE-----MALE----	2	1	-	2	1	5	2	3	1	-	-	-
FEMALE--	-	2	2	3	3	-	3	2	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	25	22	28	56	104	169	206	190	128	33	6	-
WHITE-----MALE----	11	12	9	29	57	80	104	75	43	7	-	-
FEMALE--	10	10	16	23	44	81	99	112	84	24	5	-
ALL OTHER--MALE----	4	-	1	3	2	6	1	2	-	1	1	-
FEMALE--	-	-	2	1	1	2	2	1	1	1	-	-
BLACK---MALE----	1	-	-	1	2	2	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	1	1	-	-
ARKANSAS -----	16	13	32	39	62	82	115	108	50	10	3	-
WHITE-----MALE----	9	6	12	20	25	36	46	44	11	2	-	-
FEMALE--	6	7	17	15	33	40	65	53	33	8	3	-
ALL OTHER--MALE----	1	-	3	4	1	5	3	2	3	-	-	-
FEMALE--	-	-	-	-	3	1	1	9	3	-	-	-
BLACK---MALE----	1	-	3	4	1	5	3	2	3	-	-	-
FEMALE--	-	-	-	-	3	1	1	9	3	-	-	-
CALIFORNIA -----	121	134	156	269	458	777	962	872	552	169	41	1
WHITE-----MALE----	62	51	62	127	220	389	409	320	147	28	5	1
FEMALE--	48	63	77	114	197	316	481	500	366	133	34	-
ALL OTHER--MALE----	7	10	12	9	21	33	34	31	15	1	1	-
FEMALE--	4	10	5	19	20	39	38	21	24	7	1	-
BLACK---MALE----	5	3	9	5	11	16	19	18	7	-	-	-
FEMALE--	3	8	4	10	7	26	23	10	10	4	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,352

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF THE NERVOUS SYSTEM (320-359)												
COLORADO -----	860	8	6	2	-	4	3	6	7	6	9	17
WHITE-----MALE----	350	5	2	2	-	2	1	3	6	4	5	8
FEMALE--	482	3	4	-	-	2	-	1	1	2	3	7
ALL OTHER--MALE----	9	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	2	-	-	1	2
BLACK---MALE----	9	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	2	-	-	-	2
CONNECTICUT -----	700	1	6	4	3	2	3	2	4	11	9	17
WHITE-----MALE----	279	1	3	1	2	-	1	-	2	3	4	7
FEMALE--	395	-	2	1	-	-	1	2	1	6	4	8
ALL OTHER--MALE----	17	-	1	2	1	1	-	-	-	2	1	1
FEMALE--	9	-	-	-	-	1	1	-	1	-	-	1
BLACK---MALE----	17	-	1	2	1	1	-	-	-	2	1	1
FEMALE--	7	-	-	-	-	1	1	-	1	-	-	1
DELAWARE -----	135	1	-	-	1	2	1	3	1	-	3	1
WHITE-----MALE----	44	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	71	-	-	-	1	1	-	-	1	-	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	12	1	-	-	-	-	1	2	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	11	1	-	-	-	-	1	2	-	-	-	-
DISTRICT OF COLUMBIA ----	103	1	2	-	2	-	1	1	-	-	3	2
WHITE-----MALE----	16	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	23	1	-	-	2	-	1	-	-	-	1	1
FEMALE--	44	-	2	-	-	-	-	-	-	-	1	1
BLACK---MALE----	22	-	-	-	2	-	1	-	-	-	1	1
FEMALE--	44	-	2	-	-	-	-	-	-	-	1	1
FLORIDA -----	3,804	19	26	11	12	13	27	25	21	37	54	56
WHITE-----MALE----	1,644	8	10	3	6	6	16	7	8	19	24	30
FEMALE--	1,905	4	5	4	3	3	5	6	8	13	17	16
ALL OTHER--MALE----	132	4	6	2	2	4	4	7	4	2	11	8
FEMALE--	123	3	5	2	1	-	2	5	1	3	2	2
BLACK---MALE----	129	4	6	2	2	4	4	7	4	2	10	8
FEMALE--	122	3	5	2	1	-	2	5	1	3	2	2
GEORGIA -----	1,380	17	13	10	10	9	6	10	14	24	23	31
WHITE-----MALE----	437	3	6	5	5	2	4	5	1	9	6	8
FEMALE--	671	4	3	-	1	2	-	-	3	5	6	6
ALL OTHER--MALE----	125	6	3	3	2	5	-	2	5	5	7	12
FEMALE--	147	4	1	2	2	-	2	3	5	5	4	5
BLACK---MALE----	120	5	3	3	1	5	-	2	4	5	7	11
FEMALE--	144	4	1	2	1	-	2	3	5	5	4	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,352

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF THE NERVOUS SYSTEM (320-359)												
COLORADO -----	20	19	26	57	81	116	156	171	108	34	4	-
WHITE-----MALE----	9	8	13	25	42	60	58	65	25	6	1	-
FEMALE--	10	9	11	30	37	54	95	103	79	28	3	-
ALL OTHER--MALE----	1	-	-	1	1	1	1	1	1	-	-	-
FEMALE--	-	2	2	1	1	1	2	2	3	-	-	-
BLACK---MALE----	1	-	-	1	1	1	1	1	1	-	-	-
FEMALE--	-	2	2	1	1	1	2	2	3	-	-	-
CONNECTICUT -----	8	22	26	39	68	103	143	137	66	21	5	-
WHITE-----MALE----	4	14	14	20	28	41	63	50	17	4	-	-
FEMALE--	4	7	8	19	37	60	80	86	49	15	5	-
ALL OTHER--MALE----	-	-	4	-	1	2	-	-	-	1	-	-
FEMALE--	-	1	-	-	2	-	-	1	-	1	-	-
BLACK---MALE----	-	-	4	-	1	2	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	1	-	-
DELAWARE -----	5	2	3	5	18	27	26	19	11	6	-	-
WHITE-----MALE----	3	-	1	2	8	10	10	6	-	2	-	-
FEMALE--	1	2	2	1	7	13	15	13	9	4	-	-
ALL OTHER--MALE----	-	-	-	1	1	2	-	-	1	-	-	-
FEMALE--	1	-	-	1	2	2	1	-	1	-	-	-
BLACK---MALE----	-	-	-	1	1	2	-	-	1	-	-	-
FEMALE--	1	-	-	1	2	1	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	2	5	7	5	8	12	20	10	11	9	2	-
WHITE-----MALE----	2	2	-	1	1	1	7	-	1	-	-	-
FEMALE--	-	1	-	-	1	2	2	4	4	3	2	-
ALL OTHER--MALE----	-	1	1	2	2	4	3	1	2	1	-	-
FEMALE--	-	1	6	2	4	5	8	5	4	5	-	-
BLACK---MALE----	-	1	1	2	2	4	3	1	2	1	-	-
FEMALE--	-	1	6	2	4	5	8	5	4	5	-	-
FLORIDA -----	79	87	111	204	356	629	789	701	401	126	20	-
WHITE-----MALE----	42	44	43	88	192	306	360	283	117	28	4	-
FEMALE--	22	36	47	99	145	290	398	402	272	95	15	-
ALL OTHER--MALE----	9	4	12	5	6	16	17	6	2	-	1	-
FEMALE--	6	3	9	12	13	17	14	10	10	3	-	-
BLACK---MALE----	9	4	12	5	6	15	16	6	2	-	1	-
FEMALE--	6	3	9	12	12	17	14	10	10	3	-	-
GEORGIA -----	36	56	37	74	124	220	257	225	135	47	2	-
WHITE-----MALE----	14	21	16	31	54	85	74	53	29	6	-	-
FEMALE--	8	19	12	32	51	105	148	136	91	37	2	-
ALL OTHER--MALE----	6	6	4	6	11	12	9	15	6	-	-	-
FEMALE--	8	10	5	5	8	18	26	21	9	4	-	-
BLACK---MALE----	6	6	4	5	11	12	9	15	6	-	-	-
FEMALE--	8	10	5	5	8	17	26	21	8	4	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,353

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF THE NERVOUS SYSTEM (320-359)												
HAWAII -----	183	-	1	1	3	2	3	2	1	4	2	6
WHITE-----MALE----	31	-	-	-	-	-	1	-	1	2	2	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	78	-	-	-	2	1	2	-	-	1	-	5
FEMALE--	54	-	1	1	1	1	-	2	-	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	297	-	2	1	5	2	1	1	1	2	3	6
WHITE-----MALE----	148	-	1	1	2	2	-	1	-	1	1	2
FEMALE--	147	-	1	-	3	-	-	-	1	1	2	4
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,573	14	16	14	15	15	12	13	18	35	37	50
WHITE-----MALE----	1,011	2	6	3	6	10	7	5	10	13	13	17
FEMALE--	1,320	5	4	4	6	2	3	6	4	12	15	21
ALL OTHER--MALE----	95	4	3	1	-	1	2	2	3	3	5	7
FEMALE--	147	3	3	6	3	2	-	-	1	7	4	5
BLACK---MALE----	94	4	3	1	-	1	2	2	3	3	5	7
FEMALE--	141	3	2	6	3	1	-	-	1	6	4	5
INDIANA -----	1,360	11	9	7	10	9	4	11	11	20	29	27
WHITE-----MALE----	569	2	3	4	7	8	2	6	6	10	13	11
FEMALE--	726	8	5	2	2	1	1	3	4	8	11	12
ALL OTHER--MALE----	27	1	1	1	-	-	1	1	-	-	3	2
FEMALE--	38	-	-	-	1	-	-	1	1	2	2	2
BLACK---MALE----	25	1	1	1	-	-	-	1	-	-	3	2
FEMALE--	38	-	-	-	1	-	-	1	1	2	2	2
IOWA -----	739	2	7	2	3	4	4	1	2	5	11	12
WHITE-----MALE----	318	1	4	1	2	2	2	1	1	2	5	5
FEMALE--	413	1	2	1	1	2	2	-	1	2	6	7
ALL OTHER--MALE----	5	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	690	1	4	-	3	6	3	1	5	8	17	22
WHITE-----MALE----	309	-	3	-	1	5	2	-	3	4	12	14
FEMALE--	352	1	1	-	2	1	1	-	2	3	5	6
ALL OTHER--MALE----	15	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	14	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,353

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF THE NERVOUS SYSTEM (320-359)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	3	4	5	9	23	28	27	34	15	9	1	-
WHITE-----MALE----	-	1	2	2	5	1	6	6	1	1	-	-
FEMALE--	-	1	-	1	1	2	5	4	4	1	1	-
ALL OTHER--MALE----	2	2	2	4	11	12	7	17	7	3	-	-
FEMALE--	1	-	1	2	6	13	9	7	3	4	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	8	13	10	18	20	46	61	55	32	9	1	-
WHITE-----MALE----	4	6	7	8	12	23	31	29	15	2	-	-
FEMALE--	4	7	3	10	8	23	29	26	17	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	48	73	69	147	221	404	516	444	300	100	12	-
WHITE-----MALE----	15	31	31	84	114	186	224	149	69	11	5	-
FEMALE--	19	32	24	52	83	192	264	273	212	81	6	-
ALL OTHER--MALE----	6	4	3	4	11	11	14	7	2	2	-	-
FEMALE--	8	6	11	7	13	15	14	15	17	6	1	-
BLACK---MALE----	6	4	2	4	11	11	14	7	2	2	-	-
FEMALE--	8	6	10	7	13	13	14	15	17	6	1	-
INDIANA -----	34	29	42	78	119	210	279	259	115	43	4	-
WHITE-----MALE----	21	14	17	41	64	96	118	93	26	7	-	-
FEMALE--	11	11	24	30	51	110	149	158	85	36	4	-
ALL OTHER--MALE----	1	1	1	2	2	1	7	1	1	-	-	-
FEMALE--	1	3	-	5	2	3	5	7	3	-	-	-
BLACK---MALE----	1	1	1	2	2	1	7	1	-	-	-	-
FEMALE--	1	3	-	5	2	3	5	7	3	-	-	-
IOWA -----	17	9	21	38	67	120	142	144	87	37	4	-
WHITE-----MALE----	8	8	11	22	41	58	59	52	29	4	-	-
FEMALE--	8	1	10	16	26	59	83	91	57	33	4	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
KANSAS -----	23	21	30	37	57	104	120	114	83	30	1	-
WHITE-----MALE----	6	10	16	16	32	61	50	49	20	5	-	-
FEMALE--	13	10	12	19	24	38	68	60	61	24	1	-
ALL OTHER--MALE----	3	-	2	1	-	2	1	3	1	-	-	-
FEMALE--	1	1	-	1	1	3	1	2	1	1	-	-
BLACK---MALE----	3	-	2	1	-	2	-	3	1	-	-	-
FEMALE--	1	1	-	1	1	3	-	2	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,354

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF THE NERVOUS SYSTEM (320-359)												
KENTUCKY -----	909	7	8	6	6	5	4	8	6	11	14	17
WHITE-----MALE----	360	4	3	2	2	2	-	5	3	5	7	12
FEMALE--	502	3	4	3	3	3	3	2	1	6	5	2
ALL OTHER--MALE----	22	-	-	-	1	-	1	1	1	-	1	-
FEMALE--	25	-	1	1	-	-	-	-	1	-	1	3
BLACK---MALE----	21	-	-	-	1	-	1	1	-	-	1	-
FEMALE--	24	-	1	1	-	-	-	-	1	-	1	3
LOUISIANA -----	949	8	11	7	8	14	7	12	17	9	19	17
WHITE-----MALE----	325	3	2	4	3	4	3	7	4	4	4	4
FEMALE--	413	1	2	-	-	2	1	-	3	2	6	7
ALL OTHER--MALE----	110	2	2	1	4	6	2	2	4	2	3	5
FEMALE--	101	2	5	2	1	2	1	3	6	1	6	1
BLACK---MALE----	110	2	2	1	4	6	2	2	4	2	3	5
FEMALE--	101	2	5	2	1	2	1	3	6	1	6	1
MAINE -----	351	1	-	-	2	1	3	1	4	-	4	9
WHITE-----MALE----	146	-	-	-	1	1	3	-	2	-	3	6
FEMALE--	203	1	-	-	1	-	-	1	2	-	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MMARYLAND -----	1,024	9	8	3	6	5	6	14	4	18	12	18
WHITE-----MALE----	401	4	2	-	1	1	3	3	1	6	3	8
FEMALE--	452	2	1	1	1	-	2	4	1	3	3	3
ALL OTHER--MALE----	75	1	1	-	4	3	1	6	1	3	5	3
FEMALE--	96	2	4	2	-	1	-	1	1	6	1	4
BLACK---MALE----	67	1	1	-	3	2	1	6	1	3	4	3
FEMALE--	92	2	4	2	-	1	-	1	1	6	1	4
MASSACHUSETTS -----	1,613	10	2	3	4	8	5	4	15	12	22	33
WHITE-----MALE----	652	4	1	1	1	4	2	4	7	6	13	23
FEMALE--	907	4	1	1	1	2	3	-	5	4	9	9
ALL OTHER--MALE----	26	1	-	1	1	1	-	-	2	1	-	-
FEMALE--	28	1	-	-	1	1	-	-	1	1	-	1
BLACK---MALE----	23	1	-	1	1	1	-	-	2	1	-	-
FEMALE--	24	1	-	-	1	1	-	-	1	1	-	1
MICHIGAN -----	2,102	12	21	18	13	12	16	25	26	32	62	60
WHITE-----MALE----	861	6	9	10	4	7	8	9	17	16	28	18
FEMALE--	1,029	4	6	3	6	4	2	10	6	8	21	18
ALL OTHER--MALE----	95	1	2	1	1	-	5	2	2	3	7	13
FEMALE--	117	1	4	4	2	1	1	4	1	5	6	11
BLACK---MALE----	92	1	2	1	1	-	5	2	2	3	7	12
FEMALE--	113	1	4	4	2	1	1	4	1	5	6	11

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,354

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF THE NERVOUS SYSTEM (320-359)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	19	21	33	47	94	135	162	168	101	34	3	-
WHITE-----MALE----	8	9	17	30	47	57	59	62	22	4	-	-
FEMALE--	8	10	11	15	43	72	98	101	79	27	3	-
ALL OTHER--MALE----	3	1	4	1	-	2	2	3	-	1	-	-
FEMALE--	-	1	1	1	4	4	3	2	-	2	-	-
BLACK---MALE----	3	1	4	1	-	2	2	3	-	1	-	-
FEMALE--	-	1	1	1	3	4	3	2	-	2	-	-
LOUISIANA -----	19	32	39	53	94	140	164	174	81	18	6	-
WHITE-----MALE----	5	13	15	26	39	62	51	49	21	2	-	-
FEMALE--	9	8	10	14	39	62	83	98	47	15	4	-
ALL OTHER--MALE----	2	5	7	9	9	12	12	14	7	-	-	-
FEMALE--	3	6	7	4	7	4	18	13	6	1	2	-
BLACK---MALE----	2	5	7	9	9	12	12	14	7	-	-	-
FEMALE--	3	6	7	4	7	4	18	13	6	1	2	-
MAINE -----	9	8	18	24	22	44	55	76	48	16	6	-
WHITE-----MALE----	2	5	11	14	7	24	27	28	12	-	-	-
FEMALE--	7	3	7	10	15	20	27	48	36	16	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	27	22	42	68	118	160	194	161	96	27	6	-
WHITE-----MALE----	8	5	17	34	55	72	92	55	26	4	1	-
FEMALE--	12	9	8	24	44	65	86	93	64	21	5	-
ALL OTHER--MALE----	3	5	7	8	7	8	6	3	-	-	-	-
FEMALE--	4	3	10	2	12	15	10	10	6	2	-	-
BLACK---MALE----	3	4	6	7	7	7	5	3	-	-	-	-
FEMALE--	4	3	9	2	12	14	9	10	5	2	-	-
MASSACHUSETTS -----	27	31	50	83	153	261	303	285	212	79	11	-
WHITE-----MALE----	12	15	21	51	77	122	138	94	48	8	-	-
FEMALE--	14	11	27	30	69	132	156	189	159	71	10	-
ALL OTHER--MALE----	-	2	1	1	4	5	4	-	2	-	-	-
FEMALE--	1	3	1	1	3	2	5	2	3	-	1	-
BLACK---MALE----	-	1	1	1	3	5	3	-	2	-	-	-
FEMALE--	1	3	1	1	2	2	4	-	3	-	1	-
MICHIGAN -----	59	75	98	124	203	325	364	333	167	46	10	1
WHITE-----MALE----	22	35	43	63	96	156	159	112	31	10	1	1
FEMALE--	23	30	44	51	89	148	185	202	127	34	8	-
ALL OTHER--MALE----	5	5	6	6	7	7	8	7	5	2	-	-
FEMALE--	9	5	5	4	11	14	12	12	4	-	1	-
BLACK---MALE----	5	5	5	6	7	7	7	7	5	2	-	-
FEMALE--	9	4	5	4	10	12	12	12	4	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,355

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF THE NERVOUS SYSTEM (320-359)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	30	30	29	78	94	203	253	263	162	50	13	-
WHITE-----MALE----	14	17	15	40	52	105	125	102	36	13	1	-
FEMALE--	16	10	13	37	39	95	128	159	126	35	12	-
ALL OTHER--MALE----	-	3	1	-	1	1	-	-	-	1	-	-
FEMALE--	-	-	-	1	2	2	-	2	-	1	-	-
BLACK---MALE----	-	1	1	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	-	-	-
MISSISSIPPI -----	13	19	16	26	45	62	73	78	25	7	2	-
WHITE-----MALE----	3	4	8	11	12	22	33	24	4	1	-	-
FEMALE--	8	9	6	10	26	36	32	48	13	4	2	-
ALL OTHER--MALE----	1	2	-	-	3	3	3	2	6	-	-	-
FEMALE--	1	4	2	5	4	1	5	4	2	2	-	-
BLACK---MALE----	1	2	-	-	3	3	3	2	6	-	-	-
FEMALE--	1	4	2	5	4	1	5	4	2	2	-	-
MISSOURI -----	36	37	40	84	153	208	262	239	149	45	8	-
WHITE-----MALE----	17	19	20	40	79	87	104	79	44	5	1	-
FEMALE--	13	15	15	34	61	110	133	153	96	38	7	-
ALL OTHER--MALE----	2	3	4	3	7	7	8	4	3	-	-	-
FEMALE--	4	-	1	7	6	4	17	3	6	2	-	-
BLACK---MALE----	2	3	4	3	7	6	8	3	3	-	-	-
FEMALE--	4	-	1	7	6	4	17	3	6	2	-	-
MONTANA -----	6	7	6	8	18	28	45	40	21	8	1	-
WHITE-----MALE----	3	2	3	5	11	10	23	21	5	2	-	-
FEMALE--	3	3	2	3	7	16	22	19	16	6	1	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	9	10	15	18	44	52	89	82	68	33	5	-
WHITE-----MALE----	3	6	8	9	27	25	38	24	12	7	-	-
FEMALE--	6	4	6	8	16	27	50	57	56	26	5	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
NEVADA -----	7	5	17	14	40	43	49	42	14	4	-	-
WHITE-----MALE----	2	3	5	11	25	19	23	16	2	-	-	-
FEMALE--	2	2	11	3	13	23	24	25	11	3	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	1	-	2	1	1	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,357

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF THE NERVOUS SYSTEM (320-359)												
OHIO -----	2,603	15	10	13	9	18	16	15	21	26	43	48
WHITE-----MALE----	1,047	9	4	5	3	13	8	10	10	17	20	22
FEMALE--	1,387	4	5	6	4	3	5	4	8	8	18	19
ALL OTHER--MALE----	81	2	-	1	1	2	2	1	2	-	2	4
FEMALE--	88	-	1	1	1	-	1	-	1	1	3	3
BLACK---MALE----	75	2	-	-	1	2	1	1	2	-	2	4
FEMALE--	87	-	1	1	1	-	1	-	1	1	3	3
OKLAHOMA -----	708	5	7	6	4	3	3	5	6	9	16	19
WHITE-----MALE----	270	1	4	2	2	2	2	4	3	3	6	7
FEMALE--	385	2	2	2	2	-	1	-	1	4	7	8
ALL OTHER--MALE----	25	2	1	-	-	1	-	1	1	1	1	3
FEMALE--	28	-	-	2	-	-	-	-	1	1	2	1
BLACK---MALE----	14	2	1	-	-	1	-	1	1	-	1	1
FEMALE--	16	-	-	1	-	-	-	-	1	1	1	1
OREGON -----	933	3	3	4	4	5	6	2	2	7	11	16
WHITE-----MALE----	380	1	2	1	3	4	4	1	2	4	7	9
FEMALE--	532	2	-	3	1	1	1	1	-	3	4	7
ALL OTHER--MALE----	12	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2,803	26	13	7	8	13	15	13	26	25	36	47
WHITE-----MALE----	1,140	8	6	2	4	8	9	7	11	11	23	20
FEMALE--	1,485	11	7	4	3	4	4	2	8	9	9	21
ALL OTHER--MALE----	93	5	-	1	1	-	-	3	5	2	2	4
FEMALE--	85	2	-	-	-	1	2	1	2	3	2	2
BLACK---MALE----	88	5	-	1	1	-	-	3	5	2	2	3
FEMALE--	81	2	-	-	-	1	2	1	2	3	2	2
RHODE ISLAND -----	232	2	-	1	-	-	3	1	-	3	2	4
WHITE-----MALE----	80	-	-	1	-	-	3	1	-	2	2	2
FEMALE--	142	1	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
SOUTH CAROLINA -----	734	5	6	3	2	5	7	12	11	11	16	19
WHITE-----MALE----	240	2	3	-	-	2	2	3	3	6	4	4
FEMALE--	323	1	1	-	1	1	2	4	5	2	4	6
ALL OTHER--MALE----	81	2	1	2	-	1	3	2	2	2	5	5
FEMALE--	90	-	1	1	1	1	-	3	1	1	3	4
BLACK---MALE----	80	1	1	2	-	1	3	2	2	2	5	5
FEMALE--	90	-	1	1	1	1	-	3	1	1	3	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,357

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF THE NERVOUS SYSTEM (320-359)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	69	67	93	153	259	415	526	448	246	77	16	-
WHITE-----MALE----	25	31	36	67	134	188	217	159	57	11	1	-
FEMALE--	32	29	40	73	108	204	290	272	179	61	15	-
ALL OTHER--MALE----	3	3	9	5	10	17	7	7	2	1	-	-
FEMALE--	9	4	8	8	7	6	12	10	8	4	-	-
BLACK---MALE----	3	2	8	5	9	16	7	7	2	1	-	-
FEMALE--	9	4	8	8	7	6	12	10	7	4	-	-
OKLAHOMA -----	17	16	37	30	70	85	148	131	73	16	1	1
WHITE-----MALE----	10	5	15	17	32	41	57	37	16	3	1	-
FEMALE--	5	8	21	11	35	44	81	87	51	13	-	-
ALL OTHER--MALE----	2	1	-	1	1	-	2	4	2	-	-	1
FEMALE--	-	2	1	1	2	-	8	3	4	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	2	1	-	-	1
FEMALE--	-	-	-	1	2	-	5	2	1	-	-	-
OREGON -----	19	18	23	44	81	144	191	209	100	36	5	-
WHITE-----MALE----	7	9	15	23	40	64	86	75	20	2	1	-
FEMALE--	11	9	7	21	39	74	101	131	78	34	4	-
ALL OTHER--MALE----	-	-	-	-	1	4	2	3	-	-	-	-
FEMALE--	1	-	1	-	1	2	2	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	2	2	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	-	2	-	-	-
PENNSYLVANIA -----	60	79	103	164	298	491	556	482	245	84	12	-
WHITE-----MALE----	22	36	44	86	152	216	240	153	61	20	1	-
FEMALE--	33	35	44	67	130	238	297	307	179	62	11	-
ALL OTHER--MALE----	1	5	4	7	9	23	11	8	2	-	-	-
FEMALE--	4	3	11	4	7	14	8	14	3	2	-	-
BLACK---MALE----	1	5	4	7	8	20	11	8	2	-	-	-
FEMALE--	3	3	11	4	7	13	7	13	3	2	-	-
RHODE ISLAND -----	5	8	4	19	8	30	56	37	32	12	5	-
WHITE-----MALE----	3	2	3	8	2	13	22	12	4	-	-	-
FEMALE--	2	4	-	8	5	17	34	25	27	12	5	-
ALL OTHER--MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	1	-	-	-
SOUTH CAROLINA -----	15	26	43	40	81	119	125	101	65	16	6	-
WHITE-----MALE----	8	12	17	18	33	44	36	27	12	4	-	-
FEMALE--	2	6	12	13	34	47	70	57	40	11	4	-
ALL OTHER--MALE----	5	5	6	3	6	15	8	2	5	-	1	-
FEMALE--	-	3	8	6	8	13	11	15	8	1	1	-
BLACK---MALE----	5	5	6	3	6	15	8	2	5	-	1	-
FEMALE--	-	3	8	6	8	13	11	15	8	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,358

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF THE NERVOUS SYSTEM (320-359)												
SOUTH DAKOTA -----	192	1	-	2	1	1	1	4	3	4	7	2
WHITE-----MALE----	75	-	-	1	-	-	1	-	2	2	3	-
FEMALE--	105	-	-	-	1	-	-	2	-	2	3	2
ALL OTHER--MALE----	8	-	-	1	-	1	-	2	1	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,093	11	10	7	8	13	8	12	11	16	18	14
WHITE-----MALE----	422	6	5	1	3	8	4	5	4	6	8	8
FEMALE--	546	3	2	4	1	2	1	4	2	3	5	2
ALL OTHER--MALE----	61	1	-	2	3	1	2	3	4	5	3	3
FEMALE--	64	1	3	-	1	2	1	-	1	2	2	1
BLACK---MALE----	59	1	-	2	3	1	1	3	4	4	3	3
FEMALE--	63	1	3	-	1	2	1	-	1	2	2	-
TEXAS -----	3,650	23	30	21	22	38	40	30	31	51	59	62
WHITE-----MALE----	1,447	8	9	10	11	18	11	16	12	24	25	27
FEMALE--	1,881	15	16	8	8	8	16	10	11	13	22	21
ALL OTHER--MALE----	146	-	4	1	3	5	7	2	6	10	5	8
FEMALE--	176	-	1	2	-	7	6	2	2	4	7	6
BLACK---MALE----	137	-	2	1	3	5	7	2	6	10	4	7
FEMALE--	170	-	1	2	-	7	6	1	2	4	6	6
UTAH -----	409	5	4	-	3	3	6	4	7	3	5	11
WHITE-----MALE----	188	-	-	-	1	2	3	3	3	1	4	2
FEMALE--	215	4	3	-	2	1	2	1	2	2	1	9
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	1	1	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	152	-	1	2	-	1	-	1	2	1	1	-
WHITE-----MALE----	60	-	1	1	-	1	-	1	1	-	1	-
FEMALE--	92	-	-	1	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,268	7	6	5	6	8	5	9	14	13	25	25
WHITE-----MALE----	446	3	3	3	1	3	1	3	6	3	14	11
FEMALE--	621	-	1	2	3	2	3	2	3	4	6	6
ALL OTHER--MALE----	96	3	1	-	1	2	1	3	2	3	3	2
FEMALE--	105	1	1	-	1	1	-	1	3	3	2	6
BLACK---MALE----	94	3	1	-	1	2	1	3	2	3	3	2
FEMALE--	102	1	1	-	1	1	-	1	3	3	2	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,358

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF THE NERVOUS SYSTEM (320-359)												
SOUTH DAKOTA -----	3	7	7	7	9	26	33	35	31	5	3	-
WHITE-----MALE----	-	3	2	2	6	14	17	14	8	-	-	-
FEMALE--	3	1	5	5	3	11	15	21	23	5	3	-
ALL OTHER--MALE----	-	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	29	35	50	65	90	152	207	193	109	31	4	-
WHITE-----MALE----	13	16	30	31	42	61	92	51	27	1	-	-
FEMALE--	10	10	15	27	38	82	102	128	74	27	4	-
ALL OTHER--MALE----	3	5	2	4	2	3	6	6	2	1	-	-
FEMALE--	3	4	3	3	8	6	7	8	6	2	-	-
BLACK---MALE----	3	5	2	4	2	3	6	6	2	1	-	-
FEMALE--	3	4	3	3	8	6	7	8	6	2	-	-
TEXAS -----	91	105	126	217	326	528	684	651	393	106	16	-
WHITE-----MALE----	42	44	67	90	153	252	281	222	106	17	2	-
FEMALE--	41	43	49	98	145	242	362	391	268	81	13	-
ALL OTHER--MALE----	3	8	5	15	13	15	13	17	5	1	-	-
FEMALE--	5	10	5	14	15	19	28	21	14	7	1	-
BLACK---MALE----	3	8	5	14	12	15	12	15	5	1	-	-
FEMALE--	5	9	5	14	14	19	26	21	14	7	1	-
UTAH -----	8	8	15	27	37	57	88	67	42	9	-	-
WHITE-----MALE----	-	5	8	17	19	35	46	30	8	1	-	-
FEMALE--	8	3	7	10	18	22	41	37	34	8	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
VERMONT -----	5	-	3	6	17	23	35	25	19	10	-	-
WHITE-----MALE----	1	-	2	1	10	12	11	12	4	1	-	-
FEMALE--	4	-	1	5	7	11	24	13	15	9	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	43	30	41	86	137	206	230	224	108	32	8	-
WHITE-----MALE----	19	9	10	40	47	92	93	57	24	3	1	-
FEMALE--	15	13	22	35	69	90	111	133	71	26	4	-
ALL OTHER--MALE----	3	7	6	5	8	11	16	11	5	1	2	-
FEMALE--	6	1	3	6	13	13	10	23	8	2	1	-
BLACK---MALE----	3	7	6	4	8	11	16	11	5	1	1	-
FEMALE--	6	1	3	5	13	12	10	22	8	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,360

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MENINGITIS (320-322)												
0 UNITED STATES --	781	97	44	15	18	12	11	27	29	41	44	44
WHITE-----MALE----	275	21	9	7	5	4	2	8	10	18	12	20
FEMALE--	271	41	15	3	7	1	1	9	8	9	14	5
ALL OTHER--MALE----	128	19	11	4	3	3	2	4	5	7	15	13
FEMALE--	107	16	9	1	3	4	6	6	6	7	3	6
BLACK---MALE----	112	15	11	4	3	2	2	4	5	6	13	13
FEMALE--	92	12	6	1	3	3	6	5	6	7	3	5
ALABAMA -----	9	1	-	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	4	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	14	2	1	1	1	-	-	-	-	1	-	-
WHITE-----MALE----	3	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	6	1	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	9	1	-	-	1	-	-	-	-	-	-	3
WHITE-----MALE----	6	-	-	-	1	-	-	-	-	-	-	2
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	94	12	6	2	1	1	2	3	1	3	8	8
WHITE-----MALE----	36	1	3	1	1	-	2	1	-	2	3	5
FEMALE--	33	7	2	1	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	14	2	-	-	-	-	-	-	1	1	4	2
FEMALE--	11	2	1	-	-	1	-	1	-	-	-	1
BLACK---MALE----	10	1	-	-	-	-	-	-	1	1	2	2
FEMALE--	7	1	-	-	-	1	-	1	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,360

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MENINGITIS (320-322)												
UNITED STATES --	43	45	40	51	48	74	45	32	15	5	1	-
WHITE-----MALE----	19	23	17	19	24	28	15	8	5	1	-	-
FEMALE--	12	12	15	16	14	34	23	19	9	4	-	-
ALL OTHER--MALE----	9	4	6	11	2	6	3	1	-	-	-	-
FEMALE--	3	6	2	5	8	6	4	4	1	-	1	-
BLACK---MALE----	8	2	6	8	1	5	3	1	-	-	-	-
FEMALE--	3	5	2	5	7	6	2	3	1	-	1	-
ALABAMA -----	2	-	1	-	-	3	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	1	3	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	6	6	5	5	3	9	6	4	2	1	-	-
WHITE-----MALE----	3	2	2	2	1	3	2	1	1	-	-	-
FEMALE--	2	3	2	1	1	5	3	2	1	1	-	-
ALL OTHER--MALE----	1	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	1	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,361

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MENINGITIS (320-322)												
COLORADO -----	14	2	1	1	-	1	-	-	-	1	-	-
WHITE-----MALE----	8	1	-	1	-	1	-	-	-	1	-	-
FEMALE--	6	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	11	-	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	38	3	1	-	1	-	1	-	1	2	4	5
WHITE-----MALE----	19	2	-	-	1	-	-	-	-	2	-	3
FEMALE--	11	-	-	-	-	-	-	-	1	-	2	-
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	-	-	2	1
FEMALE--	3	-	1	-	-	-	1	-	-	-	-	1
BLACK---MALE----	5	1	-	-	-	-	-	-	-	-	2	1
FEMALE--	3	-	1	-	-	-	1	-	-	-	-	1
GEORGIA -----	28	2	2	-	1	1	-	1	5	2	-	4
WHITE-----MALE----	8	-	2	-	-	-	-	-	-	2	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	1	-	-	1	1	-	1	2	-	-	4
FEMALE--	5	-	-	-	-	-	-	-	3	-	-	-
BLACK---MALE----	12	1	-	-	1	1	-	1	2	-	-	4
FEMALE--	5	-	-	-	-	-	-	-	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,363

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MENINGITIS (320-322)												
KENTUCKY -----	16	1	1	1	-	-	-	1	1	1	3	1
WHITE-----MALE----	9	1	-	1	-	-	-	-	-	1	2	1
FEMALE--	6	-	1	-	-	-	1	1	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	21	2	3	-	2	-	1	-	-	-	1	1
WHITE-----MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	7	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	1	1	-	1	-	1	-	-	-	-	1
FEMALE--	4	1	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	1	1	-	1	-	1	-	-	-	-	1
FEMALE--	4	1	1	-	-	-	-	-	-	-	1	-
MAINE -----	2	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	16	2	-	-	1	1	-	-	1	2	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	1	1	-	-	-	1	-	-
FEMALE--	5	2	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	5	2	-	-	-	-	-	-	1	-	-	-
MASSACHUSETTS -----	14	-	-	1	-	1	-	-	1	1	-	2
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
MICHIGAN -----	33	2	-	-	2	-	1	2	1	2	3	2
WHITE-----MALE----	12	2	-	-	-	-	-	1	1	1	2	1
FEMALE--	9	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	-	1	1	1
FEMALE--	6	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	1	-	-	1	1	1
FEMALE--	6	-	-	-	2	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,363

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 MENINGITIS (320-322)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	-	-	-	2	2	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	1	2	-	1	1	1	2	3	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	3	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MAINE -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	3	3	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	1	2	1	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	3	2	1	2	3	1	2	2	-	-	-
WHITE-----MALE----	-	1	-	-	-	2	1	-	-	-	-	-
FEMALE--	1	1	1	1	1	-	-	1	2	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,367

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MENINGITIS (320-322)												
SOUTH DAKOTA -----	2	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	20	5	-	-	-	-	-	1	-	1	-	1
WHITE-----MALE----	8	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
TEXAS -----	52	8	1	1	-	2	2	3	2	4	3	2
WHITE-----MALE----	19	3	-	1	-	-	-	1	-	1	-	-
FEMALE--	21	5	-	-	-	-	-	2	1	2	2	1
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	2	2	-	1	1	-	1
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	2	2	-	1	1	-	1
UTAH -----	2	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	17	-	2	-	1	-	-	2	1	1	1	2
WHITE-----MALE----	6	-	1	-	-	-	-	-	1	-	1	1
FEMALE--	4	-	1	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,367

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MENINGITIS (320-322)												
SOUTH DAKOTA -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	2	-	2	1	1	1	2	1	1	-	-
WHITE-----MALE----	-	2	-	1	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	1	4	3	4	2	5	4	1	-	-	-	-
WHITE-----MALE----	1	2	3	3	1	2	1	-	-	-	-	-
FEMALE--	-	2	-	1	-	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	1	1	-	2	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,369

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PARKINSON'S DISEASE (332)												
0 UNITED STATES --	24	63	173	502	1,287	2,672	3,451	2,681	1,222	230	36	-
WHITE-----MALE----	11	32	95	316	788	1,612	1,953	1,298	511	72	9	-
FEMALE--	12	27	69	157	432	939	1,376	1,273	663	150	24	-
ALL OTHER--MALE----	1	3	3	22	44	74	76	60	29	2	2	-
FEMALE--	-	1	6	7	23	47	46	50	19	6	1	-
BLACK---MALE----	1	1	2	18	34	45	53	39	20	-	1	-
FEMALE--	-	-	5	5	17	31	34	43	14	4	1	-
ALABAMA -----	-	-	3	11	22	37	47	28	18	3	-	-
WHITE-----MALE----	-	-	2	8	10	18	28	12	7	-	-	-
FEMALE--	-	-	1	2	11	12	15	13	11	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	4	3	2	-	-	-	-
FEMALE--	-	-	-	-	1	3	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	4	3	2	-	-	-	-
FEMALE--	-	-	-	-	1	3	1	1	-	-	-	-
ALASKA -----	-	-	-	-	-	4	3	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	3	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	2	1	7	38	59	82	56	27	5	2	-
WHITE-----MALE----	-	1	1	6	24	36	53	26	19	2	-	-
FEMALE--	-	1	-	1	14	21	27	28	8	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	1	-	1	1	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	3	11	9	21	31	29	5	2	-	-
WHITE-----MALE----	-	-	2	7	5	12	12	20	2	-	-	-
FEMALE--	-	-	1	4	4	9	18	8	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
CALIFORNIA -----	-	14	14	59	139	277	317	249	133	21	7	-
WHITE-----MALE----	-	6	8	38	91	167	170	125	54	8	1	-
FEMALE--	-	5	6	16	35	91	127	110	71	12	6	-
ALL OTHER--MALE----	-	2	-	3	11	13	14	10	4	-	-	-
FEMALE--	-	1	-	2	2	6	6	4	4	1	-	-
BLACK---MALE----	-	-	-	1	7	3	6	2	2	-	-	-
FEMALE--	-	-	-	-	-	4	3	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,370

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PARKINSON'S DISEASE (332)												
COLORADO -----	-	-	-	7	18	49	54	52	30	2	-	-
WHITE-----MALE----	-	-	-	4	11	31	28	28	9	2	-	-
FEMALE--	-	-	-	3	7	18	24	22	20	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
CONNECTICUT -----	-	-	2	3	19	24	51	44	18	4	-	-
WHITE-----MALE----	-	-	1	1	9	13	33	24	8	2	-	-
FEMALE--	-	-	1	2	7	11	18	20	10	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	1	2	6	6	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	2	2	2	2	-	-	-	-
FEMALE--	-	-	-	1	-	3	4	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	2	3	7	2	3	2	-	-
WHITE-----MALE----	-	-	-	-	1	-	3	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	-	-	-
FLORIDA -----	1	2	7	33	98	207	259	198	59	13	3	-
WHITE-----MALE----	1	1	5	22	70	138	155	112	33	4	1	-
FEMALE--	-	1	1	10	26	64	96	82	26	9	2	-
ALL OTHER--MALE----	-	-	-	-	2	3	5	2	-	-	-	-
FEMALE--	-	-	1	1	-	2	3	2	-	-	-	-
BLACK---MALE----	-	-	-	-	2	3	4	2	-	-	-	-
FEMALE--	-	-	1	1	-	2	3	2	-	-	-	-
GEORGIA -----	-	5	5	8	25	53	60	42	15	4	-	-
WHITE-----MALE----	-	4	3	4	15	30	32	13	9	1	-	-
FEMALE--	-	1	2	4	10	23	25	21	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	4	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	4	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	4	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	4	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,371

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PARKINSON'S DISEASE (332)												
HAWAII -----	-	-	2	1	5	18	11	13	5	2	-	-
WHITE-----MALE----	-	-	1	-	1	1	2	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	2	8	4	8	4	1	-	-
FEMALE--	-	-	1	-	2	8	3	2	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	1	1	2	15	22	14	8	3	-	-
WHITE-----MALE----	-	-	-	-	2	8	13	10	4	1	-	-
FEMALE--	-	-	1	1	-	7	8	4	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1	3	7	21	53	125	173	104	67	11	3	-
WHITE-----MALE----	-	1	5	17	34	74	100	56	29	3	2	-
FEMALE--	1	2	-	3	16	47	70	45	37	6	1	-
ALL OTHER--MALE----	-	-	1	-	2	3	1	1	-	-	-	-
FEMALE--	-	-	1	1	1	1	2	2	1	2	-	-
BLACK---MALE----	-	-	-	-	2	3	1	1	-	-	-	-
FEMALE--	-	-	1	1	1	1	2	2	1	2	-	-
INDIANA -----	1	-	4	22	31	72	88	64	26	6	-	-
WHITE-----MALE----	1	-	2	12	22	39	50	32	10	2	-	-
FEMALE--	-	-	2	8	7	32	35	29	15	4	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	2	1	1	-	-	-
FEMALE--	-	-	-	1	1	1	1	2	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	2	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	2	-	-	-	-
IOWA -----	2	-	1	5	18	33	42	31	20	3	-	-
WHITE-----MALE----	-	-	-	4	12	21	23	15	10	1	-	-
FEMALE--	2	-	1	1	6	12	19	15	10	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	2	5	13	34	34	31	15	4	-	-
WHITE-----MALE----	-	-	2	2	10	27	15	16	5	1	-	-
FEMALE--	-	-	-	3	3	5	17	14	10	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,372

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PARKINSON'S DISEASE (332)												
KENTUCKY -----	-	3	3	4	20	39	50	49	15	6	-	-
WHITE-----MALE----	-	3	2	2	9	26	26	23	4	1	-	-
FEMALE--	-	-	1	1	11	13	23	24	11	5	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
LOUISIANA -----	1	2	7	13	17	27	30	32	13	1	-	-
WHITE-----MALE----	1	1	6	9	6	15	16	13	5	-	-	-
FEMALE--	-	1	1	-	9	10	13	16	6	1	-	-
ALL OTHER--MALE----	-	-	-	3	2	2	1	3	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	3	2	2	1	3	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
MAINE -----	-	-	2	3	4	11	16	22	12	-	2	-
WHITE-----MALE----	-	-	1	1	1	7	9	11	3	-	-	-
FEMALE--	-	-	1	2	3	4	7	11	9	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	2	1	10	30	53	49	46	22	7	1	-
WHITE-----MALE----	-	-	1	6	22	35	31	20	12	1	1	-
FEMALE--	1	2	-	3	6	14	16	23	10	5	-	-
ALL OTHER--MALE----	-	-	-	1	1	2	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	2	-	1	-	-
BLACK---MALE----	-	-	-	1	1	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	2	-	1	-	-
MASSACHUSETTS -----	-	1	3	9	33	58	99	95	57	7	-	-
WHITE-----MALE----	-	1	2	6	17	36	60	48	24	4	-	-
FEMALE--	-	-	1	3	15	22	36	47	31	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	2	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
MICHIGAN -----	-	3	12	16	40	103	129	97	45	13	2	-
WHITE-----MALE----	-	2	7	10	23	55	73	40	15	3	-	-
FEMALE--	-	1	4	5	16	42	52	55	27	10	2	-
ALL OTHER--MALE----	-	-	-	1	1	3	3	2	3	-	-	-
FEMALE--	-	-	1	-	-	3	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	3	2	2	3	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,373

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PARKINSON'S DISEASE (332)												
MINNESOTA -----	-	1	1	17	27	78	89	91	53	7	-	-
WHITE-----MALE----	-	-	1	12	17	52	51	34	10	2	-	-
FEMALE--	-	1	-	5	9	26	38	57	43	5	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	1	1	2	1	9	12	13	18	6	-	-	-
WHITE-----MALE----	-	1	2	1	3	7	10	9	1	-	-	-
FEMALE--	-	-	-	-	4	5	3	7	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	2	-	-	2	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	2	-	-	2	1	-	-	-
MISSOURI -----	-	2	2	7	38	55	74	67	30	3	1	-
WHITE-----MALE----	-	1	1	5	23	32	38	30	14	-	-	-
FEMALE--	-	1	1	2	12	23	33	36	16	3	1	-
ALL OTHER--MALE----	-	-	-	-	3	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	3	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
MONTANA -----	-	-	1	1	1	5	8	12	7	1	-	-
WHITE-----MALE----	-	-	1	1	1	2	5	7	3	1	-	-
FEMALE--	-	-	-	-	-	3	3	5	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	1	4	14	17	31	28	12	4	1	-
WHITE-----MALE----	-	-	-	3	7	8	19	9	6	1	-	-
FEMALE--	-	-	1	1	7	9	11	19	6	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	1	1	3	7	10	15	8	2	1	-	-
WHITE-----MALE----	-	1	-	3	4	5	10	4	1	-	-	-
FEMALE--	-	-	1	-	2	4	4	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,375

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
PARKINSON'S DISEASE (332)												
OHIO -----	2	1	9	27	55	121	163	125	49	5	1	-
WHITE-----MALE----	-	-	7	17	40	70	91	57	21	1	1	-
FEMALE--	2	1	1	9	15	49	70	66	27	4	-	-
ALL OTHER--MALE----	-	-	1	1	-	2	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	1	1	-	2	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
OKLAHOMA -----	-	2	3	3	21	24	49	32	13	2	-	-
WHITE-----MALE----	-	1	-	1	10	15	27	12	5	1	-	-
FEMALE--	-	1	3	2	10	9	20	20	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
OREGON -----	-	1	1	10	20	46	59	63	11	3	-	-
WHITE-----MALE----	-	1	-	7	15	27	24	33	6	-	-	-
FEMALE--	-	-	1	3	4	16	33	28	5	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	3	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	1	1	10	21	69	155	192	136	68	20	1	-
WHITE-----MALE----	1	1	5	17	40	92	112	69	27	10	-	-
FEMALE--	-	-	5	4	27	55	74	63	40	10	1	-
ALL OTHER--MALE----	-	-	-	-	2	4	5	2	-	-	-	-
FEMALE--	-	-	-	-	-	4	1	2	1	-	-	-
BLACK---MALE----	-	-	-	-	2	3	5	2	-	-	-	-
FEMALE--	-	-	-	-	-	4	1	2	1	-	-	-
RHODE ISLAND -----	-	1	-	5	2	5	12	7	5	1	-	-
WHITE-----MALE----	-	-	-	2	-	4	8	3	1	-	-	-
FEMALE--	-	1	-	2	2	1	4	4	3	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
SOUTH CAROLINA -----	-	-	6	5	18	29	43	25	7	2	-	-
WHITE-----MALE----	-	-	5	2	12	18	19	11	5	1	-	-
FEMALE--	-	-	1	2	5	9	18	10	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	2	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	3	-	-	-	-
BLACK---MALE----	-	-	-	1	1	2	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	3	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,376

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PARKINSON'S DISEASE (332)												
SOUTH DAKOTA -----	-	-	1	1	5	9	14	9	8	1	-	-
WHITE-----MALE----	-	-	-	1	3	5	9	6	5	-	-	-
FEMALE--	-	-	1	-	2	3	5	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	4	9	15	43	71	40	21	4	-	-
WHITE-----MALE----	-	-	1	5	10	22	41	14	10	-	-	-
FEMALE--	-	-	3	3	4	20	26	26	11	4	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	3	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	3	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
TEXAS -----	1	4	10	32	79	171	186	150	76	8	2	-
WHITE-----MALE----	1	2	6	14	48	98	115	73	36	1	-	-
FEMALE--	-	1	3	13	28	67	65	69	35	7	2	-
ALL OTHER--MALE----	-	1	-	4	1	2	3	3	3	-	-	-
FEMALE--	-	-	1	1	2	4	3	5	2	-	-	-
BLACK---MALE----	-	1	-	3	1	2	2	2	3	-	-	-
FEMALE--	-	-	1	1	2	4	3	5	2	-	-	-
UTAH -----	-	1	2	5	9	21	29	23	9	-	-	-
WHITE-----MALE----	-	-	1	4	7	14	17	13	3	-	-	-
FEMALE--	-	1	1	1	2	7	11	10	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
VERMONT -----	-	-	-	-	4	11	9	12	3	1	-	-
WHITE-----MALE----	-	-	-	-	2	7	4	8	1	1	-	-
FEMALE--	-	-	-	-	2	4	5	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	-	2	16	28	63	73	65	16	3	1	-
WHITE-----MALE----	2	-	-	8	15	35	42	27	3	1	-	-
FEMALE--	-	-	1	7	11	22	26	27	11	2	-	-
ALL OTHER--MALE----	-	-	1	1	1	3	3	5	2	-	1	-
FEMALE--	-	-	-	-	1	3	2	6	-	-	-	-
BLACK---MALE----	-	-	1	1	1	3	3	5	2	-	1	-
FEMALE--	-	-	-	-	1	2	2	6	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,378

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
UNITED STATES --	29,647	148	99	62	54	36	42	41	88	141	203	298
WHITE-----MALE----	10,015	63	39	31	33	15	14	15	47	87	112	157
FEMALE--	17,756	60	40	20	11	10	19	12	23	39	64	106
ALL OTHER--MALE----	757	14	7	3	7	6	4	9	10	9	19	21
FEMALE--	1,119	11	13	8	3	5	5	5	8	6	8	14
BLACK---MALE----	646	10	5	3	7	4	4	9	8	8	18	16
FEMALE--	980	7	11	7	2	5	4	5	8	6	7	9
ALABAMA -----	567	2	1	2	2	1	-	-	-	3	9	4
WHITE-----MALE----	173	2	-	2	2	-	-	-	-	3	4	1
FEMALE--	318	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	28	-	1	-	-	-	-	-	-	-	3	-
FEMALE--	48	-	-	-	-	1	-	-	-	-	1	1
BLACK---MALE----	27	-	1	-	-	-	-	-	-	-	3	-
FEMALE--	47	-	-	-	-	1	-	-	-	-	1	1
ALASKA -----	22	-	2	-	1	-	-	-	-	-	1	-
WHITE-----MALE----	10	-	1	-	1	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	560	6	3	3	1	2	1	2	2	-	4	7
WHITE-----MALE----	204	3	1	1	1	1	1	1	1	-	3	4
FEMALE--	344	2	2	-	-	-	-	1	1	-	1	2
ALL OTHER--MALE----	5	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	7	1	-	2	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	1	-	-	-	-	-	-	-	1
ARKANSAS -----	332	2	2	-	-	-	-	1	1	3	1	5
WHITE-----MALE----	115	1	2	-	-	-	-	-	-	-	-	2
FEMALE--	188	1	-	-	-	-	-	1	-	3	1	3
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	1	-	-	-
CALIFORNIA -----	2,728	21	11	5	4	4	4	4	8	13	21	37
WHITE-----MALE----	957	12	4	5	2	2	1	2	7	6	13	17
FEMALE--	1,561	3	6	-	1	2	2	-	-	6	7	14
ALL OTHER--MALE----	87	4	1	-	-	-	-	1	-	1	1	2
FEMALE--	123	2	-	-	1	-	1	1	1	-	-	4
BLACK---MALE----	54	2	-	-	-	-	-	1	-	-	-	2
FEMALE--	68	1	-	-	-	-	-	1	1	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,378

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)												
0 UNITED STATES --	419	568	848	1,483	2,497	4,330	6,030	6,378	4,131	1,505	245	1
WHITE-----MALE----	221	289	396	717	1,099	1,737	2,104	1,810	814	196	19	-
FEMALE--	158	223	368	670	1,225	2,310	3,612	4,246	3,102	1,227	211	-
ALL OTHER--MALE----	20	28	40	37	74	132	119	113	66	15	3	1
FEMALE--	20	28	44	59	99	151	195	209	149	67	12	-
BLACK---MALE----	17	22	33	33	60	121	108	90	55	12	2	1
FEMALE--	17	22	40	48	81	133	175	188	133	60	12	-
ALABAMA -----	11	11	16	26	43	98	132	127	60	17	2	-
WHITE-----MALE----	4	3	6	15	11	27	52	31	9	1	-	-
FEMALE--	6	6	7	6	26	57	67	85	40	13	2	-
ALL OTHER--MALE----	1	1	2	1	2	6	3	6	2	-	-	-
FEMALE--	-	1	1	4	4	8	10	5	9	3	-	-
BLACK---MALE----	1	1	2	1	2	5	3	6	2	-	-	-
FEMALE--	-	1	1	4	4	8	10	5	8	3	-	-
ALASKA -----	-	-	1	4	4	2	3	2	2	-	-	-
WHITE-----MALE----	-	-	-	2	-	2	2	1	-	-	-	-
FEMALE--	-	-	1	2	3	-	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	7	9	24	42	84	106	123	97	27	4	-
WHITE-----MALE----	4	6	4	10	20	33	43	43	20	4	-	-
FEMALE--	2	1	5	14	21	49	62	79	76	22	4	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	1	-	-
ARKANSAS -----	4	9	13	16	40	44	66	72	42	8	3	-
WHITE-----MALE----	3	5	4	10	16	16	25	21	8	2	-	-
FEMALE--	1	4	7	4	21	23	39	42	29	6	3	-
ALL OTHER--MALE----	-	-	2	2	1	5	2	2	2	-	-	-
FEMALE--	-	-	-	-	2	-	7	3	-	-	-	-
BLACK---MALE----	-	-	2	2	1	5	2	2	2	-	-	-
FEMALE--	-	-	-	-	2	-	7	3	-	-	-	-
CALIFORNIA -----	48	48	66	132	213	397	555	577	386	144	30	-
WHITE-----MALE----	27	21	31	57	89	172	201	180	84	20	4	-
FEMALE--	19	20	30	62	107	183	315	364	277	117	26	-
ALL OTHER--MALE----	1	2	4	1	5	17	16	19	11	1	-	-
FEMALE--	1	5	1	12	12	25	23	14	14	6	-	-
BLACK---MALE----	-	-	3	1	2	12	12	14	5	-	-	-
FEMALE--	-	4	-	7	3	17	15	7	7	4	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,379

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)												
COLORADO -----	469	-	3	-	-	-	-	-	2	-	4	5
WHITE-----MALE----	152	-	1	-	-	-	-	-	2	-	2	3
FEMALE--	307	-	2	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	350	-	2	1	1	1	-	-	1	1	2	4
WHITE-----MALE----	111	-	1	1	-	-	-	-	1	1	1	1
FEMALE--	233	-	1	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	69	-	-	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	48	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	42	-	1	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	19	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	19	-	1	-	-	-	-	-	-	-	-	-
FLORIDA -----	2,034	7	4	1	2	-	-	1	1	6	11	7
WHITE-----MALE----	710	2	2	-	-	-	-	-	-	4	5	2
FEMALE--	1,240	3	-	1	1	-	-	1	-	1	5	4
ALL OTHER--MALE----	29	-	1	-	1	-	-	-	1	1	1	1
FEMALE--	55	2	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	28	-	1	-	1	-	-	-	1	1	1	1
FEMALE--	54	2	1	-	-	-	-	-	-	-	-	-
GEORGIA -----	786	3	1	2	1	-	1	-	1	5	8	5
WHITE-----MALE----	203	1	1	1	1	-	1	-	1	1	3	3
FEMALE--	465	1	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	44	-	-	1	-	-	-	-	-	1	4	1
FEMALE--	74	1	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	43	-	-	1	-	-	-	-	-	1	4	-
FEMALE--	72	1	-	-	-	-	-	-	-	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,379

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	6	10	16	33	39	50	88	104	74	31	4	-
WHITE-----MALE----	3	5	8	14	19	19	25	30	16	4	1	-
FEMALE--	2	5	6	18	20	29	62	74	55	27	3	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	1	-	3	-	-	-
BLACK---MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	1	-	3	-	-	-
CONNECTICUT -----	2	10	12	21	26	46	70	82	46	17	5	-
WHITE-----MALE----	1	8	7	12	11	15	17	23	9	2	-	-
FEMALE--	1	2	4	9	15	31	53	58	37	13	5	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
DELAWARE -----	-	1	1	1	9	11	16	12	10	6	-	-
WHITE-----MALE----	-	-	-	1	4	4	5	1	-	2	-	-
FEMALE--	-	1	1	-	4	7	11	11	9	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	1	2	2	1	2	5	5	7	7	6	2	-
WHITE-----MALE----	1	1	-	1	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	3	3	1	2	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	2	1	-	-
FEMALE--	-	-	1	-	2	3	2	4	2	4	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	2	1	-	-
FEMALE--	-	-	1	-	2	3	2	4	2	4	-	-
FLORIDA -----	21	32	44	98	158	304	450	442	327	104	14	-
WHITE-----MALE----	12	17	16	41	74	117	174	142	79	21	2	-
FEMALE--	7	13	23	53	74	171	263	292	236	81	11	-
ALL OTHER--MALE----	1	1	2	1	1	7	5	2	2	-	1	-
FEMALE--	1	1	3	3	9	9	8	6	10	2	-	-
BLACK---MALE----	1	1	2	1	1	6	5	2	2	-	1	-
FEMALE--	1	1	3	3	8	9	8	6	10	2	-	-
GEORGIA -----	17	19	15	34	63	131	168	158	115	38	1	-
WHITE-----MALE----	7	8	8	15	21	39	34	34	20	4	-	-
FEMALE--	4	9	4	16	31	71	110	102	83	30	1	-
ALL OTHER--MALE----	1	1	-	1	8	7	7	7	5	-	-	-
FEMALE--	5	1	3	2	3	14	17	15	7	4	-	-
BLACK---MALE----	1	1	-	1	8	7	7	7	5	-	-	-
FEMALE--	5	1	3	2	3	13	17	15	6	4	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,380

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	-	3	2	13	7	11	19	9	7	1	-
WHITE-----MALE----	-	-	1	-	2	-	3	3	1	1	-	-
FEMALE--	-	-	-	-	-	1	2	3	4	1	1	-
ALL OTHER--MALE----	-	-	2	1	7	2	3	9	3	2	-	-
FEMALE--	-	-	-	1	4	4	3	4	1	3	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	4	8	6	7	11	24	34	37	22	6	1	-
WHITE-----MALE----	3	4	5	1	6	11	14	15	10	1	-	-
FEMALE--	1	4	1	6	5	13	20	22	12	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	14	29	28	66	96	194	282	304	205	81	5	-
WHITE-----MALE----	4	12	13	39	54	79	103	76	31	5	2	-
FEMALE--	7	13	9	24	35	100	160	211	159	71	2	-
ALL OTHER--MALE----	-	2	-	-	5	7	10	4	1	1	-	-
FEMALE--	3	2	6	3	2	8	9	13	14	4	1	-
BLACK---MALE----	-	2	-	-	5	7	10	4	1	1	-	-
FEMALE--	3	2	5	3	2	7	9	13	14	4	1	-
INDIANA -----	9	10	16	33	57	103	167	182	82	36	4	-
WHITE-----MALE----	6	5	8	14	26	43	56	55	15	5	-	-
FEMALE--	3	5	7	17	30	60	105	123	65	31	4	-
ALL OTHER--MALE----	-	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	4	4	2	-	-	-
BLACK---MALE----	-	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	4	4	2	-	-	-
IOWA -----	9	4	8	15	30	72	86	101	63	31	3	-
WHITE-----MALE----	5	3	5	7	19	30	32	31	16	3	-	-
FEMALE--	3	1	3	8	11	40	54	70	46	28	3	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
KANSAS -----	7	7	20	15	27	55	72	66	55	17	1	-
WHITE-----MALE----	1	4	10	6	14	28	29	26	13	3	-	-
FEMALE--	5	3	8	9	13	24	43	36	40	13	1	-
ALL OTHER--MALE----	1	-	2	-	-	1	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	2	-	2	1	1	-	-
BLACK---MALE----	1	-	2	-	-	1	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	2	-	2	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,381

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)												
KENTUCKY -----	482	4	1	1	1	-	1	-	-	3	3	5
WHITE-----MALE----	163	3	1	-	1	-	-	-	-	2	1	5
FEMALE--	302	1	-	-	-	-	1	-	-	1	2	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	1	-	-	-	-	-	-	-	-
LOUISIANA -----	545	3	2	1	2	3	1	3	2	3	2	4
WHITE-----MALE----	174	1	-	1	1	1	1	1	1	2	1	1
FEMALE--	283	-	1	-	-	1	-	-	-	-	1	3
ALL OTHER--MALE----	41	1	-	-	1	1	-	1	-	1	-	-
FEMALE--	47	1	1	-	-	-	-	1	1	-	-	-
BLACK---MALE----	41	1	-	-	1	1	-	1	-	1	-	-
FEMALE--	47	1	1	-	-	-	-	1	1	-	-	-
MAINE -----	202	1	-	-	-	-	-	-	-	-	3	5
WHITE-----MALE----	73	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	128	1	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	503	4	1	1	-	-	1	3	-	4	2	5
WHITE-----MALE----	167	3	-	-	-	-	1	1	-	2	-	4
FEMALE--	277	1	-	1	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	39	-	1	-	-	-	-	-	-	2	-	-
BLACK---MALE----	19	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	38	-	1	-	-	-	-	-	-	2	-	-
MASSACHUSETTS -----	891	4	2	2	-	-	1	-	4	3	8	8
WHITE-----MALE----	280	1	1	1	-	-	-	-	1	2	5	5
FEMALE--	590	2	1	1	-	-	1	-	3	1	3	3
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	1	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	938	4	8	4	1	2	1	1	6	5	9	11
WHITE-----MALE----	362	1	2	4	1	1	1	-	5	4	6	6
FEMALE--	525	3	3	-	-	-	-	-	1	1	1	4
ALL OTHER--MALE----	19	-	1	-	-	-	-	-	-	-	1	1
FEMALE--	32	-	2	-	-	1	-	1	-	-	1	-
BLACK---MALE----	18	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	32	-	2	-	-	1	-	1	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,381

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	6	3	9	24	52	71	91	108	72	24	3	-
WHITE-----MALE----	4	1	6	15	24	21	27	35	15	2	-	-
FEMALE--	-	1	2	9	26	47	61	71	57	20	3	-
ALL OTHER--MALE----	2	1	1	-	-	1	1	1	-	1	-	-
FEMALE--	-	-	-	-	2	2	2	1	-	1	-	-
BLACK---MALE----	2	1	1	-	-	1	1	1	-	1	-	-
FEMALE--	-	-	-	-	1	2	2	1	-	1	-	-
LOUISIANA -----	2	14	15	22	52	89	110	131	62	16	6	-
WHITE-----MALE----	1	8	5	11	23	36	31	33	13	2	-	-
FEMALE--	1	2	6	9	21	45	61	77	38	13	4	-
ALL OTHER--MALE----	-	1	2	2	4	6	6	9	6	-	-	-
FEMALE--	-	3	2	-	4	2	12	12	5	1	2	-
BLACK---MALE----	-	1	2	2	4	6	6	9	6	-	-	-
FEMALE--	-	3	2	-	4	2	12	12	5	1	2	-
MAINE -----	3	4	9	9	14	26	31	44	34	15	4	-
WHITE-----MALE----	1	3	8	6	5	13	10	13	8	-	-	-
FEMALE--	2	1	1	3	9	13	20	31	26	15	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	10	8	17	21	42	77	111	103	68	20	5	-
WHITE-----MALE----	6	2	7	10	15	24	45	31	13	3	-	-
FEMALE--	3	3	5	10	24	39	56	62	50	16	5	-
ALL OTHER--MALE----	-	3	2	1	1	6	2	2	-	-	-	-
FEMALE--	1	-	3	-	2	8	8	8	5	1	-	-
BLACK---MALE----	-	2	2	1	1	6	2	2	-	-	-	-
FEMALE--	1	-	3	-	2	8	8	8	4	1	-	-
MASSACHUSETTS -----	8	13	26	47	70	141	166	168	139	70	11	-
WHITE-----MALE----	4	6	10	31	35	56	62	38	18	4	-	-
FEMALE--	4	6	15	15	32	82	98	129	118	66	10	-
ALL OTHER--MALE----	-	1	-	1	2	3	3	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	3	1	3	-	1	-
BLACK---MALE----	-	-	-	1	1	3	3	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	3	-	3	-	1	-
MICHIGAN -----	16	24	34	53	95	149	175	195	108	30	7	-
WHITE-----MALE----	10	15	15	30	43	74	65	57	15	7	-	-
FEMALE--	5	9	16	19	47	70	102	128	89	21	6	-
ALL OTHER--MALE----	-	-	1	1	1	2	4	3	2	2	-	-
FEMALE--	1	-	2	3	4	3	4	7	2	-	1	-
BLACK---MALE----	-	-	1	1	1	2	4	3	2	2	-	-
FEMALE--	1	-	2	3	4	3	4	7	2	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,382

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	11	13	16	40	36	91	129	145	103	40	13	-
WHITE-----MALE----	7	8	7	20	17	39	57	55	24	10	1	-
FEMALE--	4	4	8	19	18	50	72	88	79	28	12	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	1	1	1	-	2	-	1	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
MISSISSIPPI -----	3	6	7	16	28	41	45	50	19	7	2	-
WHITE-----MALE----	1	2	4	6	7	13	16	12	3	1	-	-
FEMALE--	2	4	3	8	16	26	25	37	11	4	2	-
ALL OTHER--MALE----	-	-	-	-	3	1	2	1	4	-	-	-
FEMALE--	-	-	-	2	2	1	2	-	1	2	-	-
BLACK---MALE----	-	-	-	-	3	1	2	1	4	-	-	-
FEMALE--	-	-	-	2	2	1	2	-	1	2	-	-
MISSOURI -----	7	11	17	38	62	98	140	125	90	34	4	-
WHITE-----MALE----	3	6	11	17	28	34	47	38	24	4	1	-
FEMALE--	3	5	6	19	31	58	85	84	64	30	3	-
ALL OTHER--MALE----	-	-	-	1	2	5	5	2	-	-	-	-
FEMALE--	1	-	-	1	1	1	3	1	2	-	-	-
BLACK---MALE----	-	-	-	1	2	4	5	2	-	-	-	-
FEMALE--	1	-	-	1	1	1	3	1	2	-	-	-
MONTANA -----	1	2	4	4	9	18	32	24	13	7	1	-
WHITE-----MALE----	1	2	2	3	5	5	15	11	2	1	-	-
FEMALE--	-	-	2	1	4	13	17	13	11	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	6	7	8	22	29	48	50	53	29	4	-
WHITE-----MALE----	1	3	5	3	16	14	15	14	5	6	-	-
FEMALE--	-	3	1	5	6	15	33	35	48	23	4	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
NEVADA -----	-	2	9	7	22	27	28	32	12	3	-	-
WHITE-----MALE----	-	2	1	6	14	10	9	11	1	-	-	-
FEMALE--	-	-	8	1	8	17	18	21	10	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,384

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)												
OHIO -----	31	19	36	57	130	198	304	279	180	69	13	-
WHITE-----MALE----	13	13	14	21	60	85	99	88	29	9	-	-
FEMALE--	13	6	20	32	62	101	192	178	142	55	13	-
ALL OTHER--MALE----	3	-	1	2	5	7	5	4	2	1	-	-
FEMALE--	2	-	1	2	3	5	8	9	7	4	-	-
BLACK---MALE----	3	-	1	2	5	7	5	4	2	1	-	-
FEMALE--	2	-	1	2	3	5	8	9	6	4	-	-
OKLAHOMA -----	7	8	26	22	33	49	85	90	50	13	1	1
WHITE-----MALE----	3	2	12	14	16	21	25	21	10	2	1	-
FEMALE--	2	3	13	7	16	28	53	63	36	11	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	1	3	2	-	-	1
FEMALE--	-	2	1	1	1	-	6	3	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	-	-	-	1	1	-	4	2	-	-	-	-
OREGON -----	4	11	12	18	44	77	116	133	83	31	5	-
WHITE-----MALE----	2	4	9	8	17	29	54	38	13	1	1	-
FEMALE--	2	7	3	10	27	46	60	94	68	30	4	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
PENNSYLVANIA -----	20	29	42	68	146	220	275	293	159	59	11	-
WHITE-----MALE----	9	15	17	36	74	81	97	67	26	10	1	-
FEMALE--	11	12	20	31	66	127	172	211	130	47	10	-
ALL OTHER--MALE----	-	-	1	1	3	8	4	4	2	-	-	-
FEMALE--	-	2	4	-	3	4	2	11	1	2	-	-
BLACK---MALE----	-	-	1	1	2	7	4	4	2	-	-	-
FEMALE--	-	2	4	-	3	3	2	10	1	2	-	-
RHODE ISLAND -----	3	4	2	8	2	16	37	28	23	11	5	-
WHITE-----MALE----	2	2	2	2	1	7	10	9	2	-	-	-
FEMALE--	1	1	-	6	-	9	27	19	21	11	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	8	19	23	41	69	67	71	54	12	6	-
WHITE-----MALE----	2	6	7	12	15	17	14	15	7	1	-	-
FEMALE--	1	1	8	8	20	33	44	45	34	10	4	-
ALL OTHER--MALE----	1	1	-	2	1	8	3	-	5	-	1	-
FEMALE--	-	-	4	1	5	11	6	11	8	1	1	-
BLACK---MALE----	1	1	-	2	1	8	3	-	5	-	1	-
FEMALE--	-	-	4	1	5	11	6	11	8	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,385

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)												
SOUTH DAKOTA -----	87	-	-	1	-	-	-	-	-	1	-	-
WHITE-----MALE----	30	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	56	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	592	4	3	2	2	1	1	1	4	4	1	2
WHITE-----MALE----	195	1	2	1	2	1	-	-	1	1	1	1
FEMALE--	345	2	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	21	1	-	-	-	-	-	1	2	1	-	1
FEMALE--	31	-	1	-	-	-	1	-	-	2	-	-
BLACK---MALE----	21	1	-	-	-	-	-	1	2	1	-	1
FEMALE--	31	-	1	-	-	-	1	-	-	2	-	-
TEXAS -----	2,087	9	7	3	2	1	9	3	5	17	18	20
WHITE-----MALE----	708	3	1	1	1	-	3	-	3	12	8	10
FEMALE--	1,239	6	4	1	1	-	4	3	1	4	6	8
ALL OTHER--MALE----	52	-	1	-	-	-	2	-	1	1	2	2
FEMALE--	88	-	1	1	-	1	-	-	-	-	2	-
BLACK---MALE----	49	-	-	-	-	-	2	-	1	1	2	1
FEMALE--	85	-	1	1	-	1	-	-	-	-	2	-
UTAH -----	198	2	2	-	-	-	2	-	1	-	-	1
WHITE-----MALE----	79	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	117	2	1	-	-	-	2	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	84	-	1	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	24	-	1	-	-	-	-	-	1	-	1	-
FEMALE--	60	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	698	3	3	4	-	1	-	3	5	5	3	7
WHITE-----MALE----	205	2	2	3	-	1	-	-	-	2	1	5
FEMALE--	400	-	-	1	-	-	-	-	1	1	1	2
ALL OTHER--MALE----	39	1	1	-	-	-	-	2	2	2	-	-
FEMALE--	54	-	-	-	-	-	-	1	2	-	1	-
BLACK---MALE----	37	1	1	-	-	-	-	2	2	2	-	-
FEMALE--	52	-	-	-	-	-	-	1	2	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,385

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)												
SOUTH DAKOTA -----	-	4	3	1	3	10	13	21	23	4	3	-
WHITE-----MALE----	-	2	-	-	3	6	6	8	3	-	-	-
FEMALE--	-	1	3	1	-	4	7	13	20	4	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	17	20	28	48	82	117	140	80	25	4	-
WHITE-----MALE----	4	8	15	13	19	29	46	33	16	1	-	-
FEMALE--	2	6	4	12	25	49	65	95	58	21	4	-
ALL OTHER--MALE----	-	1	1	-	1	2	2	5	2	1	-	-
FEMALE--	-	2	-	3	3	2	4	7	4	2	-	-
BLACK---MALE----	-	1	1	-	1	2	2	5	2	1	-	-
FEMALE--	-	2	-	3	3	2	4	7	4	2	-	-
TEXAS -----	35	40	66	117	159	289	429	462	289	94	13	-
WHITE-----MALE----	19	23	32	50	69	125	135	136	60	16	1	-
FEMALE--	14	14	31	57	76	142	267	302	217	70	11	-
ALL OTHER--MALE----	2	1	1	4	6	9	7	10	2	1	-	-
FEMALE--	-	2	2	6	8	13	20	14	10	7	1	-
BLACK---MALE----	2	1	1	4	6	9	7	9	2	1	-	-
FEMALE--	-	1	2	6	7	13	19	14	10	7	1	-
UTAH -----	2	3	8	13	17	27	44	38	29	9	-	-
WHITE-----MALE----	-	3	4	9	6	17	19	15	5	1	-	-
FEMALE--	2	-	4	4	11	10	25	23	24	8	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	2	3	11	9	20	12	14	9	-	-
WHITE-----MALE----	1	-	1	-	6	3	5	3	2	-	-	-
FEMALE--	-	-	1	3	5	6	15	9	12	9	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	14	9	16	43	73	102	136	148	87	29	7	-
WHITE-----MALE----	8	4	2	21	20	37	45	29	20	2	1	-
FEMALE--	5	5	11	15	42	51	78	100	59	24	4	-
ALL OTHER--MALE----	-	-	1	3	4	7	8	5	1	1	1	-
FEMALE--	1	-	2	4	7	7	5	14	7	2	1	-
BLACK---MALE----	-	-	1	2	4	7	8	5	1	1	-	-
FEMALE--	1	-	2	3	7	7	5	13	7	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,387

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MULTIPLE SCLEROSIS (340)												
0 UNITED STATES --	2,465	-	-	-	-	-	6	20	51	103	179	304
WHITE-----MALE----	803	-	-	-	-	-	2	4	14	36	55	101
FEMALE--	1,446	-	-	-	-	-	1	9	25	50	102	167
ALL OTHER--MALE----	82	-	-	-	-	-	2	-	6	6	8	17
FEMALE--	134	-	-	-	-	-	1	7	6	11	14	19
BLACK---MALE----	77	-	-	-	-	-	2	-	5	6	8	16
FEMALE--	130	-	-	-	-	-	1	6	6	11	13	19
ALABAMA -----	16	-	-	-	-	-	2	1	1	1	1	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	10	-	-	-	-	-	1	-	-	1	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALASKA -----	5	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	49	-	-	-	-	-	-	-	-	2	3	5
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	27	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	28	-	-	-	-	-	-	-	1	1	2	3
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	19	-	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
CALIFORNIA -----	253	-	-	-	-	-	-	1	4	11	14	38
WHITE-----MALE----	81	-	-	-	-	-	-	-	1	4	6	9
FEMALE--	154	-	-	-	-	-	-	1	3	6	6	25
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	8	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	8	-	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,387

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MULTIPLE SCLEROSIS (340)												
0 UNITED STATES --	347	276	247	277	275	202	129	34	12	1	2	-
WHITE-----MALE----	104	90	94	98	99	59	33	9	5	-	-	-
FEMALE--	209	153	134	166	168	139	89	24	7	1	2	-
ALL OTHER--MALE----	12	14	7	3	2	2	3	-	-	-	-	-
FEMALE--	22	19	12	10	6	2	4	1	-	-	-	-
BLACK---MALE----	11	13	7	3	2	1	3	-	-	-	-	-
FEMALE--	21	19	12	10	6	2	3	1	-	-	-	-
ALABAMA -----	3	3	2	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	2	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	1	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	4	7	6	5	6	4	1	-	-	-	-
WHITE-----MALE----	1	1	2	3	3	2	3	1	-	-	-	-
FEMALE--	4	3	5	3	2	4	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	5	2	5	2	2	2	3	-	-	-	-	-
WHITE-----MALE----	2	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	3	1	1	2	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	36	32	26	27	30	17	11	4	2	-	-	-
WHITE-----MALE----	15	11	9	6	8	7	3	1	1	-	-	-
FEMALE--	18	19	14	20	22	9	7	3	1	-	-	-
ALL OTHER--MALE----	2	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	1	2	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	1	2	1	1	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,388

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MULTIPLE SCLEROSIS (340)												
COLORADO -----	16	-	-	-	-	-	-	-	-	1	-	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	38	-	-	-	-	-	-	-	1	3	2	8
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	27	-	-	-	-	-	-	-	1	1	2	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	6	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	119	-	-	-	-	-	-	2	3	2	8	6
WHITE-----MALE----	48	-	-	-	-	-	-	1	-	1	5	6
FEMALE--	62	-	-	-	-	-	-	-	1	1	3	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	1	-	-	-
GEORGIA -----	45	-	-	-	-	-	-	-	3	4	2	7
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	23	-	-	-	-	-	-	-	1	1	2	3
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	8	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,388

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MULTIPLE SCLEROSIS (340)												
COLORADO -----	6	1	2	1	2	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	1	1	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	2	4	6	5	3	2	-	-	-	-	-
WHITE-----MALE----	-	1	2	2	-	-	-	-	-	-	-	-
FEMALE--	2	1	2	4	5	3	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	1	-	1	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
FLORIDA -----	13	10	16	18	16	19	3	2	1	-	-	-
WHITE-----MALE----	9	4	5	2	7	7	1	-	-	-	-	-
FEMALE--	2	5	9	16	9	12	1	2	1	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
GEORGIA -----	6	10	2	5	2	1	1	2	-	-	-	-
WHITE-----MALE----	2	2	2	-	-	-	-	-	-	-	-	-
FEMALE--	3	5	-	4	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
BLACK---MALE----	1	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,389

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MULTIPLE SCLEROSIS (340)												
HAWAII -----	1	1	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	4	3	1	3	1	1	1	-	-	-	-	-
WHITE-----MALE----	1	1	-	2	-	1	-	-	-	-	-	-
FEMALE--	3	2	1	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	13	14	9	9	13	11	7	4	2	-	-	-
WHITE-----MALE----	3	2	4	2	1	2	2	2	1	-	-	-
FEMALE--	5	11	4	7	12	9	5	2	1	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
INDIANA -----	8	3	4	6	7	7	-	-	-	-	-	-
WHITE-----MALE----	3	1	1	5	4	3	-	-	-	-	-	-
FEMALE--	5	2	3	1	3	4	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	3	2	3	7	6	2	2	2	1	-	1	-
WHITE-----MALE----	2	2	2	3	2	-	-	2	1	-	-	-
FEMALE--	1	-	1	4	4	2	2	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	7	4	2	3	3	3	-	2	-	-	-	-
WHITE-----MALE----	2	3	1	-	-	1	-	1	-	-	-	-
FEMALE--	5	1	1	3	2	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,390

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MULTIPLE SCLEROSIS (340)												
KENTUCKY -----	28	-	-	-	-	-	-	-	1	-	1	4
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
LOUISIANA -----	21	-	-	-	-	-	-	1	2	1	3	2
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	14	-	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	1	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	1	-	1	-
MAINE -----	19	-	-	-	-	-	-	1	1	-	-	2
WHITE-----MALE----	5	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	14	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	38	-	-	-	-	-	1	-	-	1	2	2
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	70	-	-	-	-	-	-	-	2	1	3	7
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	44	-	-	-	-	-	-	-	2	1	3	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	133	-	-	-	-	-	1	4	3	5	12	15
WHITE-----MALE----	45	-	-	-	-	-	1	-	2	2	4	4
FEMALE--	75	-	-	-	-	-	-	3	1	2	5	8
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	1	-	1	3	3
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	1	-	1	3	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,390

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MULTIPLE SCLEROSIS (340)												
KENTUCKY -----	4	3	6	1	2	1	3	-	2	-	-	-
WHITE-----MALE----	2	-	3	1	1	-	2	-	-	-	-	-
FEMALE--	2	2	2	-	1	1	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	6	3	1	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	2	1	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	3	1	3	3	1	2	-	2	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	3	1	2	2	1	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	5	3	6	8	4	5	1	-	-	-	-	-
WHITE-----MALE----	-	1	3	4	2	2	-	-	-	-	-	-
FEMALE--	4	1	1	3	2	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	2	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	2	-	-	1	-	-	-	-	-	-
MASSACHUSETTS -----	7	7	7	12	9	8	4	1	1	1	-	-
WHITE-----MALE----	1	5	1	4	6	4	1	1	-	-	-	-
FEMALE--	6	2	6	8	3	4	3	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	16	12	16	11	16	10	10	2	-	-	-	-
WHITE-----MALE----	3	3	3	5	10	3	4	1	-	-	-	-
FEMALE--	12	8	11	6	5	7	6	1	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,393

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MULTIPLE SCLEROSIS (340)												
OHIO -----	112	-	-	-	-	-	-	-	2	2	13	8
WHITE-----MALE----	29	-	-	-	-	-	-	-	1	1	4	4
FEMALE--	72	-	-	-	-	-	-	-	1	1	7	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
OKLAHOMA -----	26	-	-	-	-	-	-	1	1	1	1	7
WHITE-----MALE----	9	-	-	-	-	-	-	1	-	1	1	2
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	5
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	38	-	-	-	-	-	-	-	-	1	3	4
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	2	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	125	-	-	-	-	-	1	1	2	4	7	17
WHITE-----MALE----	37	-	-	-	-	-	-	-	-	1	3	4
FEMALE--	78	-	-	-	-	-	-	-	1	3	4	12
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	1	1	1	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	1	1	1	-	-	1
RHODE ISLAND -----	10	-	-	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	6	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	31	-	-	-	-	-	-	1	3	3	3	2
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	13	-	-	-	-	-	-	1	1	-	2	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,396

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INFANTILE CEREBRAL PALSY (343)												
0 UNITED STATES --	1,008	23	98	104	111	114	94	66	66	44	47	45
WHITE-----MALE----	439	6	46	33	51	45	38	32	29	17	22	20
FEMALE--	337	5	20	36	36	35	37	16	18	16	20	17
ALL OTHER--MALE----	133	10	17	19	13	17	15	15	11	4	2	5
FEMALE--	99	2	15	16	11	17	4	3	8	7	3	3
BLACK---MALE----	118	9	16	19	8	16	13	12	11	4	2	3
FEMALE--	84	2	13	13	11	12	3	3	8	6	3	3
ALABAMA -----	19	1	-	2	3	3	1	2	1	3	1	-
WHITE-----MALE----	6	-	-	-	2	1	-	-	-	2	-	-
FEMALE--	6	-	-	-	1	1	1	1	-	-	1	-
ALL OTHER--MALE----	4	1	-	2	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	1	1	-	-
BLACK---MALE----	4	1	-	2	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	1	1	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	22	2	-	4	4	1	4	1	1	1	-	3
WHITE-----MALE----	7	1	-	1	2	1	-	-	-	-	-	1
FEMALE--	10	1	-	2	1	-	3	-	1	1	-	1
ALL OTHER--MALE----	5	-	-	1	1	-	1	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	12	1	2	2	-	-	1	1	-	1	2	1
WHITE-----MALE----	5	1	-	1	-	-	-	1	-	1	1	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	1	1
ALL OTHER--MALE----	2	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	120	1	16	15	15	13	14	11	8	6	7	4
WHITE-----MALE----	60	-	10	4	10	6	8	4	5	2	4	1
FEMALE--	42	1	3	10	5	4	4	4	1	2	3	2
ALL OTHER--MALE----	8	-	1	-	-	1	1	3	1	1	-	-
FEMALE--	10	-	2	1	-	2	1	-	1	1	-	1
BLACK---MALE----	6	-	1	-	-	1	1	1	1	1	-	-
FEMALE--	4	-	1	-	-	-	-	-	1	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,397

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INFANTILE CEREBRAL PALSY (343)												
COLORADO -----	7	1	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	5	-	-	1	2	1	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	49	3	6	5	4	5	6	3	3	-	1	4
WHITE-----MALE----	22	1	2	2	2	-	2	2	1	-	1	2
FEMALE--	14	-	1	2	1	3	2	-	1	-	-	2
ALL OTHER--MALE----	10	1	2	1	1	2	2	-	1	-	-	-
FEMALE--	3	1	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	10	1	2	1	1	2	2	-	1	-	-	-
FEMALE--	3	1	1	-	-	-	1	-	-	-	-	-
GEORGIA -----	26	3	4	2	3	-	1	2	2	-	3	1
WHITE-----MALE----	9	1	1	-	2	-	1	1	-	-	1	1
FEMALE--	5	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	6	2	1	-	-	-	-	1	-	-	1	-
FEMALE--	6	-	1	2	1	-	-	-	1	-	1	-
BLACK---MALE----	6	2	1	-	-	-	-	1	-	-	1	-
FEMALE--	6	-	1	2	1	-	-	-	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,399

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
INFANTILE CEREBRAL PALSY (343)												
KENTUCKY -----	18	1	1	3	2	3	1	-	2	1	-	-
WHITE-----MALE----	8	-	1	1	-	2	-	-	2	1	-	-
FEMALE--	9	1	-	2	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	31	1	1	4	2	7	2	2	5	-	2	2
WHITE-----MALE----	12	1	-	1	1	3	1	2	1	-	-	-
FEMALE--	5	-	-	-	-	1	1	-	-	-	2	1
ALL OTHER--MALE----	6	-	-	1	-	2	-	-	3	-	-	-
FEMALE--	8	-	1	2	1	1	-	-	1	-	-	1
BLACK---MALE----	6	-	-	1	-	2	-	-	3	-	-	-
FEMALE--	8	-	1	2	1	1	-	-	1	-	-	1
MAINE -----	4	-	-	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	22	-	4	1	3	2	2	4	-	2	-	1
WHITE-----MALE----	6	-	-	-	1	1	-	1	-	1	-	1
FEMALE--	4	-	-	-	1	-	2	-	-	1	-	-
ALL OTHER--MALE----	7	-	1	-	1	1	-	3	-	-	-	-
FEMALE--	5	-	3	1	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	1	-	1	1	-	3	-	-	-	-
FEMALE--	5	-	3	1	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	12	1	-	-	2	-	-	-	3	-	2	1
WHITE-----MALE----	6	-	-	-	1	-	-	-	2	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN -----	42	-	4	7	5	2	5	4	2	3	2	-
WHITE-----MALE----	19	-	2	3	-	-	3	1	1	-	2	-
FEMALE--	12	-	-	1	4	2	1	1	1	1	-	-
ALL OTHER--MALE----	7	-	1	1	1	-	1	2	-	1	-	-
FEMALE--	4	-	1	2	-	-	-	-	-	1	-	-
BLACK---MALE----	7	-	1	1	1	-	1	2	-	1	-	-
FEMALE--	4	-	1	2	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,402

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
INFANTILE CEREBRAL PALSY (343)												
OHIO -----	41	1	3	3	3	5	4	2	3	1	2	2
WHITE-----MALE----	17	1	2	1	1	2	1	-	1	1	1	1
FEMALE--	15	-	1	2	1	1	3	1	1	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	2	-	1	1	-	-	1
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	2	-	1	1	-	-	1
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
OKLAHOMA -----	14	-	2	3	1	-	-	1	2	-	3	-
WHITE-----MALE----	8	-	2	1	1	-	-	1	1	-	1	-
FEMALE--	4	-	-	1	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
OREGON -----	12	-	-	3	2	1	1	-	-	-	-	-
WHITE-----MALE----	5	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	5	-	-	2	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	36	-	3	2	1	6	1	2	7	2	1	2
WHITE-----MALE----	21	-	2	-	-	2	-	1	5	2	1	2
FEMALE--	11	-	1	1	1	3	1	-	1	-	-	-
ALL OTHER--MALE----	3	-	-	1	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	3	-	-	1	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
RHODE ISLAND -----	5	-	-	1	-	-	1	-	-	1	-	-
WHITE-----MALE----	4	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	13	-	-	2	2	2	2	1	1	-	2	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	1	1	-	-	1	-	1	-
ALL OTHER--MALE----	5	-	-	2	-	-	2	-	-	-	1	-
FEMALE--	3	-	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	5	-	-	2	-	-	2	-	-	-	1	-
FEMALE--	3	-	-	-	1	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,403

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INFANTILE CEREBRAL PALSY (343)												
SOUTH DAKOTA -----	3	-	-	-	-	-	-	-	2	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	42	-	3	4	5	6	4	2	2	3	3	1
WHITE-----MALE----	15	-	1	-	1	2	3	-	1	-	2	1
FEMALE--	15	-	1	2	1	1	1	2	-	2	1	-
ALL OTHER--MALE----	6	-	-	2	2	1	-	-	-	1	-	-
FEMALE--	6	-	1	-	1	2	-	-	1	-	-	-
BLACK---MALE----	6	-	-	2	2	1	-	-	-	1	-	-
FEMALE--	6	-	1	-	1	2	-	-	1	-	-	-
TEXAS -----	81	-	6	11	9	14	9	3	3	1	3	5
WHITE-----MALE----	32	-	2	6	5	6	2	3	1	1	-	1
FEMALE--	36	-	3	4	4	5	5	-	1	-	2	2
ALL OTHER--MALE----	8	-	1	-	-	2	2	-	1	-	-	1
FEMALE--	5	-	-	1	-	1	-	-	-	-	1	1
BLACK---MALE----	8	-	1	-	-	2	2	-	1	-	-	1
FEMALE--	5	-	-	1	-	1	-	-	-	-	1	1
UTAH -----	7	-	-	-	1	2	1	2	1	-	-	-
WHITE-----MALE----	4	-	-	-	-	1	1	1	1	-	-	-
FEMALE--	3	-	-	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	2	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	16	-	1	1	3	3	-	1	1	2	2	-
WHITE-----MALE----	3	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	8	-	-	1	1	2	-	-	-	1	2	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	4	-	1	-	1	1	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	4	-	1	-	1	1	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,405

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 EPILEPSY (345)												
0 UNITED STATES --	1,378	4	19	19	13	42	75	95	99	118	142	117
WHITE-----MALE----	555	1	9	9	1	18	27	42	51	60	74	51
FEMALE--	461	2	8	3	7	14	26	25	25	32	34	24
ALL OTHER--MALE----	209	1	2	4	4	7	14	16	13	16	21	28
FEMALE--	153	-	-	3	1	3	8	12	10	10	13	14
BLACK---MALE----	184	1	1	1	4	7	11	14	11	13	18	25
FEMALE--	144	-	-	3	-	2	7	11	10	9	12	14
ALABAMA -----	29	-	-	-	-	-	2	3	1	3	3	2
WHITE-----MALE----	5	-	-	-	-	-	-	1	-	1	2	-
FEMALE--	10	-	-	-	-	-	1	1	1	1	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	1	-	-	1	1
BLACK---MALE----	6	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	1	-	-	1	1
ALASKA -----	4	-	-	-	-	-	1	-	-	-	2	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	19	-	-	1	-	-	2	1	2	-	3	1
WHITE-----MALE----	8	-	-	-	-	-	-	1	2	-	2	-
FEMALE--	7	-	-	1	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	15	-	-	1	-	-	1	1	5	-	1	-
WHITE-----MALE----	8	-	-	1	-	-	1	-	1	-	1	-
FEMALE--	3	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
CALIFORNIA -----	141	1	1	3	3	7	7	8	14	12	24	12
WHITE-----MALE----	65	-	-	3	-	-	3	5	9	3	13	8
FEMALE--	48	1	1	-	-	5	1	2	3	5	6	2
ALL OTHER--MALE----	17	-	-	-	2	1	1	-	1	3	3	1
FEMALE--	11	-	-	-	1	1	2	1	1	1	2	1
BLACK---MALE----	15	-	-	-	2	1	1	-	1	1	3	1
FEMALE--	9	-	-	-	-	-	2	1	1	1	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,406

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 EPILEPSY (345)												
COLORADO -----	17	-	-	-	-	1	1	3	2	1	3	3
WHITE-----MALE----	10	-	-	-	-	-	-	2	2	-	2	2
FEMALE--	4	-	-	-	-	1	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
CONNECTICUT -----	10	-	1	-	-	-	2	1	-	-	-	-
WHITE-----MALE----	6	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
DELAWARE -----	4	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	145	2	1	1	-	2	9	14	5	8	16	14
WHITE-----MALE----	60	1	-	-	-	1	4	3	3	5	9	9
FEMALE--	45	1	1	-	-	-	3	2	1	3	4	2
ALL OTHER--MALE----	29	-	-	1	-	1	1	7	1	-	3	3
FEMALE--	11	-	-	-	-	-	1	2	-	-	-	-
BLACK---MALE----	28	-	-	1	-	1	1	7	1	-	2	3
FEMALE--	11	-	-	-	-	-	1	2	-	-	-	-
GEORGIA -----	32	1	-	-	-	-	-	2	1	8	2	7
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	3	-	3
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	10	1	-	-	-	-	-	-	-	3	-	4
FEMALE--	9	-	-	-	-	-	-	2	-	2	2	-
BLACK---MALE----	10	1	-	-	-	-	-	-	-	3	-	4
FEMALE--	9	-	-	-	-	-	-	2	-	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,406

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EPILEPSY (345)												
COLORADO -----	-	-	1	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	-	1	3	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	2	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
FLORIDA -----	9	6	7	10	14	18	4	5	-	-	-	-
WHITE-----MALE----	4	2	-	2	8	6	-	3	-	-	-	-
FEMALE--	3	2	2	3	6	9	2	1	-	-	-	-
ALL OTHER--MALE----	1	1	4	2	-	2	1	1	-	-	-	-
FEMALE--	1	1	1	3	-	1	1	-	-	-	-	-
BLACK---MALE----	1	1	4	2	-	2	1	1	-	-	-	-
FEMALE--	1	1	1	3	-	1	1	-	-	-	-	-
GEORGIA -----	-	-	2	-	2	5	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,408

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 EPILEPSY (345)												
KENTUCKY -----	23	-	-	-	1	-	2	3	2	3	1	3
WHITE-----MALE----	8	-	-	-	-	-	-	2	1	-	1	1
FEMALE--	10	-	-	-	-	-	2	-	-	3	-	-
ALL OTHER--MALE----	3	-	-	-	1	-	-	1	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	2	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	2
LOUISIANA -----	31	-	-	-	1	-	1	2	6	2	3	3
WHITE-----MALE----	7	-	-	-	-	-	-	1	1	1	1	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	7	-	-	-	1	-	-	1	1	-	-	2
FEMALE--	12	-	-	-	-	-	1	-	3	1	2	-
BLACK---MALE----	7	-	-	-	1	-	-	1	1	-	-	2
FEMALE--	12	-	-	-	-	-	1	-	3	1	2	-
MAINE -----	2	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	14	-	-	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	1
MASSACHUSETTS -----	22	-	-	-	-	-	-	-	2	1	-	1
WHITE-----MALE----	15	-	-	-	-	-	-	-	2	1	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	120	-	2	2	2	2	2	11	7	12	10	12
WHITE-----MALE----	41	-	2	-	-	2	1	5	5	7	1	2
FEMALE--	44	-	-	-	2	-	-	4	-	4	6	1
ALL OTHER--MALE----	18	-	-	-	-	-	1	-	1	1	3	6
FEMALE--	17	-	-	2	-	-	-	2	1	-	-	3
BLACK---MALE----	18	-	-	-	-	-	1	-	1	1	3	6
FEMALE--	16	-	-	2	-	-	-	2	1	-	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,408

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EPILEPSY (345)												
KENTUCKY -----	-	1	2	1	2	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	-	-	1	2	4	2	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	2	-	-	-	-	-
MAINE -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	1	1	-	1	5	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	1	-	-	-
MASSACHUSETTS -----	5	1	1	-	2	3	1	3	2	-	-	-
WHITE-----MALE----	5	-	1	-	2	1	-	1	1	-	-	-
FEMALE--	-	1	-	-	-	2	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	8	7	8	8	7	7	7	3	3	-	-	-
WHITE-----MALE----	2	1	2	2	2	4	2	1	-	-	-	-
FEMALE--	2	1	6	5	2	3	5	1	2	-	-	-
ALL OTHER--MALE----	1	3	-	1	1	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	2	-	-	1	1	-	-	-
BLACK---MALE----	1	3	-	1	1	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	2	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,409

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
EPILEPSY (345)												
MINNESOTA -----	1	2	-	2	2	1	2	2	-	-	-	-
WHITE-----MALE----	-	1	-	-	2	1	-	2	-	-	-	-
FEMALE--	1	1	-	2	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	-	1	-	-	1	2	3	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MISSOURI -----	1	3	2	1	3	1	4	-	-	-	-	-
WHITE-----MALE----	-	1	-	1	1	1	1	-	-	-	-	-
FEMALE--	1	1	1	-	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
MONTANA -----	-	-	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,411

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EPILEPSY (345)												
OHIO -----	2	1	1	3	2	2	2	2	-	-	-	-
WHITE-----MALE----	1	1	1	-	2	-	2	-	-	-	-	-
FEMALE--	1	-	-	2	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	1	1	-	2	1	-	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	-	-	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	1	1	5	6	5	7	4	1	-	-	-
WHITE-----MALE----	1	-	-	2	2	1	5	-	-	-	-	-
FEMALE--	1	1	1	2	1	1	1	3	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	2	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	2	1	-	-	-	-	-
RHODE ISLAND -----	-	1	1	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	2	4	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	2	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,412

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 EPILEPSY (345)												
SOUTH DAKOTA -----	15	-	-	1	-	-	-	4	1	1	1	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	7	-	-	-	-	-	-	2	-	-	-	1
ALL OTHER--MALE----	5	-	-	1	-	-	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	31	-	-	-	-	2	1	1	2	1	2	2
WHITE-----MALE----	16	-	-	-	-	2	-	-	1	1	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	1	1	1	-	2	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	1	1	1	-	2	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	90	-	-	1	2	3	10	6	3	16	8	8
WHITE-----MALE----	32	-	-	1	-	1	-	4	1	6	3	5
FEMALE--	30	-	-	-	2	1	6	2	-	4	3	1
ALL OTHER--MALE----	18	-	-	-	-	1	2	-	2	4	2	2
FEMALE--	10	-	-	-	-	-	2	-	-	2	-	-
BLACK---MALE----	17	-	-	-	-	1	2	-	2	4	1	2
FEMALE--	10	-	-	-	-	-	2	-	-	2	-	-
UTAH -----	7	-	-	-	1	-	1	-	-	1	2	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	4	-	-	-	1	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	33	-	-	-	-	3	1	1	3	3	4	2
WHITE-----MALE----	11	-	-	-	-	1	-	-	2	1	4	-
FEMALE--	9	-	-	-	-	-	1	1	-	1	-	1
ALL OTHER--MALE----	5	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	5	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,412

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EPILEPSY (345)												
SOUTH DAKOTA -----	-	1	-	-	1	2	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	5	5	1	-	3	1	2	1	-	-	-
WHITE-----MALE----	1	3	3	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	1	1	1	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	1	1	1	-	-	-
TEXAS -----	6	4	4	6	7	1	4	-	1	-	-	-
WHITE-----MALE----	4	-	2	1	4	-	-	-	-	-	-	-
FEMALE--	2	1	-	2	2	-	3	-	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	2	1	3	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	2	1	3	-	-	-	-	-	-	-	-
UTAH -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	2	2	-	4	4	2	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	1	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	2	-	1	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	2	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,414

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)												
0 UNITED STATES --	8,500	150	131	66	90	164	149	147	150	211	305	342
WHITE-----MALE----	3,665	61	58	23	44	110	92	75	69	81	142	134
FEMALE--	3,394	50	44	25	20	23	21	35	47	74	88	102
ALL OTHER--MALE----	724	20	18	6	19	23	23	21	20	27	43	60
FEMALE--	717	19	11	12	7	8	13	16	14	29	32	46
BLACK---MALE----	628	16	15	5	13	19	16	16	18	23	42	52
FEMALE--	648	16	10	9	4	8	13	14	11	27	29	43
ALABAMA -----	146	5	2	1	-	5	3	5	3	4	8	8
WHITE-----MALE----	46	1	2	-	-	3	-	2	1	1	1	3
FEMALE--	41	1	-	-	-	-	-	1	-	1	2	1
ALL OTHER--MALE----	25	-	-	-	-	1	2	2	1	1	4	2
FEMALE--	34	3	-	1	-	1	1	-	1	1	1	2
BLACK---MALE----	24	-	-	-	-	1	2	2	1	-	4	2
FEMALE--	32	2	-	1	-	1	1	-	1	1	1	2
ALASKA -----	15	-	1	-	-	-	-	2	1	-	1	3
WHITE-----MALE----	5	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ARIZONA -----	133	6	3	1	-	3	1	3	4	4	3	3
WHITE-----MALE----	62	2	2	-	-	1	1	1	2	-	1	2
FEMALE--	53	3	1	1	-	2	-	1	-	3	1	-
ALL OTHER--MALE----	13	1	-	-	-	-	-	1	2	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	92	1	1	2	2	3	2	3	-	1	2	5
WHITE-----MALE----	42	-	1	2	1	3	2	2	-	-	-	1
FEMALE--	39	1	-	-	-	-	-	1	-	-	1	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	4	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	4	-	-	-	1	-	-	-	-	-	1	-
CALIFORNIA -----	541	11	8	5	7	18	11	13	11	17	17	28
WHITE-----MALE----	240	8	4	1	3	12	5	6	6	8	11	14
FEMALE--	210	2	2	3	2	3	3	2	1	6	5	10
ALL OTHER--MALE----	47	1	1	-	2	3	3	4	2	1	1	3
FEMALE--	44	-	1	1	-	-	-	1	2	2	-	1
BLACK---MALE----	24	1	-	-	1	2	2	1	2	1	1	3
FEMALE--	27	-	1	1	-	-	-	-	-	2	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,414

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)												
0 UNITED STATES --	410	443	548	796	1,051	1,163	1,020	708	330	100	24	2
WHITE-----MALE----	174	179	236	369	482	523	436	262	89	19	5	2
FEMALE--	138	169	186	299	421	504	467	383	209	72	17	-
ALL OTHER--MALE----	54	47	67	65	66	60	42	32	8	2	1	-
FEMALE--	44	48	59	63	82	76	75	31	24	7	1	-
BLACK---MALE----	47	40	61	58	58	52	37	31	8	1	-	-
FEMALE--	42	46	54	59	77	64	68	28	19	7	-	-
ALABAMA -----	6	6	12	17	16	17	10	10	5	3	-	-
WHITE-----MALE----	2	1	5	8	5	6	4	1	-	-	-	-
FEMALE--	1	4	3	2	4	8	4	3	4	2	-	-
ALL OTHER--MALE----	2	-	3	3	1	-	-	3	-	-	-	-
FEMALE--	1	1	1	4	6	3	2	3	1	1	-	-
BLACK---MALE----	2	-	3	3	1	-	-	3	-	-	-	-
FEMALE--	1	1	1	3	6	3	2	3	1	1	-	-
ALASKA -----	2	2	1	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	10	8	9	15	17	19	10	9	4	1	-	-
WHITE-----MALE----	5	3	1	9	9	9	4	5	4	1	-	-
FEMALE--	3	5	6	4	6	7	6	4	-	-	-	-
ALL OTHER--MALE----	2	-	-	2	1	2	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARKANSAS -----	6	1	8	9	10	13	15	5	3	-	-	-
WHITE-----MALE----	3	-	3	3	3	7	9	1	1	-	-	-
FEMALE--	2	1	4	6	7	5	5	3	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
CALIFORNIA -----	20	24	35	40	65	71	69	35	28	3	4	1
WHITE-----MALE----	11	9	9	20	24	37	31	13	7	-	-	1
FEMALE--	5	9	19	14	32	25	27	19	16	3	2	-
ALL OTHER--MALE----	3	5	4	2	4	3	3	1	-	-	1	-
FEMALE--	1	1	3	4	5	6	8	2	5	-	1	-
BLACK---MALE----	2	2	2	1	1	1	-	1	-	-	-	-
FEMALE--	1	1	3	2	3	3	5	2	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,415

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	124	4	2	1	-	2	2	2	3	3	2	7
WHITE-----MALE----	59	3	1	1	-	1	1	-	2	2	1	2
FEMALE--	56	1	1	-	-	1	-	1	1	1	1	3
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	2
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	2
CONNECTICUT -----	119	1	2	1	-	-	1	1	2	5	4	5
WHITE-----MALE----	54	1	1	-	-	-	-	-	1	1	2	2
FEMALE--	54	-	1	1	-	-	1	1	-	3	1	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
DELAWARE -----	33	1	-	-	1	1	-	2	1	-	2	-
WHITE-----MALE----	15	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	7	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	5	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	5	1	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	34	1	1	-	1	-	1	1	-	-	1	2
WHITE-----MALE----	5	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	1	-	-	1	-	1	-	-	-	-	1
FEMALE--	18	-	1	-	-	-	-	-	-	-	1	1
BLACK---MALE----	10	-	-	-	1	-	1	-	-	-	-	1
FEMALE--	18	-	1	-	-	-	-	-	-	-	1	1
FLORIDA -----	538	4	14	4	5	6	11	5	8	19	14	19
WHITE-----MALE----	243	2	6	1	3	5	10	1	4	7	4	8
FEMALE--	215	-	3	1	1	-	-	3	4	8	3	7
ALL OTHER--MALE----	42	2	3	-	-	1	1	-	-	1	5	3
FEMALE--	38	-	2	2	1	-	-	1	-	3	2	1
BLACK---MALE----	42	2	3	-	-	1	1	-	-	1	5	3
FEMALE--	38	-	2	2	1	-	-	1	-	3	2	1
GEORGIA -----	246	8	6	6	5	8	4	5	2	5	8	7
WHITE-----MALE----	90	1	2	4	2	2	2	4	-	1	2	1
FEMALE--	77	2	2	-	1	2	-	-	-	3	3	2
ALL OTHER--MALE----	39	2	2	2	1	4	-	-	2	-	2	1
FEMALE--	40	3	-	-	1	-	2	1	-	1	1	3
BLACK---MALE----	35	1	2	2	-	4	-	-	1	-	2	1
FEMALE--	39	3	-	-	-	-	2	1	-	1	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,415

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)												
COLORADO -----	7	6	5	14	19	16	12	14	3	-	-	-
WHITE-----MALE----	4	1	4	5	10	9	5	7	-	-	-	-
FEMALE--	3	4	1	8	7	7	7	6	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	1	-	-	-	-
CONNECTICUT -----	3	8	7	9	17	24	18	9	2	-	-	-
WHITE-----MALE----	2	3	3	5	8	11	11	3	-	-	-	-
FEMALE--	1	4	1	4	9	11	7	6	2	-	-	-
ALL OTHER--MALE----	-	-	3	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	3	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	-	1	3	5	6	3	4	-	-	-	-
WHITE-----MALE----	2	-	1	1	2	3	2	3	-	-	-	-
FEMALE--	1	-	-	-	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	2	4	4	2	3	7	1	1	1	-	-
WHITE-----MALE----	1	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	1	2	1	1	-	-	-	-
FEMALE--	-	1	4	2	1	1	4	-	1	1	-	-
BLACK---MALE----	-	-	-	2	1	2	1	1	-	-	-	-
FEMALE--	-	1	4	2	1	1	4	-	1	1	-	-
FLORIDA -----	28	30	34	41	69	78	71	52	14	9	3	-
WHITE-----MALE----	12	15	16	20	32	35	29	24	5	3	1	-
FEMALE--	8	13	10	14	30	34	35	25	9	5	2	-
ALL OTHER--MALE----	5	1	5	2	3	4	5	1	-	-	-	-
FEMALE--	3	1	3	5	4	5	2	2	-	1	-	-
BLACK---MALE----	5	1	5	2	3	4	5	1	-	-	-	-
FEMALE--	3	1	3	5	4	5	2	2	-	1	-	-
GEORGIA -----	11	19	11	25	30	29	26	20	5	5	1	-
WHITE-----MALE----	5	5	3	11	17	14	7	6	-	1	-	-
FEMALE--	1	4	5	7	6	8	12	10	4	4	1	-
ALL OTHER--MALE----	2	2	3	5	3	4	1	3	-	-	-	-
FEMALE--	3	8	-	2	4	3	6	1	1	-	-	-
BLACK---MALE----	2	2	3	4	3	4	1	3	-	-	-	-
FEMALE--	3	8	-	2	4	3	6	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,416

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)												
HAWAII -----	29	-	-	1	1	-	1	-	1	2	-	3
WHITE-----MALE----	8	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	1	-	-	1	-	2
FEMALE--	9	-	-	1	1	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	38	-	-	1	2	2	1	-	1	-	1	3
WHITE-----MALE----	25	-	-	1	1	2	-	-	-	-	1	1
FEMALE--	12	-	-	-	1	-	-	-	1	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	409	5	4	4	6	5	6	2	6	12	8	16
WHITE-----MALE----	176	2	1	2	2	5	5	1	3	3	2	6
FEMALE--	164	1	1	-	3	-	1	1	2	5	3	5
ALL OTHER--MALE----	30	1	2	-	-	-	-	-	1	2	2	3
FEMALE--	39	1	-	2	1	-	-	-	-	2	1	2
BLACK---MALE----	30	1	2	-	-	-	-	-	1	2	2	3
FEMALE--	37	1	-	2	1	-	-	-	-	1	1	2
INDIANA -----	195	6	2	1	2	2	1	7	3	7	11	12
WHITE-----MALE----	90	2	-	-	2	2	-	3	2	4	6	4
FEMALE--	81	3	2	1	-	-	1	2	1	2	5	5
ALL OTHER--MALE----	11	1	-	-	-	-	-	1	-	-	-	2
FEMALE--	13	-	-	-	-	-	-	1	-	1	-	1
BLACK---MALE----	11	1	-	-	-	-	-	1	-	-	-	2
FEMALE--	13	-	-	-	-	-	-	1	-	1	-	1
IOWA -----	75	1	3	1	-	1	3	1	-	-	3	2
WHITE-----MALE----	40	-	2	1	-	1	2	1	-	-	1	-
FEMALE--	34	1	1	-	-	-	1	-	-	-	2	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	123	1	1	-	-	2	-	1	-	6	3	3
WHITE-----MALE----	54	-	1	-	-	2	-	-	-	3	2	3
FEMALE--	62	1	-	-	-	-	-	-	-	2	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,417

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)												
KENTUCKY -----	153	1	5	1	2	2	-	4	-	3	6	4
WHITE-----MALE----	63	-	1	-	1	-	-	3	-	1	2	2
FEMALE--	74	1	3	1	1	2	-	1	-	2	2	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	1	-	-	-	-	-	-	-	1	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	1	-	-	-	-	-	-	-	1	1
LOUISIANA -----	157	2	5	2	1	4	2	4	2	3	8	5
WHITE-----MALE----	55	1	2	2	-	-	1	3	1	1	1	2
FEMALE--	42	1	-	-	-	-	-	-	1	1	2	1
ALL OTHER--MALE----	36	-	1	-	1	3	1	-	-	1	3	2
FEMALE--	24	-	2	-	-	1	-	1	-	-	2	-
BLACK---MALE----	36	-	1	-	1	3	1	-	-	1	3	2
FEMALE--	24	-	2	-	-	1	-	1	-	-	2	-
MAINE -----	50	-	-	-	-	1	3	-	1	-	1	2
WHITE-----MALE----	32	-	-	-	-	1	3	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	209	3	3	1	2	2	2	7	3	8	7	8
WHITE-----MALE----	79	1	2	-	-	-	2	1	1	2	1	3
FEMALE--	68	1	1	-	-	-	-	3	1	1	2	1
ALL OTHER--MALE----	32	1	-	-	2	1	-	2	1	2	3	1
FEMALE--	30	-	-	1	-	1	-	1	-	3	1	3
BLACK---MALE----	27	1	-	-	1	1	-	2	1	2	2	1
FEMALE--	27	-	-	1	-	1	-	1	-	3	1	3
MASSACHUSETTS -----	241	5	-	-	2	7	4	4	3	6	8	14
WHITE-----MALE----	119	3	-	-	-	4	2	4	2	2	5	12
FEMALE--	101	2	-	-	1	2	2	-	-	2	3	1
ALL OTHER--MALE----	9	-	-	-	1	-	-	-	1	1	-	-
FEMALE--	12	-	-	-	-	1	-	-	-	1	-	1
BLACK---MALE----	9	-	-	-	1	-	-	-	1	1	-	-
FEMALE--	10	-	-	-	-	1	-	-	-	1	-	1
MICHIGAN -----	375	6	7	5	3	6	6	3	7	5	26	19
WHITE-----MALE----	153	3	3	3	3	4	2	2	3	2	13	4
FEMALE--	150	1	3	2	-	2	1	1	3	-	9	5
ALL OTHER--MALE----	30	1	-	-	-	-	2	-	1	-	2	5
FEMALE--	42	1	1	-	-	-	1	-	-	3	2	5
BLACK---MALE----	29	1	-	-	-	-	2	-	1	-	2	5
FEMALE--	41	1	1	-	-	-	1	-	-	3	2	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,417

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)												
KENTUCKY -----	8	10	13	16	16	20	16	11	11	4	-	-
WHITE-----MALE----	2	5	5	10	10	9	4	4	3	1	-	-
FEMALE--	5	5	5	5	4	9	11	6	8	2	-	-
ALL OTHER--MALE----	1	-	2	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	1	2	1	1	-	-	1	-	-
BLACK---MALE----	1	-	2	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	1	2	1	1	-	-	1	-	-
LOUISIANA -----	7	10	16	15	22	18	18	8	4	1	-	-
WHITE-----MALE----	3	4	4	4	10	8	3	3	2	-	-	-
FEMALE--	2	2	2	5	7	5	8	2	2	1	-	-
ALL OTHER--MALE----	2	2	5	4	2	3	4	2	-	-	-	-
FEMALE--	-	2	5	2	3	2	3	1	-	-	-	-
BLACK---MALE----	2	2	5	4	2	3	4	2	-	-	-	-
FEMALE--	-	2	5	2	3	2	3	1	-	-	-	-
MAINE -----	3	2	4	8	2	4	8	8	2	1	-	-
WHITE-----MALE----	1	2	1	6	1	3	8	4	1	-	-	-
FEMALE--	2	-	3	2	1	1	-	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	10	7	17	26	37	18	31	12	5	-	-	-
WHITE-----MALE----	2	2	6	13	14	9	15	4	1	-	-	-
FEMALE--	3	3	2	8	11	6	13	8	4	-	-	-
ALL OTHER--MALE----	3	1	5	4	5	-	1	-	-	-	-	-
FEMALE--	2	1	4	1	7	3	2	-	-	-	-	-
BLACK---MALE----	3	1	4	3	5	-	-	-	-	-	-	-
FEMALE--	2	1	3	1	7	2	1	-	-	-	-	-
MASSACHUSETTS -----	7	8	13	15	37	48	32	16	11	1	-	-
WHITE-----MALE----	2	2	7	10	16	25	14	5	4	-	-	-
FEMALE--	4	2	5	4	18	19	18	10	7	1	-	-
ALL OTHER--MALE----	-	1	1	-	2	2	-	-	-	-	-	-
FEMALE--	1	3	-	1	1	2	-	1	-	-	-	-
BLACK---MALE----	-	1	1	-	2	2	-	-	-	-	-	-
FEMALE--	1	3	-	1	-	2	-	-	-	-	-	-
MICHIGAN -----	17	23	22	35	43	52	42	34	9	3	1	1
WHITE-----MALE----	7	10	13	16	18	17	14	13	1	-	1	1
FEMALE--	3	10	5	15	18	26	20	16	7	3	-	-
ALL OTHER--MALE----	3	2	2	3	4	2	1	2	-	-	-	-
FEMALE--	4	1	2	1	3	7	7	3	1	-	-	-
BLACK---MALE----	3	2	1	3	4	2	1	2	-	-	-	-
FEMALE--	4	1	2	1	2	7	7	3	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,420

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)												
OHIO -----	449	5	2	1	2	8	9	8	5	9	15	15
WHITE-----MALE----	200	3	1	-	1	8	7	6	4	4	8	4
FEMALE--	195	1	1	1	-	-	1	2	1	4	5	8
ALL OTHER--MALE----	28	1	-	-	1	-	1	-	-	-	-	2
FEMALE--	26	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	24	1	-	-	1	-	-	-	-	-	-	2
FEMALE--	26	-	-	-	-	-	-	-	-	1	2	1
OKLAHOMA -----	87	2	1	1	3	3	1	1	1	4	6	2
WHITE-----MALE----	35	1	-	-	1	2	1	1	-	2	2	-
FEMALE--	41	1	1	-	2	-	-	-	1	1	1	1
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	7	-	-	1	-	-	-	-	-	1	2	-
BLACK---MALE----	3	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	5	-	-	1	-	-	-	-	-	1	1	-
OREGON -----	94	-	2	1	2	2	2	1	-	2	1	4
WHITE-----MALE----	44	-	1	-	2	2	1	-	-	-	1	4
FEMALE--	46	-	-	1	-	-	1	1	-	2	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	508	10	3	3	4	5	8	6	9	11	16	15
WHITE-----MALE----	213	3	-	1	3	5	7	2	3	3	12	5
FEMALE--	227	4	3	2	-	-	-	2	3	4	-	6
ALL OTHER--MALE----	38	2	-	-	1	-	-	2	2	2	2	3
FEMALE--	30	1	-	-	-	-	1	-	1	2	2	1
BLACK---MALE----	37	2	-	-	1	-	-	2	2	2	2	2
FEMALE--	28	1	-	-	-	-	1	-	1	2	2	1
RHODE ISLAND -----	28	1	-	-	-	-	1	-	-	-	1	2
WHITE-----MALE----	10	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	16	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
SOUTH CAROLINA -----	127	4	2	1	-	3	2	5	4	3	6	4
WHITE-----MALE----	43	2	2	-	-	2	-	2	2	2	3	-
FEMALE--	39	1	-	-	-	-	1	1	1	1	1	2
ALL OTHER--MALE----	25	1	-	-	-	1	1	-	-	-	1	2
FEMALE--	20	-	-	1	-	-	-	2	1	-	1	-
BLACK---MALE----	24	-	-	-	-	1	1	-	-	-	1	2
FEMALE--	20	-	-	1	-	-	-	2	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,420

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)												
OHIO -----	18	28	37	39	61	76	50	40	16	3	2	-
WHITE-----MALE----	10	12	13	16	25	32	24	14	7	1	-	-
FEMALE--	5	12	13	18	27	36	22	25	9	2	2	-
ALL OTHER--MALE----	-	2	7	1	5	7	-	1	-	-	-	-
FEMALE--	3	2	4	4	4	1	4	-	-	-	-	-
BLACK---MALE----	-	2	6	1	4	6	-	1	-	-	-	-
FEMALE--	3	2	4	4	4	1	4	-	-	-	-	-
OKLAHOMA -----	6	1	4	2	11	8	11	9	9	1	-	-
WHITE-----MALE----	4	1	2	1	4	3	5	4	1	-	-	-
FEMALE--	2	-	2	1	6	5	5	4	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
OREGON -----	8	3	5	11	6	15	11	11	6	1	-	-
WHITE-----MALE----	3	2	3	7	3	4	6	4	1	-	-	-
FEMALE--	4	1	1	4	3	10	5	7	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
PENNSYLVANIA -----	18	32	32	52	57	89	73	45	15	5	-	-
WHITE-----MALE----	5	15	14	24	28	36	24	15	8	-	-	-
FEMALE--	10	13	8	21	24	43	44	29	6	5	-	-
ALL OTHER--MALE----	-	4	3	5	3	6	2	1	-	-	-	-
FEMALE--	3	-	7	2	2	4	3	-	1	-	-	-
BLACK---MALE----	-	4	3	5	3	6	2	1	-	-	-	-
FEMALE--	2	-	7	2	2	4	2	-	1	-	-	-
RHODE ISLAND -----	-	2	-	4	3	7	4	1	2	-	-	-
WHITE-----MALE----	-	-	-	3	1	2	1	-	-	-	-	-
FEMALE--	-	2	-	-	2	5	3	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	10	11	9	17	18	13	4	4	2	-	-
WHITE-----MALE----	2	3	4	2	4	7	3	1	-	2	-	-
FEMALE--	1	2	1	3	7	5	7	1	4	-	-	-
ALL OTHER--MALE----	2	3	3	-	3	5	2	1	-	-	-	-
FEMALE--	-	2	3	4	3	1	1	1	-	-	-	-
BLACK---MALE----	2	3	3	-	3	5	2	1	-	-	-	-
FEMALE--	-	2	3	4	3	1	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,421

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)												
SOUTH DAKOTA -----	1	-	-	3	-	3	3	5	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	2	-	-	-	-	-
FEMALE--	1	-	-	2	-	2	-	5	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	12	7	16	20	21	18	13	9	6	-	-	-
WHITE-----MALE----	8	2	8	8	10	6	2	3	1	-	-	-
FEMALE--	2	2	6	9	6	9	9	6	4	-	-	-
ALL OTHER--MALE----	1	2	-	3	1	-	1	-	-	-	-	-
FEMALE--	1	1	2	-	4	3	1	-	1	-	-	-
BLACK---MALE----	1	2	-	3	1	-	1	-	-	-	-	-
FEMALE--	1	1	2	-	4	3	1	-	1	-	-	-
TEXAS -----	26	34	31	44	66	57	56	37	27	4	1	-
WHITE-----MALE----	11	11	18	19	25	26	29	13	10	-	1	-
FEMALE--	10	16	11	16	33	27	21	18	15	4	-	-
ALL OTHER--MALE----	1	3	2	6	4	3	2	4	-	-	-	-
FEMALE--	4	4	-	3	4	1	4	2	2	-	-	-
BLACK---MALE----	1	3	2	6	3	3	2	4	-	-	-	-
FEMALE--	4	4	-	3	4	1	4	2	2	-	-	-
UTAH -----	-	2	2	4	9	8	14	6	4	-	-	-
WHITE-----MALE----	-	1	2	2	5	4	9	2	-	-	-	-
FEMALE--	-	1	-	2	4	4	5	4	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	1	2	2	4	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	2	2	2	1	1	-	-	-
FEMALE--	1	-	-	1	-	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	13	10	17	19	25	31	18	9	5	-	-	-
WHITE-----MALE----	5	3	7	5	9	17	6	1	1	-	-	-
FEMALE--	4	2	7	11	11	10	5	6	1	-	-	-
ALL OTHER--MALE----	2	5	3	1	2	1	5	-	2	-	-	-
FEMALE--	2	-	-	2	3	3	2	2	1	-	-	-
BLACK---MALE----	2	5	3	1	2	1	5	-	2	-	-	-
FEMALE--	2	-	-	2	3	3	2	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,441

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
0 UNITED STATES --	948,412	958	282	168	255	526	879	1,418	2,926	6,040	11,035	17,844
WHITE-----MALE----	391,286	382	98	67	108	241	322	549	1,329	2,926	5,649	9,580
FEMALE--	439,689	288	90	46	78	139	230	373	705	1,250	2,098	3,357
ALL OTHER--MALE----	56,401	152	65	22	37	81	197	285	527	1,110	1,992	3,140
FEMALE--	61,036	136	29	33	32	65	130	211	365	754	1,296	1,767
BLACK---MALE----	48,279	132	62	22	36	75	174	254	460	992	1,801	2,802
FEMALE--	54,397	116	24	29	26	55	114	191	337	695	1,192	1,641
ALABAMA -----	17,416	33	6	7	6	10	28	30	67	174	277	445
WHITE-----MALE----	6,334	19	1	2	2	3	9	13	40	75	109	195
FEMALE--	6,978	4	3	2	3	3	5	8	14	32	39	90
ALL OTHER--MALE----	1,920	5	2	1	1	4	8	6	8	40	75	94
FEMALE--	2,184	5	-	2	-	-	6	3	5	27	54	66
BLACK---MALE----	1,907	5	2	1	1	4	8	6	8	38	75	94
FEMALE--	2,168	5	-	2	-	-	6	3	5	27	53	66
ALASKA -----	739	8	-	1	2	-	4	1	5	9	23	34
WHITE-----MALE----	333	3	-	-	1	-	3	-	-	4	11	25
FEMALE--	230	4	-	1	1	-	-	-	2	1	5	-
ALL OTHER--MALE----	105	1	-	-	-	-	-	-	2	-	4	9
FEMALE--	71	-	-	-	-	-	1	1	1	4	3	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ARIZONA -----	13,565	11	4	3	4	7	12	24	47	75	143	255
WHITE-----MALE----	6,493	7	2	1	2	5	7	13	21	45	90	165
FEMALE--	6,452	2	2	2	2	1	3	8	15	22	41	67
ALL OTHER--MALE----	321	1	-	-	-	-	2	3	8	6	9	15
FEMALE--	299	1	-	-	-	1	-	-	3	2	3	8
BLACK---MALE----	138	-	-	-	-	-	1	1	2	3	4	8
FEMALE--	138	-	-	-	-	-	-	-	2	2	1	4
ARKANSAS -----	11,617	11	1	-	1	9	6	15	39	74	127	245
WHITE-----MALE----	4,780	5	-	-	-	5	-	8	13	45	58	117
FEMALE--	5,176	5	1	-	-	2	1	4	10	12	23	51
ALL OTHER--MALE----	769	1	-	-	-	2	4	1	10	12	25	52
FEMALE--	892	-	-	-	1	-	1	2	6	5	21	25
BLACK---MALE----	759	1	-	-	-	2	4	1	9	12	23	52
FEMALE--	874	-	-	-	1	-	1	2	5	4	21	25
CALIFORNIA -----	91,726	99	19	18	23	49	78	108	319	572	1,024	1,679
WHITE-----MALE----	37,459	46	11	7	11	22	35	56	158	288	540	907
FEMALE--	41,982	29	7	5	5	17	23	22	70	125	203	325
ALL OTHER--MALE----	6,274	9	-	-	5	4	12	16	57	103	157	300
FEMALE--	6,011	15	1	6	2	6	8	14	34	56	124	147
BLACK---MALE----	3,302	4	-	-	4	2	8	9	40	64	113	193
FEMALE--	3,587	10	1	3	-	2	6	10	26	41	90	100

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,441

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
0 UNITED STATES --	25,297	32,937	47,194	71,106	105,268	139,535	162,370	158,248	109,676	43,704	10,670	76
WHITE-----MALE----	14,026	17,908	25,419	37,944	53,230	65,512	66,694	52,406	27,530	7,932	1,397	37
FEMALE--	5,291	7,689	12,403	21,592	37,288	58,505	80,644	93,256	74,081	32,208	8,064	14
ALL OTHER--MALE----	3,771	4,499	5,527	6,335	7,422	7,270	6,078	4,414	2,364	865	231	17
FEMALE--	2,209	2,841	3,845	5,235	7,328	8,248	8,954	8,172	5,701	2,699	978	8
BLACK---MALE----	3,352	3,918	4,858	5,477	6,388	6,135	5,028	3,527	1,863	703	205	15
FEMALE--	2,018	2,576	3,460	4,648	6,527	7,260	7,845	7,274	5,086	2,397	878	8
ALABAMA -----	543	715	1,056	1,492	2,052	2,514	2,807	2,690	1,743	569	152	-
WHITE-----MALE----	251	320	490	710	913	1,065	944	734	337	89	13	-
FEMALE--	87	143	252	395	654	927	1,328	1,457	1,105	354	73	-
ALL OTHER--MALE----	144	149	188	203	233	235	221	176	89	27	11	-
FEMALE--	61	103	126	184	252	287	314	323	212	99	55	-
BLACK---MALE----	142	148	186	203	232	233	220	174	89	27	11	-
FEMALE--	60	101	126	182	251	283	311	322	211	99	55	-
ALASKA -----	34	46	61	73	87	103	89	94	47	13	5	-
WHITE-----MALE----	23	29	33	39	42	47	32	30	8	2	1	-
FEMALE--	6	7	14	20	21	31	35	45	30	6	1	-
ALL OTHER--MALE----	4	7	13	13	16	15	8	5	4	4	-	-
FEMALE--	1	3	1	1	8	10	14	14	5	1	3	-
BLACK---MALE----	1	1	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	1	-	-	-	-
ARIZONA -----	361	452	671	1,082	1,639	2,180	2,330	2,197	1,399	540	127	2
WHITE-----MALE----	243	298	393	678	907	1,119	1,111	830	427	108	19	2
FEMALE--	82	114	207	345	650	982	1,157	1,302	935	413	100	-
ALL OTHER--MALE----	22	25	43	31	44	39	26	25	15	4	3	-
FEMALE--	14	15	28	28	38	40	36	40	22	15	5	-
BLACK---MALE----	11	10	20	13	24	15	8	9	6	2	1	-
FEMALE--	7	6	12	11	15	21	16	22	8	10	1	-
ARKANSAS -----	312	420	641	874	1,274	1,715	2,009	1,896	1,343	501	104	-
WHITE-----MALE----	167	244	387	483	662	797	779	589	312	97	12	-
FEMALE--	74	92	163	266	434	709	985	1,095	856	325	68	-
ALL OTHER--MALE----	43	56	49	75	86	100	93	84	48	21	7	-
FEMALE--	28	28	42	50	92	109	152	128	127	58	17	-
BLACK---MALE----	43	55	48	74	84	99	93	83	48	21	7	-
FEMALE--	28	26	40	49	89	107	150	125	126	58	17	-
CALIFORNIA -----	2,502	3,094	4,238	6,438	9,861	13,524	15,837	15,450	11,014	4,668	1,107	5
WHITE-----MALE----	1,418	1,630	2,263	3,323	4,806	6,232	6,461	5,254	2,940	883	166	2
FEMALE--	541	735	1,096	1,954	3,507	5,573	7,618	8,735	7,168	3,400	821	3
ALL OTHER--MALE----	335	471	543	685	829	849	788	622	336	128	25	-
FEMALE--	208	258	336	476	719	870	970	839	570	257	95	-
BLACK---MALE----	220	289	349	371	435	416	366	247	104	51	17	-
FEMALE--	155	183	235	290	409	478	534	487	323	147	57	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,442

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
COLORADO -----	9,091	12	1	1	4	6	15	9	24	58	111	208
WHITE-----MALE----	4,062	5	-	-	3	2	6	5	12	35	69	134
FEMALE--	4,639	7	1	-	1	2	6	3	9	11	33	58
ALL OTHER--MALE----	179	-	-	-	-	1	1	1	1	9	6	7
FEMALE--	211	-	-	1	-	1	2	-	2	3	3	9
BLACK---MALE----	139	-	-	-	-	1	1	1	1	9	2	7
FEMALE--	172	-	-	-	-	1	2	-	1	2	3	8
CONNECTICUT -----	12,405	6	4	-	3	1	7	15	23	59	126	177
WHITE-----MALE----	5,329	3	2	-	-	1	2	7	8	39	79	114
FEMALE--	6,382	3	2	-	2	-	3	4	7	12	29	36
ALL OTHER--MALE----	306	-	-	-	1	-	2	3	6	4	13	14
FEMALE--	388	-	-	-	-	-	-	1	2	4	5	13
BLACK---MALE----	276	-	-	-	1	-	2	2	6	3	12	11
FEMALE--	368	-	-	-	-	-	-	1	2	4	5	13
DELAWARE -----	2,488	4	1	-	3	-	-	4	6	15	39	52
WHITE-----MALE----	1,069	1	-	-	1	-	-	2	2	10	17	27
FEMALE--	1,082	2	-	-	2	-	-	2	4	3	4	8
ALL OTHER--MALE----	159	1	1	-	-	-	-	-	-	2	11	12
FEMALE--	178	-	-	-	-	-	-	-	-	-	7	5
BLACK---MALE----	151	1	1	-	-	-	-	-	-	2	11	12
FEMALE--	171	-	-	-	-	-	-	-	-	-	6	5
DISTRICT OF COLUMBIA ----	2,134	1	1	2	-	2	1	5	8	28	45	67
WHITE-----MALE----	213	-	-	-	-	1	-	-	1	-	4	5
FEMALE--	284	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	780	1	1	-	-	1	1	2	3	18	23	40
FEMALE--	857	-	-	2	-	-	-	3	4	10	17	22
BLACK---MALE----	767	1	1	-	-	1	1	2	3	18	22	40
FEMALE--	855	-	-	2	-	-	-	3	4	10	17	22
FLORIDA -----	64,105	41	18	10	10	17	35	84	149	333	607	918
WHITE-----MALE----	29,026	13	6	4	3	6	9	26	60	162	327	532
FEMALE--	29,145	14	4	-	3	3	8	16	39	67	104	156
ALL OTHER--MALE----	2,780	6	3	3	2	3	9	18	20	50	110	141
FEMALE--	3,154	8	5	3	2	5	9	24	30	54	66	89
BLACK---MALE----	2,665	6	3	3	2	3	9	17	18	50	104	139
FEMALE--	3,083	8	5	3	2	5	8	24	29	54	66	88
GEORGIA -----	23,587	30	11	8	7	12	31	71	113	223	414	650
WHITE-----MALE----	8,094	9	5	1	5	6	9	19	35	82	165	276
FEMALE--	9,323	7	2	1	-	4	4	10	18	27	47	89
ALL OTHER--MALE----	2,844	9	3	1	1	-	9	27	32	67	107	180
FEMALE--	3,326	5	1	5	1	2	9	15	28	47	95	105
BLACK---MALE----	2,788	9	3	1	1	-	9	27	32	66	106	180
FEMALE--	3,277	4	1	5	1	2	9	15	28	47	93	102

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,442
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
COLORADO -----	258	297	428	671	983	1,319	1,489	1,502	1,136	447	112	-
WHITE-----MALE----	175	175	267	398	544	692	636	517	298	77	12	-
FEMALE--	66	95	131	231	397	577	802	950	808	357	94	-
ALL OTHER--MALE----	11	16	17	16	29	28	15	10	7	4	-	-
FEMALE--	6	11	13	26	13	22	36	25	23	9	6	-
BLACK---MALE----	8	14	14	15	23	16	9	9	6	3	-	-
FEMALE--	4	8	9	20	13	19	30	23	17	7	5	-
CONNECTICUT -----	269	388	479	837	1,203	1,844	2,234	2,231	1,603	718	178	-
WHITE-----MALE----	167	234	287	477	679	949	1,012	770	366	109	24	-
FEMALE--	60	98	125	286	440	809	1,141	1,395	1,197	586	147	-
ALL OTHER--MALE----	28	28	44	37	36	32	30	13	11	4	-	-
FEMALE--	14	28	23	37	48	54	51	53	29	19	7	-
BLACK---MALE----	23	25	40	34	32	30	29	12	10	4	-	-
FEMALE--	14	28	22	34	44	52	45	49	29	19	7	-
DELAWARE -----	71	118	135	191	313	402	399	371	232	108	24	-
WHITE-----MALE----	42	67	72	106	168	203	171	112	52	13	3	-
FEMALE--	10	28	37	59	96	158	180	222	162	88	17	-
ALL OTHER--MALE----	11	16	13	13	25	16	19	14	4	1	-	-
FEMALE--	8	7	13	13	24	25	29	23	14	6	4	-
BLACK---MALE----	9	16	13	12	24	15	18	13	3	1	-	-
FEMALE--	8	7	13	13	22	25	27	22	14	5	4	-
DISTRICT OF COLUMBIA ----	98	101	184	185	239	296	297	271	192	89	22	-
WHITE-----MALE----	9	11	13	16	28	32	39	29	18	6	1	-
FEMALE--	1	-	8	10	15	28	46	63	63	39	10	-
ALL OTHER--MALE----	63	64	103	97	90	104	78	54	22	13	2	-
FEMALE--	25	26	60	62	106	132	134	125	89	31	9	-
BLACK---MALE----	62	63	103	96	90	99	75	53	22	13	2	-
FEMALE--	25	26	60	61	106	132	134	125	88	31	9	-
FLORIDA -----	1,316	1,865	2,777	4,400	7,049	9,812	11,585	11,577	7,902	2,893	691	16
WHITE-----MALE----	720	1,086	1,563	2,458	3,874	5,051	5,468	4,429	2,459	648	115	7
FEMALE--	296	399	700	1,386	2,410	3,956	5,401	6,540	5,061	2,071	507	4
ALL OTHER--MALE----	182	225	299	309	359	376	294	199	107	47	17	1
FEMALE--	118	155	215	247	406	429	422	409	275	127	52	4
BLACK---MALE----	174	215	285	290	346	362	281	193	102	45	17	1
FEMALE--	115	147	209	241	400	418	410	404	271	121	51	4
GEORGIA -----	935	1,140	1,504	2,084	2,668	3,323	3,708	3,432	2,218	838	165	2
WHITE-----MALE----	395	516	676	897	1,084	1,320	1,177	866	421	111	18	1
FEMALE--	149	216	330	565	852	1,224	1,761	1,976	1,389	554	98	-
ALL OTHER--MALE----	258	248	306	327	316	363	275	177	91	38	8	1
FEMALE--	133	160	192	295	416	416	495	413	317	135	41	-
BLACK---MALE----	250	242	303	318	311	356	268	174	86	38	7	1
FEMALE--	131	158	189	288	411	409	487	408	313	135	41	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,443

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
HAWAII -----	3,247	6	2	-	2	4	8	9	13	26	55	71
WHITE-----MALE----	438	-	-	-	1	-	-	1	3	1	7	18
FEMALE--	375	-	-	-	-	1	-	-	1	1	3	7
ALL OTHER--MALE----	1,366	5	1	-	-	2	7	6	8	16	30	36
FEMALE--	1,068	1	1	-	1	1	1	2	1	8	15	10
BLACK---MALE----	13	1	-	-	-	-	1	1	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	1
IDAHO -----	3,459	3	4	1	3	2	1	4	5	15	38	58
WHITE-----MALE----	1,714	2	3	1	2	1	1	3	2	10	30	42
FEMALE--	1,703	1	1	-	1	1	-	1	3	5	8	12
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	42,499	50	11	5	13	29	45	79	134	292	496	816
WHITE-----MALE----	16,876	15	2	3	7	11	20	34	50	129	234	393
FEMALE--	19,722	17	5	-	3	7	11	15	23	50	85	126
ALL OTHER--MALE----	2,903	7	3	2	2	5	13	20	40	67	110	188
FEMALE--	2,998	11	1	-	1	6	1	10	21	46	67	109
BLACK---MALE----	2,702	6	3	2	2	5	12	19	40	64	108	177
FEMALE--	2,846	10	1	-	1	6	1	9	19	44	64	107
INDIANA -----	22,093	14	11	2	3	12	18	36	65	136	285	426
WHITE-----MALE----	9,558	5	7	1	2	6	4	13	31	81	153	247
FEMALE--	11,057	6	3	1	1	4	8	15	22	29	86	110
ALL OTHER--MALE----	717	2	1	-	-	2	3	2	7	18	27	45
FEMALE--	761	1	-	-	-	-	3	6	5	8	19	24
BLACK---MALE----	701	2	1	-	-	2	3	2	7	18	27	45
FEMALE--	741	1	-	-	-	-	3	6	5	7	18	23
IOWA -----	12,206	13	-	3	1	4	7	10	16	49	96	143
WHITE-----MALE----	5,618	8	-	2	1	2	3	4	8	32	79	99
FEMALE--	6,436	5	-	1	-	2	3	5	8	13	17	38
ALL OTHER--MALE----	67	-	-	-	-	-	-	1	-	3	-	5
FEMALE--	85	-	-	-	-	-	1	-	-	1	-	1
BLACK---MALE----	58	-	-	-	-	-	-	1	-	3	-	5
FEMALE--	75	-	-	-	-	-	1	-	-	1	-	1
KANSAS -----	9,684	9	1	-	2	4	9	9	21	47	88	142
WHITE-----MALE----	4,238	3	1	-	1	3	6	3	10	29	48	91
FEMALE--	4,952	5	-	-	1	1	1	4	9	11	24	36
ALL OTHER--MALE----	241	1	-	-	-	-	1	2	2	3	8	8
FEMALE--	253	-	-	-	-	-	1	-	-	4	8	7
BLACK---MALE----	198	1	-	-	-	-	1	2	1	3	5	6
FEMALE--	220	-	-	-	-	-	-	-	-	3	6	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,443

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
HAWAII -----	96	159	164	278	382	493	494	472	326	148	39	-
WHITE-----MALE----	18	32	32	44	58	76	72	49	20	5	1	-
FEMALE--	2	6	11	18	32	64	58	77	59	30	5	-
ALL OTHER--MALE----	45	82	74	134	167	210	192	200	107	36	8	-
FEMALE--	31	39	47	82	125	143	172	146	140	77	25	-
BLACK---MALE----	-	3	-	1	3	-	-	2	-	-	-	-
FEMALE--	-	1	-	-	2	2	2	1	-	-	-	-
IDAHO -----	81	83	177	221	336	562	643	632	401	149	40	-
WHITE-----MALE----	63	56	119	141	194	297	308	254	142	37	6	-
FEMALE--	17	25	56	79	135	261	329	371	255	111	31	-
ALL OTHER--MALE----	1	1	2	-	5	2	4	5	4	-	1	-
FEMALE--	-	1	-	1	2	2	2	2	-	1	2	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	2	-
ILLINOIS -----	1,114	1,544	2,120	3,120	4,660	6,106	7,339	7,024	4,958	2,006	533	5
WHITE-----MALE----	614	779	1,041	1,623	2,273	2,864	2,954	2,269	1,173	329	56	3
FEMALE--	190	334	506	885	1,618	2,528	3,696	4,247	3,426	1,515	434	1
ALL OTHER--MALE----	191	266	344	329	420	311	300	155	100	26	3	1
FEMALE--	119	165	229	283	349	403	389	353	259	136	40	-
BLACK---MALE----	185	246	320	304	395	284	274	137	91	24	3	1
FEMALE--	116	158	223	263	336	377	363	334	245	129	40	-
INDIANA -----	562	756	1,125	1,717	2,553	3,238	3,788	3,621	2,458	1,040	227	-
WHITE-----MALE----	351	450	679	993	1,348	1,563	1,619	1,184	593	199	29	-
FEMALE--	144	212	342	582	1,001	1,476	1,990	2,302	1,756	780	187	-
ALL OTHER--MALE----	45	63	62	79	98	94	67	50	36	11	5	-
FEMALE--	22	31	42	63	106	105	112	85	73	50	6	-
BLACK---MALE----	44	63	59	77	96	93	64	48	35	10	5	-
FEMALE--	21	30	41	60	104	103	110	84	71	48	6	-
IOWA -----	221	318	480	706	1,176	1,668	2,200	2,292	1,793	795	215	-
WHITE-----MALE----	162	219	331	448	706	912	1,022	916	490	138	36	-
FEMALE--	54	85	134	241	453	736	1,157	1,363	1,296	648	177	-
ALL OTHER--MALE----	1	10	7	8	8	9	7	4	2	2	-	-
FEMALE--	4	4	8	9	9	11	14	9	5	7	2	-
BLACK---MALE----	1	9	6	7	8	6	6	3	1	2	-	-
FEMALE--	4	4	7	8	8	10	10	8	4	7	2	-
KANSAS -----	207	276	381	575	951	1,344	1,602	1,805	1,418	628	165	-
WHITE-----MALE----	144	174	241	347	549	686	719	643	391	126	23	-
FEMALE--	38	75	105	189	341	584	813	1,104	988	487	136	-
ALL OTHER--MALE----	18	15	23	21	37	36	33	18	10	4	1	-
FEMALE--	7	12	12	18	24	38	37	40	29	11	5	-
BLACK---MALE----	13	12	21	18	28	31	28	15	8	4	1	-
FEMALE--	6	11	8	16	21	31	34	33	29	11	5	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,444

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
KENTUCKY -----	15,785	17	5	-	5	10	15	28	54	114	196	325
WHITE-----MALE----	7,060	11	3	-	4	6	4	12	35	71	131	202
FEMALE--	7,654	5	1	-	1	4	9	12	15	21	39	84
ALL OTHER--MALE----	478	1	1	-	-	-	2	3	3	15	13	28
FEMALE--	593	-	-	-	-	-	-	1	1	7	13	11
BLACK---MALE----	473	1	1	-	-	-	2	3	3	14	13	28
FEMALE--	579	-	-	-	-	-	-	1	1	7	13	11
LOUISIANA -----	15,402	21	7	4	7	12	27	31	63	151	260	380
WHITE-----MALE----	5,284	5	2	1	3	3	5	6	17	54	106	121
FEMALE--	5,670	4	1	2	1	1	4	8	10	22	28	59
ALL OTHER--MALE----	2,087	4	2	-	1	3	11	12	20	43	69	116
FEMALE--	2,361	8	2	1	2	5	7	5	16	32	57	84
BLACK---MALE----	2,054	4	2	-	1	3	11	12	19	42	69	115
FEMALE--	2,341	8	2	1	2	5	7	5	16	32	57	84
MAINE -----	4,761	3	-	1	-	3	4	4	18	25	38	69
WHITE-----MALE----	2,245	3	-	1	-	1	3	3	12	15	25	53
FEMALE--	2,506	-	-	-	-	2	1	1	6	10	12	16
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	15,584	24	3	4	9	14	23	31	64	128	220	360
WHITE-----MALE----	5,471	3	-	2	1	4	4	10	15	57	69	141
FEMALE--	6,420	6	-	-	2	3	6	5	8	16	31	38
ALL OTHER--MALE----	1,809	12	2	2	2	4	8	8	27	32	72	109
FEMALE--	1,884	3	1	-	4	3	5	8	14	23	48	72
BLACK---MALE----	1,729	12	2	2	2	4	8	8	27	30	71	106
FEMALE--	1,802	3	1	-	4	3	5	7	14	23	47	69
MASSACHUSETTS -----	21,326	20	6	4	7	14	10	28	57	111	167	318
WHITE-----MALE----	9,117	9	2	-	3	6	4	16	28	64	106	210
FEMALE--	11,431	6	2	3	3	4	4	8	21	24	46	75
ALL OTHER--MALE----	393	3	1	-	1	2	2	3	4	17	11	27
FEMALE--	385	2	1	1	-	2	-	1	4	6	4	6
BLACK---MALE----	320	3	1	-	1	2	2	3	3	14	9	22
FEMALE--	333	2	1	1	-	2	-	1	4	6	4	6
MICHIGAN -----	35,402	24	13	10	12	17	29	48	118	236	415	774
WHITE-----MALE----	14,211	10	4	4	7	11	12	11	58	107	213	399
FEMALE--	16,326	8	7	2	4	2	9	14	27	49	57	129
ALL OTHER--MALE----	2,355	4	-	1	-	2	5	13	19	44	92	152
FEMALE--	2,510	2	2	3	1	2	3	10	14	36	53	94
BLACK---MALE----	2,212	3	-	1	-	2	5	13	17	42	86	146
FEMALE--	2,404	2	2	3	1	2	2	10	14	36	49	90

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,444

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
KENTUCKY -----	514	586	893	1,280	1,902	2,284	2,596	2,499	1,658	651	153	-
WHITE-----MALE----	330	370	531	761	1,049	1,096	1,035	822	426	140	21	-
FEMALE--	128	172	282	428	714	1,055	1,421	1,541	1,134	470	118	-
ALL OTHER--MALE----	33	22	47	50	69	55	45	47	40	2	2	-
FEMALE--	23	22	33	41	70	78	95	89	58	39	12	-
BLACK---MALE----	33	22	47	49	68	53	45	47	40	2	2	-
FEMALE--	22	21	31	38	69	78	92	87	58	39	11	-
LOUISIANA -----	523	722	972	1,276	1,792	2,280	2,440	2,281	1,460	546	147	-
WHITE-----MALE----	211	295	393	540	797	913	810	634	274	77	17	-
FEMALE--	71	121	214	326	510	794	1,062	1,161	874	327	70	-
ALL OTHER--MALE----	153	185	196	229	229	264	233	174	101	37	5	-
FEMALE--	88	121	169	181	256	309	335	312	211	105	55	-
BLACK---MALE----	147	180	193	227	228	261	227	172	99	37	5	-
FEMALE--	85	118	169	179	254	307	333	307	210	105	55	-
MAINE -----	127	136	204	329	533	746	802	773	613	274	59	-
WHITE-----MALE----	96	100	133	211	302	402	354	287	181	53	10	-
FEMALE--	31	36	70	118	227	344	447	485	431	220	49	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	3	-	1	-	1	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	1	-	-
MARYLAND -----	487	652	825	1,241	1,817	2,414	2,496	2,344	1,631	628	167	2
WHITE-----MALE----	202	272	352	551	779	996	919	673	313	94	14	-
FEMALE--	75	120	183	285	561	932	1,140	1,330	1,108	452	119	-
ALL OTHER--MALE----	131	153	175	235	257	254	155	102	44	16	7	2
FEMALE--	79	107	115	170	220	232	282	239	166	66	27	-
BLACK---MALE----	128	145	172	221	247	244	143	91	42	15	7	2
FEMALE--	77	101	108	164	213	219	265	230	158	65	26	-
MASSACHUSETTS -----	469	560	900	1,392	2,178	3,036	3,854	3,866	2,770	1,222	337	-
WHITE-----MALE----	323	378	558	820	1,201	1,510	1,655	1,294	667	222	41	-
FEMALE--	100	145	272	496	878	1,435	2,104	2,493	2,053	973	286	-
ALL OTHER--MALE----	29	23	52	41	53	46	41	23	10	3	1	-
FEMALE--	17	14	18	35	46	45	54	56	40	24	9	-
BLACK---MALE----	27	19	41	33	47	32	35	13	9	3	1	-
FEMALE--	15	13	15	31	37	41	44	50	34	19	7	-
MICHIGAN -----	959	1,277	1,706	2,741	4,080	5,301	6,151	5,588	3,958	1,602	342	1
WHITE-----MALE----	485	665	870	1,440	1,933	2,403	2,499	1,811	950	274	44	1
FEMALE--	211	323	468	832	1,461	2,252	3,018	3,279	2,722	1,196	256	-
ALL OTHER--MALE----	158	171	211	260	352	309	262	174	92	31	3	-
FEMALE--	105	118	157	209	334	337	372	324	194	101	39	-
BLACK---MALE----	143	160	196	242	337	289	248	159	89	31	3	-
FEMALE--	96	111	154	201	316	327	352	313	186	100	37	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,445

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
MINNESOTA -----	13,790	13	2	3	7	3	16	19	27	68	138	205
WHITE-----MALE----	6,458	4	1	1	4	2	7	7	15	39	90	147
FEMALE--	7,004	7	-	1	3	1	9	7	8	21	33	38
ALL OTHER--MALE----	172	1	-	1	-	-	-	2	2	6	11	12
FEMALE--	156	1	1	-	-	-	-	3	2	2	4	8
BLACK---MALE----	85	1	-	1	-	-	-	1	1	3	7	7
FEMALE--	84	-	1	-	-	-	-	2	1	2	2	5
MISSISSIPPI -----	12,126	15	6	-	6	10	11	26	55	125	201	314
WHITE-----MALE----	3,778	3	1	-	-	4	-	4	14	27	63	100
FEMALE--	4,280	4	1	-	2	1	1	4	3	19	27	39
ALL OTHER--MALE----	1,881	5	2	-	3	1	6	10	23	44	73	105
FEMALE--	2,187	3	2	-	1	4	4	8	15	35	38	70
BLACK---MALE----	1,864	5	2	-	3	1	6	10	23	44	73	105
FEMALE--	2,171	3	2	-	1	4	4	8	15	35	38	68
MISSOURI -----	23,516	16	6	2	9	14	24	37	80	146	268	398
WHITE-----MALE----	9,736	1	-	-	3	8	11	14	41	75	137	215
FEMALE--	11,560	5	2	2	5	2	4	6	19	36	50	86
ALL OTHER--MALE----	1,025	5	4	-	-	4	4	11	11	14	49	64
FEMALE--	1,195	5	-	-	1	-	5	6	9	21	32	33
BLACK---MALE----	991	5	4	-	-	4	4	10	11	14	47	64
FEMALE--	1,157	5	-	-	1	-	5	6	9	19	32	33
MONTANA -----	2,874	4	1	-	-	4	2	5	4	12	27	50
WHITE-----MALE----	1,412	1	1	-	-	2	2	1	1	7	15	36
FEMALE--	1,377	2	-	-	-	2	-	2	1	4	10	6
ALL OTHER--MALE----	51	-	-	-	-	-	-	1	1	1	2	4
FEMALE--	34	1	-	-	-	-	-	1	1	-	-	4
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	6,551	7	3	1	3	2	8	4	17	30	62	71
WHITE-----MALE----	2,960	5	1	1	1	2	4	1	7	17	38	53
FEMALE--	3,385	2	2	-	2	-	3	3	8	6	12	15
ALL OTHER--MALE----	96	-	-	-	-	-	-	-	1	4	9	3
FEMALE--	110	-	-	-	-	-	1	-	1	3	3	-
BLACK---MALE----	75	-	-	-	-	-	-	-	-	4	6	2
FEMALE--	94	-	-	-	-	-	1	-	1	3	2	-
NEVADA -----	5,006	7	2	1	1	2	2	9	25	40	71	112
WHITE-----MALE----	2,483	4	1	-	1	1	2	1	14	23	47	75
FEMALE--	2,102	3	1	1	-	1	-	4	5	9	14	20
ALL OTHER--MALE----	209	-	-	-	-	-	-	2	4	4	4	9
FEMALE--	212	-	-	-	-	-	-	2	2	4	6	8
BLACK---MALE----	131	-	-	-	-	-	-	1	3	3	4	5
FEMALE--	149	-	-	-	-	-	-	2	2	3	4	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,445

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
MINNESOTA -----	261	389	587	832	1,327	1,870	2,493	2,544	1,959	823	204	-
WHITE-----MALE----	185	264	380	528	826	998	1,178	1,003	584	173	22	-
FEMALE--	56	100	181	269	458	829	1,285	1,520	1,354	645	179	-
ALL OTHER--MALE----	15	12	15	20	24	19	14	10	7	-	1	-
FEMALE--	5	13	11	15	19	24	16	11	14	5	2	-
BLACK---MALE----	10	6	4	9	9	11	6	5	3	-	1	-
FEMALE--	3	6	5	5	11	12	11	7	6	4	1	-
MISSISSIPPI -----	450	549	719	1,029	1,364	1,666	1,893	1,849	1,245	460	131	2
WHITE-----MALE----	166	202	285	418	549	607	582	454	231	58	10	-
FEMALE--	75	100	137	236	391	541	788	897	707	247	60	-
ALL OTHER--MALE----	134	149	146	192	210	234	191	202	89	39	21	2
FEMALE--	75	98	151	183	214	284	332	296	218	116	40	-
BLACK---MALE----	131	146	143	189	209	232	191	201	88	39	21	2
FEMALE--	74	97	150	183	213	282	330	295	215	115	39	-
MISSOURI -----	587	828	1,126	1,669	2,486	3,278	3,807	4,233	3,009	1,207	285	1
WHITE-----MALE----	318	481	652	923	1,294	1,555	1,583	1,406	789	199	31	-
FEMALE--	147	188	297	544	930	1,443	1,982	2,589	2,055	934	233	1
ALL OTHER--MALE----	76	89	105	104	132	131	99	63	43	15	2	-
FEMALE--	46	70	72	98	130	149	143	175	122	59	19	-
BLACK---MALE----	74	87	100	100	129	126	95	60	40	15	2	-
FEMALE--	46	67	72	90	126	146	136	171	117	57	19	-
MONTANA -----	69	108	137	197	315	409	498	488	381	128	35	-
WHITE-----MALE----	49	68	80	126	186	219	258	219	107	31	3	-
FEMALE--	17	37	45	56	121	184	231	264	271	95	29	-
ALL OTHER--MALE----	2	3	9	9	5	2	5	4	-	1	2	-
FEMALE--	1	-	3	6	3	4	4	1	3	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEBRASKA -----	121	171	274	400	619	875	1,086	1,252	1,015	419	111	-
WHITE-----MALE----	87	110	167	254	383	463	486	488	284	92	16	-
FEMALE--	24	43	83	124	215	394	573	746	714	324	92	-
ALL OTHER--MALE----	5	10	9	11	10	9	10	7	5	2	1	-
FEMALE--	5	8	15	11	11	9	17	11	12	1	2	-
BLACK---MALE----	2	7	7	8	10	8	8	6	4	2	1	-
FEMALE--	4	7	12	8	11	7	15	11	9	1	2	-
NEVADA -----	184	245	378	501	674	822	802	621	370	109	25	3
WHITE-----MALE----	127	151	228	314	363	422	379	220	91	15	2	2
FEMALE--	39	58	103	136	260	331	375	370	261	88	22	1
ALL OTHER--MALE----	10	22	28	24	30	31	21	13	6	1	-	-
FEMALE--	8	14	19	27	21	38	27	18	12	5	1	-
BLACK---MALE----	7	12	17	16	20	22	13	6	2	-	-	-
FEMALE--	6	12	10	16	15	26	18	16	8	3	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,447

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49

VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	44,105	36	9	6	17	29	35	47	109	243	494	859
WHITE-----MALE----	18,557	15	3	2	8	15	12	17	47	128	273	487
FEMALE--	21,195	7	3	2	6	13	9	19	36	58	118	180
ALL OTHER--MALE----	2,108	8	3	1	1	-	7	5	21	35	65	119
FEMALE--	2,245	6	-	1	2	1	7	6	5	22	38	73
BLACK---MALE----	2,056	8	3	1	1	-	7	4	21	35	64	115
FEMALE--	2,205	5	-	1	2	1	7	6	5	22	38	72
OKLAHOMA -----	14,599	17	6	1	2	9	15	16	34	90	185	273
WHITE-----MALE----	6,157	7	1	1	1	3	7	5	13	38	97	151
FEMALE--	6,958	7	3	-	1	2	2	7	12	22	36	71
ALL OTHER--MALE----	752	2	1	-	-	2	2	2	6	14	35	42
FEMALE--	732	1	1	-	-	2	4	2	3	16	17	9
BLACK---MALE----	435	-	1	-	-	1	2	-	6	8	25	27
FEMALE--	470	1	1	-	-	2	4	1	2	9	12	5
OREGON -----	10,958	5	3	2	-	5	5	13	27	58	95	176
WHITE-----MALE----	5,113	4	1	1	-	2	2	7	15	32	63	112
FEMALE--	5,547	1	1	1	-	3	2	4	11	21	24	49
ALL OTHER--MALE----	152	-	1	-	-	-	1	1	1	3	5	12
FEMALE--	146	-	-	-	-	-	-	1	-	2	3	3
BLACK---MALE----	68	-	1	-	-	-	-	-	1	1	2	6
FEMALE--	61	-	-	-	-	-	-	-	-	1	2	2
PENNSYLVANIA -----	53,729	38	18	9	10	17	25	72	121	297	504	819
WHITE-----MALE----	22,425	14	8	3	7	8	11	32	62	159	280	510
FEMALE--	27,134	12	5	4	1	3	6	20	35	68	102	164
ALL OTHER--MALE----	1,976	7	4	1	1	3	4	14	13	39	83	94
FEMALE--	2,194	5	1	1	1	3	4	6	11	31	39	51
BLACK---MALE----	1,891	6	4	1	1	3	4	13	11	39	80	88
FEMALE--	2,110	5	-	1	1	3	3	5	10	31	38	49
RHODE ISLAND -----	4,208	2	1	-	-	2	2	1	13	16	28	56
WHITE-----MALE----	1,828	1	1	-	-	2	2	1	9	12	17	39
FEMALE--	2,253	1	-	-	-	-	-	-	4	3	10	10
ALL OTHER--MALE----	51	-	-	-	-	-	-	-	-	1	-	6
FEMALE--	76	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	43	-	-	-	-	-	-	-	-	-	-	6
FEMALE--	63	-	-	-	-	-	-	-	-	-	1	1
SOUTH CAROLINA -----	13,666	18	8	1	6	12	19	18	54	129	246	375
WHITE-----MALE----	4,777	6	2	-	1	3	5	6	15	54	76	141
FEMALE--	4,889	4	1	-	1	2	4	2	11	14	38	56
ALL OTHER--MALE----	1,913	3	4	1	2	3	5	7	15	37	81	108
FEMALE--	2,087	5	1	-	2	4	5	3	13	24	51	70
BLACK---MALE----	1,897	3	4	1	2	3	5	7	15	37	80	104
FEMALE--	2,069	5	1	-	2	4	5	3	13	24	51	70

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,447
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
OHIO -----	1,116	1,538	2,228	3,470	5,234	6,731	7,586	7,056	4,835	1,934	493	-
WHITE-----MALE----	677	865	1,267	1,857	2,688	3,169	3,121	2,326	1,171	349	60	-
FEMALE--	253	399	614	1,121	1,912	2,952	3,940	4,282	3,414	1,467	390	-
ALL OTHER--MALE----	120	161	193	248	336	298	241	163	63	17	3	-
FEMALE--	66	113	154	244	298	312	284	285	187	101	40	-
BLACK---MALE----	117	157	191	241	325	291	233	159	63	17	3	-
FEMALE--	65	110	148	239	287	311	283	281	186	96	40	-
OKLAHOMA -----	413	533	792	1,111	1,597	2,040	2,414	2,492	1,776	611	166	6
WHITE-----MALE----	246	305	457	584	863	987	966	847	428	119	29	2
FEMALE--	94	140	224	388	558	873	1,247	1,485	1,216	444	124	2
ALL OTHER--MALE----	49	54	71	70	100	97	86	52	52	12	1	2
FEMALE--	24	34	40	69	76	83	115	108	80	36	12	-
BLACK---MALE----	23	26	41	41	53	51	50	35	35	8	1	1
FEMALE--	16	23	24	38	50	52	73	70	56	24	7	-
OREGON -----	240	317	432	688	1,111	1,636	2,142	1,991	1,344	537	131	-
WHITE-----MALE----	159	207	275	441	630	886	993	750	383	130	20	-
FEMALE--	68	87	132	231	446	712	1,099	1,202	944	400	109	-
ALL OTHER--MALE----	7	12	12	9	22	17	25	16	5	3	-	-
FEMALE--	6	11	13	7	13	21	25	23	12	4	2	-
BLACK---MALE----	5	8	5	6	8	7	11	4	3	-	-	-
FEMALE--	2	6	2	3	4	6	12	11	7	1	2	-
PENNSYLVANIA -----	1,144	1,563	2,418	4,072	6,133	8,245	9,921	9,291	6,142	2,288	577	5
WHITE-----MALE----	686	882	1,346	2,256	3,190	3,924	4,012	3,031	1,515	404	82	3
FEMALE--	249	410	716	1,362	2,378	3,799	5,389	5,813	4,365	1,770	463	-
ALL OTHER--MALE----	137	167	210	247	285	223	215	129	67	25	8	-
FEMALE--	72	104	146	207	280	299	305	318	195	89	24	2
BLACK---MALE----	131	157	197	241	279	217	203	122	64	22	8	-
FEMALE--	71	103	136	198	267	290	290	304	191	88	24	2
RHODE ISLAND -----	77	106	140	259	453	668	740	746	583	257	58	-
WHITE-----MALE----	53	78	78	152	265	327	330	272	137	48	4	-
FEMALE--	16	24	52	97	176	318	389	464	430	207	52	-
ALL OTHER--MALE----	4	1	6	3	8	11	5	3	2	1	-	-
FEMALE--	4	3	4	7	4	12	16	7	14	1	2	-
BLACK---MALE----	4	-	5	3	6	10	5	2	1	1	-	-
FEMALE--	3	3	2	5	4	10	14	5	12	1	2	-
SOUTH CAROLINA -----	516	645	929	1,249	1,771	2,065	2,152	1,882	1,076	392	103	-
WHITE-----MALE----	210	282	427	538	758	805	727	492	183	39	7	-
FEMALE--	86	116	185	299	507	731	864	994	644	266	64	-
ALL OTHER--MALE----	145	163	178	230	237	245	232	131	63	18	5	-
FEMALE--	75	84	139	182	269	284	329	265	186	69	27	-
BLACK---MALE----	143	162	176	228	236	245	230	130	63	18	5	-
FEMALE--	74	84	138	180	265	278	327	264	186	68	27	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,448

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
SOUTH DAKOTA -----	2,888	6	1	-	-	2	2	5	6	13	24	32
WHITE-----MALE----	1,371	3	1	-	-	1	1	1	3	5	16	25
FEMALE--	1,382	1	-	-	-	1	-	3	1	6	6	4
ALL OTHER--MALE----	72	-	-	-	-	-	-	-	1	2	2	2
FEMALE--	63	2	-	-	-	-	1	1	1	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	22,100	25	4	3	8	12	21	36	90	170	317	525
WHITE-----MALE----	8,857	9	2	1	2	3	10	12	47	86	155	262
FEMALE--	9,800	6	1	-	4	4	3	10	21	38	62	104
ALL OTHER--MALE----	1,594	4	1	1	1	3	5	9	13	26	59	113
FEMALE--	1,849	6	-	1	1	2	3	5	9	20	41	46
BLACK---MALE----	1,568	3	1	1	1	3	5	9	12	26	59	111
FEMALE--	1,828	6	-	1	1	2	3	5	9	20	41	45
TEXAS -----	57,421	88	17	19	19	46	74	119	204	458	782	1,271
WHITE-----MALE----	24,098	45	6	11	6	25	30	59	98	220	416	686
FEMALE--	25,949	21	7	4	8	11	24	34	57	104	156	263
ALL OTHER--MALE----	3,532	9	2	2	3	4	11	15	26	82	133	195
FEMALE--	3,842	13	2	2	2	6	9	11	23	52	77	127
BLACK---MALE----	3,347	8	2	2	3	4	10	15	23	75	124	185
FEMALE--	3,675	13	2	2	2	5	8	11	22	50	75	121
UTAH -----	4,132	10	6	1	2	6	7	9	8	27	47	65
WHITE-----MALE----	1,990	7	3	1	-	2	3	4	6	21	28	42
FEMALE--	2,080	3	3	-	2	4	2	5	2	5	15	20
ALL OTHER--MALE----	35	-	-	-	-	-	1	-	-	-	3	3
FEMALE--	27	-	-	-	-	-	1	-	-	1	1	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
VERMONT -----	2,005	-	1	-	1	1	3	3	3	11	17	26
WHITE-----MALE----	913	-	1	-	1	1	1	2	3	7	10	21
FEMALE--	1,089	-	-	-	-	-	-	1	-	4	6	5
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	21,075	27	7	4	5	20	24	44	92	158	285	447
WHITE-----MALE----	7,843	10	3	1	3	8	8	16	40	55	129	212
FEMALE--	8,763	3	2	2	-	4	6	8	19	35	46	73
ALL OTHER--MALE----	2,143	8	1	1	1	7	5	14	22	37	65	109
FEMALE--	2,326	6	1	-	1	1	5	6	11	31	45	53
BLACK---MALE----	2,042	8	1	1	1	7	5	13	19	36	59	107
FEMALE--	2,243	4	1	-	1	-	5	6	10	28	43	52

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,448

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
SOUTH DAKOTA -----	48	72	127	187	268	409	516	500	406	204	60	-
WHITE-----MALE----	26	48	82	119	169	238	251	207	116	48	11	-
FEMALE--	14	14	28	51	80	157	252	277	286	154	47	-
ALL OTHER--MALE----	8	8	10	10	9	5	7	7	1	-	-	-
FEMALE--	-	2	7	7	10	9	6	9	3	2	2	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
TENNESSEE -----	727	959	1,271	1,855	2,459	3,220	3,569	3,516	2,297	853	160	3
WHITE-----MALE----	396	543	702	999	1,172	1,386	1,338	1,034	543	134	19	2
FEMALE--	154	215	326	524	869	1,395	1,799	2,053	1,509	595	108	-
ALL OTHER--MALE----	101	112	136	165	199	185	177	153	82	38	10	1
FEMALE--	76	89	107	167	219	254	255	276	163	86	23	-
BLACK---MALE----	101	109	134	161	196	184	174	148	81	38	10	1
FEMALE--	75	88	106	165	217	247	253	274	162	85	23	-
TEXAS -----	1,893	2,239	3,278	4,598	6,614	8,144	9,154	9,100	6,226	2,502	570	6
WHITE-----MALE----	1,065	1,249	1,786	2,479	3,363	3,900	3,689	2,905	1,549	426	82	3
FEMALE--	420	543	864	1,392	2,304	3,398	4,580	5,430	4,105	1,818	406	-
ALL OTHER--MALE----	246	274	366	388	481	391	365	283	167	66	21	2
FEMALE--	162	173	262	339	466	455	520	482	405	192	61	1
BLACK---MALE----	232	261	342	367	456	375	345	270	161	64	21	2
FEMALE--	152	168	247	326	447	429	486	459	399	189	61	1
UTAH -----	90	128	168	283	453	585	752	764	531	162	28	-
WHITE-----MALE----	71	98	94	170	266	318	361	296	151	43	5	-
FEMALE--	17	26	67	103	180	264	383	466	373	117	23	-
ALL OTHER--MALE----	1	2	5	6	4	1	5	2	2	-	-	-
FEMALE--	1	2	2	4	3	2	3	-	5	2	-	-
BLACK---MALE----	1	1	3	2	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	2	1	2	-	1	-	-	-
VERMONT -----	46	50	97	139	214	290	362	345	267	105	26	-
WHITE-----MALE----	34	35	63	89	130	144	151	123	70	22	5	-
FEMALE--	12	15	34	50	83	146	211	221	197	83	21	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
VIRGINIA -----	679	822	1,267	1,698	2,471	3,239	3,392	3,204	2,145	840	199	6
WHITE-----MALE----	330	405	607	799	1,108	1,352	1,217	919	474	131	11	5
FEMALE--	150	174	289	454	791	1,228	1,573	1,803	1,380	586	137	-
ALL OTHER--MALE----	127	150	222	255	299	305	238	158	79	30	9	1
FEMALE--	72	93	149	190	273	354	364	324	212	93	42	-
BLACK---MALE----	120	140	210	248	281	294	226	153	73	30	9	1
FEMALE--	66	86	142	180	262	350	359	308	207	91	42	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,449

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
WASHINGTON -----	15,667	11	4	3	1	10	20	16	43	89	159	273
WHITE-----MALE----	7,321	3	1	-	1	3	7	6	26	52	103	178
FEMALE--	7,603	8	2	2	-	5	10	5	9	28	37	57
ALL OTHER--MALE----	423	-	-	1	-	2	-	4	4	7	10	31
FEMALE--	320	-	1	-	-	-	3	1	4	2	9	7
BLACK---MALE----	180	-	-	1	-	2	-	2	1	5	5	9
FEMALE--	132	-	-	-	-	-	-	-	1	1	3	3
WEST VIRGINIA -----	8,740	8	-	2	1	3	5	13	25	44	95	141
WHITE-----MALE----	3,915	2	-	2	-	1	2	4	16	33	66	91
FEMALE--	4,535	6	-	-	1	1	2	7	8	9	26	41
ALL OTHER--MALE----	125	-	-	-	-	1	-	2	1	2	-	8
FEMALE--	165	-	-	-	-	-	1	-	-	-	3	1
BLACK---MALE----	122	-	-	-	-	1	-	2	1	2	-	8
FEMALE--	161	-	-	-	-	-	1	-	-	-	2	1
WISCONSIN -----	18,590	10	3	1	2	10	12	22	50	87	177	277
WHITE-----MALE----	8,450	2	2	-	1	3	4	7	25	51	109	184
FEMALE--	9,499	4	-	1	-	3	7	9	11	18	40	54
ALL OTHER--MALE----	333	4	-	-	1	2	1	1	6	10	19	26
FEMALE--	308	-	1	-	-	2	-	5	8	8	9	13
BLACK---MALE----	263	3	-	-	1	2	1	-	4	8	16	23
FEMALE--	249	-	-	-	-	2	-	4	8	5	8	9
WYOMING -----	1,369	1	-	1	-	3	-	3	3	8	17	28
WHITE-----MALE----	688	1	-	1	-	1	-	2	2	3	14	17
FEMALE--	659	-	-	-	-	2	-	1	-	3	3	8
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	1	1	-	3
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,449

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
WASHINGTON -----	370	505	695	1,089	1,630	2,402	2,815	2,646	1,926	787	173	-
WHITE-----MALE----	243	319	450	654	922	1,274	1,344	984	564	163	24	-
FEMALE--	88	140	191	351	633	1,035	1,367	1,571	1,318	604	142	-
ALL OTHER--MALE----	34	28	28	53	44	38	56	56	16	8	3	-
FEMALE--	5	18	26	31	31	55	48	35	28	12	4	-
BLACK---MALE----	17	11	10	30	22	16	20	21	3	3	2	-
FEMALE--	4	7	9	12	17	26	12	15	16	4	2	-
WEST VIRGINIA -----	223	356	439	693	1,069	1,339	1,494	1,415	921	348	104	2
WHITE-----MALE----	151	225	288	389	583	668	602	470	241	68	12	1
FEMALE--	64	115	133	282	446	631	862	901	656	259	85	-
ALL OTHER--MALE----	7	9	12	7	16	16	10	20	8	5	-	1
FEMALE--	1	7	6	15	24	24	20	24	16	16	7	-
BLACK---MALE----	7	9	11	7	16	16	8	20	8	5	-	1
FEMALE--	1	7	6	15	22	23	20	24	16	16	7	-
WISCONSIN -----	398	507	745	1,258	1,883	2,620	3,434	3,307	2,478	1,060	248	1
WHITE-----MALE----	256	321	468	771	1,091	1,373	1,611	1,236	687	210	37	1
FEMALE--	99	144	222	416	719	1,168	1,757	2,017	1,769	833	208	-
ALL OTHER--MALE----	23	26	42	38	42	32	27	19	6	7	1	-
FEMALE--	20	16	13	33	31	47	39	35	16	10	2	-
BLACK---MALE----	18	14	35	30	34	22	22	16	6	7	1	-
FEMALE--	17	14	11	29	25	30	34	29	15	8	1	-
WYOMING -----	40	42	67	113	153	183	228	248	150	69	11	1
WHITE-----MALE----	26	31	50	77	95	95	120	89	43	17	3	1
FEMALE--	12	9	17	34	55	85	106	158	107	51	8	-
ALL OTHER--MALE----	1	2	-	1	2	2	-	1	-	-	-	-
FEMALE--	1	-	-	1	1	1	2	-	-	1	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,450

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	5,014	3	4	-	5	16	27	30	63	98	112	161
WHITE-----MALE----	1,389	-	3	-	1	10	5	9	30	19	24	44
FEMALE--	3,158	3	1	-	1	3	9	9	20	45	49	74
ALL OTHER--MALE----	164	-	-	-	1	2	7	5	3	13	16	15
FEMALE--	303	-	-	-	2	1	6	7	10	21	23	28
BLACK---MALE----	124	-	-	-	1	2	5	5	2	10	13	12
FEMALE--	229	-	-	-	1	1	3	6	7	15	18	26
ALABAMA -----	64	-	-	-	-	1	-	-	3	-	2	4
WHITE-----MALE----	16	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	38	-	-	-	-	1	-	-	2	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
ALASKA -----	9	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	96	-	-	-	-	1	-	1	1	2	-	5
WHITE-----MALE----	31	-	-	-	-	1	-	-	1	-	-	2
FEMALE--	61	-	-	-	-	-	-	1	-	2	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS -----	39	-	-	-	-	-	-	-	1	-	1	4
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA -----	576	-	-	-	-	1	3	2	14	17	18	15
WHITE-----MALE----	160	-	-	-	-	1	-	-	8	2	3	5
FEMALE--	336	-	-	-	-	-	2	1	4	8	8	6
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	1	4	2	3
FEMALE--	50	-	-	-	-	-	1	1	1	3	5	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	15	-	-	-	-	-	1	1	-	1	3	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,450

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	192	234	304	466	658	818	784	638	307	81	13	-
WHITE-----MALE----	58	81	91	128	203	236	219	157	62	8	1	-
FEMALE--	93	109	175	306	408	542	534	465	234	67	11	-
ALL OTHER--MALE----	18	22	10	11	15	12	8	3	1	1	1	-
FEMALE--	23	22	28	21	32	28	23	13	10	5	-	-
BLACK---MALE----	17	19	7	7	9	6	7	1	-	1	-	-
FEMALE--	19	17	23	16	21	24	10	10	8	4	-	-
ALABAMA -----	1	2	3	9	12	9	6	6	3	3	-	-
WHITE-----MALE----	1	1	1	2	5	2	1	1	-	-	-	-
FEMALE--	-	1	1	7	7	5	5	3	3	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	1	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	1	-	-
ALASKA -----	-	-	-	1	1	2	-	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	1	4	13	16	21	8	12	6	1	-	-
WHITE-----MALE----	2	1	-	2	3	10	3	4	2	-	-	-
FEMALE--	2	-	2	11	12	11	5	8	4	1	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	1	3	3	5	5	5	8	1	-	-	-
WHITE-----MALE----	-	-	2	-	1	1	2	4	1	-	-	-
FEMALE--	2	1	1	3	4	4	3	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	26	27	36	49	69	87	105	54	39	13	1	-
WHITE-----MALE----	7	11	13	12	18	30	32	11	4	3	-	-
FEMALE--	13	10	19	31	39	49	62	40	33	10	1	-
ALL OTHER--MALE----	2	1	2	2	5	4	2	1	1	-	-	-
FEMALE--	4	5	2	4	7	4	9	2	1	-	-	-
BLACK---MALE----	1	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	1	1	1	-	1	3	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,451

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)												
COLORADO -----	95	-	-	-	-	-	1	1	1	1	2	4
WHITE-----MALE----	33	-	-	-	-	-	-	1	-	1	-	2
FEMALE--	59	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	74	-	-	-	-	-	-	-	-	1	2	1
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	54	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	14	-	-	-	-	-	-	-	1	-	-	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	5	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	363	1	2	-	-	-	2	1	2	5	5	8
WHITE-----MALE----	110	-	1	-	-	-	-	-	1	1	-	4
FEMALE--	241	1	1	-	-	-	2	-	-	4	3	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	1	1	-	2	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	1	1	-	2	-
GEORGIA -----	80	-	-	-	-	-	1	1	2	2	1	8
WHITE-----MALE----	14	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	45	-	-	-	-	-	-	-	1	2	-	3
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	13	-	-	-	-	-	1	-	-	-	1	3
BLACK---MALE----	7	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	12	-	-	-	-	-	1	-	-	-	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,451

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	8	4	5	7	19	17	12	7	4	1	1	-
WHITE-----MALE----	3	2	2	2	8	7	1	4	-	-	-	-
FEMALE--	5	2	3	5	10	10	11	3	4	1	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	5	3	9	13	13	11	7	4	2	1	-
WHITE-----MALE----	-	1	1	3	4	6	2	-	-	-	-	-
FEMALE--	2	3	2	6	9	7	9	7	4	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	2	-	-	2	2	3	-	-	1	-	-
WHITE-----MALE----	1	1	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	1	-	-	2	1	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	1	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	11	15	13	31	50	63	56	62	33	2	1	-
WHITE-----MALE----	4	5	4	8	20	20	12	18	12	-	-	-
FEMALE--	7	9	6	23	29	42	43	44	20	2	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	3	-	1	1	1	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	3	-	1	1	1	-	1	-	-	-
GEORGIA -----	7	5	6	9	6	11	7	9	2	3	-	-
WHITE-----MALE----	1	-	1	2	1	5	-	2	-	-	-	-
FEMALE--	3	4	2	3	4	6	6	7	2	2	-	-
ALL OTHER--MALE----	2	-	-	4	-	-	-	-	-	-	-	-
FEMALE--	1	1	3	-	1	-	1	-	-	1	-	-
BLACK---MALE----	2	-	-	3	-	-	-	-	-	-	-	-
FEMALE--	1	1	3	-	1	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,452

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)												
HAWAII -----	1	2	1	1	4	1	4	1	1	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	2	1	-	-	-	-	1	-
FEMALE--	1	1	1	-	2	-	3	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	2	1	5	10	5	5	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	4	2	1	3	-	-	-
FEMALE--	-	-	2	1	5	6	3	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	8	5	12	22	25	36	27	25	9	1	-	-
WHITE-----MALE----	3	3	-	5	13	8	6	5	3	-	-	-
FEMALE--	4	2	9	15	11	25	21	20	6	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	2	1	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	1	1	-	-	-	-	-	-
INDIANA -----	3	4	12	10	21	16	10	10	9	3	-	-
WHITE-----MALE----	-	1	2	3	8	5	2	4	2	-	-	-
FEMALE--	2	1	10	6	12	11	7	5	7	2	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	1	-	1	-	-
BLACK---MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	1	-	1	-	-
IOWA -----	3	1	6	7	10	10	13	14	7	1	-	-
WHITE-----MALE----	2	-	4	3	5	2	2	2	1	-	-	-
FEMALE--	1	1	2	4	5	8	11	12	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	2	1	5	4	12	8	4	4	-	-	-
WHITE-----MALE----	-	-	-	1	2	3	3	1	-	-	-	-
FEMALE--	1	1	1	4	2	8	5	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,453

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)												
KENTUCKY -----	2	4	7	5	5	11	12	5	2	-	-	-
WHITE-----MALE----	1	1	2	1	2	4	2	-	-	-	-	-
FEMALE--	1	3	5	4	3	6	10	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	1	4	7	5	2	11	6	5	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	6	1	1	-	-	-	-
FEMALE--	-	-	5	3	1	4	5	3	-	-	-	-
ALL OTHER--MALE----	1	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	1	-	1	-	1	-	-	-	-
BLACK---MALE----	1	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	1	-	1	-	1	-	-	-	-
MAINE -----	-	2	1	3	4	7	3	4	-	2	-	-
WHITE-----MALE----	-	-	-	2	2	5	2	1	-	-	-	-
FEMALE--	-	2	1	1	2	2	1	3	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	9	4	6	2	9	21	13	14	5	-	1	-
WHITE-----MALE----	2	1	4	-	1	4	6	1	1	-	-	-
FEMALE--	3	2	2	1	4	14	7	12	4	-	1	-
ALL OTHER--MALE----	1	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	3	-	-	1	4	2	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	3	-	-	1	4	2	-	-	-	-	-	-
MASSACHUSETTS -----	3	3	3	7	17	14	24	23	4	3	-	-
WHITE-----MALE----	1	2	1	3	5	1	6	4	1	-	-	-
FEMALE--	1	1	2	3	12	13	18	19	3	3	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MICHIGAN -----	6	15	9	19	26	27	17	12	15	-	-	-
WHITE-----MALE----	1	6	4	3	9	4	4	4	4	-	-	-
FEMALE--	3	8	2	16	12	22	12	7	9	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	2	-	4	1	1	1	2	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	2	-	3	1	1	1	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,456

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)												
OHIO -----	255	-	-	-	-	3	-	-	2	5	10	3
WHITE-----MALE----	71	-	-	-	-	1	-	-	-	1	3	1
FEMALE--	166	-	-	-	-	2	-	-	1	3	6	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
OKLAHOMA -----	62	-	-	-	-	-	-	1	-	-	1	3
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	38	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	82	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	56	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	299	1	-	-	-	1	-	2	1	7	6	11
WHITE-----MALE----	91	-	-	-	-	1	-	-	1	4	2	5
FEMALE--	194	1	-	-	-	-	-	1	-	2	3	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	1	-	1	-	3
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	1	-	1	-	3
RHODE ISLAND -----	26	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	55	-	-	-	-	-	-	2	1	2	1	4
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	2	-	2	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	-	1	4
BLACK---MALE----	6	-	-	-	-	-	-	2	-	2	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	-	1	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,456

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	8	11	16	22	37	47	42	31	13	4	1	-
WHITE-----MALE----	4	3	5	8	10	7	14	8	5	-	1	-
FEMALE--	3	5	10	14	22	37	27	23	8	3	-	-
ALL OTHER--MALE----	-	1	-	-	2	1	1	-	-	1	-	-
FEMALE--	1	2	1	-	3	2	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	2	1	1	-	-	1	-	-
FEMALE--	1	2	1	-	3	2	-	-	-	-	-	-
OKLAHOMA -----	1	2	5	4	12	12	8	11	1	-	1	-
WHITE-----MALE----	-	1	-	2	7	4	1	6	-	-	-	-
FEMALE--	1	1	5	2	5	8	7	5	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	2	5	2	7	9	13	20	14	8	2	-	-
WHITE-----MALE----	2	1	1	1	1	6	7	3	2	-	-	-
FEMALE--	-	3	1	6	8	7	13	10	6	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	12	14	21	27	33	44	51	48	13	7	-	-
WHITE-----MALE----	5	7	9	6	10	11	15	11	3	1	-	-
FEMALE--	6	7	11	21	23	30	34	37	9	6	-	-
ALL OTHER--MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	-	1	-	-	-
BLACK---MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	1	-	-	-
RHODE ISLAND -----	1	2	1	2	2	6	4	4	1	1	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	1	-	-	-	-
FEMALE--	1	2	1	1	2	5	3	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	3	7	2	4	5	8	10	2	1	-	-
WHITE-----MALE----	-	-	3	-	1	3	3	2	-	-	-	-
FEMALE--	-	3	3	1	3	1	4	7	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	1	1	-	-	1	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	1	1	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,457

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)												
SOUTH DAKOTA -----	23	-	-	-	-	-	2	-	-	-	1	-
WHITE-----MALE----	9	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	108	-	-	-	1	-	1	1	1	4	2	9
WHITE-----MALE----	32	-	-	-	-	-	1	-	1	2	-	1
FEMALE--	64	-	-	-	-	-	-	-	-	2	1	7
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	1	-	-	1	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	1	-	-	1	-	-	-	1
TEXAS -----	249	-	-	-	1	1	3	2	5	6	5	10
WHITE-----MALE----	75	-	-	-	1	-	1	2	2	-	-	3
FEMALE--	143	-	-	-	-	-	1	-	2	1	1	5
ALL OTHER--MALE----	10	-	-	-	-	1	1	-	-	1	2	-
FEMALE--	21	-	-	-	-	-	-	-	1	4	2	2
BLACK---MALE----	10	-	-	-	-	1	1	-	-	1	2	-
FEMALE--	21	-	-	-	-	-	-	-	1	4	2	2
UTAH -----	74	-	-	-	-	1	-	-	1	1	1	4
WHITE-----MALE----	22	-	-	-	-	1	-	-	1	-	-	1
FEMALE--	50	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
VERMONT -----	11	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	84	-	-	-	-	-	-	-	-	5	2	4
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	43	-	-	-	-	-	-	-	-	2	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,457

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)												
SOUTH DAKOTA -----	-	-	2	-	2	2	6	6	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	3	3	-	-	-	-
FEMALE--	-	-	2	-	1	1	3	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	6	8	10	19	16	11	9	6	1	-	-
WHITE-----MALE----	-	3	4	1	9	3	3	2	2	-	-	-
FEMALE--	2	3	4	5	9	11	8	7	4	1	-	-
ALL OTHER--MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	2	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	1	-	-	-	-	-	-
TEXAS -----	10	12	18	32	40	36	25	26	12	5	-	-
WHITE-----MALE----	2	6	4	10	8	16	12	6	2	-	-	-
FEMALE--	4	3	11	20	30	20	12	18	10	5	-	-
ALL OTHER--MALE----	3	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	3	2	2	-	1	2	-	-	-	-
BLACK---MALE----	3	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	3	2	2	-	1	2	-	-	-	-
UTAH -----	3	2	3	5	15	9	12	11	4	2	-	-
WHITE-----MALE----	1	2	1	1	4	3	3	3	1	-	-	-
FEMALE--	2	-	2	4	10	6	9	8	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	2	3	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	8	8	7	8	9	15	9	5	1	-	-
WHITE-----MALE----	1	2	3	5	5	2	6	-	-	-	-	-
FEMALE--	1	3	2	1	3	7	8	8	5	1	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	2	1	-	-	1	1	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	2	1	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,468

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)												
0 UNITED STATES --	4,929	3	4	-	4	16	25	29	60	96	106	158
WHITE-----MALE----	1,356	-	3	-	1	10	4	8	28	18	23	43
FEMALE--	3,122	3	1	-	1	3	9	9	20	44	49	72
ALL OTHER--MALE----	161	-	-	-	1	2	7	5	3	13	15	15
FEMALE--	290	-	-	-	1	1	5	7	9	21	19	28
BLACK---MALE----	121	-	-	-	1	2	5	5	2	10	12	12
FEMALE--	219	-	-	-	1	1	3	6	6	15	14	26
ALABAMA -----	62	-	-	-	-	1	-	-	3	-	1	4
WHITE-----MALE----	15	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	38	-	-	-	-	1	-	-	2	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
ALASKA -----	8	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	96	-	-	-	-	1	-	1	1	2	-	5
WHITE-----MALE----	31	-	-	-	-	1	-	-	1	-	-	2
FEMALE--	61	-	-	-	-	-	-	1	-	2	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS -----	39	-	-	-	-	-	-	-	1	-	1	4
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA -----	562	-	-	-	-	1	3	2	13	16	16	15
WHITE-----MALE----	153	-	-	-	-	1	-	-	7	1	3	5
FEMALE--	332	-	-	-	-	-	2	1	4	8	8	6
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	1	4	2	3
FEMALE--	47	-	-	-	-	-	1	1	1	3	3	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	13	-	-	-	-	-	1	1	-	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,468

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)												
0 UNITED STATES --	186	226	299	456	649	810	778	630	301	80	13	-
WHITE-----MALE----	57	78	88	124	201	231	215	156	59	8	1	-
FEMALE--	92	106	174	301	401	539	532	458	231	66	11	-
ALL OTHER--MALE----	18	21	9	11	15	12	8	3	1	1	1	-
FEMALE--	19	21	28	20	32	28	23	13	10	5	-	-
BLACK---MALE----	17	18	6	7	9	6	7	1	-	1	-	-
FEMALE--	15	16	23	16	21	24	10	10	8	4	-	-
ALABAMA -----	1	1	3	9	12	9	6	6	3	3	-	-
WHITE-----MALE----	1	-	1	2	5	2	1	1	-	-	-	-
FEMALE--	-	1	1	7	7	5	5	3	3	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	1	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	1	-	-
ALASKA -----	-	-	-	1	1	2	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	1	4	13	16	21	8	12	6	1	-	-
WHITE-----MALE----	2	1	-	2	3	10	3	4	2	-	-	-
FEMALE--	2	-	2	11	12	11	5	8	4	1	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	1	3	3	5	5	5	8	1	-	-	-
WHITE-----MALE----	-	-	2	-	1	1	2	4	1	-	-	-
FEMALE--	2	1	1	3	4	4	3	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	26	24	36	45	69	86	103	54	39	13	1	-
WHITE-----MALE----	7	9	13	12	18	29	30	11	4	3	-	-
FEMALE--	13	9	19	28	39	49	62	40	33	10	1	-
ALL OTHER--MALE----	2	1	2	2	5	4	2	1	1	-	-	-
FEMALE--	4	5	2	3	7	4	9	2	1	-	-	-
BLACK---MALE----	1	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	1	1	1	-	1	3	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,469

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)												
COLORADO -----	94	-	-	-	-	-	1	1	1	1	2	4
WHITE-----MALE----	33	-	-	-	-	-	-	1	-	1	-	2
FEMALE--	58	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	74	-	-	-	-	-	-	-	-	1	2	1
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	54	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	14	-	-	-	-	-	-	-	1	-	-	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	5	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	361	1	2	-	-	-	2	1	2	5	5	8
WHITE-----MALE----	109	-	1	-	-	-	-	-	1	1	-	4
FEMALE--	240	1	1	-	-	-	2	-	-	4	3	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	1	1	-	2	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	1	1	-	2	-
GEORGIA -----	79	-	-	-	-	-	1	1	2	2	1	8
WHITE-----MALE----	14	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	44	-	-	-	-	-	-	-	1	2	-	3
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	13	-	-	-	-	-	1	-	-	-	1	3
BLACK---MALE----	7	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	12	-	-	-	-	-	1	-	-	-	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,469

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)												
COLORADO -----	7	4	5	7	19	17	12	7	4	1	1	-
WHITE-----MALE----	3	2	2	2	8	7	1	4	-	-	-	-
FEMALE--	4	2	3	5	10	10	11	3	4	1	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	5	3	9	13	13	11	7	4	2	1	-
WHITE-----MALE----	-	1	1	3	4	6	2	-	-	-	-	-
FEMALE--	2	3	2	6	9	7	9	7	4	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	2	-	-	2	2	3	-	-	1	-	-
WHITE-----MALE----	1	1	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	1	-	-	2	1	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	1	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	11	15	12	31	50	63	56	61	33	2	1	-
WHITE-----MALE----	4	5	3	8	20	20	12	18	12	-	-	-
FEMALE--	7	9	6	23	29	42	43	43	20	2	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	3	-	1	1	1	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	3	-	1	1	1	-	1	-	-	-
GEORGIA -----	7	5	6	9	6	10	7	9	2	3	-	-
WHITE-----MALE----	1	-	1	2	1	5	-	2	-	-	-	-
FEMALE--	3	4	2	3	4	5	6	7	2	2	-	-
ALL OTHER--MALE----	2	-	-	4	-	-	-	-	-	-	-	-
FEMALE--	1	1	3	-	1	-	1	-	-	1	-	-
BLACK---MALE----	2	-	-	3	-	-	-	-	-	-	-	-
FEMALE--	1	1	3	-	1	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,470

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)												
HAWAII -----	1	2	1	1	4	1	4	1	1	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	2	1	-	-	-	-	1	-
FEMALE--	1	1	1	-	2	-	3	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	2	1	4	10	5	5	4	-	-	-
WHITE-----MALE----	1	-	-	-	-	4	2	1	2	-	-	-
FEMALE--	-	-	2	1	4	6	3	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	7	5	12	22	23	36	27	23	9	1	-	-
WHITE-----MALE----	3	3	-	5	11	8	6	4	3	-	-	-
FEMALE--	4	2	9	15	11	25	21	19	6	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	1	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	-	-	-	-	-
INDIANA -----	3	4	12	10	21	16	10	10	8	3	-	-
WHITE-----MALE----	-	1	2	3	8	5	2	4	1	-	-	-
FEMALE--	2	1	10	6	12	11	7	5	7	2	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	1	-	1	-	-
BLACK---MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	1	-	1	-	-
IOWA -----	3	1	6	6	10	10	13	13	7	1	-	-
WHITE-----MALE----	2	-	4	2	5	2	2	2	1	-	-	-
FEMALE--	1	1	2	4	5	8	11	11	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	2	1	5	4	12	8	4	3	-	-	-
WHITE-----MALE----	-	-	-	1	2	3	3	1	-	-	-	-
FEMALE--	1	1	1	4	2	8	5	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,471

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)												
KENTUCKY -----	2	4	7	5	5	11	12	5	2	-	-	-
WHITE-----MALE----	1	1	2	1	2	4	2	-	-	-	-	-
FEMALE--	1	3	5	4	3	6	10	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	1	4	7	5	2	11	6	5	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	6	1	1	-	-	-	-
FEMALE--	-	-	5	3	1	4	5	3	-	-	-	-
ALL OTHER--MALE----	1	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	1	-	1	-	1	-	-	-	-
BLACK---MALE----	1	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	1	-	1	-	1	-	-	-	-
MAINE -----	-	2	1	3	4	7	3	4	-	2	-	-
WHITE-----MALE----	-	-	-	2	2	5	2	1	-	-	-	-
FEMALE--	-	2	1	1	2	2	1	3	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	8	4	6	2	9	21	13	14	5	-	1	-
WHITE-----MALE----	1	1	4	-	1	4	6	1	1	-	-	-
FEMALE--	3	2	2	1	4	14	7	12	4	-	1	-
ALL OTHER--MALE----	1	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	3	-	-	1	4	2	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	3	-	-	1	4	2	-	-	-	-	-	-
MASSACHUSETTS -----	3	3	3	7	16	14	23	22	3	3	-	-
WHITE-----MALE----	1	2	1	3	5	1	6	4	1	-	-	-
FEMALE--	1	1	2	3	11	13	17	18	2	3	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MICHIGAN -----	6	15	9	18	24	26	17	12	15	-	-	-
WHITE-----MALE----	1	6	4	3	9	4	4	4	4	-	-	-
FEMALE--	3	8	2	15	10	21	12	7	9	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	2	-	4	1	1	1	2	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	2	-	3	1	1	1	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,474

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)												
OHIO -----	253	-	-	-	-	3	-	-	2	5	10	3
WHITE-----MALE----	69	-	-	-	-	1	-	-	-	1	3	1
FEMALE--	166	-	-	-	-	2	-	-	1	3	6	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
OKLAHOMA -----	62	-	-	-	-	-	-	1	-	-	1	3
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	38	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	80	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	55	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	297	1	-	-	-	1	-	2	1	7	6	11
WHITE-----MALE----	90	-	-	-	-	1	-	-	1	4	2	5
FEMALE--	194	1	-	-	-	-	-	1	-	2	3	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	1	-	1	-	3
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	1	-	1	-	3
RHODE ISLAND -----	26	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	54	-	-	-	-	-	-	2	1	2	1	4
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	2	-	2	-	-
FEMALE--	11	-	-	-	-	-	-	-	1	-	1	4
BLACK---MALE----	6	-	-	-	-	-	-	2	-	2	-	-
FEMALE--	11	-	-	-	-	-	-	-	1	-	1	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,474

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)												
OHIO -----	8	11	15	22	37	46	42	31	13	4	1	-
WHITE-----MALE----	4	3	4	8	10	6	14	8	5	-	1	-
FEMALE--	3	5	10	14	22	37	27	23	8	3	-	-
ALL OTHER--MALE----	-	1	-	-	2	1	1	-	-	1	-	-
FEMALE--	1	2	1	-	3	2	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	2	1	1	-	-	1	-	-
FEMALE--	1	2	1	-	3	2	-	-	-	-	-	-
OKLAHOMA -----	1	2	5	4	12	12	8	11	1	-	1	-
WHITE-----MALE----	-	1	-	2	7	4	1	6	-	-	-	-
FEMALE--	1	1	5	2	5	8	7	5	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	2	4	2	7	9	13	20	13	8	2	-	-
WHITE-----MALE----	2	1	1	1	1	6	7	3	2	-	-	-
FEMALE--	-	3	1	6	8	7	13	9	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	12	14	20	26	33	44	51	48	13	7	-	-
WHITE-----MALE----	5	7	9	5	10	11	15	11	3	1	-	-
FEMALE--	6	7	11	21	23	30	34	37	9	6	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	1	-	-	-
RHODE ISLAND -----	1	2	1	2	2	6	4	4	1	1	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	1	-	-	-	-
FEMALE--	1	2	1	1	2	5	3	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	3	7	2	4	5	8	10	2	1	-	-
WHITE-----MALE----	-	-	3	-	1	3	3	2	-	-	-	-
FEMALE--	-	3	3	1	3	1	4	7	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	1	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,475

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)												
SOUTH DAKOTA -----	23	-	-	-	-	-	2	-	-	-	1	-
WHITE-----MALE----	9	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	106	-	-	-	1	-	1	1	1	4	2	9
WHITE-----MALE----	32	-	-	-	-	-	1	-	1	2	-	1
FEMALE--	63	-	-	-	-	-	-	-	-	2	1	7
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	1	-	-	1	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	1	-	-	1	-	-	-	1
TEXAS -----	243	-	-	-	1	1	3	2	3	6	4	10
WHITE-----MALE----	74	-	-	-	1	-	1	2	1	-	-	3
FEMALE--	140	-	-	-	-	-	1	-	2	1	1	5
ALL OTHER--MALE----	10	-	-	-	-	1	1	-	-	1	2	-
FEMALE--	19	-	-	-	-	-	-	-	-	4	1	2
BLACK---MALE----	10	-	-	-	-	1	1	-	-	1	2	-
FEMALE--	19	-	-	-	-	-	-	-	-	4	1	2
UTAH -----	71	-	-	-	-	1	-	-	1	1	1	4
WHITE-----MALE----	21	-	-	-	-	1	-	-	1	-	-	1
FEMALE--	48	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
VERMONT -----	11	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	83	-	-	-	-	-	-	-	-	5	2	4
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	43	-	-	-	-	-	-	-	-	2	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,475

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)												
SOUTH DAKOTA -----	-	-	2	-	2	2	6	6	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	3	3	-	-	-	-
FEMALE--	-	-	2	-	1	1	3	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	6	8	10	18	16	11	9	6	1	-	-
WHITE-----MALE----	-	3	4	1	9	3	3	2	2	-	-	-
FEMALE--	2	3	4	5	8	11	8	7	4	1	-	-
ALL OTHER--MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-
TEXAS -----	10	11	18	31	39	36	25	26	12	5	-	-
WHITE-----MALE----	2	6	4	10	8	16	12	6	2	-	-	-
FEMALE--	4	2	11	19	29	20	12	18	10	5	-	-
ALL OTHER--MALE----	3	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	3	2	2	-	1	2	-	-	-	-
BLACK---MALE----	3	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	3	2	2	-	1	2	-	-	-	-
UTAH -----	3	2	3	5	14	8	11	11	4	2	-	-
WHITE-----MALE----	1	2	1	1	4	3	2	3	1	-	-	-
FEMALE--	2	-	2	4	9	5	9	8	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	2	3	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	7	8	7	8	9	15	9	5	1	-	-
WHITE-----MALE----	1	2	3	5	5	2	6	-	-	-	-	-
FEMALE--	1	3	2	1	3	7	8	8	5	1	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	2	1	-	-	1	1	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	2	1	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,477

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DISEASES OF MITRAL VALVE (394)												
0 UNITED STATES --	2,530	1	4	-	3	13	17	25	51	66	67	100
WHITE-----MALE----	691	-	3	-	1	8	2	8	22	11	15	28
FEMALE--	1,609	1	1	-	1	2	8	7	19	40	38	47
ALL OTHER--MALE----	81	-	-	-	1	2	3	3	3	6	5	9
FEMALE--	149	-	-	-	-	1	4	7	7	9	9	16
BLACK---MALE----	63	-	-	-	1	2	3	3	2	5	5	7
FEMALE--	110	-	-	-	-	1	3	6	6	8	7	16
ALABAMA -----	37	-	-	-	-	-	-	-	3	-	1	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	25	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	55	-	-	-	-	1	-	1	-	1	-	4
WHITE-----MALE----	14	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	38	-	-	-	-	-	-	1	-	1	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS -----	24	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA -----	304	-	-	-	-	1	3	1	10	13	11	9
WHITE-----MALE----	81	-	-	-	-	1	-	-	6	-	2	3
FEMALE--	173	-	-	-	-	-	2	-	3	8	6	5
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	1	3	1	1
FEMALE--	32	-	-	-	-	-	1	1	-	2	2	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	9	-	-	-	-	-	1	1	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,477

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISEASES OF MITRAL VALVE (394)												
0 UNITED STATES --	107	129	175	241	347	429	361	255	103	30	6	-
WHITE-----MALE----	38	45	54	51	107	115	100	67	13	2	1	-
FEMALE--	53	62	105	176	211	293	243	184	88	25	5	-
ALL OTHER--MALE----	10	10	6	4	7	7	4	1	-	-	-	-
FEMALE--	6	12	10	10	22	14	14	3	2	3	-	-
BLACK---MALE----	10	9	5	3	3	2	3	-	-	-	-	-
FEMALE--	3	9	8	8	12	12	5	3	1	2	-	-
ALABAMA -----	1	1	3	6	8	5	4	2	2	1	-	-
WHITE-----MALE----	1	-	1	1	3	1	1	-	-	-	-	-
FEMALE--	-	1	1	5	5	4	3	2	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALASKA -----	-	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	1	3	9	7	13	3	5	4	1	-	-
WHITE-----MALE----	2	1	-	1	-	6	1	1	-	-	-	-
FEMALE--	-	-	2	8	6	7	2	4	4	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	1	3	1	3	4	3	4	-	-	-	-
WHITE-----MALE----	-	-	2	-	1	1	2	1	-	-	-	-
FEMALE--	2	1	1	1	2	3	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	16	13	23	22	47	49	46	22	13	4	1	-
WHITE-----MALE----	5	4	8	4	14	15	13	4	-	2	-	-
FEMALE--	7	6	11	16	24	26	26	18	12	2	1	-
ALL OTHER--MALE----	1	-	2	-	3	4	2	-	-	-	-	-
FEMALE--	3	3	2	2	6	4	5	-	1	-	-	-
BLACK---MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	3	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,478

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DISEASES OF MITRAL VALVE (394)												
COLORADO -----	61	-	-	-	-	-	1	1	1	1	2	4
WHITE-----MALE----	20	-	-	-	-	-	-	1	-	1	-	2
FEMALE--	38	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	40	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	32	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	7	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	3	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	178	-	2	-	-	-	1	1	1	5	5	6
WHITE-----MALE----	48	-	1	-	-	-	-	-	-	1	-	3
FEMALE--	121	-	1	-	-	-	1	-	-	4	3	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	1	1	-	2	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	1	1	-	2	-
GEORGIA -----	45	-	-	-	-	-	1	1	2	1	1	8
WHITE-----MALE----	9	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	20	-	-	-	-	-	-	-	1	1	-	3
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	11	-	-	-	-	-	1	-	-	-	1	3
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	10	-	-	-	-	-	1	-	-	-	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,478

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISEASES OF MITRAL VALVE (394)												
COLORADO -----	7	4	4	6	12	7	6	3	1	1	-	-
WHITE-----MALE----	3	2	2	2	5	1	-	1	-	-	-	-
FEMALE--	4	2	2	4	6	6	6	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	3	2	3	7	6	7	5	2	2	-	-
WHITE-----MALE----	-	-	1	-	1	2	2	-	-	-	-	-
FEMALE--	-	2	1	3	6	4	5	5	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	-	1	1	2	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	5	10	5	17	21	31	29	26	10	2	1	-
WHITE-----MALE----	2	2	3	3	8	11	5	8	1	-	-	-
FEMALE--	3	7	1	14	12	19	23	18	9	2	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	-	-	-	-	-
GEORGIA -----	4	2	5	4	1	4	4	5	-	2	-	-
WHITE-----MALE----	1	-	1	1	-	2	-	2	-	-	-	-
FEMALE--	1	1	2	1	1	2	3	3	-	1	-	-
ALL OTHER--MALE----	1	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	1	2	-	-	-	1	-	-	1	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	2	-	-	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,480

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISEASES OF MITRAL VALVE (394)												
KENTUCKY -----	2	2	5	4	1	6	2	1	1	-	-	-
WHITE-----MALE----	1	1	-	1	1	2	-	-	-	-	-	-
FEMALE--	1	1	5	3	-	4	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	1	3	5	1	5	3	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	3	-	-	-	-	-	-
FEMALE--	-	-	3	3	1	1	3	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
MAINE -----	-	1	-	1	3	5	1	3	-	1	-	-
WHITE-----MALE----	-	-	-	1	2	3	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	2	-	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	2	4	-	6	13	6	4	1	-	-	-
WHITE-----MALE----	1	1	3	-	1	3	4	1	1	-	-	-
FEMALE--	2	-	1	-	3	9	2	3	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
MASSACHUSETTS -----	1	1	2	3	2	8	10	13	1	-	-	-
WHITE-----MALE----	-	-	1	2	-	-	1	2	-	-	-	-
FEMALE--	1	1	1	1	2	8	9	11	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	12	6	10	13	14	10	5	5	-	-	-
WHITE-----MALE----	1	5	4	-	5	3	4	2	-	-	-	-
FEMALE--	1	6	1	10	5	10	5	3	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	2	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,483

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DISEASES OF MITRAL VALVE (394)												
OHIO -----	121	-	-	-	-	3	-	-	2	3	7	2
WHITE-----MALE----	28	-	-	-	-	1	-	-	-	-	2	-
FEMALE--	85	-	-	-	-	2	-	-	1	3	5	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	41	-	-	-	-	-	-	1	-	-	1	2
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	25	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	37	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	160	1	-	-	-	-	-	2	1	7	5	8
WHITE-----MALE----	46	-	-	-	-	-	-	-	1	4	1	3
FEMALE--	104	1	-	-	-	-	-	1	-	2	3	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	1	-	1	-	2
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	1	-	1	-	2
RHODE ISLAND -----	14	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	28	-	-	-	-	-	-	1	1	2	-	2
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	2	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	4	-	-	-	-	-	-	1	-	2	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,483

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISEASES OF MITRAL VALVE (394)												
OHIO -----	4	5	7	9	20	22	19	12	4	1	1	-
WHITE-----MALE----	1	1	1	1	6	2	6	3	3	-	1	-
FEMALE--	2	2	6	8	11	19	13	9	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	3	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	3	1	-	-	-	-	-	-
OKLAHOMA -----	1	1	5	2	11	7	2	6	1	-	1	-
WHITE-----MALE----	-	1	-	1	6	3	-	3	-	-	-	-
FEMALE--	1	-	5	1	5	4	2	3	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	2	-	1	2	7	8	8	6	3	-	-	-
WHITE-----MALE----	2	-	-	-	-	4	3	1	-	-	-	-
FEMALE--	-	-	1	2	7	4	5	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	5	11	16	13	18	22	26	19	4	2	-	-
WHITE-----MALE----	2	4	7	1	4	5	8	5	1	-	-	-
FEMALE--	2	7	9	12	14	15	17	14	2	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
RHODE ISLAND -----	-	2	1	2	1	4	-	1	-	1	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	2	1	1	1	3	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	4	1	3	3	1	7	1	-	-	-
WHITE-----MALE----	-	-	2	-	-	2	1	2	-	-	-	-
FEMALE--	-	1	2	1	3	-	-	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,484

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DISEASES OF MITRAL VALVE (394)												
SOUTH DAKOTA -----	7	-	-	-	-	-	2	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	59	-	-	-	-	-	-	1	1	1	1	7
WHITE-----MALE----	16	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	39	-	-	-	-	-	-	-	-	1	1	5
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	1
TEXAS -----	124	-	-	-	1	1	2	2	3	3	2	5
WHITE-----MALE----	38	-	-	-	1	-	1	2	1	-	-	-
FEMALE--	75	-	-	-	-	-	1	-	2	1	1	4
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	4	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	2	-	1
UTAH -----	26	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	8	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	46	-	-	-	-	-	-	-	-	4	1	4
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	24	-	-	-	-	-	-	-	-	2	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,484

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISEASES OF MITRAL VALVE (394)												
SOUTH DAKOTA -----	-	-	-	-	2	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	3	4	5	12	8	6	6	2	1	-	-
WHITE-----MALE----	-	1	3	-	6	1	1	2	-	-	-	-
FEMALE--	1	2	1	4	5	7	5	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	7	5	8	16	18	21	15	10	3	2	-	-
WHITE-----MALE----	1	4	3	3	2	10	7	3	-	-	-	-
FEMALE--	4	-	5	12	16	11	7	6	3	2	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	1	-	-	-	-
UTAH -----	3	1	1	3	5	3	2	3	2	1	-	-
WHITE-----MALE----	1	1	-	-	1	1	-	2	-	-	-	-
FEMALE--	2	-	1	3	4	2	2	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	1	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	5	2	4	4	5	7	4	3	1	-	-
WHITE-----MALE----	1	2	1	2	3	1	4	-	-	-	-	-
FEMALE--	1	2	1	1	1	4	3	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,496

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISEASES OF MITRAL AND AORTIC VALVES (396)												
COLORADO -----	-	-	-	1	2	3	2	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	3	1	2	-	-	-	-
FEMALE--	-	-	-	1	2	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	2	-	2	2	2	1	1	1	-	1	-
WHITE-----MALE----	-	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	1	1	-	1	1	1	1	1	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	2	1	2	4	9	13	12	15	9	-	-	-
WHITE-----MALE----	-	-	-	1	5	4	4	7	7	-	-	-
FEMALE--	2	1	2	3	4	9	8	8	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	2	1	-	1	2	5	2	1	1	1	-	-
WHITE-----MALE----	-	-	-	1	-	3	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	2	2	1	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,498

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISEASES OF MITRAL AND AORTIC VALVES (396)												
KENTUCKY -----	-	1	1	-	2	-	2	2	1	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	1	1	-	-	3	3	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
MAINE -----	-	-	-	1	1	-	1	1	-	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	2	-	-	1	5	2	6	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	4	2	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	1	2	3	5	5	-	2	-	-
WHITE-----MALE----	-	-	-	-	-	1	3	-	-	-	-	-
FEMALE--	-	-	-	1	2	2	2	5	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	1	2	2	6	8	4	3	6	-	-	-
WHITE-----MALE----	-	-	-	2	2	1	-	-	3	-	-	-
FEMALE--	-	1	-	-	4	7	4	2	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,501

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF MITRAL AND AORTIC VALVES (396)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	1	1	1	4	8	8	10	10	5	3	-	-
WHITE-----MALE----	1	1	-	2	3	-	3	2	-	-	-	-
FEMALE--	-	-	1	2	3	7	7	8	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	3	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	3	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	1	3	-	-	5	3	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	2	-	-	4	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	1	-	3	6	7	13	15	5	3	-	-
WHITE-----MALE----	2	1	-	1	2	3	5	3	1	1	-	-
FEMALE--	2	-	-	2	4	4	8	12	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	1	-	-	1	3	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	2	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,502

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISEASES OF MITRAL AND AORTIC VALVES (396)												
SOUTH DAKOTA -----	-	-	-	-	-	1	2	5	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	1	2	2	4	2	1	2	-	-	-
WHITE-----MALE----	-	-	-	1	2	1	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
TEXAS -----	1	-	2	3	6	7	9	6	6	-	-	-
WHITE-----MALE----	-	-	-	2	2	3	4	-	1	-	-	-
FEMALE--	-	-	1	1	3	4	5	6	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	3	-	1	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	2	-	1	2	2	3	-	-	-	-
WHITE-----MALE----	-	-	2	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	3	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,504

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)												
0 UNITED STATES --	48	64	79	136	184	217	210	175	81	19	3	-
WHITE-----MALE----	14	22	21	44	53	57	56	35	17	3	-	-
FEMALE--	21	30	45	79	122	145	148	135	60	15	2	-
ALL OTHER--MALE----	4	7	2	6	4	4	2	1	-	-	1	-
FEMALE--	9	5	11	7	5	11	4	4	4	1	-	-
BLACK---MALE----	4	5	1	4	3	3	2	-	-	-	-	-
FEMALE--	8	4	9	6	5	9	3	4	4	1	-	-
ALABAMA -----	-	-	-	1	2	4	2	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	2	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	1	3	3	7	4	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	4	2	2	1	-	-	-
FEMALE--	1	-	-	3	3	3	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	2	-	-	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	2	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	4	6	6	11	9	18	23	13	9	2	-	-
WHITE-----MALE----	1	2	2	5	2	4	7	3	1	1	-	-
FEMALE--	3	3	4	4	6	14	14	9	8	1	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,506

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)												
HAWAII -----	1	2	1	1	-	1	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	-	-	-	1	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	1	1	2	4	2	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	2	4	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3	-	3	4	6	11	4	6	2	-	-	-
WHITE-----MALE----	2	-	-	1	2	3	1	-	1	-	-	-
FEMALE--	1	-	3	2	4	7	3	6	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
INDIANA -----	1	1	5	4	10	5	1	5	4	1	-	-
WHITE-----MALE----	-	1	1	2	4	2	-	-	1	-	-	-
FEMALE--	1	-	4	2	6	3	1	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
IOWA -----	1	-	2	-	1	2	-	1	1	-	-	-
WHITE-----MALE----	1	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	1	-	1	1	4	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,507

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)												
KENTUCKY -----	-	1	1	1	2	5	7	2	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	2	2	-	-	-	-	-
FEMALE--	-	1	-	1	2	2	5	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	1	2	3	-	1	2	-	2	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	2	-	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	1	1	1	-	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	-	2	2	2	3	2	4	3	-	1	-
WHITE-----MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	4	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	1	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	2	1	3	9	3	7	3	2	1	-	-
WHITE-----MALE----	-	2	-	1	3	-	1	2	1	-	-	-
FEMALE--	-	-	1	1	6	3	6	1	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MICHIGAN -----	4	2	-	6	5	4	3	4	4	-	-	-
WHITE-----MALE----	-	1	-	1	2	-	-	2	1	-	-	-
FEMALE--	2	1	-	5	1	4	3	2	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,513

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HYPERTENSIVE DISEASE (401-404)												
0 UNITED STATES --	42,565	7	1	2	5	7	32	73	186	443	799	1,280
WHITE-----MALE----	12,695	3	-	1	-	2	6	17	65	175	275	471
FEMALE--	18,780	4	-	-	3	2	2	13	20	46	85	161
ALL OTHER--MALE----	5,161	-	1	1	1	-	15	28	53	154	276	403
FEMALE--	5,929	-	-	-	1	3	9	15	48	68	163	245
BLACK---MALE----	4,734	-	1	1	1	-	15	27	53	144	262	380
FEMALE--	5,546	-	-	-	1	2	9	14	46	67	159	235
ALABAMA -----	697	-	-	-	-	1	1	1	2	8	23	21
WHITE-----MALE----	127	-	-	-	-	1	-	-	1	1	4	5
FEMALE--	227	-	-	-	-	-	-	-	-	-	1	4
ALL OTHER--MALE----	167	-	-	-	-	-	1	1	1	5	8	7
FEMALE--	176	-	-	-	-	-	-	-	-	2	10	5
BLACK---MALE----	167	-	-	-	-	-	1	1	1	5	8	7
FEMALE--	176	-	-	-	-	-	-	-	-	2	10	5
ALASKA -----	25	-	-	-	-	-	1	-	-	-	1	1
WHITE-----MALE----	8	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	468	1	-	-	-	-	-	1	-	2	7	11
WHITE-----MALE----	186	1	-	-	-	-	-	-	-	1	6	5
FEMALE--	246	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	16	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	2
ARKANSAS -----	334	-	-	-	-	-	-	-	4	5	8	11
WHITE-----MALE----	82	-	-	-	-	-	-	-	1	2	2	4
FEMALE--	129	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	57	-	-	-	-	-	-	-	1	2	3	5
FEMALE--	66	-	-	-	-	-	-	-	1	1	2	2
BLACK---MALE----	57	-	-	-	-	-	-	-	1	2	3	5
FEMALE--	65	-	-	-	-	-	-	-	1	1	2	2
CALIFORNIA -----	5,158	3	-	-	-	2	1	7	29	44	83	152
WHITE-----MALE----	1,605	1	-	-	-	-	-	5	10	15	33	62
FEMALE--	2,380	2	-	-	-	1	-	2	5	8	16	24
ALL OTHER--MALE----	565	-	-	-	-	-	-	-	5	15	21	39
FEMALE--	608	-	-	-	-	1	1	-	9	6	13	27
BLACK---MALE----	382	-	-	-	-	-	-	-	5	11	16	33
FEMALE--	426	-	-	-	-	-	1	-	7	6	11	19

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,513

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 HYPERTENSIVE DISEASE (401-404)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	1,659	1,822	2,337	3,161	4,489	5,756	6,597	6,800	4,793	1,884	425	7
WHITE-----MALE----	648	693	907	1,177	1,595	1,903	2,005	1,585	875	240	49	3
FEMALE--	272	332	482	848	1,547	2,493	3,366	4,147	3,282	1,390	283	2
ALL OTHER--MALE----	462	459	535	591	614	578	416	312	177	67	16	2
FEMALE--	277	338	413	545	733	782	810	756	459	187	77	-
BLACK---MALE----	442	431	499	551	557	519	368	266	146	53	16	2
FEMALE--	269	324	391	520	677	719	754	697	420	173	69	-
ALABAMA -----	21	46	50	46	60	79	93	138	77	21	9	-
WHITE-----MALE----	4	12	14	12	13	15	16	19	8	2	-	-
FEMALE--	2	5	10	9	10	21	35	73	42	10	5	-
ALL OTHER--MALE----	13	16	12	12	18	24	23	16	8	1	1	-
FEMALE--	2	13	14	13	19	19	19	30	19	8	3	-
BLACK---MALE----	13	16	12	12	18	24	23	16	8	1	1	-
FEMALE--	2	13	14	13	19	19	19	30	19	8	3	-
ALASKA -----	-	1	3	3	2	4	1	4	3	1	-	-
WHITE-----MALE----	-	-	1	2	1	2	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	2	1	2	2	1	-	-
ALL OTHER--MALE----	-	-	2	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	13	17	29	39	53	63	84	78	49	17	4	-
WHITE-----MALE----	8	11	14	22	25	24	32	18	15	4	-	-
FEMALE--	1	6	8	14	23	38	49	57	31	12	4	-
ALL OTHER--MALE----	2	-	3	2	1	1	2	1	1	-	-	-
FEMALE--	2	-	4	1	4	-	1	2	2	1	-	-
BLACK---MALE----	1	-	3	2	1	1	-	1	1	-	-	-
FEMALE--	-	-	3	1	2	-	1	2	1	1	-	-
ARKANSAS -----	17	9	19	30	24	39	56	59	33	17	3	-
WHITE-----MALE----	2	6	11	9	5	8	19	8	5	-	-	-
FEMALE--	6	1	2	8	9	15	19	39	18	8	2	-
ALL OTHER--MALE----	6	1	3	4	4	9	7	7	1	3	1	-
FEMALE--	3	1	3	9	6	7	11	5	9	6	-	-
BLACK---MALE----	6	1	3	4	4	9	7	7	1	3	1	-
FEMALE--	3	1	3	9	6	6	11	5	9	6	-	-
CALIFORNIA -----	180	192	234	327	586	730	803	880	616	238	51	-
WHITE-----MALE----	89	75	103	135	210	260	245	200	131	26	5	-
FEMALE--	33	39	53	92	208	309	417	550	404	183	34	-
ALL OTHER--MALE----	33	40	47	58	71	83	57	48	30	16	2	-
FEMALE--	25	38	31	42	97	78	84	82	51	13	10	-
BLACK---MALE----	28	35	40	40	48	46	35	22	14	7	2	-
FEMALE--	22	32	24	32	68	50	58	48	34	7	7	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,514

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HYPERTENSIVE DISEASE (401-404)												
COLORADO -----	299	-	-	-	-	1	-	-	-	-	4	7
WHITE-----MALE----	99	-	-	-	-	-	-	-	-	-	2	5
FEMALE--	164	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	23	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	1	-	-	-	-	-	1
CONNECTICUT -----	454	1	-	-	-	-	1	2	2	3	7	13
WHITE-----MALE----	163	-	-	-	-	-	-	-	-	1	5	6
FEMALE--	240	1	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	24	-	-	-	-	-	1	1	1	-	1	2
FEMALE--	27	-	-	-	-	-	-	1	1	2	-	2
BLACK---MALE----	23	-	-	-	-	-	1	1	1	-	1	2
FEMALE--	27	-	-	-	-	-	-	1	1	2	-	2
DELAWARE -----	150	-	-	-	-	-	-	-	1	2	1	6
WHITE-----MALE----	51	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	59	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	25	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	1
DISTRICT OF COLUMBIA ----	284	-	-	-	-	-	-	-	1	2	7	12
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	126	-	-	-	-	-	-	-	1	1	4	10
FEMALE--	116	-	-	-	-	-	-	-	-	1	2	2
BLACK---MALE----	124	-	-	-	-	-	-	-	1	1	4	10
FEMALE--	116	-	-	-	-	-	-	-	-	1	2	2
FLORIDA -----	3,137	-	-	-	-	2	5	5	13	32	53	69
WHITE-----MALE----	1,154	-	-	-	-	-	1	-	1	19	20	21
FEMALE--	1,340	-	-	-	-	1	-	2	3	2	5	11
ALL OTHER--MALE----	282	-	-	-	-	-	1	3	3	6	19	24
FEMALE--	361	-	-	-	-	1	3	-	6	5	9	13
BLACK---MALE----	276	-	-	-	-	-	1	3	3	6	18	23
FEMALE--	356	-	-	-	-	1	3	-	6	5	9	13
GEORGIA -----	1,251	-	-	-	1	-	1	3	10	18	25	50
WHITE-----MALE----	261	-	-	-	-	-	-	-	6	5	7	10
FEMALE--	397	-	-	-	-	-	-	-	-	1	1	5
ALL OTHER--MALE----	279	-	-	-	-	-	1	3	3	7	10	22
FEMALE--	314	-	-	-	1	-	-	-	1	5	7	13
BLACK---MALE----	278	-	-	-	-	-	1	3	3	7	10	22
FEMALE--	311	-	-	-	1	-	-	-	1	5	7	13

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,514

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HYPERTENSIVE DISEASE (401-404)												
COLORADO -----	4	8	15	22	22	43	50	54	42	20	7	-
WHITE-----MALE----	4	2	8	13	9	18	15	14	5	3	1	-
FEMALE--	-	2	3	4	11	20	35	34	32	16	5	-
ALL OTHER--MALE----	-	2	3	1	1	2	-	3	-	-	-	-
FEMALE--	-	2	1	4	1	3	-	3	5	1	1	-
BLACK---MALE----	-	2	3	1	1	1	-	3	-	-	-	-
FEMALE--	-	2	1	4	1	3	-	3	3	1	1	-
CONNECTICUT -----	16	18	16	30	48	67	67	74	60	25	4	-
WHITE-----MALE----	5	7	8	18	22	32	27	19	7	4	2	-
FEMALE--	6	9	4	9	18	27	36	53	51	20	2	-
ALL OTHER--MALE----	4	-	3	1	3	2	3	2	-	-	-	-
FEMALE--	1	2	1	2	5	6	1	-	2	1	-	-
BLACK---MALE----	4	-	3	1	2	2	3	2	-	-	-	-
FEMALE--	1	2	1	2	5	6	1	-	2	1	-	-
DELAWARE -----	7	6	7	15	21	25	18	23	13	5	-	-
WHITE-----MALE----	-	4	2	8	7	12	2	6	5	-	-	-
FEMALE--	1	-	1	5	4	10	12	13	6	5	-	-
ALL OTHER--MALE----	3	1	4	1	7	2	2	4	1	-	-	-
FEMALE--	3	1	-	1	3	1	2	-	1	-	-	-
BLACK---MALE----	3	1	4	1	6	2	2	4	1	-	-	-
FEMALE--	3	1	-	1	2	1	2	-	1	-	-	-
DISTRICT OF COLUMBIA -----	18	17	34	34	27	35	41	21	23	12	-	-
WHITE-----MALE----	2	-	2	1	-	1	4	1	2	-	-	-
FEMALE--	-	-	-	-	1	3	8	5	8	3	-	-
ALL OTHER--MALE----	11	12	22	21	11	15	9	3	3	3	-	-
FEMALE--	5	5	10	12	15	16	20	12	10	6	-	-
BLACK---MALE----	11	11	22	21	11	14	9	3	3	3	-	-
FEMALE--	5	5	10	12	15	16	20	12	10	6	-	-
FLORIDA -----	118	135	169	227	345	438	518	504	345	131	27	1
WHITE-----MALE----	60	60	76	96	147	175	205	159	88	22	4	-
FEMALE--	19	26	31	71	118	190	248	282	222	95	14	-
ALL OTHER--MALE----	24	24	39	29	33	30	15	16	10	3	2	1
FEMALE--	15	25	23	31	47	43	50	47	25	11	7	-
BLACK---MALE----	24	23	39	28	32	29	15	16	10	3	2	1
FEMALE--	15	25	21	30	47	43	48	47	25	11	7	-
GEORGIA -----	88	69	77	123	129	148	165	166	122	50	6	-
WHITE-----MALE----	21	18	25	32	29	32	33	24	13	5	1	-
FEMALE--	11	9	5	16	28	54	66	88	78	34	1	-
ALL OTHER--MALE----	38	26	26	34	32	29	29	13	5	1	-	-
FEMALE--	18	16	21	41	40	33	37	41	26	10	4	-
BLACK---MALE----	38	26	26	34	32	29	28	13	5	1	-	-
FEMALE--	18	16	20	40	40	32	37	41	26	10	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,515

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HYPERTENSIVE DISEASE (401-404)												
HAWAII -----	3	9	4	10	11	14	21	24	12	14	5	-
WHITE-----MALE----	-	-	-	2	-	4	1	3	-	1	-	-
FEMALE--	-	-	-	-	1	1	3	4	-	2	-	-
ALL OTHER--MALE----	3	6	3	5	6	5	9	10	2	5	-	-
FEMALE--	-	3	1	3	4	4	8	7	10	6	5	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	2	2	3	7	20	14	30	23	8	1	-
WHITE-----MALE----	1	2	1	1	1	6	7	3	5	1	-	-
FEMALE--	-	-	1	2	6	14	6	27	18	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	67	89	109	123	152	214	269	276	223	82	22	-
WHITE-----MALE----	27	23	30	37	47	77	69	44	37	9	1	-
FEMALE--	3	17	21	31	54	80	156	198	156	64	19	-
ALL OTHER--MALE----	23	28	34	26	30	31	16	5	10	1	-	-
FEMALE--	14	21	24	29	21	26	28	29	20	8	2	-
BLACK---MALE----	23	27	34	25	30	29	14	5	9	1	-	-
FEMALE--	14	20	24	29	20	25	27	28	20	8	2	-
INDIANA -----	16	13	32	50	66	124	110	132	109	41	9	-
WHITE-----MALE----	6	5	15	24	27	44	33	34	14	7	2	-
FEMALE--	3	5	11	12	25	61	69	88	90	32	5	-
ALL OTHER--MALE----	6	2	5	9	4	6	1	4	1	-	2	-
FEMALE--	1	1	1	5	10	13	7	6	4	2	-	-
BLACK---MALE----	6	2	5	7	4	6	1	4	1	-	2	-
FEMALE--	1	1	1	5	10	13	6	6	4	2	-	-
IOWA -----	14	15	24	30	49	63	82	89	91	35	5	-
WHITE-----MALE----	10	9	15	16	22	22	40	24	25	4	1	-
FEMALE--	3	4	8	12	26	38	42	62	65	29	4	-
ALL OTHER--MALE----	-	2	1	1	1	-	-	1	1	-	-	-
FEMALE--	1	-	-	1	-	3	-	2	-	2	-	-
BLACK---MALE----	-	2	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	3	-	2	-	2	-	-
KANSAS -----	4	6	9	17	17	47	41	51	46	20	3	-
WHITE-----MALE----	4	1	2	6	8	21	10	14	4	1	1	-
FEMALE--	-	2	3	7	6	21	26	34	41	19	2	-
ALL OTHER--MALE----	-	-	3	3	1	1	3	1	1	-	-	-
FEMALE--	-	3	1	1	2	4	2	2	-	-	-	-
BLACK---MALE----	-	-	3	2	-	1	3	1	1	-	-	-
FEMALE--	-	3	1	1	2	4	2	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,516

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HYPERTENSIVE DISEASE (401-404)												
KENTUCKY -----	474	1	-	-	1	-	1	1	2	5	7	12
WHITE-----MALE----	162	-	-	-	-	-	-	-	1	2	6	7
FEMALE--	244	1	-	-	1	-	1	1	1	1	-	4
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	40	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	28	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	40	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	1,273	-	-	-	-	-	2	1	2	10	24	37
WHITE-----MALE----	252	-	-	-	-	-	-	-	1	3	4	7
FEMALE--	421	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	247	-	-	-	-	-	1	1	-	5	10	16
FEMALE--	353	-	-	-	-	-	1	-	1	2	9	12
BLACK---MALE----	246	-	-	-	-	-	1	1	-	5	10	15
FEMALE--	350	-	-	-	-	-	1	-	1	2	9	12
MAINE -----	131	-	-	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	48	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	81	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	975	-	-	-	-	-	-	3	4	9	13	40
WHITE-----MALE----	239	-	-	-	-	-	-	-	-	3	4	8
FEMALE--	347	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	196	-	-	-	-	-	-	2	2	5	7	20
FEMALE--	193	-	-	-	-	-	-	1	1	1	2	11
BLACK---MALE----	193	-	-	-	-	-	-	2	2	5	7	19
FEMALE--	186	-	-	-	-	-	-	1	1	1	2	11
MASSACHUSETTS -----	604	1	-	-	-	-	-	1	3	7	7	16
WHITE-----MALE----	218	1	-	-	-	-	-	-	2	6	6	11
FEMALE--	348	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	1	1	-	4
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	21	-	-	-	-	-	-	-	1	1	-	3
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1,556	-	-	-	-	-	1	1	7	22	30	64
WHITE-----MALE----	483	-	-	-	-	-	-	-	3	10	11	24
FEMALE--	719	-	-	-	-	-	-	1	1	-	2	9
ALL OTHER--MALE----	181	-	-	-	-	-	1	-	2	9	9	18
FEMALE--	173	-	-	-	-	-	-	-	1	3	8	13
BLACK---MALE----	178	-	-	-	-	-	1	-	2	9	9	18
FEMALE--	171	-	-	-	-	-	-	-	1	3	8	13

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,516

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HYPERTENSIVE DISEASE (401-404)												
KENTUCKY -----	16	13	22	32	48	66	80	84	59	20	4	-
WHITE-----MALE----	9	6	14	13	18	23	27	22	10	4	-	-
FEMALE--	3	4	5	13	20	32	44	49	44	16	4	-
ALL OTHER--MALE----	3	1	3	3	4	3	2	4	2	-	-	-
FEMALE--	1	2	-	3	6	8	7	9	3	-	-	-
BLACK---MALE----	3	1	3	3	4	3	2	4	2	-	-	-
FEMALE--	1	2	-	3	6	8	7	9	3	-	-	-
LOUISIANA -----	62	64	78	100	149	187	171	203	124	46	13	-
WHITE-----MALE----	16	15	14	26	37	46	35	26	14	7	1	-
FEMALE--	8	6	11	12	40	68	74	103	65	26	5	-
ALL OTHER--MALE----	20	26	24	33	30	26	19	18	12	3	3	-
FEMALE--	18	17	29	29	42	47	43	56	33	10	4	-
BLACK---MALE----	20	26	24	33	30	26	19	18	12	3	3	-
FEMALE--	18	17	29	29	41	47	43	55	32	10	4	-
MAINE -----	2	5	4	9	11	6	28	21	25	14	2	-
WHITE-----MALE----	2	5	1	4	7	3	8	3	9	3	-	-
FEMALE--	-	-	3	5	3	3	20	18	16	11	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	47	65	60	84	111	117	135	123	96	58	10	-
WHITE-----MALE----	13	23	18	22	35	35	34	24	6	13	1	-
FEMALE--	3	6	6	17	30	41	59	66	72	40	5	-
ALL OTHER--MALE----	21	24	18	24	26	19	15	6	6	-	1	-
FEMALE--	10	12	18	21	20	22	27	27	12	5	3	-
BLACK---MALE----	21	23	18	24	26	19	15	6	5	-	1	-
FEMALE--	10	12	18	20	19	20	25	26	12	5	3	-
MASSACHUSETTS -----	12	22	29	34	62	74	100	103	76	44	13	-
WHITE-----MALE----	9	12	15	19	23	33	38	22	12	6	3	-
FEMALE--	1	8	11	12	31	36	60	78	61	37	10	-
ALL OTHER--MALE----	1	1	3	2	4	3	1	1	-	-	-	-
FEMALE--	1	1	-	1	4	2	1	2	3	1	-	-
BLACK---MALE----	1	1	3	2	4	3	1	1	-	-	-	-
FEMALE--	1	1	-	1	3	2	1	2	3	1	-	-
MICHIGAN -----	65	73	89	99	164	203	243	240	172	70	13	-
WHITE-----MALE----	24	22	41	36	54	69	91	60	30	6	2	-
FEMALE--	17	22	18	34	66	92	122	142	128	57	8	-
ALL OTHER--MALE----	12	19	18	13	22	22	12	15	6	3	-	-
FEMALE--	12	10	12	16	22	20	18	23	8	4	3	-
BLACK---MALE----	12	18	18	13	22	22	12	13	6	3	-	-
FEMALE--	12	10	12	16	21	19	18	23	8	4	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,517

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HYPERTENSIVE DISEASE (401-404)												
MINNESOTA -----	524	-	-	-	-	-	-	1	1	1	2	5
WHITE-----MALE----	190	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	307	-	-	-	-	-	-	1	1	-	-	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	696	-	-	-	-	-	1	2	4	4	15	24
WHITE-----MALE----	115	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	217	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	140	-	-	-	-	-	1	1	2	1	9	10
FEMALE--	224	-	-	-	-	-	-	1	2	1	4	9
BLACK---MALE----	138	-	-	-	-	-	1	1	2	1	9	10
FEMALE--	223	-	-	-	-	-	-	1	2	1	4	9
MISSOURI -----	859	-	-	-	-	-	1	4	6	14	22	30
WHITE-----MALE----	254	-	-	-	-	-	1	-	-	8	5	6
FEMALE--	386	-	-	-	-	-	-	-	1	2	3	8
ALL OTHER--MALE----	101	-	-	-	-	-	-	1	3	2	8	9
FEMALE--	118	-	-	-	-	-	-	3	2	2	6	7
BLACK---MALE----	100	-	-	-	-	-	-	1	3	2	8	9
FEMALE--	117	-	-	-	-	-	-	3	2	2	6	7
MONTANA -----	98	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	39	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	58	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	187	-	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	69	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	104	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	381	-	-	-	-	-	-	-	1	4	7	18
WHITE-----MALE----	193	-	-	-	-	-	-	-	1	2	4	12
FEMALE--	141	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	27	-	-	-	-	-	-	-	-	1	1	3
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	19	-	-	-	-	-	-	-	-	1	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,517

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HYPERTENSIVE DISEASE (401-404)												
MINNESOTA -----	7	13	28	32	50	57	100	97	74	42	14	-
WHITE-----MALE----	4	6	18	14	31	26	30	29	18	5	3	-
FEMALE--	-	5	8	16	15	28	65	65	54	37	11	-
ALL OTHER--MALE----	3	1	2	1	1	1	1	1	1	-	-	-
FEMALE--	-	1	-	1	3	2	4	2	1	-	-	-
BLACK---MALE----	3	1	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	2	4	1	1	-	-	-
MISSISSIPPI -----	24	29	39	58	68	84	109	120	73	32	9	1
WHITE-----MALE----	5	4	9	18	12	15	20	18	8	1	-	-
FEMALE--	2	3	4	11	16	31	38	52	37	15	4	-
ALL OTHER--MALE----	9	12	11	19	14	17	10	16	5	2	-	1
FEMALE--	8	10	15	10	26	21	41	34	23	14	5	-
BLACK---MALE----	8	11	11	19	14	17	10	16	5	2	-	1
FEMALE--	8	10	15	10	26	21	41	34	23	13	5	-
MISSOURI -----	32	43	48	61	95	106	119	144	94	31	9	-
WHITE-----MALE----	10	17	21	25	27	32	42	32	22	4	2	-
FEMALE--	2	5	6	15	41	51	63	97	63	22	7	-
ALL OTHER--MALE----	11	10	10	11	14	11	4	4	2	1	-	-
FEMALE--	9	11	11	10	13	12	10	11	7	4	-	-
BLACK---MALE----	11	9	10	11	14	11	4	4	2	1	-	-
FEMALE--	9	11	11	10	13	11	10	11	7	4	-	-
MONTANA -----	1	-	2	5	13	16	17	27	12	4	-	-
WHITE-----MALE----	-	-	2	3	8	7	6	11	1	-	-	-
FEMALE--	1	-	-	2	4	9	11	16	11	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	5	6	7	7	14	34	27	32	28	18	6	-
WHITE-----MALE----	3	4	5	4	10	13	11	7	4	5	-	-
FEMALE--	2	-	-	2	4	18	13	23	23	13	6	-
ALL OTHER--MALE----	-	1	1	1	-	-	1	-	1	-	-	-
FEMALE--	-	1	1	-	-	3	2	2	-	-	-	-
BLACK---MALE----	-	1	1	1	-	-	1	-	1	-	-	-
FEMALE--	-	1	1	-	-	3	2	2	-	-	-	-
NEVADA -----	21	24	33	51	54	66	37	36	23	5	1	-
WHITE-----MALE----	13	18	19	33	27	28	17	14	4	1	-	-
FEMALE--	6	3	5	10	20	32	19	20	18	3	1	-
ALL OTHER--MALE----	1	1	7	5	3	1	-	-	-	-	-	-
FEMALE--	1	2	2	3	4	5	1	2	1	1	-	-
BLACK---MALE----	1	-	3	5	2	1	-	-	-	-	-	-
FEMALE--	1	2	1	3	3	3	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,519

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HYPERTENSIVE DISEASE (401-404)												
OHIO -----	66	70	92	127	202	270	305	308	236	102	24	-
WHITE-----MALE----	27	36	34	44	85	88	102	86	46	15	4	-
FEMALE--	18	15	24	52	70	122	162	183	171	73	17	-
ALL OTHER--MALE----	12	10	17	16	17	26	15	14	3	1	-	-
FEMALE--	9	9	17	15	30	34	26	25	16	13	3	-
BLACK---MALE----	12	10	17	16	16	25	15	14	3	1	-	-
FEMALE--	9	9	17	15	30	34	26	25	16	13	3	-
OKLAHOMA -----	9	11	17	18	35	51	72	53	51	19	3	-
WHITE-----MALE----	4	5	8	7	14	16	26	10	6	2	-	-
FEMALE--	1	3	5	6	14	27	31	35	36	17	3	-
ALL OTHER--MALE----	4	2	1	1	3	4	4	1	5	-	-	-
FEMALE--	-	1	3	4	4	4	11	7	4	-	-	-
BLACK---MALE----	2	1	1	1	3	3	3	1	3	-	-	-
FEMALE--	-	1	2	3	2	2	9	6	4	-	-	-
OREGON -----	8	12	16	24	38	61	108	97	74	23	8	-
WHITE-----MALE----	8	9	7	13	18	30	41	28	16	5	1	-
FEMALE--	-	1	8	8	18	28	63	69	55	18	7	-
ALL OTHER--MALE----	-	1	-	3	2	1	3	-	1	-	-	-
FEMALE--	-	1	1	-	-	2	1	-	2	-	-	-
BLACK---MALE----	-	1	-	2	-	-	2	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	1	-	-	-
PENNSYLVANIA -----	62	63	81	130	172	255	264	278	206	58	15	-
WHITE-----MALE----	25	19	44	54	62	88	88	68	31	3	2	-
FEMALE--	10	13	17	41	71	126	155	171	155	48	11	-
ALL OTHER--MALE----	20	19	11	18	18	13	8	12	6	1	-	-
FEMALE--	7	12	9	17	21	28	13	27	14	6	2	-
BLACK---MALE----	19	18	11	18	18	13	8	11	6	1	-	-
FEMALE--	7	12	9	17	19	28	13	27	14	6	2	-
RHODE ISLAND -----	4	8	2	9	13	27	31	29	25	8	-	-
WHITE-----MALE----	2	7	1	7	9	12	12	8	9	1	-	-
FEMALE--	1	1	1	2	4	14	15	21	15	7	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	3	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	1	-	-	-
SOUTH CAROLINA -----	35	27	32	62	88	115	113	79	49	14	4	-
WHITE-----MALE----	5	7	7	11	23	25	23	17	4	-	-	-
FEMALE--	6	3	9	15	24	39	34	32	26	10	2	-
ALL OTHER--MALE----	16	9	7	19	16	21	17	9	6	-	-	-
FEMALE--	8	8	9	17	25	30	39	21	13	4	2	-
BLACK---MALE----	16	9	7	19	16	21	17	9	6	-	-	-
FEMALE--	8	8	9	17	25	30	39	21	13	4	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,520

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HYPERTENSIVE DISEASE (401-404)												
SOUTH DAKOTA -----	53	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,195	-	-	-	2	-	-	2	10	18	31	36
WHITE-----MALE----	290	-	-	-	-	-	-	1	4	4	4	7
FEMALE--	472	-	-	-	1	-	-	-	-	2	2	5
ALL OTHER--MALE----	186	-	-	-	1	-	-	1	4	10	11	18
FEMALE--	247	-	-	-	-	-	-	-	2	2	14	6
BLACK---MALE----	184	-	-	-	1	-	-	1	4	10	11	18
FEMALE--	247	-	-	-	-	-	-	-	2	2	14	6
TEXAS -----	2,818	-	-	1	1	1	1	5	12	33	57	99
WHITE-----MALE----	897	-	-	-	-	1	-	2	5	12	27	48
FEMALE--	1,214	-	-	-	1	-	-	1	2	7	10	11
ALL OTHER--MALE----	321	-	-	1	-	-	1	1	2	12	17	26
FEMALE--	386	-	-	-	-	-	-	1	3	2	3	14
BLACK---MALE----	311	-	-	1	-	-	1	1	2	12	16	25
FEMALE--	376	-	-	-	-	-	-	1	3	2	3	14
UTAH -----	145	-	-	-	-	-	-	-	-	3	1	1
WHITE-----MALE----	67	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	71	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	78	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	58	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	791	-	-	-	-	-	-	3	4	12	16	22
WHITE-----MALE----	186	-	-	-	-	-	-	-	2	3	3	4
FEMALE--	309	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	129	-	-	-	-	-	-	2	2	7	11	9
FEMALE--	167	-	-	-	-	-	-	1	-	2	2	7
BLACK---MALE----	128	-	-	-	-	-	-	2	2	7	11	9
FEMALE--	165	-	-	-	-	-	-	1	-	2	2	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,520

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HYPERTENSIVE DISEASE (401-404)												
SOUTH DAKOTA -----	-	2	-	2	2	7	14	10	12	4	-	-
WHITE-----MALE----	-	2	-	1	1	5	5	6	5	-	-	-
FEMALE--	-	-	-	1	1	2	9	4	6	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	48	54	56	92	105	156	190	216	122	47	9	1
WHITE-----MALE----	14	22	16	30	33	47	38	43	16	8	2	1
FEMALE--	6	8	12	19	30	60	98	116	83	29	1	-
ALL OTHER--MALE----	13	13	13	16	17	16	24	18	6	2	3	-
FEMALE--	15	11	15	27	25	33	30	39	17	8	3	-
BLACK---MALE----	13	13	13	16	17	16	23	17	6	2	3	-
FEMALE--	15	11	15	27	25	33	30	39	17	8	3	-
TEXAS -----	142	130	172	217	303	355	436	423	307	96	27	-
WHITE-----MALE----	54	59	69	72	118	115	127	112	60	12	4	-
FEMALE--	32	27	41	57	96	164	218	257	207	69	14	-
ALL OTHER--MALE----	27	25	29	42	43	30	30	15	12	7	1	-
FEMALE--	29	19	33	46	46	46	61	39	28	8	8	-
BLACK---MALE----	26	25	27	41	41	29	30	15	11	7	1	-
FEMALE--	29	19	31	46	45	45	58	37	27	8	8	-
UTAH -----	6	6	5	11	16	17	22	22	18	16	1	-
WHITE-----MALE----	6	6	3	4	8	8	10	11	5	2	-	-
FEMALE--	-	-	1	5	7	9	10	11	12	14	1	-
ALL OTHER--MALE----	-	-	1	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
VERMONT -----	2	2	2	2	12	14	7	17	13	6	1	-
WHITE-----MALE----	1	-	1	2	4	3	2	2	2	2	-	-
FEMALE--	1	2	1	-	8	11	5	14	11	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	27	22	40	60	97	122	125	116	85	29	9	2
WHITE-----MALE----	8	7	14	16	24	28	31	28	13	3	-	2
FEMALE--	3	3	3	16	37	46	48	63	60	21	7	-
ALL OTHER--MALE----	11	5	14	18	15	20	5	7	1	2	-	-
FEMALE--	5	7	9	10	21	28	41	18	11	3	2	-
BLACK---MALE----	11	5	14	18	14	20	5	7	1	2	-	-
FEMALE--	5	7	8	10	21	27	41	18	11	3	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,522

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ESSENTIAL HYPERTENSION (401)												
0 UNITED STATES --	7,774	4	1	1	3	-	2	8	18	48	95	154
WHITE-----MALE----	2,212	1	-	1	-	-	-	1	5	19	37	51
FEMALE--	3,951	3	-	-	2	-	-	2	2	4	10	21
ALL OTHER--MALE----	703	-	1	-	-	-	1	3	5	15	25	47
FEMALE--	908	-	-	-	1	-	1	2	6	10	23	35
BLACK---MALE----	639	-	1	-	-	-	1	3	5	13	21	44
FEMALE--	845	-	-	-	1	-	1	2	6	10	22	33
ALABAMA -----	136	-	-	-	-	-	-	-	-	3	7	8
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	43	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	38	-	-	-	-	-	-	-	-	1	4	1
BLACK---MALE----	32	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	38	-	-	-	-	-	-	-	-	1	4	1
ALASKA -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	89	-	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	32	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	52	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	88	-	-	-	-	-	-	-	1	-	2	7
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	16	-	-	-	-	-	-	-	1	-	2	2
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	16	-	-	-	-	-	-	-	1	-	2	2
CALIFORNIA -----	868	2	-	-	-	-	-	1	5	6	10	11
WHITE-----MALE----	269	-	-	-	-	-	-	1	1	3	5	4
FEMALE--	456	2	-	-	-	-	-	-	1	2	1	2
ALL OTHER--MALE----	67	-	-	-	-	-	-	-	2	1	2	1
FEMALE--	76	-	-	-	-	-	-	-	1	-	2	4
BLACK---MALE----	40	-	-	-	-	-	-	-	2	1	-	-
FEMALE--	51	-	-	-	-	-	-	-	1	-	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,522

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ESSENTIAL HYPERTENSION (401)												
0 UNITED STATES --	230	263	405	548	829	1,053	1,319	1,303	963	419	107	1
WHITE-----MALE----	89	116	187	206	308	351	363	277	143	40	17	-
FEMALE--	50	55	95	194	313	493	751	849	695	336	76	-
ALL OTHER--MALE----	57	44	72	70	97	105	82	39	31	7	1	1
FEMALE--	34	48	51	78	111	104	123	138	94	36	13	-
BLACK---MALE----	55	40	71	62	89	94	74	33	24	7	1	1
FEMALE--	33	47	48	74	104	92	111	130	86	34	11	-
ALABAMA -----	3	5	10	9	14	15	16	24	14	5	3	-
WHITE-----MALE----	-	2	1	2	5	3	2	1	1	1	-	-
FEMALE--	-	-	2	1	1	3	8	13	10	2	1	-
ALL OTHER--MALE----	2	2	3	2	5	5	3	3	2	-	-	-
FEMALE--	1	1	4	4	3	4	3	7	1	2	2	-
BLACK---MALE----	2	2	3	2	5	5	3	3	2	-	-	-
FEMALE--	1	1	4	4	3	4	3	7	1	2	2	-
ALASKA -----	-	-	1	1	1	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	6	-	9	7	15	13	20	9	5	1	-
WHITE-----MALE----	-	4	-	4	5	9	4	2	2	-	-	-
FEMALE--	-	2	-	5	2	6	9	16	7	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
ARKANSAS -----	6	2	8	7	7	8	11	19	5	4	1	-
WHITE-----MALE----	1	1	5	3	1	1	2	-	-	-	-	-
FEMALE--	3	-	2	2	6	5	4	15	5	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	3	1	-	1	1	-
FEMALE--	2	1	-	2	-	1	2	3	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	3	1	-	1	1	-
FEMALE--	2	1	-	2	-	1	2	3	-	-	-	-
CALIFORNIA -----	25	24	31	58	111	126	162	149	100	37	10	-
WHITE-----MALE----	12	10	15	27	34	50	50	39	14	3	1	-
FEMALE--	5	7	7	19	46	62	94	96	73	31	8	-
ALL OTHER--MALE----	6	3	3	6	15	10	8	5	4	1	-	-
FEMALE--	2	4	6	6	16	4	10	9	9	2	1	-
BLACK---MALE----	5	1	3	3	10	7	4	1	2	1	-	-
FEMALE--	2	4	5	5	13	1	4	7	4	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,523

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ESSENTIAL HYPERTENSION (401)												
COLORADO -----	64	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	117	1	-	-	-	-	-	1	-	2	-	1
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	81	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	17	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	51	-	-	-	-	-	-	-	-	1	-	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	23	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	21	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	23	-	-	-	-	-	-	-	-	1	-	-
FLORIDA -----	480	-	-	-	-	-	-	-	1	1	5	4
WHITE-----MALE----	154	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	243	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	43	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	40	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	43	-	-	-	-	-	-	-	1	1	-	1
GEORGIA -----	322	-	-	-	1	-	1	2	5	7	5	18
WHITE-----MALE----	75	-	-	-	-	-	-	-	3	1	2	6
FEMALE--	112	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	59	-	-	-	-	-	1	2	1	2	2	7
FEMALE--	76	-	-	-	1	-	-	-	1	3	1	4
BLACK---MALE----	59	-	-	-	-	-	1	2	1	2	2	7
FEMALE--	75	-	-	-	1	-	-	-	1	3	1	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,523

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ESSENTIAL HYPERTENSION (401)												
COLORADO -----	2	1	-	2	3	10	14	14	6	7	2	-
WHITE-----MALE----	2	-	-	1	1	4	3	4	1	1	1	-
FEMALE--	-	1	-	1	2	5	11	9	5	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
CONNECTICUT -----	1	3	2	8	10	13	19	29	15	10	2	-
WHITE-----MALE----	-	1	-	6	3	2	7	4	2	2	1	-
FEMALE--	1	2	1	1	6	10	11	25	13	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	-	-	-	-	-
DELAWARE -----	-	-	2	-	3	5	2	-	3	1	-	-
WHITE-----MALE----	-	-	-	-	1	4	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	2	-	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	4	4	5	4	9	5	8	2	6	1	-	-
WHITE-----MALE----	1	-	1	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	2	-	-	-
ALL OTHER--MALE----	3	3	3	2	5	-	3	-	-	-	-	-
FEMALE--	-	1	1	2	4	4	4	2	3	1	-	-
BLACK---MALE----	3	3	3	2	5	-	3	-	-	-	-	-
FEMALE--	-	1	1	2	4	4	4	2	3	1	-	-
FLORIDA -----	13	8	22	29	56	79	88	81	62	25	5	1
WHITE-----MALE----	5	3	9	13	24	25	28	20	18	4	-	-
FEMALE--	3	2	7	10	21	36	50	50	41	20	3	-
ALL OTHER--MALE----	5	1	6	4	3	7	5	3	1	1	-	1
FEMALE--	-	2	-	2	8	11	5	8	2	-	2	-
BLACK---MALE----	5	1	6	4	3	7	5	3	1	1	-	1
FEMALE--	-	2	-	2	8	11	5	8	2	-	2	-
GEORGIA -----	20	16	18	26	32	33	45	46	34	11	2	-
WHITE-----MALE----	4	8	9	8	7	10	10	4	2	-	1	-
FEMALE--	5	1	-	4	13	10	18	27	22	10	-	-
ALL OTHER--MALE----	7	1	7	5	6	9	6	2	1	-	-	-
FEMALE--	4	6	2	9	6	4	11	13	9	1	1	-
BLACK---MALE----	7	1	7	5	6	9	6	2	1	-	-	-
FEMALE--	4	6	2	8	6	4	11	13	9	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,524

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ESSENTIAL HYPERTENSION (401)												
HAWAII -----	-	1	1	2	2	6	1	3	2	2	2	-
WHITE-----MALE----	-	-	-	1	-	2	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	1	1	1	3	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	2	1	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	2	2	1	-	2	1	3	6	2	-	-
WHITE-----MALE----	-	2	1	-	-	-	-	1	2	-	-	-
FEMALE--	-	-	1	1	-	2	1	2	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	12	11	16	21	38	44	63	58	45	21	1	-
WHITE-----MALE----	1	2	7	6	12	19	12	10	12	1	-	-
FEMALE--	3	2	6	8	16	18	45	40	22	19	-	-
ALL OTHER--MALE----	5	3	3	3	6	6	2	1	5	-	-	-
FEMALE--	3	4	-	4	4	1	4	7	6	1	1	-
BLACK---MALE----	5	3	3	3	6	4	2	1	4	-	-	-
FEMALE--	3	4	-	4	3	1	4	7	6	1	1	-
INDIANA -----	5	4	11	12	16	27	27	31	21	10	-	-
WHITE-----MALE----	2	2	5	5	5	8	6	4	2	1	-	-
FEMALE--	-	2	4	3	10	15	18	24	19	7	-	-
ALL OTHER--MALE----	3	-	1	3	-	2	1	1	-	-	-	-
FEMALE--	-	-	1	1	1	2	2	2	-	2	-	-
BLACK---MALE----	3	-	1	2	-	2	1	1	-	-	-	-
FEMALE--	-	-	1	1	1	2	1	2	-	2	-	-
IOWA -----	1	-	1	2	8	6	12	9	14	5	1	-
WHITE-----MALE----	-	-	1	-	3	1	4	2	2	-	-	-
FEMALE--	1	-	-	1	4	5	8	7	12	5	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	1	5	6	4	17	12	9	9	8	1	-
WHITE-----MALE----	1	-	-	2	3	6	3	4	-	-	-	-
FEMALE--	-	-	1	3	1	10	8	5	8	8	1	-
ALL OTHER--MALE----	-	-	3	-	-	-	1	-	1	-	-	-
FEMALE--	-	1	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	3	-	-	-	1	-	1	-	-	-
FEMALE--	-	1	1	1	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,525

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ESSENTIAL HYPERTENSION (401)												
KENTUCKY -----	6	4	5	7	9	14	15	12	12	5	1	-
WHITE-----MALE----	3	2	3	4	6	7	5	2	1	-	-	-
FEMALE--	2	1	1	3	3	6	9	8	9	5	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	1	2	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	1	2	-	-	-
LOUISIANA -----	5	3	6	8	14	15	18	17	15	3	-	-
WHITE-----MALE----	2	-	-	3	3	2	3	2	1	-	-	-
FEMALE--	1	-	1	1	2	7	9	11	4	3	-	-
ALL OTHER--MALE----	2	2	1	2	2	4	2	1	2	-	-	-
FEMALE--	-	1	4	2	7	2	4	3	8	-	-	-
BLACK---MALE----	2	2	1	2	2	4	2	1	2	-	-	-
FEMALE--	-	1	4	2	6	2	4	3	8	-	-	-
MAINE -----	-	1	3	2	3	2	6	7	5	4	-	-
WHITE-----MALE----	-	1	-	-	3	2	1	-	1	-	-	-
FEMALE--	-	-	3	2	-	-	5	7	4	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	9	3	10	9	10	21	18	18	7	1	-
WHITE-----MALE----	1	5	2	3	2	3	6	5	2	1	1	-
FEMALE--	-	1	-	3	3	4	10	9	15	6	-	-
ALL OTHER--MALE----	2	1	1	3	1	1	2	1	-	-	-	-
FEMALE--	-	2	-	1	3	2	3	3	1	-	-	-
BLACK---MALE----	2	1	1	3	1	1	2	1	-	-	-	-
FEMALE--	-	2	-	1	3	2	3	3	1	-	-	-
MASSACHUSETTS -----	2	8	13	9	18	32	33	30	20	17	5	-
WHITE-----MALE----	2	6	9	6	6	15	12	4	2	-	-	-
FEMALE--	-	1	4	3	9	12	19	25	16	17	5	-
ALL OTHER--MALE----	-	1	-	-	2	3	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	1	2	-	-	-
BLACK---MALE----	-	1	-	-	2	3	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	1	2	-	-	-
MICHIGAN -----	4	6	9	11	27	33	46	40	37	17	4	-
WHITE-----MALE----	2	1	5	4	9	11	19	9	3	-	2	-
FEMALE--	2	2	1	6	10	14	22	24	31	16	1	-
ALL OTHER--MALE----	-	2	2	1	2	4	2	2	2	-	-	-
FEMALE--	-	1	1	-	6	4	3	5	1	1	1	-
BLACK---MALE----	-	2	2	1	2	4	2	2	2	-	-	-
FEMALE--	-	1	1	-	6	4	3	5	1	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,528

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ESSENTIAL HYPERTENSION (401)												
OHIO -----	8	15	23	28	43	52	80	65	60	31	8	-
WHITE-----MALE----	3	7	11	9	24	15	24	19	10	4	2	-
FEMALE--	5	6	7	16	14	29	48	38	45	24	6	-
ALL OTHER--MALE----	-	2	2	1	1	4	2	1	-	-	-	-
FEMALE--	-	-	3	2	4	4	6	7	5	3	-	-
BLACK---MALE----	-	2	2	1	1	4	2	1	-	-	-	-
FEMALE--	-	-	3	2	4	4	6	7	5	3	-	-
OKLAHOMA -----	2	2	10	3	9	16	20	14	14	2	-	-
WHITE-----MALE----	-	2	4	3	3	3	6	-	-	-	-	-
FEMALE--	-	-	4	-	5	11	11	11	11	2	-	-
ALL OTHER--MALE----	2	-	-	-	1	1	-	-	2	-	-	-
FEMALE--	-	-	2	-	-	1	3	3	1	-	-	-
BLACK---MALE----	1	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	2	-	-	-	2	2	1	-	-	-
OREGON -----	3	3	5	8	12	16	26	29	21	9	5	-
WHITE-----MALE----	3	2	2	5	5	7	9	6	4	2	1	-
FEMALE--	-	-	3	3	7	8	15	23	16	7	4	-
ALL OTHER--MALE----	-	1	-	-	-	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	10	14	19	32	41	62	53	61	52	15	5	-
WHITE-----MALE----	4	7	14	11	13	22	19	15	5	1	1	-
FEMALE--	1	5	4	12	24	31	32	39	39	13	4	-
ALL OTHER--MALE----	3	-	1	6	3	3	-	1	-	-	-	-
FEMALE--	2	2	-	3	1	6	2	6	8	1	-	-
BLACK---MALE----	3	-	1	6	3	3	-	1	-	-	-	-
FEMALE--	2	2	-	3	1	6	2	6	8	1	-	-
RHODE ISLAND -----	-	-	-	2	2	1	5	5	1	1	-	-
WHITE-----MALE----	-	-	-	2	1	-	2	2	-	1	-	-
FEMALE--	-	-	-	-	1	1	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	15	5	14	22	22	16	18	11	2	-	-
WHITE-----MALE----	3	5	1	2	9	4	-	5	1	-	-	-
FEMALE--	-	2	2	5	4	9	7	10	9	1	-	-
ALL OTHER--MALE----	1	4	1	4	4	7	5	2	-	-	-	-
FEMALE--	1	4	1	3	5	2	4	1	1	1	-	-
BLACK---MALE----	1	4	1	4	4	7	5	2	-	-	-	-
FEMALE--	1	4	1	3	5	2	4	1	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,529

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ESSENTIAL HYPERTENSION (401)												
SOUTH DAKOTA -----	-	2	-	-	-	1	2	2	1	2	-	-
WHITE-----MALE----	-	2	-	-	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	7	6	11	10	17	17	29	25	14	9	-	-
WHITE-----MALE----	3	3	6	5	4	5	7	5	3	-	-	-
FEMALE--	2	3	3	1	5	9	16	16	7	7	-	-
ALL OTHER--MALE----	1	-	-	-	4	1	5	1	-	-	-	-
FEMALE--	1	-	2	4	4	2	1	3	4	2	-	-
BLACK---MALE----	1	-	-	-	4	1	5	1	-	-	-	-
FEMALE--	1	-	2	4	4	2	1	3	4	2	-	-
TEXAS -----	12	12	30	21	50	44	86	77	60	17	6	-
WHITE-----MALE----	5	3	14	10	21	14	25	14	8	1	3	-
FEMALE--	4	3	7	6	22	17	46	50	42	14	3	-
ALL OTHER--MALE----	1	3	4	3	3	7	3	2	3	-	-	-
FEMALE--	2	3	5	2	4	6	12	11	7	2	-	-
BLACK---MALE----	1	3	4	3	3	6	3	2	2	-	-	-
FEMALE--	2	3	4	2	4	6	11	9	7	2	-	-
UTAH -----	-	2	1	2	5	3	9	3	6	3	-	-
WHITE-----MALE----	-	2	1	-	3	-	4	2	-	-	-	-
FEMALE--	-	-	-	2	2	3	4	1	5	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	5	4	-	2	3	1	1	-
WHITE-----MALE----	-	-	-	-	2	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	3	2	-	2	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	12	7	7	15	20	26	23	18	21	5	3	-
WHITE-----MALE----	3	4	3	6	6	5	5	4	1	-	-	-
FEMALE--	2	-	1	2	5	11	8	11	17	5	3	-
ALL OTHER--MALE----	4	1	2	3	6	4	2	-	1	-	-	-
FEMALE--	3	2	1	4	3	6	8	3	2	-	-	-
BLACK---MALE----	4	1	2	3	6	4	2	-	1	-	-	-
FEMALE--	3	2	1	4	3	5	8	3	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,531

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HYPERTENSIVE HEART DISEASE (402)												
0 UNITED STATES --	26,607	2	-	-	1	5	23	39	139	345	608	994
WHITE-----MALE----	7,916	1	-	-	-	2	5	10	54	149	223	391
FEMALE--	11,461	1	-	-	-	1	1	5	15	34	66	129
ALL OTHER--MALE----	3,470	-	-	-	1	-	11	15	36	110	204	289
FEMALE--	3,760	-	-	-	-	2	6	9	34	52	115	185
BLACK---MALE----	3,190	-	-	-	1	-	11	15	36	102	195	271
FEMALE--	3,518	-	-	-	-	2	6	9	32	51	113	179
ALABAMA -----	429	-	-	-	-	1	1	-	1	4	13	12
WHITE-----MALE----	82	-	-	-	-	1	-	-	1	-	2	3
FEMALE--	145	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	97	-	-	-	-	-	1	-	-	4	6	2
FEMALE--	105	-	-	-	-	-	-	-	-	-	5	4
BLACK---MALE----	97	-	-	-	-	-	1	-	-	4	6	2
FEMALE--	105	-	-	-	-	-	-	-	-	-	5	4
ALASKA -----	13	-	-	-	-	-	1	-	-	-	1	1
WHITE-----MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	279	-	-	-	-	-	-	-	-	1	4	9
WHITE-----MALE----	108	-	-	-	-	-	-	-	-	1	4	4
FEMALE--	147	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	2
ARKANSAS -----	171	-	-	-	-	-	-	-	3	5	6	3
WHITE-----MALE----	50	-	-	-	-	-	-	-	1	2	2	2
FEMALE--	51	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	1	2	3	1
FEMALE--	36	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	34	-	-	-	-	-	-	-	1	2	3	1
FEMALE--	35	-	-	-	-	-	-	-	-	1	-	-
CALIFORNIA -----	3,222	1	-	-	-	1	1	5	19	31	62	121
WHITE-----MALE----	981	1	-	-	-	-	-	3	8	10	26	50
FEMALE--	1,495	-	-	-	-	1	-	2	2	5	15	20
ALL OTHER--MALE----	364	-	-	-	-	-	-	-	2	11	15	30
FEMALE--	382	-	-	-	-	-	1	-	7	5	6	21
BLACK---MALE----	257	-	-	-	-	-	-	-	2	7	12	26
FEMALE--	275	-	-	-	-	-	1	-	5	5	6	17

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,531

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART DISEASE (402)												
0 UNITED STATES --	1,276	1,352	1,633	2,081	2,751	3,358	3,696	4,001	2,900	1,145	252	6
WHITE-----MALE----	518	528	630	817	965	1,076	1,069	845	470	136	24	3
FEMALE--	200	232	323	483	935	1,470	1,916	2,563	2,057	856	172	2
ALL OTHER--MALE----	352	350	384	422	412	336	227	175	98	37	10	1
FEMALE--	206	242	296	359	439	476	484	418	275	116	46	-
BLACK---MALE----	334	329	353	400	371	302	198	153	84	24	10	1
FEMALE--	201	232	280	343	404	442	447	383	250	104	40	-
ALABAMA -----	13	35	37	28	36	49	47	87	47	13	5	-
WHITE-----MALE----	4	9	12	7	7	11	8	13	3	1	-	-
FEMALE--	1	3	8	7	7	11	19	49	27	6	4	-
ALL OTHER--MALE----	7	12	8	7	12	15	10	8	4	1	-	-
FEMALE--	1	11	9	7	10	12	10	17	13	5	1	-
BLACK---MALE----	7	12	8	7	12	15	10	8	4	1	-	-
FEMALE--	1	11	9	7	10	12	10	17	13	5	1	-
ALASKA -----	-	1	2	2	1	-	-	2	1	1	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	2	1	1	-	-
ALL OTHER--MALE----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	11	10	26	26	35	25	47	40	32	10	3	-
WHITE-----MALE----	7	7	13	16	13	10	15	7	8	3	-	-
FEMALE--	1	3	7	8	18	14	30	32	22	7	3	-
ALL OTHER--MALE----	2	-	2	2	1	1	1	-	1	-	-	-
FEMALE--	1	-	4	-	3	-	1	1	1	-	-	-
BLACK---MALE----	1	-	2	2	1	1	-	-	1	-	-	-
FEMALE--	-	-	3	-	2	-	1	1	1	-	-	-
ARKANSAS -----	9	7	10	16	12	15	34	22	18	9	2	-
WHITE-----MALE----	1	5	6	5	3	1	14	5	3	-	-	-
FEMALE--	2	1	-	4	3	5	9	12	8	3	2	-
ALL OTHER--MALE----	5	1	1	3	3	5	3	4	1	1	-	-
FEMALE--	1	-	3	4	3	4	8	1	6	5	-	-
BLACK---MALE----	5	1	1	3	3	5	3	4	1	1	-	-
FEMALE--	1	-	3	4	3	3	8	1	6	5	-	-
CALIFORNIA -----	132	129	159	206	343	435	464	540	387	152	34	-
WHITE-----MALE----	66	52	68	94	127	142	134	106	78	14	2	-
FEMALE--	24	24	38	57	117	184	244	360	262	117	23	-
ALL OTHER--MALE----	24	27	36	30	46	55	35	26	14	11	2	-
FEMALE--	18	26	17	25	53	54	51	48	33	10	7	-
BLACK---MALE----	20	24	29	23	31	32	23	17	7	2	2	-
FEMALE--	16	21	13	21	35	38	35	28	25	5	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,532

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HYPERTENSIVE HEART DISEASE (402)												
COLORADO -----	165	-	-	-	-	1	-	-	-	-	2	5
WHITE-----MALE----	51	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	89	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	1	-	-	-	-	-	1
CONNECTICUT -----	275	-	-	-	-	-	1	1	1	1	7	11
WHITE-----MALE----	110	-	-	-	-	-	-	-	-	-	5	6
FEMALE--	134	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	16	-	-	-	-	-	1	-	-	-	1	2
FEMALE--	15	-	-	-	-	-	-	1	1	1	-	2
BLACK---MALE----	16	-	-	-	-	-	1	-	-	-	1	2
FEMALE--	15	-	-	-	-	-	-	1	1	1	-	2
DELAWARE -----	114	-	-	-	-	-	-	-	1	1	-	6
WHITE-----MALE----	37	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	48	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	20	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	201	-	-	-	-	-	-	-	1	-	6	9
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	89	-	-	-	-	-	-	-	1	-	3	7
FEMALE--	82	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE----	87	-	-	-	-	-	-	-	1	-	3	7
FEMALE--	82	-	-	-	-	-	-	-	-	-	2	2
FLORIDA -----	1,968	-	-	-	-	1	4	2	7	29	42	64
WHITE-----MALE----	728	-	-	-	-	-	1	-	-	19	15	19
FEMALE--	836	-	-	-	-	-	-	-	3	1	5	11
ALL OTHER--MALE----	190	-	-	-	-	-	1	2	1	6	13	22
FEMALE--	214	-	-	-	-	1	2	-	3	3	9	12
BLACK---MALE----	186	-	-	-	-	-	1	2	1	6	13	21
FEMALE--	209	-	-	-	-	1	2	-	3	3	9	12
GEORGIA -----	733	-	-	-	-	-	-	1	5	9	14	30
WHITE-----MALE----	147	-	-	-	-	-	-	-	3	4	5	4
FEMALE--	230	-	-	-	-	-	-	-	-	-	-	4
ALL OTHER--MALE----	166	-	-	-	-	-	-	1	2	3	5	14
FEMALE--	190	-	-	-	-	-	-	-	-	2	4	8
BLACK---MALE----	165	-	-	-	-	-	-	1	2	3	5	14
FEMALE--	188	-	-	-	-	-	-	-	-	2	4	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,532

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART DISEASE (402)												
COLORADO -----	2	6	14	16	10	21	22	26	27	10	3	-
WHITE-----MALE----	2	2	7	10	3	8	5	6	3	1	-	-
FEMALE--	-	1	3	2	7	9	17	17	20	9	3	-
ALL OTHER--MALE----	-	2	3	1	-	2	-	1	-	-	-	-
FEMALE--	-	1	1	3	-	2	-	2	4	-	-	-
BLACK---MALE----	-	2	3	1	-	1	-	1	-	-	-	-
FEMALE--	-	1	1	3	-	2	-	2	2	-	-	-
CONNECTICUT -----	14	14	13	17	32	42	38	35	34	13	1	-
WHITE-----MALE----	5	6	8	11	15	25	16	8	2	2	1	-
FEMALE--	5	7	3	5	11	13	21	26	30	11	-	-
ALL OTHER--MALE----	3	-	2	1	2	2	1	1	-	-	-	-
FEMALE--	1	1	-	-	4	2	-	-	2	-	-	-
BLACK---MALE----	3	-	2	1	2	2	1	1	-	-	-	-
FEMALE--	1	1	-	-	4	2	-	-	2	-	-	-
DELAWARE -----	7	6	5	13	14	18	12	19	8	4	-	-
WHITE-----MALE----	-	4	2	6	5	7	1	4	3	-	-	-
FEMALE--	1	-	-	5	4	9	8	11	5	4	-	-
ALL OTHER--MALE----	3	1	3	1	4	1	2	4	-	-	-	-
FEMALE--	3	1	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	3	1	3	1	4	1	2	4	-	-	-	-
FEMALE--	3	1	-	1	-	1	1	-	-	-	-	-
DISTRICT OF COLUMBIA -----	13	13	24	28	18	25	25	16	15	8	-	-
WHITE-----MALE----	1	-	1	1	-	1	3	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	7	3	6	2	-	-
ALL OTHER--MALE----	7	9	15	18	6	12	3	3	3	2	-	-
FEMALE--	5	4	8	9	11	11	12	9	5	4	-	-
BLACK---MALE----	7	8	15	18	6	11	3	3	3	2	-	-
FEMALE--	5	4	8	9	11	11	12	9	5	4	-	-
FLORIDA -----	97	108	125	154	209	246	284	284	216	78	18	-
WHITE-----MALE----	50	53	60	72	89	102	109	85	42	8	4	-
FEMALE--	16	17	19	42	76	110	142	173	151	62	8	-
ALL OTHER--MALE----	17	19	27	19	21	17	8	7	8	1	1	-
FEMALE--	14	19	19	21	23	17	25	19	15	7	5	-
BLACK---MALE----	17	18	27	18	20	17	8	7	8	1	1	-
FEMALE--	14	19	17	20	23	17	23	19	15	7	5	-
GEORGIA -----	63	44	50	83	72	79	89	92	68	32	2	-
WHITE-----MALE----	16	9	14	19	15	12	17	17	7	5	-	-
FEMALE--	6	7	4	9	11	36	38	49	45	21	-	-
ALL OTHER--MALE----	28	19	15	26	19	12	13	6	2	1	-	-
FEMALE--	13	9	17	29	27	19	21	20	14	5	2	-
BLACK---MALE----	28	19	15	26	19	12	12	6	2	1	-	-
FEMALE--	13	9	16	29	27	18	21	20	14	5	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,533

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART DISEASE (402)												
HAWAII -----	3	8	2	7	9	3	15	14	8	10	3	-
WHITE-----MALE----	-	-	-	1	-	1	-	3	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	-	1	-	-
ALL OTHER--MALE----	3	5	1	3	5	1	6	4	1	4	-	-
FEMALE--	-	3	1	3	3	1	7	6	7	5	3	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	-	2	4	14	7	20	11	4	1	-
WHITE-----MALE----	1	-	-	1	1	3	3	1	1	1	-	-
FEMALE--	-	-	-	1	3	11	3	19	10	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	50	68	78	78	86	134	130	146	135	54	19	-
WHITE-----MALE----	25	20	19	25	23	38	32	19	17	7	1	-
FEMALE--	-	13	13	15	30	53	73	117	104	41	17	-
ALL OTHER--MALE----	17	20	26	19	22	23	7	1	4	-	-	-
FEMALE--	8	15	20	19	11	20	18	9	10	6	1	-
BLACK---MALE----	17	20	26	18	22	23	6	1	4	-	-	-
FEMALE--	8	15	20	19	11	19	17	8	10	6	1	-
INDIANA -----	8	6	17	31	34	54	51	68	61	21	6	-
WHITE-----MALE----	4	2	8	15	17	15	13	14	9	3	2	-
FEMALE--	1	3	6	9	9	31	34	48	50	18	3	-
ALL OTHER--MALE----	2	-	3	3	1	3	-	3	-	-	1	-
FEMALE--	1	1	-	4	7	5	4	3	2	-	-	-
BLACK---MALE----	2	-	3	2	1	3	-	3	-	-	1	-
FEMALE--	1	1	-	4	7	5	4	3	2	-	-	-
IOWA -----	12	15	21	26	29	41	42	57	58	25	4	-
WHITE-----MALE----	10	9	14	14	14	19	17	13	13	3	1	-
FEMALE--	2	4	7	11	15	20	25	42	44	20	3	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	-	2	-	1	-	2	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	1	-	2	-	-
KANSAS -----	3	4	3	8	5	17	17	32	26	11	2	-
WHITE-----MALE----	3	1	1	3	2	7	5	4	2	1	1	-
FEMALE--	-	2	2	3	3	9	9	27	24	10	1	-
ALL OTHER--MALE----	-	-	-	2	-	-	2	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	2	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,534

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HYPERTENSIVE HEART DISEASE (402)												
KENTUCKY -----	283	1	-	-	-	-	-	-	2	4	4	8
WHITE-----MALE----	95	-	-	-	-	-	-	-	1	2	3	5
FEMALE--	147	1	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	21	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	1,004	-	-	-	-	-	1	1	2	7	20	30
WHITE-----MALE----	199	-	-	-	-	-	-	-	1	2	4	7
FEMALE--	344	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	190	-	-	-	-	-	1	1	-	3	8	11
FEMALE--	271	-	-	-	-	-	-	-	1	2	7	10
BLACK---MALE----	189	-	-	-	-	-	1	1	-	3	8	10
FEMALE--	269	-	-	-	-	-	-	-	1	2	7	10
MAINE -----	66	-	-	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	630	-	-	-	-	-	-	1	3	5	10	28
WHITE-----MALE----	154	-	-	-	-	-	-	-	-	3	4	7
FEMALE--	217	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	128	-	-	-	-	-	-	1	1	1	5	13
FEMALE--	131	-	-	-	-	-	-	-	1	1	1	8
BLACK---MALE----	126	-	-	-	-	-	-	1	1	1	5	12
FEMALE--	125	-	-	-	-	-	-	-	1	1	1	8
MASSACHUSETTS -----	274	-	-	-	-	-	-	1	3	5	4	11
WHITE-----MALE----	103	-	-	-	-	-	-	-	2	5	4	7
FEMALE--	150	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1,043	-	-	-	-	-	-	1	7	19	28	56
WHITE-----MALE----	327	-	-	-	-	-	-	-	3	8	11	23
FEMALE--	477	-	-	-	-	-	-	1	1	-	2	9
ALL OTHER--MALE----	126	-	-	-	-	-	-	-	2	8	8	14
FEMALE--	113	-	-	-	-	-	-	-	1	3	7	10
BLACK---MALE----	123	-	-	-	-	-	-	-	2	8	8	14
FEMALE--	111	-	-	-	-	-	-	-	1	3	7	10

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,534

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART DISEASE (402)												
KENTUCKY -----	10	7	14	19	26	38	46	52	36	13	3	-
WHITE-----MALE----	6	3	9	7	7	12	15	13	8	4	-	-
FEMALE--	1	2	3	8	14	19	26	32	26	9	3	-
ALL OTHER--MALE----	2	1	2	2	3	3	1	2	2	-	-	-
FEMALE--	1	1	-	2	2	4	4	5	-	-	-	-
BLACK---MALE----	2	1	2	2	3	3	1	2	2	-	-	-
FEMALE--	1	1	-	2	2	4	4	5	-	-	-	-
LOUISIANA -----	54	53	65	79	119	140	131	158	98	35	11	-
WHITE-----MALE----	13	13	14	22	30	34	26	18	9	5	1	-
FEMALE--	7	5	9	10	34	53	55	86	58	19	5	-
ALL OTHER--MALE----	17	21	21	25	27	18	13	14	7	1	2	-
FEMALE--	17	14	21	22	28	35	37	40	24	10	3	-
BLACK---MALE----	17	21	21	25	27	18	13	14	7	1	2	-
FEMALE--	17	14	21	22	28	35	37	39	23	10	3	-
MAINE -----	2	4	1	4	6	2	13	11	8	9	2	-
WHITE-----MALE----	2	4	1	4	2	-	4	2	4	3	-	-
FEMALE--	-	-	-	-	3	2	9	9	4	6	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	37	50	46	55	81	71	73	78	52	34	6	-
WHITE-----MALE----	11	17	12	13	25	24	12	15	3	8	-	-
FEMALE--	2	4	4	10	24	23	36	46	40	23	4	-
ALL OTHER--MALE----	14	20	15	17	20	10	9	-	2	-	-	-
FEMALE--	10	9	15	15	12	14	16	17	7	3	2	-
BLACK---MALE----	14	19	15	17	20	10	9	-	2	-	-	-
FEMALE--	10	9	15	14	11	13	14	16	7	3	2	-
MASSACHUSETTS -----	9	12	13	19	28	25	33	45	41	21	4	-
WHITE-----MALE----	6	6	6	12	8	12	14	11	6	3	1	-
FEMALE--	1	5	4	5	15	13	19	32	34	17	3	-
ALL OTHER--MALE----	1	-	3	1	2	-	-	1	-	-	-	-
FEMALE--	1	1	-	1	3	-	-	1	1	1	-	-
BLACK---MALE----	1	-	3	1	2	-	-	1	-	-	-	-
FEMALE--	1	1	-	1	2	-	-	1	1	1	-	-
MICHIGAN -----	59	61	66	67	109	122	144	143	110	44	7	-
WHITE-----MALE----	21	21	32	31	35	43	45	31	20	3	-	-
FEMALE--	15	18	13	19	44	60	82	90	81	37	5	-
ALL OTHER--MALE----	11	15	13	7	16	10	7	9	4	2	-	-
FEMALE--	12	7	8	10	14	9	10	13	5	2	2	-
BLACK---MALE----	11	14	13	7	16	10	7	7	4	2	-	-
FEMALE--	12	7	8	10	13	8	10	13	5	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,535

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HYPERTENSIVE HEART DISEASE (402)												
MINNESOTA -----	205	-	-	-	-	-	-	-	1	-	1	2
WHITE-----MALE----	77	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	120	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	467	-	-	-	-	-	1	1	2	3	11	13
WHITE-----MALE----	75	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	140	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	98	-	-	-	-	-	1	1	1	1	7	6
FEMALE--	154	-	-	-	-	-	-	-	1	1	3	4
BLACK---MALE----	96	-	-	-	-	-	1	1	1	1	7	6
FEMALE--	153	-	-	-	-	-	-	-	1	1	3	4
MISSOURI -----	551	-	-	-	-	-	1	2	6	12	18	27
WHITE-----MALE----	152	-	-	-	-	-	1	-	-	6	5	6
FEMALE--	228	-	-	-	-	-	-	-	1	2	1	7
ALL OTHER--MALE----	81	-	-	-	-	-	-	1	3	2	6	7
FEMALE--	90	-	-	-	-	-	-	1	2	2	6	7
BLACK---MALE----	80	-	-	-	-	-	-	1	3	2	6	7
FEMALE--	89	-	-	-	-	-	-	1	2	2	6	7
MONTANA -----	58	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	90	-	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	30	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	49	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	311	-	-	-	-	-	-	-	1	4	3	15
WHITE-----MALE----	156	-	-	-	-	-	-	-	1	2	1	11
FEMALE--	113	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	24	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,535

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART DISEASE (402)												
MINNESOTA -----	3	4	18	9	14	26	44	43	25	14	1	-
WHITE-----MALE----	2	2	12	3	10	9	16	11	6	3	1	-
FEMALE--	-	2	5	5	3	15	27	32	19	11	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	-	-	-	-	-
MISSISSIPPI -----	12	23	25	50	48	51	69	73	52	25	7	1
WHITE-----MALE----	2	2	7	15	6	11	14	8	7	-	-	-
FEMALE--	1	2	3	9	12	15	25	31	23	13	4	-
ALL OTHER--MALE----	6	9	6	17	10	12	6	10	3	1	-	1
FEMALE--	3	10	9	9	20	13	24	24	19	11	3	-
BLACK---MALE----	5	8	6	17	10	12	6	10	3	1	-	1
FEMALE--	3	10	9	9	20	13	24	24	19	10	3	-
MISSOURI -----	25	35	36	43	64	55	59	88	55	20	5	-
WHITE-----MALE----	7	14	15	20	15	13	19	17	11	3	-	-
FEMALE--	2	2	4	6	27	25	33	59	38	16	5	-
ALL OTHER--MALE----	10	9	8	10	11	8	1	3	1	1	-	-
FEMALE--	6	10	9	7	11	9	6	9	5	-	-	-
BLACK---MALE----	10	8	8	10	11	8	1	3	1	1	-	-
FEMALE--	6	10	9	7	11	8	6	9	5	-	-	-
MONTANA -----	1	-	1	3	5	9	9	19	8	2	-	-
WHITE-----MALE----	-	-	1	2	4	2	3	7	1	-	-	-
FEMALE--	1	-	-	1	1	7	6	12	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	2	6	4	5	12	12	17	13	11	3	-
WHITE-----MALE----	1	-	4	2	5	4	4	4	1	2	-	-
FEMALE--	1	-	-	1	-	6	6	12	11	9	3	-
ALL OTHER--MALE----	-	1	1	1	-	-	-	-	1	-	-	-
FEMALE--	-	1	1	-	-	2	2	1	-	-	-	-
BLACK---MALE----	-	1	1	1	-	-	-	-	1	-	-	-
FEMALE--	-	1	1	-	-	2	2	1	-	-	-	-
NEVADA -----	18	23	30	46	47	49	31	26	14	3	1	-
WHITE-----MALE----	11	18	17	29	22	19	13	10	2	-	-	-
FEMALE--	5	3	5	9	18	24	17	14	11	2	1	-
ALL OTHER--MALE----	1	-	7	5	3	1	-	-	-	-	-	-
FEMALE--	1	2	1	3	4	5	1	2	1	1	-	-
BLACK---MALE----	1	-	3	5	2	1	-	-	-	-	-	-
FEMALE--	1	2	-	3	3	3	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,537

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART DISEASE (402)												
OHIO -----	50	51	52	70	112	138	149	185	121	59	13	-
WHITE-----MALE----	21	27	18	27	49	44	50	43	17	6	1	-
FEMALE--	13	9	14	24	33	64	82	120	95	45	9	-
ALL OTHER--MALE----	11	6	10	11	10	13	7	8	2	1	-	-
FEMALE--	5	9	10	8	20	17	10	14	7	7	3	-
BLACK---MALE----	11	6	10	11	9	12	7	8	2	1	-	-
FEMALE--	5	9	10	8	20	17	10	14	7	7	3	-
OKLAHOMA -----	7	3	7	12	16	22	33	27	28	14	3	-
WHITE-----MALE----	4	2	4	3	7	8	11	6	2	2	-	-
FEMALE--	1	-	1	5	6	9	16	18	21	12	3	-
ALL OTHER--MALE----	2	1	1	-	-	2	1	1	3	-	-	-
FEMALE--	-	-	1	4	3	3	5	2	2	-	-	-
BLACK---MALE----	1	-	1	-	-	1	1	1	2	-	-	-
FEMALE--	-	-	-	3	1	2	5	2	2	-	-	-
OREGON -----	5	7	8	10	16	23	51	43	37	11	2	-
WHITE-----MALE----	5	6	5	5	9	10	17	9	7	3	-	-
FEMALE--	-	-	3	4	6	12	32	34	29	8	2	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	46	43	50	77	92	149	141	151	113	31	7	-
WHITE-----MALE----	19	12	22	35	31	49	46	35	15	1	1	-
FEMALE--	8	8	11	22	36	74	84	95	94	25	5	-
ALL OTHER--MALE----	14	16	9	11	12	10	7	6	-	-	-	-
FEMALE--	5	7	8	9	13	16	4	15	4	5	1	-
BLACK---MALE----	13	16	9	11	12	10	7	5	-	-	-	-
FEMALE--	5	7	8	9	12	16	4	15	4	5	1	-
RHODE ISLAND -----	4	7	2	5	11	18	21	22	20	5	-	-
WHITE-----MALE----	2	7	1	3	8	8	8	5	7	-	-	-
FEMALE--	1	-	1	2	3	9	12	17	12	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
SOUTH CAROLINA -----	20	8	21	31	37	54	55	29	20	10	3	-
WHITE-----MALE----	2	1	4	6	9	12	12	5	2	-	-	-
FEMALE--	4	1	5	5	11	20	15	11	10	8	2	-
ALL OTHER--MALE----	9	4	5	13	6	4	8	4	4	-	-	-
FEMALE--	5	2	7	7	11	18	20	9	4	2	1	-
BLACK---MALE----	9	4	5	13	6	4	8	4	4	-	-	-
FEMALE--	5	2	7	7	11	18	20	9	4	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,538

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HYPERTENSIVE HEART DISEASE (402)												
SOUTH DAKOTA -----	30	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	824	-	-	-	1	-	-	1	7	16	25	25
WHITE-----MALE----	200	-	-	-	-	-	-	-	4	4	4	7
FEMALE--	318	-	-	-	-	-	-	-	-	2	2	4
ALL OTHER--MALE----	135	-	-	-	1	-	-	1	2	8	9	10
FEMALE--	171	-	-	-	-	-	-	-	1	2	10	4
BLACK---MALE----	133	-	-	-	1	-	-	1	2	8	9	10
FEMALE--	171	-	-	-	-	-	-	-	1	2	10	4
TEXAS -----	1,790	-	-	-	-	1	-	3	8	20	49	81
WHITE-----MALE----	578	-	-	-	-	1	-	1	3	9	23	37
FEMALE--	757	-	-	-	-	-	-	-	2	4	9	10
ALL OTHER--MALE----	222	-	-	-	-	-	-	1	1	7	14	21
FEMALE--	233	-	-	-	-	-	-	1	2	-	3	13
BLACK---MALE----	214	-	-	-	-	-	-	1	1	7	13	20
FEMALE--	228	-	-	-	-	-	-	1	2	-	3	13
UTAH -----	88	-	-	-	-	-	-	-	-	3	1	1
WHITE-----MALE----	43	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	41	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	48	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	436	-	-	-	-	-	-	2	4	10	10	15
WHITE-----MALE----	96	-	-	-	-	-	-	-	2	2	2	3
FEMALE--	180	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	75	-	-	-	-	-	-	1	2	6	7	4
FEMALE--	85	-	-	-	-	-	-	1	-	2	1	6
BLACK---MALE----	74	-	-	-	-	-	-	1	2	6	7	4
FEMALE--	84	-	-	-	-	-	-	1	-	2	1	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,538

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HYPERTENSIVE HEART DISEASE (402)												
SOUTH DAKOTA -----	-	-	-	1	2	3	9	6	8	1	-	-
WHITE-----MALE----	-	-	-	1	1	2	1	3	3	-	-	-
FEMALE--	-	-	-	-	1	1	8	3	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	37	43	39	66	65	107	124	148	82	30	7	1
WHITE-----MALE----	10	18	8	23	22	34	24	24	9	7	1	1
FEMALE--	4	5	8	12	20	40	61	83	60	16	1	-
ALL OTHER--MALE----	12	12	12	15	11	10	14	11	3	1	3	-
FEMALE--	11	8	11	16	12	23	25	30	10	6	2	-
BLACK---MALE----	12	12	12	15	11	10	13	10	3	1	3	-
FEMALE--	11	8	11	16	12	23	25	30	10	6	2	-
TEXAS -----	110	105	115	156	182	222	235	245	179	63	16	-
WHITE-----MALE----	46	51	46	48	73	72	64	63	34	6	1	-
FEMALE--	22	22	27	39	54	108	119	160	124	48	9	-
ALL OTHER--MALE----	21	19	20	34	29	17	18	10	6	3	1	-
FEMALE--	21	13	22	35	26	25	34	12	15	6	5	-
BLACK---MALE----	20	19	18	33	27	17	18	10	6	3	1	-
FEMALE--	21	13	21	35	26	24	32	12	14	6	5	-
UTAH -----	6	4	4	7	10	9	7	16	8	11	1	-
WHITE-----MALE----	6	4	2	3	4	4	3	9	2	2	-	-
FEMALE--	-	-	1	3	5	5	3	7	6	9	1	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
VERMONT -----	1	2	2	2	6	8	6	9	9	3	-	-
WHITE-----MALE----	1	-	1	2	1	1	2	2	1	-	-	-
FEMALE--	-	2	1	-	5	7	4	7	8	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	15	9	25	29	51	65	63	65	48	20	3	2
WHITE-----MALE----	5	2	8	8	11	13	13	15	8	2	-	2
FEMALE--	1	2	1	6	23	28	28	38	33	16	2	-
ALL OTHER--MALE----	7	2	8	11	8	11	3	4	-	1	-	-
FEMALE--	2	3	8	4	9	13	19	8	7	1	1	-
BLACK---MALE----	7	2	8	11	7	11	3	4	-	1	-	-
FEMALE--	2	3	7	4	9	13	19	8	7	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,540

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE RENAL DISEASE (403)												
0 UNITED STATES --	113	129	206	384	655	963	1,132	1,047	632	222	51	-
WHITE-----MALE----	25	28	64	106	234	324	429	334	190	48	7	-
FEMALE--	19	32	42	134	214	399	494	510	351	134	27	-
ALL OTHER--MALE----	41	40	56	69	67	97	72	72	30	18	5	-
FEMALE--	28	29	44	75	140	143	137	131	61	22	12	-
BLACK---MALE----	41	37	54	62	62	86	64	58	24	17	5	-
FEMALE--	26	28	43	73	129	132	134	119	55	22	12	-
ALABAMA -----	3	4	3	4	9	10	12	14	8	1	1	-
WHITE-----MALE----	-	1	1	2	1	1	3	3	2	-	-	-
FEMALE--	1	2	-	1	2	5	2	6	2	1	-	-
ALL OTHER--MALE----	2	1	1	-	1	2	5	3	-	-	1	-
FEMALE--	-	-	1	1	5	2	2	2	4	-	-	-
BLACK---MALE----	2	1	1	-	1	2	5	3	-	-	1	-
FEMALE--	-	-	1	1	5	2	2	2	4	-	-	-
ALASKA -----	-	-	-	-	-	3	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	3	4	10	17	17	14	5	-	-	-
WHITE-----MALE----	1	-	1	2	7	4	9	6	3	-	-	-
FEMALE--	-	1	1	1	2	13	7	8	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARKANSAS -----	2	-	1	7	2	12	7	11	8	4	-	-
WHITE-----MALE----	-	-	-	1	-	3	3	2	2	-	-	-
FEMALE--	1	-	-	2	-	5	3	7	4	2	-	-
ALL OTHER--MALE----	1	-	1	1	1	2	1	1	-	1	-	-
FEMALE--	-	-	-	3	1	2	-	1	2	1	-	-
BLACK---MALE----	1	-	1	1	1	2	1	1	-	1	-	-
FEMALE--	-	-	-	3	1	2	-	1	2	1	-	-
CALIFORNIA -----	11	25	26	37	80	119	115	130	82	34	2	-
WHITE-----MALE----	5	9	12	7	29	47	37	39	23	7	1	-
FEMALE--	2	5	5	10	29	45	56	62	44	23	1	-
ALL OTHER--MALE----	1	5	6	16	4	14	11	11	7	3	-	-
FEMALE--	3	6	3	4	18	13	11	18	8	1	-	-
BLACK---MALE----	1	5	6	11	3	6	5	2	3	3	-	-
FEMALE--	2	5	3	2	13	8	9	8	4	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,541

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE RENAL DISEASE (403)												
COLORADO -----	-	1	1	3	7	11	11	11	8	2	2	-
WHITE-----MALE----	-	-	1	2	4	6	6	4	1	-	-	-
FEMALE--	-	-	-	-	2	5	5	5	6	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	1	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	1	1	1	-
CONNECTICUT -----	1	-	1	4	5	10	7	6	8	2	1	-
WHITE-----MALE----	-	-	-	1	3	4	4	4	3	-	-	-
FEMALE--	-	-	-	2	1	3	3	1	5	1	1	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	3	-	-	-	1	-	-
BLACK---MALE----	1	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	3	-	-	-	1	-	-
DELAWARE -----	-	-	-	1	-	2	2	3	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	4	1	-	2	7	2	1	3	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	1	-	-
ALL OTHER--MALE----	1	-	3	1	-	1	3	-	-	1	-	-
FEMALE--	-	-	1	-	-	-	3	1	1	1	-	-
BLACK---MALE----	1	-	3	1	-	1	3	-	-	1	-	-
FEMALE--	-	-	1	-	-	-	3	1	1	1	-	-
FLORIDA -----	5	13	16	36	62	84	113	106	50	26	4	-
WHITE-----MALE----	3	3	5	6	30	36	54	46	22	10	-	-
FEMALE--	-	5	4	17	16	35	39	42	21	11	3	-
ALL OTHER--MALE----	1	2	4	6	4	4	2	4	1	1	1	-
FEMALE--	1	3	3	7	12	9	18	14	6	4	-	-
BLACK---MALE----	1	2	4	6	4	3	2	4	1	1	1	-
FEMALE--	1	3	3	7	12	9	18	14	6	4	-	-
GEORGIA -----	4	7	8	6	15	23	20	22	10	3	2	-
WHITE-----MALE----	-	1	2	2	4	4	5	2	2	-	-	-
FEMALE--	-	1	1	-	3	8	8	10	7	-	1	-
ALL OTHER--MALE----	3	4	3	3	2	4	6	3	1	-	-	-
FEMALE--	1	1	2	1	6	7	1	7	-	3	1	-
BLACK---MALE----	3	4	3	3	2	4	6	3	1	-	-	-
FEMALE--	1	1	2	1	6	7	1	7	-	3	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,542

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 HYPERTENSIVE RENAL DISEASE (403)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	-	-	1	-	4	3	4	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	4	-	1	-	-
FEMALE--	-	-	-	-	-	2	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	3	4	3	6	4	1	-	-
WHITE-----MALE----	-	-	-	-	-	3	2	1	2	-	-	-
FEMALE--	-	-	-	-	3	1	1	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	5	6	13	15	19	25	56	48	26	7	2	-
WHITE-----MALE----	1	-	3	5	7	12	20	8	4	1	-	-
FEMALE--	-	1	2	4	6	7	28	31	20	4	2	-
ALL OTHER--MALE----	1	4	5	2	2	2	4	1	-	1	-	-
FEMALE--	3	1	3	4	4	4	4	8	2	1	-	-
BLACK---MALE----	1	3	5	2	2	2	4	1	-	1	-	-
FEMALE--	3	1	3	4	4	4	4	8	2	1	-	-
INDIANA -----	2	2	4	3	10	29	22	20	20	6	2	-
WHITE-----MALE----	-	1	2	2	4	13	10	11	2	2	-	-
FEMALE--	2	-	1	-	2	10	11	9	16	4	1	-
ALL OTHER--MALE----	-	1	1	1	3	1	-	-	1	-	1	-
FEMALE--	-	-	-	-	1	5	1	-	1	-	-	-
BLACK---MALE----	-	1	1	1	3	1	-	-	1	-	1	-
FEMALE--	-	-	-	-	1	5	1	-	1	-	-	-
IOWA -----	1	-	1	2	10	15	23	18	11	5	-	-
WHITE-----MALE----	-	-	-	2	4	2	18	6	7	1	-	-
FEMALE--	-	-	-	-	6	12	5	11	4	4	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	-	-	-	-
KANSAS -----	-	-	1	2	7	8	10	8	8	1	-	-
WHITE-----MALE----	-	-	1	1	2	3	1	5	1	-	-	-
FEMALE--	-	-	-	1	2	2	8	1	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	1	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,543

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE RENAL DISEASE (403)												
KENTUCKY -----	-	1	1	4	10	13	12	14	9	1	-	-
WHITE-----MALE----	-	-	-	2	4	4	5	4	-	-	-	-
FEMALE--	-	1	1	2	2	7	4	8	8	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	4	2	2	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	4	2	2	1	1	-	-	-
LOUISIANA -----	2	2	3	7	8	21	14	16	9	4	1	-
WHITE-----MALE----	1	1	-	1	4	7	3	4	4	2	-	-
FEMALE--	-	-	-	1	2	6	8	4	3	2	-	-
ALL OTHER--MALE----	1	-	2	2	-	2	2	3	2	-	1	-
FEMALE--	-	1	1	3	2	6	1	5	-	-	-	-
BLACK---MALE----	1	-	2	2	-	2	2	3	2	-	1	-
FEMALE--	-	1	1	3	2	6	1	5	-	-	-	-
MAINE -----	-	-	-	2	1	2	7	2	9	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	2	1	3	-	-	-
FEMALE--	-	-	-	2	-	1	5	1	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	5	1	4	12	12	24	28	17	15	8	2	-
WHITE-----MALE----	-	1	1	4	2	5	14	3	1	2	-	-
FEMALE--	1	-	1	3	3	7	8	5	7	5	1	-
ALL OTHER--MALE----	4	-	1	1	3	8	1	4	3	-	1	-
FEMALE--	-	-	1	4	4	4	5	5	4	1	-	-
BLACK---MALE----	4	-	1	1	3	8	1	4	2	-	1	-
FEMALE--	-	-	1	4	4	4	5	5	4	1	-	-
MASSACHUSETTS -----	1	2	2	6	11	12	25	21	10	4	4	-
WHITE-----MALE----	1	-	-	1	7	5	10	5	3	3	2	-
FEMALE--	-	2	2	4	4	7	15	16	7	1	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	4	10	16	18	34	32	40	16	7	1	-
WHITE-----MALE----	1	-	3	1	6	10	13	14	3	3	-	-
FEMALE--	-	2	3	7	8	13	13	19	12	3	1	-
ALL OTHER--MALE----	1	1	2	3	3	5	2	3	-	1	-	-
FEMALE--	-	1	2	5	1	6	4	4	1	-	-	-
BLACK---MALE----	1	1	2	3	3	5	2	3	-	1	-	-
FEMALE--	-	1	2	5	1	6	4	4	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,546

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 HYPERTENSIVE RENAL DISEASE (403)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	6	2	13	25	39	49	59	40	30	8	2	-
WHITE-----MALE----	1	-	5	7	11	15	22	20	13	3	1	-
FEMALE--	-	-	2	10	18	18	27	15	14	2	1	-
ALL OTHER--MALE----	1	2	3	3	5	6	3	3	1	-	-	-
FEMALE--	4	-	3	5	5	10	7	2	2	3	-	-
BLACK---MALE----	1	2	3	3	5	6	3	3	1	-	-	-
FEMALE--	4	-	3	5	5	10	7	2	2	3	-	-
OKLAHOMA -----	-	3	-	3	7	8	9	5	6	3	-	-
WHITE-----MALE----	-	1	-	1	3	3	6	1	3	-	-	-
FEMALE--	-	1	-	1	3	4	2	4	3	3	-	-
ALL OTHER--MALE----	-	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OREGON -----	-	2	3	5	8	15	23	17	12	2	1	-
WHITE-----MALE----	-	1	-	2	2	8	11	10	4	-	-	-
FEMALE--	-	1	2	1	5	6	12	7	7	2	1	-
ALL OTHER--MALE----	-	-	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	5	6	6	16	30	31	49	44	33	8	3	-
WHITE-----MALE----	1	-	4	5	13	10	17	10	10	1	-	-
FEMALE--	1	-	1	7	7	16	25	23	17	7	2	-
ALL OTHER--MALE----	3	3	-	1	3	-	1	5	4	-	-	-
FEMALE--	-	3	1	3	7	5	6	6	2	-	1	-
BLACK---MALE----	3	2	-	1	3	-	1	5	4	-	-	-
FEMALE--	-	3	1	3	6	5	6	6	2	-	1	-
RHODE ISLAND -----	-	1	-	2	-	4	5	2	2	-	-	-
WHITE-----MALE----	-	-	-	2	-	3	2	1	1	-	-	-
FEMALE--	-	1	-	-	-	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	10	2	6	15	23	32	32	22	12	1	1	-
WHITE-----MALE----	-	1	2	3	4	8	8	4	1	-	-	-
FEMALE--	2	-	2	5	5	8	10	8	4	1	-	-
ALL OTHER--MALE----	6	-	1	2	5	8	4	1	2	-	-	-
FEMALE--	2	1	1	5	9	8	10	9	5	-	1	-
BLACK---MALE----	6	-	1	2	5	8	4	1	2	-	-	-
FEMALE--	2	1	1	5	9	8	10	9	5	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,547

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE RENAL DISEASE (403)												
SOUTH DAKOTA -----	-	-	-	1	-	2	-	2	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	2	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	2	5	10	17	23	22	29	21	5	2	-
WHITE-----MALE----	1	-	2	1	7	6	2	11	4	-	1	-
FEMALE--	-	-	-	5	3	8	15	12	11	4	-	-
ALL OTHER--MALE----	-	1	1	1	2	5	3	4	3	1	-	-
FEMALE--	2	1	2	3	5	4	2	2	3	-	1	-
BLACK---MALE----	-	1	1	1	2	5	3	4	3	1	-	-
FEMALE--	2	1	2	3	5	4	2	2	3	-	1	-
TEXAS -----	17	9	20	33	55	72	90	83	46	12	4	-
WHITE-----MALE----	3	2	7	10	19	22	31	30	13	4	-	-
FEMALE--	5	2	5	10	13	33	41	37	27	4	2	-
ALL OTHER--MALE----	5	3	4	4	8	5	8	3	1	4	-	-
FEMALE--	4	2	4	9	15	12	10	13	5	-	2	-
BLACK---MALE----	5	3	4	4	8	5	8	3	1	4	-	-
FEMALE--	4	2	4	9	14	12	10	13	5	-	2	-
UTAH -----	-	-	-	1	1	5	3	3	2	2	-	-
WHITE-----MALE----	-	-	-	-	1	4	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	3	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	1	-	6	1	2	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	1	2	-	-
FEMALE--	-	-	-	-	-	1	-	5	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	4	3	13	18	22	30	21	11	3	1	-
WHITE-----MALE----	-	1	2	1	4	6	11	8	3	1	-	-
FEMALE--	-	1	-	7	7	5	6	7	7	-	-	-
ALL OTHER--MALE----	-	1	1	3	-	3	-	2	-	1	-	-
FEMALE--	-	1	-	2	7	8	13	4	1	1	1	-
BLACK---MALE----	-	1	1	3	-	3	-	2	-	1	-	-
FEMALE--	-	1	-	2	7	8	13	4	1	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,549

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)												
0 UNITED STATES --	2,424	-	-	1	1	-	3	7	15	20	29	43
WHITE-----MALE----	741	-	-	-	-	-	1	2	5	4	5	11
FEMALE--	981	-	-	-	1	-	-	-	-	2	2	4
ALL OTHER--MALE----	310	-	-	1	-	-	2	4	6	11	14	20
FEMALE--	392	-	-	-	-	-	-	1	4	3	8	8
BLACK---MALE----	287	-	-	1	-	-	2	4	6	11	14	19
FEMALE--	366	-	-	-	-	-	-	1	4	3	8	6
ALABAMA -----	58	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	18	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	23	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	20	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	379	-	-	-	-	-	-	-	2	5	1	9
WHITE-----MALE----	131	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	144	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	45	-	-	-	-	-	-	-	1	2	-	2
FEMALE--	59	-	-	-	-	-	-	-	1	1	-	2
BLACK---MALE----	30	-	-	-	-	-	-	-	1	2	-	2
FEMALE--	41	-	-	-	-	-	-	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,549

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)												
0 UNITED STATES --	40	78	93	148	254	382	450	449	298	98	15	-
WHITE-----MALE----	16	21	26	48	88	152	144	129	72	16	1	-
FEMALE--	3	13	22	37	85	131	205	225	179	64	8	-
ALL OTHER--MALE----	12	25	23	30	38	40	35	26	18	5	-	-
FEMALE--	9	19	22	33	43	59	66	69	29	13	6	-
BLACK---MALE----	12	25	21	27	35	37	32	22	14	5	-	-
FEMALE--	9	17	20	30	40	53	62	65	29	13	6	-
ALABAMA -----	2	2	-	5	1	5	18	13	8	2	-	-
WHITE-----MALE----	-	-	-	1	-	-	3	2	2	-	-	-
FEMALE--	-	-	-	-	-	2	6	5	3	1	-	-
ALL OTHER--MALE----	2	1	-	3	-	2	5	2	2	-	-	-
FEMALE--	-	1	-	1	1	1	4	4	1	1	-	-
BLACK---MALE----	2	1	-	3	-	2	5	2	2	-	-	-
FEMALE--	-	1	-	1	1	1	4	4	1	1	-	-
ALASKA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	1	6	7	4	3	2	-	-
WHITE-----MALE----	-	-	-	-	-	1	4	3	2	1	-	-
FEMALE--	-	-	-	-	1	5	3	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	3	4	4	7	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	3	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	1	-	-	-
CALIFORNIA -----	12	14	18	26	52	50	62	61	47	15	5	-
WHITE-----MALE----	6	4	8	7	20	21	24	16	16	2	1	-
FEMALE--	2	3	3	6	16	18	23	32	25	12	2	-
ALL OTHER--MALE----	2	5	2	6	6	4	3	6	5	1	-	-
FEMALE--	2	2	5	7	10	7	12	7	1	-	2	-
BLACK---MALE----	2	5	2	3	4	1	3	2	2	1	-	-
FEMALE--	2	2	3	4	7	3	10	5	1	-	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,550

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)												
COLORADO -----	-	-	-	1	2	1	3	3	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	1	-	-
FEMALE--	-	-	-	1	-	1	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	-	1	1	2	3	4	3	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	3	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
DELAWARE -----	-	-	-	1	4	-	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	1	-	3	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	1	-	-	-
FLORIDA -----	3	6	6	8	18	29	33	33	17	2	-	-
WHITE-----MALE----	2	1	2	5	4	12	14	8	6	-	-	-
FEMALE--	-	2	1	2	5	9	17	17	9	2	-	-
ALL OTHER--MALE----	1	2	2	-	5	2	-	2	-	-	-	-
FEMALE--	-	1	1	1	4	6	2	6	2	-	-	-
BLACK---MALE----	1	2	2	-	5	2	-	2	-	-	-	-
FEMALE--	-	1	1	1	4	6	2	6	2	-	-	-
GEORGIA -----	1	2	1	8	10	13	11	6	10	4	-	-
WHITE-----MALE----	1	-	-	3	3	6	1	1	2	-	-	-
FEMALE--	-	-	-	3	1	-	2	2	4	3	-	-
ALL OTHER--MALE----	-	2	1	-	5	4	4	2	1	-	-	-
FEMALE--	-	-	-	2	1	3	4	1	3	1	-	-
BLACK---MALE----	-	2	1	-	5	4	4	2	1	-	-	-
FEMALE--	-	-	-	2	1	3	4	1	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,555

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)												
OHIO -----	2	2	4	4	8	31	17	18	25	4	1	-
WHITE-----MALE----	2	2	-	1	1	14	6	4	6	2	-	-
FEMALE--	-	-	1	2	5	11	5	10	17	2	1	-
ALL OTHER--MALE----	-	-	2	1	1	3	3	2	-	-	-	-
FEMALE--	-	-	1	-	1	3	3	2	2	-	-	-
BLACK---MALE----	-	-	2	1	1	3	3	2	-	-	-	-
FEMALE--	-	-	1	-	1	3	3	2	2	-	-	-
OKLAHOMA -----	-	3	-	-	3	5	10	7	3	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	3	3	1	-	-	-
FEMALE--	-	2	-	-	-	3	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	3	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	2	2	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	2	1	-	-	-
OREGON -----	-	-	-	1	2	7	8	8	4	1	-	-
WHITE-----MALE----	-	-	-	1	2	5	4	3	1	-	-	-
FEMALE--	-	-	-	-	-	2	4	5	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	-	6	5	9	13	21	22	8	4	-	-
WHITE-----MALE----	1	-	4	3	5	7	6	8	1	-	-	-
FEMALE--	-	-	1	-	4	5	14	14	5	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	2	1	-	-
FEMALE--	-	-	-	2	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	2	1	-	-
FEMALE--	-	-	-	2	-	1	1	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	4	-	-	2	2	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	3	-	-	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	2	-	2	6	7	10	10	6	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	3	3	-	-	-	-
FEMALE--	-	-	-	-	4	2	2	3	3	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	2	-	2	-	-	-	-
FEMALE--	-	1	-	2	-	2	5	2	3	1	-	-
BLACK---MALE----	-	1	-	-	1	2	-	2	-	-	-	-
FEMALE--	-	1	-	2	-	2	5	2	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,556

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)												
SOUTH DAKOTA -----	-	-	-	-	-	1	3	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	3	1	6	6	9	15	14	5	3	-	-
WHITE-----MALE----	-	1	-	1	-	2	5	3	-	1	-	-
FEMALE--	-	-	1	1	2	3	6	5	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	2	-	-	-	-
FEMALE--	1	2	-	4	4	4	2	4	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	2	-	-	-	-
FEMALE--	1	2	-	4	4	4	2	4	-	-	-	-
TEXAS -----	3	4	7	7	16	17	25	18	22	4	1	-
WHITE-----MALE----	-	3	2	4	5	7	7	5	5	1	-	-
FEMALE--	1	-	2	2	7	6	12	10	14	3	-	-
ALL OTHER--MALE----	-	-	1	1	3	1	1	-	2	-	-	-
FEMALE--	2	1	2	-	1	3	5	3	1	-	1	-
BLACK---MALE----	-	-	1	1	3	1	1	-	2	-	-	-
FEMALE--	2	1	2	-	1	3	5	3	1	-	1	-
UTAH -----	-	-	-	1	-	-	3	-	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	2	5	3	8	9	9	12	5	1	2	-
WHITE-----MALE----	-	-	1	1	3	4	2	1	1	-	-	-
FEMALE--	-	-	1	1	2	2	6	7	3	-	2	-
ALL OTHER--MALE----	-	1	3	1	1	2	-	1	-	-	-	-
FEMALE--	-	1	-	-	2	1	1	3	1	1	-	-
BLACK---MALE----	-	1	3	1	1	2	-	1	-	-	-	-
FEMALE--	-	1	-	-	2	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,558

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ISCHEMIC HEART DISEASE (410-414)												
UNITED STATES --	466,101	21	4	7	12	39	84	249	757	2,042	4,384	8,214
WHITE-----MALE----	213,934	8	3	3	5	20	45	122	442	1,253	2,819	5,323
FEMALE--	204,607	6	-	3	3	9	18	53	156	329	657	1,264
ALL OTHER--MALE----	23,398	2	1	1	2	7	15	50	115	307	624	1,143
FEMALE--	24,162	5	-	-	2	3	6	24	44	153	284	484
BLACK---MALE----	19,493	2	1	1	2	5	15	41	95	275	549	973
FEMALE--	21,493	5	-	-	2	3	6	23	43	138	254	451
ALABAMA -----	6,594	-	-	-	-	-	3	3	18	47	90	180
WHITE-----MALE----	2,851	-	-	-	-	-	3	2	13	27	47	104
FEMALE--	2,409	-	-	-	-	-	-	-	3	7	15	37
ALL OTHER--MALE----	647	-	-	-	-	-	-	1	1	7	20	25
FEMALE--	687	-	-	-	-	-	-	-	1	6	8	14
BLACK---MALE----	644	-	-	-	-	-	-	1	1	7	20	25
FEMALE--	683	-	-	-	-	-	-	-	1	6	7	14
ALASKA -----	313	1	-	-	-	-	1	-	1	2	14	19
WHITE-----MALE----	168	1	-	-	-	-	1	-	-	2	8	15
FEMALE--	85	-	-	-	-	-	-	-	-	-	3	-
ALL OTHER--MALE----	46	-	-	-	-	-	-	-	1	-	3	4
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6,405	-	-	1	-	1	1	4	7	17	45	102
WHITE-----MALE----	3,374	-	-	1	-	1	1	2	5	12	34	73
FEMALE--	2,801	-	-	-	-	-	-	1	1	4	7	23
ALL OTHER--MALE----	124	-	-	-	-	-	-	1	1	1	2	5
FEMALE--	106	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	51	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	42	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	5,625	-	-	-	1	1	2	4	6	28	56	126
WHITE-----MALE----	2,608	-	-	-	-	1	-	2	2	20	30	62
FEMALE--	2,259	-	-	-	-	-	-	1	2	4	5	30
ALL OTHER--MALE----	365	-	-	-	-	-	2	1	2	3	13	24
FEMALE--	393	-	-	-	1	-	-	-	-	1	8	10
BLACK---MALE----	359	-	-	-	-	-	2	1	2	3	11	24
FEMALE--	385	-	-	-	1	-	-	-	-	1	8	10
CALIFORNIA -----	45,930	1	-	-	-	2	5	15	67	157	351	707
WHITE-----MALE----	20,250	1	-	-	-	1	3	5	42	97	233	440
FEMALE--	20,352	-	-	-	-	-	2	5	11	23	46	116
ALL OTHER--MALE----	2,756	-	-	-	-	1	-	2	12	26	44	118
FEMALE--	2,572	-	-	-	-	-	-	3	2	11	28	33
BLACK---MALE----	1,332	-	-	-	-	-	-	1	7	16	29	67
FEMALE--	1,511	-	-	-	-	-	-	3	2	7	16	23

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,558

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ISCHEMIC HEART DISEASE (410-414)												
0 UNITED STATES --	12,687	17,131	24,949	38,111	55,191	71,281	79,904	74,996	50,897	20,139	4,970	32
WHITE-----MALE----	8,192	10,566	14,950	22,321	30,497	36,437	35,784	26,854	13,731	3,851	690	18
FEMALE--	2,308	3,611	6,167	10,833	18,300	28,113	37,736	42,785	33,717	14,770	3,764	5
ALL OTHER--MALE----	1,471	1,879	2,327	2,772	3,293	3,239	2,673	1,940	1,044	383	105	5
FEMALE--	716	1,075	1,505	2,185	3,101	3,492	3,711	3,417	2,405	1,135	411	4
BLACK---MALE----	1,263	1,573	2,001	2,307	2,775	2,718	2,179	1,506	811	300	97	4
FEMALE--	658	982	1,367	1,913	2,755	3,086	3,243	3,039	2,150	998	373	4
ALABAMA -----	230	321	451	683	873	1,057	1,053	849	538	157	41	-
WHITE-----MALE----	126	161	257	363	438	484	396	260	136	31	3	-
FEMALE--	33	61	87	166	265	376	483	442	315	96	23	-
ALL OTHER--MALE----	54	63	68	75	81	86	78	52	27	6	3	-
FEMALE--	17	36	39	79	89	111	96	95	60	24	12	-
BLACK---MALE----	53	63	67	75	81	86	78	51	27	6	3	-
FEMALE--	17	36	39	77	89	110	96	95	60	24	12	-
ALASKA -----	23	23	26	36	45	40	30	36	13	3	-	-
WHITE-----MALE----	18	17	18	20	22	18	11	14	3	-	-	-
FEMALE--	3	3	5	8	9	12	14	18	9	1	-	-
ALL OTHER--MALE----	2	3	2	8	12	8	2	-	-	1	-	-
FEMALE--	-	-	1	-	2	2	3	4	1	1	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
ARIZONA -----	171	232	325	550	830	1,049	1,123	994	631	268	53	1
WHITE-----MALE----	126	163	212	369	498	591	606	407	218	45	9	1
FEMALE--	35	54	91	153	295	437	485	559	399	216	41	-
ALL OTHER--MALE----	6	8	17	15	23	10	12	14	7	1	1	-
FEMALE--	4	7	5	13	14	11	20	14	7	6	2	-
BLACK---MALE----	3	3	8	2	14	4	4	4	3	1	1	-
FEMALE--	2	2	4	4	4	4	8	7	1	4	1	-
ARKANSAS -----	173	247	356	510	669	843	950	841	551	206	55	-
WHITE-----MALE----	113	158	222	309	378	426	396	287	148	48	6	-
FEMALE--	32	50	87	136	207	317	440	457	331	125	35	-
ALL OTHER--MALE----	19	29	27	36	36	52	46	41	21	8	5	-
FEMALE--	9	10	20	29	48	48	68	56	51	25	9	-
BLACK---MALE----	19	28	26	35	35	52	46	41	21	8	5	-
FEMALE--	9	10	18	28	47	47	66	55	51	25	9	-
CALIFORNIA -----	1,094	1,424	2,107	3,385	5,051	7,110	8,121	7,766	5,577	2,388	599	3
WHITE-----MALE----	678	829	1,219	1,884	2,690	3,574	3,584	2,840	1,569	473	87	1
FEMALE--	220	320	535	976	1,695	2,740	3,684	4,251	3,561	1,715	450	2
ALL OTHER--MALE----	130	191	223	308	360	402	396	296	170	66	11	-
FEMALE--	66	84	130	217	306	394	457	379	277	134	51	-
BLACK---MALE----	86	96	129	152	180	204	175	107	49	25	9	-
FEMALE--	48	62	93	126	171	222	257	215	155	80	31	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,559

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ISCHEMIC HEART DISEASE (410-414)												
COLORADO -----	3,882	1	-	-	-	1	-	3	9	23	45	108
WHITE-----MALE----	2,062	-	-	-	-	-	-	1	5	17	32	83
FEMALE--	1,693	1	-	-	-	-	-	1	4	3	12	20
ALL OTHER--MALE----	64	-	-	-	-	1	-	1	-	2	1	3
FEMALE--	63	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	47	-	-	-	-	1	-	1	-	2	-	3
FEMALE--	54	-	-	-	-	-	-	-	-	1	-	2
CONNECTICUT -----	5,599	-	-	-	-	1	-	6	8	18	49	76
WHITE-----MALE----	2,593	-	-	-	-	1	-	2	3	14	38	53
FEMALE--	2,740	-	-	-	-	-	-	2	2	2	6	14
ALL OTHER--MALE----	129	-	-	-	-	-	-	2	3	2	2	4
FEMALE--	137	-	-	-	-	-	-	-	-	-	3	5
BLACK---MALE----	112	-	-	-	-	-	-	1	3	1	2	3
FEMALE--	131	-	-	-	-	-	-	-	-	-	3	5
DELAWARE -----	1,093	-	-	-	-	-	-	-	1	6	16	19
WHITE-----MALE----	537	-	-	-	-	-	-	-	-	4	7	10
FEMALE--	424	-	-	-	-	-	-	-	1	-	2	3
ALL OTHER--MALE----	53	-	-	-	-	-	-	-	-	2	5	4
FEMALE--	79	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE----	50	-	-	-	-	-	-	-	-	2	5	4
FEMALE--	75	-	-	-	-	-	-	-	-	-	2	2
DISTRICT OF COLUMBIA -----	735	-	-	-	-	-	-	-	1	4	11	18
WHITE-----MALE----	100	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	96	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	254	-	-	-	-	-	-	-	-	4	7	14
FEMALE--	285	-	-	-	-	-	-	-	1	-	2	2
BLACK---MALE----	249	-	-	-	-	-	-	-	-	4	6	14
FEMALE--	284	-	-	-	-	-	-	-	1	-	2	2
FLORIDA -----	35,012	1	-	-	-	1	3	14	34	98	236	404
WHITE-----MALE----	16,986	-	-	-	-	-	-	6	20	62	148	282
FEMALE--	15,436	-	-	-	-	1	1	2	8	12	27	47
ALL OTHER--MALE----	1,226	-	-	-	-	-	1	4	3	11	43	50
FEMALE--	1,364	1	-	-	-	-	1	2	3	13	18	25
BLACK---MALE----	1,168	-	-	-	-	-	1	3	2	11	42	50
FEMALE--	1,333	1	-	-	-	-	1	2	3	13	18	24
GEORGIA -----	9,334	1	-	-	1	2	1	8	20	70	152	243
WHITE-----MALE----	3,966	1	-	-	1	1	1	-	9	39	83	142
FEMALE--	3,412	-	-	-	-	1	-	1	2	5	17	21
ALL OTHER--MALE----	911	-	-	-	-	-	-	3	6	17	32	53
FEMALE--	1,045	-	-	-	-	-	-	4	3	9	20	27
BLACK---MALE----	896	-	-	-	-	-	-	3	6	16	32	53
FEMALE--	1,028	-	-	-	-	-	-	4	3	9	20	26

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,559

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ISCHEMIC HEART DISEASE (410-414)												
COLORADO -----	135	150	221	350	484	586	625	574	372	155	40	-
WHITE-----MALE----	107	106	149	232	310	346	308	228	101	30	7	-
FEMALE--	21	34	57	107	159	221	300	337	264	122	30	-
ALL OTHER--MALE----	5	7	8	4	9	13	4	-	4	2	-	-
FEMALE--	2	3	7	7	6	6	13	9	3	1	3	-
BLACK---MALE----	3	6	7	4	7	6	2	-	3	2	-	-
FEMALE--	2	2	5	7	6	5	9	8	3	1	3	-
CONNECTICUT -----	125	174	219	402	531	845	1,056	996	699	308	86	-
WHITE-----MALE----	96	111	133	245	320	465	520	367	162	48	15	-
FEMALE--	15	42	60	125	175	346	505	604	521	254	67	-
ALL OTHER--MALE----	11	13	20	21	14	14	12	6	5	-	-	-
FEMALE--	3	8	6	11	22	20	19	19	11	6	4	-
BLACK---MALE----	8	11	17	18	13	14	11	6	4	-	-	-
FEMALE--	3	8	6	10	20	19	17	19	11	6	4	-
DELAWARE -----	40	62	70	96	144	180	170	140	91	48	10	-
WHITE-----MALE----	27	37	41	58	91	101	84	48	21	7	1	-
FEMALE--	5	15	17	28	34	66	68	80	60	38	7	-
ALL OTHER--MALE----	4	8	3	3	6	5	8	4	-	1	-	-
FEMALE--	4	2	9	7	13	8	10	8	10	2	2	-
BLACK---MALE----	3	8	3	2	6	5	8	3	-	1	-	-
FEMALE--	4	2	9	7	12	8	9	7	10	1	2	-
DISTRICT OF COLUMBIA -----	26	36	61	62	88	102	113	103	73	27	10	-
WHITE-----MALE----	3	7	8	9	17	12	19	12	6	2	1	-
FEMALE--	-	-	3	4	4	5	19	25	19	14	3	-
ALL OTHER--MALE----	20	18	30	31	32	33	30	22	9	4	-	-
FEMALE--	3	11	20	18	35	52	45	44	39	7	6	-
BLACK---MALE----	20	18	30	30	32	31	30	21	9	4	-	-
FEMALE--	3	11	20	17	35	52	45	44	39	7	6	-
FLORIDA -----	648	957	1,532	2,454	3,933	5,490	6,287	6,401	4,499	1,630	381	9
WHITE-----MALE----	399	594	926	1,512	2,341	3,043	3,166	2,605	1,429	387	61	5
FEMALE--	140	190	369	703	1,248	2,060	2,785	3,508	2,877	1,169	288	1
ALL OTHER--MALE----	67	103	138	127	161	193	150	91	57	18	9	-
FEMALE--	42	70	99	112	183	194	186	197	136	56	23	3
BLACK---MALE----	63	96	129	115	156	186	146	88	55	16	9	-
FEMALE--	40	66	97	108	179	190	182	196	134	53	23	3
GEORGIA -----	387	491	662	967	1,134	1,426	1,474	1,243	735	267	50	-
WHITE-----MALE----	217	277	357	500	541	635	552	393	165	44	8	-
FEMALE--	56	78	148	261	345	505	665	665	452	164	26	-
ALL OTHER--MALE----	78	85	99	106	102	135	89	62	23	18	3	-
FEMALE--	36	51	58	100	146	151	168	123	95	41	13	-
BLACK---MALE----	75	84	99	103	99	134	88	62	22	18	2	-
FEMALE--	35	50	57	96	143	149	167	121	94	41	13	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,560

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ISCHEMIC HEART DISEASE (410-414)												
HAWAII -----	35	74	64	106	161	186	168	182	102	49	11	-
WHITE-----MALE----	5	20	15	15	24	35	34	15	8	2	-	-
FEMALE--	1	3	1	11	11	28	18	32	19	10	2	-
ALL OTHER--MALE----	23	38	34	54	79	74	63	82	38	12	2	-
FEMALE--	6	13	14	26	47	49	53	53	37	25	7	-
BLACK---MALE----	-	2	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	-	-	-
IDAHO -----	47	64	111	127	203	290	305	260	160	61	16	-
WHITE-----MALE----	42	48	82	92	132	171	173	120	63	17	4	-
FEMALE--	4	15	27	35	69	116	128	136	95	44	11	-
ALL OTHER--MALE----	1	-	2	-	2	1	3	3	2	-	-	-
FEMALE--	-	1	-	-	-	2	1	1	-	-	1	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-
ILLINOIS -----	510	819	1,090	1,664	2,499	3,218	3,815	3,607	2,491	989	281	1
WHITE-----MALE----	340	489	620	946	1,339	1,606	1,621	1,223	609	163	28	-
FEMALE--	78	168	252	460	814	1,272	1,882	2,117	1,706	740	223	1
ALL OTHER--MALE----	59	97	133	137	190	144	130	84	40	16	1	-
FEMALE--	33	65	85	121	156	196	182	183	136	70	29	-
BLACK---MALE----	55	83	119	124	174	132	117	72	35	14	1	-
FEMALE--	33	62	83	111	149	189	172	171	127	64	29	-
INDIANA -----	328	457	658	969	1,362	1,650	1,913	1,677	1,040	454	100	-
WHITE-----MALE----	233	306	444	596	760	873	861	592	261	83	13	-
FEMALE--	69	110	163	314	506	698	967	1,022	735	341	82	-
ALL OTHER--MALE----	16	31	30	31	47	46	26	27	15	8	1	-
FEMALE--	10	10	21	28	49	33	59	36	29	22	4	-
BLACK---MALE----	16	31	27	31	46	46	24	25	14	7	1	-
FEMALE--	10	10	21	27	48	33	59	36	28	21	4	-
IOWA -----	113	184	264	397	661	889	1,093	1,103	846	366	99	-
WHITE-----MALE----	88	141	198	257	419	509	542	477	254	67	21	-
FEMALE--	22	36	60	129	234	373	541	621	588	296	76	-
ALL OTHER--MALE----	-	5	1	6	4	5	4	2	1	2	-	-
FEMALE--	3	2	5	5	4	2	6	3	3	1	2	-
BLACK---MALE----	-	4	1	5	4	3	3	2	1	2	-	-
FEMALE--	3	2	4	4	3	1	4	3	2	1	2	-
KANSAS -----	111	153	223	308	534	684	712	769	607	250	60	-
WHITE-----MALE----	84	104	151	207	321	373	361	312	204	53	7	-
FEMALE--	16	36	58	80	180	283	328	438	390	190	51	-
ALL OTHER--MALE----	11	8	10	13	21	18	8	7	4	2	1	-
FEMALE--	-	5	4	8	12	10	15	12	9	5	1	-
BLACK---MALE----	8	5	8	11	16	15	7	6	4	2	1	-
FEMALE--	-	5	1	8	10	8	14	11	9	5	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,561

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ISCHEMIC HEART DISEASE (410-414)												
KENTUCKY -----	7,677	1	-	-	1	-	1	4	19	62	92	198
WHITE-----MALE----	3,896	1	-	-	1	-	-	3	15	48	70	125
FEMALE--	3,337	-	-	-	-	-	-	1	3	9	16	46
ALL OTHER--MALE----	212	-	-	-	-	-	1	-	1	3	5	17
FEMALE--	232	-	-	-	-	-	-	-	-	2	1	10
BLACK---MALE----	210	-	-	-	-	-	1	-	1	3	5	17
FEMALE--	225	-	-	-	-	-	-	-	-	2	1	10
LOUISIANA -----	6,600	1	-	-	-	1	4	7	26	62	113	185
WHITE-----MALE----	2,753	-	-	-	-	-	2	2	9	29	55	75
FEMALE--	2,233	-	-	-	-	-	2	2	4	7	12	28
ALL OTHER--MALE----	817	1	-	-	-	-	-	2	11	19	30	52
FEMALE--	797	-	-	-	-	1	-	1	2	7	16	30
BLACK---MALE----	803	1	-	-	-	-	-	2	11	19	30	52
FEMALE--	790	-	-	-	-	1	-	1	2	7	16	30
MAINE -----	2,402	-	-	-	-	-	-	1	7	15	23	43
WHITE-----MALE----	1,261	-	-	-	-	-	-	1	6	14	17	34
FEMALE--	1,138	-	-	-	-	-	-	-	1	1	6	9
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6,714	-	-	-	1	-	3	1	5	24	47	102
WHITE-----MALE----	2,715	-	-	-	-	-	-	-	1	15	20	56
FEMALE--	2,725	-	-	-	-	-	1	-	2	1	7	7
ALL OTHER--MALE----	628	-	-	-	-	-	2	-	1	4	15	27
FEMALE--	646	-	-	-	1	-	-	1	1	4	5	12
BLACK---MALE----	586	-	-	-	-	-	2	-	1	3	15	26
FEMALE--	618	-	-	-	1	-	-	1	1	4	5	11
MASSACHUSETTS -----	10,170	1	-	-	1	2	1	4	12	40	66	153
WHITE-----MALE----	4,773	-	-	-	-	-	1	4	9	25	51	114
FEMALE--	5,082	-	-	-	-	2	-	-	3	7	10	34
ALL OTHER--MALE----	180	1	-	-	1	-	-	-	-	6	5	4
FEMALE--	135	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	147	1	-	-	1	-	-	-	-	5	4	4
FEMALE--	126	-	-	-	-	-	-	-	-	2	-	1
MICHIGAN -----	17,119	-	-	-	2	5	2	7	27	62	163	301
WHITE-----MALE----	7,636	-	-	-	1	4	1	1	19	33	110	209
FEMALE--	7,880	-	-	-	1	-	1	3	5	13	20	46
ALL OTHER--MALE----	756	-	-	-	-	-	-	3	2	13	24	34
FEMALE--	847	-	-	-	-	1	-	-	1	3	9	12
BLACK---MALE----	678	-	-	-	-	-	-	3	1	11	21	29
FEMALE--	800	-	-	-	-	1	-	-	1	3	7	11

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,561

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ISCHEMIC HEART DISEASE (410-414)												
KENTUCKY -----	301	357	516	729	1,053	1,141	1,205	1,068	641	233	55	-
WHITE-----MALE----	212	244	317	474	627	617	516	381	175	60	10	-
FEMALE--	72	95	156	209	361	470	627	640	426	163	43	-
ALL OTHER--MALE----	9	5	28	29	34	22	21	19	16	2	-	-
FEMALE--	8	13	15	17	31	32	41	28	24	8	2	-
BLACK---MALE----	9	5	28	29	33	21	21	19	16	2	-	-
FEMALE--	8	12	14	14	31	32	39	28	24	8	2	-
LOUISIANA -----	255	370	515	617	841	1,032	1,000	848	495	180	48	-
WHITE-----MALE----	133	185	246	295	419	479	399	275	113	29	8	-
FEMALE--	32	63	110	159	236	344	420	410	280	103	21	-
ALL OTHER--MALE----	65	73	93	97	92	96	75	61	39	11	-	-
FEMALE--	25	49	66	66	94	113	106	102	63	37	19	-
BLACK---MALE----	59	72	91	96	91	95	74	60	39	11	-	-
FEMALE--	23	47	66	64	94	113	106	101	63	37	19	-
MAINE -----	76	85	119	193	298	374	419	365	273	93	18	-
WHITE-----MALE----	60	71	83	136	179	210	189	149	89	19	4	-
FEMALE--	16	14	36	57	117	164	230	215	184	74	14	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	170	257	382	627	885	1,137	1,091	1,025	668	228	61	-
WHITE-----MALE----	92	124	192	333	424	527	438	319	141	31	2	-
FEMALE--	28	51	83	133	276	413	490	572	442	170	49	-
ALL OTHER--MALE----	30	52	63	90	107	103	67	40	21	4	2	-
FEMALE--	20	30	44	71	78	94	96	94	64	23	8	-
BLACK---MALE----	30	48	61	80	100	98	62	34	21	3	2	-
FEMALE--	19	29	40	69	74	91	89	92	63	22	7	-
MASSACHUSETTS -----	237	284	476	766	1,116	1,561	1,841	1,750	1,166	556	137	-
WHITE-----MALE----	177	203	309	486	654	809	856	649	294	117	15	-
FEMALE--	41	68	136	247	418	707	940	1,070	854	427	118	-
ALL OTHER--MALE----	12	7	25	20	29	28	24	11	4	2	1	-
FEMALE--	7	6	6	13	15	17	21	20	14	10	3	-
BLACK---MALE----	12	5	20	17	25	18	21	7	4	2	1	-
FEMALE--	7	5	6	12	14	15	20	19	14	8	3	-
MICHIGAN -----	428	584	860	1,427	2,058	2,649	3,059	2,655	1,888	797	144	1
WHITE-----MALE----	264	360	499	851	1,089	1,310	1,345	895	483	139	22	1
FEMALE--	90	147	261	416	724	1,123	1,488	1,564	1,274	595	109	-
ALL OTHER--MALE----	45	50	50	85	127	99	98	70	42	13	1	-
FEMALE--	29	27	50	75	118	117	128	126	89	50	12	-
BLACK---MALE----	37	42	42	75	116	91	89	66	41	13	1	-
FEMALE--	26	25	48	69	111	113	119	120	85	50	11	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,562

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ISCHEMIC HEART DISEASE (410-414)												
MINNESOTA -----	6,011	1	-	-	-	-	1	4	14	29	76	124
WHITE-----MALE----	3,247	-	-	-	-	-	1	2	9	20	57	98
FEMALE--	2,634	1	-	-	-	-	-	1	3	7	12	16
ALL OTHER--MALE----	81	-	-	-	-	-	-	1	1	2	7	6
FEMALE--	49	-	-	-	-	-	-	-	1	-	-	4
BLACK---MALE----	35	-	-	-	-	-	-	-	1	1	5	3
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	2
MISSISSIPPI -----	4,772	1	-	-	-	-	-	5	21	47	91	134
WHITE-----MALE----	1,807	1	-	-	-	-	-	2	7	12	40	60
FEMALE--	1,532	-	-	-	-	-	-	1	-	7	7	15
ALL OTHER--MALE----	697	-	-	-	-	-	-	2	10	17	31	38
FEMALE--	736	-	-	-	-	-	-	-	4	11	13	21
BLACK---MALE----	688	-	-	-	-	-	-	2	10	17	31	38
FEMALE--	729	-	-	-	-	-	-	-	4	11	13	19
MISSOURI -----	12,376	1	-	-	-	1	6	8	23	58	136	219
WHITE-----MALE----	5,654	-	-	-	-	-	4	4	14	35	87	148
FEMALE--	5,653	1	-	-	-	-	1	1	5	11	19	34
ALL OTHER--MALE----	502	-	-	-	-	1	1	3	3	5	21	26
FEMALE--	567	-	-	-	-	-	-	-	1	7	9	11
BLACK---MALE----	480	-	-	-	-	1	1	3	3	5	19	26
FEMALE--	551	-	-	-	-	-	-	-	1	5	9	11
MONTANA -----	1,150	-	-	-	-	-	-	2	-	7	17	24
WHITE-----MALE----	642	-	-	-	-	-	-	1	-	3	11	20
FEMALE--	478	-	-	-	-	-	-	1	-	3	6	1
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2,640	-	-	1	-	1	3	1	5	11	33	36
WHITE-----MALE----	1,348	-	-	1	-	1	2	-	4	8	22	29
FEMALE--	1,216	-	-	-	-	-	-	1	1	1	6	5
ALL OTHER--MALE----	43	-	-	-	-	-	-	-	-	1	4	2
FEMALE--	33	-	-	-	-	-	1	-	-	1	1	-
BLACK---MALE----	30	-	-	-	-	-	-	-	-	1	3	1
FEMALE--	26	-	-	-	-	-	1	-	-	1	-	-
NEVADA -----	1,814	-	-	-	-	-	-	1	11	12	23	44
WHITE-----MALE----	987	-	-	-	-	-	-	-	7	8	18	35
FEMALE--	693	-	-	-	-	-	-	-	2	3	1	6
ALL OTHER--MALE----	73	-	-	-	-	-	-	1	1	1	2	1
FEMALE--	61	-	-	-	-	-	-	-	1	-	2	2
BLACK---MALE----	42	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	42	-	-	-	-	-	-	-	1	-	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,562

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ISCHEMIC HEART DISEASE (410-414)												
MINNESOTA -----	157	225	337	422	636	880	1,084	980	711	275	55	-
WHITE-----MALE----	122	166	243	293	430	509	567	427	234	64	5	-
FEMALE--	28	46	88	113	188	353	504	547	468	209	50	-
ALL OTHER--MALE----	5	7	5	11	11	6	10	5	4	-	-	-
FEMALE--	2	6	1	5	7	12	3	1	5	2	-	-
BLACK---MALE----	2	2	1	3	3	4	5	2	3	-	-	-
FEMALE--	2	2	-	1	2	6	1	1	2	1	-	-
MISSISSIPPI -----	229	271	325	482	623	669	700	646	355	127	45	1
WHITE-----MALE----	92	113	157	224	290	285	242	182	79	15	6	-
FEMALE--	38	49	63	101	172	201	292	297	197	68	24	-
ALL OTHER--MALE----	68	70	55	83	82	81	58	64	20	9	8	1
FEMALE--	31	39	50	74	79	102	108	103	59	35	7	-
BLACK---MALE----	67	69	53	81	81	80	58	63	20	9	8	1
FEMALE--	31	38	50	74	79	101	106	103	58	35	7	-
MISSOURI -----	338	469	663	955	1,430	1,786	1,971	2,103	1,497	569	142	1
WHITE-----MALE----	204	311	416	573	813	896	870	764	405	96	14	-
FEMALE--	78	79	156	289	493	742	968	1,213	1,008	437	117	1
ALL OTHER--MALE----	40	44	57	49	68	71	55	32	18	6	2	-
FEMALE--	16	35	34	44	56	77	78	94	66	30	9	-
BLACK---MALE----	39	43	54	45	66	67	52	30	18	6	2	-
FEMALE--	16	34	34	42	55	76	75	92	62	30	9	-
MONTANA -----	41	53	63	104	141	168	198	169	125	28	10	-
WHITE-----MALE----	30	39	41	71	86	103	111	80	38	7	1	-
FEMALE--	8	12	18	25	53	63	87	87	86	20	8	-
ALL OTHER--MALE----	2	2	3	5	2	-	-	1	-	1	1	-
FEMALE--	1	-	1	3	-	2	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	54	90	138	196	293	384	417	431	365	147	34	-
WHITE-----MALE----	42	64	91	136	195	223	200	174	113	36	7	-
FEMALE--	8	19	37	51	90	154	211	249	247	110	26	-
ALL OTHER--MALE----	1	5	4	7	2	5	3	4	3	1	1	-
FEMALE--	3	2	6	2	6	2	3	4	2	-	-	-
BLACK---MALE----	-	3	3	4	2	4	2	3	2	1	1	-
FEMALE--	2	2	4	1	6	1	2	4	2	-	-	-
NEVADA -----	84	103	135	186	240	304	308	190	130	33	10	-
WHITE-----MALE----	65	75	93	124	142	163	144	73	34	5	1	-
FEMALE--	12	19	33	47	82	116	142	108	87	26	9	-
ALL OTHER--MALE----	4	7	5	9	10	17	7	4	3	1	-	-
FEMALE--	3	2	4	6	6	8	15	5	6	1	-	-
BLACK---MALE----	3	4	3	5	6	12	4	1	1	-	-	-
FEMALE--	2	2	3	1	4	6	9	5	4	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,564

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ISCHEMIC HEART DISEASE (410-414)												
OHIO -----	22,136	2	1	-	2	-	5	9	35	85	224	402
WHITE-----MALE----	10,366	1	1	-	1	-	2	6	22	52	145	274
FEMALE--	9,938	-	-	-	1	-	1	3	10	16	47	73
ALL OTHER--MALE----	907	-	-	-	-	-	1	-	3	9	22	39
FEMALE--	925	1	-	-	-	-	1	-	-	8	10	16
BLACK---MALE----	880	-	-	-	-	-	1	-	3	9	22	37
FEMALE--	914	1	-	-	-	-	1	-	-	8	10	16
OKLAHOMA -----	7,486	1	-	-	-	-	2	2	10	30	71	132
WHITE-----MALE----	3,523	-	-	-	-	-	1	-	5	15	42	86
FEMALE--	3,242	1	-	-	-	-	1	1	3	7	17	27
ALL OTHER--MALE----	413	-	-	-	-	-	-	1	1	5	9	17
FEMALE--	308	-	-	-	-	-	-	-	1	3	3	2
BLACK---MALE----	219	-	-	-	-	-	-	-	1	3	5	10
FEMALE--	195	-	-	-	-	-	-	-	1	-	1	1
OREGON -----	4,848	-	-	1	-	1	-	2	8	23	42	95
WHITE-----MALE----	2,652	-	-	-	-	1	-	2	5	15	34	68
FEMALE--	2,069	-	-	1	-	-	-	-	3	7	6	17
ALL OTHER--MALE----	73	-	-	-	-	-	-	-	-	1	2	8
FEMALE--	54	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	34	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	25,940	-	-	1	-	-	2	16	29	102	169	375
WHITE-----MALE----	11,953	-	-	-	-	-	2	13	17	68	115	278
FEMALE--	12,614	-	-	1	-	-	-	1	6	23	31	58
ALL OTHER--MALE----	620	-	-	-	-	-	-	2	2	9	15	23
FEMALE--	753	-	-	-	-	-	-	-	4	2	8	16
BLACK---MALE----	578	-	-	-	-	-	-	2	2	9	14	20
FEMALE--	731	-	-	-	-	-	-	-	4	2	8	15
RHODE ISLAND -----	2,381	-	-	-	-	-	-	-	3	7	9	27
WHITE-----MALE----	1,081	-	-	-	-	-	-	-	2	7	5	21
FEMALE--	1,246	-	-	-	-	-	-	-	1	-	4	5
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	21	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6,236	-	1	-	-	-	1	7	14	47	89	185
WHITE-----MALE----	2,635	-	-	-	-	-	-	3	7	26	40	92
FEMALE--	2,090	-	-	-	-	-	1	1	5	8	12	19
ALL OTHER--MALE----	801	-	1	-	-	-	-	1	1	8	28	50
FEMALE--	710	-	-	-	-	-	-	2	1	5	9	24
BLACK---MALE----	792	-	1	-	-	-	-	1	1	8	27	47
FEMALE--	704	-	-	-	-	-	-	2	1	5	9	24

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,564

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ISCHEMIC HEART DISEASE (410-414)												
OHIO -----	587	868	1,249	1,949	2,793	3,445	3,776	3,348	2,218	914	224	-
WHITE-----MALE----	425	540	791	1,162	1,564	1,791	1,683	1,173	544	156	33	-
FEMALE--	95	199	309	554	940	1,403	1,855	1,986	1,568	706	172	-
ALL OTHER--MALE----	46	82	85	122	160	128	111	62	30	5	2	-
FEMALE--	21	47	64	111	129	123	127	127	76	47	17	-
BLACK---MALE----	43	80	84	116	155	127	105	61	30	5	2	-
FEMALE--	21	46	63	109	127	123	127	126	76	43	17	-
OKLAHOMA -----	255	331	500	660	883	1,072	1,221	1,187	813	241	72	3
WHITE-----MALE----	169	210	318	355	501	567	550	426	211	56	10	1
FEMALE--	48	78	123	217	289	411	587	677	540	160	55	-
ALL OTHER--MALE----	28	30	43	46	63	52	47	33	29	6	1	2
FEMALE--	10	13	16	42	30	42	37	51	33	19	6	-
BLACK---MALE----	11	13	22	24	33	22	26	21	21	5	1	1
FEMALE--	6	9	8	25	19	23	26	37	22	14	3	-
OREGON -----	146	192	244	356	580	795	894	750	476	190	53	-
WHITE-----MALE----	105	141	170	256	357	497	478	315	145	53	10	-
FEMALE--	36	41	63	93	206	283	397	415	325	134	42	-
ALL OTHER--MALE----	3	6	6	4	10	10	12	7	2	2	-	-
FEMALE--	2	4	5	3	7	5	7	13	4	1	1	-
BLACK---MALE----	3	3	3	3	5	4	3	2	2	-	-	-
FEMALE--	1	2	-	1	2	2	5	8	2	1	1	-
PENNSYLVANIA -----	562	799	1,249	2,114	3,230	4,195	4,810	4,270	2,721	1,039	256	1
WHITE-----MALE----	414	533	756	1,267	1,826	2,144	2,117	1,470	718	181	33	1
FEMALE--	100	191	374	700	1,193	1,856	2,513	2,637	1,910	814	206	-
ALL OTHER--MALE----	27	44	65	82	109	88	76	41	22	11	4	-
FEMALE--	21	31	54	65	102	107	104	122	71	33	13	-
BLACK---MALE----	24	40	58	77	105	84	72	36	21	10	4	-
FEMALE--	21	31	51	62	101	103	99	117	71	33	13	-
RHODE ISLAND -----	40	53	87	153	265	373	417	434	330	149	34	-
WHITE-----MALE----	29	48	53	91	163	195	190	169	78	28	2	-
FEMALE--	6	4	29	57	97	171	216	261	245	119	31	-
ALL OTHER--MALE----	3	-	2	2	5	4	3	-	2	1	-	-
FEMALE--	2	1	3	3	-	3	8	4	5	1	1	-
BLACK---MALE----	3	-	2	2	4	4	3	-	1	1	-	-
FEMALE--	1	1	2	3	-	2	8	4	5	1	1	-
SOUTH CAROLINA -----	261	342	511	664	880	954	947	761	394	140	38	-
WHITE-----MALE----	133	185	270	331	428	428	372	226	75	15	4	-
FEMALE--	36	54	96	160	240	331	365	399	238	99	26	-
ALL OTHER--MALE----	68	67	84	109	107	94	99	50	26	6	2	-
FEMALE--	24	36	61	64	105	101	111	86	55	20	6	-
BLACK---MALE----	68	66	82	109	106	94	98	50	26	6	2	-
FEMALE--	23	36	61	64	104	98	111	85	55	20	6	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,565

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ISCHEMIC HEART DISEASE (410-414)												
SOUTH DAKOTA -----	1,400	-	-	-	-	-	-	2	3	4	16	14
WHITE-----MALE----	724	-	-	-	-	-	-	1	2	1	12	11
FEMALE--	606	-	-	-	-	-	-	1	-	3	3	1
ALL OTHER--MALE----	46	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	10,950	1	-	1	-	1	5	7	24	73	136	261
WHITE-----MALE----	5,033	-	-	-	-	-	3	5	17	49	89	160
FEMALE--	4,579	1	-	-	-	-	1	-	6	13	20	41
ALL OTHER--MALE----	612	-	-	1	-	1	-	2	-	7	16	40
FEMALE--	726	-	-	-	-	-	1	-	1	4	11	20
BLACK---MALE----	599	-	-	1	-	1	-	2	-	7	16	39
FEMALE--	713	-	-	-	-	-	1	-	1	4	11	20
TEXAS -----	28,267	3	1	2	2	6	5	24	40	156	315	603
WHITE-----MALE----	13,241	1	1	1	1	4	2	14	18	93	208	373
FEMALE--	11,840	-	-	1	1	1	2	3	6	25	39	103
ALL OTHER--MALE----	1,599	-	-	-	-	-	-	4	10	22	48	84
FEMALE--	1,587	2	-	-	-	1	1	3	6	16	20	43
BLACK---MALE----	1,519	-	-	-	-	-	-	4	8	20	43	81
FEMALE--	1,526	2	-	-	-	1	1	3	6	16	20	42
UTAH -----	1,702	-	-	-	-	-	-	1	2	9	23	31
WHITE-----MALE----	951	-	-	-	-	-	-	-	1	9	15	27
FEMALE--	723	-	-	-	-	-	-	1	1	-	6	2
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	889	-	-	-	-	-	1	-	3	4	6	17
WHITE-----MALE----	465	-	-	-	-	-	1	-	3	4	4	14
FEMALE--	423	-	-	-	-	-	-	-	-	-	2	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	8,895	1	-	-	1	1	4	11	21	47	100	217
WHITE-----MALE----	3,903	1	-	-	-	1	3	4	12	27	63	127
FEMALE--	3,298	-	-	-	-	-	-	2	3	3	16	34
ALL OTHER--MALE----	876	-	-	-	1	-	1	4	5	15	14	43
FEMALE--	818	-	-	-	-	-	-	1	1	2	7	13
BLACK---MALE----	840	-	-	-	1	-	1	4	5	14	13	42
FEMALE--	792	-	-	-	-	-	-	1	1	2	7	13

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,565

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ISCHEMIC HEART DISEASE (410-414)												
SOUTH DAKOTA -----	37	39	80	115	149	208	244	207	163	90	29	-
WHITE-----MALE----	23	28	53	78	96	132	122	87	49	24	5	-
FEMALE--	8	5	17	24	42	67	118	115	113	65	24	-
ALL OTHER--MALE----	6	5	7	9	6	2	2	4	1	-	-	-
FEMALE--	-	1	3	4	5	7	2	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	381	490	702	1,021	1,307	1,652	1,756	1,635	1,040	384	73	-
WHITE-----MALE----	238	316	437	625	688	796	732	516	284	71	7	-
FEMALE--	81	106	168	263	443	674	852	940	657	258	55	-
ALL OTHER--MALE----	37	37	57	71	83	71	72	66	32	16	3	-
FEMALE--	25	31	40	62	93	111	100	113	67	39	8	-
BLACK---MALE----	37	36	55	69	80	71	72	62	32	16	3	-
FEMALE--	24	30	39	62	92	105	100	112	66	38	8	-
TEXAS -----	978	1,237	1,798	2,470	3,568	4,222	4,467	4,225	2,767	1,105	271	2
WHITE-----MALE----	641	751	1,073	1,464	1,968	2,180	2,009	1,462	724	202	49	2
FEMALE--	164	264	441	716	1,170	1,641	2,066	2,423	1,788	803	183	-
ALL OTHER--MALE----	117	147	169	166	218	192	164	139	80	26	13	-
FEMALE--	56	75	115	124	212	209	228	201	175	74	26	-
BLACK---MALE----	109	139	161	155	209	189	155	131	76	26	13	-
FEMALE--	53	73	109	118	204	202	212	190	174	74	26	-
UTAH -----	46	67	85	137	193	271	292	292	189	52	12	-
WHITE-----MALE----	40	54	58	92	131	159	154	129	71	10	1	-
FEMALE--	5	11	25	39	58	111	136	162	115	40	11	-
ALL OTHER--MALE----	1	1	1	4	2	1	1	1	-	-	-	-
FEMALE--	-	1	1	2	2	-	1	-	2	2	-	-
BLACK---MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	1	-	-	-
VERMONT -----	30	29	56	77	102	130	161	128	98	37	10	-
WHITE-----MALE----	23	21	40	52	71	69	63	60	28	11	1	-
FEMALE--	7	8	16	25	30	61	98	68	70	26	9	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
VIRGINIA -----	347	444	642	855	1,213	1,387	1,337	1,169	749	274	71	4
WHITE-----MALE----	211	250	331	457	617	668	540	366	173	45	4	3
FEMALE--	56	89	150	214	329	491	579	629	470	186	47	-
ALL OTHER--MALE----	54	71	96	109	149	112	92	60	33	12	4	1
FEMALE--	26	34	65	75	118	116	126	114	73	31	16	-
BLACK---MALE----	50	68	91	106	143	108	88	58	31	12	4	1
FEMALE--	25	31	65	70	111	116	122	109	72	31	16	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,566

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ISCHEMIC HEART DISEASE (410-414)												
WASHINGTON -----	188	254	336	544	816	1,107	1,192	1,048	723	270	54	-
WHITE-----MALE----	136	177	243	352	501	662	633	422	230	56	8	-
FEMALE--	39	60	74	155	286	416	532	589	477	204	44	-
ALL OTHER--MALE----	12	13	10	26	20	13	16	27	8	6	1	-
FEMALE--	1	4	9	11	9	16	11	10	8	4	1	-
BLACK---MALE----	6	3	4	16	9	5	6	7	1	2	1	-
FEMALE--	1	1	2	3	4	7	2	5	4	2	-	-
WEST VIRGINIA -----	122	182	251	391	570	682	746	652	421	129	40	1
WHITE-----MALE----	88	126	169	224	314	372	330	231	105	24	5	1
FEMALE--	33	53	72	157	238	296	402	406	306	98	33	-
ALL OTHER--MALE----	1	1	6	4	6	5	5	7	3	1	-	-
FEMALE--	-	2	4	6	12	9	9	8	7	6	2	-
BLACK---MALE----	1	1	5	4	6	5	4	7	3	1	-	-
FEMALE--	-	2	4	6	10	8	9	8	7	6	2	-
WISCONSIN -----	229	277	406	689	1,019	1,347	1,649	1,455	1,074	412	110	-
WHITE-----MALE----	165	197	275	455	654	767	862	606	334	87	18	-
FEMALE--	47	64	107	196	332	551	757	833	729	319	90	-
ALL OTHER--MALE----	10	12	19	22	19	11	16	7	3	3	1	-
FEMALE--	7	4	5	16	14	18	14	9	8	3	1	-
BLACK---MALE----	8	5	17	17	15	8	13	6	3	3	1	-
FEMALE--	5	4	5	15	12	12	10	8	8	2	1	-
WYOMING -----	23	28	36	66	85	108	104	91	58	23	3	1
WHITE-----MALE----	16	23	31	43	54	62	58	31	20	6	1	1
FEMALE--	6	4	5	21	30	44	45	60	38	17	2	-
ALL OTHER--MALE----	1	1	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,567

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE MYOCARDIAL INFARCTION (410)												
0 UNITED STATES --	206,212	13	2	4	9	19	47	131	383	1,078	2,345	4,574
WHITE-----MALE----	98,238	5	2	1	5	10	24	61	216	654	1,516	3,016
FEMALE--	85,894	5	-	2	2	5	13	30	80	182	360	704
ALL OTHER--MALE----	10,933	2	-	1	1	2	7	25	64	157	311	590
FEMALE--	11,147	1	-	-	1	2	3	15	23	85	158	264
BLACK---MALE----	9,215	2	-	1	1	2	7	20	55	143	281	496
FEMALE--	10,029	1	-	-	1	2	3	14	23	73	141	243
ALABAMA -----	3,735	-	-	-	-	-	2	2	10	31	65	133
WHITE-----MALE----	1,574	-	-	-	-	-	2	1	7	18	34	75
FEMALE--	1,346	-	-	-	-	-	-	-	1	5	9	28
ALL OTHER--MALE----	398	-	-	-	-	-	-	1	1	4	15	19
FEMALE--	417	-	-	-	-	-	-	-	1	4	7	11
BLACK---MALE----	396	-	-	-	-	-	-	1	1	4	15	19
FEMALE--	414	-	-	-	-	-	-	-	1	4	6	11
ALASKA -----	114	-	-	-	-	-	-	-	-	1	9	6
WHITE-----MALE----	62	-	-	-	-	-	-	-	-	1	5	6
FEMALE--	30	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2,750	-	-	-	-	1	1	3	5	11	23	53
WHITE-----MALE----	1,455	-	-	-	-	1	1	1	3	9	17	37
FEMALE--	1,196	-	-	-	-	-	-	1	1	2	4	12
ALL OTHER--MALE----	48	-	-	-	-	-	-	1	1	-	1	3
FEMALE--	51	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	3,609	-	-	-	1	1	2	4	5	23	43	107
WHITE-----MALE----	1,737	-	-	-	-	1	-	2	2	15	20	56
FEMALE--	1,345	-	-	-	-	-	-	1	1	4	4	25
ALL OTHER--MALE----	259	-	-	-	-	-	2	1	2	3	11	17
FEMALE--	268	-	-	-	1	-	-	-	-	1	8	9
BLACK---MALE----	253	-	-	-	-	-	2	1	2	3	9	17
FEMALE--	263	-	-	-	1	-	-	-	-	1	8	9
CALIFORNIA -----	17,003	1	-	-	-	1	1	6	26	65	161	321
WHITE-----MALE----	7,699	1	-	-	-	1	-	3	13	36	110	193
FEMALE--	7,117	-	-	-	-	-	1	2	6	13	20	56
ALL OTHER--MALE----	1,126	-	-	-	-	-	-	-	6	11	14	57
FEMALE--	1,061	-	-	-	-	-	-	1	1	5	17	15
BLACK---MALE----	536	-	-	-	-	-	-	-	4	6	9	27
FEMALE--	643	-	-	-	-	-	-	1	1	2	9	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,567

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ACUTE MYOCARDIAL INFARCTION (410)												
UNITED STATES --	7,051	9,511	13,302	19,361	26,604	32,697	34,564	29,370	17,662	6,100	1,369	16
WHITE-----MALE----	4,600	5,904	8,020	11,290	14,530	16,347	15,135	10,549	4,925	1,216	201	11
FEMALE--	1,307	2,079	3,356	5,593	9,023	13,269	16,537	16,628	11,371	4,337	1,008	3
ALL OTHER--MALE----	784	955	1,142	1,377	1,532	1,398	1,191	811	412	132	38	1
FEMALE--	360	573	784	1,101	1,519	1,683	1,701	1,382	954	415	122	1
BLACK---MALE----	678	802	970	1,161	1,303	1,189	984	649	329	105	36	1
FEMALE--	334	524	708	962	1,368	1,497	1,517	1,255	875	374	113	1
ALABAMA -----	153	203	273	404	503	565	586	430	280	82	13	-
WHITE-----MALE----	85	99	149	207	236	250	208	123	63	17	-	-
FEMALE--	24	39	55	102	154	207	274	225	167	46	10	-
ALL OTHER--MALE----	33	38	42	51	56	47	45	29	14	3	-	-
FEMALE--	11	27	27	44	57	61	59	53	36	16	3	-
BLACK---MALE----	33	38	41	51	56	47	45	28	14	3	-	-
FEMALE--	11	27	27	42	57	61	59	53	36	16	3	-
ALASKA -----	12	12	11	11	14	11	6	14	6	1	-	-
WHITE-----MALE----	9	7	7	6	8	4	3	4	2	-	-	-
FEMALE--	2	2	3	1	2	4	2	8	3	1	-	-
ALL OTHER--MALE----	1	3	-	4	3	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	1	2	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ARIZONA -----	90	105	160	261	390	462	495	376	206	90	17	1
WHITE-----MALE----	67	75	100	164	232	262	254	149	65	12	5	1
FEMALE--	19	22	50	86	142	191	228	217	136	75	10	-
ALL OTHER--MALE----	1	6	7	6	9	3	4	4	1	-	1	-
FEMALE--	3	2	3	5	7	6	9	6	4	3	1	-
BLACK---MALE----	-	1	2	1	5	1	1	-	1	-	1	-
FEMALE--	1	-	3	-	3	3	4	3	-	2	-	-
ARKANSAS -----	142	199	269	359	457	538	583	467	293	92	24	-
WHITE-----MALE----	95	129	169	221	258	269	237	161	81	17	4	-
FEMALE--	26	42	59	95	143	195	259	251	167	57	16	-
ALL OTHER--MALE----	16	21	25	23	25	35	36	22	12	6	2	-
FEMALE--	5	7	16	20	31	39	51	33	33	12	2	-
BLACK---MALE----	16	20	24	22	24	35	36	22	12	6	2	-
FEMALE--	5	7	15	19	30	38	51	32	33	12	2	-
CALIFORNIA -----	521	681	952	1,545	2,110	2,757	2,992	2,521	1,626	587	128	1
WHITE-----MALE----	308	391	523	847	1,126	1,329	1,270	921	479	125	23	-
FEMALE--	112	163	261	449	703	1,103	1,366	1,374	988	404	95	1
ALL OTHER--MALE----	67	87	102	135	144	159	168	97	61	15	3	-
FEMALE--	34	40	66	114	137	166	188	129	98	43	7	-
BLACK---MALE----	44	37	50	65	73	82	76	36	20	4	3	-
FEMALE--	24	29	46	66	81	92	110	83	62	27	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,568

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE MYOCARDIAL INFARCTION (410)												
COLORADO -----	1,776	1	-	-	-	-	-	-	3	10	16	46
WHITE-----MALE----	954	-	-	-	-	-	-	-	1	7	8	38
FEMALE--	767	1	-	-	-	-	-	-	2	2	7	6
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	26	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	25	-	-	-	-	-	-	-	-	1	-	1
CONNECTICUT -----	1,954	-	-	-	-	-	-	1	-	7	17	32
WHITE-----MALE----	931	-	-	-	-	-	-	1	-	3	13	22
FEMALE--	930	-	-	-	-	-	-	-	-	2	3	7
ALL OTHER--MALE----	43	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	50	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	32	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	48	-	-	-	-	-	-	-	-	-	1	1
DELAWARE -----	533	-	-	-	-	-	-	-	-	2	6	11
WHITE-----MALE----	276	-	-	-	-	-	-	-	-	1	3	7
FEMALE--	189	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	44	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	23	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	42	-	-	-	-	-	-	-	-	-	1	2
DISTRICT OF COLUMBIA ----	337	-	-	-	-	-	-	-	1	1	2	8
WHITE-----MALE----	50	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	47	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	96	-	-	-	-	-	-	-	-	1	1	5
FEMALE--	144	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	93	-	-	-	-	-	-	-	-	1	1	5
FEMALE--	143	-	-	-	-	-	-	-	1	-	1	1
FLORIDA -----	12,678	-	-	-	-	1	2	8	11	40	105	192
WHITE-----MALE----	6,265	-	-	-	-	-	-	2	8	25	64	140
FEMALE--	5,391	-	-	-	-	1	1	2	1	6	13	22
ALL OTHER--MALE----	500	-	-	-	-	-	-	3	1	6	16	18
FEMALE--	522	-	-	-	-	-	1	1	1	3	12	12
BLACK---MALE----	475	-	-	-	-	-	-	2	1	6	16	18
FEMALE--	508	-	-	-	-	-	1	1	1	3	12	12
GEORGIA -----	4,689	1	-	-	1	1	-	6	12	36	85	144
WHITE-----MALE----	1,986	1	-	-	1	1	-	-	5	21	44	78
FEMALE--	1,625	-	-	-	-	-	-	1	1	2	10	11
ALL OTHER--MALE----	517	-	-	-	-	-	-	1	5	7	17	37
FEMALE--	561	-	-	-	-	-	-	4	1	6	14	18
BLACK---MALE----	509	-	-	-	-	-	-	1	5	7	17	37
FEMALE--	551	-	-	-	-	-	-	4	1	6	14	17

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,568

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE MYOCARDIAL INFARCTION (410)												
COLORADO -----	69	72	114	176	248	285	267	266	145	45	13	-
WHITE-----MALE----	57	49	78	118	153	165	128	106	36	8	2	-
FEMALE--	10	19	31	55	86	111	131	156	106	35	9	-
ALL OTHER--MALE----	2	3	3	1	5	7	3	-	2	1	-	-
FEMALE--	-	1	2	2	4	2	5	4	1	1	2	-
BLACK---MALE----	-	3	3	1	3	3	1	-	2	1	-	-
FEMALE--	-	-	2	2	4	2	5	4	1	1	2	-
CONNECTICUT -----	67	74	84	184	210	328	341	323	202	70	14	-
WHITE-----MALE----	53	43	54	108	122	176	164	118	45	8	1	-
FEMALE--	9	22	24	62	76	138	169	195	151	62	10	-
ALL OTHER--MALE----	2	5	5	10	5	7	1	2	2	-	-	-
FEMALE--	3	4	1	4	7	7	7	8	4	-	3	-
BLACK---MALE----	1	3	3	7	4	7	1	2	1	-	-	-
FEMALE--	3	4	1	4	7	6	6	8	4	-	3	-
DELAWARE -----	13	30	38	55	83	97	83	64	31	17	3	-
WHITE-----MALE----	10	20	24	32	49	51	42	26	7	3	1	-
FEMALE--	2	7	8	16	21	38	33	31	19	12	1	-
ALL OTHER--MALE----	1	3	1	2	5	4	3	1	-	-	-	-
FEMALE--	-	-	5	5	8	4	5	6	5	2	1	-
BLACK---MALE----	1	3	1	1	5	4	3	1	-	-	-	-
FEMALE--	-	-	5	5	7	4	5	6	5	1	1	-
DISTRICT OF COLUMBIA ----	8	14	27	29	49	48	59	46	30	10	5	-
WHITE-----MALE----	1	3	6	4	12	4	9	6	2	-	1	-
FEMALE--	-	-	1	3	2	1	12	11	10	6	1	-
ALL OTHER--MALE----	5	6	13	14	12	15	16	6	1	1	-	-
FEMALE--	2	5	7	8	23	28	22	23	17	3	3	-
BLACK---MALE----	5	6	13	14	12	13	16	5	1	1	-	-
FEMALE--	2	5	7	7	23	28	22	23	17	3	3	-
FLORIDA -----	283	423	667	1,059	1,567	2,128	2,290	2,088	1,304	405	101	4
WHITE-----MALE----	160	258	406	616	885	1,132	1,146	869	426	106	19	3
FEMALE--	75	91	158	328	532	843	1,020	1,123	820	282	72	1
ALL OTHER--MALE----	26	46	58	65	72	76	62	27	17	4	3	-
FEMALE--	22	28	45	50	78	77	62	69	41	13	7	-
BLACK---MALE----	25	43	53	58	69	76	61	26	16	2	3	-
FEMALE--	20	27	44	48	77	75	60	69	40	11	7	-
GEORGIA -----	232	299	407	525	556	700	706	555	308	101	14	-
WHITE-----MALE----	126	157	220	273	251	292	255	177	62	19	3	-
FEMALE--	32	53	93	134	172	263	304	290	196	57	6	-
ALL OTHER--MALE----	52	58	63	59	55	68	46	27	11	8	3	-
FEMALE--	22	31	31	59	78	77	101	61	39	17	2	-
BLACK---MALE----	49	57	63	58	54	67	46	27	11	8	2	-
FEMALE--	21	31	31	56	76	76	100	61	38	17	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,569

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE MYOCARDIAL INFARCTION (410)												
HAWAII -----	16	38	26	47	66	82	69	76	34	15	3	-
WHITE-----MALE----	3	8	6	5	9	12	13	4	1	1	-	-
FEMALE--	1	1	1	6	4	17	8	12	6	2	1	-
ALL OTHER--MALE----	12	20	12	26	31	27	28	41	12	7	1	-
FEMALE--	-	9	7	10	22	26	20	19	15	5	1	-
BLACK---MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
IDAHO -----	35	45	77	79	117	171	165	125	60	22	5	-
WHITE-----MALE----	31	33	54	55	67	99	91	59	24	8	-	-
FEMALE--	3	11	21	24	49	72	72	63	36	14	5	-
ALL OTHER--MALE----	1	-	2	-	1	-	2	3	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	327	509	677	966	1,365	1,655	1,900	1,577	1,021	317	77	-
WHITE-----MALE----	223	300	394	546	721	819	793	532	274	62	8	-
FEMALE--	52	111	167	275	439	663	940	913	664	227	54	-
ALL OTHER--MALE----	33	50	73	74	117	74	70	46	15	6	1	-
FEMALE--	19	48	43	71	88	99	97	86	68	22	14	-
BLACK---MALE----	30	42	65	68	104	66	62	41	13	5	1	-
FEMALE--	19	46	41	67	85	97	88	81	64	20	14	-
INDIANA -----	196	284	366	483	675	781	850	655	340	137	19	-
WHITE-----MALE----	149	198	250	304	362	409	379	231	87	26	3	-
FEMALE--	37	65	92	154	275	340	438	407	242	103	16	-
ALL OTHER--MALE----	6	16	13	13	16	14	9	8	3	1	-	-
FEMALE--	4	5	11	12	22	18	24	9	8	7	-	-
BLACK---MALE----	6	16	10	13	16	14	9	7	3	1	-	-
FEMALE--	4	5	11	11	22	18	24	9	8	7	-	-
IOWA -----	69	115	142	226	342	434	492	453	285	105	33	-
WHITE-----MALE----	58	86	109	143	215	247	251	204	86	21	7	-
FEMALE--	10	23	30	76	125	183	237	247	198	84	25	-
ALL OTHER--MALE----	-	4	1	4	2	2	1	-	-	-	-	-
FEMALE--	1	2	2	3	-	2	3	2	1	-	1	-
BLACK---MALE----	-	3	1	4	2	2	1	-	-	-	-	-
FEMALE--	1	2	2	2	-	1	3	2	1	-	1	-
KANSAS -----	65	81	119	168	268	351	326	334	207	78	15	-
WHITE-----MALE----	49	58	79	107	161	188	161	138	74	18	2	-
FEMALE--	10	15	32	49	88	152	157	191	128	59	12	-
ALL OTHER--MALE----	6	5	6	7	12	7	3	2	2	1	-	-
FEMALE--	-	3	2	5	7	4	5	3	3	-	1	-
BLACK---MALE----	4	3	6	6	8	7	3	2	2	1	-	-
FEMALE--	-	3	-	5	6	3	5	2	3	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,570

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE MYOCARDIAL INFARCTION (410)												
KENTUCKY -----	210	239	350	446	638	658	694	566	299	88	26	-
WHITE-----MALE----	151	168	214	293	393	350	292	220	97	22	2	-
FEMALE--	50	60	106	127	212	281	368	321	179	60	23	-
ALL OTHER--MALE----	4	3	19	14	11	13	11	12	11	1	-	-
FEMALE--	5	8	11	12	22	14	23	13	12	5	1	-
BLACK---MALE----	4	3	19	14	11	12	11	12	11	1	-	-
FEMALE--	5	7	10	9	22	14	21	13	12	5	1	-
LOUISIANA -----	180	247	323	388	460	570	521	406	224	68	13	-
WHITE-----MALE----	93	120	158	188	219	258	206	118	51	8	3	-
FEMALE--	25	43	70	92	137	190	222	219	123	37	8	-
ALL OTHER--MALE----	46	50	61	64	48	54	34	32	19	4	-	-
FEMALE--	16	34	34	44	56	68	59	37	31	19	2	-
BLACK---MALE----	43	50	60	63	48	53	34	31	19	4	-	-
FEMALE--	16	32	34	43	56	68	59	36	31	19	2	-
MAINE -----	51	45	68	105	167	186	195	167	103	35	7	-
WHITE-----MALE----	42	35	44	71	100	98	82	72	37	6	-	-
FEMALE--	9	10	24	34	66	88	113	94	66	29	7	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	100	169	227	357	485	611	531	499	295	83	22	-
WHITE-----MALE----	55	87	110	187	227	269	196	137	60	6	1	-
FEMALE--	20	34	54	79	161	240	241	283	199	63	16	-
ALL OTHER--MALE----	14	29	35	54	51	51	42	24	7	1	-	-
FEMALE--	11	19	28	37	46	51	52	55	29	13	5	-
BLACK---MALE----	14	26	33	47	47	49	38	21	7	1	-	-
FEMALE--	10	18	25	35	44	50	46	54	29	12	4	-
MASSACHUSETTS -----	136	164	268	405	537	761	784	721	426	173	28	-
WHITE-----MALE----	103	115	190	247	301	390	332	250	111	40	-	-
FEMALE--	22	41	64	137	222	348	428	458	308	129	26	-
ALL OTHER--MALE----	7	4	11	13	9	14	12	4	3	1	-	-
FEMALE--	4	4	3	8	5	9	12	9	4	3	2	-
BLACK---MALE----	7	3	8	11	7	10	11	3	3	1	-	-
FEMALE--	4	3	3	7	5	7	12	8	4	3	2	-
MICHIGAN -----	259	335	469	748	1,011	1,275	1,357	1,095	703	281	49	1
WHITE-----MALE----	160	206	276	442	518	599	603	377	187	46	7	1
FEMALE--	58	86	144	225	363	565	665	634	462	207	40	-
ALL OTHER--MALE----	24	27	22	45	63	47	33	31	18	7	1	-
FEMALE--	17	16	27	36	67	64	56	53	36	21	1	-
BLACK---MALE----	20	21	16	41	57	43	27	28	17	7	1	-
FEMALE--	15	15	25	33	63	61	50	52	34	21	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,571

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ACUTE MYOCARDIAL INFARCTION (410)												
MINNESOTA -----	63	107	165	196	295	422	469	395	244	75	11	-
WHITE-----MALE----	46	79	117	142	189	236	235	165	80	16	1	-
FEMALE--	15	25	45	48	97	179	230	228	161	59	10	-
ALL OTHER--MALE----	2	2	2	4	5	3	3	2	1	-	-	-
FEMALE--	-	1	1	2	4	4	1	-	2	-	-	-
BLACK---MALE----	1	-	-	2	-	2	2	2	1	-	-	-
FEMALE--	-	1	-	-	1	2	-	-	1	-	-	-
MISSISSIPPI -----	165	197	214	298	356	375	398	297	169	64	13	-
WHITE-----MALE----	73	77	99	136	166	157	135	92	41	8	3	-
FEMALE--	21	40	43	52	93	106	168	128	87	35	6	-
ALL OTHER--MALE----	49	50	39	60	53	49	28	37	8	5	2	-
FEMALE--	22	30	33	50	44	63	67	40	33	16	2	-
BLACK---MALE----	48	50	38	60	53	49	28	36	8	5	2	-
FEMALE--	22	30	33	50	44	62	66	40	33	16	2	-
MISSOURI -----	189	289	413	575	809	952	974	978	566	211	46	1
WHITE-----MALE----	122	190	266	348	456	465	416	382	161	29	5	-
FEMALE--	38	60	94	173	283	415	486	544	368	170	37	1
ALL OTHER--MALE----	24	24	31	29	43	29	28	14	9	2	-	-
FEMALE--	5	15	22	25	27	43	44	38	28	10	4	-
BLACK---MALE----	24	24	30	26	41	25	25	14	9	2	-	-
FEMALE--	5	15	22	23	26	42	42	37	26	10	4	-
MONTANA -----	21	31	39	66	71	82	103	65	47	9	2	-
WHITE-----MALE----	15	22	24	43	48	48	57	31	15	3	1	-
FEMALE--	3	7	14	18	21	33	46	32	32	6	1	-
ALL OTHER--MALE----	2	2	1	2	2	-	-	1	-	-	-	-
FEMALE--	1	-	-	3	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	29	54	77	95	130	165	154	160	115	35	10	-
WHITE-----MALE----	21	40	54	65	80	103	73	60	42	7	2	-
FEMALE--	7	12	21	26	46	60	80	97	71	27	8	-
ALL OTHER--MALE----	-	1	-	4	1	1	-	1	2	1	-	-
FEMALE--	1	1	2	-	3	1	1	2	-	-	-	-
BLACK---MALE----	-	-	-	3	1	-	-	1	1	1	-	-
FEMALE--	-	1	-	-	3	-	-	2	-	-	-	-
NEVADA -----	38	48	60	82	99	116	115	42	31	5	2	-
WHITE-----MALE----	34	39	38	56	57	61	48	17	11	3	-	-
FEMALE--	3	7	17	22	37	46	58	24	19	2	2	-
ALL OTHER--MALE----	-	1	2	3	2	6	3	-	1	-	-	-
FEMALE--	1	1	3	1	3	3	6	1	-	-	-	-
BLACK---MALE----	-	-	1	3	-	5	2	-	-	-	-	-
FEMALE--	1	1	2	-	1	2	5	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,573

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ACUTE MYOCARDIAL INFARCTION (410)												
OHIO -----	9,632	1	1	-	2	-	3	5	22	47	140	238
WHITE-----MALE----	4,802	1	1	-	1	-	2	3	16	31	90	167
FEMALE--	4,120	-	-	-	1	-	1	2	4	8	30	42
ALL OTHER--MALE----	355	-	-	-	-	-	-	-	2	4	13	20
FEMALE--	355	-	-	-	-	-	-	-	-	4	7	9
BLACK---MALE----	338	-	-	-	-	-	-	-	2	4	13	19
FEMALE--	349	-	-	-	-	-	-	-	-	4	7	9
OKLAHOMA -----	2,748	-	-	-	-	-	1	1	4	12	26	46
WHITE-----MALE----	1,350	-	-	-	-	-	-	-	3	4	19	28
FEMALE--	1,143	-	-	-	-	-	1	-	1	4	2	10
ALL OTHER--MALE----	149	-	-	-	-	-	-	1	-	2	4	8
FEMALE--	106	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	75	-	-	-	-	-	-	-	-	1	2	6
FEMALE--	67	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1,841	-	-	-	-	-	-	1	5	4	12	29
WHITE-----MALE----	1,015	-	-	-	-	-	-	1	2	2	8	23
FEMALE--	778	-	-	-	-	-	-	-	3	2	3	4
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	12,377	-	-	1	-	-	1	7	14	60	105	255
WHITE-----MALE----	5,888	-	-	-	-	-	1	6	8	40	70	192
FEMALE--	5,773	-	-	1	-	-	-	1	3	13	21	42
ALL OTHER--MALE----	310	-	-	-	-	-	-	-	1	6	7	9
FEMALE--	406	-	-	-	-	-	-	-	2	1	7	12
BLACK---MALE----	286	-	-	-	-	-	-	-	1	6	6	9
FEMALE--	392	-	-	-	-	-	-	-	2	1	7	11
RHODE ISLAND -----	1,155	-	-	-	-	-	-	-	3	4	5	18
WHITE-----MALE----	573	-	-	-	-	-	-	-	2	4	3	15
FEMALE--	561	-	-	-	-	-	-	-	1	-	2	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3,431	-	-	-	-	-	1	2	11	26	52	113
WHITE-----MALE----	1,437	-	-	-	-	-	-	-	6	17	26	60
FEMALE--	1,118	-	-	-	-	-	1	1	3	4	5	11
ALL OTHER--MALE----	467	-	-	-	-	-	-	1	1	3	17	28
FEMALE--	409	-	-	-	-	-	-	-	1	2	4	14
BLACK---MALE----	461	-	-	-	-	-	-	1	1	3	16	25
FEMALE--	408	-	-	-	-	-	-	-	1	2	4	14

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,573

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE MYOCARDIAL INFARCTION (410)												
OHIO -----	320	451	653	972	1,271	1,586	1,587	1,287	748	243	55	-
WHITE-----MALE----	242	293	449	577	723	803	687	456	200	53	7	-
FEMALE--	58	113	150	290	449	675	793	768	514	177	45	-
ALL OTHER--MALE----	19	24	30	50	56	50	48	23	12	3	1	-
FEMALE--	1	21	24	55	43	58	59	40	22	10	2	-
BLACK---MALE----	16	24	30	47	52	49	43	23	12	3	1	-
FEMALE--	1	20	23	53	43	58	59	40	22	8	2	-
OKLAHOMA -----	98	143	202	266	360	414	476	384	238	58	19	-
WHITE-----MALE----	63	93	123	143	211	230	208	147	57	16	5	-
FEMALE--	21	40	49	90	114	152	245	207	163	32	12	-
ALL OTHER--MALE----	12	7	21	16	24	18	12	10	12	2	-	-
FEMALE--	2	3	9	17	11	14	11	20	6	8	2	-
BLACK---MALE----	4	2	9	7	10	8	7	8	9	2	-	-
FEMALE--	1	2	4	10	9	7	8	16	4	5	1	-
OREGON -----	50	81	115	171	227	311	355	273	144	46	17	-
WHITE-----MALE----	35	59	80	125	135	187	185	123	36	12	2	-
FEMALE--	14	19	31	46	84	117	159	141	106	34	15	-
ALL OTHER--MALE----	-	2	-	-	5	4	7	2	-	-	-	-
FEMALE--	1	1	4	-	3	3	4	7	2	-	-	-
BLACK---MALE----	-	2	-	-	-	1	1	2	-	-	-	-
FEMALE--	1	-	-	-	1	2	3	4	2	-	-	-
PENNSYLVANIA -----	362	482	708	1,195	1,711	2,031	2,239	1,761	1,013	358	73	1
WHITE-----MALE----	272	324	420	720	954	976	937	595	284	75	13	1
FEMALE--	64	119	221	401	643	956	1,205	1,083	681	264	55	-
ALL OTHER--MALE----	15	24	35	39	60	42	35	22	11	4	-	-
FEMALE--	11	15	32	35	54	57	62	61	37	15	5	-
BLACK---MALE----	14	23	29	36	57	40	32	19	11	3	-	-
FEMALE--	11	15	30	33	54	54	59	58	37	15	5	-
RHODE ISLAND -----	33	30	62	89	156	189	197	202	117	39	11	-
WHITE-----MALE----	25	28	40	55	95	105	88	86	20	6	1	-
FEMALE--	4	2	20	34	60	81	104	114	94	33	10	-
ALL OTHER--MALE----	3	-	1	-	1	1	1	-	1	-	-	-
FEMALE--	1	-	1	-	-	2	4	2	2	-	-	-
BLACK---MALE----	3	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	4	2	2	-	-	-
SOUTH CAROLINA -----	171	225	317	380	509	505	493	365	187	57	17	-
WHITE-----MALE----	87	125	169	180	236	220	183	92	31	5	-	-
FEMALE--	25	39	57	89	149	179	193	202	110	38	12	-
ALL OTHER--MALE----	42	42	54	69	66	52	50	27	11	2	2	-
FEMALE--	17	19	37	42	58	54	67	44	35	12	3	-
BLACK---MALE----	42	41	53	69	66	52	50	27	11	2	2	-
FEMALE--	17	19	37	42	58	53	67	44	35	12	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,574

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE MYOCARDIAL INFARCTION (410)												
SOUTH DAKOTA -----	749	-	-	-	-	-	-	2	2	2	7	9
WHITE-----MALE----	403	-	-	-	-	-	-	1	1	-	5	6
FEMALE--	298	-	-	-	-	-	-	1	-	2	2	1
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5,801	1	-	1	-	-	3	2	14	43	81	167
WHITE-----MALE----	2,851	-	-	-	-	-	2	2	12	31	58	108
FEMALE--	2,323	1	-	-	-	-	1	-	1	10	11	26
ALL OTHER--MALE----	277	-	-	1	-	-	-	-	-	-	6	20
FEMALE--	350	-	-	-	-	-	-	-	1	2	6	13
BLACK---MALE----	267	-	-	1	-	-	-	-	-	-	6	19
FEMALE--	343	-	-	-	-	-	-	-	1	2	6	13
TEXAS -----	14,787	2	1	1	2	5	3	17	24	91	186	339
WHITE-----MALE----	7,023	1	1	-	1	3	1	11	10	53	122	212
FEMALE--	6,019	-	-	1	1	1	1	2	3	13	28	62
ALL OTHER--MALE----	857	-	-	-	-	-	-	2	7	14	24	41
FEMALE--	888	1	-	-	-	1	1	2	4	11	12	24
BLACK---MALE----	816	-	-	-	-	-	-	2	7	14	22	39
FEMALE--	858	1	-	-	-	1	1	2	4	11	12	24
UTAH -----	769	-	-	-	-	-	-	-	1	4	9	12
WHITE-----MALE----	426	-	-	-	-	-	-	-	1	4	7	10
FEMALE--	330	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	394	-	-	-	-	-	-	-	1	1	3	8
WHITE-----MALE----	195	-	-	-	-	-	-	-	1	1	3	7
FEMALE--	198	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3,999	1	-	-	-	-	2	6	8	22	40	113
WHITE-----MALE----	1,788	1	-	-	-	-	2	2	6	14	31	67
FEMALE--	1,433	-	-	-	-	-	-	1	-	-	4	20
ALL OTHER--MALE----	404	-	-	-	-	-	-	2	1	7	2	21
FEMALE--	374	-	-	-	-	-	-	1	1	1	3	5
BLACK---MALE----	391	-	-	-	-	-	-	2	1	6	2	21
FEMALE--	360	-	-	-	-	-	-	1	1	1	3	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,574

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ACUTE MYOCARDIAL INFARCTION (410)												
SOUTH DAKOTA -----	24	28	50	71	93	112	130	108	64	41	6	-
WHITE-----MALE----	12	21	29	49	63	72	60	52	19	13	-	-
FEMALE--	6	3	13	14	24	34	67	54	44	27	6	-
ALL OTHER--MALE----	6	3	6	6	3	1	1	2	1	-	-	-
FEMALE--	-	1	2	2	3	5	2	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	229	309	421	569	735	854	923	813	453	158	25	-
WHITE-----MALE----	150	209	273	373	399	421	388	254	136	30	5	-
FEMALE--	49	68	104	142	240	349	455	469	276	103	18	-
ALL OTHER--MALE----	19	17	25	25	48	27	38	33	14	4	-	-
FEMALE--	11	15	19	29	48	57	42	57	27	21	2	-
BLACK---MALE----	19	16	24	24	46	27	38	29	14	4	-	-
FEMALE--	10	15	19	29	47	54	42	57	26	20	2	-
TEXAS -----	597	723	1,038	1,377	1,937	2,208	2,333	2,030	1,290	469	113	1
WHITE-----MALE----	395	442	608	796	1,049	1,117	1,046	686	357	93	18	1
FEMALE--	105	157	262	412	666	877	1,066	1,163	799	321	79	-
ALL OTHER--MALE----	67	85	98	93	102	90	94	72	43	19	6	-
FEMALE--	30	39	70	76	120	124	127	109	91	36	10	-
BLACK---MALE----	64	81	93	85	98	88	89	69	40	19	6	-
FEMALE--	29	38	66	72	119	119	120	103	90	36	10	-
UTAH -----	24	27	44	68	94	124	139	119	79	22	3	-
WHITE-----MALE----	20	22	26	48	63	68	75	48	29	5	-	-
FEMALE--	3	4	16	18	28	56	63	71	49	16	3	-
ALL OTHER--MALE----	1	-	1	2	1	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	2	-	-	-	1	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
VERMONT -----	12	17	24	34	43	68	82	51	37	11	2	-
WHITE-----MALE----	10	11	15	22	31	33	25	21	9	6	-	-
FEMALE--	2	6	9	12	11	35	57	30	28	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
VIRGINIA -----	187	236	326	396	586	609	599	486	265	87	27	3
WHITE-----MALE----	121	134	168	211	279	289	239	136	69	14	3	2
FEMALE--	26	49	79	96	181	216	262	267	153	62	17	-
ALL OTHER--MALE----	27	36	43	52	71	47	40	36	12	3	3	1
FEMALE--	13	17	36	37	55	57	58	47	31	8	4	-
BLACK---MALE----	26	35	43	50	70	45	39	34	10	3	3	1
FEMALE--	12	15	36	34	50	57	57	45	31	8	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,575

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE MYOCARDIAL INFARCTION (410)												
WASHINGTON -----	96	128	167	238	353	475	512	378	258	77	18	-
WHITE-----MALE----	74	91	114	149	216	286	259	156	84	22	3	-
FEMALE--	15	28	44	71	129	179	240	207	167	54	15	-
ALL OTHER--MALE----	7	7	4	14	3	4	8	11	4	1	-	-
FEMALE--	-	2	5	4	5	6	5	4	3	-	-	-
BLACK---MALE----	4	1	2	8	2	3	4	5	-	-	-	-
FEMALE--	-	1	-	-	1	3	1	2	3	-	-	-
WEST VIRGINIA -----	84	122	125	209	273	339	322	258	135	43	12	1
WHITE-----MALE----	62	85	86	118	146	185	145	91	31	9	1	1
FEMALE--	21	35	34	84	115	149	171	160	101	31	10	-
ALL OTHER--MALE----	1	-	1	3	4	2	3	4	2	1	-	-
FEMALE--	-	2	4	4	8	3	3	3	1	2	1	-
BLACK---MALE----	1	-	-	3	4	2	2	4	2	1	-	-
FEMALE--	-	2	4	4	6	2	3	3	1	2	1	-
WISCONSIN -----	136	189	245	378	552	673	779	677	392	129	31	-
WHITE-----MALE----	105	129	173	267	356	393	413	267	139	31	6	-
FEMALE--	26	48	65	97	180	269	357	404	251	97	24	-
ALL OTHER--MALE----	3	10	6	10	8	3	5	3	1	1	1	-
FEMALE--	2	2	1	4	8	8	4	3	1	-	-	-
BLACK---MALE----	2	3	4	8	4	2	3	3	1	1	1	-
FEMALE--	2	2	1	4	7	6	2	3	1	-	-	-
WYOMING -----	14	15	24	40	41	53	41	37	30	8	-	1
WHITE-----MALE----	10	11	21	29	23	35	16	12	8	1	-	1
FEMALE--	4	4	3	10	18	17	24	25	22	7	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,576

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)												
0 UNITED STATES --	196	190	266	292	350	373	351	407	264	91	25	4
WHITE-----MALE----	127	111	162	161	193	176	135	127	72	14	3	2
FEMALE--	32	35	56	82	99	147	175	233	167	69	20	-
ALL OTHER--MALE----	26	29	26	30	28	25	21	18	7	3	-	2
FEMALE--	11	15	22	19	30	25	20	29	18	5	2	-
BLACK---MALE----	19	27	24	28	24	24	16	15	6	2	-	1
FEMALE--	11	12	19	17	27	23	18	25	17	5	2	-
ALABAMA -----	1	3	3	3	7	4	2	1	2	-	-	-
WHITE-----MALE----	1	2	2	2	4	1	2	1	-	-	-	-
FEMALE--	-	1	-	1	2	3	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	4	5	8	13	19	7	6	1	1	-	-
WHITE-----MALE----	1	4	3	6	8	11	3	2	1	-	-	-
FEMALE--	1	-	2	2	4	7	3	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	3	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	10	6	11	4	11	9	9	16	7	6	1	-
WHITE-----MALE----	8	3	9	3	9	3	4	5	2	-	1	-
FEMALE--	-	2	-	1	2	5	5	9	4	6	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	-	2	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,577

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)												
COLORADO -----	3	1	1	5	-	4	2	3	2	-	-	-
WHITE-----MALE----	2	1	1	4	-	4	1	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	-	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	5	3	9	10	10	15	11	16	17	5	2	1
WHITE-----MALE----	4	2	3	8	8	10	5	4	8	1	-	1
FEMALE--	1	1	4	1	2	5	6	12	7	4	2	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
GEORGIA -----	6	6	8	12	6	13	15	15	10	3	-	-
WHITE-----MALE----	3	2	3	2	2	3	2	4	1	-	-	-
FEMALE--	-	2	2	3	2	5	8	7	6	2	-	-
ALL OTHER--MALE----	2	2	2	5	-	2	1	2	-	-	-	-
FEMALE--	1	-	1	2	2	3	4	2	3	1	-	-
BLACK---MALE----	2	2	2	5	-	2	1	2	-	-	-	-
FEMALE--	1	-	1	2	2	3	4	2	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,578

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)												
HAWAII -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2	7	8	13	16	12	10	11	8	2	-	-
WHITE-----MALE----	-	5	7	9	9	7	5	5	2	-	-	-
FEMALE--	2	1	-	3	6	4	5	6	6	2	-	-
ALL OTHER--MALE----	-	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
INDIANA -----	1	-	2	1	2	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	-	-	3	1	-	3	2	-	2	1	1	-
WHITE-----MALE----	-	-	1	-	-	3	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	2	-	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	1	-	1	-	1	-	2	3	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,579

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	-	-	3	2	6	6	2	1	1	-	-
WHITE-----MALE----	-	-	-	2	1	3	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	3	6	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	19	14	12	5	3	7	3	5	2	-	-	-
WHITE-----MALE----	11	9	8	3	2	3	1	1	-	-	-	-
FEMALE--	1	1	1	1	-	1	1	3	2	-	-	-
ALL OTHER--MALE----	5	4	-	1	1	1	1	-	-	-	-	-
FEMALE--	2	-	3	-	-	2	-	1	-	-	-	-
BLACK---MALE----	4	4	-	1	1	1	1	-	-	-	-	-
FEMALE--	2	-	3	-	-	2	-	1	-	-	-	-
MAINE -----	-	-	-	1	-	1	-	1	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	1	1	1	2	2	-	1	1	-	-	-
WHITE-----MALE----	1	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	-	1	1	1	1	2	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	1	1	4	2	1	3	3	-	-	-	-
WHITE-----MALE----	-	1	1	1	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	3	1	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,582

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)												
OHIO -----	1	1	2	6	10	9	8	6	6	1	1	-
WHITE-----MALE----	1	-	2	3	5	3	4	1	2	1	-	-
FEMALE--	-	-	-	3	4	5	4	5	4	-	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
OKLAHOMA -----	60	60	94	104	104	113	130	146	99	30	11	2
WHITE-----MALE----	34	41	61	58	58	50	51	47	26	5	1	-
FEMALE--	16	11	23	33	32	54	64	87	66	23	10	-
ALL OTHER--MALE----	7	4	5	7	10	5	9	4	3	1	-	2
FEMALE--	3	4	5	6	4	4	6	8	4	1	-	-
BLACK---MALE----	3	3	4	5	6	4	6	3	2	-	-	1
FEMALE--	3	2	3	4	3	3	5	5	3	1	-	-
OREGON -----	-	1	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	1	3	5	9	13	12	15	12	3	1	-
WHITE-----MALE----	2	1	1	1	2	6	2	7	2	1	1	-
FEMALE--	-	-	2	3	5	4	10	7	10	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	-	-	-
RHODE ISLAND -----	-	-	-	-	1	2	-	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	13	14	16	17	23	11	15	17	11	4	1	-
WHITE-----MALE----	9	6	6	4	12	2	5	5	1	-	-	-
FEMALE--	-	-	2	6	1	6	5	7	6	3	-	-
ALL OTHER--MALE----	4	3	6	3	3	2	4	2	2	1	-	-
FEMALE--	-	5	2	4	7	1	1	3	2	-	1	-
BLACK---MALE----	4	3	6	3	3	2	4	2	2	1	-	-
FEMALE--	-	5	2	4	7	1	1	3	2	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,583

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	22	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	25	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	494	-	-	-	-	-	-	-	5	8	10	22
WHITE-----MALE----	216	-	-	-	-	-	-	-	3	4	6	16
FEMALE--	152	-	-	-	-	-	-	-	1	1	2	2
ALL OTHER--MALE----	68	-	-	-	-	-	-	-	1	2	-	4
FEMALE--	58	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	66	-	-	-	-	-	-	-	1	2	-	4
FEMALE--	57	-	-	-	-	-	-	-	-	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,583

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	2	1	3	2	5	1	6	2	-	-	-
WHITE-----MALE----	-	2	1	2	1	3	-	3	1	-	-	-
FEMALE--	-	-	-	1	-	1	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
TEXAS -----	3	1	3	-	3	2	4	3	5	-	-	-
WHITE-----MALE----	3	1	1	-	1	2	4	2	1	-	-	-
FEMALE--	-	-	2	-	2	-	-	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
UTAH -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	2	1	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	36	41	45	55	61	59	49	50	35	13	4	1
WHITE-----MALE----	22	16	21	29	30	23	20	13	8	4	-	1
FEMALE--	5	13	9	13	12	21	18	24	20	7	4	-
ALL OTHER--MALE----	7	9	7	7	9	10	5	5	1	1	-	-
FEMALE--	2	3	8	6	10	5	6	8	6	1	-	-
BLACK---MALE----	6	9	7	7	9	10	4	5	1	1	-	-
FEMALE--	2	3	8	6	10	5	6	7	6	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,585

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ANGINA PECTORIS (413)												
0 UNITED STATES --	9	23	24	37	82	109	114	136	131	46	7	-
WHITE-----MALE----	5	11	11	19	44	53	50	35	27	4	2	-
FEMALE--	2	8	11	14	23	49	57	90	95	40	4	-
ALL OTHER--MALE----	1	2	1	3	7	4	4	3	4	1	1	-
FEMALE--	1	2	1	1	8	3	3	8	5	1	-	-
BLACK---MALE----	1	2	1	2	6	4	1	3	4	-	1	-
FEMALE--	1	2	1	1	8	3	3	8	5	1	-	-
ALABAMA -----	-	-	-	1	2	-	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	1	-	1	3	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	-	-	1	2	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	-	2	-	4	-	7	8	6	10	5	-	-
WHITE-----MALE----	-	1	-	2	-	3	2	1	3	-	-	-
FEMALE--	-	-	-	2	-	4	5	5	6	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,586

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ANGINA PECTORIS (413)												
COLORADO -----	-	-	-	-	-	4	1	1	4	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	3	4	2	2	2	6	2	1	1	-	-
WHITE-----MALE----	-	3	2	1	2	2	4	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	2	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	3	1	5	1	10	5	13	8	3	-	-
WHITE-----MALE----	-	1	1	3	-	5	2	4	2	-	-	-
FEMALE--	-	-	-	2	1	4	3	9	5	3	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
GEORGIA -----	-	-	1	2	9	5	4	3	3	1	-	-
WHITE-----MALE----	-	-	-	1	5	3	1	-	2	-	-	-
FEMALE--	-	-	1	-	1	1	3	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,591

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ANGINA PECTORIS (413)												
OHIO -----	2	1	1	2	8	1	6	5	6	4	1	-
WHITE-----MALE----	2	-	-	2	6	-	3	1	1	-	-	-
FEMALE--	-	1	1	-	1	-	3	3	5	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
OKLAHOMA -----	-	-	1	1	1	4	3	2	3	-	-	-
WHITE-----MALE----	-	-	1	1	1	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	2	-	-	-	-	3	-	3	-	2	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	3	-	3	-	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	1	2	3	2	10	5	8	4	2	1	-
WHITE-----MALE----	-	1	1	2	-	4	2	3	1	-	-	-
FEMALE--	-	-	1	1	2	6	3	5	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	1	1	2	3	4	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	1	1	-	-	-	-
FEMALE--	1	-	1	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,592

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ANGINA PECTORIS (413)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	2	-	-	3	1	4	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	3	1	2	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	1	1	-	4	10	3	6	15	11	2	-	-
WHITE-----MALE----	1	1	-	2	3	1	3	3	2	-	-	-
FEMALE--	-	-	-	1	4	2	3	11	8	2	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	1	-	-	-
UTAH -----	-	-	-	-	-	1	-	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	-	2	-	1	-	-	1	-
WHITE-----MALE----	-	-	1	-	-	1	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	1	1	3	3	5	6	4	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	2	2	2	-	-	-
FEMALE--	-	-	1	-	1	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	2	1	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	2	1	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,594

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
UNITED STATES --	256,108	8	2	3	3	17	36	115	360	929	1,970	3,511
WHITE-----MALE----	113,986	3	1	2	-	9	20	58	215	581	1,258	2,220
FEMALE--	117,164	1	-	1	1	2	5	23	75	139	284	543
ALL OTHER--MALE----	12,186	-	1	-	1	5	8	25	49	143	307	535
FEMALE--	12,772	4	-	-	1	1	3	9	21	66	121	213
BLACK---MALE----	10,039	-	1	-	1	3	8	21	38	126	265	460
FEMALE--	11,241	4	-	-	1	1	3	9	20	63	108	201
ALABAMA -----	2,819	-	-	-	-	-	1	1	8	15	24	41
WHITE-----MALE----	1,253	-	-	-	-	-	1	1	6	8	12	25
FEMALE--	1,053	-	-	-	-	-	-	-	2	2	6	9
ALL OTHER--MALE----	247	-	-	-	-	-	-	-	-	3	5	5
FEMALE--	266	-	-	-	-	-	-	-	-	2	1	2
BLACK---MALE----	246	-	-	-	-	-	-	-	-	3	5	5
FEMALE--	265	-	-	-	-	-	-	-	-	2	1	2
ALASKA -----	199	1	-	-	-	-	1	-	1	1	5	13
WHITE-----MALE----	106	1	-	-	-	-	1	-	-	1	3	9
FEMALE--	55	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	1	-	1	4
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3,581	-	-	1	-	-	-	1	2	6	21	48
WHITE-----MALE----	1,877	-	-	1	-	-	-	1	2	3	16	35
FEMALE--	1,578	-	-	-	-	-	-	-	-	2	3	11
ALL OTHER--MALE----	73	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	53	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	36	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2,005	-	-	-	-	-	-	-	1	5	13	19
WHITE-----MALE----	867	-	-	-	-	-	-	-	-	5	10	6
FEMALE--	907	-	-	-	-	-	-	-	1	-	1	5
ALL OTHER--MALE----	106	-	-	-	-	-	-	-	-	-	2	7
FEMALE--	125	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	106	-	-	-	-	-	-	-	-	-	2	7
FEMALE--	122	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA -----	28,781	-	-	-	-	1	4	9	39	91	185	380
WHITE-----MALE----	12,483	-	-	-	-	-	3	2	27	61	121	242
FEMALE--	13,173	-	-	-	-	-	1	3	5	9	25	59
ALL OTHER--MALE----	1,624	-	-	-	-	1	-	2	6	15	28	61
FEMALE--	1,501	-	-	-	-	-	-	2	1	6	11	18
BLACK---MALE----	794	-	-	-	-	-	-	1	3	10	19	40
FEMALE--	860	-	-	-	-	-	-	2	1	5	7	16

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,594

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
0 UNITED STATES --	5,431	7,407	11,357	18,421	28,155	38,102	44,875	45,083	32,840	13,902	3,569	12
WHITE-----MALE----	3,460	4,540	6,757	10,851	15,730	19,861	20,464	16,143	8,707	2,617	484	5
FEMALE--	967	1,489	2,744	5,144	9,155	14,648	20,967	25,834	22,084	10,324	2,732	2
ALL OTHER--MALE----	660	893	1,158	1,362	1,726	1,812	1,457	1,108	621	247	66	2
FEMALE--	344	485	698	1,064	1,544	1,781	1,987	1,998	1,428	714	287	3
BLACK---MALE----	565	742	1,006	1,116	1,442	1,501	1,178	839	472	193	60	2
FEMALE--	312	444	639	933	1,352	1,563	1,705	1,751	1,253	618	258	3
ALABAMA -----	76	115	175	275	361	488	464	417	255	75	28	-
WHITE-----MALE----	40	60	106	153	197	233	185	136	73	14	3	-
FEMALE--	9	21	32	63	109	166	209	217	145	50	13	-
ALL OTHER--MALE----	21	25	26	24	24	39	33	23	13	3	3	-
FEMALE--	6	9	11	35	31	50	37	41	24	8	9	-
BLACK---MALE----	20	25	26	24	24	39	33	23	13	3	3	-
FEMALE--	6	9	11	35	31	49	37	41	24	8	9	-
ALASKA -----	11	11	15	25	31	29	24	22	7	2	-	-
WHITE-----MALE----	9	10	11	14	14	14	8	10	1	-	-	-
FEMALE--	1	1	2	7	7	8	12	10	6	-	-	-
ALL OTHER--MALE----	1	-	2	4	9	7	2	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	2	2	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ARIZONA -----	79	123	160	280	427	567	618	612	423	177	36	-
WHITE-----MALE----	58	84	109	199	258	318	348	256	152	33	4	-
FEMALE--	15	32	39	64	149	238	253	339	262	140	31	-
ALL OTHER--MALE----	5	2	10	9	14	6	7	9	6	1	-	-
FEMALE--	1	5	2	8	6	5	10	8	3	3	1	-
BLACK---MALE----	3	2	6	1	9	2	3	4	2	1	-	-
FEMALE--	1	2	1	4	1	1	4	4	1	2	1	-
ARKANSAS -----	31	47	87	151	211	300	366	372	257	114	31	-
WHITE-----MALE----	18	29	53	88	119	156	158	125	67	31	2	-
FEMALE--	6	7	28	41	64	118	181	205	163	68	19	-
ALL OTHER--MALE----	3	8	2	13	11	17	10	19	9	2	3	-
FEMALE--	4	3	4	9	17	9	17	23	18	13	7	-
BLACK---MALE----	3	8	2	13	11	17	10	19	9	2	3	-
FEMALE--	4	3	3	9	17	9	15	23	18	13	7	-
CALIFORNIA -----	563	735	1,144	1,832	2,930	4,337	5,112	5,223	3,934	1,790	470	2
WHITE-----MALE----	362	434	687	1,032	1,555	2,239	2,308	1,913	1,085	348	63	1
FEMALE--	108	155	274	524	990	1,628	2,308	2,863	2,563	1,302	355	1
ALL OTHER--MALE----	62	104	120	173	216	243	227	199	109	50	8	-
FEMALE--	31	42	63	103	169	227	269	248	177	90	44	-
BLACK---MALE----	42	59	78	87	107	122	99	71	29	21	6	-
FEMALE--	23	31	47	60	90	130	147	130	91	52	28	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,595

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
COLORADO -----	2,073	-	-	-	-	1	-	3	6	13	28	61
WHITE-----MALE----	1,088	-	-	-	-	-	-	1	4	10	23	45
FEMALE--	913	-	-	-	-	-	-	1	2	1	5	13
ALL OTHER--MALE----	35	-	-	-	-	1	-	1	-	2	-	2
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	29	-	-	-	-	1	-	1	-	2	-	2
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	3,617	-	-	-	-	1	-	5	8	11	31	44
WHITE-----MALE----	1,647	-	-	-	-	1	-	1	3	11	25	31
FEMALE--	1,799	-	-	-	-	-	-	2	2	-	3	7
ALL OTHER--MALE----	86	-	-	-	-	-	-	2	3	-	2	2
FEMALE--	85	-	-	-	-	-	-	-	-	-	1	4
BLACK---MALE----	80	-	-	-	-	-	-	1	3	-	2	1
FEMALE--	82	-	-	-	-	-	-	-	-	-	1	4
DELAWARE -----	557	-	-	-	-	-	-	-	1	4	10	8
WHITE-----MALE----	260	-	-	-	-	-	-	-	-	3	4	3
FEMALE--	233	-	-	-	-	-	-	-	1	-	2	2
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	1	3	3
FEMALE--	35	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	27	-	-	-	-	-	-	-	-	1	3	3
FEMALE--	33	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ----	395	-	-	-	-	-	-	-	-	3	9	9
WHITE-----MALE----	50	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	48	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	157	-	-	-	-	-	-	-	-	3	6	9
FEMALE--	140	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	155	-	-	-	-	-	-	-	-	3	5	9
FEMALE--	140	-	-	-	-	-	-	-	-	-	1	-
FLORIDA -----	22,178	1	-	-	-	-	1	6	23	58	129	211
WHITE-----MALE----	10,647	-	-	-	-	-	-	4	12	37	83	141
FEMALE--	9,973	-	-	-	-	-	-	-	7	6	14	25
ALL OTHER--MALE----	721	-	-	-	-	-	1	1	2	5	27	32
FEMALE--	837	1	-	-	-	-	-	1	2	10	5	13
BLACK---MALE----	689	-	-	-	-	-	1	1	1	5	26	32
FEMALE--	820	1	-	-	-	-	-	1	2	10	5	12
GEORGIA -----	4,510	-	-	-	-	-	1	2	8	32	60	96
WHITE-----MALE----	1,938	-	-	-	-	-	1	-	4	17	34	62
FEMALE--	1,737	-	-	-	-	-	-	-	1	3	5	10
ALL OTHER--MALE----	372	-	-	-	-	-	-	2	1	9	15	15
FEMALE--	463	-	-	-	-	-	-	-	2	3	6	9
BLACK---MALE----	365	-	-	-	-	-	-	2	1	8	15	15
FEMALE--	456	-	-	-	-	-	-	-	2	3	6	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,595

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
COLORADO -----	63	77	106	169	236	293	355	304	221	110	27	-
WHITE-----MALE----	48	56	70	110	157	175	178	120	64	22	5	-
FEMALE--	10	15	26	51	73	108	168	179	153	87	21	-
ALL OTHER--MALE----	3	4	5	3	4	6	1	-	2	1	-	-
FEMALE--	2	2	5	5	2	4	8	5	2	-	1	-
BLACK---MALE----	3	3	4	3	4	3	1	-	1	1	-	-
FEMALE--	2	2	3	5	2	3	4	4	2	-	1	-
CONNECTICUT -----	58	97	130	216	318	515	708	670	496	237	72	-
WHITE-----MALE----	43	65	77	136	196	287	352	248	117	40	14	-
FEMALE--	6	20	33	62	99	208	333	407	369	191	57	-
ALL OTHER--MALE----	9	8	15	11	9	7	11	4	3	-	-	-
FEMALE--	-	4	5	7	14	13	12	11	7	6	1	-
BLACK---MALE----	7	8	14	11	9	7	10	4	3	-	-	-
FEMALE--	-	4	5	6	13	13	11	11	7	6	1	-
DELAWARE -----	27	32	32	41	61	82	86	76	59	31	7	-
WHITE-----MALE----	17	17	17	26	42	49	42	22	14	4	-	-
FEMALE--	3	8	9	12	13	28	34	49	40	26	6	-
ALL OTHER--MALE----	3	5	2	1	1	1	5	3	-	1	-	-
FEMALE--	4	2	4	2	5	4	5	2	5	-	1	-
BLACK---MALE----	2	5	2	1	1	1	5	2	-	1	-	-
FEMALE--	4	2	4	2	5	4	4	1	5	-	1	-
DISTRICT OF COLUMBIA ----	18	22	34	33	39	54	53	56	43	17	5	-
WHITE-----MALE----	2	4	2	5	5	8	10	6	4	2	-	-
FEMALE--	-	-	2	1	2	4	7	13	9	8	2	-
ALL OTHER--MALE----	15	12	17	17	20	18	13	16	8	3	-	-
FEMALE--	1	6	13	10	12	24	23	21	22	4	3	-
BLACK---MALE----	15	12	17	16	20	18	13	16	8	3	-	-
FEMALE--	1	6	13	10	12	24	23	21	22	4	3	-
FLORIDA -----	360	528	855	1,380	2,355	3,337	3,981	4,284	3,170	1,217	278	4
WHITE-----MALE----	235	333	516	885	1,448	1,896	2,013	1,728	993	280	42	1
FEMALE--	64	98	207	372	713	1,208	1,756	2,364	2,045	880	214	-
ALL OTHER--MALE----	41	55	79	61	89	117	88	64	39	14	6	-
FEMALE--	20	42	53	62	105	116	124	128	93	43	16	3
BLACK---MALE----	38	51	76	56	87	110	85	62	38	14	6	-
FEMALE--	20	39	52	60	102	114	122	127	92	42	16	3
GEORGIA -----	149	186	246	428	563	708	749	670	414	162	36	-
WHITE-----MALE----	88	118	134	224	283	337	294	212	100	25	5	-
FEMALE--	24	23	52	124	170	236	350	366	249	104	20	-
ALL OTHER--MALE----	24	25	34	41	45	64	42	33	12	10	-	-
FEMALE--	13	20	26	39	65	71	63	59	53	23	11	-
BLACK---MALE----	24	25	34	39	43	64	41	33	11	10	-	-
FEMALE--	13	19	25	38	64	70	63	57	53	23	11	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,596

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
HAWAII -----	19	36	38	59	95	104	98	105	68	34	8	-
WHITE-----MALE----	2	12	9	10	15	23	21	11	7	1	-	-
FEMALE--	-	2	-	5	7	11	10	20	13	8	1	-
ALL OTHER--MALE----	11	18	22	28	48	47	34	40	26	5	1	-
FEMALE--	6	4	7	16	25	23	33	34	22	20	6	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
IDAHO -----	12	19	34	48	86	119	138	133	100	39	11	-
WHITE-----MALE----	11	15	28	37	65	72	80	61	39	9	4	-
FEMALE--	1	4	6	11	20	44	56	71	59	30	6	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	2	-	-	-
FEMALE--	-	-	-	-	-	2	1	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-
ILLINOIS -----	181	300	405	684	1,115	1,548	1,900	2,012	1,459	669	204	1
WHITE-----MALE----	117	184	219	391	608	777	821	686	333	101	20	-
FEMALE--	24	54	85	181	368	605	934	1,191	1,033	510	169	1
ALL OTHER--MALE----	26	46	59	62	71	70	60	38	25	10	-	-
FEMALE--	14	16	42	50	68	96	85	97	68	48	15	-
BLACK---MALE----	25	41	53	55	68	66	55	31	22	9	-	-
FEMALE--	14	15	42	44	64	91	84	90	63	44	15	-
INDIANA -----	131	173	290	485	683	865	1,063	1,016	695	316	80	-
WHITE-----MALE----	83	108	192	291	396	462	482	360	173	57	9	-
FEMALE--	32	45	71	160	230	357	529	610	489	237	66	-
ALL OTHER--MALE----	10	15	17	18	31	32	17	19	12	7	1	-
FEMALE--	6	5	10	16	26	14	35	27	21	15	4	-
BLACK---MALE----	10	15	17	18	30	32	15	18	11	6	1	-
FEMALE--	6	5	10	16	25	14	35	27	20	14	4	-
IOWA -----	44	69	119	170	318	450	597	648	555	259	65	-
WHITE-----MALE----	30	55	88	114	203	258	290	273	168	46	14	-
FEMALE--	12	13	28	52	109	189	301	372	384	210	50	-
ALL OTHER--MALE----	-	1	-	2	2	3	3	2	1	2	-	-
FEMALE--	2	-	3	2	4	-	3	1	2	1	1	-
BLACK---MALE----	-	1	-	1	2	1	2	2	1	2	-	-
FEMALE--	2	-	2	2	3	-	1	1	1	1	1	-
KANSAS -----	46	71	103	139	266	329	385	433	395	172	45	-
WHITE-----MALE----	35	46	71	99	160	182	200	174	128	35	5	-
FEMALE--	6	21	26	31	92	130	170	246	259	131	39	-
ALL OTHER--MALE----	5	3	4	6	9	11	5	5	2	1	1	-
FEMALE--	-	1	2	3	5	6	10	8	6	5	-	-
BLACK---MALE----	4	2	2	5	8	8	4	4	2	1	1	-
FEMALE--	-	1	1	3	4	5	9	8	6	5	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,597

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
KENTUCKY -----	3,170	1	-	-	-	-	1	2	7	18	27	56
WHITE-----MALE----	1,497	1	-	-	-	-	-	1	7	15	21	31
FEMALE--	1,483	-	-	-	-	-	-	1	-	2	3	18
ALL OTHER--MALE----	92	-	-	-	-	-	1	-	-	1	2	2
FEMALE--	98	-	-	-	-	-	-	-	-	-	1	5
BLACK---MALE----	91	-	-	-	-	-	1	-	-	1	2	2
FEMALE--	98	-	-	-	-	-	-	-	-	-	1	5
LOUISIANA -----	2,820	-	-	-	-	-	1	2	3	14	32	54
WHITE-----MALE----	1,158	-	-	-	-	-	-	-	1	5	18	17
FEMALE--	1,010	-	-	-	-	-	1	1	1	3	2	10
ALL OTHER--MALE----	300	-	-	-	-	-	-	1	1	4	3	16
FEMALE--	352	-	-	-	-	-	-	-	-	2	9	11
BLACK---MALE----	294	-	-	-	-	-	-	1	1	4	3	16
FEMALE--	349	-	-	-	-	-	-	-	-	2	9	11
MAINE -----	1,205	-	-	-	-	-	-	1	2	5	10	17
WHITE-----MALE----	624	-	-	-	-	-	-	1	2	5	7	15
FEMALE--	580	-	-	-	-	-	-	-	-	-	3	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3,173	-	-	-	1	-	1	-	1	7	8	29
WHITE-----MALE----	1,304	-	-	-	-	-	-	-	-	5	4	15
FEMALE--	1,306	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	281	-	-	-	-	-	1	-	1	-	2	8
FEMALE--	282	-	-	-	1	-	-	-	-	2	2	5
BLACK---MALE----	266	-	-	-	-	-	1	-	1	-	2	8
FEMALE--	273	-	-	-	1	-	-	-	-	2	2	4
MASSACHUSETTS -----	5,613	-	-	-	-	-	-	4	12	28	39	73
WHITE-----MALE----	2,595	-	-	-	-	-	-	4	9	20	30	51
FEMALE--	2,852	-	-	-	-	-	-	-	3	4	5	18
ALL OTHER--MALE----	96	-	-	-	-	-	-	-	-	3	4	4
FEMALE--	70	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	79	-	-	-	-	-	-	-	-	3	4	4
FEMALE--	66	-	-	-	-	-	-	-	-	1	-	-
MICHIGAN -----	9,147	-	-	-	1	5	-	1	18	21	60	119
WHITE-----MALE----	3,965	-	-	-	-	4	-	-	12	8	38	79
FEMALE--	4,353	-	-	-	1	-	-	-	3	6	9	21
ALL OTHER--MALE----	389	-	-	-	-	-	-	1	2	4	9	13
FEMALE--	440	-	-	-	-	1	-	-	1	3	4	6
BLACK---MALE----	360	-	-	-	-	-	-	1	1	4	9	12
FEMALE--	418	-	-	-	-	1	-	-	1	3	3	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,597

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
KENTUCKY -----	91	118	166	280	412	475	504	498	341	144	29	-
WHITE-----MALE----	61	76	103	179	233	262	224	159	78	38	8	-
FEMALE--	22	35	50	81	147	186	252	318	246	102	20	-
ALL OTHER--MALE----	5	2	9	15	23	9	10	7	5	1	-	-
FEMALE--	3	5	4	5	9	18	18	14	12	3	1	-
BLACK---MALE----	5	2	9	15	22	9	10	7	5	1	-	-
FEMALE--	3	5	4	5	9	18	18	14	12	3	1	-
LOUISIANA -----	56	108	179	224	376	455	471	432	266	112	35	-
WHITE-----MALE----	29	56	80	104	197	218	190	156	61	21	5	-
FEMALE--	6	18	39	66	98	153	194	185	154	66	13	-
ALL OTHER--MALE----	14	19	32	32	43	41	40	28	19	7	-	-
FEMALE--	7	15	28	22	38	43	47	63	32	18	17	-
BLACK---MALE----	12	18	31	32	42	41	39	28	19	7	-	-
FEMALE--	5	15	28	21	38	43	47	63	32	18	17	-
MAINE -----	25	40	51	87	130	186	221	197	167	56	10	-
WHITE-----MALE----	18	36	39	64	78	110	105	77	51	12	4	-
FEMALE--	7	4	12	23	51	76	116	120	116	44	6	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	69	87	154	268	395	523	558	522	368	143	39	-
WHITE-----MALE----	36	36	81	146	196	256	241	182	80	25	1	-
FEMALE--	8	17	29	54	113	173	248	286	239	105	33	-
ALL OTHER--MALE----	16	23	28	34	56	52	25	16	14	3	2	-
FEMALE--	9	11	16	34	30	42	44	38	35	10	3	-
BLACK---MALE----	16	22	28	31	53	49	24	13	14	2	2	-
FEMALE--	9	11	15	34	28	40	43	37	34	10	3	-
MASSACHUSETTS -----	101	120	208	360	574	798	1,052	1,022	734	379	109	-
WHITE-----MALE----	74	88	119	239	350	418	522	397	182	77	15	-
FEMALE--	19	27	72	109	194	358	509	607	541	294	92	-
ALL OTHER--MALE----	5	3	14	7	20	14	12	7	1	1	1	-
FEMALE--	3	2	3	5	10	8	9	11	10	7	1	-
BLACK---MALE----	5	2	12	6	18	8	10	4	1	1	1	-
FEMALE--	3	2	3	5	9	8	8	11	10	5	1	-
MICHIGAN -----	169	247	389	675	1,042	1,369	1,695	1,551	1,177	513	95	-
WHITE-----MALE----	104	153	222	408	570	710	740	513	296	93	15	-
FEMALE--	32	60	116	188	359	555	819	926	804	385	69	-
ALL OTHER--MALE----	21	23	28	40	62	52	65	39	24	6	-	-
FEMALE--	12	11	23	39	51	52	71	73	53	29	11	-
BLACK---MALE----	17	21	26	34	57	48	62	38	24	6	-	-
FEMALE--	11	10	23	36	48	51	68	68	51	29	10	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,598

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
MINNESOTA -----	3,431	-	-	-	-	-	1	4	10	15	50	56
WHITE-----MALE----	1,841	-	-	-	-	-	1	2	7	10	37	41
FEMALE--	1,505	-	-	-	-	-	-	1	1	3	9	8
ALL OTHER--MALE----	53	-	-	-	-	-	-	1	1	2	4	5
FEMALE--	32	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	23	-	-	-	-	-	-	-	1	1	3	3
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
MISSISSIPPI -----	1,989	1	-	-	-	-	-	2	7	11	24	39
WHITE-----MALE----	722	1	-	-	-	-	-	-	2	4	8	19
FEMALE--	723	-	-	-	-	-	-	1	-	1	2	3
ALL OTHER--MALE----	244	-	-	-	-	-	-	1	3	4	9	10
FEMALE--	300	-	-	-	-	-	-	-	2	2	5	7
BLACK---MALE----	238	-	-	-	-	-	-	1	3	4	9	10
FEMALE--	296	-	-	-	-	-	-	-	2	2	5	6
MISSOURI -----	6,102	-	-	-	-	1	2	3	14	25	66	90
WHITE-----MALE----	2,628	-	-	-	-	-	1	2	7	16	37	53
FEMALE--	2,931	-	-	-	-	-	-	-	3	3	6	15
ALL OTHER--MALE----	250	-	-	-	-	1	1	1	3	4	15	17
FEMALE--	293	-	-	-	-	-	-	-	1	2	8	5
BLACK---MALE----	242	-	-	-	-	1	1	1	3	4	14	17
FEMALE--	288	-	-	-	-	-	-	-	1	2	8	5
MONTANA -----	576	-	-	-	-	-	-	-	-	4	7	10
WHITE-----MALE----	308	-	-	-	-	-	-	-	-	1	5	8
FEMALE--	257	-	-	-	-	-	-	-	-	3	2	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1,571	-	-	-	-	-	2	1	2	7	21	18
WHITE-----MALE----	769	-	-	-	-	-	2	-	2	4	14	14
FEMALE--	752	-	-	-	-	-	-	1	-	1	4	3
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	1	3	1
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	22	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	19	-	-	-	-	-	-	-	-	1	-	-
NEVADA -----	1,122	-	-	-	-	-	-	-	4	8	16	23
WHITE-----MALE----	586	-	-	-	-	-	-	-	3	5	12	18
FEMALE--	446	-	-	-	-	-	-	-	-	3	1	3
ALL OTHER--MALE----	49	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	41	-	-	-	-	-	-	-	1	-	1	2
BLACK---MALE----	29	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	28	-	-	-	-	-	-	-	1	-	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,598

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
MINNESOTA -----	93	118	172	226	338	453	611	579	463	198	44	-
WHITE-----MALE----	76	87	126	151	239	269	330	261	152	48	4	-
FEMALE--	12	21	43	65	90	173	272	314	305	148	40	-
ALL OTHER--MALE----	3	5	3	7	6	3	7	3	3	-	-	-
FEMALE--	2	5	-	3	3	8	2	1	3	2	-	-
BLACK---MALE----	1	2	1	1	3	2	3	-	2	-	-	-
FEMALE--	2	1	-	1	1	4	1	1	1	1	-	-
MISSISSIPPI -----	63	74	110	182	266	288	297	344	185	63	32	1
WHITE-----MALE----	18	36	57	87	123	126	105	88	38	7	3	-
FEMALE--	17	9	20	49	79	93	122	167	109	33	18	-
ALL OTHER--MALE----	19	20	16	22	29	31	30	27	12	4	6	1
FEMALE--	9	9	17	24	35	38	40	62	26	19	5	-
BLACK---MALE----	19	19	15	20	28	30	30	27	12	4	6	1
FEMALE--	9	8	17	24	35	38	39	62	25	19	5	-
MISSOURI -----	148	178	249	379	618	831	993	1,123	930	356	96	-
WHITE-----MALE----	81	120	150	224	355	428	453	382	244	66	9	-
FEMALE--	40	19	61	116	209	327	479	667	639	267	80	-
ALL OTHER--MALE----	16	19	26	20	25	42	27	18	9	4	2	-
FEMALE--	11	20	12	19	29	34	34	56	38	19	5	-
BLACK---MALE----	15	18	24	19	25	42	27	16	9	4	2	-
FEMALE--	11	19	12	19	29	34	33	55	36	19	5	-
MONTANA -----	20	21	23	37	69	84	95	102	77	19	8	-
WHITE-----MALE----	15	17	16	27	37	53	54	48	23	4	-	-
FEMALE--	5	4	4	7	32	30	41	54	53	14	7	-
ALL OTHER--MALE----	-	-	2	3	-	-	-	-	-	1	1	-
FEMALE--	-	-	1	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	25	36	61	101	163	217	263	270	248	112	24	-
WHITE-----MALE----	21	24	37	71	115	119	127	114	71	29	5	-
FEMALE--	1	7	16	25	44	93	131	151	174	83	18	-
ALL OTHER--MALE----	1	4	4	3	1	4	3	3	1	-	1	-
FEMALE--	2	1	4	2	3	1	2	2	2	-	-	-
BLACK---MALE----	-	3	3	1	1	4	2	2	1	-	1	-
FEMALE--	2	1	4	1	3	1	2	2	2	-	-	-
NEVADA -----	45	54	74	102	139	186	192	147	96	28	8	-
WHITE-----MALE----	31	35	54	67	84	101	95	55	23	2	1	-
FEMALE--	8	12	16	25	44	69	84	84	66	24	7	-
ALL OTHER--MALE----	4	6	3	5	8	11	4	4	1	1	-	-
FEMALE--	2	1	1	5	3	5	9	4	6	1	-	-
BLACK---MALE----	3	4	2	2	6	7	2	1	-	-	-	-
FEMALE--	1	1	1	1	3	4	4	4	4	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,600

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
OHIO -----	12,413	1	-	-	-	-	2	4	13	37	83	163
WHITE-----MALE----	5,525	-	-	-	-	-	-	3	6	20	55	106
FEMALE--	5,772	-	-	-	-	-	-	1	6	8	16	31
ALL OTHER--MALE----	551	-	-	-	-	-	1	-	1	5	9	19
FEMALE--	565	1	-	-	-	-	1	-	-	4	3	7
BLACK---MALE----	541	-	-	-	-	-	1	-	1	5	9	18
FEMALE--	560	1	-	-	-	-	1	-	-	4	3	7
OKLAHOMA -----	3,727	1	-	-	-	-	-	1	6	16	30	61
WHITE-----MALE----	1,701	-	-	-	-	-	-	-	2	9	14	37
FEMALE--	1,664	1	-	-	-	-	-	1	2	3	10	14
ALL OTHER--MALE----	205	-	-	-	-	-	-	-	1	3	4	8
FEMALE--	157	-	-	-	-	-	-	-	1	1	2	2
BLACK---MALE----	107	-	-	-	-	-	-	-	1	2	3	4
FEMALE--	96	-	-	-	-	-	-	-	1	-	1	1
OREGON -----	2,993	-	-	1	-	1	-	1	3	19	30	66
WHITE-----MALE----	1,635	-	-	-	-	1	-	1	3	13	26	45
FEMALE--	1,280	-	-	1	-	-	-	-	-	5	3	13
ALL OTHER--MALE----	51	-	-	-	-	-	-	-	-	1	1	7
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	26	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	13,446	-	-	-	-	-	1	9	15	40	63	120
WHITE-----MALE----	6,023	-	-	-	-	-	1	7	9	27	44	86
FEMALE--	6,774	-	-	-	-	-	-	-	3	9	10	16
ALL OTHER--MALE----	305	-	-	-	-	-	-	2	1	3	8	14
FEMALE--	344	-	-	-	-	-	-	-	2	1	1	4
BLACK---MALE----	287	-	-	-	-	-	-	2	1	3	8	11
FEMALE--	336	-	-	-	-	-	-	-	2	1	1	4
RHODE ISLAND -----	1,217	-	-	-	-	-	-	-	-	3	4	9
WHITE-----MALE----	503	-	-	-	-	-	-	-	-	3	2	6
FEMALE--	681	-	-	-	-	-	-	-	-	-	2	3
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2,628	-	1	-	-	-	-	4	3	18	34	57
WHITE-----MALE----	1,130	-	-	-	-	-	-	2	1	8	12	23
FEMALE--	929	-	-	-	-	-	-	-	2	2	7	8
ALL OTHER--MALE----	299	-	1	-	-	-	-	-	-	5	11	18
FEMALE--	270	-	-	-	-	-	-	2	-	3	4	8
BLACK---MALE----	296	-	1	-	-	-	-	-	-	5	11	18
FEMALE--	265	-	-	-	-	-	-	2	-	3	4	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,600

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
OHIO -----	264	415	593	969	1,504	1,849	2,175	2,050	1,458	666	167	-
WHITE-----MALE----	180	247	340	580	830	985	989	715	341	102	26	-
FEMALE--	37	85	158	261	486	723	1,055	1,210	1,045	525	125	-
ALL OTHER--MALE----	27	57	55	72	104	78	63	39	18	2	1	-
FEMALE--	20	26	40	56	84	63	68	86	54	37	15	-
BLACK---MALE----	27	55	54	69	103	78	62	38	18	2	1	-
FEMALE--	20	26	40	56	82	63	68	85	54	35	15	-
OKLAHOMA -----	97	128	203	289	418	541	612	655	473	153	42	1
WHITE-----MALE----	72	76	133	153	231	285	290	232	127	35	4	1
FEMALE--	11	27	51	94	143	203	276	381	309	105	33	-
ALL OTHER--MALE----	9	19	17	23	29	29	26	19	14	3	1	-
FEMALE--	5	6	2	19	15	24	20	23	23	10	4	-
BLACK---MALE----	4	8	9	12	17	10	13	10	10	3	1	-
FEMALE--	2	5	1	11	7	13	13	16	15	8	2	-
OREGON -----	94	110	129	185	353	481	539	473	331	142	35	-
WHITE-----MALE----	69	82	90	131	222	310	293	192	108	41	8	-
FEMALE--	21	22	32	47	122	163	238	270	219	98	26	-
ALL OTHER--MALE----	3	4	6	4	5	6	5	5	2	2	-	-
FEMALE--	1	2	1	3	4	2	3	6	2	1	1	-
BLACK---MALE----	3	1	3	3	5	3	2	-	2	-	-	-
FEMALE--	-	2	-	1	1	-	2	4	1	1	1	-
PENNSYLVANIA -----	198	315	536	911	1,508	2,141	2,554	2,486	1,692	676	181	-
WHITE-----MALE----	140	207	334	544	870	1,158	1,176	865	431	105	19	-
FEMALE--	36	72	150	295	543	890	1,295	1,542	1,216	546	151	-
ALL OTHER--MALE----	12	20	30	42	49	43	41	19	11	7	3	-
FEMALE--	10	16	22	30	46	50	42	60	34	18	8	-
BLACK---MALE----	10	17	29	40	48	41	40	17	10	7	3	-
FEMALE--	10	16	21	29	45	49	40	58	34	18	8	-
RHODE ISLAND -----	7	23	25	64	108	182	220	229	210	110	23	-
WHITE-----MALE----	4	20	13	36	67	88	102	82	57	22	1	-
FEMALE--	2	2	9	23	37	90	112	145	149	86	21	-
ALL OTHER--MALE----	-	-	1	2	4	3	2	-	1	1	-	-
FEMALE--	1	1	2	3	-	1	4	2	3	1	1	-
BLACK---MALE----	-	-	1	2	3	3	2	-	1	1	-	-
FEMALE--	1	1	1	3	-	1	4	2	3	1	1	-
SOUTH CAROLINA -----	76	103	177	266	346	435	435	378	196	79	20	-
WHITE-----MALE----	37	54	95	146	179	205	183	128	43	10	4	-
FEMALE--	10	15	36	65	90	145	165	190	122	58	14	-
ALL OTHER--MALE----	22	22	24	37	38	39	45	21	13	3	-	-
FEMALE--	7	12	22	18	39	46	42	39	18	8	2	-
BLACK---MALE----	22	22	23	37	37	39	44	21	13	3	-	-
FEMALE--	6	12	22	18	38	44	42	38	18	8	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,601

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	649	-	-	-	-	-	-	-	1	2	9	5
WHITE-----MALE----	321	-	-	-	-	-	-	-	1	1	7	5
FEMALE--	306	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5,116	-	-	-	-	1	2	5	10	30	55	94
WHITE-----MALE----	2,161	-	-	-	-	-	1	3	5	18	31	52
FEMALE--	2,246	-	-	-	-	-	-	-	5	3	9	15
ALL OTHER--MALE----	335	-	-	-	-	1	-	2	-	7	10	20
FEMALE--	374	-	-	-	-	-	1	-	-	2	5	7
BLACK---MALE----	332	-	-	-	-	1	-	2	-	7	10	20
FEMALE--	368	-	-	-	-	-	1	-	-	2	5	7