

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,915

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)												
OHIO -----	182	1	2	-	1	-	-	1	6	3	4	2
WHITE-----MALE----	83	-	-	-	1	-	-	1	6	1	1	1
FEMALE--	85	1	1	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	8	-	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	8	-	1	-	-	-	-	-	-	-	1	-
OKLAHOMA -----	80	-	-	-	-	-	-	-	-	2	3	5
WHITE-----MALE----	41	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	31	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	83	-	1	-	-	-	-	-	2	1	4	3
WHITE-----MALE----	42	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	39	-	1	-	-	-	-	-	-	-	3	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	155	1	-	-	-	-	-	2	3	4	6	7
WHITE-----MALE----	63	1	-	-	-	-	-	1	-	2	-	2
FEMALE--	71	-	-	-	-	-	-	1	2	1	4	2
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	1	1	-	3
FEMALE--	7	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	13	-	-	-	-	-	-	-	1	1	-	3
FEMALE--	7	-	-	-	-	-	-	-	-	-	2	-
RHODE ISLAND -----	14	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	137	1	1	-	1	-	-	1	1	3	2	7
WHITE-----MALE----	49	-	-	-	1	-	-	-	1	-	2	3
FEMALE--	46	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	28	-	1	-	-	-	-	-	-	2	-	2
FEMALE--	14	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	28	-	1	-	-	-	-	-	-	2	-	2
FEMALE--	14	1	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,915

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)												
OHIO -----	3	5	8	10	18	38	23	28	18	10	1	-
WHITE-----MALE----	2	1	4	8	9	15	10	13	8	2	-	-
FEMALE--	1	3	2	2	7	19	12	15	10	8	1	-
ALL OTHER--MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	3	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	2	3	-	-	-	-	-	-
OKLAHOMA -----	2	4	4	3	7	9	15	15	8	3	-	-
WHITE-----MALE----	2	3	2	3	5	5	9	4	1	2	-	-
FEMALE--	-	-	2	-	2	3	6	9	6	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
OREGON -----	1	4	2	8	4	12	14	11	9	6	1	-
WHITE-----MALE----	-	2	2	5	3	4	7	6	4	5	-	-
FEMALE--	1	1	-	3	1	8	7	5	5	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	6	4	5	17	12	20	22	29	11	5	1	-
WHITE-----MALE----	4	3	1	9	7	7	10	13	2	1	-	-
FEMALE--	1	-	4	6	3	10	10	14	8	4	1	-
ALL OTHER--MALE----	1	1	-	2	1	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	1	-	-	-
BLACK---MALE----	1	-	-	2	1	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	1	-	-	-
RHODE ISLAND -----	-	-	1	1	2	-	2	3	4	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	2	2	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	3	8	9	17	15	22	23	12	5	1	-
WHITE-----MALE----	3	-	1	4	8	6	7	10	2	1	-	-
FEMALE--	1	1	2	2	4	4	9	10	7	3	-	-
ALL OTHER--MALE----	1	2	3	3	3	3	2	3	3	-	-	-
FEMALE--	-	-	2	-	2	2	4	-	-	1	1	-
BLACK---MALE----	1	2	3	3	3	3	2	3	3	-	-	-
FEMALE--	-	-	2	-	2	2	4	-	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,916

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)												
SOUTH DAKOTA -----	9	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
TENNESSEE -----	162	1	-	-	-	-	1	1	-	2	4	2
WHITE-----MALE----	63	-	-	-	-	-	1	-	-	-	2	1
FEMALE--	77	1	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	322	3	3	-	1	1	2	2	5	15	16	14
WHITE-----MALE----	132	1	1	-	-	1	-	1	2	8	6	7
FEMALE--	150	-	2	-	-	-	1	1	1	4	7	2
ALL OTHER--MALE----	25	1	-	-	-	-	-	-	2	1	2	4
FEMALE--	15	1	-	-	1	-	1	-	-	2	1	1
BLACK---MALE----	24	1	-	-	-	-	-	-	2	1	1	4
FEMALE--	15	1	-	-	1	-	1	-	-	2	1	1
UTAH -----	18	2	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	11	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	7	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	100	-	-	-	2	-	-	-	3	2	2	-
WHITE-----MALE----	49	-	-	-	2	-	-	-	-	2	1	-
FEMALE--	34	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,916

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)												
SOUTH DAKOTA -----	1	-	-	-	-	2	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	5	5	9	19	29	28	26	18	5	1	-
WHITE-----MALE----	2	2	3	4	12	14	6	7	7	2	-	-
FEMALE--	3	1	-	3	6	14	22	14	8	2	-	-
ALL OTHER--MALE----	1	2	2	-	1	1	-	2	2	-	1	-
FEMALE--	-	-	-	2	-	-	-	3	1	1	-	-
BLACK---MALE----	1	2	2	-	1	1	-	2	2	-	1	-
FEMALE--	-	-	-	2	-	-	-	3	1	1	-	-
TEXAS -----	14	10	18	12	25	42	47	48	27	16	1	-
WHITE-----MALE----	12	5	9	4	13	21	15	13	9	4	-	-
FEMALE--	1	4	7	5	11	16	28	31	17	12	-	-
ALL OTHER--MALE----	1	1	1	2	1	3	3	3	-	-	-	-
FEMALE--	-	-	1	1	-	2	1	1	1	-	1	-
BLACK---MALE----	1	1	1	2	1	3	3	3	-	-	-	-
FEMALE--	-	-	1	1	-	2	1	1	1	-	1	-
UTAH -----	2	-	1	-	-	5	4	1	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	5	2	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	1	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	9	6	7	12	8	21	13	8	4	-	-
WHITE-----MALE----	1	5	3	3	8	3	12	6	3	-	-	-
FEMALE--	1	2	1	3	3	1	8	6	4	4	-	-
ALL OTHER--MALE----	1	2	-	1	1	2	1	-	-	-	-	-
FEMALE--	-	-	2	-	-	2	-	1	1	-	-	-
BLACK---MALE----	1	1	-	1	1	2	1	-	-	-	-	-
FEMALE--	-	-	2	-	-	2	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,918

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)												
UNITED STATES --	3,649	103	23	14	13	9	12	25	45	79	97	113
WHITE-----MALE----	1,435	36	11	3	5	3	3	12	20	30	40	45
FEMALE--	1,719	18	3	5	4	3	1	2	9	23	25	23
ALL OTHER--MALE----	281	28	4	4	1	1	2	5	12	19	17	28
FEMALE--	214	21	5	2	3	2	6	6	4	7	15	17
BLACK---MALE----	246	23	4	4	1	1	2	5	11	18	15	26
FEMALE--	187	21	4	2	3	2	6	6	4	7	15	15
ALABAMA -----	24	1	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	59	5	1	1	-	-	-	1	3	2	4	2
WHITE-----MALE----	23	2	-	-	-	-	-	1	2	1	3	2
FEMALE--	32	3	1	1	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	17	2	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	8	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	590	11	-	-	-	1	2	2	5	11	18	20
WHITE-----MALE----	246	5	-	-	-	1	2	2	5	5	9	9
FEMALE--	289	2	-	-	-	-	-	-	-	3	5	6
ALL OTHER--MALE----	30	2	-	-	-	-	-	-	-	2	1	3
FEMALE--	25	2	-	-	-	-	-	-	-	1	3	2
BLACK---MALE----	20	1	-	-	-	-	-	-	-	2	-	1
FEMALE--	14	2	-	-	-	-	-	-	-	1	3	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,918

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)												
0 UNITED STATES --	112	104	115	137	247	397	543	640	523	233	64	1
WHITE-----MALE----	48	49	58	64	131	203	227	244	149	44	9	1
FEMALE--	40	31	33	55	79	152	274	359	352	178	50	-
ALL OTHER--MALE----	16	20	15	10	22	26	20	17	11	2	1	-
FEMALE--	8	4	9	8	15	16	22	20	11	9	4	-
BLACK---MALE----	13	19	14	10	19	21	15	13	9	2	1	-
FEMALE--	7	3	5	7	11	14	19	16	9	7	4	-
ALABAMA -----	2	1	1	-	1	6	4	2	2	2	-	-
WHITE-----MALE----	-	-	-	-	-	4	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	2	1	2	2	-	-
ALL OTHER--MALE----	-	1	1	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	1	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	2	-	1	3	4	7	7	5	6	-	-
WHITE-----MALE----	2	1	-	-	1	1	2	4	1	-	-	-
FEMALE--	2	-	-	1	2	3	4	3	4	6	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	-	-	1	3	5	3	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	2	3	1	-	-	-	-
FEMALE--	1	-	-	-	1	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	19	17	23	24	48	64	98	108	74	36	9	-
WHITE-----MALE----	9	7	11	11	27	29	39	44	18	10	3	-
FEMALE--	7	8	7	12	15	28	53	59	55	23	6	-
ALL OTHER--MALE----	2	2	3	1	4	4	3	1	1	1	-	-
FEMALE--	1	-	2	-	2	3	3	4	-	2	-	-
BLACK---MALE----	2	1	3	1	4	2	1	-	1	1	-	-
FEMALE--	1	-	-	-	1	2	-	3	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,919

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)												
COLORADO -----	28	1	2	-	1	1	-	-	-	1	-	-
WHITE-----MALE----	15	-	2	-	1	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	32	1	-	1	-	-	-	-	1	-	1	-
WHITE-----MALE----	7	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	22	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	3	-	-	1	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	10	1	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	1	-
FLORIDA -----	253	11	-	-	-	-	2	1	3	4	4	9
WHITE-----MALE----	98	4	-	-	-	-	-	1	2	1	2	5
FEMALE--	126	2	-	-	-	-	-	-	-	3	1	-
ALL OTHER--MALE----	18	4	-	-	-	-	-	-	1	-	-	3
FEMALE--	11	1	-	-	-	-	2	-	-	-	1	1
BLACK---MALE----	17	4	-	-	-	-	-	-	1	-	-	3
FEMALE--	11	1	-	-	-	-	2	-	-	-	1	1
GEORGIA -----	55	5	2	-	1	-	-	1	-	3	3	4
WHITE-----MALE----	14	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	21	1	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	12	2	1	-	-	-	-	1	-	1	2	2
FEMALE--	8	1	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	12	2	1	-	-	-	-	1	-	1	2	2
FEMALE--	8	1	1	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,919

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)												
COLORADO -----	1	3	2	2	1	4	4	1	2	2	-	-
WHITE-----MALE----	1	3	-	2	-	3	1	-	-	1	-	-
FEMALE--	-	-	1	-	1	1	3	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	2	-	2	-	2	7	6	7	1	1	-
WHITE-----MALE----	-	1	-	1	-	-	1	2	1	-	-	-
FEMALE--	-	-	-	1	-	2	6	4	6	1	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	1	-	-	2	-	-	1	1	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	2	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
FLORIDA -----	9	10	9	10	9	30	35	52	37	11	7	-
WHITE-----MALE----	4	4	3	6	8	14	17	15	8	4	-	-
FEMALE--	4	4	4	3	1	13	15	34	28	7	7	-
ALL OTHER--MALE----	1	1	1	1	-	2	2	1	1	-	-	-
FEMALE--	-	1	1	-	-	1	1	2	-	-	-	-
BLACK---MALE----	1	1	1	1	-	2	2	-	1	-	-	-
FEMALE--	-	1	1	-	-	1	1	2	-	-	-	-
GEORGIA -----	2	1	-	4	4	7	1	9	6	2	-	-
WHITE-----MALE----	-	-	-	1	-	4	1	4	1	-	-	-
FEMALE--	-	1	-	2	2	2	-	3	5	2	-	-
ALL OTHER--MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	2	-	-	-	-
BLACK---MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,921

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	30	1	-	1	-	-	-	-	-	-	3	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
LOUISIANA -----	61	3	-	-	-	1	2	-	2	-	1	2
WHITE-----MALE----	13	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	-	-	-	-	1	-	-	2	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	9	2	-	-	-	-	2	-	-	-	-	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	9	2	-	-	-	-	2	-	-	-	-	1
MAINE -----	21	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	34	2	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	13	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	100	1	-	-	-	-	-	1	2	2	2	1
WHITE-----MALE----	47	-	-	-	-	-	-	1	2	1	1	-
FEMALE--	50	1	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	104	3	-	2	1	1	-	1	1	7	5	7
WHITE-----MALE----	46	1	-	-	1	-	-	-	1	2	-	4
FEMALE--	33	-	-	1	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	14	1	-	-	-	-	-	1	-	3	3	1
FEMALE--	11	1	-	1	-	-	-	-	-	1	2	2
BLACK---MALE----	14	1	-	-	-	-	-	1	-	3	3	1
FEMALE--	10	1	-	1	-	-	-	-	-	1	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,921

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)												
KENTUCKY -----	-	-	-	1	2	3	8	6	3	2	-	-
WHITE-----MALE----	-	-	-	1	1	1	4	2	2	-	-	-
FEMALE--	-	-	-	-	1	2	4	4	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	4	2	2	4	5	5	8	8	6	2	4	-
WHITE-----MALE----	-	1	-	2	2	1	2	1	1	1	1	-
FEMALE--	2	-	2	-	2	2	5	7	4	-	2	-
ALL OTHER--MALE----	1	1	-	2	1	1	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	1	1	-
BLACK---MALE----	1	1	-	2	1	1	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	1	1	-
MAINE -----	-	-	-	-	-	2	4	6	5	2	1	-
WHITE-----MALE----	-	-	-	-	-	1	3	3	3	-	-	-
FEMALE--	-	-	-	-	-	1	1	3	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	1	-	3	4	5	5	8	1	1	1	-
WHITE-----MALE----	1	-	-	1	3	3	2	2	-	-	-	-
FEMALE--	1	1	-	2	1	2	2	5	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
MASSACHUSETTS -----	2	2	1	-	11	10	19	22	18	3	3	-
WHITE-----MALE----	1	2	-	-	7	7	8	14	3	-	-	-
FEMALE--	1	-	1	-	3	3	11	7	15	3	3	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	7	4	1	6	6	9	15	13	7	8	-	-
WHITE-----MALE----	5	1	1	3	4	6	7	5	2	3	-	-
FEMALE--	1	1	-	2	2	3	6	5	5	5	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	1	-	-	-	-
BLACK---MALE----	1	2	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,925

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)												
SOUTH DAKOTA -----	-	-	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	1	2	4	-	10	14	12	12	3	1	-
WHITE-----MALE----	2	-	1	1	-	4	7	3	4	-	-	-
FEMALE--	-	1	1	2	-	5	7	7	7	3	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
TEXAS -----	5	3	7	8	9	15	29	44	30	10	3	-
WHITE-----MALE----	3	2	5	3	5	9	11	14	9	-	-	-
FEMALE--	1	-	1	4	3	6	12	28	20	10	2	-
ALL OTHER--MALE----	1	-	1	-	-	-	4	1	-	-	-	-
FEMALE--	-	1	-	1	1	-	2	1	1	-	1	-
BLACK---MALE----	1	-	1	-	-	-	3	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	2	1	1	-	1	-
UTAH -----	1	-	1	-	-	1	1	2	-	2	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	1	-	1	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	1	1	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	-	3	5	7	6	4	3	4	2	-
WHITE-----MALE----	-	-	-	3	1	1	1	1	1	-	1	-
FEMALE--	1	-	-	-	3	4	4	1	2	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,927

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
0 UNITED STATES --	75,924	169	85	46	31	65	94	132	217	366	533	736
WHITE-----MALE----	30,086	65	27	16	12	25	36	51	84	152	235	291
FEMALE--	37,794	43	29	18	11	22	31	35	52	92	139	192
ALL OTHER--MALE----	4,066	32	16	5	5	13	14	29	42	75	99	169
FEMALE--	3,978	29	13	7	3	5	13	17	39	47	60	84
BLACK---MALE----	3,264	24	13	4	5	11	11	24	38	72	95	154
FEMALE--	3,352	29	11	6	3	3	13	15	36	42	57	76
ALABAMA -----	1,317	1	-	2	-	2	4	3	2	5	7	12
WHITE-----MALE----	447	-	-	1	-	-	2	-	1	2	5	6
FEMALE--	616	-	-	1	-	-	2	-	-	1	-	1
ALL OTHER--MALE----	126	1	-	-	-	2	-	2	1	1	1	-
FEMALE--	128	-	-	-	-	-	-	1	-	1	1	5
BLACK---MALE----	126	1	-	-	-	2	-	2	1	1	1	-
FEMALE--	128	-	-	-	-	-	-	1	-	1	1	5
ALASKA -----	37	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	12	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,104	9	-	1	2	3	1	1	4	5	12	19
WHITE-----MALE----	480	2	-	-	1	-	1	-	2	2	9	10
FEMALE--	537	4	-	1	1	2	-	-	2	1	2	3
ALL OTHER--MALE----	47	2	-	-	-	-	-	1	-	2	1	2
FEMALE--	40	1	-	-	-	1	-	-	-	-	-	4
BLACK---MALE----	17	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	1	-	-	-	-	-	-	-	-	-	2
ARKANSAS -----	977	10	1	2	-	-	3	2	2	8	6	7
WHITE-----MALE----	435	4	-	1	-	-	3	1	-	1	4	3
FEMALE--	446	3	1	-	-	-	-	1	-	5	1	2
ALL OTHER--MALE----	49	3	-	-	-	-	-	-	1	-	1	2
FEMALE--	47	-	-	1	-	-	-	-	1	2	-	-
BLACK---MALE----	46	3	-	-	-	-	-	-	1	-	1	2
FEMALE--	47	-	-	1	-	-	-	-	1	2	-	-
CALIFORNIA -----	10,603	14	12	5	4	6	6	8	14	19	42	83
WHITE-----MALE----	4,112	8	5	-	-	5	4	4	5	12	21	40
FEMALE--	5,309	4	5	4	3	-	1	1	4	5	17	29
ALL OTHER--MALE----	619	1	-	-	1	1	1	3	2	2	1	7
FEMALE--	563	1	2	1	-	-	-	-	3	-	3	7
BLACK---MALE----	245	-	-	-	1	-	1	1	2	1	1	3
FEMALE--	302	1	1	-	-	-	-	-	2	-	2	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,927

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
UNITED STATES --	857	1,173	1,852	3,274	5,917	9,957	14,536	16,255	12,623	5,499	1,503	4
WHITE-----MALE----	384	498	852	1,649	2,941	4,792	6,435	6,072	3,893	1,312	263	1
FEMALE--	270	397	615	1,069	2,183	4,079	6,806	8,938	7,928	3,781	1,064	-
ALL OTHER--MALE----	136	162	225	332	442	604	641	532	321	122	48	2
FEMALE--	67	116	160	224	351	482	654	713	481	284	128	1
BLACK---MALE----	118	143	192	271	358	493	473	404	228	92	39	2
FEMALE--	57	100	141	186	299	395	550	581	402	239	110	1
ALABAMA -----	18	27	32	82	118	156	256	284	214	73	19	-
WHITE-----MALE----	10	7	17	36	53	51	92	98	50	15	1	-
FEMALE--	4	7	5	23	38	71	126	143	138	46	10	-
ALL OTHER--MALE----	2	9	5	15	18	21	12	19	13	3	1	-
FEMALE--	2	4	5	8	9	13	26	24	13	9	7	-
BLACK---MALE----	2	9	5	15	18	21	12	19	13	3	1	-
FEMALE--	2	4	5	8	9	13	26	24	13	9	7	-
ALASKA -----	-	-	-	-	5	8	9	6	7	1	-	-
WHITE-----MALE----	-	-	-	-	3	1	5	2	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	2	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	3	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	2	3	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	22	24	33	48	105	165	205	214	151	62	18	-
WHITE-----MALE----	12	11	20	20	60	92	92	76	53	15	2	-
FEMALE--	7	10	11	21	35	62	104	127	88	44	12	-
ALL OTHER--MALE----	1	2	1	4	6	5	7	4	6	1	2	-
FEMALE--	2	1	1	3	4	6	2	7	4	2	2	-
BLACK---MALE----	-	2	-	3	2	2	4	2	-	-	1	-
FEMALE--	-	1	-	-	-	3	-	3	1	1	-	-
ARKANSAS -----	13	19	20	38	83	139	194	223	141	54	12	-
WHITE-----MALE----	2	7	8	24	49	69	102	87	48	20	2	-
FEMALE--	8	9	10	9	24	60	80	108	84	31	10	-
ALL OTHER--MALE----	1	2	2	5	6	4	4	13	3	2	-	-
FEMALE--	2	1	-	-	4	6	8	15	6	1	-	-
BLACK---MALE----	1	2	1	5	6	4	4	11	3	2	-	-
FEMALE--	2	1	-	-	4	6	8	15	6	1	-	-
CALIFORNIA -----	67	130	214	430	830	1,533	2,098	2,269	1,814	795	209	1
WHITE-----MALE----	30	48	84	199	397	734	896	866	534	181	39	-
FEMALE--	29	49	92	144	303	614	977	1,198	1,140	541	149	-
ALL OTHER--MALE----	7	21	22	58	68	107	132	100	60	21	3	1
FEMALE--	1	12	16	29	62	78	93	105	80	52	18	-
BLACK---MALE----	4	11	8	31	30	50	46	33	15	5	1	1
FEMALE--	-	6	11	17	36	37	49	45	51	28	12	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,928

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
COLORADO -----	752	1	-	-	-	-	1	1	2	7	8	7
WHITE-----MALE----	324	-	-	-	-	-	1	-	1	3	7	-
FEMALE--	402	1	-	-	-	-	-	1	-	4	-	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	14	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	1
CONNECTICUT -----	1,126	2	-	-	-	-	-	2	5	8	13	8
WHITE-----MALE----	499	1	-	-	-	-	-	-	3	5	7	5
FEMALE--	573	-	-	-	-	-	-	2	-	1	3	2
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	1	2	2	1
FEMALE--	28	1	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	23	-	-	-	-	-	-	-	1	2	2	1
FEMALE--	27	1	-	-	-	-	-	-	1	-	1	-
DELAWARE -----	203	-	-	-	-	-	1	-	-	-	1	1
WHITE-----MALE----	72	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	111	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ----	163	-	-	-	-	-	1	1	1	2	4	8
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	66	-	-	-	-	-	-	-	-	-	3	6
FEMALE--	58	-	-	-	-	-	1	1	1	1	1	2
BLACK---MALE----	66	-	-	-	-	-	-	-	-	-	3	6
FEMALE--	56	-	-	-	-	-	1	1	1	1	1	2
FLORIDA -----	3,192	3	6	3	-	3	4	10	10	24	40	39
WHITE-----MALE----	1,387	1	2	1	-	1	-	3	1	6	10	12
FEMALE--	1,497	-	1	1	-	1	4	4	4	5	13	9
ALL OTHER--MALE----	170	1	3	-	-	1	-	3	3	8	10	16
FEMALE--	138	1	-	1	-	-	-	-	2	5	7	2
BLACK---MALE----	166	1	3	-	-	1	-	3	3	8	10	16
FEMALE--	134	1	-	1	-	-	-	-	2	5	7	2
GEORGIA -----	1,964	8	3	2	-	4	5	6	12	18	27	32
WHITE-----MALE----	684	1	1	-	-	2	2	1	1	10	4	8
FEMALE--	828	2	-	-	-	-	-	-	4	3	3	7
ALL OTHER--MALE----	213	2	-	-	-	2	2	4	2	3	12	13
FEMALE--	239	3	2	2	-	-	1	1	5	2	8	4
BLACK---MALE----	207	2	-	-	-	2	2	4	1	3	12	13
FEMALE--	238	3	2	2	-	-	1	1	5	2	8	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,928

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
COLORADO -----	11	12	7	32	48	80	132	159	155	76	13	-
WHITE-----MALE----	7	8	2	14	23	40	68	72	54	21	3	-
FEMALE--	3	4	5	14	22	37	63	84	99	53	10	-
ALL OTHER--MALE----	1	-	-	2	1	2	-	1	-	1	-	-
FEMALE--	-	-	-	2	2	1	1	2	2	1	-	-
BLACK---MALE----	-	-	-	1	1	-	-	1	-	1	-	-
FEMALE--	-	-	-	2	2	-	1	-	1	1	-	-
CONNECTICUT -----	9	23	21	41	65	141	214	229	210	108	27	-
WHITE-----MALE----	4	14	9	25	36	81	111	90	71	34	3	-
FEMALE--	3	6	7	12	22	53	97	132	137	73	23	-
ALL OTHER--MALE----	-	2	3	3	2	4	2	4	-	-	-	-
FEMALE--	2	1	2	1	5	3	4	3	2	1	1	-
BLACK---MALE----	-	2	2	2	2	4	2	3	-	-	-	-
FEMALE--	2	1	2	1	5	2	4	3	2	1	1	-
DELAWARE -----	3	1	8	12	20	25	38	32	38	21	2	-
WHITE-----MALE----	-	1	4	7	12	9	12	13	8	5	-	-
FEMALE--	2	-	3	2	7	11	23	17	29	16	1	-
ALL OTHER--MALE----	1	-	1	3	1	4	2	-	1	-	1	-
FEMALE--	-	-	-	-	-	1	1	2	-	-	-	-
BLACK---MALE----	1	-	1	3	1	4	2	-	1	-	1	-
FEMALE--	-	-	-	-	-	1	1	2	-	-	-	-
DISTRICT OF COLUMBIA -----	2	6	9	12	14	17	29	22	19	11	5	-
WHITE-----MALE----	-	-	-	-	3	-	5	4	3	-	-	-
FEMALE--	-	-	1	1	-	4	3	5	4	4	1	-
ALL OTHER--MALE----	1	6	7	5	5	7	12	6	5	2	1	-
FEMALE--	1	-	1	6	6	6	9	7	7	5	3	-
BLACK---MALE----	1	6	7	5	5	7	12	6	5	2	1	-
FEMALE--	1	-	1	6	5	6	8	7	7	5	3	-
FLORIDA -----	46	54	96	140	275	460	579	648	505	200	46	1
WHITE-----MALE----	20	25	52	66	153	252	258	272	170	69	13	-
FEMALE--	13	12	22	53	98	173	283	333	316	126	26	-
ALL OTHER--MALE----	8	6	12	10	14	24	20	22	8	-	1	-
FEMALE--	5	11	10	11	10	11	18	21	11	5	6	1
BLACK---MALE----	7	5	12	10	13	23	20	22	8	-	1	-
FEMALE--	5	11	9	11	10	11	17	19	11	5	6	1
GEORGIA -----	42	41	73	99	197	290	373	378	246	84	24	-
WHITE-----MALE----	16	11	26	53	81	122	144	123	62	15	1	-
FEMALE--	7	16	19	22	65	105	167	190	147	55	16	-
ALL OTHER--MALE----	14	8	14	16	29	32	25	21	9	4	1	-
FEMALE--	5	6	14	8	22	31	37	44	28	10	6	-
BLACK---MALE----	14	8	14	14	26	32	25	21	9	4	1	-
FEMALE--	5	5	14	8	22	31	37	44	28	10	6	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,929

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
HAWAII -----	328	-	-	-	-	1	1	1	-	1	-	5
WHITE-----MALE----	41	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	38	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	140	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	109	-	-	-	-	1	-	1	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	301	-	-	-	1	1	-	-	-	2	4	-
WHITE-----MALE----	137	-	-	-	1	1	-	-	-	-	3	-
FEMALE--	161	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3,280	9	7	2	-	5	4	4	9	20	18	35
WHITE-----MALE----	1,285	-	5	1	-	2	-	-	2	11	9	11
FEMALE--	1,567	4	1	1	-	2	2	1	2	2	3	6
ALL OTHER--MALE----	221	1	1	-	-	1	-	2	5	4	3	13
FEMALE--	207	4	-	-	-	-	2	1	-	3	3	5
BLACK---MALE----	208	1	1	-	-	1	-	2	5	4	3	13
FEMALE--	193	4	-	-	-	-	2	1	-	3	3	5
INDIANA -----	1,605	7	4	-	-	1	3	1	3	7	12	14
WHITE-----MALE----	661	3	-	-	-	-	-	-	2	2	7	9
FEMALE--	867	2	2	-	-	1	1	-	1	3	5	3
ALL OTHER--MALE----	38	-	1	-	-	-	2	-	-	2	-	1
FEMALE--	39	2	1	-	-	-	-	1	-	-	-	1
BLACK---MALE----	38	-	1	-	-	-	2	-	-	2	-	1
FEMALE--	38	2	1	-	-	-	-	1	-	-	-	1
IOWA -----	1,105	-	1	-	-	-	1	1	3	2	3	4
WHITE-----MALE----	466	-	-	-	-	-	-	1	2	1	1	2
FEMALE--	623	-	-	-	-	-	-	-	1	1	2	2
ALL OTHER--MALE----	10	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
KANSAS -----	877	4	1	-	1	1	-	-	-	5	3	5
WHITE-----MALE----	374	1	1	-	-	-	-	-	-	2	3	4
FEMALE--	471	1	-	-	1	1	-	-	-	1	-	-
ALL OTHER--MALE----	18	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	14	1	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	17	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	10	1	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,929

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
HAWAII -----	5	4	5	24	28	40	74	62	53	20	4	-
WHITE-----MALE----	1	1	-	4	4	6	12	6	4	1	-	-
FEMALE--	-	1	1	2	3	4	7	6	9	3	-	-
ALL OTHER--MALE----	1	1	4	10	13	17	34	27	23	7	1	-
FEMALE--	3	1	-	8	8	13	21	23	17	9	3	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
IDAHO -----	2	2	9	10	17	35	51	73	70	20	4	-
WHITE-----MALE----	2	1	7	5	10	21	30	27	21	6	2	-
FEMALE--	-	1	2	5	6	14	21	46	49	13	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	38	51	103	143	226	417	595	729	557	249	59	-
WHITE-----MALE----	18	26	48	70	119	190	257	266	178	60	12	-
FEMALE--	6	11	34	35	74	158	274	404	339	168	40	-
ALL OTHER--MALE----	11	9	14	22	18	42	35	20	16	2	2	-
FEMALE--	3	5	7	16	15	27	29	39	24	19	5	-
BLACK---MALE----	10	8	14	19	18	40	30	20	15	2	2	-
FEMALE--	3	5	6	16	15	26	26	34	22	17	5	-
INDIANA -----	15	28	34	73	125	215	336	340	246	108	33	-
WHITE-----MALE----	6	14	11	37	63	108	155	140	76	24	4	-
FEMALE--	7	9	20	31	53	97	167	189	165	82	29	-
ALL OTHER--MALE----	1	3	1	2	6	4	8	6	1	-	-	-
FEMALE--	1	2	2	3	3	6	6	5	4	2	-	-
BLACK---MALE----	1	3	1	2	6	4	8	6	1	-	-	-
FEMALE--	1	2	2	3	3	6	5	5	4	2	-	-
IOWA -----	7	11	25	31	74	133	195	237	237	103	37	-
WHITE-----MALE----	5	8	17	21	38	81	101	96	71	15	6	-
FEMALE--	2	3	7	8	35	49	93	136	166	88	30	-
ALL OTHER--MALE----	-	-	-	1	1	2	1	4	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	1	-	-	1	-
BLACK---MALE----	-	-	-	1	1	2	1	2	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	1	-
KANSAS -----	9	4	13	25	59	95	151	207	183	87	24	-
WHITE-----MALE----	2	2	5	17	32	51	79	85	57	28	5	-
FEMALE--	5	2	7	6	25	36	69	120	122	57	18	-
ALL OTHER--MALE----	1	-	1	1	1	4	2	2	1	2	1	-
FEMALE--	1	-	-	1	1	4	1	-	3	-	-	-
BLACK---MALE----	1	-	-	1	1	4	2	2	1	2	1	-
FEMALE--	1	-	-	-	-	3	1	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,930

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	1,242	2	1	3	-	1	2	-	2	4	7	12
WHITE-----MALE----	508	1	1	2	-	1	-	-	1	1	2	3
FEMALE--	663	-	-	1	-	-	2	-	-	1	5	4
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	2	-	3
FEMALE--	42	1	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	29	-	-	-	-	-	-	-	-	2	-	3
FEMALE--	41	1	-	-	-	-	-	-	1	-	-	2
LOUISIANA -----	987	4	1	1	1	2	2	5	4	8	11	8
WHITE-----MALE----	335	2	-	-	-	2	1	2	1	2	3	2
FEMALE--	395	-	-	-	-	-	-	-	-	1	3	1
ALL OTHER--MALE----	132	1	1	1	1	-	1	3	2	2	3	2
FEMALE--	125	1	-	-	-	-	-	-	1	3	2	3
BLACK---MALE----	129	1	1	1	1	-	1	2	2	2	3	2
FEMALE--	123	1	-	-	-	-	-	-	1	3	2	3
MAINE -----	374	-	-	-	-	-	-	1	1	1	-	2
WHITE-----MALE----	149	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	225	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,338	3	1	1	-	2	4	4	6	13	17	21
WHITE-----MALE----	470	1	-	1	-	-	-	3	3	2	6	11
FEMALE--	598	-	-	-	-	2	1	-	-	1	1	2
ALL OTHER--MALE----	133	1	-	-	-	-	3	1	-	7	4	6
FEMALE--	137	1	1	-	-	-	-	-	3	3	6	2
BLACK---MALE----	122	1	-	-	-	-	3	1	-	7	4	6
FEMALE--	129	1	1	-	-	-	-	-	3	3	6	2
MASSACHUSETTS -----	2,449	-	4	-	-	1	-	3	6	13	11	15
WHITE-----MALE----	988	-	-	-	-	-	-	2	4	6	6	3
FEMALE--	1,386	-	3	-	-	-	-	1	-	4	3	8
ALL OTHER--MALE----	36	-	1	-	-	-	-	-	1	2	2	3
FEMALE--	39	-	-	-	-	1	-	-	1	1	-	1
BLACK---MALE----	29	-	-	-	-	-	-	-	1	2	2	3
FEMALE--	28	-	-	-	-	1	-	-	1	1	-	1
MICHIGAN -----	2,550	3	-	3	2	3	3	6	7	12	21	31
WHITE-----MALE----	1,070	-	-	1	1	1	2	2	3	7	7	11
FEMALE--	1,157	-	-	2	1	1	-	1	1	4	3	8
ALL OTHER--MALE----	164	2	-	-	-	1	1	1	2	1	8	8
FEMALE--	159	1	-	-	-	-	-	2	1	-	3	4
BLACK---MALE----	151	1	-	-	-	1	1	1	2	1	7	8
FEMALE--	152	1	-	-	-	-	-	1	1	-	2	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,930

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
KENTUCKY -----	10	24	24	60	104	148	263	258	212	84	21	-
WHITE-----MALE----	5	13	18	35	60	71	107	103	60	22	2	-
FEMALE--	5	8	5	20	38	67	140	145	147	59	16	-
ALL OTHER--MALE----	-	2	-	4	-	5	4	4	4	1	-	-
FEMALE--	-	1	1	1	6	5	12	6	1	2	3	-
BLACK---MALE----	-	2	-	4	-	5	4	4	4	1	-	-
FEMALE--	-	1	1	1	5	5	12	6	1	2	3	-
LOUISIANA -----	19	21	41	61	75	113	176	203	158	51	22	-
WHITE-----MALE----	11	7	10	29	34	38	65	56	49	16	5	-
FEMALE--	1	7	15	14	24	38	75	103	79	25	9	-
ALL OTHER--MALE----	6	4	11	9	12	16	21	20	12	2	2	-
FEMALE--	1	3	5	9	5	21	15	24	18	8	6	-
BLACK---MALE----	6	4	11	9	11	16	21	19	12	2	2	-
FEMALE--	1	2	5	9	5	21	15	23	18	8	6	-
MAINE -----	5	3	4	14	26	40	60	83	96	30	8	-
WHITE-----MALE----	2	2	2	9	13	17	27	38	26	8	2	-
FEMALE--	3	1	2	5	13	23	33	45	70	22	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	22	23	40	72	114	175	251	259	195	91	24	-
WHITE-----MALE----	8	8	15	28	46	77	94	95	49	19	4	-
FEMALE--	6	6	13	17	46	65	117	136	112	55	18	-
ALL OTHER--MALE----	6	6	7	19	13	18	15	7	13	6	1	-
FEMALE--	2	3	5	8	9	15	25	21	21	11	1	-
BLACK---MALE----	4	6	7	18	11	16	13	7	12	6	-	-
FEMALE--	2	3	5	7	9	14	22	19	20	11	1	-
MASSACHUSETTS -----	27	32	39	72	146	292	448	576	473	217	74	-
WHITE-----MALE----	17	16	24	45	79	156	218	212	143	45	12	-
FEMALE--	8	16	13	21	60	126	221	351	323	167	61	-
ALL OTHER--MALE----	1	-	1	1	3	5	4	8	3	-	1	-
FEMALE--	1	-	1	5	4	5	5	5	4	5	-	-
BLACK---MALE----	1	-	-	-	3	4	4	6	2	-	1	-
FEMALE--	1	-	1	5	2	2	5	2	2	4	-	-
MICHIGAN -----	42	44	71	120	233	356	464	512	390	169	58	-
WHITE-----MALE----	16	17	25	71	126	176	214	204	129	47	10	-
FEMALE--	14	15	24	28	70	140	201	266	234	106	38	-
ALL OTHER--MALE----	9	7	13	9	22	23	25	15	11	3	3	-
FEMALE--	3	5	9	12	15	17	24	27	16	13	7	-
BLACK---MALE----	8	6	12	7	19	22	24	15	10	3	3	-
FEMALE--	3	5	8	12	15	15	23	26	16	13	7	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,931

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
MINNESOTA -----	1,203	1	1	-	-	-	-	-	3	2	6	4
WHITE-----MALE----	500	-	-	-	-	-	-	-	-	1	3	4
FEMALE--	679	1	1	-	-	-	-	-	2	1	3	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
MISSISSIPPI -----	931	3	-	-	3	2	4	-	5	4	8	21
WHITE-----MALE----	318	1	-	-	1	-	1	-	2	-	3	5
FEMALE--	364	1	-	-	1	-	1	-	1	-	2	2
ALL OTHER--MALE----	124	-	-	-	-	2	-	-	1	2	1	12
FEMALE--	125	1	-	-	1	-	2	-	1	2	2	2
BLACK---MALE----	124	-	-	-	-	2	-	-	1	2	1	12
FEMALE--	125	1	-	-	1	-	2	-	1	2	2	2
MISSOURI -----	1,997	4	2	3	-	-	5	3	9	7	11	16
WHITE-----MALE----	788	2	-	1	-	-	2	1	3	4	7	7
FEMALE--	1,067	1	1	1	-	-	3	-	4	2	2	5
ALL OTHER--MALE----	72	-	1	1	-	-	-	1	-	-	1	3
FEMALE--	70	1	-	-	-	-	-	1	2	1	1	1
BLACK---MALE----	68	-	1	1	-	-	-	1	-	-	1	3
FEMALE--	67	1	-	-	-	-	-	1	2	1	1	1
MONTANA -----	281	-	1	1	-	-	-	-	1	-	1	2
WHITE-----MALE----	121	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	148	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	6	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	515	1	-	-	-	-	-	-	-	2	3	4
WHITE-----MALE----	214	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	289	1	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	361	8	-	-	-	-	2	-	3	6	6	6
WHITE-----MALE----	181	2	-	-	-	-	-	-	3	4	1	5
FEMALE--	154	3	-	-	-	-	1	-	-	1	4	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	3	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	3	-	-	-	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,931

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
MINNESOTA -----	9	13	18	27	50	110	214	290	279	132	44	-
WHITE-----MALE----	5	8	11	18	26	70	103	121	87	30	13	-
FEMALE--	4	2	7	8	22	37	103	167	191	100	30	-
ALL OTHER--MALE----	-	1	-	-	1	3	5	1	-	-	-	-
FEMALE--	-	2	-	1	1	-	3	1	1	2	1	-
BLACK---MALE----	-	-	-	-	1	1	2	1	-	-	-	-
FEMALE--	-	1	-	1	1	-	1	1	-	1	-	-
MISSISSIPPI -----	13	24	36	41	71	117	175	189	144	55	16	-
WHITE-----MALE----	2	10	20	19	27	53	68	64	26	15	1	-
FEMALE--	5	7	6	9	33	38	67	83	85	19	4	-
ALL OTHER--MALE----	4	3	5	9	6	15	17	18	13	9	7	-
FEMALE--	2	4	5	4	5	11	23	24	20	12	4	-
BLACK---MALE----	4	3	5	9	6	15	17	18	13	9	7	-
FEMALE--	2	4	5	4	5	11	23	24	20	12	4	-
MISSOURI -----	13	26	58	94	155	244	367	424	365	156	35	-
WHITE-----MALE----	8	9	31	54	76	122	171	148	100	31	11	-
FEMALE--	4	13	18	26	62	107	178	254	249	114	23	-
ALL OTHER--MALE----	-	3	8	10	10	9	10	7	4	4	-	-
FEMALE--	1	1	1	4	7	6	8	15	12	7	1	-
BLACK---MALE----	-	3	8	9	9	9	10	6	4	3	-	-
FEMALE--	1	1	-	4	7	5	8	14	12	7	1	-
MONTANA -----	2	1	5	10	26	29	54	62	55	27	4	-
WHITE-----MALE----	2	-	1	5	13	20	29	25	22	2	-	-
FEMALE--	-	-	3	4	10	9	23	35	33	25	4	-
ALL OTHER--MALE----	-	1	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	3	6	3	23	29	53	86	115	103	65	19	-
WHITE-----MALE----	1	4	2	14	15	23	43	52	34	17	4	-
FEMALE--	1	1	-	6	14	28	43	61	69	47	15	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	1	1	3	-	1	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	1	3	-	1	-	1	-	1	-	-
NEVADA -----	8	10	15	16	41	53	67	68	34	13	4	1
WHITE-----MALE----	3	4	9	9	27	30	31	31	14	5	2	1
FEMALE--	4	5	6	7	12	19	31	33	17	8	2	-
ALL OTHER--MALE----	1	1	-	-	1	3	3	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	2	3	2	-	-	-
BLACK---MALE----	-	1	-	-	-	2	2	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	2	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,933

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	3,106	5	3	-	1	4	3	3	6	15	16	17
WHITE-----MALE----	1,262	4	-	-	-	2	1	1	3	10	9	6
FEMALE--	1,610	1	2	-	1	2	2	2	1	3	4	7
ALL OTHER--MALE----	116	-	-	-	-	-	-	-	2	1	1	3
FEMALE--	118	-	1	-	-	-	-	-	-	1	2	1
BLACK---MALE----	112	-	-	-	-	-	-	-	2	1	1	3
FEMALE--	114	-	1	-	-	-	-	-	-	1	2	1
OKLAHOMA -----	1,171	4	-	-	-	2	2	-	3	4	4	9
WHITE-----MALE----	467	1	-	-	-	1	-	-	-	2	2	2
FEMALE--	605	1	-	-	-	1	-	-	-	1	2	4
ALL OTHER--MALE----	48	1	-	-	-	-	1	-	2	-	-	1
FEMALE--	51	1	-	-	-	-	1	-	1	1	-	2
BLACK---MALE----	24	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	26	1	-	-	-	-	1	-	-	-	-	2
OREGON -----	781	3	-	-	-	1	1	2	-	3	2	3
WHITE-----MALE----	322	2	-	-	-	-	-	2	-	2	1	2
FEMALE--	446	-	-	-	-	-	1	-	-	1	1	1
ALL OTHER--MALE----	9	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4,068	5	3	2	2	3	3	11	8	15	30	31
WHITE-----MALE----	1,717	3	1	-	-	-	1	6	5	7	16	13
FEMALE--	2,063	1	1	2	1	2	2	3	1	6	6	5
ALL OTHER--MALE----	141	1	-	-	-	-	-	1	1	1	6	10
FEMALE--	147	-	1	-	1	1	-	1	1	1	2	3
BLACK---MALE----	131	1	-	-	-	-	-	1	1	1	6	8
FEMALE--	146	-	1	-	1	1	-	1	1	1	2	3
RHODE ISLAND -----	299	1	-	1	2	1	-	-	-	1	1	2
WHITE-----MALE----	114	-	-	-	1	1	-	-	-	1	-	2
FEMALE--	181	1	-	1	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	793	1	-	1	-	1	-	1	1	6	9	16
WHITE-----MALE----	257	-	-	-	-	-	-	1	-	2	2	5
FEMALE--	343	-	-	-	-	1	-	-	1	1	3	1
ALL OTHER--MALE----	89	1	-	-	-	-	-	-	-	1	2	5
FEMALE--	104	-	-	1	-	-	-	-	-	2	2	5
BLACK---MALE----	89	1	-	-	-	-	-	-	-	1	2	5
FEMALE--	104	-	-	1	-	-	-	-	-	2	2	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,933

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
OHIO -----	26	42	80	121	274	436	630	675	466	226	57	-
WHITE-----MALE----	12	22	39	70	131	201	286	245	152	57	11	-
FEMALE--	8	14	28	39	114	196	308	393	290	154	41	-
ALL OTHER--MALE----	4	5	6	5	20	22	23	14	6	2	2	-
FEMALE--	2	1	7	7	9	17	13	23	18	13	3	-
BLACK---MALE----	4	4	6	5	19	22	21	14	6	2	2	-
FEMALE--	2	1	7	6	9	16	12	22	18	13	3	-
OKLAHOMA -----	15	15	28	55	93	130	246	284	179	76	22	-
WHITE-----MALE----	5	7	14	29	44	71	109	106	59	13	2	-
FEMALE--	9	6	10	18	39	52	119	158	108	59	18	-
ALL OTHER--MALE----	-	-	1	5	8	5	11	7	4	1	1	-
FEMALE--	1	2	3	3	2	2	7	13	8	3	1	-
BLACK---MALE----	-	-	-	3	4	4	4	5	2	-	1	-
FEMALE--	1	1	1	2	1	1	3	7	2	2	1	-
OREGON -----	6	6	17	22	55	85	167	169	139	84	16	-
WHITE-----MALE----	1	3	10	10	27	44	84	67	44	22	1	-
FEMALE--	4	3	7	10	26	39	83	99	94	62	15	-
ALL OTHER--MALE----	-	-	-	2	-	2	-	3	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	43	48	97	187	305	579	816	903	667	252	58	-
WHITE-----MALE----	25	19	54	96	155	292	396	335	221	59	13	-
FEMALE--	12	16	30	74	115	247	374	525	420	178	42	-
ALL OTHER--MALE----	4	7	7	10	19	21	23	15	10	4	1	-
FEMALE--	2	6	6	7	16	19	23	28	16	11	2	-
BLACK---MALE----	3	6	7	10	19	20	21	15	9	2	1	-
FEMALE--	2	6	6	7	15	19	23	28	16	11	2	-
RHODE ISLAND -----	1	3	5	10	17	31	56	73	58	28	8	-
WHITE-----MALE----	-	-	2	5	8	14	27	28	17	7	1	-
FEMALE--	1	3	3	5	9	16	29	45	41	20	6	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
SOUTH CAROLINA -----	13	24	31	42	76	112	143	153	106	40	17	-
WHITE-----MALE----	6	12	11	15	36	39	49	42	25	10	2	-
FEMALE--	2	4	6	15	21	49	66	81	62	23	7	-
ALL OTHER--MALE----	4	6	8	7	8	13	10	14	3	5	2	-
FEMALE--	1	2	6	5	11	11	18	16	16	2	6	-
BLACK---MALE----	4	6	8	7	8	13	10	14	3	5	2	-
FEMALE--	1	2	6	5	11	11	18	16	16	2	6	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,934

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
SOUTH DAKOTA -----	249	3	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	115	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	122	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	2	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,801	-	3	1	2	2	1	4	6	9	14	26
WHITE-----MALE----	642	-	-	1	-	1	1	2	4	4	5	8
FEMALE--	901	-	2	-	1	-	-	1	1	2	4	8
ALL OTHER--MALE----	121	-	-	-	-	1	-	1	-	2	4	7
FEMALE--	137	-	1	-	1	-	-	-	1	1	1	3
BLACK---MALE----	119	-	-	-	-	1	-	1	-	2	4	7
FEMALE--	135	-	1	-	1	-	-	-	1	1	1	3
TEXAS -----	4,034	9	7	6	1	6	14	14	20	26	36	56
WHITE-----MALE----	1,541	3	4	3	1	2	6	8	7	11	16	24
FEMALE--	2,052	3	1	3	2	2	5	2	7	6	10	18
ALL OTHER--MALE----	231	2	1	-	-	1	2	2	5	6	6	10
FEMALE--	210	1	1	-	-	1	1	2	1	3	4	4
BLACK---MALE----	220	2	1	-	-	1	1	2	5	6	6	9
FEMALE--	204	1	1	-	-	1	1	2	1	2	4	4
UTAH -----	495	-	1	-	-	-	1	2	7	5	5	5
WHITE-----MALE----	218	-	-	-	-	-	1	1	5	2	2	2
FEMALE--	272	-	1	-	-	-	-	1	1	2	2	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	181	-	-	-	-	-	-	-	1	-	1	2
WHITE-----MALE----	85	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	96	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,877	8	4	1	1	1	2	3	7	12	10	18
WHITE-----MALE----	677	5	1	1	-	-	1	-	2	2	5	8
FEMALE--	880	-	2	-	1	1	1	2	2	5	-	5
ALL OTHER--MALE----	157	1	1	-	-	-	-	-	2	4	3	2
FEMALE--	163	2	-	-	-	-	-	1	1	1	2	3
BLACK---MALE----	155	1	1	-	-	-	-	-	2	4	3	2
FEMALE--	160	2	-	-	-	-	-	1	1	1	2	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,934

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	4	8	12	12	36	61	68	32	10	-
WHITE-----MALE----	-	1	2	3	11	7	19	36	25	9	2	-
FEMALE--	-	-	1	3	-	5	16	24	41	23	8	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	2	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	21	41	54	82	162	240	358	372	270	100	33	-
WHITE-----MALE----	10	12	17	36	71	105	150	121	65	25	4	-
FEMALE--	7	14	16	32	67	104	161	213	185	63	20	-
ALL OTHER--MALE----	1	10	10	8	9	19	23	14	6	5	1	-
FEMALE--	3	5	11	6	15	12	24	24	14	7	8	-
BLACK---MALE----	1	10	10	8	8	19	22	14	6	5	1	-
FEMALE--	3	5	10	6	15	12	24	24	14	7	7	-
TEXAS -----	61	74	117	190	332	514	728	842	613	286	82	-
WHITE-----MALE----	28	25	52	79	183	229	305	286	187	68	14	-
FEMALE--	24	33	41	80	111	229	367	484	379	188	59	-
ALL OTHER--MALE----	7	10	13	19	25	28	23	34	20	13	4	-
FEMALE--	2	6	11	12	13	28	33	38	27	17	5	-
BLACK---MALE----	6	10	12	18	25	27	23	31	20	12	3	-
FEMALE--	2	6	11	12	12	26	32	37	27	17	5	-
UTAH -----	5	5	7	19	30	60	110	111	75	39	8	-
WHITE-----MALE----	3	3	4	10	21	25	52	44	26	15	2	-
FEMALE--	2	2	3	9	9	35	58	66	49	24	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	3	1	7	12	18	31	41	43	17	3	-
WHITE-----MALE----	1	1	1	4	8	12	13	20	16	6	1	-
FEMALE--	-	2	-	3	4	6	18	21	27	11	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	22	30	38	96	142	283	375	375	280	133	36	-
WHITE-----MALE----	7	13	15	47	58	124	149	124	88	20	7	-
FEMALE--	7	7	10	25	54	107	163	205	164	96	23	-
ALL OTHER--MALE----	7	3	7	14	15	28	27	19	15	7	2	-
FEMALE--	1	7	6	10	15	24	36	27	13	10	4	-
BLACK---MALE----	7	3	7	14	15	28	26	18	15	7	2	-
FEMALE--	1	7	6	9	15	24	35	27	13	10	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,936

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INFLUENZA (487)												
0 UNITED STATES --	14	10	21	36	42	65	97	132	153	59	23	-
WHITE-----MALE----	3	6	8	18	21	28	37	44	40	11	5	-
FEMALE--	9	1	10	16	19	35	55	86	111	47	18	-
ALL OTHER--MALE----	-	2	3	1	1	2	-	1	-	-	-	-
FEMALE--	2	1	-	1	1	-	5	1	2	1	-	-
BLACK---MALE----	-	-	2	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	4	1	1	1	-	-
ALABAMA -----	-	-	-	-	1	2	1	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	2	-	1	-	1	1	2	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	2	-	-
FEMALE--	-	-	2	-	1	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	6	4	5	6	6	14	14	14	20	6	2	-
WHITE-----MALE----	1	2	1	3	2	5	8	5	7	1	-	-
FEMALE--	4	1	3	3	4	8	6	9	12	4	2	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,943

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
INFLUENZA (487)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	2	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	1	-	1	3	-	1	2	2	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	1	-	2	3	2	1	5	4	1	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	3	1	1	4	3	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
UTAH -----	-	-	-	1	-	1	-	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	1	-	-	1	7	5	4	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	1	1	-	-	-
FEMALE--	-	-	1	-	-	1	5	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,945

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
0 UNITED STATES --	109,029	50	41	50	79	96	105	156	201	315	571	968
WHITE-----MALE----	51,184	18	9	11	23	43	41	41	62	84	197	377
FEMALE--	49,586	11	8	9	17	13	28	46	53	107	203	349
ALL OTHER--MALE----	4,800	14	18	19	18	24	27	38	49	66	68	118
FEMALE--	3,459	7	6	11	21	16	9	31	37	58	103	124
BLACK---MALE----	3,966	12	18	16	17	18	24	34	44	61	61	108
FEMALE--	2,942	6	4	11	20	15	8	29	36	53	92	114
ALABAMA -----	1,852	1	2	1	2	-	2	-	3	7	11	20
WHITE-----MALE----	890	-	-	-	-	-	1	-	1	-	2	7
FEMALE--	711	-	-	-	-	-	-	-	1	5	3	5
ALL OTHER--MALE----	155	1	2	1	-	-	1	-	1	2	1	6
FEMALE--	96	-	-	-	2	-	-	-	-	-	5	2
BLACK---MALE----	152	1	2	1	-	-	1	-	1	2	1	6
FEMALE--	94	-	-	-	2	-	-	-	-	-	5	2
ALASKA -----	119	-	-	-	1	-	-	-	1	-	2	2
WHITE-----MALE----	43	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	44	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	22	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2,377	3	-	2	1	3	2	1	2	4	13	14
WHITE-----MALE----	1,205	2	-	1	1	1	1	-	-	2	5	6
FEMALE--	1,107	-	-	1	-	-	-	-	1	2	7	7
ALL OTHER--MALE----	32	1	-	-	-	2	1	-	1	-	-	-
FEMALE--	33	-	-	-	-	-	-	1	-	-	1	1
BLACK---MALE----	15	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	22	-	-	-	-	-	-	1	-	-	1	1
ARKANSAS -----	1,254	3	-	-	3	1	-	5	4	3	2	19
WHITE-----MALE----	617	2	-	-	-	1	-	1	2	1	-	8
FEMALE--	532	-	-	-	1	-	-	3	-	1	1	4
ALL OTHER--MALE----	63	1	-	-	1	-	-	1	1	1	-	3
FEMALE--	42	-	-	-	1	-	-	-	1	-	1	4
BLACK---MALE----	58	1	-	-	1	-	-	-	1	1	-	3
FEMALE--	40	-	-	-	1	-	-	-	1	-	1	4
CALIFORNIA -----	11,777	1	3	7	4	11	17	19	18	43	67	125
WHITE-----MALE----	5,004	1	2	1	-	6	4	7	6	14	28	52
FEMALE--	5,593	-	-	1	1	1	6	7	4	16	24	38
ALL OTHER--MALE----	674	-	1	5	1	3	4	4	5	7	4	16
FEMALE--	506	-	-	-	2	1	3	1	3	6	11	19
BLACK---MALE----	317	-	1	5	1	1	2	2	2	6	2	13
FEMALE--	289	-	-	-	1	1	2	1	3	4	9	15

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,945

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
0 UNITED STATES --	1,870	3,441	6,668	12,212	18,357	21,792	20,298	13,743	6,056	1,663	290	7
WHITE-----MALE----	793	1,525	3,091	6,023	9,228	10,615	9,622	6,260	2,466	582	69	4
FEMALE--	782	1,475	2,879	5,152	7,867	9,881	9,550	6,752	3,242	967	194	1
ALL OTHER--MALE----	155	245	386	633	759	793	708	421	177	53	10	1
FEMALE--	140	196	312	404	503	503	418	310	171	61	17	1
BLACK---MALE----	133	206	337	539	639	644	552	324	131	38	9	1
FEMALE--	124	175	273	342	438	406	339	254	138	53	12	-
ALABAMA -----	43	68	138	232	324	367	287	213	107	22	2	-
WHITE-----MALE----	17	31	69	128	165	181	149	93	40	6	-	-
FEMALE--	16	24	48	81	110	150	101	97	58	11	1	-
ALL OTHER--MALE----	5	5	15	13	29	26	24	13	7	2	1	-
FEMALE--	5	8	6	10	20	10	13	10	2	3	-	-
BLACK---MALE----	5	4	14	13	28	26	24	13	7	2	1	-
FEMALE--	5	8	6	10	18	10	13	10	2	3	-	-
ALASKA -----	4	5	12	15	19	23	17	13	4	1	-	-
WHITE-----MALE----	3	2	4	9	5	11	4	5	-	-	-	-
FEMALE--	1	-	4	4	8	6	9	6	3	-	-	-
ALL OTHER--MALE----	-	3	2	1	1	5	4	2	1	1	-	-
FEMALE--	-	-	2	1	5	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	40	90	147	263	425	472	483	275	112	22	3	-
WHITE-----MALE----	29	47	74	131	232	220	257	148	42	6	-	-
FEMALE--	9	39	65	124	184	247	216	120	69	13	3	-
ALL OTHER--MALE----	1	3	4	3	5	2	5	3	1	-	-	-
FEMALE--	1	1	4	5	4	3	5	4	-	3	-	-
BLACK---MALE----	1	2	1	3	2	1	2	1	-	-	-	-
FEMALE--	-	1	3	5	2	-	4	2	-	2	-	-
ARKANSAS -----	27	58	103	148	204	243	220	145	50	14	2	-
WHITE-----MALE----	10	27	46	68	109	125	112	78	23	3	1	-
FEMALE--	14	25	46	69	81	99	94	61	24	8	1	-
ALL OTHER--MALE----	-	2	7	8	9	13	9	5	1	1	-	-
FEMALE--	3	4	4	3	5	6	5	1	2	2	-	-
BLACK---MALE----	-	2	6	8	7	13	8	5	1	1	-	-
FEMALE--	3	3	4	3	5	6	5	1	2	1	-	-
CALIFORNIA -----	203	324	689	1,203	1,880	2,366	2,213	1,615	718	213	37	1
WHITE-----MALE----	92	142	301	505	884	1,022	923	657	274	72	10	1
FEMALE--	70	134	296	559	842	1,141	1,110	828	371	124	20	-
ALL OTHER--MALE----	20	24	50	77	101	118	109	83	32	9	1	-
FEMALE--	21	24	42	62	53	85	71	47	41	8	6	-
BLACK---MALE----	15	16	34	38	53	49	37	28	10	1	1	-
FEMALE--	16	18	27	37	34	38	32	22	19	7	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,946

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
COLORADO -----	1,657	-	2	-	-	1	1	4	1	-	8	13
WHITE-----MALE----	862	-	-	-	-	1	-	3	-	-	5	10
FEMALE--	749	-	-	-	-	-	1	1	1	-	2	3
ALL OTHER--MALE----	22	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	14	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	1,265	-	1	-	-	-	2	2	2	3	5	9
WHITE-----MALE----	539	-	1	-	-	-	-	1	1	1	-	4
FEMALE--	692	-	-	-	-	-	-	-	-	1	3	4
ALL OTHER--MALE----	17	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	16	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	1	2	1
DELAWARE -----	296	-	-	-	-	-	-	1	-	3	-	3
WHITE-----MALE----	120	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	150	-	-	-	-	-	-	1	-	2	-	3
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	161	-	2	-	2	1	1	-	1	4	3	6
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	53	-	1	-	-	1	1	-	1	2	2	3
FEMALE--	52	-	1	-	2	-	-	-	-	2	1	3
BLACK---MALE----	52	-	1	-	-	1	1	-	1	2	2	3
FEMALE--	52	-	1	-	2	-	-	-	-	2	1	3
FLORIDA -----	8,089	3	1	2	2	4	5	5	9	17	35	54
WHITE-----MALE----	3,686	1	-	1	-	1	1	1	5	2	18	26
FEMALE--	3,949	1	-	-	2	-	3	1	3	7	6	16
ALL OTHER--MALE----	275	1	1	-	-	3	1	2	-	2	5	5
FEMALE--	179	-	-	1	-	-	-	1	1	6	6	7
BLACK---MALE----	266	1	1	-	-	3	1	2	-	2	5	5
FEMALE--	170	-	-	1	-	-	-	1	1	6	6	7
GEORGIA -----	2,507	1	2	1	2	3	4	5	10	8	24	33
WHITE-----MALE----	1,155	-	-	-	-	2	-	1	2	1	6	15
FEMALE--	995	1	-	-	-	-	1	1	2	2	6	9
ALL OTHER--MALE----	221	-	2	1	2	1	1	1	3	3	6	7
FEMALE--	136	-	-	-	-	-	2	2	3	2	6	2
BLACK---MALE----	217	-	2	1	2	1	1	1	3	3	6	7
FEMALE--	133	-	-	-	-	-	2	2	3	1	6	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,946

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
COLORADO -----	26	41	92	198	305	336	302	207	95	22	3	-
WHITE-----MALE----	14	13	50	106	164	185	165	99	38	8	1	-
FEMALE--	11	22	39	84	133	144	131	105	56	14	2	-
ALL OTHER--MALE----	-	3	1	4	6	5	2	-	-	-	-	-
FEMALE--	1	3	2	4	2	2	4	3	1	-	-	-
BLACK---MALE----	-	2	-	3	4	2	2	-	-	-	-	-
FEMALE--	1	3	2	2	2	2	4	2	1	-	-	-
CONNECTICUT -----	24	31	56	126	196	257	252	179	84	34	4	-
WHITE-----MALE----	8	11	25	58	98	119	91	81	25	13	2	-
FEMALE--	14	18	26	63	93	137	157	95	58	21	2	-
ALL OTHER--MALE----	1	2	2	3	4	-	1	2	-	-	-	-
FEMALE--	1	-	3	2	1	1	3	1	1	-	-	-
BLACK---MALE----	1	1	2	3	4	-	1	2	-	-	-	-
FEMALE--	1	-	3	2	1	1	3	1	1	-	-	-
DELAWARE -----	6	9	21	33	54	58	52	39	15	2	-	-
WHITE-----MALE----	3	5	9	10	20	25	22	21	4	-	-	-
FEMALE--	1	4	10	19	28	30	24	17	9	2	-	-
ALL OTHER--MALE----	-	-	1	3	2	2	2	-	-	-	-	-
FEMALE--	2	-	1	1	4	1	4	1	2	-	-	-
BLACK---MALE----	-	-	1	3	2	2	2	-	-	-	-	-
FEMALE--	2	-	1	1	4	1	4	1	2	-	-	-
DISTRICT OF COLUMBIA -----	3	3	9	18	23	22	28	20	9	4	2	-
WHITE-----MALE----	1	-	1	5	2	4	5	5	1	3	-	-
FEMALE--	-	-	-	-	5	7	6	6	3	1	1	-
ALL OTHER--MALE----	2	3	4	8	6	5	8	4	2	-	-	-
FEMALE--	-	-	4	5	10	6	9	5	3	-	1	-
BLACK---MALE----	2	3	4	7	6	5	8	4	2	-	-	-
FEMALE--	-	-	4	5	10	6	9	5	3	-	1	-
FLORIDA -----	105	204	475	820	1,292	1,637	1,609	1,115	541	131	19	4
WHITE-----MALE----	50	99	210	397	626	798	711	470	221	41	5	2
FEMALE--	40	83	210	365	595	766	836	611	302	87	14	1
ALL OTHER--MALE----	5	13	30	40	48	47	39	21	11	-	-	1
FEMALE--	10	9	25	18	23	26	23	13	7	3	-	-
BLACK---MALE----	5	13	29	40	47	42	38	20	11	-	-	1
FEMALE--	10	7	24	16	21	24	23	13	7	3	-	-
GEORGIA -----	68	111	175	304	457	473	438	262	101	21	4	-
WHITE-----MALE----	25	50	77	150	212	247	217	111	34	4	1	-
FEMALE--	26	43	72	103	195	174	173	111	58	16	2	-
ALL OTHER--MALE----	11	9	17	33	32	35	29	22	4	1	1	-
FEMALE--	6	9	9	18	18	17	19	18	5	-	-	-
BLACK---MALE----	11	9	17	31	31	34	29	22	4	1	1	-
FEMALE--	6	8	9	18	18	16	19	18	5	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,947

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	6	6	11	36	25	58	53	33	12	1	1	-
WHITE-----MALE----	-	1	2	6	7	17	9	3	2	1	-	-
FEMALE--	1	1	1	4	2	10	12	12	3	-	-	-
ALL OTHER--MALE----	2	3	6	14	11	20	21	12	5	-	-	-
FEMALE--	3	1	2	12	5	11	11	6	2	-	1	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
IDAHO -----	11	14	38	47	80	124	109	68	20	5	-	-
WHITE-----MALE----	6	3	21	25	54	63	68	37	10	4	-	-
FEMALE--	5	11	16	21	26	61	40	29	10	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	71	135	245	502	672	821	817	536	205	79	14	-
WHITE-----MALE----	29	55	109	240	349	384	397	256	98	22	1	-
FEMALE--	26	48	106	208	259	374	359	258	95	53	13	-
ALL OTHER--MALE----	8	14	12	35	39	39	30	10	5	2	-	-
FEMALE--	8	18	18	19	25	24	31	12	7	2	-	-
BLACK---MALE----	8	13	12	32	38	35	25	10	5	2	-	-
FEMALE--	8	18	18	18	23	20	30	11	7	2	-	-
INDIANA -----	47	96	176	324	512	517	452	305	133	44	6	-
WHITE-----MALE----	21	45	90	162	267	247	237	151	50	13	1	-
FEMALE--	22	49	80	152	230	250	203	145	80	30	5	-
ALL OTHER--MALE----	3	1	3	4	7	9	4	5	1	1	-	-
FEMALE--	1	1	3	6	8	11	8	4	2	-	-	-
BLACK---MALE----	3	1	3	4	7	9	4	5	1	1	-	-
FEMALE--	1	1	3	6	8	11	8	4	2	-	-	-
IOWA -----	18	26	67	127	241	245	264	185	75	24	2	-
WHITE-----MALE----	11	9	33	79	143	136	155	91	35	10	2	-
FEMALE--	7	16	33	48	95	107	109	94	39	14	-	-
ALL OTHER--MALE----	-	-	1	-	2	2	-	-	1	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	2	2	-	-	1	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
KANSAS -----	22	34	86	131	209	266	247	139	79	32	1	-
WHITE-----MALE----	12	14	48	67	113	147	142	70	43	16	1	-
FEMALE--	8	16	29	55	90	114	98	69	36	15	-	-
ALL OTHER--MALE----	-	3	8	8	5	4	4	-	-	1	-	-
FEMALE--	2	1	1	1	1	1	3	-	-	-	-	-
BLACK---MALE----	-	3	5	7	3	3	4	-	-	1	-	-
FEMALE--	2	1	1	1	-	1	3	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,948

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
KENTUCKY -----	1,948	-	-	-	1	3	2	-	2	7	14	20
WHITE-----MALE----	986	-	-	-	-	2	2	-	1	3	4	6
FEMALE--	878	-	-	-	-	1	-	-	1	2	7	13
ALL OTHER--MALE----	44	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	40	-	-	-	1	-	-	-	-	2	3	1
BLACK---MALE----	44	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	39	-	-	-	1	-	-	-	-	2	3	1
LOUISIANA -----	1,477	1	1	1	2	1	1	3	3	4	16	16
WHITE-----MALE----	624	1	-	-	-	1	1	-	2	1	2	4
FEMALE--	577	-	-	-	-	-	-	1	-	1	2	6
ALL OTHER--MALE----	169	-	1	1	2	-	-	-	-	-	5	5
FEMALE--	107	-	-	-	-	-	-	2	1	2	7	1
BLACK---MALE----	165	-	1	-	2	-	-	-	-	-	5	5
FEMALE--	105	-	-	-	-	-	-	2	1	2	7	1
MAINE -----	695	-	-	-	-	-	-	-	-	2	2	4
WHITE-----MALE----	370	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	325	-	-	-	-	-	-	-	-	2	-	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,815	-	1	1	4	1	3	2	8	10	9	16
WHITE-----MALE----	708	-	-	-	3	-	1	-	1	-	4	7
FEMALE--	850	-	-	-	1	-	1	-	2	1	1	2
ALL OTHER--MALE----	146	-	-	-	-	1	1	1	3	5	2	3
FEMALE--	111	-	1	1	-	-	-	1	2	4	2	4
BLACK---MALE----	139	-	-	-	-	1	1	1	3	5	2	2
FEMALE--	108	-	1	1	-	-	-	1	2	4	2	4
MASSACHUSETTS -----	2,437	1	1	1	-	2	3	4	5	4	9	13
WHITE-----MALE----	1,108	-	-	1	-	-	2	1	1	1	5	5
FEMALE--	1,276	1	1	-	-	-	1	2	2	1	4	6
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	28	-	-	-	-	2	-	1	2	1	-	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	25	-	-	-	-	2	-	1	2	1	-	-
MICHIGAN -----	3,634	-	-	1	4	-	2	6	8	13	16	30
WHITE-----MALE----	1,794	-	-	1	2	-	1	2	-	3	5	8
FEMALE--	1,573	-	-	-	-	-	1	2	3	4	7	15
ALL OTHER--MALE----	151	-	-	-	-	-	-	2	1	1	2	-
FEMALE--	116	-	-	-	2	-	-	-	4	5	2	7
BLACK---MALE----	135	-	-	-	-	-	-	2	1	1	2	-
FEMALE--	104	-	-	-	2	-	-	-	4	4	2	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,948

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
KENTUCKY -----	40	69	151	254	364	345	331	218	88	33	6	-
WHITE-----MALE----	21	44	70	124	202	175	164	113	41	13	1	-
FEMALE--	16	23	70	119	141	160	160	99	42	19	5	-
ALL OTHER--MALE----	1	1	7	8	10	6	6	3	2	-	-	-
FEMALE--	2	1	4	3	11	4	1	3	3	1	-	-
BLACK---MALE----	1	1	7	8	10	6	6	3	2	-	-	-
FEMALE--	2	1	4	3	11	4	-	3	3	1	-	-
LOUISIANA -----	29	64	100	174	265	267	256	185	64	21	3	-
WHITE-----MALE----	9	27	44	86	110	127	108	77	17	7	-	-
FEMALE--	9	23	35	58	111	94	102	87	35	12	1	-
ALL OTHER--MALE----	9	8	9	22	31	28	31	14	3	-	-	-
FEMALE--	2	6	12	8	13	18	15	7	9	2	2	-
BLACK---MALE----	9	8	8	22	31	27	30	14	3	-	-	-
FEMALE--	2	6	11	8	13	18	15	7	9	2	1	-
MAINE -----	10	18	32	67	124	146	129	98	49	14	-	-
WHITE-----MALE----	6	8	15	29	74	77	76	47	28	7	-	-
FEMALE--	4	10	17	38	50	69	53	51	21	7	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	30	52	106	209	287	389	328	227	105	24	3	-
WHITE-----MALE----	8	21	40	89	122	157	114	94	39	7	1	-
FEMALE--	15	19	47	82	127	189	182	110	54	16	1	-
ALL OTHER--MALE----	4	6	12	21	25	25	22	10	4	-	1	-
FEMALE--	3	6	7	17	13	18	10	13	8	1	-	-
BLACK---MALE----	3	5	12	19	25	25	21	10	3	-	1	-
FEMALE--	3	6	7	17	13	17	9	13	7	1	-	-
MASSACHUSETTS -----	41	50	102	230	398	491	486	364	166	54	12	-
WHITE-----MALE----	19	25	53	122	192	232	209	150	67	19	4	-
FEMALE--	20	19	48	101	199	250	271	213	95	34	8	-
ALL OTHER--MALE----	-	5	1	5	4	2	3	1	1	-	-	-
FEMALE--	2	1	-	2	3	7	3	-	3	1	-	-
BLACK---MALE----	-	5	1	4	1	1	2	1	-	-	-	-
FEMALE--	2	-	-	2	3	6	2	-	3	1	-	-
MICHIGAN -----	70	106	211	487	634	698	680	425	181	52	10	-
WHITE-----MALE----	30	44	96	251	340	364	341	199	81	23	3	-
FEMALE--	30	49	99	195	249	290	308	198	90	27	6	-
ALL OTHER--MALE----	4	11	7	23	26	32	19	16	5	1	1	-
FEMALE--	6	2	9	18	19	12	12	12	5	1	-	-
BLACK---MALE----	3	8	6	22	22	30	17	15	4	1	1	-
FEMALE--	4	-	8	16	17	12	12	11	4	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,949

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
MINNESOTA -----	1,630	-	-	-	-	2	1	1	2	3	3	8
WHITE-----MALE----	849	-	-	-	-	1	-	-	-	2	-	3
FEMALE--	756	-	-	-	-	-	1	1	1	1	3	4
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	11	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	5	-	-	-	-	1	-	-	-	-	-	-
MISSISSIPPI -----	1,111	3	-	-	1	3	2	2	4	6	5	13
WHITE-----MALE----	540	1	-	-	-	1	1	-	-	2	2	4
FEMALE--	385	1	-	-	-	1	-	-	1	1	1	2
ALL OTHER--MALE----	118	-	-	-	1	1	1	1	2	1	-	2
FEMALE--	68	1	-	-	-	-	-	1	1	2	2	5
BLACK---MALE----	117	-	-	-	1	1	1	1	2	1	-	2
FEMALE--	68	1	-	-	-	-	-	1	1	2	2	5
MISSOURI -----	2,579	1	-	2	2	2	3	1	4	8	8	23
WHITE-----MALE----	1,268	-	-	-	1	1	1	-	2	2	2	9
FEMALE--	1,154	-	-	-	-	-	-	1	-	1	3	10
ALL OTHER--MALE----	90	1	-	-	-	-	2	-	2	4	1	2
FEMALE--	67	-	-	2	1	1	-	-	-	1	2	2
BLACK---MALE----	85	1	-	-	-	-	2	-	1	4	1	2
FEMALE--	63	-	-	2	1	1	-	-	-	1	2	2
MONTANA -----	534	-	-	-	-	-	-	-	-	1	-	5
WHITE-----MALE----	274	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	238	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	792	-	1	-	2	1	3	1	2	-	2	2
WHITE-----MALE----	432	-	-	-	-	1	3	-	2	-	-	1
FEMALE--	331	-	-	-	1	-	-	-	-	-	1	1
ALL OTHER--MALE----	17	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	12	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	15	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	9	-	-	-	1	-	-	-	-	-	-	-
NEVADA -----	868	-	1	1	-	-	-	1	2	4	3	12
WHITE-----MALE----	434	-	-	-	-	-	-	-	1	3	2	11
FEMALE--	395	-	1	-	-	-	-	1	1	-	1	1
ALL OTHER--MALE----	20	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	18	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,949

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
MINNESOTA -----	20	38	85	138	245	346	347	239	114	35	3	-
WHITE-----MALE----	5	20	51	64	138	189	184	121	57	14	-	-
FEMALE--	14	18	31	71	103	153	160	114	57	21	3	-
ALL OTHER--MALE----	-	-	1	1	4	2	3	1	-	-	-	-
FEMALE--	1	-	2	2	-	2	-	3	-	-	-	-
BLACK---MALE----	-	-	1	-	2	1	1	1	-	-	-	-
FEMALE--	-	-	1	2	-	1	-	-	-	-	-	-
MISSISSIPPI -----	16	40	83	143	176	234	179	149	37	14	1	-
WHITE-----MALE----	7	19	32	84	83	119	92	67	18	7	1	-
FEMALE--	3	16	36	44	63	83	57	59	11	6	-	-
ALL OTHER--MALE----	3	4	11	8	18	20	23	16	5	1	-	-
FEMALE--	3	1	4	7	12	12	7	7	3	-	-	-
BLACK---MALE----	3	4	11	8	18	20	23	15	5	1	-	-
FEMALE--	3	1	4	7	12	12	7	7	3	-	-	-
MISSOURI -----	40	94	172	286	471	494	438	322	164	37	7	-
WHITE-----MALE----	16	41	84	149	251	247	221	146	80	14	1	-
FEMALE--	21	41	75	125	197	216	199	160	79	22	4	-
ALL OTHER--MALE----	2	10	6	5	12	20	9	10	2	1	1	-
FEMALE--	1	2	7	7	11	11	9	6	3	-	1	-
BLACK---MALE----	1	10	6	4	12	19	8	10	2	1	1	-
FEMALE--	1	2	6	5	10	11	9	6	3	-	1	-
MONTANA -----	14	28	28	52	74	112	121	77	17	4	1	-
WHITE-----MALE----	3	16	12	30	35	64	61	41	6	3	-	-
FEMALE--	10	12	14	20	36	44	53	35	11	1	1	-
ALL OTHER--MALE----	1	-	1	1	2	1	4	1	-	-	-	-
FEMALE--	-	-	1	1	1	3	3	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	4	24	40	91	114	167	146	124	54	10	4	-
WHITE-----MALE----	1	13	18	52	66	91	82	73	26	2	1	-
FEMALE--	3	8	20	35	43	73	62	48	25	8	3	-
ALL OTHER--MALE----	-	2	1	2	3	1	1	3	2	-	-	-
FEMALE--	-	1	1	2	2	2	1	-	1	-	-	-
BLACK---MALE----	-	2	1	1	3	1	1	2	2	-	-	-
FEMALE--	-	1	1	2	2	2	-	-	-	-	-	-
NEVADA -----	14	49	62	116	155	191	136	85	28	7	1	-
WHITE-----MALE----	9	24	29	63	79	96	69	39	6	3	-	-
FEMALE--	5	22	25	46	66	90	65	45	21	4	1	-
ALL OTHER--MALE----	-	1	4	3	6	1	2	1	1	-	-	-
FEMALE--	-	2	4	4	4	4	-	-	-	-	-	-
BLACK---MALE----	-	1	4	2	5	1	2	1	1	-	-	-
FEMALE--	-	1	3	3	3	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,951

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
OHIO -----	5,182	1	-	5	3	4	7	5	6	9	26	35
WHITE-----MALE----	2,421	-	-	3	2	2	5	1	2	5	11	17
FEMALE--	2,416	-	-	-	1	1	-	-	3	1	6	9
ALL OTHER--MALE----	194	-	-	1	-	1	2	3	1	-	4	4
FEMALE--	151	1	-	1	-	-	-	1	-	3	5	5
BLACK---MALE----	190	-	-	1	-	1	2	2	1	-	4	3
FEMALE--	147	1	-	1	-	-	-	1	-	3	5	5
OKLAHOMA -----	1,728	2	-	-	1	4	1	3	3	2	10	9
WHITE-----MALE----	875	-	-	-	1	3	-	-	2	2	3	5
FEMALE--	747	-	-	-	-	-	-	3	-	-	6	4
ALL OTHER--MALE----	68	1	-	-	-	1	1	-	1	-	1	-
FEMALE--	38	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	30	1	-	-	-	-	1	-	1	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1,639	-	-	1	-	2	-	3	2	3	3	16
WHITE-----MALE----	818	-	-	1	-	1	-	2	-	1	2	7
FEMALE--	793	-	-	-	-	-	-	1	1	2	1	7
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	10	-	-	-	-	1	-	-	-	-	-	2
BLACK---MALE----	10	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	1	-	-	-	-	-	2
PENNSYLVANIA -----	5,329	1	2	3	5	8	7	6	9	16	25	47
WHITE-----MALE----	2,553	-	-	1	2	3	3	2	2	6	10	17
FEMALE--	2,477	-	1	-	1	3	3	1	4	3	10	9
ALL OTHER--MALE----	158	-	1	1	1	2	1	3	2	5	3	7
FEMALE--	141	1	-	1	1	-	-	-	1	2	2	14
BLACK---MALE----	151	-	1	1	1	1	1	3	2	4	3	7
FEMALE--	140	1	-	1	1	-	-	-	1	2	2	14
RHODE ISLAND -----	431	-	-	-	-	-	-	-	-	-	2	6
WHITE-----MALE----	211	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	205	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1,497	1	2	2	1	-	2	3	4	3	11	20
WHITE-----MALE----	684	1	-	-	1	-	-	-	1	-	2	3
FEMALE--	582	-	1	1	-	-	1	1	1	1	2	12
ALL OTHER--MALE----	153	-	1	1	-	-	1	1	1	1	7	3
FEMALE--	78	-	-	-	-	-	-	1	1	1	-	2
BLACK---MALE----	153	-	1	1	-	-	1	1	1	1	7	3
FEMALE--	78	-	-	-	-	-	-	1	1	1	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,951

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
OHIO -----	77	182	280	606	906	1,048	974	610	301	84	13	-
WHITE-----MALE----	30	68	131	300	467	488	455	274	132	26	2	-
FEMALE--	40	94	124	247	388	504	476	304	156	53	9	-
ALL OTHER--MALE----	5	9	11	36	24	30	30	21	9	2	1	-
FEMALE--	2	11	14	23	27	26	13	11	4	3	1	-
BLACK---MALE----	5	9	11	36	23	30	29	21	9	2	1	-
FEMALE--	2	10	13	22	27	26	12	11	4	3	1	-
OKLAHOMA -----	28	68	120	211	323	376	277	187	76	23	3	1
WHITE-----MALE----	16	29	61	118	166	200	147	86	31	4	-	1
FEMALE--	9	32	49	81	139	159	117	87	44	14	3	-
ALL OTHER--MALE----	2	5	7	6	9	11	9	10	1	3	-	-
FEMALE--	1	2	3	6	9	6	4	4	-	2	-	-
BLACK---MALE----	1	2	2	4	5	5	2	3	-	3	-	-
FEMALE--	1	1	3	3	5	2	1	3	-	1	-	-
OREGON -----	23	39	90	182	279	339	339	219	73	23	3	-
WHITE-----MALE----	12	22	42	92	142	168	168	108	39	10	1	-
FEMALE--	10	16	48	86	128	169	169	108	34	11	2	-
ALL OTHER--MALE----	1	1	-	4	6	1	1	1	-	2	-	-
FEMALE--	-	-	-	-	3	1	1	2	-	-	-	-
BLACK---MALE----	-	1	-	2	3	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
PENNSYLVANIA -----	84	138	264	534	892	1,089	1,069	700	330	82	18	-
WHITE-----MALE----	40	66	130	274	456	534	505	329	133	37	3	-
FEMALE--	30	56	114	220	394	517	519	347	187	44	14	-
ALL OTHER--MALE----	7	8	13	22	22	15	29	11	3	1	1	-
FEMALE--	7	8	7	18	20	23	16	13	7	-	-	-
BLACK---MALE----	6	7	13	22	21	15	27	11	3	1	1	-
FEMALE--	7	8	7	18	20	22	16	13	7	-	-	-
RHODE ISLAND -----	5	13	20	34	61	86	98	68	30	7	-	1
WHITE-----MALE----	2	5	11	19	35	45	48	28	11	2	-	-
FEMALE--	1	8	9	13	23	38	49	39	18	4	-	-
ALL OTHER--MALE----	2	-	-	1	2	2	1	-	1	-	-	-
FEMALE--	-	-	-	1	1	1	-	1	-	1	-	1
BLACK---MALE----	2	-	-	1	2	2	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	1	-	-
SOUTH CAROLINA -----	41	67	136	208	273	293	225	146	42	14	3	-
WHITE-----MALE----	15	33	64	103	133	143	102	60	18	5	-	-
FEMALE--	17	19	51	71	108	111	94	65	20	5	1	-
ALL OTHER--MALE----	4	10	15	24	24	26	18	12	3	1	-	-
FEMALE--	5	5	6	10	8	13	11	9	1	3	2	-
BLACK---MALE----	4	10	15	24	24	26	18	12	3	1	-	-
FEMALE--	5	5	6	10	8	13	11	9	1	3	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,952

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
SOUTH DAKOTA -----	336	1	-	-	1	1	-	-	1	-	-	1
WHITE-----MALE----	193	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	129	-	-	-	1	-	-	-	1	-	-	1
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2,468	-	4	1	3	1	1	3	7	9	16	30
WHITE-----MALE----	1,241	-	1	-	2	1	-	-	1	1	3	12
FEMALE--	1,023	-	2	-	-	-	-	2	2	4	10	12
ALL OTHER--MALE----	120	-	1	1	1	-	-	1	1	3	-	4
FEMALE--	84	-	-	-	-	-	1	-	3	1	3	2
BLACK---MALE----	120	-	1	1	1	-	-	1	1	3	-	4
FEMALE--	81	-	-	-	-	-	1	-	3	1	2	2
TEXAS -----	6,702	8	2	3	10	9	6	11	8	17	29	68
WHITE-----MALE----	3,179	3	-	-	3	3	1	5	4	5	14	20
FEMALE--	3,039	2	-	-	4	3	2	2	3	8	12	30
ALL OTHER--MALE----	294	2	2	1	2	2	3	3	1	1	3	12
FEMALE--	190	1	-	2	1	1	-	1	-	3	-	6
BLACK---MALE----	277	2	2	-	2	2	3	3	1	1	3	11
FEMALE--	181	1	-	2	1	1	-	1	-	3	-	5
UTAH -----	442	-	-	-	-	-	-	1	1	-	2	-
WHITE-----MALE----	253	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	185	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	287	1	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	170	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	116	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2,408	1	1	2	2	2	3	2	3	9	11	21
WHITE-----MALE----	1,055	-	1	-	1	-	1	1	1	1	3	5
FEMALE--	1,064	1	-	-	-	-	-	1	1	4	2	6
ALL OTHER--MALE----	163	-	-	-	-	-	1	-	-	2	2	6
FEMALE--	126	-	-	2	1	2	1	-	1	2	4	4
BLACK---MALE----	159	-	-	-	-	-	1	-	-	2	2	5
FEMALE--	123	-	-	2	1	2	1	-	1	2	4	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,952

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
SOUTH DAKOTA -----	4	12	18	26	48	65	69	57	23	8	1	-
WHITE-----MALE----	2	6	6	16	31	43	38	34	12	3	1	-
FEMALE--	1	5	12	8	15	19	29	22	11	4	-	-
ALL OTHER--MALE----	1	-	-	1	2	2	1	1	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	45	110	211	337	433	475	392	250	105	26	9	-
WHITE-----MALE----	17	51	101	182	243	247	199	126	43	9	2	-
FEMALE--	24	49	85	128	160	194	164	118	50	13	6	-
ALL OTHER--MALE----	2	6	13	18	13	23	20	2	9	2	-	-
FEMALE--	2	4	12	9	17	11	9	4	3	2	1	-
BLACK---MALE----	2	6	13	18	13	23	20	2	9	2	-	-
FEMALE--	2	4	11	9	16	11	9	4	3	2	1	-
TEXAS -----	113	226	467	802	1,156	1,289	1,205	791	373	93	16	-
WHITE-----MALE----	49	99	222	414	580	627	586	371	136	33	4	-
FEMALE--	49	97	195	321	497	600	574	370	213	48	9	-
ALL OTHER--MALE----	11	15	25	38	50	39	33	25	16	9	1	-
FEMALE--	4	15	25	29	29	23	12	25	8	3	2	-
BLACK---MALE----	11	14	24	35	50	38	29	23	16	7	-	-
FEMALE--	3	15	25	28	27	22	12	23	7	3	2	-
UTAH -----	6	19	28	48	77	102	68	55	29	6	-	-
WHITE-----MALE----	4	8	18	25	50	57	38	35	13	3	-	-
FEMALE--	2	11	10	22	26	45	30	18	16	3	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	6	7	12	23	54	61	59	32	26	4	-	-
WHITE-----MALE----	5	3	6	15	34	39	31	18	16	2	-	-
FEMALE--	1	4	6	8	19	22	28	14	10	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	44	64	157	280	432	518	413	280	120	33	10	-
WHITE-----MALE----	20	30	63	128	199	247	191	118	31	11	3	-
FEMALE--	14	19	69	124	196	217	179	135	71	19	6	-
ALL OTHER--MALE----	4	9	14	17	21	36	29	13	8	-	1	-
FEMALE--	6	6	11	11	16	18	14	14	10	3	-	-
BLACK---MALE----	4	9	14	16	20	35	29	13	8	-	1	-
FEMALE--	6	6	10	11	16	17	13	14	10	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,954

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)												
0 UNITED STATES --	26,007	46	40	49	77	89	97	146	176	247	372	494
WHITE-----MALE----	11,527	18	9	11	22	40	36	36	51	58	108	149
FEMALE--	11,796	10	8	8	17	10	26	43	46	84	138	190
ALL OTHER--MALE----	1,416	13	17	19	18	24	26	38	46	53	44	64
FEMALE--	1,268	5	6	11	20	15	9	29	33	52	82	91
BLACK---MALE----	1,168	11	17	16	17	18	24	34	41	48	39	57
FEMALE--	1,075	4	4	11	19	14	8	28	32	47	72	81
ALABAMA -----	370	1	2	1	2	-	2	-	2	4	10	7
WHITE-----MALE----	153	-	-	-	-	-	1	-	1	-	2	2
FEMALE--	145	-	-	-	-	-	-	-	-	4	3	2
ALL OTHER--MALE----	42	1	2	1	-	-	1	-	1	-	1	1
FEMALE--	30	-	-	-	2	-	-	-	-	-	4	2
BLACK---MALE----	40	1	2	1	-	-	1	-	1	-	1	1
FEMALE--	30	-	-	-	2	-	-	-	-	-	4	2
ALASKA -----	26	-	-	-	1	-	-	-	1	-	2	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	611	3	-	2	1	2	1	-	2	3	7	5
WHITE-----MALE----	322	2	-	1	1	-	-	-	-	1	4	3
FEMALE--	267	-	-	1	-	-	-	-	1	2	3	2
ALL OTHER--MALE----	14	1	-	-	-	2	1	-	1	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	379	3	-	-	3	1	-	5	3	1	1	8
WHITE-----MALE----	167	2	-	-	-	1	-	1	1	-	-	2
FEMALE--	171	-	-	-	1	-	-	3	-	-	1	1
ALL OTHER--MALE----	22	1	-	-	1	-	-	1	1	1	-	2
FEMALE--	19	-	-	-	1	-	-	-	1	-	-	3
BLACK---MALE----	21	1	-	-	1	-	-	-	1	1	-	2
FEMALE--	18	-	-	-	1	-	-	-	1	-	-	3
CALIFORNIA -----	2,963	1	3	6	4	10	16	19	17	35	43	64
WHITE-----MALE----	1,188	1	2	1	-	5	4	7	5	11	16	19
FEMALE--	1,399	-	-	-	1	1	6	7	4	13	16	21
ALL OTHER--MALE----	193	-	1	5	1	3	3	4	5	6	3	9
FEMALE--	183	-	-	-	2	1	3	1	3	5	8	15
BLACK---MALE----	96	-	1	5	1	1	2	2	2	5	2	7
FEMALE--	96	-	-	-	1	1	2	1	3	3	6	11

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,954

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)												
0 UNITED STATES --	696	1,076	1,883	3,174	4,435	4,836	4,091	2,588	1,041	296	56	2
WHITE-----MALE----	239	442	808	1,496	2,194	2,333	1,859	1,135	384	87	11	1
FEMALE--	298	454	835	1,380	1,901	2,203	2,002	1,310	599	195	38	1
ALL OTHER--MALE----	74	96	111	162	198	164	132	75	29	9	4	-
FEMALE--	85	84	129	136	142	136	98	68	29	5	3	-
BLACK---MALE----	61	76	94	130	158	131	104	62	22	4	4	-
FEMALE--	76	74	110	111	118	111	74	53	20	5	3	-
ALABAMA -----	11	21	32	44	63	71	51	30	12	3	1	-
WHITE-----MALE----	2	6	12	21	27	39	23	13	3	1	-	-
FEMALE--	3	7	15	18	20	27	21	15	8	2	-	-
ALL OTHER--MALE----	2	4	3	5	10	3	4	2	-	-	1	-
FEMALE--	4	4	2	-	6	2	3	-	1	-	-	-
BLACK---MALE----	2	3	2	5	10	3	4	2	-	-	1	-
FEMALE--	4	4	2	-	6	2	3	-	1	-	-	-
ALASKA -----	-	1	2	6	3	3	4	2	-	-	-	-
WHITE-----MALE----	-	-	-	3	1	1	1	1	-	-	-	-
FEMALE--	-	-	2	2	1	2	3	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	16	31	40	73	120	119	111	52	16	5	2	-
WHITE-----MALE----	10	17	15	41	72	57	56	30	11	1	-	-
FEMALE--	4	11	23	29	45	62	51	22	5	4	2	-
ALL OTHER--MALE----	1	2	2	1	1	-	2	-	-	-	-	-
FEMALE--	1	1	-	2	2	-	2	-	-	-	-	-
BLACK---MALE----	1	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	2	1	-	2	-	-	-	-	-
ARKANSAS -----	13	20	35	43	59	63	67	34	16	4	-	-
WHITE-----MALE----	4	10	15	15	33	25	32	19	5	2	-	-
FEMALE--	7	7	16	25	24	31	29	13	11	2	-	-
ALL OTHER--MALE----	-	-	2	2	1	4	4	2	-	-	-	-
FEMALE--	2	3	2	1	1	3	2	-	-	-	-	-
BLACK---MALE----	-	-	2	2	1	4	4	2	-	-	-	-
FEMALE--	2	2	2	1	1	3	2	-	-	-	-	-
CALIFORNIA -----	65	104	196	371	480	569	468	332	118	36	5	1
WHITE-----MALE----	22	40	80	147	212	242	198	128	37	8	2	1
FEMALE--	27	45	87	178	217	268	235	179	67	24	3	-
ALL OTHER--MALE----	10	9	14	20	33	32	16	11	5	3	-	-
FEMALE--	6	10	15	26	18	27	19	14	9	1	-	-
BLACK---MALE----	6	5	8	5	13	15	9	4	3	-	-	-
FEMALE--	4	7	7	14	9	13	3	7	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,955

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)												
COLORADO -----	359	-	2	-	-	1	1	4	1	-	6	8
WHITE-----MALE----	191	-	-	-	-	1	-	3	-	-	3	7
FEMALE--	151	-	-	-	-	-	1	1	1	-	2	1
ALL OTHER--MALE----	7	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	300	-	1	-	-	-	-	2	2	3	3	5
WHITE-----MALE----	121	-	1	-	-	-	-	1	1	1	-	1
FEMALE--	163	-	-	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	6	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	2	1
DELAWARE -----	76	-	-	-	-	-	-	1	-	2	-	3
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	42	-	-	-	-	-	-	1	-	1	-	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	51	-	2	-	2	1	1	-	1	4	2	2
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	-	1	-	-	1	1	-	1	2	1	-
FEMALE--	18	-	1	-	2	-	-	-	-	2	1	2
BLACK---MALE----	16	-	1	-	-	1	1	-	1	2	1	-
FEMALE--	18	-	1	-	2	-	-	-	-	2	1	2
FLORIDA -----	1,867	3	1	2	2	4	5	4	8	11	14	29
WHITE-----MALE----	813	1	-	1	-	1	1	1	4	2	6	7
FEMALE--	920	1	-	-	2	-	3	-	3	4	3	11
ALL OTHER--MALE----	75	1	1	-	-	3	1	2	-	-	2	4
FEMALE--	59	-	-	1	-	-	-	1	1	5	3	7
BLACK---MALE----	71	1	1	-	-	3	1	2	-	-	2	4
FEMALE--	56	-	-	1	-	-	-	1	1	5	3	7
GEORGIA -----	703	1	2	1	2	3	4	5	9	7	16	15
WHITE-----MALE----	321	-	-	-	-	2	-	1	1	1	4	7
FEMALE--	272	1	-	-	-	-	1	1	2	2	4	4
ALL OTHER--MALE----	64	-	2	1	2	1	1	1	3	2	3	3
FEMALE--	46	-	-	-	-	-	2	2	3	2	5	1
BLACK---MALE----	63	-	2	1	2	1	1	1	3	2	3	3
FEMALE--	44	-	-	-	-	-	2	2	3	1	5	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,955

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)												
COLORADO -----	7	11	27	56	60	73	62	27	10	3	-	-
WHITE-----MALE----	3	4	18	31	28	47	28	12	4	2	-	-
FEMALE--	3	5	8	23	29	24	34	13	5	1	-	-
ALL OTHER--MALE----	-	-	1	1	3	1	-	-	-	-	-	-
FEMALE--	1	2	-	1	-	1	-	2	1	-	-	-
BLACK---MALE----	-	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	1	-	1	1	-	-	-
CONNECTICUT -----	14	11	20	18	43	67	57	31	17	6	-	-
WHITE-----MALE----	6	2	9	6	22	30	21	15	4	1	-	-
FEMALE--	7	8	9	11	19	37	33	16	13	5	-	-
ALL OTHER--MALE----	1	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	2	-	-	-	-	-
BLACK---MALE----	1	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	2	-	-	-	-	-
DELAWARE -----	2	1	5	12	17	13	13	6	1	-	-	-
WHITE-----MALE----	-	-	2	5	5	4	5	4	-	-	-	-
FEMALE--	-	1	2	7	10	7	7	2	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	2	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	2	1	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	2	4	5	7	3	9	3	1	1	-	-
WHITE-----MALE----	1	-	1	1	-	1	2	-	-	1	-	-
FEMALE--	-	-	-	-	3	1	4	1	1	-	-	-
ALL OTHER--MALE----	-	2	1	2	1	1	1	1	-	-	-	-
FEMALE--	-	-	2	2	3	-	2	1	-	-	-	-
BLACK---MALE----	-	2	1	2	1	1	1	1	-	-	-	-
FEMALE--	-	-	2	2	3	-	2	1	-	-	-	-
FLORIDA -----	33	54	155	231	313	374	313	206	85	19	-	1
WHITE-----MALE----	13	20	64	98	150	168	148	86	37	5	-	-
FEMALE--	12	25	73	112	149	195	153	114	45	14	-	1
ALL OTHER--MALE----	4	4	9	14	12	7	6	3	2	-	-	-
FEMALE--	4	5	9	7	2	4	6	3	1	-	-	-
BLACK---MALE----	4	4	8	14	12	4	6	3	2	-	-	-
FEMALE--	4	4	9	6	1	4	6	3	1	-	-	-
GEORGIA -----	27	38	62	95	127	118	96	55	14	4	2	-
WHITE-----MALE----	8	20	31	44	63	66	47	22	4	-	-	-
FEMALE--	10	14	22	34	54	45	40	24	9	4	1	-
ALL OTHER--MALE----	5	-	6	11	4	4	7	6	1	-	1	-
FEMALE--	4	4	3	6	6	3	2	3	-	-	-	-
BLACK---MALE----	5	-	6	10	4	4	7	6	1	-	1	-
FEMALE--	4	3	3	6	6	3	2	3	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,956

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)												
HAWAII -----	4	3	5	16	8	13	13	5	2	-	-	-
WHITE-----MALE----	-	-	-	1	3	4	1	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	3	4	-	-	-	-
ALL OTHER--MALE----	1	2	3	9	2	4	4	-	1	-	-	-
FEMALE--	3	-	2	6	3	4	5	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	5	5	12	10	18	29	23	14	3	-	-	-
WHITE-----MALE----	2	1	6	5	13	12	15	4	2	-	-	-
FEMALE--	3	4	6	5	5	17	8	9	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	35	51	84	154	184	223	201	131	47	17	2	-
WHITE-----MALE----	13	18	37	61	91	114	98	61	20	5	-	-
FEMALE--	14	23	38	74	75	88	90	63	26	12	2	-
ALL OTHER--MALE----	3	4	-	11	8	11	4	3	-	-	-	-
FEMALE--	5	6	9	8	10	10	9	4	1	-	-	-
BLACK---MALE----	3	4	-	10	8	9	4	3	-	-	-	-
FEMALE--	5	6	9	7	9	8	9	4	1	-	-	-
INDIANA -----	11	30	43	77	118	96	87	53	29	13	3	-
WHITE-----MALE----	5	14	27	37	61	41	43	24	7	3	1	-
FEMALE--	5	15	14	38	52	50	41	26	22	9	2	-
ALL OTHER--MALE----	-	-	1	1	1	2	-	2	-	1	-	-
FEMALE--	1	1	1	1	4	3	3	1	-	-	-	-
BLACK---MALE----	-	-	1	1	1	2	-	2	-	1	-	-
FEMALE--	1	1	1	1	4	3	3	1	-	-	-	-
IOWA -----	7	9	15	30	44	37	41	27	19	4	-	-
WHITE-----MALE----	4	4	4	18	23	22	21	12	9	2	-	-
FEMALE--	3	4	11	12	21	15	20	15	10	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
KANSAS -----	4	8	31	38	46	52	40	18	14	4	1	-
WHITE-----MALE----	1	4	14	18	26	24	16	7	6	1	1	-
FEMALE--	1	4	12	16	18	26	22	11	8	3	-	-
ALL OTHER--MALE----	-	-	4	4	2	2	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	2	4	2	2	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,957

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	377	-	-	-	1	2	2	-	2	4	7	8
WHITE-----MALE----	189	-	-	-	-	1	2	-	1	1	2	2
FEMALE--	173	-	-	-	-	1	-	-	1	1	4	5
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	1	-	-	-	-	2	1	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	1	-	-	-	-	2	1	1
LOUISIANA -----	398	-	1	1	2	1	-	3	3	4	12	8
WHITE-----MALE----	159	1	-	-	-	1	-	-	2	1	1	2
FEMALE--	134	-	-	-	-	-	-	1	-	1	1	2
ALL OTHER--MALE----	59	-	1	1	2	-	-	-	-	-	4	3
FEMALE--	46	-	-	-	-	-	-	2	1	2	6	1
BLACK---MALE----	57	-	1	-	2	-	-	-	-	-	4	3
FEMALE--	45	-	-	-	-	-	-	2	1	2	6	1
MAINE -----	138	-	-	-	-	-	-	-	-	2	-	2
WHITE-----MALE----	70	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	68	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	386	-	1	1	4	1	2	2	6	9	6	7
WHITE-----MALE----	150	-	-	-	3	-	-	-	1	-	2	2
FEMALE--	162	-	-	-	1	-	1	-	1	1	1	2
ALL OTHER--MALE----	45	-	-	-	-	1	1	1	3	5	2	2
FEMALE--	29	-	1	1	-	-	-	1	1	3	1	1
BLACK---MALE----	41	-	-	-	-	1	1	1	3	5	2	1
FEMALE--	28	-	1	1	-	-	-	1	1	3	1	1
MASSACHUSETTS -----	596	1	1	1	-	2	3	4	4	3	7	5
WHITE-----MALE----	245	-	-	1	-	-	2	1	1	1	3	1
FEMALE--	326	1	1	-	-	-	1	2	2	-	4	3
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	15	-	-	-	-	2	-	1	1	1	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	15	-	-	-	-	2	-	1	1	1	-	-
MICHIGAN -----	1,040	-	-	1	3	-	1	5	7	9	7	19
WHITE-----MALE----	498	-	-	1	2	-	-	1	-	-	1	5
FEMALE--	458	-	-	-	-	-	1	2	3	3	4	9
ALL OTHER--MALE----	44	-	-	-	-	-	-	2	1	1	1	-
FEMALE--	40	-	-	-	1	-	-	-	3	5	1	5
BLACK---MALE----	37	-	-	-	-	-	-	2	1	1	1	-
FEMALE--	34	-	-	-	1	-	-	-	3	4	1	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,957

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)												
KENTUCKY -----	12	16	32	50	75	57	60	31	11	5	2	-
WHITE-----MALE----	7	12	14	28	51	22	30	13	3	-	-	-
FEMALE--	3	4	14	22	22	34	30	17	8	5	2	-
ALL OTHER--MALE----	-	-	3	-	1	1	-	1	-	-	-	-
FEMALE--	2	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	3	-	1	1	-	1	-	-	-	-
FEMALE--	2	-	1	-	1	-	-	-	-	-	-	-
LOUISIANA -----	12	24	28	50	79	61	53	36	14	4	1	-
WHITE-----MALE----	3	12	11	25	31	31	21	13	3	1	-	-
FEMALE--	4	4	7	15	33	22	18	15	7	3	1	-
ALL OTHER--MALE----	3	4	4	7	10	2	11	6	1	-	-	-
FEMALE--	2	4	6	3	5	6	3	2	3	-	-	-
BLACK---MALE----	3	4	4	7	10	2	10	6	1	-	-	-
FEMALE--	2	4	5	3	5	6	3	2	3	-	-	-
MAINE -----	1	8	3	16	25	32	13	22	12	2	-	-
WHITE-----MALE----	1	3	1	4	15	16	7	11	10	1	-	-
FEMALE--	-	5	2	12	10	16	6	11	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	18	30	59	54	73	47	43	16	2	1	-
WHITE-----MALE----	1	6	12	28	23	36	14	13	9	-	-	-
FEMALE--	2	8	12	22	23	24	28	27	7	2	-	-
ALL OTHER--MALE----	1	3	3	4	7	5	4	2	-	-	1	-
FEMALE--	-	1	3	5	1	8	1	1	-	-	-	-
BLACK---MALE----	-	2	3	4	7	5	3	2	-	-	1	-
FEMALE--	-	1	3	5	1	7	1	1	-	-	-	-
MASSACHUSETTS -----	17	12	31	58	106	125	100	76	29	7	4	-
WHITE-----MALE----	9	6	14	33	44	55	36	27	9	1	1	-
FEMALE--	6	4	16	24	58	67	63	48	17	6	3	-
ALL OTHER--MALE----	-	2	1	1	2	1	-	1	-	-	-	-
FEMALE--	2	-	-	-	2	2	1	-	3	-	-	-
BLACK---MALE----	-	2	1	1	1	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	2	2	1	-	3	-	-	-
MICHIGAN -----	25	36	72	158	194	180	171	100	38	14	-	-
WHITE-----MALE----	10	15	33	78	103	98	84	45	16	6	-	-
FEMALE--	9	17	36	69	78	72	79	49	19	8	-	-
ALL OTHER--MALE----	1	4	1	5	10	7	6	4	1	-	-	-
FEMALE--	5	-	2	6	3	3	2	2	2	-	-	-
BLACK---MALE----	1	2	1	5	8	7	5	3	-	-	-	-
FEMALE--	3	-	2	5	2	3	2	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,960

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)												
OHIO -----	1,132	1	-	5	2	4	7	5	6	7	16	15
WHITE-----MALE----	522	-	-	3	1	2	5	1	2	3	6	5
FEMALE--	512	-	-	-	1	1	-	-	3	1	5	5
ALL OTHER--MALE----	46	-	-	1	-	1	2	3	1	-	1	1
FEMALE--	52	1	-	1	-	-	-	1	-	3	4	4
BLACK---MALE----	45	-	-	1	-	1	2	2	1	-	1	1
FEMALE--	51	1	-	1	-	-	-	1	-	3	4	4
OKLAHOMA -----	320	2	-	-	1	4	1	3	3	2	7	3
WHITE-----MALE----	149	-	-	-	1	3	-	-	2	2	2	2
FEMALE--	141	-	-	-	-	-	-	3	-	-	4	1
ALL OTHER--MALE----	17	1	-	-	-	1	1	-	1	-	1	-
FEMALE--	13	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	1	-	-	-	-	1	-	1	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	480	-	-	1	-	2	-	2	1	3	3	11
WHITE-----MALE----	235	-	-	1	-	1	-	1	-	1	2	6
FEMALE--	234	-	-	-	-	-	-	1	-	2	1	4
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	1
PENNSYLVANIA -----	1,162	-	2	3	5	8	6	6	8	11	15	24
WHITE-----MALE----	532	-	-	1	2	3	3	2	2	3	4	5
FEMALE--	539	-	1	-	1	3	2	1	4	3	9	6
ALL OTHER--MALE----	47	-	1	1	1	2	1	3	1	3	1	5
FEMALE--	44	-	-	1	1	-	-	-	1	2	1	8
BLACK---MALE----	43	-	1	1	1	1	1	3	1	2	1	5
FEMALE--	43	-	-	1	1	-	-	-	1	2	1	8
RHODE ISLAND -----	72	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	32	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	37	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	376	1	1	2	1	-	2	3	4	2	6	11
WHITE-----MALE----	138	1	-	-	1	-	-	-	1	-	-	1
FEMALE--	155	-	1	1	-	-	1	1	1	1	1	7
ALL OTHER--MALE----	48	-	-	1	-	-	1	1	1	-	5	1
FEMALE--	35	-	-	-	-	-	-	1	1	1	-	2
BLACK---MALE----	48	-	-	1	-	-	1	1	1	-	5	1
FEMALE--	35	-	-	-	-	-	-	1	1	1	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,960

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)												
OHIO -----	28	62	72	146	202	223	166	107	39	18	1	-
WHITE-----MALE----	11	22	32	76	101	107	73	56	13	3	-	-
FEMALE--	15	31	32	56	90	102	85	45	24	15	1	-
ALL OTHER--MALE----	1	1	4	5	4	7	6	6	2	-	-	-
FEMALE--	1	8	4	9	7	7	2	-	-	-	-	-
BLACK---MALE----	1	1	4	5	4	7	6	6	2	-	-	-
FEMALE--	1	7	4	9	7	7	2	-	-	-	-	-
OKLAHOMA -----	10	14	21	34	58	52	56	32	11	6	-	-
WHITE-----MALE----	5	4	10	19	32	22	23	16	6	-	-	-
FEMALE--	3	8	9	12	19	29	29	14	5	5	-	-
ALL OTHER--MALE----	2	1	-	2	3	-	3	1	-	-	-	-
FEMALE--	-	1	2	1	4	1	1	1	-	1	-	-
BLACK---MALE----	1	1	-	1	2	-	1	-	-	-	-	-
FEMALE--	-	1	2	1	2	1	-	-	-	1	-	-
OREGON -----	11	15	30	57	83	95	83	52	18	11	2	-
WHITE-----MALE----	4	8	14	25	44	51	38	23	9	6	1	-
FEMALE--	6	7	16	30	37	42	45	29	9	4	1	-
ALL OTHER--MALE----	1	-	-	2	2	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	35	34	66	107	229	209	198	120	64	11	1	-
WHITE-----MALE----	12	21	28	55	119	102	90	56	19	5	-	-
FEMALE--	16	10	32	45	101	100	100	56	42	6	1	-
ALL OTHER--MALE----	2	2	3	4	5	2	5	4	1	-	-	-
FEMALE--	5	1	3	3	4	5	3	4	2	-	-	-
BLACK---MALE----	2	1	3	4	4	2	5	4	1	-	-	-
FEMALE--	5	1	3	3	4	4	3	4	2	-	-	-
RHODE ISLAND -----	2	3	5	10	12	9	14	10	4	1	-	-
WHITE-----MALE----	1	1	2	5	7	4	7	4	-	-	-	-
FEMALE--	-	2	3	4	4	5	7	6	4	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	15	21	38	57	58	63	55	25	8	2	1	-
WHITE-----MALE----	4	6	14	28	22	25	25	7	3	-	-	-
FEMALE--	5	5	15	20	25	28	24	14	4	1	-	-
ALL OTHER--MALE----	2	6	5	4	8	9	3	1	-	-	-	-
FEMALE--	4	4	4	5	3	1	3	3	1	1	1	-
BLACK---MALE----	2	6	5	4	8	9	3	1	-	-	-	-
FEMALE--	4	4	4	5	3	1	3	3	1	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,961

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)												
SOUTH DAKOTA -----	92	1	-	-	1	1	-	-	1	-	-	-
WHITE-----MALE----	44	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	44	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	554	-	4	1	3	1	1	2	7	6	10	14
WHITE-----MALE----	261	-	1	-	2	1	-	-	1	1	2	7
FEMALE--	234	-	2	-	-	-	-	1	2	3	6	4
ALL OTHER--MALE----	35	-	1	1	1	-	-	1	1	2	-	3
FEMALE--	24	-	-	-	-	-	1	-	3	-	2	-
BLACK---MALE----	35	-	1	1	1	-	-	1	1	2	-	3
FEMALE--	21	-	-	-	-	-	1	-	3	-	1	-
TEXAS -----	1,735	8	2	3	10	8	6	10	7	14	16	32
WHITE-----MALE----	781	3	-	-	3	3	1	4	4	2	6	8
FEMALE--	795	2	-	-	4	2	2	2	2	8	10	13
ALL OTHER--MALE----	80	2	2	1	2	2	3	3	1	1	-	5
FEMALE--	79	1	-	2	1	1	-	1	-	3	-	6
BLACK---MALE----	73	2	2	-	2	2	3	3	1	1	-	4
FEMALE--	72	1	-	2	1	1	-	1	-	3	-	5
UTAH -----	133	-	-	-	-	-	-	1	1	-	1	-
WHITE-----MALE----	75	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	57	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	44	1	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	28	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	584	1	1	2	2	2	3	2	2	7	8	14
WHITE-----MALE----	230	-	1	-	1	-	1	1	-	1	1	2
FEMALE--	264	1	-	-	-	-	-	1	1	2	1	5
ALL OTHER--MALE----	42	-	-	-	-	-	1	-	-	2	2	4
FEMALE--	48	-	-	2	1	2	1	-	1	2	4	3
BLACK---MALE----	41	-	-	-	-	-	1	-	-	2	2	3
FEMALE--	48	-	-	2	1	2	1	-	1	2	4	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,961

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)												
SOUTH DAKOTA -----	2	8	6	6	9	21	12	13	7	4	-	-
WHITE-----MALE----	-	3	1	4	4	15	7	4	4	1	-	-
FEMALE--	1	5	5	2	4	6	5	8	3	3	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	15	28	48	94	97	94	71	40	13	2	3	-
WHITE-----MALE----	6	11	18	49	59	48	33	17	5	-	-	-
FEMALE--	6	16	20	35	30	40	36	23	7	1	2	-
ALL OTHER--MALE----	1	1	4	7	3	5	2	-	1	1	-	-
FEMALE--	2	-	6	3	5	1	-	-	-	-	1	-
BLACK---MALE----	1	1	4	7	3	5	2	-	1	1	-	-
FEMALE--	2	-	5	3	4	1	-	-	-	-	1	-
TEXAS -----	49	68	122	227	322	300	268	167	75	17	4	-
WHITE-----MALE----	18	29	58	111	154	150	123	76	21	6	1	-
FEMALE--	21	29	49	98	151	130	134	80	49	7	2	-
ALL OTHER--MALE----	6	6	6	7	8	10	5	3	4	3	-	-
FEMALE--	4	4	9	11	9	10	6	8	1	1	1	-
BLACK---MALE----	6	6	6	7	8	9	3	2	4	2	-	-
FEMALE--	3	4	9	10	8	9	6	7	-	1	1	-
UTAH -----	2	9	9	7	23	33	20	15	11	1	-	-
WHITE-----MALE----	1	4	5	4	16	16	13	10	4	1	-	-
FEMALE--	1	5	4	2	7	17	7	5	7	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	1	2	5	15	6	4	5	1	1	-	-
WHITE-----MALE----	1	1	-	3	10	4	4	4	-	-	-	-
FEMALE--	1	-	2	2	5	2	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	14	20	48	61	94	117	89	58	21	13	5	-
WHITE-----MALE----	5	7	13	28	44	56	44	18	5	2	-	-
FEMALE--	4	6	24	29	43	46	37	36	14	10	4	-
ALL OTHER--MALE----	1	4	4	1	5	9	5	2	1	-	1	-
FEMALE--	4	3	7	3	2	6	3	2	1	1	-	-
BLACK---MALE----	1	4	4	1	5	9	5	2	1	-	1	-
FEMALE--	4	3	7	3	2	6	3	2	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,963

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)												
0 UNITED STATES --	11	4	5	16	46	68	89	103	91	47	17	-
WHITE-----MALE----	1	2	2	4	21	28	37	34	24	8	2	-
FEMALE--	7	1	2	6	20	36	45	64	60	35	15	-
ALL OTHER--MALE----	2	1	-	4	2	1	4	3	2	3	-	-
FEMALE--	1	-	1	2	3	3	3	2	5	1	-	-
BLACK---MALE----	1	1	-	3	2	1	3	3	2	-	-	-
FEMALE--	-	-	1	1	2	2	3	1	3	1	-	-
ALABAMA -----	-	-	-	1	1	2	2	6	4	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	2	1	-	-	-
FEMALE--	-	-	-	1	1	2	-	3	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	2	1	-	1	1	-	1	-
WHITE-----MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	1	-	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3	-	1	4	5	6	10	12	10	6	1	-
WHITE-----MALE----	-	-	-	2	2	3	7	5	2	-	1	-
FEMALE--	2	-	-	-	3	3	3	6	4	4	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	2	-	-
FEMALE--	-	-	1	2	-	-	-	1	3	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,969

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)												
OHIO -----	1	-	1	1	3	5	4	6	5	3	1	-
WHITE-----MALE----	-	-	1	-	3	3	-	3	1	-	-	-
FEMALE--	1	-	-	1	-	2	4	3	3	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	1	-	2	1	-	3	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	1	2	2	1	2	3	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	2	1	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	-	2	5	7	4	6	1	1	-
WHITE-----MALE----	-	-	-	-	-	2	3	-	1	-	-	-
FEMALE--	-	-	-	-	1	3	4	4	5	1	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	-	-	1	1	1	2	2	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,970

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)												
SOUTH DAKOTA -----	-	-	1	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	-	-	2	-	2	3	1	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	1	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	-	-	-	2	2	7	6	5	-	2	-
WHITE-----MALE----	-	-	-	-	-	1	2	2	2	-	-	-
FEMALE--	-	-	-	-	2	1	4	4	3	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	-	-	2	4	3	4	4	3	2	-
WHITE-----MALE----	1	-	-	-	1	3	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	3	4	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,972

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC BRONCHITIS (491)												
0 UNITED STATES --	58	80	155	262	396	455	434	324	173	61	12	-
WHITE-----MALE----	27	34	68	117	184	223	199	149	79	22	3	-
FEMALE--	26	37	75	123	178	208	205	164	86	37	5	-
ALL OTHER--MALE----	1	3	3	14	22	12	20	4	5	-	2	-
FEMALE--	4	6	9	8	12	12	10	7	3	2	2	-
BLACK---MALE----	1	3	2	10	16	10	14	3	5	-	2	-
FEMALE--	3	5	8	6	11	11	6	6	1	2	2	-
ALABAMA -----	1	3	4	1	4	4	9	2	1	1	-	-
WHITE-----MALE----	-	3	3	1	1	2	6	1	-	1	-	-
FEMALE--	1	-	1	-	-	2	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	2	1	3	7	10	7	7	1	2	-	-
WHITE-----MALE----	1	-	-	1	2	4	4	4	-	1	-	-
FEMALE--	-	2	1	2	5	6	3	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	4	3	3	7	9	9	7	2	-	-	-
WHITE-----MALE----	-	2	1	1	2	5	3	2	2	-	-	-
FEMALE--	3	-	2	2	5	3	5	5	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
CALIFORNIA -----	8	9	19	36	51	51	60	40	23	11	-	-
WHITE-----MALE----	5	6	9	20	22	17	23	17	8	4	-	-
FEMALE--	1	3	10	12	27	28	31	23	12	6	-	-
ALL OTHER--MALE----	-	-	-	2	2	3	3	-	1	-	-	-
FEMALE--	2	-	-	2	-	3	3	-	2	1	-	-
BLACK---MALE----	-	-	-	1	-	2	3	-	1	-	-	-
FEMALE--	1	-	-	-	-	2	-	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,973

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC BRONCHITIS (491)												
COLORADO -----	-	-	1	5	10	8	7	5	-	1	-	-
WHITE-----MALE----	-	-	1	3	5	6	4	2	-	1	-	-
FEMALE--	-	-	-	2	4	2	3	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	1	2	-	3	3	5	4	-	-	-	-
WHITE-----MALE----	-	-	2	-	3	2	2	2	-	-	-	-
FEMALE--	1	1	-	-	-	1	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	1	1	3	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
FLORIDA -----	4	4	12	27	19	51	34	31	15	5	-	-
WHITE-----MALE----	2	-	3	7	6	29	14	13	7	2	-	-
FEMALE--	2	4	8	17	12	20	20	18	6	3	-	-
ALL OTHER--MALE----	-	-	-	3	1	1	-	-	2	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	3	1	-	-	-	2	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
GEORGIA -----	1	2	5	7	12	7	7	6	-	2	1	-
WHITE-----MALE----	-	2	-	4	3	5	3	3	-	-	-	-
FEMALE--	1	-	5	2	7	2	3	3	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	1	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	1	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,978

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC BRONCHITIS (491)												
OHIO -----	3	5	9	14	18	26	18	14	7	4	-	-
WHITE-----MALE----	-	2	1	5	9	11	8	8	4	-	-	-
FEMALE--	3	2	6	7	8	13	8	6	3	4	-	-
ALL OTHER--MALE----	-	1	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	2	2	1	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	2	2	1	-	1	-	-	-	-	-
OKLAHOMA -----	-	3	-	1	5	4	5	4	4	-	-	-
WHITE-----MALE----	-	2	-	-	3	1	3	1	3	-	-	-
FEMALE--	-	1	-	1	2	3	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	2	1	6	5	7	8	4	4	1	1	-
WHITE-----MALE----	-	1	-	3	3	3	5	1	-	1	1	-
FEMALE--	-	1	1	3	2	4	3	3	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	1	7	4	19	16	14	17	10	1	-	-
WHITE-----MALE----	-	-	3	4	10	6	7	7	4	1	-	-
FEMALE--	1	1	4	-	9	10	7	8	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
RHODE ISLAND -----	-	-	1	-	-	-	3	-	1	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	1	4	7	5	6	3	1	1	-	-
WHITE-----MALE----	-	1	-	1	3	2	1	1	-	-	-	-
FEMALE--	-	-	1	2	2	2	4	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,979

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC BRONCHITIS (491)												
SOUTH DAKOTA -----	-	-	1	-	1	-	1	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	4	6	6	9	5	6	3	2	-	1	-
WHITE-----MALE----	2	2	4	2	7	3	2	-	-	-	-	-
FEMALE--	1	2	2	4	2	2	4	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
TEXAS -----	5	8	7	28	22	24	29	24	17	6	2	-
WHITE-----MALE----	2	4	3	12	11	13	11	15	9	2	1	-
FEMALE--	3	4	1	16	10	11	16	8	8	4	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	-	1	-	-	1	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	-	1	-	-	1	-
UTAH -----	-	2	1	-	1	2	2	-	2	-	-	-
WHITE-----MALE----	-	1	-	-	1	2	2	-	2	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	1	2	1	2	2	-	1	-	-
WHITE-----MALE----	1	-	-	1	1	1	2	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	3	4	10	8	17	5	4	3	1	-
WHITE-----MALE----	1	-	1	1	5	5	9	3	1	2	-	-
FEMALE--	-	1	2	3	4	3	5	1	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	2	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	2	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,981

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 EMPHYSEMA (492)												
0 UNITED STATES --	17,518	2	-	1	-	-	-	2	9	23	68	150
WHITE-----MALE----	8,823	1	-	1	-	-	-	-	3	9	42	76
FEMALE--	7,693	1	-	-	-	-	-	2	1	7	21	49
ALL OTHER--MALE----	674	-	-	-	-	-	-	-	1	3	3	19
FEMALE--	328	-	-	-	-	-	-	-	4	4	2	6
BLACK---MALE----	562	-	-	-	-	-	-	-	1	2	3	17
FEMALE--	285	-	-	-	-	-	-	-	4	3	2	5
ALABAMA -----	249	-	-	-	-	-	-	-	1	1	2	2
WHITE-----MALE----	115	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	100	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	26	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	14	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	459	-	-	-	-	-	-	-	-	1	4	3
WHITE-----MALE----	263	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	188	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	251	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	129	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	107	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA -----	1,914	-	-	-	-	-	-	-	2	5	8	13
WHITE-----MALE----	865	-	-	-	-	-	-	-	1	2	6	6
FEMALE--	898	-	-	-	-	-	-	-	-	1	2	6
ALL OTHER--MALE----	96	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	55	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	46	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	34	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,981

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EMPHYSEMA (492)												
0 UNITED STATES --	306	627	1,331	2,440	3,457	3,724	2,974	1,703	560	123	16	2
WHITE-----MALE----	136	321	644	1,233	1,816	1,924	1,470	851	243	48	4	1
FEMALE--	125	257	589	1,053	1,444	1,619	1,383	773	290	68	10	1
ALL OTHER--MALE----	30	35	61	105	138	123	80	50	19	5	2	-
FEMALE--	15	14	37	49	59	58	41	29	8	2	-	-
BLACK---MALE----	26	32	53	90	116	97	65	41	13	4	2	-
FEMALE--	12	13	33	43	52	52	34	23	7	2	-	-
ALABAMA -----	3	13	23	37	51	59	33	20	3	-	1	-
WHITE-----MALE----	1	3	9	16	24	33	14	10	1	-	-	-
FEMALE--	-	6	12	17	17	22	14	9	2	-	-	-
ALL OTHER--MALE----	2	3	2	4	8	2	3	1	-	-	1	-
FEMALE--	-	1	-	-	2	2	2	-	-	-	-	-
BLACK---MALE----	2	3	1	4	8	2	3	1	-	-	1	-
FEMALE--	-	1	-	-	2	2	2	-	-	-	-	-
ALASKA -----	-	-	2	3	2	2	3	2	-	-	-	-
WHITE-----MALE----	-	-	-	2	1	1	-	1	-	-	-	-
FEMALE--	-	-	2	1	1	1	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	10	20	27	55	100	97	91	36	13	1	1	-
WHITE-----MALE----	6	13	14	37	61	48	47	23	10	-	-	-
FEMALE--	2	6	12	18	37	49	42	13	3	1	1	-
ALL OTHER--MALE----	1	1	1	-	1	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARKANSAS -----	4	11	26	35	42	44	53	21	9	3	-	-
WHITE-----MALE----	2	7	12	14	27	18	28	15	3	2	-	-
FEMALE--	2	4	11	18	14	23	21	6	6	1	-	-
ALL OTHER--MALE----	-	-	2	2	1	2	4	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	2	2	1	2	4	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
CALIFORNIA -----	28	57	135	259	354	435	323	219	60	11	4	1
WHITE-----MALE----	12	31	61	106	173	200	146	90	25	4	1	1
FEMALE--	10	21	59	133	150	199	160	116	32	6	3	-
ALL OTHER--MALE----	3	4	9	10	22	26	9	7	3	1	-	-
FEMALE--	3	1	6	10	9	10	8	6	-	-	-	-
BLACK---MALE----	3	3	6	2	12	12	4	3	1	-	-	-
FEMALE--	2	1	5	7	5	7	2	4	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,982

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EMPHYSEMA (492)												
COLORADO -----	2	8	22	42	43	58	44	13	2	1	-	-
WHITE-----MALE----	2	4	15	24	22	38	22	9	2	1	-	-
FEMALE--	-	3	6	17	19	18	22	3	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	4	5	13	18	35	54	42	22	11	4	-	-
WHITE-----MALE----	2	1	6	6	18	26	17	13	4	1	-	-
FEMALE--	1	4	6	11	16	28	23	9	7	3	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	2	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	2	-	-	-	-	-
DELAWARE -----	1	-	3	9	14	10	11	6	-	-	-	-
WHITE-----MALE----	-	-	2	4	5	3	5	4	-	-	-	-
FEMALE--	-	-	-	5	9	5	5	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	2	3	3	3	7	1	1	1	-	-
WHITE-----MALE----	1	-	1	1	-	1	1	-	-	1	-	-
FEMALE--	-	-	-	-	3	1	4	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
FLORIDA -----	16	38	110	168	261	286	234	142	61	6	-	1
WHITE-----MALE----	8	17	53	78	131	131	121	65	26	2	-	-
FEMALE--	5	17	49	82	119	149	105	74	34	4	-	1
ALL OTHER--MALE----	2	3	5	7	10	4	4	2	-	-	-	-
FEMALE--	1	1	3	1	1	2	4	1	1	-	-	-
BLACK---MALE----	2	3	5	7	10	3	4	2	-	-	-	-
FEMALE--	1	1	3	1	1	2	4	1	1	-	-	-
GEORGIA -----	13	29	41	78	103	97	80	34	7	1	-	-
WHITE-----MALE----	7	16	26	36	57	57	43	17	2	-	-	-
FEMALE--	4	13	12	31	43	37	32	14	5	1	-	-
ALL OTHER--MALE----	1	-	3	8	2	2	5	3	-	-	-	-
FEMALE--	1	-	-	3	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	3	8	2	2	5	3	-	-	-	-
FEMALE--	1	-	-	3	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,983

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EMPHYSEMA (492)												
HAWAII -----	-	-	-	7	4	10	7	3	1	-	-	-
WHITE-----MALE----	-	-	-	1	2	4	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	5	2	4	2	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	3	11	6	14	21	16	7	2	-	-	-
WHITE-----MALE----	-	1	5	3	11	10	10	2	1	-	-	-
FEMALE--	2	2	6	3	3	11	6	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	16	29	61	122	143	170	151	92	23	7	1	-
WHITE-----MALE----	8	15	31	56	73	94	74	50	13	2	-	-
FEMALE--	5	13	27	58	56	64	70	38	9	5	1	-
ALL OTHER--MALE----	2	-	-	5	6	8	2	1	-	-	-	-
FEMALE--	1	1	3	3	8	4	5	3	1	-	-	-
BLACK---MALE----	2	-	-	5	6	7	2	1	-	-	-	-
FEMALE--	1	1	3	3	8	3	5	3	1	-	-	-
INDIANA -----	5	18	37	63	92	77	65	36	11	5	-	-
WHITE-----MALE----	2	12	24	30	48	37	34	20	3	3	-	-
FEMALE--	2	6	12	32	40	36	29	14	8	1	-	-
ALL OTHER--MALE----	-	-	1	1	1	2	-	2	-	1	-	-
FEMALE--	1	-	-	-	3	2	2	-	-	-	-	-
BLACK---MALE----	-	-	1	1	1	2	-	2	-	1	-	-
FEMALE--	1	-	-	-	3	2	2	-	-	-	-	-
IOWA -----	3	4	10	26	35	32	21	13	7	1	-	-
WHITE-----MALE----	1	4	3	16	19	19	10	7	4	1	-	-
FEMALE--	2	-	7	10	16	13	11	6	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	4	21	32	38	41	22	10	8	1	-	-
WHITE-----MALE----	-	4	12	16	23	21	9	4	5	1	-	-
FEMALE--	-	-	7	13	13	18	12	6	3	-	-	-
ALL OTHER--MALE----	-	-	2	3	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	3	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,984

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EMPHYSEMA (492)												
KENTUCKY -----	3	9	18	40	56	37	40	12	4	3	-	-
WHITE-----MALE----	3	7	7	22	44	15	23	8	1	-	-	-
FEMALE--	-	2	9	18	11	22	17	4	3	3	-	-
ALL OTHER--MALE----	-	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	5	13	20	39	65	47	40	28	11	1	-	-
WHITE-----MALE----	2	9	9	23	24	27	18	12	3	-	-	-
FEMALE--	2	1	6	11	29	18	13	9	5	1	-	-
ALL OTHER--MALE----	1	3	2	4	10	-	7	5	1	-	-	-
FEMALE--	-	-	3	1	2	2	2	2	2	-	-	-
BLACK---MALE----	1	3	2	4	10	-	7	5	1	-	-	-
FEMALE--	-	-	3	1	2	2	2	2	2	-	-	-
MAINE -----	1	3	2	15	17	23	9	13	7	-	-	-
WHITE-----MALE----	1	2	1	4	10	13	6	7	5	-	-	-
FEMALE--	-	1	1	11	7	10	3	6	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	9	24	43	42	54	36	25	9	-	1	-
WHITE-----MALE----	1	3	9	23	21	31	14	11	5	-	-	-
FEMALE--	1	6	11	16	17	15	20	12	4	-	-	-
ALL OTHER--MALE----	-	-	3	2	4	3	1	1	-	-	1	-
FEMALE--	-	-	1	2	-	5	1	1	-	-	-	-
BLACK---MALE----	-	-	3	2	4	3	1	1	-	-	1	-
FEMALE--	-	-	1	2	-	5	1	1	-	-	-	-
MASSACHUSETTS -----	6	6	24	45	80	103	64	49	15	5	1	-
WHITE-----MALE----	4	3	13	24	36	48	27	22	6	1	1	-
FEMALE--	2	3	11	20	43	52	37	26	9	4	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
MICHIGAN -----	18	27	59	133	156	156	127	69	20	4	-	-
WHITE-----MALE----	9	12	25	67	85	87	66	36	10	-	-	-
FEMALE--	6	14	32	57	66	62	55	30	9	4	-	-
ALL OTHER--MALE----	1	1	1	5	4	6	5	3	-	-	-	-
FEMALE--	2	-	1	4	1	1	1	-	1	-	-	-
BLACK---MALE----	1	-	1	5	4	6	4	2	-	-	-	-
FEMALE--	1	-	1	3	1	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,987

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EMPHYSEMA (492)												
OHIO -----	13	43	49	115	166	164	120	79	21	8	-	-
WHITE-----MALE----	8	17	25	65	82	86	60	42	8	3	-	-
FEMALE--	3	23	19	41	75	69	55	32	12	5	-	-
ALL OTHER--MALE----	1	-	3	5	4	5	4	5	1	-	-	-
FEMALE--	1	3	2	4	5	4	1	-	-	-	-	-
BLACK---MALE----	1	-	3	5	4	5	4	5	1	-	-	-
FEMALE--	1	3	2	4	5	4	1	-	-	-	-	-
OKLAHOMA -----	5	6	19	28	43	37	37	19	7	2	-	-
WHITE-----MALE----	3	2	10	18	24	20	16	11	3	-	-	-
FEMALE--	1	4	8	8	13	17	19	7	4	1	-	-
ALL OTHER--MALE----	1	-	-	2	3	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	3	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	1	-	-
OREGON -----	3	10	22	43	71	74	61	39	6	7	-	-
WHITE-----MALE----	-	5	12	20	38	43	26	20	4	4	-	-
FEMALE--	3	5	10	21	31	30	35	19	2	3	-	-
ALL OTHER--MALE----	-	-	-	2	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	12	22	48	87	177	169	150	80	34	4	-	-
WHITE-----MALE----	8	18	22	46	95	90	75	43	11	3	-	-
FEMALE--	2	3	22	38	76	77	69	32	21	1	-	-
ALL OTHER--MALE----	2	1	2	3	3	1	5	3	1	-	-	-
FEMALE--	-	-	2	-	3	1	1	2	1	-	-	-
BLACK---MALE----	2	-	2	3	3	1	5	3	1	-	-	-
FEMALE--	-	-	2	-	3	1	1	2	1	-	-	-
RHODE ISLAND -----	2	3	3	9	11	9	8	6	2	-	-	-
WHITE-----MALE----	1	1	1	5	7	4	3	4	-	-	-	-
FEMALE--	-	2	2	4	3	5	5	2	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6	12	26	40	42	50	39	13	6	1	-	-
WHITE-----MALE----	3	4	13	22	18	22	23	6	3	-	-	-
FEMALE--	3	4	12	15	19	22	13	5	2	1	-	-
ALL OTHER--MALE----	-	3	1	2	5	6	2	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	1	1	-	-	-
BLACK---MALE----	-	3	1	2	5	6	2	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,988

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EMPHYSEMA (492)												
SOUTH DAKOTA -----	1	5	3	4	7	17	8	7	4	2	-	-
WHITE-----MALE----	-	2	-	3	4	13	5	4	3	1	-	-
FEMALE--	-	3	3	1	2	4	3	2	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	22	33	77	81	79	51	26	6	2	1	-
WHITE-----MALE----	3	8	13	43	50	44	27	14	3	-	-	-
FEMALE--	3	13	15	27	28	31	22	12	3	1	1	-
ALL OTHER--MALE----	-	1	3	5	2	4	2	-	-	1	-	-
FEMALE--	-	-	2	2	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	3	5	2	4	2	-	-	1	-	-
FEMALE--	-	-	2	2	1	-	-	-	-	-	-	-
TEXAS -----	23	39	96	172	258	228	199	109	36	10	-	-
WHITE-----MALE----	12	19	49	94	128	122	105	53	10	4	-	-
FEMALE--	8	14	39	68	121	92	90	48	22	3	-	-
ALL OTHER--MALE----	3	4	4	5	7	10	1	3	4	2	-	-
FEMALE--	-	2	4	5	2	4	3	5	-	1	-	-
BLACK---MALE----	3	4	4	5	7	9	1	2	4	2	-	-
FEMALE--	-	2	4	5	2	3	3	5	-	1	-	-
UTAH -----	2	4	6	5	18	23	13	9	4	1	-	-
WHITE-----MALE----	1	3	5	4	14	13	8	7	2	1	-	-
FEMALE--	1	1	1	1	4	10	5	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	1	3	12	5	2	3	1	-	-	-
WHITE-----MALE----	-	-	-	2	8	3	2	2	-	-	-	-
FEMALE--	1	-	1	1	4	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	8	30	47	67	90	59	40	11	4	-	-
WHITE-----MALE----	1	6	10	22	33	44	31	14	4	-	-	-
FEMALE--	4	1	17	23	30	37	26	25	6	4	-	-
ALL OTHER--MALE----	-	1	2	1	4	8	2	1	1	-	-	-
FEMALE--	1	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	2	1	4	8	2	1	1	-	-	-
FEMALE--	1	-	1	1	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,990
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASTHMA (493)												
0 UNITED STATES --	5,434	5	30	46	73	81	93	137	161	211	278	315
WHITE-----MALE----	1,383	-	5	10	21	37	34	33	46	47	57	63
FEMALE--	2,619	1	5	8	16	8	25	38	42	72	107	128
ALL OTHER--MALE----	603	3	15	18	17	22	25	37	44	48	35	41
FEMALE--	829	1	5	10	19	14	9	29	29	44	79	83
BLACK---MALE----	498	2	15	15	16	17	23	34	39	45	31	36
FEMALE--	702	1	4	10	18	13	8	28	28	40	69	74
ALABAMA -----	71	-	2	1	2	-	2	-	1	3	8	4
WHITE-----MALE----	15	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	24	-	-	-	-	-	-	-	-	3	3	1
ALL OTHER--MALE----	11	-	2	1	-	-	1	-	1	-	1	-
FEMALE--	21	-	-	-	2	-	-	-	-	-	4	2
BLACK---MALE----	10	-	2	1	-	-	1	-	1	-	1	-
FEMALE--	21	-	-	-	2	-	-	-	-	-	4	2
ALASKA -----	9	-	-	-	1	-	-	-	1	-	2	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	102	-	-	2	1	2	1	-	2	2	3	2
WHITE-----MALE----	37	-	-	1	1	-	-	-	-	1	1	2
FEMALE--	53	-	-	1	-	-	-	-	1	1	2	-
ALL OTHER--MALE----	7	-	-	-	-	2	1	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	70	-	-	-	2	1	-	3	3	1	-	6
WHITE-----MALE----	18	-	-	-	-	1	-	1	1	-	-	1
FEMALE--	33	-	-	-	-	-	-	2	-	-	-	1
ALL OTHER--MALE----	8	-	-	-	1	-	-	-	1	1	-	2
FEMALE--	11	-	-	-	1	-	-	-	1	-	-	2
BLACK---MALE----	8	-	-	-	1	-	-	-	1	1	-	2
FEMALE--	11	-	-	-	1	-	-	-	1	-	-	2
CALIFORNIA -----	672	-	2	6	4	9	16	18	15	30	31	48
WHITE-----MALE----	166	-	1	1	-	5	4	7	4	9	9	12
FEMALE--	318	-	-	-	1	1	6	6	4	12	12	13
ALL OTHER--MALE----	80	-	1	5	1	2	3	4	5	5	2	8
FEMALE--	108	-	-	-	2	1	3	1	2	4	8	15
BLACK---MALE----	41	-	1	5	1	1	2	2	2	5	1	7
FEMALE--	54	-	-	-	1	1	2	1	2	3	6	11

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,990

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASTHMA (493)												
0 UNITED STATES --	321	365	392	456	536	589	594	458	217	65	11	-
WHITE-----MALE----	75	85	94	142	173	158	153	101	38	9	2	-
FEMALE--	140	159	169	198	259	340	369	309	163	55	8	-
ALL OTHER--MALE----	41	57	47	39	36	28	28	18	3	1	-	-
FEMALE--	65	64	82	77	68	63	44	30	13	-	1	-
BLACK---MALE----	33	40	39	27	24	23	22	15	2	-	-	-
FEMALE--	61	56	68	61	53	46	31	23	9	-	1	-
ALABAMA -----	7	5	5	5	7	6	7	2	4	-	-	-
WHITE-----MALE----	1	-	-	4	2	4	1	-	1	-	-	-
FEMALE--	2	1	2	-	2	1	5	2	2	-	-	-
ALL OTHER--MALE----	-	1	1	1	1	1	-	-	-	-	-	-
FEMALE--	4	3	2	-	2	-	1	-	1	-	-	-
BLACK---MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	4	3	2	-	2	-	1	-	1	-	-	-
ALASKA -----	-	1	-	2	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	9	12	15	11	11	13	8	1	2	-	-
WHITE-----MALE----	3	4	1	3	8	4	5	2	1	-	-	-
FEMALE--	2	3	10	9	3	7	6	6	-	2	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	2	-	-	-	-	-
ARKANSAS -----	6	5	6	5	10	9	5	4	4	-	-	-
WHITE-----MALE----	2	1	2	-	4	2	1	2	-	-	-	-
FEMALE--	2	3	3	5	5	4	3	1	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	2	1	1	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	2	1	1	-	1	1	1	-	-	-	-	-
CALIFORNIA -----	26	38	41	72	70	77	75	61	25	8	-	-
WHITE-----MALE----	5	3	10	19	15	22	22	16	2	-	-	-
FEMALE--	14	21	18	33	37	38	41	34	19	8	-	-
ALL OTHER--MALE----	6	5	5	8	9	3	4	4	-	-	-	-
FEMALE--	1	9	8	12	9	14	8	7	4	-	-	-
BLACK---MALE----	3	2	2	2	1	1	2	1	-	-	-	-
FEMALE--	1	6	1	6	4	4	1	3	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,991

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASTHMA (493)												
COLORADO -----	73	-	1	-	-	1	1	3	-	-	3	4
WHITE-----MALE----	21	-	-	-	-	1	-	3	-	-	-	3
FEMALE--	45	-	-	-	-	-	1	-	-	-	2	1
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	63	-	-	-	-	-	-	2	2	3	3	3
WHITE-----MALE----	12	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	41	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	4	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	2	1
DELAWARE -----	13	-	-	-	-	-	-	1	-	2	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	23	-	2	-	1	1	1	-	1	3	2	2
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	1	-	-	1	-	-	1	2	1	-
FEMALE--	11	-	1	-	1	-	-	-	-	1	1	2
BLACK---MALE----	12	-	1	-	-	1	1	-	1	2	1	-
FEMALE--	11	-	1	-	1	-	-	-	1	1	1	2
FLORIDA -----	293	-	-	2	2	4	5	4	8	9	6	15
WHITE-----MALE----	76	-	-	1	-	1	1	1	4	2	-	1
FEMALE--	152	-	-	-	2	-	3	-	3	2	2	8
ALL OTHER--MALE----	24	-	-	-	-	3	1	2	-	-	1	-
FEMALE--	41	-	-	1	-	-	-	1	1	5	3	6
BLACK---MALE----	22	-	-	-	-	3	1	2	-	-	1	-
FEMALE--	38	-	-	1	-	-	-	1	1	5	3	6
GEORGIA -----	144	-	2	1	2	3	4	5	9	6	13	7
WHITE-----MALE----	26	-	-	-	-	2	-	1	1	-	2	1
FEMALE--	44	-	-	-	-	-	1	1	2	2	3	3
ALL OTHER--MALE----	36	-	2	1	2	1	1	1	3	2	3	2
FEMALE--	38	-	-	-	-	-	2	2	3	2	5	1
BLACK---MALE----	35	-	2	1	2	1	1	1	3	2	3	2
FEMALE--	36	-	-	-	-	-	2	2	3	1	5	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,991

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASTHMA (493)												
COLORADO -----	5	3	4	9	7	7	11	6	7	1	-	-
WHITE-----MALE----	1	-	2	4	1	3	2	-	1	-	-	-
FEMALE--	3	2	2	4	6	4	9	5	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	1	1	-	-	-
CONNECTICUT -----	9	5	5	-	4	7	9	5	5	1	-	-
WHITE-----MALE----	4	1	1	-	1	-	2	-	-	-	-	-
FEMALE--	5	3	3	-	2	7	6	5	5	1	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	1	1	2	2	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	2	1	2	3	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	2	-	-	1	-	-	-	-
BLACK---MALE----	-	2	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	2	-	-	1	-	-	-	-
FLORIDA -----	13	12	32	34	30	35	40	30	7	5	-	-
WHITE-----MALE----	3	3	8	12	12	7	11	7	2	-	-	-
FEMALE--	5	4	15	12	16	25	25	20	5	5	-	-
ALL OTHER--MALE----	2	1	4	4	1	2	2	1	-	-	-	-
FEMALE--	3	4	5	6	1	1	2	2	-	-	-	-
BLACK---MALE----	2	1	3	4	1	1	2	1	-	-	-	-
FEMALE--	3	3	5	5	-	1	2	2	-	-	-	-
GEORGIA -----	13	7	15	10	12	10	7	13	5	-	-	-
WHITE-----MALE----	1	2	5	4	3	2	-	1	1	-	-	-
FEMALE--	5	1	4	1	4	4	4	6	3	-	-	-
ALL OTHER--MALE----	4	-	3	3	1	2	1	3	1	-	-	-
FEMALE--	3	4	3	2	4	2	2	3	-	-	-	-
BLACK---MALE----	4	-	3	2	1	2	1	3	1	-	-	-
FEMALE--	3	3	3	2	4	2	2	3	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,992

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASTHMA (493)												
HAWAII -----	4	3	4	8	3	2	4	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	1	2	2	3	-	-	1	-	-	-	-	-
FEMALE--	3	-	2	5	3	2	3	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	2	-	3	3	7	5	7	-	-	-	-
WHITE-----MALE----	2	-	-	1	2	2	3	2	-	-	-	-
FEMALE--	1	2	-	2	1	5	2	5	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	17	18	18	19	22	26	32	21	9	4	-	-
WHITE-----MALE----	5	2	4	2	10	7	13	2	1	1	-	-
FEMALE--	7	7	9	8	8	12	14	16	8	3	-	-
ALL OTHER--MALE----	1	4	-	4	2	2	1	2	-	-	-	-
FEMALE--	4	5	5	5	2	5	4	1	-	-	-	-
BLACK---MALE----	1	4	-	4	2	1	1	2	-	-	-	-
FEMALE--	4	5	5	4	1	4	4	1	-	-	-	-
INDIANA -----	5	9	4	9	12	10	13	11	9	3	2	-
WHITE-----MALE----	2	2	2	4	5	-	5	1	2	-	1	-
FEMALE--	3	6	1	4	6	9	7	9	7	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	1	1	1	-	-	-	-
IOWA -----	2	5	4	2	4	2	11	7	9	1	-	-
WHITE-----MALE----	1	-	1	2	1	-	5	2	3	-	-	-
FEMALE--	1	4	3	-	3	2	6	5	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
KANSAS -----	4	4	6	3	3	3	8	4	2	2	-	-
WHITE-----MALE----	1	-	-	1	-	1	1	1	1	-	-	-
FEMALE--	1	4	3	2	3	2	6	3	1	2	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,993

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASTHMA (493)												
KENTUCKY -----	81	-	-	-	1	2	2	-	2	2	4	5
WHITE-----MALE----	22	-	-	-	-	1	2	-	1	-	-	-
FEMALE--	49	-	-	-	-	1	-	-	1	1	3	4
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	1	-	-	-	-	1	1	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	1	-	-	-	-	1	1	1
LOUISIANA -----	92	-	1	1	2	1	2	2	2	3	9	7
WHITE-----MALE----	20	-	-	-	-	1	-	-	2	1	-	1
FEMALE--	26	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	20	-	1	1	2	-	-	-	-	-	3	3
FEMALE--	26	-	-	-	-	-	-	2	-	1	5	1
BLACK---MALE----	19	-	1	-	2	-	-	-	-	-	3	3
FEMALE--	25	-	-	-	-	-	-	2	-	1	5	1
MAINE -----	27	-	-	-	-	-	-	-	-	2	-	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	102	-	1	-	4	1	2	2	6	9	5	5
WHITE-----MALE----	20	-	-	-	3	-	-	-	1	-	2	1
FEMALE--	40	-	-	-	1	-	1	-	1	1	1	1
ALL OTHER--MALE----	25	-	-	-	-	1	1	1	3	5	1	2
FEMALE--	17	-	1	-	-	-	-	1	1	3	1	1
BLACK---MALE----	21	-	-	-	-	1	1	1	3	5	1	1
FEMALE--	16	-	1	-	-	-	-	1	1	3	1	1
MASSACHUSETTS -----	117	-	-	1	-	2	3	4	3	3	4	5
WHITE-----MALE----	30	-	-	1	-	-	2	1	-	1	1	1
FEMALE--	71	-	-	-	-	-	1	2	2	-	3	3
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	10	-	-	-	-	2	-	1	1	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	10	-	-	-	-	2	-	1	1	1	-	-
MICHIGAN -----	170	-	-	1	3	-	1	5	6	9	6	12
WHITE-----MALE----	46	-	-	1	2	-	-	1	-	-	-	2
FEMALE--	82	-	-	-	-	-	1	2	2	3	4	5
ALL OTHER--MALE----	14	-	-	-	-	-	-	2	1	1	1	-
FEMALE--	28	-	-	-	1	-	-	-	3	5	1	5
BLACK---MALE----	11	-	-	-	-	-	-	2	1	1	1	-
FEMALE--	26	-	-	-	1	-	-	-	3	4	1	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,993

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASTHMA (493)												
KENTUCKY -----	6	4	8	4	7	9	10	11	2	1	1	-
WHITE-----MALE----	2	3	4	2	3	1	1	2	-	-	-	-
FEMALE--	2	1	2	2	3	8	9	8	2	1	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	1	-	1	-	-	-	-	-	-	-
LOUISIANA -----	5	9	7	10	10	8	7	3	2	2	1	-
WHITE-----MALE----	-	2	1	2	5	2	2	-	-	1	-	-
FEMALE--	1	3	1	4	2	2	3	3	1	1	1	-
ALL OTHER--MALE----	2	1	2	2	-	1	2	-	-	-	-	-
FEMALE--	2	3	3	2	3	3	-	-	1	-	-	-
BLACK---MALE----	2	1	2	2	-	1	2	-	-	-	-	-
FEMALE--	2	3	2	2	3	3	-	-	1	-	-	-
MAINE -----	-	5	-	1	5	3	2	5	2	1	-	-
WHITE-----MALE----	-	1	-	-	4	-	-	1	2	-	-	-
FEMALE--	-	4	-	1	1	3	2	4	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	7	5	8	7	12	10	10	5	1	-	-
WHITE-----MALE----	-	2	3	2	1	2	-	1	2	-	-	-
FEMALE--	1	2	-	2	4	6	7	8	3	1	-	-
ALL OTHER--MALE----	1	3	-	1	1	1	3	1	-	-	-	-
FEMALE--	-	-	2	3	1	3	-	-	-	-	-	-
BLACK---MALE----	-	2	-	1	1	1	2	1	-	-	-	-
FEMALE--	-	-	2	3	1	2	-	-	-	2	-	-
MASSACHUSETTS -----	11	5	6	8	14	12	16	15	4	1	-	-
WHITE-----MALE----	5	2	-	5	3	3	4	1	-	-	-	-
FEMALE--	4	1	5	3	9	9	11	14	3	1	-	-
ALL OTHER--MALE----	-	2	1	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	1	-	1	-	-	-
BLACK---MALE----	-	2	1	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	1	-	1	-	-	-
MICHIGAN -----	6	9	12	12	19	11	26	20	7	5	-	-
WHITE-----MALE----	1	3	7	4	6	4	6	5	1	3	-	-
FEMALE--	3	3	4	6	8	5	18	12	4	2	-	-
ALL OTHER--MALE----	-	3	-	-	3	-	1	1	1	-	-	-
FEMALE--	2	-	1	2	2	2	1	2	1	-	-	-
BLACK---MALE----	-	2	-	-	2	-	1	1	-	-	-	-
FEMALE--	2	-	1	2	1	2	1	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,996

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASTHMA (493)												
OHIO -----	187	-	-	4	2	4	6	5	4	4	10	10
WHITE-----MALE----	60	-	-	3	1	2	4	1	1	3	4	2
FEMALE--	95	-	-	-	1	1	-	-	2	1	2	4
ALL OTHER--MALE----	12	-	-	-	-	1	2	3	1	-	1	1
FEMALE--	20	-	-	1	-	-	-	1	-	-	3	3
BLACK---MALE----	11	-	-	-	-	1	2	2	1	-	1	1
FEMALE--	19	-	-	1	-	-	-	1	-	-	3	3
OKLAHOMA -----	75	-	-	-	1	4	1	3	3	1	2	2
WHITE-----MALE----	23	-	-	-	1	3	-	-	2	1	-	1
FEMALE--	40	-	-	-	-	-	-	3	-	-	2	1
ALL OTHER--MALE----	6	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	88	-	-	1	-	2	-	2	1	2	3	6
WHITE-----MALE----	35	-	-	1	-	1	-	1	-	1	2	2
FEMALE--	49	-	-	-	-	-	-	1	-	1	1	4
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA -----	248	-	1	3	4	6	5	6	7	11	13	17
WHITE-----MALE----	69	-	-	1	1	2	3	2	2	3	4	3
FEMALE--	125	-	-	-	1	2	2	1	3	3	7	3
ALL OTHER--MALE----	21	-	1	1	1	2	-	3	1	3	1	3
FEMALE--	33	-	-	1	1	-	-	-	1	2	1	8
BLACK---MALE----	18	-	1	1	1	1	-	3	1	2	1	3
FEMALE--	32	-	-	1	1	-	-	-	1	2	1	8
RHODE ISLAND -----	11	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	94	-	1	2	1	-	2	3	3	2	5	6
WHITE-----MALE----	11	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	36	-	1	1	-	-	1	1	1	1	1	3
ALL OTHER--MALE----	22	-	-	1	-	-	1	1	-	-	4	1
FEMALE--	25	-	-	-	-	-	-	1	1	1	-	2
BLACK---MALE----	22	-	-	1	-	-	1	1	-	-	4	1
FEMALE--	25	-	-	-	-	-	-	1	1	1	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,996

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASTHMA (493)												
OHIO -----	11	14	13	16	15	28	24	8	6	3	-	-
WHITE-----MALE----	3	3	5	6	7	7	5	3	-	-	-	-
FEMALE--	8	6	7	7	7	18	18	4	6	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	5	-	3	1	3	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	4	-	3	1	3	-	-	-	-	-	-
OKLAHOMA -----	5	5	2	5	9	11	12	8	-	1	-	-
WHITE-----MALE----	2	-	-	1	5	1	3	3	-	-	-	-
FEMALE--	2	3	1	3	3	9	7	5	-	1	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	1	1	1	1	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	1	1	1	-	-	-	-	-	-
OREGON -----	8	3	7	8	6	12	12	8	6	-	1	-
WHITE-----MALE----	4	2	2	2	2	4	6	2	3	-	-	-
FEMALE--	3	1	5	6	4	7	6	6	3	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	22	11	11	16	31	19	27	19	14	5	-	-
WHITE-----MALE----	4	3	3	5	14	4	5	6	3	1	-	-
FEMALE--	13	6	6	7	15	10	20	12	10	4	-	-
ALL OTHER--MALE----	-	1	1	1	1	1	-	-	-	-	-	-
FEMALE--	5	1	1	3	1	4	2	1	1	-	-	-
BLACK---MALE----	-	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	5	1	1	3	1	3	2	1	1	-	-	-
RHODE ISLAND -----	-	-	1	1	1	-	3	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	7	8	11	12	8	7	8	7	-	-	1	-
WHITE-----MALE----	1	1	1	4	-	1	1	-	-	-	-	-
FEMALE--	1	1	2	3	4	4	6	5	-	-	-	-
ALL OTHER--MALE----	1	3	4	1	2	2	1	-	-	-	-	-
FEMALE--	4	3	4	4	2	-	-	2	-	-	1	-
BLACK---MALE----	1	3	4	1	2	2	1	-	-	-	-	-
FEMALE--	4	3	4	4	2	-	-	2	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,997

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ASTHMA (493)												
SOUTH DAKOTA -----	26	1	-	-	1	1	-	-	1	-	-	-
WHITE-----MALE----	7	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	18	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	97	-	4	1	3	1	1	2	5	2	6	6
WHITE-----MALE----	24	-	1	-	2	1	-	-	-	-	1	2
FEMALE--	44	-	2	-	-	-	-	1	2	1	3	3
ALL OTHER--MALE----	12	-	1	1	1	-	-	1	1	1	-	1
FEMALE--	17	-	-	-	-	-	1	-	2	-	2	-
BLACK---MALE----	12	-	1	1	1	-	-	1	1	1	-	1
FEMALE--	14	-	-	-	-	-	1	-	2	-	1	-
TEXAS -----	345	-	2	3	10	6	5	10	7	12	13	24
WHITE-----MALE----	86	-	-	-	3	3	1	4	4	1	4	5
FEMALE--	183	-	-	-	4	1	1	2	2	7	9	9
ALL OTHER--MALE----	29	-	2	1	2	1	3	3	1	1	-	4
FEMALE--	47	-	-	2	1	1	-	1	-	3	-	6
BLACK---MALE----	25	-	2	-	2	1	3	3	1	1	-	3
FEMALE--	41	-	-	2	1	1	-	1	-	3	-	5
UTAH -----	38	-	-	-	-	-	-	1	1	-	1	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	28	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	136	-	-	2	2	2	3	2	2	6	8	11
WHITE-----MALE----	28	-	-	-	1	-	1	1	-	1	1	-
FEMALE--	53	-	-	-	-	-	-	1	1	2	1	4
ALL OTHER--MALE----	16	-	-	-	-	-	1	-	-	1	2	4
FEMALE--	39	-	-	2	1	2	1	-	1	2	4	3
BLACK---MALE----	15	-	-	-	-	-	1	-	-	1	2	3
FEMALE--	39	-	-	2	1	2	1	-	1	2	4	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,997

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASTHMA (493)												
SOUTH DAKOTA -----	1	3	1	1	1	4	3	5	2	1	-	-
WHITE-----MALE----	-	1	-	1	-	2	2	-	-	-	-	-
FEMALE--	1	2	1	-	1	2	1	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	2	9	9	7	8	11	10	5	-	-	-
WHITE-----MALE----	1	1	1	4	2	1	2	3	2	-	-	-
FEMALE--	1	1	3	4	-	5	9	7	2	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	1	-	-	1	-	-	-
FEMALE--	2	-	4	1	4	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	1	-	-	1	-	-	-
FEMALE--	2	-	3	1	3	1	-	-	-	-	-	-
TEXAS -----	21	21	19	27	40	46	33	28	17	1	-	-
WHITE-----MALE----	4	6	6	5	15	14	5	6	-	-	-	-
FEMALE--	10	11	9	14	18	26	24	20	16	-	-	-
ALL OTHER--MALE----	3	2	1	2	1	-	1	-	-	1	-	-
FEMALE--	4	2	3	6	6	6	3	2	1	-	-	-
BLACK---MALE----	3	2	1	2	1	-	-	-	-	-	-	-
FEMALE--	3	2	3	5	5	6	3	1	-	-	-	-
UTAH -----	-	3	2	2	4	8	5	6	5	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	3	3	-	-	-	-
FEMALE--	-	3	2	1	3	7	2	3	5	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	1	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	11	15	10	15	15	10	9	2	3	2	-
WHITE-----MALE----	2	1	2	5	5	4	3	1	-	-	-	-
FEMALE--	-	4	5	3	8	6	5	7	1	3	2	-
ALL OTHER--MALE----	1	3	2	-	-	1	1	-	-	-	-	-
FEMALE--	3	3	6	2	2	4	1	1	1	-	-	-
BLACK---MALE----	1	3	2	-	-	1	1	-	-	-	-	-
FEMALE--	3	3	6	2	2	4	1	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,000

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)												
COLORADO -----	-	-	-	-	3	1	6	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	3	2	-	2	-	1	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	2	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
FLORIDA -----	3	1	2	7	14	22	15	16	10	2	-	-
WHITE-----MALE----	2	-	-	1	2	6	5	3	2	1	-	-
FEMALE--	1	1	1	4	11	16	9	13	7	1	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
GEORGIA -----	-	-	3	4	4	-	5	1	-	-	-	-
WHITE-----MALE----	-	-	1	3	1	-	2	-	-	-	-	-
FEMALE--	-	-	2	1	3	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,005

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)												
OHIO -----	1	-	2	2	6	9	14	4	4	1	2	-
WHITE-----MALE----	-	-	1	1	1	3	5	1	2	-	-	-
FEMALE--	1	-	1	1	5	6	8	3	2	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	3	5	5	3	3	3	1	-	-
WHITE-----MALE----	-	-	-	1	1	5	1	1	1	-	-	-
FEMALE--	-	-	-	1	3	-	2	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	2	3	2	6	8	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	5	6	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	1	2	5	11	12	12	10	4	2	-	-
WHITE-----MALE----	2	-	2	3	3	3	2	5	1	-	-	-
FEMALE--	-	-	-	2	8	8	9	4	3	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	2	2	1	-	2	2	2	2	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	1	1	-	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,008

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)												
0 UNITED STATES --	81,893	2	1	1	1	5	5	9	21	63	192	457
WHITE-----MALE----	39,315	-	-	-	-	2	4	4	10	24	89	221
FEMALE--	37,087	-	-	1	-	2	1	3	6	21	61	151
ALL OTHER--MALE----	3,339	1	1	-	-	-	-	-	3	12	22	52
FEMALE--	2,152	1	-	-	1	1	-	2	2	6	20	33
BLACK---MALE----	2,770	1	1	-	-	-	-	-	3	12	20	49
FEMALE--	1,848	1	-	-	1	1	-	1	2	6	19	33
ALABAMA -----	1,464	-	-	-	-	-	-	-	1	3	1	13
WHITE-----MALE----	729	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	557	-	-	-	-	-	-	-	1	1	-	3
ALL OTHER--MALE----	113	-	-	-	-	-	-	-	-	2	-	5
FEMALE--	65	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	112	-	-	-	-	-	-	-	-	2	-	5
FEMALE--	63	-	-	-	-	-	-	-	-	-	1	-
ALASKA -----	91	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	36	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,711	-	-	-	-	1	-	1	-	1	6	9
WHITE-----MALE----	864	-	-	-	-	1	-	-	-	1	1	3
FEMALE--	809	-	-	-	-	-	-	-	-	-	4	5
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	1	-	-	1	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	1	-	-	1	1
ARKANSAS -----	866	-	-	-	-	-	-	-	-	2	1	11
WHITE-----MALE----	448	-	-	-	-	-	-	-	-	1	-	6
FEMALE--	354	-	-	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	41	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	37	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	1
CALIFORNIA -----	8,683	-	-	1	-	1	-	-	1	8	23	57
WHITE-----MALE----	3,782	-	-	-	-	1	-	-	1	3	12	31
FEMALE--	4,111	-	-	1	-	-	-	-	-	3	7	16
ALL OTHER--MALE----	475	-	-	-	-	-	-	-	-	1	1	6
FEMALE--	315	-	-	-	-	-	-	-	-	1	3	4
BLACK---MALE----	219	-	-	-	-	-	-	-	-	1	-	5
FEMALE--	192	-	-	-	-	-	-	-	-	1	3	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,008

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)												
0 UNITED STATES --	1,160	2,346	4,735	8,950	13,765	16,717	15,984	10,972	4,928	1,345	229	5
WHITE-----MALE----	549	1,077	2,263	4,493	6,991	8,215	7,690	5,075	2,057	492	56	3
FEMALE--	477	1,013	2,018	3,731	5,859	7,525	7,411	5,317	2,584	753	153	-
ALL OTHER--MALE----	81	146	273	464	558	619	569	340	147	44	6	1
FEMALE--	53	110	181	262	357	358	314	240	140	56	14	1
BLACK---MALE----	72	127	241	405	479	509	444	258	109	34	5	1
FEMALE--	47	99	161	230	318	293	262	200	117	48	9	-
ALABAMA -----	32	47	104	187	257	294	231	181	93	19	1	-
WHITE-----MALE----	15	25	56	107	136	142	123	79	36	5	-	-
FEMALE--	13	17	32	62	89	121	78	81	49	9	1	-
ALL OTHER--MALE----	3	1	12	8	19	23	20	11	7	2	-	-
FEMALE--	1	4	4	10	13	8	10	10	1	3	-	-
BLACK---MALE----	3	1	12	8	18	23	20	11	7	2	-	-
FEMALE--	1	4	4	10	11	8	10	10	1	3	-	-
ALASKA -----	4	4	10	9	16	19	12	11	4	1	-	-
WHITE-----MALE----	3	2	4	6	4	10	3	4	-	-	-	-
FEMALE--	1	-	2	2	7	4	6	5	3	-	-	-
ALL OTHER--MALE----	-	2	2	-	1	5	3	2	1	1	-	-
FEMALE--	-	-	2	1	4	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	23	59	102	188	294	342	362	217	88	17	1	-
WHITE-----MALE----	18	30	57	89	157	159	197	116	30	5	-	-
FEMALE--	5	28	39	94	131	181	159	96	57	9	1	-
ALL OTHER--MALE----	-	1	2	2	4	1	3	2	1	-	-	-
FEMALE--	-	-	4	3	2	1	3	3	-	3	-	-
BLACK---MALE----	-	1	1	2	2	1	1	1	-	-	-	-
FEMALE--	-	-	3	3	1	-	2	2	-	2	-	-
ARKANSAS -----	14	37	68	104	144	177	153	109	34	10	2	-
WHITE-----MALE----	6	17	31	53	76	99	80	59	18	1	1	-
FEMALE--	7	17	30	43	56	66	65	46	13	6	1	-
ALL OTHER--MALE----	-	2	5	6	8	9	5	3	1	1	-	-
FEMALE--	1	1	2	2	4	3	3	1	2	2	-	-
BLACK---MALE----	-	2	4	6	6	9	4	3	1	1	-	-
FEMALE--	1	1	2	2	4	3	3	1	2	1	-	-
CALIFORNIA -----	135	218	489	821	1,388	1,753	1,724	1,269	589	175	31	-
WHITE-----MALE----	70	101	219	354	670	766	720	528	235	64	7	-
FEMALE--	42	88	207	376	615	846	861	637	297	98	17	-
ALL OTHER--MALE----	10	15	36	57	68	85	92	71	26	6	1	-
FEMALE--	13	14	27	34	35	56	51	33	31	7	6	-
BLACK---MALE----	9	11	26	33	40	34	28	23	7	1	1	-
FEMALE--	11	11	20	23	25	25	29	15	16	6	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,009

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)												
COLORADO -----	19	30	65	142	242	262	234	179	85	19	3	-
WHITE-----MALE----	11	9	32	75	135	138	135	87	34	6	1	-
FEMALE--	8	17	31	61	102	119	93	91	51	13	2	-
ALL OTHER--MALE----	-	3	-	3	3	4	2	-	-	-	-	-
FEMALE--	-	1	2	3	2	1	4	1	-	-	-	-
BLACK---MALE----	-	2	-	2	2	1	2	-	-	-	-	-
FEMALE--	-	1	2	2	2	1	4	1	-	-	-	-
CONNECTICUT -----	10	20	35	105	151	190	193	148	66	28	4	-
WHITE-----MALE----	2	9	15	51	76	89	70	66	21	12	2	-
FEMALE--	7	10	17	50	72	100	122	79	44	16	2	-
ALL OTHER--MALE----	-	1	2	2	3	-	-	2	-	-	-	-
FEMALE--	1	-	1	2	-	1	1	1	1	-	-	-
BLACK---MALE----	-	1	2	2	3	-	-	2	-	-	-	-
FEMALE--	1	-	1	2	-	1	1	1	1	-	-	-
DELAWARE -----	4	8	16	21	37	44	38	33	14	2	-	-
WHITE-----MALE----	3	5	7	5	15	21	16	17	4	-	-	-
FEMALE--	1	3	8	12	18	22	17	15	8	2	-	-
ALL OTHER--MALE----	-	-	-	3	2	1	2	-	-	-	-	-
FEMALE--	-	-	1	1	2	-	3	1	2	-	-	-
BLACK---MALE----	-	-	-	3	2	1	2	-	-	-	-	-
FEMALE--	-	-	1	1	2	-	3	1	2	-	-	-
DISTRICT OF COLUMBIA ----	2	1	5	13	16	18	19	17	8	3	2	-
WHITE-----MALE----	-	-	-	4	2	3	3	5	1	2	-	-
FEMALE--	-	-	-	-	2	6	2	5	2	1	1	-
ALL OTHER--MALE----	2	1	3	6	5	4	7	3	2	-	-	-
FEMALE--	-	-	2	3	7	5	7	4	3	-	1	-
BLACK---MALE----	2	1	3	5	5	4	7	3	2	-	-	-
FEMALE--	-	-	2	3	7	5	7	4	3	-	1	-
FLORIDA -----	69	149	318	582	965	1,241	1,281	893	446	110	19	3
WHITE-----MALE----	35	79	146	298	474	624	558	381	182	35	5	2
FEMALE--	27	57	136	249	435	555	674	484	250	72	14	-
ALL OTHER--MALE----	1	9	20	25	35	40	32	18	9	-	-	1
FEMALE--	6	4	16	10	21	22	17	10	5	3	-	-
BLACK---MALE----	1	9	20	25	34	38	31	17	9	-	-	1
FEMALE--	6	3	15	9	20	20	17	10	5	3	-	-
GEORGIA -----	41	73	110	205	326	355	337	206	87	17	2	-
WHITE-----MALE----	17	30	45	103	148	181	168	89	30	4	1	-
FEMALE--	16	29	48	68	138	129	131	86	49	12	1	-
ALL OTHER--MALE----	6	9	11	22	28	31	22	16	3	1	-	-
FEMALE--	2	5	6	12	12	14	16	15	5	-	-	-
BLACK---MALE----	6	9	11	21	27	30	22	16	3	1	-	-
FEMALE--	2	5	6	12	12	13	16	15	5	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,010

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)												
HAWAII -----	2	3	6	19	17	42	40	27	10	1	1	-
WHITE-----MALE----	-	1	2	5	4	13	8	3	1	1	-	-
FEMALE--	1	-	1	4	2	9	9	8	3	-	-	-
ALL OTHER--MALE----	1	1	3	4	9	14	17	11	4	-	-	-
FEMALE--	-	1	-	6	2	6	6	5	2	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
IDAHO -----	6	9	25	37	62	91	85	52	17	5	-	-
WHITE-----MALE----	4	2	15	20	41	50	52	33	8	4	-	-
FEMALE--	2	7	9	16	21	41	32	18	9	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	35	84	159	347	479	594	610	400	156	62	12	-
WHITE-----MALE----	16	37	71	179	256	270	298	194	77	17	1	-
FEMALE--	11	25	67	133	177	282	265	191	68	41	11	-
ALL OTHER--MALE----	5	10	12	24	31	28	26	7	5	2	-	-
FEMALE--	3	12	9	11	15	14	21	8	6	2	-	-
BLACK---MALE----	5	9	12	22	30	26	21	7	5	2	-	-
FEMALE--	3	12	9	11	14	12	20	7	6	2	-	-
INDIANA -----	36	65	132	243	392	416	360	247	104	31	3	-
WHITE-----MALE----	16	31	62	124	205	205	191	125	43	10	-	-
FEMALE--	17	33	66	111	177	196	160	116	58	21	3	-
ALL OTHER--MALE----	3	1	2	3	6	7	4	3	1	-	-	-
FEMALE--	-	-	2	5	4	8	5	3	2	-	-	-
BLACK---MALE----	3	1	2	3	6	7	4	3	1	-	-	-
FEMALE--	-	-	2	5	4	8	5	3	2	-	-	-
IOWA -----	11	17	51	97	196	204	221	153	55	20	2	-
WHITE-----MALE----	7	5	28	61	120	113	134	76	26	8	2	-
FEMALE--	4	12	22	36	73	89	87	77	28	12	-	-
ALL OTHER--MALE----	-	-	1	-	2	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	2	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
KANSAS -----	18	26	55	93	161	210	202	117	65	26	-	-
WHITE-----MALE----	11	10	34	49	87	122	124	63	37	15	-	-
FEMALE--	7	12	17	39	70	85	73	54	28	10	-	-
ALL OTHER--MALE----	-	3	4	4	3	2	4	-	-	1	-	-
FEMALE--	-	1	-	1	1	1	1	-	-	-	-	-
BLACK---MALE----	-	3	3	3	1	1	4	-	-	1	-	-
FEMALE--	-	1	-	1	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,011

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	1,552	-	-	-	-	-	-	-	-	3	7	11
WHITE-----MALE----	789	-	-	-	-	-	-	-	-	2	2	4
FEMALE--	695	-	-	-	-	-	-	-	-	1	3	7
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	38	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	2	-
LOUISIANA -----	1,071	-	-	-	-	-	1	-	-	-	4	8
WHITE-----MALE----	463	-	-	-	-	-	1	-	-	-	1	2
FEMALE--	438	-	-	-	-	-	-	-	-	-	1	4
ALL OTHER--MALE----	109	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	61	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	108	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	60	-	-	-	-	-	-	-	-	-	1	-
MAINE -----	552	-	-	-	-	-	-	-	-	-	2	2
WHITE-----MALE----	296	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	256	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,413	-	-	-	-	-	1	-	2	1	3	8
WHITE-----MALE----	556	-	-	-	-	-	1	-	-	-	2	4
FEMALE--	674	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	101	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	82	-	-	-	-	-	-	-	1	1	1	3
BLACK---MALE----	98	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	80	-	-	-	-	-	-	-	1	1	1	3
MASSACHUSETTS -----	1,812	-	-	-	-	-	-	-	-	1	2	8
WHITE-----MALE----	850	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	936	-	-	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2,578	-	-	-	1	-	1	1	1	4	9	11
WHITE-----MALE----	1,289	-	-	-	-	-	1	1	-	3	4	3
FEMALE--	1,107	-	-	-	-	-	-	-	-	1	3	6
ALL OTHER--MALE----	107	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	75	-	-	-	1	-	-	-	1	-	1	2
BLACK---MALE----	98	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	69	-	-	-	1	-	-	-	1	-	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,011

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)												
KENTUCKY -----	28	52	119	200	286	287	266	185	77	28	3	-
WHITE-----MALE----	14	31	56	94	151	153	131	99	38	13	1	-
FEMALE--	13	19	56	95	117	125	128	81	34	14	2	-
ALL OTHER--MALE----	1	1	4	8	9	5	6	2	2	-	-	-
FEMALE--	-	1	3	3	9	4	1	3	3	1	-	-
BLACK---MALE----	1	1	4	8	9	5	6	2	2	-	-	-
FEMALE--	-	1	3	3	9	4	-	3	3	1	-	-
LOUISIANA -----	17	40	72	123	185	203	203	148	50	15	2	-
WHITE-----MALE----	6	15	33	60	78	96	87	64	14	6	-	-
FEMALE--	5	19	28	43	78	70	84	71	28	7	-	-
ALL OTHER--MALE----	6	4	5	15	21	25	20	8	2	-	-	-
FEMALE--	-	2	6	5	8	12	12	5	6	2	2	-
BLACK---MALE----	6	4	4	15	21	25	20	8	2	-	-	-
FEMALE--	-	2	6	5	8	12	12	5	6	2	1	-
MAINE -----	9	10	29	51	97	114	115	75	36	12	-	-
WHITE-----MALE----	5	5	14	25	58	61	68	35	17	6	-	-
FEMALE--	4	5	15	26	39	53	47	40	19	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	26	34	74	149	229	315	279	180	88	22	2	-
WHITE-----MALE----	7	15	28	61	98	121	100	81	30	7	1	-
FEMALE--	13	11	33	59	101	164	152	79	46	14	1	-
ALL OTHER--MALE----	3	3	9	17	18	20	18	8	4	-	-	-
FEMALE--	3	5	4	12	12	10	9	12	8	1	-	-
BLACK---MALE----	3	3	9	15	18	20	18	8	3	-	-	-
FEMALE--	3	5	4	12	12	10	8	12	7	1	-	-
MASSACHUSETTS -----	23	37	69	170	289	359	380	287	133	46	8	-
WHITE-----MALE----	10	19	37	88	145	174	171	123	56	18	3	-
FEMALE--	13	14	32	76	141	179	205	164	76	27	5	-
ALL OTHER--MALE----	-	3	-	4	2	1	3	-	1	-	-	-
FEMALE--	-	1	-	2	1	5	1	-	-	1	-	-
BLACK---MALE----	-	3	-	3	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	2	1	4	1	-	-	1	-	-
MICHIGAN -----	45	70	137	325	438	516	506	323	142	38	10	-
WHITE-----MALE----	20	29	63	171	237	265	254	154	64	17	3	-
FEMALE--	21	32	62	124	169	217	229	147	71	19	6	-
ALL OTHER--MALE----	3	7	6	18	16	25	13	12	4	1	1	-
FEMALE--	1	2	6	12	16	9	10	10	3	1	-	-
BLACK---MALE----	2	6	5	17	14	23	12	12	4	1	1	-
FEMALE--	1	-	5	11	15	9	10	9	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,012

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)												
MINNESOTA -----	1,276	-	-	-	-	-	-	1	-	-	1	4
WHITE-----MALE----	697	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	564	-	-	-	-	-	-	1	-	-	1	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	851	1	-	-	-	-	-	-	1	1	-	6
WHITE-----MALE----	431	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	293	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	82	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	45	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	81	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	45	1	-	-	-	-	-	-	-	-	-	1
MISSOURI -----	2,019	-	-	-	-	-	-	-	-	2	2	14
WHITE-----MALE----	1,016	-	-	-	-	-	-	-	-	2	1	7
FEMALE--	896	-	-	-	-	-	-	-	-	-	-	4
ALL OTHER--MALE----	61	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	46	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	60	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	43	-	-	-	-	-	-	-	-	-	-	1
MONTANA -----	424	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	219	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	190	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	596	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	332	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	246	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	694	-	-	-	-	-	-	-	-	2	1	8
WHITE-----MALE----	347	-	-	-	-	-	-	-	-	1	1	7
FEMALE--	320	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,012

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)												
MINNESOTA -----	14	22	63	108	200	259	277	199	98	29	1	-
WHITE-----MALE----	5	11	41	52	114	145	161	104	49	13	-	-
FEMALE--	8	11	21	54	84	110	115	91	49	16	1	-
ALL OTHER--MALE----	-	-	-	1	2	2	1	1	-	-	-	-
FEMALE--	1	-	1	1	-	2	-	3	-	-	-	-
BLACK---MALE----	-	-	-	-	2	1	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
MISSISSIPPI -----	10	27	59	106	141	189	146	118	32	13	1	-
WHITE-----MALE----	4	14	25	62	68	98	76	57	16	6	1	-
FEMALE--	2	11	25	33	50	69	45	41	9	6	-	-
ALL OTHER--MALE----	2	2	7	5	12	15	19	14	4	1	-	-
FEMALE--	2	-	2	6	11	7	6	6	3	-	-	-
BLACK---MALE----	2	2	7	5	12	15	19	13	4	1	-	-
FEMALE--	2	-	2	6	11	7	6	6	3	-	-	-
MISSOURI -----	26	68	133	220	360	399	358	267	132	32	6	-
WHITE-----MALE----	11	33	65	116	193	203	186	120	65	14	-	-
FEMALE--	14	29	58	95	152	169	157	134	63	17	4	-
ALL OTHER--MALE----	-	4	4	4	8	19	7	9	1	1	1	-
FEMALE--	1	2	6	5	7	8	8	4	3	-	1	-
BLACK---MALE----	-	4	4	3	8	19	7	9	1	1	1	-
FEMALE--	1	2	5	3	7	8	8	4	3	-	1	-
MONTANA -----	11	20	21	45	55	88	102	60	15	4	1	-
WHITE-----MALE----	3	11	9	26	26	50	53	32	5	3	-	-
FEMALE--	7	9	11	17	27	34	45	27	10	1	1	-
ALL OTHER--MALE----	1	-	1	1	1	1	2	1	-	-	-	-
FEMALE--	-	-	-	1	1	3	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	3	16	30	63	84	130	125	94	38	9	3	-
WHITE-----MALE----	1	8	15	36	45	73	71	60	21	2	-	-
FEMALE--	2	6	13	25	36	55	52	31	16	7	3	-
ALL OTHER--MALE----	-	2	1	1	1	1	1	3	1	-	-	-
FEMALE--	-	-	1	1	2	1	1	-	-	-	-	-
BLACK---MALE----	-	2	1	-	1	1	1	2	1	-	-	-
FEMALE--	-	-	1	1	2	1	-	-	-	-	-	-
NEVADA -----	11	34	50	88	128	161	108	70	26	6	1	-
WHITE-----MALE----	7	17	25	46	66	81	57	32	5	2	-	-
FEMALE--	4	16	20	38	54	76	49	37	20	4	1	-
ALL OTHER--MALE----	-	-	3	3	5	-	2	1	1	-	-	-
FEMALE--	-	1	2	1	3	4	-	-	-	-	-	-
BLACK---MALE----	-	-	3	2	4	-	2	1	1	-	-	-
FEMALE--	-	1	2	1	3	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,014

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)												
OHIO -----	48	120	206	458	698	816	794	499	258	65	10	-
WHITE-----MALE----	19	46	98	223	365	378	377	217	117	23	2	-
FEMALE--	24	63	91	190	293	396	383	256	130	37	6	-
ALL OTHER--MALE----	4	8	7	31	20	23	23	15	7	2	1	-
FEMALE--	1	3	10	14	20	19	11	11	4	3	1	-
BLACK---MALE----	4	8	7	31	19	23	22	15	7	2	1	-
FEMALE--	1	3	9	13	20	19	10	11	4	3	1	-
OKLAHOMA -----	18	54	99	174	260	319	218	152	62	16	3	1
WHITE-----MALE----	11	25	51	98	133	173	123	69	24	4	-	1
FEMALE--	6	24	40	68	117	130	86	71	37	8	3	-
ALL OTHER--MALE----	-	4	7	4	5	11	6	9	1	3	-	-
FEMALE--	1	1	1	4	5	5	3	3	-	1	-	-
BLACK---MALE----	-	1	2	3	3	5	1	3	-	3	-	-
FEMALE--	1	-	1	2	3	1	1	3	-	-	-	-
OREGON -----	12	24	60	123	193	242	250	159	54	12	1	-
WHITE-----MALE----	8	14	28	66	97	116	129	84	30	4	-	-
FEMALE--	4	9	32	56	89	126	119	73	24	7	1	-
ALL OTHER--MALE----	-	1	-	1	4	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	3	-	1	2	-	-	-	-
BLACK---MALE----	-	1	-	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
PENNSYLVANIA -----	47	103	196	422	652	868	859	570	262	69	17	-
WHITE-----MALE----	26	45	100	216	334	429	413	268	113	32	3	-
FEMALE--	14	46	82	173	285	409	410	287	142	36	13	-
ALL OTHER--MALE----	5	5	10	18	17	12	23	6	2	1	1	-
FEMALE--	2	7	4	15	16	18	13	9	5	-	-	-
BLACK---MALE----	4	5	10	18	17	12	22	6	2	1	1	-
FEMALE--	2	7	4	15	16	18	13	9	5	-	-	-
RHODE ISLAND -----	3	10	15	24	49	77	82	56	26	6	-	1
WHITE-----MALE----	1	4	9	14	28	41	40	24	11	2	-	-
FEMALE--	1	6	6	9	19	33	41	31	14	3	-	-
ALL OTHER--MALE----	1	-	-	1	1	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	1	-	1
BLACK---MALE----	1	-	-	1	1	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	1	-	-
SOUTH CAROLINA -----	26	44	96	150	215	228	168	119	32	12	2	-
WHITE-----MALE----	11	27	49	75	111	118	77	53	13	5	-	-
FEMALE--	12	14	35	50	83	81	69	49	16	4	1	-
ALL OTHER--MALE----	2	3	10	20	16	17	15	11	3	1	-	-
FEMALE--	1	-	2	5	5	12	7	6	-	2	1	-
BLACK---MALE----	2	3	10	20	16	17	15	11	3	1	-	-
FEMALE--	1	-	2	5	5	12	7	6	-	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,015

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)												
SOUTH DAKOTA -----	2	4	12	19	39	44	57	43	16	4	1	-
WHITE-----MALE----	2	3	5	12	27	28	31	29	8	2	1	-
FEMALE--	-	-	7	6	11	13	24	14	8	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	2	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	30	82	162	241	329	371	316	203	91	24	6	-
WHITE-----MALE----	11	40	83	132	182	195	165	108	38	9	2	-
FEMALE--	18	33	64	92	125	148	124	89	42	12	4	-
ALL OTHER--MALE----	1	5	9	11	10	18	18	2	8	1	-	-
FEMALE--	-	4	6	6	12	10	9	4	3	2	-	-
BLACK---MALE----	1	5	9	11	10	18	18	2	8	1	-	-
FEMALE--	-	4	6	6	12	10	9	4	3	2	-	-
TEXAS -----	64	155	342	573	829	977	919	610	290	74	12	-
WHITE-----MALE----	31	68	162	302	426	476	455	291	113	26	3	-
FEMALE--	28	68	145	223	341	459	431	280	158	40	7	-
ALL OTHER--MALE----	5	8	19	30	42	29	27	22	12	6	1	-
FEMALE--	-	11	16	18	20	13	6	17	7	2	1	-
BLACK---MALE----	5	7	18	27	42	29	25	21	12	5	-	-
FEMALE--	-	11	16	18	19	13	6	16	7	2	1	-
UTAH -----	4	10	19	40	53	68	48	39	18	5	-	-
WHITE-----MALE----	3	4	13	21	33	41	25	24	9	2	-	-
FEMALE--	1	6	6	19	19	27	23	13	9	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	6	10	18	36	54	55	27	25	3	-	-
WHITE-----MALE----	4	2	6	12	24	35	27	14	16	2	-	-
FEMALE--	-	4	4	6	12	19	28	13	9	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	29	43	109	213	334	393	317	213	94	20	4	-
WHITE-----MALE----	15	22	50	98	154	190	145	99	25	9	2	-
FEMALE--	9	13	45	93	150	164	137	92	53	9	2	-
ALL OTHER--MALE----	3	5	10	14	16	27	24	10	7	-	-	-
FEMALE--	2	3	4	8	14	12	11	12	9	2	-	-
BLACK---MALE----	3	5	10	14	15	26	24	10	7	-	-	-
FEMALE--	2	3	3	8	14	11	10	12	9	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,017

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
UNITED STATES --	135	185	302	584	1,104	1,765	2,515	2,714	1,985	770	211	-
WHITE-----MALE----	77	87	160	311	649	1,032	1,304	1,230	718	241	45	-
FEMALE--	33	58	83	176	298	541	968	1,257	1,101	466	144	-
ALL OTHER--MALE----	13	28	34	63	94	117	127	101	72	21	7	-
FEMALE--	12	12	25	34	63	75	116	126	94	42	15	-
BLACK---MALE----	13	26	29	54	83	109	107	83	59	17	6	-
FEMALE--	10	9	25	30	57	66	105	113	87	36	13	-
ALABAMA -----	2	6	8	10	22	34	48	46	37	12	5	-
WHITE-----MALE----	1	5	4	4	13	15	22	16	8	2	1	-
FEMALE--	-	1	1	4	5	12	13	20	24	9	3	-
ALL OTHER--MALE----	-	-	2	1	1	3	6	5	3	1	-	-
FEMALE--	1	-	1	1	3	4	7	5	2	-	1	-
BLACK---MALE----	-	-	2	1	1	3	6	5	3	1	-	-
FEMALE--	1	-	1	1	3	4	6	5	2	-	1	-
ALASKA -----	-	-	-	-	-	1	3	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	4	4	11	18	21	36	33	26	8	5	-
WHITE-----MALE----	1	3	2	6	9	13	18	15	13	6	1	-
FEMALE--	1	-	2	4	9	4	17	15	11	2	4	-
ALL OTHER--MALE----	-	1	-	1	-	2	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	2	1	3	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ARKANSAS -----	2	4	6	1	15	24	33	27	22	8	3	-
WHITE-----MALE----	1	2	5	-	9	16	21	10	8	2	2	-
FEMALE--	1	-	1	1	2	6	7	13	11	4	1	-
ALL OTHER--MALE----	-	1	-	-	3	2	2	2	2	1	-	-
FEMALE--	-	1	-	-	1	-	3	2	1	1	-	-
BLACK---MALE----	-	1	-	-	3	2	2	2	2	1	-	-
FEMALE--	-	-	-	-	1	-	3	2	1	1	-	-
CALIFORNIA -----	3	8	17	24	67	90	110	131	89	41	12	-
WHITE-----MALE----	2	4	5	11	33	53	47	65	40	11	4	-
FEMALE--	1	3	5	8	22	28	54	59	47	28	7	-
ALL OTHER--MALE----	-	1	7	4	7	6	4	3	1	1	1	-
FEMALE--	-	-	-	1	5	3	5	4	1	1	-	-
BLACK---MALE----	-	1	4	2	3	3	2	1	-	-	1	-
FEMALE--	-	-	-	-	3	-	4	2	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,018

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)												
COLORADO -----	192	-	-	-	-	-	-	-	-	1	2	1
WHITE-----MALE----	99	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	89	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	198	-	-	-	-	-	-	-	1	-	3	-
WHITE-----MALE----	86	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	103	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	57	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	47	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	2	-
FLORIDA -----	931	1	3	-	-	-	-	1	2	2	1	4
WHITE-----MALE----	464	1	-	-	-	-	-	-	2	2	-	2
FEMALE--	388	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	43	-	1	-	-	-	-	1	-	-	1	-
FEMALE--	36	-	2	-	-	-	-	-	-	-	-	1
BLACK---MALE----	43	-	1	-	-	-	-	1	-	-	1	-
FEMALE--	34	-	2	-	-	-	-	-	-	-	-	1
GEORGIA -----	348	-	1	-	-	1	-	2	3	3	2	8
WHITE-----MALE----	131	-	-	-	-	-	-	-	1	-	1	3
FEMALE--	148	-	-	-	-	1	-	1	-	2	-	1
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	43	-	1	-	-	-	-	1	2	1	1	1
BLACK---MALE----	26	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	42	-	1	-	-	-	-	1	2	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,018

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)												
COLORADO -----	7	2	5	8	12	28	34	34	35	19	4	-
WHITE-----MALE----	5	1	2	4	4	21	21	20	16	4	1	-
FEMALE--	2	1	3	3	8	7	12	14	18	14	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	3	3	6	18	14	36	59	35	14	4	-
WHITE-----MALE----	2	1	1	3	7	8	17	26	9	7	3	-
FEMALE--	-	1	2	2	9	5	19	32	23	7	1	-
ALL OTHER--MALE----	-	1	-	-	2	-	-	1	2	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	2	-	-	-	2	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
DELAWARE -----	-	1	1	4	10	6	11	13	6	3	-	-
WHITE-----MALE----	-	-	1	4	4	2	3	5	4	-	-	-
FEMALE--	-	-	-	-	3	3	5	6	1	3	-	-
ALL OTHER--MALE----	-	-	-	-	3	1	3	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	3	1	2	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	1	-	-	-
DISTRICT OF COLUMBIA -----	-	1	-	3	9	8	10	3	8	3	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	1	1	-	-
FEMALE--	-	-	-	2	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	1	6	3	3	1	3	-	-	-
FEMALE--	-	-	-	-	3	4	4	1	3	2	-	-
BLACK---MALE----	-	1	-	1	6	3	3	1	3	-	-	-
FEMALE--	-	-	-	-	3	4	4	1	3	2	-	-
FLORIDA -----	6	9	12	28	73	122	188	232	162	70	15	-
WHITE-----MALE----	4	4	8	13	44	64	107	117	64	27	5	-
FEMALE--	-	2	2	9	24	46	72	93	88	42	9	-
ALL OTHER--MALE----	1	3	2	5	2	10	5	7	5	-	-	-
FEMALE--	1	-	-	1	3	2	4	15	5	1	1	-
BLACK---MALE----	1	3	2	5	2	10	5	7	5	-	-	-
FEMALE--	1	-	-	1	3	2	3	15	4	1	1	-
GEORGIA -----	6	9	8	14	31	55	77	56	50	17	5	-
WHITE-----MALE----	1	3	3	7	11	24	33	24	16	3	1	-
FEMALE--	2	4	2	3	9	21	31	30	27	12	2	-
ALL OTHER--MALE----	1	1	1	1	4	6	7	1	1	-	-	-
FEMALE--	2	1	2	3	7	4	6	1	6	2	2	-
BLACK---MALE----	1	1	1	1	4	6	7	1	1	-	-	-
FEMALE--	2	1	2	3	6	4	6	1	6	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,019

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)												
HAWAII -----	1	1	-	3	7	4	10	15	11	6	-	-
WHITE-----MALE----	-	-	-	-	2	1	-	4	3	-	-	-
FEMALE--	-	-	-	1	-	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	4	-	7	7	5	2	-	-
FEMALE--	1	1	-	1	1	1	3	3	2	4	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	2	3	2	4	4	10	14	8	1	1	-
WHITE-----MALE----	-	1	2	2	3	4	7	6	3	1	-	-
FEMALE--	1	1	1	-	1	-	3	8	5	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	8	4	15	32	48	76	100	132	71	28	16	-
WHITE-----MALE----	5	1	5	15	21	37	46	57	26	12	-	-
FEMALE--	2	1	6	11	17	31	40	61	35	10	13	-
ALL OTHER--MALE----	1	2	3	4	6	6	7	7	5	2	3	-
FEMALE--	-	-	1	2	4	2	7	7	5	4	-	-
BLACK---MALE----	1	1	3	2	6	6	7	7	5	2	2	-
FEMALE--	-	-	1	2	4	2	7	7	4	4	-	-
INDIANA -----	-	6	14	18	23	37	59	56	42	20	4	-
WHITE-----MALE----	-	4	11	10	11	22	32	26	18	6	-	-
FEMALE--	-	1	3	6	8	10	21	27	22	14	4	-
ALL OTHER--MALE----	-	1	-	1	2	4	4	1	-	-	-	-
FEMALE--	-	-	-	1	2	1	2	2	2	-	-	-
BLACK---MALE----	-	1	-	1	2	4	4	1	-	-	-	-
FEMALE--	-	-	-	1	2	1	2	2	1	-	-	-
IOWA -----	1	2	3	4	10	23	23	34	39	12	-	-
WHITE-----MALE----	1	1	1	2	8	18	17	21	12	4	-	-
FEMALE--	-	1	2	1	2	4	5	13	25	8	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	2	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
KANSAS -----	1	2	1	6	11	9	25	33	20	8	7	-
WHITE-----MALE----	-	-	1	5	8	5	14	15	9	1	3	-
FEMALE--	-	2	-	1	3	4	11	16	11	6	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,020

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)												
KENTUCKY -----	278	-	-	-	-	-	-	1	-	1	4	2
WHITE-----MALE----	150	-	-	-	-	-	-	1	-	-	4	1
FEMALE--	109	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	11	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	190	1	2	-	1	-	-	-	-	-	-	2
WHITE-----MALE----	66	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	80	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	26	1	1	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	26	1	1	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	54	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	29	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	279	-	-	-	-	1	-	1	1	4	2	1
WHITE-----MALE----	112	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	103	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	37	-	-	-	-	-	-	1	-	2	-	1
BLACK---MALE----	26	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	35	-	-	-	-	-	-	1	-	2	-	1
MASSACHUSETTS -----	363	-	-	-	-	-	-	1	1	-	-	3
WHITE-----MALE----	166	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	182	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	367	3	1	-	2	-	1	-	2	2	5	2
WHITE-----MALE----	166	-	1	-	1	-	-	-	1	1	2	-
FEMALE--	135	1	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	37	1	-	-	-	-	-	-	-	1	2	1
FEMALE--	29	1	-	-	1	-	-	-	1	-	-	1
BLACK---MALE----	34	1	-	-	-	-	-	-	-	1	2	1
FEMALE--	27	1	-	-	1	-	-	-	1	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,020

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)												
KENTUCKY -----	6	3	3	24	31	30	53	59	41	18	2	-
WHITE-----MALE----	3	1	2	18	17	18	29	34	15	7	-	-
FEMALE--	3	2	1	6	8	11	23	22	21	10	2	-
ALL OTHER--MALE----	-	-	-	-	4	1	1	1	3	-	-	-
FEMALE--	-	-	-	-	2	-	-	2	2	1	-	-
BLACK---MALE----	-	-	-	-	4	1	1	1	3	-	-	-
FEMALE--	-	-	-	-	2	-	-	2	2	1	-	-
LOUISIANA -----	3	5	8	11	23	26	28	32	33	13	2	-
WHITE-----MALE----	2	2	4	6	7	14	11	8	7	3	-	-
FEMALE--	-	3	1	2	8	6	13	20	18	7	1	-
ALL OTHER--MALE----	1	-	1	2	5	3	1	2	7	1	-	-
FEMALE--	-	-	2	1	3	3	3	2	1	2	1	-
BLACK---MALE----	1	-	1	2	5	3	1	2	7	1	-	-
FEMALE--	-	-	2	1	3	3	3	2	1	2	1	-
MAINE -----	1	3	-	4	4	8	8	12	8	4	1	-
WHITE-----MALE----	-	2	-	3	3	3	5	5	4	3	-	-
FEMALE--	1	1	-	1	1	5	3	7	4	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	3	8	12	20	38	60	63	43	13	7	-
WHITE-----MALE----	2	-	5	7	10	21	22	25	13	5	1	-
FEMALE--	-	2	2	3	4	6	26	29	21	4	4	-
ALL OTHER--MALE----	-	1	1	1	4	5	6	1	3	2	-	-
FEMALE--	-	-	-	1	2	6	6	8	6	2	2	-
BLACK---MALE----	-	1	1	1	4	5	6	1	2	2	-	-
FEMALE--	-	-	-	1	1	6	6	7	6	2	2	-
MASSACHUSETTS -----	2	8	8	16	26	54	82	71	49	32	10	-
WHITE-----MALE----	2	4	2	9	19	37	38	27	13	10	2	-
FEMALE--	-	2	4	5	7	15	42	42	36	20	8	-
ALL OTHER--MALE----	-	1	-	1	-	2	1	-	-	1	-	-
FEMALE--	-	1	2	1	-	-	1	2	-	1	-	-
BLACK---MALE----	-	1	-	1	-	1	1	-	-	1	-	-
FEMALE--	-	1	2	-	-	-	-	2	-	-	-	-
MICHIGAN -----	4	3	10	20	39	60	74	62	46	24	7	-
WHITE-----MALE----	3	1	6	11	24	33	32	26	17	7	-	-
FEMALE--	1	-	-	7	6	14	30	28	24	15	7	-
ALL OTHER--MALE----	-	1	3	1	4	9	7	4	2	1	-	-
FEMALE--	-	1	1	1	5	4	5	4	3	1	-	-
BLACK---MALE----	-	1	3	1	4	9	6	2	2	1	-	-
FEMALE--	-	-	1	1	5	4	4	4	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,023

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)												
OHIO -----	8	8	14	41	45	78	107	115	100	34	10	-
WHITE-----MALE----	4	3	7	19	31	45	50	51	29	10	3	-
FEMALE--	3	3	3	12	9	26	44	55	62	23	6	-
ALL OTHER--MALE----	-	1	-	7	3	4	6	3	2	1	-	-
FEMALE--	1	1	4	3	2	3	7	6	7	-	1	-
BLACK---MALE----	-	1	-	6	3	4	6	3	2	1	-	-
FEMALE--	1	1	4	3	2	3	7	6	7	-	1	-
OKLAHOMA -----	2	9	-	10	8	22	36	46	34	11	4	-
WHITE-----MALE----	1	3	-	6	3	12	17	18	8	3	-	-
FEMALE--	-	5	-	4	3	9	15	26	23	8	3	-
ALL OTHER--MALE----	1	1	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	2	3	-	1	-
BLACK---MALE----	1	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	1	3	-	1	-
OREGON -----	-	1	1	4	9	17	21	22	15	5	3	-
WHITE-----MALE----	-	1	1	1	4	13	10	9	6	2	1	-
FEMALE--	-	-	-	3	4	4	10	12	9	2	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	8	15	19	48	104	194	266	274	200	64	9	-
WHITE-----MALE----	5	5	9	26	79	126	184	142	77	18	3	-
FEMALE--	3	7	3	19	16	53	71	121	110	41	5	-
ALL OTHER--MALE----	-	2	5	3	8	11	6	3	4	2	-	-
FEMALE--	-	1	2	-	1	4	5	8	9	3	1	-
BLACK---MALE----	-	2	5	3	8	11	5	3	4	2	-	-
FEMALE--	-	1	2	-	1	3	5	8	9	3	1	-
RHODE ISLAND -----	-	-	1	1	2	8	7	17	6	2	1	-
WHITE-----MALE----	-	-	1	1	1	5	5	5	2	2	-	-
FEMALE--	-	-	-	-	1	3	2	12	4	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	2	7	11	11	27	33	43	27	6	1	-
WHITE-----MALE----	-	2	2	5	7	14	10	10	8	1	-	-
FEMALE--	1	-	2	4	2	8	12	23	19	2	-	-
ALL OTHER--MALE----	1	-	1	1	1	3	5	5	-	-	1	-
FEMALE--	-	-	2	1	1	2	6	5	-	3	-	-
BLACK---MALE----	1	-	1	1	1	3	5	5	-	-	1	-
FEMALE--	-	-	2	1	1	1	6	5	-	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,024

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)												
SOUTH DAKOTA -----	33	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	314	1	-	-	1	1	1	-	1	1	-	2
WHITE-----MALE----	155	-	-	-	1	1	1	-	1	-	-	1
FEMALE--	125	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	15	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	14	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	792	2	-	2	-	-	1	-	2	6	3	10
WHITE-----MALE----	360	-	-	1	-	-	-	-	1	2	2	4
FEMALE--	349	-	-	1	-	-	1	-	1	3	1	3
ALL OTHER--MALE----	42	1	-	-	-	-	-	-	-	1	-	2
FEMALE--	41	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	41	1	-	-	-	-	-	-	-	1	-	2
FEMALE--	41	1	-	-	-	-	-	-	-	-	-	1
UTAH -----	66	-	-	-	-	1	-	-	-	-	-	1
WHITE-----MALE----	31	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	26	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	423	-	-	1	-	-	-	1	-	3	1	3
WHITE-----MALE----	201	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	158	-	-	1	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	34	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	34	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,024

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)

SOUTH DAKOTA	-	-	-	-	2	2	8	10	4	4	3	-
WHITE	-	-	-	-	1	-	4	6	2	2	-	-
MALE	-	-	-	-	1	2	4	4	2	2	3	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER	-	-	-	-	-	-	-	-	-	-	-	-
MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-
MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE	3	3	8	28	25	39	78	60	52	7	3	-
WHITE	1	1	1	16	10	20	40	33	26	1	1	-
MALE	1	1	4	8	13	14	29	23	22	6	2	-
FEMALE	-	-	1	2	2	2	5	1	1	-	-	-
ALL OTHER	-	-	1	2	-	3	4	3	3	-	-	-
MALE	1	1	2	2	-	3	4	3	3	-	-	-
FEMALE	-	-	1	2	2	2	4	1	1	-	-	-
BLACK	1	1	2	2	-	3	4	3	3	-	-	-
MALE	1	1	2	2	-	3	4	3	3	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS	8	14	18	30	61	91	150	182	140	56	16	-
WHITE	5	6	10	15	43	50	76	76	49	17	3	-
MALE	1	4	4	10	14	32	62	89	79	33	11	-
FEMALE	1	3	2	4	3	5	6	8	5	1	-	-
ALL OTHER	1	1	2	1	1	4	6	9	7	5	2	-
MALE	1	3	2	4	3	5	6	7	5	1	-	-
FEMALE	1	1	2	1	1	4	6	9	7	5	2	-
BLACK	1	3	2	4	3	5	6	7	5	1	-	-
MALE	1	3	2	4	3	5	6	7	5	1	-	-
FEMALE	1	1	2	1	1	4	6	9	7	5	2	-
UTAH	-	1	-	5	2	14	9	17	8	5	3	-
WHITE	-	-	-	3	1	9	5	9	2	2	-	-
MALE	-	-	-	3	1	9	5	9	2	2	-	-
FEMALE	-	1	-	2	1	4	4	8	6	3	3	-
ALL OTHER	-	-	-	-	-	1	-	-	-	-	-	-
MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-
MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT	-	-	-	-	3	8	3	5	4	3	-	-
WHITE	-	-	-	-	2	7	3	4	2	-	-	-
MALE	-	-	-	-	2	7	3	4	2	-	-	-
FEMALE	-	-	-	-	1	1	-	1	2	3	-	-
ALL OTHER	-	-	-	-	-	-	-	-	-	-	-	-
MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-
MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA	10	4	17	24	41	64	77	87	60	28	2	-
WHITE	6	2	10	15	29	42	30	41	13	9	-	-
MALE	2	-	4	2	6	13	35	35	42	15	2	-
FEMALE	1	2	2	6	1	3	7	7	2	1	-	-
ALL OTHER	1	-	1	1	5	6	5	4	3	3	-	-
MALE	1	-	1	1	5	6	5	4	3	3	-	-
FEMALE	1	2	2	6	1	3	7	7	2	1	-	-
BLACK	1	-	2	6	1	3	7	7	2	1	-	-
MALE	1	-	2	6	1	3	7	7	2	1	-	-
FEMALE	1	-	1	1	5	6	5	3	3	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,027

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)												
COLORADO -----	4	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	8	1	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	53	1	-	-	-	-	1	-	1	1	6	4
WHITE-----MALE----	31	1	-	-	-	-	1	-	-	-	2	3
FEMALE--	15	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	1
GEORGIA -----	26	-	-	-	-	-	-	-	-	3	2	4
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	5	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	5	-	-	-	-	-	-	-	-	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,027

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)												
COLORADO -----	-	1	1	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	-	1	1	1	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
FLORIDA -----	2	3	2	10	3	7	6	4	-	1	1	-
WHITE-----MALE----	1	1	2	5	2	6	6	1	-	-	-	-
FEMALE--	1	1	-	4	1	1	-	3	-	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	1	-	4	-	1	3	3	3	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	3	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	3	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,029

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)												
KENTUCKY -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	19	1	-	-	-	-	-	-	-	1	2	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	3	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	17	-	-	-	-	-	-	-	-	-	2	2
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
MASSACHUSETTS -----	15	-	1	-	-	-	-	-	1	1	1	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	4	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
MICHIGAN -----	21	-	-	-	-	-	1	1	1	1	2	2
WHITE-----MALE----	10	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,033

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	-	1	2	-	2	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	1	-	2	-	-	1	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	1	3	4	4	6	7	4	4	-	-	-	-
WHITE-----MALE----	-	1	3	4	5	4	2	3	-	-	-	-
FEMALE--	1	1	1	-	1	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	3	3	1	4	3	2	4	1	-	-	-
WHITE-----MALE----	-	3	1	-	3	1	1	1	1	-	-	-
FEMALE--	-	-	-	1	-	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,036

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PLEURISY (511)												
COLORADO -----	-	1	-	-	2	4	2	3	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	-	1	-	-	-
FEMALE--	-	1	-	-	1	2	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	3	1	1	3	1	2	2	1	-	-
WHITE-----MALE----	-	-	1	1	-	2	-	-	1	-	-	-
FEMALE--	-	-	2	-	1	1	1	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	1	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	-	1	-	-	1	-	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
FLORIDA -----	-	2	1	4	4	5	7	14	12	1	-	-
WHITE-----MALE----	-	-	1	3	2	2	3	7	4	-	-	-
FEMALE--	-	1	-	-	1	3	3	7	8	1	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
GEORGIA -----	1	1	1	-	5	2	7	6	4	1	1	-
WHITE-----MALE----	-	-	-	-	3	2	1	2	1	-	-	-
FEMALE--	-	-	1	-	-	-	4	2	3	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	-	2	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	-	2	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,038

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PLEURISY (511)												
KENTUCKY -----	-	-	-	-	1	2	5	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	3	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	3	1	2	3	3	2	1	2	-	-
WHITE-----MALE----	-	-	1	-	1	1	2	2	1	-	-	-
FEMALE--	-	-	1	1	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	1	5	7	1	3	4	-	-	-
WHITE-----MALE----	-	-	-	-	-	3	-	1	3	-	-	-
FEMALE--	-	-	-	-	4	2	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	2	-	-	1	4	13	3	5	2	-	-
WHITE-----MALE----	-	2	-	-	-	-	1	1	2	1	-	-
FEMALE--	-	-	-	-	1	4	12	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	2	3	1	4	4	5	6	7	-	1	-
WHITE-----MALE----	-	-	2	-	2	1	4	1	2	-	-	-
FEMALE--	-	-	1	1	2	3	1	5	4	-	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,041

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
PLEURISY (511)												
OHIO -----	-	1	4	-	8	6	7	8	6	4	2	-
WHITE-----MALE----	-	1	3	-	3	2	3	3	-	1	1	-
FEMALE--	-	-	1	-	4	4	3	4	6	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
OKLAHOMA -----	1	-	-	-	1	2	2	7	4	3	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	1	2	-	-	-
FEMALE--	1	-	-	-	-	1	1	6	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	2	-	1	1	-	1	-	2	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	-	1	2	4	8	14	18	6	4	1	-
WHITE-----MALE----	-	-	-	-	3	5	6	8	2	2	-	-
FEMALE--	1	-	1	2	1	2	6	10	4	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	1	-	-
RHODE ISLAND -----	-	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	3	-	-	3	7	4	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	2	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,042

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PLEURISY (511)												
SOUTH DAKOTA -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	16	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	54	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	25	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	30	-	-	1	-	1	-	-	-	-	1	-
WHITE-----MALE----	11	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,042

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PLEURISY (511)												
SOUTH DAKOTA -----	-	-	-	-	1	-	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	2	1	3	3	1	2	1	1	-
WHITE-----MALE----	-	-	-	-	1	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
TEXAS -----	1	3	4	5	8	2	13	7	8	1	-	-
WHITE-----MALE----	-	1	4	2	5	1	6	2	3	-	-	-
FEMALE--	1	1	-	1	3	1	6	4	5	1	-	-
ALL OTHER--MALE----	-	1	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
UTAH -----	-	-	-	1	1	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	1	4	3	7	4	5	1	1	-	-
WHITE-----MALE----	-	1	-	1	-	3	2	1	-	1	-	-
FEMALE--	-	-	1	1	3	3	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,044

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)												
0 UNITED STATES --	449	611	980	1,631	2,517	2,963	3,027	2,175	1,137	353	80	1
WHITE-----MALE----	182	280	470	819	1,310	1,478	1,396	841	340	82	15	-
FEMALE--	165	214	358	602	982	1,269	1,436	1,202	731	249	61	-
ALL OTHER--MALE----	44	58	69	114	115	110	87	53	33	7	-	-
FEMALE--	58	59	83	96	110	106	108	79	33	15	4	1
BLACK---MALE----	44	49	56	93	88	82	66	40	27	4	-	-
FEMALE--	49	53	69	77	80	74	84	68	26	12	3	1
ALABAMA -----	10	11	18	33	34	48	66	39	22	6	3	-
WHITE-----MALE----	3	5	7	17	15	19	26	16	4	1	-	-
FEMALE--	4	3	4	8	13	18	34	17	14	4	2	-
ALL OTHER--MALE----	1	2	1	6	2	6	2	4	2	-	-	-
FEMALE--	2	1	6	2	4	5	4	2	2	1	1	-
BLACK---MALE----	1	2	1	6	2	6	2	4	2	-	-	-
FEMALE--	2	1	6	2	4	5	4	2	2	1	1	-
ALASKA -----	1	-	2	3	3	1	2	5	2	1	-	-
WHITE-----MALE----	1	-	1	2	2	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	12	12	24	30	38	68	54	37	19	7	-	-
WHITE-----MALE----	4	3	16	16	18	37	25	15	6	1	-	-
FEMALE--	7	8	5	13	16	26	26	19	12	5	-	-
ALL OTHER--MALE----	-	1	1	-	2	1	1	2	1	1	-	-
FEMALE--	1	-	2	1	2	4	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
ARKANSAS -----	7	8	15	22	31	43	27	32	22	4	-	-
WHITE-----MALE----	4	2	5	5	20	23	10	6	6	1	-	-
FEMALE--	3	3	9	15	8	18	15	23	16	3	-	-
ALL OTHER--MALE----	-	1	-	-	2	2	1	-	-	-	-	-
FEMALE--	-	2	1	2	1	2	1	3	-	-	-	-
BLACK---MALE----	-	1	-	-	2	2	1	-	-	-	-	-
FEMALE--	-	2	1	2	1	-	1	3	-	-	-	-
CALIFORNIA -----	47	58	104	132	220	255	249	170	90	28	5	1
WHITE-----MALE----	19	26	48	62	109	129	120	77	28	12	1	-
FEMALE--	18	20	42	58	86	103	103	85	56	16	4	-
ALL OTHER--MALE----	4	7	9	7	17	12	12	5	4	-	-	-
FEMALE--	6	5	5	5	8	11	14	3	2	-	-	1
BLACK---MALE----	4	6	4	2	7	5	5	4	1	-	-	-
FEMALE--	3	4	3	2	1	4	6	1	1	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,045

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)												
COLORADO -----	224	2	1	-	1	1	2	1	2	2	2	-
WHITE-----MALE----	108	-	-	-	-	-	2	1	1	2	1	-
FEMALE--	105	1	1	-	1	1	-	-	1	-	1	-
ALL OTHER--MALE----	8	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	223	3	-	-	-	-	-	1	1	2	5	1
WHITE-----MALE----	104	2	-	-	-	-	-	1	-	1	2	-
FEMALE--	107	1	-	-	-	-	-	-	-	-	3	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	45	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	33	-	-	-	-	-	-	-	1	1	2	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	-
FLORIDA -----	1,216	15	4	2	2	2	5	5	4	13	16	21
WHITE-----MALE----	582	6	2	2	-	2	1	2	-	3	7	9
FEMALE--	539	6	-	-	-	-	1	2	3	5	7	9
ALL OTHER--MALE----	52	2	1	-	1	-	1	1	1	3	1	2
FEMALE--	43	1	1	-	1	-	2	-	-	2	1	1
BLACK---MALE----	50	2	1	-	1	-	1	1	1	3	1	2
FEMALE--	40	1	1	-	1	-	2	-	-	2	1	1
GEORGIA -----	515	6	-	1	-	2	3	1	3	3	5	14
WHITE-----MALE----	204	2	-	-	-	1	2	1	1	-	2	3
FEMALE--	217	2	-	1	-	1	1	-	2	1	-	4
ALL OTHER--MALE----	49	2	-	-	-	-	-	-	-	1	1	5
FEMALE--	45	-	-	-	-	-	-	-	-	1	2	2
BLACK---MALE----	47	2	-	-	-	-	-	-	-	1	1	5
FEMALE--	42	-	-	-	-	-	-	-	-	1	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,045

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)												
COLORADO -----	3	13	13	19	23	44	44	25	21	3	2	-
WHITE-----MALE----	1	8	5	7	15	23	19	14	6	2	1	-
FEMALE--	2	4	4	10	7	19	25	11	15	1	1	-
ALL OTHER--MALE----	-	1	3	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
CONNECTICUT -----	5	8	13	24	33	34	28	37	23	4	1	-
WHITE-----MALE----	2	6	6	14	14	18	11	16	9	2	-	-
FEMALE--	3	2	6	8	17	13	17	21	13	2	1	-
ALL OTHER--MALE----	-	-	-	2	2	3	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	2	2	3	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
DELAWARE -----	2	2	-	6	14	10	3	5	-	-	1	-
WHITE-----MALE----	1	2	-	3	9	7	1	-	-	-	-	-
FEMALE--	-	-	-	3	5	3	1	4	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
DISTRICT OF COLUMBIA ----	2	-	6	2	4	4	5	-	3	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	1	-	-	-
FEMALE--	-	-	1	1	-	1	1	-	-	-	1	-
ALL OTHER--MALE----	1	-	2	1	1	2	1	-	-	-	-	-
FEMALE--	1	-	3	-	3	1	1	-	2	1	-	-
BLACK---MALE----	1	-	2	1	1	2	1	-	-	-	-	-
FEMALE--	1	-	3	-	3	1	1	-	2	1	-	-
FLORIDA -----	22	42	46	124	205	193	223	167	77	20	8	-
WHITE-----MALE----	8	15	22	70	106	94	129	65	30	7	2	-
FEMALE--	5	21	17	42	88	89	87	95	45	11	6	-
ALL OTHER--MALE----	5	3	2	6	10	5	4	2	1	1	-	-
FEMALE--	4	3	5	6	1	5	3	5	1	1	-	-
BLACK---MALE----	5	3	2	6	9	4	4	2	1	1	-	-
FEMALE--	2	3	5	6	1	4	3	5	1	1	-	-
GEORGIA -----	17	24	33	55	85	84	84	59	29	7	-	-
WHITE-----MALE----	7	6	15	29	40	38	35	16	6	-	-	-
FEMALE--	6	13	8	19	30	36	30	37	19	7	-	-
ALL OTHER--MALE----	2	2	4	5	5	5	9	4	4	-	-	-
FEMALE--	2	3	6	2	10	5	10	2	-	-	-	-
BLACK---MALE----	2	2	2	5	5	5	9	4	4	-	-	-
FEMALE--	2	3	6	2	9	5	9	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,046

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)												
HAWAII -----	1	1	3	9	14	20	9	4	5	1	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	2	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	4	8	11	5	2	-	-	-	-
FEMALE--	-	1	3	3	5	7	3	2	3	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	4	5	10	15	17	12	7	1	1	-
WHITE-----MALE----	-	-	1	4	6	8	10	6	1	-	-	-
FEMALE--	1	-	3	1	4	7	7	6	6	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	26	26	35	77	115	123	131	92	33	16	4	-
WHITE-----MALE----	6	11	19	30	62	66	47	40	12	4	1	-
FEMALE--	11	7	13	27	41	48	79	44	18	11	3	-
ALL OTHER--MALE----	4	3	2	15	6	3	3	3	1	-	-	-
FEMALE--	5	5	1	5	6	6	2	5	2	1	-	-
BLACK---MALE----	4	2	-	13	6	3	2	2	1	-	-	-
FEMALE--	5	5	1	5	3	5	2	4	2	1	-	-
INDIANA -----	8	18	22	43	69	85	79	55	28	11	5	-
WHITE-----MALE----	5	8	14	25	39	48	40	20	5	1	1	-
FEMALE--	2	8	6	15	26	35	37	32	21	10	4	-
ALL OTHER--MALE----	1	-	-	2	3	2	1	1	1	-	-	-
FEMALE--	-	2	2	1	1	-	1	2	1	-	-	-
BLACK---MALE----	1	-	-	2	3	2	1	1	1	-	-	-
FEMALE--	-	2	2	1	1	-	1	2	1	-	-	-
IOWA -----	1	3	11	18	28	31	31	25	20	5	-	-
WHITE-----MALE----	1	3	6	7	15	17	11	9	6	1	-	-
FEMALE--	-	-	4	9	13	14	20	16	14	4	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	5	4	10	18	28	31	40	46	25	3	4	-
WHITE-----MALE----	2	2	5	8	18	16	24	14	6	-	2	-
FEMALE--	3	2	4	9	9	15	14	31	19	3	2	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,047

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)												
KENTUCKY -----	9	19	13	29	36	44	33	27	16	5	-	-
WHITE-----MALE----	6	13	7	14	21	26	13	7	4	4	-	-
FEMALE--	2	6	6	11	12	16	20	19	12	1	-	-
ALL OTHER--MALE----	1	-	-	2	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	2	-	1	-	-	-	-
BLACK---MALE----	1	-	-	1	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	1	-	-	-	-
LOUISIANA -----	8	20	17	45	33	41	54	34	17	1	-	-
WHITE-----MALE----	1	6	8	15	10	20	20	10	7	-	-	-
FEMALE--	3	5	5	20	17	16	25	20	9	-	-	-
ALL OTHER--MALE----	1	5	1	4	1	1	5	4	-	1	-	-
FEMALE--	3	4	3	6	5	4	4	-	1	-	-	-
BLACK---MALE----	1	4	1	4	1	1	5	4	-	1	-	-
FEMALE--	3	4	3	6	5	4	4	-	1	-	-	-
MAINE -----	3	2	7	9	16	15	16	16	7	4	2	-
WHITE-----MALE----	-	1	3	4	10	11	7	6	2	2	-	-
FEMALE--	3	1	3	5	6	4	9	10	5	2	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	7	18	24	30	48	58	48	33	18	8	2	-
WHITE-----MALE----	3	4	9	19	22	23	16	12	7	1	1	-
FEMALE--	2	5	5	4	19	29	24	17	8	4	-	-
ALL OTHER--MALE----	1	5	7	2	3	2	3	2	3	-	-	-
FEMALE--	1	4	3	5	4	4	5	2	-	3	1	-
BLACK---MALE----	1	5	7	2	2	2	3	2	3	-	-	-
FEMALE--	1	4	3	5	4	4	4	2	-	1	1	-
MASSACHUSETTS -----	10	8	20	38	63	96	86	73	35	11	1	-
WHITE-----MALE----	5	4	10	22	35	58	46	23	8	1	1	-
FEMALE--	5	4	9	13	26	35	40	45	24	10	-	-
ALL OTHER--MALE----	-	-	1	-	1	2	-	1	2	-	-	-
FEMALE--	-	-	-	3	1	1	-	4	1	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	2	-	-	-
FEMALE--	-	-	-	2	-	-	-	3	1	-	-	-
MICHIGAN -----	16	19	37	52	103	107	112	59	35	12	1	-
WHITE-----MALE----	5	10	17	32	63	61	59	22	11	1	-	-
FEMALE--	5	3	17	11	34	38	48	36	21	10	1	-
ALL OTHER--MALE----	-	5	3	4	4	5	3	-	2	-	-	-
FEMALE--	6	1	-	5	2	3	2	1	1	1	-	-
BLACK---MALE----	-	5	3	3	3	4	2	-	1	-	-	-
FEMALE--	6	1	-	5	1	2	2	1	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,050

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)												
OHIO -----	836	6	3	-	-	2	3	4	6	4	13	13
WHITE-----MALE----	367	4	1	-	-	2	2	3	3	1	3	3
FEMALE--	400	1	2	-	-	-	1	1	3	3	7	7
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	36	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	33	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	35	1	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	239	1	-	-	1	1	1	2	1	1	3	4
WHITE-----MALE----	97	-	-	-	-	-	-	1	1	1	1	1
FEMALE--	128	-	-	-	1	-	1	-	-	-	2	3
ALL OTHER--MALE----	7	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	7	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	210	1	1	-	-	-	-	-	-	1	2	2
WHITE-----MALE----	109	-	1	-	-	-	-	-	-	1	1	-
FEMALE--	97	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	950	2	3	1	-	1	6	1	4	4	11	18
WHITE-----MALE----	390	2	1	-	-	-	4	-	-	-	2	4
FEMALE--	478	-	1	1	-	-	1	-	3	3	7	9
ALL OTHER--MALE----	38	-	1	-	-	1	-	1	1	-	1	1
FEMALE--	44	-	-	-	-	-	1	-	-	1	1	4
BLACK---MALE----	36	-	1	-	-	1	-	1	1	-	1	1
FEMALE--	44	-	-	-	-	-	1	-	-	1	1	4
RHODE ISLAND -----	59	1	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	37	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	311	6	-	1	-	1	1	3	1	2	7	6
WHITE-----MALE----	121	-	-	1	-	1	-	-	-	-	1	2
FEMALE--	123	2	-	-	-	-	-	1	-	1	3	2
ALL OTHER--MALE----	25	2	-	-	-	-	-	-	-	-	2	-
FEMALE--	42	2	-	-	-	-	1	2	1	1	1	2
BLACK---MALE----	25	2	-	-	-	-	-	-	-	-	2	-
FEMALE--	42	2	-	-	-	-	1	2	1	1	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,050

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)												
OHIO -----	17	20	43	77	129	135	162	107	57	29	6	-
WHITE-----MALE----	6	7	23	40	70	56	74	49	14	6	-	-
FEMALE--	5	6	15	30	49	73	79	51	41	21	5	-
ALL OTHER--MALE----	3	3	1	4	6	3	5	-	1	1	-	-
FEMALE--	3	4	4	3	4	3	4	7	1	1	1	-
BLACK---MALE----	3	3	1	4	6	3	5	-	1	1	-	-
FEMALE--	3	3	4	3	4	3	4	7	1	1	1	-
OKLAHOMA -----	2	10	14	26	36	39	42	36	13	6	-	-
WHITE-----MALE----	2	7	3	14	15	15	19	15	1	1	-	-
FEMALE--	-	3	9	10	18	24	20	20	12	5	-	-
ALL OTHER--MALE----	-	-	2	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	2	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
OREGON -----	6	-	10	15	30	38	52	31	16	3	2	-
WHITE-----MALE----	5	-	5	8	17	20	30	14	6	-	1	-
FEMALE--	1	-	5	6	13	18	22	16	10	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	21	21	49	88	154	158	200	116	68	20	4	-
WHITE-----MALE----	9	9	21	47	77	72	83	33	20	5	1	-
FEMALE--	9	7	16	30	69	77	106	78	44	14	3	-
ALL OTHER--MALE----	2	-	7	4	5	3	6	2	2	1	-	-
FEMALE--	1	5	5	7	3	6	5	3	2	-	-	-
BLACK---MALE----	2	-	7	4	4	3	6	2	2	-	-	-
FEMALE--	1	5	5	7	3	6	5	3	2	-	-	-
RHODE ISLAND -----	3	3	4	5	7	10	12	7	4	1	-	-
WHITE-----MALE----	1	1	3	4	4	6	9	4	2	1	-	-
FEMALE--	1	2	-	1	3	4	2	3	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	13	14	24	32	43	56	46	38	13	4	-	-
WHITE-----MALE----	3	5	12	17	18	23	19	15	3	1	-	-
FEMALE--	4	4	5	9	18	26	20	19	6	3	-	-
ALL OTHER--MALE----	2	3	1	3	2	2	3	1	4	-	-	-
FEMALE--	4	2	6	3	5	5	4	3	-	-	-	-
BLACK---MALE----	2	3	1	3	2	2	3	1	4	-	-	-
FEMALE--	4	2	6	3	5	5	4	3	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,051

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)												
SOUTH DAKOTA -----	42	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	20	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	339	8	2	-	1	1	2	3	2	3	8	4
WHITE-----MALE----	154	4	1	-	1	1	-	-	-	1	3	1
FEMALE--	136	2	-	-	-	-	-	1	1	-	1	3
ALL OTHER--MALE----	24	1	-	-	-	-	2	-	-	1	2	-
FEMALE--	25	1	1	-	-	-	-	2	1	1	2	-
BLACK---MALE----	24	1	-	-	-	-	2	-	-	1	2	-
FEMALE--	25	1	1	-	-	-	-	2	1	1	2	-
TEXAS -----	992	24	6	5	2	5	6	6	9	11	20	22
WHITE-----MALE----	482	14	6	5	1	2	-	2	3	5	12	7
FEMALE--	435	6	-	-	1	3	2	4	3	4	5	8
ALL OTHER--MALE----	39	3	-	-	-	-	3	-	-	1	1	7
FEMALE--	36	1	-	-	-	-	1	-	3	1	2	-
BLACK---MALE----	38	3	-	-	-	-	3	-	-	1	1	7
FEMALE--	29	1	-	-	-	-	1	-	2	1	2	-
UTAH -----	110	1	-	-	-	-	-	-	1	-	2	2
WHITE-----MALE----	59	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	50	1	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	53	-	1	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	30	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	482	8	2	5	2	1	3	3	3	5	9	10
WHITE-----MALE----	201	1	1	-	1	-	-	2	2	1	2	4
FEMALE--	204	2	-	2	-	-	2	-	-	-	5	2
ALL OTHER--MALE----	35	4	1	2	-	1	-	-	-	3	-	4
FEMALE--	42	1	-	1	1	-	1	1	1	1	2	-
BLACK---MALE----	33	4	1	2	-	1	-	-	-	3	-	4
FEMALE--	35	1	-	-	-	-	1	-	1	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,051

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)												
SOUTH DAKOTA -----	-	2	-	4	7	11	8	5	4	-	-	-
WHITE-----MALE----	-	1	-	2	4	7	2	2	1	-	-	-
FEMALE--	-	1	-	2	3	3	5	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	10	20	22	40	47	56	55	34	18	3	-	-
WHITE-----MALE----	7	12	10	21	21	30	22	14	5	-	-	-
FEMALE--	1	6	7	11	20	23	31	15	11	3	-	-
ALL OTHER--MALE----	1	-	3	5	3	2	2	2	-	-	-	-
FEMALE--	1	2	2	3	3	1	-	3	2	-	-	-
BLACK---MALE----	1	-	3	5	3	2	2	2	-	-	-	-
FEMALE--	1	2	2	3	3	1	-	3	2	-	-	-
TEXAS -----	32	34	64	82	155	167	157	116	48	20	1	-
WHITE-----MALE----	15	19	33	36	98	80	70	55	16	3	-	-
FEMALE--	12	13	24	36	48	77	84	59	30	15	1	-
ALL OTHER--MALE----	3	-	1	7	5	6	1	-	1	-	-	-
FEMALE--	2	2	6	3	4	4	2	2	1	2	-	-
BLACK---MALE----	3	-	1	6	5	6	1	-	1	-	-	-
FEMALE--	2	2	5	2	3	2	2	2	-	2	-	-
UTAH -----	-	8	3	8	17	19	19	17	9	4	-	-
WHITE-----MALE----	-	4	2	6	11	14	9	7	3	2	-	-
FEMALE--	-	4	1	2	6	5	10	10	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	7	7	7	4	11	7	5	-	1	-
WHITE-----MALE----	1	-	3	3	3	1	6	3	2	-	-	-
FEMALE--	-	-	4	4	4	3	5	4	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	11	20	33	51	70	86	86	49	20	5	-	-
WHITE-----MALE----	2	15	16	24	32	44	34	16	4	-	-	-
FEMALE--	8	4	14	15	27	35	40	28	15	5	-	-
ALL OTHER--MALE----	-	1	3	5	4	3	2	2	-	-	-	-
FEMALE--	1	-	-	7	7	4	10	3	1	-	-	-
BLACK---MALE----	-	1	3	5	4	2	1	2	-	-	-	-
FEMALE--	1	-	-	7	5	4	9	3	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,053

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
0 UNITED STATES --	79,069	340	130	57	53	96	142	256	771	1,912	3,493	4,436
WHITE-----MALE----	33,765	141	50	26	25	33	53	115	373	983	1,957	2,495
FEMALE--	34,881	87	43	14	13	34	42	65	195	487	823	913
ALL OTHER--MALE----	5,581	72	18	8	8	15	28	39	116	247	445	695
FEMALE--	4,842	40	19	9	7	14	19	37	87	195	268	333
BLACK---MALE----	4,677	63	15	8	6	11	25	33	88	199	380	619
FEMALE--	4,105	35	15	9	5	13	15	31	62	164	224	278
ALABAMA -----	1,410	4	2	-	1	1	6	6	7	39	72	74
WHITE-----MALE----	505	-	2	-	-	-	1	3	3	17	37	26
FEMALE--	563	2	-	-	-	-	2	1	2	9	15	7
ALL OTHER--MALE----	176	1	-	-	1	1	-	-	2	4	15	28
FEMALE--	166	1	-	-	-	-	3	2	-	9	5	13
BLACK---MALE----	173	1	-	-	1	1	-	-	2	4	15	27
FEMALE--	165	1	-	-	-	-	3	2	-	9	5	12
ALASKA -----	113	-	-	-	1	-	1	1	4	7	9	11
WHITE-----MALE----	51	-	-	-	-	-	1	1	1	3	3	8
FEMALE--	37	-	-	-	1	-	-	-	1	1	3	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	14	-	-	-	-	-	-	-	2	2	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ARIZONA -----	1,537	7	-	-	2	2	5	7	21	56	89	108
WHITE-----MALE----	768	6	-	-	1	-	2	3	7	25	51	68
FEMALE--	609	1	-	-	-	-	2	1	5	12	20	23
ALL OTHER--MALE----	79	-	-	-	-	1	1	2	6	8	11	8
FEMALE--	81	-	-	-	1	1	-	1	3	11	7	9
BLACK---MALE----	12	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	19	-	-	-	-	-	-	1	-	1	1	2
ARKANSAS -----	848	4	1	1	-	-	1	2	10	21	31	41
WHITE-----MALE----	336	1	-	-	-	-	-	-	3	12	15	28
FEMALE--	401	2	1	-	-	-	1	-	5	5	12	5
ALL OTHER--MALE----	53	1	-	-	-	-	-	1	2	3	3	4
FEMALE--	58	-	-	1	-	-	-	1	-	1	1	4
BLACK---MALE----	52	1	-	-	-	-	-	1	2	3	3	4
FEMALE--	56	-	-	1	-	-	-	1	-	1	1	3
CALIFORNIA -----	8,196	35	10	9	4	8	14	38	108	246	498	557
WHITE-----MALE----	3,772	12	4	5	1	1	6	24	62	144	308	337
FEMALE--	3,441	16	1	3	2	4	2	6	29	68	129	134
ALL OTHER--MALE----	540	4	2	1	-	-	3	4	11	20	34	55
FEMALE--	443	3	3	-	1	3	3	4	6	14	27	31
BLACK---MALE----	291	1	-	1	-	-	1	2	4	9	24	39
FEMALE--	257	1	2	-	-	3	1	3	5	12	17	23

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,053

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
0 UNITED STATES --	4,443	4,467	5,451	7,011	8,713	10,013	9,964	9,069	5,773	2,078	395	6
WHITE-----MALE----	2,505	2,379	2,806	3,432	3,934	4,197	3,727	2,707	1,369	387	66	5
FEMALE--	1,103	1,259	1,722	2,603	3,772	4,823	5,394	5,620	4,024	1,554	291	-
ALL OTHER--MALE----	542	548	538	546	511	463	350	242	112	28	9	1
FEMALE--	293	281	385	430	496	530	493	500	268	109	29	-
BLACK---MALE----	456	471	461	468	425	359	290	187	82	23	8	-
FEMALE--	248	244	322	338	420	443	434	435	240	102	28	-
ALABAMA -----	78	86	93	134	157	179	153	169	103	37	9	-
WHITE-----MALE----	44	37	46	53	62	54	47	40	24	8	1	-
FEMALE--	15	26	26	55	60	95	72	89	61	21	5	-
ALL OTHER--MALE----	12	14	12	14	19	14	15	14	8	-	2	-
FEMALE--	7	9	9	12	16	16	19	26	10	8	1	-
BLACK---MALE----	12	14	12	14	19	14	14	13	8	-	2	-
FEMALE--	7	9	9	12	16	16	19	26	10	8	1	-
ALASKA -----	7	7	13	6	5	13	7	11	8	2	-	-
WHITE-----MALE----	3	4	9	3	3	5	4	2	1	-	-	-
FEMALE--	2	1	-	3	2	4	2	7	7	1	-	-
ALL OTHER--MALE----	2	2	-	-	-	1	1	2	-	-	-	-
FEMALE--	-	-	4	-	-	3	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	92	101	111	162	174	201	150	130	90	28	1	-
WHITE-----MALE----	62	59	64	84	83	105	74	49	18	7	-	-
FEMALE--	15	30	36	64	79	84	73	77	66	20	1	-
ALL OTHER--MALE----	8	9	5	5	6	4	1	1	2	1	-	-
FEMALE--	7	3	6	9	6	8	2	3	4	-	-	-
BLACK---MALE----	1	1	1	4	2	-	-	-	-	-	-	-
FEMALE--	2	2	1	1	-	3	1	3	1	-	-	-
ARKANSAS -----	43	36	61	59	91	122	116	103	81	23	1	-
WHITE-----MALE----	25	17	28	27	32	51	46	27	18	6	-	-
FEMALE--	10	10	20	27	51	56	60	67	55	13	1	-
ALL OTHER--MALE----	5	8	9	1	3	6	2	2	3	-	-	-
FEMALE--	3	1	4	4	5	9	8	7	5	4	-	-
BLACK---MALE----	4	8	9	1	3	6	2	2	3	-	-	-
FEMALE--	3	1	4	4	5	9	8	6	5	4	-	-
CALIFORNIA -----	590	515	647	737	862	977	893	767	489	166	25	1
WHITE-----MALE----	344	285	358	365	382	407	342	232	114	32	6	1
FEMALE--	168	163	207	277	378	450	464	457	348	116	19	-
ALL OTHER--MALE----	53	51	48	53	51	61	39	34	10	6	-	-
FEMALE--	25	16	34	42	51	59	48	44	17	12	-	-
BLACK---MALE----	34	31	32	33	25	21	15	13	1	5	-	-
FEMALE--	17	11	24	19	27	28	24	19	11	10	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,054

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
COLORADO -----	1,081	2	3	3	-	1	1	2	9	34	60	62
WHITE-----MALE----	538	1	2	3	-	-	-	2	6	19	44	40
FEMALE--	494	-	1	-	-	1	-	-	2	9	11	16
ALL OTHER--MALE----	28	-	-	-	-	-	1	-	1	5	3	6
FEMALE--	21	1	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	17	-	-	-	-	-	1	-	-	2	3	5
FEMALE--	16	1	-	-	-	-	-	-	-	1	2	-
CONNECTICUT -----	1,074	5	2	-	-	-	-	2	2	20	35	49
WHITE-----MALE----	474	4	2	-	-	-	-	1	2	9	25	24
FEMALE--	528	-	-	-	-	-	-	1	-	8	8	15
ALL OTHER--MALE----	42	1	-	-	-	-	-	-	-	2	-	8
FEMALE--	30	-	-	-	-	-	-	-	-	1	2	2
BLACK---MALE----	40	1	-	-	-	-	-	-	-	2	-	8
FEMALE--	29	-	-	-	-	-	-	-	-	1	2	2
DELAWARE -----	230	-	-	-	-	1	-	1	-	6	15	9
WHITE-----MALE----	98	-	-	-	-	1	-	1	-	1	7	4
FEMALE--	98	-	-	-	-	-	-	-	-	3	3	2
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	1	3	3
FEMALE--	19	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	1	3	3
FEMALE--	18	-	-	-	-	-	-	-	-	1	2	-
DISTRICT OF COLUMBIA ----	265	-	-	1	-	-	-	2	4	7	17	20
WHITE-----MALE----	36	-	-	1	-	-	-	1	-	-	1	1
FEMALE--	29	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	106	-	-	-	-	-	-	1	2	6	11	9
FEMALE--	94	-	-	-	-	-	-	-	2	1	4	8
BLACK---MALE----	104	-	-	-	-	-	-	1	2	6	10	9
FEMALE--	93	-	-	-	-	-	-	-	2	1	4	8
FLORIDA -----	5,080	16	8	3	1	7	8	11	25	88	208	302
WHITE-----MALE----	2,356	3	1	1	1	2	2	3	12	45	119	180
FEMALE--	2,227	3	3	2	-	3	3	5	9	29	62	70
ALL OTHER--MALE----	267	7	3	-	-	-	2	2	3	9	19	25
FEMALE--	230	3	1	-	-	2	1	1	1	5	8	27
BLACK---MALE----	260	7	3	-	-	-	2	2	3	9	18	23
FEMALE--	219	3	1	-	-	2	1	1	1	5	8	25
GEORGIA -----	2,062	9	8	-	1	3	2	6	23	46	87	136
WHITE-----MALE----	765	4	3	-	-	1	1	2	5	18	40	61
FEMALE--	791	1	2	-	1	2	-	2	8	11	21	22
ALL OTHER--MALE----	270	2	2	-	-	-	-	1	7	9	12	34
FEMALE--	236	2	1	-	-	-	1	1	3	8	14	19
BLACK---MALE----	266	2	2	-	-	-	-	1	7	9	12	34
FEMALE--	230	1	1	-	-	-	1	1	3	8	13	17

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,054

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.

IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)

COLORADO -----	62	55	84	94	117	129	131	109	81	31	11	-
WHITE-----MALE----	44	30	54	53	54	53	56	50	24	2	1	-
FEMALE--	17	23	27	37	58	72	73	56	54	27	10	-
ALL OTHER--MALE----	1	2	2	2	3	1	-	1	-	-	-	-
FEMALE--	-	-	1	2	2	3	2	2	3	2	-	-
BLACK---MALE----	-	2	1	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	3	2	1	2	1	-	-
CONNECTICUT -----	53	54	75	84	97	157	169	139	92	33	6	-
WHITE-----MALE----	40	28	37	52	44	67	66	47	20	5	1	-
FEMALE--	11	20	24	24	45	86	97	88	68	28	5	-
ALL OTHER--MALE----	2	5	5	5	6	1	3	3	1	-	-	-
FEMALE--	-	1	9	3	2	3	3	1	3	-	-	-
BLACK---MALE----	2	5	4	5	5	1	3	3	1	-	-	-
FEMALE--	-	1	9	3	1	3	3	1	3	-	-	-
DELAWARE -----	8	10	13	17	33	39	28	32	14	2	1	1
WHITE-----MALE----	5	5	10	10	15	18	8	10	2	-	-	1
FEMALE--	3	1	-	5	13	17	16	21	12	2	-	-
ALL OTHER--MALE----	-	1	1	1	1	2	2	-	-	-	-	-
FEMALE--	-	3	2	1	4	2	2	1	-	-	1	-
BLACK---MALE----	-	1	1	1	1	1	2	-	-	-	-	-
FEMALE--	-	3	1	1	4	2	2	1	-	-	1	-
DISTRICT OF COLUMBIA -----	20	24	22	26	30	20	37	19	11	2	3	-
WHITE-----MALE----	2	8	-	6	5	4	5	1	1	-	-	-
FEMALE--	1	-	1	-	3	2	10	4	5	-	-	-
ALL OTHER--MALE----	11	13	14	10	8	8	4	6	3	-	-	-
FEMALE--	6	3	7	10	14	6	18	8	2	2	3	-
BLACK---MALE----	11	12	14	10	8	8	4	6	3	-	-	-
FEMALE--	6	3	7	9	14	6	18	8	2	2	3	-
FLORIDA -----	282	314	383	471	588	655	655	577	341	120	16	1
WHITE-----MALE----	177	185	212	239	290	298	271	190	90	29	5	1
FEMALE--	67	79	118	179	255	311	348	351	230	89	11	-
ALL OTHER--MALE----	22	33	41	27	23	20	16	11	4	-	-	-
FEMALE--	16	17	12	26	20	26	20	25	17	2	-	-
BLACK---MALE----	22	31	40	26	23	20	16	11	4	-	-	-
FEMALE--	16	17	11	26	19	24	18	22	17	2	-	-
GEORGIA -----	134	158	166	188	217	266	251	213	104	39	5	-
WHITE-----MALE----	63	76	73	83	75	95	89	50	21	4	1	-
FEMALE--	32	32	49	56	85	123	118	132	69	22	3	-
ALL OTHER--MALE----	21	27	29	33	28	24	23	9	4	4	1	-
FEMALE--	18	23	15	16	29	24	21	22	10	9	-	-
BLACK---MALE----	21	27	26	33	27	24	23	9	4	4	1	-
FEMALE--	18	23	14	16	28	24	21	22	10	9	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,055

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
HAWAII -----	245	-	-	-	-	-	-	-	-	10	9	15
WHITE-----MALE----	56	-	-	-	-	-	-	-	-	4	5	7
FEMALE--	34	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	102	-	-	-	-	-	-	-	-	2	3	4
FEMALE--	53	-	-	-	-	-	-	-	-	3	1	2
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	337	2	2	-	-	-	-	-	3	6	11	18
WHITE-----MALE----	153	2	2	-	-	-	-	-	-	4	8	15
FEMALE--	176	-	-	-	-	-	-	-	2	2	3	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3,541	26	1	2	3	4	6	11	42	84	181	190
WHITE-----MALE----	1,437	10	1	1	1	-	1	7	21	34	97	97
FEMALE--	1,595	7	-	-	1	3	2	1	13	25	31	27
ALL OTHER--MALE----	276	6	-	1	1	-	2	2	6	13	31	49
FEMALE--	233	3	-	-	-	1	1	1	2	12	22	17
BLACK---MALE----	260	6	-	1	-	-	2	2	6	13	29	48
FEMALE--	219	3	-	-	-	1	1	1	2	12	21	16
INDIANA -----	1,655	5	3	4	2	4	4	6	22	30	60	86
WHITE-----MALE----	722	2	1	3	2	1	4	2	13	23	33	50
FEMALE--	786	2	2	1	-	-	-	2	6	5	15	22
ALL OTHER--MALE----	81	-	-	-	-	3	-	1	1	2	10	11
FEMALE--	66	1	-	-	-	-	-	1	2	-	2	3
BLACK---MALE----	80	-	-	-	-	3	-	1	1	2	10	11
FEMALE--	63	1	-	-	-	-	-	1	2	-	2	3
IOWA -----	872	6	1	-	-	1	-	-	7	12	20	21
WHITE-----MALE----	379	3	-	-	-	1	-	-	4	8	11	12
FEMALE--	482	2	1	-	-	-	-	-	2	3	8	7
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	5	1	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
KANSAS -----	735	2	-	-	2	-	-	1	3	18	20	35
WHITE-----MALE----	329	-	-	-	1	-	-	-	2	10	12	27
FEMALE--	352	1	-	-	-	-	-	1	-	5	7	6
ALL OTHER--MALE----	23	-	-	-	1	-	-	-	1	-	-	1
FEMALE--	31	1	-	-	-	-	-	-	-	3	1	1
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	25	1	-	-	-	-	-	-	-	2	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,055

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
HAWAII -----	15	13	18	24	29	34	22	39	16	1	-	-
WHITE-----MALE----	5	3	6	5	3	7	5	4	2	-	-	-
FEMALE--	3	1	2	3	4	2	2	12	1	1	-	-
ALL OTHER--MALE----	5	6	7	10	15	19	12	13	6	-	-	-
FEMALE--	2	3	3	6	7	6	3	10	7	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	10	13	23	24	44	34	53	60	22	10	2	-
WHITE-----MALE----	7	9	13	13	20	12	21	21	5	-	1	-
FEMALE--	2	4	8	9	24	21	32	38	17	10	1	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	176	185	233	317	377	453	455	397	280	101	16	1
WHITE-----MALE----	88	90	112	150	155	177	169	136	61	24	4	1
FEMALE--	45	58	71	120	172	235	248	243	211	72	10	-
ALL OTHER--MALE----	27	20	26	30	18	18	17	6	1	1	1	-
FEMALE--	16	17	24	17	32	23	21	12	7	4	1	-
BLACK---MALE----	26	18	24	29	18	14	15	6	1	1	1	-
FEMALE--	14	15	24	14	30	22	19	12	7	4	1	-
INDIANA -----	102	76	108	139	212	207	229	187	120	37	12	-
WHITE-----MALE----	58	45	59	68	101	87	73	55	32	6	4	-
FEMALE--	35	22	39	65	83	105	144	123	78	30	7	-
ALL OTHER--MALE----	5	6	4	4	14	8	9	2	1	-	-	-
FEMALE--	4	3	6	2	14	7	3	7	9	1	1	-
BLACK---MALE----	5	6	4	4	13	8	9	2	1	-	-	-
FEMALE--	4	3	6	2	13	6	3	6	9	1	1	-
IOWA -----	24	32	30	58	86	118	122	135	130	55	14	-
WHITE-----MALE----	20	21	25	29	45	59	49	49	30	7	6	-
FEMALE--	4	9	4	29	41	59	73	86	99	47	8	-
ALL OTHER--MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
KANSAS -----	22	35	39	53	71	93	100	117	78	37	9	-
WHITE-----MALE----	14	14	20	23	33	44	49	47	25	6	2	-
FEMALE--	5	16	12	26	33	44	45	64	50	30	7	-
ALL OTHER--MALE----	2	3	4	2	2	3	2	2	-	-	-	-
FEMALE--	1	2	3	2	3	2	4	4	3	1	-	-
BLACK---MALE----	2	1	3	1	2	1	2	2	-	-	-	-
FEMALE--	1	1	1	1	3	2	4	3	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,056

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
KENTUCKY -----	1,262	7	1	-	1	1	7	5	13	28	46	66
WHITE-----MALE----	572	6	1	-	-	1	3	4	8	16	29	48
FEMALE--	604	1	-	-	1	-	2	1	2	11	13	16
ALL OTHER--MALE----	42	-	-	-	-	-	2	-	2	1	3	2
FEMALE--	44	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	42	-	-	-	-	-	2	-	2	1	3	2
FEMALE--	43	-	-	-	-	-	-	-	1	-	1	-
LOUISIANA -----	1,278	6	1	1	-	2	5	4	12	35	68	81
WHITE-----MALE----	456	2	-	-	-	1	-	1	4	15	28	31
FEMALE--	447	-	-	1	-	-	2	-	1	9	12	17
ALL OTHER--MALE----	208	4	1	-	-	1	3	1	3	5	17	26
FEMALE--	167	-	-	-	-	-	-	2	4	6	11	7
BLACK---MALE----	203	4	1	-	-	1	3	1	3	4	16	26
FEMALE--	162	-	-	-	-	-	-	2	4	6	11	7
MAINE -----	416	2	-	-	-	1	-	1	2	5	5	14
WHITE-----MALE----	191	2	-	-	-	-	-	-	2	3	4	10
FEMALE--	224	-	-	-	-	1	-	1	-	1	1	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,438	12	5	1	1	3	2	3	19	34	74	89
WHITE-----MALE----	510	1	2	-	-	-	-	1	6	8	27	36
FEMALE--	549	1	1	-	-	1	-	-	2	3	15	17
ALL OTHER--MALE----	206	8	1	-	-	1	2	1	7	12	17	21
FEMALE--	173	2	1	1	1	1	-	1	4	11	15	15
BLACK---MALE----	198	8	1	-	-	1	2	1	7	12	16	20
FEMALE--	166	2	1	1	1	1	-	1	3	11	15	14
MASSACHUSETTS -----	1,970	4	3	-	2	5	3	8	12	47	72	96
WHITE-----MALE----	864	3	1	-	2	3	1	4	8	28	43	61
FEMALE--	1,015	-	2	-	-	1	2	4	3	13	23	24
ALL OTHER--MALE----	52	1	-	-	-	1	-	-	-	4	3	9
FEMALE--	39	-	-	-	-	-	-	-	1	2	3	2
BLACK---MALE----	41	1	-	-	-	-	-	-	-	3	3	7
FEMALE--	30	-	-	-	-	-	-	-	1	1	3	2
MICHIGAN -----	3,033	8	5	3	4	5	8	10	32	88	151	205
WHITE-----MALE----	1,184	4	1	1	1	3	4	5	14	44	70	94
FEMALE--	1,316	1	2	-	3	1	1	1	8	17	32	30
ALL OTHER--MALE----	304	2	2	1	-	1	2	2	5	15	32	61
FEMALE--	229	1	-	1	-	-	1	2	5	12	17	20
BLACK---MALE----	284	1	2	1	-	1	2	2	3	13	29	61
FEMALE--	215	1	-	1	-	-	1	2	5	12	17	19

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,056

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
KENTUCKY -----	68	79	83	109	117	163	186	147	94	33	8	-
WHITE-----MALE----	47	47	53	54	52	64	68	39	21	10	1	-
FEMALE--	15	20	24	52	58	91	103	101	67	21	5	-
ALL OTHER--MALE----	4	10	4	-	2	1	7	2	2	-	-	-
FEMALE--	2	2	2	3	5	7	8	5	4	2	2	-
BLACK---MALE----	4	10	4	-	2	1	7	2	2	-	-	-
FEMALE--	2	2	2	3	5	7	7	5	4	2	2	-
LOUISIANA -----	71	96	88	112	150	175	147	123	79	16	6	-
WHITE-----MALE----	29	43	39	47	67	59	36	33	18	3	-	-
FEMALE--	14	18	26	29	52	76	73	65	41	8	3	-
ALL OTHER--MALE----	19	32	12	17	12	19	19	8	9	-	-	-
FEMALE--	9	3	11	19	19	21	19	17	11	5	3	-
BLACK---MALE----	18	32	12	16	12	19	19	8	8	-	-	-
FEMALE--	9	3	11	17	18	19	19	17	11	5	3	-
MAINE -----	16	21	23	38	54	59	77	50	33	10	5	-
WHITE-----MALE----	8	12	13	18	31	32	28	19	7	2	-	-
FEMALE--	8	9	10	20	23	27	49	31	26	8	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	79	94	92	129	155	187	173	157	89	34	5	1
WHITE-----MALE----	38	40	40	51	54	81	55	40	23	6	-	1
FEMALE--	14	19	24	41	65	82	89	88	59	23	5	-
ALL OTHER--MALE----	21	21	21	23	19	11	7	10	1	2	-	-
FEMALE--	6	14	7	14	17	13	22	19	6	3	-	-
BLACK---MALE----	21	20	21	23	16	11	7	8	1	2	-	-
FEMALE--	6	13	7	14	16	13	21	17	6	3	-	-
MASSACHUSETTS -----	80	98	101	148	225	260	277	256	182	69	21	1
WHITE-----MALE----	50	59	46	92	104	122	115	72	38	10	2	-
FEMALE--	25	32	50	46	110	130	157	177	140	58	18	-
ALL OTHER--MALE----	5	4	4	6	7	1	-	5	1	-	-	1
FEMALE--	-	3	1	4	4	7	5	2	3	1	1	-
BLACK---MALE----	5	4	2	5	6	1	-	3	1	-	-	-
FEMALE--	-	1	1	2	4	5	4	1	3	1	1	-
MICHIGAN -----	175	176	208	262	364	377	348	306	219	66	13	-
WHITE-----MALE----	77	87	91	121	154	151	106	97	49	6	4	-
FEMALE--	49	50	78	95	149	185	209	185	155	57	8	-
ALL OTHER--MALE----	29	27	25	28	30	19	11	8	4	-	-	-
FEMALE--	20	12	14	18	31	22	22	16	11	3	1	-
BLACK---MALE----	28	26	21	26	27	19	11	7	4	-	-	-
FEMALE--	17	11	14	17	27	22	22	15	9	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,057

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
MINNESOTA -----	1,130	4	1	-	1	-	1	2	6	19	26	40
WHITE-----MALE----	486	2	-	-	-	-	1	-	4	9	10	26
FEMALE--	606	1	1	-	1	-	-	2	-	7	12	12
ALL OTHER--MALE----	22	1	-	-	-	-	-	-	-	1	3	1
FEMALE--	16	-	-	-	-	-	-	-	2	2	1	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
MISSISSIPPI -----	802	5	2	-	3	3	3	6	6	22	31	54
WHITE-----MALE----	292	-	-	-	2	-	-	1	3	6	15	24
FEMALE--	304	2	1	-	-	2	-	-	-	7	4	8
ALL OTHER--MALE----	112	3	1	-	1	-	2	3	2	5	7	13
FEMALE--	94	-	-	-	-	1	2	1	1	4	5	9
BLACK---MALE----	104	3	-	-	1	-	2	3	2	5	5	11
FEMALE--	89	-	-	-	-	1	1	2	1	4	4	6
MISSOURI -----	1,726	8	2	2	2	-	2	4	20	39	60	73
WHITE-----MALE----	749	5	2	1	2	-	2	-	11	26	35	42
FEMALE--	806	1	-	-	-	-	-	1	3	8	13	14
ALL OTHER--MALE----	85	1	-	-	-	-	-	2	5	4	7	13
FEMALE--	86	1	-	1	-	-	-	1	1	1	5	4
BLACK---MALE----	79	1	-	-	-	-	-	2	4	4	6	12
FEMALE--	81	1	-	1	-	-	-	1	1	1	3	3
MONTANA -----	272	1	-	-	-	-	-	1	4	4	20	7
WHITE-----MALE----	110	1	-	-	-	-	-	-	2	-	12	2
FEMALE--	130	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	20	-	-	-	-	-	-	1	-	1	5	3
FEMALE--	12	-	-	-	-	-	-	-	2	2	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	487	-	1	-	-	1	1	-	3	9	13	16
WHITE-----MALE----	212	-	-	-	-	-	-	-	1	6	6	10
FEMALE--	243	-	1	-	-	1	1	-	1	2	4	5
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	13	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	554	2	1	1	-	2	1	6	8	21	39	36
WHITE-----MALE----	285	-	-	-	-	1	-	4	4	15	25	20
FEMALE--	219	2	1	1	-	1	1	1	1	4	11	13
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	1	2	2	3
FEMALE--	20	-	-	-	-	-	-	1	2	-	1	-
BLACK---MALE----	18	-	-	-	-	-	-	-	1	2	2	1
FEMALE--	8	-	-	-	-	-	-	1	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,057

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
MINNESOTA -----	50	41	69	93	116	140	154	170	133	52	12	-
WHITE-----MALE----	30	22	42	42	60	66	63	59	39	10	1	-
FEMALE--	15	17	25	45	53	71	89	110	92	42	11	-
ALL OTHER--MALE----	4	2	2	4	1	1	-	1	1	-	-	-
FEMALE--	1	-	-	2	2	2	2	-	1	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	-	1	-	-	-
MISSISSIPPI -----	44	46	78	75	81	91	106	95	35	13	3	-
WHITE-----MALE----	23	22	31	33	35	31	31	22	12	1	-	-
FEMALE--	12	11	23	25	25	46	58	51	18	9	2	-
ALL OTHER--MALE----	5	8	15	10	8	7	9	12	1	-	-	-
FEMALE--	4	5	9	7	13	7	8	10	4	3	1	-
BLACK---MALE----	5	7	13	10	8	7	9	12	1	-	-	-
FEMALE--	3	5	9	7	13	7	8	10	4	3	1	-
MISSOURI -----	87	73	94	152	175	232	240	230	173	47	11	-
WHITE-----MALE----	50	41	59	74	83	99	101	62	41	9	4	-
FEMALE--	18	23	27	62	77	116	127	154	121	35	6	-
ALL OTHER--MALE----	13	7	4	6	7	8	4	3	1	-	-	-
FEMALE--	6	2	4	10	8	9	8	11	10	3	1	-
BLACK---MALE----	11	7	4	6	6	8	4	3	1	-	-	-
FEMALE--	6	1	4	9	8	9	8	11	10	3	1	-
MONTANA -----	17	14	14	21	23	25	47	33	27	10	4	-
WHITE-----MALE----	9	7	6	11	11	9	19	13	6	2	-	-
FEMALE--	3	5	5	6	12	15	26	20	21	8	4	-
ALL OTHER--MALE----	3	1	3	1	-	1	1	-	-	-	-	-
FEMALE--	2	1	-	3	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	24	23	22	37	44	52	82	84	47	27	1	-
WHITE-----MALE----	15	14	8	21	26	26	35	30	10	4	-	-
FEMALE--	4	6	9	13	17	24	43	53	36	22	1	-
ALL OTHER--MALE----	3	1	3	3	1	1	2	-	-	-	-	-
FEMALE--	2	2	2	-	-	1	2	1	1	1	-	-
BLACK---MALE----	2	1	2	3	-	1	2	-	-	-	-	-
FEMALE--	-	2	1	-	-	1	2	-	1	1	-	-
NEVADA -----	52	37	59	61	56	70	42	31	26	3	-	-
WHITE-----MALE----	30	26	34	32	30	27	17	9	9	2	-	-
FEMALE--	18	9	22	19	22	35	21	19	17	1	-	-
ALL OTHER--MALE----	3	1	3	9	2	2	2	-	-	-	-	-
FEMALE--	1	1	-	1	2	6	2	3	-	-	-	-
BLACK---MALE----	2	-	3	5	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,059

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
OHIO -----	3,325	8	5	4	1	6	3	7	25	72	107	153
WHITE-----MALE----	1,415	4	4	1	-	3	-	3	11	34	72	81
FEMALE--	1,501	2	1	2	1	1	2	3	6	20	24	36
ALL OTHER--MALE----	222	1	-	1	-	1	1	1	5	11	9	26
FEMALE--	187	1	-	-	-	1	-	-	3	7	2	10
BLACK---MALE----	215	1	-	1	-	1	1	1	5	11	9	26
FEMALE--	184	1	-	-	-	1	-	-	3	7	2	10
OKLAHOMA -----	1,176	2	-	1	1	-	2	3	13	35	49	74
WHITE-----MALE----	500	-	-	-	-	-	-	2	5	21	29	37
FEMALE--	528	1	-	-	1	-	2	-	5	7	13	24
ALL OTHER--MALE----	78	-	-	-	-	-	-	-	1	3	3	8
FEMALE--	70	1	-	1	-	-	-	1	2	4	4	5
BLACK---MALE----	32	-	-	-	-	-	-	-	-	2	1	3
FEMALE--	28	1	-	1	-	-	-	1	-	1	-	3
OREGON -----	958	5	-	1	-	-	2	2	8	16	38	43
WHITE-----MALE----	423	3	-	1	-	-	1	2	3	8	23	27
FEMALE--	494	-	-	-	-	-	1	-	4	5	10	13
ALL OTHER--MALE----	25	2	-	-	-	-	-	-	-	3	4	2
FEMALE--	16	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	8	1	-	-	-	-	-	-	-	1	2	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	4,188	16	12	2	2	5	8	8	32	62	161	174
WHITE-----MALE----	1,788	7	5	1	1	4	2	4	14	31	94	114
FEMALE--	1,990	3	3	-	-	1	4	2	8	19	31	30
ALL OTHER--MALE----	216	5	-	-	-	-	1	1	3	9	24	23
FEMALE--	194	1	4	1	1	-	1	1	7	3	12	7
BLACK---MALE----	208	4	-	-	-	-	1	1	2	9	23	23
FEMALE--	181	1	3	1	1	-	1	-	6	3	12	7
RHODE ISLAND -----	368	-	-	-	-	-	-	2	-	4	12	16
WHITE-----MALE----	151	-	-	-	-	-	-	1	-	4	10	10
FEMALE--	199	-	-	-	-	-	-	1	-	-	2	5
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1,232	6	5	1	3	3	2	10	19	30	69	74
WHITE-----MALE----	439	1	-	-	-	-	1	4	5	11	29	24
FEMALE--	416	-	1	-	-	-	-	1	4	8	9	14
ALL OTHER--MALE----	204	3	3	-	3	3	-	2	4	8	19	18
FEMALE--	173	2	1	1	-	-	1	3	6	3	12	18
BLACK---MALE----	201	3	3	-	3	2	-	2	4	8	19	18
FEMALE--	173	2	1	1	-	-	1	3	6	3	12	18

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,059

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
OHIO -----	179	171	237	297	418	424	441	398	250	99	20	-
WHITE-----MALE----	93	92	125	161	194	193	165	108	53	15	3	-
FEMALE--	48	49	71	104	176	187	237	261	180	74	16	-
ALL OTHER--MALE----	23	23	27	14	28	25	12	5	5	3	1	-
FEMALE--	15	7	14	18	20	19	27	24	12	7	-	-
BLACK---MALE----	23	23	26	14	27	23	12	4	4	2	1	-
FEMALE--	15	7	13	17	20	18	27	24	12	7	-	-
OKLAHOMA -----	59	51	93	97	127	150	148	141	96	33	1	-
WHITE-----MALE----	29	25	42	53	62	73	54	38	23	6	1	-
FEMALE--	15	10	36	31	50	63	86	94	66	24	-	-
ALL OTHER--MALE----	12	8	11	6	10	5	3	3	5	-	-	-
FEMALE--	3	8	4	7	5	9	5	6	2	3	-	-
BLACK---MALE----	3	4	8	2	2	1	3	2	1	-	-	-
FEMALE--	-	2	1	1	2	4	3	5	-	3	-	-
OREGON -----	59	50	63	85	98	100	131	134	85	31	7	-
WHITE-----MALE----	29	32	28	45	38	47	53	46	26	10	1	-
FEMALE--	23	17	30	38	56	52	74	86	59	20	6	-
ALL OTHER--MALE----	5	-	2	1	3	-	2	1	-	-	-	-
FEMALE--	2	1	3	1	1	1	2	1	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	2	-	-	-	-	-
PENNSYLVANIA -----	164	166	243	353	472	637	612	578	342	118	21	-
WHITE-----MALE----	94	81	113	182	234	287	239	163	89	24	5	-
FEMALE--	35	54	92	125	208	303	343	390	234	91	14	-
ALL OTHER--MALE----	22	21	22	27	13	22	11	6	5	1	-	-
FEMALE--	13	10	16	19	17	25	19	19	14	2	2	-
BLACK---MALE----	21	20	21	27	12	22	10	6	5	1	-	-
FEMALE--	12	9	16	15	16	22	19	19	14	2	2	-
RHODE ISLAND -----	19	13	25	48	39	62	45	39	28	14	2	-
WHITE-----MALE----	10	6	12	23	18	20	20	10	4	3	-	-
FEMALE--	5	5	10	20	21	42	22	29	24	11	2	-
ALL OTHER--MALE----	3	1	3	2	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	3	-	-	3	-	-	-	-	-
BLACK---MALE----	2	1	3	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	2	-	-	2	-	-	-	-	-
SOUTH CAROLINA -----	95	68	96	130	124	152	136	121	58	24	6	-
WHITE-----MALE----	42	27	46	50	48	52	48	32	13	6	-	-
FEMALE--	19	18	22	38	41	63	61	60	38	14	5	-
ALL OTHER--MALE----	24	17	16	21	21	18	9	9	4	1	1	-
FEMALE--	10	6	12	21	14	19	18	20	3	3	-	-
BLACK---MALE----	24	17	16	21	20	18	8	9	4	1	1	-
FEMALE--	10	6	12	21	14	19	18	20	3	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,060

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49

IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	220	-	1	-	-	-	-	-	3	4	5	10
WHITE-----MALE----	76	-	-	-	-	-	-	-	1	1	2	4
FEMALE--	111	-	-	-	-	-	-	-	1	1	-	2
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	1	1	2	2
FEMALE--	15	-	1	-	-	-	-	-	-	1	1	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,693	6	2	2	1	3	5	8	16	47	80	109
WHITE-----MALE----	673	2	-	2	-	1	1	2	8	26	43	68
FEMALE--	772	1	1	-	-	-	3	4	6	12	18	22
ALL OTHER--MALE----	118	2	1	-	-	1	1	1	1	4	13	12
FEMALE--	130	1	-	-	1	1	-	1	1	5	6	7
BLACK---MALE----	117	2	1	-	-	1	1	1	1	4	13	12
FEMALE--	124	1	-	-	1	1	-	1	1	5	4	7
TEXAS -----	5,359	40	19	5	2	4	16	13	64	168	286	360
WHITE-----MALE----	2,544	16	7	-	2	2	9	7	35	102	178	251
FEMALE--	2,220	17	8	3	-	2	4	4	16	42	61	49
ALL OTHER--MALE----	314	6	1	1	-	-	2	2	7	15	32	38
FEMALE--	281	1	3	1	-	-	1	-	6	9	15	22
BLACK---MALE----	301	6	1	1	-	-	2	2	7	14	31	36
FEMALE--	261	1	3	1	-	-	1	-	6	9	14	18
UTAH -----	477	4	-	-	-	1	-	1	11	10	24	17
WHITE-----MALE----	213	2	-	-	-	-	-	1	5	4	14	11
FEMALE--	250	2	-	-	-	1	-	-	5	6	9	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	3
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	181	-	-	-	-	-	-	-	2	1	3	4
WHITE-----MALE----	81	-	-	-	-	-	-	-	2	-	3	4
FEMALE--	99	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,799	6	2	2	1	1	1	5	15	45	64	77
WHITE-----MALE----	647	-	-	-	-	-	-	1	5	13	34	35
FEMALE--	775	3	1	-	-	1	-	3	3	15	19	16
ALL OTHER--MALE----	187	-	-	2	-	-	1	-	4	9	8	18
FEMALE--	190	3	1	-	1	-	-	1	3	8	3	8
BLACK---MALE----	183	-	-	2	-	-	-	-	4	9	8	18
FEMALE--	183	3	1	-	1	-	-	1	3	8	3	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,060

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
SOUTH DAKOTA -----	8	13	8	17	24	30	27	34	21	11	4	-
WHITE-----MALE----	2	5	4	6	8	10	10	9	8	5	1	-
FEMALE--	3	3	1	10	13	16	16	24	12	6	3	-
ALL OTHER--MALE----	1	4	2	-	1	3	-	1	-	-	-	-
FEMALE--	2	1	1	1	2	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	106	99	125	155	209	214	172	173	125	29	7	-
WHITE-----MALE----	62	55	54	68	82	76	57	36	25	5	-	-
FEMALE--	28	28	44	60	107	115	98	116	83	20	6	-
ALL OTHER--MALE----	7	11	8	17	11	9	10	5	4	-	-	-
FEMALE--	9	5	19	10	9	14	7	16	13	4	1	-
BLACK---MALE----	7	11	8	17	11	9	9	5	4	-	-	-
FEMALE--	8	5	17	10	9	14	7	16	12	4	1	-
TEXAS -----	358	333	397	457	585	627	582	568	322	127	26	-
WHITE-----MALE----	237	198	212	230	280	265	231	171	83	25	3	-
FEMALE--	74	91	119	173	258	305	309	347	220	97	21	-
ALL OTHER--MALE----	31	24	29	30	25	28	23	12	6	2	-	-
FEMALE--	16	20	37	24	22	29	19	38	13	3	2	-
BLACK---MALE----	30	23	27	28	25	27	23	11	5	2	-	-
FEMALE--	15	20	32	21	21	27	18	36	13	3	2	-
UTAH -----	15	21	29	27	55	59	78	60	45	18	2	-
WHITE-----MALE----	11	11	15	13	26	33	31	17	14	4	1	-
FEMALE--	4	10	12	12	28	25	47	41	31	13	1	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	2	-	1	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
VERMONT -----	10	7	7	21	20	17	28	27	20	12	2	-
WHITE-----MALE----	5	6	1	13	10	11	12	9	4	1	-	-
FEMALE--	5	1	6	7	10	6	16	18	16	11	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	95	124	144	169	214	201	259	207	123	36	8	-
WHITE-----MALE----	41	60	65	77	73	66	88	59	24	6	-	-
FEMALE--	24	30	36	61	98	97	129	121	85	27	6	-
ALL OTHER--MALE----	20	22	27	18	21	14	12	7	3	-	1	-
FEMALE--	10	12	16	13	22	24	30	20	11	3	1	-
BLACK---MALE----	20	22	26	18	20	12	12	7	3	-	1	-
FEMALE--	9	12	15	10	22	23	29	20	11	3	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,062

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS (520-529)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
UNITED STATES --	4	4	5	6	7	4	12	16	10	4	1	-
WHITE-----MALE----	1	1	1	4	5	3	2	5	2	1	1	-
FEMALE--	1	1	3	-	2	-	10	9	7	3	-	-
ALL OTHER--MALE----	1	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	1	-	2	1	-	-	-
BLACK---MALE----	1	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	2	1	-	-	-
ALABAMA -----	-	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	-	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	-	1	2	1	1	1	1	2	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,063

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS (520-529)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	-	-	-	1	-	3	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	-	-	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,071

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	78,980	339	130	57	53	96	142	255	769	1,911	3,490	4,428
WHITE-----MALE----	33,730	141	50	26	25	33	53	114	372	982	1,957	2,489
FEMALE--	34,841	86	43	14	13	34	42	65	195	487	821	912
ALL OTHER--MALE----	5,575	72	18	8	8	15	28	39	115	247	444	695
FEMALE--	4,834	40	19	9	7	14	19	37	87	195	268	332
BLACK---MALE----	4,671	63	15	8	6	11	25	33	87	199	379	619
FEMALE--	4,098	35	15	9	5	13	15	31	62	164	224	277
ALABAMA -----	1,407	4	2	-	1	1	6	6	7	39	71	74
WHITE-----MALE----	503	-	2	-	-	-	1	3	3	17	37	26
FEMALE--	562	2	-	-	-	-	2	1	2	9	14	7
ALL OTHER--MALE----	176	1	-	-	1	1	-	-	2	4	15	28
FEMALE--	166	1	-	-	-	-	3	2	-	9	5	13
BLACK---MALE----	173	1	-	-	1	1	-	-	2	4	15	27
FEMALE--	165	1	-	-	-	-	3	2	-	9	5	12
ALASKA -----	113	-	-	-	1	-	1	1	4	7	9	11
WHITE-----MALE----	51	-	-	-	-	-	1	1	1	3	3	8
FEMALE--	37	-	-	-	1	-	-	-	1	1	3	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	14	-	-	-	-	-	-	-	2	2	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ARIZONA -----	1,533	7	-	-	2	2	5	7	21	56	89	107
WHITE-----MALE----	766	6	-	-	1	-	2	3	7	25	51	67
FEMALE--	607	1	-	-	-	-	2	1	5	12	20	23
ALL OTHER--MALE----	79	-	-	-	-	1	1	2	6	8	11	8
FEMALE--	81	-	-	-	1	1	-	1	3	11	7	9
BLACK---MALE----	12	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	19	-	-	-	-	-	-	1	-	1	1	2
ARKANSAS -----	848	4	1	1	-	-	1	2	10	21	31	41
WHITE-----MALE----	336	1	-	-	-	-	-	-	3	12	15	28
FEMALE--	401	2	1	-	-	-	1	-	5	5	12	5
ALL OTHER--MALE----	53	1	-	-	-	-	-	1	2	3	3	4
FEMALE--	58	-	-	1	-	-	-	1	-	1	1	4
BLACK---MALE----	52	1	-	-	-	-	-	1	2	3	3	4
FEMALE--	56	-	-	1	-	-	-	1	-	1	1	3
CALIFORNIA -----	8,184	35	10	9	4	8	14	38	108	246	497	555
WHITE-----MALE----	3,766	12	4	5	1	1	6	24	62	144	308	335
FEMALE--	3,438	16	1	3	2	4	2	6	29	68	128	134
ALL OTHER--MALE----	539	4	2	1	-	-	3	4	11	20	34	55
FEMALE--	441	3	3	-	1	3	3	4	6	14	27	31
BLACK---MALE----	290	1	-	1	-	-	1	2	4	9	24	39
FEMALE--	256	1	2	-	-	3	1	3	5	12	17	23

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,071

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	4,439	4,463	5,446	7,005	8,706	10,009	9,952	9,053	5,763	2,074	394	6
WHITE-----MALE----	2,504	2,378	2,805	3,428	3,929	4,194	3,725	2,702	1,367	386	65	5
FEMALE--	1,102	1,258	1,719	2,603	3,770	4,823	5,384	5,611	4,017	1,551	291	-
ALL OTHER--MALE----	541	547	537	545	511	463	350	242	112	28	9	1
FEMALE--	292	280	385	429	496	529	493	498	267	109	29	-
BLACK---MALE----	455	470	460	467	425	359	290	187	82	23	8	-
FEMALE--	247	243	322	337	420	443	434	433	239	102	28	-
ALABAMA -----	78	86	93	134	156	178	153	169	103	37	9	-
WHITE-----MALE----	44	37	46	53	61	53	47	40	24	8	1	-
FEMALE--	15	26	26	55	60	95	72	89	61	21	5	-
ALL OTHER--MALE----	12	14	12	14	19	14	15	14	8	-	2	-
FEMALE--	7	9	9	12	16	16	19	26	10	8	1	-
BLACK---MALE----	12	14	12	14	19	14	14	13	8	-	2	-
FEMALE--	7	9	9	12	16	16	19	26	10	8	1	-
ALASKA -----	7	7	13	6	5	13	7	11	8	2	-	-
WHITE-----MALE----	3	4	9	3	3	5	4	2	1	-	-	-
FEMALE--	2	1	-	3	2	4	2	7	7	1	-	-
ALL OTHER--MALE----	2	2	-	-	-	1	1	2	-	-	-	-
FEMALE--	-	-	4	-	-	3	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	92	100	111	162	174	201	150	129	90	27	1	-
WHITE-----MALE----	62	58	64	84	83	105	74	49	18	7	-	-
FEMALE--	15	30	36	64	79	84	73	76	66	19	1	-
ALL OTHER--MALE----	8	9	5	5	6	4	1	1	2	1	-	-
FEMALE--	7	3	6	9	6	8	2	3	4	-	-	-
BLACK---MALE----	1	1	1	4	2	-	-	-	-	-	-	-
FEMALE--	2	2	1	1	-	3	1	3	1	-	-	-
ARKANSAS -----	43	36	61	59	91	122	116	103	81	23	1	-
WHITE-----MALE----	25	17	28	27	32	51	46	27	18	6	-	-
FEMALE--	10	10	20	27	51	56	60	67	55	13	1	-
ALL OTHER--MALE----	5	8	9	1	3	6	2	2	3	-	-	-
FEMALE--	3	1	4	4	5	9	8	7	5	4	-	-
BLACK---MALE----	4	8	9	1	3	6	2	2	3	-	-	-
FEMALE--	3	1	4	4	5	9	8	6	5	4	-	-
CALIFORNIA -----	590	514	645	736	861	976	892	765	489	166	25	1
WHITE-----MALE----	344	285	357	364	382	407	341	231	114	32	6	1
FEMALE--	168	163	206	277	377	450	464	457	348	116	19	-
ALL OTHER--MALE----	53	50	48	53	51	61	39	34	10	6	-	-
FEMALE--	25	16	34	42	51	58	48	43	17	12	-	-
BLACK---MALE----	34	30	32	33	25	21	15	13	1	5	-	-
FEMALE--	17	11	24	19	27	28	24	18	11	10	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,072

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)												
COLORADO -----	1,081	2	3	3	-	1	1	2	9	34	60	62
WHITE-----MALE----	538	1	2	3	-	-	-	2	6	19	44	40
FEMALE--	494	-	1	-	-	1	-	-	2	9	11	16
ALL OTHER--MALE----	28	-	-	-	-	-	1	-	1	5	3	6
FEMALE--	21	1	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	17	-	-	-	-	-	1	-	-	2	3	5
FEMALE--	16	1	-	-	-	-	-	-	-	1	2	-
CONNECTICUT -----	1,074	5	2	-	-	-	-	2	2	20	35	49
WHITE-----MALE----	474	4	2	-	-	-	-	1	2	9	25	24
FEMALE--	528	-	-	-	-	-	-	1	-	8	8	15
ALL OTHER--MALE----	42	1	-	-	-	-	-	-	-	2	-	8
FEMALE--	30	-	-	-	-	-	-	-	-	1	2	2
BLACK---MALE----	40	1	-	-	-	-	-	-	-	2	-	8
FEMALE--	29	-	-	-	-	-	-	-	-	1	2	2
DELAWARE -----	230	-	-	-	-	1	-	1	-	6	15	9
WHITE-----MALE----	98	-	-	-	-	1	-	1	-	1	7	4
FEMALE--	98	-	-	-	-	-	-	-	-	3	3	2
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	1	3	3
FEMALE--	19	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	1	3	3
FEMALE--	18	-	-	-	-	-	-	-	-	1	2	-
DISTRICT OF COLUMBIA ----	265	-	-	1	-	-	-	2	4	7	17	20
WHITE-----MALE----	36	-	-	1	-	-	-	1	-	-	1	1
FEMALE--	29	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	106	-	-	-	-	-	-	1	2	6	11	9
FEMALE--	94	-	-	-	-	-	-	-	2	1	4	8
BLACK---MALE----	104	-	-	-	-	-	-	1	2	6	10	9
FEMALE--	93	-	-	-	-	-	-	-	2	1	4	8
FLORIDA -----	5,074	16	8	3	1	7	8	11	25	88	208	302
WHITE-----MALE----	2,355	3	1	1	1	2	2	3	12	45	119	180
FEMALE--	2,222	3	3	2	-	3	3	5	9	29	62	70
ALL OTHER--MALE----	267	7	3	-	-	-	2	2	3	9	19	25
FEMALE--	230	3	1	-	-	2	1	1	1	5	8	27
BLACK---MALE----	260	7	3	-	-	-	2	2	3	9	18	23
FEMALE--	219	3	1	-	-	2	1	1	1	5	8	25
GEORGIA -----	2,060	9	8	-	1	3	2	6	23	46	87	136
WHITE-----MALE----	765	4	3	-	-	1	1	2	5	18	40	61
FEMALE--	791	1	2	-	1	2	-	2	8	11	21	22
ALL OTHER--MALE----	269	2	2	-	-	-	-	1	7	9	12	34
FEMALE--	235	2	1	-	-	-	1	1	3	8	14	19
BLACK---MALE----	265	2	2	-	-	-	-	1	7	9	12	34
FEMALE--	229	1	1	-	-	-	1	1	3	8	13	17

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,072

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	62	55	84	94	117	129	131	109	81	31	11	-
WHITE-----MALE----	44	30	54	53	54	53	56	50	24	2	1	-
FEMALE--	17	23	27	37	58	72	73	56	54	27	10	-
ALL OTHER--MALE----	1	2	2	2	3	1	-	1	-	-	-	-
FEMALE--	-	-	1	2	2	3	2	2	3	2	-	-
BLACK---MALE----	-	2	1	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	3	2	1	2	1	-	-
CONNECTICUT -----	53	54	75	84	97	157	169	139	92	33	6	-
WHITE-----MALE----	40	28	37	52	44	67	66	47	20	5	1	-
FEMALE--	11	20	24	24	45	86	97	88	68	28	5	-
ALL OTHER--MALE----	2	5	5	5	6	1	3	3	1	-	-	-
FEMALE--	-	1	9	3	2	3	3	1	3	-	-	-
BLACK---MALE----	2	5	4	5	5	1	3	3	1	-	-	-
FEMALE--	-	1	9	3	1	3	3	1	3	-	-	-
DELAWARE -----	8	10	13	17	33	39	28	32	14	2	1	1
WHITE-----MALE----	5	5	10	10	15	18	8	10	2	-	-	1
FEMALE--	3	1	-	5	13	17	16	21	12	2	-	-
ALL OTHER--MALE----	-	1	1	1	1	2	2	-	-	-	-	-
FEMALE--	-	3	2	1	4	2	2	1	-	-	1	-
BLACK---MALE----	-	1	1	1	1	1	2	-	-	-	-	-
FEMALE--	-	3	1	1	4	2	2	1	-	-	1	-
DISTRICT OF COLUMBIA ----	20	24	22	26	30	20	37	19	11	2	3	-
WHITE-----MALE----	2	8	-	6	5	4	5	1	1	-	-	-
FEMALE--	1	-	1	-	3	2	10	4	5	-	-	-
ALL OTHER--MALE----	11	13	14	10	8	8	4	6	3	-	-	-
FEMALE--	6	3	7	10	14	6	18	8	2	2	3	-
BLACK---MALE----	11	12	14	10	8	8	4	6	3	-	-	-
FEMALE--	6	3	7	9	14	6	18	8	2	2	3	-
FLORIDA -----	282	314	383	471	587	655	652	576	340	120	16	1
WHITE-----MALE----	177	185	212	239	289	298	271	190	90	29	5	1
FEMALE--	67	79	118	179	255	311	345	350	229	89	11	-
ALL OTHER--MALE----	22	33	41	27	23	20	16	11	4	-	-	-
FEMALE--	16	17	12	26	20	26	20	25	17	2	-	-
BLACK---MALE----	22	31	40	26	23	20	16	11	4	-	-	-
FEMALE--	16	17	11	26	19	24	18	22	17	2	-	-
GEORGIA -----	134	158	166	187	217	266	251	212	104	39	5	-
WHITE-----MALE----	63	76	73	83	75	95	89	50	21	4	1	-
FEMALE--	32	32	49	56	85	123	118	132	69	22	3	-
ALL OTHER--MALE----	21	27	29	32	28	24	23	9	4	4	1	-
FEMALE--	18	23	15	16	29	24	21	21	10	9	-	-
BLACK---MALE----	21	27	26	32	27	24	23	9	4	4	1	-
FEMALE--	18	23	14	16	28	24	21	21	10	9	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,073

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)												
HAWAII -----	245	-	-	-	-	-	-	-	-	10	9	15
WHITE-----MALE----	56	-	-	-	-	-	-	-	-	4	5	7
FEMALE--	34	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	102	-	-	-	-	-	-	-	-	2	3	4
FEMALE--	53	-	-	-	-	-	-	-	-	3	1	2
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	336	2	2	-	-	-	-	-	3	6	11	18
WHITE-----MALE----	152	2	2	-	-	-	-	-	-	4	8	15
FEMALE--	176	-	-	-	-	-	-	-	2	2	3	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3,540	26	1	2	3	4	6	11	42	84	181	190
WHITE-----MALE----	1,437	10	1	1	1	-	1	7	21	34	97	97
FEMALE--	1,594	7	-	-	1	3	2	1	13	25	31	27
ALL OTHER--MALE----	276	6	-	1	1	-	2	2	6	13	31	49
FEMALE--	233	3	-	-	-	1	1	1	2	12	22	17
BLACK---MALE----	260	6	-	1	-	-	2	2	6	13	29	48
FEMALE--	219	3	-	-	-	1	1	1	2	12	21	16
INDIANA -----	1,652	5	3	4	2	4	4	6	22	30	60	85
WHITE-----MALE----	720	2	1	3	2	1	4	2	13	23	33	49
FEMALE--	786	2	2	1	-	-	-	2	6	5	15	22
ALL OTHER--MALE----	81	-	-	-	-	3	-	1	1	2	10	11
FEMALE--	65	1	-	-	-	-	-	1	2	-	2	3
BLACK---MALE----	80	-	-	-	-	3	-	1	1	2	10	11
FEMALE--	62	1	-	-	-	-	-	1	2	-	2	3
IOWA -----	869	6	1	-	-	1	-	-	7	12	20	21
WHITE-----MALE----	377	3	-	-	-	1	-	-	4	8	11	12
FEMALE--	481	2	1	-	-	-	-	-	2	3	8	7
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	5	1	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
KANSAS -----	735	2	-	-	2	-	-	1	3	18	20	35
WHITE-----MALE----	329	-	-	-	1	-	-	-	2	10	12	27
FEMALE--	352	1	-	-	-	-	-	1	-	5	7	6
ALL OTHER--MALE----	23	-	-	-	1	-	-	-	1	-	-	1
FEMALE--	31	1	-	-	-	-	-	-	-	3	1	1
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	25	1	-	-	-	-	-	-	-	2	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,073

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	15	13	18	24	29	34	22	39	16	1	-	-
WHITE-----MALE----	5	3	6	5	3	7	5	4	2	-	-	-
FEMALE--	3	1	2	3	4	2	2	12	1	1	-	-
ALL OTHER--MALE----	5	6	7	10	15	19	12	13	6	-	-	-
FEMALE--	2	3	3	6	7	6	3	10	7	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	9	13	23	24	44	34	53	60	22	10	2	-
WHITE-----MALE----	6	9	13	13	20	12	21	21	5	-	1	-
FEMALE--	2	4	8	9	24	21	32	38	17	10	1	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	176	185	233	317	377	453	455	397	280	100	16	1
WHITE-----MALE----	88	90	112	150	155	177	169	136	61	24	4	1
FEMALE--	45	58	71	120	172	235	248	243	211	71	10	-
ALL OTHER--MALE----	27	20	26	30	18	18	17	6	1	1	1	-
FEMALE--	16	17	24	17	32	23	21	12	7	4	1	-
BLACK---MALE----	26	18	24	29	18	14	15	6	1	1	1	-
FEMALE--	14	15	24	14	30	22	19	12	7	4	1	-
INDIANA -----	102	76	108	139	212	206	229	187	119	37	12	-
WHITE-----MALE----	58	45	59	68	101	86	73	55	32	6	4	-
FEMALE--	35	22	39	65	83	105	144	123	78	30	7	-
ALL OTHER--MALE----	5	6	4	4	14	8	9	2	1	-	-	-
FEMALE--	4	3	6	2	14	7	3	7	8	1	1	-
BLACK---MALE----	5	6	4	4	13	8	9	2	1	-	-	-
FEMALE--	4	3	6	2	13	6	3	6	8	1	1	-
IOWA -----	24	32	30	57	85	118	122	135	129	55	14	-
WHITE-----MALE----	20	21	25	28	44	59	49	49	30	7	6	-
FEMALE--	4	9	4	29	41	59	73	86	98	47	8	-
ALL OTHER--MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
KANSAS -----	22	35	39	53	71	93	100	117	78	37	9	-
WHITE-----MALE----	14	14	20	23	33	44	49	47	25	6	2	-
FEMALE--	5	16	12	26	33	44	45	64	50	30	7	-
ALL OTHER--MALE----	2	3	4	2	2	3	2	2	-	-	-	-
FEMALE--	1	2	3	2	3	2	4	4	3	1	-	-
BLACK---MALE----	2	1	3	1	2	1	2	2	-	-	-	-
FEMALE--	1	1	1	1	3	2	4	3	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,074

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)												
KENTUCKY -----	1,261	7	1	-	1	1	7	5	13	28	46	66
WHITE-----MALE----	572	6	1	-	-	1	3	4	8	16	29	48
FEMALE--	603	1	-	-	1	-	2	1	2	11	13	16
ALL OTHER--MALE----	42	-	-	-	-	-	2	-	2	1	3	2
FEMALE--	44	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	42	-	-	-	-	-	2	-	2	1	3	2
FEMALE--	43	-	-	-	-	-	-	-	1	-	1	-
LOUISIANA -----	1,277	6	1	1	-	2	5	4	12	35	68	81
WHITE-----MALE----	456	2	-	-	-	1	-	1	4	15	28	31
FEMALE--	447	-	-	1	-	-	2	-	1	9	12	17
ALL OTHER--MALE----	208	4	1	-	-	1	3	1	3	5	17	26
FEMALE--	166	-	-	-	-	-	-	2	4	6	11	7
BLACK---MALE----	203	4	1	-	-	1	3	1	3	4	16	26
FEMALE--	161	-	-	-	-	-	-	2	4	6	11	7
MAINE -----	416	2	-	-	-	1	-	1	2	5	5	14
WHITE-----MALE----	191	2	-	-	-	-	-	-	2	3	4	10
FEMALE--	224	-	-	-	-	1	-	1	-	1	1	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,434	12	5	1	1	3	2	3	19	34	74	89
WHITE-----MALE----	509	1	2	-	-	-	-	1	6	8	27	36
FEMALE--	547	1	1	-	-	1	-	-	2	3	15	17
ALL OTHER--MALE----	206	8	1	-	-	1	2	1	7	12	17	21
FEMALE--	172	2	1	1	1	1	-	1	4	11	15	15
BLACK---MALE----	198	8	1	-	-	1	2	1	7	12	16	20
FEMALE--	165	2	1	1	1	1	-	1	3	11	15	14
MASSACHUSETTS -----	1,970	4	3	-	2	5	3	8	12	47	72	96
WHITE-----MALE----	864	3	1	-	2	3	1	4	8	28	43	61
FEMALE--	1,015	-	2	-	-	1	2	4	3	13	23	24
ALL OTHER--MALE----	52	1	-	-	-	1	-	-	-	4	3	9
FEMALE--	39	-	-	-	-	-	-	-	1	2	3	2
BLACK---MALE----	41	1	-	-	-	-	-	-	-	3	3	7
FEMALE--	30	-	-	-	-	-	-	-	1	1	3	2
MICHIGAN -----	3,031	8	5	3	4	5	8	10	32	88	151	205
WHITE-----MALE----	1,184	4	1	1	1	3	4	5	14	44	70	94
FEMALE--	1,315	1	2	-	3	1	1	1	8	17	32	30
ALL OTHER--MALE----	304	2	2	1	-	1	2	2	5	15	32	61
FEMALE--	228	1	-	1	-	-	1	2	5	12	17	20
BLACK---MALE----	284	1	2	1	-	1	2	2	3	13	29	61
FEMALE--	214	1	-	1	-	-	1	2	5	12	17	19

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,074

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	68	79	83	109	117	163	185	147	94	33	8	-
WHITE-----MALE----	47	47	53	54	52	64	68	39	21	10	1	-
FEMALE--	15	20	24	52	58	91	102	101	67	21	5	-
ALL OTHER--MALE----	4	10	4	-	2	1	7	2	2	-	-	-
FEMALE--	2	2	2	3	5	7	8	5	4	2	2	-
BLACK---MALE----	4	10	4	-	2	1	7	2	2	-	-	-
FEMALE--	2	2	2	3	5	7	7	5	4	2	2	-
LOUISIANA -----	71	96	88	111	150	175	147	123	79	16	6	-
WHITE-----MALE----	29	43	39	47	67	59	36	33	18	3	-	-
FEMALE--	14	18	26	29	52	76	73	65	41	8	3	-
ALL OTHER--MALE----	19	32	12	17	12	19	19	8	9	-	-	-
FEMALE--	9	3	11	18	19	21	19	17	11	5	3	-
BLACK---MALE----	18	32	12	16	12	19	19	8	8	-	-	-
FEMALE--	9	3	11	16	18	19	19	17	11	5	3	-
MAINE -----	16	21	23	38	54	59	77	50	33	10	5	-
WHITE-----MALE----	8	12	13	18	31	32	28	19	7	2	-	-
FEMALE--	8	9	10	20	23	27	49	31	26	8	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	79	93	92	129	155	186	172	156	89	34	5	1
WHITE-----MALE----	38	40	40	51	54	80	55	40	23	6	-	1
FEMALE--	14	19	24	41	65	82	88	87	59	23	5	-
ALL OTHER--MALE----	21	21	21	23	19	11	7	10	1	2	-	-
FEMALE--	6	13	7	14	17	13	22	19	6	3	-	-
BLACK---MALE----	21	20	21	23	16	11	7	8	1	2	-	-
FEMALE--	6	12	7	14	16	13	21	17	6	3	-	-
MASSACHUSETTS -----	80	98	101	148	225	260	277	256	182	69	21	1
WHITE-----MALE----	50	59	46	92	104	122	115	72	38	10	2	-
FEMALE--	25	32	50	46	110	130	157	177	140	58	18	-
ALL OTHER--MALE----	5	4	4	6	7	1	-	5	1	-	-	1
FEMALE--	-	3	1	4	4	7	5	2	3	1	1	-
BLACK---MALE----	5	4	2	5	6	1	-	3	1	-	-	-
FEMALE--	-	1	1	2	4	5	4	1	3	1	1	-
MICHIGAN -----	174	176	207	262	364	377	348	306	219	66	13	-
WHITE-----MALE----	77	87	91	121	154	151	106	97	49	6	4	-
FEMALE--	49	50	77	95	149	185	209	185	155	57	8	-
ALL OTHER--MALE----	29	27	25	28	30	19	11	8	4	-	-	-
FEMALE--	19	12	14	18	31	22	22	16	11	3	1	-
BLACK---MALE----	28	26	21	26	27	19	11	7	4	-	-	-
FEMALE--	16	11	14	17	27	22	22	15	9	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,075

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	1,129	4	1	-	1	-	1	2	6	19	26	40
WHITE-----MALE----	486	2	-	-	-	-	1	-	4	9	10	26
FEMALE--	605	1	1	-	1	-	-	2	-	7	12	12
ALL OTHER--MALE----	22	1	-	-	-	-	-	-	-	1	3	1
FEMALE--	16	-	-	-	-	-	-	-	2	2	1	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
MISSISSIPPI -----	802	5	2	-	3	3	3	6	6	22	31	54
WHITE-----MALE----	292	-	-	-	2	-	-	1	3	6	15	24
FEMALE--	304	2	1	-	-	2	-	-	-	7	4	8
ALL OTHER--MALE----	112	3	1	-	1	-	2	3	2	5	7	13
FEMALE--	94	-	-	-	-	1	1	2	1	4	5	9
BLACK---MALE----	104	3	-	-	1	-	2	3	2	5	5	11
FEMALE--	89	-	-	-	-	1	1	2	1	4	4	6
MISSOURI -----	1,725	8	2	2	2	-	2	4	20	39	60	72
WHITE-----MALE----	748	5	2	1	2	-	2	-	11	26	35	41
FEMALE--	806	1	-	-	-	-	-	1	3	8	13	14
ALL OTHER--MALE----	85	1	-	-	-	-	-	2	5	4	7	13
FEMALE--	86	1	-	1	-	-	-	1	1	1	5	4
BLACK---MALE----	79	1	-	-	-	-	-	2	4	4	6	12
FEMALE--	81	1	-	1	-	-	-	1	1	1	3	3
MONTANA -----	272	1	-	-	-	-	-	1	4	4	20	7
WHITE-----MALE----	110	1	-	-	-	-	-	-	2	-	12	2
FEMALE--	130	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	20	-	-	-	-	-	-	1	-	1	5	3
FEMALE--	12	-	-	-	-	-	-	-	2	2	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	486	-	1	-	-	1	1	-	3	9	13	16
WHITE-----MALE----	212	-	-	-	-	-	-	-	1	6	6	10
FEMALE--	242	-	1	-	-	1	1	-	1	2	4	5
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	13	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	554	2	1	1	-	2	1	6	8	21	39	36
WHITE-----MALE----	285	-	-	-	-	1	-	4	4	15	25	20
FEMALE--	219	2	1	1	-	1	1	1	1	4	11	13
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	1	2	2	3
FEMALE--	20	-	-	-	-	-	-	1	2	-	1	-
BLACK---MALE----	18	-	-	-	-	-	-	-	1	2	2	1
FEMALE--	8	-	-	-	-	-	-	1	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,075

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	50	41	69	93	116	140	154	170	133	51	12	-
WHITE-----MALE----	30	22	42	42	60	66	63	59	39	10	1	-
FEMALE--	15	17	25	45	53	71	89	110	92	41	11	-
ALL OTHER--MALE----	4	2	2	4	1	1	-	1	1	-	-	-
FEMALE--	1	-	-	2	2	2	2	-	1	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	-	1	-	-	-
MISSISSIPPI -----	44	46	78	75	81	91	106	95	35	13	3	-
WHITE-----MALE----	23	22	31	33	35	31	31	22	12	1	-	-
FEMALE--	12	11	23	25	25	46	58	51	18	9	2	-
ALL OTHER--MALE----	5	8	15	10	8	7	9	12	1	-	-	-
FEMALE--	4	5	9	7	13	7	8	10	4	3	1	-
BLACK---MALE----	5	7	13	10	8	7	9	12	1	-	-	-
FEMALE--	3	5	9	7	13	7	8	10	4	3	1	-
MISSOURI -----	87	73	94	152	175	232	240	230	173	47	11	-
WHITE-----MALE----	50	41	59	74	83	99	101	62	41	9	4	-
FEMALE--	18	23	27	62	77	116	127	154	121	35	6	-
ALL OTHER--MALE----	13	7	4	6	7	8	4	3	1	-	-	-
FEMALE--	6	2	4	10	8	9	8	11	10	3	1	-
BLACK---MALE----	11	7	4	6	6	8	4	3	1	-	-	-
FEMALE--	6	1	4	9	8	9	8	11	10	3	1	-
MONTANA -----	17	14	14	21	23	25	47	33	27	10	4	-
WHITE-----MALE----	9	7	6	11	11	9	19	13	6	2	-	-
FEMALE--	3	5	5	6	12	15	26	20	21	8	4	-
ALL OTHER--MALE----	3	1	3	1	-	1	1	-	-	-	-	-
FEMALE--	2	1	-	3	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	24	23	22	37	44	52	82	84	46	27	1	-
WHITE-----MALE----	15	14	8	21	26	26	35	30	10	4	-	-
FEMALE--	4	6	9	13	17	24	43	53	35	22	1	-
ALL OTHER--MALE----	3	1	3	3	1	1	2	-	-	-	-	-
FEMALE--	2	2	2	-	-	1	2	1	1	1	-	-
BLACK---MALE----	2	1	2	3	-	1	2	-	-	-	-	-
FEMALE--	-	2	1	-	-	1	2	-	1	1	-	-
NEVADA -----	52	37	59	61	56	70	42	31	26	3	-	-
WHITE-----MALE----	30	26	34	32	30	27	17	9	9	2	-	-
FEMALE--	18	9	22	19	22	35	21	19	17	1	-	-
ALL OTHER--MALE----	3	1	3	9	2	2	2	-	-	-	-	-
FEMALE--	1	1	-	1	2	6	2	3	-	-	-	-
BLACK---MALE----	2	-	3	5	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,077

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)												
OHIO -----	3,321	8	5	4	1	6	3	7	25	72	107	152
WHITE-----MALE----	1,413	4	4	1	-	3	-	3	11	34	72	80
FEMALE--	1,499	2	1	2	1	1	2	3	6	20	24	36
ALL OTHER--MALE----	222	1	-	1	-	1	1	1	5	11	9	26
FEMALE--	187	1	-	-	-	1	-	-	3	7	2	10
BLACK---MALE----	215	1	-	1	-	1	1	1	5	11	9	26
FEMALE--	184	1	-	-	-	1	-	-	3	7	2	10
OKLAHOMA -----	1,175	2	-	1	1	-	2	3	13	35	49	74
WHITE-----MALE----	500	-	-	-	-	-	-	2	5	21	29	37
FEMALE--	527	1	-	-	1	-	2	-	5	7	13	24
ALL OTHER--MALE----	78	-	-	-	-	-	-	-	1	3	3	8
FEMALE--	70	1	-	1	-	-	-	1	2	4	4	5
BLACK---MALE----	32	-	-	-	-	-	-	-	-	2	1	3
FEMALE--	28	1	-	1	-	-	-	1	-	1	-	3
OREGON -----	955	5	-	1	-	-	2	2	8	16	38	43
WHITE-----MALE----	422	3	-	1	-	-	1	2	3	8	23	27
FEMALE--	492	-	-	-	-	-	1	-	4	5	10	13
ALL OTHER--MALE----	25	2	-	-	-	-	-	-	-	3	4	2
FEMALE--	16	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	8	1	-	-	-	-	-	-	-	1	2	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	4,184	16	12	2	2	5	8	8	32	62	161	173
WHITE-----MALE----	1,787	7	5	1	1	4	2	4	14	31	94	114
FEMALE--	1,987	3	3	-	-	1	4	2	8	19	31	29
ALL OTHER--MALE----	216	5	-	-	-	-	1	1	3	9	24	23
FEMALE--	194	1	4	1	1	-	1	1	7	3	12	7
BLACK---MALE----	208	4	-	-	-	-	1	1	2	9	23	23
FEMALE--	181	1	3	1	1	-	1	-	6	3	12	7
RHODE ISLAND -----	368	-	-	-	-	-	-	2	-	4	12	16
WHITE-----MALE----	151	-	-	-	-	-	-	1	-	4	10	10
FEMALE--	199	-	-	-	-	-	-	1	-	-	2	5
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1,231	6	5	1	3	3	2	10	19	30	69	74
WHITE-----MALE----	438	1	-	-	-	-	1	4	5	11	29	24
FEMALE--	416	-	1	-	-	-	-	1	4	8	9	14
ALL OTHER--MALE----	204	3	3	-	3	3	-	2	4	8	19	18
FEMALE--	173	2	1	1	-	-	1	3	6	3	12	18
BLACK---MALE----	201	3	3	-	3	2	-	2	4	8	19	18
FEMALE--	173	2	1	1	-	-	1	3	6	3	12	18

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,077

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	179	171	237	297	418	424	439	397	250	99	20	-
WHITE-----MALE----	93	92	125	161	194	193	164	108	53	15	3	-
FEMALE--	48	49	71	104	176	187	236	260	180	74	16	-
ALL OTHER--MALE----	23	23	27	14	28	25	12	5	5	3	1	-
FEMALE--	15	7	14	18	20	19	27	24	12	7	-	-
BLACK---MALE----	23	23	26	14	27	23	12	4	4	2	1	-
FEMALE--	15	7	13	17	20	18	27	24	12	7	-	-
OKLAHOMA -----	59	51	93	97	127	150	148	140	96	33	1	-
WHITE-----MALE----	29	25	42	53	62	73	54	38	23	6	1	-
FEMALE--	15	10	36	31	50	63	86	93	66	24	-	-
ALL OTHER--MALE----	12	8	11	6	10	5	3	3	5	-	-	-
FEMALE--	3	8	4	7	5	9	5	6	2	3	-	-
BLACK---MALE----	3	4	8	2	2	1	3	2	1	-	-	-
FEMALE--	-	2	1	1	2	4	3	5	-	3	-	-
OREGON -----	59	50	63	85	98	100	131	132	85	30	7	-
WHITE-----MALE----	29	32	28	45	38	47	53	46	26	9	1	-
FEMALE--	23	17	30	38	56	52	74	84	59	20	6	-
ALL OTHER--MALE----	5	-	2	1	3	-	2	1	-	-	-	-
FEMALE--	2	1	3	1	1	1	2	1	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	2	-	-	-	-	-
PENNSYLVANIA -----	164	166	243	353	471	637	611	578	341	118	21	-
WHITE-----MALE----	94	81	113	182	233	287	239	163	89	24	5	-
FEMALE--	35	54	92	125	208	303	342	390	233	91	14	-
ALL OTHER--MALE----	22	21	22	27	13	22	11	6	5	1	-	-
FEMALE--	13	10	16	19	17	25	19	19	14	2	2	-
BLACK---MALE----	21	20	21	27	12	22	10	6	5	1	-	-
FEMALE--	12	9	16	15	16	22	19	19	14	2	2	-
RHODE ISLAND -----	19	13	25	48	39	62	45	39	28	14	2	-
WHITE-----MALE----	10	6	12	23	18	20	20	10	4	3	-	-
FEMALE--	5	5	10	20	21	42	22	29	24	11	2	-
ALL OTHER--MALE----	3	1	3	2	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	3	-	-	3	-	-	-	-	-
BLACK---MALE----	2	1	3	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	2	-	-	2	-	-	-	-	-
SOUTH CAROLINA -----	95	68	96	130	124	152	136	120	58	24	6	-
WHITE-----MALE----	42	27	46	50	48	52	48	31	13	6	-	-
FEMALE--	19	18	22	38	41	63	61	60	38	14	5	-
ALL OTHER--MALE----	24	17	16	21	21	18	9	9	4	1	1	-
FEMALE--	10	6	12	21	14	19	18	20	3	3	-	-
BLACK---MALE----	24	17	16	21	20	18	8	9	4	1	1	-
FEMALE--	10	6	12	21	14	19	18	20	3	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,078

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)												
SOUTH DAKOTA -----	220	-	1	-	-	-	-	-	3	4	5	10
WHITE-----MALE----	76	-	-	-	-	-	-	-	1	1	2	4
FEMALE--	111	-	-	-	-	-	-	-	1	1	-	2
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	1	1	2	2
FEMALE--	15	-	1	-	-	-	-	-	-	1	1	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,689	6	2	2	1	3	5	7	16	47	80	109
WHITE-----MALE----	672	2	-	2	-	1	1	1	8	26	43	68
FEMALE--	769	1	1	-	-	-	3	4	6	12	18	22
ALL OTHER--MALE----	118	2	1	-	-	1	1	1	1	4	13	12
FEMALE--	130	1	-	-	1	1	-	1	1	5	6	7
BLACK---MALE----	117	2	1	-	-	1	1	1	1	4	13	12
FEMALE--	124	1	-	-	1	1	-	1	1	5	4	7
TEXAS -----	5,355	40	19	5	2	4	16	13	64	168	285	360
WHITE-----MALE----	2,542	16	7	-	2	2	9	7	35	102	178	251
FEMALE--	2,219	17	8	3	-	2	4	4	16	42	61	49
ALL OTHER--MALE----	313	6	1	1	-	-	2	2	7	15	31	38
FEMALE--	281	1	3	1	-	-	1	-	6	9	15	22
BLACK---MALE----	300	6	1	1	-	-	2	2	7	14	30	36
FEMALE--	261	1	3	1	-	-	1	-	6	9	14	18
UTAH -----	474	3	-	-	-	1	-	1	11	10	24	17
WHITE-----MALE----	213	2	-	-	-	-	-	1	5	4	14	11
FEMALE--	247	1	-	-	-	1	-	-	5	6	9	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	3
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	181	-	-	-	-	-	-	-	2	1	3	4
WHITE-----MALE----	81	-	-	-	-	-	-	-	2	-	3	4
FEMALE--	99	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,799	6	2	2	1	1	1	5	15	45	64	77
WHITE-----MALE----	647	-	-	-	-	-	-	1	5	13	34	35
FEMALE--	775	3	1	-	-	1	-	3	3	15	19	16
ALL OTHER--MALE----	187	-	-	2	-	-	1	-	4	9	8	18
FEMALE--	190	3	1	-	1	-	-	1	3	8	3	8
BLACK---MALE----	183	-	-	2	-	-	-	-	4	9	8	18
FEMALE--	183	3	1	-	1	-	-	1	3	8	3	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,078

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)												
SOUTH DAKOTA -----	8	13	8	17	24	30	27	34	21	11	4	-
WHITE-----MALE----	2	5	4	6	8	10	10	9	8	5	1	-
FEMALE--	3	3	1	10	13	16	16	24	12	6	3	-
ALL OTHER--MALE----	1	4	2	-	1	3	-	1	-	-	-	-
FEMALE--	2	1	1	1	2	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	106	99	124	155	209	214	170	173	125	29	7	-
WHITE-----MALE----	62	55	54	68	82	76	57	36	25	5	-	-
FEMALE--	28	28	43	60	107	115	96	116	83	20	6	-
ALL OTHER--MALE----	7	11	8	17	11	9	10	5	4	-	-	-
FEMALE--	9	5	19	10	9	14	7	16	13	4	1	-
BLACK---MALE----	7	11	8	17	11	9	9	5	4	-	-	-
FEMALE--	8	5	17	10	9	14	7	16	12	4	1	-
TEXAS -----	358	333	397	457	585	627	582	567	320	127	26	-
WHITE-----MALE----	237	198	212	230	280	265	231	170	82	25	3	-
FEMALE--	74	91	119	173	258	305	309	347	219	97	21	-
ALL OTHER--MALE----	31	24	29	30	25	28	23	12	6	2	-	-
FEMALE--	16	20	37	24	22	29	19	38	13	3	2	-
BLACK---MALE----	30	23	27	28	25	27	23	11	5	2	-	-
FEMALE--	15	20	32	21	21	27	18	36	13	3	2	-
UTAH -----	15	21	29	27	55	59	78	59	44	18	2	-
WHITE-----MALE----	11	11	15	13	26	33	31	17	14	4	1	-
FEMALE--	4	10	12	12	28	25	47	40	30	13	1	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	2	-	1	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
VERMONT -----	10	7	7	21	20	17	28	27	20	12	2	-
WHITE-----MALE----	5	6	1	13	10	11	12	9	4	1	-	-
FEMALE--	5	1	6	7	10	6	16	18	16	11	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	95	124	144	169	214	201	259	207	123	36	8	-
WHITE-----MALE----	41	60	65	77	73	66	88	59	24	6	-	-
FEMALE--	24	30	36	61	98	97	129	121	85	27	6	-
ALL OTHER--MALE----	20	22	27	18	21	14	12	7	3	-	1	-
FEMALE--	10	12	16	13	22	24	30	20	11	3	1	-
BLACK---MALE----	20	22	26	18	20	12	12	7	3	-	1	-
FEMALE--	9	12	15	10	22	23	29	20	11	3	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,080

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ULCER OF STOMACH AND DUODENUM (531-533)												
0 UNITED STATES --	5,115	8	-	3	2	3	8	7	17	41	92	132
WHITE-----MALE----	2,025	2	-	1	-	1	4	4	6	22	44	68
FEMALE--	2,459	2	-	-	-	1	-	-	4	6	23	23
ALL OTHER--MALE----	354	2	-	2	1	-	3	2	6	8	16	29
FEMALE--	277	2	-	-	1	1	1	1	1	5	9	12
BLACK---MALE----	275	2	-	2	-	-	3	2	5	8	13	26
FEMALE--	217	2	-	-	-	1	1	1	1	4	9	9
ALABAMA -----	60	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	84	1	-	-	-	-	-	-	-	-	-	5
WHITE-----MALE----	44	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	36	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	44	-	-	-	-	-	-	-	-	1	3	1
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	22	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	752	1	-	-	1	-	1	4	2	3	16	25
WHITE-----MALE----	272	-	-	-	-	-	1	2	-	2	8	14
FEMALE--	355	1	-	-	-	-	-	-	1	1	4	6
ALL OTHER--MALE----	65	-	-	-	-	-	-	1	1	-	4	2
FEMALE--	60	-	-	-	1	-	-	1	-	-	-	3
BLACK---MALE----	28	-	-	-	-	-	-	1	1	-	3	-
FEMALE--	31	-	-	-	-	-	-	1	-	-	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,080

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ULCER OF STOMACH AND DUODENUM (531-533)												
0 UNITED STATES --	153	176	251	350	589	761	862	869	561	186	42	2
WHITE-----MALE----	71	84	121	169	276	343	336	275	152	36	9	1
FEMALE--	38	56	77	125	236	338	454	524	377	145	30	-
ALL OTHER--MALE----	30	27	34	36	44	46	30	24	13	-	-	1
FEMALE--	14	9	19	20	33	34	42	46	19	5	3	-
BLACK---MALE----	25	24	25	28	33	32	22	18	7	-	-	-
FEMALE--	11	8	19	13	25	28	28	35	16	3	3	-
ALABAMA -----	5	1	3	6	9	8	8	8	8	2	1	-
WHITE-----MALE----	1	-	2	2	3	-	2	1	3	-	1	-
FEMALE--	1	1	1	2	3	5	5	5	4	2	-	-
ALL OTHER--MALE----	2	-	-	2	2	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	1	2	1	-	-	-
BLACK---MALE----	2	-	-	2	2	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	1	2	1	-	-	-
ALASKA -----	1	-	1	-	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	4	3	9	10	16	16	9	8	2	-	-
WHITE-----MALE----	1	3	2	6	7	10	8	2	1	-	-	-
FEMALE--	-	1	1	3	2	5	8	5	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
ARKANSAS -----	-	4	-	1	7	7	11	7	2	-	-	-
WHITE-----MALE----	-	2	-	1	2	3	2	3	1	-	-	-
FEMALE--	-	1	-	-	4	3	8	4	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
CALIFORNIA -----	22	29	41	47	75	105	139	114	88	30	9	-
WHITE-----MALE----	6	13	16	21	31	50	50	29	21	6	2	-
FEMALE--	8	11	13	19	30	40	71	62	60	21	7	-
ALL OTHER--MALE----	6	3	6	2	6	13	8	10	3	-	-	-
FEMALE--	2	2	6	5	8	2	10	13	4	3	-	-
BLACK---MALE----	4	1	4	1	2	4	2	5	-	-	-	-
FEMALE--	1	2	6	4	5	-	2	5	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,081

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ULCER OF STOMACH AND DUODENUM (531-533)												
COLORADO -----	4	-	5	3	6	13	9	12	11	3	-	-
WHITE-----MALE----	3	-	2	3	1	4	4	6	2	-	-	-
FEMALE--	1	-	2	-	4	8	5	6	9	3	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	3	1	3	4	4	17	13	7	8	1	2	-
WHITE-----MALE----	2	1	-	2	2	9	3	3	2	-	1	-
FEMALE--	-	-	-	2	1	8	9	4	6	1	1	-
ALL OTHER--MALE----	1	-	2	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	1	-	2	4	-	4	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	2	-	2	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	1	-	1	2	4	1	1	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	3	-	-	-	1	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	3	-	-	-	1	-
FLORIDA -----	10	11	12	23	51	62	58	69	42	10	3	-
WHITE-----MALE----	4	8	9	10	25	28	26	27	16	3	1	-
FEMALE--	4	3	1	7	22	32	28	36	23	7	2	-
ALL OTHER--MALE----	1	-	2	5	2	-	2	2	2	-	-	-
FEMALE--	1	-	-	1	2	2	2	4	1	-	-	-
BLACK---MALE----	1	-	2	5	2	-	2	2	2	-	-	-
FEMALE--	1	-	-	1	1	2	1	3	1	-	-	-
GEORGIA -----	7	7	8	9	18	18	16	13	9	1	-	-
WHITE-----MALE----	3	2	1	6	6	6	7	4	-	-	-	-
FEMALE--	1	1	3	1	7	7	5	8	8	1	-	-
ALL OTHER--MALE----	2	3	3	2	3	3	3	-	1	-	-	-
FEMALE--	1	1	1	-	2	2	1	1	-	-	-	-
BLACK---MALE----	2	3	2	2	3	3	3	-	1	-	-	-
FEMALE--	1	1	1	-	2	2	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,082

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ULCER OF STOMACH AND DUODENUM (531-533)												
HAWAII -----	-	2	2	4	6	5	1	-	1	-	-	-
WHITE-----MALE----	-	-	1	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	3	3	3	1	-	-	-	-	-
FEMALE--	-	1	-	-	3	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	1	1	3	2	3	2	9	1	1	-	-
WHITE-----MALE----	1	1	-	2	1	1	2	5	-	-	-	-
FEMALE--	-	-	1	1	1	2	-	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	7	6	13	17	20	39	43	41	25	10	2	1
WHITE-----MALE----	3	3	4	7	12	15	18	17	8	2	-	1
FEMALE--	1	2	4	7	5	19	23	24	17	8	2	-
ALL OTHER--MALE----	1	1	3	2	1	3	1	-	-	-	-	-
FEMALE--	2	-	2	1	2	2	1	-	-	-	-	-
BLACK---MALE----	1	1	3	2	1	3	1	-	-	-	-	-
FEMALE--	1	-	2	1	2	2	1	-	-	-	-	-
INDIANA -----	2	4	10	9	14	12	21	22	11	4	-	-
WHITE-----MALE----	2	1	7	5	7	6	3	11	4	-	-	-
FEMALE--	-	3	1	3	5	6	16	10	7	4	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	-	-	-	-
IOWA -----	1	1	1	6	8	7	16	19	16	9	-	-
WHITE-----MALE----	1	1	1	3	5	5	10	6	1	-	-	-
FEMALE--	-	-	-	3	3	2	6	13	15	9	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	2	1	1	7	4	12	6	2	2	-
WHITE-----MALE----	-	-	1	-	1	1	2	5	4	-	1	-
FEMALE--	-	-	1	1	-	5	2	7	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,083

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ULCER OF STOMACH AND DUODENUM (531-533)												
KENTUCKY -----	1	1	6	4	6	13	15	12	9	1	-	-
WHITE-----MALE----	1	1	2	2	3	5	6	3	3	-	-	-
FEMALE--	-	-	3	2	2	7	8	9	6	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
LOUISIANA -----	2	6	1	6	11	8	7	7	12	1	-	-
WHITE-----MALE----	1	2	1	4	5	4	-	2	5	1	-	-
FEMALE--	-	1	-	1	2	4	5	5	3	-	-	-
ALL OTHER--MALE----	-	3	-	-	2	-	2	-	2	-	-	-
FEMALE--	1	-	-	1	2	-	-	-	2	-	-	-
BLACK---MALE----	-	3	-	-	2	-	2	-	1	-	-	-
FEMALE--	1	-	-	1	2	-	-	-	2	-	-	-
MAINE -----	1	1	-	1	4	2	4	4	3	1	-	-
WHITE-----MALE----	-	-	-	1	3	1	1	2	1	-	-	-
FEMALE--	1	1	-	-	1	1	3	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	2	3	4	11	8	12	10	7	4	-	-
WHITE-----MALE----	2	1	-	1	5	4	5	-	4	1	-	-
FEMALE--	-	-	3	3	4	3	5	9	3	3	-	-
ALL OTHER--MALE----	1	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	2	-	-	-	-	-
BLACK---MALE----	1	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
MASSACHUSETTS -----	-	1	2	3	14	18	18	16	11	3	-	1
WHITE-----MALE----	-	1	1	3	7	5	8	3	4	-	-	-
FEMALE--	-	-	1	-	7	12	10	13	7	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	9	11	8	9	33	31	29	26	21	8	3	-
WHITE-----MALE----	2	6	3	4	17	17	13	11	5	-	2	-
FEMALE--	3	1	4	4	11	11	14	13	15	8	1	-
ALL OTHER--MALE----	4	2	-	1	3	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	2	3	2	2	1	-	-	-
BLACK---MALE----	4	2	-	1	3	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	2	3	2	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,084

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ULCER OF STOMACH AND DUODENUM (531-533)												
MINNESOTA -----	1	2	6	3	5	7	7	12	7	7	2	-
WHITE-----MALE----	1	-	6	1	5	4	4	6	5	2	-	-
FEMALE--	-	2	-	1	-	3	3	6	2	5	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	-	-	1	3	4	4	9	9	2	-	-	-
WHITE-----MALE----	-	-	-	1	2	3	-	-	-	-	-	-
FEMALE--	-	-	1	1	2	1	4	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	2	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	2	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	1	-	-	-
MISSOURI -----	5	2	-	9	15	17	22	25	18	5	1	-
WHITE-----MALE----	2	1	-	4	8	10	9	10	3	1	-	-
FEMALE--	1	1	-	4	5	6	11	15	14	4	1	-
ALL OTHER--MALE----	2	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	1	-	-	-
BLACK---MALE----	1	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	1	-	-	-
MONTANA -----	-	1	-	-	-	4	3	2	2	2	-	-
WHITE-----MALE----	-	-	-	-	-	2	2	-	1	1	-	-
FEMALE--	-	1	-	-	-	2	1	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	2	1	3	3	4	7	14	4	2	-	-
WHITE-----MALE----	1	1	-	-	2	4	4	4	1	1	-	-
FEMALE--	1	-	1	2	1	-	3	10	3	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
NEVADA -----	1	-	2	-	3	8	2	2	2	1	-	-
WHITE-----MALE----	-	-	2	-	2	5	-	-	1	1	-	-
FEMALE--	1	-	-	-	1	3	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,086

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ULCER OF STOMACH AND DUODENUM (531-533)												
OHIO -----	178	-	-	-	-	-	-	-	1	2	1	4
WHITE-----MALE----	59	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	99	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	11	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1
OKLAHOMA -----	65	-	-	-	-	-	-	-	1	1	1	4
WHITE-----MALE----	30	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	77	-	-	-	-	-	-	-	1	-	1	1
WHITE-----MALE----	32	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	42	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	230	-	-	1	-	-	-	-	-	1	5	3
WHITE-----MALE----	92	-	-	1	-	-	-	-	-	-	3	1
FEMALE--	126	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
RHODE ISLAND -----	25	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	59	-	-	-	-	-	1	-	-	-	3	3
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	7	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	7	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,086

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ULCER OF STOMACH AND DUODENUM (531-533)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	5	7	11	10	15	27	29	36	20	8	2	-
WHITE-----MALE----	2	2	5	8	5	10	12	8	3	1	-	-
FEMALE--	1	3	6	1	8	13	16	26	17	6	2	-
ALL OTHER--MALE----	1	2	-	-	1	3	-	1	-	-	-	-
FEMALE--	1	-	-	1	1	1	1	1	-	1	-	-
BLACK---MALE----	1	2	-	-	1	3	-	1	-	-	-	-
FEMALE--	1	-	-	1	1	1	1	1	-	1	-	-
OKLAHOMA -----	2	2	6	2	4	9	12	8	10	3	-	-
WHITE-----MALE----	1	1	4	-	2	6	5	3	3	1	-	-
FEMALE--	-	1	1	1	2	2	7	5	7	2	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
OREGON -----	1	3	9	4	6	9	17	13	9	2	1	-
WHITE-----MALE----	1	1	3	3	2	5	9	3	2	1	-	-
FEMALE--	-	2	4	1	3	4	8	10	7	1	1	-
ALL OTHER--MALE----	-	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	7	8	13	25	42	42	48	23	6	2	-
WHITE-----MALE----	2	4	5	7	13	19	14	15	5	2	1	-
FEMALE--	2	2	2	3	11	22	28	32	18	4	1	-
ALL OTHER--MALE----	-	1	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	3	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
RHODE ISLAND -----	1	1	-	5	4	2	3	3	4	2	-	-
WHITE-----MALE----	-	-	-	1	1	2	2	1	-	-	-	-
FEMALE--	1	1	-	2	3	-	1	2	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6	1	3	6	5	7	11	6	4	1	2	-
WHITE-----MALE----	2	1	1	3	2	2	3	1	-	1	-	-
FEMALE--	1	-	1	3	2	3	5	2	4	-	2	-
ALL OTHER--MALE----	2	-	1	-	1	2	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	3	2	-	-	-	-
BLACK---MALE----	2	-	1	-	-	2	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	3	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,087

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ULCER OF STOMACH AND DUODENUM (531-533)												
SOUTH DAKOTA -----	-	-	-	-	2	-	3	3	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	2	-	1	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	2	5	12	24	19	18	8	9	1	-	-
WHITE-----MALE----	3	1	5	7	10	9	5	2	2	-	-	-
FEMALE--	-	-	-	3	11	8	12	6	5	1	-	-
ALL OTHER--MALE----	1	1	-	2	2	1	1	-	1	-	-	-
FEMALE--	2	-	-	-	1	1	-	-	1	-	-	-
BLACK---MALE----	1	1	-	2	2	1	-	-	1	-	-	-
FEMALE--	2	-	-	-	1	1	-	-	1	-	-	-
TEXAS -----	11	14	15	34	40	46	55	59	20	12	1	-
WHITE-----MALE----	9	9	7	16	21	19	25	19	6	4	-	-
FEMALE--	1	4	3	14	18	24	26	38	12	8	1	-
ALL OTHER--MALE----	1	1	3	2	1	1	3	1	1	-	-	-
FEMALE--	-	-	2	2	-	2	1	1	1	-	-	-
BLACK---MALE----	1	1	3	2	1	1	3	1	-	-	-	-
FEMALE--	-	-	2	1	-	2	1	1	1	-	-	-
UTAH -----	-	1	2	2	4	3	10	9	2	1	-	-
WHITE-----MALE----	-	-	-	-	1	3	4	1	-	-	-	-
FEMALE--	-	1	2	1	3	-	6	7	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	5	2	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	3	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	7	4	9	15	13	16	17	11	3	2	-
WHITE-----MALE----	-	6	-	6	7	3	5	4	1	1	-	-
FEMALE--	-	-	2	-	6	7	9	11	8	2	1	-
ALL OTHER--MALE----	-	1	1	2	-	2	-	1	-	-	-	-
FEMALE--	-	-	1	1	2	1	2	1	2	-	1	-
BLACK---MALE----	-	1	1	2	-	2	-	1	-	-	-	-
FEMALE--	-	-	1	1	2	1	2	1	2	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,089

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 GASTRIC ULCER (531)												
0 UNITED STATES --	1,572	7	-	1	-	1	5	4	7	17	44	46
WHITE-----MALE----	561	2	-	1	-	-	2	2	1	7	17	19
FEMALE--	772	2	-	-	-	-	-	-	1	5	13	6
ALL OTHER--MALE----	141	1	-	-	-	-	2	1	4	2	12	13
FEMALE--	98	2	-	-	-	1	1	1	1	3	2	8
BLACK---MALE----	116	1	-	-	-	-	2	1	3	2	10	11
FEMALE--	75	2	-	-	-	1	1	1	1	2	2	5
ALABAMA -----	15	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	22	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	18	-	-	-	-	-	-	-	-	1	2	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	228	1	-	-	-	-	-	2	-	2	8	10
WHITE-----MALE----	75	-	-	-	-	-	-	1	-	1	2	4
FEMALE--	117	1	-	-	-	-	-	-	-	1	2	3
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	4	2
FEMALE--	19	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	8	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,089

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 GASTRIC ULCER (531)												
0 UNITED STATES --	59	58	79	114	182	245	260	228	153	51	10	1
WHITE-----MALE----	22	27	34	50	79	88	96	72	29	11	2	-
FEMALE--	18	15	28	49	81	125	136	132	115	38	8	-
ALL OTHER--MALE----	12	13	12	11	15	18	12	7	5	-	-	1
FEMALE--	7	3	5	4	7	14	16	17	4	2	-	-
BLACK---MALE----	10	13	9	8	11	13	11	6	5	-	-	-
FEMALE--	5	3	5	2	5	12	12	12	3	1	-	-
ALABAMA -----	-	-	1	1	3	3	3	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	1	1	2	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	2	3	3	6	3	1	2	-	-	-
WHITE-----MALE----	-	1	1	3	1	3	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	3	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	2	-	-	2	2	5	2	1	-	-	-
WHITE-----MALE----	-	1	-	-	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	3	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CALIFORNIA -----	6	6	11	16	22	37	39	30	26	11	1	-
WHITE-----MALE----	2	3	7	8	7	15	11	7	5	2	-	-
FEMALE--	3	3	4	6	12	15	25	14	20	7	1	-
ALL OTHER--MALE----	-	-	-	-	2	6	-	3	-	-	-	-
FEMALE--	1	-	-	2	1	1	3	6	1	2	-	-
BLACK---MALE----	-	-	-	-	1	2	-	2	-	-	-	-
FEMALE--	-	-	-	2	1	-	1	2	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,090

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 GASTRIC ULCER (531)												
COLORADO -----	2	-	1	1	1	4	3	3	2	1	-	-
WHITE-----MALE----	2	-	-	1	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	3	3	1	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	2	1	2	-	1	4	3	1	3	-	-	-
WHITE-----MALE----	2	1	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	-	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
FLORIDA -----	2	3	2	7	17	14	12	20	12	1	1	-
WHITE-----MALE----	-	2	2	3	6	1	6	8	3	-	-	-
FEMALE--	1	1	-	3	11	11	4	11	7	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	2	-	-	-
FEMALE--	1	-	-	-	-	2	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	2	-	-	-
FEMALE--	1	-	-	-	-	2	-	1	-	-	-	-
GEORGIA -----	4	3	4	3	3	10	6	4	3	-	-	-
WHITE-----MALE----	1	1	-	1	-	2	2	-	-	-	-	-
FEMALE--	1	-	2	1	2	4	1	4	3	-	-	-
ALL OTHER--MALE----	1	2	1	1	1	2	2	-	-	-	-	-
FEMALE--	1	-	1	-	-	2	1	-	-	-	-	-
BLACK---MALE----	1	2	1	1	1	2	2	-	-	-	-	-
FEMALE--	1	-	1	-	-	2	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,091

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 GASTRIC ULCER (531)												
HAWAII -----	-	-	2	1	2	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	-	-	2	-	-	3	-	1	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	4	1	8	3	5	11	12	11	8	2	2	-
WHITE-----MALE----	1	-	3	1	4	4	4	3	2	1	-	-
FEMALE--	1	-	2	2	-	6	8	8	6	1	2	-
ALL OTHER--MALE----	1	1	3	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	3	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
INDIANA -----	1	1	-	2	4	5	7	5	1	1	-	-
WHITE-----MALE----	1	-	-	-	1	2	1	2	-	-	-	-
FEMALE--	-	1	-	1	2	3	5	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
IOWA -----	-	-	-	1	4	3	8	6	5	2	-	-
WHITE-----MALE----	-	-	-	1	3	1	5	2	-	-	-	-
FEMALE--	-	-	-	-	1	2	3	4	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	-	1	-	1	2	3	4	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	3	-	-	-
FEMALE--	-	-	-	1	-	-	1	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,092

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 GASTRIC ULCER (531)												
KENTUCKY -----	-	1	-	2	1	6	4	4	2	1	-	-
WHITE-----MALE----	-	1	-	1	1	2	3	-	-	-	-	-
FEMALE--	-	-	-	1	-	4	1	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	2	-	2	2	1	3	2	3	-	-	-
WHITE-----MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	2	1	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	2	-	-	-	-	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
MAINE -----	1	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	1	2	3	7	1	5	1	1	3	-	-
WHITE-----MALE----	2	-	-	-	4	-	1	-	-	-	-	-
FEMALE--	-	-	2	3	2	1	3	-	1	3	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	1	3	7	7	5	-	2	-	1
WHITE-----MALE----	-	-	-	1	2	2	3	1	-	-	-	-
FEMALE--	-	-	-	-	1	4	4	4	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	4	6	2	2	9	9	11	9	5	3	1	-
WHITE-----MALE----	1	3	-	1	3	5	5	5	-	-	1	-
FEMALE--	-	-	1	1	4	2	5	3	5	3	-	-
ALL OTHER--MALE----	3	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	1	2	1	1	-	-	-	-
BLACK---MALE----	3	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	1	2	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,095

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 GASTRIC ULCER (531)												
OHIO -----	65	-	-	-	-	-	-	-	1	-	1	3
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
OKLAHOMA -----	20	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	30	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	82	-	-	1	-	-	-	-	-	1	2	-
WHITE-----MALE----	36	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	9	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	17	-	-	-	-	-	1	-	-	-	2	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,095

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 GASTRIC ULCER (531)												
OHIO -----	4	3	4	2	6	12	10	9	6	2	2	-
WHITE-----MALE----	1	1	2	2	2	3	5	2	1	-	-	-
FEMALE--	1	-	2	-	4	7	5	7	5	2	2	-
ALL OTHER--MALE----	1	2	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	1	2	2	2	5	2	3	1	-	-
WHITE-----MALE----	-	-	1	-	-	1	3	1	1	1	-	-
FEMALE--	-	-	-	1	2	1	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	2	6	3	4	4	6	3	1	1	-	-
WHITE-----MALE----	-	1	2	2	1	2	2	1	-	1	-	-
FEMALE--	-	1	3	1	2	2	4	2	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	3	3	6	12	16	14	12	6	3	1	-
WHITE-----MALE----	1	1	2	4	7	8	5	3	-	2	1	-
FEMALE--	1	2	-	2	4	8	9	9	6	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	1	1	-	1	3	-	1	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	1	1	-	-	2	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	-	2	1	1	2	5	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,096

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 GASTRIC ULCER (531)												
SOUTH DAKOTA -----	-	-	-	-	2	-	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	-	-	2	5	4	4	1	1	-	-	-
WHITE-----MALE----	1	-	-	2	2	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	3	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	3	7	6	11	7	17	16	14	3	3	-	-
WHITE-----MALE----	2	4	3	6	2	4	8	4	1	-	-	-
FEMALE--	1	2	1	5	5	12	7	10	2	3	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
UTAH -----	-	-	1	1	1	-	2	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	2	2	2	7	7	5	6	5	1	-	-
WHITE-----MALE----	-	2	-	-	3	1	-	1	1	-	-	-
FEMALE--	-	-	2	-	2	4	3	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	2	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	1	1	-	-	-
BLACK---MALE----	-	-	-	2	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,098

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DUODENAL ULCER (532)												
0 UNITED STATES --	44	60	100	115	201	235	265	270	160	50	7	1
WHITE-----MALE----	22	30	52	58	102	109	105	93	52	11	4	1
FEMALE--	9	18	27	40	77	99	143	160	99	38	3	-
ALL OTHER--MALE----	11	9	12	10	12	15	5	5	5	-	-	-
FEMALE--	2	3	9	7	10	12	12	12	4	1	-	-
BLACK---MALE----	9	6	10	8	8	10	-	2	1	-	-	-
FEMALE--	2	3	9	4	7	10	6	8	3	1	-	-
ALABAMA -----	2	1	1	2	2	3	3	2	1	-	1	-
WHITE-----MALE----	-	-	1	-	2	-	1	-	-	-	1	-
FEMALE--	1	1	-	1	-	2	2	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALASKA -----	-	-	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	3	1	4	4	4	7	-	1	-	-	-
WHITE-----MALE----	1	2	1	1	3	2	2	-	-	-	-	-
FEMALE--	-	1	-	3	1	2	5	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	1	2	2	3	2	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	11	14	18	17	24	29	45	42	20	8	3	-
WHITE-----MALE----	2	4	6	9	11	12	16	14	5	3	1	-
FEMALE--	3	6	6	6	8	13	19	23	13	5	2	-
ALL OTHER--MALE----	6	2	2	1	1	4	5	2	1	-	-	-
FEMALE--	-	2	4	1	4	-	5	3	1	-	-	-
BLACK---MALE----	4	-	2	1	-	2	-	-	-	-	-	-
FEMALE--	-	2	4	1	2	-	1	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,099

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DUODENAL ULCER (532)												
COLORADO -----	-	-	2	-	2	5	3	2	3	2	-	-
WHITE-----MALE----	-	-	2	-	-	2	2	2	1	-	-	-
FEMALE--	-	-	-	-	1	3	1	-	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	2	2	8	3	3	3	1	1	-
WHITE-----MALE----	-	-	-	1	1	4	-	1	1	-	1	-
FEMALE--	-	-	-	1	1	4	3	2	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	-	1	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
FLORIDA -----	6	4	7	8	10	10	20	19	14	3	1	-
WHITE-----MALE----	3	4	5	4	7	5	6	8	8	1	1	-
FEMALE--	2	-	-	1	3	5	14	9	6	2	-	-
ALL OTHER--MALE----	1	-	2	2	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	2	2	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
GEORGIA -----	-	3	1	3	6	4	4	6	4	1	-	-
WHITE-----MALE----	-	1	-	3	2	2	1	2	-	-	-	-
FEMALE--	-	1	1	-	4	1	3	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,101

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DUODENAL ULCER (532)												
KENTUCKY -----	-	-	1	2	5	5	5	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	2	2	2	-	1	-	-	-
FEMALE--	-	-	1	1	2	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
LOUISIANA -----	-	2	1	1	3	3	-	3	8	1	-	-
WHITE-----MALE----	-	1	1	1	2	2	-	2	4	1	-	-
FEMALE--	-	-	-	-	1	1	-	1	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MAINE -----	-	-	-	1	2	1	3	3	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	-	1	3	4	4	2	4	1	-	-
WHITE-----MALE----	-	1	-	1	1	4	3	-	4	1	-	-
FEMALE--	-	-	-	-	1	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	1	2	1	8	8	6	5	5	-	-	-
WHITE-----MALE----	-	1	1	1	3	1	2	1	1	-	-	-
FEMALE--	-	-	1	-	5	7	4	4	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	3	2	1	9	10	9	8	6	1	-	-
WHITE-----MALE----	-	2	1	-	7	5	4	3	4	-	-	-
FEMALE--	-	-	1	1	1	4	5	4	2	1	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,102

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DUODENAL ULCER (532)												
MINNESOTA -----	1	1	1	-	2	3	2	3	4	3	-	-
WHITE-----MALE----	1	-	1	-	2	2	2	1	3	1	-	-
FEMALE--	-	1	-	-	-	1	-	2	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	-	-	1	1	2	2	3	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI -----	3	1	-	4	5	7	9	4	4	-	-	-
WHITE-----MALE----	1	-	-	2	3	7	4	-	-	-	-	-
FEMALE--	1	1	-	2	1	-	5	4	4	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MONTANA -----	-	-	-	-	-	1	2	-	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	1	1	1	3	4	4	-	2	-	-
WHITE-----MALE----	-	-	-	-	1	3	2	1	-	1	-	-
FEMALE--	-	-	1	-	-	-	2	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	-	2	-	-	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,104

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DUODENAL ULCER (532)												
OHIO -----	1	4	5	4	6	7	8	12	3	2	-	-
WHITE-----MALE----	1	1	3	4	2	3	3	2	1	-	-	-
FEMALE--	-	3	2	-	2	3	5	9	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
OKLAHOMA -----	-	1	2	-	1	5	2	1	4	1	-	-
WHITE-----MALE----	-	1	1	-	1	3	-	1	1	-	-	-
FEMALE--	-	-	1	-	-	1	2	-	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	-	1	1	2	7	8	1	1	-	-
WHITE-----MALE----	1	-	-	1	1	1	5	2	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	6	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	2	4	6	9	14	19	15	10	2	-	-
WHITE-----MALE----	-	1	2	3	4	6	7	5	2	-	-	-
FEMALE--	1	-	2	1	5	7	12	10	8	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	1	-	1	1	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	-	1	2	3	1	1	1	4	1	-	-
WHITE-----MALE----	1	-	1	2	2	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	-	4	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,107

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PEPTIC ULCER, SITE UNSPECIFIED (533)												
0 UNITED STATES --	50	58	72	121	206	281	337	371	248	85	25	-
WHITE-----MALE----	27	27	35	61	95	146	135	110	71	14	3	-
FEMALE--	11	23	22	36	78	114	175	232	163	69	19	-
ALL OTHER--MALE----	7	5	10	15	17	13	13	12	3	-	-	-
FEMALE--	5	3	5	9	16	8	14	17	11	2	3	-
BLACK---MALE----	6	5	6	12	14	9	11	10	1	-	-	-
FEMALE--	4	2	5	7	13	6	10	15	10	1	3	-
ALABAMA -----	3	-	1	3	4	2	2	4	5	2	-	-
WHITE-----MALE----	1	-	1	2	1	-	1	1	2	-	-	-
FEMALE--	-	-	-	-	2	1	1	2	2	2	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	1	-	-	-
BLACK---MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	1	-	-	-
ALASKA -----	1	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	2	3	6	6	8	5	2	-	-
WHITE-----MALE----	-	-	-	2	3	5	4	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	4	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
ARKANSAS -----	-	2	-	-	3	3	3	3	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	1	2	-	-	-	-
FEMALE--	-	1	-	-	2	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
CALIFORNIA -----	5	9	12	14	29	39	55	42	42	11	5	-
WHITE-----MALE----	2	6	3	4	13	23	23	8	11	1	1	-
FEMALE--	2	2	3	7	10	12	27	25	27	9	4	-
ALL OTHER--MALE----	-	1	4	1	3	3	3	5	2	-	-	-
FEMALE--	1	-	2	2	3	1	2	4	2	1	-	-
BLACK---MALE----	-	1	2	-	1	-	2	3	-	-	-	-
FEMALE--	1	-	2	1	2	-	-	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,108

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PEPTIC ULCER, SITE UNSPECIFIED (533)												
COLORADO -----	2	-	2	2	3	4	3	7	6	-	-	-
WHITE-----MALE----	1	-	-	2	1	2	2	2	1	-	-	-
FEMALE--	1	-	2	-	2	2	1	5	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	2	1	5	7	3	2	-	1	-
WHITE-----MALE----	-	-	-	1	1	3	3	1	1	-	-	-
FEMALE--	-	-	-	1	-	2	4	2	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	1	1	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	2	2	-	1	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	1	-
FLORIDA -----	2	4	3	8	24	38	26	30	16	6	1	-
WHITE-----MALE----	1	2	2	3	12	22	14	11	5	2	-	-
FEMALE--	1	2	1	3	8	16	10	16	10	4	1	-
ALL OTHER--MALE----	-	-	-	2	2	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	2	1	-	-	-
BLACK---MALE----	-	-	-	2	2	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	1	-	-	-
GEORGIA -----	3	1	3	3	9	4	6	3	2	-	-	-
WHITE-----MALE----	2	-	1	2	4	2	4	2	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	1	2	-	-	-
ALL OTHER--MALE----	1	1	2	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,110

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PEPTIC ULCER, SITE UNSPECIFIED (533)												
KENTUCKY -----	1	-	5	-	-	2	6	7	6	-	-	-
WHITE-----MALE----	1	-	2	-	-	1	1	3	2	-	-	-
FEMALE--	-	-	2	-	-	1	5	4	4	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	2	-	3	6	4	4	2	1	-	-	-
WHITE-----MALE----	1	1	-	2	1	2	-	-	1	-	-	-
FEMALE--	-	1	-	-	1	2	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
MAINE -----	-	1	-	-	2	1	-	-	2	1	-	-
WHITE-----MALE----	-	-	-	-	2	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	1	-	1	3	3	7	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	1	7	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	1	3	3	5	6	6	1	-	-
WHITE-----MALE----	-	-	-	1	2	2	3	1	3	-	-	-
FEMALE--	-	-	-	-	1	1	2	5	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	5	2	4	6	15	12	9	9	10	4	2	-
WHITE-----MALE----	1	1	2	3	7	7	4	3	1	-	1	-
FEMALE--	3	1	2	2	6	5	4	6	8	4	1	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
BLACK---MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,113

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PEPTIC ULCER, SITE UNSPECIFIED (533)												
OHIO -----	-	-	2	4	3	8	11	15	11	4	-	-
WHITE-----MALE----	-	-	-	2	1	4	4	4	1	1	-	-
FEMALE--	-	-	2	1	2	3	6	10	10	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	1	-	-
OKLAHOMA -----	2	1	3	-	1	2	5	5	3	1	-	-
WHITE-----MALE----	1	-	2	-	1	2	2	1	1	-	-	-
FEMALE--	-	1	-	-	-	-	3	4	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	3	-	1	3	4	2	7	-	1	-
WHITE-----MALE----	-	-	1	-	-	2	-	-	1	-	-	-
FEMALE--	-	1	1	-	1	1	2	2	6	-	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	2	1	1	4	12	9	21	7	1	1	-
WHITE-----MALE----	1	2	1	-	2	5	2	7	3	-	-	-
FEMALE--	-	-	-	-	2	7	7	13	4	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	3	1	1	1	2	2	1	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	1	-	3	1	4	5	4	-	-	2	-
WHITE-----MALE----	1	1	-	1	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	2	-	3	4	2	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,114

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PEPTIC ULCER, SITE UNSPECIFIED (533)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	1	4	5	9	11	6	3	3	1	-	-
WHITE-----MALE----	2	1	4	3	4	6	3	2	1	-	-	-
FEMALE--	-	-	-	1	4	4	3	1	1	1	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	1	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	1	-	-	-
TEXAS -----	6	5	4	17	22	16	29	37	14	8	1	-
WHITE-----MALE----	5	3	1	8	11	8	14	10	4	3	-	-
FEMALE--	-	2	2	5	10	6	12	26	9	5	1	-
ALL OTHER--MALE----	1	-	1	2	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	1	1	1	-	-	-
BLACK---MALE----	1	-	1	2	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	1	-	-	-
UTAH -----	-	1	-	1	2	1	5	4	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	5	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	2	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	3	-	3	1	4	6	4	4	-	2	-
WHITE-----MALE----	-	2	-	3	-	1	2	2	-	-	-	-
FEMALE--	-	-	-	-	1	2	4	2	3	-	1	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,116

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 GASTRITIS AND DUODENITIS (535)												
0 UNITED STATES --	22	7	34	27	43	56	71	69	60	26	11	-
WHITE-----MALE----	18	4	16	12	27	28	25	16	16	2	2	-
FEMALE--	3	1	7	13	13	23	34	45	39	23	8	-
ALL OTHER--MALE----	1	1	6	2	3	2	6	-	1	1	1	-
FEMALE--	-	1	5	-	-	3	6	8	4	-	-	-
BLACK---MALE----	1	1	5	2	1	2	5	-	-	1	1	-
FEMALE--	-	1	1	-	-	2	5	7	3	-	-	-
ALABAMA -----	-	-	1	-	-	2	1	2	1	-	2	-
WHITE-----MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALASKA -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	2	-	3	1	2	2	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	2	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	5	1	5	6	6	5	7	7	8	1	-	-
WHITE-----MALE----	4	-	1	2	5	1	2	1	2	-	-	-
FEMALE--	1	1	1	3	1	3	4	6	5	1	-	-
ALL OTHER--MALE----	-	-	2	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,122

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 GASTRITIS AND DUODENITIS (535)												
OHIO -----	24	-	-	-	-	-	1	1	-	-	2	-
WHITE-----MALE----	9	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	11	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	10	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	27	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,123

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 GASTRITIS AND DUODENITIS (535)												
SOUTH DAKOTA -----	-	-	-	-	1	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	1	1	1	-	1	-	1	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
TEXAS -----	1	1	2	2	4	5	1	7	-	2	-	-
WHITE-----MALE----	1	1	1	1	3	3	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	6	-	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	-	1	2	4	1	-	1	-	-	-	-
WHITE-----MALE----	2	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,127

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 APPENDICITIS (540-543)												
HAWAII -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	21	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
INDIANA -----	11	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	4	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	4	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,131

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 APPENDICITIS (540-543)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	-	2	1	-	2	1	4	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	1	3	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	1	1	1	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OREGON -----	1	-	-	2	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	-	2	1	2	2	1	3	3	-	-	-
WHITE-----MALE----	-	-	1	-	2	1	1	2	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	3	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	1	1	2	1	2	-	-	1	1	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,134

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)												
0 UNITED STATES --	6,498	77	15	7	10	10	10	15	22	43	61	77
WHITE-----MALE----	2,064	31	6	5	5	3	3	6	11	16	19	31
FEMALE--	3,665	19	4	1	4	2	3	3	6	15	23	23
ALL OTHER--MALE----	356	18	2	1	1	5	3	3	3	7	12	10
FEMALE--	413	9	3	-	-	-	1	3	2	5	7	13
BLACK---MALE----	321	16	1	1	1	4	2	3	1	7	12	10
FEMALE--	385	9	3	-	-	-	1	3	2	5	7	11
ALABAMA -----	134	1	-	-	-	-	1	-	-	1	-	7
WHITE-----MALE----	31	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	65	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	20	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	18	-	-	-	-	-	1	-	-	-	-	2
BLACK---MALE----	20	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	18	-	-	-	-	-	1	-	-	-	-	2
ALASKA -----	9	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	110	-	-	-	-	1	1	-	-	-	2	1
WHITE-----MALE----	42	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	59	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	1	-	-	-	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	88	1	-	-	-	-	-	-	-	-	1	4
WHITE-----MALE----	32	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	45	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	489	8	2	2	-	-	3	4	4	6	9	6
WHITE-----MALE----	162	2	1	2	-	-	2	2	2	4	3	1
FEMALE--	272	3	-	-	-	-	-	-	1	2	6	1
ALL OTHER--MALE----	24	2	-	-	-	-	1	-	1	-	-	1
FEMALE--	31	1	1	-	-	-	-	2	-	-	-	3
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	23	1	1	-	-	-	-	2	-	-	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,134

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)												
0 UNITED STATES --	110	133	183	334	560	929	1,183	1,334	946	375	64	-
WHITE-----MALE----	39	59	80	136	211	354	430	350	203	55	11	-
FEMALE--	44	45	72	140	259	463	662	875	671	289	42	-
ALL OTHER--MALE----	17	19	18	30	42	61	36	36	22	8	2	-
FEMALE--	10	10	13	28	48	51	55	73	50	23	9	-
BLACK---MALE----	15	18	14	29	38	53	34	32	22	6	2	-
FEMALE--	10	9	13	24	44	46	54	66	46	23	9	-
ALABAMA -----	3	4	5	8	12	18	18	35	14	6	1	-
WHITE-----MALE----	1	1	2	2	4	4	4	7	3	1	-	-
FEMALE--	-	1	1	6	2	8	12	21	9	2	1	-
ALL OTHER--MALE----	2	2	1	-	2	3	2	3	2	-	-	-
FEMALE--	-	-	1	-	4	3	-	4	-	3	-	-
BLACK---MALE----	2	2	1	-	2	3	2	3	2	-	-	-
FEMALE--	-	-	1	-	4	3	-	4	-	3	-	-
ALASKA -----	-	1	1	-	-	2	-	2	2	-	-	-
WHITE-----MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	2	2	10	5	19	20	25	14	8	-	-
WHITE-----MALE----	-	1	1	8	2	8	9	9	2	1	-	-
FEMALE--	-	-	1	1	3	10	10	15	12	6	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	2	3	4	4	3	15	11	15	19	6	-	-
WHITE-----MALE----	1	-	2	2	-	8	8	3	2	2	-	-
FEMALE--	1	2	1	2	2	7	2	8	14	4	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	2	-	-	-
FEMALE--	-	1	-	-	-	-	1	4	1	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	2	-	-	-
FEMALE--	-	1	-	-	-	-	1	3	1	-	-	-
CALIFORNIA -----	12	11	15	20	46	64	86	89	66	30	6	-
WHITE-----MALE----	6	5	8	7	16	25	25	30	15	5	1	-
FEMALE--	4	5	6	8	25	29	58	52	47	20	5	-
ALL OTHER--MALE----	1	-	1	2	2	4	1	4	-	4	-	-
FEMALE--	1	1	-	3	3	6	2	3	4	1	-	-
BLACK---MALE----	-	-	-	2	2	3	-	3	-	3	-	-
FEMALE--	1	1	-	2	2	4	1	1	4	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,135

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	3	1	2	12	10	16	10	13	6	1	-
WHITE-----MALE----	-	3	-	-	8	6	9	3	4	-	-	-
FEMALE--	-	-	1	2	4	4	7	7	8	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	-	1	1	2	8	9	19	15	13	7	-	-
WHITE-----MALE----	-	1	-	1	2	5	6	4	3	2	-	-
FEMALE--	-	-	1	1	6	4	13	11	10	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	3	6	1	4	2	1	1	-
WHITE-----MALE----	1	-	-	-	2	4	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
DISTRICT OF COLUMBIA ----	1	1	3	2	1	1	4	3	2	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	1	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	1	-	1	1	-	-	-
FEMALE--	-	-	2	1	1	-	2	-	-	1	-	-
BLACK---MALE----	-	1	1	1	-	1	-	1	1	-	-	-
FEMALE--	-	-	2	1	1	-	2	-	-	1	-	-
FLORIDA -----	6	3	6	24	35	62	73	89	60	18	2	-
WHITE-----MALE----	2	1	4	11	16	24	29	23	14	2	2	-
FEMALE--	4	1	-	11	15	34	36	59	42	16	-	-
ALL OTHER--MALE----	-	-	2	1	2	2	1	-	-	-	-	-
FEMALE--	-	1	-	1	2	2	7	7	4	-	-	-
BLACK---MALE----	-	-	2	1	2	2	1	-	-	-	-	-
FEMALE--	-	1	-	1	2	2	7	7	4	-	-	-
GEORGIA -----	6	6	8	17	19	26	36	30	24	4	1	-
WHITE-----MALE----	2	2	2	4	7	6	14	7	5	-	-	-
FEMALE--	3	2	6	7	6	15	16	17	16	3	1	-
ALL OTHER--MALE----	-	1	-	3	1	1	3	4	-	-	-	-
FEMALE--	1	1	-	3	5	4	3	2	3	1	-	-
BLACK---MALE----	-	1	-	3	1	1	3	4	-	-	-	-
FEMALE--	1	1	-	3	5	4	3	2	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,136

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)												
HAWAII -----	-	-	1	-	2	1	2	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	2	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	1	2	3	11	12	3	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	2	10	11	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2	7	7	20	30	38	59	47	48	13	3	-
WHITE-----MALE----	1	4	3	9	7	12	21	14	6	1	1	-
FEMALE--	-	2	4	8	16	23	34	32	40	11	1	-
ALL OTHER--MALE----	1	-	-	-	2	2	3	-	-	-	-	-
FEMALE--	-	1	-	3	5	1	1	1	2	1	1	-
BLACK---MALE----	1	-	-	-	2	2	3	-	-	-	-	-
FEMALE--	-	1	-	2	5	1	1	1	2	1	1	-
INDIANA -----	5	-	3	5	15	13	29	33	23	5	-	-
WHITE-----MALE----	1	-	2	2	5	4	9	10	4	-	-	-
FEMALE--	4	-	1	3	8	8	17	20	18	5	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	2	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	1	1	2	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	1	-	-	-
IOWA -----	1	1	2	5	6	13	20	28	25	11	2	-
WHITE-----MALE----	-	-	2	1	4	9	9	6	7	-	2	-
FEMALE--	1	1	-	4	2	4	11	22	17	11	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
KANSAS -----	1	2	2	4	4	8	10	22	16	8	1	-
WHITE-----MALE----	1	1	1	2	2	4	6	9	5	-	-	-
FEMALE--	-	-	1	1	1	3	4	12	10	7	1	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	1	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,137

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)												
KENTUCKY -----	87	2	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	28	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	52	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	113	1	-	-	-	2	1	-	-	1	1	2
WHITE-----MALE----	26	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	48	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	22	1	-	-	-	1	1	-	-	-	1	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	22	1	-	-	-	1	1	-	-	-	1	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	45	2	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	17	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	105	3	-	-	-	1	-	-	-	1	1	1
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	52	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	1	-	-	-	1	-	-	-	1	1	1
FEMALE--	12	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	1	-	-	-	1	-	-	-	1	1	1
FEMALE--	12	1	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	166	1	-	-	-	-	-	-	1	2	2	-
WHITE-----MALE----	54	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	100	-	-	-	-	-	-	-	1	-	2	-
ALL OTHER--MALE----	7	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	238	3	-	-	1	-	-	1	-	3	1	4
WHITE-----MALE----	64	2	-	-	-	-	-	-	-	2	-	1
FEMALE--	137	-	-	-	1	-	-	-	-	-	1	2
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	1	-	-	-	-	-	1	-	1	-	1
BLACK---MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	1	-	-	-	-	-	1	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,137

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)												
KENTUCKY -----	1	-	2	5	10	8	23	17	11	6	1	-
WHITE-----MALE----	-	-	2	-	6	1	10	3	1	3	-	-
FEMALE--	1	-	-	4	4	7	12	13	8	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	1	1	-
BLACK---MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	1	1	-
LOUISIANA -----	5	1	1	11	15	19	19	19	10	2	3	-
WHITE-----MALE----	1	-	1	4	4	5	4	5	1	-	-	-
FEMALE--	1	-	-	3	6	9	9	10	6	1	1	-
ALL OTHER--MALE----	1	1	-	3	4	3	3	1	1	-	-	-
FEMALE--	2	-	-	1	1	2	3	3	2	1	2	-
BLACK---MALE----	1	1	-	3	4	3	3	1	1	-	-	-
FEMALE--	2	-	-	1	1	2	3	3	2	1	2	-
MAINE -----	-	-	-	1	2	13	11	10	5	1	-	-
WHITE-----MALE----	-	-	-	-	1	5	4	5	-	-	-	-
FEMALE--	-	-	-	1	1	8	7	5	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	2	2	5	10	16	16	20	15	8	-	-
WHITE-----MALE----	1	-	1	4	3	3	5	5	3	-	-	-
FEMALE--	1	1	-	-	5	9	7	12	10	6	-	-
ALL OTHER--MALE----	1	1	1	-	1	4	-	1	1	1	-	-
FEMALE--	1	-	-	1	1	-	4	2	1	1	-	-
BLACK---MALE----	1	1	1	-	-	4	-	1	1	1	-	-
FEMALE--	1	-	-	1	1	-	4	2	1	1	-	-
MASSACHUSETTS -----	4	5	5	7	8	23	24	41	22	18	3	-
WHITE-----MALE----	1	3	2	2	3	10	12	13	4	3	-	-
FEMALE--	2	1	3	4	4	11	12	26	17	14	3	-
ALL OTHER--MALE----	1	1	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	1	1	-	-
BLACK---MALE----	1	1	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	1	1	-	-
MICHIGAN -----	3	3	13	12	17	45	46	41	36	7	2	-
WHITE-----MALE----	1	1	5	4	4	17	10	11	6	-	-	-
FEMALE--	2	1	5	5	7	19	32	27	27	6	2	-
ALL OTHER--MALE----	-	1	2	2	4	6	3	1	1	-	-	-
FEMALE--	-	-	1	1	2	3	1	2	2	1	-	-
BLACK---MALE----	-	1	1	2	4	6	3	1	1	-	-	-
FEMALE--	-	-	1	1	1	3	1	2	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,140

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)												
OHIO -----	5	11	9	14	34	42	61	68	30	13	5	-
WHITE-----MALE----	2	4	3	7	12	23	25	18	9	4	1	-
FEMALE--	3	6	3	5	17	14	34	46	20	9	4	-
ALL OTHER--MALE----	-	1	2	1	2	3	2	-	1	-	-	-
FEMALE--	-	-	1	1	3	2	-	4	-	-	-	-
BLACK---MALE----	-	1	2	1	2	3	2	-	1	-	-	-
FEMALE--	-	-	1	1	3	2	-	4	-	-	-	-
OKLAHOMA -----	1	-	5	6	9	15	15	14	10	4	-	-
WHITE-----MALE----	1	-	3	4	2	3	4	2	4	-	-	-
FEMALE--	-	-	2	-	6	10	11	12	6	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
OREGON -----	1	1	-	2	4	7	18	8	17	6	2	-
WHITE-----MALE----	-	-	-	1	3	2	10	1	5	1	1	-
FEMALE--	1	1	-	1	1	5	7	6	12	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	2	11	9	10	28	57	72	79	61	29	4	-
WHITE-----MALE----	-	4	4	4	10	22	25	12	18	2	2	-
FEMALE--	2	5	3	3	16	29	44	63	38	27	2	-
ALL OTHER--MALE----	-	1	-	1	-	3	1	-	3	-	-	-
FEMALE--	-	1	2	2	2	3	2	4	2	-	-	-
BLACK---MALE----	-	1	-	1	-	3	1	-	3	-	-	-
FEMALE--	-	1	2	2	2	3	2	4	2	-	-	-
RHODE ISLAND -----	-	-	1	1	3	10	5	7	5	2	1	-
WHITE-----MALE----	-	-	-	1	3	2	3	3	1	-	-	-
FEMALE--	-	-	1	-	-	8	2	4	4	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	4	2	10	3	17	15	24	17	4	-	-
WHITE-----MALE----	-	2	-	3	1	3	8	8	4	1	-	-
FEMALE--	-	1	-	3	1	7	6	9	9	2	-	-
ALL OTHER--MALE----	1	1	1	2	-	3	-	2	2	1	-	-
FEMALE--	2	-	1	2	1	4	1	5	2	-	-	-
BLACK---MALE----	1	1	1	2	-	3	-	2	2	1	-	-
FEMALE--	2	-	1	2	1	4	1	5	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,141

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)												
SOUTH DAKOTA -----	-	-	1	2	2	3	1	3	4	1	1	-
WHITE-----MALE----	-	-	-	-	-	2	-	3	-	1	-	-
FEMALE--	-	-	1	2	2	1	1	-	4	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	2	5	9	19	24	25	32	19	7	2	-
WHITE-----MALE----	-	2	2	4	6	7	9	4	3	2	-	-
FEMALE--	2	-	1	2	10	15	11	24	14	4	2	-
ALL OTHER--MALE----	-	-	1	3	1	2	3	1	1	-	-	-
FEMALE--	-	-	1	-	2	-	2	3	1	1	-	-
BLACK---MALE----	-	-	1	3	1	2	3	1	1	-	-	-
FEMALE--	-	-	1	-	2	-	2	3	-	1	-	-
TEXAS -----	11	9	9	20	37	68	63	81	56	29	3	-
WHITE-----MALE----	5	5	4	7	18	23	27	22	12	5	-	-
FEMALE--	4	2	5	9	17	36	30	49	43	22	1	-
ALL OTHER--MALE----	2	-	-	3	1	4	1	4	-	1	-	-
FEMALE--	-	2	-	1	1	5	5	6	1	1	2	-
BLACK---MALE----	2	-	-	3	1	4	1	3	-	1	-	-
FEMALE--	-	2	-	1	1	5	5	5	1	1	2	-
UTAH -----	1	1	1	1	4	9	9	9	8	4	-	-
WHITE-----MALE----	1	-	-	-	3	3	6	2	2	-	-	-
FEMALE--	-	1	1	1	1	6	3	7	6	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	1	-	-	3	4	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	1	-	-	3	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	2	4	8	14	16	31	27	23	5	3	-
WHITE-----MALE----	1	2	1	3	1	3	10	10	4	-	-	-
FEMALE--	1	-	1	3	6	9	15	16	15	3	2	-
ALL OTHER--MALE----	-	-	-	1	4	1	1	1	1	-	1	-
FEMALE--	-	-	2	1	3	3	5	-	3	2	-	-
BLACK---MALE----	-	-	-	1	4	1	1	1	1	-	1	-
FEMALE--	-	-	2	1	3	3	5	-	3	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,143

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 REGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS (555-556)												
0 UNITED STATES --	49	47	55	99	125	160	140	104	52	8	-	-
WHITE-----MALE----	22	22	23	48	49	73	45	27	7	3	-	-
FEMALE--	22	22	25	43	65	80	90	71	43	5	-	-
ALL OTHER--MALE----	3	-	4	3	10	2	3	3	-	-	-	-
FEMALE--	2	3	3	5	1	5	2	3	2	-	-	-
BLACK---MALE----	3	-	4	3	9	2	3	3	-	-	-	-
FEMALE--	2	2	2	5	1	4	2	3	2	-	-	-
ALABAMA -----	1	1	1	2	2	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	1	1	1	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	1	1	2	2	5	3	1	-	-	-
WHITE-----MALE----	-	1	-	1	1	-	3	2	-	-	-	-
FEMALE--	-	-	1	-	1	2	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	2	-	-	-	2	-	1	-	-	-
WHITE-----MALE----	-	-	2	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	9	3	8	11	18	14	11	16	3	-	-	-
WHITE-----MALE----	4	2	4	8	8	6	2	5	-	-	-	-
FEMALE--	5	-	4	2	7	8	9	10	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	3	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,144

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 REGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS (555-556)												
COLORADO -----	15	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	13	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	5	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	62	-	1	-	-	-	-	-	1	3	2	6
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	2	-	3
FEMALE--	36	-	-	-	-	-	-	-	1	1	1	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	1	-
GEORGIA -----	26	-	-	-	-	-	1	-	2	1	1	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,146

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 REGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS (555-556)												
KENTUCKY -----	21	-	-	-	-	-	2	-	1	-	-	3
WHITE-----MALE----	9	-	-	-	-	-	2	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	9	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	9	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	20	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	35	-	-	-	-	-	-	1	-	-	-	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	35	-	-	-	-	-	1	1	-	2	1	-
WHITE-----MALE----	12	-	-	-	-	-	1	1	-	1	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,149

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 REGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS (555-556)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	56	-	-	1	-	-	-	-	1	1	2	1
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	27	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
OKLAHOMA -----	9	-	-	-	-	-	-	-	1	1	1	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	18	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	74	3	-	-	-	-	-	-	1	-	1	2
WHITE-----MALE----	33	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	35	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	4	2	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	7	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	8	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,149

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 REGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS (555-556)												
OHIO -----	1	5	3	3	7	12	9	8	2	-	-	-
WHITE-----MALE----	1	2	1	1	3	5	4	-	1	-	-	-
FEMALE--	-	3	1	-	3	6	5	6	1	-	-	-
ALL OTHER--MALE----	-	-	1	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
OKLAHOMA -----	1	2	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	3	1	1	1	2	4	2	2	2	-	-	-
WHITE-----MALE----	1	-	-	1	2	2	1	1	1	-	-	-
FEMALE--	2	1	1	-	-	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	3	3	10	5	17	14	7	3	3	-	-
WHITE-----MALE----	-	2	1	4	3	11	6	1	1	1	-	-
FEMALE--	2	1	2	5	2	5	7	6	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	2	1	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	-	3	1	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,152

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)												
0 UNITED STATES --	9,663	73	34	7	7	9	9	11	26	53	75	132
WHITE-----MALE----	2,949	29	14	4	5	6	2	5	10	24	30	55
FEMALE--	5,660	18	10	3	1	2	-	3	10	16	28	44
ALL OTHER--MALE----	440	23	5	-	1	1	5	1	4	4	7	14
FEMALE--	614	3	5	-	-	-	2	2	2	9	10	19
BLACK---MALE----	366	22	3	-	1	-	4	1	4	4	7	14
FEMALE--	531	3	5	-	-	-	2	2	2	8	9	17
ALABAMA -----	160	1	1	-	-	-	-	-	-	1	2	1
WHITE-----MALE----	42	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	85	1	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
ALASKA -----	9	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	129	1	-	-	-	-	-	1	-	-	1	5
WHITE-----MALE----	43	1	-	-	-	-	-	-	-	-	-	3
FEMALE--	79	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
ARKANSAS -----	119	2	-	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	31	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	74	1	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1,001	5	3	-	-	-	1	1	1	8	11	15
WHITE-----MALE----	318	3	-	-	-	-	-	1	-	4	6	9
FEMALE--	559	1	-	-	-	-	-	-	1	1	4	5
ALL OTHER--MALE----	56	1	2	-	-	-	1	-	-	-	-	-
FEMALE--	68	-	1	-	-	-	-	-	-	3	1	1
BLACK---MALE----	26	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	42	-	1	-	-	-	-	-	-	2	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,152

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)												
0 UNITED STATES --	191	280	463	804	1,261	1,649	1,806	1,516	919	289	49	-
WHITE-----MALE----	69	106	148	298	450	553	523	368	193	49	8	-
FEMALE--	83	125	226	385	679	941	1,131	1,033	666	221	35	-
ALL OTHER--MALE----	16	32	37	52	67	63	56	33	13	5	1	-
FEMALE--	23	17	52	69	65	92	96	82	47	14	5	-
BLACK---MALE----	14	30	31	46	55	45	42	28	9	5	1	-
FEMALE--	21	15	46	53	58	71	89	70	41	14	5	-
ALABAMA -----	4	6	8	13	21	31	25	24	16	4	2	-
WHITE-----MALE----	1	3	2	2	6	10	8	5	3	-	-	-
FEMALE--	1	3	4	7	11	14	14	13	11	3	1	-
ALL OTHER--MALE----	-	-	-	2	2	3	2	3	1	-	-	-
FEMALE--	2	-	2	2	2	4	1	3	1	1	1	-
BLACK---MALE----	-	-	-	2	2	3	2	3	1	-	-	-
FEMALE--	2	-	2	2	2	4	1	3	1	1	1	-
ALASKA -----	1	1	1	1	-	-	3	-	2	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	3	-	1	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	4	9	7	23	26	23	19	8	1	-	-
WHITE-----MALE----	-	1	4	3	7	8	8	6	2	-	-	-
FEMALE--	1	3	3	4	15	17	15	12	5	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
ARKANSAS -----	2	2	2	8	17	21	27	20	11	2	1	-
WHITE-----MALE----	2	-	2	2	4	6	7	2	3	1	-	-
FEMALE--	-	1	-	4	11	11	17	18	8	-	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	2	4	3	-	-	1	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	2	4	3	-	-	1	-	-
CALIFORNIA -----	19	28	42	84	130	179	190	143	101	37	3	-
WHITE-----MALE----	7	13	15	34	42	56	61	36	22	8	1	-
FEMALE--	10	12	20	38	67	89	109	97	77	26	2	-
ALL OTHER--MALE----	1	2	3	7	12	12	9	4	1	1	-	-
FEMALE--	1	1	4	5	9	22	11	6	1	2	-	-
BLACK---MALE----	1	2	2	3	6	1	6	2	1	1	-	-
FEMALE--	1	1	4	2	7	9	10	2	-	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,153

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)												
COLORADO -----	-	5	5	5	17	21	29	27	6	2	2	-
WHITE-----MALE----	-	3	-	3	7	5	5	9	1	1	-	-
FEMALE--	-	2	5	2	10	16	24	15	4	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
CONNECTICUT -----	3	5	6	10	15	24	29	35	14	8	-	-
WHITE-----MALE----	1	1	2	4	7	9	11	13	4	1	-	-
FEMALE--	2	4	4	4	8	15	18	22	9	7	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
DELAWARE -----	-	-	2	2	4	8	5	4	3	-	-	-
WHITE-----MALE----	-	-	1	1	1	3	2	1	-	-	-	-
FEMALE--	-	-	-	-	2	5	3	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	1	-	5	3	2	10	3	-	-	1	-
WHITE-----MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	1	2	-	-	-	-
FEMALE--	-	-	-	4	1	1	6	1	-	-	1	-
BLACK---MALE----	-	-	-	1	1	1	1	2	-	-	-	-
FEMALE--	-	-	-	3	1	1	6	1	-	-	1	-
FLORIDA -----	6	15	21	58	64	96	110	90	51	18	2	-
WHITE-----MALE----	4	6	8	21	22	42	28	24	8	3	2	-
FEMALE--	1	6	9	30	37	52	81	60	38	15	-	-
ALL OTHER--MALE----	1	2	1	1	2	1	1	2	-	-	-	-
FEMALE--	-	1	3	6	3	1	-	4	5	-	-	-
BLACK---MALE----	1	2	1	1	2	1	1	2	-	-	-	-
FEMALE--	-	1	2	6	3	1	-	2	5	-	-	-
GEORGIA -----	11	12	16	16	34	41	46	40	19	2	1	-
WHITE-----MALE----	3	6	7	4	7	10	11	8	3	1	-	-
FEMALE--	5	5	5	7	22	27	25	28	14	1	1	-
ALL OTHER--MALE----	1	1	2	3	4	2	5	1	1	-	-	-
FEMALE--	2	-	2	2	1	2	5	3	1	-	-	-
BLACK---MALE----	1	1	2	3	4	2	5	1	1	-	-	-
FEMALE--	2	-	2	2	1	2	5	3	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,154

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)												
HAWAII -----	1	-	1	3	3	2	7	11	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	1	1	2	8	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	2	1	4	1	2	-	-	-
FEMALE--	-	-	-	1	-	-	1	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	-	1	6	5	11	8	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	5	3	-	-	-	-
FEMALE--	-	-	-	-	5	5	6	5	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	11	12	22	31	41	73	85	76	39	15	1	-
WHITE-----MALE----	4	4	8	9	12	22	23	21	6	5	-	-
FEMALE--	5	6	10	14	23	44	54	54	32	9	1	-
ALL OTHER--MALE----	1	1	1	5	2	2	3	-	-	-	-	-
FEMALE--	1	1	3	3	4	5	5	1	1	1	-	-
BLACK---MALE----	1	1	1	4	2	1	2	-	-	-	-	-
FEMALE--	1	1	3	2	3	4	4	1	1	1	-	-
INDIANA -----	10	2	14	18	32	39	51	27	18	6	2	-
WHITE-----MALE----	7	-	5	7	13	15	14	6	2	1	1	-
FEMALE--	2	1	8	11	14	21	37	20	13	4	1	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	1	1	1	-	3	2	-	1	3	1	-	-
BLACK---MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	1	1	1	-	3	1	-	1	3	1	-	-
IOWA -----	2	7	1	10	10	29	23	21	14	5	3	-
WHITE-----MALE----	1	3	-	4	1	10	6	8	2	1	-	-
FEMALE--	1	4	1	6	9	19	17	13	12	3	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
KANSAS -----	1	4	4	6	10	12	17	10	5	5	-	-
WHITE-----MALE----	1	3	-	-	4	7	8	3	1	2	-	-
FEMALE--	-	-	3	5	5	5	8	7	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,155

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)												
KENTUCKY -----	160	-	-	-	-	-	-	1	-	4	1	5
WHITE-----MALE----	60	-	-	-	-	-	-	1	-	2	1	2
FEMALE--	96	-	-	-	-	-	-	-	-	2	-	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	155	2	-	1	-	-	1	1	-	-	1	3
WHITE-----MALE----	42	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	75	-	-	1	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	15	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	15	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	1	-	-	1	-
MAINE -----	45	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	173	1	3	-	-	-	-	-	1	3	2	4
WHITE-----MALE----	44	-	1	-	-	-	-	-	-	-	1	1
FEMALE--	92	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	11	1	1	-	-	-	-	-	-	-	1	-
FEMALE--	26	-	1	-	-	-	-	-	1	3	-	2
BLACK---MALE----	11	1	1	-	-	-	-	-	-	-	1	-
FEMALE--	25	-	1	-	-	-	-	-	1	3	-	2
MASSACHUSETTS -----	251	2	-	-	-	1	-	1	-	1	1	2
WHITE-----MALE----	71	2	-	-	-	-	-	-	-	1	1	2
FEMALE--	168	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	378	2	1	-	1	-	2	-	2	2	2	7
WHITE-----MALE----	91	-	-	-	1	-	-	-	1	1	-	-
FEMALE--	227	1	1	-	-	-	-	-	1	-	-	3
ALL OTHER--MALE----	30	1	-	-	-	-	1	-	-	1	2	3
FEMALE--	30	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	29	1	-	-	-	-	1	-	-	1	2	3
FEMALE--	26	-	-	-	-	-	1	-	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,155

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)												
KENTUCKY -----	3	8	9	17	13	30	27	24	11	7	-	-
WHITE-----MALE----	1	2	5	6	5	14	7	8	3	3	-	-
FEMALE--	2	6	4	11	8	15	18	15	8	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
LOUISIANA -----	4	5	13	11	22	29	29	18	13	1	1	-
WHITE-----MALE----	-	1	5	2	10	7	6	5	4	-	-	-
FEMALE--	2	2	7	4	7	17	16	9	7	1	-	-
ALL OTHER--MALE----	1	1	1	2	1	3	2	1	1	-	-	-
FEMALE--	1	1	-	3	4	2	5	3	1	-	1	-
BLACK---MALE----	1	1	1	2	1	3	2	1	1	-	-	-
FEMALE--	1	1	-	3	4	2	5	3	1	-	1	-
MAINE -----	1	-	4	3	10	2	14	5	4	2	-	-
WHITE-----MALE----	-	-	2	-	5	1	8	2	-	-	-	-
FEMALE--	1	-	2	3	5	1	6	3	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	8	8	13	20	34	32	20	13	5	2	-
WHITE-----MALE----	2	2	3	3	4	11	7	5	2	2	-	-
FEMALE--	2	2	4	8	12	19	17	13	10	2	2	-
ALL OTHER--MALE----	-	2	-	1	1	2	1	-	-	1	-	-
FEMALE--	-	2	1	1	3	2	7	2	1	-	-	-
BLACK---MALE----	-	2	-	1	1	2	1	-	-	1	-	-
FEMALE--	-	1	1	1	3	2	7	2	1	-	-	-
MASSACHUSETTS -----	4	6	8	20	33	37	53	36	28	12	6	-
WHITE-----MALE----	-	3	1	11	8	13	18	4	6	1	-	-
FEMALE--	3	3	6	6	23	23	33	32	21	11	5	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	1	1	2	-	1	-	1	-
BLACK---MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	-	1	-	1	-
MICHIGAN -----	11	13	26	27	60	65	71	44	31	11	-	-
WHITE-----MALE----	2	6	6	5	18	20	15	10	3	3	-	-
FEMALE--	4	5	11	17	34	39	49	30	24	8	-	-
ALL OTHER--MALE----	1	1	5	3	4	5	2	1	-	-	-	-
FEMALE--	4	1	4	2	4	1	5	3	4	-	-	-
BLACK---MALE----	1	1	5	3	3	5	2	1	-	-	-	-
FEMALE--	3	1	4	2	3	1	5	2	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,158

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)												
OHIO -----	8	6	18	42	66	59	66	53	49	14	2	-
WHITE-----MALE----	4	2	8	16	22	27	16	8	7	3	-	-
FEMALE--	3	2	9	23	38	24	46	39	37	9	1	-
ALL OTHER--MALE----	-	2	1	1	1	5	1	2	1	2	1	-
FEMALE--	1	-	-	2	5	3	3	4	4	-	-	-
BLACK---MALE----	-	2	1	1	1	5	1	2	1	2	1	-
FEMALE--	1	-	-	2	5	3	3	4	4	-	-	-
OKLAHOMA -----	3	5	5	13	27	34	31	28	18	7	-	-
WHITE-----MALE----	-	3	3	7	13	16	10	3	4	1	-	-
FEMALE--	3	2	1	4	11	16	18	21	13	6	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	2	-	-	-	-
FEMALE--	-	-	1	2	2	1	3	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	-	-	-	-
OREGON -----	1	5	3	12	20	20	22	27	8	4	1	-
WHITE-----MALE----	1	4	2	2	7	5	7	11	2	-	-	-
FEMALE--	-	1	1	9	13	15	15	16	6	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	8	25	42	73	90	106	103	53	16	3	-
WHITE-----MALE----	1	1	6	20	28	34	35	29	11	2	-	-
FEMALE--	1	5	16	16	39	49	62	71	37	13	2	-
ALL OTHER--MALE----	-	2	2	4	4	1	3	2	-	-	-	-
FEMALE--	1	-	1	2	2	6	6	1	5	1	1	-
BLACK---MALE----	-	2	2	4	4	1	3	2	-	-	-	-
FEMALE--	1	-	1	2	2	5	6	1	5	1	1	-
RHODE ISLAND -----	-	2	1	4	7	15	13	9	6	3	-	-
WHITE-----MALE----	-	1	-	3	-	5	5	1	1	-	-	-
FEMALE--	-	1	1	1	7	10	6	8	5	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
SOUTH CAROLINA -----	4	7	11	22	12	22	23	16	9	2	-	-
WHITE-----MALE----	1	1	1	7	3	6	6	3	2	-	-	-
FEMALE--	1	3	6	8	6	8	15	9	7	2	-	-
ALL OTHER--MALE----	1	3	2	2	1	3	1	2	-	-	-	-
FEMALE--	1	-	2	5	2	5	1	2	-	-	-	-
BLACK---MALE----	1	3	2	2	1	3	-	2	-	-	-	-
FEMALE--	1	-	2	5	2	5	1	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,159

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	3	2	-	-	4	5	4	1	-	-	-
WHITE-----MALE----	-	2	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	3	5	3	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	6	13	12	32	30	33	36	23	3	-	-
WHITE-----MALE----	-	3	1	4	12	9	8	5	4	1	-	-
FEMALE--	1	3	9	6	17	17	23	26	16	2	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	1	1	-	-	-
FEMALE--	-	-	3	2	1	3	2	4	2	-	-	-
BLACK---MALE----	-	-	-	-	2	1	-	1	1	-	-	-
FEMALE--	-	-	3	2	1	3	2	4	2	-	-	-
TEXAS -----	16	18	41	58	96	114	101	108	57	16	5	-
WHITE-----MALE----	7	7	11	26	37	36	28	30	17	-	1	-
FEMALE--	7	8	19	25	48	68	66	65	37	16	4	-
ALL OTHER--MALE----	2	1	4	3	7	6	3	2	-	-	-	-
FEMALE--	-	2	7	4	4	4	4	11	3	-	-	-
BLACK---MALE----	2	1	4	3	7	5	3	2	-	-	-	-
FEMALE--	-	2	6	3	4	4	4	11	3	-	-	-
UTAH -----	2	4	3	3	7	7	17	14	5	1	1	-
WHITE-----MALE----	1	1	-	1	1	3	8	4	2	-	1	-
FEMALE--	1	3	3	1	6	4	9	10	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	2	5	4	3	6	1	3	1	-
WHITE-----MALE----	-	-	-	2	4	3	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	1	2	5	1	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	11	13	17	49	31	59	41	26	5	-	-
WHITE-----MALE----	-	1	2	7	11	5	22	7	7	-	-	-
FEMALE--	2	3	5	5	29	20	32	27	17	5	-	-
ALL OTHER--MALE----	-	5	4	1	5	1	1	1	1	-	-	-
FEMALE--	-	2	2	4	4	5	4	6	1	-	-	-
BLACK---MALE----	-	5	3	1	4	-	1	1	1	-	-	-
FEMALE--	-	2	2	3	4	5	4	6	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,161

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIVERTICULA OF INTESTINE (562)												
0 UNITED STATES --	46	74	119	224	333	517	616	619	433	161	31	-
WHITE-----MALE----	20	34	40	79	117	166	184	141	83	26	6	-
FEMALE--	17	33	62	121	185	300	383	438	327	124	21	-
ALL OTHER--MALE----	4	2	8	8	15	9	18	8	4	2	1	-
FEMALE--	5	5	9	16	16	42	31	32	19	9	3	-
BLACK---MALE----	4	2	8	7	15	6	17	5	2	2	1	-
FEMALE--	5	5	8	15	14	40	31	30	17	8	3	-
ALABAMA -----	1	2	4	1	10	13	9	8	10	4	1	-
WHITE-----MALE----	-	1	1	1	3	4	1	1	1	1	-	-
FEMALE--	1	1	2	-	6	7	4	5	6	3	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	2	3	-	-	-
BLACK---MALE----	-	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	2	3	-	-	-
ALASKA -----	-	-	-	-	1	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	4	4	10	12	6	5	8	3	-	-
WHITE-----MALE----	-	-	3	1	5	5	2	2	2	-	-	-
FEMALE--	-	1	1	2	4	7	4	3	6	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	3	3	3	11	6	3	6	-	-	-
WHITE-----MALE----	-	-	1	3	1	3	-	-	2	-	-	-
FEMALE--	-	-	2	-	2	7	6	3	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	6	7	15	36	46	66	76	75	44	15	1	-
WHITE-----MALE----	3	5	6	11	18	19	24	16	8	3	1	-
FEMALE--	2	2	7	23	26	40	48	51	36	8	-	-
ALL OTHER--MALE----	1	-	-	2	1	-	1	4	-	1	-	-
FEMALE--	-	-	2	-	1	7	3	4	-	3	-	-
BLACK---MALE----	1	-	-	1	1	-	1	2	-	1	-	-
FEMALE--	-	-	1	-	1	7	3	3	-	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,162

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIVERTICULA OF INTESTINE (562)												
COLORADO -----	-	1	3	-	2	3	10	7	4	1	-	-
WHITE-----MALE----	-	-	1	-	2	1	4	3	1	-	-	-
FEMALE--	-	1	2	-	-	1	5	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
CONNECTICUT -----	-	2	2	1	4	7	8	7	7	3	-	-
WHITE-----MALE----	-	1	-	1	2	2	5	-	1	1	-	-
FEMALE--	-	1	2	-	2	4	3	7	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	-	-	-	1	1	3	1	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	2	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	2	-	-	1	-	-	-	1	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	1	-
FLORIDA -----	2	8	9	22	18	37	49	53	34	15	1	-
WHITE-----MALE----	-	1	2	10	8	18	16	9	6	2	-	-
FEMALE--	-	5	5	7	8	18	30	42	27	13	1	-
ALL OTHER--MALE----	1	1	1	2	-	1	1	1	-	-	-	-
FEMALE--	1	1	1	3	2	-	2	1	1	-	-	-
BLACK---MALE----	1	1	1	2	-	1	1	1	-	-	-	-
FEMALE--	1	1	1	3	2	-	2	1	1	-	-	-
GEORGIA -----	3	4	3	4	3	17	5	9	5	2	1	-
WHITE-----MALE----	2	1	1	1	1	5	-	2	1	1	-	-
FEMALE--	-	2	1	3	2	10	4	7	4	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	1	-	-	-	1	-
FEMALE--	1	-	-	-	-	2	-	-	-	1	-	-
BLACK---MALE----	-	1	1	-	-	-	1	-	-	-	1	-
FEMALE--	1	-	-	-	-	2	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,164

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DIVERTICULA OF INTESTINE (562)												
KENTUCKY -----	46	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	65	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
MAINE -----	18	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	58	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	83	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	30	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	51	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	108	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	71	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,164

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIVERTICULA OF INTESTINE (562)												
KENTUCKY -----	-	1	1	3	5	7	8	11	7	2	-	-
WHITE-----MALE----	-	1	1	-	1	4	3	2	2	1	-	-
FEMALE--	-	-	-	3	4	3	4	8	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
LOUISIANA -----	1	4	5	8	11	6	13	10	5	1	-	-
WHITE-----MALE----	1	2	2	3	4	2	3	1	-	-	-	-
FEMALE--	-	2	2	2	4	3	8	7	4	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	2	2	1	1	1	1	-	-	-
BLACK---MALE----	-	-	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	2	2	1	1	1	1	-	-	-
MAINE -----	-	-	1	1	2	3	4	2	4	-	1	-
WHITE-----MALE----	-	-	-	1	2	1	1	-	3	-	-	-
FEMALE--	-	-	1	-	-	2	3	2	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	1	6	9	13	8	8	7	4	1	-
WHITE-----MALE----	1	-	-	-	2	5	3	1	1	2	-	-
FEMALE--	-	-	-	4	5	5	4	6	6	2	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	2	1	3	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	2	1	3	-	1	-	-	-	-
MASSACHUSETTS -----	2	2	2	5	7	14	13	15	12	9	1	-
WHITE-----MALE----	1	-	-	2	4	8	4	5	3	2	-	-
FEMALE--	1	2	2	3	3	5	8	10	9	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
MICHIGAN -----	1	3	3	7	8	13	24	22	18	7	-	-
WHITE-----MALE----	-	2	2	3	3	3	5	7	2	-	-	-
FEMALE--	1	1	1	3	4	7	17	15	14	7	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	3	2	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	3	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,167

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIVERTICULA OF INTESTINE (562)												
OHIO -----	3	4	4	3	12	19	19	24	16	8	1	-
WHITE-----MALE----	1	3	1	2	5	6	3	6	3	2	1	-
FEMALE--	1	-	2	1	5	12	12	16	12	5	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	1	-	-	2	1	4	2	-	1	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	1	-	-	2	1	4	2	-	1	-	-
OKLAHOMA -----	-	-	1	4	4	6	13	12	12	1	-	-
WHITE-----MALE----	-	-	-	2	1	4	4	2	1	-	-	-
FEMALE--	-	-	1	2	3	2	9	9	10	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
OREGON -----	-	1	2	3	6	3	7	11	10	5	-	-
WHITE-----MALE----	-	1	1	1	2	-	3	1	4	2	-	-
FEMALE--	-	-	1	2	3	3	3	9	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	5	3	10	13	19	24	36	30	15	6	2	-
WHITE-----MALE----	4	1	3	1	8	6	8	8	4	1	-	-
FEMALE--	1	2	7	10	10	16	27	20	11	5	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	1	2	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	1	2	-	-	-	-
RHODE ISLAND -----	-	-	-	2	1	3	3	1	1	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	3	3	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	2	4	4	4	8	11	10	4	2	-	-
WHITE-----MALE----	-	2	-	1	2	2	6	2	-	-	-	-
FEMALE--	1	-	3	2	2	5	4	7	4	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	-	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,168

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIVERTICULA OF INTESTINE (562)												
SOUTH DAKOTA -----	-	-	-	3	3	3	4	1	-	1	-	-
WHITE-----MALE----	-	-	-	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	2	2	3	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	1	1	4	9	12	6	13	9	6	1	-
WHITE-----MALE----	-	-	-	1	3	3	3	1	1	-	-	-
FEMALE--	2	-	1	3	5	7	2	11	7	6	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	1	1	-	-	-
TEXAS -----	1	5	5	7	15	24	36	49	30	12	3	-
WHITE-----MALE----	-	1	-	4	4	12	13	13	7	1	1	-
FEMALE--	1	4	3	2	11	12	20	30	23	10	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	6	-	1	-	-
BLACK---MALE----	-	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	6	-	1	-	-
UTAH -----	-	1	1	1	2	1	4	5	4	1	-	-
WHITE-----MALE----	-	-	1	1	1	-	3	2	2	1	-	-
FEMALE--	-	1	-	-	1	1	1	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	1	1	-	1	3	2	2	1	-	-
WHITE-----MALE----	-	1	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	2	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	-	1	7	5	9	10	12	6	1	-	-
WHITE-----MALE----	1	-	1	1	-	1	2	2	1	-	-	-
FEMALE--	-	-	-	4	4	7	8	9	4	1	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	1	-	-	-
BLACK---MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,170

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
0 UNITED STATES --	25,175	15	4	-	2	7	18	91	425	1,186	2,322	2,889
WHITE-----MALE----	14,045	4	1	-	2	3	10	50	226	664	1,405	1,745
FEMALE--	7,638	5	2	-	-	2	3	23	102	292	511	536
ALL OTHER--MALE----	2,215	2	1	-	-	-	2	9	52	136	258	432
FEMALE--	1,277	4	-	-	-	2	3	9	45	94	148	176
BLACK---MALE----	1,818	1	1	-	-	-	2	6	30	98	206	377
FEMALE--	1,002	4	-	-	-	2	2	7	24	70	119	141
ALABAMA -----	389	-	-	-	-	-	1	3	3	23	48	43
WHITE-----MALE----	195	-	-	-	-	-	-	1	1	11	26	18
FEMALE--	104	-	-	-	-	-	-	-	2	5	7	2
ALL OTHER--MALE----	58	-	-	-	-	-	-	-	-	3	11	16
FEMALE--	32	-	-	-	-	-	1	2	-	4	4	7
BLACK---MALE----	57	-	-	-	-	-	-	-	-	3	11	15
FEMALE--	31	-	-	-	-	-	1	2	-	4	4	6
ALASKA -----	48	-	-	-	-	-	-	-	4	5	6	10
WHITE-----MALE----	29	-	-	-	-	-	-	-	1	2	2	8
FEMALE--	7	-	-	-	-	-	-	-	1	1	2	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	5	-	-	-	-	-	-	-	2	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ARIZONA -----	606	1	-	-	-	-	-	2	15	37	69	69
WHITE-----MALE----	351	1	-	-	-	-	-	1	5	14	44	43
FEMALE--	170	-	-	-	-	-	-	-	3	7	13	11
ALL OTHER--MALE----	45	-	-	-	-	-	-	1	5	6	8	8
FEMALE--	40	-	-	-	-	-	-	-	2	10	4	7
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS -----	182	-	-	-	-	-	-	-	4	7	14	20
WHITE-----MALE----	104	-	-	-	-	-	-	-	1	6	7	14
FEMALE--	52	-	-	-	-	-	-	-	2	1	5	1
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	1	-	2	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	19	-	-	-	-	-	-	-	1	-	2	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	3
CALIFORNIA -----	3,510	2	-	-	-	1	3	12	83	181	384	404
WHITE-----MALE----	2,071	-	-	-	-	-	2	10	53	112	248	255
FEMALE--	1,067	1	-	-	-	-	-	2	19	46	93	94
ALL OTHER--MALE----	235	1	-	-	-	-	-	-	8	14	23	38
FEMALE--	137	-	-	-	-	1	1	-	3	9	20	17
BLACK---MALE----	135	-	-	-	-	-	-	-	2	5	17	26
FEMALE--	80	-	-	-	-	1	-	-	2	8	12	13

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,170

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
0 UNITED STATES --	2,733	2,512	2,741	2,924	2,880	2,185	1,353	665	185	30	4	4
WHITE-----MALE----	1,706	1,484	1,613	1,630	1,489	1,074	614	252	62	6	1	4
FEMALE--	561	604	732	975	1,135	968	667	381	114	23	2	-
ALL OTHER--MALE----	315	297	260	197	131	67	36	16	4	-	-	-
FEMALE--	151	127	136	122	125	76	36	16	5	1	1	-
BLACK---MALE----	255	247	227	164	108	54	27	11	4	-	-	-
FEMALE--	121	111	111	91	92	59	26	15	5	1	1	-
ALABAMA -----	39	36	35	52	49	31	11	9	6	-	-	-
WHITE-----MALE----	31	22	20	22	23	11	5	3	1	-	-	-
FEMALE--	4	7	6	24	17	16	4	6	4	-	-	-
ALL OTHER--MALE----	4	3	7	4	6	2	1	-	1	-	-	-
FEMALE--	-	4	2	2	3	2	1	-	-	-	-	-
BLACK---MALE----	4	3	7	4	6	2	1	-	1	-	-	-
FEMALE--	-	4	2	2	3	2	1	-	-	-	-	-
ALASKA -----	3	4	6	3	2	2	1	1	1	-	-	-
WHITE-----MALE----	1	2	5	2	2	2	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	58	62	62	82	59	51	23	15	1	-	-	-
WHITE-----MALE----	42	37	34	43	29	35	14	9	-	-	-	-
FEMALE--	6	16	23	35	28	13	8	6	1	-	-	-
ALL OTHER--MALE----	5	7	1	2	-	1	1	-	-	-	-	-
FEMALE--	5	2	4	2	2	2	-	-	-	-	-	-
BLACK---MALE----	1	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	23	15	25	22	20	18	8	5	1	-	-	-
WHITE-----MALE----	17	9	12	8	14	12	3	1	-	-	-	-
FEMALE--	2	4	5	11	6	5	5	4	1	-	-	-
ALL OTHER--MALE----	3	2	8	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	8	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	-	-	-	-	-	-
CALIFORNIA -----	432	345	418	376	354	272	153	71	15	3	-	1
WHITE-----MALE----	268	207	262	222	179	128	84	32	5	3	-	1
FEMALE--	112	99	114	119	141	121	60	37	9	-	-	-
ALL OTHER--MALE----	35	33	29	22	14	13	3	2	-	-	-	-
FEMALE--	17	6	13	13	20	10	6	-	1	-	-	-
BLACK---MALE----	21	20	20	12	6	6	-	-	-	-	-	-
FEMALE--	12	4	8	5	7	5	2	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,171

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
COLORADO -----	338	1	-	-	-	-	-	1	5	20	46	49
WHITE-----MALE----	223	-	-	-	-	-	-	1	4	12	38	34
FEMALE--	99	-	-	-	-	-	-	-	1	5	6	11
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	3	2	4
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	291	-	-	-	-	-	-	2	-	10	23	27
WHITE-----MALE----	166	-	-	-	-	-	-	1	-	5	18	18
FEMALE--	103	-	-	-	-	-	-	1	-	3	3	7
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	1	2	1
DELAWARE -----	65	-	-	-	-	-	-	1	-	5	7	7
WHITE-----MALE----	37	-	-	-	-	-	-	1	-	1	5	3
FEMALE--	18	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	-
DISTRICT OF COLUMBIA -----	77	-	-	-	-	-	-	1	1	5	12	7
WHITE-----MALE----	14	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	1	4	8	3
FEMALE--	20	-	-	-	-	-	-	-	-	1	3	4
BLACK---MALE----	38	-	-	-	-	-	-	-	1	4	7	3
FEMALE--	20	-	-	-	-	-	-	-	-	1	3	4
FLORIDA -----	1,942	-	-	-	-	2	-	5	18	60	154	212
WHITE-----MALE----	1,121	-	-	-	-	-	-	2	9	31	99	132
FEMALE--	636	-	-	-	-	1	-	1	6	22	41	51
ALL OTHER--MALE----	117	-	-	-	-	-	-	1	2	4	11	14
FEMALE--	68	-	-	-	-	1	-	1	1	3	3	15
BLACK---MALE----	112	-	-	-	-	-	-	1	2	4	10	13
FEMALE--	65	-	-	-	-	1	-	1	1	3	3	14
GEORGIA -----	599	-	-	-	-	-	1	-	8	28	42	86
WHITE-----MALE----	304	-	-	-	-	-	1	-	2	14	19	49
FEMALE--	152	-	-	-	-	-	-	-	2	5	8	11
ALL OTHER--MALE----	88	-	-	-	-	-	-	-	2	3	7	19
FEMALE--	55	-	-	-	-	-	-	-	2	6	8	7
BLACK---MALE----	87	-	-	-	-	-	-	-	2	3	7	19
FEMALE--	53	-	-	-	-	-	-	-	2	6	7	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,171

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
COLORADO -----	39	29	47	38	18	29	14	1	1	-	-	-
WHITE-----MALE----	28	16	35	26	8	12	8	-	1	-	-	-
FEMALE--	11	12	11	8	10	17	6	1	-	-	-	-
ALL OTHER--MALE----	-	1	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
CONNECTICUT -----	31	24	35	38	31	35	23	8	4	-	-	-
WHITE-----MALE----	24	15	20	24	14	13	10	2	2	-	-	-
FEMALE--	6	7	9	11	15	21	13	5	2	-	-	-
ALL OTHER--MALE----	1	1	3	1	2	-	-	1	-	-	-	-
FEMALE--	-	1	3	2	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	3	1	1	-	-	1	-	-	-	-
FEMALE--	-	1	3	2	-	1	-	-	-	-	-	-
DELAWARE -----	5	6	6	5	8	6	5	2	1	-	-	1
WHITE-----MALE----	4	5	6	4	4	2	1	-	-	-	-	1
FEMALE--	1	-	-	1	4	3	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	11	11	6	7	8	4	4	-	-	-	-	-
WHITE-----MALE----	1	3	-	3	1	2	2	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	6	6	5	4	1	1	-	-	-	-	-	-
FEMALE--	4	2	-	-	4	1	1	-	-	-	-	-
BLACK---MALE----	6	6	5	4	1	1	-	-	-	-	-	-
FEMALE--	4	2	-	-	4	1	1	-	-	-	-	-
FLORIDA -----	184	208	224	226	250	182	141	53	20	2	-	1
WHITE-----MALE----	126	131	134	121	136	99	69	23	7	1	-	1
FEMALE--	39	45	63	86	99	71	69	28	13	1	-	-
ALL OTHER--MALE----	13	22	23	10	10	5	1	1	-	-	-	-
FEMALE--	6	10	4	9	5	7	2	1	-	-	-	-
BLACK---MALE----	13	20	22	10	10	5	1	1	-	-	-	-
FEMALE--	6	10	4	9	5	6	1	1	-	-	-	-
GEORGIA -----	67	69	68	70	58	50	28	20	2	2	-	-
WHITE-----MALE----	41	34	39	38	25	25	9	7	1	-	-	-
FEMALE--	12	11	16	16	22	18	17	11	1	2	-	-
ALL OTHER--MALE----	11	11	11	11	6	5	2	-	-	-	-	-
FEMALE--	3	13	2	5	5	2	-	2	-	-	-	-
BLACK---MALE----	11	11	11	11	5	5	2	-	-	-	-	-
FEMALE--	3	13	2	5	5	2	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,172

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
HAWAII -----	60	-	-	-	-	-	-	-	-	6	6	8
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	4	4	4
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	98	-	-	-	-	-	-	-	1	4	9	14
WHITE-----MALE----	64	-	-	-	-	-	-	-	-	3	6	13
FEMALE--	32	-	-	-	-	-	-	-	-	1	3	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,082	2	-	-	-	1	2	4	23	46	116	121
WHITE-----MALE----	549	1	-	-	-	-	1	2	13	24	63	64
FEMALE--	338	1	-	-	-	1	-	1	5	14	21	19
ALL OTHER--MALE----	123	-	-	-	-	-	1	1	4	5	17	32
FEMALE--	72	-	-	-	-	-	-	-	1	3	15	6
BLACK---MALE----	117	-	-	-	-	-	1	1	4	5	15	31
FEMALE--	69	-	-	-	-	-	-	-	1	3	15	5
INDIANA -----	428	1	-	-	-	-	-	4	12	19	33	48
WHITE-----MALE----	241	-	-	-	-	-	-	2	7	17	20	31
FEMALE--	148	-	-	-	-	-	-	1	3	2	8	11
ALL OTHER--MALE----	23	-	-	-	-	-	-	1	-	-	4	4
FEMALE--	16	1	-	-	-	-	-	-	2	-	1	2
BLACK---MALE----	22	-	-	-	-	-	-	1	-	-	4	4
FEMALE--	15	1	-	-	-	-	-	-	2	-	1	2
IOWA -----	177	-	-	-	-	-	-	-	4	6	14	11
WHITE-----MALE----	114	-	-	-	-	-	-	-	4	6	8	5
FEMALE--	57	-	-	-	-	-	-	-	-	-	5	4
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	173	2	-	-	-	-	-	-	2	10	13	21
WHITE-----MALE----	93	-	-	-	-	-	-	-	1	5	9	17
FEMALE--	64	1	-	-	-	-	-	-	-	3	4	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	7	1	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	1	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,172

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
HAWAII -----	5	5	5	3	11	3	5	3	-	-	-	-
WHITE-----MALE----	1	2	3	1	3	1	2	1	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	2	1	3	1	2	1	-	-	-	-
FEMALE--	1	-	-	-	3	1	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	5	8	11	11	16	9	8	2	-	-	-	-
WHITE-----MALE----	3	6	6	7	11	4	4	1	-	-	-	-
FEMALE--	2	2	5	3	5	5	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	105	107	114	128	123	91	53	32	13	1	-	-
WHITE-----MALE----	56	59	61	66	58	40	29	8	4	-	-	-
FEMALE--	23	25	32	49	53	42	21	22	8	1	-	-
ALL OTHER--MALE----	19	15	9	10	3	3	1	2	1	-	-	-
FEMALE--	7	8	12	3	9	6	2	-	-	-	-	-
BLACK---MALE----	19	13	9	10	3	2	1	2	1	-	-	-
FEMALE--	6	7	12	3	9	6	2	-	-	-	-	-
INDIANA -----	50	45	39	42	68	34	21	7	5	-	-	-
WHITE-----MALE----	26	29	22	23	36	18	6	2	2	-	-	-
FEMALE--	19	10	14	17	26	14	15	5	3	-	-	-
ALL OTHER--MALE----	3	4	2	2	3	-	-	-	-	-	-	-
FEMALE--	2	2	1	-	3	2	-	-	-	-	-	-
BLACK---MALE----	3	4	2	2	2	-	-	-	-	-	-	-
FEMALE--	2	2	1	-	2	2	-	-	-	-	-	-
IOWA -----	10	17	18	14	32	25	12	8	6	-	-	-
WHITE-----MALE----	10	12	15	9	23	12	4	4	2	-	-	-
FEMALE--	-	3	2	5	9	13	8	4	4	-	-	-
ALL OTHER--MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	14	17	15	17	17	17	16	7	3	2	-	-
WHITE-----MALE----	9	5	9	8	7	10	8	3	2	-	-	-
FEMALE--	2	10	3	8	9	7	8	4	1	2	-	-
ALL OTHER--MALE----	2	2	2	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,173

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
KENTUCKY -----	367	-	-	-	-	-	-	-	6	22	28	34
WHITE-----MALE----	219	-	-	-	-	-	-	-	5	12	16	28
FEMALE--	125	-	-	-	-	-	-	-	1	9	9	4
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	1	3	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	1	3	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	378	1	-	-	-	-	-	1	6	18	41	44
WHITE-----MALE----	181	-	-	-	-	-	-	1	2	8	20	19
FEMALE--	102	-	-	-	-	-	-	-	1	5	9	8
ALL OTHER--MALE----	66	1	-	-	-	-	-	-	2	2	8	14
FEMALE--	29	-	-	-	-	-	-	-	1	3	4	3
BLACK---MALE----	64	1	-	-	-	-	-	-	2	2	7	14
FEMALE--	27	-	-	-	-	-	-	-	1	3	4	3
MAINE -----	116	-	-	-	-	-	-	-	-	4	3	9
WHITE-----MALE----	70	-	-	-	-	-	-	-	-	2	2	7
FEMALE--	45	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	413	-	-	-	-	-	-	-	8	22	47	53
WHITE-----MALE----	187	-	-	-	-	-	-	-	5	7	20	19
FEMALE--	107	-	-	-	-	-	-	-	2	2	10	9
ALL OTHER--MALE----	78	-	-	-	-	-	-	-	-	9	9	16
FEMALE--	41	-	-	-	-	-	-	-	1	4	8	9
BLACK---MALE----	77	-	-	-	-	-	-	-	-	9	9	15
FEMALE--	39	-	-	-	-	-	-	-	1	4	8	8
MASSACHUSETTS -----	520	-	-	-	-	-	1	3	4	26	44	59
WHITE-----MALE----	304	-	-	-	-	-	-	2	3	15	28	40
FEMALE--	189	-	-	-	-	-	1	1	1	9	14	11
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	1	2	6
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	19	-	-	-	-	-	-	-	-	1	2	5
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	2
MICHIGAN -----	969	-	-	-	-	-	-	4	17	51	106	139
WHITE-----MALE----	484	-	-	-	-	-	-	3	8	26	53	70
FEMALE--	276	-	-	-	-	-	-	1	5	14	23	15
ALL OTHER--MALE----	141	-	-	-	-	-	-	-	2	7	19	43
FEMALE--	68	-	-	-	-	-	-	-	2	4	11	11
BLACK---MALE----	134	-	-	-	-	-	-	-	1	6	18	43
FEMALE--	63	-	-	-	-	-	-	-	2	4	11	10

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,173

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
KENTUCKY -----	44	47	39	36	38	30	29	13	1	-	-	-
WHITE-----MALE----	31	31	26	23	19	13	11	3	1	-	-	-
FEMALE--	9	8	10	13	19	17	17	9	-	-	-	-
ALL OTHER--MALE----	3	7	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	3	7	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	1	1	-	-	-	-
LOUISIANA -----	41	50	36	35	39	32	22	6	5	1	-	-
WHITE-----MALE----	16	26	21	19	23	12	10	3	1	-	-	-
FEMALE--	10	6	9	10	12	17	8	3	4	-	-	-
ALL OTHER--MALE----	12	16	3	3	1	1	3	-	-	-	-	-
FEMALE--	3	2	3	3	3	2	1	-	-	1	-	-
BLACK---MALE----	11	16	3	3	1	1	3	-	-	-	-	-
FEMALE--	3	2	3	2	2	2	1	-	-	1	-	-
MAINE -----	9	12	11	19	15	15	12	7	-	-	-	-
WHITE-----MALE----	6	9	7	9	9	10	5	4	-	-	-	-
FEMALE--	3	3	4	10	6	5	7	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	39	42	48	48	39	38	19	6	3	-	-	1
WHITE-----MALE----	24	21	24	19	14	22	9	-	2	-	-	1
FEMALE--	4	8	10	14	18	15	8	6	1	-	-	-
ALL OTHER--MALE----	8	9	9	11	5	1	1	-	-	-	-	-
FEMALE--	3	4	5	4	2	-	1	-	-	-	-	-
BLACK---MALE----	8	9	9	11	5	1	1	-	-	-	-	-
FEMALE--	3	4	5	4	1	-	1	-	-	-	-	-
MASSACHUSETTS -----	43	46	50	49	66	55	45	26	3	-	-	-
WHITE-----MALE----	34	28	23	31	36	32	21	9	2	-	-	-
FEMALE--	7	15	24	15	27	23	24	16	1	-	-	-
ALL OTHER--MALE----	2	2	3	2	2	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	2	2	2	2	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN -----	99	96	84	111	118	80	40	21	2	1	-	-
WHITE-----MALE----	47	50	44	68	56	36	12	9	2	-	-	-
FEMALE--	23	25	23	26	44	40	26	10	-	1	-	-
ALL OTHER--MALE----	18	16	13	11	10	-	1	1	-	-	-	-
FEMALE--	11	5	4	6	8	4	1	1	-	-	-	-
BLACK---MALE----	17	15	11	11	10	-	1	1	-	-	-	-
FEMALE--	9	4	4	6	7	4	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,174

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
MINNESOTA -----	34	24	33	44	41	21	18	10	4	-	-	-
WHITE-----MALE----	23	13	20	23	26	14	9	3	2	-	-	-
FEMALE--	8	9	11	18	15	7	8	7	2	-	-	-
ALL OTHER--MALE----	2	2	2	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	26	25	35	27	20	21	21	6	1	1	-	-
WHITE-----MALE----	16	15	20	12	11	8	10	-	-	-	-	-
FEMALE--	7	2	5	9	6	10	10	4	1	1	-	-
ALL OTHER--MALE----	2	6	9	3	-	1	-	1	-	-	-	-
FEMALE--	1	2	1	3	3	2	1	1	-	-	-	-
BLACK---MALE----	2	5	7	3	-	1	-	1	-	-	-	-
FEMALE--	-	2	1	3	3	2	1	1	-	-	-	-
MISSOURI -----	45	33	40	59	54	36	27	12	2	1	-	-
WHITE-----MALE----	30	20	24	34	31	21	14	3	-	-	-	-
FEMALE--	7	9	13	20	21	13	12	8	2	1	-	-
ALL OTHER--MALE----	5	3	2	-	1	2	-	-	-	-	-	-
FEMALE--	3	1	1	5	1	-	1	1	-	-	-	-
BLACK---MALE----	5	3	2	-	1	2	-	-	-	-	-	-
FEMALE--	3	1	1	4	1	-	1	1	-	-	-	-
MONTANA -----	10	6	5	11	5	5	6	2	1	-	-	-
WHITE-----MALE----	3	4	3	6	4	4	5	2	1	-	-	-
FEMALE--	2	2	2	2	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	10	13	7	11	9	6	4	4	-	2	-	-
WHITE-----MALE----	5	6	2	7	6	4	-	3	-	-	-	-
FEMALE--	1	5	2	4	2	2	4	1	-	2	-	-
ALL OTHER--MALE----	3	1	2	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
NEVADA -----	41	24	37	27	19	18	4	1	-	-	-	-
WHITE-----MALE----	26	18	26	13	11	8	1	1	-	-	-	-
FEMALE--	12	4	10	10	7	8	3	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	4	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	2	-	-	-	-	-	-
BLACK---MALE----	2	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,176

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
OHIO -----	958	1	1	-	-	-	-	2	11	44	65	101
WHITE-----MALE----	554	1	-	-	-	-	-	1	7	23	46	59
FEMALE--	276	-	1	-	-	-	-	1	3	13	12	21
ALL OTHER--MALE----	80	-	-	-	-	-	-	-	1	6	6	16
FEMALE--	48	-	-	-	-	-	-	-	-	2	1	5
BLACK---MALE----	80	-	-	-	-	-	-	-	1	6	6	16
FEMALE--	46	-	-	-	-	-	-	-	-	2	1	5
OKLAHOMA -----	343	-	-	-	-	-	1	1	7	24	34	41
WHITE-----MALE----	171	-	-	-	-	-	-	1	-	13	20	21
FEMALE--	110	-	-	-	-	-	1	-	4	5	8	11
ALL OTHER--MALE----	42	-	-	-	-	-	-	-	1	3	2	7
FEMALE--	20	-	-	-	-	-	-	-	2	3	4	2
BLACK---MALE----	18	-	-	-	-	-	-	-	-	2	-	3
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	297	-	-	-	-	-	-	2	5	13	29	30
WHITE-----MALE----	160	-	-	-	-	-	-	2	2	7	18	18
FEMALE--	119	-	-	-	-	-	-	-	2	3	7	9
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	3	4	2
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	1,074	-	-	-	1	1	1	1	18	32	93	102
WHITE-----MALE----	604	-	-	-	1	1	1	1	10	19	60	71
FEMALE--	360	-	-	-	-	-	-	-	5	12	19	14
ALL OTHER--MALE----	70	-	-	-	-	-	-	-	2	1	9	12
FEMALE--	40	-	-	-	-	-	-	-	1	-	5	5
BLACK---MALE----	68	-	-	-	-	-	-	-	1	1	8	12
FEMALE--	34	-	-	-	-	-	-	-	1	-	5	5
RHODE ISLAND -----	118	-	-	-	-	-	-	-	-	4	7	10
WHITE-----MALE----	66	-	-	-	-	-	-	-	-	4	7	8
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	379	-	-	-	-	-	-	4	7	14	37	48
WHITE-----MALE----	162	-	-	-	-	-	-	2	1	6	16	16
FEMALE--	101	-	-	-	-	-	-	-	2	5	6	12
ALL OTHER--MALE----	73	-	-	-	-	-	-	-	2	3	7	13
FEMALE--	43	-	-	-	-	-	-	2	2	-	8	7
BLACK---MALE----	73	-	-	-	-	-	-	-	2	3	7	13
FEMALE--	43	-	-	-	-	-	-	2	2	-	8	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,176

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
OHIO -----	101	96	106	124	131	84	51	27	10	1	2	-
WHITE-----MALE----	59	60	66	76	77	43	23	8	4	-	1	-
FEMALE--	21	21	19	37	42	35	26	17	5	1	1	-
ALL OTHER--MALE----	12	11	12	4	8	4	-	-	-	-	-	-
FEMALE--	9	4	9	7	4	2	2	2	1	-	-	-
BLACK---MALE----	12	11	12	4	8	4	-	-	-	-	-	-
FEMALE--	9	4	8	6	4	2	2	2	1	-	-	-
OKLAHOMA -----	34	22	47	39	34	27	18	10	1	3	-	-
WHITE-----MALE----	17	13	21	24	21	12	4	3	-	1	-	-
FEMALE--	6	3	18	12	7	14	11	7	1	2	-	-
ALL OTHER--MALE----	9	3	7	2	5	1	2	-	-	-	-	-
FEMALE--	2	3	1	1	1	-	1	-	-	-	-	-
BLACK---MALE----	3	2	6	-	-	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
OREGON -----	37	29	31	40	30	25	14	9	3	-	-	-
WHITE-----MALE----	17	21	15	26	11	17	3	1	2	-	-	-
FEMALE--	15	8	14	14	19	8	11	8	1	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	79	73	109	127	152	142	77	49	15	1	1	-
WHITE-----MALE----	51	39	61	74	82	67	43	20	3	-	-	-
FEMALE--	13	21	35	42	61	66	32	28	11	1	-	-
ALL OTHER--MALE----	8	10	7	7	4	7	2	1	-	-	-	-
FEMALE--	7	3	6	4	5	2	-	-	1	-	1	-
BLACK---MALE----	8	10	7	7	4	7	2	1	-	-	-	-
FEMALE--	7	2	6	2	4	-	-	-	1	-	1	-
RHODE ISLAND -----	11	7	12	24	15	15	3	7	3	-	-	-
WHITE-----MALE----	6	3	7	14	8	5	1	3	-	-	-	-
FEMALE--	1	2	3	8	7	10	2	4	3	-	-	-
ALL OTHER--MALE----	3	1	2	2	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	55	32	35	41	43	40	19	4	-	-	-	-
WHITE-----MALE----	26	13	22	17	20	15	7	1	-	-	-	-
FEMALE--	9	7	3	10	16	18	10	3	-	-	-	-
ALL OTHER--MALE----	17	10	5	7	5	3	1	-	-	-	-	-
FEMALE--	3	2	5	7	2	4	1	-	-	-	-	-
BLACK---MALE----	17	10	5	7	5	3	1	-	-	-	-	-
FEMALE--	3	2	5	7	2	4	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,177

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
SOUTH DAKOTA -----	42	-	-	-	-	-	-	-	1	1	3	6
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	13	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	562	-	1	-	-	-	-	3	11	30	55	75
WHITE-----MALE----	315	-	-	-	-	-	-	1	7	20	32	49
FEMALE--	165	-	-	-	-	-	-	1	2	8	11	14
ALL OTHER--MALE----	50	-	1	-	-	-	-	1	1	1	9	8
FEMALE--	32	-	-	-	-	-	-	-	1	1	3	4
BLACK---MALE----	50	-	1	-	-	-	-	1	1	1	9	8
FEMALE--	29	-	-	-	-	-	-	-	1	1	1	4
TEXAS -----	2,027	2	1	-	-	-	4	5	26	119	196	265
WHITE-----MALE----	1,251	-	-	-	-	-	3	3	20	80	131	196
FEMALE--	578	1	1	-	-	-	-	2	4	25	46	29
ALL OTHER--MALE----	125	-	-	-	-	-	1	-	1	11	13	27
FEMALE--	73	1	-	-	-	-	-	-	1	3	6	13
BLACK---MALE----	117	-	-	-	-	-	1	-	1	10	12	25
FEMALE--	66	1	-	-	-	-	-	-	1	3	6	12
UTAH -----	115	-	-	-	-	-	-	-	8	5	16	8
WHITE-----MALE----	77	-	-	-	-	-	-	-	3	2	10	6
FEMALE--	35	-	-	-	-	-	-	-	4	3	5	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	45	-	-	-	-	-	-	-	1	-	3	1
WHITE-----MALE----	31	-	-	-	-	-	-	-	1	-	3	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	499	-	-	-	-	-	-	-	8	25	33	43
WHITE-----MALE----	249	-	-	-	-	-	-	-	3	10	23	22
FEMALE--	156	-	-	-	-	-	-	-	-	9	7	8
ALL OTHER--MALE----	56	-	-	-	-	-	-	-	3	4	3	10
FEMALE--	38	-	-	-	-	-	-	-	2	2	-	3
BLACK---MALE----	56	-	-	-	-	-	-	-	3	4	3	10
FEMALE--	36	-	-	-	-	-	-	-	2	2	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,177

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
SOUTH DAKOTA -----	6	7	2	2	6	6	1	1	-	-	-	-
WHITE-----MALE----	2	2	-	1	2	-	-	-	-	-	-	-
FEMALE--	1	2	-	1	2	4	1	1	-	-	-	-
ALL OTHER--MALE----	1	2	1	-	-	2	-	-	-	-	-	-
FEMALE--	2	1	1	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	63	62	61	63	62	45	15	13	2	1	-	-
WHITE-----MALE----	44	39	32	29	29	20	8	5	-	-	-	-
FEMALE--	10	16	17	23	29	21	6	5	1	1	-	-
ALL OTHER--MALE----	5	5	5	6	4	1	1	1	1	-	-	-
FEMALE--	4	2	7	5	-	3	-	2	-	-	-	-
BLACK---MALE----	5	5	5	6	4	1	1	1	1	-	-	-
FEMALE--	4	2	6	5	-	3	-	2	-	-	-	-
TEXAS -----	250	193	226	211	217	145	97	52	17	1	-	-
WHITE-----MALE----	182	127	133	117	116	75	39	24	5	-	-	-
FEMALE--	42	47	65	75	90	61	51	27	11	1	-	-
ALL OTHER--MALE----	16	14	13	13	6	4	5	1	-	-	-	-
FEMALE--	10	5	15	6	5	5	2	-	1	-	-	-
BLACK---MALE----	16	13	11	12	6	4	5	1	-	-	-	-
FEMALE--	9	5	13	6	5	3	1	-	1	-	-	-
UTAH -----	6	12	12	7	16	14	8	3	-	-	-	-
WHITE-----MALE----	6	10	11	5	10	9	3	2	-	-	-	-
FEMALE--	-	2	1	2	6	5	5	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	4	2	9	6	4	4	5	1	-	-	-
WHITE-----MALE----	3	3	1	6	4	2	2	4	1	-	-	-
FEMALE--	2	1	1	2	2	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	59	63	71	56	61	39	28	10	2	-	1	-
WHITE-----MALE----	30	35	37	29	24	20	12	4	-	-	-	-
FEMALE--	14	18	16	23	25	13	14	6	2	-	1	-
ALL OTHER--MALE----	8	5	11	4	5	3	-	-	-	-	-	-
FEMALE--	7	5	7	-	7	3	2	-	-	-	-	-
BLACK---MALE----	8	5	11	4	5	3	-	-	-	-	-	-
FEMALE--	7	5	6	-	7	2	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,179

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)												
UNITED STATES --	11,945	-	-	-	-	-	6	60	302	811	1,534	1,842
WHITE-----MALE----	7,485	-	-	-	-	-	5	32	158	455	925	1,158
FEMALE--	2,576	-	-	-	-	-	-	16	77	209	335	327
ALL OTHER--MALE----	1,257	-	-	-	-	-	-	6	36	82	167	250
FEMALE--	627	-	-	-	-	-	1	6	31	65	107	107
BLACK---MALE----	1,013	-	-	-	-	-	-	3	16	59	129	212
FEMALE--	488	-	-	-	-	-	-	4	12	47	86	86
ALABAMA -----	148	-	-	-	-	-	-	1	2	14	26	22
WHITE-----MALE----	75	-	-	-	-	-	-	-	1	7	15	8
FEMALE--	23	-	-	-	-	-	-	-	1	3	2	-
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	1	6	9
FEMALE--	19	-	-	-	-	-	-	1	-	3	3	5
BLACK---MALE----	31	-	-	-	-	-	-	-	-	1	6	9
FEMALE--	18	-	-	-	-	-	-	1	-	3	3	4
ALASKA -----	41	-	-	-	-	-	-	-	4	5	6	8
WHITE-----MALE----	24	-	-	-	-	-	-	-	1	2	2	6
FEMALE--	5	-	-	-	-	-	-	-	1	1	2	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	5	-	-	-	-	-	-	-	2	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ARIZONA -----	291	-	-	-	-	-	-	2	12	20	43	33
WHITE-----MALE----	196	-	-	-	-	-	-	1	3	9	27	23
FEMALE--	52	-	-	-	-	-	-	-	2	3	7	4
ALL OTHER--MALE----	20	-	-	-	-	-	-	1	5	2	5	2
FEMALE--	23	-	-	-	-	-	-	-	2	6	4	4
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS -----	69	-	-	-	-	-	-	-	3	5	9	10
WHITE-----MALE----	45	-	-	-	-	-	-	-	-	4	5	7
FEMALE--	10	-	-	-	-	-	-	-	2	1	3	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	12	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	2
CALIFORNIA -----	2,364	-	-	-	-	-	3	10	63	157	300	320
WHITE-----MALE----	1,534	-	-	-	-	-	2	9	42	100	197	206
FEMALE--	599	-	-	-	-	-	-	1	13	40	72	75
ALL OTHER--MALE----	156	-	-	-	-	-	-	-	6	10	16	27
FEMALE--	75	-	-	-	-	-	1	-	2	7	15	12
BLACK---MALE----	96	-	-	-	-	-	-	-	2	3	12	18
FEMALE--	54	-	-	-	-	-	-	-	1	7	8	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,179

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)												
0 UNITED STATES --	1,667	1,416	1,411	1,181	913	489	210	83	16	1	-	3
WHITE-----MALE----	1,075	897	899	789	578	320	123	58	9	1	-	3
FEMALE--	313	291	297	267	226	128	65	19	6	-	-	-
ALL OTHER--MALE----	186	166	160	94	69	24	15	2	-	-	-	-
FEMALE--	93	62	55	31	40	17	7	4	1	-	-	-
BLACK---MALE----	144	138	142	78	59	19	13	1	-	-	-	-
FEMALE--	71	52	44	25	36	14	6	4	1	-	-	-
ALABAMA -----	13	18	19	16	10	4	2	1	-	-	-	-
WHITE-----MALE----	10	10	8	8	6	1	1	-	-	-	-	-
FEMALE--	2	2	4	5	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	3	5	2	2	1	1	-	-	-	-	-
FEMALE--	-	3	2	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	3	5	2	2	1	1	-	-	-	-	-
FEMALE--	-	3	2	1	-	1	-	-	-	-	-	-
ALASKA -----	3	4	6	1	2	1	-	1	-	-	-	-
WHITE-----MALE----	1	2	5	1	2	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	32	30	41	37	21	14	3	3	-	-	-	-
WHITE-----MALE----	25	19	27	27	17	13	2	3	-	-	-	-
FEMALE--	2	7	11	10	4	1	1	-	-	-	-	-
ALL OTHER--MALE----	2	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	12	6	13	5	3	3	-	-	-	-	-	-
WHITE-----MALE----	9	4	7	3	3	3	-	-	-	-	-	-
FEMALE--	1	1	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	5	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	5	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	340	269	299	217	190	121	46	25	2	1	-	1
WHITE-----MALE----	220	174	195	153	117	73	30	14	-	1	-	1
FEMALE--	83	69	76	50	60	34	15	10	1	-	-	-
ALL OTHER--MALE----	24	23	22	12	7	8	-	1	-	-	-	-
FEMALE--	13	3	6	2	6	6	1	-	1	-	-	-
BLACK---MALE----	13	14	16	8	5	5	-	-	-	-	-	-
FEMALE--	10	3	4	1	5	4	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,180

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)												
COLORADO -----	220	-	-	-	-	-	-	1	5	14	36	37
WHITE-----MALE----	155	-	-	-	-	-	-	1	4	7	30	24
FEMALE--	52	-	-	-	-	-	-	-	1	4	4	9
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	3	2	4
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	80	-	-	-	-	-	-	-	-	5	7	12
WHITE-----MALE----	57	-	-	-	-	-	-	-	-	2	6	10
FEMALE--	18	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
DELAWARE -----	27	-	-	-	-	-	-	1	-	5	6	4
WHITE-----MALE----	17	-	-	-	-	-	-	1	-	1	4	2
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
DISTRICT OF COLUMBIA ----	29	-	-	-	-	-	-	-	-	2	7	3
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	2	4	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE----	16	-	-	-	-	-	-	-	-	2	3	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	2	2
FLORIDA -----	790	-	-	-	-	-	-	3	10	44	97	122
WHITE-----MALE----	507	-	-	-	-	-	-	-	3	21	65	76
FEMALE--	194	-	-	-	-	-	-	1	5	17	25	28
ALL OTHER--MALE----	58	-	-	-	-	-	-	1	2	3	5	7
FEMALE--	31	-	-	-	-	-	-	1	-	3	2	11
BLACK---MALE----	57	-	-	-	-	-	-	1	2	3	5	7
FEMALE--	30	-	-	-	-	-	-	1	-	3	2	10
GEORGIA -----	211	-	-	-	-	-	-	-	5	15	25	38
WHITE-----MALE----	115	-	-	-	-	-	-	-	1	9	10	22
FEMALE--	27	-	-	-	-	-	-	-	1	1	4	3
ALL OTHER--MALE----	48	-	-	-	-	-	-	-	2	2	5	11
FEMALE--	21	-	-	-	-	-	-	-	1	3	6	2
BLACK---MALE----	48	-	-	-	-	-	-	-	2	2	5	11
FEMALE--	21	-	-	-	-	-	-	-	1	3	6	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,180

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	32	22	36	18	7	7	5	-	-	-	-	-
WHITE-----MALE----	21	13	29	16	3	4	3	-	-	-	-	-
FEMALE--	11	8	6	-	4	3	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	12	5	13	9	6	7	2	1	1	-	-	-
WHITE-----MALE----	11	4	9	6	2	3	2	1	1	-	-	-
FEMALE--	1	1	3	3	3	4	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	5	1	1	2	-	-	-	-	-	-	-
WHITE-----MALE----	2	4	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	5	4	2	2	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	4	4	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	1	4	4	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	2	-	-	-	-	-	-	-
FLORIDA -----	100	104	102	73	80	34	13	5	2	-	-	1
WHITE-----MALE----	72	68	69	51	47	19	11	3	1	-	-	1
FEMALE--	18	19	22	18	25	12	2	1	1	-	-	-
ALL OTHER--MALE----	6	13	10	3	6	1	-	1	-	-	-	-
FEMALE--	4	4	1	1	2	2	-	-	-	-	-	-
BLACK---MALE----	6	12	10	3	6	1	-	1	-	-	-	-
FEMALE--	4	4	1	1	2	2	-	-	-	-	-	-
GEORGIA -----	32	24	30	22	9	8	1	2	-	-	-	-
WHITE-----MALE----	20	13	16	14	5	4	-	1	-	-	-	-
FEMALE--	5	1	5	3	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	6	7	8	4	1	2	-	-	-	-	-	-
FEMALE--	1	3	1	1	1	1	-	1	-	-	-	-
BLACK---MALE----	6	7	8	4	1	2	-	-	-	-	-	-
FEMALE--	1	3	1	1	1	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,181

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)												
HAWAII -----	23	-	-	-	-	-	-	-	-	5	3	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	3	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	55	-	-	-	-	-	-	-	1	4	8	11
WHITE-----MALE----	36	-	-	-	-	-	-	-	-	3	5	10
FEMALE--	18	-	-	-	-	-	-	-	-	1	3	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	419	-	-	-	-	-	1	3	14	28	84	56
WHITE-----MALE----	238	-	-	-	-	-	1	2	8	16	45	33
FEMALE--	90	-	-	-	-	-	-	-	4	8	14	8
ALL OTHER--MALE----	55	-	-	-	-	-	-	1	1	2	12	10
FEMALE--	36	-	-	-	-	-	-	-	1	2	13	5
BLACK---MALE----	53	-	-	-	-	-	-	1	1	2	11	9
FEMALE--	33	-	-	-	-	-	-	-	1	2	13	4
INDIANA -----	158	-	-	-	-	-	-	2	10	8	20	32
WHITE-----MALE----	100	-	-	-	-	-	-	1	6	8	10	21
FEMALE--	38	-	-	-	-	-	-	1	2	-	5	8
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	4	3
FEMALE--	6	-	-	-	-	-	-	-	2	-	1	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	4	3
FEMALE--	6	-	-	-	-	-	-	-	2	-	1	-
IOWA -----	80	-	-	-	-	-	-	-	4	4	10	5
WHITE-----MALE----	61	-	-	-	-	-	-	-	4	4	4	3
FEMALE--	15	-	-	-	-	-	-	-	-	-	5	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	64	-	-	-	-	-	-	-	1	6	10	12
WHITE-----MALE----	42	-	-	-	-	-	-	-	-	3	6	11
FEMALE--	15	-	-	-	-	-	-	-	-	2	4	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,182

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	158	-	-	-	-	-	-	-	4	15	20	25
WHITE-----MALE----	115	-	-	-	-	-	-	-	4	6	13	19
FEMALE--	31	-	-	-	-	-	-	-	-	8	5	4
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	163	-	-	-	-	-	-	-	3	12	26	27
WHITE-----MALE----	82	-	-	-	-	-	-	-	1	7	10	10
FEMALE--	30	-	-	-	-	-	-	-	-	3	7	5
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	1	-	5	10
FEMALE--	14	-	-	-	-	-	-	-	1	2	4	2
BLACK---MALE----	36	-	-	-	-	-	-	-	1	-	4	10
FEMALE--	14	-	-	-	-	-	-	-	1	2	4	2
MAINE -----	55	-	-	-	-	-	-	-	-	3	2	6
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	1	2	4
FEMALE--	19	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	171	-	-	-	-	-	-	-	4	9	28	28
WHITE-----MALE----	82	-	-	-	-	-	-	-	2	3	13	13
FEMALE--	29	-	-	-	-	-	-	-	2	1	6	3
ALL OTHER--MALE----	36	-	-	-	-	-	-	-	-	4	2	7
FEMALE--	24	-	-	-	-	-	-	-	-	1	7	5
BLACK---MALE----	35	-	-	-	-	-	-	-	-	4	2	6
FEMALE--	23	-	-	-	-	-	-	-	-	1	7	4
MASSACHUSETTS -----	155	-	-	-	-	-	-	-	4	13	19	26
WHITE-----MALE----	102	-	-	-	-	-	-	-	3	5	12	18
FEMALE--	46	-	-	-	-	-	-	-	1	7	7	5
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	429	-	-	-	-	-	-	4	9	38	65	76
WHITE-----MALE----	234	-	-	-	-	-	-	3	5	19	35	40
FEMALE--	91	-	-	-	-	-	-	1	3	11	14	8
ALL OTHER--MALE----	67	-	-	-	-	-	-	-	1	6	9	20
FEMALE--	37	-	-	-	-	-	-	-	-	2	7	8
BLACK---MALE----	64	-	-	-	-	-	-	-	-	6	8	20
FEMALE--	32	-	-	-	-	-	-	-	-	2	7	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,182

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)												
KENTUCKY -----	22	25	19	10	8	5	3	2	-	-	-	-
WHITE-----MALE----	16	21	14	8	7	4	2	1	-	-	-	-
FEMALE--	3	1	4	2	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	3	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	27	24	13	10	11	4	4	2	-	-	-	-
WHITE-----MALE----	9	13	9	6	9	3	3	2	-	-	-	-
FEMALE--	7	3	2	2	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	10	7	1	1	1	-	1	-	-	-	-	-
FEMALE--	1	1	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	10	7	1	1	1	-	1	-	-	-	-	-
FEMALE--	1	1	1	1	1	-	-	-	-	-	-	-
MAINE -----	7	8	8	10	4	3	2	2	-	-	-	-
WHITE-----MALE----	4	6	5	4	3	3	1	2	-	-	-	-
FEMALE--	3	2	3	6	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	19	22	20	16	11	7	6	-	-	-	-	1
WHITE-----MALE----	10	11	8	7	6	6	2	-	-	-	-	1
FEMALE--	-	4	2	5	2	1	3	-	-	-	-	-
ALL OTHER--MALE----	8	4	6	2	2	-	1	-	-	-	-	-
FEMALE--	1	3	4	2	1	-	-	-	-	-	-	-
BLACK---MALE----	8	4	6	2	2	-	1	-	-	-	-	-
FEMALE--	1	3	4	2	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	17	23	16	14	11	6	3	3	-	-	-	-
WHITE-----MALE----	15	15	8	11	8	4	1	2	-	-	-	-
FEMALE--	1	7	7	3	3	2	2	1	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	56	45	32	43	39	12	9	1	-	-	-	-
WHITE-----MALE----	27	27	19	30	21	5	2	1	-	-	-	-
FEMALE--	13	11	4	6	8	6	6	-	-	-	-	-
ALL OTHER--MALE----	8	5	7	5	5	-	1	-	-	-	-	-
FEMALE--	8	2	2	2	5	1	-	-	-	-	-	-
BLACK---MALE----	8	4	7	5	5	-	1	-	-	-	-	-
FEMALE--	6	1	2	2	4	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,183

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)												
MINNESOTA -----	23	14	20	13	13	4	2	2	1	-	-	-
WHITE-----MALE----	17	7	13	9	11	4	2	2	1	-	-	-
FEMALE--	5	6	6	3	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	11	10	12	9	5	2	4	1	-	-	-	-
WHITE-----MALE----	7	7	7	6	3	1	3	-	-	-	-	-
FEMALE--	3	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	3	5	3	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	2	5	3	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
MISSOURI -----	29	15	14	16	11	4	4	4	-	-	-	-
WHITE-----MALE----	20	9	7	11	8	3	2	3	-	-	-	-
FEMALE--	4	2	4	5	3	1	1	-	-	-	-	-
ALL OTHER--MALE----	2	3	2	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	2	3	2	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	1	-	-	-	1	1	-	-	-	-
MONTANA -----	10	5	2	5	2	2	-	1	-	-	-	-
WHITE-----MALE----	3	3	1	5	2	2	-	1	-	-	-	-
FEMALE--	2	2	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	5	8	4	6	4	1	-	1	-	-	-	-
WHITE-----MALE----	2	4	1	4	3	1	-	1	-	-	-	-
FEMALE--	1	2	1	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
NEVADA -----	29	18	23	16	12	9	2	-	-	-	-	-
WHITE-----MALE----	21	14	18	8	9	3	-	-	-	-	-	-
FEMALE--	6	2	4	6	2	4	2	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	2	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	2	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,185

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)												
OHIO -----	373	-	-	-	-	-	-	1	6	28	46	56
WHITE-----MALE----	232	-	-	-	-	-	-	1	3	14	33	32
FEMALE--	75	-	-	-	-	-	-	-	2	8	7	9
ALL OTHER--MALE----	50	-	-	-	-	-	-	-	1	5	5	12
FEMALE--	16	-	-	-	-	-	-	-	-	1	1	3
BLACK---MALE----	50	-	-	-	-	-	-	-	1	5	5	12
FEMALE--	16	-	-	-	-	-	-	-	-	1	1	3
OKLAHOMA -----	198	-	-	-	-	-	-	1	6	16	25	32
WHITE-----MALE----	109	-	-	-	-	-	-	1	-	7	15	16
FEMALE--	45	-	-	-	-	-	-	-	3	4	6	9
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	1	2	2	7
FEMALE--	12	-	-	-	-	-	-	-	2	3	2	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	225	-	-	-	-	-	-	2	5	11	27	28
WHITE-----MALE----	134	-	-	-	-	-	-	2	2	6	17	16
FEMALE--	76	-	-	-	-	-	-	-	2	2	7	9
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	3	3	2
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	298	-	-	-	-	-	-	-	11	18	42	46
WHITE-----MALE----	202	-	-	-	-	-	-	-	6	14	30	35
FEMALE--	63	-	-	-	-	-	-	-	4	4	7	7
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	1	-	4	2
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	23	-	-	-	-	-	-	-	-	-	4	2
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	2
RHODE ISLAND -----	48	-	-	-	-	-	-	-	-	3	4	5
WHITE-----MALE----	31	-	-	-	-	-	-	-	-	3	4	4
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	253	-	-	-	-	-	-	1	4	8	29	40
WHITE-----MALE----	122	-	-	-	-	-	-	-	-	4	12	15
FEMALE--	39	-	-	-	-	-	-	-	2	1	4	7
ALL OTHER--MALE----	61	-	-	-	-	-	-	-	1	3	6	12
FEMALE--	31	-	-	-	-	-	-	1	1	-	7	6
BLACK---MALE----	61	-	-	-	-	-	-	-	1	3	6	12
FEMALE--	31	-	-	-	-	-	-	1	1	-	7	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,185

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)												
OHIO -----	46	51	44	43	36	10	3	1	2	-	-	-
WHITE-----MALE----	33	30	27	25	23	7	2	1	1	-	-	-
FEMALE--	8	10	5	14	8	2	1	-	1	-	-	-
ALL OTHER--MALE----	3	8	8	3	4	1	-	-	-	-	-	-
FEMALE--	2	3	4	1	1	-	-	-	-	-	-	-
BLACK---MALE----	3	8	8	3	4	1	-	-	-	-	-	-
FEMALE--	2	3	4	1	1	-	-	-	-	-	-	-
OKLAHOMA -----	23	15	29	18	18	8	4	3	-	-	-	-
WHITE-----MALE----	13	9	13	16	11	4	1	3	-	-	-	-
FEMALE--	3	2	10	-	4	3	1	-	-	-	-	-
ALL OTHER--MALE----	5	2	6	2	3	1	1	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	2	6	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
OREGON -----	33	26	27	34	14	12	5	-	1	-	-	-
WHITE-----MALE----	16	18	14	23	6	10	3	-	1	-	-	-
FEMALE--	13	8	12	11	8	2	2	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	37	27	38	24	30	14	7	3	1	-	-	-
WHITE-----MALE----	24	16	21	16	23	10	5	2	-	-	-	-
FEMALE--	6	7	13	5	3	3	2	1	1	-	-	-
ALL OTHER--MALE----	4	4	2	3	3	1	-	-	-	-	-	-
FEMALE--	3	-	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	4	4	2	3	3	1	-	-	-	-	-	-
FEMALE--	3	-	2	-	1	-	-	-	-	-	-	-
RHODE ISLAND -----	8	5	6	11	4	1	1	-	-	-	-	-
WHITE-----MALE----	4	2	2	8	3	-	1	-	-	-	-	-
FEMALE--	1	2	2	3	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	45	25	25	31	21	16	8	-	-	-	-	-
WHITE-----MALE----	22	11	16	16	12	9	5	-	-	-	-	-
FEMALE--	6	4	1	6	3	4	1	-	-	-	-	-
ALL OTHER--MALE----	14	8	5	4	5	2	1	-	-	-	-	-
FEMALE--	3	2	3	5	1	1	1	-	-	-	-	-
BLACK---MALE----	14	8	5	4	5	2	1	-	-	-	-	-
FEMALE--	3	2	3	5	1	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,186

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)												
SOUTH DAKOTA -----	24	-	-	-	-	-	-	-	1	1	3	6
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	258	-	-	-	-	-	-	2	6	19	30	49
WHITE-----MALE----	181	-	-	-	-	-	-	1	5	13	17	35
FEMALE--	45	-	-	-	-	-	-	1	1	5	8	7
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	5	4
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	3
BLACK---MALE----	20	-	-	-	-	-	-	-	-	-	5	4
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	3
TEXAS -----	821	-	-	-	-	-	2	3	18	66	102	158
WHITE-----MALE----	600	-	-	-	-	-	2	2	13	44	70	127
FEMALE--	146	-	-	-	-	-	-	1	4	16	24	12
ALL OTHER--MALE----	52	-	-	-	-	-	-	-	1	5	4	11
FEMALE--	23	-	-	-	-	-	-	-	-	1	4	8
BLACK---MALE----	50	-	-	-	-	-	-	-	1	5	4	11
FEMALE--	22	-	-	-	-	-	-	-	-	1	4	8
UTAH -----	63	-	-	-	-	-	-	-	7	4	14	7
WHITE-----MALE----	47	-	-	-	-	-	-	-	3	1	9	5
FEMALE--	13	-	-	-	-	-	-	-	3	3	4	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	20	-	-	-	-	-	-	-	1	-	1	1
WHITE-----MALE----	16	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	176	-	-	-	-	-	-	-	3	15	15	26
WHITE-----MALE----	99	-	-	-	-	-	-	-	2	6	9	15
FEMALE--	34	-	-	-	-	-	-	-	-	6	4	5
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	1	1	2	5
FEMALE--	18	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	25	-	-	-	-	-	-	-	1	1	2	5
FEMALE--	18	-	-	-	-	-	-	-	-	2	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,186

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)												
SOUTH DAKOTA -----	5	2	2	-	2	2	-	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	36	33	30	24	14	11	3	1	-	-	-	-
WHITE-----MALE----	30	23	22	14	10	8	2	1	-	-	-	-
FEMALE--	4	7	4	4	3	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	3	3	1	-	1	-	-	-	-	-
FEMALE--	1	1	1	3	-	2	-	-	-	-	-	-
BLACK---MALE----	1	2	3	3	1	-	1	-	-	-	-	-
FEMALE--	1	1	1	3	-	2	-	-	-	-	-	-
TEXAS -----	122	86	93	72	52	31	10	5	1	-	-	-
WHITE-----MALE----	95	60	65	52	35	25	6	3	1	-	-	-
FEMALE--	17	18	19	14	13	5	1	2	-	-	-	-
ALL OTHER--MALE----	6	6	6	6	3	1	3	-	-	-	-	-
FEMALE--	4	2	3	-	1	-	-	-	-	-	-	-
BLACK---MALE----	6	6	5	5	3	1	3	-	-	-	-	-
FEMALE--	4	2	2	-	1	-	-	-	-	-	-	-
UTAH -----	6	9	7	4	3	2	-	-	-	-	-	-
WHITE-----MALE----	6	8	7	3	3	2	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	2	-	2	4	2	2	-	-	-	-	-
WHITE-----MALE----	3	2	-	2	3	2	1	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	24	31	22	18	13	6	2	1	-	-	-	-
WHITE-----MALE----	11	22	11	12	3	6	1	1	-	-	-	-
FEMALE--	3	5	2	5	4	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	2	6	1	4	-	-	-	-	-	-	-
FEMALE--	7	2	3	-	2	-	1	-	-	-	-	-
BLACK---MALE----	3	2	6	1	4	-	-	-	-	-	-	-
FEMALE--	7	2	3	-	2	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,188

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC HEPATITIS AND BILIARY CIRRHOSIS (571.4,571.6)												
0 UNITED STATES --	715	-	-	-	-	-	1	-	1	8	15	31
WHITE-----MALE----	139	-	-	-	-	-	-	-	-	4	6	11
FEMALE--	504	-	-	-	-	-	-	-	-	2	5	11
ALL OTHER--MALE----	27	-	-	-	-	-	1	-	-	1	2	5
FEMALE--	45	-	-	-	-	-	-	-	1	1	2	4
BLACK---MALE----	20	-	-	-	-	-	1	-	-	1	2	4
FEMALE--	28	-	-	-	-	-	-	-	1	1	-	2
ALABAMA -----	8	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	11	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	7	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	96	-	-	-	-	-	-	-	1	1	1	1
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	58	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,188

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC HEPATITIS AND BILIARY CIRRHOSIS (571.4,571.6)												
0 UNITED STATES --	36	46	43	92	151	128	97	47	17	2	-	-
WHITE-----MALE----	14	11	8	14	24	17	18	7	5	-	-	-
FEMALE--	17	27	29	63	118	105	75	38	12	2	-	-
ALL OTHER--MALE----	5	3	2	5	2	1	-	-	-	-	-	-
FEMALE--	-	5	4	10	7	5	4	2	-	-	-	-
BLACK---MALE----	4	1	2	4	-	1	-	-	-	-	-	-
FEMALE--	-	5	3	3	5	4	2	2	-	-	-	-
ALABAMA -----	1	-	1	1	3	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	3	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	-	1	2	2	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	2	2	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	-	-	1	1	2	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	2	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	4	9	7	18	22	16	12	3	1	-	-	-
WHITE-----MALE----	3	3	2	4	2	4	2	1	1	-	-	-
FEMALE--	1	5	3	9	15	12	8	2	-	-	-	-
ALL OTHER--MALE----	-	1	1	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	3	4	-	2	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,191

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC HEPATITIS AND BILIARY CIRRHOSIS (571.4,571.6)												
KENTUCKY -----	1	1	-	-	2	1	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
LOUISIANA -----	1	1	-	2	1	3	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	3	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	2	-	1	2	4	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	2	-	-	2	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	2	-	2	3	2	2	3	3	1	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	2	3	1	2	3	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	4	2	4	5	9	3	1	-	-	-	-
WHITE-----MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	2	3	1	3	3	9	3	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,194

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC HEPATITIS AND BILIARY CIRRHOSIS (571.4,571.6)												
OHIO -----	4	2	3	6	7	1	1	3	-	-	-	-
WHITE-----MALE----	-	-	-	2	3	1	-	-	-	-	-	-
FEMALE--	3	2	2	3	4	-	1	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
OKLAHOMA -----	2	-	-	3	1	1	3	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	3	1	1	3	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	1	-	3	2	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	3	2	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	3	5	5	6	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	3	4	5	5	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	1	-	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	1	3	3	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	3	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,197

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)												
0 UNITED STATES --	12,515	15	4	-	2	7	11	31	122	367	773	1,016
WHITE-----MALE----	6,421	4	1	-	2	3	5	18	68	205	474	576
FEMALE--	4,558	5	2	-	-	2	3	7	25	81	171	198
ALL OTHER--MALE----	931	2	1	-	-	-	1	3	16	53	89	177
FEMALE--	605	4	-	-	-	2	2	3	13	28	39	65
BLACK---MALE----	785	1	1	-	-	-	1	3	14	38	75	161
FEMALE--	486	4	-	-	-	2	2	3	11	22	33	53
ALABAMA -----	233	-	-	-	-	-	1	2	1	9	21	20
WHITE-----MALE----	119	-	-	-	-	-	-	1	-	4	11	10
FEMALE--	76	-	-	-	-	-	-	-	1	2	5	2
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	2	4	7
FEMALE--	12	-	-	-	-	-	1	1	-	1	1	1
BLACK---MALE----	25	-	-	-	-	-	-	-	-	2	4	6
FEMALE--	12	-	-	-	-	-	1	1	-	1	1	1
ALASKA -----	7	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	304	1	-	-	-	-	-	-	3	17	26	35
WHITE-----MALE----	154	1	-	-	-	-	-	-	2	5	17	19
FEMALE--	110	-	-	-	-	-	-	-	1	4	6	7
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	4	3	6
FEMALE--	15	-	-	-	-	-	-	-	-	4	-	3
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	106	-	-	-	-	-	-	-	1	2	5	9
WHITE-----MALE----	59	-	-	-	-	-	-	-	1	2	2	7
FEMALE--	36	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA -----	1,050	2	-	-	-	1	-	2	19	23	83	83
WHITE-----MALE----	515	-	-	-	-	-	-	1	11	12	51	49
FEMALE--	410	1	-	-	-	-	-	1	6	5	20	18
ALL OTHER--MALE----	74	1	-	-	-	-	-	-	2	4	7	11
FEMALE--	51	-	-	-	-	1	-	-	-	2	5	5
BLACK---MALE----	37	-	-	-	-	-	-	-	-	2	5	8
FEMALE--	21	-	-	-	-	1	-	-	-	1	4	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,197

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)												
0 UNITED STATES --	1,030	1,050	1,287	1,651	1,816	1,568	1,046	535	152	27	4	1
WHITE-----MALE----	617	576	706	827	887	737	473	187	48	5	1	1
FEMALE--	231	286	406	645	791	735	527	324	96	21	2	-
ALL OTHER--MALE----	124	128	98	98	60	42	21	14	4	-	-	-
FEMALE--	58	60	77	81	78	54	25	10	4	1	1	-
BLACK---MALE----	107	108	83	82	49	34	14	10	4	-	-	-
FEMALE--	50	54	64	63	51	41	18	9	4	1	1	-
ALABAMA -----	25	18	15	35	36	27	9	8	6	-	-	-
WHITE-----MALE----	20	12	12	14	17	10	4	3	1	-	-	-
FEMALE--	2	5	1	18	12	15	4	5	4	-	-	-
ALL OTHER--MALE----	3	-	2	2	4	1	-	-	1	-	-	-
FEMALE--	-	1	-	1	3	1	-	-	-	-	-	-
BLACK---MALE----	3	-	2	2	4	1	-	-	1	-	-	-
FEMALE--	-	1	-	1	3	1	1	-	-	-	-	-
ALASKA -----	-	-	-	2	-	1	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	24	32	20	43	36	36	19	11	1	-	-	-
WHITE-----MALE----	17	18	7	16	12	22	12	6	-	-	-	-
FEMALE--	2	9	12	23	22	12	6	5	1	-	-	-
ALL OTHER--MALE----	3	5	-	2	-	1	1	-	-	-	-	-
FEMALE--	2	-	1	2	2	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	11	9	11	16	15	15	7	4	1	-	-	-
WHITE-----MALE----	8	5	5	5	11	9	3	1	-	-	-	-
FEMALE--	1	3	3	9	4	5	4	3	1	-	-	-
ALL OTHER--MALE----	1	1	3	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	3	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	-	-	-	-	-	-
CALIFORNIA -----	88	67	112	141	142	135	95	43	12	2	-	-
WHITE-----MALE----	45	30	65	65	60	51	52	17	4	2	-	-
FEMALE--	28	25	35	60	66	75	37	25	8	-	-	-
ALL OTHER--MALE----	11	9	6	8	6	5	3	1	-	-	-	-
FEMALE--	4	3	6	8	10	4	3	-	-	-	-	-
BLACK---MALE----	8	6	3	3	1	1	-	-	-	-	-	-
FEMALE--	2	1	3	4	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,198

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)												
COLORADO -----	106	1	-	-	-	-	-	-	-	6	10	12
WHITE-----MALE----	67	-	-	-	-	-	-	-	-	5	8	10
FEMALE--	36	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	203	-	-	-	-	-	-	2	-	5	16	14
WHITE-----MALE----	109	-	-	-	-	-	-	1	-	3	12	8
FEMALE--	78	-	-	-	-	-	-	1	-	2	2	6
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	2	-
DELAWARE -----	35	-	-	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	46	-	-	-	-	-	-	1	1	3	5	4
WHITE-----MALE----	11	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	1	2	4	2
FEMALE--	10	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	22	-	-	-	-	-	-	-	1	2	4	2
FEMALE--	10	-	-	-	-	-	-	-	-	1	1	2
FLORIDA -----	1,110	-	-	-	-	2	-	2	8	16	55	90
WHITE-----MALE----	607	-	-	-	-	-	-	2	6	10	33	56
FEMALE--	412	-	-	-	-	1	-	-	1	5	16	23
ALL OTHER--MALE----	57	-	-	-	-	-	-	-	-	1	5	7
FEMALE--	34	-	-	-	-	1	-	-	1	-	1	4
BLACK---MALE----	53	-	-	-	-	-	-	-	-	1	4	6
FEMALE--	32	-	-	-	-	1	-	-	1	-	1	4
GEORGIA -----	365	-	-	-	-	-	1	-	3	13	16	47
WHITE-----MALE----	184	-	-	-	-	-	1	-	1	5	9	26
FEMALE--	109	-	-	-	-	-	-	-	1	4	3	8
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	-	1	2	8
FEMALE--	33	-	-	-	-	-	-	-	1	3	2	5
BLACK---MALE----	38	-	-	-	-	-	-	-	-	1	2	8
FEMALE--	31	-	-	-	-	-	-	-	1	3	1	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,198

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)												
COLORADO -----	7	6	9	20	8	18	7	1	1	-	-	-
WHITE-----MALE----	7	3	6	10	5	8	4	-	1	-	-	-
FEMALE--	-	3	3	8	3	10	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
CONNECTICUT -----	19	19	22	28	21	26	21	7	3	-	-	-
WHITE-----MALE----	13	11	11	18	12	10	8	1	1	-	-	-
FEMALE--	5	6	6	7	8	15	13	5	2	-	-	-
ALL OTHER--MALE----	1	1	2	1	1	-	-	1	-	-	-	-
FEMALE--	-	1	3	2	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	2	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	3	2	-	1	-	-	-	-	-	-
DELAWARE -----	3	1	5	3	6	5	4	2	1	-	-	1
WHITE-----MALE----	2	1	5	3	3	2	-	-	-	-	-	1
FEMALE--	1	-	-	-	3	2	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	8	5	2	5	6	4	2	-	-	-	-	-
WHITE-----MALE----	1	3	-	2	1	2	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	2	1	3	1	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	2	1	1	-	-	-	-	-
BLACK---MALE----	5	2	1	3	1	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	2	1	1	-	-	-	-	-
FLORIDA -----	83	102	120	149	162	137	118	47	17	2	-	-
WHITE-----MALE----	54	63	65	70	88	78	55	20	6	1	-	-
FEMALE--	20	26	40	65	67	50	60	26	11	1	-	-
ALL OTHER--MALE----	7	9	12	7	4	4	1	-	-	-	-	-
FEMALE--	2	4	3	7	3	5	2	1	-	-	-	-
BLACK---MALE----	7	8	11	7	4	4	1	-	-	-	-	-
FEMALE--	2	4	3	7	3	4	1	1	-	-	-	-
GEORGIA -----	34	43	38	41	48	37	25	16	1	2	-	-
WHITE-----MALE----	20	21	23	23	20	19	9	6	1	-	-	-
FEMALE--	7	8	11	9	19	14	14	9	-	2	-	-
ALL OTHER--MALE----	5	4	3	6	5	3	2	-	-	-	-	-
FEMALE--	2	10	1	3	4	1	-	1	-	-	-	-
BLACK---MALE----	5	4	3	6	4	3	2	-	-	-	-	-
FEMALE--	2	10	1	3	4	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,199

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)												
HAWAII -----	-	3	3	2	7	3	5	2	-	-	-	-
WHITE-----MALE----	-	1	2	1	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	2	1	1	1	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	3	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	3	2	8	7	6	5	1	-	-	-	-
WHITE-----MALE----	-	3	1	6	5	3	4	1	-	-	-	-
FEMALE--	1	-	1	1	2	3	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	48	51	77	77	89	74	45	28	11	1	-	-
WHITE-----MALE----	32	22	39	38	41	33	26	8	4	-	-	-
FEMALE--	8	12	24	33	41	34	16	18	6	1	-	-
ALL OTHER--MALE----	7	11	5	4	1	2	1	2	1	-	-	-
FEMALE--	1	6	9	2	6	5	2	-	-	-	-	-
BLACK---MALE----	7	9	5	4	1	1	1	2	1	-	-	-
FEMALE--	1	6	9	2	6	5	2	-	-	-	-	-
INDIANA -----	24	25	26	28	54	25	18	4	5	-	-	-
WHITE-----MALE----	12	14	16	14	28	13	6	1	2	-	-	-
FEMALE--	11	7	10	13	20	10	12	3	3	-	-	-
ALL OTHER--MALE----	1	2	-	1	3	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	3	2	-	-	-	-	-	-
BLACK---MALE----	1	2	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	2	2	-	-	-	-	-	-
IOWA -----	3	7	6	6	17	20	6	7	4	-	-	-
WHITE-----MALE----	3	5	5	3	10	9	2	3	1	-	-	-
FEMALE--	-	1	1	3	7	11	4	4	3	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	4	6	7	15	14	15	11	7	3	2	-	-
WHITE-----MALE----	2	2	4	6	6	8	5	3	2	-	-	-
FEMALE--	-	4	2	8	7	7	6	4	1	2	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,200

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)												
KENTUCKY -----	200	-	-	-	-	-	-	-	2	6	8	9
WHITE-----MALE----	103	-	-	-	-	-	-	-	1	6	3	9
FEMALE--	88	-	-	-	-	-	-	-	1	-	4	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	204	1	-	-	-	-	-	1	3	6	15	16
WHITE-----MALE----	97	-	-	-	-	-	-	1	1	1	10	8
FEMALE--	64	-	-	-	-	-	-	-	1	2	2	3
ALL OTHER--MALE----	28	1	-	-	-	-	-	-	1	2	3	4
FEMALE--	15	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	27	1	-	-	-	-	-	-	1	2	3	4
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	1
MAINE -----	59	-	-	-	-	-	-	-	-	1	1	3
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	24	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	232	-	-	-	-	-	-	-	4	13	19	25
WHITE-----MALE----	104	-	-	-	-	-	-	-	3	4	7	6
FEMALE--	71	-	-	-	-	-	-	-	-	1	4	6
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	-	5	7	9
FEMALE--	17	-	-	-	-	-	-	-	1	3	1	4
BLACK---MALE----	40	-	-	-	-	-	-	-	-	5	7	9
FEMALE--	16	-	-	-	-	-	-	-	1	3	1	4
MASSACHUSETTS -----	346	-	-	-	-	-	1	3	-	13	24	33
WHITE-----MALE----	199	-	-	-	-	-	-	2	-	10	15	22
FEMALE--	127	-	-	-	-	-	1	1	-	2	7	6
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	15	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	2
MICHIGAN -----	504	-	-	-	-	-	-	-	8	13	41	58
WHITE-----MALE----	247	-	-	-	-	-	-	-	3	7	18	30
FEMALE--	156	-	-	-	-	-	-	-	2	3	9	3
ALL OTHER--MALE----	71	-	-	-	-	-	-	-	1	1	10	22
FEMALE--	30	-	-	-	-	-	-	-	2	2	4	3
BLACK---MALE----	67	-	-	-	-	-	-	-	1	-	10	22
FEMALE--	30	-	-	-	-	-	-	-	2	2	4	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,200

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)												
KENTUCKY -----	21	21	20	26	28	24	24	10	1	-	-	-
WHITE-----MALE----	15	10	12	15	12	9	8	2	1	-	-	-
FEMALE--	5	7	6	11	16	15	15	8	-	-	-	-
ALL OTHER--MALE----	-	4	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	4	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	-	-	-	-	-
LOUISIANA -----	13	25	23	23	27	25	17	3	5	1	-	-
WHITE-----MALE----	7	13	12	12	14	9	7	1	1	-	-	-
FEMALE--	2	3	7	7	11	13	7	2	4	-	-	-
ALL OTHER--MALE----	2	8	2	2	-	1	2	-	-	-	-	-
FEMALE--	2	1	2	2	2	2	1	-	-	1	-	-
BLACK---MALE----	1	8	2	2	-	1	2	-	-	-	-	-
FEMALE--	2	1	2	1	1	2	1	-	-	1	-	-
MAINE -----	2	4	3	9	10	11	10	5	-	-	-	-
WHITE-----MALE----	2	3	2	5	6	7	4	2	-	-	-	-
FEMALE--	-	1	1	4	4	4	6	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	20	18	28	31	26	27	13	6	2	-	-	-
WHITE-----MALE----	14	10	16	12	8	16	7	-	1	-	-	-
FEMALE--	4	2	8	9	14	11	5	6	1	-	-	-
ALL OTHER--MALE----	-	5	3	8	3	-	-	-	-	-	-	-
FEMALE--	2	1	1	2	1	-	1	-	-	-	-	-
BLACK---MALE----	-	5	3	8	3	-	-	-	-	-	-	-
FEMALE--	2	1	1	2	-	-	1	-	-	-	-	-
MASSACHUSETTS -----	24	23	32	32	53	47	39	20	2	-	-	-
WHITE-----MALE----	18	13	15	20	27	28	20	7	2	-	-	-
FEMALE--	5	8	15	9	23	19	19	12	-	-	-	-
ALL OTHER--MALE----	1	1	2	2	2	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	2	2	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN -----	40	47	50	64	74	59	28	19	2	1	-	-
WHITE-----MALE----	20	22	24	38	34	31	10	8	2	-	-	-
FEMALE--	8	11	18	17	33	25	17	9	-	1	-	-
ALL OTHER--MALE----	9	11	6	5	5	-	-	1	-	-	-	-
FEMALE--	3	3	2	4	2	3	1	1	-	-	-	-
BLACK---MALE----	8	11	4	5	5	-	-	1	-	-	-	-
FEMALE--	3	3	2	4	2	3	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,203

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)												
OHIO -----	556	1	1	-	-	-	-	1	5	16	19	43
WHITE-----MALE----	315	1	-	-	-	-	-	-	4	9	13	26
FEMALE--	183	-	1	-	-	-	-	1	1	5	5	11
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	29	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	29	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	28	-	-	-	-	-	-	-	-	1	-	2
OKLAHOMA -----	133	-	-	-	-	-	1	-	1	7	9	9
WHITE-----MALE----	61	-	-	-	-	-	-	-	-	5	5	5
FEMALE--	55	-	-	-	-	-	1	-	1	1	2	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	62	-	-	-	-	-	-	-	-	2	1	2
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	34	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	754	-	-	-	1	1	1	1	7	14	51	56
WHITE-----MALE----	400	-	-	-	1	1	1	1	4	5	30	36
FEMALE--	277	-	-	-	-	-	-	-	1	8	12	7
ALL OTHER--MALE----	46	-	-	-	-	-	-	-	1	1	5	10
FEMALE--	31	-	-	-	-	-	-	-	1	-	4	3
BLACK---MALE----	45	-	-	-	-	-	-	-	1	1	4	10
FEMALE--	25	-	-	-	-	-	-	-	1	-	4	3
RHODE ISLAND -----	67	-	-	-	-	-	-	-	-	1	3	5
WHITE-----MALE----	34	-	-	-	-	-	-	-	-	1	3	4
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	117	-	-	-	-	-	-	3	3	6	8	8
WHITE-----MALE----	39	-	-	-	-	-	-	2	1	2	4	1
FEMALE--	55	-	-	-	-	-	-	-	-	4	2	5
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	11	-	-	-	-	-	-	1	1	-	1	1
BLACK---MALE----	12	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	11	-	-	-	-	-	-	1	1	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,203

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)												
OHIO -----	51	43	59	75	88	73	47	23	8	1	2	-
WHITE-----MALE----	26	30	39	49	51	35	21	7	3	-	1	-
FEMALE--	10	9	12	20	30	33	24	15	4	1	1	-
ALL OTHER--MALE----	8	3	4	1	4	3	-	-	-	-	-	-
FEMALE--	7	1	4	5	3	2	2	1	1	-	-	-
BLACK---MALE----	8	3	4	1	4	3	-	-	-	-	-	-
FEMALE--	7	1	3	5	3	2	2	1	1	-	-	-
OKLAHOMA -----	9	7	18	18	15	18	11	6	1	3	-	-
WHITE-----MALE----	4	4	8	8	10	8	3	-	-	1	-	-
FEMALE--	2	1	8	9	2	10	7	6	1	2	-	-
ALL OTHER--MALE----	3	1	1	-	2	-	1	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	4	3	3	6	13	11	7	9	1	-	-	-
WHITE-----MALE----	1	3	1	3	5	7	-	1	1	-	-	-
FEMALE--	2	-	1	3	8	4	7	8	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	42	46	71	100	117	123	64	45	13	-	1	-
WHITE-----MALE----	27	23	40	58	58	57	37	18	3	-	-	-
FEMALE--	7	14	22	34	54	58	25	26	9	-	-	-
ALL OTHER--MALE----	4	6	5	4	1	6	2	1	-	-	-	-
FEMALE--	4	3	4	4	4	2	-	-	1	-	1	-
BLACK---MALE----	4	6	5	4	1	6	2	1	-	-	-	-
FEMALE--	4	2	4	2	3	-	-	-	1	-	1	-
RHODE ISLAND -----	2	2	6	13	11	14	2	6	2	-	-	-
WHITE-----MALE----	1	1	5	6	5	5	-	3	-	-	-	-
FEMALE--	-	-	1	5	6	9	2	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	10	7	10	9	19	21	10	3	-	-	-	-
WHITE-----MALE----	4	2	6	-	8	6	2	1	-	-	-	-
FEMALE--	3	3	2	4	11	11	8	2	-	-	-	-
ALL OTHER--MALE----	3	2	-	3	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	2	-	3	-	-	-	-	-	-
BLACK---MALE----	3	2	-	3	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	2	-	3	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,204

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)												
SOUTH DAKOTA -----	16	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	287	-	1	-	-	-	-	1	5	11	24	24
WHITE-----MALE----	127	-	-	-	-	-	-	-	2	7	15	13
FEMALE--	111	-	-	-	-	-	-	-	1	3	3	6
ALL OTHER--MALE----	30	-	1	-	-	-	-	1	1	1	4	4
FEMALE--	19	-	-	-	-	-	-	-	1	-	2	1
BLACK---MALE----	30	-	1	-	-	-	-	1	1	1	4	4
FEMALE--	17	-	-	-	-	-	-	-	1	-	1	1
TEXAS -----	1,156	2	1	-	-	-	2	2	8	51	91	105
WHITE-----MALE----	638	-	-	-	-	-	1	1	7	35	61	69
FEMALE--	401	1	1	-	-	-	-	1	-	9	19	16
ALL OTHER--MALE----	71	-	-	-	-	-	1	-	-	5	9	16
FEMALE--	46	1	-	-	-	-	-	-	1	2	2	4
BLACK---MALE----	65	-	-	-	-	-	1	-	-	4	8	14
FEMALE--	41	1	-	-	-	-	-	-	1	2	2	4
UTAH -----	46	-	-	-	-	-	-	-	1	1	1	1
WHITE-----MALE----	28	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	18	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	23	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	309	-	-	-	-	-	-	-	5	10	18	17
WHITE-----MALE----	146	-	-	-	-	-	-	-	1	4	14	7
FEMALE--	113	-	-	-	-	-	-	-	-	3	3	3
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	2	3	1	5
FEMALE--	19	-	-	-	-	-	-	-	2	-	-	2
BLACK---MALE----	31	-	-	-	-	-	-	-	2	3	1	5
FEMALE--	17	-	-	-	-	-	-	-	2	-	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,204

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)												
SOUTH DAKOTA -----	1	4	-	2	3	4	1	1	-	-	-	-
WHITE-----MALE----	1	1	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	3	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	25	28	31	39	43	31	11	11	1	1	-	-
WHITE-----MALE----	12	15	10	15	17	12	6	3	-	-	-	-
FEMALE--	6	9	13	19	23	17	5	5	-	1	-	-
ALL OTHER--MALE----	4	3	2	3	3	1	-	1	1	-	-	-
FEMALE--	3	1	6	2	-	1	-	2	-	-	-	-
BLACK---MALE----	4	3	2	3	3	1	-	1	1	-	-	-
FEMALE--	3	1	5	2	-	1	-	2	-	-	-	-
TEXAS -----	125	106	130	136	154	106	78	43	15	1	-	-
WHITE-----MALE----	85	67	68	65	77	47	31	21	3	-	-	-
FEMALE--	25	28	44	59	70	52	43	21	11	1	-	-
ALL OTHER--MALE----	9	8	7	7	3	3	2	1	-	-	-	-
FEMALE--	6	3	11	5	4	4	2	-	1	-	-	-
BLACK---MALE----	9	7	6	7	3	3	2	1	-	-	-	-
FEMALE--	5	3	10	5	4	2	1	-	1	-	-	-
UTAH -----	-	3	4	3	12	9	8	3	-	-	-	-
WHITE-----MALE----	-	2	4	2	7	6	3	2	-	-	-	-
FEMALE--	-	1	-	1	5	3	5	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	2	2	6	1	2	2	5	1	-	-	-
WHITE-----MALE----	-	1	1	4	1	-	1	4	1	-	-	-
FEMALE--	-	1	1	2	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	35	31	46	35	45	32	25	8	1	-	1	-
WHITE-----MALE----	19	13	25	16	19	14	11	3	-	-	-	-
FEMALE--	11	13	12	16	20	12	13	5	1	-	1	-
ALL OTHER--MALE----	5	3	5	3	1	3	-	-	-	-	-	-
FEMALE--	-	2	4	-	5	3	1	-	-	-	-	-
BLACK---MALE----	5	3	5	3	1	3	-	-	-	-	-	-
FEMALE--	-	2	3	-	5	2	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,206

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)												
0 UNITED STATES --	2,757	1	2	-	1	3	6	4	18	18	35	52
WHITE-----MALE----	1,085	-	1	-	-	1	1	1	5	7	17	17
FEMALE--	1,328	1	1	-	-	1	4	1	7	9	10	17
ALL OTHER--MALE----	154	-	-	-	1	-	-	-	2	2	5	11
FEMALE--	190	-	-	-	-	1	1	2	4	-	3	7
BLACK---MALE----	119	-	-	-	1	-	-	-	2	1	4	11
FEMALE--	153	-	-	-	-	1	-	2	4	-	2	7
ALABAMA -----	52	-	-	-	-	-	1	-	-	-	1	2
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	1	-	-	-	1	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	44	-	-	-	-	-	-	-	-	1	-	2
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	37	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	304	-	-	-	-	-	1	-	4	2	2	4
WHITE-----MALE----	119	-	-	-	-	-	-	-	2	-	1	2
FEMALE--	141	-	-	-	-	-	1	-	1	2	-	2
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	21	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,206

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)												
0 UNITED STATES --	50	56	121	212	293	449	472	473	348	124	19	-
WHITE-----MALE----	22	25	53	92	150	206	217	163	77	28	2	-
FEMALE--	14	17	37	82	105	200	204	271	245	86	16	-
ALL OTHER--MALE----	11	7	16	18	15	21	26	10	7	2	-	-
FEMALE--	3	7	15	20	23	22	25	29	19	8	1	-
BLACK---MALE----	9	6	13	16	8	15	19	7	6	1	-	-
FEMALE--	1	5	11	14	18	20	18	25	16	8	1	-
ALABAMA -----	2	3	1	6	2	6	7	13	5	3	-	-
WHITE-----MALE----	1	1	-	2	1	2	1	3	1	1	-	-
FEMALE--	-	-	1	2	-	3	4	6	3	1	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	1	2	-	-	-	-
FEMALE--	-	1	-	1	1	1	1	2	1	1	-	-
BLACK---MALE----	1	1	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	1	1	1	1	2	1	1	-	-
ALASKA -----	-	-	1	-	-	1	-	2	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	1	4	7	7	7	3	7	3	-	-
WHITE-----MALE----	-	-	1	2	4	4	4	2	4	2	-	-
FEMALE--	-	1	-	1	2	2	3	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	-	3	1	2	8	10	6	2	-	-
WHITE-----MALE----	1	1	-	2	-	-	3	4	1	-	-	-
FEMALE--	-	-	-	1	1	2	5	5	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
CALIFORNIA -----	6	16	18	30	31	56	48	40	35	10	1	-
WHITE-----MALE----	2	7	7	10	17	29	20	12	7	3	-	-
FEMALE--	2	6	8	14	8	23	18	23	26	6	1	-
ALL OTHER--MALE----	2	2	2	3	4	1	6	1	1	-	-	-
FEMALE--	-	1	1	3	2	3	4	4	1	1	-	-
BLACK---MALE----	1	1	1	3	1	-	2	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	2	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,207

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)												
COLORADO -----	-	-	1	4	1	9	4	6	7	1	1	-
WHITE-----MALE----	-	-	1	1	1	3	3	5	2	-	1	-
FEMALE--	-	-	-	3	-	4	1	1	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	2	5	6	8	7	2	1	-	-
WHITE-----MALE----	-	-	-	1	3	3	3	5	-	-	-	-
FEMALE--	-	-	-	1	2	3	5	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	1	2	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	2	11	12	19	31	33	26	23	5	3	-
WHITE-----MALE----	1	2	6	8	9	17	21	12	3	1	-	-
FEMALE--	-	-	3	4	8	11	9	14	18	3	3	-
ALL OTHER--MALE----	-	-	1	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	1	-	2	1	-	-
BLACK---MALE----	-	-	1	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	1	-	2	1	-	-
GEORGIA -----	3	3	7	6	12	9	13	16	4	3	-	-
WHITE-----MALE----	1	2	1	2	5	6	9	1	1	-	-	-
FEMALE--	1	-	1	1	3	1	3	10	-	1	-	-
ALL OTHER--MALE----	-	1	3	1	-	1	-	1	-	1	-	-
FEMALE--	1	-	2	2	4	1	1	4	3	1	-	-
BLACK---MALE----	-	1	3	1	-	1	-	1	-	1	-	-
FEMALE--	1	-	1	2	3	1	1	4	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,208

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)												
HAWAII -----	-	-	1	1	1	2	3	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	3	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	1	4	2	2	5	1	1	-	-
WHITE-----MALE----	-	-	-	1	2	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1	2	3	7	7	19	16	21	20	5	1	-
WHITE-----MALE----	-	-	2	-	4	7	4	11	4	1	-	-
FEMALE--	-	2	1	6	3	10	10	10	16	4	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	-	-	-	-	-
INDIANA -----	2	-	3	5	8	12	9	7	4	5	1	-
WHITE-----MALE----	2	-	2	2	6	3	7	2	2	1	-	-
FEMALE--	-	-	1	3	2	7	2	5	2	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	1	1	-	-	5	8	6	11	8	2	-	-
WHITE-----MALE----	1	1	-	-	1	4	2	4	2	-	-	-
FEMALE--	-	-	-	-	4	4	4	7	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	-	-	2	6	2	4	6	3	3	-	-
WHITE-----MALE----	-	-	-	1	2	2	1	3	3	2	-	-
FEMALE--	1	-	-	1	3	-	3	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,209

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	-	2	5	4	8	11	9	9	4	2	-
WHITE-----MALE----	-	-	2	2	1	2	9	3	-	-	-	-
FEMALE--	-	-	-	3	3	6	2	6	8	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	1	-
LOUISIANA -----	1	3	3	3	5	6	6	6	8	1	-	-
WHITE-----MALE----	-	2	1	1	1	2	3	3	1	-	-	-
FEMALE--	-	1	-	-	3	4	1	2	5	1	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	1	1	-	1	1	1	-	-	-
BLACK---MALE----	1	-	1	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	1	1	-	1	1	1	-	-	-
MAINE -----	-	-	1	1	1	2	3	2	5	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	-	1	-	-	-
FEMALE--	-	-	1	1	1	-	2	2	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	1	4	4	2	11	6	3	1	-	-
WHITE-----MALE----	-	-	1	1	1	-	4	2	1	-	-	-
FEMALE--	-	-	-	1	1	-	6	2	1	1	-	-
ALL OTHER--MALE----	1	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	2	1	-	-	-
BLACK---MALE----	1	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	2	1	-	-	-
MASSACHUSETTS -----	-	-	2	2	9	5	6	14	4	2	1	-
WHITE-----MALE----	-	-	-	2	7	1	3	3	-	-	-	-
FEMALE--	-	-	2	-	2	4	3	10	4	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	1	5	5	8	7	12	12	10	4	-	-
WHITE-----MALE----	-	-	3	3	5	3	6	5	2	1	-	-
FEMALE--	1	1	1	1	3	3	4	7	7	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,212

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)												
OHIO -----	3	1	4	8	11	17	17	18	11	6	1	-
WHITE-----MALE----	1	-	-	4	6	8	7	5	5	1	-	-
FEMALE--	2	-	3	3	5	8	6	13	6	4	1	-
ALL OTHER--MALE----	-	-	1	-	-	1	2	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	2	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	2	-	-	1	-	-
OKLAHOMA -----	-	2	1	5	7	7	7	7	7	3	-	-
WHITE-----MALE----	-	1	-	1	4	4	3	3	2	-	-	-
FEMALE--	-	-	1	2	3	3	4	3	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
OREGON -----	2	-	-	3	5	7	2	11	7	2	1	-
WHITE-----MALE----	2	-	-	1	-	3	1	3	2	-	-	-
FEMALE--	-	-	-	2	4	4	-	8	5	2	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	2	3	18	11	29	26	34	17	4	1	-
WHITE-----MALE----	1	1	1	10	7	15	13	13	3	1	1	-
FEMALE--	1	1	-	8	4	11	11	18	14	3	-	-
ALL OTHER--MALE----	-	-	2	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	3	-	-	-	-
BLACK---MALE----	-	-	2	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	3	-	-	-	-
RHODE ISLAND -----	-	-	-	1	1	1	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	1	1	3	8	5	11	1	2	1	-
WHITE-----MALE----	-	-	-	1	2	3	3	3	-	1	-	-
FEMALE--	-	-	-	-	-	5	2	2	-	1	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	5	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	5	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,213

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)												
SOUTH DAKOTA -----	-	-	-	1	-	2	1	1	2	1	1	-
WHITE-----MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	3	5	6	8	15	12	10	13	1	-	-
WHITE-----MALE----	1	2	-	4	4	5	5	5	3	-	-	-
FEMALE--	-	1	3	1	4	8	5	4	9	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	1	1	-	-	-
BLACK---MALE----	-	-	1	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	1	1	-	-	-
TEXAS -----	2	1	4	18	23	35	38	35	18	6	-	-
WHITE-----MALE----	1	-	3	8	6	16	19	6	4	2	-	-
FEMALE--	-	-	-	5	9	15	18	27	12	4	-	-
ALL OTHER--MALE----	1	-	1	3	3	2	1	1	-	-	-	-
FEMALE--	-	1	-	2	5	2	-	1	2	-	-	-
BLACK---MALE----	1	-	1	2	3	2	1	1	-	-	-	-
FEMALE--	-	1	-	2	5	2	-	1	2	-	-	-
UTAH -----	1	-	-	1	1	3	3	3	3	1	1	-
WHITE-----MALE----	-	-	-	1	-	2	1	-	1	-	-	-
FEMALE--	1	-	-	-	1	-	2	3	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	1	-	-	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	2	6	3	2	12	16	5	3	2	-	-
WHITE-----MALE----	-	-	2	2	2	7	6	1	1	1	-	-
FEMALE--	-	-	1	1	-	5	5	3	2	1	-	-
ALL OTHER--MALE----	-	2	2	-	-	-	2	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	3	1	-	-	-	-
BLACK---MALE----	-	2	2	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	3	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,215

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)												
0 UNITED STATES --	24,652	159	71	27	20	55	67	113	229	514	811	1,033
WHITE-----MALE----	9,870	73	28	11	10	17	21	40	101	217	395	518
FEMALE--	11,175	39	25	5	4	21	26	33	53	137	203	233
ALL OTHER--MALE----	1,837	25	9	4	2	7	12	21	45	85	131	188
FEMALE--	1,770	22	9	7	4	10	8	19	30	75	82	94
BLACK---MALE----	1,578	21	9	4	1	5	11	19	42	77	123	170
FEMALE--	1,547	17	6	7	4	9	6	15	27	71	69	82
ALABAMA -----	521	2	1	-	1	1	2	3	4	14	19	18
WHITE-----MALE----	185	-	1	-	-	-	1	2	2	5	11	6
FEMALE--	204	1	-	-	-	-	1	1	-	3	3	1
ALL OTHER--MALE----	67	-	-	-	1	1	-	-	2	1	4	10
FEMALE--	65	1	-	-	-	-	-	-	-	5	1	1
BLACK---MALE----	66	-	-	-	1	1	-	-	2	1	4	10
FEMALE--	65	1	-	-	-	-	-	-	-	5	1	1
ALASKA -----	35	-	-	-	1	-	1	1	-	2	2	1
WHITE-----MALE----	11	-	-	-	-	-	1	1	-	1	-	-
FEMALE--	14	-	-	-	1	-	-	-	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	471	4	-	-	-	1	4	4	6	17	17	24
WHITE-----MALE----	224	4	-	-	-	-	2	2	2	11	7	14
FEMALE--	202	-	-	-	-	-	1	1	2	3	6	8
ALL OTHER--MALE----	22	-	-	-	-	-	1	1	1	2	1	-
FEMALE--	23	-	-	-	-	1	-	-	1	1	3	2
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	1
ARKANSAS -----	330	1	1	-	-	-	1	2	6	11	10	12
WHITE-----MALE----	120	1	-	-	-	-	-	-	2	4	4	6
FEMALE--	160	-	1	-	-	-	1	-	3	3	4	3
ALL OTHER--MALE----	22	-	-	-	-	-	-	1	1	3	1	2
FEMALE--	28	-	-	-	-	-	-	1	-	1	1	1
BLACK---MALE----	22	-	-	-	-	-	-	1	1	3	1	2
FEMALE--	27	-	-	-	-	-	-	1	-	1	1	-
CALIFORNIA -----	1,499	18	5	5	-	6	3	14	11	41	57	79
WHITE-----MALE----	608	7	3	3	-	1	-	7	2	18	30	44
FEMALE--	689	9	1	2	-	3	-	4	6	15	17	19
ALL OTHER--MALE----	108	-	-	-	-	-	1	2	1	6	6	11
FEMALE--	94	2	1	-	-	2	2	1	2	2	4	5
BLACK---MALE----	60	-	-	-	-	-	1	1	1	4	4	9
FEMALE--	46	-	-	-	-	2	1	-	2	2	3	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,215

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)												
0 UNITED STATES --	1,071	1,164	1,446	1,990	2,576	3,261	3,403	3,367	2,236	867	172	-
WHITE-----MALE----	532	553	694	949	1,139	1,381	1,330	1,093	566	177	25	-
FEMALE--	313	352	470	708	1,076	1,491	1,742	1,956	1,520	632	136	-
ALL OTHER--MALE----	142	158	149	189	179	187	134	109	48	9	4	-
FEMALE--	84	101	133	144	182	202	197	209	102	49	7	-
BLACK---MALE----	127	139	128	164	154	146	116	80	32	7	3	-
FEMALE--	76	87	111	117	167	171	179	182	93	45	6	-
ALABAMA -----	23	33	33	45	51	66	74	69	42	18	2	-
WHITE-----MALE----	9	9	17	20	20	22	26	18	11	5	-	-
FEMALE--	7	12	9	13	20	37	29	33	23	10	1	-
ALL OTHER--MALE----	3	8	3	5	7	4	7	6	4	-	1	-
FEMALE--	4	4	4	7	4	3	12	12	4	3	-	-
BLACK---MALE----	3	8	3	5	7	4	6	6	4	-	1	-
FEMALE--	4	4	4	7	4	3	12	12	4	3	-	-
ALASKA -----	2	1	2	2	2	6	3	5	2	2	-	-
WHITE-----MALE----	1	1	1	1	1	2	-	1	-	-	-	-
FEMALE--	1	-	-	1	1	1	2	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	1	-	-	3	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	30	25	26	45	55	68	46	49	41	8	1	-
WHITE-----MALE----	18	15	16	20	27	35	24	17	7	3	-	-
FEMALE--	8	8	6	18	24	28	21	32	30	5	1	-
ALL OTHER--MALE----	3	1	3	2	3	2	-	-	2	-	-	-
FEMALE--	1	1	1	5	1	3	1	-	2	-	-	-
BLACK---MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	1	-	-	-
ARKANSAS -----	15	11	23	17	40	46	43	43	35	13	-	-
WHITE-----MALE----	4	5	9	9	11	18	21	14	9	3	-	-
FEMALE--	7	2	10	8	25	20	17	25	23	8	-	-
ALL OTHER--MALE----	2	4	-	-	1	3	2	2	-	-	-	-
FEMALE--	2	-	4	-	3	5	3	2	3	2	-	-
BLACK---MALE----	2	4	-	-	1	3	2	2	-	-	-	-
FEMALE--	2	-	4	-	3	5	3	2	3	2	-	-
CALIFORNIA -----	78	71	81	116	151	210	179	207	124	38	5	-
WHITE-----MALE----	44	32	36	46	65	91	72	70	32	4	1	-
FEMALE--	23	26	33	47	69	95	86	116	82	32	4	-
ALL OTHER--MALE----	7	9	5	11	9	16	10	9	5	-	-	-
FEMALE--	4	4	7	12	8	8	11	12	5	2	-	-
BLACK---MALE----	6	6	4	8	5	6	4	1	-	-	-	-
FEMALE--	2	3	4	4	4	2	5	4	2	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,216

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)												
COLORADO -----	371	1	2	1	-	1	1	-	3	11	9	7
WHITE-----MALE----	169	1	1	1	-	-	-	-	1	6	4	3
FEMALE--	188	-	1	-	-	1	-	-	1	3	3	4
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	1	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	2	-
CONNECTICUT -----	393	2	1	-	-	-	-	-	-	9	11	17
WHITE-----MALE----	167	2	1	-	-	-	-	-	-	3	7	6
FEMALE--	190	-	-	-	-	-	-	-	-	5	4	5
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	1	-	6
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	22	-	-	-	-	-	-	-	-	1	-	6
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	86	-	-	-	-	-	-	-	-	1	8	1
WHITE-----MALE----	31	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	40	-	-	-	-	-	-	-	-	1	3	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ----	109	-	-	-	-	-	-	1	-	2	1	9
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	44	-	-	-	-	-	-	1	-	2	1	4
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	43	-	-	-	-	-	-	1	-	2	1	4
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	2
FLORIDA -----	1,274	11	4	2	1	3	4	3	5	20	33	47
WHITE-----MALE----	559	3	1	1	1	1	1	1	2	9	12	27
FEMALE--	562	3	1	1	-	1	3	1	2	4	13	8
ALL OTHER--MALE----	85	3	2	-	-	-	-	1	1	5	6	6
FEMALE--	68	2	-	-	-	1	-	-	-	2	2	6
BLACK---MALE----	84	3	2	-	-	-	-	1	1	5	6	5
FEMALE--	68	2	-	-	-	1	-	-	-	2	2	6
GEORGIA -----	717	7	6	-	-	1	-	5	7	11	33	38
WHITE-----MALE----	248	4	2	-	-	-	-	1	2	4	17	10
FEMALE--	274	-	1	-	-	1	-	2	2	2	8	9
ALL OTHER--MALE----	95	1	2	-	-	-	-	1	2	3	4	10
FEMALE--	100	2	1	-	-	-	-	1	1	2	4	9
BLACK---MALE----	93	1	2	-	-	-	-	1	2	3	4	10
FEMALE--	99	1	1	-	-	-	-	1	1	2	4	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,216

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	18	16	21	38	52	38	48	43	37	18	6	-
WHITE-----MALE----	12	8	15	19	21	20	22	22	12	1	-	-
FEMALE--	5	8	5	19	27	18	25	21	25	16	6	-
ALL OTHER--MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
CONNECTICUT -----	16	20	27	24	29	52	68	59	41	13	4	-
WHITE-----MALE----	13	9	15	18	13	24	27	20	8	1	-	-
FEMALE--	3	7	8	3	11	26	36	36	30	12	4	-
ALL OTHER--MALE----	-	4	-	2	3	1	2	2	1	-	-	-
FEMALE--	-	-	4	1	2	1	3	1	2	-	-	-
BLACK---MALE----	-	4	-	2	3	1	2	2	1	-	-	-
FEMALE--	-	-	4	1	1	1	3	1	2	-	-	-
DELAWARE -----	1	4	4	8	13	11	14	14	6	1	-	-
WHITE-----MALE----	-	-	2	4	6	7	2	6	1	-	-	-
FEMALE--	1	1	-	3	5	3	9	8	5	1	-	-
ALL OTHER--MALE----	-	1	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	2	1	-	2	-	2	-	-	-	-	-
BLACK---MALE----	-	1	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	2	-	-	2	-	2	-	-	-	-	-
DISTRICT OF COLUMBIA -----	8	11	11	10	13	10	13	11	8	1	-	-
WHITE-----MALE----	-	4	-	2	2	2	1	1	1	-	-	-
FEMALE--	1	-	-	-	1	1	4	1	3	-	-	-
ALL OTHER--MALE----	5	6	7	4	4	4	2	2	2	-	-	-
FEMALE--	2	1	4	4	6	3	6	7	2	1	-	-
BLACK---MALE----	5	5	7	4	4	4	2	2	2	-	-	-
FEMALE--	2	1	4	4	6	3	6	7	2	1	-	-
FLORIDA -----	68	62	90	94	135	176	173	187	100	51	5	-
WHITE-----MALE----	37	34	42	51	68	66	80	70	35	17	-	-
FEMALE--	17	16	34	32	56	89	80	104	59	33	5	-
ALL OTHER--MALE----	6	8	11	6	6	10	7	5	2	-	-	-
FEMALE--	8	4	3	5	5	11	6	8	4	1	-	-
BLACK---MALE----	6	8	11	6	6	10	7	5	2	-	-	-
FEMALE--	8	4	3	5	5	11	6	8	4	1	-	-
GEORGIA -----	34	55	53	57	69	102	100	75	40	22	2	-
WHITE-----MALE----	9	27	20	24	22	35	38	20	10	2	1	-
FEMALE--	9	11	17	19	23	44	44	44	25	12	1	-
ALL OTHER--MALE----	7	9	8	11	12	12	7	2	2	2	-	-
FEMALE--	9	8	8	3	12	11	11	9	3	6	-	-
BLACK---MALE----	7	9	6	11	12	12	7	2	2	2	-	-
FEMALE--	9	8	8	3	12	11	11	9	3	6	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,217

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	9	5	8	13	6	18	3	15	8	-	-	-
WHITE-----MALE----	4	1	2	3	-	2	1	3	1	-	-	-
FEMALE--	3	-	1	-	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	1	2	3	6	4	12	1	9	4	-	-	-
FEMALE--	1	2	2	4	1	4	1	2	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	3	10	6	12	8	16	19	13	6	2	-
WHITE-----MALE----	2	1	6	2	4	3	7	6	4	-	1	-
FEMALE--	-	2	2	4	8	4	9	13	9	6	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	44	42	61	102	137	162	153	151	110	45	7	-
WHITE-----MALE----	22	18	30	55	57	70	60	56	31	11	1	-
FEMALE--	14	16	13	28	61	78	79	82	76	31	5	-
ALL OTHER--MALE----	4	2	12	13	8	8	5	3	-	1	1	-
FEMALE--	4	6	6	6	11	6	9	10	3	2	-	-
BLACK---MALE----	4	2	10	13	8	6	5	3	-	1	1	-
FEMALE--	4	5	6	5	10	6	8	10	3	2	-	-
INDIANA -----	32	23	39	54	60	74	81	67	47	14	4	-
WHITE-----MALE----	19	15	21	26	27	34	30	19	14	4	1	-
FEMALE--	10	6	14	25	23	34	46	45	29	10	3	-
ALL OTHER--MALE----	2	2	1	1	4	4	4	-	1	-	-	-
FEMALE--	1	-	3	2	6	2	1	3	3	-	-	-
BLACK---MALE----	2	2	1	1	4	4	4	-	1	-	-	-
FEMALE--	1	-	3	2	6	2	1	2	3	-	-	-
IOWA -----	9	4	7	19	17	20	35	35	45	24	8	-
WHITE-----MALE----	7	3	7	11	8	14	15	16	14	6	4	-
FEMALE--	2	1	-	8	9	6	20	19	31	18	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	4	9	14	19	26	39	37	50	39	13	4	-
WHITE-----MALE----	2	4	9	9	14	19	18	20	9	2	1	-
FEMALE--	2	4	4	9	11	19	14	25	28	11	3	-
ALL OTHER--MALE----	-	-	1	1	1	-	1	2	-	-	-	-
FEMALE--	-	1	-	-	-	1	4	3	2	-	-	-
BLACK---MALE----	-	-	-	1	1	-	1	2	-	-	-	-
FEMALE--	-	1	-	-	-	1	4	2	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,218

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	447	5	-	-	1	1	5	4	6	2	15	20
WHITE-----MALE----	192	5	-	-	-	1	1	3	3	2	11	14
FEMALE--	212	-	-	-	1	-	2	1	-	-	3	6
ALL OTHER--MALE----	17	-	-	-	-	-	2	-	2	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	17	-	-	-	-	-	2	-	2	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	1	-	1	-
LOUISIANA -----	429	2	-	-	-	-	3	2	3	16	19	25
WHITE-----MALE----	140	1	-	-	-	-	-	-	1	7	6	9
FEMALE--	141	-	-	-	-	-	2	-	-	3	3	5
ALL OTHER--MALE----	80	1	-	-	-	-	1	1	1	3	6	9
FEMALE--	68	-	-	-	-	-	-	1	1	3	4	2
BLACK---MALE----	78	1	-	-	-	-	1	1	1	2	6	9
FEMALE--	65	-	-	-	-	-	-	1	1	3	4	2
MAINE -----	142	-	-	-	-	-	-	1	2	1	2	4
WHITE-----MALE----	61	-	-	-	-	-	-	-	2	1	2	2
FEMALE--	81	-	-	-	-	-	-	1	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	553	8	2	1	1	1	1	3	9	7	21	27
WHITE-----MALE----	193	1	1	-	-	-	-	1	1	1	5	13
FEMALE--	206	-	1	-	-	1	-	-	-	1	5	6
ALL OTHER--MALE----	81	6	-	-	-	-	1	1	6	1	4	4
FEMALE--	73	1	-	1	1	-	-	1	2	4	7	4
BLACK---MALE----	75	6	-	-	-	-	1	1	6	1	3	4
FEMALE--	70	1	-	1	1	-	-	1	1	4	7	4
MASSACHUSETTS -----	761	1	3	-	2	3	2	3	7	12	25	28
WHITE-----MALE----	331	1	1	-	2	2	1	2	5	7	14	15
FEMALE--	399	-	2	-	-	-	1	1	1	3	7	12
ALL OTHER--MALE----	15	-	-	-	-	1	-	-	-	1	1	1
FEMALE--	16	-	-	-	-	-	-	-	1	1	3	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	13	-	-	-	-	-	-	-	1	1	3	-
MICHIGAN -----	999	3	4	2	2	4	4	4	12	27	29	47
WHITE-----MALE----	371	2	1	1	-	2	2	1	5	12	11	21
FEMALE--	456	-	1	-	2	1	1	-	2	2	6	9
ALL OTHER--MALE----	88	1	2	-	-	1	1	2	3	7	8	10
FEMALE--	84	-	-	1	-	-	-	1	2	6	4	7
BLACK---MALE----	80	-	2	-	-	1	1	2	2	6	8	10
FEMALE--	81	-	-	1	-	-	-	1	2	6	4	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,218

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	17	21	22	37	39	65	68	59	42	13	5	-
WHITE-----MALE----	13	11	15	20	16	25	21	17	10	3	1	-
FEMALE--	2	6	5	15	17	34	38	39	30	9	4	-
ALL OTHER--MALE----	1	3	1	-	1	1	4	1	1	-	-	-
FEMALE--	1	1	1	2	5	5	5	2	1	1	-	-
BLACK---MALE----	1	3	1	-	1	1	4	1	1	-	-	-
FEMALE--	1	1	1	2	5	5	4	2	1	1	-	-
LOUISIANA -----	17	25	28	33	47	70	47	57	24	9	2	-
WHITE-----MALE----	10	9	7	13	20	25	10	14	6	2	-	-
FEMALE--	1	5	8	7	18	21	23	29	10	4	2	-
ALL OTHER--MALE----	4	11	7	6	3	12	6	5	4	-	-	-
FEMALE--	2	-	6	7	6	12	8	9	4	3	-	-
BLACK---MALE----	4	11	7	5	3	12	6	5	4	-	-	-
FEMALE--	2	-	6	6	6	10	8	9	4	3	-	-
MAINE -----	5	7	6	10	18	22	26	17	12	5	4	-
WHITE-----MALE----	2	3	4	5	11	12	7	6	2	2	-	-
FEMALE--	3	4	2	5	7	10	19	11	10	3	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	24	38	28	47	56	70	72	83	40	12	2	-
WHITE-----MALE----	8	15	11	23	22	32	22	26	10	1	-	-
FEMALE--	6	8	7	10	18	29	39	37	27	9	2	-
ALL OTHER--MALE----	9	9	10	9	7	3	3	8	-	-	-	-
FEMALE--	1	6	-	5	9	6	8	12	3	2	-	-
BLACK---MALE----	9	8	10	9	5	3	3	6	-	-	-	-
FEMALE--	1	6	-	5	9	6	8	10	3	2	-	-
MASSACHUSETTS -----	26	36	31	60	78	99	107	106	98	25	9	-
WHITE-----MALE----	13	23	18	40	38	48	42	35	19	4	1	-
FEMALE--	12	10	12	17	36	48	63	68	77	21	8	-
ALL OTHER--MALE----	1	1	1	2	2	1	-	2	1	-	-	-
FEMALE--	-	2	-	1	2	2	2	1	1	-	-	-
BLACK---MALE----	1	1	-	1	2	1	-	-	1	-	-	-
FEMALE--	-	1	-	1	2	1	2	-	1	-	-	-
MICHIGAN -----	45	47	65	84	113	125	117	136	95	26	8	-
WHITE-----MALE----	24	20	27	30	49	49	42	43	26	1	2	-
FEMALE--	13	16	30	36	42	61	61	80	65	23	5	-
ALL OTHER--MALE----	5	7	5	10	8	7	5	5	1	-	-	-
FEMALE--	3	4	3	8	14	8	9	8	3	2	1	-
BLACK---MALE----	5	7	4	8	7	7	5	4	1	-	-	-
FEMALE--	3	4	3	7	13	8	9	8	3	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,219

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	389	4	-	-	-	-	-	1	1	3	9	9
WHITE-----MALE----	154	2	-	-	-	-	-	-	1	1	5	7
FEMALE--	223	1	-	-	-	-	-	1	-	1	3	2
ALL OTHER--MALE----	6	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
MISSISSIPPI -----	263	2	1	-	1	2	1	3	3	8	9	7
WHITE-----MALE----	95	-	-	-	1	-	-	1	2	-	5	2
FEMALE--	96	2	1	-	-	1	-	-	-	4	1	1
ALL OTHER--MALE----	37	-	-	-	-	-	-	1	-	3	2	3
FEMALE--	35	-	-	-	-	1	1	1	1	1	1	1
BLACK---MALE----	36	-	-	-	-	-	-	1	-	3	2	2
FEMALE--	35	-	-	-	-	1	1	1	1	1	1	1
MISSOURI -----	611	5	-	-	1	-	1	2	8	9	27	27
WHITE-----MALE----	260	3	-	-	1	-	1	-	3	7	16	12
FEMALE--	280	1	-	-	-	-	-	-	2	1	6	4
ALL OTHER--MALE----	39	1	-	-	-	-	-	2	3	1	2	9
FEMALE--	32	-	-	-	-	-	-	-	-	-	3	2
BLACK---MALE----	36	1	-	-	-	-	-	2	3	1	2	8
FEMALE--	31	-	-	-	-	-	-	-	-	-	2	2
MONTANA -----	92	-	-	-	-	-	-	-	-	-	4	2
WHITE-----MALE----	33	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	53	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	178	-	1	-	-	1	1	-	2	2	3	7
WHITE-----MALE----	74	-	-	-	-	-	-	-	1	-	2	3
FEMALE--	94	-	1	-	-	1	1	-	-	2	1	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	157	-	1	1	-	1	-	1	1	8	6	5
WHITE-----MALE----	70	-	-	-	-	-	-	-	-	6	3	4
FEMALE--	67	-	1	1	-	1	-	-	-	1	3	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	8	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,219

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	9	14	20	21	32	50	62	75	54	19	6	-
WHITE-----MALE----	3	9	12	9	13	24	23	26	15	3	1	-
FEMALE--	4	5	8	11	17	24	38	49	38	16	5	-
ALL OTHER--MALE----	2	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	1	-	-	-
MISSISSIPPI -----	14	16	24	21	33	33	29	38	14	3	1	-
WHITE-----MALE----	6	7	7	8	15	12	8	13	8	-	-	-
FEMALE--	3	5	9	7	8	14	15	16	6	2	1	-
ALL OTHER--MALE----	2	2	5	3	4	4	2	6	-	-	-	-
FEMALE--	3	2	3	3	6	3	4	3	-	1	-	-
BLACK---MALE----	2	2	5	3	4	4	2	6	-	-	-	-
FEMALE--	3	2	3	3	6	3	4	3	-	1	-	-
MISSOURI -----	21	24	34	50	55	80	87	84	65	23	8	-
WHITE-----MALE----	11	13	22	23	25	31	44	23	17	5	3	-
FEMALE--	5	9	9	21	22	43	40	53	44	16	4	-
ALL OTHER--MALE----	3	2	1	5	3	2	1	3	1	-	-	-
FEMALE--	2	-	2	1	5	4	2	5	3	2	1	-
BLACK---MALE----	2	2	1	5	2	2	1	3	1	-	-	-
FEMALE--	2	-	2	1	5	4	2	5	3	2	1	-
MONTANA -----	4	5	6	7	11	7	17	13	12	3	1	-
WHITE-----MALE----	4	1	3	4	5	2	6	5	-	-	-	-
FEMALE--	-	2	1	3	6	5	11	8	12	3	1	-
ALL OTHER--MALE----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	10	6	7	15	10	13	37	31	23	9	-	-
WHITE-----MALE----	7	5	1	9	5	6	17	10	6	2	-	-
FEMALE--	2	1	4	5	5	7	18	20	16	7	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	1	1	-	-	-
BLACK---MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	1	-	-	-
NEVADA -----	9	8	13	21	19	22	17	12	11	1	-	-
WHITE-----MALE----	3	5	3	11	11	9	8	2	4	1	-	-
FEMALE--	5	3	8	4	6	9	8	9	7	-	-	-
ALL OTHER--MALE----	1	-	2	5	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	3	1	1	-	-	-	-
BLACK---MALE----	-	-	2	3	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,221

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)												
OHIO -----	1,176	2	2	2	-	4	1	1	12	19	34	36
WHITE-----MALE----	463	1	2	1	-	2	-	-	4	5	20	17
FEMALE--	560	-	-	-	-	1	1	1	2	7	10	12
ALL OTHER--MALE----	84	-	-	1	-	-	-	-	3	5	3	7
FEMALE--	69	1	-	-	-	1	-	-	3	2	1	-
BLACK---MALE----	79	-	-	1	-	-	-	-	3	5	3	7
FEMALE--	68	1	-	-	-	1	-	-	3	2	1	-
OKLAHOMA -----	382	1	-	1	-	-	-	2	2	7	11	24
WHITE-----MALE----	169	-	-	-	-	-	-	1	2	5	6	13
FEMALE--	167	1	-	-	-	-	-	-	-	1	4	9
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	23	-	-	1	-	-	-	1	-	1	-	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	1	-	-	-	1	-	1	-	1
OREGON -----	268	1	-	-	-	-	2	-	2	3	7	9
WHITE-----MALE----	118	-	-	-	-	-	1	-	1	1	4	6
FEMALE--	142	-	-	-	-	-	1	-	1	2	2	3
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,533	8	8	1	1	2	4	7	12	25	50	58
WHITE-----MALE----	641	3	4	-	-	2	-	3	3	10	23	36
FEMALE--	711	2	1	-	-	-	3	2	2	6	9	11
ALL OTHER--MALE----	93	2	-	-	-	-	-	1	1	6	12	9
FEMALE--	88	1	3	1	1	-	1	1	6	3	6	2
BLACK---MALE----	88	2	-	-	-	-	-	1	1	6	12	9
FEMALE--	84	1	2	1	1	-	1	-	5	3	6	2
RHODE ISLAND -----	99	-	-	-	-	-	-	2	-	-	3	4
WHITE-----MALE----	42	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	55	-	-	-	-	-	-	1	-	-	2	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	437	4	4	1	-	2	1	5	10	13	23	16
WHITE-----MALE----	158	-	-	-	-	-	1	2	4	3	11	5
FEMALE--	137	-	1	-	-	-	-	1	1	3	1	1
ALL OTHER--MALE----	76	2	2	-	-	2	-	1	2	5	7	3
FEMALE--	66	2	1	1	-	-	-	1	3	2	4	7
BLACK---MALE----	76	2	2	-	-	2	-	1	2	5	7	3
FEMALE--	66	2	1	1	-	-	-	1	3	2	4	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,221

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	51	39	80	91	139	163	177	159	109	48	7	-
WHITE-----MALE----	22	18	40	46	63	71	73	54	20	4	-	-
FEMALE--	17	14	27	33	56	74	84	95	80	39	7	-
ALL OTHER--MALE----	9	6	9	7	15	8	7	1	2	1	-	-
FEMALE--	3	1	4	5	5	10	13	9	7	4	-	-
BLACK---MALE----	9	6	9	7	14	7	7	-	1	-	-	-
FEMALE--	3	1	4	5	5	9	13	9	7	4	-	-
OKLAHOMA -----	18	18	27	26	40	51	47	60	34	12	1	-
WHITE-----MALE----	9	6	11	14	19	28	21	21	9	3	1	-
FEMALE--	6	3	11	10	17	16	24	36	21	8	-	-
ALL OTHER--MALE----	2	5	4	2	3	1	1	-	3	-	-	-
FEMALE--	1	4	1	-	1	6	1	3	1	1	-	-
BLACK---MALE----	-	2	2	1	1	-	1	-	1	-	-	-
FEMALE--	-	1	-	-	1	4	1	2	-	1	-	-
OREGON -----	12	10	15	18	24	25	49	49	29	11	2	-
WHITE-----MALE----	6	5	6	9	10	13	19	24	8	5	-	-
FEMALE--	5	4	9	8	13	11	29	25	21	6	2	-
ALL OTHER--MALE----	1	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	65	59	71	119	154	230	233	219	147	52	8	-
WHITE-----MALE----	34	29	29	62	78	112	92	62	43	15	1	-
FEMALE--	12	17	27	38	65	101	131	146	96	35	7	-
ALL OTHER--MALE----	14	7	8	13	4	8	3	2	2	1	-	-
FEMALE--	5	6	7	6	7	9	7	9	6	1	-	-
BLACK---MALE----	13	6	7	13	3	8	2	2	2	1	-	-
FEMALE--	4	6	7	6	7	9	7	9	6	1	-	-
RHODE ISLAND -----	7	3	11	9	7	15	15	9	8	6	-	-
WHITE-----MALE----	4	2	5	3	5	5	9	1	2	3	-	-
FEMALE--	3	1	5	6	2	10	5	8	6	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	25	22	37	42	51	48	50	49	20	12	2	-
WHITE-----MALE----	13	8	21	17	17	20	15	13	6	2	-	-
FEMALE--	7	7	8	11	12	16	18	28	13	8	1	-
ALL OTHER--MALE----	2	3	5	9	14	7	7	3	1	-	1	-
FEMALE--	3	4	3	5	8	5	10	5	-	2	-	-
BLACK---MALE----	2	3	5	9	14	7	7	3	1	-	1	-
FEMALE--	3	4	3	5	8	5	10	5	-	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,222

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)												
SOUTH DAKOTA -----	97	-	1	-	-	-	-	-	-	2	1	3
WHITE-----MALE----	38	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	49	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	481	1	1	1	1	1	4	3	3	10	14	16
WHITE-----MALE----	156	-	-	1	-	-	1	-	1	4	4	10
FEMALE--	247	-	1	-	-	-	2	3	2	1	5	3
ALL OTHER--MALE----	30	1	-	-	-	1	1	-	-	2	3	2
FEMALE--	48	-	-	-	1	-	-	-	-	3	2	1
BLACK---MALE----	30	1	-	-	-	1	1	-	-	2	3	2
FEMALE--	46	-	-	-	1	-	-	-	-	3	2	1
TEXAS -----	1,404	18	6	3	1	3	4	7	21	34	55	67
WHITE-----MALE----	595	7	4	-	1	2	2	3	9	17	30	40
FEMALE--	624	8	2	1	-	1	1	2	6	13	10	11
ALL OTHER--MALE----	92	3	-	1	-	-	-	2	3	2	13	8
FEMALE--	93	-	-	1	-	-	1	-	3	2	2	8
BLACK---MALE----	91	3	-	1	-	-	-	2	3	2	13	8
FEMALE--	85	-	-	1	-	-	1	-	3	2	1	5
UTAH -----	158	2	-	-	-	1	-	-	1	3	6	7
WHITE-----MALE----	64	2	-	-	-	-	-	-	1	2	3	4
FEMALE--	88	-	-	-	-	1	-	-	-	1	3	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	62	-	-	-	-	-	-	-	1	1	-	1
WHITE-----MALE----	25	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	37	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	660	3	1	1	1	1	1	4	7	20	22	28
WHITE-----MALE----	220	-	-	-	-	-	-	-	2	3	9	9
FEMALE--	280	1	-	-	-	1	-	3	3	6	7	8
ALL OTHER--MALE----	79	-	-	1	-	-	1	-	1	5	4	6
FEMALE--	81	2	1	-	1	-	-	1	1	6	2	5
BLACK---MALE----	78	-	-	1	-	-	1	-	1	5	4	6
FEMALE--	78	2	1	-	1	-	-	1	1	6	2	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,222

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	2	3	3	9	10	12	10	21	11	7	2	-
WHITE-----MALE----	-	1	3	4	4	5	4	4	6	4	1	-
FEMALE--	2	-	-	4	5	5	6	16	5	3	1	-
ALL OTHER--MALE----	-	2	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	30	23	32	46	51	64	59	60	48	10	3	-
WHITE-----MALE----	14	8	14	17	15	21	19	13	12	2	-	-
FEMALE--	12	8	11	21	30	36	35	40	30	5	2	-
ALL OTHER--MALE----	1	5	-	5	1	4	2	2	-	-	-	-
FEMALE--	3	2	7	3	5	3	3	5	6	3	1	-
BLACK---MALE----	1	5	-	5	1	4	2	2	-	-	-	-
FEMALE--	2	2	6	3	5	3	3	5	6	3	1	-
TEXAS -----	58	88	88	105	142	177	180	167	119	47	14	-
WHITE-----MALE----	28	45	48	51	69	72	74	50	30	12	1	-
FEMALE--	16	26	23	41	60	83	93	101	79	34	13	-
ALL OTHER--MALE----	8	8	6	6	6	11	7	3	5	-	-	-
FEMALE--	6	9	11	7	7	11	6	13	5	1	-	-
BLACK---MALE----	7	8	6	6	6	11	7	3	5	-	-	-
FEMALE--	6	9	10	6	6	11	6	12	5	1	-	-
UTAH -----	3	2	9	11	18	22	26	15	22	10	-	-
WHITE-----MALE----	2	-	3	5	8	13	6	5	7	3	-	-
FEMALE--	1	2	4	6	10	9	20	9	15	6	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
VERMONT -----	3	2	1	8	7	8	8	6	10	5	1	-
WHITE-----MALE----	2	2	-	5	2	5	4	1	1	1	-	-
FEMALE--	1	-	1	3	5	3	4	5	9	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	27	37	43	65	61	78	97	93	48	20	2	-
WHITE-----MALE----	7	15	22	27	26	26	31	31	8	4	-	-
FEMALE--	7	8	10	24	23	34	44	49	35	15	2	-
ALL OTHER--MALE----	11	9	8	8	6	7	8	3	1	-	-	-
FEMALE--	2	5	3	6	6	11	14	10	4	1	-	-
BLACK---MALE----	11	9	8	8	6	6	8	3	1	-	-	-
FEMALE--	2	5	3	4	6	11	13	10	4	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,224

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
0 UNITED STATES --	46,353	156	25	7	16	32	52	121	207	338	494	659
WHITE-----MALE----	16,449	60	9	3	4	10	23	38	55	101	157	193
FEMALE--	21,388	50	12	2	7	13	14	31	65	86	124	182
ALL OTHER--MALE----	3,792	33	2	2	3	7	9	35	42	87	136	165
FEMALE--	4,724	13	2	-	2	2	6	17	45	64	77	119
BLACK---MALE----	3,455	29	2	1	3	7	8	33	39	85	128	155
FEMALE--	4,294	12	1	-	2	1	5	17	38	60	69	106
ALABAMA -----	1,061	3	-	-	1	2	-	-	1	7	8	17
WHITE-----MALE----	296	1	-	-	-	-	-	-	-	1	4	6
FEMALE--	418	1	-	-	-	-	-	-	1	3	-	4
ALL OTHER--MALE----	139	-	-	-	1	1	-	-	-	2	4	5
FEMALE--	208	1	-	-	-	1	-	-	-	1	-	2
BLACK---MALE----	139	-	-	-	1	1	-	-	-	2	4	5
FEMALE--	208	1	-	-	-	1	-	-	-	1	-	2
ALASKA -----	25	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	647	2	-	1	-	1	1	1	3	4	9	10
WHITE-----MALE----	281	2	-	-	-	1	1	1	1	1	2	2
FEMALE--	299	-	-	-	-	-	-	-	1	1	3	4
ALL OTHER--MALE----	29	-	-	1	-	-	-	-	-	1	3	1
FEMALE--	38	-	-	-	-	-	-	-	1	1	1	3
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	700	2	-	-	-	1	1	2	3	4	5	12
WHITE-----MALE----	251	1	-	-	-	-	-	1	1	2	1	2
FEMALE--	305	1	-	-	-	1	1	-	1	1	-	4
ALL OTHER--MALE----	54	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	90	-	-	-	-	-	-	1	1	-	2	3
BLACK---MALE----	52	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	88	-	-	-	-	-	-	1	-	-	2	2
CALIFORNIA -----	3,626	14	3	-	1	3	6	13	21	24	50	50
WHITE-----MALE----	1,245	5	3	-	-	1	2	3	9	10	13	17
FEMALE--	1,767	6	-	-	1	2	2	7	5	7	18	20
ALL OTHER--MALE----	268	1	-	-	-	-	1	2	4	4	11	5
FEMALE--	346	2	-	-	-	-	1	1	3	3	8	8
BLACK---MALE----	170	1	-	-	-	-	1	1	1	4	8	4
FEMALE--	193	2	-	-	-	-	-	1	1	2	5	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,224

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
0 UNITED STATES --	890	1,218	1,864	2,914	4,957	6,810	8,579	8,566	5,807	2,161	477	3
WHITE-----MALE----	285	427	649	1,121	2,036	2,834	3,298	2,935	1,625	498	87	1
FEMALE--	263	352	599	1,019	1,859	2,833	4,088	4,574	3,528	1,375	312	-
ALL OTHER--MALE----	184	221	299	350	472	506	477	437	226	79	18	2
FEMALE--	158	218	317	424	590	637	716	620	428	209	60	-
BLACK---MALE----	171	198	277	325	436	454	428	382	204	71	17	2
FEMALE--	139	200	290	377	532	572	658	567	399	190	59	-
ALABAMA -----	18	30	54	78	117	140	201	193	124	49	18	-
WHITE-----MALE----	3	12	13	26	38	50	56	42	32	8	4	-
FEMALE--	4	4	16	27	29	58	80	95	67	21	8	-
ALL OTHER--MALE----	8	8	12	9	19	14	23	16	6	10	1	-
FEMALE--	3	6	13	16	31	18	42	40	19	10	5	-
BLACK---MALE----	8	8	12	9	19	14	23	16	6	10	1	-
FEMALE--	3	6	13	16	31	18	42	40	19	10	5	-
ALASKA -----	2	-	1	1	3	8	4	2	4	-	-	-
WHITE-----MALE----	-	-	-	-	3	4	-	1	-	-	-	-
FEMALE--	2	-	1	1	-	1	2	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	3	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	11	20	27	49	82	86	131	117	67	22	3	-
WHITE-----MALE----	4	10	11	25	28	36	70	52	23	9	2	-
FEMALE--	4	8	12	19	40	42	56	57	41	10	1	-
ALL OTHER--MALE----	1	1	2	3	4	4	2	3	1	2	-	-
FEMALE--	2	1	2	2	10	4	3	5	2	1	-	-
BLACK---MALE----	-	1	-	1	3	3	-	1	1	1	-	-
FEMALE--	1	-	-	-	3	2	3	3	-	1	-	-
ARKANSAS -----	8	19	21	37	78	120	113	137	105	25	7	-
WHITE-----MALE----	5	7	11	16	37	57	35	39	30	5	1	-
FEMALE--	-	6	6	12	27	33	57	78	59	15	3	-
ALL OTHER--MALE----	1	1	2	4	4	15	11	6	3	-	1	-
FEMALE--	2	5	2	5	10	15	10	14	13	5	2	-
BLACK---MALE----	1	1	2	3	4	15	11	6	3	-	1	-
FEMALE--	2	5	2	5	10	15	10	14	13	5	2	-
CALIFORNIA -----	79	110	128	224	371	540	669	652	435	177	54	2
WHITE-----MALE----	24	34	47	81	138	218	247	216	117	53	7	-
FEMALE--	27	45	49	91	164	228	327	357	267	103	41	-
ALL OTHER--MALE----	13	11	18	24	33	36	38	37	22	5	1	2
FEMALE--	15	20	14	28	36	58	57	42	29	16	5	-
BLACK---MALE----	12	7	9	16	23	22	23	18	15	2	1	2
FEMALE--	8	13	8	13	20	26	31	26	20	8	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,225

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
COLORADO -----	432	1	-	-	-	-	-	2	4	1	3	10
WHITE-----MALE----	177	-	-	-	-	-	-	1	2	-	2	3
FEMALE--	233	-	-	-	-	-	-	1	2	1	-	5
ALL OTHER--MALE----	11	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	9	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	576	2	1	-	-	1	-	2	2	5	6	10
WHITE-----MALE----	246	-	-	-	-	-	1	-	-	-	2	5
FEMALE--	280	1	1	-	-	-	-	-	1	1	2	2
ALL OTHER--MALE----	25	1	-	-	-	-	-	-	-	3	2	2
FEMALE--	25	-	-	-	-	-	-	1	1	1	-	1
BLACK---MALE----	24	1	-	-	-	-	-	-	-	3	2	2
FEMALE--	24	-	-	-	-	-	-	1	1	1	-	1
DELAWARE -----	123	-	-	-	-	-	-	-	2	1	1	-
WHITE-----MALE----	43	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	51	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	1	-	-
DISTRICT OF COLUMBIA ----	165	1	-	-	-	-	-	1	-	5	7	6
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	63	1	-	-	-	-	-	1	-	3	4	4
FEMALE--	82	-	-	-	-	-	-	-	-	1	3	2
BLACK---MALE----	63	1	-	-	-	-	-	1	-	3	4	4
FEMALE--	80	-	-	-	-	-	-	-	-	1	3	2
FLORIDA -----	2,291	7	1	-	2	1	1	9	9	17	16	28
WHITE-----MALE----	936	1	-	-	-	-	-	2	1	7	6	8
FEMALE--	1,019	3	-	-	1	1	-	2	2	1	2	10
ALL OTHER--MALE----	141	3	1	-	-	-	1	2	1	7	6	5
FEMALE--	195	-	-	-	1	-	-	3	5	2	2	5
BLACK---MALE----	138	3	1	-	-	-	1	2	1	7	6	5
FEMALE--	194	-	-	-	1	-	-	3	5	2	2	5
GEORGIA -----	1,383	3	-	-	1	1	-	1	17	19	19	27
WHITE-----MALE----	357	2	-	-	1	1	-	-	4	3	3	5
FEMALE--	467	1	-	-	-	-	-	1	6	3	2	5
ALL OTHER--MALE----	228	-	-	-	-	-	-	-	4	7	8	9
FEMALE--	331	-	-	-	-	-	-	-	3	6	6	8
BLACK---MALE----	227	-	-	-	-	-	-	-	4	7	8	9
FEMALE--	329	-	-	-	-	-	-	-	3	5	6	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,225

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.

X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	7	7	11	23	51	64	72	93	64	15	4	-
WHITE-----MALE----	3	3	3	13	24	29	32	33	19	8	2	-
FEMALE--	3	4	8	8	22	33	36	58	43	7	2	-
ALL OTHER--MALE----	-	-	-	1	2	1	3	-	1	-	-	-
FEMALE--	1	-	-	1	3	1	1	2	1	-	-	-
BLACK---MALE----	-	-	-	1	2	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	3	-	1	1	1	-	-	-
CONNECTICUT -----	10	11	17	25	59	85	121	124	57	33	5	-
WHITE-----MALE----	7	4	5	10	24	47	58	52	17	11	2	-
FEMALE--	2	6	10	9	28	33	55	66	39	22	2	-
ALL OTHER--MALE----	1	1	2	1	4	3	2	2	1	-	-	-
FEMALE--	-	-	-	5	3	2	6	4	-	-	1	-
BLACK---MALE----	1	1	2	1	4	2	2	2	1	-	-	-
FEMALE--	-	-	-	5	2	2	6	4	-	-	1	-
DELAWARE -----	2	2	5	5	16	14	24	32	11	6	2	-
WHITE-----MALE----	1	1	-	1	9	5	12	13	-	-	-	-
FEMALE--	-	-	1	3	5	6	6	15	9	5	1	-
ALL OTHER--MALE----	1	-	3	-	1	1	4	2	1	-	-	-
FEMALE--	-	1	1	1	1	2	2	2	1	1	1	-
BLACK---MALE----	1	-	3	-	1	1	4	2	1	-	-	-
FEMALE--	-	1	1	1	1	2	2	1	1	1	1	-
DISTRICT OF COLUMBIA -----	5	6	11	14	17	21	31	20	15	2	3	-
WHITE-----MALE----	-	-	-	-	-	2	5	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	2	4	2	1	1	-
ALL OTHER--MALE----	1	3	8	7	5	8	10	6	2	-	-	-
FEMALE--	4	3	3	6	12	11	14	10	10	1	2	-
BLACK---MALE----	1	3	8	7	5	8	10	6	2	-	-	-
FEMALE--	3	3	3	6	12	11	13	10	10	1	2	-
FLORIDA -----	36	52	84	124	212	321	443	477	313	115	22	1
WHITE-----MALE----	8	28	33	50	94	148	206	192	112	33	6	1
FEMALE--	13	11	30	36	88	130	193	242	169	72	13	-
ALL OTHER--MALE----	9	3	12	18	11	14	14	17	12	4	1	-
FEMALE--	6	10	9	20	19	29	30	26	20	6	2	-
BLACK---MALE----	9	3	12	18	11	13	13	16	12	4	1	-
FEMALE--	6	10	9	20	19	29	30	25	20	6	2	-
GEORGIA -----	36	43	81	85	167	219	259	210	148	38	9	-
WHITE-----MALE----	9	15	25	27	51	67	69	47	26	2	-	-
FEMALE--	6	7	15	16	40	76	108	83	72	22	4	-
ALL OTHER--MALE----	8	15	21	18	28	31	27	35	10	5	2	-
FEMALE--	13	6	20	24	48	45	55	45	40	9	3	-
BLACK---MALE----	8	15	21	18	28	30	27	35	10	5	2	-
FEMALE--	13	6	20	24	48	45	55	44	40	9	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,226

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
HAWAII -----	5	8	9	9	14	18	21	27	15	2	1	-
WHITE-----MALE----	-	1	-	2	2	2	3	2	4	-	-	-
FEMALE--	-	1	-	-	1	3	1	1	3	-	-	-
ALL OTHER--MALE----	3	5	6	2	6	7	8	10	3	-	1	-
FEMALE--	2	1	3	5	5	6	9	14	5	2	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	4	5	4	9	21	24	25	16	8	1	-
WHITE-----MALE----	-	2	5	3	7	11	11	11	3	2	-	-
FEMALE--	1	2	-	1	2	9	13	14	13	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	39	84	89	179	268	370	437	431	266	101	14	-
WHITE-----MALE----	10	26	33	70	110	145	174	155	69	22	1	-
FEMALE--	10	16	19	59	91	152	200	222	165	65	10	-
ALL OTHER--MALE----	8	24	15	23	32	26	26	24	11	4	1	-
FEMALE--	11	18	22	27	35	47	37	30	21	10	2	-
BLACK---MALE----	8	22	15	21	30	25	24	21	11	4	1	-
FEMALE--	10	18	22	25	33	45	37	28	20	10	2	-
INDIANA -----	21	31	51	78	153	172	237	239	165	69	12	-
WHITE-----MALE----	8	9	19	27	72	78	91	83	49	15	2	-
FEMALE--	11	14	22	33	61	75	126	141	107	52	7	-
ALL OTHER--MALE----	1	2	5	7	11	12	10	9	3	2	1	-
FEMALE--	1	6	5	11	9	7	10	6	6	-	2	-
BLACK---MALE----	1	2	5	7	10	12	10	9	3	2	1	-
FEMALE--	1	6	5	10	9	7	10	6	6	-	2	-
IOWA -----	2	6	10	18	30	48	61	93	65	31	6	-
WHITE-----MALE----	1	3	7	11	9	19	21	34	20	10	2	-
FEMALE--	1	3	2	7	20	29	39	58	45	21	4	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
KANSAS -----	7	7	20	31	50	66	82	93	79	28	7	-
WHITE-----MALE----	3	4	8	17	32	29	30	41	23	11	2	-
FEMALE--	3	2	8	13	11	34	46	48	53	16	5	-
ALL OTHER--MALE----	-	-	2	1	2	1	5	2	-	1	-	-
FEMALE--	1	1	2	-	5	2	1	2	3	-	-	-
BLACK---MALE----	-	-	2	-	2	1	5	2	-	-	-	-
FEMALE--	1	1	2	-	4	2	1	1	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,227

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49

X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	830	3	-	2	-	-	1	3	3	8	5	12
WHITE-----MALE----	337	1	-	1	-	-	1	-	-	3	2	6
FEMALE--	396	1	-	1	-	-	-	1	1	1	2	5
ALL OTHER--MALE----	47	1	-	-	-	-	-	2	-	3	-	1
FEMALE--	50	-	-	-	-	-	-	-	2	1	1	-
BLACK---MALE----	46	-	-	-	-	-	-	2	-	3	-	1
FEMALE--	50	-	-	-	-	-	-	-	2	1	1	-
LOUISIANA -----	1,086	6	3	-	-	2	1	2	9	4	11	22
WHITE-----MALE----	294	2	2	-	-	-	-	2	-	-	3	5
FEMALE--	393	-	1	-	-	2	-	-	2	1	4	4
ALL OTHER--MALE----	186	3	-	-	-	-	1	-	5	2	2	6
FEMALE--	213	1	-	-	-	-	-	-	2	1	2	7
BLACK---MALE----	183	3	-	-	-	-	1	-	5	2	2	6
FEMALE--	211	1	-	-	-	-	-	-	2	1	2	6
MAINE -----	227	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	94	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	133	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	889	3	-	-	-	-	1	2	5	17	10	22
WHITE-----MALE----	232	-	-	-	-	-	-	1	-	2	4	4
FEMALE--	364	2	-	-	-	-	-	-	1	2	1	1
ALL OTHER--MALE----	139	1	-	-	-	-	1	1	4	12	3	6
FEMALE--	154	-	-	-	-	-	-	-	-	1	2	11
BLACK---MALE----	137	1	-	-	-	-	1	1	4	11	3	6
FEMALE--	149	-	-	-	-	-	-	-	-	1	2	11
MASSACHUSETTS -----	1,425	3	1	-	-	-	1	2	3	9	10	17
WHITE-----MALE----	582	-	1	-	-	-	1	1	1	5	4	11
FEMALE--	754	-	-	-	-	-	-	-	2	4	6	2
ALL OTHER--MALE----	35	2	-	-	-	-	-	1	-	-	-	1
FEMALE--	54	1	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	32	2	-	-	-	-	-	1	-	-	-	1
FEMALE--	46	1	-	-	-	-	-	-	-	-	-	3
MICHIGAN -----	1,841	5	-	1	-	2	4	6	9	18	19	40
WHITE-----MALE----	652	4	-	1	-	-	1	2	-	6	8	9
FEMALE--	833	-	-	-	-	1	2	-	5	4	4	9
ALL OTHER--MALE----	169	1	-	-	-	1	-	2	-	5	6	15
FEMALE--	187	-	-	-	-	-	1	2	4	3	1	7
BLACK---MALE----	164	1	-	-	-	1	-	2	-	5	6	14
FEMALE--	182	-	-	-	-	-	1	2	4	3	1	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,227

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
KENTUCKY -----	16	18	32	56	92	134	148	154	106	30	7	-
WHITE-----MALE----	5	10	16	20	48	64	58	57	38	6	1	-
FEMALE--	6	5	12	25	34	60	72	85	60	19	6	-
ALL OTHER--MALE----	2	1	1	5	7	6	7	6	4	1	-	-
FEMALE--	3	2	3	6	3	4	11	6	4	4	-	-
BLACK---MALE----	2	1	1	5	7	6	7	6	4	1	-	-
FEMALE--	3	2	3	6	3	4	11	6	4	4	-	-
LOUISIANA -----	23	43	50	81	119	171	198	177	120	36	8	-
WHITE-----MALE----	4	11	14	20	39	59	62	49	17	4	1	-
FEMALE--	5	10	11	23	35	55	73	85	63	16	3	-
ALL OTHER--MALE----	4	14	9	21	21	31	29	16	15	6	1	-
FEMALE--	10	8	16	17	24	26	34	27	25	10	3	-
BLACK---MALE----	4	13	9	20	20	31	29	16	15	6	1	-
FEMALE--	10	8	16	17	24	26	34	27	24	10	3	-
MAINE -----	4	2	8	10	25	36	48	38	41	10	3	-
WHITE-----MALE----	2	2	7	6	13	18	19	14	11	2	-	-
FEMALE--	2	-	1	4	12	18	29	24	30	8	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	17	26	47	61	102	128	145	160	102	33	8	-
WHITE-----MALE----	4	3	10	17	31	46	40	43	23	4	-	-
FEMALE--	3	9	10	18	34	40	68	87	58	22	8	-
ALL OTHER--MALE----	6	9	15	13	14	22	14	11	6	1	-	-
FEMALE--	4	5	12	13	23	20	23	19	15	6	-	-
BLACK---MALE----	6	9	15	13	14	22	14	11	5	1	-	-
FEMALE--	4	5	11	12	21	20	22	19	15	6	-	-
MASSACHUSETTS -----	16	29	37	88	137	238	282	267	194	70	21	-
WHITE-----MALE----	8	15	15	41	73	112	122	103	50	17	2	-
FEMALE--	5	7	16	36	51	113	150	153	141	49	19	-
ALL OTHER--MALE----	-	1	1	4	8	6	2	8	-	1	-	-
FEMALE--	3	6	5	7	5	7	8	3	3	3	-	-
BLACK---MALE----	-	1	1	3	8	5	1	8	-	1	-	-
FEMALE--	3	5	5	6	3	6	7	1	3	3	-	-
MICHIGAN -----	48	43	73	91	194	274	353	344	217	81	19	-
WHITE-----MALE----	15	11	23	34	76	105	142	130	64	16	5	-
FEMALE--	13	12	22	31	82	120	161	167	137	53	10	-
ALL OTHER--MALE----	12	9	12	11	21	24	22	20	4	2	2	-
FEMALE--	8	11	16	15	15	25	28	27	12	10	2	-
BLACK---MALE----	12	9	12	11	21	22	22	18	4	2	2	-
FEMALE--	8	11	16	14	14	25	28	26	10	10	2	-