

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,606

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CONGENITAL ANOMALIES OF HEART (745-746)												
MINNESOTA -----	65	30	3	1	3	5	2	2	-	3	2	2
WHITE-----MALE----	27	16	-	1	1	2	-	1	-	-	1	1
FEMALE--	31	8	3	-	2	3	1	1	-	3	1	1
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	3	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	1	-	-	-	-	-
MISSISSIPPI -----	46	32	2	-	1	-	-	3	-	3	2	1
WHITE-----MALE----	13	7	1	-	-	-	-	2	-	1	-	1
FEMALE--	14	10	-	-	-	-	-	-	-	2	1	-
ALL OTHER--MALE----	11	9	-	-	1	-	-	-	-	-	1	-
FEMALE--	8	6	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	10	8	-	-	1	-	-	-	-	-	1	-
FEMALE--	7	5	1	-	-	-	-	1	-	-	-	-
MISSOURI -----	71	35	3	1	3	2	4	2	2	3	2	1
WHITE-----MALE----	26	16	-	1	-	-	1	1	1	1	-	-
FEMALE--	32	13	2	-	2	2	2	-	2	2	1	1
ALL OTHER--MALE----	5	2	1	-	1	-	-	-	-	-	1	-
FEMALE--	8	4	-	-	-	-	1	1	1	-	-	-
BLACK---MALE----	5	2	1	-	1	-	-	-	-	-	1	-
FEMALE--	7	4	-	-	-	-	1	1	-	-	-	-
MONTANA -----	13	4	1	-	-	2	-	-	-	1	-	-
WHITE-----MALE----	7	2	-	-	-	2	-	-	-	1	-	-
FEMALE--	6	2	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	21	8	2	-	-	1	2	-	-	2	-	-
WHITE-----MALE----	9	2	-	-	-	1	1	-	-	2	-	-
FEMALE--	8	4	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
NEVADA -----	27	14	3	-	-	2	3	1	-	2	-	-
WHITE-----MALE----	15	8	2	-	-	1	2	1	-	1	-	-
FEMALE--	6	4	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	1	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	1	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,608

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CONGENITAL ANOMALIES OF HEART (745-746)												
OHIO -----	143	52	6	1	4	5	2	5	5	3	8	9
WHITE-----MALE----	70	18	4	1	2	3	2	3	3	2	4	8
FEMALE--	52	21	1	-	1	-	-	2	1	-	3	1
ALL OTHER--MALE----	10	7	-	-	1	1	-	-	1	-	-	-
FEMALE--	11	6	1	-	-	1	-	-	-	1	1	-
BLACK---MALE----	9	7	-	-	-	1	-	-	1	-	-	-
FEMALE--	11	6	1	-	-	1	-	-	-	1	1	-
OKLAHOMA -----	70	20	9	-	-	-	2	2	2	3	-	1
WHITE-----MALE----	28	10	4	-	-	-	-	2	1	1	-	1
FEMALE--	32	6	4	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	6	3	-	-	-	-	1	-	-	1	-	-
FEMALE--	4	1	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	1	-	-	-	-	-
OREGON -----	41	17	4	1	1	2	1	1	1	1	4	1
WHITE-----MALE----	24	13	2	-	-	-	1	-	1	-	1	1
FEMALE--	13	2	2	1	1	1	-	1	-	1	2	-
ALL OTHER--MALE----	3	1	-	-	-	1	-	-	-	-	1	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	149	56	7	4	2	3	2	3	9	9	9	3
WHITE-----MALE----	81	33	5	3	2	2	1	1	4	5	4	2
FEMALE--	57	14	2	1	-	1	1	2	5	3	4	1
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	6	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	5	-	-	-	-	-	-	-	1	1	-
RHODE ISLAND -----	11	5	-	-	1	1	1	2	-	-	-	-
WHITE-----MALE----	7	3	-	-	1	1	1	1	-	-	-	-
FEMALE--	4	2	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	52	22	3	1	3	4	2	1	1	1	3	-
WHITE-----MALE----	15	7	2	1	1	1	-	-	-	-	-	-
FEMALE--	17	8	-	-	-	1	-	-	1	-	1	-
ALL OTHER--MALE----	8	5	-	-	1	1	-	-	-	-	-	-
FEMALE--	12	2	1	-	1	1	2	1	-	1	2	-
BLACK---MALE----	7	4	-	-	1	1	-	-	-	-	-	-
FEMALE--	11	2	1	-	1	1	1	1	-	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,609

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CONGENITAL ANOMALIES OF HEART (745-746)												
SOUTH DAKOTA -----	8	4	1	-	-	-	-	-	1	2	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	2	-	-	-	-	-	-	1	2	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	90	49	4	3	3	1	2	3	3	2	4	2
WHITE-----MALE----	38	21	3	1	1	1	1	1	-	1	2	1
FEMALE--	33	16	-	1	1	-	-	2	1	1	2	1
ALL OTHER--MALE----	8	4	1	1	-	-	1	-	1	-	-	-
FEMALE--	11	8	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	8	4	1	1	-	-	1	-	1	-	-	-
FEMALE--	11	8	-	-	1	-	-	-	1	-	-	-
TEXAS -----	332	163	21	9	6	12	6	10	9	11	7	13
WHITE-----MALE----	154	85	8	5	4	6	2	2	5	5	3	5
FEMALE--	128	60	7	3	1	2	2	6	2	6	3	4
ALL OTHER--MALE----	24	9	2	-	1	3	-	2	1	-	-	1
FEMALE--	26	9	4	1	-	1	2	-	1	-	1	3
BLACK---MALE----	22	8	2	-	1	3	-	1	1	-	-	1
FEMALE--	24	7	4	1	-	1	2	-	1	-	1	3
UTAH -----	42	19	1	2	2	2	1	3	2	-	1	1
WHITE-----MALE----	20	12	-	2	-	2	1	1	1	-	-	-
FEMALE--	19	6	-	-	2	-	-	1	1	-	1	1
ALL OTHER--MALE----	2	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	8	1	-	-	-	-	-	1	-	-	-	1
WHITE-----MALE----	4	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	81	36	7	-	2	2	1	5	3	2	4	1
WHITE-----MALE----	39	21	2	-	1	1	-	2	2	1	-	-
FEMALE--	26	7	4	-	-	1	1	2	-	1	2	-
ALL OTHER--MALE----	10	6	-	-	-	-	-	1	1	-	1	1
FEMALE--	6	2	1	-	1	-	-	-	-	-	1	-
BLACK---MALE----	9	6	-	-	-	-	-	-	1	-	1	1
FEMALE--	6	2	1	-	1	-	-	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,611

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)												
0 UNITED STATES --	46	32	30	49	59	62	46	42	14	5	1	-
WHITE-----MALE----	20	13	9	19	27	29	24	15	6	-	-	-
FEMALE--	20	14	14	23	18	28	15	22	7	4	-	-
ALL OTHER--MALE----	2	5	4	5	8	4	3	2	1	-	-	-
FEMALE--	4	-	3	2	6	1	4	3	-	1	1	-
BLACK---MALE----	2	4	3	4	7	3	3	2	-	-	-	-
FEMALE--	4	-	1	2	4	1	4	3	-	1	1	-
ALABAMA -----	2	-	-	1	1	1	2	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	2	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	-	-	-	-	-	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	-	-	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	4	3	5	5	10	9	5	4	2	-	-	-
WHITE-----MALE----	2	-	1	3	5	2	3	1	1	-	-	-
FEMALE--	2	3	1	2	1	6	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	2	1	-	-	1	-	-	-
FEMALE--	-	-	2	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,612

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)												
COLORADO -----	13	8	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	6	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	3	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	11	3	-	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	4	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	1	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	4	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	65	6	2	-	-	1	1	4	3	1	4	5
WHITE-----MALE----	32	1	-	-	-	-	-	3	1	-	3	3
FEMALE--	21	4	-	-	-	-	-	1	1	1	1	1
ALL OTHER--MALE----	5	-	2	-	-	-	-	-	-	-	-	1
FEMALE--	7	1	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	5	-	2	-	-	-	-	-	-	-	-	1
FEMALE--	7	1	-	-	-	1	1	-	1	-	-	-
GEORGIA -----	29	10	3	1	-	1	-	-	3	1	-	1
WHITE-----MALE----	9	3	1	-	-	1	-	-	1	-	-	-
FEMALE--	10	3	1	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	6	3	-	1	-	-	-	-	-	1	-	-
FEMALE--	4	1	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	6	3	-	1	-	-	-	-	-	1	-	-
FEMALE--	4	1	1	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,614

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)												
KENTUCKY -----	1	-	1	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	2	-	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	1	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	1	-	1	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	1	-	4	4	2	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	1	3	-	-	-	-	-	-	-
FEMALE--	-	1	-	3	-	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,618

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)												
SOUTH DAKOTA -----	-	-	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	-	1	1	2	1	2	3	-	-	-	-
WHITE-----MALE----	1	-	1	1	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
TEXAS -----	1	3	4	5	2	5	4	1	2	-	-	-
WHITE-----MALE----	1	1	2	1	1	3	4	-	2	-	-	-
FEMALE--	-	1	2	4	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	-	-	1	3	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,620

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL OTHER CONGENITAL ANOMALIES (743-744,748-759)												
0 UNITED STATES --	4,845	3,258	175	66	65	42	44	59	56	62	84	112
WHITE-----MALE----	2,094	1,390	77	25	32	21	20	27	25	30	34	61
FEMALE--	1,812	1,143	63	26	22	12	13	23	22	18	39	39
ALL OTHER--MALE----	490	373	19	8	7	5	6	7	7	11	8	6
FEMALE--	449	352	16	7	4	4	5	2	2	3	3	6
BLACK---MALE----	406	308	16	8	7	5	3	7	6	5	7	5
FEMALE--	384	300	12	6	3	4	3	1	2	3	2	6
ALABAMA -----	88	57	5	2	-	1	-	1	2	1	1	1
WHITE-----MALE----	40	25	2	-	-	1	-	-	1	-	1	1
FEMALE--	22	14	2	1	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	11	7	1	1	-	-	-	-	-	1	-	-
FEMALE--	15	11	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	7	1	1	-	-	-	-	-	1	-	-
FEMALE--	15	11	-	-	-	-	-	-	-	-	-	-
ALASKA -----	10	7	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	94	70	6	-	-	1	1	-	-	-	1	3
WHITE-----MALE----	48	33	5	-	-	-	1	-	-	-	-	1
FEMALE--	32	24	1	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	6	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	55	36	2	-	2	-	-	1	1	-	1	1
WHITE-----MALE----	23	17	1	-	-	-	-	-	-	-	-	1
FEMALE--	19	11	-	-	2	-	-	-	1	-	1	-
ALL OTHER--MALE----	5	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	4	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	5	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	4	1	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	606	425	23	10	7	5	5	9	3	13	9	9
WHITE-----MALE----	265	181	13	4	4	3	2	5	2	5	2	6
FEMALE--	235	169	5	5	2	1	1	3	1	1	5	3
ALL OTHER--MALE----	58	40	1	-	-	1	1	1	-	6	2	-
FEMALE--	48	35	4	1	1	-	1	-	-	1	-	-
BLACK---MALE----	28	21	-	-	-	1	-	1	-	1	1	-
FEMALE--	26	20	2	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,623

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL OTHER CONGENITAL ANOMALIES (743-744,748-759)												
KENTUCKY -----	87	55	1	3	1	2	4	1	-	-	1	4
WHITE-----MALE----	49	36	-	-	-	1	2	-	-	-	-	2
FEMALE--	29	13	1	2	1	-	2	-	-	-	1	2
ALL OTHER--MALE----	4	1	-	1	-	1	-	1	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	1	-	1	-	1	-	1	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	102	67	4	1	4	-	-	-	1	2	4	3
WHITE-----MALE----	33	18	2	-	1	-	-	-	-	1	3	1
FEMALE--	22	15	-	1	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	23	16	2	-	2	-	-	-	-	-	-	1
FEMALE--	24	18	-	-	1	-	-	-	1	1	-	1
BLACK---MALE----	23	16	2	-	2	-	-	-	-	-	-	1
FEMALE--	24	18	-	-	1	-	-	-	1	1	-	1
MAINE -----	21	11	1	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	9	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	7	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	72	44	1	1	2	-	-	-	3	4	1	4
WHITE-----MALE----	19	9	-	-	-	-	-	-	1	-	-	2
FEMALE--	26	14	-	1	2	-	-	-	1	3	1	-
ALL OTHER--MALE----	17	14	1	-	-	-	-	-	-	1	-	-
FEMALE--	10	7	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	15	12	1	-	-	-	-	-	-	1	-	-
FEMALE--	10	7	-	-	-	-	-	-	1	-	-	2
MASSACHUSETTS -----	79	45	4	1	3	-	-	3	1	-	-	3
WHITE-----MALE----	38	21	1	1	2	-	-	1	1	-	-	2
FEMALE--	37	20	3	-	1	-	-	2	-	-	-	1
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	180	114	5	2	3	3	2	2	5	3	2	6
WHITE-----MALE----	80	46	2	1	3	1	1	-	3	3	2	5
FEMALE--	57	36	2	-	-	1	-	-	1	-	-	1
ALL OTHER--MALE----	17	13	-	-	-	-	-	2	1	-	-	-
FEMALE--	26	19	1	1	-	1	1	-	-	-	-	-
BLACK---MALE----	17	13	-	-	-	-	-	2	1	-	-	-
FEMALE--	25	18	1	1	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,623

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER CONGENITAL ANOMALIES (743-744,748-759)												
KENTUCKY -----	1	1	4	3	1	-	3	1	1	-	-	-
WHITE-----MALE----	-	1	1	2	-	-	3	1	-	-	-	-
FEMALE--	1	-	3	1	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	3	4	2	1	1	1	-	1	1	-	-
WHITE-----MALE----	1	1	2	1	-	-	-	-	1	1	-	-
FEMALE--	1	1	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
MAINE -----	-	-	1	3	1	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	3	-	-	2	-	1	2	-	-	-	-
WHITE-----MALE----	2	2	-	-	2	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	2	2	4	4	1	1	2	-	3	-	-	-
WHITE-----MALE----	1	1	3	3	-	-	-	-	1	-	-	-
FEMALE--	1	1	1	1	1	1	2	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	5	6	2	6	2	5	6	1	-	-	-
WHITE-----MALE----	-	-	4	1	1	1	3	3	-	-	-	-
FEMALE--	-	5	2	1	4	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,627

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER CONGENITAL ANOMALIES (743-744,748-759)												
SOUTH DAKOTA -----	-	-	2	1	1	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	2	2	2	2	2	2	2	1	1	-	-
WHITE-----MALE----	-	-	2	2	-	1	1	1	-	-	-	-
FEMALE--	2	2	-	-	2	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	7	15	4	7	1	6	4	5	-	2	-	-
WHITE-----MALE----	4	7	2	2	1	3	1	2	-	-	-	-
FEMALE--	3	6	2	5	-	3	3	3	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
UTAH -----	2	1	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	2	1	2	1	1	2	-	2	-	-	-
WHITE-----MALE----	2	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	3	1	-	1	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,630

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
XV. CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)												
COLORADO -----	168	167	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	78	78	-	-	-	-	-	-	-	-	-	-
FEMALE--	66	66	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	12	1	-	-	-	-	-	-	-	-	-
FEMALE--	11	11	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	11	1	-	-	-	-	-	-	-	-	-
FEMALE--	8	8	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	175	173	1	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	72	71	1	-	-	-	-	-	-	-	-	-
FEMALE--	46	46	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	32	32	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	24	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	31	31	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	23	-	-	-	-	1	-	-	-	-	-
DELAWARE -----	43	43	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	11	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	16	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	16	16	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	60	60	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	32	32	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	23	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	32	32	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	23	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	661	653	5	2	-	1	-	-	-	-	-	-
WHITE-----MALE----	201	198	2	1	-	-	-	-	-	-	-	-
FEMALE--	150	148	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	174	173	1	-	-	-	-	-	-	-	-	-
FEMALE--	136	134	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	172	171	1	-	-	-	-	-	-	-	-	-
FEMALE--	132	131	1	-	-	-	-	-	-	-	-	-
GEORGIA -----	525	521	1	1	1	-	-	-	-	1	-	-
WHITE-----MALE----	111	111	-	-	-	-	-	-	-	-	-	-
FEMALE--	97	96	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	185	185	-	-	-	-	-	-	-	-	-	-
FEMALE--	132	129	1	1	-	-	-	-	-	1	-	-
BLACK---MALE----	183	183	-	-	-	-	-	-	-	-	-	-
FEMALE--	131	128	1	1	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,657

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-779)												
COLORADO -----	150	149	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	68	68	-	-	-	-	-	-	-	-	-	-
FEMALE--	58	58	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	12	1	-	-	-	-	-	-	-	-	-
FEMALE--	11	11	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	11	1	-	-	-	-	-	-	-	-	-
FEMALE--	8	8	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	155	154	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	66	66	-	-	-	-	-	-	-	-	-	-
FEMALE--	42	42	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	26	26	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	20	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	26	26	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	19	-	-	-	-	1	-	-	-	-	-
DELAWARE -----	41	41	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	11	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	16	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	16	16	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	9	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	51	51	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	26	26	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	20	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	26	26	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	20	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	575	570	3	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	162	161	1	-	-	-	-	-	-	-	-	-
FEMALE--	133	132	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	158	157	1	-	-	-	-	-	-	-	-	-
FEMALE--	122	120	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	156	155	1	-	-	-	-	-	-	-	-	-
FEMALE--	119	118	1	-	-	-	-	-	-	-	-	-
GEORGIA -----	440	436	1	1	1	-	-	-	-	1	-	-
WHITE-----MALE----	90	90	-	-	-	-	-	-	-	-	-	-
FEMALE--	79	78	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	160	160	-	-	-	-	-	-	-	-	-	-
FEMALE--	111	108	1	1	-	-	-	-	-	1	-	-
BLACK---MALE----	158	158	-	-	-	-	-	-	-	-	-	-
FEMALE--	110	107	1	1	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,665

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
0 UNITED STATES --	25,752	3,773	241	79	92	280	371	488	659	955	1,099	1,046
WHITE-----MALE----	10,244	1,500	101	27	37	145	191	248	320	481	556	473
FEMALE--	10,546	928	58	21	34	65	77	93	162	224	266	263
ALL OTHER--MALE----	2,821	768	45	19	8	52	69	99	117	168	194	206
FEMALE--	2,141	577	37	12	13	18	34	48	60	82	83	104
BLACK---MALE----	2,560	694	43	15	7	47	64	91	100	152	183	194
FEMALE--	1,945	512	34	11	13	18	27	42	54	78	74	99
ALABAMA -----	1,258	78	8	4	6	10	14	23	17	36	40	49
WHITE-----MALE----	379	22	3	-	-	4	4	9	7	17	18	15
FEMALE--	452	20	-	1	2	-	3	4	3	7	9	11
ALL OTHER--MALE----	230	27	3	2	2	5	5	4	4	10	7	17
FEMALE--	197	9	2	1	2	1	2	6	3	2	6	6
BLACK---MALE----	230	27	3	2	2	5	5	4	4	10	7	17
FEMALE--	197	9	2	1	2	1	2	6	3	2	6	6
ALASKA -----	35	11	-	-	-	-	-	1	3	1	-	-
WHITE-----MALE----	10	2	-	-	-	-	-	-	1	1	-	-
FEMALE--	8	2	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	7	3	-	-	-	-	-	-	1	-	-	-
FEMALE--	10	4	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	207	45	2	4	-	5	5	6	5	9	10	12
WHITE-----MALE----	94	21	1	2	-	1	1	3	5	6	7	5
FEMALE--	83	13	1	-	-	-	3	2	-	1	3	5
ALL OTHER--MALE----	21	7	-	2	-	4	1	-	-	1	-	1
FEMALE--	9	4	-	-	-	-	-	1	-	1	-	1
BLACK---MALE----	4	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	766	41	2	-	1	1	5	2	9	8	18	23
WHITE-----MALE----	324	18	1	-	1	1	2	2	5	5	12	14
FEMALE--	314	10	1	-	-	-	2	-	3	2	1	4
ALL OTHER--MALE----	67	5	-	-	-	-	-	-	1	-	3	4
FEMALE--	61	8	-	-	-	-	1	-	-	1	2	1
BLACK---MALE----	64	5	-	-	-	-	-	-	1	-	3	4
FEMALE--	61	8	-	-	-	-	1	-	-	1	2	1
CALIFORNIA -----	1,338	390	20	7	11	30	37	45	84	107	106	102
WHITE-----MALE----	660	164	11	2	5	19	18	28	49	61	55	47
FEMALE--	409	116	4	3	4	9	12	6	17	30	33	28
ALL OTHER--MALE----	172	65	4	2	2	2	3	8	14	8	13	20
FEMALE--	97	45	1	-	-	-	4	3	4	8	5	7
BLACK---MALE----	120	53	3	-	1	2	2	4	11	4	10	17
FEMALE--	65	30	-	-	-	-	2	1	3	7	4	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,665
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
UNITED STATES --	833	851	974	1,236	1,644	2,072	2,391	2,531	2,290	1,227	542	78
WHITE-----MALE----	449	421	488	653	761	919	896	716	518	227	66	51
FEMALE--	191	233	278	391	654	908	1,234	1,578	1,561	889	420	18
ALL OTHER--MALE----	129	135	127	124	126	131	102	86	65	34	9	8
FEMALE--	64	62	81	68	103	114	159	151	146	77	47	1
BLACK---MALE----	119	127	120	109	110	115	91	74	59	30	8	8
FEMALE--	62	57	76	57	96	107	143	141	132	69	43	-
ALABAMA -----	39	64	72	96	108	125	154	128	125	49	13	-
WHITE-----MALE----	16	27	27	35	36	47	41	26	22	2	1	-
FEMALE--	11	16	17	28	39	40	67	67	69	30	8	-
ALL OTHER--MALE----	8	18	14	22	16	18	18	11	12	6	1	-
FEMALE--	4	3	14	11	17	20	28	24	22	11	3	-
BLACK---MALE----	8	18	14	22	16	18	18	11	12	6	1	-
FEMALE--	4	3	14	11	17	20	28	24	22	11	3	-
ALASKA -----	1	-	-	3	2	2	4	1	3	2	1	-
WHITE-----MALE----	1	-	-	1	-	1	-	1	2	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	9	8	6	4	6	8	10	13	19	10	2	9
WHITE-----MALE----	4	4	4	2	3	2	6	4	4	2	-	7
FEMALE--	5	1	2	1	2	6	3	9	15	8	2	1
ALL OTHER--MALE----	-	2	-	1	1	-	-	-	-	-	-	1
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	27	30	43	74	64	86	111	103	78	24	15	1
WHITE-----MALE----	17	17	23	38	29	43	38	29	24	3	2	-
FEMALE--	3	10	12	22	22	34	61	58	45	16	7	1
ALL OTHER--MALE----	3	2	6	10	6	7	7	5	6	2	-	-
FEMALE--	4	1	2	4	7	2	5	11	3	3	6	-
BLACK---MALE----	2	2	6	9	6	7	7	4	6	2	-	-
FEMALE--	4	1	2	4	7	2	5	11	3	3	6	-
CALIFORNIA -----	72	49	50	35	35	42	36	23	16	4	4	33
WHITE-----MALE----	45	26	27	18	19	17	14	10	4	1	-	20
FEMALE--	17	13	16	15	9	19	19	10	11	3	4	11
ALL OTHER--MALE----	7	6	4	1	5	1	3	2	1	-	-	1
FEMALE--	3	4	3	1	2	5	-	1	-	-	-	1
BLACK---MALE----	4	4	3	-	1	-	-	-	-	-	-	1
FEMALE--	3	2	2	-	2	4	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,666

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
COLORADO -----	544	72	6	1	3	11	14	12	23	35	34	31
WHITE-----MALE----	296	48	4	-	2	5	11	5	17	28	18	17
FEMALE--	208	18	1	1	1	5	2	6	3	6	11	7
ALL OTHER--MALE----	23	3	-	-	-	1	-	1	2	1	3	4
FEMALE--	17	3	1	-	-	-	1	-	1	-	2	3
BLACK---MALE----	22	3	-	-	-	1	-	1	2	1	3	4
FEMALE--	15	3	-	-	-	-	1	-	1	-	2	3
CONNECTICUT -----	326	24	4	1	1	2	10	16	27	28	37	23
WHITE-----MALE----	157	12	1	-	1	1	6	9	13	21	20	10
FEMALE--	139	7	3	-	-	1	3	3	12	3	13	12
ALL OTHER--MALE----	19	5	-	1	-	-	1	2	1	3	1	-
FEMALE--	11	-	-	-	-	-	-	2	1	1	3	1
BLACK---MALE----	19	5	-	1	-	-	1	2	1	3	1	-
FEMALE--	11	-	-	-	-	-	-	2	1	1	3	1
DELAWARE -----	46	7	1	-	-	-	-	-	2	-	3	4
WHITE-----MALE----	17	2	-	-	-	-	-	-	2	-	3	3
FEMALE--	18	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	4	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	3	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	134	17	2	-	-	2	1	4	5	10	21	20
WHITE-----MALE----	13	-	1	-	-	-	-	-	-	1	1	1
FEMALE--	6	1	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	74	11	-	-	-	1	1	2	3	5	14	15
FEMALE--	41	5	1	-	-	1	-	2	2	2	6	4
BLACK---MALE----	74	11	-	-	-	1	1	2	3	5	14	15
FEMALE--	41	5	1	-	-	1	-	2	2	2	6	4
FLORIDA -----	2,647	171	9	2	4	8	13	23	24	51	64	64
WHITE-----MALE----	996	67	3	-	2	5	7	11	11	23	35	29
FEMALE--	1,353	45	2	1	1	2	2	8	8	16	18	15
ALL OTHER--MALE----	166	31	4	1	1	1	3	3	3	9	9	18
FEMALE--	132	28	-	-	-	-	1	1	2	3	2	2
BLACK---MALE----	161	30	4	1	1	1	2	3	3	9	9	18
FEMALE--	125	27	-	-	-	-	-	1	2	3	2	2
GEORGIA -----	831	140	7	-	-	4	11	6	5	15	24	26
WHITE-----MALE----	233	40	4	-	-	-	2	4	1	5	7	10
FEMALE--	318	31	-	-	-	2	4	-	1	1	6	4
ALL OTHER--MALE----	142	40	-	-	-	1	3	1	2	5	9	9
FEMALE--	138	29	3	-	-	1	2	1	1	4	2	3
BLACK---MALE----	141	39	-	-	-	1	3	1	2	5	9	9
FEMALE--	134	29	3	-	-	1	2	1	1	4	2	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,666

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
COLORADO -----	31	28	20	23	29	36	32	39	41	15	7	1
WHITE-----MALE----	21	16	14	12	21	16	14	15	8	2	1	1
FEMALE--	6	10	3	10	7	20	17	23	32	13	6	-
ALL OTHER--MALE----	2	2	3	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	1	1	1	-	-	-
BLACK---MALE----	2	2	3	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	1	1	-	-	-
CONNECTICUT -----	14	10	4	12	10	21	22	23	18	14	5	-
WHITE-----MALE----	7	3	2	6	5	11	11	8	6	4	-	-
FEMALE--	5	3	1	6	5	10	10	15	12	10	5	-
ALL OTHER--MALE----	1	3	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	3	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	-	3	3	9	1	-	5	3	2	-	-
WHITE-----MALE----	1	-	-	2	3	-	-	-	1	-	-	-
FEMALE--	2	-	1	1	4	-	-	4	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	2	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	2	-	2	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	11	8	5	6	6	3	7	3	1	1	-	1
WHITE-----MALE----	-	1	2	1	1	1	2	-	-	-	-	1
FEMALE--	-	1	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	7	5	1	4	3	-	1	1	-	-	-	-
FEMALE--	4	1	2	1	2	2	2	2	1	1	-	-
BLACK---MALE----	7	5	1	4	3	-	1	1	-	-	-	-
FEMALE--	4	1	2	1	2	2	2	2	1	1	-	-
FLORIDA -----	51	67	86	96	182	232	357	431	419	212	69	12
WHITE-----MALE----	31	25	51	58	83	100	153	134	99	50	10	9
FEMALE--	9	19	22	29	78	112	182	273	303	151	56	1
ALL OTHER--MALE----	6	13	7	7	11	11	7	9	4	5	1	2
FEMALE--	5	10	6	2	10	9	15	15	13	6	2	-
BLACK---MALE----	6	12	7	7	11	11	6	8	4	5	1	2
FEMALE--	4	10	6	1	10	8	14	14	13	6	2	-
GEORGIA -----	23	21	32	50	52	85	79	100	86	50	15	-
WHITE-----MALE----	5	9	9	21	21	27	32	21	10	4	1	-
FEMALE--	6	3	8	11	17	33	30	61	57	33	10	-
ALL OTHER--MALE----	8	5	10	10	6	15	4	2	9	2	1	-
FEMALE--	4	4	5	8	8	10	13	16	10	11	3	-
BLACK---MALE----	8	5	10	10	6	15	4	2	9	2	1	-
FEMALE--	4	4	5	6	7	10	13	16	10	10	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,667

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49

XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	79	10	1	-	-	-	1	-	2	4	4	2
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	10	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	34	7	1	-	-	-	-	-	1	1	1	2
FEMALE--	25	3	-	-	-	-	-	-	1	-	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	93	22	1	-	-	2	2	1	2	-	1	-
WHITE-----MALE----	50	13	1	-	-	1	2	1	2	-	1	-
FEMALE--	39	7	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,794	235	18	13	14	73	62	86	97	132	156	134
WHITE-----MALE----	791	72	7	6	5	45	40	38	50	58	81	66
FEMALE--	530	41	6	3	4	15	11	12	23	26	30	23
ALL OTHER--MALE----	289	71	3	3	2	10	7	28	17	28	33	26
FEMALE--	184	51	2	1	3	3	4	8	7	20	12	19
BLACK---MALE----	287	71	3	3	2	10	7	27	16	28	33	26
FEMALE--	181	50	2	1	3	3	4	8	7	20	11	19
INDIANA -----	555	104	9	3	-	12	3	12	14	29	37	37
WHITE-----MALE----	233	49	7	1	-	6	2	8	9	13	21	18
FEMALE--	258	30	2	1	-	3	-	3	2	11	10	13
ALL OTHER--MALE----	44	15	-	1	-	3	1	1	2	4	3	4
FEMALE--	20	10	-	-	-	-	-	-	1	1	3	2
BLACK---MALE----	42	14	-	1	-	3	1	1	2	4	3	3
FEMALE--	19	9	-	-	-	-	-	-	1	1	3	2
IOWA -----	182	31	1	-	1	2	2	-	-	2	3	3
WHITE-----MALE----	71	17	1	-	-	-	1	-	-	2	1	2
FEMALE--	105	10	-	-	1	2	1	-	-	-	1	1
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	-	-	-	-	-	-	-	1	-
KANSAS -----	395	42	4	-	-	-	2	2	2	3	6	10
WHITE-----MALE----	157	18	3	-	-	-	2	1	1	3	3	6
FEMALE--	198	16	1	-	-	-	-	1	-	-	2	-
ALL OTHER--MALE----	28	6	-	-	-	-	-	-	-	-	1	4
FEMALE--	12	2	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	28	6	-	-	-	-	-	-	-	-	1	4
FEMALE--	11	2	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,667

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
HAWAII -----	1	3	2	3	7	10	5	9	8	6	1	-
WHITE-----MALE----	-	2	-	-	1	2	-	1	-	1	-	-
FEMALE--	-	1	-	-	1	2	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	2	2	3	4	3	3	2	2	-	-
FEMALE--	1	-	-	1	2	2	1	4	5	2	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	3	4	6	4	10	7	14	9	5	-
WHITE-----MALE----	-	-	3	4	4	1	9	2	3	2	1	-
FEMALE--	-	-	-	-	2	2	1	5	11	6	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	66	67	62	81	91	94	104	80	67	42	18	2
WHITE-----MALE----	27	36	32	47	48	48	33	30	13	5	3	1
FEMALE--	19	13	18	21	31	36	61	44	45	33	14	1
ALL OTHER--MALE----	14	12	6	8	7	8	3	2	1	-	-	-
FEMALE--	6	6	6	5	5	2	7	4	8	4	1	-
BLACK---MALE----	14	12	6	8	7	8	3	2	1	-	-	-
FEMALE--	6	6	6	5	5	2	6	4	8	4	1	-
INDIANA -----	22	10	13	20	28	29	45	46	31	34	16	1
WHITE-----MALE----	14	4	5	9	12	11	21	14	3	4	2	-
FEMALE--	7	3	7	9	15	18	24	27	28	30	14	1
ALL OTHER--MALE----	1	3	-	-	1	-	-	5	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	-	-	-	-	-
BLACK---MALE----	1	3	-	-	1	-	-	5	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	-	-	-	-	-
IOWA -----	-	3	7	10	5	11	23	12	28	18	20	-
WHITE-----MALE----	-	1	4	6	1	6	11	3	7	5	3	-
FEMALE--	-	2	3	3	4	5	12	9	21	13	17	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
KANSAS -----	11	16	14	25	27	30	38	55	48	43	17	-
WHITE-----MALE----	8	6	9	17	14	18	11	12	14	8	3	-
FEMALE--	1	3	3	4	9	10	25	42	33	34	14	-
ALL OTHER--MALE----	1	4	2	4	3	2	-	1	-	-	-	-
FEMALE--	1	3	-	-	1	-	2	-	1	1	-	-
BLACK---MALE----	1	4	2	4	3	2	-	1	-	-	-	-
FEMALE--	1	3	-	-	1	-	2	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,668

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
KENTUCKY -----	302	57	3	3	-	2	4	6	9	11	10	8
WHITE-----MALE----	150	34	1	-	-	1	3	3	6	8	4	5
FEMALE--	123	16	-	2	-	-	1	-	1	1	5	2
ALL OTHER--MALE----	17	5	2	-	-	1	-	1	1	2	1	1
FEMALE--	12	2	-	1	-	-	-	2	1	-	-	-
BLACK---MALE----	17	5	2	-	-	1	-	1	1	2	1	1
FEMALE--	12	2	-	1	-	-	-	2	1	-	-	-
LOUISIANA -----	523	86	2	2	1	4	3	4	8	4	17	7
WHITE-----MALE----	157	25	2	1	1	2	2	2	1	2	7	1
FEMALE--	189	6	-	-	-	1	1	-	3	1	3	1
ALL OTHER--MALE----	83	22	-	1	-	1	-	2	2	-	6	2
FEMALE--	94	33	-	-	-	-	-	-	2	1	1	3
BLACK---MALE----	82	22	-	1	-	1	-	2	2	-	6	2
FEMALE--	94	33	-	-	-	-	-	-	2	1	1	3
MAINE -----	95	11	2	1	-	-	-	1	-	1	1	-
WHITE-----MALE----	31	6	1	1	-	-	-	1	-	1	1	-
FEMALE--	64	5	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	230	66	5	-	1	2	6	8	12	15	21	18
WHITE-----MALE----	57	15	2	-	1	1	-	1	1	3	8	3
FEMALE--	58	11	-	-	-	-	1	2	3	-	5	3
ALL OTHER--MALE----	69	21	-	-	-	-	5	3	7	7	8	8
FEMALE--	46	19	3	-	-	1	-	2	1	5	-	4
BLACK---MALE----	68	21	-	-	-	-	5	3	7	7	8	8
FEMALE--	46	19	3	-	-	1	-	2	1	5	-	4
MASSACHUSETTS -----	486	36	1	-	1	-	4	8	11	12	12	5
WHITE-----MALE----	180	17	1	-	-	-	4	6	4	6	7	5
FEMALE--	266	8	-	-	1	-	-	1	4	4	2	-
ALL OTHER--MALE----	22	6	-	-	-	-	-	1	2	1	2	-
FEMALE--	18	5	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	18	4	-	-	-	-	-	1	1	1	2	-
FEMALE--	17	5	-	-	-	-	-	-	1	1	1	-
MICHIGAN -----	411	151	5	1	1	5	5	10	20	8	21	14
WHITE-----MALE----	145	56	-	-	1	2	2	4	12	4	9	2
FEMALE--	123	23	-	-	-	1	2	2	4	1	6	-
ALL OTHER--MALE----	77	41	2	-	-	1	1	2	2	1	3	5
FEMALE--	66	31	3	1	-	1	-	2	2	2	3	7
BLACK---MALE----	74	39	2	-	-	1	1	2	2	-	3	5
FEMALE--	65	31	3	1	-	1	-	2	2	2	3	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,668

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
KENTUCKY -----	7	11	6	15	21	23	21	44	20	10	10	1
WHITE-----MALE----	5	8	4	8	11	14	10	14	7	2	1	1
FEMALE--	-	2	1	6	9	8	11	30	12	7	9	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	2	1	-	1	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	2	1	-	1	-	-	-	-	1	1	-	-
LOUISIANA -----	10	17	24	21	48	48	74	56	47	28	12	-
WHITE-----MALE----	5	10	9	8	20	16	17	15	7	3	1	-
FEMALE--	3	1	4	8	13	18	40	28	31	19	8	-
ALL OTHER--MALE----	2	3	9	3	9	5	8	5	2	-	1	-
FEMALE--	-	3	2	2	6	9	9	8	7	6	2	-
BLACK---MALE----	2	3	9	2	9	5	8	5	2	-	1	-
FEMALE--	-	3	2	2	6	9	9	8	7	6	2	-
MAINE -----	1	-	2	6	6	10	11	15	16	6	5	-
WHITE-----MALE----	-	-	-	3	1	7	4	3	1	-	1	-
FEMALE--	1	-	2	3	5	3	7	12	15	6	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	8	7	3	6	5	10	13	11	8	3	2	-
WHITE-----MALE----	3	3	1	2	1	4	4	2	1	1	-	-
FEMALE--	2	1	1	1	1	4	7	7	5	2	2	-
ALL OTHER--MALE----	3	2	-	2	2	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	1	2	2	2	-	-	-
BLACK---MALE----	2	2	-	2	2	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	1	2	2	2	-	-	-
MASSACHUSETTS -----	19	3	16	20	36	45	65	76	69	28	19	-
WHITE-----MALE----	9	2	8	11	16	19	22	17	16	5	5	-
FEMALE--	8	1	3	8	19	23	42	57	50	22	13	-
ALL OTHER--MALE----	2	-	2	-	1	2	1	-	1	1	-	-
FEMALE--	-	-	3	1	-	1	-	2	2	-	1	-
BLACK---MALE----	2	-	2	-	1	2	-	-	1	1	-	-
FEMALE--	-	-	3	-	-	1	-	2	2	-	1	-
MICHIGAN -----	8	12	13	12	13	17	14	28	28	15	8	2
WHITE-----MALE----	2	3	5	7	4	10	5	9	6	-	1	1
FEMALE--	2	6	4	2	5	3	8	12	20	15	7	-
ALL OTHER--MALE----	4	3	2	-	2	2	-	4	1	-	-	1
FEMALE--	-	-	2	3	2	2	1	3	1	-	-	-
BLACK---MALE----	4	3	2	-	2	2	-	4	1	-	-	1
FEMALE--	-	-	2	3	2	1	1	3	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,671

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49

XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	1,740	200	32	8	13	38	43	39	64	99	121	117
WHITE-----MALE----	781	82	11	4	4	21	23	20	34	55	65	57
FEMALE--	600	61	8	2	6	3	3	5	14	20	29	32
ALL OTHER--MALE----	219	35	7	2	1	10	12	9	12	19	19	18
FEMALE--	140	22	6	-	2	4	5	5	4	5	8	10
BLACK---MALE----	215	35	7	2	1	10	12	9	12	19	19	18
FEMALE--	139	22	6	-	2	4	4	5	4	5	8	10
OKLAHOMA -----	284	68	4	2	1	1	5	4	6	22	29	12
WHITE-----MALE----	118	28	1	2	-	-	2	2	4	13	18	4
FEMALE--	118	17	3	-	1	1	2	1	-	6	7	8
ALL OTHER--MALE----	23	8	-	-	-	-	1	1	2	2	3	-
FEMALE--	25	15	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	12	5	-	-	-	-	1	1	-	1	2	-
FEMALE--	14	7	-	-	-	-	-	-	-	1	-	-
OREGON -----	627	43	1	1	1	1	3	1	2	7	9	11
WHITE-----MALE----	273	25	1	-	-	-	1	1	1	5	4	4
FEMALE--	330	14	-	1	1	1	1	-	-	2	4	6
ALL OTHER--MALE----	12	2	-	-	-	-	-	-	-	-	1	1
FEMALE--	12	2	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	5	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,667	126	10	3	2	7	18	18	18	29	37	40
WHITE-----MALE----	697	47	2	1	-	5	5	14	6	13	22	27
FEMALE--	762	32	5	-	2	1	5	4	7	10	8	5
ALL OTHER--MALE----	112	26	2	1	-	-	5	-	4	3	6	5
FEMALE--	96	21	1	1	-	1	3	-	1	3	1	3
BLACK---MALE----	105	26	2	1	-	-	5	-	3	3	6	5
FEMALE--	91	20	1	1	-	1	3	-	1	3	1	3
RHODE ISLAND -----	57	11	1	1	-	2	1	1	3	1	4	4
WHITE-----MALE----	25	6	-	-	-	-	1	1	2	1	1	1
FEMALE--	28	3	-	1	-	2	-	-	1	-	3	2
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	1
SSOUTH CAROLINA -----	296	57	4	1	4	1	1	7	9	17	9	11
WHITE-----MALE----	93	15	1	1	1	-	-	4	3	8	4	4
FEMALE--	76	10	-	-	2	-	-	1	-	2	-	1
ALL OTHER--MALE----	66	23	2	-	-	-	1	1	3	4	5	3
FEMALE--	61	9	1	-	1	1	-	1	3	3	-	3
BLACK---MALE----	65	22	2	-	-	-	1	1	3	4	5	3
FEMALE--	61	9	1	-	1	1	-	1	3	3	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,671

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
OHIO -----	78	67	76	104	108	141	115	120	89	53	14	1
WHITE-----MALE----	45	33	38	50	51	75	41	39	22	9	1	1
FEMALE--	15	14	17	40	39	54	58	73	56	40	11	-
ALL OTHER--MALE----	14	14	12	8	7	5	6	4	3	2	-	-
FEMALE--	4	6	9	6	11	7	10	4	8	2	2	-
BLACK---MALE----	13	13	12	8	7	5	6	2	3	2	-	-
FEMALE--	4	6	9	6	11	7	10	4	8	2	2	-
OKLAHOMA -----	8	11	4	8	11	14	24	18	12	13	7	-
WHITE-----MALE----	6	4	1	3	6	5	10	6	2	1	-	-
FEMALE--	1	5	2	4	5	9	13	9	10	10	4	-
ALL OTHER--MALE----	1	2	1	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	2	3	-
BLACK---MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	2	2	-
OREGON -----	14	18	39	30	58	75	83	90	72	46	22	-
WHITE-----MALE----	12	9	22	23	32	33	34	26	21	17	2	-
FEMALE--	2	9	16	4	24	41	45	62	49	28	20	-
ALL OTHER--MALE----	-	-	-	3	1	1	2	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	2	2	1	1	-	-
BLACK---MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
PENNSYLVANIA -----	41	78	84	135	159	211	226	201	141	65	17	1
WHITE-----MALE----	26	49	47	74	60	109	91	50	34	12	3	-
FEMALE--	7	16	27	48	90	91	123	134	92	45	10	-
ALL OTHER--MALE----	5	8	5	12	6	6	4	6	4	2	1	1
FEMALE--	3	5	5	1	3	5	8	11	11	6	3	-
BLACK---MALE----	4	8	5	9	6	5	4	6	3	2	1	1
FEMALE--	3	4	5	1	3	5	8	10	10	5	3	-
RHODE ISLAND -----	4	-	2	1	3	3	7	3	2	2	-	1
WHITE-----MALE----	1	-	1	1	1	1	3	1	1	1	-	1
FEMALE--	3	-	1	-	2	2	4	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	18	12	6	9	18	23	30	23	23	10	3	-
WHITE-----MALE----	7	5	2	6	7	7	9	4	3	1	1	-
FEMALE--	1	4	1	1	6	4	9	14	13	6	1	-
ALL OTHER--MALE----	5	3	2	2	2	7	3	-	-	-	-	-
FEMALE--	5	-	1	-	3	5	9	5	7	3	1	-
BLACK---MALE----	5	3	2	2	2	7	3	-	-	-	-	-
FEMALE--	5	-	1	-	3	5	9	5	7	3	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,672

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
SOUTH DAKOTA -----	76	15	1	-	-	1	-	2	2	1	2	1
WHITE-----MALE----	28	6	1	-	-	-	-	1	1	1	-	-
FEMALE--	36	3	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	8	3	-	-	-	1	-	-	1	-	1	1
FEMALE--	4	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	774	108	5	1	1	3	7	4	15	20	17	24
WHITE-----MALE----	291	40	2	-	-	2	5	3	7	10	6	9
FEMALE--	329	22	2	-	-	-	-	-	3	5	5	9
ALL OTHER--MALE----	81	27	1	-	-	1	1	-	5	1	2	5
FEMALE--	73	19	-	1	1	-	1	1	-	4	4	1
BLACK---MALE----	79	26	1	-	-	1	1	-	5	1	2	5
FEMALE--	72	19	-	1	1	-	1	1	-	4	3	1
TEXAS -----	1,018	298	9	2	3	7	16	23	35	32	32	35
WHITE-----MALE----	465	143	4	-	2	5	11	12	17	13	21	14
FEMALE--	395	88	2	-	1	1	3	9	12	11	6	11
ALL OTHER--MALE----	100	44	1	-	-	1	2	2	5	8	3	4
FEMALE--	58	23	2	2	-	-	-	-	1	-	2	6
BLACK---MALE----	99	43	1	-	-	1	2	2	5	8	3	4
FEMALE--	55	21	2	2	-	-	-	-	1	-	2	6
UTAH -----	289	41	3	-	1	1	2	7	-	9	9	7
WHITE-----MALE----	141	22	3	-	1	1	-	3	-	7	7	5
FEMALE--	133	17	-	-	-	-	1	4	-	-	2	1
ALL OTHER--MALE----	11	1	-	-	-	-	-	-	-	2	-	1
FEMALE--	4	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	24	5	-	-	-	-	1	-	-	-	-	2
WHITE-----MALE----	9	4	-	-	-	-	1	-	-	-	-	1
FEMALE--	15	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	657	90	8	-	2	5	2	11	7	21	18	13
WHITE-----MALE----	212	32	2	-	-	2	-	3	3	11	7	5
FEMALE--	293	22	1	-	2	2	-	2	1	4	5	3
ALL OTHER--MALE----	76	22	3	-	-	-	1	3	2	4	4	3
FEMALE--	76	14	2	-	-	1	1	3	1	2	2	2
BLACK---MALE----	70	20	3	-	-	-	1	2	2	4	4	3
FEMALE--	73	13	2	-	-	1	1	3	1	2	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,672

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
SOUTH DAKOTA -----	3	1	1	4	4	5	7	4	10	7	5	-
WHITE-----MALE----	2	-	1	1	3	-	5	2	3	-	1	-
FEMALE--	1	1	-	2	1	4	2	2	7	7	4	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	28	41	46	37	53	88	64	88	77	30	17	-
WHITE-----MALE----	20	23	21	20	25	32	23	20	12	9	2	-
FEMALE--	5	12	18	12	19	42	33	61	54	14	13	-
ALL OTHER--MALE----	2	3	5	4	5	4	4	1	7	3	-	-
FEMALE--	1	3	2	1	4	10	4	6	4	4	2	-
BLACK---MALE----	2	3	5	4	5	4	4	1	6	3	-	-
FEMALE--	1	3	2	1	4	10	4	6	4	4	2	-
TEXAS -----	36	29	33	34	53	52	49	67	92	48	28	5
WHITE-----MALE----	25	12	19	20	33	22	21	25	30	11	2	3
FEMALE--	7	14	7	12	13	28	23	34	55	33	23	2
ALL OTHER--MALE----	3	2	7	2	4	1	4	4	2	1	-	-
FEMALE--	1	1	-	-	3	1	1	4	5	3	3	-
BLACK---MALE----	3	2	7	2	4	1	4	4	2	1	-	-
FEMALE--	1	1	-	-	2	1	1	4	5	3	3	-
UTAH -----	11	7	19	17	27	35	28	32	17	11	5	-
WHITE-----MALE----	5	3	10	11	17	16	13	7	8	2	-	-
FEMALE--	5	4	7	5	9	18	15	24	9	7	5	-
ALL OTHER--MALE----	1	-	1	1	1	1	-	-	-	2	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
VERMONT -----	1	-	1	1	2	1	1	3	3	2	1	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	-	-	1	-	2	1	1	3	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	19	19	23	26	48	76	80	71	77	24	17	-
WHITE-----MALE----	8	3	10	15	15	30	23	18	17	6	2	-
FEMALE--	7	11	7	8	25	35	37	45	49	16	11	-
ALL OTHER--MALE----	1	4	4	-	6	4	8	2	3	1	1	-
FEMALE--	3	1	2	3	2	7	12	6	8	1	3	-
BLACK---MALE----	1	4	4	-	6	3	6	2	3	1	1	-
FEMALE--	3	1	2	3	2	7	11	6	7	1	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,675

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SENILITY WITHOUT MENTION OF PSYCHOSIS (797)												
COLORADO -----	-	-	-	-	-	-	2	5	7	4	4	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	5	6	4	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	1	5	2	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	4	10	21	58	109	235	291	336	168	51	-
WHITE-----MALE----	-	1	3	12	25	47	104	82	71	44	7	-
FEMALE--	1	3	6	6	26	53	120	196	254	118	43	-
ALL OTHER--MALE----	-	-	-	3	2	5	5	6	3	2	-	-
FEMALE--	-	-	1	-	5	4	6	7	8	4	1	-
BLACK---MALE----	-	-	-	3	2	5	4	6	3	2	-	-
FEMALE--	-	-	1	-	5	3	5	6	8	4	1	-
GEORGIA -----	-	-	-	-	7	25	26	39	43	28	8	-
WHITE-----MALE----	-	-	-	-	3	8	10	10	5	1	-	-
FEMALE--	-	-	-	-	1	14	9	20	31	24	6	-
ALL OTHER--MALE----	-	-	-	-	-	2	2	-	2	-	-	-
FEMALE--	-	-	-	-	3	1	5	9	5	3	2	-
BLACK---MALE----	-	-	-	-	-	2	2	-	2	-	-	-
FEMALE--	-	-	-	-	2	1	5	9	5	3	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,680

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SENILITY WITHOUT MENTION OF PSYCHOSIS (797)												
OHIO -----	-	-	-	-	-	6	8	11	21	22	6	-
WHITE-----MALE----	-	-	-	-	-	5	1	1	6	4	1	-
FEMALE--	-	-	-	-	-	1	7	10	14	17	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	1	-
OKLAHOMA -----	-	-	-	-	-	-	3	1	-	6	5	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	1	-	5	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	2	-
OREGON -----	-	-	-	1	1	-	3	8	12	10	4	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	3	4	-	-
FEMALE--	-	-	-	-	1	-	3	8	9	5	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	-	-	-	6	6	15	9	3	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	1	1	1	-
FEMALE--	-	-	-	-	-	-	5	4	7	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	2	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	5	2	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	2	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	5	2	1	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	1	1	7	7	11	5	2	-
WHITE-----MALE----	-	-	-	-	1	1	1	1	2	-	1	-
FEMALE--	-	-	-	-	-	-	4	5	6	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	3	2	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	3	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,681

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SENILITY WITHOUT MENTION OF PSYCHOSIS (797)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	1	7	3	4	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	2	-	1	-
FEMALE--	-	-	-	-	-	-	-	1	5	3	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	-	1	1	6	7	7	8	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	6	6	5	7	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	1	-
TEXAS -----	-	-	-	-	-	1	3	7	17	10	12	-
WHITE-----MALE----	-	-	-	-	-	1	1	2	6	1	-	-
FEMALE--	-	-	-	-	-	-	2	5	11	8	11	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	1	-
UTAH -----	-	-	-	-	3	7	6	10	7	8	4	-
WHITE-----MALE----	-	-	-	-	2	3	1	2	4	1	-	-
FEMALE--	-	-	-	-	1	4	5	8	3	5	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	-	2	6	9	22	7	7	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	3	1	-	-
FEMALE--	-	-	-	-	-	1	2	8	16	6	6	-
ALL OTHER--MALE----	-	-	-	-	-	1	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	2	-	1	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,683

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	23,025	3,773	241	79	92	280	371	488	659	954	1,099	1,045
WHITE-----MALE----	9,574	1,500	101	27	37	145	191	248	320	481	556	473
FEMALE--	8,705	928	58	21	34	65	77	93	162	224	266	263
ALL OTHER--MALE----	2,754	768	45	19	8	52	69	99	117	167	194	206
FEMALE--	1,992	577	37	12	13	18	34	48	60	82	83	103
BLACK---MALE----	2,501	694	43	15	7	47	64	91	100	151	183	194
FEMALE--	1,815	512	34	11	13	18	27	42	54	78	74	98
ALABAMA -----	1,208	78	8	4	6	10	14	23	17	36	40	49
WHITE-----MALE----	377	22	3	-	-	4	4	9	7	17	18	15
FEMALE--	419	20	-	1	2	-	3	4	3	7	9	11
ALL OTHER--MALE----	226	27	3	2	2	5	5	4	4	10	7	17
FEMALE--	186	9	2	1	2	1	2	6	3	2	6	6
BLACK---MALE----	226	27	3	2	2	5	5	4	4	10	7	17
FEMALE--	186	9	2	1	2	1	2	6	3	2	6	6
ALASKA -----	32	11	-	-	-	-	-	1	3	1	-	-
WHITE-----MALE----	9	2	-	-	-	-	-	-	1	1	-	-
FEMALE--	8	2	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	7	3	-	-	-	-	-	-	1	-	-	-
FEMALE--	8	4	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	189	45	2	4	-	5	5	6	5	9	10	12
WHITE-----MALE----	90	21	1	2	-	1	1	3	5	6	7	5
FEMALE--	69	13	1	-	-	-	3	2	-	1	3	5
ALL OTHER--MALE----	21	7	-	2	-	4	1	-	-	1	-	1
FEMALE--	9	4	-	-	-	-	-	1	-	1	-	1
BLACK---MALE----	4	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	757	41	2	-	1	1	5	2	9	8	18	23
WHITE-----MALE----	324	18	1	-	1	1	2	2	5	5	12	14
FEMALE--	307	10	1	-	-	-	2	-	3	2	1	4
ALL OTHER--MALE----	66	5	-	-	-	-	-	-	1	-	3	4
FEMALE--	60	8	-	-	-	-	1	-	-	1	2	1
BLACK---MALE----	63	5	-	-	-	-	-	-	1	-	3	4
FEMALE--	60	8	-	-	-	-	1	-	-	1	2	1
CALIFORNIA -----	1,334	390	20	7	11	30	37	45	84	107	106	102
WHITE-----MALE----	660	164	11	2	5	19	18	28	49	61	55	47
FEMALE--	405	116	4	3	4	9	12	6	17	30	33	28
ALL OTHER--MALE----	172	65	4	2	2	2	3	8	14	8	13	20
FEMALE--	97	45	1	-	-	-	4	3	4	8	5	7
BLACK---MALE----	120	53	3	-	1	2	2	4	11	4	10	17
FEMALE--	65	30	-	-	-	-	2	1	3	7	4	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,683

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)												
0 UNITED STATES --	832	847	963	1,210	1,558	1,893	2,005	1,993	1,559	740	266	78
WHITE-----MALE----	449	420	485	639	722	840	756	583	377	138	35	51
FEMALE--	190	230	271	383	620	823	1,019	1,211	1,021	528	200	18
ALL OTHER--MALE----	129	135	127	120	124	121	90	75	51	24	6	8
FEMALE--	64	62	80	68	92	109	140	124	110	50	25	1
BLACK---MALE----	119	127	120	105	108	105	82	63	46	23	6	8
FEMALE--	62	57	75	57	87	103	127	115	101	46	24	-
ALABAMA -----	39	64	72	95	107	125	149	116	113	35	8	-
WHITE-----MALE----	16	27	27	35	36	47	41	24	22	2	1	-
FEMALE--	11	16	17	27	39	40	65	60	59	22	3	-
ALL OTHER--MALE----	8	18	14	22	16	18	17	10	11	5	1	-
FEMALE--	4	3	14	11	16	20	26	22	21	6	3	-
BLACK---MALE----	8	18	14	22	16	18	17	10	11	5	1	-
FEMALE--	4	3	14	11	16	20	26	22	21	6	3	-
ALASKA -----	1	-	-	3	2	2	4	1	1	2	-	-
WHITE-----MALE----	1	-	-	1	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	9	8	6	4	6	7	10	11	14	2	-	9
WHITE-----MALE----	4	4	4	2	3	1	6	4	3	-	-	7
FEMALE--	5	1	2	1	2	6	3	7	11	2	-	1
ALL OTHER--MALE----	-	2	-	1	1	-	-	-	-	-	-	1
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	27	30	43	74	64	86	110	103	75	21	13	1
WHITE-----MALE----	17	17	23	38	29	43	38	29	24	3	2	-
FEMALE--	3	10	12	22	22	34	60	58	42	14	6	1
ALL OTHER--MALE----	3	2	6	10	6	7	7	5	6	1	-	-
FEMALE--	4	1	2	4	7	2	5	11	3	3	5	-
BLACK---MALE----	2	2	6	9	6	7	7	4	6	1	-	-
FEMALE--	4	1	2	4	7	2	5	11	3	3	5	-
CALIFORNIA -----	72	49	50	35	35	42	35	22	15	4	3	33
WHITE-----MALE----	45	26	27	18	19	17	14	10	4	1	-	20
FEMALE--	17	13	16	15	9	19	18	9	10	3	3	11
ALL OTHER--MALE----	7	6	4	1	5	1	3	2	1	-	-	1
FEMALE--	3	4	3	1	2	5	-	1	-	-	-	1
BLACK---MALE----	4	4	3	-	1	-	-	-	-	-	-	1
FEMALE--	3	2	2	-	2	4	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,684

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	522	72	6	1	3	11	14	12	23	35	34	31
WHITE-----MALE----	294	48	4	-	2	5	11	5	17	28	18	17
FEMALE--	188	18	1	1	1	5	2	6	3	6	11	7
ALL OTHER--MALE----	23	3	-	-	-	1	-	1	2	1	3	4
FEMALE--	17	3	1	-	-	-	1	-	1	-	2	3
BLACK---MALE----	22	3	-	-	-	1	-	1	2	1	3	4
FEMALE--	15	3	-	-	-	-	1	-	1	-	2	3
CONNECTICUT -----	318	24	4	1	1	2	10	16	27	28	37	23
WHITE-----MALE----	155	12	1	-	1	1	6	9	13	21	20	10
FEMALE--	133	7	3	-	-	1	3	3	12	3	13	12
ALL OTHER--MALE----	19	5	-	1	-	-	1	2	1	3	1	-
FEMALE--	11	-	-	-	-	-	-	2	1	1	3	1
BLACK---MALE----	19	5	-	1	-	-	1	2	1	3	1	-
FEMALE--	11	-	-	-	-	-	-	2	1	1	3	1
DELAWARE -----	45	7	1	-	-	-	-	-	2	-	3	4
WHITE-----MALE----	17	2	-	-	-	-	-	-	2	-	3	3
FEMALE--	17	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	4	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	3	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	134	17	2	-	-	2	1	4	5	10	21	20
WHITE-----MALE----	13	-	1	-	-	-	-	-	-	1	1	1
FEMALE--	6	1	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	74	11	-	-	-	1	1	2	3	5	14	15
FEMALE--	41	5	1	-	-	1	-	2	2	2	6	4
BLACK---MALE----	74	11	-	-	-	1	1	2	3	5	14	15
FEMALE--	41	5	1	-	-	1	-	2	2	2	6	4
FLORIDA -----	1,363	171	9	2	4	8	13	23	24	51	64	64
WHITE-----MALE----	600	67	3	-	2	5	7	11	11	23	35	29
FEMALE--	527	45	2	1	1	2	2	8	8	16	18	15
ALL OTHER--MALE----	140	31	4	1	1	1	3	3	3	9	9	18
FEMALE--	96	28	-	-	-	-	1	1	2	3	2	2
BLACK---MALE----	136	30	4	1	1	1	2	3	3	9	9	18
FEMALE--	92	27	-	-	-	-	-	1	2	3	2	2
GEORGIA -----	654	140	7	-	-	4	11	6	5	15	24	25
WHITE-----MALE----	196	40	4	-	-	-	2	4	1	5	7	10
FEMALE--	213	31	-	-	-	2	4	-	1	1	6	4
ALL OTHER--MALE----	136	40	-	-	-	1	3	1	2	5	9	9
FEMALE--	109	29	3	-	-	1	2	1	1	4	2	2
BLACK---MALE----	135	39	-	-	-	1	3	1	2	5	9	9
FEMALE--	106	29	3	-	-	1	2	1	1	4	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,684

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	31	28	20	23	29	36	30	34	34	11	3	1
WHITE-----MALE----	21	16	14	12	21	16	13	15	7	2	1	1
FEMALE--	6	10	3	10	7	20	16	18	26	9	2	-
ALL OTHER--MALE----	2	2	3	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	1	1	1	-	-	-
BLACK---MALE----	2	2	3	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	1	1	-	-	-
CONNECTICUT -----	14	10	4	12	10	21	22	23	17	9	3	-
WHITE-----MALE----	7	3	2	6	5	11	11	8	6	2	-	-
FEMALE--	5	3	1	6	5	10	10	15	11	7	3	-
ALL OTHER--MALE----	1	3	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	3	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	-	3	3	9	1	-	5	3	1	-	-
WHITE-----MALE----	1	-	-	2	3	-	-	-	1	-	-	-
FEMALE--	2	-	1	1	4	-	-	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	2	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	2	-	2	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	11	8	5	6	6	3	7	3	1	1	-	1
WHITE-----MALE----	-	1	2	1	1	1	2	-	-	-	-	1
FEMALE--	-	1	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	7	5	1	4	3	-	1	1	-	-	-	-
FEMALE--	4	1	2	1	2	2	2	2	1	1	-	-
BLACK---MALE----	7	5	1	4	3	-	1	1	-	-	-	-
FEMALE--	4	1	2	1	2	2	2	2	1	1	-	-
FLORIDA -----	50	63	76	75	124	123	122	140	83	44	18	12
WHITE-----MALE----	31	24	48	46	58	53	49	52	28	6	3	9
FEMALE--	8	16	16	23	52	59	62	77	49	33	13	1
ALL OTHER--MALE----	6	13	7	4	9	6	2	3	1	3	1	2
FEMALE--	5	10	5	2	5	5	9	8	5	2	1	-
BLACK---MALE----	6	12	7	4	9	6	2	2	1	3	1	2
FEMALE--	4	10	5	1	5	5	9	8	5	2	1	-
GEORGIA -----	23	21	32	50	45	60	53	61	43	22	7	-
WHITE-----MALE----	5	9	9	21	18	19	22	11	5	3	1	-
FEMALE--	6	3	8	11	16	19	21	41	26	9	4	-
ALL OTHER--MALE----	8	5	10	10	6	13	2	2	7	2	1	-
FEMALE--	4	4	5	8	5	9	8	7	5	8	1	-
BLACK---MALE----	8	5	10	10	6	13	2	2	7	2	1	-
FEMALE--	4	4	5	6	5	9	8	7	5	7	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,685

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	73	10	1	-	-	-	1	-	2	4	4	2
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	9	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	32	7	1	-	-	-	-	-	1	1	1	2
FEMALE--	22	3	-	-	-	-	-	-	1	-	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	63	22	1	-	-	2	2	1	2	-	1	-
WHITE-----MALE----	40	13	1	-	-	1	2	1	2	-	1	-
FEMALE--	20	7	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,745	235	18	13	14	73	62	86	97	132	156	134
WHITE-----MALE----	779	72	7	6	5	45	40	38	50	58	81	66
FEMALE--	494	41	6	3	4	15	11	12	23	26	30	23
ALL OTHER--MALE----	289	71	3	3	2	10	7	28	17	28	33	26
FEMALE--	183	51	2	1	3	3	4	8	7	20	12	19
BLACK---MALE----	287	71	3	3	2	10	7	27	16	28	33	26
FEMALE--	180	50	2	1	3	3	4	8	7	20	11	19
INDIANA -----	523	104	9	3	-	12	3	12	14	29	37	37
WHITE-----MALE----	231	49	7	1	-	6	2	8	9	13	21	18
FEMALE--	229	30	2	1	-	3	-	3	2	11	10	13
ALL OTHER--MALE----	43	15	-	1	-	3	1	1	2	4	3	4
FEMALE--	20	10	-	-	-	-	-	-	1	1	3	2
BLACK---MALE----	41	14	-	1	-	3	1	1	2	4	3	3
FEMALE--	19	9	-	-	-	-	-	-	1	1	3	2
IOWA -----	119	31	1	-	1	2	2	-	-	2	3	3
WHITE-----MALE----	57	17	1	-	-	-	1	-	-	2	1	2
FEMALE--	56	10	-	-	1	2	1	-	-	-	1	1
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	-	-	-	-	-	-	-	1	-
KANSAS -----	366	42	4	-	-	-	2	2	2	3	6	10
WHITE-----MALE----	147	18	3	-	-	-	2	1	1	3	3	6
FEMALE--	179	16	1	-	-	-	-	1	-	-	2	-
ALL OTHER--MALE----	28	6	-	-	-	-	-	-	-	-	1	4
FEMALE--	12	2	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	28	6	-	-	-	-	-	-	-	-	1	4
FEMALE--	11	2	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,685

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	1	3	2	3	7	10	5	9	6	3	-	-
WHITE-----MALE----	-	2	-	-	1	2	-	1	-	1	-	-
FEMALE--	-	1	-	-	1	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	2	2	3	4	3	3	1	1	-	-
FEMALE--	1	-	-	1	2	2	1	4	4	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	3	4	5	4	7	4	3	1	1	-
WHITE-----MALE----	-	-	3	4	3	1	6	1	1	-	-	-
FEMALE--	-	-	-	-	2	2	1	3	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	66	67	62	81	91	92	102	74	53	26	9	2
WHITE-----MALE----	27	36	32	47	48	47	32	29	10	2	-	1
FEMALE--	19	13	18	21	31	35	60	40	34	20	8	1
ALL OTHER--MALE----	14	12	6	8	7	8	3	2	1	-	-	-
FEMALE--	6	6	6	5	5	2	7	3	8	4	1	-
BLACK---MALE----	14	12	6	8	7	8	3	2	1	-	-	-
FEMALE--	6	6	6	5	5	2	6	3	8	4	1	-
INDIANA -----	22	10	13	20	28	29	45	42	24	23	6	1
WHITE-----MALE----	14	4	5	9	12	11	21	14	3	3	1	-
FEMALE--	7	3	7	9	15	18	24	24	21	20	5	1
ALL OTHER--MALE----	1	3	-	-	1	-	-	4	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	-	-	-	-	-
BLACK---MALE----	1	3	-	-	1	-	-	4	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	-	-	-	-	-
IOWA -----	-	3	7	9	5	11	17	5	8	5	4	-
WHITE-----MALE----	-	1	4	5	1	6	9	1	5	-	1	-
FEMALE--	-	2	3	3	4	5	8	4	3	5	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
KANSAS -----	11	16	14	25	26	30	34	52	43	36	8	-
WHITE-----MALE----	8	6	9	17	13	18	11	11	11	5	1	-
FEMALE--	1	3	3	4	9	10	21	40	31	30	7	-
ALL OTHER--MALE----	1	4	2	4	3	2	-	1	-	-	-	-
FEMALE--	1	3	-	-	1	-	2	-	1	1	-	-
BLACK---MALE----	1	4	2	4	3	2	-	1	-	-	-	-
FEMALE--	1	3	-	-	1	-	2	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,686

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	277	57	3	3	-	2	4	6	9	11	10	8
WHITE-----MALE----	147	34	1	-	-	1	3	3	6	8	4	5
FEMALE--	103	16	-	2	-	-	1	-	1	1	5	2
ALL OTHER--MALE----	17	5	2	-	-	1	-	1	1	2	1	1
FEMALE--	10	2	-	1	-	-	-	2	1	-	-	-
BLACK---MALE----	17	5	2	-	-	1	-	1	1	2	1	1
FEMALE--	10	2	-	1	-	-	-	2	1	-	-	-
LOUISIANA -----	491	86	2	2	1	4	3	4	8	4	17	7
WHITE-----MALE----	155	25	2	1	1	2	2	2	1	2	7	1
FEMALE--	165	6	-	-	-	1	1	-	3	1	3	1
ALL OTHER--MALE----	81	22	-	1	-	1	-	2	2	-	6	2
FEMALE--	90	33	-	-	-	-	-	-	2	1	1	3
BLACK---MALE----	80	22	-	1	-	1	-	2	2	-	6	2
FEMALE--	90	33	-	-	-	-	-	-	2	1	1	3
MAINE -----	78	11	2	1	-	-	-	1	-	1	1	-
WHITE-----MALE----	30	6	1	1	-	-	-	1	-	1	1	-
FEMALE--	48	5	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	226	66	5	-	1	2	6	8	12	15	21	18
WHITE-----MALE----	57	15	2	-	1	1	-	1	1	3	8	3
FEMALE--	54	11	-	-	-	-	1	2	3	-	5	3
ALL OTHER--MALE----	69	21	-	-	-	-	5	3	7	7	8	8
FEMALE--	46	19	3	-	-	1	-	2	1	5	-	4
BLACK---MALE----	68	21	-	-	-	-	5	3	7	7	8	8
FEMALE--	46	19	3	-	-	1	-	2	1	5	-	4
MASSACHUSETTS -----	466	36	1	-	1	-	4	8	11	12	12	5
WHITE-----MALE----	177	17	1	-	-	-	4	6	4	6	7	5
FEMALE--	250	8	-	-	1	-	-	1	4	4	2	-
ALL OTHER--MALE----	21	6	-	-	-	-	-	1	2	1	2	-
FEMALE--	18	5	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	17	4	-	-	-	-	-	1	1	1	2	-
FEMALE--	17	5	-	-	-	-	-	-	1	1	1	-
MICHIGAN -----	397	151	5	1	1	5	5	10	20	8	21	14
WHITE-----MALE----	142	56	-	-	1	2	2	4	12	4	9	2
FEMALE--	112	23	-	-	-	1	2	2	4	1	6	-
ALL OTHER--MALE----	77	41	2	-	-	1	1	2	2	1	3	5
FEMALE--	66	31	3	1	-	1	-	2	2	2	3	7
BLACK---MALE----	74	39	2	-	-	1	1	2	2	-	3	5
FEMALE--	65	31	3	1	-	1	-	2	2	2	3	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,686

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	7	11	6	15	21	22	20	39	13	5	4	1
WHITE-----MALE----	5	8	4	8	11	14	10	14	5	1	1	1
FEMALE--	-	2	1	6	9	7	10	25	8	4	3	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	2	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	2	1	-	1	-	-	-	-	-	-	-	-
LOUISIANA -----	10	17	24	21	47	48	71	48	41	22	4	-
WHITE-----MALE----	5	10	9	8	19	16	17	14	7	3	1	-
FEMALE--	3	1	4	8	13	18	37	24	25	13	3	-
ALL OTHER--MALE----	2	3	9	3	9	5	8	4	2	-	-	-
FEMALE--	-	3	2	2	6	9	9	6	7	6	-	-
BLACK---MALE----	2	3	9	2	9	5	8	4	2	-	-	-
FEMALE--	-	3	2	2	6	9	9	6	7	6	-	-
MAINE -----	1	-	2	6	6	9	8	11	12	4	2	-
WHITE-----MALE----	-	-	-	3	1	6	4	3	1	-	1	-
FEMALE--	1	-	2	3	5	3	4	8	11	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	8	7	3	6	5	10	13	10	8	1	1	-
WHITE-----MALE----	3	3	1	2	1	4	4	2	1	1	-	-
FEMALE--	2	1	1	1	1	4	7	6	5	-	1	-
ALL OTHER--MALE----	3	2	-	2	2	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	1	2	2	2	-	-	-
BLACK---MALE----	2	2	-	2	2	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	1	2	2	2	-	-	-
MASSACHUSETTS -----	19	3	16	20	36	45	62	73	63	25	14	-
WHITE-----MALE----	9	2	8	11	16	19	22	16	16	5	3	-
FEMALE--	8	1	3	8	19	23	39	55	45	19	10	-
ALL OTHER--MALE----	2	-	2	-	1	2	1	-	-	1	-	-
FEMALE--	-	-	3	1	-	1	-	2	2	-	1	-
BLACK---MALE----	2	-	2	-	1	2	-	-	-	1	-	-
FEMALE--	-	-	3	-	-	1	-	2	2	-	1	-
MICHIGAN -----	8	12	13	12	13	17	13	26	24	11	5	2
WHITE-----MALE----	2	3	5	7	4	10	5	8	4	-	1	1
FEMALE--	2	6	4	2	5	3	7	11	18	11	4	-
ALL OTHER--MALE----	4	3	2	-	2	2	-	4	1	-	-	1
FEMALE--	-	-	2	3	2	2	1	3	1	-	-	-
BLACK---MALE----	4	3	2	-	2	2	-	4	1	-	-	1
FEMALE--	-	-	2	3	2	1	1	3	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,689

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	1,666	200	32	8	13	38	43	39	64	99	121	117
WHITE-----MALE----	763	82	11	4	4	21	23	20	34	55	65	57
FEMALE--	547	61	8	2	6	3	3	5	14	20	29	32
ALL OTHER--MALE----	219	35	7	2	1	10	12	9	12	19	19	18
FEMALE--	137	22	6	-	2	4	5	5	4	5	8	10
BLACK---MALE----	215	35	7	2	1	10	12	9	12	19	19	18
FEMALE--	136	22	6	-	2	4	4	5	4	5	8	10
OKLAHOMA -----	269	68	4	2	1	1	5	4	6	22	29	12
WHITE-----MALE----	118	28	1	2	-	-	2	2	4	13	18	4
FEMALE--	106	17	3	-	1	1	2	1	-	6	7	8
ALL OTHER--MALE----	23	8	-	-	-	-	1	1	2	2	3	-
FEMALE--	22	15	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	12	5	-	-	-	-	1	1	-	1	2	-
FEMALE--	11	7	-	-	-	-	-	-	-	1	-	-
OREGON -----	588	43	1	1	1	1	3	1	2	7	9	11
WHITE-----MALE----	265	25	1	-	-	-	1	1	1	5	4	4
FEMALE--	300	14	-	1	1	1	1	-	-	2	4	6
ALL OTHER--MALE----	12	2	-	-	-	-	-	-	-	-	1	1
FEMALE--	11	2	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	5	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,628	126	10	3	2	7	18	18	18	29	37	40
WHITE-----MALE----	692	47	2	1	-	5	5	14	6	13	22	27
FEMALE--	740	32	5	-	2	1	5	4	7	10	8	5
ALL OTHER--MALE----	109	26	2	1	-	-	5	-	4	3	6	5
FEMALE--	87	21	1	1	-	1	3	-	1	3	1	3
BLACK---MALE----	102	26	2	1	-	-	5	-	3	3	6	5
FEMALE--	82	20	1	1	-	1	3	-	1	3	1	3
RHODE ISLAND -----	57	11	1	1	-	2	1	1	3	1	4	4
WHITE-----MALE----	25	6	-	-	-	-	1	1	2	1	1	1
FEMALE--	28	3	-	1	-	2	-	-	1	-	3	2
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	1
SOUTH CAROLINA -----	262	57	4	1	4	1	1	7	9	17	9	11
WHITE-----MALE----	86	15	1	1	1	-	-	4	3	8	4	4
FEMALE--	57	10	-	-	2	-	-	1	-	2	-	1
ALL OTHER--MALE----	65	23	2	-	-	-	1	1	3	4	5	3
FEMALE--	54	9	1	-	1	1	-	1	3	3	-	3
BLACK---MALE----	64	22	2	-	-	-	1	1	3	4	5	3
FEMALE--	54	9	1	-	1	1	-	1	3	3	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,689

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	78	67	76	104	108	135	107	109	68	31	8	1
WHITE-----MALE----	45	33	38	50	51	70	40	38	16	5	-	1
FEMALE--	15	14	17	40	39	53	51	63	42	23	7	-
ALL OTHER--MALE----	14	14	12	8	7	5	6	4	3	2	-	-
FEMALE--	4	6	9	6	11	7	10	4	7	1	1	-
BLACK---MALE----	13	13	12	8	7	5	6	2	3	2	-	-
FEMALE--	4	6	9	6	11	7	10	4	7	1	1	-
OKLAHOMA -----	8	11	4	8	11	14	21	17	12	7	2	-
WHITE-----MALE----	6	4	1	3	6	5	10	6	2	1	-	-
FEMALE--	1	5	2	4	5	9	10	8	10	5	1	-
ALL OTHER--MALE----	1	2	1	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	1	1	-
BLACK---MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	1	-	-
OREGON -----	14	18	39	29	57	75	80	82	60	36	18	-
WHITE-----MALE----	12	9	22	22	32	33	34	26	18	13	2	-
FEMALE--	2	9	16	4	23	41	42	54	40	23	16	-
ALL OTHER--MALE----	-	-	-	3	1	1	2	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	2	2	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
PENNSYLVANIA -----	41	78	84	135	159	211	220	195	126	56	14	1
WHITE-----MALE----	26	49	47	74	60	109	90	49	33	11	2	-
FEMALE--	7	16	27	48	90	91	118	130	85	40	9	-
ALL OTHER--MALE----	5	8	5	12	6	6	4	6	2	1	1	1
FEMALE--	3	5	5	1	3	5	8	10	6	4	2	-
BLACK---MALE----	4	8	5	9	6	5	4	6	1	1	1	1
FEMALE--	3	4	5	1	3	5	8	9	5	3	2	-
RHODE ISLAND -----	4	-	2	1	3	3	7	3	2	2	-	1
WHITE-----MALE----	1	-	1	1	1	1	3	1	1	1	-	1
FEMALE--	3	-	1	-	2	2	4	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	18	12	6	9	17	22	23	16	12	5	1	-
WHITE-----MALE----	7	5	2	6	6	6	8	3	1	1	-	-
FEMALE--	1	4	1	1	6	4	5	9	7	3	-	-
ALL OTHER--MALE----	5	3	2	2	2	7	2	-	-	-	-	-
FEMALE--	5	-	1	-	3	5	8	4	4	1	1	-
BLACK---MALE----	5	3	2	2	2	7	2	-	-	-	-	-
FEMALE--	5	-	1	-	3	5	8	4	4	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,690

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	61	15	1	-	-	1	-	2	2	1	2	1
WHITE-----MALE----	25	6	1	-	-	-	-	1	1	1	-	-
FEMALE--	24	3	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	8	3	-	-	-	1	-	-	1	-	1	1
FEMALE--	4	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	744	108	5	1	1	3	7	4	15	20	17	24
WHITE-----MALE----	287	40	2	-	-	2	5	3	7	10	6	9
FEMALE--	305	22	2	-	-	-	-	-	3	5	5	9
ALL OTHER--MALE----	81	27	1	-	-	1	1	-	5	1	2	5
FEMALE--	71	19	-	1	1	-	1	1	-	4	4	1
BLACK---MALE----	79	26	1	-	-	1	1	-	5	1	2	5
FEMALE--	70	19	-	1	1	-	1	1	-	4	3	1
TEXAS -----	968	298	9	2	3	7	16	23	35	32	32	35
WHITE-----MALE----	454	143	4	-	2	5	11	12	17	13	21	14
FEMALE--	358	88	2	-	1	1	3	9	12	11	6	11
ALL OTHER--MALE----	100	44	1	-	-	1	2	2	5	8	3	4
FEMALE--	56	23	2	2	-	-	-	-	1	-	2	6
BLACK---MALE----	99	43	1	-	-	1	2	2	5	8	3	4
FEMALE--	53	21	2	2	-	-	-	-	1	-	2	6
UTAH -----	244	41	3	-	1	1	2	7	-	9	9	7
WHITE-----MALE----	128	22	3	-	1	1	-	3	-	7	7	5
FEMALE--	103	17	-	-	-	-	1	4	-	-	2	1
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	-	2	-	1
FEMALE--	4	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	23	5	-	-	-	-	1	-	-	-	-	2
WHITE-----MALE----	9	4	-	-	-	-	1	-	-	-	-	1
FEMALE--	14	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	604	90	8	-	2	5	2	11	7	21	18	13
WHITE-----MALE----	207	32	2	-	-	2	-	3	3	11	7	5
FEMALE--	254	22	1	-	2	2	-	2	1	4	5	3
ALL OTHER--MALE----	72	22	3	-	-	-	1	3	2	4	4	3
FEMALE--	71	14	2	-	-	1	1	3	1	2	2	2
BLACK---MALE----	68	20	3	-	-	-	1	2	2	4	4	3
FEMALE--	69	13	2	-	-	1	1	3	1	2	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,690

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	3	1	1	4	4	5	7	3	3	4	1	-
WHITE-----MALE----	2	-	1	1	3	-	5	2	1	-	-	-
FEMALE--	1	1	-	2	1	4	2	1	2	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	28	41	46	37	53	87	63	82	70	23	9	-
WHITE-----MALE----	20	23	21	20	25	31	22	20	11	8	2	-
FEMALE--	5	12	18	12	19	42	33	55	48	9	6	-
ALL OTHER--MALE----	2	3	5	4	5	4	4	1	7	3	-	-
FEMALE--	1	3	2	1	4	10	4	6	4	3	1	-
BLACK---MALE----	2	3	5	4	5	4	4	1	6	3	-	-
FEMALE--	1	3	2	1	4	10	4	6	4	3	1	-
TEXAS -----	36	29	33	34	53	51	46	60	75	38	16	5
WHITE-----MALE----	25	12	19	20	33	21	20	23	24	10	2	3
FEMALE--	7	14	7	12	13	28	21	29	44	25	12	2
ALL OTHER--MALE----	3	2	7	2	4	1	4	4	2	1	-	-
FEMALE--	1	1	-	-	3	1	1	4	5	2	2	-
BLACK---MALE----	3	2	7	2	4	1	4	4	2	1	-	-
FEMALE--	1	1	-	-	2	1	1	4	5	2	2	-
UTAH -----	11	7	19	17	24	28	22	22	10	3	1	-
WHITE-----MALE----	5	3	10	11	15	13	12	5	4	1	-	-
FEMALE--	5	4	7	5	8	14	10	16	6	2	1	-
ALL OTHER--MALE----	1	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
VERMONT -----	1	-	1	1	2	1	1	3	2	2	1	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	-	-	1	-	2	1	1	3	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	19	19	23	26	48	74	74	62	55	17	10	-
WHITE-----MALE----	8	3	10	15	15	30	23	17	14	5	2	-
FEMALE--	7	11	7	8	25	34	35	37	33	10	5	-
ALL OTHER--MALE----	1	4	4	-	6	3	6	2	2	1	1	-
FEMALE--	3	1	2	3	2	7	10	6	6	1	2	-
BLACK---MALE----	1	4	4	-	6	2	6	2	2	1	1	-
FEMALE--	3	1	2	3	2	7	9	6	6	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,692

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
0 UNITED STATES --	149,691	1,139	2,420	1,728	2,455	11,169	12,890	11,860	12,201	13,474	12,762	10,345
WHITE-----MALE----	82,827	431	996	709	1,229	6,002	7,258	6,787	7,262	8,031	7,627	6,228
FEMALE--	37,367	311	676	446	604	2,243	1,792	1,810	2,117	2,593	2,481	2,103
ALL OTHER--MALE----	21,742	218	424	332	404	2,420	3,261	2,652	2,176	2,118	1,977	1,487
FEMALE--	7,755	179	324	241	218	504	579	611	646	732	677	527
BLACK---MALE----	18,503	188	360	272	336	2,096	2,878	2,261	1,879	1,814	1,699	1,274
FEMALE--	6,248	157	259	205	171	394	452	489	536	618	552	429
ALABAMA -----	3,382	26	57	47	60	241	284	318	275	291	285	203
WHITE-----MALE----	1,624	9	26	20	25	116	145	135	119	152	153	101
FEMALE--	761	3	8	14	14	49	33	51	54	63	42	31
ALL OTHER--MALE----	724	7	13	8	12	62	84	109	80	57	70	60
FEMALE--	273	7	10	5	9	14	22	23	22	19	20	11
BLACK---MALE----	720	7	12	8	12	60	84	109	79	57	70	60
FEMALE--	271	7	10	5	9	14	22	23	21	19	19	11
ALASKA -----	459	9	15	12	12	46	32	46	50	56	57	30
WHITE-----MALE----	223	3	5	4	7	15	12	28	29	29	28	19
FEMALE--	73	2	5	1	-	5	7	1	3	9	10	5
ALL OTHER--MALE----	123	3	2	4	2	22	10	14	16	14	13	6
FEMALE--	40	1	3	3	3	4	3	3	2	4	6	-
BLACK---MALE----	7	-	-	-	-	1	-	2	-	1	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	2	-
ARIZONA -----	3,414	27	67	37	57	237	297	314	285	322	315	236
WHITE-----MALE----	2,072	13	32	18	28	140	183	192	186	198	206	170
FEMALE--	763	7	23	13	11	40	41	42	36	57	57	32
ALL OTHER--MALE----	427	3	6	5	11	46	60	71	49	50	37	25
FEMALE--	152	4	6	1	7	11	13	9	14	17	15	9
BLACK---MALE----	109	2	2	2	2	14	20	15	11	14	10	4
FEMALE--	35	2	2	1	2	2	4	4	1	5	-	3
ARKANSAS -----	2,058	23	47	34	40	178	166	164	161	179	171	134
WHITE-----MALE----	1,091	10	14	15	15	87	93	96	97	114	94	75
FEMALE--	536	7	18	6	14	43	25	25	27	34	35	33
ALL OTHER--MALE----	310	4	10	6	7	33	40	35	29	27	31	16
FEMALE--	121	2	5	7	4	15	8	8	8	4	11	10
BLACK---MALE----	298	4	10	5	5	32	37	33	29	25	31	16
FEMALE--	117	2	5	7	4	15	8	7	7	4	11	10
CALIFORNIA -----	15,490	107	298	181	213	1,166	1,414	1,335	1,370	1,462	1,531	1,238
WHITE-----MALE----	9,225	58	125	81	112	731	895	819	883	947	980	774
FEMALE--	3,409	30	97	46	46	174	163	206	212	252	310	249
ALL OTHER--MALE----	2,069	10	44	30	39	215	303	244	222	188	169	147
FEMALE--	787	9	32	24	16	46	53	66	53	75	72	68
BLACK---MALE----	1,263	6	25	17	23	125	215	152	165	123	109	102
FEMALE--	377	7	17	12	4	21	26	32	30	48	43	36

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,692

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
0 UNITED STATES --	7,521	6,012	5,116	5,484	6,426	7,353	7,438	6,366	3,698	1,366	283	185
WHITE-----MALE----	4,524	3,615	3,009	3,214	3,636	3,969	3,721	2,736	1,299	365	53	126
FEMALE--	1,745	1,421	1,256	1,504	2,019	2,641	3,133	3,178	2,161	909	208	16
ALL OTHER--MALE----	910	687	611	503	474	420	296	205	102	33	4	28
FEMALE--	342	289	240	263	297	323	288	247	136	59	18	15
BLACK---MALE----	761	562	496	414	366	339	226	155	77	23	2	25
FEMALE--	260	227	193	201	228	255	218	206	121	47	17	13
ALABAMA -----	190	138	114	151	156	187	144	126	61	25	3	-
WHITE-----MALE----	106	86	59	72	84	87	67	43	16	3	-	-
FEMALE--	40	26	28	39	42	68	55	54	26	18	3	-
ALL OTHER--MALE----	32	19	18	27	18	16	14	10	6	2	-	-
FEMALE--	12	7	9	13	12	16	8	19	13	2	-	-
BLACK---MALE----	32	19	18	27	18	16	14	10	6	2	-	-
FEMALE--	12	7	9	13	12	16	8	19	13	2	-	-
ALASKA -----	22	13	18	10	13	8	6	1	3	-	-	-
WHITE-----MALE----	14	6	8	4	5	3	3	-	1	-	-	-
FEMALE--	4	4	4	3	3	4	1	-	2	-	-	-
ALL OTHER--MALE----	1	2	4	3	5	-	2	-	-	-	-	-
FEMALE--	3	1	2	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ARIZONA -----	169	115	107	103	158	155	180	122	62	30	3	16
WHITE-----MALE----	107	75	70	67	95	94	90	57	26	11	-	14
FEMALE--	32	30	22	26	50	48	76	62	36	18	3	1
ALL OTHER--MALE----	18	5	10	6	9	7	7	1	-	1	-	-
FEMALE--	12	5	5	4	4	6	7	2	-	-	-	1
BLACK---MALE----	4	1	2	-	1	4	1	-	-	-	-	-
FEMALE--	1	2	1	-	-	1	2	1	-	-	-	1
ARKANSAS -----	97	87	69	79	75	93	90	96	47	23	2	3
WHITE-----MALE----	54	51	34	37	42	52	47	38	19	6	-	1
FEMALE--	29	22	24	24	25	27	33	44	25	14	2	-
ALL OTHER--MALE----	10	9	10	12	7	8	5	6	2	2	-	1
FEMALE--	4	5	1	6	1	6	5	8	1	1	-	1
BLACK---MALE----	10	9	10	12	7	8	5	5	2	2	-	1
FEMALE--	4	4	1	6	1	6	5	7	1	1	-	1
CALIFORNIA -----	866	638	500	496	592	639	596	457	243	87	15	46
WHITE-----MALE----	542	369	280	274	320	343	309	199	107	33	5	39
FEMALE--	206	156	118	137	182	212	225	205	121	49	9	4
ALL OTHER--MALE----	79	76	72	52	54	46	30	34	9	2	1	3
FEMALE--	39	37	30	33	36	38	32	19	6	3	-	-
BLACK---MALE----	46	38	35	24	19	12	14	8	2	-	-	3
FEMALE--	23	18	14	9	8	13	8	7	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,693

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
COLORADO -----	2,293	19	32	18	47	152	198	181	192	186	207	191
WHITE-----MALE----	1,476	9	15	7	28	88	140	137	128	135	143	133
FEMALE--	643	5	13	7	14	42	35	32	47	39	50	43
ALL OTHER--MALE----	118	2	2	3	3	19	14	11	13	10	8	9
FEMALE--	56	3	2	1	2	3	9	1	4	2	6	6
BLACK---MALE----	76	2	2	-	2	12	9	9	8	9	4	6
FEMALE--	32	3	2	1	2	2	3	-	2	2	3	4
CONNECTICUT -----	1,422	4	21	9	26	82	99	93	116	126	121	92
WHITE-----MALE----	824	2	10	6	11	40	53	52	85	76	77	63
FEMALE--	409	1	5	1	9	26	16	17	16	25	24	20
ALL OTHER--MALE----	142	-	5	1	6	15	27	22	10	16	14	6
FEMALE--	47	1	1	1	-	1	3	2	5	9	6	3
BLACK---MALE----	132	-	4	1	6	15	26	20	10	14	14	5
FEMALE--	42	1	1	1	-	1	1	2	4	9	6	3
DELAWARE -----	424	1	9	1	6	33	27	35	40	46	41	28
WHITE-----MALE----	224	-	4	1	2	16	16	20	25	33	23	15
FEMALE--	124	1	2	-	1	7	6	3	8	5	9	8
ALL OTHER--MALE----	50	-	1	-	2	9	4	9	5	3	8	2
FEMALE--	26	-	2	-	1	1	1	3	2	5	1	3
BLACK---MALE----	49	-	1	-	2	9	4	9	5	3	8	1
FEMALE--	24	-	1	-	1	1	1	3	2	4	1	3
DISTRICT OF COLUMBIA ----	486	1	7	3	5	69	86	53	35	35	37	31
WHITE-----MALE----	44	-	-	-	-	1	8	7	5	5	2	2
FEMALE--	29	-	-	-	-	-	4	4	1	2	3	2
ALL OTHER--MALE----	328	-	4	2	4	66	66	33	25	20	23	22
FEMALE--	85	1	3	1	1	2	8	9	4	8	9	5
BLACK---MALE----	323	-	4	2	4	66	65	33	23	20	23	22
FEMALE--	83	1	3	1	1	2	8	8	4	8	9	5
FLORIDA -----	8,885	61	153	76	131	500	640	702	701	806	758	658
WHITE-----MALE----	5,157	23	70	27	61	247	372	413	419	482	494	408
FEMALE--	2,244	19	34	16	33	110	99	119	127	186	154	152
ALL OTHER--MALE----	1,114	10	28	26	24	109	137	138	120	102	90	70
FEMALE--	370	9	21	7	13	34	32	32	35	36	20	28
BLACK---MALE----	1,073	9	27	25	22	108	130	130	116	100	87	67
FEMALE--	341	7	20	7	13	34	27	30	34	33	16	25
GEORGIA -----	4,710	39	79	81	89	360	410	383	370	438	424	355
WHITE-----MALE----	2,182	7	33	19	38	159	199	146	185	209	199	178
FEMALE--	1,021	4	13	23	19	66	59	62	58	84	65	65
ALL OTHER--MALE----	1,068	19	20	25	17	111	121	124	83	114	118	86
FEMALE--	439	9	13	14	15	24	31	51	44	31	42	26
BLACK---MALE----	1,030	19	19	24	17	106	116	119	81	110	116	82
FEMALE--	423	9	11	14	13	23	30	50	43	31	42	26

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,693

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
COLORADO -----	124	95	80	76	93	104	102	92	70	28	5	1
WHITE-----MALE----	89	66	42	55	57	68	52	46	30	7	-	1
FEMALE--	30	23	29	17	33	30	45	45	40	19	5	-
ALL OTHER--MALE----	3	2	7	3	3	3	2	1	-	-	-	-
FEMALE--	2	4	2	1	-	3	3	-	-	2	-	-
BLACK---MALE----	-	1	4	3	2	1	1	1	-	-	-	-
FEMALE--	1	3	-	1	-	2	-	-	-	1	-	-
CONNECTICUT -----	67	36	50	64	72	87	113	80	44	17	3	-
WHITE-----MALE----	43	18	31	45	40	50	57	41	17	6	1	-
FEMALE--	17	14	14	15	28	36	55	34	24	11	1	-
ALL OTHER--MALE----	3	3	3	3	3	-	1	2	2	-	-	-
FEMALE--	4	1	2	1	1	1	-	3	1	-	1	-
BLACK---MALE----	3	3	2	2	3	-	1	1	2	-	-	-
FEMALE--	2	1	2	1	1	1	-	3	1	-	1	-
DELAWARE -----	18	11	16	18	19	25	19	18	8	2	3	-
WHITE-----MALE----	11	4	7	8	12	12	6	6	2	-	1	-
FEMALE--	4	7	6	8	4	12	12	11	6	2	2	-
ALL OTHER--MALE----	1	-	1	2	1	-	1	1	-	-	-	-
FEMALE--	2	-	2	-	2	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	2	1	-	1	1	-	-	-	-
FEMALE--	2	-	2	-	2	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	18	14	8	13	14	17	14	16	5	4	-	1
WHITE-----MALE----	2	2	2	-	1	2	-	1	1	3	-	-
FEMALE--	2	2	1	2	-	2	1	3	-	-	-	-
ALL OTHER--MALE----	12	8	5	7	8	7	8	4	2	1	-	1
FEMALE--	2	2	-	4	5	6	5	8	2	-	-	-
BLACK---MALE----	12	7	5	7	8	7	7	4	2	1	-	1
FEMALE--	2	2	-	4	5	5	5	8	2	-	-	-
FLORIDA -----	467	412	340	349	436	502	482	417	198	62	11	23
WHITE-----MALE----	303	246	219	216	244	289	267	212	102	25	3	15
FEMALE--	97	97	71	93	141	178	195	193	83	35	8	4
ALL OTHER--MALE----	56	51	42	32	32	22	12	6	3	1	-	3
FEMALE--	11	18	8	8	19	13	8	6	10	1	-	1
BLACK---MALE----	55	50	40	31	31	21	11	6	3	1	-	3
FEMALE--	10	17	8	8	17	11	8	5	10	-	-	1
GEORGIA -----	254	200	164	180	178	211	189	171	91	34	7	3
WHITE-----MALE----	135	110	92	94	102	108	79	62	21	6	-	1
FEMALE--	49	36	28	41	40	63	78	80	59	24	5	-
ALL OTHER--MALE----	49	36	29	32	23	25	14	14	5	1	-	2
FEMALE--	21	18	15	13	13	15	18	15	6	3	2	-
BLACK---MALE----	45	34	28	32	22	25	14	14	4	1	-	2
FEMALE--	17	17	14	13	13	15	16	15	6	3	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,694

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
HAWAII -----	575	9	10	2	8	22	42	52	40	54	48	52
WHITE-----MALE----	154	-	1	-	2	3	17	9	12	19	16	23
FEMALE--	50	1	-	-	-	2	1	4	2	4	5	3
ALL OTHER--MALE----	258	3	2	2	5	11	15	34	23	26	22	21
FEMALE--	113	5	7	-	1	6	9	5	3	5	5	5
BLACK---MALE----	6	-	1	-	1	-	-	1	-	-	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	807	9	16	15	26	76	49	55	61	68	74	58
WHITE-----MALE----	559	3	13	7	14	50	42	46	43	53	56	48
FEMALE--	220	6	3	6	12	23	4	5	14	12	16	9
ALL OTHER--MALE----	17	-	-	-	-	3	2	3	2	2	2	1
FEMALE--	11	-	-	2	-	-	1	1	2	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	5,629	54	89	63	95	498	599	478	449	447	487	356
WHITE-----MALE----	2,722	17	31	20	47	214	266	234	218	237	242	177
FEMALE--	1,229	14	14	12	21	83	65	62	73	70	73	49
ALL OTHER--MALE----	1,269	15	28	17	19	173	241	145	121	98	142	94
FEMALE--	409	8	16	14	8	28	27	37	37	42	30	36
BLACK---MALE----	1,236	14	27	17	18	171	234	143	117	96	140	89
FEMALE--	385	8	14	13	7	27	26	35	37	41	28	35
INDIANA -----	3,333	33	44	37	55	276	335	275	273	266	224	212
WHITE-----MALE----	1,984	15	24	20	34	163	197	167	175	158	152	137
FEMALE--	897	12	15	11	14	69	48	44	49	64	41	46
ALL OTHER--MALE----	358	3	2	5	5	39	83	57	40	32	25	19
FEMALE--	94	3	3	1	2	5	7	7	9	12	6	10
BLACK---MALE----	346	3	2	4	4	39	80	56	38	31	25	18
FEMALE--	90	3	3	1	1	5	6	6	9	11	6	10
IOWA -----	1,519	13	20	15	25	116	126	87	80	103	100	82
WHITE-----MALE----	955	6	14	12	16	78	98	63	52	73	67	59
FEMALE--	504	5	4	3	8	33	22	14	22	25	24	18
ALL OTHER--MALE----	44	-	1	-	1	4	5	9	6	3	6	4
FEMALE--	16	2	1	-	-	1	1	1	-	2	3	1
BLACK---MALE----	31	-	1	-	1	1	4	6	5	1	5	2
FEMALE--	6	2	-	-	-	-	-	-	-	1	1	1
KANSAS -----	1,512	11	33	16	32	141	133	106	124	116	110	85
WHITE-----MALE----	928	6	21	7	21	79	84	73	85	76	70	57
FEMALE--	433	4	5	6	8	36	22	18	28	31	29	21
ALL OTHER--MALE----	117	1	5	2	2	23	24	12	10	6	7	7
FEMALE--	34	-	2	1	1	3	3	3	1	3	4	-
BLACK---MALE----	100	1	3	2	2	22	21	11	9	5	6	7
FEMALE--	23	-	1	1	1	2	1	2	-	2	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,694

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.

SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	37	32	17	18	28	26	26	24	20	7	-	1
WHITE-----MALE----	14	12	4	3	5	3	6	4	-	1	-	-
FEMALE--	4	4	-	1	2	7	4	3	3	-	-	-
ALL OTHER--MALE----	14	11	9	5	14	8	8	10	10	4	-	1
FEMALE--	5	5	4	9	7	8	8	7	7	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
IDAHO -----	46	45	29	24	31	32	35	32	19	6	1	-
WHITE-----MALE----	34	33	18	16	18	17	21	17	8	2	-	-
FEMALE--	10	11	10	7	13	15	14	14	11	4	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	256	200	188	200	249	241	259	222	146	44	6	3
WHITE-----MALE----	132	124	107	116	136	125	118	95	53	10	-	3
FEMALE--	61	39	40	54	66	89	117	106	82	33	6	-
ALL OTHER--MALE----	41	27	29	15	27	16	7	6	7	1	-	-
FEMALE--	22	10	12	15	20	11	17	15	4	-	-	-
BLACK---MALE----	39	27	29	14	26	15	6	6	7	1	-	-
FEMALE--	22	8	11	15	17	9	14	14	4	-	-	-
INDIANA -----	134	124	137	146	125	190	165	149	81	44	7	1
WHITE-----MALE----	84	75	93	99	74	117	87	75	24	12	2	-
FEMALE--	37	33	34	36	44	63	75	69	56	32	5	-
ALL OTHER--MALE----	6	11	6	7	5	8	1	3	-	-	-	1
FEMALE--	7	5	4	4	2	2	2	2	1	-	-	-
BLACK---MALE----	6	9	6	7	5	8	1	3	-	-	-	1
FEMALE--	7	5	4	4	2	2	2	2	1	-	-	-
IOWA -----	56	58	72	67	64	97	117	107	85	24	5	-
WHITE-----MALE----	30	39	52	44	39	63	77	39	28	6	-	-
FEMALE--	23	18	19	21	24	34	40	68	56	18	5	-
ALL OTHER--MALE----	1	1	-	2	1	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	1	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
KANSAS -----	60	46	47	71	66	62	104	67	61	19	2	-
WHITE-----MALE----	38	32	29	46	40	38	56	40	25	4	1	-
FEMALE--	15	9	13	20	22	23	47	24	36	15	1	-
ALL OTHER--MALE----	4	4	2	4	3	-	-	1	-	-	-	-
FEMALE--	3	1	3	1	1	1	1	2	-	-	-	-
BLACK---MALE----	3	3	1	1	2	-	-	1	-	-	-	-
FEMALE--	2	1	2	1	1	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,695

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
KENTUCKY -----	2,574	30	32	37	38	218	209	197	201	215	187	158
WHITE-----MALE----	1,633	11	20	19	22	139	148	145	138	161	137	104
FEMALE--	712	13	6	13	11	42	35	28	41	44	38	40
ALL OTHER--MALE----	168	4	6	2	5	32	22	18	18	10	7	8
FEMALE--	61	2	-	3	-	5	4	6	4	-	5	6
BLACK---MALE----	163	4	6	1	4	32	22	18	17	10	7	6
FEMALE--	56	2	-	3	-	5	4	5	4	-	4	5
LOUISIANA -----	3,204	21	63	52	60	312	369	334	255	291	243	178
WHITE-----MALE----	1,331	8	18	15	17	133	123	128	106	118	103	80
FEMALE--	620	3	16	14	14	31	35	37	41	48	46	25
ALL OTHER--MALE----	960	5	17	14	19	128	183	146	80	99	72	57
FEMALE--	293	5	12	9	10	20	28	23	28	26	22	16
BLACK---MALE----	930	5	15	13	19	123	178	143	77	98	72	53
FEMALE--	283	5	12	9	10	18	27	22	28	25	21	16
MAINE -----	592	3	10	6	10	33	38	35	41	42	29	44
WHITE-----MALE----	387	-	6	4	9	25	30	26	35	33	19	33
FEMALE--	201	3	4	2	1	8	8	7	6	9	10	11
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
MARYLAND -----	2,939	10	33	32	29	198	261	222	289	346	297	232
WHITE-----MALE----	1,219	1	12	7	7	54	82	88	110	158	144	101
FEMALE--	539	1	3	6	1	29	27	17	33	37	27	32
ALL OTHER--MALE----	911	5	9	9	14	99	133	97	112	123	103	73
FEMALE--	270	3	9	10	7	16	19	20	34	28	23	26
BLACK---MALE----	883	5	9	9	14	97	128	92	109	120	102	70
FEMALE--	256	2	8	9	7	14	19	19	31	28	23	25
MASSACHUSETTS -----	2,330	6	14	10	28	130	167	141	209	232	228	167
WHITE-----MALE----	1,401	3	5	3	18	77	114	84	148	142	155	126
FEMALE--	711	2	4	2	3	29	23	34	36	61	56	29
ALL OTHER--MALE----	158	1	4	2	4	18	23	19	20	22	13	10
FEMALE--	60	-	1	3	3	6	7	4	5	7	4	2
BLACK---MALE----	131	-	4	2	2	18	18	16	17	16	13	9
FEMALE--	42	-	1	2	2	4	5	4	2	7	3	2
MICHIGAN -----	5,110	49	69	82	90	431	438	398	409	461	398	320
WHITE-----MALE----	2,515	14	29	32	48	212	198	200	219	248	215	173
FEMALE--	1,293	14	9	16	13	79	46	58	65	86	72	65
ALL OTHER--MALE----	944	7	22	18	18	117	167	110	96	90	72	61
FEMALE--	358	14	9	16	11	23	27	30	29	37	39	21
BLACK---MALE----	889	7	21	17	17	111	158	109	92	82	67	57
FEMALE--	334	14	9	14	10	22	24	29	27	36	38	20

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,695

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
KENTUCKY -----	121	127	80	107	104	134	138	128	77	31	4	1
WHITE-----MALE----	76	82	53	68	57	85	73	61	26	7	-	1
FEMALE--	33	30	24	34	39	41	61	62	49	24	4	-
ALL OTHER--MALE----	7	9	3	3	3	4	2	4	1	-	-	-
FEMALE--	5	6	-	2	5	4	2	1	1	-	-	-
BLACK---MALE----	7	9	3	3	3	4	2	4	1	-	-	-
FEMALE--	4	5	-	2	5	4	2	1	1	-	-	-
LOUISIANA -----	150	141	91	117	119	103	126	94	52	26	7	-
WHITE-----MALE----	75	73	50	60	66	51	55	34	11	7	-	-
FEMALE--	28	32	19	26	36	34	48	43	30	9	5	-
ALL OTHER--MALE----	38	20	14	23	14	11	9	4	4	3	-	-
FEMALE--	9	16	8	8	3	7	14	13	7	7	2	-
BLACK---MALE----	36	18	14	23	13	11	8	4	4	3	-	-
FEMALE--	8	14	8	8	3	7	14	12	7	7	2	-
MAINE -----	26	28	26	28	36	38	44	39	22	10	4	-
WHITE-----MALE----	19	16	22	20	20	15	24	20	9	2	-	-
FEMALE--	6	12	4	8	15	23	20	19	13	8	4	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	141	108	83	80	109	146	129	99	60	17	6	12
WHITE-----MALE----	79	52	45	43	45	64	64	44	13	4	1	1
FEMALE--	23	23	18	19	36	60	51	44	37	10	5	-
ALL OTHER--MALE----	34	27	15	9	17	8	7	6	3	2	-	6
FEMALE--	5	6	5	9	11	14	7	5	7	1	-	5
BLACK---MALE----	34	26	15	8	16	7	6	6	2	2	-	6
FEMALE--	4	6	4	8	11	14	7	5	6	1	-	5
MASSACHUSETTS -----	108	75	69	84	81	140	156	155	83	42	4	1
WHITE-----MALE----	70	50	43	61	59	66	85	60	24	8	-	-
FEMALE--	33	16	16	21	21	70	67	91	59	34	4	-
ALL OTHER--MALE----	4	5	8	-	-	2	1	2	-	-	-	-
FEMALE--	1	4	2	2	1	2	3	2	-	-	-	1
BLACK---MALE----	3	4	6	-	-	1	-	2	-	-	-	-
FEMALE--	1	3	1	-	-	2	1	2	-	-	-	-
MICHIGAN -----	245	204	167	199	242	260	252	207	128	45	12	4
WHITE-----MALE----	129	106	78	94	122	127	132	81	41	14	2	1
FEMALE--	65	52	54	63	92	110	103	113	79	28	10	1
ALL OTHER--MALE----	36	34	21	26	17	10	9	8	4	-	-	1
FEMALE--	15	12	14	16	11	13	8	5	4	3	-	1
BLACK---MALE----	35	28	19	22	16	10	8	8	4	-	-	1
FEMALE--	12	9	14	16	9	11	8	4	4	3	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,696

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	2,336	15	27	36	36	167	130	136	135	176	167	133
WHITE-----MALE----	1,383	6	7	18	19	95	81	90	88	126	128	90
FEMALE--	759	5	10	8	14	46	28	24	25	26	27	31
ALL OTHER--MALE----	144	2	4	7	2	22	17	21	14	19	11	9
FEMALE--	50	2	6	3	1	4	4	1	8	5	1	3
BLACK---MALE----	72	1	1	3	-	13	9	15	5	12	5	4
FEMALE--	20	2	3	2	-	2	-	-	4	1	1	-
MISSISSIPPI -----	2,347	21	54	28	44	209	237	175	205	234	173	132
WHITE-----MALE----	953	4	12	7	16	80	86	54	90	86	86	73
FEMALE--	423	5	7	4	8	30	19	24	26	36	17	7
ALL OTHER--MALE----	677	9	14	7	14	84	111	76	60	80	51	34
FEMALE--	294	3	21	10	6	15	21	21	29	32	19	18
BLACK---MALE----	659	9	13	7	14	82	109	73	59	75	49	34
FEMALE--	285	3	18	9	6	13	21	19	28	32	19	18
MISSOURI -----	3,568	26	65	40	57	295	291	236	335	303	250	208
WHITE-----MALE----	2,004	14	27	15	27	155	161	128	212	189	158	124
FEMALE--	980	6	19	8	18	77	49	43	59	62	45	47
ALL OTHER--MALE----	417	3	10	10	3	56	70	56	50	37	26	26
FEMALE--	167	3	9	7	9	7	11	9	14	15	21	11
BLACK---MALE----	406	2	9	10	3	55	69	53	47	37	26	25
FEMALE--	156	3	9	7	9	6	10	9	11	15	18	11
MONTANA -----	679	3	15	6	14	51	60	47	52	64	60	48
WHITE-----MALE----	430	1	6	2	11	38	43	32	30	47	31	28
FEMALE--	181	-	6	2	3	7	9	6	12	11	21	13
ALL OTHER--MALE----	46	2	-	1	-	5	8	7	8	3	5	3
FEMALE--	22	-	3	1	-	1	-	2	2	3	3	4
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	923	6	16	12	17	89	54	59	58	68	63	50
WHITE-----MALE----	555	3	11	5	10	63	39	41	37	40	36	31
FEMALE--	308	2	4	6	7	18	11	11	16	20	23	13
ALL OTHER--MALE----	43	1	-	1	-	7	3	6	4	6	2	4
FEMALE--	17	-	1	-	-	1	1	1	1	2	2	2
BLACK---MALE----	33	1	-	1	-	6	2	5	3	3	2	3
FEMALE--	11	-	1	-	-	1	-	-	1	2	1	2
NEVADA -----	1,314	12	28	6	18	73	101	96	126	142	143	120
WHITE-----MALE----	845	7	11	2	9	48	62	66	88	97	84	88
FEMALE--	315	4	9	3	6	13	16	11	21	33	44	23
ALL OTHER--MALE----	116	-	5	1	3	10	20	14	12	11	10	6
FEMALE--	38	1	3	-	-	2	3	5	5	1	5	3
BLACK---MALE----	74	-	1	-	1	7	12	10	11	8	7	6
FEMALE--	26	-	3	-	-	2	2	2	4	1	3	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,696

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
MINNESOTA -----	115	87	68	77	111	152	188	180	132	55	13	-
WHITE-----MALE----	80	62	44	43	76	84	100	85	45	11	5	-
FEMALE--	29	25	20	29	30	66	85	94	86	44	7	-
ALL OTHER--MALE----	4	-	3	2	4	1	1	1	-	-	-	-
FEMALE--	2	-	1	3	1	1	2	-	1	-	1	-
BLACK---MALE----	2	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	1	-	1	-
MISSISSIPPI -----	95	86	86	82	127	90	109	93	44	18	2	3
WHITE-----MALE----	40	46	37	35	66	42	37	37	14	3	-	2
FEMALE--	17	16	19	18	35	22	44	38	19	10	2	-
ALL OTHER--MALE----	28	15	22	16	19	11	12	8	4	1	-	1
FEMALE--	10	9	8	13	7	15	16	10	7	4	-	-
BLACK---MALE----	28	15	21	15	19	11	12	8	4	1	-	1
FEMALE--	10	9	8	13	7	15	16	10	7	4	-	-
MISSOURI -----	155	141	143	118	159	201	204	187	111	34	8	1
WHITE-----MALE----	97	95	78	77	87	113	109	87	41	8	1	1
FEMALE--	46	30	49	31	58	71	80	91	63	22	6	-
ALL OTHER--MALE----	9	12	13	5	4	9	10	2	4	2	-	-
FEMALE--	3	4	3	5	10	8	5	7	3	2	1	-
BLACK---MALE----	9	12	13	5	4	9	10	2	4	2	-	-
FEMALE--	3	3	3	5	10	7	5	6	3	2	1	-
MONTANA -----	36	31	31	19	33	30	30	23	20	5	1	-
WHITE-----MALE----	28	23	19	11	19	20	15	14	11	1	-	-
FEMALE--	8	6	10	7	12	10	15	9	9	4	1	-
ALL OTHER--MALE----	-	2	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	44	37	26	47	38	52	59	61	44	20	2	1
WHITE-----MALE----	20	27	20	34	26	37	34	23	14	2	1	1
FEMALE--	18	9	5	13	9	14	24	37	30	17	1	-
ALL OTHER--MALE----	4	-	1	-	2	1	-	-	-	1	-	-
FEMALE--	2	1	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	2	-	1	-	2	1	-	-	-	1	-	-
FEMALE--	1	-	-	-	1	-	-	1	-	-	-	-
NEVADA -----	85	70	49	60	50	50	34	25	10	9	-	7
WHITE-----MALE----	60	43	34	42	31	30	18	11	6	2	-	6
FEMALE--	19	20	11	15	16	17	12	13	3	6	-	-
ALL OTHER--MALE----	5	4	4	2	3	1	4	-	1	-	-	-
FEMALE--	1	3	-	1	-	2	-	1	-	1	-	1
BLACK---MALE----	2	2	3	1	-	1	1	-	1	-	-	-
FEMALE--	1	2	-	-	-	1	-	1	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,698

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
OHIO -----	5,132	51	81	69	85	341	420	359	388	434	405	298
WHITE-----MALE----	2,938	17	33	32	46	203	248	231	256	272	251	180
FEMALE--	1,456	12	29	19	21	79	68	58	81	91	84	71
ALL OTHER--MALE----	548	14	11	11	11	51	89	57	41	56	49	35
FEMALE--	190	8	8	7	7	8	15	13	10	15	21	12
BLACK---MALE----	534	13	11	10	11	50	87	56	41	54	48	33
FEMALE--	179	8	8	7	7	8	13	11	9	14	19	12
OKLAHOMA -----	2,433	18	52	27	50	216	207	176	173	214	205	183
WHITE-----MALE----	1,395	8	24	14	28	112	120	117	115	136	118	118
FEMALE--	667	4	18	6	16	51	48	27	28	41	47	42
ALL OTHER--MALE----	249	2	7	3	3	38	27	24	24	27	29	14
FEMALE--	122	4	3	4	3	15	12	8	6	10	11	9
BLACK---MALE----	138	2	6	1	3	27	18	14	10	14	11	8
FEMALE--	61	3	1	3	2	6	7	5	3	6	5	3
OREGON -----	2,015	14	32	20	35	129	157	143	136	180	186	192
WHITE-----MALE----	1,310	9	15	9	19	91	105	108	96	125	140	142
FEMALE--	574	4	12	8	12	26	33	23	21	44	35	45
ALL OTHER--MALE----	103	-	5	2	3	7	19	11	12	10	9	5
FEMALE--	28	1	-	1	1	5	-	1	7	1	2	-
BLACK---MALE----	45	-	1	1	-	4	7	6	4	6	7	1
FEMALE--	5	1	-	-	-	1	-	-	1	-	1	-
PENNSYLVANIA -----	7,182	36	91	65	93	469	597	520	565	616	617	501
WHITE-----MALE----	4,077	12	41	21	49	258	347	309	359	418	403	301
FEMALE--	1,899	8	20	19	23	99	81	84	86	89	97	105
ALL OTHER--MALE----	898	7	14	12	14	92	150	108	96	84	79	76
FEMALE--	308	9	16	13	7	20	19	19	24	25	38	19
BLACK---MALE----	858	7	11	10	12	87	148	103	91	81	77	74
FEMALE--	287	9	15	13	5	19	17	16	24	24	37	17
RHODE ISLAND -----	396	-	2	1	3	30	32	24	32	47	27	31
WHITE-----MALE----	252	-	-	1	1	18	18	17	19	36	20	22
FEMALE--	110	-	2	-	2	8	8	3	4	7	5	8
ALL OTHER--MALE----	29	-	-	-	-	3	6	3	9	2	2	1
FEMALE--	5	-	-	-	-	1	-	1	-	2	-	-
BLACK---MALE----	25	-	-	-	-	3	5	3	8	2	2	-
FEMALE--	3	-	-	-	-	-	-	1	-	1	-	-
SOUTH CAROLINA -----	2,519	25	29	28	46	182	228	216	244	226	211	184
WHITE-----MALE----	1,106	4	7	10	19	71	105	103	106	109	94	95
FEMALE--	547	5	2	7	8	32	29	37	41	38	42	42
ALL OTHER--MALE----	638	10	12	6	14	62	85	62	68	66	61	36
FEMALE--	228	6	8	5	5	17	9	14	29	13	14	11
BLACK---MALE----	631	10	12	6	14	62	83	62	67	64	60	36
FEMALE--	224	6	8	5	4	16	9	14	29	13	14	11

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,698

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
OHIO -----	234	206	175	209	256	322	294	273	158	57	15	2
WHITE-----MALE----	144	126	119	127	161	171	139	111	49	19	2	1
FEMALE--	56	51	42	61	73	119	142	149	100	38	12	-
ALL OTHER--MALE----	27	22	8	14	11	24	6	8	2	-	-	1
FEMALE--	7	7	6	7	11	8	7	5	7	-	1	-
BLACK---MALE----	27	22	8	14	11	24	4	8	2	-	-	-
FEMALE--	7	7	5	6	11	7	7	5	7	-	1	-
OKLAHOMA -----	119	86	86	78	88	105	130	117	75	15	11	2
WHITE-----MALE----	72	57	59	41	54	63	63	49	20	5	1	1
FEMALE--	37	20	16	24	21	34	60	59	51	9	8	-
ALL OTHER--MALE----	7	5	8	8	9	4	4	3	2	-	-	1
FEMALE--	3	4	3	5	4	4	3	6	2	1	2	-
BLACK---MALE----	6	2	3	3	2	2	2	2	2	-	-	-
FEMALE--	2	2	1	4	-	1	2	2	2	-	1	-
OREGON -----	112	86	53	66	85	93	108	93	61	28	6	-
WHITE-----MALE----	71	52	39	44	49	58	63	46	21	8	-	-
FEMALE--	32	30	13	19	34	31	43	44	40	19	6	-
ALL OTHER--MALE----	7	3	-	-	2	4	2	2	-	-	-	-
FEMALE--	2	1	1	3	-	-	-	1	-	1	-	-
BLACK---MALE----	5	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	317	242	231	262	361	455	478	350	231	69	14	2
WHITE-----MALE----	197	140	134	163	203	241	237	157	75	11	-	1
FEMALE--	69	65	67	83	123	178	216	178	144	53	12	-
ALL OTHER--MALE----	36	32	23	9	20	20	14	4	5	2	-	1
FEMALE--	15	5	7	7	15	16	11	11	7	3	2	-
BLACK---MALE----	34	31	20	9	19	19	13	4	5	2	-	1
FEMALE--	12	4	7	5	15	16	10	11	7	2	2	-
RHODE ISLAND -----	27	15	10	18	21	18	24	16	7	8	1	2
WHITE-----MALE----	22	8	5	14	14	12	17	4	2	-	-	2
FEMALE--	3	6	5	4	7	6	7	11	5	8	1	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
SOUTH CAROLINA -----	146	121	89	111	102	102	98	68	48	10	4	1
WHITE-----MALE----	71	56	41	55	46	42	41	18	10	3	-	-
FEMALE--	29	26	10	28	29	35	32	37	28	5	4	1
ALL OTHER--MALE----	36	28	25	22	12	15	12	4	2	-	-	-
FEMALE--	10	11	13	6	15	10	13	9	8	2	-	-
BLACK---MALE----	36	28	25	21	12	15	12	4	2	-	-	-
FEMALE--	9	10	13	6	15	10	13	9	8	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,699

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49

SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	459	7	8	5	15	52	34	30	29	39	30	30
WHITE-----MALE----	252	1	6	2	5	26	21	11	15	23	17	19
FEMALE--	108	1	2	1	6	8	4	5	4	8	4	4
ALL OTHER--MALE----	76	5	-	2	1	14	7	11	8	4	7	6
FEMALE--	23	-	-	-	3	4	2	3	2	4	2	1
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
TENNESSEE -----	3,880	28	44	50	63	297	307	311	312	376	336	282
WHITE-----MALE----	2,114	11	14	25	32	164	163	181	188	214	185	161
FEMALE--	991	7	11	6	17	52	41	40	61	92	87	72
ALL OTHER--MALE----	590	6	11	12	9	73	91	76	51	48	47	39
FEMALE--	185	4	8	7	5	8	12	14	12	22	17	10
BLACK---MALE----	577	6	11	12	9	72	90	76	50	46	46	38
FEMALE--	177	4	8	7	5	8	11	13	12	22	17	8
TEXAS -----	10,986	110	224	145	209	1,016	1,013	972	917	1,050	983	721
WHITE-----MALE----	6,565	47	101	69	122	614	671	613	583	619	619	462
FEMALE--	2,820	37	79	42	58	234	147	187	185	250	219	163
ALL OTHER--MALE----	1,148	12	25	15	20	132	156	136	116	140	107	73
FEMALE--	453	14	19	19	9	36	39	36	33	41	38	23
BLACK---MALE----	1,030	11	24	14	18	124	138	123	105	127	95	62
FEMALE--	405	14	19	17	9	31	32	31	29	37	34	19
UTAH -----	1,177	12	23	17	34	144	128	85	96	93	86	86
WHITE-----MALE----	763	5	13	11	19	91	92	61	73	65	49	58
FEMALE--	349	4	9	5	10	42	25	15	21	27	26	25
ALL OTHER--MALE----	45	2	-	1	3	7	8	8	1	-	7	3
FEMALE--	20	1	1	-	2	4	3	1	1	1	4	-
BLACK---MALE----	10	1	-	-	2	-	1	-	-	-	2	2
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
VERMONT -----	293	1	4	1	8	12	14	18	22	26	32	23
WHITE-----MALE----	176	-	1	1	2	10	14	15	15	19	18	14
FEMALE--	115	1	3	-	6	2	-	3	7	7	14	7
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3,609	23	41	29	57	273	320	268	284	329	274	252
WHITE-----MALE----	1,752	5	11	10	25	126	147	126	139	182	148	137
FEMALE--	849	6	11	6	7	55	32	31	46	56	41	52
ALL OTHER--MALE----	747	9	13	6	16	75	112	90	79	66	66	43
FEMALE--	261	3	6	7	9	17	29	21	20	25	19	20
BLACK---MALE----	717	9	13	5	14	74	107	87	78	64	63	42
FEMALE--	241	3	6	7	8	14	27	19	18	23	17	20

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,699

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
SOUTH DAKOTA -----	23	15	13	11	19	32	23	27	8	6	3	-
WHITE-----MALE----	15	10	8	7	13	20	12	15	5	1	-	-
FEMALE--	4	1	3	3	6	10	11	12	3	5	3	-
ALL OTHER--MALE----	3	4	2	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	206	183	153	140	149	158	190	165	80	36	10	4
WHITE-----MALE----	127	116	88	92	84	79	84	70	26	8	1	1
FEMALE--	39	37	39	35	45	61	90	78	50	23	7	1
ALL OTHER--MALE----	30	23	21	10	14	13	7	7	-	2	-	-
FEMALE--	10	7	5	3	6	5	9	10	4	3	2	2
BLACK---MALE----	29	22	19	9	13	13	7	7	-	2	-	-
FEMALE--	8	7	4	3	6	5	9	10	4	3	2	1
TEXAS -----	510	421	371	373	425	435	436	364	201	63	7	20
WHITE-----MALE----	328	273	210	233	258	252	216	161	74	21	1	18
FEMALE--	127	105	108	95	122	138	181	186	114	37	5	1
ALL OTHER--MALE----	33	32	39	29	28	18	23	8	5	-	-	1
FEMALE--	22	11	14	16	17	27	16	9	8	5	1	-
BLACK---MALE----	28	27	35	26	25	15	21	7	4	-	-	1
FEMALE--	21	10	13	15	13	24	14	9	8	5	1	-
UTAH -----	50	40	32	44	45	40	54	35	21	10	-	2
WHITE-----MALE----	33	25	19	29	31	28	29	18	9	3	-	2
FEMALE--	17	14	11	15	12	11	25	16	12	7	-	-
ALL OTHER--MALE----	-	1	2	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	9	11	9	7	9	22	19	19	15	10	2	-
WHITE-----MALE----	7	9	8	6	5	11	11	5	3	1	1	-
FEMALE--	2	2	1	1	4	11	8	14	12	9	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	212	150	126	136	162	207	177	161	81	34	6	7
WHITE-----MALE----	110	84	77	72	86	96	86	55	21	6	-	3
FEMALE--	53	30	20	40	48	69	71	92	52	26	5	-
ALL OTHER--MALE----	36	24	21	21	17	27	11	7	4	-	-	4
FEMALE--	13	12	8	3	11	15	9	7	4	2	1	-
BLACK---MALE----	34	23	19	20	16	24	10	7	4	-	-	4
FEMALE--	12	10	8	3	11	14	8	6	4	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,701

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
0 UNITED STATES --	95,644	765	2,005	1,534	1,837	6,603	6,764	6,141	6,457	7,341	7,190	5,938
WHITE-----MALE----	51,396	285	866	649	908	3,803	4,331	3,755	4,017	4,457	4,286	3,520
FEMALE--	28,526	230	572	396	496	1,750	1,271	1,135	1,250	1,498	1,402	1,200
ALL OTHER--MALE----	10,567	145	326	285	268	777	880	948	870	982	1,097	880
FEMALE--	5,155	105	241	204	165	273	282	303	320	404	405	338
BLACK---MALE----	8,582	128	269	235	222	606	682	725	693	822	927	754
FEMALE--	4,083	93	186	171	125	196	204	225	251	331	321	285
ALABAMA -----	2,298	19	51	39	49	161	172	183	159	182	169	124
WHITE-----MALE----	1,134	6	23	18	21	93	116	96	83	100	90	59
FEMALE--	602	3	8	11	13	41	24	38	28	43	29	22
ALL OTHER--MALE----	380	7	11	8	9	17	25	39	38	25	39	36
FEMALE--	182	3	9	2	6	10	7	10	10	14	11	7
BLACK---MALE----	377	7	10	8	9	16	25	39	37	25	39	36
FEMALE--	181	3	9	2	6	10	7	10	9	14	11	7
ALASKA -----	269	3	14	11	7	24	23	29	24	27	28	17
WHITE-----MALE----	132	1	5	4	2	9	9	21	14	15	16	9
FEMALE--	45	1	4	1	-	4	6	1	2	3	3	2
ALL OTHER--MALE----	63	1	2	3	2	8	6	6	7	6	5	6
FEMALE--	29	-	3	3	3	3	2	1	1	3	4	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2,147	19	61	33	46	110	148	156	164	193	182	148
WHITE-----MALE----	1,182	8	27	15	23	56	88	84	98	114	109	105
FEMALE--	559	6	22	12	8	23	26	20	22	32	33	18
ALL OTHER--MALE----	290	2	6	5	10	25	27	47	33	36	28	18
FEMALE--	116	3	6	1	5	6	7	5	11	11	12	7
BLACK---MALE----	52	2	2	2	2	4	4	4	3	9	8	2
FEMALE--	27	2	2	1	2	-	1	2	1	4	-	3
ARKANSAS -----	1,345	18	42	31	38	117	96	90	90	84	88	66
WHITE-----MALE----	693	9	13	12	13	63	65	55	53	51	49	40
FEMALE--	415	5	16	6	14	35	19	16	17	16	21	17
ALL OTHER--MALE----	155	2	8	6	7	13	8	16	15	14	11	4
FEMALE--	82	2	5	7	4	6	4	3	5	3	7	5
BLACK---MALE----	145	2	8	5	5	13	5	14	15	13	11	4
FEMALE--	79	2	5	7	4	6	4	2	4	3	7	5
CALIFORNIA -----	9,020	66	235	149	150	559	601	601	700	812	922	731
WHITE-----MALE----	5,198	37	103	67	79	346	394	372	476	554	594	453
FEMALE--	2,375	20	77	39	36	116	116	123	126	145	180	140
ALL OTHER--MALE----	946	5	33	24	22	72	66	76	68	75	105	92
FEMALE--	501	4	22	19	13	25	25	30	30	38	43	46
BLACK---MALE----	501	3	15	14	11	31	35	29	43	49	70	68
FEMALE--	221	3	10	9	2	9	8	12	18	18	27	26

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,701

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
0 UNITED STATES --	4,478	3,680	3,425	3,841	4,737	5,792	6,313	5,668	3,451	1,310	274	100
WHITE-----MALE----	2,589	2,085	1,857	2,057	2,432	2,809	2,880	2,237	1,120	326	47	80
FEMALE--	1,041	928	955	1,206	1,681	2,349	2,922	3,030	2,106	898	206	4
ALL OTHER--MALE----	605	445	430	361	363	341	248	177	93	31	4	11
FEMALE--	243	222	183	217	261	293	263	224	132	55	17	5
BLACK---MALE----	513	372	349	304	277	276	192	133	71	21	2	9
FEMALE--	190	178	145	168	203	234	202	193	118	43	16	5
ALABAMA -----	124	91	75	123	118	148	119	109	56	25	2	-
WHITE-----MALE----	64	53	39	53	59	60	51	33	14	3	-	-
FEMALE--	30	17	19	33	35	60	52	52	24	18	2	-
ALL OTHER--MALE----	22	15	12	24	16	13	9	8	5	2	-	-
FEMALE--	8	6	5	13	8	15	7	16	13	2	-	-
BLACK---MALE----	22	15	12	24	16	13	9	8	5	2	-	-
FEMALE--	8	6	5	13	8	15	7	16	13	2	-	-
ALASKA -----	12	5	12	9	10	7	5	-	2	-	-	-
WHITE-----MALE----	8	3	5	4	3	2	2	-	-	-	-	-
FEMALE--	1	1	3	3	3	4	1	-	2	-	-	-
ALL OTHER--MALE----	1	-	2	2	4	-	2	-	-	-	-	-
FEMALE--	2	1	2	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ARIZONA -----	95	77	72	72	107	109	147	104	58	29	3	14
WHITE-----MALE----	53	49	39	41	57	60	67	42	24	11	-	12
FEMALE--	18	20	19	22	39	37	68	59	34	17	3	1
ALL OTHER--MALE----	13	4	9	6	7	6	6	1	-	1	-	-
FEMALE--	11	4	5	3	4	6	6	2	-	-	-	1
BLACK---MALE----	3	1	2	-	-	3	1	-	-	-	-	-
FEMALE--	1	2	1	-	-	1	2	1	-	-	-	1
ARKANSAS -----	55	59	52	58	61	71	77	82	43	22	2	3
WHITE-----MALE----	28	30	25	25	33	37	39	28	18	6	-	1
FEMALE--	20	18	19	20	21	23	29	44	23	14	2	-
ALL OTHER--MALE----	3	7	7	10	6	5	5	5	1	1	-	1
FEMALE--	4	4	1	3	1	6	4	5	1	1	-	1
BLACK---MALE----	3	7	7	10	6	5	5	4	1	1	-	1
FEMALE--	4	3	1	3	1	6	4	5	1	1	-	1
CALIFORNIA -----	497	388	307	314	380	443	475	366	207	73	14	30
WHITE-----MALE----	311	229	151	151	179	212	223	137	79	20	4	27
FEMALE--	118	90	84	105	138	164	197	187	115	48	9	2
ALL OTHER--MALE----	46	46	48	32	36	36	26	27	7	2	1	1
FEMALE--	22	23	24	26	27	31	29	15	6	3	-	-
BLACK---MALE----	30	25	24	13	12	8	13	6	1	-	-	1
FEMALE--	13	13	11	7	6	13	8	7	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,702

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
COLORADO -----	1,431	11	26	18	33	85	116	89	111	98	109	108
WHITE-----MALE----	865	6	14	7	16	44	82	63	75	67	78	72
FEMALE--	465	3	10	7	13	31	23	22	28	23	22	27
ALL OTHER--MALE----	67	1	1	3	2	9	7	3	6	6	5	7
FEMALE--	34	1	1	1	2	1	4	1	2	2	4	2
BLACK---MALE----	38	1	1	-	2	5	4	3	2	5	2	5
FEMALE--	17	1	1	1	2	-	1	-	1	2	2	1
CONNECTICUT -----	1,011	2	16	7	17	56	54	55	72	79	70	62
WHITE-----MALE----	577	1	8	6	6	29	32	36	54	49	45	44
FEMALE--	342	1	4	-	9	23	14	12	13	13	13	13
ALL OTHER--MALE----	66	-	4	1	2	3	8	6	3	11	8	4
FEMALE--	26	-	-	-	-	1	-	1	2	6	4	1
BLACK---MALE----	59	-	3	1	2	3	7	5	3	9	8	4
FEMALE--	23	-	-	-	-	1	-	1	1	6	4	1
DELAWARE -----	290	1	6	1	4	22	20	22	23	27	26	18
WHITE-----MALE----	142	-	3	1	1	12	12	16	12	19	13	8
FEMALE--	100	1	2	-	1	7	4	2	6	2	7	6
ALL OTHER--MALE----	28	-	-	-	1	3	3	3	4	1	5	1
FEMALE--	20	-	1	-	1	-	1	1	1	5	1	3
BLACK---MALE----	27	-	-	-	1	3	3	3	4	1	5	-
FEMALE--	18	-	-	-	1	-	1	1	1	4	1	3
DISTRICT OF COLUMBIA ----	177	-	4	2	1	3	6	15	8	15	15	16
WHITE-----MALE----	26	-	-	-	-	-	1	6	3	3	1	2
FEMALE--	14	-	-	-	-	-	1	1	-	2	1	1
ALL OTHER--MALE----	90	-	3	1	1	2	3	3	4	8	9	10
FEMALE--	47	-	1	1	-	1	1	5	1	2	4	3
BLACK---MALE----	88	-	3	1	1	2	3	3	4	8	9	10
FEMALE--	46	-	1	1	-	1	1	4	1	2	4	3
FLORIDA -----	5,547	43	128	69	103	317	370	391	376	447	431	337
WHITE-----MALE----	3,112	15	61	26	47	165	246	245	241	276	276	208
FEMALE--	1,602	12	28	14	29	84	62	78	75	109	85	75
ALL OTHER--MALE----	579	10	23	23	19	44	46	50	43	44	53	33
FEMALE--	254	6	16	6	8	24	16	18	17	18	17	21
BLACK---MALE----	553	9	23	23	18	43	43	45	41	43	50	31
FEMALE--	235	4	15	6	8	24	13	16	17	17	14	20
GEORGIA -----	3,081	25	67	75	75	235	252	203	206	231	235	211
WHITE-----MALE----	1,381	5	31	18	31	121	138	87	107	108	104	100
FEMALE--	793	4	10	20	17	56	49	40	36	54	35	42
ALL OTHER--MALE----	608	14	18	23	13	47	46	53	37	54	73	50
FEMALE--	299	2	8	14	14	11	19	23	26	15	23	19
BLACK---MALE----	583	14	17	22	13	44	43	50	36	51	72	48
FEMALE--	287	2	6	14	12	11	18	22	25	15	23	19

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,702

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
COLORADO -----	66	45	56	51	63	84	86	82	60	28	5	1
WHITE-----MALE----	51	31	26	37	35	52	41	36	24	7	-	1
FEMALE--	11	12	23	11	27	26	41	45	36	19	5	-
ALL OTHER--MALE----	3	1	5	2	1	3	1	1	-	-	-	-
FEMALE--	1	1	2	1	-	3	3	-	-	2	-	-
BLACK---MALE----	-	-	2	2	1	1	1	1	-	-	-	-
FEMALE--	1	-	-	1	-	2	-	-	-	1	-	-
CONNECTICUT -----	39	24	34	51	57	78	101	74	44	17	2	-
WHITE-----MALE----	23	11	19	35	30	41	49	35	17	6	1	-
FEMALE--	11	11	11	13	24	36	51	34	24	11	1	-
ALL OTHER--MALE----	3	1	3	2	2	-	1	2	2	-	-	-
FEMALE--	2	1	1	1	1	1	-	3	1	-	-	-
BLACK---MALE----	3	1	2	2	2	-	1	1	2	-	-	-
FEMALE--	-	1	1	1	1	1	-	3	1	-	-	-
DELAWARE -----	7	8	8	14	16	21	17	16	8	2	3	-
WHITE-----MALE----	4	2	3	5	9	10	4	5	2	-	1	-
FEMALE--	1	6	2	7	4	10	12	10	6	2	2	-
ALL OTHER--MALE----	1	-	1	2	1	-	1	1	-	-	-	-
FEMALE--	1	-	2	-	2	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	2	1	-	1	1	-	-	-	-
FEMALE--	1	-	2	-	2	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	10	5	4	12	13	13	12	14	5	4	-	-
WHITE-----MALE----	1	1	1	-	1	1	-	1	1	3	-	-
FEMALE--	-	1	-	1	-	2	1	3	-	-	-	-
ALL OTHER--MALE----	8	3	3	7	7	6	6	3	2	1	-	-
FEMALE--	1	-	-	4	5	4	5	7	2	-	-	-
BLACK---MALE----	8	2	3	7	7	6	5	3	2	1	-	-
FEMALE--	1	-	-	4	5	4	5	7	2	-	-	-
FLORIDA -----	260	255	209	216	295	340	365	346	172	56	10	11
WHITE-----MALE----	159	145	124	109	150	169	176	163	80	20	2	9
FEMALE--	53	62	49	75	102	141	173	174	79	34	8	1
ALL OTHER--MALE----	40	36	28	25	25	18	10	4	3	1	-	1
FEMALE--	8	12	8	7	18	12	6	5	10	1	-	-
BLACK---MALE----	39	35	27	24	24	17	9	4	3	1	-	1
FEMALE--	8	11	8	7	16	10	6	5	10	-	-	-
GEORGIA -----	158	118	117	123	133	171	161	152	90	34	7	2
WHITE-----MALE----	75	56	56	56	72	76	64	50	20	6	-	-
FEMALE--	29	24	21	33	34	56	71	74	59	24	5	-
ALL OTHER--MALE----	36	22	25	23	16	25	12	13	5	1	-	2
FEMALE--	18	16	15	11	11	14	14	15	6	3	2	-
BLACK---MALE----	33	21	24	23	15	25	12	13	4	1	-	2
FEMALE--	17	15	14	11	11	14	12	15	6	3	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,703

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
HAWAII -----	355	4	7	2	5	16	25	28	17	22	25	25
WHITE-----MALE----	80	-	1	-	2	2	13	5	3	9	4	11
FEMALE--	32	1	-	-	-	2	-	2	1	2	2	-
ALL OTHER--MALE----	160	1	2	2	2	7	6	18	13	11	15	10
FEMALE--	83	2	4	-	1	5	6	3	-	-	4	4
BLACK---MALE----	4	-	1	-	-	-	-	1	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	546	8	15	14	19	52	30	29	43	38	40	32
WHITE-----MALE----	345	3	12	6	8	30	24	25	29	29	29	25
FEMALE--	182	5	3	6	11	20	4	3	11	8	9	6
ALL OTHER--MALE----	11	-	-	-	-	2	1	1	1	1	2	1
FEMALE--	8	-	-	2	-	-	1	-	2	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3,470	32	68	53	70	220	244	228	236	259	287	206
WHITE-----MALE----	1,735	9	25	19	33	126	150	130	133	145	141	98
FEMALE--	966	11	13	9	18	64	49	43	42	39	44	26
ALL OTHER--MALE----	506	8	19	15	13	19	33	35	42	53	86	55
FEMALE--	263	4	11	10	6	11	12	20	19	22	16	27
BLACK---MALE----	486	7	18	15	12	18	29	34	39	51	85	53
FEMALE--	244	4	9	9	5	10	12	18	19	22	14	27
INDIANA -----	2,093	20	38	34	47	190	169	128	118	126	113	121
WHITE-----MALE----	1,251	8	21	20	28	127	120	89	80	79	86	79
FEMALE--	689	7	13	10	12	55	31	29	26	34	18	31
ALL OTHER--MALE----	102	2	2	4	5	5	16	8	8	9	6	7
FEMALE--	51	3	2	-	2	3	2	2	4	4	3	4
BLACK---MALE----	94	2	2	3	4	5	14	8	7	8	6	7
FEMALE--	48	3	2	-	1	3	1	1	4	4	3	4
IOWA -----	1,087	7	16	14	23	76	77	45	39	58	59	52
WHITE-----MALE----	638	2	13	11	15	50	62	37	20	41	40	35
FEMALE--	419	4	3	3	8	24	12	6	16	15	12	14
ALL OTHER--MALE----	21	-	-	-	-	2	2	2	3	1	5	2
FEMALE--	9	1	-	-	-	-	1	-	-	1	2	1
BLACK---MALE----	15	-	-	-	-	-	1	1	3	-	4	2
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	1
KANSAS -----	1,011	10	26	16	22	85	75	59	65	64	57	51
WHITE-----MALE----	608	6	18	7	13	53	56	41	44	47	35	35
FEMALE--	342	3	4	6	7	29	15	13	15	14	19	13
ALL OTHER--MALE----	42	1	3	2	1	3	3	4	5	1	3	3
FEMALE--	19	-	1	1	1	-	1	1	1	2	-	-
BLACK---MALE----	32	1	3	2	1	2	2	4	4	1	2	3
FEMALE--	12	-	-	1	1	-	-	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,703

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
HAWAII -----	20	15	10	14	24	23	24	23	18	7	-	1
WHITE-----MALE----	7	4	1	3	2	2	6	4	-	1	-	-
FEMALE--	1	2	-	1	2	6	4	3	3	-	-	-
ALL OTHER--MALE----	9	5	6	2	13	7	8	10	8	4	-	1
FEMALE--	3	4	3	8	7	8	6	6	7	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	29	35	16	17	22	26	30	27	17	6	1	-
WHITE-----MALE----	23	24	7	13	10	11	16	13	6	2	-	-
FEMALE--	5	10	8	3	12	15	14	13	11	4	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	175	124	129	150	191	193	227	192	136	42	6	2
WHITE-----MALE----	90	71	70	83	94	92	95	73	46	10	-	2
FEMALE--	42	27	32	44	59	80	108	99	80	31	6	-
ALL OTHER--MALE----	28	18	19	10	22	12	7	5	6	1	-	-
FEMALE--	15	8	8	13	16	9	17	15	4	-	-	-
BLACK---MALE----	28	18	19	10	21	11	6	5	6	1	-	-
FEMALE--	15	7	7	13	14	7	14	14	4	-	-	-
INDIANA -----	82	71	96	96	92	150	145	132	78	41	6	-
WHITE-----MALE----	53	39	60	59	52	86	71	62	22	9	1	-
FEMALE--	22	20	30	31	35	57	71	65	55	32	5	-
ALL OTHER--MALE----	2	9	4	3	3	5	1	3	-	-	-	-
FEMALE--	5	3	2	3	2	2	2	2	1	-	-	-
BLACK---MALE----	2	7	4	3	3	5	1	3	-	-	-	-
FEMALE--	5	3	2	3	2	2	2	2	1	-	-	-
IOWA -----	33	38	51	53	51	81	101	101	83	24	5	-
WHITE-----MALE----	16	23	36	33	27	47	64	34	26	6	-	-
FEMALE--	14	14	15	19	23	34	37	67	56	18	5	-
ALL OTHER--MALE----	1	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	32	32	39	49	53	50	90	59	58	17	2	-
WHITE-----MALE----	19	22	22	29	29	27	43	33	24	4	1	-
FEMALE--	9	6	13	16	20	22	46	24	34	13	1	-
ALL OTHER--MALE----	2	3	2	3	3	-	-	-	-	-	-	-
FEMALE--	2	1	2	1	1	1	1	2	-	-	-	-
BLACK---MALE----	1	2	1	1	2	-	-	-	-	-	-	-
FEMALE--	2	1	1	1	1	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,704

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
KENTUCKY -----	1,800	22	27	34	34	155	139	121	119	132	110	95
WHITE-----MALE----	1,092	8	17	17	19	111	109	88	83	96	83	65
FEMALE--	578	9	5	13	10	34	25	22	27	30	18	22
ALL OTHER--MALE----	87	3	5	1	5	8	3	7	8	6	5	5
FEMALE--	43	2	-	3	-	2	-	4	1	-	4	3
BLACK---MALE----	82	3	5	-	4	8	3	7	7	6	5	3
FEMALE--	40	2	-	3	-	2	2	4	1	-	3	3
LOUISIANA -----	1,908	16	52	48	46	154	152	162	128	157	137	100
WHITE-----MALE----	857	5	16	14	16	84	78	83	65	65	60	50
FEMALE--	450	3	16	13	11	22	17	24	23	27	27	12
ALL OTHER--MALE----	421	4	14	12	11	36	45	45	32	53	38	29
FEMALE--	180	4	6	9	8	12	12	10	8	12	12	9
BLACK---MALE----	400	4	12	11	11	32	40	44	31	53	38	27
FEMALE--	171	4	6	9	8	10	12	9	8	11	11	9
MAINE -----	428	2	9	6	7	16	25	25	26	28	20	30
WHITE-----MALE----	258	-	6	4	6	11	19	18	22	20	11	22
FEMALE--	168	2	3	2	1	5	6	5	4	8	9	8
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
MARYLAND -----	1,372	6	27	27	17	78	82	77	81	90	80	85
WHITE-----MALE----	599	1	12	6	5	29	40	36	38	46	44	40
FEMALE--	386	-	2	5	1	22	17	9	15	16	9	14
ALL OTHER--MALE----	241	3	6	9	8	16	20	24	17	15	20	20
FEMALE--	146	2	7	7	3	11	5	8	11	13	7	11
BLACK---MALE----	228	3	6	9	8	16	17	21	16	15	20	18
FEMALE--	136	1	7	7	3	10	5	7	9	13	7	10
MASSACHUSETTS -----	1,287	3	12	9	21	75	92	59	64	59	78	57
WHITE-----MALE----	701	1	3	3	14	44	67	38	41	34	55	46
FEMALE--	493	1	4	2	2	21	13	14	13	17	15	7
ALL OTHER--MALE----	63	1	4	2	3	6	10	5	8	6	6	2
FEMALE--	30	-	1	2	2	4	2	2	2	2	2	2
BLACK---MALE----	45	-	4	2	1	6	7	4	5	3	6	1
FEMALE--	22	-	1	1	2	3	1	2	1	2	2	2
MICHIGAN -----	3,170	34	55	75	63	246	207	193	206	218	204	185
WHITE-----MALE----	1,558	7	24	31	33	141	123	112	123	117	109	103
FEMALE--	1,009	13	7	16	11	64	31	44	38	52	42	35
ALL OTHER--MALE----	383	5	15	14	10	33	40	25	34	32	31	32
FEMALE--	220	9	9	14	9	8	13	12	11	17	22	15
BLACK---MALE----	353	5	14	13	10	31	36	24	34	28	27	29
FEMALE--	202	9	9	12	8	7	10	11	11	17	22	14

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,704

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
KENTUCKY -----	77	77	47	76	86	106	112	121	74	31	4	1
WHITE-----MALE----	44	42	25	45	44	60	50	55	23	7	-	1
FEMALE--	23	23	20	26	36	39	58	61	49	24	4	-
ALL OTHER--MALE----	6	8	2	3	2	3	2	4	1	-	-	-
FEMALE--	4	4	-	2	4	4	2	1	1	-	-	-
BLACK---MALE----	6	8	2	3	2	3	2	4	1	-	-	-
FEMALE--	3	3	-	2	4	4	2	1	1	-	-	-
LOUISIANA -----	98	90	62	83	85	73	104	87	48	19	7	-
WHITE-----MALE----	47	43	32	41	44	33	39	30	8	4	-	-
FEMALE--	20	17	16	19	28	28	42	41	30	9	5	-
ALL OTHER--MALE----	23	16	10	16	10	8	9	4	4	2	-	-
FEMALE--	8	14	4	7	3	4	14	12	6	4	2	-
BLACK---MALE----	22	14	10	16	9	8	8	4	4	2	-	-
FEMALE--	7	12	4	7	3	4	14	11	6	4	2	-
MAINE -----	18	13	17	15	27	32	39	37	22	10	4	-
WHITE-----MALE----	14	7	14	8	15	11	21	18	9	2	-	-
FEMALE--	4	6	3	7	12	21	18	19	13	8	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	75	62	53	51	78	127	108	87	57	15	6	3
WHITE-----MALE----	41	32	25	24	30	50	48	36	12	2	1	1
FEMALE--	14	13	13	12	29	57	46	41	36	10	5	-
ALL OTHER--MALE----	18	12	12	8	9	7	7	5	3	2	-	-
FEMALE--	2	5	3	7	10	13	7	5	6	1	-	2
BLACK---MALE----	18	12	12	7	9	6	6	5	2	2	-	-
FEMALE--	1	5	2	6	10	13	7	5	5	1	-	2
MASSACHUSETTS -----	48	29	43	58	55	117	137	147	78	42	4	-
WHITE-----MALE----	30	20	27	40	36	50	70	54	20	8	-	-
FEMALE--	16	6	10	18	18	65	65	90	58	34	4	-
ALL OTHER--MALE----	2	1	5	-	-	1	-	1	-	-	-	-
FEMALE--	-	2	1	-	1	1	2	2	-	-	-	-
BLACK---MALE----	1	-	3	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	2	-	-	-	-
MICHIGAN -----	148	128	115	141	172	199	217	190	118	45	11	-
WHITE-----MALE----	73	64	55	60	76	81	108	69	34	14	1	-
FEMALE--	41	36	36	52	73	96	97	111	76	28	10	-
ALL OTHER--MALE----	23	19	16	16	13	9	5	7	4	-	-	-
FEMALE--	11	9	8	13	10	13	7	3	4	3	-	-
BLACK---MALE----	23	15	14	12	13	9	5	7	4	-	-	-
FEMALE--	9	6	8	13	8	11	7	3	4	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,705

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
MINNESOTA -----	1,704	12	26	34	26	104	75	79	82	93	81	82
WHITE-----MALE----	941	5	7	18	14	61	52	51	47	66	62	55
FEMALE--	659	4	10	7	11	38	19	16	19	12	13	24
ALL OTHER--MALE----	65	1	4	6	-	4	1	11	9	11	5	2
FEMALE--	39	2	5	3	1	1	3	1	7	4	1	1
BLACK---MALE----	29	-	1	2	-	1	-	9	3	7	3	1
FEMALE--	15	2	2	2	-	1	-	-	3	-	1	-
MISSISSIPPI -----	1,588	15	46	24	35	135	135	109	118	139	99	73
WHITE-----MALE----	620	4	10	7	13	60	62	34	51	51	44	38
FEMALE--	340	5	6	4	6	27	13	12	18	25	11	3
ALL OTHER--MALE----	412	5	11	6	11	40	49	46	34	45	32	20
FEMALE--	216	1	19	7	5	8	11	17	15	18	12	12
BLACK---MALE----	401	5	10	6	11	39	47	44	33	43	31	20
FEMALE--	208	1	16	6	5	7	11	15	14	18	12	12
MISSOURI -----	2,383	19	57	37	44	194	174	118	169	153	147	140
WHITE-----MALE----	1,303	10	24	14	23	110	115	72	114	99	94	86
FEMALE--	797	6	16	8	13	66	39	28	35	31	33	32
ALL OTHER--MALE----	171	2	8	8	2	14	15	15	13	15	11	14
FEMALE--	112	1	9	7	6	4	5	3	7	8	9	8
BLACK---MALE----	162	2	7	8	2	14	14	12	10	15	11	13
FEMALE--	104	1	9	7	6	3	5	3	5	8	6	8
MONTANA -----	450	3	14	6	12	34	43	26	29	36	31	36
WHITE-----MALE----	258	1	5	2	9	25	31	15	15	24	13	19
FEMALE--	138	-	6	2	3	4	4	5	7	7	12	11
ALL OTHER--MALE----	36	2	-	1	-	5	8	4	5	3	4	2
FEMALE--	18	-	3	1	-	-	-	2	2	2	2	4
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	666	2	13	11	13	63	33	39	32	38	35	30
WHITE-----MALE----	385	2	9	4	7	47	24	27	21	26	20	21
FEMALE--	249	-	3	6	6	15	8	8	10	8	12	6
ALL OTHER--MALE----	19	-	-	1	-	1	-	3	1	3	1	1
FEMALE--	13	-	1	-	-	-	1	1	-	1	2	2
BLACK---MALE----	12	-	-	1	-	-	-	2	-	1	1	1
FEMALE--	7	-	1	-	-	-	-	-	-	1	1	2
NEVADA -----	663	7	21	6	14	40	52	44	57	65	66	51
WHITE-----MALE----	400	4	8	2	7	24	33	30	42	41	44	37
FEMALE--	183	3	7	3	5	9	9	5	11	18	13	8
ALL OTHER--MALE----	56	-	4	1	2	6	10	5	2	5	5	3
FEMALE--	24	-	2	-	-	1	-	4	2	1	4	3
BLACK---MALE----	29	-	1	-	1	3	4	2	2	4	3	3
FEMALE--	15	-	2	-	-	1	-	1	1	1	3	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,705

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
MINNESOTA -----	77	57	52	62	93	127	174	173	127	55	13	-
WHITE-----MALE----	54	39	31	33	59	63	88	80	40	11	5	-
FEMALE--	19	18	17	28	30	62	83	92	86	44	7	-
ALL OTHER--MALE----	2	-	3	-	3	1	1	1	-	-	-	-
FEMALE--	2	-	1	1	1	1	2	-	1	-	1	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
MISSISSIPPI -----	68	55	63	64	92	73	97	85	41	18	2	2
WHITE-----MALE----	24	26	26	23	40	30	30	31	12	3	-	1
FEMALE--	12	12	14	15	29	19	43	36	18	10	2	-
ALL OTHER--MALE----	22	11	17	14	16	10	9	8	4	1	-	1
FEMALE--	10	6	6	12	7	14	15	10	7	4	-	-
BLACK---MALE----	22	11	16	14	16	10	9	8	4	1	-	1
FEMALE--	10	6	6	12	7	14	15	10	7	4	-	-
MISSOURI -----	95	83	102	93	125	159	172	161	100	33	8	-
WHITE-----MALE----	55	54	47	57	61	76	84	66	33	8	1	-
FEMALE--	32	20	42	27	50	70	75	87	60	21	6	-
ALL OTHER--MALE----	5	6	10	4	4	7	10	2	4	2	-	-
FEMALE--	3	3	3	5	10	6	3	6	3	2	1	-
BLACK---MALE----	5	6	10	4	4	7	10	2	4	2	-	-
FEMALE--	3	3	3	5	10	5	3	5	3	2	1	-
MONTANA -----	20	16	19	12	21	23	25	20	18	5	1	-
WHITE-----MALE----	16	13	9	5	10	14	11	11	9	1	-	-
FEMALE--	4	2	9	6	10	9	14	9	9	4	1	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	35	21	20	39	29	39	52	56	44	20	2	-
WHITE-----MALE----	15	13	15	28	18	26	27	18	14	2	1	-
FEMALE--	15	7	5	11	8	12	24	37	30	17	1	-
ALL OTHER--MALE----	4	-	-	-	2	1	-	-	-	1	-	-
FEMALE--	1	1	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	2	-	-	-	2	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
NEVADA -----	41	36	22	30	23	31	22	15	10	8	-	2
WHITE-----MALE----	31	17	11	19	9	15	11	5	6	2	-	2
FEMALE--	8	14	9	9	11	14	10	9	3	5	-	-
ALL OTHER--MALE----	2	3	2	1	3	-	1	-	1	-	-	-
FEMALE--	-	2	-	1	-	2	-	1	-	1	-	-
BLACK---MALE----	1	2	1	-	-	-	1	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,707

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
OHIO -----	3,450	34	69	62	56	221	242	192	194	257	218	170
WHITE-----MALE----	1,918	11	30	31	27	146	158	138	140	158	139	97
FEMALE--	1,162	10	25	15	16	63	53	35	44	63	50	45
ALL OTHER--MALE----	249	8	10	10	8	9	22	16	7	25	21	23
FEMALE--	121	5	4	6	5	3	9	3	3	11	8	5
BLACK---MALE----	240	8	10	9	8	8	20	16	7	24	21	21
FEMALE--	113	5	4	6	5	3	7	2	2	10	7	5
OKLAHOMA -----	1,604	12	44	25	31	133	125	96	93	119	117	105
WHITE-----MALE----	881	6	22	13	19	73	75	64	60	71	64	67
FEMALE--	513	3	16	6	10	44	38	17	16	23	25	25
ALL OTHER--MALE----	128	2	4	2	-	8	6	11	13	15	21	8
FEMALE--	82	1	2	4	2	8	6	4	4	10	7	5
BLACK---MALE----	59	2	3	1	-	4	1	5	4	7	9	5
FEMALE--	44	1	1	3	1	3	3	4	1	6	4	3
OREGON -----	1,305	8	27	17	22	96	103	77	83	99	112	110
WHITE-----MALE----	798	5	13	8	11	68	67	58	58	72	86	82
FEMALE--	424	2	9	6	8	21	26	13	13	24	19	26
ALL OTHER--MALE----	65	-	5	2	2	5	10	6	7	3	6	2
FEMALE--	18	1	-	1	1	2	-	-	5	-	1	-
BLACK---MALE----	22	-	1	1	-	2	1	2	2	1	5	-
FEMALE--	2	1	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	4,779	24	72	52	68	289	310	259	317	332	366	291
WHITE-----MALE----	2,653	6	35	21	38	177	218	172	211	232	238	169
FEMALE--	1,522	6	17	15	19	78	59	49	57	47	57	59
ALL OTHER--MALE----	394	6	9	6	8	24	24	29	35	39	47	51
FEMALE--	210	6	11	10	3	10	9	9	14	14	24	12
BLACK---MALE----	374	6	6	4	7	22	24	27	31	38	47	50
FEMALE--	197	6	10	10	2	9	9	6	14	14	24	12
RHODE ISLAND -----	242	-	2	1	2	20	12	12	8	24	10	19
WHITE-----MALE----	144	-	-	1	1	12	6	7	6	17	7	13
FEMALE--	83	-	2	-	1	7	3	2	1	4	2	6
ALL OTHER--MALE----	10	-	-	-	-	-	3	2	1	1	1	-
FEMALE--	5	-	-	-	-	1	-	1	-	2	-	-
BLACK---MALE----	8	-	-	-	-	-	2	2	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	1	-	1	-	-
SOUTH CAROLINA -----	1,716	22	23	27	37	130	137	133	141	136	131	112
WHITE-----MALE----	704	4	7	9	13	57	66	64	63	70	54	51
FEMALE--	417	4	1	7	7	27	21	25	26	21	30	24
ALL OTHER--MALE----	424	9	10	6	12	36	45	36	38	37	39	28
FEMALE--	171	5	5	5	5	10	5	8	14	8	8	9
BLACK---MALE----	421	9	10	6	12	36	43	36	38	37	39	28
FEMALE--	168	5	5	5	4	9	5	8	14	8	8	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,707

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
OHIO -----	141	134	125	151	201	257	254	250	153	54	15	-
WHITE-----MALE----	85	77	81	88	122	123	107	96	46	16	2	-
FEMALE--	35	35	33	48	60	108	134	141	99	38	12	-
ALL OTHER--MALE----	15	17	6	9	10	18	6	8	1	-	-	-
FEMALE--	6	5	5	6	9	8	7	5	7	-	1	-
BLACK---MALE----	15	17	6	9	10	18	4	8	1	-	-	-
FEMALE--	6	5	5	5	9	7	7	5	7	-	1	-
OKLAHOMA -----	68	55	64	59	62	79	111	107	72	15	11	1
WHITE-----MALE----	37	36	45	32	37	44	53	40	17	5	1	-
FEMALE--	24	13	10	19	16	29	53	58	51	9	8	-
ALL OTHER--MALE----	5	4	7	5	5	3	3	3	2	-	-	1
FEMALE--	2	2	2	3	4	3	2	6	2	1	2	-
BLACK---MALE----	4	2	2	2	1	1	2	2	2	-	-	-
FEMALE--	2	2	1	2	-	1	1	2	2	-	1	-
OREGON -----	62	43	29	39	59	70	76	80	59	28	6	-
WHITE-----MALE----	41	24	20	20	31	37	34	36	19	8	-	-
FEMALE--	14	15	9	16	28	29	40	41	40	19	6	-
ALL OTHER--MALE----	6	3	-	-	-	4	2	2	-	-	-	-
FEMALE--	1	1	-	3	-	-	-	1	-	1	-	-
BLACK---MALE----	5	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	183	148	164	187	295	377	417	322	222	69	14	1
WHITE-----MALE----	107	84	87	111	158	184	189	133	72	11	-	-
FEMALE--	41	45	56	63	107	161	206	176	139	53	12	-
ALL OTHER--MALE----	24	15	15	6	18	17	11	3	4	2	-	1
FEMALE--	11	4	6	7	12	15	11	10	7	3	2	-
BLACK---MALE----	23	15	14	6	17	16	11	3	4	2	-	1
FEMALE--	9	3	6	5	12	15	10	10	7	2	2	-
RHODE ISLAND -----	15	9	9	10	18	15	23	15	7	8	1	2
WHITE-----MALE----	12	5	4	9	11	10	16	3	2	-	-	2
FEMALE--	2	3	5	1	7	5	7	11	5	8	1	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
SOUTH CAROLINA -----	97	76	57	82	78	86	88	64	45	10	4	-
WHITE-----MALE----	40	28	21	34	31	29	35	15	10	3	-	-
FEMALE--	17	16	7	23	24	34	32	37	25	5	4	-
ALL OTHER--MALE----	30	23	18	19	9	14	9	4	2	-	-	-
FEMALE--	10	9	11	6	14	9	12	8	8	2	-	-
BLACK---MALE----	30	23	18	18	9	14	9	4	2	-	-	-
FEMALE--	9	9	11	6	14	9	12	8	8	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,708

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
SOUTH DAKOTA -----	306	4	7	5	11	34	18	16	19	20	17	22
WHITE-----MALE----	153	-	5	2	3	17	13	5	9	13	10	11
FEMALE--	87	1	2	1	5	6	3	2	3	2	2	4
ALL OTHER--MALE----	46	3	-	2	1	7	-	6	6	2	3	6
FEMALE--	20	-	-	-	2	4	2	3	1	3	2	1
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
TENNESSEE -----	2,525	19	40	44	50	189	176	163	171	198	203	162
WHITE-----MALE----	1,347	6	13	21	25	116	113	108	105	110	113	93
FEMALE--	764	7	10	4	15	42	30	26	40	61	54	38
ALL OTHER--MALE----	291	4	10	12	7	26	27	24	21	16	26	27
FEMALE--	123	2	7	7	3	5	6	5	5	11	10	4
BLACK---MALE----	286	4	10	12	7	26	26	24	20	14	26	27
FEMALE--	121	2	7	7	3	5	6	5	5	11	10	4
TEXAS -----	7,175	81	192	130	162	624	592	555	501	626	570	419
WHITE-----MALE----	4,145	35	93	64	98	369	405	349	317	374	367	265
FEMALE--	2,130	28	66	37	42	183	114	128	116	162	123	93
ALL OTHER--MALE----	599	9	20	13	14	56	51	58	52	69	54	50
FEMALE--	301	9	13	16	8	16	22	20	16	21	26	11
BLACK---MALE----	529	8	19	12	13	50	44	49	44	62	49	45
FEMALE--	269	9	13	14	8	12	18	17	14	19	24	9
UTAH -----	686	9	23	16	25	83	79	45	32	31	38	37
WHITE-----MALE----	406	4	13	11	13	48	50	30	22	21	20	22
FEMALE--	238	3	9	4	9	30	22	7	8	9	11	15
ALL OTHER--MALE----	26	1	-	1	1	3	5	7	1	-	4	-
FEMALE--	16	1	1	-	2	2	2	1	1	1	3	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	201	1	3	-	6	10	9	9	11	18	12	12
WHITE-----MALE----	109	-	1	-	1	9	9	7	8	12	5	7
FEMALE--	91	1	2	-	5	1	-	2	3	6	7	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2,307	15	33	27	40	151	145	145	147	183	164	148
WHITE-----MALE----	1,081	3	10	9	19	74	85	77	74	100	88	74
FEMALE--	657	3	7	6	6	42	20	22	25	33	22	33
ALL OTHER--MALE----	390	7	11	5	11	24	27	39	35	35	41	29
FEMALE--	179	2	5	7	4	11	13	7	13	15	13	12
BLACK---MALE----	377	7	11	5	11	24	25	37	35	34	40	29
FEMALE--	164	2	5	7	3	8	12	6	12	14	11	12

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,708

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
SOUTH DAKOTA -----	11	7	8	7	16	26	18	24	8	5	3	-
WHITE-----MALE----	7	3	3	4	10	14	7	12	5	-	-	-
FEMALE--	1	-	3	2	6	10	11	12	3	5	3	-
ALL OTHER--MALE----	2	4	2	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	127	101	106	100	107	125	173	150	77	34	10	-
WHITE-----MALE----	73	60	60	59	57	56	69	59	23	7	1	-
FEMALE--	24	20	30	30	35	53	89	76	50	23	7	-
ALL OTHER--MALE----	20	14	13	9	10	11	6	6	-	2	-	-
FEMALE--	10	7	3	2	5	5	9	9	4	2	2	-
BLACK---MALE----	19	14	13	9	10	11	6	6	-	2	-	-
FEMALE--	8	7	3	2	5	5	9	9	4	2	2	-
TEXAS -----	317	263	254	273	298	346	381	321	190	61	7	12
WHITE-----MALE----	206	158	137	161	163	181	173	132	66	19	1	12
FEMALE--	75	76	80	82	99	125	174	174	111	37	5	-
ALL OTHER--MALE----	24	18	28	18	21	15	18	6	5	-	-	-
FEMALE--	12	11	9	12	15	25	16	9	8	5	1	-
BLACK---MALE----	21	15	26	16	18	13	16	5	4	-	-	-
FEMALE--	11	10	8	12	12	22	14	9	8	5	1	-
UTAH -----	25	26	22	26	33	27	45	32	21	10	-	1
WHITE-----MALE----	17	16	12	17	22	19	21	15	9	3	-	1
FEMALE--	8	10	9	9	9	7	24	16	12	7	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	8	6	5	8	18	17	19	12	10	2	-
WHITE-----MALE----	4	6	5	4	5	7	10	5	2	1	1	-
FEMALE--	1	2	1	1	3	11	7	14	10	9	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	125	101	83	88	117	172	153	153	73	34	6	4
WHITE-----MALE----	65	52	50	41	55	68	66	49	14	6	-	2
FEMALE--	27	19	15	29	41	67	67	91	51	26	5	-
ALL OTHER--MALE----	25	19	11	15	11	22	11	6	4	-	-	2
FEMALE--	8	11	7	3	10	15	9	7	4	2	1	-
BLACK---MALE----	25	18	10	14	10	20	10	6	4	-	-	2
FEMALE--	8	9	7	3	10	14	8	6	4	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,710

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TRANSPORT ACCIDENTS (E800-E848)												
0 UNITED STATES --	45,798	167	780	881	1,177	5,341	5,154	4,160	3,799	3,789	3,393	2,872
WHITE-----MALE----	25,534	59	298	389	558	2,955	3,245	2,449	2,235	2,211	1,958	1,667
FEMALE--	12,568	63	252	255	383	1,590	1,055	828	844	888	795	693
ALL OTHER--MALE----	5,216	27	126	127	138	568	627	647	521	483	448	344
FEMALE--	2,480	18	104	110	98	228	227	236	199	207	192	168
BLACK---MALE----	4,096	22	109	107	116	441	484	489	398	384	368	279
FEMALE--	1,794	15	74	92	71	155	161	172	150	162	134	132
ALABAMA -----	1,294	4	24	26	29	135	142	138	108	121	115	73
WHITE-----MALE----	686	1	11	12	10	79	94	71	55	64	56	36
FEMALE--	314	-	4	7	12	36	20	29	24	32	23	15
ALL OTHER--MALE----	215	3	6	6	5	11	22	31	25	15	31	18
FEMALE--	79	-	3	1	2	9	6	7	4	10	5	4
BLACK---MALE----	215	3	6	6	5	11	22	31	25	15	31	18
FEMALE--	78	-	3	1	2	9	6	7	3	10	5	4
ALASKA -----	140	1	7	5	5	18	13	17	14	13	15	10
WHITE-----MALE----	74	1	2	-	1	6	4	14	11	6	11	4
FEMALE--	23	-	3	-	-	3	6	1	-	1	2	2
ALL OTHER--MALE----	28	-	1	2	1	7	2	2	3	4	1	4
FEMALE--	15	-	1	3	3	2	1	-	-	2	1	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,032	3	26	23	30	87	116	102	91	97	81	71
WHITE-----MALE----	539	-	8	11	15	42	62	56	48	49	41	48
FEMALE--	242	2	10	9	7	21	24	10	12	18	19	9
ALL OTHER--MALE----	175	-	3	3	6	18	24	32	23	25	12	10
FEMALE--	76	1	5	-	2	6	6	4	8	5	9	4
BLACK---MALE----	25	-	1	2	1	2	4	2	2	4	2	-
FEMALE--	11	1	1	-	-	-	1	1	-	1	-	2
ARKANSAS -----	756	7	21	19	23	97	75	69	63	59	52	39
WHITE-----MALE----	417	5	6	8	8	50	50	43	33	36	31	21
FEMALE--	215	2	8	3	12	33	15	10	15	13	15	11
ALL OTHER--MALE----	80	-	4	2	3	9	7	13	10	8	3	3
FEMALE--	44	-	3	6	-	5	3	3	5	2	3	4
BLACK---MALE----	73	-	4	1	1	9	5	11	10	8	3	3
FEMALE--	42	-	3	6	-	5	3	2	4	2	3	4
CALIFORNIA -----	4,103	13	91	88	90	430	431	356	338	315	327	285
WHITE-----MALE----	2,341	5	39	44	44	254	279	204	209	213	198	172
FEMALE--	1,064	6	33	28	28	102	92	77	71	63	73	67
ALL OTHER--MALE----	450	1	11	8	10	52	43	51	43	25	38	25
FEMALE--	248	1	8	8	8	22	17	24	15	14	18	21
BLACK---MALE----	197	-	7	6	6	25	20	19	23	12	18	14
FEMALE--	74	1	2	3	1	6	3	10	6	4	5	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,710

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 TRANSPORT ACCIDENTS (E800-E848)												
0 UNITED STATES --	2,362	1,923	1,648	1,691	1,843	1,887	1,584	992	275	43	9	28
WHITE-----MALE----	1,374	1,049	890	868	940	933	785	491	132	23	3	22
FEMALE--	595	554	499	593	656	775	674	421	130	19	5	1
ALL OTHER--MALE----	268	211	169	141	149	103	71	37	7	1	1	2
FEMALE--	125	109	90	89	98	76	54	43	6	-	-	3
BLACK---MALE----	217	174	131	114	108	68	50	29	6	-	-	2
FEMALE--	86	78	63	58	62	55	30	37	4	-	-	3
ALABAMA -----	69	47	30	58	61	53	35	23	3	-	-	-
WHITE-----MALE----	39	28	16	28	35	22	18	9	2	-	-	-
FEMALE--	17	9	9	18	15	23	11	9	1	-	-	-
ALL OTHER--MALE----	8	8	3	8	7	4	3	1	-	-	-	-
FEMALE--	5	2	2	4	4	4	3	4	-	-	-	-
BLACK---MALE----	8	8	3	8	7	4	3	1	-	-	-	-
FEMALE--	5	2	2	4	4	4	3	4	-	-	-	-
ALASKA -----	6	5	4	2	1	2	2	-	-	-	-	-
WHITE-----MALE----	5	3	2	2	1	-	1	-	-	-	-	-
FEMALE--	-	1	2	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	46	39	41	30	41	30	42	24	5	3	-	4
WHITE-----MALE----	20	26	23	14	24	19	18	9	1	2	-	3
FEMALE--	13	9	12	13	12	5	18	14	4	1	-	-
ALL OTHER--MALE----	4	2	1	2	2	4	4	-	-	-	-	-
FEMALE--	9	2	5	1	3	2	2	1	-	-	-	1
BLACK---MALE----	1	-	-	-	-	3	1	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	1
ARKANSAS -----	36	32	31	33	29	28	20	12	9	2	-	-
WHITE-----MALE----	19	17	16	15	14	17	13	8	6	1	-	-
FEMALE--	15	10	12	14	11	8	3	2	2	1	-	-
ALL OTHER--MALE----	-	3	3	3	3	2	3	1	-	-	-	-
FEMALE--	2	2	-	1	1	1	1	1	1	-	-	-
BLACK---MALE----	-	3	3	3	3	2	3	1	-	-	-	-
FEMALE--	2	2	-	1	1	1	1	1	1	-	-	-
CALIFORNIA -----	222	190	154	146	170	181	154	88	23	4	1	6
WHITE-----MALE----	140	116	80	62	70	84	71	38	13	1	-	5
FEMALE--	56	37	38	51	63	67	60	40	9	3	-	-
ALL OTHER--MALE----	17	23	23	18	24	21	10	4	1	-	1	1
FEMALE--	9	14	13	15	13	9	13	6	-	-	-	-
BLACK---MALE----	5	9	9	5	9	2	5	1	1	-	-	1
FEMALE--	4	5	4	2	-	3	4	4	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,711

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TRANSPORT ACCIDENTS (E800-E848)												
COLORADO -----	684	2	12	9	24	69	97	50	65	51	49	60
WHITE-----MALE----	424	1	5	2	8	33	66	36	39	31	37	43
FEMALE--	200	1	5	5	12	27	22	12	20	16	10	13
ALL OTHER--MALE----	38	-	1	1	2	8	5	2	5	4	-	2
FEMALE--	22	-	1	1	2	1	4	-	1	-	2	2
BLACK---MALE----	20	-	1	-	2	4	2	2	2	3	-	1
FEMALE--	12	-	1	1	2	-	1	-	1	-	2	1
CONNECTICUT -----	373	-	3	4	12	46	38	37	31	27	28	26
WHITE-----MALE----	205	-	-	3	4	23	19	24	20	12	19	17
FEMALE--	128	-	1	-	8	21	11	8	9	7	8	8
ALL OTHER--MALE----	28	-	2	1	-	2	8	5	1	4	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	4	1	1
BLACK---MALE----	23	-	1	1	-	2	7	4	1	2	-	-
FEMALE--	11	-	-	-	-	-	-	-	1	4	1	1
DELAWARE -----	145	-	2	1	4	17	16	16	12	15	8	9
WHITE-----MALE----	73	-	-	1	1	9	9	13	5	11	4	4
FEMALE--	49	-	1	-	1	5	3	2	5	1	3	4
ALL OTHER--MALE----	13	-	-	-	1	3	3	1	2	1	-	-
FEMALE--	10	-	1	-	1	-	1	-	-	2	1	1
BLACK---MALE----	13	-	-	-	1	3	3	1	2	1	-	-
FEMALE--	8	-	-	-	1	-	1	-	-	1	1	1
DISTRICT OF COLUMBIA ----	55	-	4	1	-	2	3	10	5	5	-	5
WHITE-----MALE----	7	-	-	-	-	-	-	4	1	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	30	-	3	-	-	1	2	3	3	3	-	5
FEMALE--	14	-	1	1	-	1	1	3	1	-	-	-
BLACK---MALE----	29	-	3	-	-	1	2	3	3	3	-	5
FEMALE--	14	-	1	1	-	1	1	3	1	-	-	-
FLORIDA -----	2,932	9	25	27	72	274	290	281	236	255	218	165
WHITE-----MALE----	1,663	2	8	14	32	136	189	171	147	151	132	95
FEMALE--	807	2	4	6	25	82	52	61	50	72	48	41
ALL OTHER--MALE----	313	3	6	5	13	34	36	32	27	22	28	14
FEMALE--	149	2	7	2	2	22	13	17	12	10	10	15
BLACK---MALE----	293	3	6	5	12	33	33	27	26	22	27	12
FEMALE--	136	-	7	2	2	22	11	15	12	9	7	14
GEORGIA -----	1,668	5	33	47	44	193	211	145	150	141	124	114
WHITE-----MALE----	785	-	12	11	18	97	114	59	78	66	55	50
FEMALE--	395	2	10	18	10	51	45	35	25	39	22	24
ALL OTHER--MALE----	336	3	8	13	7	36	34	36	27	28	33	32
FEMALE--	152	-	3	5	9	9	18	15	20	8	14	8
BLACK---MALE----	321	3	8	13	7	33	33	34	26	27	32	30
FEMALE--	145	-	2	5	7	9	17	15	19	8	14	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,711

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 TRANSPORT ACCIDENTS (E800-E848)												
COLORADO -----	34	23	25	24	22	24	28	10	5	-	-	1
WHITE-----MALE----	26	15	13	15	16	14	14	5	4	-	-	1
FEMALE--	4	8	9	6	6	7	11	5	1	-	-	-
ALL OTHER--MALE----	3	-	1	2	-	1	1	-	-	-	-	-
FEMALE--	1	-	2	1	-	2	2	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
CONNECTICUT -----	20	7	14	16	18	16	14	10	6	-	-	-
WHITE-----MALE----	12	3	9	11	10	7	6	5	1	-	-	-
FEMALE--	6	3	4	3	7	9	8	4	3	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	2	-	-	-
FEMALE--	1	1	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	2	-	-	-
FEMALE--	-	1	-	1	1	-	-	1	-	-	-	-
DELAWARE -----	5	4	5	8	9	7	4	2	1	-	-	-
WHITE-----MALE----	3	-	1	4	6	2	-	-	-	-	-	-
FEMALE--	1	4	1	4	2	5	4	2	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	2	2	4	2	3	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	3	1	2	1	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	3	-	1	1	1	-	-	-	-
BLACK---MALE----	3	-	2	1	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	3	-	1	1	1	-	-	-	-
FLORIDA -----	158	154	110	124	143	142	123	95	21	2	1	7
WHITE-----MALE----	108	82	65	56	69	67	72	49	12	-	1	5
FEMALE--	28	43	27	49	54	62	46	44	8	2	-	1
ALL OTHER--MALE----	17	22	12	14	14	8	4	1	-	-	-	1
FEMALE--	5	7	6	5	6	5	1	1	1	-	-	-
BLACK---MALE----	16	21	11	14	13	7	3	1	-	-	-	1
FEMALE--	5	6	6	5	6	4	1	1	1	-	-	-
GEORGIA -----	90	60	63	59	53	56	38	35	7	-	-	-
WHITE-----MALE----	41	29	34	31	29	26	20	12	3	-	-	-
FEMALE--	19	13	10	11	12	20	13	14	2	-	-	-
ALL OTHER--MALE----	20	11	13	12	7	7	3	4	2	-	-	-
FEMALE--	10	7	6	5	5	3	2	5	-	-	-	-
BLACK---MALE----	18	10	13	12	7	7	3	4	1	-	-	-
FEMALE--	9	7	5	5	5	3	2	5	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,712

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
TRANSPORT ACCIDENTS (E800-E848)												
HAWAII -----	148	-	3	-	2	14	18	18	9	14	7	6
WHITE-----MALE----	28	-	-	-	1	2	9	2	1	4	2	1
FEMALE--	12	-	-	-	-	1	-	2	-	1	1	-
ALL OTHER--MALE----	67	-	1	-	-	6	4	11	8	9	2	2
FEMALE--	41	-	2	-	1	5	5	3	-	-	2	3
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	294	2	9	5	12	46	19	19	27	24	23	19
WHITE-----MALE----	183	-	7	2	4	26	15	16	17	17	15	13
FEMALE--	101	2	2	3	8	18	3	2	8	6	7	6
ALL OTHER--MALE----	6	-	-	-	-	2	-	1	1	1	1	-
FEMALE--	4	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,521	7	15	21	39	177	182	148	129	114	123	87
WHITE-----MALE----	840	2	3	10	17	95	112	81	72	78	62	49
FEMALE--	401	2	4	4	15	61	37	36	30	21	27	15
ALL OTHER--MALE----	182	3	5	4	4	13	22	18	20	12	26	12
FEMALE--	98	-	3	3	3	8	11	13	7	3	8	11
BLACK---MALE----	168	2	5	4	3	12	19	17	17	11	25	11
FEMALE--	87	-	2	2	2	7	11	11	7	3	6	11
INDIANA -----	1,022	2	8	27	29	158	138	93	79	76	65	61
WHITE-----MALE----	661	2	4	15	19	109	98	60	53	47	46	41
FEMALE--	287	-	3	9	8	47	27	24	18	20	15	16
ALL OTHER--MALE----	53	-	1	3	2	1	12	7	5	7	2	1
FEMALE--	21	-	-	-	-	1	1	2	3	2	2	3
BLACK---MALE----	47	-	1	2	2	1	10	7	4	6	2	1
FEMALE--	19	-	-	-	-	1	-	1	3	2	2	3
IOWA -----	507	1	4	7	18	68	60	33	26	33	34	34
WHITE-----MALE----	317	-	4	5	12	43	46	27	11	20	24	20
FEMALE--	171	1	-	2	6	23	11	5	13	12	5	13
ALL OTHER--MALE----	13	-	-	-	-	2	2	1	2	1	3	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	2	1
BLACK---MALE----	9	-	-	-	-	-	1	1	2	-	3	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
KANSAS -----	537	1	7	5	13	74	60	42	43	45	40	35
WHITE-----MALE----	330	1	4	3	9	43	41	26	28	34	23	25
FEMALE--	170	-	1	1	4	28	15	12	11	9	14	9
ALL OTHER--MALE----	29	-	2	-	-	3	3	3	4	1	3	1
FEMALE--	8	-	-	1	-	-	1	1	-	1	-	-
BLACK---MALE----	23	-	2	-	-	2	2	3	4	1	2	1
FEMALE--	6	-	-	1	-	-	-	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,713

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TRANSPORT ACCIDENTS (E800-E848)												
KENTUCKY -----	887	5	11	22	24	122	104	84	79	77	58	51
WHITE-----MALE----	570	2	4	10	14	86	78	57	52	55	37	34
FEMALE--	247	3	3	10	7	32	22	17	21	20	13	13
ALL OTHER--MALE----	47	-	4	-	3	4	3	6	5	2	5	2
FEMALE--	23	-	-	2	-	-	1	4	1	-	3	2
BLACK---MALE----	43	-	4	-	2	4	3	6	4	2	5	-
FEMALE--	20	-	-	2	-	-	1	4	1	-	2	2
LOUISIANA -----	1,000	5	26	23	30	123	113	120	74	92	76	62
WHITE-----MALE----	456	2	5	6	12	67	55	56	35	32	35	29
FEMALE--	208	1	10	10	10	21	16	20	13	16	14	8
ALL OTHER--MALE----	235	1	7	2	3	23	30	36	21	33	21	18
FEMALE--	101	1	4	5	5	12	12	8	5	11	6	7
BLACK---MALE----	224	1	6	2	3	22	26	36	21	33	21	16
FEMALE--	95	1	4	5	5	10	12	7	5	11	6	7
MAINE -----	201	1	2	1	5	16	18	17	19	14	14	16
WHITE-----MALE----	122	-	2	1	4	11	12	11	16	9	7	10
FEMALE--	78	1	-	-	1	5	6	5	3	5	7	6
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
MARYLAND -----	673	1	9	18	11	67	68	66	61	62	49	43
WHITE-----MALE----	306	1	5	4	5	23	35	29	26	26	30	18
FEMALE--	164	-	-	3	-	22	15	8	10	14	6	9
ALL OTHER--MALE----	133	-	1	6	5	13	14	22	16	12	8	10
FEMALE--	70	-	3	5	1	9	4	7	9	10	5	6
BLACK---MALE----	125	-	1	6	5	13	12	19	15	12	8	8
FEMALE--	65	-	3	5	1	9	4	6	7	10	5	5
MASSACHUSETTS -----	537	-	4	7	11	66	77	42	42	31	41	28
WHITE-----MALE----	333	-	1	2	9	39	58	25	27	17	26	20
FEMALE--	152	-	1	2	1	19	13	11	7	9	11	5
ALL OTHER--MALE----	32	-	2	1	-	4	4	4	6	4	3	2
FEMALE--	20	-	-	2	1	4	2	2	2	1	1	1
BLACK---MALE----	26	-	2	1	-	4	4	3	4	2	3	1
FEMALE--	13	-	-	1	1	3	1	2	1	1	1	1
MICHIGAN -----	1,603	7	22	39	42	204	159	150	131	116	102	98
WHITE-----MALE----	840	2	10	18	22	115	97	83	80	57	55	51
FEMALE--	471	2	1	7	7	60	25	38	29	33	26	27
ALL OTHER--MALE----	185	-	7	6	7	22	25	18	15	17	14	13
FEMALE--	107	3	4	8	6	7	12	11	7	9	7	7
BLACK---MALE----	167	-	7	6	7	20	22	17	15	15	12	11
FEMALE--	95	3	4	7	5	6	10	10	7	9	7	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,713

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 TRANSPORT ACCIDENTS (E800-E848)												
KENTUCKY -----	40	47	17	31	34	35	21	18	5	1	-	1
WHITE-----MALE----	23	24	8	18	18	21	13	11	3	1	-	1
FEMALE--	9	15	9	11	14	13	8	5	2	-	-	-
ALL OTHER--MALE----	5	5	-	2	-	-	-	1	-	-	-	-
FEMALE--	3	3	-	-	2	1	-	1	-	-	-	-
BLACK---MALE----	5	5	-	2	-	-	-	1	-	-	-	-
FEMALE--	2	2	-	-	2	1	-	1	-	-	-	-
LOUISIANA -----	59	48	26	31	32	27	15	12	2	3	1	-
WHITE-----MALE----	24	21	14	17	20	14	7	2	1	2	-	-
FEMALE--	12	10	9	6	5	10	7	7	1	1	1	-
ALL OTHER--MALE----	16	9	2	6	4	1	1	1	-	-	-	-
FEMALE--	7	8	1	2	3	2	-	2	-	-	-	-
BLACK---MALE----	16	7	2	6	3	1	1	1	-	-	-	-
FEMALE--	6	6	1	2	3	2	-	2	-	-	-	-
MAINE -----	9	8	7	7	12	14	12	7	2	-	-	-
WHITE-----MALE----	6	4	7	3	4	5	4	5	1	-	-	-
FEMALE--	3	4	-	4	8	9	8	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	36	36	22	19	20	30	30	17	6	-	-	2
WHITE-----MALE----	18	19	11	10	11	13	7	12	2	-	-	1
FEMALE--	8	10	4	4	6	16	21	4	4	-	-	-
ALL OTHER--MALE----	9	5	5	2	2	1	1	1	-	-	-	-
FEMALE--	1	2	2	3	1	-	1	-	-	-	-	1
BLACK---MALE----	9	5	5	2	2	1	1	1	-	-	-	-
FEMALE--	-	2	2	3	1	-	1	-	-	-	-	1
MASSACHUSETTS -----	25	16	16	27	18	33	30	20	2	1	-	-
WHITE-----MALE----	15	11	9	17	12	14	18	11	1	1	-	-
FEMALE--	10	3	4	10	5	19	12	9	1	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	79	72	51	67	74	69	64	43	11	1	2	-
WHITE-----MALE----	41	39	22	27	32	32	35	17	4	1	-	-
FEMALE--	23	22	16	29	33	33	29	22	7	-	2	-
ALL OTHER--MALE----	8	8	8	7	5	3	-	2	-	-	-	-
FEMALE--	7	3	5	4	4	1	-	2	-	-	-	-
BLACK---MALE----	8	6	7	4	5	3	-	2	-	-	-	-
FEMALE--	5	1	5	4	3	1	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,714

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TRANSPORT ACCIDENTS (E800-E848)												
MINNESOTA -----	628	2	11	19	17	79	52	50	50	52	33	39
WHITE-----MALE----	369	-	2	9	8	45	36	36	27	38	25	23
FEMALE--	212	2	3	4	8	32	12	10	17	8	7	14
ALL OTHER--MALE----	26	-	3	4	-	1	1	3	4	3	1	1
FEMALE--	21	-	3	2	1	1	3	1	2	3	-	1
BLACK---MALE----	7	-	1	2	-	1	-	2	-	-	-	-
FEMALE--	5	-	2	2	-	1	-	-	-	-	-	-
MISSISSIPPI -----	906	5	18	15	22	113	99	88	90	97	58	45
WHITE-----MALE----	348	1	4	2	8	47	50	29	37	35	21	21
FEMALE--	192	2	5	4	6	27	12	9	17	18	9	2
ALL OTHER--MALE----	256	1	3	2	6	34	29	35	26	31	20	14
FEMALE--	110	1	6	7	2	5	8	15	10	13	8	8
BLACK---MALE----	246	1	2	2	6	33	27	33	25	29	19	14
FEMALE--	103	1	4	6	2	4	8	13	9	13	8	8
MISSOURI -----	1,205	6	17	18	31	161	137	91	105	89	77	79
WHITE-----MALE----	711	3	5	7	12	85	89	55	67	66	51	48
FEMALE--	378	3	5	6	11	63	32	23	27	15	21	21
ALL OTHER--MALE----	73	-	2	2	2	10	12	10	8	5	1	7
FEMALE--	43	-	5	3	6	3	4	3	3	3	4	3
BLACK---MALE----	66	-	2	2	2	10	11	7	6	5	1	6
FEMALE--	41	-	5	3	6	2	4	3	3	3	3	3
MONTANA -----	263	2	7	3	4	30	35	19	22	25	23	21
WHITE-----MALE----	147	1	2	1	2	21	25	10	11	16	10	6
FEMALE--	79	-	3	1	2	4	4	5	6	5	9	11
ALL OTHER--MALE----	23	1	-	-	-	5	6	3	3	3	2	-
FEMALE--	14	-	2	1	-	-	-	1	2	1	2	4
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	322	1	7	6	7	49	25	30	21	23	21	17
WHITE-----MALE----	199	1	5	3	3	37	17	20	13	17	9	13
FEMALE--	113	-	1	3	4	12	7	8	7	6	11	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	7	-	1	-	-	-	1	1	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
NEVADA -----	380	3	9	3	12	35	43	37	36	31	30	23
WHITE-----MALE----	225	1	3	1	5	20	27	25	26	17	20	18
FEMALE--	104	2	3	1	5	8	7	5	7	10	6	3
ALL OTHER--MALE----	36	-	2	1	2	6	9	3	1	3	1	1
FEMALE--	15	-	1	-	-	1	-	4	2	1	3	1
BLACK---MALE----	19	-	1	-	1	3	4	1	1	3	1	1
FEMALE--	7	-	1	-	-	1	-	1	1	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,716

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TRANSPORT ACCIDENTS (E800-E848)												
OHIO -----	1,510	6	22	36	33	180	199	125	115	145	105	98
WHITE-----MALE----	939	2	10	21	15	112	139	90	78	91	69	56
FEMALE--	439	3	9	8	11	59	37	23	31	40	27	33
ALL OTHER--MALE----	94	1	3	3	6	7	17	9	5	8	7	6
FEMALE--	38	-	-	4	1	2	6	3	1	6	2	3
BLACK---MALE----	88	1	3	3	6	6	15	9	5	7	7	5
FEMALE--	33	-	-	4	1	2	4	2	1	5	2	3
OKLAHOMA -----	880	5	14	14	26	117	100	71	67	73	74	68
WHITE-----MALE----	503	2	7	8	15	62	58	47	42	42	45	40
FEMALE--	252	1	7	4	9	40	33	11	11	17	13	19
ALL OTHER--MALE----	70	1	-	-	-	7	3	9	10	9	11	5
FEMALE--	55	1	-	2	2	8	6	4	4	5	5	4
BLACK---MALE----	35	1	-	-	-	3	1	4	4	5	6	4
FEMALE--	28	1	-	1	1	3	3	4	1	2	3	2
OREGON -----	597	1	11	8	14	80	80	46	44	49	50	50
WHITE-----MALE----	389	1	4	5	5	53	55	33	29	35	37	37
FEMALE--	164	-	4	2	7	21	18	8	9	12	11	12
ALL OTHER--MALE----	36	-	3	1	2	4	7	5	3	2	2	1
FEMALE--	8	-	-	-	-	2	-	-	3	-	-	-
BLACK---MALE----	9	-	1	-	-	2	1	1	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	1,738	6	27	31	42	227	213	150	143	110	108	96
WHITE-----MALE----	1,063	1	13	13	27	135	153	101	91	75	72	59
FEMALE--	496	3	7	11	14	67	44	27	26	19	24	27
ALL OTHER--MALE----	123	1	3	4	-	17	10	16	20	10	9	8
FEMALE--	56	1	4	3	1	8	6	6	6	6	3	2
BLACK---MALE----	114	1	3	2	-	16	10	14	18	10	9	8
FEMALE--	50	1	4	3	1	7	6	3	6	6	3	2
RHODE ISLAND -----	107	-	1	-	2	16	12	10	7	12	9	9
WHITE-----MALE----	67	-	-	-	1	8	6	6	5	9	7	6
FEMALE--	28	-	1	-	1	7	3	2	1	1	1	3
ALL OTHER--MALE----	9	-	-	-	-	-	3	1	1	1	1	-
FEMALE--	3	-	-	-	-	1	-	1	-	1	-	-
BLACK---MALE----	7	-	-	-	-	-	2	1	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-
SOUTH CAROLINA -----	942	3	12	19	21	105	102	105	93	85	74	56
WHITE-----MALE----	397	1	3	8	9	46	46	47	41	41	27	24
FEMALE--	219	-	-	4	4	25	18	17	20	13	18	13
ALL OTHER--MALE----	246	2	7	3	4	27	34	33	20	25	24	14
FEMALE--	80	-	2	4	4	7	4	8	12	6	5	5
BLACK---MALE----	244	2	7	3	4	27	32	33	20	25	24	14
FEMALE--	78	-	2	4	3	6	4	8	12	6	5	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,716

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 TRANSPORT ACCIDENTS (E800-E848)												
OHIO -----	70	67	50	54	66	54	50	26	6	3	-	-
WHITE-----MALE----	45	34	31	33	44	25	27	14	1	2	-	-
FEMALE--	19	24	17	18	19	23	21	12	4	1	-	-
ALL OTHER--MALE----	5	7	1	2	2	3	2	-	-	-	-	-
FEMALE--	1	2	1	1	1	3	-	-	1	-	-	-
BLACK---MALE----	5	7	1	2	2	3	1	-	-	-	-	-
FEMALE--	1	2	1	-	1	3	-	-	1	-	-	-
OKLAHOMA -----	45	30	30	24	27	28	39	20	7	1	-	-
WHITE-----MALE----	22	16	20	11	16	16	20	11	2	1	-	-
FEMALE--	18	10	5	9	6	10	18	7	4	-	-	-
ALL OTHER--MALE----	3	2	3	2	2	-	1	1	1	-	-	-
FEMALE--	2	2	2	2	3	2	-	1	-	-	-	-
BLACK---MALE----	3	2	1	-	-	-	-	-	1	-	-	-
FEMALE--	2	2	1	1	-	1	-	-	-	-	-	-
OREGON -----	35	24	17	18	20	18	16	12	2	2	-	-
WHITE-----MALE----	23	14	11	7	12	12	6	8	1	1	-	-
FEMALE--	8	9	6	10	8	5	9	3	1	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	78	60	67	73	88	98	67	37	16	1	-	-
WHITE-----MALE----	47	35	34	41	54	54	33	18	7	-	-	-
FEMALE--	22	21	25	31	28	41	32	17	9	1	-	-
ALL OTHER--MALE----	6	3	7	1	4	2	2	-	-	-	-	-
FEMALE--	3	1	1	-	2	1	-	2	-	-	-	-
BLACK---MALE----	6	3	6	1	4	1	2	-	-	-	-	-
FEMALE--	1	1	1	-	2	1	-	2	-	-	-	-
RHODE ISLAND -----	7	7	3	4	6	1	-	1	-	-	-	-
WHITE-----MALE----	5	4	1	4	4	1	-	-	-	-	-	-
FEMALE--	1	2	2	-	2	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	61	44	24	37	31	32	25	8	5	-	-	-
WHITE-----MALE----	31	13	10	15	10	11	10	2	2	-	-	-
FEMALE--	11	13	5	12	12	14	12	5	3	-	-	-
ALL OTHER--MALE----	15	13	3	9	3	6	3	1	-	-	-	-
FEMALE--	4	5	6	1	6	1	-	-	-	-	-	-
BLACK---MALE----	15	13	3	9	3	6	3	1	-	-	-	-
FEMALE--	4	5	6	1	6	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,717

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TRANSPORT ACCIDENTS (E800-E848)												
SOUTH DAKOTA -----	160	1	3	2	7	28	15	11	16	14	13	13
WHITE-----MALE----	82	-	1	-	1	15	11	3	7	9	8	8
FEMALE--	39	-	2	-	5	5	2	2	3	1	2	3
ALL OTHER--MALE----	24	1	-	2	-	4	-	4	5	2	2	2
FEMALE--	15	-	-	-	1	4	2	2	1	2	1	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
TENNESSEE -----	1,295	7	19	29	28	153	132	127	112	112	117	77
WHITE-----MALE----	744	2	7	16	16	93	82	83	68	62	69	43
FEMALE--	349	4	6	2	9	38	25	22	27	37	34	20
ALL OTHER--MALE----	144	1	5	5	1	18	19	18	14	8	10	11
FEMALE--	58	-	1	6	2	4	6	4	3	5	4	3
BLACK---MALE----	140	1	5	5	1	18	19	18	13	6	10	11
FEMALE--	57	-	1	6	2	4	6	4	3	5	4	3
TEXAS -----	3,923	20	90	80	97	478	463	386	340	354	316	235
WHITE-----MALE----	2,331	8	51	39	56	262	304	233	217	203	204	149
FEMALE--	1,118	10	27	26	26	161	105	100	85	101	69	56
ALL OTHER--MALE----	324	1	7	7	8	40	38	37	28	43	26	22
FEMALE--	150	1	5	8	7	15	16	16	10	7	17	8
BLACK---MALE----	279	-	7	7	7	35	34	29	22	39	23	21
FEMALE--	128	1	5	8	7	11	13	13	9	5	16	6
UTAH -----	397	2	10	14	19	73	61	37	22	22	23	19
WHITE-----MALE----	228	-	4	9	8	40	36	23	13	14	13	11
FEMALE--	137	1	6	4	8	28	19	6	7	7	7	8
ALL OTHER--MALE----	20	-	-	1	1	3	4	7	1	-	2	-
FEMALE--	12	1	-	-	2	2	2	1	1	1	1	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	79	-	1	-	4	8	6	7	9	13	7	3
WHITE-----MALE----	54	-	-	-	1	7	6	5	7	9	3	1
FEMALE--	25	-	1	-	3	1	-	2	2	4	4	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,012	3	11	16	24	116	106	85	87	107	76	70
WHITE-----MALE----	498	-	3	6	9	56	62	45	39	55	36	36
FEMALE--	237	-	2	4	5	35	16	12	17	22	13	17
ALL OTHER--MALE----	195	2	4	2	7	15	19	23	21	20	20	13
FEMALE--	82	1	2	4	3	10	9	5	10	10	7	4
BLACK---MALE----	183	2	4	2	7	15	17	22	21	19	19	13
FEMALE--	70	1	2	4	2	7	8	5	9	9	5	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,717

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 TRANSPORT ACCIDENTS (E800-E848)												
SOUTH DAKOTA -----	4	1	3	4	6	10	5	3	1	-	-	-
WHITE-----MALE----	2	1	2	1	5	5	1	1	1	-	-	-
FEMALE--	1	-	-	2	1	4	4	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	71	53	48	35	47	49	55	22	1	1	-	-
WHITE-----MALE----	39	32	24	21	23	24	27	12	1	-	-	-
FEMALE--	15	12	15	11	18	20	25	8	-	1	-	-
ALL OTHER--MALE----	11	5	7	2	4	4	-	1	-	-	-	-
FEMALE--	6	4	2	1	2	1	3	1	-	-	-	-
BLACK---MALE----	10	5	7	2	4	4	-	1	-	-	-	-
FEMALE--	5	4	2	1	2	1	3	1	-	-	-	-
TEXAS -----	181	146	135	130	128	135	112	70	20	2	1	4
WHITE-----MALE----	115	86	76	75	70	70	49	41	16	2	1	4
FEMALE--	45	48	44	45	40	49	52	25	4	-	-	-
ALL OTHER--MALE----	13	10	11	6	13	5	8	1	-	-	-	-
FEMALE--	8	2	4	4	5	11	3	3	-	-	-	-
BLACK---MALE----	10	9	11	4	11	3	6	1	-	-	-	-
FEMALE--	7	2	3	4	3	10	2	3	-	-	-	-
UTAH -----	12	20	10	10	13	11	14	3	1	-	-	1
WHITE-----MALE----	6	12	5	7	8	6	9	2	1	-	-	1
FEMALE--	6	8	4	3	5	4	5	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	1	3	1	3	6	3	2	-	-	-	-
WHITE-----MALE----	2	1	3	1	2	3	3	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	64	50	35	38	26	41	30	19	7	1	-	-
WHITE-----MALE----	38	25	22	17	12	14	13	8	2	-	-	-
FEMALE--	13	10	6	12	9	18	12	10	3	1	-	-
ALL OTHER--MALE----	10	10	6	9	4	5	3	1	1	-	-	-
FEMALE--	3	5	1	-	1	4	2	-	1	-	-	-
BLACK---MALE----	10	9	5	8	3	3	2	1	1	-	-	-
FEMALE--	3	3	1	-	1	3	2	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,728

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
0 UNITED STATES --	43,458	165	768	850	1,117	5,213	4,995	3,943	3,557	3,527	3,140	2,643
WHITE-----MALE----	23,834	57	295	368	529	2,869	3,128	2,281	2,059	2,017	1,775	1,491
FEMALE--	12,260	63	249	250	363	1,568	1,026	810	820	861	771	673
ALL OTHER--MALE----	4,936	27	124	125	132	552	618	621	486	447	403	314
FEMALE--	2,428	18	100	107	93	224	223	231	192	202	191	165
BLACK---MALE----	3,895	22	107	106	111	432	481	476	372	359	328	255
FEMALE--	1,771	15	74	91	69	152	161	170	146	160	134	129
ALABAMA -----	1,245	4	24	26	26	133	138	133	105	114	107	71
WHITE-----MALE----	651	1	11	12	8	77	90	67	54	60	50	36
FEMALE--	310	-	4	7	11	36	20	29	23	31	23	15
ALL OTHER--MALE----	206	3	6	6	5	11	22	31	24	13	29	16
FEMALE--	78	-	3	1	2	9	6	6	4	10	5	4
BLACK---MALE----	206	3	6	6	5	11	22	31	24	13	29	16
FEMALE--	77	-	3	1	2	9	6	6	3	10	5	4
ALASKA -----	84	-	5	2	3	14	11	8	9	8	7	7
WHITE-----MALE----	43	-	2	-	1	5	4	6	7	4	6	3
FEMALE--	17	-	2	-	-	3	4	1	-	1	-	2
ALL OTHER--MALE----	17	-	1	1	1	4	2	1	2	2	1	2
FEMALE--	7	-	-	1	1	2	1	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	954	3	26	22	28	81	110	98	84	91	71	64
WHITE-----MALE----	488	-	8	10	14	40	57	55	44	44	32	41
FEMALE--	228	2	10	9	7	19	23	9	11	17	19	9
ALL OTHER--MALE----	165	-	3	3	5	16	24	31	21	25	11	10
FEMALE--	73	1	5	-	2	6	6	3	8	5	9	4
BLACK---MALE----	24	-	1	2	-	2	4	2	2	4	2	-
FEMALE--	10	1	1	-	-	-	1	-	-	1	-	2
ARKANSAS -----	729	7	21	19	23	97	75	69	60	55	50	35
WHITE-----MALE----	397	5	6	8	8	50	50	43	32	32	29	19
FEMALE--	211	2	8	3	12	33	15	10	14	13	15	10
ALL OTHER--MALE----	78	-	4	2	3	9	7	13	9	8	3	3
FEMALE--	43	-	3	6	-	5	3	3	5	2	3	3
BLACK---MALE----	71	-	4	1	1	9	5	11	9	8	3	3
FEMALE--	41	-	3	6	-	5	3	2	4	2	3	3
CALIFORNIA -----	3,852	13	89	87	84	419	407	329	311	284	304	263
WHITE-----MALE----	2,153	5	39	43	40	247	257	187	189	189	178	155
FEMALE--	1,034	6	31	28	26	101	91	72	67	60	72	64
ALL OTHER--MALE----	424	1	11	8	10	50	43	48	40	21	36	23
FEMALE--	241	1	8	8	8	21	16	22	15	14	18	21
BLACK---MALE----	189	-	7	6	6	23	20	18	22	12	17	13
FEMALE--	70	1	2	3	1	5	3	10	6	4	5	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,728

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
0 UNITED STATES --	2,162	1,776	1,553	1,596	1,774	1,840	1,552	962	262	32	9	22
WHITE-----MALE----	1,216	935	812	797	890	904	765	475	129	22	3	17
FEMALE--	571	539	492	580	651	762	666	409	121	9	5	1
ALL OTHER--MALE----	253	195	159	132	136	100	68	35	6	1	1	1
FEMALE--	122	107	90	87	97	74	53	43	6	-	-	3
BLACK---MALE----	204	163	124	107	100	66	49	27	5	-	-	1
FEMALE--	84	77	63	57	62	54	29	37	4	-	-	3
ALABAMA -----	65	43	29	56	58	53	34	23	3	-	-	-
WHITE-----MALE----	36	24	15	26	33	22	18	9	2	-	-	-
FEMALE--	16	9	9	18	15	23	11	9	1	-	-	-
ALL OTHER--MALE----	8	8	3	8	6	4	2	1	-	-	-	-
FEMALE--	5	2	2	4	4	4	3	4	-	-	-	-
BLACK---MALE----	8	8	3	8	6	4	2	1	-	-	-	-
FEMALE--	5	2	2	4	4	4	3	4	-	-	-	-
ALASKA -----	2	3	3	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	2	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	42	32	36	29	39	28	38	23	3	3	-	3
WHITE-----MALE----	18	22	18	13	23	18	17	9	1	2	-	2
FEMALE--	11	8	12	13	12	5	16	13	2	1	-	-
ALL OTHER--MALE----	4	-	1	2	2	4	3	-	-	-	-	-
FEMALE--	9	2	5	1	2	1	2	1	-	-	-	1
BLACK---MALE----	1	-	-	-	-	3	1	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	1
ARKANSAS -----	32	30	29	31	27	28	20	11	9	1	-	-
WHITE-----MALE----	16	15	14	13	13	17	13	7	6	1	-	-
FEMALE--	14	10	12	14	11	8	3	2	2	-	-	-
ALL OTHER--MALE----	-	3	3	3	2	2	3	1	-	-	-	-
FEMALE--	2	2	-	1	1	1	1	1	1	-	-	-
BLACK---MALE----	-	3	3	3	2	2	3	1	-	-	-	-
FEMALE--	2	2	-	1	1	1	1	1	1	-	-	-
CALIFORNIA -----	197	177	141	141	163	176	151	85	23	3	1	4
WHITE-----MALE----	118	105	69	60	68	82	69	36	13	1	-	3
FEMALE--	56	35	37	50	63	65	60	39	9	2	-	-
ALL OTHER--MALE----	16	23	22	16	19	20	10	4	1	-	1	1
FEMALE--	7	14	13	15	13	9	12	6	-	-	-	-
BLACK---MALE----	5	9	8	5	8	2	5	1	1	-	-	1
FEMALE--	2	5	4	2	-	3	3	4	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,729

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MOTOR VEHICLE ACCIDENTS (E810-E825)												
COLORADO -----	632	2	11	9	20	69	93	47	56	43	45	56
WHITE-----MALE----	377	1	4	2	4	33	63	33	32	25	33	39
FEMALE--	196	1	5	5	12	27	21	12	18	15	10	13
ALL OTHER--MALE----	37	-	1	1	2	8	5	2	5	3	-	2
FEMALE--	22	-	1	1	2	1	4	-	1	-	2	2
BLACK---MALE----	19	-	1	-	2	4	2	2	2	2	-	1
FEMALE--	12	-	1	1	2	-	1	-	1	-	2	1
CONNECTICUT -----	367	-	3	4	12	46	38	37	30	25	26	25
WHITE-----MALE----	200	-	-	3	4	23	19	24	19	11	17	16
FEMALE--	128	-	1	-	8	21	11	8	9	7	8	8
ALL OTHER--MALE----	27	-	2	1	-	2	8	5	1	3	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	4	1	1
BLACK---MALE----	23	-	1	1	-	2	7	4	1	2	-	-
FEMALE--	11	-	-	-	-	-	-	-	1	4	1	1
DELAWARE -----	138	-	2	1	4	17	16	15	10	15	6	8
WHITE-----MALE----	68	-	-	1	1	9	9	12	5	11	2	3
FEMALE--	48	-	1	-	1	5	3	2	4	1	3	4
ALL OTHER--MALE----	12	-	-	-	1	3	3	1	1	1	-	-
FEMALE--	10	-	1	-	1	-	1	-	-	2	1	1
BLACK---MALE----	12	-	-	-	1	3	3	1	1	1	-	-
FEMALE--	8	-	-	-	1	-	1	-	-	1	1	1
DISTRICT OF COLUMBIA ----	53	-	4	1	-	2	3	8	5	5	-	5
WHITE-----MALE----	5	-	-	-	-	-	-	2	1	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	30	-	3	-	-	1	2	3	3	3	-	5
FEMALE--	14	-	1	1	-	1	1	3	1	-	-	-
BLACK---MALE----	29	-	3	-	-	1	2	3	3	3	-	5
FEMALE--	14	-	1	1	-	1	1	3	1	-	-	-
FLORIDA -----	2,768	9	25	26	71	269	276	261	218	239	206	151
WHITE-----MALE----	1,543	2	8	13	32	133	179	153	132	140	121	84
FEMALE--	781	2	4	6	24	80	49	61	49	69	48	38
ALL OTHER--MALE----	297	3	6	5	13	34	35	30	26	21	27	14
FEMALE--	147	2	7	2	2	22	13	17	11	9	10	15
BLACK---MALE----	277	3	6	5	12	33	32	25	25	21	26	12
FEMALE--	134	-	7	2	2	22	11	15	11	8	7	14
GEORGIA -----	1,606	5	33	45	42	188	210	140	141	137	116	108
WHITE-----MALE----	739	-	12	10	18	93	113	55	71	62	49	46
FEMALE--	391	2	10	18	10	50	45	35	25	39	22	23
ALL OTHER--MALE----	326	3	8	12	7	36	34	35	25	28	31	31
FEMALE--	150	-	3	5	7	9	18	15	20	8	14	8
BLACK---MALE----	311	3	8	12	7	33	33	33	24	27	30	29
FEMALE--	144	-	2	5	6	9	17	15	19	8	14	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,729

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
COLORADO -----	29	19	22	23	21	23	28	10	5	-	-	1
WHITE-----MALE----	21	11	10	14	15	13	14	5	4	-	-	1
FEMALE--	4	8	9	6	6	7	11	5	1	-	-	-
ALL OTHER--MALE----	3	-	1	2	-	1	1	-	-	-	-	-
FEMALE--	1	-	2	1	-	2	2	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
CONNECTICUT -----	20	7	14	16	18	16	14	10	6	-	-	-
WHITE-----MALE----	12	3	9	11	10	7	6	5	1	-	-	-
FEMALE--	6	3	4	3	7	9	8	4	3	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	2	-	-	-
FEMALE--	1	1	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	2	-	-	-
FEMALE--	-	1	-	1	1	-	-	1	-	-	-	-
DELAWARE -----	5	4	5	8	8	7	4	2	1	-	-	-
WHITE-----MALE----	3	-	1	4	5	2	-	-	-	-	-	-
FEMALE--	1	4	1	4	2	5	4	2	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	3	2	2	4	2	3	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	3	1	2	1	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	3	-	1	1	1	-	-	-	-
BLACK---MALE----	3	-	2	1	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	3	-	1	1	1	-	-	-	-
FLORIDA -----	141	143	104	112	138	139	122	91	19	1	1	6
WHITE-----MALE----	96	75	62	47	65	66	71	47	11	-	1	5
FEMALE--	27	40	25	47	54	61	46	42	7	1	-	1
ALL OTHER--MALE----	13	21	11	13	13	7	4	1	-	-	-	-
FEMALE--	5	7	6	5	6	5	1	1	1	-	-	-
BLACK---MALE----	12	20	10	13	12	6	3	1	-	-	-	-
FEMALE--	5	6	6	5	6	4	1	1	1	-	-	-
GEORGIA -----	86	56	61	58	48	55	37	33	7	-	-	-
WHITE-----MALE----	37	26	32	30	25	25	20	12	3	-	-	-
FEMALE--	19	13	10	11	12	20	12	13	2	-	-	-
ALL OTHER--MALE----	20	10	13	12	6	7	3	3	2	-	-	-
FEMALE--	10	7	6	5	5	3	2	5	-	-	-	-
BLACK---MALE----	18	9	13	12	6	7	3	3	1	-	-	-
FEMALE--	9	7	5	5	5	3	2	5	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,730

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
HAWAII -----	141	-	3	-	2	14	18	17	8	13	6	6
WHITE-----MALE----	27	-	-	-	1	2	9	2	1	4	1	1
FEMALE--	12	-	-	-	-	1	-	2	-	1	1	-
ALL OTHER--MALE----	61	-	1	-	-	6	4	10	7	8	2	2
FEMALE--	41	-	2	-	1	5	5	3	-	-	2	3
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	249	2	9	3	9	45	16	16	22	21	17	15
WHITE-----MALE----	151	-	7	1	3	26	13	13	13	15	10	9
FEMALE--	90	2	2	2	6	17	2	2	8	6	6	6
ALL OTHER--MALE----	4	-	-	-	-	2	-	1	-	-	1	-
FEMALE--	4	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,434	6	15	20	39	167	181	139	116	106	111	81
WHITE-----MALE----	776	1	3	9	17	89	112	73	65	71	55	44
FEMALE--	389	2	4	4	15	59	37	35	30	20	24	14
ALL OTHER--MALE----	174	3	5	4	4	13	21	18	15	12	24	12
FEMALE--	95	-	3	3	3	6	11	13	6	3	8	11
BLACK---MALE----	160	2	5	4	3	12	18	17	12	11	23	11
FEMALE--	84	-	2	2	2	5	11	11	6	3	6	11
INDIANA -----	978	2	8	27	28	155	132	91	75	73	62	58
WHITE-----MALE----	629	2	4	15	18	107	94	59	49	46	43	38
FEMALE--	278	-	3	9	8	46	25	23	18	18	15	16
ALL OTHER--MALE----	50	-	1	3	2	1	12	7	5	7	2	1
FEMALE--	21	-	-	-	-	1	1	2	3	2	2	3
BLACK---MALE----	45	-	1	2	2	1	10	7	4	6	2	1
FEMALE--	19	-	-	-	-	1	-	1	3	2	2	3
IOWA -----	492	1	4	7	18	68	60	33	26	32	31	32
WHITE-----MALE----	308	-	4	5	12	43	46	27	11	20	22	19
FEMALE--	166	1	-	2	6	23	11	5	13	11	5	12
ALL OTHER--MALE----	12	-	-	-	-	2	2	1	2	1	2	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	2	1
BLACK---MALE----	8	-	-	-	-	-	1	1	2	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
KANSAS -----	523	1	7	5	12	74	60	42	43	45	36	30
WHITE-----MALE----	319	1	4	3	8	43	41	26	28	34	21	20
FEMALE--	169	-	1	1	4	28	15	12	11	9	13	9
ALL OTHER--MALE----	27	-	2	-	-	3	3	3	4	1	2	1
FEMALE--	8	-	-	1	-	-	1	1	-	1	-	-
BLACK---MALE----	22	-	2	-	-	2	2	3	4	1	1	1
FEMALE--	6	-	-	1	-	-	-	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,731

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
KENTUCKY -----	853	5	11	22	24	120	104	78	77	71	55	46
WHITE-----MALE----	548	2	4	10	14	85	78	53	50	49	36	32
FEMALE--	243	3	3	10	7	31	22	16	21	20	12	12
ALL OTHER--MALE----	40	-	4	-	3	4	3	5	5	2	4	-
FEMALE--	22	-	-	2	-	-	1	4	1	-	3	2
BLACK---MALE----	38	-	4	-	2	4	3	5	4	2	4	-
FEMALE--	20	-	-	2	-	-	1	4	1	-	2	2
LOUISIANA -----	926	5	26	22	29	120	107	108	68	85	67	55
WHITE-----MALE----	405	2	5	5	11	64	50	47	32	29	30	25
FEMALE--	206	1	10	10	10	21	16	20	13	16	14	8
ALL OTHER--MALE----	216	1	7	2	3	23	29	33	19	29	17	16
FEMALE--	99	1	4	5	5	12	12	8	4	11	6	6
BLACK---MALE----	207	1	6	2	3	22	26	33	19	29	17	15
FEMALE--	93	1	4	5	5	10	12	7	4	11	6	6
MAINE -----	189	1	2	-	5	16	18	17	14	14	13	14
WHITE-----MALE----	111	-	2	-	4	11	12	11	11	9	6	9
FEMALE--	77	1	-	-	1	5	6	5	3	5	7	5
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
MARYLAND -----	649	1	9	17	10	66	67	65	61	58	43	41
WHITE-----MALE----	286	1	5	3	4	22	34	28	26	22	26	16
FEMALE--	162	-	-	3	-	22	15	8	10	14	5	9
ALL OTHER--MALE----	131	-	1	6	5	13	14	22	16	12	7	10
FEMALE--	70	-	3	5	1	9	4	7	9	10	5	6
BLACK---MALE----	123	-	1	6	5	13	12	19	15	12	7	8
FEMALE--	65	-	3	5	1	9	4	6	7	10	5	5
MASSACHUSETTS -----	503	-	4	6	10	63	73	38	40	28	36	24
WHITE-----MALE----	305	-	1	1	8	37	55	21	25	15	24	16
FEMALE--	147	-	1	2	1	18	12	11	7	8	9	5
ALL OTHER--MALE----	31	-	2	1	-	4	4	4	6	4	2	2
FEMALE--	20	-	-	2	1	4	2	2	2	1	1	1
BLACK---MALE----	25	-	2	1	-	4	4	3	4	2	2	1
FEMALE--	13	-	-	1	1	3	1	2	1	1	1	1
MICHIGAN -----	1,545	7	22	39	41	200	155	147	129	108	95	92
WHITE-----MALE----	795	2	10	18	22	112	94	80	78	52	49	48
FEMALE--	462	2	1	7	6	59	25	38	29	31	26	25
ALL OTHER--MALE----	183	-	7	6	7	22	25	18	15	16	13	13
FEMALE--	105	3	4	8	6	7	11	11	7	9	7	6
BLACK---MALE----	166	-	7	6	7	20	22	17	15	14	12	11
FEMALE--	94	3	4	7	5	6	10	10	7	9	7	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,731

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
KENTUCKY -----	35	43	17	30	34	35	21	18	5	1	-	1
WHITE-----MALE----	19	22	8	18	18	21	13	11	3	1	-	1
FEMALE--	9	15	9	11	14	13	8	5	2	-	-	-
ALL OTHER--MALE----	4	4	-	1	-	-	-	1	-	-	-	-
FEMALE--	3	2	-	-	2	1	-	1	-	-	-	-
BLACK---MALE----	4	4	-	1	-	-	-	1	-	-	-	-
FEMALE--	2	2	-	-	2	1	-	1	-	-	-	-
LOUISIANA -----	50	45	24	27	30	26	15	12	2	2	1	-
WHITE-----MALE----	18	19	12	13	18	13	7	2	1	2	-	-
FEMALE--	12	9	9	6	5	10	7	7	1	-	1	-
ALL OTHER--MALE----	13	9	2	6	4	1	1	1	-	-	-	-
FEMALE--	7	8	1	2	3	2	-	2	-	-	-	-
BLACK---MALE----	13	7	2	6	3	1	1	1	-	-	-	-
FEMALE--	6	6	1	2	3	2	-	2	-	-	-	-
MAINE -----	8	7	7	7	11	14	12	7	2	-	-	-
WHITE-----MALE----	5	3	7	3	3	5	4	5	1	-	-	-
FEMALE--	3	4	-	4	8	9	8	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	35	34	22	19	19	30	29	15	6	-	-	2
WHITE-----MALE----	17	18	11	10	10	13	7	10	2	-	-	1
FEMALE--	8	10	4	4	6	16	20	4	4	-	-	-
ALL OTHER--MALE----	9	4	5	2	2	1	1	1	-	-	-	-
FEMALE--	1	2	2	3	1	-	1	-	-	-	-	1
BLACK---MALE----	9	4	5	2	2	1	1	1	-	-	-	-
FEMALE--	-	2	2	3	1	-	1	-	-	-	-	1
MASSACHUSETTS -----	22	16	14	26	18	33	30	19	2	1	-	-
WHITE-----MALE----	12	11	7	16	12	14	18	10	1	1	-	-
FEMALE--	10	3	4	10	5	19	12	9	1	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	73	67	45	65	73	67	64	42	11	1	2	-
WHITE-----MALE----	36	34	16	26	31	31	35	16	4	1	-	-
FEMALE--	22	22	16	28	33	32	29	22	7	-	2	-
ALL OTHER--MALE----	8	8	8	7	5	3	-	2	-	-	-	-
FEMALE--	7	3	5	4	4	1	-	2	-	-	-	-
BLACK---MALE----	8	6	7	4	5	3	-	2	-	-	-	-
FEMALE--	5	1	5	4	3	1	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,732

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
MINNESOTA -----	600	2	11	18	17	76	49	45	49	48	31	36
WHITE-----MALE----	348	-	2	8	8	42	34	32	27	35	23	20
FEMALE--	207	2	3	4	8	32	11	10	16	8	7	14
ALL OTHER--MALE----	24	-	3	4	-	1	1	2	4	2	1	1
FEMALE--	21	-	3	2	1	1	3	1	2	3	-	1
BLACK---MALE----	6	-	1	2	-	1	-	1	-	-	-	-
FEMALE--	5	-	2	2	-	1	-	-	-	-	-	-
MISSISSIPPI -----	873	5	17	15	20	112	97	85	84	94	55	40
WHITE-----MALE----	331	1	4	2	7	47	49	27	32	33	21	18
FEMALE--	190	2	5	4	6	26	12	9	17	18	9	2
ALL OTHER--MALE----	245	1	3	2	5	34	28	34	26	30	17	12
FEMALE--	107	1	5	7	2	5	8	15	9	13	8	8
BLACK---MALE----	236	1	2	2	5	33	27	32	25	28	16	12
FEMALE--	102	1	4	6	2	4	8	13	9	13	8	8
MISSOURI -----	1,171	6	17	18	31	159	136	90	99	86	75	77
WHITE-----MALE----	686	3	5	7	12	83	89	54	61	63	49	48
FEMALE--	371	3	5	6	11	63	31	23	27	15	21	20
ALL OTHER--MALE----	71	-	2	2	2	10	12	10	8	5	1	6
FEMALE--	43	-	5	3	6	3	4	3	3	3	4	3
BLACK---MALE----	64	-	2	2	2	10	11	7	6	5	1	5
FEMALE--	41	-	5	3	6	2	4	3	3	3	3	3
MONTANA -----	234	2	6	3	3	29	33	19	19	21	15	19
WHITE-----MALE----	126	1	1	1	2	20	23	10	9	12	6	5
FEMALE--	71	-	3	1	1	4	4	5	5	5	5	10
ALL OTHER--MALE----	23	1	-	-	-	5	6	3	3	3	2	-
FEMALE--	14	-	2	1	-	-	-	1	2	1	2	4
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	306	1	7	6	7	48	24	29	20	21	21	16
WHITE-----MALE----	190	1	5	3	3	37	16	19	12	15	9	12
FEMALE--	106	-	1	3	4	11	7	8	7	6	11	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	7	-	1	-	-	-	1	1	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
NEVADA -----	359	3	9	3	12	35	42	36	29	28	30	20
WHITE-----MALE----	209	1	3	1	5	20	26	24	21	15	20	15
FEMALE--	99	2	3	1	5	8	7	5	5	9	6	3
ALL OTHER--MALE----	36	-	2	1	2	6	9	3	1	3	1	1
FEMALE--	15	-	1	-	-	1	-	4	2	1	3	1
BLACK---MALE----	19	-	1	-	1	3	4	1	1	3	1	1
FEMALE--	7	-	1	-	-	1	-	1	1	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,734

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
OHIO -----	1,447	6	22	35	31	176	192	119	114	139	97	92
WHITE-----MALE----	895	2	10	21	14	108	133	87	78	86	63	52
FEMALE--	428	3	9	8	11	59	36	20	30	39	26	32
ALL OTHER--MALE----	88	1	3	3	5	7	17	9	5	8	6	5
FEMALE--	36	-	-	3	1	2	6	3	1	6	2	3
BLACK---MALE----	82	1	3	3	5	6	15	9	5	7	6	4
FEMALE--	31	-	-	3	1	2	4	2	1	5	2	3
OKLAHOMA -----	855	5	13	12	26	116	98	69	65	71	71	63
WHITE-----MALE----	484	2	6	7	15	61	57	45	40	41	43	36
FEMALE--	250	1	7	3	9	40	33	11	11	17	13	18
ALL OTHER--MALE----	67	1	-	-	-	7	3	9	10	8	10	5
FEMALE--	54	1	-	2	2	8	5	4	4	5	5	4
BLACK---MALE----	32	1	-	-	-	3	1	4	4	4	5	4
FEMALE--	28	1	-	1	1	3	3	4	1	2	3	2
OREGON -----	548	1	11	8	13	74	76	40	38	44	42	47
WHITE-----MALE----	353	1	4	5	5	48	54	29	24	30	32	34
FEMALE--	160	-	4	2	7	21	17	8	9	12	9	12
ALL OTHER--MALE----	28	-	3	1	1	4	5	3	2	2	1	1
FEMALE--	7	-	-	-	-	1	-	-	3	-	-	-
BLACK---MALE----	6	-	1	-	-	2	1	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	1,653	6	26	31	38	219	210	144	133	105	104	86
WHITE-----MALE----	1,005	1	13	13	26	129	150	97	83	72	69	52
FEMALE--	479	3	7	11	11	67	44	25	26	17	24	27
ALL OTHER--MALE----	113	1	2	4	-	15	10	16	18	10	8	5
FEMALE--	56	1	4	3	1	8	6	6	6	6	3	2
BLACK---MALE----	104	1	2	2	-	14	10	14	16	10	8	5
FEMALE--	50	1	4	3	1	7	6	3	6	6	3	2
RHODE ISLAND -----	100	-	1	-	2	16	12	8	7	10	7	9
WHITE-----MALE----	60	-	-	-	1	8	6	4	5	7	5	6
FEMALE--	28	-	1	-	1	7	3	2	1	1	1	3
ALL OTHER--MALE----	9	-	-	-	-	-	3	1	1	1	1	-
FEMALE--	3	-	-	-	-	1	-	1	-	1	-	-
BLACK---MALE----	7	-	-	-	-	-	2	1	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-
SOUTH CAROLINA -----	904	3	12	19	20	105	98	103	91	76	69	51
WHITE-----MALE----	375	1	3	8	8	46	43	46	40	36	25	20
FEMALE--	216	-	-	4	4	25	17	16	20	13	17	13
ALL OTHER--MALE----	233	2	7	3	4	27	34	33	19	21	22	13
FEMALE--	80	-	2	4	4	7	4	8	12	6	5	5
BLACK---MALE----	231	2	7	3	4	27	32	33	19	21	22	13
FEMALE--	78	-	2	4	3	6	4	8	12	6	5	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,734

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
OHIO -----	65	62	49	51	62	53	49	25	5	3	-	-
WHITE-----MALE----	42	32	30	31	40	24	26	13	1	2	-	-
FEMALE--	18	24	17	17	19	23	21	12	3	1	-	-
ALL OTHER--MALE----	4	5	1	2	2	3	2	-	-	-	-	-
FEMALE--	1	1	1	1	1	3	-	-	1	-	-	-
BLACK---MALE----	4	5	1	2	2	3	1	-	-	-	-	-
FEMALE--	1	1	1	-	1	3	-	-	1	-	-	-
OKLAHOMA -----	45	29	30	22	27	28	38	20	6	1	-	-
WHITE-----MALE----	22	15	20	9	16	16	19	11	2	1	-	-
FEMALE--	18	10	5	9	6	10	18	7	4	-	-	-
ALL OTHER--MALE----	3	2	3	2	2	-	1	1	-	-	-	-
FEMALE--	2	2	2	2	3	2	-	1	-	-	-	-
BLACK---MALE----	3	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	1	1	-	1	-	-	-	-	-	-
OREGON -----	32	24	15	18	19	16	15	12	2	1	-	-
WHITE-----MALE----	21	14	9	7	11	10	5	8	1	1	-	-
FEMALE--	8	9	6	10	8	5	9	3	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	72	54	64	66	85	97	64	36	13	-	-	-
WHITE-----MALE----	42	31	31	35	51	53	32	18	7	-	-	-
FEMALE--	21	20	25	30	28	41	30	16	6	-	-	-
ALL OTHER--MALE----	6	2	7	1	4	2	2	-	-	-	-	-
FEMALE--	3	1	1	-	2	1	-	2	-	-	-	-
BLACK---MALE----	6	2	6	1	4	1	2	-	-	-	-	-
FEMALE--	1	1	1	-	2	1	-	2	-	-	-	-
RHODE ISLAND -----	7	7	2	4	6	1	-	1	-	-	-	-
WHITE-----MALE----	5	4	-	4	4	1	-	-	-	-	-	-
FEMALE--	1	2	2	-	2	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	59	40	22	35	31	32	25	8	5	-	-	-
WHITE-----MALE----	30	11	9	14	10	11	10	2	2	-	-	-
FEMALE--	11	13	5	12	12	14	12	5	3	-	-	-
ALL OTHER--MALE----	14	11	2	8	3	6	3	1	-	-	-	-
FEMALE--	4	5	6	1	6	1	-	-	-	-	-	-
BLACK---MALE----	14	11	2	8	3	6	3	1	-	-	-	-
FEMALE--	4	5	6	1	6	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,735

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
SOUTH DAKOTA -----	151	1	3	2	7	28	15	10	16	11	11	12
WHITE-----MALE----	74	-	1	-	1	15	11	3	7	6	6	7
FEMALE--	39	-	2	-	5	5	2	2	3	1	2	3
ALL OTHER--MALE----	23	1	-	2	-	4	-	3	5	2	2	2
FEMALE--	15	-	-	-	1	4	2	2	1	2	1	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
TENNESSEE -----	1,255	7	18	29	26	148	127	122	110	109	113	75
WHITE-----MALE----	719	2	7	16	16	91	80	78	67	59	66	41
FEMALE--	342	4	6	2	8	38	23	22	27	37	33	20
ALL OTHER--MALE----	136	1	4	5	-	15	18	18	13	8	10	11
FEMALE--	58	-	1	6	2	4	6	4	3	5	4	3
BLACK---MALE----	132	1	4	5	-	15	18	18	12	6	10	11
FEMALE--	57	-	1	6	2	4	6	4	3	5	4	3
TEXAS -----	3,759	20	90	76	92	471	455	367	318	333	299	218
WHITE-----MALE----	2,200	8	51	35	53	259	297	218	201	189	190	134
FEMALE--	1,103	10	27	26	24	157	104	98	83	99	69	56
ALL OTHER--MALE----	307	1	7	7	8	40	38	36	24	38	23	20
FEMALE--	149	1	5	8	7	15	16	15	10	7	17	8
BLACK---MALE----	265	-	7	7	7	35	34	29	19	35	20	19
FEMALE--	128	1	5	8	7	11	13	13	9	5	16	6
UTAH -----	377	2	10	13	18	72	60	36	19	21	21	18
WHITE-----MALE----	210	-	4	8	7	39	36	22	10	13	11	10
FEMALE--	135	1	6	4	8	28	18	6	7	7	7	8
ALL OTHER--MALE----	20	-	-	1	1	3	4	7	1	-	2	-
FEMALE--	12	1	-	-	2	2	2	1	1	1	1	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	77	-	1	-	4	8	6	7	9	13	7	3
WHITE-----MALE----	52	-	-	-	1	7	6	5	7	9	3	1
FEMALE--	25	-	1	-	3	1	-	2	2	4	4	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	962	3	11	12	24	113	104	81	83	104	71	65
WHITE-----MALE----	465	-	3	3	9	54	60	41	37	54	34	33
FEMALE--	232	-	2	3	5	35	16	12	16	22	13	17
ALL OTHER--MALE----	183	2	4	2	7	14	19	23	20	18	17	11
FEMALE--	82	1	2	4	3	10	9	5	10	10	7	4
BLACK---MALE----	171	2	4	2	7	14	17	22	20	17	16	11
FEMALE--	70	1	2	4	2	7	8	5	9	9	5	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,735

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
SOUTH DAKOTA -----	3	1	3	4	6	9	5	3	1	-	-	-
WHITE-----MALE----	1	1	2	1	5	4	1	1	1	-	-	-
FEMALE--	1	-	-	2	1	4	4	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	65	51	47	35	46	49	54	22	1	1	-	-
WHITE-----MALE----	35	30	23	21	23	24	27	12	1	-	-	-
FEMALE--	14	12	15	11	17	20	24	8	-	1	-	-
ALL OTHER--MALE----	10	5	7	2	4	4	-	1	-	-	-	-
FEMALE--	6	4	2	1	2	1	3	1	-	-	-	-
BLACK---MALE----	9	5	7	2	4	4	-	1	-	-	-	-
FEMALE--	5	4	2	1	2	1	3	1	-	-	-	-
TEXAS -----	169	140	127	124	124	131	111	69	20	2	1	2
WHITE-----MALE----	104	80	68	69	67	68	48	40	16	2	1	2
FEMALE--	44	48	44	45	40	48	52	25	4	-	-	-
ALL OTHER--MALE----	13	10	11	6	12	4	8	1	-	-	-	-
FEMALE--	8	2	4	4	5	11	3	3	-	-	-	-
BLACK---MALE----	10	9	11	4	10	2	6	1	-	-	-	-
FEMALE--	7	2	3	4	3	10	2	3	-	-	-	-
UTAH -----	9	18	10	9	12	11	14	3	-	-	-	1
WHITE-----MALE----	4	10	5	6	7	6	9	2	-	-	-	1
FEMALE--	5	8	4	3	5	4	5	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	1	3	1	2	6	2	2	-	-	-	-
WHITE-----MALE----	2	1	3	1	1	3	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	60	47	32	34	25	38	30	17	7	1	-	-
WHITE-----MALE----	34	23	20	15	11	12	13	7	2	-	-	-
FEMALE--	13	10	6	11	9	17	12	9	3	1	-	-
ALL OTHER--MALE----	10	9	5	8	4	5	3	1	1	-	-	-
FEMALE--	3	5	1	-	1	4	2	-	1	-	-	-
BLACK---MALE----	10	8	4	7	3	3	2	1	1	-	-	-
FEMALE--	3	3	1	-	1	3	2	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,737

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
0 UNITED STATES --	42,340	160	657	808	1,056	5,133	4,894	3,875	3,476	3,436	3,051	2,574
WHITE-----MALE----	23,074	57	246	335	485	2,807	3,045	2,234	1,999	1,950	1,714	1,438
FEMALE--	12,043	61	213	247	350	1,555	1,019	801	811	846	756	664
ALL OTHER--MALE----	4,839	25	110	121	130	550	609	612	478	439	392	309
FEMALE--	2,384	17	88	105	91	221	221	228	188	201	189	163
BLACK---MALE----	3,830	20	95	102	109	430	476	471	366	355	322	251
FEMALE--	1,745	14	69	90	68	150	160	167	144	159	133	127
ALABAMA -----	1,231	4	23	26	26	132	135	132	103	113	106	69
WHITE-----MALE----	641	1	11	12	8	76	87	66	52	60	49	36
FEMALE--	308	-	4	7	11	36	20	29	23	30	23	14
ALL OTHER--MALE----	205	3	5	6	5	11	22	31	24	13	29	16
FEMALE--	77	-	3	1	2	9	6	6	4	10	5	3
BLACK---MALE----	205	3	5	6	5	11	22	31	24	13	29	16
FEMALE--	76	-	3	1	2	9	6	6	3	10	5	3
ALASKA -----	75	-	3	2	2	14	11	7	8	6	6	6
WHITE-----MALE----	40	-	1	-	1	5	4	5	7	3	6	3
FEMALE--	16	-	1	-	-	3	4	1	-	1	-	2
ALL OTHER--MALE----	13	-	1	1	1	4	2	1	1	1	-	1
FEMALE--	6	-	-	1	-	2	1	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	923	3	18	19	27	80	107	96	82	88	69	63
WHITE-----MALE----	478	-	8	7	13	40	57	54	43	42	32	41
FEMALE--	219	2	7	9	7	19	22	9	11	17	18	8
ALL OTHER--MALE----	159	-	2	3	5	16	22	30	21	24	10	10
FEMALE--	67	1	1	-	2	5	6	3	7	5	9	4
BLACK---MALE----	22	-	-	2	-	2	4	2	2	4	1	-
FEMALE--	10	1	1	-	-	-	1	-	-	1	-	2
ARKANSAS -----	710	7	19	18	22	95	74	68	57	55	48	33
WHITE-----MALE----	385	5	5	7	7	48	49	43	31	32	27	17
FEMALE--	209	2	7	3	12	33	15	10	14	13	15	10
ALL OTHER--MALE----	75	-	4	2	3	9	7	12	7	8	3	3
FEMALE--	41	-	3	6	-	5	3	3	5	2	3	3
BLACK---MALE----	68	-	4	1	1	9	5	10	7	8	3	3
FEMALE--	39	-	3	6	-	5	3	2	4	2	3	3
CALIFORNIA -----	3,726	12	69	84	80	410	400	323	302	273	291	258
WHITE-----MALE----	2,070	5	27	40	37	238	251	186	180	182	171	151
FEMALE--	1,006	6	25	28	25	101	91	70	67	57	69	63
ALL OTHER--MALE----	415	1	11	8	10	50	42	45	40	21	34	23
FEMALE--	235	-	6	8	8	21	16	22	15	13	17	21
BLACK---MALE----	188	-	7	6	6	23	20	17	22	12	17	13
FEMALE--	68	-	2	3	1	5	3	10	6	3	5	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,737

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
0 UNITED STATES --	2,115	1,731	1,514	1,568	1,736	1,798	1,504	934	258	32	8	22
WHITE-----MALE----	1,180	907	780	780	872	878	737	462	126	22	3	17
FEMALE--	564	533	487	572	639	750	647	394	120	9	4	1
ALL OTHER--MALE----	250	186	158	130	131	98	67	35	6	1	1	1
FEMALE--	121	105	89	86	94	72	53	43	6	-	-	3
BLACK---MALE----	202	156	124	106	97	66	49	27	5	-	-	1
FEMALE--	84	75	63	56	60	53	29	37	4	-	-	3
ALABAMA -----	65	43	29	56	57	53	33	23	3	-	-	-
WHITE-----MALE----	36	24	15	26	32	22	17	9	2	-	-	-
FEMALE--	16	9	9	18	15	23	11	9	1	-	-	-
ALL OTHER--MALE----	8	8	3	8	6	4	2	1	-	-	-	-
FEMALE--	5	2	2	4	4	4	3	4	-	-	-	-
BLACK---MALE----	8	8	3	8	6	4	2	1	-	-	-	-
FEMALE--	5	2	2	4	4	4	3	4	-	-	-	-
ALASKA -----	2	3	3	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	2	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	42	31	36	26	39	28	37	23	3	3	-	3
WHITE-----MALE----	18	22	18	12	23	18	16	9	1	2	-	2
FEMALE--	11	7	12	11	12	5	16	13	2	1	-	-
ALL OTHER--MALE----	4	-	1	2	2	4	3	-	-	-	-	-
FEMALE--	9	2	5	1	2	1	2	1	-	-	-	1
BLACK---MALE----	1	-	-	-	-	3	1	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	1
ARKANSAS -----	32	30	29	31	25	26	20	11	9	1	-	-
WHITE-----MALE----	16	15	14	13	13	16	13	7	6	1	-	-
FEMALE--	14	10	12	14	10	8	3	2	2	-	-	-
ALL OTHER--MALE----	-	3	3	3	2	2	3	1	-	-	-	-
FEMALE--	2	2	-	1	-	-	1	1	1	-	-	-
BLACK---MALE----	-	3	3	3	2	2	3	1	-	-	-	-
FEMALE--	2	2	-	1	-	-	1	1	1	-	-	-
CALIFORNIA -----	192	175	137	140	153	168	146	83	22	3	1	4
WHITE-----MALE----	114	103	66	59	65	76	67	36	12	1	-	3
FEMALE--	56	35	36	50	57	64	58	37	9	2	-	-
ALL OTHER--MALE----	15	23	22	16	19	19	9	4	1	-	1	1
FEMALE--	7	14	13	15	12	9	12	6	-	-	-	-
BLACK---MALE----	5	9	8	5	8	2	5	1	1	-	-	1
FEMALE--	2	5	4	2	-	3	3	4	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,738

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
COLORADO -----	613	2	7	9	20	68	90	46	55	41	44	56
WHITE-----MALE----	365	1	3	2	4	32	60	33	32	24	32	39
FEMALE--	190	1	3	5	12	27	21	11	17	14	10	13
ALL OTHER--MALE----	36	-	-	1	2	8	5	2	5	3	-	2
FEMALE--	22	-	1	1	2	1	4	-	1	-	2	2
BLACK---MALE----	18	-	-	-	2	4	2	2	2	2	-	1
FEMALE--	12	-	1	1	2	-	1	-	1	-	2	1
CONNECTICUT -----	359	-	3	3	12	45	36	36	29	24	25	25
WHITE-----MALE----	194	-	-	2	4	22	17	24	18	11	16	16
FEMALE--	126	-	1	-	8	21	11	7	9	6	8	8
ALL OTHER--MALE----	27	-	2	1	-	2	8	5	1	3	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	4	1	1
BLACK---MALE----	23	-	1	1	-	2	7	4	1	2	-	-
FEMALE--	11	-	-	-	-	-	-	-	1	4	1	1
DELAWARE -----	138	-	2	1	4	17	16	15	10	15	6	8
WHITE-----MALE----	68	-	-	1	1	9	9	12	5	11	2	3
FEMALE--	48	-	1	-	1	5	3	2	4	1	3	4
ALL OTHER--MALE----	12	-	-	-	1	3	3	1	1	1	-	-
FEMALE--	10	-	1	-	1	-	1	-	-	2	1	1
BLACK---MALE----	12	-	-	-	1	3	3	1	1	1	-	-
FEMALE--	8	-	-	-	1	-	1	-	-	1	1	1
DISTRICT OF COLUMBIA ----	52	-	4	1	-	2	3	8	4	5	-	5
WHITE-----MALE----	5	-	-	-	-	-	-	2	1	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	30	-	3	-	-	1	2	3	3	3	-	5
FEMALE--	13	-	1	1	-	1	1	3	-	-	-	-
BLACK---MALE----	29	-	3	-	-	1	2	3	3	3	-	5
FEMALE--	13	-	1	1	-	1	1	3	-	-	-	-
FLORIDA -----	2,715	7	23	25	70	268	270	258	216	236	199	149
WHITE-----MALE----	1,510	2	7	12	31	132	175	151	130	137	116	82
FEMALE--	771	1	4	6	24	80	49	61	49	69	47	38
ALL OTHER--MALE----	288	2	5	5	13	34	34	29	26	21	26	14
FEMALE--	146	2	7	2	2	22	12	17	11	9	10	15
BLACK---MALE----	269	2	5	5	12	33	31	24	25	21	25	12
FEMALE--	133	-	7	2	2	22	10	15	11	8	7	14
GEORGIA -----	1,561	5	29	42	38	188	208	139	135	131	111	107
WHITE-----MALE----	717	-	11	8	15	93	111	55	69	60	46	45
FEMALE--	378	2	8	18	10	50	45	35	23	36	21	23
ALL OTHER--MALE----	319	3	7	11	7	36	34	34	23	27	30	31
FEMALE--	147	-	3	5	6	9	18	15	20	8	14	8
BLACK---MALE----	305	3	7	11	7	33	33	32	23	26	29	29
FEMALE--	142	-	2	5	5	9	17	15	19	8	14	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,738

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
COLORADO -----	29	18	21	23	19	22	27	10	5	-	-	1
WHITE-----MALE----	21	10	9	14	13	13	13	5	4	-	-	1
FEMALE--	4	8	9	6	6	6	11	5	1	-	-	-
ALL OTHER--MALE----	3	-	1	2	-	1	1	-	-	-	-	-
FEMALE--	1	-	2	1	-	2	2	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
CONNECTICUT -----	20	7	14	16	18	16	14	10	6	-	-	-
WHITE-----MALE----	12	3	9	11	10	7	6	5	1	-	-	-
FEMALE--	6	3	4	3	7	9	8	4	3	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	2	-	-	-
FEMALE--	1	1	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	2	-	-	-
FEMALE--	-	1	-	1	1	-	-	1	-	-	-	-
DELAWARE -----	5	4	5	8	8	7	4	2	1	-	-	-
WHITE-----MALE----	3	-	1	4	5	2	-	-	-	-	-	-
FEMALE--	1	4	1	4	2	5	4	2	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	3	2	2	4	2	3	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	3	1	2	1	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	3	-	1	1	1	-	-	-	-
BLACK---MALE----	3	-	2	1	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	3	-	1	1	1	-	-	-	-
FLORIDA -----	139	139	103	109	133	138	118	88	19	1	1	6
WHITE-----MALE----	95	74	61	46	62	65	69	46	11	-	1	5
FEMALE--	26	40	25	45	53	61	44	40	7	1	-	1
ALL OTHER--MALE----	13	18	11	13	12	7	4	1	-	-	-	-
FEMALE--	5	7	6	5	6	5	1	1	1	-	-	-
BLACK---MALE----	12	18	10	13	11	6	3	1	-	-	-	-
FEMALE--	5	6	6	5	6	4	1	1	1	-	-	-
GEORGIA -----	83	56	59	57	47	51	37	32	6	-	-	-
WHITE-----MALE----	34	26	31	30	24	24	20	12	3	-	-	-
FEMALE--	19	13	10	11	12	17	12	12	1	-	-	-
ALL OTHER--MALE----	20	10	13	12	6	7	3	3	2	-	-	-
FEMALE--	10	7	5	4	5	3	2	5	-	-	-	-
BLACK---MALE----	18	9	13	12	6	7	3	3	1	-	-	-
FEMALE--	9	7	5	4	5	3	2	5	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,739

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
HAWAII -----	135	-	3	-	2	14	17	17	8	12	6	6
WHITE-----MALE----	26	-	-	-	1	2	9	2	1	4	1	1
FEMALE--	12	-	-	-	-	1	-	2	-	1	1	-
ALL OTHER--MALE----	57	-	1	-	-	6	4	10	7	7	2	2
FEMALE--	40	-	2	-	1	5	4	3	-	-	2	3
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	238	2	8	3	7	45	16	16	21	19	17	14
WHITE-----MALE----	143	-	6	1	2	26	13	13	12	13	10	8
FEMALE--	87	2	2	2	5	17	2	2	8	6	6	6
ALL OTHER--MALE----	4	-	-	-	-	2	-	1	-	-	1	-
FEMALE--	4	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,403	6	15	20	37	166	178	137	114	106	110	78
WHITE-----MALE----	751	1	3	9	15	88	109	72	63	71	54	42
FEMALE--	383	2	4	4	15	59	37	34	30	20	24	13
ALL OTHER--MALE----	174	3	5	4	4	13	21	18	15	12	24	12
FEMALE--	95	-	3	3	3	6	11	13	6	3	8	11
BLACK---MALE----	160	2	5	4	3	12	18	17	12	11	23	11
FEMALE--	84	-	2	2	2	5	11	11	6	3	6	11
INDIANA -----	955	2	6	27	27	153	129	91	71	70	57	56
WHITE-----MALE----	612	2	3	15	17	105	92	59	45	43	39	38
FEMALE--	274	-	2	9	8	46	24	23	18	18	14	15
ALL OTHER--MALE----	49	-	1	3	2	1	12	7	5	7	2	1
FEMALE--	20	-	-	-	-	1	1	2	3	2	2	2
BLACK---MALE----	44	-	1	2	2	1	10	7	4	6	2	1
FEMALE--	18	-	-	-	-	1	-	1	3	2	2	2
IOWA -----	481	1	4	7	17	67	59	32	26	31	31	31
WHITE-----MALE----	298	-	4	5	11	42	45	26	11	19	22	18
FEMALE--	165	1	-	2	6	23	11	5	13	11	5	12
ALL OTHER--MALE----	12	-	-	-	-	2	2	1	2	1	2	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	2	1
BLACK---MALE----	8	-	-	-	-	-	1	1	2	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
KANSAS -----	508	1	5	4	11	73	58	40	43	45	35	29
WHITE-----MALE----	308	1	3	2	7	42	39	25	28	34	21	19
FEMALE--	168	-	1	1	4	28	15	12	11	9	13	9
ALL OTHER--MALE----	25	-	1	-	-	3	3	3	4	1	1	1
FEMALE--	7	-	-	1	-	-	1	-	-	1	-	-
BLACK---MALE----	21	-	1	-	-	2	2	3	4	1	1	1
FEMALE--	5	-	-	1	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,740

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
KENTUCKY -----	831	5	11	19	22	118	103	77	75	67	52	45
WHITE-----MALE----	531	2	4	9	12	83	77	52	49	45	34	32
FEMALE--	240	3	3	9	7	31	22	16	20	20	12	11
ALL OTHER--MALE----	40	-	4	-	3	4	3	5	5	2	4	-
FEMALE--	20	-	-	1	-	-	1	4	1	-	2	2
BLACK---MALE----	38	-	4	-	2	4	3	5	4	2	4	-
FEMALE--	18	-	-	1	-	-	1	4	1	-	1	2
LOUISIANA -----	911	5	21	20	28	118	106	108	68	85	67	54
WHITE-----MALE----	398	2	4	3	11	63	50	47	32	29	30	24
FEMALE--	203	1	9	10	9	20	16	20	13	16	14	8
ALL OTHER--MALE----	212	1	5	2	3	23	28	33	19	29	17	16
FEMALE--	98	1	3	5	5	12	12	8	4	11	6	6
BLACK---MALE----	203	1	4	2	3	22	25	33	19	29	17	15
FEMALE--	92	1	3	5	5	10	12	7	4	11	6	6
MAINE -----	178	1	2	-	5	15	16	16	12	12	13	12
WHITE-----MALE----	100	-	2	-	4	10	10	10	9	7	6	7
FEMALE--	77	1	-	-	1	5	6	5	3	5	7	5
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
MARYLAND -----	639	1	8	17	10	64	66	64	61	58	42	40
WHITE-----MALE----	282	1	4	3	4	21	34	27	26	22	26	16
FEMALE--	161	-	-	3	-	22	15	8	10	14	5	9
ALL OTHER--MALE----	126	-	1	6	5	12	13	22	16	12	6	9
FEMALE--	70	-	3	5	1	9	4	7	9	10	5	6
BLACK---MALE----	118	-	1	6	5	12	11	19	15	12	6	7
FEMALE--	65	-	3	5	1	9	4	6	7	10	5	5
MASSACHUSETTS -----	497	-	4	6	10	63	72	37	39	28	34	24
WHITE-----MALE----	299	-	1	1	8	37	54	20	24	15	22	16
FEMALE--	147	-	1	2	1	18	12	11	7	8	9	5
ALL OTHER--MALE----	31	-	2	1	-	4	4	4	6	4	2	2
FEMALE--	20	-	-	2	1	4	2	2	2	1	1	1
BLACK---MALE----	25	-	2	1	-	4	4	3	4	2	2	1
FEMALE--	13	-	-	1	1	3	1	2	1	1	1	1
MICHIGAN -----	1,500	7	19	37	38	197	154	141	123	102	95	88
WHITE-----MALE----	761	2	8	16	19	110	93	78	72	47	49	44
FEMALE--	453	2	1	7	6	58	25	35	29	30	26	25
ALL OTHER--MALE----	181	-	6	6	7	22	25	17	15	16	13	13
FEMALE--	105	3	4	8	6	7	11	11	7	9	7	6
BLACK---MALE----	164	-	6	6	7	20	22	16	15	14	12	11
FEMALE--	94	3	4	7	5	6	10	10	7	9	7	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,740

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
KENTUCKY -----	35	43	16	30	34	33	21	18	5	1	-	1
WHITE-----MALE----	19	22	7	18	18	19	13	11	3	1	-	1
FEMALE--	9	15	9	11	14	13	8	5	2	-	-	-
ALL OTHER--MALE----	4	4	-	1	-	-	-	1	-	-	-	-
FEMALE--	3	2	-	-	2	1	-	1	-	-	-	-
BLACK---MALE----	4	4	-	1	-	-	-	1	-	-	-	-
FEMALE--	2	2	-	-	2	1	-	1	-	-	-	-
LOUISIANA -----	50	45	24	27	29	26	14	11	2	2	1	-
WHITE-----MALE----	18	19	12	13	18	13	6	1	1	2	-	-
FEMALE--	12	9	9	6	5	10	7	7	1	-	1	-
ALL OTHER--MALE----	13	9	2	6	3	1	1	1	-	-	-	-
FEMALE--	7	8	1	2	3	2	-	2	-	-	-	-
BLACK---MALE----	13	7	2	6	2	1	1	1	-	-	-	-
FEMALE--	6	6	1	2	3	2	-	2	-	-	-	-
MAINE -----	8	7	6	7	11	14	12	7	2	-	-	-
WHITE-----MALE----	5	3	6	3	3	5	4	5	1	-	-	-
FEMALE--	3	4	-	4	8	9	8	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	35	34	22	19	18	29	28	15	6	-	-	2
WHITE-----MALE----	17	18	11	10	10	12	7	10	2	-	-	1
FEMALE--	8	10	4	4	6	16	19	4	4	-	-	-
ALL OTHER--MALE----	9	4	5	2	1	1	1	1	-	-	-	-
FEMALE--	1	2	2	3	1	-	1	-	-	-	-	1
BLACK---MALE----	9	4	5	2	1	1	1	1	-	-	-	-
FEMALE--	-	2	2	3	1	-	1	-	-	-	-	1
MASSACHUSETTS -----	22	16	14	26	18	33	30	18	2	1	-	-
WHITE-----MALE----	12	11	7	16	12	14	18	9	1	1	-	-
FEMALE--	10	3	4	10	5	19	12	9	1	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	71	67	44	64	72	66	60	42	11	1	1	-
WHITE-----MALE----	35	34	15	26	30	31	31	16	4	1	-	-
FEMALE--	21	22	16	27	33	31	29	22	7	-	1	-
ALL OTHER--MALE----	8	8	8	7	5	3	-	2	-	-	-	-
FEMALE--	7	3	5	4	4	1	-	2	-	-	-	-
BLACK---MALE----	8	6	7	4	5	3	-	2	-	-	-	-
FEMALE--	5	1	5	4	3	1	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,741

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
MINNESOTA -----	569	2	11	17	17	73	44	42	45	46	28	34
WHITE-----MALE----	322	-	2	7	8	39	29	29	24	33	20	19
FEMALE--	205	2	3	4	8	32	11	10	16	8	7	13
ALL OTHER--MALE----	23	-	3	4	-	1	1	2	4	2	1	1
FEMALE--	19	-	3	2	1	1	3	1	1	3	-	1
BLACK---MALE----	6	-	1	2	-	1	-	1	-	-	-	-
FEMALE--	5	-	2	2	-	1	-	-	-	-	-	-
MISSISSIPPI -----	864	5	17	13	19	111	97	84	83	94	54	40
WHITE-----MALE----	327	1	4	1	7	46	49	27	31	33	21	18
FEMALE--	189	2	5	4	5	26	12	9	17	18	9	2
ALL OTHER--MALE----	243	1	3	2	5	34	28	34	26	30	16	12
FEMALE--	105	1	5	6	2	5	8	14	9	13	8	8
BLACK---MALE----	234	1	2	2	5	33	27	32	25	28	15	12
FEMALE--	101	1	4	6	2	4	8	12	9	13	8	8
MISSOURI -----	1,136	6	14	17	28	157	130	89	95	85	72	77
WHITE-----MALE----	660	3	3	7	10	81	84	53	59	62	46	48
FEMALE--	366	3	5	6	10	63	31	23	26	15	21	20
ALL OTHER--MALE----	69	-	2	1	2	10	11	10	8	5	1	6
FEMALE--	41	-	4	3	6	3	4	3	2	3	4	3
BLACK---MALE----	62	-	2	1	2	10	10	7	6	5	1	5
FEMALE--	39	-	4	3	6	2	4	3	2	3	3	3
MONTANA -----	229	2	4	3	3	29	33	18	19	21	15	19
WHITE-----MALE----	123	1	-	1	2	20	23	9	9	12	6	5
FEMALE--	69	-	2	1	1	4	4	5	5	5	5	10
ALL OTHER--MALE----	23	1	-	-	-	5	6	3	3	3	2	-
FEMALE--	14	-	2	1	-	-	-	1	2	1	2	4
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	293	1	5	6	7	45	21	29	20	21	21	16
WHITE-----MALE----	181	1	5	3	3	34	14	19	12	15	9	12
FEMALE--	103	-	-	3	4	11	6	8	7	6	11	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	6	-	-	-	-	-	1	1	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	345	3	6	3	11	35	41	34	29	27	29	18
WHITE-----MALE----	201	1	3	1	4	20	26	22	21	15	19	13
FEMALE--	98	2	2	1	5	8	7	5	5	9	6	3
ALL OTHER--MALE----	31	-	-	1	2	6	8	3	1	2	1	1
FEMALE--	15	-	1	-	-	1	-	4	2	1	3	1
BLACK---MALE----	17	-	-	-	1	3	4	1	1	2	1	1
FEMALE--	7	-	1	-	-	1	-	1	1	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,743

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
OHIO -----	1,404	5	20	34	29	169	189	115	112	136	93	89
WHITE-----MALE----	862	2	10	21	13	103	130	83	76	83	61	49
FEMALE--	421	3	8	7	11	57	36	20	30	39	24	32
ALL OTHER--MALE----	85	-	2	3	4	7	17	9	5	8	6	5
FEMALE--	36	-	-	3	1	2	6	3	1	6	2	3
BLACK---MALE----	79	-	2	3	4	6	15	9	5	7	6	4
FEMALE--	31	-	-	3	1	2	4	2	1	5	2	3
OKLAHOMA -----	844	5	12	12	24	115	98	69	65	70	71	62
WHITE-----MALE----	479	2	5	7	14	61	57	45	40	41	43	35
FEMALE--	244	1	7	3	8	39	33	11	11	16	13	18
ALL OTHER--MALE----	67	1	-	-	-	7	3	9	10	8	10	5
FEMALE--	54	1	-	2	2	8	5	4	4	5	5	4
BLACK---MALE----	32	1	-	-	-	3	1	4	4	4	5	4
FEMALE--	28	1	-	1	1	3	3	4	1	2	3	2
OREGON -----	527	1	8	8	13	72	73	37	38	43	39	46
WHITE-----MALE----	337	1	3	5	5	46	52	26	24	29	31	33
FEMALE--	156	-	3	2	7	21	16	8	9	12	7	12
ALL OTHER--MALE----	27	-	2	1	1	4	5	3	2	2	1	1
FEMALE--	7	-	-	-	-	1	-	-	3	-	-	-
BLACK---MALE----	6	-	1	-	-	2	1	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	1,612	6	23	31	35	213	208	143	131	101	98	82
WHITE-----MALE----	977	1	10	13	24	126	148	96	81	70	64	48
FEMALE--	470	3	7	11	10	66	44	25	26	16	24	27
ALL OTHER--MALE----	110	1	2	4	-	14	10	16	18	9	7	5
FEMALE--	55	1	4	3	1	7	6	6	6	6	3	2
BLACK---MALE----	101	1	2	2	-	13	10	14	16	9	7	5
FEMALE--	49	1	4	3	1	6	6	3	6	6	3	2
RHODE ISLAND -----	99	-	1	-	2	16	12	8	7	10	7	9
WHITE-----MALE----	60	-	-	-	1	8	6	4	5	7	5	6
FEMALE--	27	-	1	-	1	7	3	2	1	1	1	3
ALL OTHER--MALE----	9	-	-	-	-	-	3	1	1	1	1	-
FEMALE--	3	-	-	-	-	1	-	1	-	1	-	-
BLACK---MALE----	7	-	-	-	-	-	2	1	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-
SOUTH CAROLINA -----	896	3	12	18	20	105	98	102	90	75	69	51
WHITE-----MALE----	372	1	3	8	8	46	43	45	40	35	25	20
FEMALE--	214	-	-	4	4	25	17	16	20	13	17	13
ALL OTHER--MALE----	230	2	7	2	4	27	34	33	18	21	22	13
FEMALE--	80	-	2	4	4	7	4	8	12	6	5	5
BLACK---MALE----	228	2	7	2	4	27	32	33	18	21	22	13
FEMALE--	78	-	2	4	3	6	4	8	12	6	5	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,743

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
OHIO -----	62	62	48	51	60	50	48	24	5	3	-	-
WHITE-----MALE----	39	32	29	31	38	21	25	13	1	2	-	-
FEMALE--	18	24	17	17	19	23	21	11	3	1	-	-
ALL OTHER--MALE----	4	5	1	2	2	3	2	-	-	-	-	-
FEMALE--	1	1	1	1	1	3	-	-	1	-	-	-
BLACK---MALE----	4	5	1	2	2	3	1	-	-	-	-	-
FEMALE--	1	1	1	-	1	3	-	-	1	-	-	-
OKLAHOMA -----	45	28	30	22	27	28	34	20	6	1	-	-
WHITE-----MALE----	22	14	20	9	16	16	18	11	2	1	-	-
FEMALE--	18	10	5	9	6	10	15	7	4	-	-	-
ALL OTHER--MALE----	3	2	3	2	2	-	1	1	-	-	-	-
FEMALE--	2	2	2	2	3	2	-	1	-	-	-	-
BLACK---MALE----	3	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	1	1	-	1	-	-	-	-	-	-
OREGON -----	31	23	13	18	19	16	15	11	2	1	-	-
WHITE-----MALE----	20	13	7	7	11	10	5	7	1	1	-	-
FEMALE--	8	9	6	10	8	5	9	3	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	71	53	63	64	83	96	62	36	13	-	-	-
WHITE-----MALE----	42	30	31	34	50	52	32	18	7	-	-	-
FEMALE--	20	20	24	29	27	41	28	16	6	-	-	-
ALL OTHER--MALE----	6	2	7	1	4	2	2	-	-	-	-	-
FEMALE--	3	1	1	-	2	1	-	2	-	-	-	-
BLACK---MALE----	6	2	6	1	4	1	2	-	-	-	-	-
FEMALE--	1	1	1	-	2	1	-	2	-	-	-	-
RHODE ISLAND -----	7	6	2	4	6	1	-	1	-	-	-	-
WHITE-----MALE----	5	4	-	4	4	1	-	-	-	-	-	-
FEMALE--	1	1	2	-	2	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	58	40	22	35	31	30	24	8	5	-	-	-
WHITE-----MALE----	30	11	9	14	10	11	9	2	2	-	-	-
FEMALE--	11	13	5	12	12	12	12	5	3	-	-	-
ALL OTHER--MALE----	13	11	2	8	3	6	3	1	-	-	-	-
FEMALE--	4	5	6	1	6	1	-	-	-	-	-	-
BLACK---MALE----	13	11	2	8	3	6	3	1	-	-	-	-
FEMALE--	4	5	6	1	6	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,744

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
SOUTH DAKOTA -----	143	1	3	2	7	28	15	9	16	8	9	11
WHITE-----MALE----	71	-	1	-	1	15	11	3	7	4	5	7
FEMALE--	38	-	2	-	5	5	2	2	3	1	2	2
ALL OTHER--MALE----	19	1	-	2	-	4	-	2	5	1	1	2
FEMALE--	15	-	-	-	1	4	2	2	1	2	1	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
TENNESSEE -----	1,218	7	12	26	24	145	125	121	108	106	112	71
WHITE-----MALE----	693	2	5	13	15	88	79	77	65	57	65	38
FEMALE--	334	4	3	2	7	38	23	22	27	36	33	20
ALL OTHER--MALE----	133	1	3	5	-	15	17	18	13	8	10	10
FEMALE--	58	-	1	6	2	4	6	4	3	5	4	3
BLACK---MALE----	129	1	3	5	-	15	17	18	12	6	10	10
FEMALE--	57	-	1	6	2	4	6	4	3	5	4	3
TEXAS -----	3,684	20	75	75	90	464	447	364	316	330	292	215
WHITE-----MALE----	2,144	8	40	34	52	254	290	216	200	187	183	131
FEMALE--	1,087	10	23	26	24	155	103	97	82	98	69	56
ALL OTHER--MALE----	305	1	7	7	7	40	38	36	24	38	23	20
FEMALE--	148	1	5	8	7	15	16	15	10	7	17	8
BLACK---MALE----	263	-	7	7	6	35	34	29	19	35	20	19
FEMALE--	127	1	5	8	7	11	13	13	9	5	16	6
UTAH -----	362	2	7	12	14	70	59	35	19	21	20	18
WHITE-----MALE----	202	-	4	8	5	37	35	21	10	13	11	10
FEMALE--	128	1	3	3	6	28	18	6	7	7	6	8
ALL OTHER--MALE----	20	-	-	1	1	3	4	7	1	-	2	-
FEMALE--	12	1	-	-	2	2	2	1	1	1	1	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	70	-	1	-	4	7	6	6	8	12	7	3
WHITE-----MALE----	45	-	-	-	1	6	6	4	6	8	3	1
FEMALE--	25	-	1	-	3	1	-	2	2	4	4	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	944	3	11	11	23	112	104	81	81	100	71	63
WHITE-----MALE----	456	-	3	2	9	54	60	41	36	51	34	32
FEMALE--	229	-	2	3	4	35	16	12	16	22	13	17
ALL OTHER--MALE----	178	2	4	2	7	14	19	23	19	17	17	10
FEMALE--	81	1	2	4	3	9	9	5	10	10	7	4
BLACK---MALE----	166	2	4	2	7	14	17	22	19	16	16	10
FEMALE--	69	1	2	4	2	6	8	5	9	9	5	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,744

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
SOUTH DAKOTA -----	3	1	3	3	6	9	5	3	1	-	-	-
WHITE-----MALE----	1	1	2	1	5	4	1	1	1	-	-	-
FEMALE--	1	-	-	2	1	4	4	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	62	51	46	34	45	47	53	21	1	1	-	-
WHITE-----MALE----	33	30	22	20	22	22	27	12	1	-	-	-
FEMALE--	13	12	15	11	17	20	23	7	-	1	-	-
ALL OTHER--MALE----	10	5	7	2	4	4	-	1	-	-	-	-
FEMALE--	6	4	2	1	2	1	3	1	-	-	-	-
BLACK---MALE----	9	5	7	2	4	4	-	1	-	-	-	-
FEMALE--	5	4	2	1	2	1	3	1	-	-	-	-
TEXAS -----	166	135	123	122	124	131	106	65	19	2	1	2
WHITE-----MALE----	102	78	65	67	67	68	46	36	15	2	1	2
FEMALE--	43	47	43	45	40	48	49	25	4	-	-	-
ALL OTHER--MALE----	13	9	11	6	12	4	8	1	-	-	-	-
FEMALE--	8	1	4	4	5	11	3	3	-	-	-	-
BLACK---MALE----	10	8	11	4	10	2	6	1	-	-	-	-
FEMALE--	7	1	3	4	3	10	2	3	-	-	-	-
UTAH -----	9	17	10	8	12	11	14	3	-	-	-	1
WHITE-----MALE----	4	9	5	5	7	6	9	2	-	-	-	1
FEMALE--	5	8	4	3	5	4	5	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	1	3	-	2	4	2	2	-	-	-	-
WHITE-----MALE----	2	1	3	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	58	45	32	34	24	37	30	16	7	1	-	-
WHITE-----MALE----	33	22	20	15	11	11	13	7	2	-	-	-
FEMALE--	13	10	6	11	8	17	12	8	3	1	-	-
ALL OTHER--MALE----	9	8	5	8	4	5	3	1	1	-	-	-
FEMALE--	3	5	1	-	1	4	2	-	1	-	-	-
BLACK---MALE----	9	7	4	7	3	3	2	1	1	-	-	-
FEMALE--	3	3	1	-	1	3	2	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,755

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)												
0 UNITED STATES --	16,300	81	249	267	314	1,744	1,690	1,322	1,221	1,210	1,038	998
WHITE-----MALE----	8,333	28	93	103	137	898	990	724	671	655	572	511
FEMALE--	5,622	33	101	99	124	611	424	327	349	365	315	324
ALL OTHER--MALE----	1,448	12	31	29	28	168	188	188	140	116	83	97
FEMALE--	897	8	24	36	25	67	88	83	61	74	68	66
BLACK---MALE----	1,122	9	28	18	22	132	145	149	107	92	64	75
FEMALE--	659	8	15	30	17	45	63	64	49	61	44	52
ALABAMA -----	432	3	6	10	9	45	36	39	35	39	28	27
WHITE-----MALE----	214	1	4	5	3	24	24	16	19	15	16	12
FEMALE--	129	-	2	4	4	13	6	9	9	11	8	9
ALL OTHER--MALE----	58	2	-	1	2	6	4	12	5	5	3	5
FEMALE--	31	-	-	-	-	2	2	2	2	8	1	1
BLACK---MALE----	58	2	-	1	2	6	4	12	5	5	3	5
FEMALE--	31	-	-	-	-	2	2	2	2	8	1	1
ALASKA -----	24	-	-	1	-	4	1	3	2	2	3	2
WHITE-----MALE----	15	-	-	-	-	2	1	2	2	1	3	1
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	1	-	1	-	1	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	272	1	2	6	6	22	34	29	20	17	17	17
WHITE-----MALE----	148	-	-	2	3	14	19	21	13	7	11	11
FEMALE--	71	1	2	4	1	5	6	3	2	3	3	1
ALL OTHER--MALE----	34	-	-	-	1	2	8	4	5	6	2	3
FEMALE--	19	-	-	-	1	1	1	1	-	1	1	2
BLACK---MALE----	4	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	213	2	9	3	8	30	15	14	17	15	13	9
WHITE-----MALE----	121	-	2	2	2	11	9	12	9	12	8	6
FEMALE--	73	2	4	-	5	17	4	1	5	3	5	3
ALL OTHER--MALE----	14	-	3	1	1	1	1	-	3	-	-	-
FEMALE--	5	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	12	-	3	-	-	1	1	-	3	-	-	-
FEMALE--	4	-	-	-	-	1	1	-	-	-	-	-
CALIFORNIA -----	1,436	10	15	24	18	141	157	118	119	101	105	98
WHITE-----MALE----	730	5	3	10	8	79	96	54	65	63	60	49
FEMALE--	495	4	9	11	7	40	43	40	33	26	30	32
ALL OTHER--MALE----	134	1	3	2	1	12	11	17	16	9	7	7
FEMALE--	77	-	-	1	2	10	7	7	5	3	8	10
BLACK---MALE----	64	-	2	-	1	5	5	8	9	6	3	5
FEMALE--	18	-	-	1	-	2	1	2	1	-	2	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,755

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)												
0 UNITED STATES --	843	701	690	751	859	936	759	464	138	19	5	1
WHITE-----MALE----	441	336	323	341	404	437	350	237	66	12	3	1
FEMALE--	267	266	267	312	365	423	369	204	68	7	2	-
ALL OTHER--MALE----	81	59	55	52	48	37	22	11	3	-	-	-
FEMALE--	54	40	45	46	42	39	18	12	1	-	-	-
BLACK---MALE----	55	48	43	42	36	29	17	8	3	-	-	-
FEMALE--	37	28	33	30	31	29	10	12	1	-	-	-
ALABAMA -----	32	16	9	26	22	25	15	10	-	-	-	-
WHITE-----MALE----	17	9	3	11	10	12	9	4	-	-	-	-
FEMALE--	9	4	4	9	9	11	4	4	-	-	-	-
ALL OTHER--MALE----	4	2	1	4	-	2	-	-	-	-	-	-
FEMALE--	2	1	1	2	3	-	2	2	-	-	-	-
BLACK---MALE----	4	2	1	4	-	2	-	-	-	-	-	-
FEMALE--	2	1	1	2	3	-	2	2	-	-	-	-
ALASKA -----	1	2	2	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	9	11	13	5	20	13	14	11	2	3	-	-
WHITE-----MALE----	5	5	5	2	10	9	4	5	-	2	-	-
FEMALE--	3	5	4	2	8	2	7	6	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	1	4	1	1	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
ARKANSAS -----	15	9	9	10	11	10	7	3	3	1	-	-
WHITE-----MALE----	8	4	4	6	8	5	7	3	2	1	-	-
FEMALE--	6	2	5	4	2	4	-	-	1	-	-	-
ALL OTHER--MALE----	-	2	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	82	51	60	75	56	84	68	38	13	3	-	-
WHITE-----MALE----	44	30	27	32	20	34	32	13	5	1	-	-
FEMALE--	31	13	21	23	28	43	30	22	7	2	-	-
ALL OTHER--MALE----	6	6	10	9	6	4	4	2	1	-	-	-
FEMALE--	1	2	2	11	2	3	2	1	-	-	-	-
BLACK---MALE----	2	2	6	4	2	-	3	-	1	-	-	-
FEMALE--	-	1	1	1	-	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,756

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)												
COLORADO -----	229	1	1	3	7	20	31	20	20	12	15	26
WHITE-----MALE----	127	-	1	2	2	8	23	13	9	6	11	16
FEMALE--	82	1	-	-	5	10	7	5	7	5	3	7
ALL OTHER--MALE----	12	-	-	-	-	2	-	2	3	1	-	2
FEMALE--	8	-	-	1	-	-	1	-	1	-	1	1
BLACK---MALE----	7	-	-	-	-	2	-	2	1	1	-	1
FEMALE--	4	-	-	1	-	-	-	-	1	-	1	1
CONNECTICUT -----	146	-	1	2	1	15	14	15	11	11	6	13
WHITE-----MALE----	74	-	-	2	-	7	6	8	8	7	5	6
FEMALE--	57	-	1	-	1	8	4	3	2	1	1	6
ALL OTHER--MALE----	12	-	-	-	-	-	4	4	-	2	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	10	-	-	-	-	-	4	3	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	1
DELAWARE -----	46	-	-	1	-	5	2	3	3	4	1	4
WHITE-----MALE----	23	-	-	1	-	3	1	3	1	3	1	1
FEMALE--	22	-	-	-	-	1	1	-	2	1	-	3
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	16	-	-	1	-	1	-	1	1	1	-	4
WHITE-----MALE----	3	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	1	-	-	-	-	-	4
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	1	-	-	-	-	-	4
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	-
FLORIDA -----	1,183	4	11	10	24	108	102	102	83	86	66	58
WHITE-----MALE----	593	1	4	5	9	46	58	63	46	43	34	26
FEMALE--	423	1	2	3	12	35	24	23	24	34	20	23
ALL OTHER--MALE----	100	2	2	1	3	18	11	11	9	5	9	3
FEMALE--	67	-	3	1	-	9	9	5	4	4	3	6
BLACK---MALE----	95	2	2	1	2	18	11	9	9	5	9	2
FEMALE--	64	-	3	1	-	9	9	5	4	3	3	6
GEORGIA -----	494	2	12	12	14	65	53	31	38	40	31	27
WHITE-----MALE----	225	-	3	4	6	25	30	9	19	20	12	14
FEMALE--	143	1	6	5	5	23	10	9	9	13	8	6
ALL OTHER--MALE----	83	1	1	3	2	14	9	10	4	5	7	6
FEMALE--	43	-	2	-	1	3	4	3	6	2	4	1
BLACK---MALE----	77	1	1	3	2	12	9	10	4	4	7	5
FEMALE--	41	-	2	-	1	3	3	3	6	2	4	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,756

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)												
COLORADO -----	6	10	13	10	11	6	11	3	3	-	-	-
WHITE-----MALE----	4	6	2	5	6	2	7	2	2	-	-	-
FEMALE--	1	4	8	5	5	3	4	1	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	10	1	7	6	8	8	8	4	5	-	-	-
WHITE-----MALE----	6	-	5	3	4	3	2	1	1	-	-	-
FEMALE--	4	1	2	2	4	5	6	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	2	-	4	6	5	4	1	-	-	-	-
WHITE-----MALE----	1	-	-	2	4	2	-	-	-	-	-	-
FEMALE--	-	2	-	2	2	3	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	1	2	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
FLORIDA -----	58	58	49	62	72	90	70	55	12	1	1	1
WHITE-----MALE----	39	25	27	23	28	40	40	27	7	-	1	1
FEMALE--	11	22	18	29	36	43	30	27	5	1	-	-
ALL OTHER--MALE----	6	6	1	5	4	3	-	1	-	-	-	-
FEMALE--	2	5	3	5	4	4	-	-	-	-	-	-
BLACK---MALE----	5	6	1	5	4	3	-	1	-	-	-	-
FEMALE--	2	4	3	5	4	3	-	-	-	-	-	-
GEORGIA -----	24	25	25	24	19	25	15	10	2	-	-	-
WHITE-----MALE----	8	14	14	13	12	11	5	4	2	-	-	-
FEMALE--	6	7	6	6	3	8	8	4	-	-	-	-
ALL OTHER--MALE----	4	2	4	3	3	4	-	1	-	-	-	-
FEMALE--	6	2	1	2	1	2	2	1	-	-	-	-
BLACK---MALE----	2	2	4	3	3	4	-	1	-	-	-	-
FEMALE--	5	2	1	2	1	2	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,757

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)												
HAWAII -----	64	-	3	-	1	6	10	7	3	6	4	1
WHITE-----MALE----	11	-	-	-	1	1	4	-	1	2	-	-
FEMALE--	8	-	-	-	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	28	-	1	-	-	3	3	5	2	3	2	1
FEMALE--	17	-	2	-	-	2	3	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	84	-	4	-	3	12	5	6	4	6	8	6
WHITE-----MALE----	46	-	3	-	1	5	4	5	4	4	4	2
FEMALE--	37	-	1	-	2	7	-	1	-	2	4	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	507	2	2	4	11	60	68	46	35	29	37	28
WHITE-----MALE----	264	-	-	1	2	33	44	26	20	22	17	12
FEMALE--	169	2	2	2	8	22	13	11	12	7	13	7
ALL OTHER--MALE----	40	-	-	-	-	4	5	5	2	-	5	3
FEMALE--	34	-	-	1	1	1	6	4	1	-	2	6
BLACK---MALE----	38	-	-	-	-	4	4	5	2	-	5	2
FEMALE--	27	-	-	-	-	1	6	2	1	-	-	6
INDIANA -----	338	2	1	7	9	35	50	33	21	19	26	18
WHITE-----MALE----	211	2	1	3	6	23	32	19	16	9	17	14
FEMALE--	106	-	-	3	2	11	10	11	3	6	8	4
ALL OTHER--MALE----	14	-	-	1	1	-	7	1	1	3	-	-
FEMALE--	7	-	-	-	-	1	1	2	1	1	1	-
BLACK---MALE----	12	-	-	-	1	-	7	1	1	2	-	-
FEMALE--	5	-	-	-	-	1	-	1	1	1	1	-
IOWA -----	268	1	3	3	4	37	28	11	16	14	21	16
WHITE-----MALE----	154	-	3	2	4	22	20	9	6	7	15	11
FEMALE--	103	1	-	1	-	14	6	2	8	6	4	5
ALL OTHER--MALE----	9	-	-	-	-	1	2	-	2	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	1	-	2	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	244	-	3	2	1	25	24	15	17	28	18	16
WHITE-----MALE----	131	-	1	1	-	11	13	8	12	19	10	8
FEMALE--	97	-	1	-	1	13	9	5	4	7	8	8
ALL OTHER--MALE----	11	-	1	-	-	1	1	2	1	1	-	-
FEMALE--	5	-	-	1	-	-	1	-	-	1	-	-
BLACK---MALE----	8	-	1	-	-	-	-	2	1	1	-	-
FEMALE--	4	-	-	1	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,758

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)												
KENTUCKY -----	335	3	6	6	5	54	34	31	28	26	16	17
WHITE-----MALE----	197	2	3	2	1	41	24	20	15	14	11	11
FEMALE--	115	1	2	3	3	11	10	7	10	12	4	5
ALL OTHER--MALE----	14	-	1	-	1	2	-	2	3	-	-	-
FEMALE--	9	-	-	1	-	-	-	2	-	-	1	1
BLACK---MALE----	12	-	1	-	-	2	-	2	2	-	-	-
FEMALE--	8	-	-	1	-	-	-	2	-	-	-	1
LOUISIANA -----	169	1	5	3	6	15	17	14	14	17	8	12
WHITE-----MALE----	79	-	1	-	3	8	9	8	8	6	5	5
FEMALE--	43	-	3	3	3	2	2	3	1	4	2	1
ALL OTHER--MALE----	26	-	1	-	-	1	4	1	5	6	-	4
FEMALE--	21	1	-	-	-	4	2	2	-	1	1	2
BLACK---MALE----	25	-	1	-	-	1	3	1	5	6	-	4
FEMALE--	21	1	-	-	-	4	2	2	-	1	1	2
MAINE -----	71	1	1	-	-	5	4	5	3	5	4	5
WHITE-----MALE----	38	-	1	-	-	4	2	3	2	2	2	4
FEMALE--	33	1	-	-	-	1	2	2	1	3	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	188	-	3	3	1	16	14	20	20	9	9	13
WHITE-----MALE----	78	-	2	-	-	7	5	8	8	4	5	3
FEMALE--	59	-	-	-	-	7	7	2	5	1	1	4
ALL OTHER--MALE----	28	-	1	1	1	1	1	7	3	1	2	3
FEMALE--	23	-	-	2	-	1	1	3	4	3	1	3
BLACK---MALE----	26	-	1	1	1	1	1	6	3	1	2	2
FEMALE--	20	-	-	2	-	1	1	3	3	3	1	2
MASSACHUSETTS -----	106	-	-	1	-	10	16	6	8	6	10	7
WHITE-----MALE----	62	-	-	-	-	4	13	2	5	3	7	4
FEMALE--	35	-	-	-	-	4	3	3	1	2	2	2
ALL OTHER--MALE----	4	-	-	-	-	1	-	1	1	-	-	1
FEMALE--	5	-	-	1	-	1	-	-	1	1	1	-
BLACK---MALE----	3	-	-	-	-	1	-	-	1	-	-	1
FEMALE--	4	-	-	-	-	1	-	-	1	1	1	-
MICHIGAN -----	677	5	11	18	15	76	72	58	42	43	44	33
WHITE-----MALE----	317	2	6	6	7	37	42	23	26	16	20	16
FEMALE--	233	1	1	3	3	27	13	20	9	15	13	11
ALL OTHER--MALE----	78	-	3	4	4	9	10	9	5	9	9	5
FEMALE--	49	2	1	5	1	3	7	6	2	3	2	1
BLACK---MALE----	68	-	3	4	4	9	8	8	5	7	8	3
FEMALE--	44	2	1	5	1	3	6	6	2	3	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,758

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)												
KENTUCKY -----	14	20	4	17	16	17	11	7	3	-	-	-
WHITE-----MALE----	6	10	1	11	7	9	4	4	1	-	-	-
FEMALE--	6	8	3	5	8	7	7	1	2	-	-	-
ALL OTHER--MALE----	1	2	-	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	1	2	-	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	1	-	-	-	-
LOUISIANA -----	12	10	6	6	8	8	4	2	1	-	-	-
WHITE-----MALE----	3	3	2	3	7	4	3	-	1	-	-	-
FEMALE--	5	2	4	2	-	3	1	2	-	-	-	-
ALL OTHER--MALE----	1	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	1	1	-	-	-	-	-	-
MAINE -----	6	5	4	3	4	6	6	3	1	-	-	-
WHITE-----MALE----	4	2	4	-	-	3	3	2	-	-	-	-
FEMALE--	2	3	-	3	4	3	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	9	12	9	10	4	12	15	7	2	-	-	-
WHITE-----MALE----	4	4	4	6	2	6	6	4	-	-	-	-
FEMALE--	1	7	2	2	1	5	9	3	2	-	-	-
ALL OTHER--MALE----	3	-	2	-	1	1	-	-	-	-	-	-
FEMALE--	1	1	1	2	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	2	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	2	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	3	3	1	6	3	9	11	5	1	-	-	-
WHITE-----MALE----	3	2	1	4	2	3	5	4	-	-	-	-
FEMALE--	-	1	-	2	1	6	6	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	23	33	20	34	37	42	41	24	4	1	1	-
WHITE-----MALE----	8	19	8	14	18	18	18	10	2	1	-	-
FEMALE--	10	9	7	15	15	23	23	12	2	-	1	-
ALL OTHER--MALE----	1	3	2	3	1	-	-	1	-	-	-	-
FEMALE--	4	2	3	2	3	1	-	1	-	-	-	-
BLACK---MALE----	1	3	2	1	1	-	-	1	-	-	-	-
FEMALE--	2	1	3	2	2	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,759

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)												
MINNESOTA -----	270	2	5	8	5	32	15	15	22	18	9	16
WHITE-----MALE----	139	-	-	2	4	13	8	8	10	14	9	8
FEMALE--	115	2	3	3	1	19	4	6	10	4	-	6
ALL OTHER--MALE----	7	-	-	2	-	-	1	1	1	-	-	1
FEMALE--	9	-	2	1	-	-	2	-	1	-	-	1
BLACK---MALE----	2	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	-
MISSISSIPPI -----	350	2	9	6	4	41	35	29	34	37	18	12
WHITE-----MALE----	125	-	4	1	2	13	16	10	14	11	8	5
FEMALE--	88	1	2	2	1	10	6	2	7	10	4	-
ALL OTHER--MALE----	88	1	1	-	-	16	9	8	9	12	3	4
FEMALE--	49	-	2	3	1	2	4	9	4	4	3	3
BLACK---MALE----	83	1	-	-	-	15	8	7	9	11	3	4
FEMALE--	46	-	1	3	1	1	4	8	4	4	3	3
MISSOURI -----	497	2	7	5	13	63	43	34	34	31	32	33
WHITE-----MALE----	256	1	2	1	5	23	28	19	19	20	15	15
FEMALE--	198	1	4	4	4	36	11	9	13	8	13	14
ALL OTHER--MALE----	25	-	1	-	-	2	4	5	2	1	1	2
FEMALE--	18	-	-	-	4	2	-	1	-	2	3	2
BLACK---MALE----	22	-	1	-	-	2	3	4	2	1	1	1
FEMALE--	17	-	-	-	4	2	-	1	-	2	2	2
MONTANA -----	85	2	1	1	1	8	8	6	8	8	2	9
WHITE-----MALE----	41	1	-	-	1	6	5	2	2	6	1	3
FEMALE--	32	-	-	-	-	1	1	3	4	2	1	4
ALL OTHER--MALE----	7	1	-	-	-	1	2	1	2	-	-	-
FEMALE--	5	-	1	1	-	-	-	-	-	-	-	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	167	1	5	1	4	18	12	14	13	7	13	10
WHITE-----MALE----	96	1	5	-	1	13	7	11	9	5	4	7
FEMALE--	68	-	-	1	3	5	5	3	3	2	8	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	118	1	1	-	3	11	7	8	11	14	9	4
WHITE-----MALE----	70	-	-	-	1	7	5	5	8	9	6	3
FEMALE--	37	1	1	-	2	2	1	-	2	4	2	1
ALL OTHER--MALE----	4	-	-	-	-	2	1	1	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	2	1	1	1	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,761

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)												
OHIO -----	517	3	7	11	2	59	59	34	42	54	32	31
WHITE-----MALE----	294	1	4	8	1	35	37	20	23	29	20	20
FEMALE--	177	2	3	3	1	20	11	7	16	20	11	8
ALL OTHER--MALE----	32	-	-	-	-	3	8	6	3	3	1	2
FEMALE--	14	-	-	-	-	1	3	1	-	2	-	1
BLACK---MALE----	28	-	-	-	-	2	7	6	3	2	1	2
FEMALE--	13	-	-	-	-	1	2	1	-	2	-	1
OKLAHOMA -----	334	2	3	3	10	48	30	17	25	27	29	30
WHITE-----MALE----	184	1	2	1	8	27	13	9	14	15	19	19
FEMALE--	113	1	1	1	2	15	14	2	6	10	6	11
ALL OTHER--MALE----	17	-	-	-	-	4	-	4	3	2	-	-
FEMALE--	20	-	-	1	-	2	3	2	2	-	4	-
BLACK---MALE----	5	-	-	-	-	2	-	2	-	1	-	-
FEMALE--	11	-	-	-	-	1	2	2	-	-	3	-
OREGON -----	210	-	5	2	3	25	27	18	10	16	10	20
WHITE-----MALE----	122	-	1	1	1	17	16	14	5	10	8	12
FEMALE--	77	-	3	-	2	8	9	3	4	6	2	7
ALL OTHER--MALE----	9	-	1	1	-	-	2	1	1	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	563	2	9	7	6	48	57	44	47	42	32	35
WHITE-----MALE----	326	-	4	2	5	26	39	26	27	34	17	20
FEMALE--	182	1	3	3	1	17	15	8	9	3	10	13
ALL OTHER--MALE----	41	-	-	1	-	5	2	8	10	3	4	2
FEMALE--	14	1	2	1	-	-	1	2	1	2	1	-
BLACK---MALE----	37	-	-	-	-	5	2	7	9	3	4	2
FEMALE--	14	1	2	1	-	-	1	2	1	2	1	-
RHODE ISLAND -----	44	-	1	-	2	5	7	1	2	6	4	5
WHITE-----MALE----	27	-	-	-	1	2	5	1	1	3	3	3
FEMALE--	11	-	1	-	1	2	-	-	1	1	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	2	-	-	1	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
SOUTH CAROLINA -----	348	2	6	4	10	33	29	32	29	23	18	23
WHITE-----MALE----	132	1	2	1	4	15	10	16	9	8	6	9
FEMALE--	112	-	-	2	3	9	6	8	10	7	8	6
ALL OTHER--MALE----	65	1	4	-	1	6	10	6	2	5	2	5
FEMALE--	39	-	-	1	2	3	3	2	8	3	2	3
BLACK---MALE----	65	1	4	-	1	6	10	6	2	5	2	5
FEMALE--	39	-	-	1	2	3	3	2	8	3	2	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,761

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)												
OHIO -----	21	26	20	22	32	22	21	13	4	2	-	-
WHITE-----MALE----	12	14	12	11	20	7	10	8	1	1	-	-
FEMALE--	9	10	7	11	10	10	10	5	2	1	-	-
ALL OTHER--MALE----	-	2	-	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	3	-	-	1	-	-	-
BLACK---MALE----	-	2	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	3	-	-	1	-	-	-
OKLAHOMA -----	16	9	13	11	13	17	17	10	3	1	-	-
WHITE-----MALE----	7	3	9	4	7	10	10	5	-	1	-	-
FEMALE--	9	4	3	6	3	5	6	5	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	2	-	1	-	-	-	-	-
FEMALE--	-	2	1	-	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	1	-	-	-	-	-	-
OREGON -----	14	10	4	11	7	10	8	7	2	1	-	-
WHITE-----MALE----	10	5	-	5	3	6	2	4	1	1	-	-
FEMALE--	2	5	4	5	4	4	6	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	34	16	30	30	37	41	24	18	4	-	-	-
WHITE-----MALE----	21	10	14	13	23	22	11	10	2	-	-	-
FEMALE--	11	6	14	17	11	17	13	8	2	-	-	-
ALL OTHER--MALE----	2	-	2	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	2	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
RHODE ISLAND -----	2	3	1	3	1	-	-	1	-	-	-	-
WHITE-----MALE----	2	2	-	3	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	26	17	15	19	22	21	13	5	1	-	-	-
WHITE-----MALE----	12	6	5	5	6	9	6	2	-	-	-	-
FEMALE--	7	6	4	9	11	7	6	2	1	-	-	-
ALL OTHER--MALE----	6	4	-	5	2	4	1	1	-	-	-	-
FEMALE--	1	1	6	-	3	1	-	-	-	-	-	-
BLACK---MALE----	6	4	-	5	2	4	1	1	-	-	-	-
FEMALE--	1	1	6	-	3	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,762

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)												
SOUTH DAKOTA -----	59	1	1	1	2	11	5	4	5	3	4	4
WHITE-----MALE----	29	-	-	-	-	6	4	1	2	1	3	2
FEMALE--	17	-	1	-	2	1	-	1	2	-	1	2
ALL OTHER--MALE----	5	1	-	1	-	2	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	2	1	2	1	1	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
TENNESSEE -----	442	4	1	5	8	44	46	38	44	39	30	26
WHITE-----MALE----	229	1	1	2	5	25	26	23	23	14	13	13
FEMALE--	147	2	-	-	2	14	12	8	14	18	14	10
ALL OTHER--MALE----	42	1	-	1	-	5	7	6	6	3	2	2
FEMALE--	24	-	-	2	1	-	1	1	1	4	1	1
BLACK---MALE----	39	1	-	1	-	5	7	6	5	2	2	2
FEMALE--	23	-	-	2	1	-	1	1	1	4	1	1
TEXAS -----	1,609	11	39	36	33	186	195	148	109	138	102	84
WHITE-----MALE----	842	7	18	14	17	93	103	86	60	81	65	39
FEMALE--	576	3	13	16	12	73	61	41	37	43	26	29
ALL OTHER--MALE----	112	-	4	3	2	11	21	12	8	12	4	11
FEMALE--	79	1	4	3	2	9	10	9	4	2	7	5
BLACK---MALE----	98	-	4	3	1	9	21	11	7	11	3	11
FEMALE--	69	1	4	3	2	7	9	8	3	2	7	4
UTAH -----	135	1	2	2	6	28	9	12	4	7	8	10
WHITE-----MALE----	63	-	1	2	1	11	6	6	1	4	4	5
FEMALE--	64	1	1	-	3	16	3	4	3	2	4	5
ALL OTHER--MALE----	3	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	5	-	-	-	2	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	28	-	-	-	1	2	2	5	5	4	2	-
WHITE-----MALE----	18	-	-	-	-	2	2	3	4	3	1	-
FEMALE--	10	-	-	-	1	-	-	2	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	311	1	2	5	7	25	32	23	23	34	22	24
WHITE-----MALE----	137	-	1	1	2	11	17	10	9	16	11	12
FEMALE--	84	-	-	-	2	8	6	5	7	7	3	7
ALL OTHER--MALE----	55	1	1	-	1	5	6	6	3	4	5	4
FEMALE--	35	-	-	4	2	1	3	2	4	7	3	1
BLACK---MALE----	51	1	1	-	1	5	5	6	3	4	4	4
FEMALE--	33	-	-	4	2	-	3	2	4	7	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,762

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)												
SOUTH DAKOTA -----	3	-	2	-	4	5	1	2	1	-	-	-
WHITE-----MALE----	1	-	2	-	3	2	-	1	1	-	-	-
FEMALE--	1	-	-	-	1	3	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	23	19	28	19	15	24	19	8	1	1	-	-
WHITE-----MALE----	11	11	15	12	9	11	8	5	1	-	-	-
FEMALE--	6	5	9	5	5	10	9	3	-	1	-	-
ALL OTHER--MALE----	2	1	2	1	1	2	-	-	-	-	-	-
FEMALE--	4	2	2	1	-	1	2	-	-	-	-	-
BLACK---MALE----	1	1	2	1	1	2	-	-	-	-	-	-
FEMALE--	3	2	2	1	-	1	2	-	-	-	-	-
TEXAS -----	69	62	60	63	68	85	67	39	12	2	1	-
WHITE-----MALE----	37	32	25	30	33	45	22	23	9	2	1	-
FEMALE--	24	26	28	27	29	33	38	14	3	-	-	-
ALL OTHER--MALE----	4	4	5	2	3	1	5	-	-	-	-	-
FEMALE--	4	-	2	4	3	6	2	2	-	-	-	-
BLACK---MALE----	2	3	5	-	3	-	4	-	-	-	-	-
FEMALE--	3	-	2	4	2	5	1	2	-	-	-	-
UTAH -----	6	8	4	3	9	6	9	1	-	-	-	-
WHITE-----MALE----	3	4	1	1	4	3	5	1	-	-	-	-
FEMALE--	3	4	2	2	5	2	4	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	1	-	1	2	-	2	-	-	-	-
WHITE-----MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	21	16	13	10	13	19	9	8	4	-	-	-
WHITE-----MALE----	10	6	8	3	4	6	5	4	1	-	-	-
FEMALE--	5	6	-	3	7	8	4	4	2	-	-	-
ALL OTHER--MALE----	3	3	4	4	1	3	-	-	1	-	-	-
FEMALE--	3	1	1	-	1	2	-	-	-	-	-	-
BLACK---MALE----	3	3	3	4	1	2	-	-	1	-	-	-
FEMALE--	3	1	1	-	1	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,764

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)												
0 UNITED STATES --	5,483	5	198	256	212	283	319	337	416	477	472	414
WHITE-----MALE----	2,811	4	79	94	97	142	189	200	226	246	249	213
FEMALE--	1,276	-	45	69	64	78	57	51	61	94	93	81
ALL OTHER--MALE----	940	1	40	58	29	40	57	65	87	91	99	87
FEMALE--	456	-	34	35	22	23	16	21	42	46	31	33
BLACK---MALE----	749	1	34	54	27	33	41	43	60	78	84	75
FEMALE--	344	-	30	31	18	18	13	15	37	41	22	27
ALABAMA -----	84	-	4	3	6	2	3	1	5	11	13	7
WHITE-----MALE----	36	-	1	1	3	1	1	-	3	5	3	1
FEMALE--	13	-	-	-	2	1	-	-	-	4	2	1
ALL OTHER--MALE----	26	-	2	2	1	-	1	-	2	2	7	3
FEMALE--	9	-	1	-	-	-	1	1	-	-	1	2
BLACK---MALE----	26	-	2	2	1	-	1	-	2	2	7	3
FEMALE--	9	-	1	-	-	-	1	1	-	-	1	2
ALASKA -----	10	-	2	-	-	1	1	-	3	1	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	2	1	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	166	-	6	6	5	6	7	19	15	18	14	18
WHITE-----MALE----	83	-	4	1	4	3	3	4	5	10	5	11
FEMALE--	29	-	2	3	1	2	2	2	2	3	1	2
ALL OTHER--MALE----	46	-	-	2	-	1	2	12	7	5	5	4
FEMALE--	8	-	-	-	-	-	-	1	1	-	3	1
BLACK---MALE----	5	-	-	1	-	-	1	-	1	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS -----	53	-	6	6	-	1	3	2	3	6	-	4
WHITE-----MALE----	27	-	2	2	-	1	3	1	3	3	-	2
FEMALE--	10	-	2	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	9	-	1	-	-	-	-	1	-	2	-	1
FEMALE--	7	-	1	4	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	1	-	-	-	-	1	-	2	-	1
FEMALE--	7	-	1	4	-	-	-	-	-	-	-	-
CALIFORNIA -----	703	-	34	32	17	36	34	36	47	52	61	48
WHITE-----MALE----	378	-	20	15	6	17	24	22	26	35	33	26
FEMALE--	178	-	9	9	7	12	5	6	9	13	15	15
ALL OTHER--MALE----	89	-	2	5	2	7	3	7	8	3	10	5
FEMALE--	58	-	3	3	2	-	2	1	4	1	3	2
BLACK---MALE----	44	-	1	5	1	6	1	5	3	2	8	2
FEMALE--	26	-	2	1	1	-	1	1	4	1	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,764

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)												
0 UNITED STATES --	310	258	260	243	276	264	242	172	49	4	-	16
WHITE-----MALE----	163	141	133	123	133	133	120	85	25	4	-	12
FEMALE--	62	56	62	68	79	94	80	62	19	-	-	1
ALL OTHER--MALE----	65	44	46	34	37	25	26	7	1	-	-	1
FEMALE--	20	17	19	18	27	12	16	18	4	-	-	2
BLACK---MALE----	54	39	36	25	29	15	15	5	-	-	-	1
FEMALE--	17	14	12	8	10	6	6	15	2	-	-	2
ALABAMA -----	2	7	3	4	5	4	1	2	1	-	-	-
WHITE-----MALE----	1	4	2	3	2	2	1	1	1	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	2	1	-	2	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	2	1	-	2	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	1	-	-	-	-
ALASKA -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	8	7	5	6	8	6	7	4	-	-	-	1
WHITE-----MALE----	2	7	4	2	7	3	5	2	-	-	-	1
FEMALE--	2	-	1	2	-	2	-	2	-	-	-	-
ALL OTHER--MALE----	2	-	-	2	1	1	2	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	2	3	4	3	4	2	2	-	-	-
WHITE-----MALE----	1	1	-	1	1	3	1	1	1	-	-	-
FEMALE--	-	-	2	1	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
CALIFORNIA -----	37	44	36	30	45	42	35	27	6	-	-	4
WHITE-----MALE----	21	28	17	13	20	18	15	13	6	-	-	3
FEMALE--	11	6	6	10	11	12	13	9	-	-	-	-
ALL OTHER--MALE----	3	6	6	4	5	8	2	2	-	-	-	1
FEMALE--	2	4	7	3	9	4	5	3	-	-	-	-
BLACK---MALE----	1	2	-	1	3	1	-	1	-	-	-	1
FEMALE--	2	2	3	-	-	1	2	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,765

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)												
COLORADO -----	58	-	3	3	3	1	2	3	4	4	6	6
WHITE-----MALE----	40	-	2	-	-	1	1	3	3	2	6	5
FEMALE--	12	-	1	3	1	-	1	-	-	1	-	1
ALL OTHER--MALE----	3	-	-	-	1	-	-	-	1	1	-	-
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	1	-	-	-	1	1	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT -----	53	-	2	-	5	4	2	1	3	5	3	4
WHITE-----MALE----	30	-	-	-	1	2	1	-	2	1	2	4
FEMALE--	17	-	-	-	4	2	1	1	1	1	1	-
ALL OTHER--MALE----	2	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	3	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	3	-	-
DELAWARE -----	11	-	-	-	1	2	-	2	-	-	2	2
WHITE-----MALE----	4	-	-	-	-	1	-	1	-	-	-	1
FEMALE--	6	-	-	-	1	1	-	1	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ----	22	-	3	-	-	-	1	3	3	2	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	11	-	2	-	-	-	-	-	3	1	-	1
FEMALE--	7	-	1	-	-	-	1	2	-	-	-	-
BLACK---MALE----	11	-	2	-	-	-	-	-	3	1	-	1
FEMALE--	7	-	1	-	-	-	1	2	-	-	-	-
FLORIDA -----	514	-	8	10	17	29	30	34	42	46	48	37
WHITE-----MALE----	298	-	2	2	9	12	24	24	27	26	33	21
FEMALE--	112	-	1	3	3	10	2	6	7	11	8	5
ALL OTHER--MALE----	70	-	2	4	3	2	4	3	4	6	4	7
FEMALE--	34	-	3	1	2	5	-	1	4	3	3	4
BLACK---MALE----	65	-	2	4	3	1	3	3	4	6	3	7
FEMALE--	32	-	3	1	2	5	-	1	4	3	1	4
GEORGIA -----	184	-	9	14	7	7	14	8	22	15	13	23
WHITE-----MALE----	72	-	4	-	3	2	7	6	9	7	3	10
FEMALE--	21	-	1	8	-	1	2	-	1	5	-	-
ALL OTHER--MALE----	66	-	3	3	3	3	4	2	6	3	8	10
FEMALE--	25	-	1	3	1	1	1	-	6	-	2	3
BLACK---MALE----	63	-	3	3	3	2	4	2	6	3	8	10
FEMALE--	23	-	-	3	-	1	1	-	6	-	2	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,765

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)												
COLORADO -----	5	2	1	4	1	3	4	3	-	-	-	-
WHITE-----MALE----	5	1	1	4	1	3	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	5	1	2	3	1	5	3	4	-	-	-	-
WHITE-----MALE----	4	1	1	3	-	3	2	3	-	-	-	-
FEMALE--	-	-	1	-	1	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	2	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	1	1	2	1	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	1	-	-	-	-
FLORIDA -----	27	31	28	21	31	21	24	18	7	-	-	5
WHITE-----MALE----	17	18	18	11	13	8	13	12	4	-	-	4
FEMALE--	5	8	3	6	9	9	7	6	2	-	-	1
ALL OTHER--MALE----	4	3	6	4	7	3	4	-	-	-	-	-
FEMALE--	1	2	1	-	2	1	-	-	1	-	-	-
BLACK---MALE----	4	3	6	4	7	2	3	-	-	-	-	-
FEMALE--	1	2	1	-	2	1	-	-	1	-	-	-
GEORGIA -----	10	7	12	4	5	4	6	3	1	-	-	-
WHITE-----MALE----	1	2	6	2	3	3	3	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	6	4	4	2	1	1	2	-	1	-	-	-
FEMALE--	2	-	2	-	1	-	-	2	-	-	-	-
BLACK---MALE----	6	3	4	2	1	1	2	-	-	-	-	-
FEMALE--	2	-	2	-	1	-	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,767

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)												
KENTUCKY -----	71	-	1	8	5	4	6	2	3	3	5	4
WHITE-----MALE----	45	-	-	3	3	2	3	2	1	2	3	4
FEMALE--	18	-	-	5	1	2	2	-	1	1	1	-
ALL OTHER--MALE----	5	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	5	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
LOUISIANA -----	136	-	6	6	7	9	8	12	15	17	13	9
WHITE-----MALE----	52	-	2	1	2	6	3	8	6	7	2	2
FEMALE--	22	-	2	1	2	1	-	1	3	1	1	-
ALL OTHER--MALE----	41	-	-	2	1	2	4	3	4	6	8	5
FEMALE--	21	-	2	2	2	-	1	-	2	3	2	2
BLACK---MALE----	41	-	-	2	1	2	4	3	4	6	8	5
FEMALE--	21	-	2	2	2	-	1	-	2	3	2	2
MAINE -----	19	-	1	-	-	1	1	1	2	3	1	-
WHITE-----MALE----	10	-	1	-	-	-	1	1	2	1	-	-
FEMALE--	9	-	-	-	-	1	-	-	-	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	112	-	4	9	1	5	10	7	8	16	9	10
WHITE-----MALE----	59	-	1	1	1	2	7	4	5	7	7	4
FEMALE--	16	-	-	2	-	1	1	1	-	4	-	1
ALL OTHER--MALE----	20	-	-	3	-	1	1	1	2	2	2	3
FEMALE--	17	-	3	3	-	1	1	1	1	3	-	2
BLACK---MALE----	19	-	-	3	-	1	1	1	1	2	2	3
FEMALE--	17	-	3	3	-	1	1	1	1	3	-	2
MASSACHUSETTS -----	92	-	2	4	5	3	4	3	6	5	5	6
WHITE-----MALE----	43	-	-	1	3	2	2	2	4	2	3	4
FEMALE--	36	-	1	2	1	-	2	-	1	2	1	1
ALL OTHER--MALE----	7	-	1	1	-	-	-	1	-	1	1	1
FEMALE--	6	-	-	-	1	1	-	-	1	-	-	-
BLACK---MALE----	5	-	1	1	-	-	-	1	-	-	1	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN -----	180	-	4	10	12	12	9	15	12	16	16	13
WHITE-----MALE----	80	-	-	4	5	6	5	9	4	6	8	7
FEMALE--	36	-	-	2	2	-	1	-	3	2	5	2
ALL OTHER--MALE----	40	-	2	1	3	5	2	4	3	2	2	4
FEMALE--	24	-	2	3	2	1	1	2	2	6	1	-
BLACK---MALE----	37	-	2	1	3	3	2	4	3	2	2	4
FEMALE--	23	-	2	2	2	1	1	2	2	6	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,767

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)												
KENTUCKY -----	4	6	2	4	2	3	3	3	2	-	-	1
WHITE-----MALE----	2	4	2	3	1	2	3	2	2	-	-	1
FEMALE--	1	-	-	1	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	6	5	6	3	4	6	2	2	-	-	-	-
WHITE-----MALE----	2	3	1	1	2	4	-	-	-	-	-	-
FEMALE--	-	1	3	-	2	2	1	1	-	-	-	-
ALL OTHER--MALE----	3	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	1	1	1	-	-	-	1	-	-	-	-
BLACK---MALE----	3	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	1	1	1	-	-	-	1	-	-	-	-
MAINE -----	-	-	-	1	3	2	-	3	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	3	-	-	-	-
FEMALE--	-	-	-	-	3	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	11	7	2	3	3	3	1	1	1	-	-	1
WHITE-----MALE----	5	4	2	2	3	1	1	1	1	-	-	-
FEMALE--	3	-	-	1	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	3	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	1
MASSACHUSETTS -----	4	2	6	10	5	13	4	5	-	-	-	-
WHITE-----MALE----	1	-	2	4	3	6	3	1	-	-	-	-
FEMALE--	3	1	2	6	1	7	1	4	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	16	6	4	7	11	6	4	6	1	-	-	-
WHITE-----MALE----	9	2	-	1	6	3	3	1	1	-	-	-
FEMALE--	3	3	3	2	3	1	1	3	-	-	-	-
ALL OTHER--MALE----	3	1	1	3	1	2	-	1	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	3	1	1	2	1	2	-	1	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,770

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)												
OHIO -----	124	-	4	9	11	4	8	8	8	10	8	6
WHITE-----MALE----	64	-	1	5	5	2	6	5	6	5	5	3
FEMALE--	38	-	1	2	4	2	1	2	2	1	3	2
ALL OTHER--MALE----	17	-	2	1	1	-	1	-	-	4	-	1
FEMALE--	5	-	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	17	-	2	1	1	-	1	-	-	4	-	1
FEMALE--	5	-	-	1	1	-	-	1	-	-	-	-
OKLAHOMA -----	71	-	1	-	4	4	4	8	4	8	8	6
WHITE-----MALE----	39	-	-	-	2	3	3	5	3	3	2	3
FEMALE--	12	-	1	-	1	-	1	1	1	-	3	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	2	3	2
FEMALE--	9	-	-	-	1	1	-	2	-	3	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	6	-	-	-	1	-	-	2	-	2	-	-
OREGON -----	66	1	2	2	4	3	7	3	6	3	6	9
WHITE-----MALE----	35	1	2	2	2	2	2	3	1	1	4	7
FEMALE--	22	-	-	-	2	1	3	-	2	1	2	2
ALL OTHER--MALE----	7	-	-	-	-	-	2	-	1	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	180	1	6	14	10	7	12	8	9	11	16	8
WHITE-----MALE----	100	-	2	7	6	4	9	5	4	7	13	5
FEMALE--	54	-	2	4	3	2	1	2	2	1	3	3
ALL OTHER--MALE----	17	1	1	3	-	-	1	-	1	3	-	-
FEMALE--	9	-	1	-	1	1	1	1	2	-	-	-
BLACK---MALE----	16	1	1	2	-	-	1	-	1	3	-	-
FEMALE--	8	-	1	-	1	1	1	-	2	-	-	-
RHODE ISLAND -----	8	-	-	-	-	1	-	-	2	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	105	-	3	11	2	6	3	6	8	15	13	5
WHITE-----MALE----	40	-	-	5	1	1	1	2	2	7	4	2
FEMALE--	11	-	-	1	-	1	-	-	1	1	2	-
ALL OTHER--MALE----	40	-	2	2	1	3	2	3	4	5	5	2
FEMALE--	14	-	1	3	-	1	-	1	1	2	2	1
BLACK---MALE----	40	-	2	2	1	3	2	3	4	5	5	2
FEMALE--	14	-	1	3	-	1	-	1	1	2	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,770

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)												
OHIO -----	7	10	9	6	5	5	4	1	-	1	-	-
WHITE-----MALE----	3	2	6	4	4	-	-	1	-	1	-	-
FEMALE--	2	4	2	1	1	5	3	-	-	-	-	-
ALL OTHER--MALE----	1	3	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	3	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	7	3	4	2	5	1	1	1	-	-	-	-
WHITE-----MALE----	3	2	3	1	3	1	1	1	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OREGON -----	4	3	2	-	3	3	4	1	-	-	-	-
WHITE-----MALE----	1	2	1	-	1	1	1	1	-	-	-	-
FEMALE--	2	1	1	-	2	1	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	9	6	8	16	13	13	6	5	-	-	-
WHITE-----MALE----	1	3	1	4	7	10	7	2	3	-	-	-
FEMALE--	-	5	3	3	8	3	4	3	2	-	-	-
ALL OTHER--MALE----	1	-	2	1	1	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	2	1	1	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
RHODE ISLAND -----	-	-	1	-	3	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	9	5	3	7	4	2	1	1	1	-	-	-
WHITE-----MALE----	5	1	2	4	2	-	-	-	1	-	-	-
FEMALE--	-	1	-	1	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	3	3	1	2	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	3	3	1	2	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,771

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)												
SOUTH DAKOTA -----	6	-	1	-	-	-	-	-	3	-	1	-
WHITE-----MALE----	2	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	2	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	110	1	3	11	5	6	5	4	9	5	18	7
WHITE-----MALE----	62	1	1	4	3	3	4	1	4	4	9	4
FEMALE--	22	-	1	1	2	1	1	3	1	1	2	2
ALL OTHER--MALE----	20	-	1	3	-	2	-	-	3	-	6	1
FEMALE--	6	-	-	3	-	-	-	-	1	-	1	-
BLACK---MALE----	20	-	1	3	-	2	-	-	3	-	6	1
FEMALE--	6	-	-	3	-	-	-	-	1	-	1	-
TEXAS -----	462	-	19	15	11	28	37	47	46	43	52	34
WHITE-----MALE----	304	-	13	7	6	16	29	31	36	23	36	24
FEMALE--	94	-	4	4	1	7	7	11	4	11	10	9
ALL OTHER--MALE----	50	-	1	2	3	3	-	4	6	8	4	1
FEMALE--	14	-	1	2	1	2	1	1	-	1	2	-
BLACK---MALE----	47	-	1	2	3	3	-	3	6	8	3	1
FEMALE--	13	-	1	2	1	1	1	1	-	1	2	-
UTAH -----	40	-	1	4	3	5	8	3	2	1	1	-
WHITE-----MALE----	24	-	-	2	1	3	4	2	2	1	-	-
FEMALE--	11	-	1	1	2	2	2	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	1	-	-	2	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	8	-	-	-	-	-	-	-	-	1	-	3
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	100	-	2	2	2	6	7	6	11	18	5	7
WHITE-----MALE----	42	-	-	-	-	1	4	3	5	10	1	3
FEMALE--	21	-	1	1	-	2	1	-	1	2	3	1
ALL OTHER--MALE----	27	-	1	1	2	1	1	3	3	4	1	1
FEMALE--	10	-	-	-	-	2	1	-	2	2	-	2
BLACK---MALE----	24	-	1	1	2	1	1	3	3	4	1	1
FEMALE--	9	-	-	-	-	2	1	-	2	2	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,773

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)												
0 UNITED STATES --	6,256	19	35	111	205	986	960	710	586	532	472	329
WHITE-----MALE----	3,870	8	16	65	121	601	650	431	373	332	285	212
FEMALE--	1,305	6	7	19	35	234	144	121	107	109	90	62
ALL OTHER--MALE----	831	4	7	20	39	118	137	122	82	72	75	42
FEMALE--	250	1	5	7	10	33	29	36	24	19	22	13
BLACK---MALE----	680	4	6	18	35	98	111	93	68	60	62	36
FEMALE--	181	-	4	7	9	18	24	25	17	13	17	9
ALABAMA -----	105	-	1	5	4	12	15	17	7	12	8	5
WHITE-----MALE----	60	-	-	3	-	9	11	12	2	6	3	2
FEMALE--	25	-	-	1	3	3	1	2	2	5	4	-
ALL OTHER--MALE----	19	-	1	1	1	-	3	3	3	1	1	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	19	-	1	1	1	-	3	3	3	1	1	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	8	-	-	-	1	2	2	1	1	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	2	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	67	-	-	-	3	4	5	10	5	10	6	3
WHITE-----MALE----	42	-	-	-	2	1	4	6	2	8	3	3
FEMALE--	12	-	-	-	-	1	1	-	1	-	2	-
ALL OTHER--MALE----	10	-	-	-	1	2	-	4	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	2	1	-	-
BLACK---MALE----	4	-	-	-	-	1	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	63	2	-	-	3	3	6	10	6	7	8	6
WHITE-----MALE----	35	2	-	-	-	2	4	6	5	3	3	5
FEMALE--	9	-	-	-	2	-	-	2	-	1	1	-
ALL OTHER--MALE----	15	-	-	-	1	1	1	2	1	3	2	1
FEMALE--	4	-	-	-	-	-	1	-	-	-	2	-
BLACK---MALE----	14	-	-	-	-	1	1	2	1	3	2	1
FEMALE--	4	-	-	-	-	-	1	-	-	-	2	-
CALIFORNIA -----	695	-	5	13	17	103	107	96	64	42	53	48
WHITE-----MALE----	452	-	3	10	12	67	71	63	39	32	38	33
FEMALE--	116	-	-	2	-	14	18	15	12	5	6	3
ALL OTHER--MALE----	86	-	1	1	4	15	15	11	9	2	6	7
FEMALE--	41	-	1	-	1	7	3	7	4	3	3	5
BLACK---MALE----	41	-	1	1	3	6	8	2	6	1	2	4
FEMALE--	16	-	-	-	-	2	1	5	1	1	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,773

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)												
0 UNITED STATES --	257	212	152	148	163	158	121	73	23	2	1	1
WHITE-----MALE----	161	129	94	89	96	88	68	39	10	1	-	1
FEMALE--	52	49	41	44	47	55	42	28	12	-	1	-
ALL OTHER--MALE----	29	27	13	8	13	11	6	4	1	1	-	-
FEMALE--	15	7	4	7	7	4	5	2	-	-	-	-
BLACK---MALE----	28	26	10	7	6	3	5	3	1	-	-	-
FEMALE--	11	4	3	5	5	3	5	2	-	-	-	-
ALABAMA -----	5	4	4	2	3	1	-	-	-	-	-	-
WHITE-----MALE----	3	3	3	-	3	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	1	4	5	-	3	3	2	-	-	-	1
WHITE-----MALE----	1	1	3	3	-	3	1	-	-	-	-	1
FEMALE--	-	-	1	2	-	-	2	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	2	1	2	1	2	2	1	-	-	-	-
WHITE-----MALE----	-	1	-	2	-	2	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CALIFORNIA -----	25	25	15	15	24	18	17	7	1	-	-	-
WHITE-----MALE----	20	16	9	7	8	10	10	4	-	-	-	-
FEMALE--	3	5	5	6	11	3	5	2	1	-	-	-
ALL OTHER--MALE----	1	3	1	1	4	3	2	-	-	-	-	-
FEMALE--	1	1	-	1	1	2	-	1	-	-	-	-
BLACK---MALE----	1	3	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,774

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)												
COLORADO -----	39	-	-	2	2	6	5	3	4	4	2	1
WHITE-----MALE----	27	-	-	-	2	5	3	3	4	3	1	-
FEMALE--	9	-	-	2	-	1	1	-	-	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	93	-	-	1	3	16	9	13	9	7	10	4
WHITE-----MALE----	52	-	-	-	2	7	3	11	5	3	7	3
FEMALE--	30	-	-	-	1	9	3	2	4	3	3	1
ALL OTHER--MALE----	8	-	-	1	-	-	3	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	1	-	-	2	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	20	-	-	-	2	1	-	4	2	2	2	-
WHITE-----MALE----	9	-	-	-	1	-	-	3	1	1	1	-
FEMALE--	7	-	-	-	-	1	-	-	1	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	455	2	1	1	20	68	70	42	37	40	45	21
WHITE-----MALE----	298	1	-	1	11	39	47	24	26	28	27	16
FEMALE--	77	-	-	-	2	15	11	10	3	8	9	3
ALL OTHER--MALE----	64	-	1	-	7	10	11	6	7	4	7	-
FEMALE--	16	1	-	-	-	4	1	2	1	-	2	2
BLACK---MALE----	64	-	1	-	7	10	11	6	7	4	7	-
FEMALE--	14	-	-	-	-	4	1	2	1	-	1	2
GEORGIA -----	111	1	2	3	3	13	22	14	10	14	9	6
WHITE-----MALE----	59	-	1	1	2	9	13	7	7	6	3	-
FEMALE--	17	-	-	-	-	1	3	2	-	2	3	2
ALL OTHER--MALE----	28	1	1	2	1	3	5	4	2	4	2	3
FEMALE--	7	-	-	-	-	-	1	1	1	2	1	1
BLACK---MALE----	28	1	1	2	1	3	5	4	2	4	2	3
FEMALE--	7	-	-	-	-	-	1	1	1	2	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,776

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)												
KENTUCKY -----	242	-	1	2	7	43	38	25	24	25	19	15
WHITE-----MALE----	166	-	-	2	6	29	30	15	16	21	13	11
FEMALE--	58	-	1	-	-	12	6	8	6	4	4	3
ALL OTHER--MALE----	12	-	-	-	1	2	2	-	2	-	2	-
FEMALE--	6	-	-	-	-	-	-	2	-	-	-	1
BLACK---MALE----	12	-	-	-	1	2	2	-	2	-	2	-
FEMALE--	5	-	-	-	-	-	-	2	-	-	-	1
LOUISIANA -----	66	1	2	2	5	6	8	11	4	6	7	3
WHITE-----MALE----	27	1	1	-	1	2	4	3	1	1	3	3
FEMALE--	11	-	1	1	2	-	-	2	2	2	-	-
ALL OTHER--MALE----	24	-	-	-	2	4	2	6	1	3	4	-
FEMALE--	4	-	-	1	-	-	2	-	-	-	-	-
BLACK---MALE----	24	-	-	-	2	4	2	6	1	3	4	-
FEMALE--	3	-	-	1	-	-	2	-	-	-	-	-
MAINE -----	20	-	-	-	1	1	1	3	2	1	2	2
WHITE-----MALE----	10	-	-	-	1	1	-	1	1	1	2	1
FEMALE--	9	-	-	-	-	-	1	1	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
MARYLAND -----	91	-	-	3	3	12	12	15	11	10	5	6
WHITE-----MALE----	43	-	-	1	-	6	6	6	5	3	2	4
FEMALE--	12	-	-	-	-	2	2	1	1	2	1	-
ALL OTHER--MALE----	29	-	-	2	2	2	3	8	4	4	1	2
FEMALE--	7	-	-	-	1	2	1	-	1	1	1	-
BLACK---MALE----	27	-	-	2	2	2	3	6	4	4	1	2
FEMALE--	7	-	-	-	1	2	1	-	1	1	1	-
MASSACHUSETTS -----	132	-	-	1	4	19	25	10	13	8	10	7
WHITE-----MALE----	88	-	-	-	4	13	18	6	8	5	8	6
FEMALE--	31	-	-	-	-	4	5	3	2	1	1	1
ALL OTHER--MALE----	11	-	-	-	-	2	2	1	3	2	1	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	2	2	1	2	1	1	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
MICHIGAN -----	174	-	-	5	6	42	23	15	19	7	7	12
WHITE-----MALE----	114	-	-	5	6	27	16	13	11	2	6	6
FEMALE--	35	-	-	-	-	12	2	2	2	4	1	4
ALL OTHER--MALE----	18	-	-	-	-	3	3	-	4	1	-	2
FEMALE--	7	-	-	-	-	-	2	-	2	-	-	-
BLACK---MALE----	18	-	-	-	-	3	3	-	4	1	-	2
FEMALE--	7	-	-	-	-	-	2	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,779

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)												
OHIO -----	187	1	1	7	5	25	32	15	18	19	18	8
WHITE-----MALE----	133	-	1	4	3	17	25	12	14	15	10	6
FEMALE--	29	1	-	-	-	6	2	2	2	2	3	2
ALL OTHER--MALE----	17	-	-	2	2	2	4	1	1	-	3	-
FEMALE--	8	-	-	1	-	-	1	-	1	2	2	-
BLACK---MALE----	16	-	-	2	2	2	3	1	1	-	3	-
FEMALE--	7	-	-	1	-	-	1	-	1	2	2	-
OKLAHOMA -----	84	1	3	3	4	6	13	10	9	7	6	8
WHITE-----MALE----	53	1	1	2	2	2	11	7	6	4	3	7
FEMALE--	21	-	2	1	2	4	2	1	2	1	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	2	-	2	3	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
OREGON -----	88	-	1	3	4	10	14	7	12	9	11	3
WHITE-----MALE----	65	-	-	2	2	5	13	4	12	7	10	3
FEMALE--	17	-	-	1	2	4	-	1	-	2	-	-
ALL OTHER--MALE----	6	-	1	-	-	1	1	2	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	256	1	2	4	5	52	48	22	27	12	14	7
WHITE-----MALE----	170	-	-	3	5	34	36	13	17	7	10	3
FEMALE--	52	1	-	1	-	10	4	4	6	2	3	4
ALL OTHER--MALE----	24	-	1	-	-	5	5	4	4	2	1	-
FEMALE--	10	-	1	-	-	3	3	1	-	1	-	-
BLACK---MALE----	22	-	1	-	-	4	5	4	3	2	1	-
FEMALE--	9	-	1	-	-	3	3	-	-	1	-	-
RHODE ISLAND -----	31	-	-	-	-	6	4	5	3	4	1	3
WHITE-----MALE----	20	-	-	-	-	4	1	2	3	4	1	3
FEMALE--	8	-	-	-	-	2	2	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
SOUTH CAROLINA -----	164	1	-	-	5	33	24	26	19	14	13	7
WHITE-----MALE----	76	-	-	-	3	20	10	10	12	6	6	3
FEMALE--	27	-	-	-	-	5	4	2	3	1	1	3
ALL OTHER--MALE----	49	1	-	-	1	7	10	12	2	6	5	1
FEMALE--	12	-	-	-	1	1	-	2	2	1	1	-
BLACK---MALE----	48	1	-	-	1	7	9	12	2	6	5	1
FEMALE--	11	-	-	-	1	-	-	2	2	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,779

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)												
OHIO -----	9	5	3	6	4	8	3	-	-	-	-	-
WHITE-----MALE----	7	2	3	5	2	6	1	-	-	-	-	-
FEMALE--	-	3	-	-	2	2	2	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	2	2	2	4	1	2	1	-	-	-	-	-
WHITE-----MALE----	-	1	1	2	1	1	1	-	-	-	-	-
FEMALE--	2	1	-	2	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	4	2	-	2	2	1	1	2	-	-	-	-
WHITE-----MALE----	2	1	-	-	2	1	-	1	-	-	-	-
FEMALE--	2	1	-	2	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	10	11	6	6	7	12	6	4	-	-	-	-
WHITE-----MALE----	6	7	4	5	6	8	3	3	-	-	-	-
FEMALE--	3	3	1	1	1	4	3	1	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	2	1	-	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	7	4	1	4	1	1	1	1	2	-	-	-
WHITE-----MALE----	2	2	-	2	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	1	1	2	-	-	-
ALL OTHER--MALE----	1	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,780

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)												
SOUTH DAKOTA -----	24	-	-	1	2	5	5	1	1	2	-	4
WHITE-----MALE----	10	-	-	-	-	2	3	1	1	1	-	2
FEMALE--	9	-	-	-	2	2	2	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	1	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	245	-	2	2	4	48	42	34	20	22	12	13
WHITE-----MALE----	156	-	2	1	3	33	31	21	13	15	7	7
FEMALE--	53	-	-	-	1	9	3	5	3	7	5	4
ALL OTHER--MALE----	29	-	-	1	-	5	6	5	4	-	-	2
FEMALE--	7	-	-	-	-	1	2	3	-	-	-	-
BLACK---MALE----	29	-	-	1	-	5	6	5	4	-	-	2
FEMALE--	7	-	-	-	-	1	2	3	-	-	-	-
TEXAS -----	670	3	6	10	21	110	103	68	67	54	62	43
WHITE-----MALE----	410	1	2	4	14	61	78	42	45	25	37	25
FEMALE--	156	2	3	2	4	33	13	15	15	18	12	11
ALL OTHER--MALE----	75	-	1	2	1	15	10	8	5	8	10	4
FEMALE--	29	-	-	2	2	1	2	3	2	3	3	3
BLACK---MALE----	60	-	1	2	1	13	6	6	4	7	9	4
FEMALE--	22	-	-	2	2	1	1	2	2	1	2	2
UTAH -----	36	-	1	2	-	8	6	3	1	2	1	-
WHITE-----MALE----	27	-	1	2	-	4	5	2	1	1	1	-
FEMALE--	8	-	-	-	-	4	1	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	7	-	-	-	1	-	3	-	-	-	1	-
WHITE-----MALE----	6	-	-	-	1	-	3	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	144	1	-	1	7	24	17	16	8	15	13	8
WHITE-----MALE----	67	-	-	-	3	11	7	7	4	5	3	5
FEMALE--	30	-	-	1	-	8	4	3	-	6	2	1
ALL OTHER--MALE----	39	1	-	-	4	4	4	5	4	4	6	2
FEMALE--	8	-	-	-	-	1	2	1	-	-	2	-
BLACK---MALE----	36	1	-	-	4	4	4	5	4	3	6	2
FEMALE--	5	-	-	-	-	-	2	1	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,780

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)												
SOUTH DAKOTA -----	-	-	1	-	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	9	13	3	2	6	3	6	4	-	-	-	-
WHITE-----MALE----	6	8	1	1	2	-	3	2	-	-	-	-
FEMALE--	-	3	2	1	3	3	2	2	-	-	-	-
ALL OTHER--MALE----	3	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
TEXAS -----	30	20	17	11	15	12	10	6	2	-	-	-
WHITE-----MALE----	20	12	13	8	9	4	4	4	2	-	-	-
FEMALE--	8	5	3	2	2	4	3	1	-	-	-	-
ALL OTHER--MALE----	-	2	1	1	2	2	2	1	-	-	-	-
FEMALE--	2	1	-	-	2	2	1	-	-	-	-	-
BLACK---MALE----	-	2	1	1	-	1	1	1	-	-	-	-
FEMALE--	2	1	-	-	1	2	1	-	-	-	-	-
UTAH -----	1	3	1	3	1	1	2	-	-	-	-	-
WHITE-----MALE----	1	1	1	3	1	1	2	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	9	1	4	5	3	4	-	1	-	-	-
WHITE-----MALE----	6	4	1	3	4	1	2	-	1	-	-	-
FEMALE--	1	1	-	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	3	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,782

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)												
0 UNITED STATES --	7,366	26	95	96	182	1,211	1,055	825	731	688	592	452
WHITE-----MALE----	4,344	7	33	32	68	687	687	495	442	423	336	293
FEMALE--	1,806	15	33	35	74	343	201	169	171	143	149	89
ALL OTHER--MALE----	835	1	12	9	20	133	118	120	88	91	75	45
FEMALE--	381	3	17	20	20	48	49	41	30	31	32	25
BLACK---MALE----	609	-	10	8	14	91	88	83	61	68	58	32
FEMALE--	240	2	14	16	11	30	29	23	16	18	18	16
ALABAMA -----	218	-	6	3	3	31	26	31	18	24	30	12
WHITE-----MALE----	134	-	4	-	2	20	20	20	8	16	17	9
FEMALE--	38	-	-	2	1	6	-	6	6	4	4	1
ALL OTHER--MALE----	36	-	1	1	-	3	4	5	3	4	8	2
FEMALE--	10	-	1	-	-	2	2	-	1	-	1	-
BLACK---MALE----	36	-	1	1	-	3	4	5	3	4	8	2
FEMALE--	9	-	1	-	-	2	2	-	-	-	1	-
ALASKA -----	15	-	1	1	1	4	2	3	-	-	1	1
WHITE-----MALE----	10	-	1	-	1	3	-	3	-	-	1	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	217	1	4	5	8	32	31	14	25	26	16	18
WHITE-----MALE----	109	-	3	2	2	17	16	8	14	10	8	11
FEMALE--	52	1	-	2	3	7	7	1	3	8	5	3
ALL OTHER--MALE----	35	-	-	1	2	5	7	4	5	7	-	3
FEMALE--	21	-	1	-	1	3	1	1	3	1	3	1
BLACK---MALE----	5	-	-	1	-	-	2	-	1	1	-	-
FEMALE--	4	-	1	-	-	-	1	-	-	-	-	1
ARKANSAS -----	152	1	3	6	4	29	15	20	13	9	10	5
WHITE-----MALE----	86	1	1	2	1	17	12	14	5	5	6	2
FEMALE--	41	-	1	2	2	6	2	2	4	1	4	1
ALL OTHER--MALE----	14	-	-	-	1	3	1	3	1	3	-	1
FEMALE--	11	-	1	2	-	3	-	1	3	-	-	1
BLACK---MALE----	14	-	-	-	1	3	1	3	1	3	-	1
FEMALE--	11	-	1	2	-	3	-	1	3	-	-	1
CALIFORNIA -----	695	2	14	10	23	117	85	51	62	60	61	47
WHITE-----MALE----	404	-	1	3	9	70	49	32	45	39	34	29
FEMALE--	170	2	7	4	9	31	22	6	10	13	15	11
ALL OTHER--MALE----	80	-	5	-	2	12	10	8	5	4	10	4
FEMALE--	41	-	1	3	3	4	4	5	2	4	2	3
BLACK---MALE----	30	-	3	-	1	3	5	2	3	1	4	2
FEMALE--	7	-	-	1	-	1	-	2	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,782

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)												
0 UNITED STATES --	364	274	175	169	161	112	89	52	12	2	-	3
WHITE-----MALE----	228	167	108	95	93	68	51	23	5	1	-	2
FEMALE--	86	60	37	57	45	34	33	24	7	1	-	-
ALL OTHER--MALE----	37	29	21	13	14	6	1	2	-	-	-	-
FEMALE--	13	18	9	4	9	4	4	3	-	-	-	1
BLACK---MALE----	32	21	15	12	11	3	1	1	-	-	-	-
FEMALE--	9	10	7	4	7	3	4	2	-	-	-	1
ALABAMA -----	10	5	2	6	6	5	-	-	-	-	-	-
WHITE-----MALE----	6	3	1	2	2	4	-	-	-	-	-	-
FEMALE--	2	1	1	2	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	1	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	11	4	9	3	5	-	2	1	1	-	-	1
WHITE-----MALE----	4	3	5	2	2	-	1	-	1	-	-	-
FEMALE--	5	-	3	1	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	1	-	-	1	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS -----	4	12	5	8	2	3	2	1	-	-	-	-
WHITE-----MALE----	3	7	5	2	-	2	1	-	-	-	-	-
FEMALE--	1	4	-	6	2	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	37	42	19	16	20	17	7	5	-	-	-	-
WHITE-----MALE----	25	24	10	7	11	11	3	2	-	-	-	-
FEMALE--	8	6	3	9	6	2	3	3	-	-	-	-
ALL OTHER--MALE----	3	6	4	-	3	4	-	-	-	-	-	-
FEMALE--	1	6	2	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	1	1	-	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,783

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)												
COLORADO -----	175	-	3	-	3	28	31	14	21	16	9	16
WHITE-----MALE----	102	-	-	-	-	12	20	11	11	11	4	11
FEMALE--	55	-	2	-	2	12	6	3	9	4	5	4
ALL OTHER--MALE----	10	-	-	-	-	3	3	-	1	1	-	-
FEMALE--	8	-	1	-	1	1	2	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	2	2	-	-	-	-	-
FEMALE--	5	-	1	-	1	-	1	-	-	-	-	-
CONNECTICUT -----	34	-	-	-	2	8	7	4	2	1	3	1
WHITE-----MALE----	19	-	-	-	1	5	3	2	1	-	1	1
FEMALE--	11	-	-	-	1	1	3	1	1	1	2	-
ALL OTHER--MALE----	4	-	-	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	38	-	1	-	-	3	10	6	4	4	1	-
WHITE-----MALE----	20	-	-	-	-	2	6	5	2	3	-	-
FEMALE--	8	-	-	-	-	-	1	1	1	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	1	3	-	1	-	-	-
FEMALE--	4	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	1	3	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	366	1	3	3	6	40	53	56	45	42	24	22
WHITE-----MALE----	215	-	1	3	2	24	36	27	27	26	14	13
FEMALE--	96	-	1	-	4	12	9	18	11	11	5	4
ALL OTHER--MALE----	36	-	-	-	-	2	7	5	5	4	3	4
FEMALE--	19	1	1	-	-	2	1	6	2	1	2	1
BLACK---MALE----	28	-	-	-	-	2	5	2	4	4	3	3
FEMALE--	14	-	1	-	-	2	-	4	2	1	2	-
GEORGIA -----	208	-	-	3	3	30	43	25	15	20	20	15
WHITE-----MALE----	116	-	-	-	2	20	26	14	12	9	11	8
FEMALE--	44	-	-	1	-	6	12	7	2	4	2	3
ALL OTHER--MALE----	34	-	-	1	-	2	2	4	-	6	7	3
FEMALE--	14	-	-	1	1	2	3	-	1	1	-	1
BLACK---MALE----	30	-	-	1	-	2	2	2	-	6	6	2
FEMALE--	14	-	-	1	1	2	3	-	1	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,783

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)												
COLORADO -----	11	4	3	4	3	3	4	2	-	-	-	-
WHITE-----MALE----	7	2	2	2	3	3	2	1	-	-	-	-
FEMALE--	2	2	1	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	-	1	1	1	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	1	1	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	-	1	1	2	1	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	16	17	9	8	7	3	8	3	-	-	-	-
WHITE-----MALE----	11	10	6	5	3	1	6	-	-	-	-	-
FEMALE--	5	5	-	2	3	2	1	3	-	-	-	-
ALL OTHER--MALE----	-	2	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	2	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
GEORGIA -----	9	6	7	3	5	3	-	1	-	-	-	-
WHITE-----MALE----	4	2	2	1	3	2	-	-	-	-	-	-
FEMALE--	2	2	2	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	2	2	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	3	1	2	2	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,785

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)												
KENTUCKY -----	99	1	2	2	5	11	11	11	12	8	8	6
WHITE-----MALE----	67	-	1	1	2	8	8	8	9	6	5	4
FEMALE--	26	1	-	1	3	3	3	-	3	1	2	2
ALL OTHER--MALE----	6	-	1	-	-	-	-	3	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	1	-	-	-	-	3	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	102	-	1	3	1	14	12	16	10	12	8	6
WHITE-----MALE----	49	-	-	-	-	10	5	8	7	3	4	4
FEMALE--	20	-	-	2	-	2	3	1	2	3	2	1
ALL OTHER--MALE----	26	-	1	-	-	2	3	5	1	5	2	1
FEMALE--	7	-	-	1	1	-	1	2	-	1	-	-
BLACK---MALE----	26	-	1	-	-	2	3	5	1	5	2	1
FEMALE--	6	-	-	1	1	-	1	1	-	1	-	-
MAINE -----	51	-	-	-	4	7	7	5	5	3	5	4
WHITE-----MALE----	31	-	-	-	3	4	5	3	4	3	1	1
FEMALE--	20	-	-	-	1	3	2	2	1	-	4	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	48	-	-	-	2	7	8	5	4	3	5	1
WHITE-----MALE----	19	-	-	-	1	2	4	1	-	2	3	1
FEMALE--	12	-	-	-	-	2	1	3	1	-	1	-
ALL OTHER--MALE----	14	-	-	-	1	3	3	1	2	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	13	-	-	-	1	3	2	1	2	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	-
MASSACHUSETTS -----	41	-	1	-	-	8	9	6	-	3	4	1
WHITE-----MALE----	28	-	-	-	-	4	8	4	-	2	2	-
FEMALE--	7	-	-	-	-	2	-	1	-	1	2	-
ALL OTHER--MALE----	2	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	1	1	1	-	-	-	1
BLACK---MALE----	2	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	1	1	1	-	-	-	1
MICHIGAN -----	190	-	1	1	2	19	29	20	24	20	12	13
WHITE-----MALE----	115	-	-	-	-	15	19	13	17	14	7	8
FEMALE--	49	-	-	-	1	2	4	6	6	3	2	4
ALL OTHER--MALE----	20	-	-	1	-	2	5	1	1	3	2	-
FEMALE--	6	-	1	-	1	-	1	-	-	-	1	1
BLACK---MALE----	18	-	-	1	-	2	5	1	1	3	2	-
FEMALE--	6	-	1	-	1	-	1	-	-	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,786

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)												
MINNESOTA -----	104	-	-	1	2	10	16	14	12	11	10	8
WHITE-----MALE----	74	-	-	1	-	6	12	13	9	9	6	6
FEMALE--	28	-	-	-	2	4	3	1	2	2	4	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	296	2	1	1	6	50	43	38	31	35	18	15
WHITE-----MALE----	117	1	-	-	3	22	23	10	12	13	6	9
FEMALE--	59	-	1	-	1	13	5	6	8	4	4	-
ALL OTHER--MALE----	87	-	-	-	2	12	13	18	8	12	5	3
FEMALE--	33	1	-	1	-	3	2	4	3	6	3	3
BLACK---MALE----	84	-	-	-	2	12	13	17	8	11	4	3
FEMALE--	33	1	-	1	-	3	2	4	3	6	3	3
MISSOURI -----	201	4	3	5	3	32	26	22	23	21	15	13
WHITE-----MALE----	130	2	-	1	2	18	17	13	12	18	12	11
FEMALE--	56	2	1	2	1	12	7	7	10	2	3	2
ALL OTHER--MALE----	10	-	1	-	-	2	1	2	1	1	-	-
FEMALE--	5	-	1	2	-	-	1	-	-	-	-	-
BLACK---MALE----	8	-	1	-	-	2	1	-	1	1	-	-
FEMALE--	5	-	1	2	-	-	1	-	-	-	-	-
MONTANA -----	94	-	2	1	2	15	17	7	8	7	9	8
WHITE-----MALE----	52	-	-	-	1	10	12	4	4	3	4	2
FEMALE--	23	-	2	1	1	1	2	2	1	1	2	4
ALL OTHER--MALE----	12	-	-	-	-	4	3	1	1	2	1	-
FEMALE--	7	-	-	-	-	-	-	-	2	1	2	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	64	-	-	1	2	17	3	8	2	8	5	2
WHITE-----MALE----	41	-	-	-	1	12	2	4	-	5	3	2
FEMALE--	21	-	-	1	1	5	-	4	2	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	116	1	2	2	2	13	19	20	7	5	10	5
WHITE-----MALE----	67	-	-	-	1	6	14	13	4	1	8	4
FEMALE--	31	1	1	1	1	4	3	4	1	3	2	1
ALL OTHER--MALE----	13	-	-	1	-	2	2	1	1	1	-	-
FEMALE--	5	-	1	-	-	1	-	2	1	-	-	-
BLACK---MALE----	7	-	-	-	-	1	1	-	1	1	-	-
FEMALE--	2	-	1	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,788

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)												
OHIO -----	161	-	1	2	1	29	24	19	16	13	13	14
WHITE-----MALE----	109	-	-	1	1	16	17	15	12	10	9	7
FEMALE--	41	-	1	-	-	11	5	3	4	2	3	5
ALL OTHER--MALE----	4	-	-	-	-	1	-	1	-	-	1	-
FEMALE--	7	-	-	1	-	1	2	-	-	1	-	2
BLACK---MALE----	4	-	-	-	-	1	-	1	-	-	1	-
FEMALE--	5	-	-	1	-	1	1	-	-	-	-	2
OKLAHOMA -----	199	1	2	3	4	37	35	22	20	18	16	6
WHITE-----MALE----	116	-	2	1	1	19	19	16	12	14	10	2
FEMALE--	47	-	-	1	2	13	11	4	1	1	3	2
ALL OTHER--MALE----	22	-	-	-	-	2	3	2	6	2	2	1
FEMALE--	14	1	-	1	1	3	2	-	1	1	1	1
BLACK---MALE----	8	-	-	-	-	-	1	-	3	1	-	1
FEMALE--	6	1	-	1	-	2	1	-	-	-	-	-
OREGON -----	142	-	-	1	2	31	22	6	6	13	10	14
WHITE-----MALE----	99	-	-	-	-	20	18	3	4	9	7	11
FEMALE--	37	-	-	1	1	8	4	3	2	3	3	3
ALL OTHER--MALE----	4	-	-	-	1	2	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	186	1	2	4	4	33	31	25	19	18	11	12
WHITE-----MALE----	125	-	1	-	1	21	23	21	16	11	7	9
FEMALE--	47	1	1	2	3	9	7	3	2	4	3	2
ALL OTHER--MALE----	5	-	-	-	-	2	-	1	-	-	-	1
FEMALE--	9	-	-	2	-	1	1	-	1	3	1	-
BLACK---MALE----	5	-	-	-	-	2	-	1	-	-	-	1
FEMALE--	8	-	-	2	-	-	1	-	1	3	1	-
RHODE ISLAND -----	8	-	-	-	-	1	-	2	-	-	2	-
WHITE-----MALE----	5	-	-	-	-	1	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	206	-	1	3	3	27	37	31	29	19	16	10
WHITE-----MALE----	101	-	1	2	-	9	19	15	16	12	7	3
FEMALE--	42	-	-	1	1	8	5	5	4	4	5	2
ALL OTHER--MALE----	56	-	-	-	1	9	12	9	9	3	4	4
FEMALE--	7	-	-	-	1	1	1	2	-	-	-	1
BLACK---MALE----	55	-	-	-	1	9	11	9	9	3	4	4
FEMALE--	6	-	-	-	-	1	1	2	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,789

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)												
SOUTH DAKOTA -----	52	-	1	-	3	12	5	4	7	2	4	3
WHITE-----MALE----	28	-	-	-	1	7	4	1	3	1	2	3
FEMALE--	11	-	1	-	1	2	-	1	1	-	1	-
ALL OTHER--MALE----	7	-	-	-	-	2	-	2	3	-	-	-
FEMALE--	6	-	-	-	1	1	1	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	164	-	1	3	3	23	14	25	15	20	23	10
WHITE-----MALE----	112	-	1	2	1	17	10	19	11	13	15	7
FEMALE--	29	-	-	-	2	4	1	3	3	4	6	-
ALL OTHER--MALE----	13	-	-	-	-	1	2	3	-	2	2	2
FEMALE--	10	-	-	1	-	1	1	-	1	1	-	1
BLACK---MALE----	13	-	-	-	-	1	2	3	-	2	2	2
FEMALE--	10	-	-	1	-	1	1	-	1	1	-	1
TEXAS -----	660	5	6	11	17	110	85	62	73	71	55	43
WHITE-----MALE----	434	-	4	7	10	68	62	32	49	46	35	37
FEMALE--	171	4	2	3	5	32	19	23	18	17	15	3
ALL OTHER--MALE----	40	1	-	-	1	8	2	7	4	8	1	3
FEMALE--	15	-	-	1	1	2	2	-	2	-	4	-
BLACK---MALE----	32	-	-	-	1	7	2	5	2	7	1	2
FEMALE--	13	-	-	1	1	1	1	-	2	-	4	-
UTAH -----	129	-	3	3	5	25	31	15	12	9	8	7
WHITE-----MALE----	78	-	2	2	3	16	18	10	6	6	5	4
FEMALE--	36	-	1	1	1	5	9	2	4	3	2	3
ALL OTHER--MALE----	9	-	-	-	1	3	2	2	1	-	-	-
FEMALE--	6	-	-	-	-	1	2	1	1	-	1	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	6	-	1	-	-	2	-	-	1	2	-	-
WHITE-----MALE----	2	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	4	-	1	-	-	1	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	151	-	4	1	3	24	23	18	16	14	8	12
WHITE-----MALE----	83	-	1	-	1	13	17	8	9	8	5	5
FEMALE--	28	-	-	-	1	7	1	1	4	4	-	3
ALL OTHER--MALE----	27	-	1	1	-	2	3	8	2	1	2	3
FEMALE--	13	-	2	-	1	2	2	1	1	1	1	1
BLACK---MALE----	25	-	1	1	-	2	2	7	2	1	2	3
FEMALE--	9	-	2	-	-	2	1	1	-	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,792

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)												
COLORADO -----	109	1	-	1	5	13	21	4	5	5	12	7
WHITE-----MALE----	67	1	-	-	-	6	13	2	4	2	10	7
FEMALE--	31	-	-	-	4	4	6	2	1	3	2	-
ALL OTHER--MALE----	9	-	-	1	1	3	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	33	-	-	-	1	2	4	3	4	-	3	3
WHITE-----MALE----	19	-	-	-	-	1	4	3	2	-	1	2
FEMALE--	11	-	-	-	1	1	-	-	1	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	23	-	1	-	1	6	4	-	1	5	-	2
WHITE-----MALE----	12	-	-	-	-	3	2	-	1	4	-	1
FEMALE--	5	-	1	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	1	1	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	3	-	-	-	1	1	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	1
DISTRICT OF COLUMBIA -----	11	-	1	-	-	1	2	3	-	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	1	-	-	-	2	2	-	2	-	-
FEMALE--	3	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	8	-	1	-	-	-	2	2	-	2	-	-
FEMALE--	3	-	-	-	-	1	-	1	-	-	-	-
FLORIDA -----	186	-	-	1	3	23	14	20	9	20	16	11
WHITE-----MALE----	101	-	-	1	-	11	9	12	4	13	8	6
FEMALE--	58	-	-	-	3	8	3	2	4	4	5	3
ALL OTHER--MALE----	18	-	-	-	-	2	1	4	1	2	3	-
FEMALE--	9	-	-	-	-	2	1	2	-	1	-	2
BLACK---MALE----	17	-	-	-	-	2	1	4	1	2	3	-
FEMALE--	8	-	-	-	-	2	-	2	-	1	-	2
GEORGIA -----	560	2	5	10	11	72	76	61	50	42	38	36
WHITE-----MALE----	242	-	2	3	2	37	35	19	22	18	17	13
FEMALE--	152	1	1	4	5	18	18	17	11	12	8	12
ALL OTHER--MALE----	108	1	2	2	1	14	14	14	11	9	6	9
FEMALE--	58	-	-	1	3	3	9	11	6	3	7	2
BLACK---MALE----	107	1	2	2	1	14	13	14	11	9	6	9
FEMALE--	57	-	-	1	3	3	9	11	5	3	7	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,792

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.

MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	6	1	4	3	2	9	7	1	1	-	-	1
WHITE-----MALE----	4	1	4	1	2	5	3	-	1	-	-	1
FEMALE--	1	-	-	1	-	3	3	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	-	3	2	2	2	2	1	1	-	-	-	-
WHITE-----MALE----	-	-	1	2	1	1	-	1	-	-	-	-
FEMALE--	-	2	1	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
FLORIDA -----	8	11	4	11	10	11	6	8	-	-	-	-
WHITE-----MALE----	6	5	2	4	7	8	2	3	-	-	-	-
FEMALE--	2	4	1	6	3	2	4	4	-	-	-	-
ALL OTHER--MALE----	-	2	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	2	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
GEORGIA -----	33	14	15	24	17	19	16	17	2	-	-	-
WHITE-----MALE----	16	4	9	12	5	8	12	7	1	-	-	-
FEMALE--	8	3	2	5	9	8	3	7	-	-	-	-
ALL OTHER--MALE----	7	3	3	5	1	2	1	2	1	-	-	-
FEMALE--	2	4	1	2	2	1	-	1	-	-	-	-
BLACK---MALE----	7	3	3	5	1	2	1	2	1	-	-	-
FEMALE--	2	4	1	2	2	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,794

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	77	1	1	1	-	6	14	6	6	5	4	3
WHITE-----MALE----	49	-	-	1	-	3	12	5	6	2	2	2
FEMALE--	23	1	-	-	-	3	1	1	-	2	1	1
ALL OTHER--MALE----	3	-	1	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	-	1	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
LOUISIANA -----	413	2	6	6	9	72	57	52	23	31	29	22
WHITE-----MALE----	184	-	-	2	5	37	29	20	8	11	16	10
FEMALE--	100	1	2	3	2	15	10	12	5	6	9	4
ALL OTHER--MALE----	93	1	3	-	-	14	15	17	8	9	2	6
FEMALE--	36	-	1	1	2	6	3	3	2	5	2	2
BLACK---MALE----	85	1	2	-	-	13	13	17	8	9	2	5
FEMALE--	32	-	1	1	2	4	3	3	2	5	2	2
MAINE -----	17	-	-	-	-	1	3	2	-	-	1	1
WHITE-----MALE----	11	-	-	-	-	1	2	2	-	-	1	1
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	200	1	1	2	3	24	22	17	18	20	14	10
WHITE-----MALE----	83	1	1	1	2	4	12	8	8	6	9	4
FEMALE--	62	-	-	1	-	10	4	1	3	7	2	4
ALL OTHER--MALE----	35	-	-	-	1	5	5	5	5	5	-	1
FEMALE--	20	-	-	-	-	5	1	3	2	2	3	1
BLACK---MALE----	33	-	-	-	1	5	4	5	5	5	-	-
FEMALE--	18	-	-	-	-	5	1	2	1	2	3	1
MASSACHUSETTS -----	124	-	1	-	1	23	18	12	12	6	5	3
WHITE-----MALE----	77	-	1	-	1	14	13	6	7	3	2	2
FEMALE--	37	-	-	-	-	8	2	4	3	2	3	1
ALL OTHER--MALE----	7	-	-	-	-	-	2	1	2	1	-	-
FEMALE--	3	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	2	1	1	1	-	-
FEMALE--	2	-	-	-	-	1	-	1	-	-	-	-
MICHIGAN -----	264	2	2	3	3	43	20	31	26	15	15	17
WHITE-----MALE----	127	-	2	1	1	21	11	20	14	8	8	7
FEMALE--	95	1	-	2	-	16	4	5	9	6	5	4
ALL OTHER--MALE----	24	-	-	-	-	3	5	3	2	1	-	2
FEMALE--	18	1	-	-	2	3	-	3	1	-	2	4
BLACK---MALE----	22	-	-	-	-	3	4	3	2	1	-	2
FEMALE--	13	1	-	-	1	2	-	2	1	-	2	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,797

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)												
OHIO -----	400	1	6	5	10	49	65	38	25	38	21	30
WHITE-----MALE----	251	1	4	3	3	31	44	31	18	23	16	13
FEMALE--	132	-	2	2	6	17	17	5	6	13	4	15
ALL OTHER--MALE----	15	-	-	-	1	1	4	1	1	1	1	2
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	14	-	-	-	1	1	4	1	1	1	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
OKLAHOMA -----	133	1	2	2	2	14	14	11	7	7	12	10
WHITE-----MALE----	77	-	-	2	1	7	10	7	5	4	9	3
FEMALE--	39	-	2	-	1	4	4	3	1	2	1	3
ALL OTHER--MALE----	8	1	-	-	-	1	-	1	1	-	2	1
FEMALE--	9	-	-	-	-	2	-	-	-	1	-	3
BLACK---MALE----	7	1	-	-	-	1	-	1	1	-	2	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	2
OREGON -----	19	-	-	-	-	2	3	2	4	2	2	-
WHITE-----MALE----	15	-	-	-	-	2	3	1	2	2	2	-
FEMALE--	3	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	420	1	4	2	10	70	58	43	29	18	25	20
WHITE-----MALE----	253	1	3	1	7	40	40	30	17	11	17	11
FEMALE--	132	-	1	1	3	27	16	8	7	6	5	5
ALL OTHER--MALE----	23	-	-	-	-	2	2	3	3	1	2	2
FEMALE--	12	-	-	-	-	1	-	2	2	-	1	2
BLACK---MALE----	21	-	-	-	-	2	2	2	3	1	2	2
FEMALE--	9	-	-	-	-	1	-	1	2	-	1	2
RHODE ISLAND -----	8	-	-	-	-	3	1	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	62	-	2	-	-	5	5	6	4	3	7	5
WHITE-----MALE----	21	-	-	-	-	1	3	2	1	2	2	2
FEMALE--	19	-	-	-	-	2	2	1	2	-	-	2
ALL OTHER--MALE----	14	-	1	-	-	1	-	2	-	1	5	1
FEMALE--	8	-	1	-	-	1	-	1	1	-	-	-
BLACK---MALE----	14	-	1	-	-	1	-	2	-	1	5	1
FEMALE--	8	-	1	-	-	1	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,797

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)												
OHIO -----	16	17	12	12	15	13	18	8	1	-	-	-
WHITE-----MALE----	11	10	5	8	9	6	12	3	-	-	-	-
FEMALE--	4	7	7	3	6	6	6	5	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	10	5	5	3	4	7	10	5	2	-	-	-
WHITE-----MALE----	7	4	2	2	4	4	3	1	2	-	-	-
FEMALE--	2	1	2	1	-	3	7	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	1	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	18	13	18	16	18	28	18	7	4	-	-	-
WHITE-----MALE----	10	6	11	10	10	12	11	3	2	-	-	-
FEMALE--	4	6	4	6	6	15	7	3	2	-	-	-
ALL OTHER--MALE----	2	1	2	-	2	1	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	1	1	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
RHODE ISLAND -----	1	1	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	5	2	3	2	3	6	-	1	-	-	-
WHITE-----MALE----	1	-	1	2	1	-	2	-	1	-	-	-
FEMALE--	1	2	1	1	-	3	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	2	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	2	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,798

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)												
SOUTH DAKOTA -----	2	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	249	2	5	5	4	22	17	20	20	19	28	14
WHITE-----MALE----	130	-	-	4	3	10	7	13	14	10	20	7
FEMALE--	79	2	2	1	-	8	6	3	6	6	6	3
ALL OTHER--MALE----	29	-	2	-	-	2	2	4	-	3	-	3
FEMALE--	11	-	1	-	1	2	2	-	-	-	2	1
BLACK---MALE----	28	-	2	-	-	2	2	4	-	2	-	3
FEMALE--	11	-	1	-	1	2	2	-	-	-	2	1
TEXAS -----	231	1	5	2	6	25	26	36	20	17	16	10
WHITE-----MALE----	122	-	3	2	3	12	17	23	9	7	8	6
FEMALE--	74	1	1	-	2	9	3	7	8	7	6	3
ALL OTHER--MALE----	25	-	1	-	-	3	5	4	1	2	2	1
FEMALE--	10	-	-	-	1	1	1	2	2	1	-	-
BLACK---MALE----	23	-	1	-	-	3	5	3	-	2	2	1
FEMALE--	9	-	-	-	1	1	1	2	2	1	-	-
UTAH -----	20	1	-	1	-	2	5	2	-	2	2	1
WHITE-----MALE----	9	-	-	-	-	2	2	1	-	1	1	1
FEMALE--	8	-	-	1	-	-	3	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	21	-	-	-	2	3	1	1	2	5	4	-
WHITE-----MALE----	14	-	-	-	-	3	1	1	2	3	2	-
FEMALE--	7	-	-	-	2	-	-	-	-	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	237	1	3	2	4	33	25	18	22	19	23	12
WHITE-----MALE----	126	-	1	1	3	18	15	13	8	12	14	7
FEMALE--	66	-	1	1	1	10	4	3	4	3	5	5
ALL OTHER--MALE----	30	-	1	-	-	2	5	1	7	4	3	-
FEMALE--	15	1	-	-	-	3	1	1	3	-	1	-
BLACK---MALE----	30	-	1	-	-	2	5	1	7	4	3	-
FEMALE--	13	1	-	-	-	2	1	1	3	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,798

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)												
SOUTH DAKOTA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	12	12	7	9	14	13	21	5	-	-	-	-
WHITE-----MALE----	4	7	2	3	4	6	12	4	-	-	-	-
FEMALE--	3	3	3	5	7	5	9	1	-	-	-	-
ALL OTHER--MALE----	5	1	2	1	2	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	5	1	2	1	2	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
TEXAS -----	8	7	10	10	13	5	10	3	1	-	-	-
WHITE-----MALE----	4	3	4	5	7	3	5	1	-	-	-	-
FEMALE--	3	4	4	5	3	1	4	2	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	3	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	3	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
UTAH -----	-	1	1	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	19	8	11	11	3	10	7	4	1	1	-	-
WHITE-----MALE----	12	3	7	6	2	3	1	-	-	-	-	-
FEMALE--	6	2	4	4	1	5	3	3	-	1	-	-
ALL OTHER--MALE----	1	1	-	1	-	1	2	1	-	-	-	-
FEMALE--	-	2	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	1	1	-	1	-	1	2	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,800

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE NONTRAFFIC ACCIDENTS (E820-E825)												
0 UNITED STATES --	1,118	5	111	42	61	80	101	68	81	91	89	69
WHITE-----MALE----	760	-	49	33	44	62	83	47	60	67	61	53
FEMALE--	217	2	36	3	13	13	7	9	9	15	15	9
ALL OTHER--MALE----	97	2	14	4	2	2	9	9	8	8	11	5
FEMALE--	44	1	12	2	2	3	2	3	4	1	2	2
BLACK---MALE----	65	2	12	4	2	2	5	5	6	4	6	4
FEMALE--	26	1	5	1	1	2	1	3	2	1	1	2
ALABAMA -----	14	-	1	-	-	1	3	1	2	1	1	2
WHITE-----MALE----	10	-	-	-	-	1	3	1	2	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALASKA -----	9	-	2	-	1	-	-	1	1	2	1	1
WHITE-----MALE----	3	-	1	-	-	-	-	1	-	1	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	31	-	8	3	1	1	3	2	2	3	2	1
WHITE-----MALE----	10	-	-	3	1	-	-	1	1	2	-	-
FEMALE--	9	-	3	-	-	-	1	-	-	-	1	1
ALL OTHER--MALE----	6	-	1	-	-	-	2	1	-	1	1	-
FEMALE--	6	-	4	-	-	1	-	-	1	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	19	-	2	1	1	2	1	1	3	-	2	2
WHITE-----MALE----	12	-	1	1	1	2	1	-	1	-	2	2
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	2	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	2	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	126	1	20	3	4	9	7	6	9	11	13	5
WHITE-----MALE----	83	-	12	3	3	9	6	1	9	7	7	4
FEMALE--	28	-	6	-	1	-	-	2	-	3	3	1
ALL OTHER--MALE----	9	-	-	-	-	-	1	3	-	-	2	-
FEMALE--	6	1	2	-	-	-	-	-	-	1	1	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,801

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE NONTRAFFIC ACCIDENTS (E820-E825)												
COLORADO -----	19	-	4	-	-	1	3	1	1	2	1	-
WHITE-----MALE----	12	-	1	-	-	1	3	-	-	1	1	-
FEMALE--	6	-	2	-	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	8	-	-	1	-	1	2	1	1	1	1	-
WHITE-----MALE----	6	-	-	1	-	1	2	-	1	-	1	-
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
FLORIDA -----	53	2	2	1	1	1	6	3	2	3	7	2
WHITE-----MALE----	33	-	1	1	1	1	4	2	2	3	5	2
FEMALE--	10	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	9	1	1	-	-	-	1	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	8	1	1	-	-	-	1	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
GEORGIA -----	45	-	4	3	4	-	2	1	6	6	5	1
WHITE-----MALE----	22	-	1	2	3	-	2	-	2	2	3	1
FEMALE--	13	-	2	-	-	-	-	-	2	3	1	-
ALL OTHER--MALE----	7	-	1	1	-	-	-	1	2	1	1	-
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	6	-	1	1	-	-	-	1	1	1	1	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,802

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE NONTRAFFIC ACCIDENTS (E820-E825)												
HAWAII -----	6	-	-	-	-	-	1	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	11	-	1	-	2	-	-	-	1	2	-	1
WHITE-----MALE----	8	-	1	-	1	-	-	-	1	2	-	1
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	31	-	-	-	2	1	3	2	2	-	1	3
WHITE-----MALE----	25	-	-	-	2	1	3	1	2	-	1	2
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA -----	23	-	2	-	1	2	3	-	4	3	5	2
WHITE-----MALE----	17	-	1	-	1	2	2	-	4	3	4	-
FEMALE--	4	-	1	-	-	-	1	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
IOWA -----	11	-	-	-	1	1	1	1	-	1	-	1
WHITE-----MALE----	10	-	-	-	1	1	1	1	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	15	-	2	1	1	1	2	2	-	-	1	1
WHITE-----MALE----	11	-	1	1	1	1	2	1	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,807

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE NONTRAFFIC ACCIDENTS (E820-E825)												
SOUTH DAKOTA -----	8	-	-	-	-	-	-	1	-	3	2	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	37	-	6	3	2	3	2	1	2	3	1	4
WHITE-----MALE----	26	-	2	3	1	3	1	1	2	2	1	3
FEMALE--	8	-	3	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	1	-	-	-	1	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	-	-	1	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	75	-	15	1	2	7	8	3	2	3	7	3
WHITE-----MALE----	56	-	11	1	1	5	7	2	1	2	7	3
FEMALE--	16	-	4	-	-	2	1	1	1	1	-	-
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	15	-	3	1	4	2	1	1	-	-	1	-
WHITE-----MALE----	8	-	-	-	2	2	1	1	-	-	-	-
FEMALE--	7	-	3	1	2	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	7	-	-	-	-	1	-	1	1	1	-	-
WHITE-----MALE----	7	-	-	-	-	1	-	1	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	18	-	-	1	1	1	-	-	2	4	-	2
WHITE-----MALE----	9	-	-	1	-	-	-	-	1	3	-	1
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,810

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER ROAD VEHICLE ACCIDENTS (E826-E829)												
COLORADO -----	9	-	1	-	1	-	-	-	2	1	-	-
WHITE-----MALE----	9	-	1	-	1	-	-	-	2	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	11	-	-	-	-	-	-	-	3	2	1	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	3	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	5	-	-	-	1	-	-	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,827

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 AIR AND SPACE TRANSPORT ACCIDENTS (E840-E845)												
0 UNITED STATES --	734	2	2	4	7	21	39	75	72	73	83	98
WHITE-----MALE----	579	2	-	1	2	7	24	60	58	52	69	85
FEMALE--	109	-	1	-	2	7	13	8	11	12	9	9
ALL OTHER--MALE----	24	-	-	1	-	3	-	3	1	8	4	3
FEMALE--	22	-	1	2	3	4	2	4	2	1	1	1
BLACK---MALE----	11	-	-	-	-	2	-	1	-	4	3	1
FEMALE--	7	-	-	-	-	3	-	1	2	-	-	1
ALABAMA -----	14	-	-	-	-	-	2	3	2	2	-	-
WHITE-----MALE----	13	-	-	-	-	-	2	3	1	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	41	1	2	3	2	1	2	8	2	3	8	2
WHITE-----MALE----	23	1	-	-	-	-	-	7	2	2	5	1
FEMALE--	6	-	1	-	-	-	2	-	-	-	2	-
ALL OTHER--MALE----	4	-	-	1	-	1	-	1	-	-	-	1
FEMALE--	8	-	1	2	2	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	24	-	-	-	-	2	-	2	1	2	3	4
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	1	3	4
FEMALE--	6	-	-	-	-	2	-	1	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ARKANSAS -----	11	-	-	-	-	-	-	-	-	2	1	3
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	80	-	-	-	-	2	8	6	12	10	7	10
WHITE-----MALE----	65	-	-	-	-	-	7	2	11	7	7	8
FEMALE--	9	-	-	-	-	-	-	2	1	2	-	2
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	1	1	2	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,836

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 VEHICLE ACCIDENTS NOT ELSEWHERE CLASSIFIABLE (E846-E848)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
UNITED STATES --	7	4	1	4	5	11	10	21	11	9	-	-
WHITE-----MALE----	5	2	-	2	2	6	3	10	2	1	-	-
FEMALE--	1	1	-	-	2	4	6	10	9	8	-	-
ALL OTHER--MALE----	1	1	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALABAMA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	-	-	1	2	2	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	-	-	1	-	2	1	2	-	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,845

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING (E850-E869)												
0 UNITED STATES --	10,163	6	33	19	23	249	481	851	1,336	1,960	2,024	1,376
WHITE-----MALE----	6,089	4	13	4	10	182	333	555	905	1,237	1,225	795
FEMALE--	1,968	-	8	4	6	41	77	156	227	332	327	205
ALL OTHER--MALE----	1,533	2	9	5	3	17	53	112	150	274	342	289
FEMALE--	573	-	3	6	4	9	18	28	54	117	130	87
BLACK---MALE----	1,386	1	9	4	3	13	44	93	130	251	311	271
FEMALE--	512	-	3	6	4	6	15	26	49	103	117	80
ALABAMA -----	103	-	3	-	2	3	3	6	14	18	15	9
WHITE-----MALE----	47	-	-	-	2	2	3	2	9	7	8	5
FEMALE--	23	-	-	-	-	1	-	1	-	4	2	2
ALL OTHER--MALE----	22	-	2	-	-	-	-	2	4	4	4	2
FEMALE--	11	-	1	-	-	-	-	1	1	3	1	-
BLACK---MALE----	22	-	2	-	-	-	-	2	4	4	4	2
FEMALE--	11	-	1	-	-	-	-	1	1	3	1	-
ALASKA -----	33	-	-	3	-	2	1	4	6	7	1	3
WHITE-----MALE----	17	-	-	2	-	1	1	3	2	5	-	2
FEMALE--	8	-	-	1	-	-	-	-	2	1	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	2	-	1	1
FEMALE--	3	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	311	-	1	-	1	9	13	29	43	62	61	44
WHITE-----MALE----	220	-	1	-	-	5	12	16	33	44	44	32
FEMALE--	45	-	-	-	-	1	1	5	7	7	9	6
ALL OTHER--MALE----	34	-	-	-	-	3	-	7	2	6	7	4
FEMALE--	12	-	-	-	1	-	-	1	1	5	1	2
BLACK---MALE----	12	-	-	-	-	-	-	1	-	4	3	2
FEMALE--	6	-	-	-	1	-	-	1	-	3	-	1
ARKANSAS -----	33	-	-	-	-	4	3	3	1	4	2	5
WHITE-----MALE----	16	-	-	-	-	3	2	2	-	4	-	2
FEMALE--	12	-	-	-	-	-	1	1	1	-	-	3
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	1,793	1	3	2	2	33	56	118	217	353	413	285
WHITE-----MALE----	1,152	1	1	-	1	25	34	84	155	240	268	184
FEMALE--	341	-	1	1	1	6	9	27	35	59	79	40
ALL OTHER--MALE----	206	-	-	-	-	1	7	6	17	36	47	42
FEMALE--	94	-	1	1	-	1	6	1	10	18	19	19
BLACK---MALE----	172	-	-	-	-	-	7	3	14	28	40	37
FEMALE--	74	-	1	1	-	1	4	-	10	12	16	16

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,846

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING (E850-E869)												
COLORADO -----	135	-	-	-	-	3	9	15	22	17	28	22
WHITE-----MALE----	91	-	-	-	-	1	7	11	15	12	21	12
FEMALE--	32	-	-	-	-	2	1	4	6	2	5	7
ALL OTHER--MALE----	7	-	-	-	-	-	1	-	-	1	1	3
FEMALE--	5	-	-	-	-	-	-	-	1	2	1	-
BLACK---MALE----	7	-	-	-	-	-	1	-	-	1	1	3
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
CONNECTICUT -----	175	-	-	-	-	1	9	11	29	41	29	25
WHITE-----MALE----	119	-	-	-	-	1	7	7	27	28	16	20
FEMALE--	33	-	-	-	-	-	2	3	2	4	5	3
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	7	6	2
FEMALE--	5	-	-	-	-	-	-	1	-	2	2	-
BLACK---MALE----	17	-	-	-	-	-	-	-	-	7	6	2
FEMALE--	5	-	-	-	-	-	-	1	-	2	2	-
DELAWARE -----	41	-	-	-	-	4	3	3	6	7	10	5
WHITE-----MALE----	25	-	-	-	-	3	2	2	5	5	5	2
FEMALE--	7	-	-	-	-	1	1	-	-	1	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	4	-
FEMALE--	5	-	-	-	-	-	-	1	1	1	-	2
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	4	-
FEMALE--	5	-	-	-	-	-	-	1	1	1	-	2
DISTRICT OF COLUMBIA -----	24	-	-	-	-	-	2	1	2	3	7	5
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	2	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	1	-	1	1	5	2
FEMALE--	8	-	-	-	-	-	-	-	-	2	2	2
BLACK---MALE----	11	-	-	-	-	-	1	-	1	1	5	2
FEMALE--	8	-	-	-	-	-	-	-	-	2	2	2
FLORIDA -----	563	-	-	-	1	15	30	48	73	105	107	72
WHITE-----MALE----	366	-	-	-	-	13	23	30	49	70	77	45
FEMALE--	118	-	-	-	-	-	3	13	15	20	16	17
ALL OTHER--MALE----	56	-	-	-	-	2	2	4	6	11	9	7
FEMALE--	23	-	-	-	1	-	2	1	3	4	5	3
BLACK---MALE----	55	-	-	-	-	2	2	4	6	10	9	7
FEMALE--	22	-	-	-	1	-	1	1	3	4	5	3
GEORGIA -----	220	-	-	1	1	4	5	18	21	35	50	29
WHITE-----MALE----	93	-	-	-	-	2	3	8	13	15	21	13
FEMALE--	50	-	-	-	1	2	1	2	4	11	8	7
ALL OTHER--MALE----	53	-	-	-	-	-	1	4	3	7	15	5
FEMALE--	24	-	-	1	-	-	-	4	1	2	6	4
BLACK---MALE----	50	-	-	-	-	-	-	4	3	7	15	5
FEMALE--	23	-	-	1	-	-	-	4	1	2	6	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,847

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING (E850-E869)												
HAWAII -----	36	-	-	-	-	1	1	1	3	3	9	13
WHITE-----MALE----	18	-	-	-	-	-	1	1	2	2	1	8
FEMALE--	3	-	-	-	-	1	-	-	-	1	1	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	-	6	4
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	32	-	-	-	1	1	-	3	7	5	4	5
WHITE-----MALE----	22	-	-	-	-	1	-	3	5	3	3	4
FEMALE--	9	-	-	-	1	-	-	-	2	2	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	450	-	-	1	1	15	25	45	54	92	103	53
WHITE-----MALE----	195	-	-	-	-	10	19	24	29	39	41	12
FEMALE--	55	-	-	-	-	2	2	4	5	9	13	3
ALL OTHER--MALE----	146	-	-	1	1	1	4	12	11	28	43	28
FEMALE--	54	-	-	-	-	2	-	5	9	16	6	10
BLACK---MALE----	145	-	-	1	1	1	3	12	11	28	43	28
FEMALE--	54	-	-	-	-	2	-	5	9	16	6	10
INDIANA -----	79	-	-	-	1	1	4	4	7	16	12	11
WHITE-----MALE----	48	-	-	-	-	1	3	4	3	10	9	8
FEMALE--	28	-	-	-	1	-	-	-	4	6	2	2
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	53	-	-	-	-	1	9	6	3	7	11	1
WHITE-----MALE----	33	-	-	-	-	1	9	4	1	5	7	-
FEMALE--	18	-	-	-	-	-	-	1	2	2	3	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	50	-	2	-	1	3	4	10	5	9	8	4
WHITE-----MALE----	38	-	2	-	-	2	4	9	4	8	6	1
FEMALE--	8	-	-	-	-	1	-	-	1	1	2	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,848

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING (E850-E869)												
KENTUCKY -----	114	-	2	1	-	3	5	5	11	30	21	11
WHITE-----MALE----	75	-	1	1	-	3	5	3	9	20	17	8
FEMALE--	32	-	1	-	-	-	-	1	2	7	4	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	3	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	1	-	3	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	128	-	1	1	1	5	10	20	26	28	28	9
WHITE-----MALE----	69	-	-	-	-	1	2	6	11	15	17	6
FEMALE--	26	-	-	-	-	-	1	2	3	5	6	1
ALL OTHER--MALE----	22	-	1	-	-	-	2	2	3	5	5	1
FEMALE--	11	-	-	1	1	-	-	-	3	1	-	1
BLACK---MALE----	21	-	1	-	-	-	2	1	3	5	5	1
FEMALE--	10	-	-	1	1	-	-	-	3	-	-	1
MAINE -----	26	-	-	-	-	-	3	5	2	6	1	3
WHITE-----MALE----	19	-	-	-	-	-	3	5	2	3	-	3
FEMALE--	7	-	-	-	-	-	-	-	-	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	49	-	-	-	-	2	5	4	5	6	4	9
WHITE-----MALE----	21	-	-	-	-	1	2	4	1	4	3	4
FEMALE--	10	-	-	-	-	-	1	-	2	1	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	1	-	-	1	1	3
FEMALE--	9	-	-	-	-	1	1	-	2	-	-	2
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	8	-	-	-	-	-	1	-	2	-	-	2
MASSACHUSETTS -----	32	-	-	-	-	-	2	4	2	2	3	6
WHITE-----MALE----	17	-	-	-	-	-	-	3	2	1	2	5
FEMALE--	12	-	-	-	-	-	-	1	-	1	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	229	-	2	2	1	4	9	15	23	46	37	36
WHITE-----MALE----	119	-	-	-	-	4	5	9	12	30	17	22
FEMALE--	37	-	1	-	-	-	1	2	5	4	5	1
ALL OTHER--MALE----	50	-	1	1	1	-	3	4	6	9	4	10
FEMALE--	23	-	-	1	-	-	-	-	-	3	11	3
BLACK---MALE----	49	-	1	1	1	-	3	4	6	8	4	10
FEMALE--	23	-	-	1	-	-	-	-	-	3	11	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,848

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL POISONING (E850-E869)												
KENTUCKY -----	5	6	1	2	1	1	5	1	3	-	-	-
WHITE-----MALE----	2	3	-	1	-	1	1	-	-	-	-	-
FEMALE--	3	3	1	1	-	-	4	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
LOUISIANA -----	8	4	2	1	2	2	3	1	3	-	-	-
WHITE-----MALE----	5	2	1	1	2	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	1	1	1	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	1	-	-	-
MAINE -----	-	2	-	1	-	2	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	2	1	-	1	4	-	2	1	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	1	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	1	-	-	-	-	-	-
MASSACHUSETTS -----	3	-	1	-	-	3	1	3	2	-	-	-
WHITE-----MALE----	2	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	1	-	1	-	-	2	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	17	4	5	8	6	5	3	4	2	-	-	-
WHITE-----MALE----	4	-	1	5	3	3	2	2	-	-	-	-
FEMALE--	4	1	3	2	2	2	1	2	1	-	-	-
ALL OTHER--MALE----	6	3	1	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	6	3	1	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	1	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,851

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL POISONING (E850-E869)												
OHIO -----	14	9	3	5	4	7	2	7	1	-	-	-
WHITE-----MALE----	7	3	-	1	3	2	-	2	-	-	-	-
FEMALE--	2	4	2	2	-	5	1	5	1	-	-	-
ALL OTHER--MALE----	5	2	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	5	2	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
OKLAHOMA -----	4	1	1	5	2	4	2	-	1	-	-	1
WHITE-----MALE----	2	1	1	2	-	2	1	-	-	-	-	-
FEMALE--	2	-	-	3	2	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	13	3	2	1	1	-	3	-	-	-	-	-
WHITE-----MALE----	8	1	2	1	-	-	2	-	-	-	-	-
FEMALE--	3	1	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	33	15	9	10	6	5	8	2	3	-	-	-
WHITE-----MALE----	16	3	2	5	3	-	4	-	-	-	-	-
FEMALE--	4	5	3	2	3	4	1	2	3	-	-	-
ALL OTHER--MALE----	9	6	4	1	-	-	2	-	-	-	-	-
FEMALE--	4	1	-	2	-	1	1	-	-	-	-	-
BLACK---MALE----	9	6	4	1	-	-	2	-	-	-	-	-
FEMALE--	4	1	-	1	-	1	1	-	-	-	-	-
RHODE ISLAND -----	2	-	-	-	1	3	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	8	4	3	2	1	-	3	-	-	-	-	-
WHITE-----MALE----	2	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	2	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	2	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	1	1	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	2	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,852

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING (E850-E869)												
SOUTH DAKOTA -----	13	-	-	-	-	1	2	-	1	2	1	1
WHITE-----MALE----	7	-	-	-	-	-	2	-	1	1	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	174	-	-	1	1	7	7	10	21	32	25	26
WHITE-----MALE----	88	-	-	-	1	4	2	5	12	16	12	13
FEMALE--	41	-	-	-	-	1	1	2	6	11	4	3
ALL OTHER--MALE----	34	-	-	-	-	2	4	2	3	3	7	9
FEMALE--	11	-	-	1	-	-	-	1	-	2	2	1
BLACK---MALE----	34	-	-	-	-	2	4	2	3	3	7	9
FEMALE--	11	-	-	1	-	-	-	1	-	2	2	1
TEXAS -----	700	1	4	1	5	30	38	63	84	139	125	84
WHITE-----MALE----	435	1	2	-	4	25	28	42	48	93	77	54
FEMALE--	167	-	1	1	1	3	4	17	21	27	27	17
ALL OTHER--MALE----	74	-	1	-	-	1	4	4	13	13	15	12
FEMALE--	24	-	-	-	-	1	2	-	2	6	6	1
BLACK---MALE----	70	-	1	-	-	1	3	4	12	12	14	12
FEMALE--	23	-	-	-	-	1	2	-	2	6	6	1
UTAH -----	23	-	-	-	-	-	1	1	2	2	3	5
WHITE-----MALE----	15	-	-	-	-	-	1	1	2	2	1	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	10	-	-	-	-	-	-	-	1	1	2	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	219	1	1	1	-	6	9	23	26	33	40	32
WHITE-----MALE----	123	-	-	-	-	4	6	14	17	21	21	17
FEMALE--	35	-	-	-	-	2	1	4	3	5	3	7
ALL OTHER--MALE----	46	1	1	1	-	-	2	5	6	5	12	7
FEMALE--	15	-	-	-	-	-	-	-	-	2	4	1
BLACK---MALE----	46	1	1	1	-	-	2	5	6	5	12	7
FEMALE--	15	-	-	-	-	-	-	-	-	2	4	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,852

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ACCIDENTAL POISONING (E850-E869)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	1	1	-	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	10	9	5	6	1	3	2	5	2	-	1	-
WHITE-----MALE----	6	4	4	4	-	1	2	1	1	-	-	-
FEMALE--	2	2	1	1	1	-	-	4	1	-	1	-
ALL OTHER--MALE----	1	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	2	-	-	-	-	-	-
BLACK---MALE----	1	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	2	-	-	-	-	-	-
TEXAS -----	40	25	14	14	9	6	10	4	3	-	-	1
WHITE-----MALE----	20	16	5	7	6	1	3	1	1	-	-	1
FEMALE--	13	6	7	4	2	5	7	2	2	-	-	-
ALL OTHER--MALE----	6	1	2	2	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	6	1	2	2	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	1	-	-	1	-	-	-	-
UTAH -----	4	1	-	1	1	-	-	1	-	1	-	-
WHITE-----MALE----	3	-	-	1	-	-	-	1	-	1	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	1	-	1	-	-	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	13	6	7	4	1	9	3	1	-	-	-	3
WHITE-----MALE----	6	4	4	2	-	5	1	-	-	-	-	1
FEMALE--	2	1	-	1	1	2	2	1	-	-	-	-
ALL OTHER--MALE----	3	-	-	1	-	-	-	-	-	-	-	2
FEMALE--	2	1	3	-	-	2	-	-	-	-	-	-
BLACK---MALE----	3	-	-	1	-	-	-	-	-	-	-	2
FEMALE--	2	1	3	-	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,854

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)												
0 UNITED STATES --	9,099	4	7	6	10	185	428	781	1,248	1,858	1,888	1,261
WHITE-----MALE----	5,439	2	3	1	2	135	294	506	845	1,164	1,145	720
FEMALE--	1,767	-	1	1	3	33	72	148	215	316	306	188
ALL OTHER--MALE----	1,370	2	3	2	2	10	46	100	135	265	316	270
FEMALE--	523	-	-	2	3	7	16	27	53	113	121	83
BLACK---MALE----	1,262	1	3	1	2	10	40	86	119	242	291	258
FEMALE--	479	-	-	2	3	6	14	25	49	102	112	77
ALABAMA -----	80	-	-	-	-	2	3	5	13	17	13	7
WHITE-----MALE----	35	-	-	-	-	1	3	2	8	7	6	3
FEMALE--	22	-	-	-	-	1	-	1	-	4	2	2
ALL OTHER--MALE----	14	-	-	-	-	-	-	1	4	3	4	2
FEMALE--	9	-	-	-	-	-	-	1	1	3	1	-
BLACK---MALE----	14	-	-	-	-	-	-	1	4	3	4	2
FEMALE--	9	-	-	-	-	-	-	1	1	3	1	-
ALASKA -----	20	-	-	-	-	1	1	3	3	5	1	3
WHITE-----MALE----	11	-	-	-	-	1	1	3	1	3	-	2
FEMALE--	5	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	287	-	1	-	1	5	13	27	42	59	57	43
WHITE-----MALE----	210	-	1	-	-	4	12	16	32	42	42	32
FEMALE--	43	-	-	-	-	1	1	5	7	7	9	6
ALL OTHER--MALE----	24	-	-	-	-	-	-	5	2	6	5	3
FEMALE--	10	-	-	-	1	-	-	1	1	4	1	2
BLACK---MALE----	12	-	-	-	-	-	-	1	-	4	3	2
FEMALE--	6	-	-	-	1	-	-	1	-	3	-	1
ARKANSAS -----	24	-	-	-	-	1	2	2	1	3	1	5
WHITE-----MALE----	8	-	-	-	-	-	1	1	-	3	-	2
FEMALE--	12	-	-	-	-	-	1	1	1	-	-	3
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	1,727	-	-	-	1	28	54	116	211	341	403	279
WHITE-----MALE----	1,111	-	-	-	-	21	33	83	150	232	260	180
FEMALE--	328	-	-	-	1	6	9	26	35	56	78	40
ALL OTHER--MALE----	200	-	-	-	-	-	7	6	16	36	47	40
FEMALE--	88	-	-	-	-	1	5	1	10	17	18	19
BLACK---MALE----	169	-	-	-	-	-	7	3	13	28	40	35
FEMALE--	70	-	-	-	-	1	3	-	10	12	15	16

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,855

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)												
COLORADO -----	113	-	-	-	-	2	8	12	19	16	24	19
WHITE-----MALE----	75	-	-	-	-	1	6	8	14	12	17	9
FEMALE--	27	-	-	-	-	1	1	4	4	1	5	7
ALL OTHER--MALE----	7	-	-	-	-	-	1	-	-	1	1	3
FEMALE--	4	-	-	-	-	-	-	-	1	2	1	-
BLACK---MALE----	7	-	-	-	-	-	1	-	-	1	1	3
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
CONNECTICUT -----	162	-	-	-	-	1	8	11	28	41	28	23
WHITE-----MALE----	110	-	-	-	-	1	6	7	26	28	16	18
FEMALE--	29	-	-	-	-	-	2	3	2	4	4	3
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	7	6	2
FEMALE--	5	-	-	-	-	-	-	1	-	2	2	-
BLACK---MALE----	17	-	-	-	-	-	-	-	-	7	6	2
FEMALE--	5	-	-	-	-	-	-	1	-	2	2	-
DELAWARE -----	40	-	-	-	-	3	3	3	6	7	10	5
WHITE-----MALE----	24	-	-	-	-	2	2	2	5	5	5	2
FEMALE--	7	-	-	-	-	1	1	-	-	1	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	4	-
FEMALE--	5	-	-	-	-	-	-	1	1	1	-	2
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	4	-
FEMALE--	5	-	-	-	-	-	-	1	1	1	-	2
DISTRICT OF COLUMBIA -----	23	-	-	-	-	-	2	1	2	3	7	5
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	2	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	1	-	1	1	5	2
FEMALE--	8	-	-	-	-	-	-	-	-	2	2	2
BLACK---MALE----	11	-	-	-	-	-	1	-	1	1	5	2
FEMALE--	8	-	-	-	-	-	-	-	-	2	2	2
FLORIDA -----	506	-	-	-	1	12	28	48	69	101	97	68
WHITE-----MALE----	331	-	-	-	-	10	22	30	46	66	70	44
FEMALE--	104	-	-	-	-	-	3	13	14	20	13	15
ALL OTHER--MALE----	51	-	-	-	-	2	2	4	6	11	9	6
FEMALE--	20	-	-	-	1	-	1	1	3	4	5	3
BLACK---MALE----	50	-	-	-	-	2	2	4	6	10	9	6
FEMALE--	20	-	-	-	1	-	1	1	3	4	5	3
GEORGIA -----	179	-	-	1	-	2	4	15	19	30	43	27
WHITE-----MALE----	72	-	-	-	-	1	2	5	12	13	19	11
FEMALE--	46	-	-	-	-	1	1	2	4	11	7	7
ALL OTHER--MALE----	38	-	-	-	-	-	1	4	2	4	11	5
FEMALE--	23	-	-	1	-	-	-	4	1	2	6	4
BLACK---MALE----	37	-	-	-	-	-	-	4	2	4	11	5
FEMALE--	23	-	-	1	-	-	-	4	1	2	6	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,857

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)												
KENTUCKY -----	89	-	-	1	-	1	5	5	10	26	18	9
WHITE-----MALE----	59	-	-	1	-	1	5	3	9	18	14	6
FEMALE--	25	-	-	-	-	-	-	1	1	6	4	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	2	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	1	-	2	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	115	-	-	-	1	-	4	9	19	24	26	8
WHITE-----MALE----	61	-	-	-	-	-	1	5	10	14	16	5
FEMALE--	25	-	-	-	-	-	1	2	3	4	6	1
ALL OTHER--MALE----	19	-	-	-	-	-	2	2	3	5	4	1
FEMALE--	10	-	-	-	1	-	-	-	3	1	-	1
BLACK---MALE----	18	-	-	-	-	-	2	1	3	5	4	1
FEMALE--	9	-	-	-	1	-	-	-	3	-	-	1
MAINE -----	26	-	-	-	-	-	3	5	2	6	1	3
WHITE-----MALE----	19	-	-	-	-	-	3	5	2	3	-	3
FEMALE--	7	-	-	-	-	-	-	-	-	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	40	-	-	-	-	1	4	4	3	6	3	7
WHITE-----MALE----	19	-	-	-	-	1	2	4	-	4	2	4
FEMALE--	9	-	-	-	-	-	1	-	1	1	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	6	-	-	-	-	-	1	-	2	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	6	-	-	-	-	-	1	-	2	-	-	1
MASSACHUSETTS -----	26	-	-	-	-	-	1	3	2	2	3	4
WHITE-----MALE----	13	-	-	-	-	-	-	2	2	1	2	3
FEMALE--	11	-	-	-	-	-	-	1	-	1	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	192	-	2	-	-	1	9	9	20	42	36	35
WHITE-----MALE----	99	-	-	-	-	1	5	5	9	27	17	22
FEMALE--	28	-	1	-	-	-	1	1	5	3	4	1
ALL OTHER--MALE----	45	-	1	-	-	-	3	3	6	9	4	10
FEMALE--	20	-	-	-	-	-	-	-	-	3	11	2
BLACK---MALE----	44	-	1	-	-	-	3	3	6	8	4	10
FEMALE--	20	-	-	-	-	-	-	-	-	3	11	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,857

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)												
KENTUCKY -----	4	2	1	-	1	1	3	-	2	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	2	1	-	-	-	3	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
LOUISIANA -----	8	4	2	1	1	1	3	1	3	-	-	-
WHITE-----MALE----	5	2	1	1	1	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	1	1	1	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	1	-	-	-
MAINE -----	-	2	-	1	-	2	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	1	1	-	1	4	-	2	1	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	1	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
MASSACHUSETTS -----	1	-	1	-	-	3	1	3	2	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	2	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	12	3	3	3	4	5	2	4	2	-	-	-
WHITE-----MALE----	2	-	1	1	3	3	1	2	-	-	-	-
FEMALE--	2	-	2	2	-	2	1	2	1	-	-	-
ALL OTHER--MALE----	6	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	6	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,860

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)												
OHIO -----	12	8	1	3	4	6	1	7	1	-	-	-
WHITE-----MALE----	5	2	-	-	3	1	-	2	-	-	-	-
FEMALE--	2	4	1	1	-	5	1	5	1	-	-	-
ALL OTHER--MALE----	5	2	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	5	2	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OKLAHOMA -----	2	1	-	3	2	2	2	-	-	-	-	-
WHITE-----MALE----	1	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	2	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	13	3	2	1	1	-	3	-	-	-	-	-
WHITE-----MALE----	8	1	2	1	-	-	2	-	-	-	-	-
FEMALE--	3	1	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	30	14	7	6	2	1	4	2	3	-	-	-
WHITE-----MALE----	14	2	1	2	1	-	2	-	-	-	-	-
FEMALE--	4	5	3	2	1	-	1	2	3	-	-	-
ALL OTHER--MALE----	9	6	3	1	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	9	6	3	1	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	1	1	-	-	-	-	-
RHODE ISLAND -----	1	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	3	2	1	-	-	3	-	-	-	-	-
WHITE-----MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	2	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	2	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,861

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)												
SOUTH DAKOTA -----	6	-	-	-	-	-	1	-	1	1	1	1
WHITE-----MALE----	3	-	-	-	-	-	1	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	143	-	-	1	-	3	5	8	20	28	22	22
WHITE-----MALE----	66	-	-	-	-	2	2	3	11	12	10	10
FEMALE--	38	-	-	-	-	1	-	2	6	11	4	3
ALL OTHER--MALE----	29	-	-	-	-	-	3	2	3	3	7	8
FEMALE--	10	-	-	1	-	-	-	1	-	2	1	1
BLACK---MALE----	29	-	-	-	-	-	3	2	3	3	7	8
FEMALE--	10	-	-	1	-	-	-	1	-	2	1	1
TEXAS -----	624	1	1	1	1	25	33	57	82	131	113	76
WHITE-----MALE----	380	1	1	-	1	21	24	37	46	86	69	48
FEMALE--	153	-	-	1	-	2	4	17	21	26	24	15
ALL OTHER--MALE----	68	-	-	-	-	1	3	3	13	13	14	12
FEMALE--	23	-	-	-	-	1	2	-	2	6	6	1
BLACK---MALE----	64	-	-	-	-	1	2	3	12	12	13	12
FEMALE--	22	-	-	-	-	1	2	-	2	6	6	1
UTAH -----	13	-	-	-	-	-	-	-	1	2	1	4
WHITE-----MALE----	9	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	7	-	-	-	-	-	-	-	1	-	2	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	169	1	-	-	-	4	8	20	23	27	36	21
WHITE-----MALE----	93	-	-	-	-	3	6	12	15	18	18	9
FEMALE--	30	-	-	-	-	1	1	4	2	4	3	6
ALL OTHER--MALE----	35	1	-	-	-	-	1	4	6	4	11	5
FEMALE--	11	-	-	-	-	-	-	-	-	1	4	1
BLACK---MALE----	35	1	-	-	-	-	1	4	6	4	11	5
FEMALE--	11	-	-	-	-	-	-	-	-	1	4	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,861

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)												
SOUTH DAKOTA -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	5	3	5	1	3	2	4	2	-	1	-
WHITE-----MALE----	4	2	2	3	-	1	2	1	1	-	-	-
FEMALE--	2	1	1	1	1	-	-	3	1	-	1	-
ALL OTHER--MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	2	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	2	-	-	-	-	-	-
TEXAS -----	35	22	12	5	8	6	10	2	2	-	-	1
WHITE-----MALE----	16	13	4	2	5	1	3	1	-	-	-	1
FEMALE--	13	6	6	2	2	5	7	-	2	-	-	-
ALL OTHER--MALE----	5	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	5	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	1	-	-	-	-
UTAH -----	3	1	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	8	4	3	1	1	6	2	1	-	-	-	3
WHITE-----MALE----	3	2	2	-	-	4	-	-	-	-	-	1
FEMALE--	2	1	-	1	1	1	2	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	1	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	1	1	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,870

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING BY OTHER SOLID OR LIQUID SUBSTANCES (E860-E866)												
SOUTH DAKOTA -----	2	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	18	-	-	-	1	1	1	1	-	2	1	1
WHITE-----MALE----	12	-	-	-	1	1	-	1	-	2	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
TEXAS -----	33	-	1	-	-	2	2	3	1	4	8	4
WHITE-----MALE----	22	-	-	-	-	2	2	2	1	3	4	3
FEMALE--	6	-	-	-	-	-	-	-	-	1	3	1
ALL OTHER--MALE----	4	-	1	-	-	-	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	1	-	-	-	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	4	-	-	-	-	-	-	-	1	-	2	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	38	-	-	-	-	1	1	1	2	5	4	10
WHITE-----MALE----	23	-	-	-	-	-	-	1	1	2	3	7
FEMALE--	5	-	-	-	-	1	-	-	1	1	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	1	-	-	1	1	2
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	8	-	-	-	-	-	1	-	-	1	1	2
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,872

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING BY GASES AND VAPORS (E867-E869)												
0 UNITED STATES --	576	-	17	12	11	36	36	43	42	44	70	49
WHITE-----MALE----	377	-	8	2	6	29	26	31	35	35	49	37
FEMALE--	104	-	3	3	3	4	3	7	4	5	5	6
ALL OTHER--MALE----	69	-	3	3	1	2	5	5	3	2	13	5
FEMALE--	26	-	3	4	1	1	2	-	-	2	3	1
BLACK---MALE----	58	-	3	3	1	2	2	5	3	2	12	3
FEMALE--	20	-	3	4	1	-	1	-	-	-	3	1
ALABAMA -----	17	-	3	-	1	1	-	1	1	1	2	1
WHITE-----MALE----	7	-	-	-	1	1	-	-	1	-	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	2	-	-	-	-	1	-	1	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	2	-	-	-	-	1	-	1	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
ALASKA -----	5	-	-	3	-	-	-	-	1	-	-	-
WHITE-----MALE----	3	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	5	-	-	-	-	2	-	1	-	-	1	-
WHITE-----MALE----	4	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	36	-	3	2	1	3	1	1	3	4	6	5
WHITE-----MALE----	20	-	1	-	1	3	-	-	2	2	5	4
FEMALE--	7	-	1	1	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	6	-	1	1	-	-	1	-	-	1	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	4	-	1	1	-	-	1	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,874

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING BY GASES AND VAPORS (E867-E869)												
HAWAII -----	1	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	32	-	-	-	-	2	2	1	-	4	7	2
WHITE-----MALE----	18	-	-	-	-	1	1	1	-	3	3	1
FEMALE--	6	-	-	-	-	1	-	-	-	1	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	1	-	-	-	4	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	4	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA -----	14	-	-	-	1	-	1	1	-	3	-	-
WHITE-----MALE----	8	-	-	-	-	-	1	1	-	3	-	-
FEMALE--	6	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	19	-	-	-	-	-	6	4	1	1	4	-
WHITE-----MALE----	16	-	-	-	-	-	6	3	1	1	3	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	11	-	1	-	1	2	2	1	-	1	2	-
WHITE-----MALE----	10	-	1	-	-	2	2	1	-	1	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,879

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL POISONING BY GASES AND VAPORS (E867-E869)												
SOUTH DAKOTA -----	-	-	-	-	-	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	2	2	1	7	1	-	-	1	1	-	-	-
WHITE-----MALE----	2	2	-	4	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	2	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	1	-	-	1	1	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	2	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,881

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)												
0 UNITED STATES --	141	136	211	291	368	479	412	313	162	64	13	-
WHITE-----MALE----	57	47	91	139	175	208	170	101	40	9	3	-
FEMALE--	53	54	79	111	142	192	197	168	104	48	7	-
ALL OTHER--MALE----	17	17	28	21	22	38	19	10	5	-	-	-
FEMALE--	14	18	13	20	29	41	26	34	13	7	3	-
BLACK---MALE----	15	15	25	17	20	35	15	8	4	-	-	-
FEMALE--	12	18	11	16	28	38	21	33	13	7	3	-
ALABAMA -----	1	2	7	3	6	9	5	5	6	2	-	-
WHITE-----MALE----	1	-	5	-	2	3	2	1	1	-	-	-
FEMALE--	-	1	2	2	1	2	2	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	1	-	1	-	-	-
FEMALE--	-	1	-	-	2	3	-	2	1	1	-	-
BLACK---MALE----	-	-	-	1	1	1	1	-	1	-	-	-
FEMALE--	-	1	-	-	2	3	-	2	1	1	-	-
ALASKA -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	5	3	5	9	8	6	4	1	1	-	-
WHITE-----MALE----	1	1	2	4	6	2	2	2	1	-	-	-
FEMALE--	-	4	-	1	3	5	3	2	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	3	3	3	3	3	4	6	1	1	-	-
WHITE-----MALE----	-	-	1	-	3	-	1	1	-	-	-	-
FEMALE--	-	1	2	3	-	2	3	5	1	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
CALIFORNIA -----	12	10	10	22	27	31	29	19	8	1	1	-
WHITE-----MALE----	3	3	4	6	15	17	7	5	2	-	-	-
FEMALE--	6	6	4	10	11	12	16	11	5	1	1	-
ALL OTHER--MALE----	1	-	1	2	1	1	3	3	1	-	-	-
FEMALE--	2	1	1	4	-	1	3	-	-	-	-	-
BLACK---MALE----	1	-	1	1	1	-	2	2	-	-	-	-
FEMALE--	1	1	-	1	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,882

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	41	1	1	-	-	-	-	1	1	3	-	-
WHITE-----MALE----	25	1	1	-	-	-	-	1	1	3	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	68	-	1	-	1	-	1	-	1	-	1	3
WHITE-----MALE----	34	-	-	-	1	-	1	-	-	-	1	2
FEMALE--	29	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	15	-	-	-	-	-	-	1	-	-	1	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	1	-
FLORIDA -----	104	-	1	-	-	1	-	1	1	2	2	3
WHITE-----MALE----	43	-	1	-	-	-	-	-	-	1	-	1
FEMALE--	45	-	-	-	-	-	-	-	1	1	2	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	7	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	9	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	7	-	-	-	-	1	-	-	-	-	-	1
GEORGIA -----	110	-	1	1	1	-	1	-	2	4	1	8
WHITE-----MALE----	37	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	34	-	-	-	1	-	-	-	2	1	-	3
ALL OTHER--MALE----	18	-	1	1	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	1	-	-	2	1	-
BLACK---MALE----	18	-	1	1	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	1	-	-	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,882

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)												
COLORADO -----	1	3	2	6	5	1	4	9	1	2	-	-
WHITE-----MALE----	-	1	1	6	3	1	1	5	-	-	-	-
FEMALE--	1	1	1	-	2	-	3	4	1	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	2	7	10	10	10	12	5	2	1	-	-
WHITE-----MALE----	-	-	2	8	6	4	6	2	1	-	-	-
FEMALE--	1	1	3	2	4	6	5	3	1	1	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	2	-	1	-	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	2	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	-	1	1	4	1	4	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	2	-	-	-	-
BLACK---MALE----	-	1	-	1	1	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	2	-	-	-	-
FLORIDA -----	5	3	7	9	19	20	13	8	6	2	1	-
WHITE-----MALE----	4	1	4	8	6	10	5	1	1	-	-	-
FEMALE--	1	1	1	-	8	8	7	7	4	2	1	-
ALL OTHER--MALE----	-	-	2	1	3	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	1	-	1	-	-	-
BLACK---MALE----	-	-	2	1	3	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	1	-	1	-	-	-
GEORGIA -----	9	11	6	13	11	18	13	3	6	1	-	-
WHITE-----MALE----	1	5	3	4	7	6	4	1	1	-	-	-
FEMALE--	3	2	1	5	1	5	5	1	3	1	-	-
ALL OTHER--MALE----	2	2	1	2	2	4	2	-	-	-	-	-
FEMALE--	3	2	1	2	1	3	2	1	2	-	-	-
BLACK---MALE----	2	2	1	2	2	4	2	-	-	-	-	-
FEMALE--	3	2	1	2	1	3	2	1	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,883

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)												
HAWAII -----	1	-	-	1	1	1	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	1	3	1	1	2	3	1	-	-	-
WHITE-----MALE----	-	-	-	2	-	1	1	1	-	-	-	-
FEMALE--	-	-	1	1	1	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	12	3	12	10	14	11	15	12	8	3	-	-
WHITE-----MALE----	4	1	5	2	7	7	6	2	2	2	-	-
FEMALE--	2	1	4	6	4	2	8	8	4	1	-	-
ALL OTHER--MALE----	4	1	3	-	2	2	-	-	1	-	-	-
FEMALE--	2	-	-	2	1	-	1	2	1	-	-	-
BLACK---MALE----	4	1	3	-	1	2	-	-	1	-	-	-
FEMALE--	2	-	-	2	1	-	1	2	1	-	-	-
INDIANA -----	6	7	15	11	12	31	8	9	6	1	-	-
WHITE-----MALE----	2	3	9	7	6	20	4	3	2	-	-	-
FEMALE--	4	3	5	3	5	10	4	6	4	1	-	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
IOWA -----	-	1	2	2	2	8	3	-	1	-	-	-
WHITE-----MALE----	-	1	1	1	2	2	2	-	-	-	-	-
FEMALE--	-	-	1	1	-	6	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	2	1	2	2	4	3	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	1	2	2	-	-	-	-
FEMALE--	-	-	1	1	-	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,884

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)												
KENTUCKY -----	51	2	1	-	-	1	2	-	2	-	-	2
WHITE-----MALE----	23	1	1	-	-	1	1	-	2	-	-	1
FEMALE--	25	1	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	61	1	3	-	-	1	-	-	-	1	2	5
WHITE-----MALE----	11	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	10	-	1	-	-	1	-	-	-	1	-	2
FEMALE--	11	1	1	-	-	-	-	-	-	-	1	1
BLACK---MALE----	9	-	1	-	-	-	-	-	-	1	-	2
FEMALE--	11	1	1	-	-	-	-	-	-	-	1	1
MAINE -----	17	-	-	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	85	-	-	-	-	-	-	-	-	4	1	4
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	1	1
MASSACHUSETTS -----	30	-	-	-	-	-	1	-	-	-	-	2
WHITE-----MALE----	16	-	-	-	-	-	1	-	-	-	-	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	89	-	2	1	-	2	-	-	-	3	2	2
WHITE-----MALE----	31	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	42	-	2	1	-	1	-	-	-	1	1	-
ALL OTHER--MALE----	10	-	-	-	-	1	-	-	-	1	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	8	-	-	-	-	1	-	-	-	1	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,884

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)												
KENTUCKY -----	2	1	3	4	4	8	7	7	2	3	-	-
WHITE-----MALE----	-	1	-	2	1	5	4	2	1	-	-	-
FEMALE--	1	-	3	2	2	2	3	5	1	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
LOUISIANA -----	2	2	2	5	7	9	10	8	1	2	-	-
WHITE-----MALE----	1	-	1	2	1	2	3	-	-	-	-	-
FEMALE--	1	2	1	2	5	5	4	4	-	2	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	3	3	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	3	3	-	-	-	-
MAINE -----	2	-	1	-	2	3	1	3	-	-	1	-
WHITE-----MALE----	2	-	1	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	2	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	1	6	8	13	13	12	11	7	4	-	-
WHITE-----MALE----	-	-	2	2	4	4	2	3	2	-	-	-
FEMALE--	1	1	2	3	3	6	8	5	3	4	-	-
ALL OTHER--MALE----	-	-	2	2	3	-	2	-	1	-	-	-
FEMALE--	-	-	-	1	3	3	-	3	1	-	-	-
BLACK---MALE----	-	-	2	1	3	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	3	3	-	3	1	-	-	-
MASSACHUSETTS -----	3	-	3	4	4	4	3	4	2	-	-	-
WHITE-----MALE----	1	-	3	4	1	1	1	2	-	-	-	-
FEMALE--	2	-	-	-	3	3	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	6	8	12	9	11	13	2	7	5	2	-
WHITE-----MALE----	1	3	2	5	2	4	4	2	4	1	1	-
FEMALE--	1	1	4	5	5	5	7	-	3	4	1	-
ALL OTHER--MALE----	-	1	2	1	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	2	-	-	-	-	-
BLACK---MALE----	-	1	1	-	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,885

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)												
MINNESOTA -----	3	-	4	3	9	6	8	7	4	2	-	-
WHITE-----MALE----	1	-	2	-	6	3	4	3	-	-	-	-
FEMALE--	1	-	2	3	3	3	4	4	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	-	1	2	4	10	10	8	5	3	1	-	-
WHITE-----MALE----	-	-	-	2	3	2	5	2	1	1	-	-
FEMALE--	-	-	-	1	4	1	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	1	1	2	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	6	1	2	-	-	-	-
BLACK---MALE----	-	-	1	1	2	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	6	1	2	-	-	-	-
MISSOURI -----	1	3	10	3	10	11	10	5	1	2	1	-
WHITE-----MALE----	-	1	3	2	2	5	5	1	-	-	-	-
FEMALE--	1	1	3	1	6	4	5	3	-	2	-	-
ALL OTHER--MALE----	-	1	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	2	1	-	1	1	-	1	-
BLACK---MALE----	-	1	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	2	-	-	1	1	-	1	-
MONTANA -----	-	-	-	2	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	1	1	2	1	1	4	3	2	-	1	-
WHITE-----MALE----	-	-	-	2	1	1	3	1	-	-	1	-
FEMALE--	-	1	1	-	-	-	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	2	-	1	2	2	1	1	1	-	-	-
WHITE-----MALE----	-	1	-	1	1	2	-	-	1	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,887

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	136	1	1	-	-	1	-	1	2	2	2	4
WHITE-----MALE----	59	1	1	-	-	1	-	-	-	2	1	1
FEMALE--	62	-	-	-	-	-	-	1	2	-	1	3
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	53	1	-	-	-	-	-	1	-	1	2	5
WHITE-----MALE----	22	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	22	-	1	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	282	1	2	1	-	2	1	2	3	5	8	6
WHITE-----MALE----	122	-	-	1	-	1	1	-	-	2	3	4
FEMALE--	127	1	-	-	-	-	-	1	2	3	3	1
ALL OTHER--MALE----	12	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	21	-	2	-	-	-	-	1	1	-	1	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	21	-	2	-	-	-	-	1	1	-	1	-
RHODE ISLAND -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	48	1	-	-	-	-	1	1	1	1	3	3
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	15	-	-	-	-	-	1	1	-	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	11	1	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	11	1	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,887

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)												
OHIO -----	7	3	10	14	18	27	15	18	8	1	1	-
WHITE-----MALE----	4	2	5	4	8	13	6	7	3	-	-	-
FEMALE--	2	1	5	9	7	7	8	10	5	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	6	-	-	-	-	-	-
FEMALE--	-	-	-	1	3	1	1	1	-	-	1	-
BLACK---MALE----	1	-	-	-	-	6	-	-	-	-	-	-
FEMALE--	-	-	-	1	3	1	1	1	-	-	1	-
OKLAHOMA -----	1	2	4	5	5	6	7	8	3	1	1	-
WHITE-----MALE----	-	1	3	3	3	3	4	2	-	-	-	-
FEMALE--	1	1	1	2	1	2	3	4	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
OREGON -----	2	-	1	3	5	2	3	3	-	-	-	-
WHITE-----MALE----	1	-	1	2	1	-	3	1	-	-	-	-
FEMALE--	-	-	-	1	4	2	-	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	16	14	16	26	41	48	44	23	16	7	-	-
WHITE-----MALE----	8	7	6	18	17	24	18	8	3	1	-	-
FEMALE--	3	6	7	6	20	21	22	13	12	6	-	-
ALL OTHER--MALE----	4	1	1	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	2	2	3	2	3	2	1	-	-	-
BLACK---MALE----	3	1	1	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	2	2	3	2	3	2	1	-	-	-
RHODE ISLAND -----	-	-	1	1	1	2	1	1	-	1	-	-
WHITE-----MALE----	-	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	4	2	8	3	10	4	4	1	1	-	-
WHITE-----MALE----	-	-	1	3	2	2	2	1	-	-	-	-
FEMALE--	-	2	-	3	1	4	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	2	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	2	1	1	1	1	-	-
BLACK---MALE----	-	1	1	1	-	2	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	2	1	1	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,888

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)												
SOUTH DAKOTA -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	72	1	-	-	-	-	-	-	-	3	5	1
WHITE-----MALE----	30	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	1	4	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	-
TEXAS -----	175	2	1	3	2	1	2	2	1	7	3	4
WHITE-----MALE----	68	2	1	2	2	-	-	1	-	-	-	-
FEMALE--	80	-	-	1	-	1	2	-	1	5	2	3
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	20	-	-	-	-	-	-	1	-	1	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	18	-	-	-	-	-	-	1	-	1	-	-
UTAH -----	26	-	-	-	-	-	-	1	-	2	2	-
WHITE-----MALE----	14	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	7	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	120	-	1	-	-	2	-	2	4	6	2	7
WHITE-----MALE----	36	-	1	-	-	-	-	-	1	1	1	2
FEMALE--	54	-	-	-	-	1	-	1	1	2	1	3
ALL OTHER--MALE----	13	-	-	-	-	1	-	1	-	1	-	-
FEMALE--	17	-	-	-	-	-	-	-	2	2	-	2
BLACK---MALE----	13	-	-	-	-	1	-	1	-	1	-	-
FEMALE--	17	-	-	-	-	-	-	-	2	2	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,888

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)												
SOUTH DAKOTA -----	-	-	-	-	-	3	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	1	6	7	6	9	10	9	5	4	-	-
WHITE-----MALE----	3	1	2	3	5	3	6	2	2	1	-	-
FEMALE--	1	-	2	3	1	4	4	6	3	2	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	1	-	1	-	-
BLACK---MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	1	-	1	-	-
TEXAS -----	9	8	14	10	19	32	26	15	11	1	2	-
WHITE-----MALE----	3	3	4	5	12	16	11	5	1	-	-	-
FEMALE--	5	2	8	5	5	10	12	7	9	1	1	-
ALL OTHER--MALE----	-	1	2	-	-	1	1	-	-	-	-	-
FEMALE--	1	2	-	-	2	5	2	3	1	-	1	-
BLACK---MALE----	-	-	2	-	-	1	1	-	-	-	-	-
FEMALE--	1	2	-	-	1	5	2	3	1	-	1	-
UTAH -----	2	2	5	2	1	2	2	4	1	-	-	-
WHITE-----MALE----	2	1	2	-	1	1	2	3	-	-	-	-
FEMALE--	-	1	3	2	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	1	-	-	2	1	1	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	3	7	8	14	23	15	12	3	4	-	-
WHITE-----MALE----	2	-	4	3	6	8	7	-	-	-	-	-
FEMALE--	3	2	2	2	6	8	6	10	3	3	-	-
ALL OTHER--MALE----	1	-	1	2	1	3	2	-	-	-	-	-
FEMALE--	1	1	-	1	1	4	-	2	-	1	-	-
BLACK---MALE----	1	-	1	2	1	3	2	-	-	-	-	-
FEMALE--	1	1	-	1	1	4	-	2	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,890

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL FALLS (E880-E888)												
0 UNITED STATES --	15,447	13	49	28	25	106	163	153	213	282	374	392
WHITE-----MALE----	6,977	5	22	10	17	76	126	119	149	200	225	249
FEMALE--	7,300	3	15	9	5	17	18	14	31	37	68	68
ALL OTHER--MALE----	728	3	8	5	3	12	17	17	30	33	72	66
FEMALE--	442	2	4	4	-	1	2	3	3	12	9	9
BLACK---MALE----	542	1	7	3	2	9	13	13	25	25	59	52
FEMALE--	326	2	3	3	-	1	1	1	2	9	9	6
ALABAMA -----	207	-	2	1	-	1	3	2	3	2	3	8
WHITE-----MALE----	89	-	2	-	-	1	2	2	3	2	2	4
FEMALE--	102	-	-	1	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
ALASKA -----	19	-	-	-	-	1	1	-	1	1	2	-
WHITE-----MALE----	6	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	7	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	342	1	-	1	1	1	2	4	5	3	6	11
WHITE-----MALE----	160	1	-	-	1	1	2	3	3	2	4	8
FEMALE--	161	-	-	1	-	-	-	1	-	-	2	1
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	2	1	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	159	-	-	-	-	1	1	1	2	1	2	5
WHITE-----MALE----	66	-	-	-	-	1	1	-	2	1	-	3
FEMALE--	80	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1,183	2	8	2	4	10	22	24	20	28	37	44
WHITE-----MALE----	588	1	2	2	2	7	14	17	17	23	28	29
FEMALE--	466	-	4	-	1	1	2	4	2	3	4	10
ALL OTHER--MALE----	77	1	1	-	1	2	5	2	1	2	4	5
FEMALE--	52	-	1	-	-	-	1	1	-	-	1	-
BLACK---MALE----	25	-	-	-	1	-	3	-	1	1	3	2
FEMALE--	18	-	-	-	-	-	1	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,890

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL FALLS (E880-E888)												
0 UNITED STATES --	354	368	473	706	1,134	1,779	2,624	2,933	2,179	906	189	4
WHITE-----MALE----	205	234	289	405	592	897	1,171	1,081	667	204	30	4
FEMALE--	79	88	123	227	443	763	1,329	1,727	1,425	659	152	-
ALL OTHER--MALE----	54	35	47	50	50	61	54	58	38	12	3	-
FEMALE--	16	11	14	24	49	58	70	67	49	31	4	-
BLACK---MALE----	45	27	33	41	32	46	37	36	27	7	2	-
FEMALE--	10	7	11	18	38	38	50	48	44	21	4	-
ALABAMA -----	1	5	7	10	15	32	34	42	18	17	1	-
WHITE-----MALE----	1	2	5	6	6	16	15	14	4	2	-	-
FEMALE--	-	1	1	4	9	16	17	26	11	13	1	-
ALL OTHER--MALE----	-	2	1	-	-	-	1	-	2	1	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	1	-	-
BLACK---MALE----	-	2	1	-	-	-	1	-	2	1	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	1	-	-
ALASKA -----	1	-	2	3	1	2	2	-	2	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	2	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	10	10	10	18	27	43	67	59	39	21	3	-
WHITE-----MALE----	6	6	3	13	15	17	32	22	14	7	-	-
FEMALE--	2	2	4	2	11	24	33	36	25	14	3	-
ALL OTHER--MALE----	2	1	3	3	1	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	2	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	1	5	4	5	12	20	33	32	20	13	1	-
WHITE-----MALE----	1	4	2	3	6	9	14	10	6	3	-	-
FEMALE--	-	1	1	1	6	10	16	19	14	9	1	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	2	-	1	-	-
FEMALE--	-	-	-	-	-	1	3	1	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	1	3	1	-	-	-	-
CALIFORNIA -----	38	34	45	60	90	133	193	189	135	54	11	-
WHITE-----MALE----	24	20	21	36	40	72	94	72	48	15	4	-
FEMALE--	7	12	15	20	33	43	87	95	81	35	7	-
ALL OTHER--MALE----	4	1	7	3	7	8	5	15	2	1	-	-
FEMALE--	3	1	2	1	10	10	7	7	4	3	-	-
BLACK---MALE----	3	-	3	1	2	2	1	2	-	-	-	-
FEMALE--	1	1	1	-	4	4	2	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,891

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL FALLS (E880-E888)												
COLORADO -----	10	2	9	12	19	36	38	49	40	22	4	-
WHITE-----MALE----	7	1	4	9	8	23	17	18	12	5	-	-
FEMALE--	3	1	4	3	10	11	21	31	28	15	4	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	2	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
CONNECTICUT -----	2	3	4	14	16	29	40	34	23	9	2	-
WHITE-----MALE----	1	3	4	9	8	20	22	15	11	4	1	-
FEMALE--	-	-	-	5	6	8	18	19	11	5	1	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
DELAWARE -----	-	-	1	1	3	9	5	8	7	1	3	-
WHITE-----MALE----	-	-	-	-	2	5	1	3	2	-	1	-
FEMALE--	-	-	1	1	1	4	4	5	5	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	2	2	3	2	2	7	1	2	-	-
WHITE-----MALE----	-	1	1	-	-	-	-	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	1	-	1	2	2	1	2	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	4	-	-	-	-
BLACK---MALE----	1	-	1	2	2	1	2	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	4	-	-	-	-
FLORIDA -----	18	32	32	30	57	94	146	160	109	39	6	2
WHITE-----MALE----	7	18	21	19	29	49	70	72	52	13	1	2
FEMALE--	8	9	8	7	24	41	73	86	52	25	5	-
ALL OTHER--MALE----	3	3	1	3	2	1	-	1	1	-	-	-
FEMALE--	-	2	2	1	2	3	3	1	4	1	-	-
BLACK---MALE----	3	3	1	3	2	1	-	1	1	-	-	-
FEMALE--	-	2	2	1	2	2	3	1	4	-	-	-
GEORGIA -----	16	10	14	14	28	59	68	66	62	21	5	-
WHITE-----MALE----	10	5	10	9	14	29	24	23	10	3	-	-
FEMALE--	3	3	-	5	10	23	37	39	47	17	4	-
ALL OTHER--MALE----	2	1	3	-	2	5	2	2	2	-	-	-
FEMALE--	1	1	1	-	2	2	5	2	3	1	1	-
BLACK---MALE----	2	1	3	-	2	5	2	2	2	-	-	-
FEMALE--	1	1	1	-	2	2	4	2	3	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,893

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL FALLS (E880-E888)												
KENTUCKY -----	290	1	1	2	-	1	1	4	4	2	3	5
WHITE-----MALE----	126	-	1	-	-	1	1	4	2	2	2	3
FEMALE--	159	1	-	2	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	221	-	-	-	1	4	2	5	2	7	5	4
WHITE-----MALE----	92	-	-	-	-	2	1	4	-	5	1	2
FEMALE--	89	-	-	-	-	-	-	-	1	1	3	1
ALL OTHER--MALE----	24	-	-	-	1	2	1	1	1	1	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	22	-	-	-	1	1	1	1	1	1	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	-
MAINE -----	98	-	-	-	-	-	2	1	1	5	-	2
WHITE-----MALE----	49	-	-	-	-	-	2	1	1	5	-	2
FEMALE--	49	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	234	-	2	-	-	1	1	1	4	6	8	9
WHITE-----MALE----	107	-	1	-	-	1	1	1	2	5	3	5
FEMALE--	92	-	1	-	-	-	-	-	2	-	-	1
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	1	5	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	24	-	-	-	-	-	-	-	-	1	5	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
MASSACHUSETTS -----	363	-	1	-	-	2	4	3	6	7	7	7
WHITE-----MALE----	162	-	-	-	-	-	3	2	5	5	5	6
FEMALE--	192	-	-	-	-	2	-	1	1	2	1	1
ALL OTHER--MALE----	8	-	1	-	-	-	1	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	1	-	-	-	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	543	-	2	1	2	5	6	2	7	12	19	14
WHITE-----MALE----	222	-	2	1	1	3	4	-	7	6	10	9
FEMALE--	261	-	-	-	1	-	-	1	-	4	3	1
ALL OTHER--MALE----	38	-	-	-	-	1	1	1	-	1	6	4
FEMALE--	22	-	-	-	-	1	1	-	-	1	-	-
BLACK---MALE----	36	-	-	-	-	1	1	1	-	-	6	3
FEMALE--	19	-	-	-	-	1	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,893

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL FALLS (E880-E888)												
KENTUCKY -----	6	8	8	14	19	36	43	56	49	24	3	-
WHITE-----MALE----	3	6	5	6	9	17	17	26	16	5	-	-
FEMALE--	3	2	3	7	10	19	24	30	33	19	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
LOUISIANA -----	5	8	8	21	18	17	36	39	27	10	2	-
WHITE-----MALE----	2	4	6	7	11	8	15	17	5	2	-	-
FEMALE--	1	3	1	8	7	7	14	17	18	5	2	-
ALL OTHER--MALE----	2	1	1	3	-	2	4	1	1	1	-	-
FEMALE--	-	-	-	3	-	-	3	4	3	2	-	-
BLACK---MALE----	2	1	1	3	-	2	3	1	1	1	-	-
FEMALE--	-	-	-	3	-	-	3	3	3	2	-	-
MAINE -----	2	2	5	4	6	8	13	21	16	8	2	-
WHITE-----MALE----	2	1	3	3	4	3	8	7	6	1	-	-
FEMALE--	-	1	2	1	2	5	5	14	10	7	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	10	10	11	14	18	32	34	35	28	6	4	-
WHITE-----MALE----	5	6	7	6	7	17	21	13	4	2	-	-
FEMALE--	2	1	3	2	10	14	9	20	20	3	4	-
ALL OTHER--MALE----	3	3	1	4	-	-	1	2	2	1	-	-
FEMALE--	-	-	-	2	1	1	3	-	2	-	-	-
BLACK---MALE----	3	3	1	4	-	-	1	2	1	1	-	-
FEMALE--	-	-	-	1	1	1	3	-	1	-	-	-
MASSACHUSETTS -----	4	3	11	9	23	45	66	80	52	30	3	-
WHITE-----MALE----	4	1	8	6	13	22	37	27	12	6	-	-
FEMALE--	-	1	1	3	10	22	28	52	40	24	3	-
ALL OTHER--MALE----	-	1	2	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	17	8	20	26	35	68	91	103	68	30	7	-
WHITE-----MALE----	7	3	11	11	17	27	43	35	17	8	-	-
FEMALE--	5	4	5	8	15	32	43	64	48	20	7	-
ALL OTHER--MALE----	4	-	3	4	-	3	4	4	2	-	-	-
FEMALE--	1	1	1	3	3	6	1	-	1	2	-	-
BLACK---MALE----	4	-	3	4	-	3	4	4	2	-	-	-
FEMALE--	1	-	1	3	2	6	1	-	1	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,896

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ACCIDENTAL FALLS (E880-E888)												
OHIO -----	647	-	1	1	-	2	4	8	8	7	6	4
WHITE-----MALE----	274	-	1	-	-	2	2	7	6	6	5	1
FEMALE--	335	-	-	-	-	-	2	1	2	1	1	-
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	16	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	21	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	16	-	-	1	-	-	-	-	-	-	-	-
OKLAHOMA -----	231	-	2	-	-	-	1	-	-	4	4	3
WHITE-----MALE----	102	-	-	-	-	-	1	-	-	4	3	1
FEMALE--	117	-	1	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
OREGON -----	259	-	1	1	-	2	2	2	3	3	5	10
WHITE-----MALE----	107	-	1	1	-	2	1	2	2	2	5	6
FEMALE--	144	-	-	-	-	-	1	-	-	1	-	4
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	890	1	-	-	1	6	8	5	12	15	16	17
WHITE-----MALE----	391	-	-	-	-	3	5	3	9	10	8	13
FEMALE--	442	-	-	-	1	-	2	2	2	1	5	2
ALL OTHER--MALE----	32	-	-	-	-	3	1	-	1	3	2	2
FEMALE--	25	1	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	30	-	-	-	-	3	1	-	1	3	2	1
FEMALE--	22	1	-	-	-	-	-	-	-	1	1	-
RHODE ISLAND -----	56	-	-	-	-	-	-	-	1	3	-	1
WHITE-----MALE----	26	-	-	-	-	-	-	-	1	2	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	175	-	1	-	-	-	4	2	3	5	5	3
WHITE-----MALE----	66	-	-	-	-	-	2	2	-	-	1	1
FEMALE--	72	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	21	-	-	-	-	-	2	-	2	4	2	-
FEMALE--	16	-	1	-	-	-	-	-	1	-	-	1
BLACK---MALE----	21	-	-	-	-	-	2	-	2	4	2	-
FEMALE--	15	-	1	-	-	-	-	-	1	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,896

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL FALLS (E880-E888)												
OHIO -----	11	17	24	31	59	79	109	134	93	37	12	-
WHITE-----MALE----	8	11	17	18	34	36	35	48	27	9	1	-
FEMALE--	1	2	6	12	20	40	69	78	61	28	11	-
ALL OTHER--MALE----	-	3	-	1	4	2	3	6	-	-	-	-
FEMALE--	2	1	1	-	1	1	2	2	5	-	-	-
BLACK---MALE----	-	3	-	1	4	2	2	6	-	-	-	-
FEMALE--	2	1	1	-	1	1	2	2	5	-	-	-
OKLAHOMA -----	3	8	8	10	10	22	45	54	44	7	6	-
WHITE-----MALE----	3	5	7	7	7	13	21	17	11	2	-	-
FEMALE--	-	1	1	3	2	8	22	35	33	4	5	-
ALL OTHER--MALE----	-	2	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
OREGON -----	3	3	4	9	20	30	33	50	53	20	5	-
WHITE-----MALE----	1	-	1	3	12	13	14	20	15	6	-	-
FEMALE--	2	1	3	4	8	16	18	29	38	14	5	-
ALL OTHER--MALE----	-	2	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	10	17	28	36	77	119	170	159	137	49	7	-
WHITE-----MALE----	8	11	17	19	44	58	65	67	43	8	-	-
FEMALE--	1	5	10	13	26	51	100	87	88	39	7	-
ALL OTHER--MALE----	1	1	-	2	6	4	2	2	2	-	-	-
FEMALE--	-	-	1	2	1	6	3	3	4	2	-	-
BLACK---MALE----	1	1	-	2	5	4	2	2	2	-	-	-
FEMALE--	-	-	1	1	1	6	2	3	4	1	-	-
RHODE ISLAND -----	2	-	2	5	4	4	13	10	5	5	1	-
WHITE-----MALE----	2	-	1	4	3	3	8	1	1	-	-	-
FEMALE--	-	-	1	1	1	1	5	8	4	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
SOUTH CAROLINA -----	9	4	5	9	16	15	25	35	27	5	2	-
WHITE-----MALE----	3	3	3	4	11	6	13	10	6	1	-	-
FEMALE--	-	-	-	2	2	7	12	22	18	3	2	-
ALL OTHER--MALE----	4	1	2	1	1	1	-	-	1	-	-	-
FEMALE--	2	-	-	2	2	1	-	3	2	1	-	-
BLACK---MALE----	4	1	2	1	1	1	-	-	1	-	-	-
FEMALE--	1	-	-	2	2	1	-	3	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,897

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL FALLS (E880-E888)												
SOUTH DAKOTA -----	2	2	1	1	8	10	9	17	7	5	3	-
WHITE-----MALE----	1	1	-	1	3	6	4	9	4	-	-	-
FEMALE--	-	-	1	-	5	4	5	8	3	5	3	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	12	9	11	20	20	29	64	71	42	21	4	-
WHITE-----MALE----	8	6	4	12	12	14	18	25	8	4	-	-
FEMALE--	-	2	6	7	6	12	42	41	32	16	4	-
ALL OTHER--MALE----	3	1	1	1	-	2	-	2	-	-	-	-
FEMALE--	1	-	-	-	2	1	4	3	2	1	-	-
BLACK---MALE----	3	1	1	1	-	2	-	2	-	-	-	-
FEMALE--	-	-	-	-	2	1	4	3	2	1	-	-
TEXAS -----	15	24	25	41	74	91	150	173	107	39	4	-
WHITE-----MALE----	10	15	16	23	37	49	72	62	32	10	-	-
FEMALE--	4	7	5	13	32	36	68	107	70	27	4	-
ALL OTHER--MALE----	1	2	4	4	1	3	4	2	2	-	-	-
FEMALE--	-	-	-	1	4	3	6	2	3	2	-	-
BLACK---MALE----	1	2	3	4	1	3	4	2	2	-	-	-
FEMALE--	-	-	-	1	4	1	5	2	3	2	-	-
UTAH -----	2	1	1	6	10	9	21	19	14	6	-	-
WHITE-----MALE----	1	1	-	4	7	7	5	9	6	1	-	-
FEMALE--	1	-	1	2	3	2	16	9	8	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	2	-	1	2	5	7	11	8	7	1	-
WHITE-----MALE----	-	1	-	-	1	1	4	1	1	-	-	-
FEMALE--	-	1	-	1	1	4	3	10	7	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	11	5	10	15	34	51	59	75	43	22	4	-
WHITE-----MALE----	5	4	6	6	17	21	28	23	7	4	-	-
FEMALE--	3	1	3	8	14	27	29	49	33	17	4	-
ALL OTHER--MALE----	3	-	1	1	1	3	1	1	1	-	-	-
FEMALE--	-	-	-	-	2	-	1	2	2	1	-	-
BLACK---MALE----	3	-	1	1	1	3	1	1	1	-	-	-
FEMALE--	-	-	-	-	2	-	-	2	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,899

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
FALL FROM ONE LEVEL TO ANOTHER (E880-E884)												
UNITED STATES --	3,388	11	34	21	13	72	108	96	131	150	193	167
WHITE-----MALE----	2,064	4	16	8	8	51	85	78	103	114	129	122
FEMALE--	991	2	10	5	5	11	14	5	8	14	24	15
ALL OTHER--MALE----	256	3	6	5	-	10	8	11	18	17	37	29
FEMALE--	77	2	2	3	-	-	1	2	2	5	3	1
BLACK---MALE----	185	1	5	3	-	8	7	9	15	12	30	21
FEMALE--	53	2	1	2	-	-	1	-	1	4	3	1
ALABAMA -----	35	-	2	-	-	1	3	1	3	2	1	2
WHITE-----MALE----	25	-	2	-	-	1	2	1	3	2	1	1
FEMALE--	7	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	9	-	-	-	-	1	1	-	-	1	1	-
WHITE-----MALE----	3	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	4	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	71	1	-	1	-	1	2	4	4	1	5	5
WHITE-----MALE----	48	1	-	-	-	1	2	3	2	1	3	4
FEMALE--	17	-	-	1	-	-	-	1	-	-	2	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	2	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	33	-	-	-	-	1	1	1	1	1	-	4
WHITE-----MALE----	22	-	-	-	-	1	1	-	1	1	-	3
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	263	2	7	2	3	6	13	9	10	12	19	11
WHITE-----MALE----	159	1	2	2	2	3	9	7	9	10	15	9
FEMALE--	73	-	3	-	1	1	2	1	-	1	2	1
ALL OTHER--MALE----	21	1	1	-	-	2	1	-	1	1	2	1
FEMALE--	10	-	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	1	-	1	-	2	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,899

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 FALL FROM ONE LEVEL TO ANOTHER (E880-E884)												
0 UNITED STATES --	153	139	181	210	291	344	397	360	232	68	15	2
WHITE-----MALE----	99	105	123	145	173	215	225	157	88	13	1	2
FEMALE--	28	20	43	45	93	110	151	189	133	52	14	-
ALL OTHER--MALE----	20	12	15	16	20	9	8	7	5	-	-	-
FEMALE--	6	2	-	4	5	10	13	7	6	3	-	-
BLACK---MALE----	15	6	9	13	14	7	5	4	1	-	-	-
FEMALE--	4	-	-	4	3	7	8	4	6	2	-	-
ALABAMA -----	1	-	2	3	3	4	3	2	2	-	-	-
WHITE-----MALE----	1	-	1	2	1	3	1	2	1	-	-	-
FEMALE--	-	-	-	1	2	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALASKA -----	-	-	-	3	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	2	6	6	6	4	6	7	3	3	-	-
WHITE-----MALE----	4	2	3	5	4	4	6	3	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	4	3	3	-	-
ALL OTHER--MALE----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	2	2	2	3	3	3	6	1	2	-	-
WHITE-----MALE----	-	2	1	1	2	2	3	3	-	1	-	-
FEMALE--	-	-	1	1	1	1	-	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	13	9	9	18	21	23	32	28	12	3	1	-
WHITE-----MALE----	10	7	3	14	12	12	17	11	4	-	-	-
FEMALE--	1	1	4	3	7	7	12	15	8	2	1	-
ALL OTHER--MALE----	1	1	2	1	1	2	1	2	-	-	-	-
FEMALE--	1	-	-	-	1	2	2	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,900

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 FALL FROM ONE LEVEL TO ANOTHER (E880-E884)												
COLORADO -----	5	-	4	5	5	4	6	8	4	1	-	-
WHITE-----MALE----	3	-	2	4	2	4	3	1	1	-	-	-
FEMALE--	2	-	1	1	3	-	3	7	3	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	1	1	4	5	9	10	8	2	1	-	-
WHITE-----MALE----	-	1	1	4	4	7	7	3	2	1	-	-
FEMALE--	-	-	-	-	-	2	3	5	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	1	-	1	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	5	10	9	10	11	15	12	17	5	4	2	2
WHITE-----MALE----	2	9	7	7	9	6	10	7	4	2	-	2
FEMALE--	2	1	2	1	1	9	2	10	1	2	2	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
GEORGIA -----	7	3	7	2	6	5	10	3	6	3	2	-
WHITE-----MALE----	4	1	5	2	3	3	4	-	2	-	-	-
FEMALE--	2	2	-	-	2	1	5	3	3	3	2	-
ALL OTHER--MALE----	-	-	2	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	2	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,902

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 FALL FROM ONE LEVEL TO ANOTHER (E880-E884)												
KENTUCKY -----	61	-	1	2	-	1	1	4	3	2	3	4
WHITE-----MALE----	38	-	1	-	-	1	1	4	1	2	2	3
FEMALE--	21	-	-	2	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	27	-	-	-	-	2	2	4	-	1	1	-
WHITE-----MALE----	16	-	-	-	-	1	1	4	-	1	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	25	-	-	-	-	-	1	1	1	2	-	1
WHITE-----MALE----	15	-	-	-	-	-	1	1	1	2	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	75	-	2	-	-	1	1	1	2	2	5	4
WHITE-----MALE----	37	-	1	-	-	1	1	1	2	1	2	3
FEMALE--	23	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	1	3	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	1	3	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	91	-	1	-	-	1	2	2	4	6	4	7
WHITE-----MALE----	57	-	-	-	-	-	2	2	4	4	3	6
FEMALE--	29	-	-	-	-	1	-	-	-	2	-	1
ALL OTHER--MALE----	5	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	123	-	-	1	1	2	4	1	5	6	10	6
WHITE-----MALE----	74	-	-	1	-	1	3	-	5	5	7	4
FEMALE--	31	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	13	-	-	-	-	1	1	-	-	-	3	2
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	12	-	-	-	-	1	1	-	-	-	3	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,902

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 FALL FROM ONE LEVEL TO ANOTHER (E880-E884)												
KENTUCKY -----	3	5	2	7	3	8	5	1	6	-	-	-
WHITE-----MALE----	2	4	2	5	3	3	1	1	2	-	-	-
FEMALE--	1	1	-	2	-	5	4	-	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	3	1	2	3	-	2	1	2	1	1	-
WHITE-----MALE----	-	2	1	1	3	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	2	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	1	3	4	1	-	3	3	2	2	-	-
WHITE-----MALE----	-	1	1	3	-	-	3	-	1	-	-	-
FEMALE--	-	-	2	1	1	-	-	3	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6	5	4	3	8	12	6	8	5	-	-	-
WHITE-----MALE----	1	3	4	1	3	7	2	3	1	-	-	-
FEMALE--	2	1	-	-	5	5	1	4	4	-	-	-
ALL OTHER--MALE----	3	1	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
BLACK---MALE----	3	1	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
MASSACHUSETTS -----	3	2	8	3	7	7	13	17	2	2	-	-
WHITE-----MALE----	3	-	7	2	3	4	9	8	-	-	-	-
FEMALE--	-	1	-	1	4	3	4	8	2	2	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	8	2	8	5	14	20	13	12	4	1	-	-
WHITE-----MALE----	5	1	3	1	8	12	7	7	3	1	-	-
FEMALE--	3	1	3	2	5	5	4	5	1	-	-	-
ALL OTHER--MALE----	-	-	2	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	-	-	-	-	-
BLACK---MALE----	-	-	2	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,905

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 FALL FROM ONE LEVEL TO ANOTHER (E880-E884)												
OHIO -----	135	-	1	1	-	-	3	4	5	4	1	1
WHITE-----MALE----	85	-	1	-	-	-	2	4	5	4	1	-
FEMALE--	39	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	1	-	-	-	-	-	-	-	-
OKLAHOMA -----	37	-	-	-	-	-	1	-	-	3	4	1
WHITE-----MALE----	25	-	-	-	-	-	1	-	-	3	3	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	59	-	1	1	-	2	2	2	1	2	4	6
WHITE-----MALE----	38	-	1	1	-	2	1	2	1	1	4	5
FEMALE--	20	-	-	-	-	-	1	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	240	1	-	-	1	4	3	3	7	7	10	8
WHITE-----MALE----	129	-	-	-	-	2	1	3	6	7	6	5
FEMALE--	90	-	-	-	1	-	2	-	-	-	2	2
ALL OTHER--MALE----	14	-	-	-	-	2	-	-	1	-	1	1
FEMALE--	7	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	13	-	-	-	-	2	-	-	1	-	1	-
FEMALE--	7	1	-	-	-	-	-	-	-	-	1	-
RHODE ISLAND -----	21	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	14	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	31	-	-	-	-	-	4	1	1	3	1	-
WHITE-----MALE----	17	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	2	-	-	3	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	9	-	-	-	-	-	2	-	-	3	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,909

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 FALL ON SAME LEVEL (E885-E886)												
COLORADO -----	2	1	-	2	1	4	2	-	1	1	-	-
WHITE-----MALE----	2	1	-	1	-	2	1	-	1	-	-	-
FEMALE--	-	-	-	1	1	2	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	1	-	3	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	1	-	1	3	4	6	7	8	2	-	-
WHITE-----MALE----	-	1	-	-	1	3	3	3	6	1	-	-
FEMALE--	-	-	-	1	2	1	3	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	-	-	1	2	3	1	3	3	-	-	-
WHITE-----MALE----	-	-	-	1	2	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,911

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 FALL ON SAME LEVEL (E885-E886)												
KENTUCKY -----	-	-	1	-	1	-	-	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	1	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	-	-	-	-	1	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	1	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	-	-	1	-	1	3	4	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	2	3	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	-	2	1	2	2	6	6	-	-	-	-
WHITE-----MALE----	-	-	2	-	1	1	3	2	-	-	-	-
FEMALE--	-	-	-	1	-	1	3	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,917

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)												
0 UNITED STATES --	187	213	270	464	781	1,335	2,096	2,426	1,850	797	170	2
WHITE-----MALE----	97	122	155	245	383	629	890	864	540	178	27	2
FEMALE--	47	61	72	166	328	614	1,108	1,457	1,237	581	137	-
ALL OTHER--MALE----	34	22	30	34	29	47	42	48	31	11	2	-
FEMALE--	9	8	13	19	41	45	56	57	42	27	4	-
BLACK---MALE----	30	21	23	28	17	37	30	30	24	7	1	-
FEMALE--	5	7	11	13	32	29	42	41	37	19	4	-
ALABAMA -----	-	5	5	7	12	28	31	40	16	17	1	-
WHITE-----MALE----	-	2	4	4	5	13	14	12	3	2	-	-
FEMALE--	-	1	1	3	7	15	15	26	11	13	1	-
ALL OTHER--MALE----	-	2	-	-	-	-	1	-	2	1	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	1	-	-
BLACK---MALE----	-	2	-	-	-	-	1	-	2	1	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	1	-	-
ALASKA -----	1	-	-	-	-	1	2	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	7	4	11	15	33	50	43	31	14	3	-
WHITE-----MALE----	2	3	-	7	9	10	22	16	12	5	-	-
FEMALE--	2	2	3	2	5	22	26	26	19	9	3	-
ALL OTHER--MALE----	2	1	1	2	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	2	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	1	3	2	3	8	15	29	24	18	11	1	-
WHITE-----MALE----	1	2	1	2	3	6	11	7	5	2	-	-
FEMALE--	-	1	-	-	5	9	15	16	13	8	1	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	3	1	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	3	1	-	-	-	-
CALIFORNIA -----	23	21	34	39	65	97	145	150	113	49	9	-
WHITE-----MALE----	13	12	18	21	24	49	72	57	40	14	3	-
FEMALE--	5	8	9	15	26	34	66	73	67	32	6	-
ALL OTHER--MALE----	3	-	5	2	6	6	3	13	2	1	-	-
FEMALE--	2	1	2	1	9	8	4	7	4	2	-	-
BLACK---MALE----	3	-	3	1	1	2	1	2	-	-	-	-
FEMALE--	1	1	1	-	4	3	1	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,918

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	3	1	5	5	13	28	30	41	35	20	4	-
WHITE-----MALE----	2	-	2	4	6	17	13	17	10	5	-	-
FEMALE--	1	1	3	1	6	9	17	24	25	13	4	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	2	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-