

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,918

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
CONNECTICUT -----	1	2	3	9	11	17	29	26	20	8	2	-
WHITE-----MALE----	1	2	3	5	4	11	14	12	8	3	1	-
FEMALE--	-	-	-	4	6	5	15	14	11	5	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
DELAWARE -----	-	-	1	-	3	8	5	6	7	1	3	-
WHITE-----MALE----	-	-	-	-	2	4	1	2	2	-	1	-
FEMALE--	-	-	1	-	1	4	4	4	5	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	2	2	2	2	2	7	1	2	-	-
WHITE-----MALE----	-	1	1	-	-	-	-	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	2	1	1	2	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	4	-	-	-	-
BLACK---MALE----	-	-	1	2	1	1	2	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	4	-	-	-	-
FLORIDA -----	13	21	23	19	43	75	128	136	96	33	4	-
WHITE-----MALE----	5	8	14	12	19	40	57	62	42	10	1	-
FEMALE--	6	8	6	5	21	31	68	72	49	22	3	-
ALL OTHER--MALE----	2	3	1	2	1	1	-	1	1	-	-	-
FEMALE--	-	2	2	-	2	3	3	1	4	1	-	-
BLACK---MALE----	2	3	1	2	1	1	-	1	1	-	-	-
FEMALE--	-	2	2	-	2	2	3	1	4	-	-	-
GEORGIA -----	9	7	7	11	20	51	57	60	53	18	3	-
WHITE-----MALE----	6	4	5	6	9	25	20	22	8	3	-	-
FEMALE--	1	1	-	5	8	21	32	35	41	14	2	-
ALL OTHER--MALE----	2	1	1	-	1	4	1	2	2	-	-	-
FEMALE--	-	1	1	-	2	1	4	1	2	1	1	-
BLACK---MALE----	2	1	1	-	1	4	1	2	2	-	-	-
FEMALE--	-	1	1	-	2	1	3	1	2	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,920

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)												
KENTUCKY -----	225	1	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	85	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	137	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	191	-	-	-	1	2	-	1	2	6	4	4
WHITE-----MALE----	75	-	-	-	-	1	-	-	-	4	-	2
FEMALE--	80	-	-	-	-	-	-	-	1	1	3	1
ALL OTHER--MALE----	20	-	-	-	1	1	-	1	1	1	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	18	-	-	-	1	-	-	1	1	1	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	-
MAINE -----	71	-	-	-	-	-	1	-	-	3	-	1
WHITE-----MALE----	32	-	-	-	-	-	1	-	-	3	-	1
FEMALE--	39	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	157	-	-	-	-	-	-	-	2	4	3	5
WHITE-----MALE----	69	-	-	-	-	-	-	-	-	4	1	2
FEMALE--	68	-	-	-	-	-	-	-	2	-	-	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
MASSACHUSETTS -----	260	-	-	-	-	1	2	1	-	1	3	-
WHITE-----MALE----	97	-	-	-	-	-	1	-	-	1	2	-
FEMALE--	159	-	-	-	-	1	-	1	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	395	-	2	-	-	3	2	1	2	5	8	6
WHITE-----MALE----	134	-	2	-	-	2	1	-	2	-	2	3
FEMALE--	221	-	-	-	-	-	-	-	-	4	3	1
ALL OTHER--MALE----	25	-	-	-	-	-	-	1	-	1	3	2
FEMALE--	15	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	24	-	-	-	-	-	-	1	-	-	3	2
FEMALE--	12	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,920

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)												
KENTUCKY -----	3	3	5	7	15	28	38	54	43	23	3	-
WHITE-----MALE----	1	2	3	1	5	14	16	24	14	4	-	-
FEMALE--	2	1	2	5	10	14	20	30	29	19	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
LOUISIANA -----	4	5	7	19	15	17	34	38	24	7	1	-
WHITE-----MALE----	2	2	5	6	8	8	15	16	5	1	-	-
FEMALE--	1	2	1	7	7	7	13	17	15	3	1	-
ALL OTHER--MALE----	1	1	1	3	-	2	3	1	1	1	-	-
FEMALE--	-	-	-	3	-	-	3	4	3	2	-	-
BLACK---MALE----	1	1	1	3	-	2	2	1	1	1	-	-
FEMALE--	-	-	-	3	-	-	3	3	3	2	-	-
MAINE -----	1	1	2	-	5	8	9	18	14	6	2	-
WHITE-----MALE----	1	-	2	-	4	3	4	7	5	1	-	-
FEMALE--	-	1	-	-	1	5	5	11	9	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	5	7	11	10	20	27	26	23	6	4	-
WHITE-----MALE----	4	3	3	5	4	10	18	10	3	2	-	-
FEMALE--	-	-	3	2	5	9	8	15	16	3	4	-
ALL OTHER--MALE----	-	2	1	3	-	-	-	1	2	1	-	-
FEMALE--	-	-	-	1	1	1	1	-	2	-	-	-
BLACK---MALE----	-	2	1	3	-	-	-	1	1	1	-	-
FEMALE--	-	-	-	-	1	1	1	-	1	-	-	-
MASSACHUSETTS -----	-	1	3	5	16	37	50	59	50	28	3	-
WHITE-----MALE----	-	1	1	3	10	18	26	16	12	6	-	-
FEMALE--	-	-	1	2	6	18	23	43	38	22	3	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	8	6	10	20	19	46	72	85	64	29	7	-
WHITE-----MALE----	2	2	6	10	8	14	33	26	14	7	-	-
FEMALE--	2	3	2	5	10	26	36	55	47	20	7	-
ALL OTHER--MALE----	4	-	1	2	-	2	3	4	2	-	-	-
FEMALE--	-	1	1	3	1	4	-	-	1	2	-	-
BLACK---MALE----	4	-	1	2	-	2	3	4	2	-	-	-
FEMALE--	-	-	1	3	-	4	-	-	1	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,923

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)												
OHIO -----	5	8	12	18	33	60	86	110	81	35	11	-
WHITE-----MALE----	3	4	6	8	20	24	26	41	23	9	-	-
FEMALE--	1	2	5	9	12	33	56	64	55	26	11	-
ALL OTHER--MALE----	-	1	-	1	-	2	2	5	-	-	-	-
FEMALE--	1	1	1	-	1	1	2	-	3	-	-	-
BLACK---MALE----	-	1	-	1	-	2	2	5	-	-	-	-
FEMALE--	1	1	1	-	1	1	2	-	3	-	-	-
OKLAHOMA -----	-	6	3	8	9	19	39	51	40	6	6	-
WHITE-----MALE----	-	4	3	6	6	10	18	15	10	2	-	-
FEMALE--	-	1	-	2	2	8	19	34	30	3	5	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
OREGON -----	2	1	1	4	12	20	24	38	38	12	4	-
WHITE-----MALE----	-	-	-	-	6	10	8	12	13	3	-	-
FEMALE--	2	1	1	2	6	10	15	25	25	9	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	9	13	24	43	71	121	124	109	39	7	-
WHITE-----MALE----	3	5	8	14	24	31	43	50	31	6	-	-
FEMALE--	1	3	4	9	16	33	75	69	75	31	7	-
ALL OTHER--MALE----	-	1	-	-	3	3	-	2	-	-	-	-
FEMALE--	-	-	1	1	-	4	3	3	3	2	-	-
BLACK---MALE----	-	1	-	-	2	3	-	2	-	-	-	-
FEMALE--	-	-	1	-	-	4	2	3	3	1	-	-
RHODE ISLAND -----	1	-	-	-	3	3	6	9	3	4	1	-
WHITE-----MALE----	1	-	-	-	2	2	2	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	4	7	2	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
SOUTH CAROLINA -----	6	2	2	8	14	13	22	30	22	5	2	-
WHITE-----MALE----	2	1	1	3	9	5	11	9	4	1	-	-
FEMALE--	-	-	-	2	2	7	11	18	15	3	2	-
ALL OTHER--MALE----	2	1	1	1	1	-	-	-	1	-	-	-
FEMALE--	2	-	-	2	2	1	-	3	2	1	-	-
BLACK---MALE----	2	1	1	1	1	-	-	-	1	-	-	-
FEMALE--	1	-	-	2	2	1	-	3	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,924

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)												
SOUTH DAKOTA -----	-	1	-	-	5	6	5	12	6	3	3	-
WHITE-----MALE----	-	1	-	-	2	2	2	5	3	-	-	-
FEMALE--	-	-	-	-	3	4	3	7	3	3	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	9	4	5	14	14	22	57	61	36	19	4	-
WHITE-----MALE----	5	1	1	8	7	10	15	21	7	3	-	-
FEMALE--	-	2	3	5	5	9	39	36	27	15	4	-
ALL OTHER--MALE----	3	1	1	1	-	2	-	1	-	-	-	-
FEMALE--	1	-	-	-	2	1	3	3	2	1	-	-
BLACK---MALE----	3	1	1	1	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	3	3	2	1	-	-
TEXAS -----	11	20	13	30	60	65	118	140	88	35	4	-
WHITE-----MALE----	7	13	10	17	30	34	54	45	27	10	-	-
FEMALE--	3	6	1	10	26	27	54	91	56	24	4	-
ALL OTHER--MALE----	1	1	2	2	1	2	4	2	2	-	-	-
FEMALE--	-	-	-	1	3	2	6	2	3	1	-	-
BLACK---MALE----	1	1	1	2	1	2	4	2	2	-	-	-
FEMALE--	-	-	-	1	3	1	5	2	3	1	-	-
UTAH -----	-	-	1	3	4	6	16	16	12	6	-	-
WHITE-----MALE----	-	-	-	2	2	4	3	7	6	1	-	-
FEMALE--	-	-	1	1	2	2	13	8	6	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	2	3	7	11	7	7	1	-
WHITE-----MALE----	-	-	-	-	1	-	4	1	1	-	-	-
FEMALE--	-	-	-	1	1	3	3	10	6	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	3	3	8	27	41	48	63	39	20	4	-
WHITE-----MALE----	3	2	2	4	14	18	23	18	5	4	-	-
FEMALE--	1	1	-	4	10	21	23	42	31	15	4	-
ALL OTHER--MALE----	3	-	1	-	1	2	1	1	1	-	-	-
FEMALE--	-	-	-	-	2	-	1	2	2	1	-	-
BLACK---MALE----	3	-	1	-	1	2	1	1	1	-	-	-
FEMALE--	-	-	-	-	2	-	-	2	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,926
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
0 UNITED STATES --	3,490	51	348	178	99	86	111	124	164	187	222	186
WHITE-----MALE----	1,459	19	123	52	33	43	61	57	86	92	112	85
FEMALE--	946	13	79	44	27	21	25	31	35	41	39	35
ALL OTHER--MALE----	627	9	73	44	21	12	16	27	26	30	52	45
FEMALE--	458	10	73	38	18	10	9	9	17	24	19	21
BLACK---MALE----	551	9	64	39	15	10	12	18	24	26	46	38
FEMALE--	421	9	66	33	18	10	7	7	13	21	15	21
ALABAMA -----	117	-	7	3	4	2	3	2	7	7	6	8
WHITE-----MALE----	46	-	3	1	2	1	2	2	5	4	3	1
FEMALE--	21	-	1	2	-	-	1	-	1	1	-	1
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	2	2	5
FEMALE--	22	-	3	-	2	1	-	-	1	-	1	1
BLACK---MALE----	28	-	-	-	-	-	-	-	-	2	2	5
FEMALE--	22	-	3	-	2	1	-	-	1	-	1	1
ALASKA -----	13	-	2	-	1	-	-	2	-	-	2	1
WHITE-----MALE----	5	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	1	-	-	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	39	-	1	-	-	2	3	2	-	7	3	1
WHITE-----MALE----	26	-	1	-	-	2	3	-	-	4	3	-
FEMALE--	10	-	-	-	-	-	-	-	-	3	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	65	2	8	6	1	2	2	2	6	2	4	2
WHITE-----MALE----	25	1	3	2	1	-	1	-	3	2	2	2
FEMALE--	21	1	2	2	-	1	1	2	-	-	1	-
ALL OTHER--MALE----	13	-	3	1	-	-	-	-	3	-	-	-
FEMALE--	6	-	-	1	-	1	-	-	-	-	1	-
BLACK---MALE----	13	-	3	1	-	-	-	-	3	-	-	-
FEMALE--	6	-	-	1	-	1	-	-	-	-	1	-
CALIFORNIA -----	246	4	27	14	3	3	8	8	10	7	19	13
WHITE-----MALE----	110	2	12	5	1	2	5	3	6	3	11	6
FEMALE--	80	1	8	2	-	1	3	4	3	3	4	2
ALL OTHER--MALE----	26	-	2	2	2	-	-	1	-	1	2	4
FEMALE--	30	1	5	5	-	-	-	-	1	-	2	1
BLACK---MALE----	16	-	-	2	1	-	-	1	-	1	1	3
FEMALE--	24	1	4	2	-	-	-	-	1	-	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,926
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
0 UNITED STATES --	183	174	181	193	212	256	236	183	78	23	5	10
WHITE-----MALE----	79	78	77	89	91	90	83	67	29	6	-	7
FEMALE--	47	43	52	43	67	92	109	70	24	6	3	-
ALL OTHER--MALE----	41	33	31	37	33	32	21	22	12	7	-	3
FEMALE--	16	20	21	24	21	42	23	24	13	4	2	-
BLACK---MALE----	35	30	30	36	31	30	20	20	9	6	-	3
FEMALE--	16	19	20	23	19	39	22	24	13	4	2	-
ALABAMA -----	10	10	7	10	7	9	5	3	7	-	-	-
WHITE-----MALE----	4	6	2	2	4	2	-	1	1	-	-	-
FEMALE--	2	3	1	1	1	-	4	1	1	-	-	-
ALL OTHER--MALE----	4	1	3	4	2	4	-	-	1	-	-	-
FEMALE--	-	-	1	3	-	3	1	1	4	-	-	-
BLACK---MALE----	4	1	3	4	2	4	-	-	1	-	-	-
FEMALE--	-	-	1	3	-	3	1	1	4	-	-	-
ALASKA -----	-	-	2	1	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	2	4	2	5	1	3	1	-	-	-	-
WHITE-----MALE----	2	2	3	-	3	1	2	-	-	-	-	-
FEMALE--	-	-	1	1	2	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	3	3	3	3	6	5	4	-	-	-	1
WHITE-----MALE----	-	-	1	1	1	1	3	1	-	-	-	-
FEMALE--	-	2	-	-	2	3	1	3	-	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	1	1	-	-	-	-	1
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	1	1	-	1	1	-	-	-	-	1
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
CALIFORNIA -----	12	20	8	17	9	19	18	12	10	2	1	2
WHITE-----MALE----	7	11	3	7	5	6	6	3	4	-	-	2
FEMALE--	3	6	2	5	2	8	9	7	4	2	1	-
ALL OTHER--MALE----	2	3	-	2	-	-	2	1	2	-	-	-
FEMALE--	-	-	3	3	2	5	1	1	-	-	-	-
BLACK---MALE----	1	1	-	2	-	-	2	1	-	-	-	-
FEMALE--	-	-	2	3	1	5	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,927
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
COLORADO -----	30	-	2	-	-	1	2	1	-	1	5	2
WHITE-----MALE----	18	-	1	-	-	1	2	1	-	1	3	2
FEMALE--	9	-	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	26	-	2	-	1	1	1	-	2	2	2	2
WHITE-----MALE----	11	-	1	-	-	-	1	-	-	1	1	1
FEMALE--	12	-	1	-	1	1	-	-	1	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	4	-	1	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	2	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ----	10	-	-	1	-	-	-	-	-	-	1	2
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	1	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	-	-	1	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
FLORIDA -----	140	2	12	10	4	1	2	6	7	8	12	9
WHITE-----MALE----	59	1	5	2	1	-	1	4	3	5	9	3
FEMALE--	38	-	4	2	1	-	1	1	3	3	1	2
ALL OTHER--MALE----	30	-	1	4	1	1	-	1	1	-	1	3
FEMALE--	13	1	2	2	1	-	-	-	-	-	1	1
BLACK---MALE----	30	-	1	4	1	1	-	1	1	-	1	3
FEMALE--	13	1	2	2	1	-	-	-	-	-	1	1
GEORGIA -----	111	2	4	3	5	2	2	5	6	5	17	7
WHITE-----MALE----	25	1	-	2	2	1	-	-	-	1	5	2
FEMALE--	24	-	-	-	-	-	-	1	3	-	3	1
ALL OTHER--MALE----	39	-	2	1	2	1	2	2	1	2	9	3
FEMALE--	23	1	2	-	1	-	-	2	2	2	-	1
BLACK---MALE----	39	-	2	1	2	1	2	2	1	2	9	3
FEMALE--	23	1	2	-	1	-	-	2	2	2	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,927
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
COLORADO -----	1	-	3	1	1	4	3	1	2	-	-	-
WHITE-----MALE----	1	-	-	1	-	3	1	-	1	-	-	-
FEMALE--	-	-	3	-	1	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	-	3	1	1	4	2	-	-	-	-	-
WHITE-----MALE----	1	-	2	-	-	1	2	-	-	-	-	-
FEMALE--	1	-	1	-	1	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	2	-	1	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
FLORIDA -----	10	5	15	10	7	5	6	7	1	1	-	-
WHITE-----MALE----	2	2	7	5	4	2	1	2	-	-	-	-
FEMALE--	4	1	3	3	1	-	5	3	-	-	-	-
ALL OTHER--MALE----	3	2	5	2	1	2	-	1	-	1	-	-
FEMALE--	1	-	-	-	1	1	-	1	1	-	-	-
BLACK---MALE----	3	2	5	2	1	2	-	1	-	1	-	-
FEMALE--	1	-	-	-	1	1	-	1	1	-	-	-
GEORGIA -----	6	5	7	7	6	9	3	7	1	1	1	-
WHITE-----MALE----	1	1	1	3	1	4	-	-	-	-	-	-
FEMALE--	1	2	2	3	3	-	3	2	-	-	-	-
ALL OTHER--MALE----	2	1	2	1	2	2	-	2	1	1	-	-
FEMALE--	2	1	2	-	-	3	-	3	-	-	1	-
BLACK---MALE----	2	1	2	1	2	2	-	2	1	1	-	-
FEMALE--	2	1	2	-	-	3	-	3	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,928
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
HAWAII -----	1	-	-	-	-	3	-	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	-	-	1	1	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	9	8	5	9	12	9	12	7	2	-	-	-
WHITE-----MALE----	5	2	2	3	3	3	3	4	-	-	-	-
FEMALE--	2	4	1	3	3	3	6	3	1	-	-	-
ALL OTHER--MALE----	2	2	1	2	3	2	2	-	-	-	-	-
FEMALE--	-	-	1	1	3	1	1	-	1	-	-	-
BLACK---MALE----	2	2	1	2	3	2	2	-	-	-	-	-
FEMALE--	-	-	1	1	2	1	1	-	1	-	-	-
INDIANA -----	8	1	2	3	2	9	2	6	-	-	-	-
WHITE-----MALE----	6	1	1	3	2	6	1	3	-	-	-	-
FEMALE--	1	-	1	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	3	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	3	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	1	-	1	-	4	2	4	3	-	-	-	-
WHITE-----MALE----	-	-	1	-	3	-	3	1	-	-	-	-
FEMALE--	1	-	-	-	1	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	3	2	-	-	6	2	4	1	-	-	-
WHITE-----MALE----	-	3	2	-	-	4	1	3	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,929
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
KENTUCKY -----	80	2	5	4	4	4	4	2	3	5	2	4
WHITE-----MALE----	41	1	4	3	3	1	2	2	2	3	2	-
FEMALE--	27	1	-	1	-	1	1	-	1	1	-	2
ALL OTHER--MALE----	8	-	1	-	1	1	-	-	-	1	-	2
FEMALE--	4	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	8	-	1	-	1	1	-	-	-	1	-	2
FEMALE--	4	-	-	-	-	1	1	-	-	-	-	-
LOUISIANA -----	84	1	9	6	2	3	2	1	13	6	2	5
WHITE-----MALE----	30	1	4	-	1	2	1	1	7	2	1	2
FEMALE--	21	-	1	2	-	1	-	-	4	1	-	-
ALL OTHER--MALE----	24	-	3	3	-	-	1	-	2	3	-	3
FEMALE--	9	-	1	1	1	-	-	-	-	-	1	-
BLACK---MALE----	23	-	2	3	-	-	1	-	2	3	-	3
FEMALE--	9	-	1	1	1	-	-	-	-	-	1	-
MAINE -----	15	1	3	2	-	-	1	-	1	1	1	-
WHITE-----MALE----	10	-	2	1	-	-	1	-	1	1	-	-
FEMALE--	5	1	1	1	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	59	-	8	5	3	1	1	2	-	1	-	4
WHITE-----MALE----	16	-	-	-	-	-	1	-	-	1	-	3
FEMALE--	8	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	19	-	4	3	2	-	-	1	-	-	-	-
FEMALE--	16	-	3	2	1	1	-	1	-	-	-	1
BLACK---MALE----	19	-	4	3	2	-	-	1	-	-	-	-
FEMALE--	16	-	3	2	1	1	-	1	-	-	-	1
MASSACHUSETTS -----	50	-	2	1	2	-	3	2	3	5	5	1
WHITE-----MALE----	21	-	-	-	1	-	2	1	2	1	2	1
FEMALE--	20	-	1	-	-	-	-	-	1	2	2	-
ALL OTHER--MALE----	7	-	-	1	1	-	1	1	-	1	1	-
FEMALE--	2	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	1	1	-	-	1	-	-	1	-
FEMALE--	2	-	1	-	-	-	-	-	-	1	-	-
MICHIGAN -----	139	2	13	14	6	2	3	1	5	9	10	8
WHITE-----MALE----	53	1	4	4	2	1	2	1	1	4	5	2
FEMALE--	37	-	2	4	1	1	-	-	1	1	3	1
ALL OTHER--MALE----	22	-	5	3	-	-	1	-	1	3	1	1
FEMALE--	27	1	2	3	3	-	-	-	2	1	1	4
BLACK---MALE----	21	-	5	2	-	-	1	-	1	3	1	1
FEMALE--	25	1	2	2	3	-	-	-	2	1	1	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,929
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
KENTUCKY -----	4	2	3	9	5	6	3	8	1	-	-	-
WHITE-----MALE----	-	-	1	5	3	3	2	4	-	-	-	-
FEMALE--	4	1	2	3	2	2	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
LOUISIANA -----	4	5	2	3	4	4	8	2	1	1	-	-
WHITE-----MALE----	2	1	1	-	-	1	2	1	-	-	-	-
FEMALE--	2	-	1	1	1	2	4	-	1	-	-	-
ALL OTHER--MALE----	-	2	-	2	3	-	1	-	-	1	-	-
FEMALE--	-	2	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	2	-	2	3	-	1	-	-	1	-	-
FEMALE--	-	2	-	-	-	1	1	1	-	-	-	-
MAINE -----	1	-	-	-	1	1	1	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	4	3	3	5	7	7	2	-	-	-	-
WHITE-----MALE----	1	2	1	1	1	1	4	-	-	-	-	-
FEMALE--	-	-	1	1	-	3	1	1	-	-	-	-
ALL OTHER--MALE----	2	2	1	-	2	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	2	2	-	-	-	-	-
BLACK---MALE----	2	2	1	-	2	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	2	2	-	-	-	-	-
MASSACHUSETTS -----	2	2	-	4	3	5	7	2	-	1	-	-
WHITE-----MALE----	1	1	-	2	3	2	2	-	-	-	-	-
FEMALE--	-	1	-	2	-	3	5	2	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	11	6	8	3	8	9	13	7	1	-	-	-
WHITE-----MALE----	9	1	4	2	4	2	3	1	-	-	-	-
FEMALE--	2	2	3	-	2	2	8	4	-	-	-	-
ALL OTHER--MALE----	-	2	-	1	2	1	-	1	-	-	-	-
FEMALE--	-	1	1	-	-	4	2	1	1	-	-	-
BLACK---MALE----	-	2	-	1	2	1	-	1	-	-	-	-
FEMALE--	-	1	1	-	-	3	2	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,930

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	2	3	1	-	4	2	4	3	-	-	-	-
WHITE-----MALE----	1	3	1	-	3	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	4	5	5	7	3	8	4	11	5	2	-	1
WHITE-----MALE----	1	3	2	1	2	2	1	2	2	-	-	-
FEMALE--	-	-	1	-	-	2	1	3	-	-	-	-
ALL OTHER--MALE----	2	-	2	2	-	2	1	1	1	-	-	1
FEMALE--	1	2	-	4	1	2	1	5	2	2	-	-
BLACK---MALE----	2	-	2	2	-	2	1	1	1	-	-	1
FEMALE--	1	2	-	4	1	2	1	5	2	2	-	-
MISSOURI -----	3	3	4	8	6	3	4	4	5	-	-	-
WHITE-----MALE----	2	2	2	4	2	2	3	4	2	-	-	-
FEMALE--	-	1	2	3	2	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	1	-	-	1	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	1	-	-	1	2	1	-	-	-	-	-	-
MONTANA -----	-	1	1	1	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	1	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	1	-	1	1	2	-	-	1	-	-	-
WHITE-----MALE----	-	1	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	1	-	1	-	3	2	1	2	-	1	-	-
WHITE-----MALE----	1	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,932
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
OHIO -----	124	5	14	7	7	4	6	1	4	7	8	7
WHITE-----MALE----	54	4	4	3	4	4	3	-	3	1	4	4
FEMALE--	38	-	6	2	1	-	3	-	1	1	4	2
ALL OTHER--MALE----	17	-	2	2	-	-	-	1	-	3	-	-
FEMALE--	15	1	2	-	2	-	-	-	-	2	-	1
BLACK---MALE----	17	-	2	2	-	-	-	1	-	3	-	-
FEMALE--	15	1	2	-	2	-	-	-	-	2	-	1
OKLAHOMA -----	67	-	11	4	-	1	3	5	3	5	1	5
WHITE-----MALE----	25	-	3	1	-	-	1	2	2	2	-	4
FEMALE--	24	-	6	1	-	-	1	2	1	-	-	-
ALL OTHER--MALE----	11	-	1	1	-	1	1	1	-	1	1	1
FEMALE--	7	-	1	1	-	-	-	-	-	2	-	-
BLACK---MALE----	5	-	-	1	-	1	-	-	-	-	1	-
FEMALE--	5	-	-	1	-	-	-	-	-	2	-	-
OREGON -----	40	-	4	2	3	1	1	6	-	4	1	1
WHITE-----MALE----	22	-	2	-	3	1	-	3	-	3	-	1
FEMALE--	17	-	2	2	-	-	1	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	219	4	24	10	4	6	9	6	3	9	11	21
WHITE-----MALE----	88	1	10	2	-	3	5	3	2	4	5	9
FEMALE--	74	1	4	2	1	3	3	3	1	-	3	6
ALL OTHER--MALE----	31	2	6	1	2	-	-	-	-	2	3	3
FEMALE--	26	-	4	5	1	-	1	-	-	3	-	3
BLACK---MALE----	27	2	3	1	1	-	-	-	-	2	3	3
FEMALE--	25	-	3	5	1	-	1	-	-	3	-	3
RHODE ISLAND -----	11	-	-	1	-	-	-	-	-	2	-	-
WHITE-----MALE----	8	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	87	3	5	3	2	1	2	1	6	6	6	8
WHITE-----MALE----	20	-	2	-	-	-	1	-	3	3	2	2
FEMALE--	18	2	1	1	1	-	-	1	1	1	-	2
ALL OTHER--MALE----	33	1	1	1	-	-	1	-	2	2	4	2
FEMALE--	16	-	1	1	1	1	-	-	-	-	-	2
BLACK---MALE----	33	1	1	1	-	-	1	-	2	2	4	2
FEMALE--	16	-	1	1	1	1	-	-	-	-	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,932
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
OHIO -----	9	4	6	8	7	7	7	4	2	-	-	-
WHITE-----MALE----	2	2	3	2	4	1	3	2	1	-	-	-
FEMALE--	4	-	1	2	1	5	3	2	-	-	-	-
ALL OTHER--MALE----	2	1	1	2	1	1	1	-	-	-	-	-
FEMALE--	1	1	1	2	1	-	-	-	1	-	-	-
BLACK---MALE----	2	1	1	2	1	1	1	-	-	-	-	-
FEMALE--	1	1	1	2	1	-	-	-	1	-	-	-
OKLAHOMA -----	1	3	3	3	2	5	3	4	4	1	-	-
WHITE-----MALE----	1	2	-	1	1	2	1	-	2	-	-	-
FEMALE--	-	1	2	1	1	2	2	2	1	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
OREGON -----	1	2	1	1	5	1	3	1	2	-	-	-
WHITE-----MALE----	1	1	1	1	3	-	-	1	1	-	-	-
FEMALE--	-	1	-	-	2	1	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	12	8	11	11	17	21	13	12	3	2	1	1
WHITE-----MALE----	4	5	5	6	6	3	6	7	1	1	-	-
FEMALE--	4	3	5	3	8	13	5	3	2	1	-	-
ALL OTHER--MALE----	3	-	-	1	3	3	1	-	-	-	-	1
FEMALE--	1	-	1	1	-	2	1	2	-	-	1	-
BLACK---MALE----	3	-	-	1	3	3	1	-	-	-	-	1
FEMALE--	1	-	1	1	-	2	1	2	-	-	1	-
RHODE ISLAND -----	1	1	1	-	-	-	2	1	-	-	-	2
WHITE-----MALE----	1	-	1	-	-	-	1	1	-	-	-	2
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	7	4	6	4	5	7	4	3	-	-	-
WHITE-----MALE----	1	1	-	2	-	1	2	-	-	-	-	-
FEMALE--	-	1	-	-	1	3	-	1	2	-	-	-
ALL OTHER--MALE----	2	4	4	3	1	-	3	1	1	-	-	-
FEMALE--	1	1	-	1	2	1	2	2	-	-	-	-
BLACK---MALE----	2	4	4	3	1	-	3	1	1	-	-	-
FEMALE--	1	1	-	1	2	1	2	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,933
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
SOUTH DAKOTA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	105	-	12	2	4	3	1	1	5	9	12	3
WHITE-----MALE----	41	-	3	2	-	1	-	-	3	5	4	2
FEMALE--	29	-	1	-	4	1	-	-	2	3	3	1
ALL OTHER--MALE----	21	-	2	-	-	1	1	1	-	1	3	-
FEMALE--	14	-	6	-	-	-	-	-	-	-	2	-
BLACK---MALE----	20	-	2	-	-	1	-	1	-	1	3	-
FEMALE--	14	-	6	-	-	-	-	-	-	-	2	-
TEXAS -----	228	4	24	6	5	7	3	17	10	11	14	11
WHITE-----MALE----	104	1	4	4	-	4	2	9	6	7	8	3
FEMALE--	67	-	13	-	5	3	-	2	1	1	4	6
ALL OTHER--MALE----	29	1	4	1	-	-	-	4	2	-	1	1
FEMALE--	28	2	3	1	-	-	1	2	1	3	1	1
BLACK---MALE----	26	1	4	1	-	-	-	3	2	-	1	1
FEMALE--	28	2	3	1	-	-	1	2	1	3	1	1
UTAH -----	11	-	2	1	-	1	1	-	-	-	1	-
WHITE-----MALE----	9	-	2	1	-	1	1	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	10	-	1	-	-	-	-	-	-	2	-	1
WHITE-----MALE----	7	-	1	-	-	-	-	-	-	2	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	96	3	7	4	3	4	5	5	5	2	5	3
WHITE-----MALE----	33	-	2	-	3	2	1	2	3	2	2	-
FEMALE--	21	1	-	-	-	1	1	2	1	-	1	1
ALL OTHER--MALE----	22	2	4	1	-	1	-	-	1	-	2	1
FEMALE--	20	-	1	3	-	-	3	1	-	-	-	1
BLACK---MALE----	22	2	4	1	-	1	-	-	1	-	2	1
FEMALE--	19	-	1	3	-	-	3	-	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,933
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	7	8	4	4	7	5	8	6	2	1	1	-
WHITE-----MALE----	2	3	2	2	1	4	3	2	2	-	-	-
FEMALE--	3	-	1	1	3	1	3	1	-	-	1	-
ALL OTHER--MALE----	2	2	1	1	3	-	1	1	-	1	-	-
FEMALE--	-	3	-	-	-	-	1	2	-	-	-	-
BLACK---MALE----	2	2	1	1	3	-	1	1	-	1	-	-
FEMALE--	-	3	-	-	-	-	1	2	-	-	-	-
TEXAS -----	10	12	12	16	16	15	15	13	5	1	-	1
WHITE-----MALE----	6	4	7	11	7	6	8	3	3	-	-	1
FEMALE--	2	4	3	1	4	6	3	8	1	-	-	-
ALL OTHER--MALE----	1	3	-	3	3	1	2	2	-	-	-	-
FEMALE--	1	1	2	1	2	2	2	-	1	1	-	-
BLACK---MALE----	1	2	-	3	2	1	2	2	-	-	-	-
FEMALE--	1	1	2	1	2	2	2	-	1	1	-	-
UTAH -----	1	-	1	-	-	-	2	1	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	1	1	2	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	7	5	6	8	7	6	3	1	1	-	1
WHITE-----MALE----	1	3	1	3	3	2	-	2	-	-	-	1
FEMALE--	4	-	1	1	2	1	3	-	-	1	-	-
ALL OTHER--MALE----	-	1	1	1	1	3	2	-	1	-	-	-
FEMALE--	-	3	2	1	2	1	1	1	-	-	-	-
BLACK---MALE----	-	1	1	1	1	3	2	-	1	-	-	-
FEMALE--	-	3	2	1	2	1	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,935
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)												
0 UNITED STATES --	17,455	499	758	408	500	799	828	817	902	1,030	1,082	971
WHITE-----MALE----	10,037	187	395	188	285	538	555	561	627	685	730	671
FEMALE--	4,314	138	208	75	71	76	88	97	96	166	138	143
ALL OTHER--MALE----	2,204	101	103	100	101	164	161	139	137	148	175	122
FEMALE--	900	73	52	45	43	21	24	20	42	31	39	35
BLACK---MALE----	1,784	93	75	80	85	131	125	107	110	122	136	100
FEMALE--	749	65	35	36	30	20	18	12	32	23	31	30
ALABAMA -----	523	15	14	9	13	20	20	35	27	34	27	25
WHITE-----MALE----	250	5	7	5	7	10	15	19	11	23	20	13
FEMALE--	123	3	2	1	1	4	2	8	3	6	3	3
ALL OTHER--MALE----	99	4	3	2	3	6	3	6	9	4	2	8
FEMALE--	51	3	2	1	2	-	-	2	4	1	2	1
BLACK---MALE----	96	4	2	2	3	5	3	6	8	4	2	8
FEMALE--	51	3	2	1	2	-	-	2	4	1	2	1
ALASKA -----	61	1	5	3	1	3	8	6	3	6	8	2
WHITE-----MALE----	29	-	2	2	-	2	3	3	1	3	4	2
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	23	1	1	1	1	1	4	3	1	2	3	-
FEMALE--	6	-	2	-	-	-	1	-	1	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	370	14	31	9	13	11	14	18	25	22	31	19
WHITE-----MALE----	212	6	17	4	7	6	9	9	14	14	17	16
FEMALE--	80	4	11	2	1	1	1	4	3	3	3	1
ALL OTHER--MALE----	57	2	2	2	3	4	3	5	6	4	9	2
FEMALE--	21	2	1	1	2	-	1	-	2	1	2	-
BLACK---MALE----	12	2	1	-	1	2	-	1	1	1	3	-
FEMALE--	8	1	1	1	1	-	-	-	1	-	-	-
ARKANSAS -----	296	9	12	6	14	13	15	15	18	17	26	15
WHITE-----MALE----	162	3	4	2	4	9	11	10	15	8	16	12
FEMALE--	64	2	6	1	2	1	2	3	1	2	2	2
ALL OTHER--MALE----	47	2	1	3	4	3	1	2	2	6	6	-
FEMALE--	23	2	1	-	4	-	1	-	-	1	2	1
BLACK---MALE----	45	2	1	3	4	3	-	2	2	5	6	-
FEMALE--	22	2	1	-	4	-	1	-	-	1	2	1
CALIFORNIA -----	1,472	43	106	40	50	82	81	92	114	99	119	92
WHITE-----MALE----	923	26	49	16	31	57	61	61	88	70	85	59
FEMALE--	321	12	31	6	5	6	9	11	15	13	19	16
ALL OTHER--MALE----	167	3	19	13	9	17	10	16	7	10	13	14
FEMALE--	61	2	7	5	5	2	1	4	4	6	2	3
BLACK---MALE----	78	3	8	6	3	6	5	6	5	6	7	10
FEMALE--	24	1	3	3	1	2	-	2	1	2	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,935
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)												
0 UNITED STATES --	813	743	714	781	1,039	1,232	1,314	1,152	714	264	56	39
WHITE-----MALE----	543	513	436	475	571	626	613	469	244	81	11	33
FEMALE--	129	103	138	167	318	439	546	587	392	159	37	3
ALL OTHER--MALE----	106	90	109	91	94	100	77	44	30	11	-	1
FEMALE--	35	37	31	48	56	67	78	52	48	13	8	2
BLACK---MALE----	89	71	87	76	74	91	64	36	24	8	-	-
FEMALE--	32	33	27	42	48	57	70	47	41	11	7	2
ALABAMA -----	35	23	21	40	29	39	39	30	21	6	1	-
WHITE-----MALE----	17	15	10	17	12	14	16	7	6	1	-	-
FEMALE--	6	2	5	7	9	16	17	12	8	4	1	-
ALL OTHER--MALE----	9	3	4	11	6	4	4	6	1	1	-	-
FEMALE--	3	3	2	5	2	5	2	5	6	-	-	-
BLACK---MALE----	9	3	4	11	6	4	4	6	1	1	-	-
FEMALE--	3	3	2	5	2	5	2	5	6	-	-	-
ALASKA -----	4	-	3	1	5	2	-	-	-	-	-	-
WHITE-----MALE----	3	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	16	12	8	14	24	23	27	16	13	4	-	6
WHITE-----MALE----	11	8	3	9	8	18	12	9	8	2	-	5
FEMALE--	1	2	2	3	11	2	12	6	5	1	-	1
ALL OTHER--MALE----	3	1	3	1	4	1	1	-	-	1	-	-
FEMALE--	1	1	-	1	1	2	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ARKANSAS -----	15	15	9	11	12	14	14	26	12	5	1	2
WHITE-----MALE----	7	9	5	5	7	10	8	8	6	2	-	1
FEMALE--	4	3	3	1	2	-	5	13	5	3	1	-
ALL OTHER--MALE----	2	1	1	4	3	2	1	2	1	-	-	-
FEMALE--	2	2	-	1	-	2	-	3	-	-	-	1
BLACK---MALE----	2	1	1	4	3	2	1	2	1	-	-	-
FEMALE--	2	1	-	1	-	2	-	3	-	-	-	1
CALIFORNIA -----	75	50	52	50	79	67	68	49	31	12	-	21
WHITE-----MALE----	55	35	29	30	48	30	39	19	12	4	-	19
FEMALE--	15	11	14	14	26	27	20	26	16	7	-	2
ALL OTHER--MALE----	3	3	7	3	3	6	6	3	1	1	-	-
FEMALE--	2	1	2	3	2	4	3	1	2	-	-	-
BLACK---MALE----	2	1	2	1	-	4	3	-	-	-	-	-
FEMALE--	1	1	1	1	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,936
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)												
COLORADO -----	249	8	10	7	8	9	6	14	14	21	16	17
WHITE-----MALE----	161	4	6	4	7	6	5	7	11	16	11	9
FEMALE--	71	2	4	1	1	2	-	5	2	4	3	6
ALL OTHER--MALE----	13	1	-	2	-	1	1	1	1	1	1	2
FEMALE--	4	1	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	7	1	-	-	-	1	1	1	-	1	-	1
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	179	2	10	2	2	7	3	6	6	8	8	5
WHITE-----MALE----	99	1	7	2	-	4	2	4	5	7	7	3
FEMALE--	65	1	1	-	-	1	1	1	-	1	-	-
ALL OTHER--MALE----	11	-	2	-	2	1	-	1	1	-	-	2
FEMALE--	4	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	11	-	2	-	2	1	-	1	1	-	-	2
FEMALE--	4	-	-	-	-	1	-	-	-	-	1	-
DELAWARE -----	54	1	3	-	-	1	1	3	5	3	6	3
WHITE-----MALE----	26	-	2	-	-	-	1	1	2	3	4	1
FEMALE--	14	1	1	-	-	1	-	-	1	-	1	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	2	2	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	2	2	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	40	-	-	-	1	1	-	1	1	5	3	1
WHITE-----MALE----	7	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	20	-	-	-	1	1	-	-	-	3	2	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	19	-	-	-	1	1	-	-	-	3	2	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	970	31	87	30	26	21	40	48	47	62	67	62
WHITE-----MALE----	560	11	46	9	14	11	27	36	34	36	47	48
FEMALE--	224	10	19	5	3	2	4	2	4	12	7	6
ALL OTHER--MALE----	146	7	15	14	5	7	8	10	8	11	12	7
FEMALE--	40	3	7	2	4	1	-	-	1	3	1	1
BLACK---MALE----	143	6	15	14	5	7	8	10	7	11	12	7
FEMALE--	37	3	6	2	4	1	1	-	1	3	1	1
GEORGIA -----	537	17	28	21	23	34	28	28	19	36	32	34
WHITE-----MALE----	262	3	18	4	11	20	17	15	12	20	14	21
FEMALE--	92	2	-	2	5	3	2	2	1	3	1	3
ALL OTHER--MALE----	127	11	7	8	4	10	9	9	3	12	15	4
FEMALE--	56	1	3	7	3	1	-	2	3	1	2	6
BLACK---MALE----	122	11	6	7	4	10	8	8	3	12	15	4
FEMALE--	53	1	2	7	3	1	-	1	3	1	2	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,936
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)												
COLORADO -----	14	11	13	6	16	18	11	13	12	4	1	-
WHITE-----MALE----	11	10	6	6	8	10	7	8	7	2	-	-
FEMALE--	3	1	5	-	8	8	3	5	5	2	1	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	6	5	4	7	9	16	32	22	12	7	-	-
WHITE-----MALE----	5	3	2	5	5	7	13	11	4	2	-	-
FEMALE--	-	2	2	2	4	9	19	8	8	5	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
DELAWARE -----	1	2	2	4	4	4	6	4	-	1	-	-
WHITE-----MALE----	-	2	2	1	1	3	3	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	2	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	2	1	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	1	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	1	-	3	6	3	5	1	4	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	2	2	2	3	-	1	-	-	-
FEMALE--	-	-	-	-	4	-	2	-	2	-	-	-
BLACK---MALE----	2	1	-	2	2	2	2	-	1	-	-	-
FEMALE--	-	-	-	-	4	-	2	-	2	-	-	-
FLORIDA -----	34	41	31	37	54	67	66	71	34	12	2	-
WHITE-----MALE----	20	30	21	18	34	37	24	35	15	7	-	-
FEMALE--	3	5	4	14	12	22	36	33	14	5	2	-
ALL OTHER--MALE----	10	6	6	4	3	5	5	1	2	-	-	-
FEMALE--	1	-	-	1	5	3	1	2	3	-	-	-
BLACK---MALE----	10	6	6	3	3	5	5	1	2	-	-	-
FEMALE--	1	-	-	1	3	3	1	2	3	-	-	-
GEORGIA -----	16	22	22	22	32	26	34	38	14	10	1	-
WHITE-----MALE----	12	13	7	8	20	11	13	14	6	3	-	-
FEMALE--	-	1	8	4	7	6	12	17	7	5	1	-
ALL OTHER--MALE----	3	4	4	8	2	6	5	3	-	-	-	-
FEMALE--	1	4	3	2	3	3	4	4	1	2	-	-
BLACK---MALE----	3	4	4	8	1	6	5	3	-	-	-	-
FEMALE--	1	4	3	2	3	3	3	4	1	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,938

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA	AUSE BY AREA	RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)														
KENTUCKY	-----		375	12	7	5	6	24	23	26	20	18	26	21
WHITE	-----	MALE----	257	4	6	3	2	19	22	22	16	16	25	19
		FEMALE--	86	3	1	-	3	1	1	4	2	2	-	2
ALL OTHER	--	MALE----	23	3	-	1	1	3	-	-	2	-	-	-
		FEMALE--	9	2	-	1	-	1	-	-	-	-	1	-
BLACK	---	MALE----	22	3	-	-	1	3	-	-	2	-	-	-
		FEMALE--	9	2	-	1	-	1	-	-	-	-	1	-
LOUISIANA	-----		407	9	13	17	12	22	30	25	19	25	24	15
WHITE	-----	MALE----	197	2	6	8	3	12	19	16	12	11	6	11
		FEMALE--	74	2	5	1	1	-	-	2	2	4	3	-
ALL OTHER	--	MALE----	106	3	2	7	7	10	11	6	5	10	12	4
		FEMALE--	30	2	-	1	1	-	-	1	-	-	3	-
BLACK	---	MALE----	101	3	2	6	7	9	10	6	4	10	12	4
		FEMALE--	29	2	-	1	1	-	-	1	-	-	2	-
MAINE	-----		71	-	4	3	2	-	1	2	3	2	3	6
WHITE	-----	MALE----	49	-	2	2	2	-	1	1	2	2	3	6
		FEMALE--	21	-	2	1	-	-	-	-	1	-	-	-
ALL OTHER	--	MALE----	1	-	-	-	-	-	-	1	-	-	-	-
		FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	---	MALE----	1	-	-	-	-	-	-	1	-	-	-	-
		FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND	-----		262	5	8	4	3	7	7	4	11	10	16	15
WHITE	-----	MALE----	124	-	6	2	-	4	1	2	9	7	7	8
		FEMALE--	67	-	-	2	1	-	1	1	1	1	2	2
ALL OTHER	--	MALE----	44	3	1	-	1	3	5	1	1	-	6	5
		FEMALE--	27	2	1	-	1	-	-	-	-	2	1	-
BLACK	---	MALE----	44	3	1	-	1	3	5	1	1	-	6	5
		FEMALE--	25	1	1	-	1	-	-	-	-	2	1	-
MASSACHUSETTS	-----		271	3	5	1	8	7	5	7	11	13	22	13
WHITE	-----	MALE----	149	1	2	1	4	5	3	6	5	9	20	12
		FEMALE--	102	1	2	-	1	-	-	1	4	3	-	-
ALL OTHER	--	MALE----	14	1	1	-	2	2	2	-	2	1	1	-
		FEMALE--	6	-	-	-	1	-	-	-	-	-	1	1
BLACK	---	MALE----	8	-	1	-	-	2	1	-	1	1	1	-
		FEMALE--	6	-	-	-	1	-	-	-	-	-	1	1
MICHIGAN	-----		555	25	14	18	12	29	30	23	39	32	32	27
WHITE	-----	MALE----	286	4	8	8	8	18	15	18	23	20	20	17
		FEMALE--	158	11	1	4	2	2	5	3	3	9	4	5
ALL OTHER	--	MALE----	78	5	2	4	2	9	10	2	12	1	5	4
		FEMALE--	33	5	3	2	-	-	-	-	1	2	3	1
BLACK	---	MALE----	72	5	1	4	2	9	9	2	12	1	3	4
		FEMALE--	33	5	3	2	-	-	-	-	1	2	3	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,938
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)												
KENTUCKY -----	20	13	15	15	23	20	33	30	14	3	1	-
WHITE-----MALE----	16	8	11	13	13	13	13	12	3	1	-	-
FEMALE--	3	2	2	2	8	3	18	16	10	2	1	-
ALL OTHER--MALE----	1	3	2	-	2	2	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	1	-	-	-
BLACK---MALE----	1	3	2	-	2	2	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	1	-	-	-
LOUISIANA -----	20	23	21	21	21	14	30	25	14	3	4	-
WHITE-----MALE----	13	15	8	13	10	8	12	10	2	-	-	-
FEMALE--	2	1	4	2	9	3	10	12	8	1	2	-
ALL OTHER--MALE----	4	4	7	4	2	3	2	1	2	-	-	-
FEMALE--	1	3	2	2	-	-	6	2	2	2	2	-
BLACK---MALE----	3	4	7	4	2	3	2	1	2	-	-	-
FEMALE--	1	3	2	2	-	-	6	2	2	2	2	-
MAINE -----	4	1	4	3	6	4	11	6	3	2	1	-
WHITE-----MALE----	3	1	3	1	5	2	6	5	1	1	-	-
FEMALE--	1	-	1	2	1	2	5	1	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	22	8	10	7	20	40	24	20	15	4	1	1
WHITE-----MALE----	16	5	4	5	7	15	14	7	4	-	1	-
FEMALE--	2	-	2	2	9	15	6	10	8	2	-	-
ALL OTHER--MALE----	3	2	3	-	1	4	3	1	-	1	-	-
FEMALE--	1	1	1	-	3	6	1	2	3	1	-	1
BLACK---MALE----	3	2	3	-	1	4	3	1	-	1	-	-
FEMALE--	1	1	-	-	3	6	1	2	3	1	-	1
MASSACHUSETTS -----	11	7	12	14	7	26	30	38	20	10	1	-
WHITE-----MALE----	7	6	7	11	7	10	12	14	6	1	-	-
FEMALE--	3	1	4	3	-	15	17	23	14	9	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
MICHIGAN -----	20	30	23	25	39	36	32	31	29	9	-	-
WHITE-----MALE----	9	17	15	10	18	13	20	12	9	4	-	-
FEMALE--	6	5	5	8	15	21	9	19	17	4	-	-
ALL OTHER--MALE----	5	5	2	2	4	1	1	-	2	-	-	-
FEMALE--	-	3	1	5	2	1	2	-	1	1	-	-
BLACK---MALE----	5	3	2	2	4	1	1	-	2	-	-	-
FEMALE--	-	3	1	5	2	1	2	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,941
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)												
OHIO -----	752	22	29	17	15	31	23	29	27	44	36	26
WHITE-----MALE----	431	4	14	7	7	24	9	20	24	29	22	19
FEMALE--	227	7	9	5	4	4	7	5	2	10	9	4
ALL OTHER--MALE----	61	7	4	4	2	2	4	4	1	4	3	3
FEMALE--	33	4	2	1	2	1	3	-	-	1	2	-
BLACK---MALE----	60	7	4	3	2	2	4	4	1	4	3	3
FEMALE--	31	4	2	1	2	1	3	-	-	1	1	-
OKLAHOMA -----	279	6	16	7	4	13	17	14	8	21	19	12
WHITE-----MALE----	177	4	11	4	4	10	13	12	5	15	8	11
FEMALE--	67	2	2	1	-	3	2	1	3	3	4	1
ALL OTHER--MALE----	27	-	3	1	-	-	2	1	-	2	6	-
FEMALE--	8	-	-	1	-	-	-	-	-	1	1	-
BLACK---MALE----	13	-	3	-	-	-	-	1	-	1	1	-
FEMALE--	5	-	-	1	-	-	-	-	-	-	1	-
OREGON -----	212	7	10	5	5	12	12	11	12	12	15	17
WHITE-----MALE----	143	4	6	2	3	11	8	10	8	9	12	12
FEMALE--	54	2	3	1	1	-	2	1	1	3	3	5
ALL OTHER--MALE----	10	-	1	1	-	1	2	-	2	-	-	-
FEMALE--	5	1	-	1	1	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	841	12	17	9	20	25	33	30	34	32	43	43
WHITE-----MALE----	489	4	11	5	11	20	21	20	26	27	36	26
FEMALE--	253	1	6	2	3	2	2	5	3	4	3	10
ALL OTHER--MALE----	65	3	-	1	5	1	9	5	3	1	3	6
FEMALE--	34	4	-	1	1	2	1	-	2	-	1	1
BLACK---MALE----	65	3	-	1	5	1	9	5	3	1	3	6
FEMALE--	32	4	-	1	-	2	1	-	2	-	1	1
RHODE ISLAND -----	46	-	1	-	-	4	-	2	-	3	1	6
WHITE-----MALE----	29	-	-	-	-	4	-	1	-	2	-	4
FEMALE--	16	-	1	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	327	15	4	5	14	23	19	8	20	14	19	23
WHITE-----MALE----	138	3	2	1	4	10	11	6	10	9	10	15
FEMALE--	61	2	-	2	2	2	-	1	1	1	6	3
ALL OTHER--MALE----	87	6	1	2	8	9	7	1	8	3	3	5
FEMALE--	41	4	1	-	-	2	1	-	1	1	-	-
BLACK---MALE----	86	6	1	2	8	9	7	1	8	3	3	5
FEMALE--	41	4	1	-	-	2	1	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,941
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)												
OHIO -----	30	34	31	39	47	83	71	61	42	13	2	-
WHITE-----MALE----	19	25	24	30	29	46	36	23	14	5	1	-
FEMALE--	7	4	2	5	13	28	32	34	27	8	1	-
ALL OTHER--MALE----	2	4	3	3	2	6	-	2	1	-	-	-
FEMALE--	2	1	2	1	3	3	3	2	-	-	-	-
BLACK---MALE----	2	4	3	3	2	6	-	2	1	-	-	-
FEMALE--	2	1	2	1	3	2	3	2	-	-	-	-
OKLAHOMA -----	14	11	18	12	16	14	14	21	13	5	4	-
WHITE-----MALE----	9	11	14	8	10	8	5	10	2	2	1	-
FEMALE--	3	-	1	1	4	5	7	10	9	3	2	-
ALL OTHER--MALE----	2	-	3	2	2	1	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	1	-	1	-
BLACK---MALE----	1	-	1	1	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-
OREGON -----	7	10	4	7	7	18	18	14	2	6	1	-
WHITE-----MALE----	7	8	4	6	3	12	9	6	2	1	-	-
FEMALE--	-	2	-	1	4	4	9	7	-	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	34	34	32	30	63	85	113	89	47	10	6	-
WHITE-----MALE----	24	23	23	21	33	45	61	33	18	1	-	-
FEMALE--	7	5	5	8	21	30	46	54	25	6	5	-
ALL OTHER--MALE----	1	4	3	1	4	7	3	1	2	2	-	-
FEMALE--	2	2	1	-	5	3	3	1	2	1	1	-
BLACK---MALE----	1	4	3	1	4	7	3	1	2	2	-	-
FEMALE--	2	1	1	-	5	3	3	1	2	1	1	-
RHODE ISLAND -----	3	1	2	-	5	5	7	2	2	2	-	-
WHITE-----MALE----	2	1	1	-	2	4	6	1	1	-	-	-
FEMALE--	1	-	1	-	3	1	1	1	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	15	13	19	19	22	23	24	13	9	4	2	-
WHITE-----MALE----	3	8	7	10	7	8	8	2	2	2	-	-
FEMALE--	2	-	2	3	8	6	6	8	2	2	2	-
ALL OTHER--MALE----	8	3	7	5	3	5	2	1	-	-	-	-
FEMALE--	2	2	3	1	4	4	8	2	5	-	-	-
BLACK---MALE----	8	3	7	4	3	5	2	1	-	-	-	-
FEMALE--	2	2	3	1	4	4	8	2	5	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,942
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)												
SOUTH DAKOTA -----	55	3	3	3	4	5	-	5	1	3	3	6
WHITE-----MALE----	29	-	3	2	2	2	-	2	-	2	2	3
FEMALE--	6	1	-	1	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	18	2	-	-	1	3	-	2	1	-	1	2
FEMALE--	2	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	529	11	9	12	17	23	33	23	30	35	34	39
WHITE-----MALE----	308	3	3	3	8	16	26	19	20	22	24	26
FEMALE--	131	3	3	2	2	2	4	1	4	6	7	9
ALL OTHER--MALE----	73	3	3	7	6	5	3	3	4	4	3	4
FEMALE--	17	2	-	-	1	-	-	-	2	3	-	-
BLACK---MALE----	73	3	3	7	6	5	3	3	4	4	3	4
FEMALE--	17	2	-	-	1	-	-	-	2	3	-	-
TEXAS -----	1,264	54	70	39	51	100	79	77	52	91	76	61
WHITE-----MALE----	790	23	34	18	35	70	66	57	36	56	52	46
FEMALE--	299	18	24	9	9	15	2	8	7	23	16	6
ALL OTHER--MALE----	122	7	7	5	6	15	8	11	6	11	7	8
FEMALE--	53	6	5	7	1	-	3	1	3	1	1	1
BLACK---MALE----	109	7	6	4	6	14	6	11	5	9	7	5
FEMALE--	49	6	5	5	1	-	2	1	2	1	1	1
UTAH -----	119	7	11	1	4	6	12	5	4	4	9	7
WHITE-----MALE----	83	4	7	1	3	4	9	4	4	3	5	6
FEMALE--	30	2	3	-	1	2	2	1	-	1	2	1
ALL OTHER--MALE----	4	1	-	-	-	-	1	-	-	-	2	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	46	1	1	-	2	2	2	1	1	2	3	3
WHITE-----MALE----	26	-	-	-	-	2	2	1	1	1	1	2
FEMALE--	19	1	1	-	2	-	-	-	-	1	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	479	8	12	6	12	21	20	25	17	26	31	27
WHITE-----MALE----	235	3	4	3	6	11	13	13	10	15	20	11
FEMALE--	115	2	4	2	1	2	1	3	2	3	4	4
ALL OTHER--MALE----	93	2	2	1	4	7	5	9	4	7	5	8
FEMALE--	36	1	2	-	1	1	1	-	1	1	2	4
BLACK---MALE----	92	2	2	1	4	7	5	8	4	7	5	8
FEMALE--	35	1	2	-	1	1	1	-	1	1	2	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,942
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)												
SOUTH DAKOTA -----	5	4	3	1	2	2	1	1	-	-	-	-
WHITE-----MALE----	4	1	1	1	2	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	3	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	22	20	31	27	26	30	34	37	25	7	4	-
WHITE-----MALE----	15	14	24	17	16	10	13	17	9	2	1	-
FEMALE--	3	3	4	6	6	16	15	16	14	4	1	-
ALL OTHER--MALE----	3	3	3	4	3	4	5	2	-	1	-	-
FEMALE--	1	-	-	-	1	-	1	2	2	-	2	-
BLACK---MALE----	3	3	3	4	3	4	5	2	-	1	-	-
FEMALE--	1	-	-	-	1	-	1	2	2	-	2	-
TEXAS -----	61	45	51	60	50	65	68	46	44	18	-	6
WHITE-----MALE----	52	33	29	40	29	38	30	20	13	7	-	6
FEMALE--	5	7	12	13	16	18	32	25	25	9	-	-
ALL OTHER--MALE----	3	1	8	3	4	5	3	1	3	-	-	-
FEMALE--	1	4	2	4	1	4	3	-	3	2	-	-
BLACK---MALE----	3	1	8	3	4	5	3	-	2	-	-	-
FEMALE--	1	4	2	4	1	4	3	-	3	2	-	-
UTAH -----	4	2	5	7	8	5	6	4	5	3	-	-
WHITE-----MALE----	4	2	4	5	6	5	4	-	2	1	-	-
FEMALE--	-	-	1	2	1	-	2	4	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	3	2	2	3	5	5	4	1	2	1	-
WHITE-----MALE----	-	3	1	2	2	3	2	2	-	-	1	-
FEMALE--	-	-	1	-	1	2	3	2	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	25	29	19	17	34	40	40	43	19	6	2	-
WHITE-----MALE----	13	15	13	10	17	18	17	16	5	2	-	-
FEMALE--	2	5	3	5	9	10	15	21	12	4	1	-
ALL OTHER--MALE----	8	8	2	1	4	8	3	4	1	-	-	-
FEMALE--	2	1	1	1	4	4	5	2	1	-	1	-
BLACK---MALE----	8	8	2	1	4	8	3	4	1	-	-	-
FEMALE--	2	1	1	1	4	4	5	1	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,951
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LIGHTNING (E907)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	6	-	-	-	1	-	2	1	-	-	1	-
WHITE-----MALE----	5	-	-	-	-	-	2	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	-	-	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,953

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL DROWNING AND SUBMERSION (E910)												
0 UNITED STATES --	3,561	60	454	226	210	319	277	252	277	248	245	195
WHITE-----MALE----	2,126	25	257	92	89	212	170	156	186	157	158	135
FEMALE--	597	20	126	34	34	21	26	26	18	35	36	33
ALL OTHER--MALE----	674	9	49	71	62	78	73	65	64	42	46	24
FEMALE--	164	6	22	29	25	8	8	5	9	14	5	3
BLACK---MALE----	507	6	36	56	55	60	50	45	51	33	33	18
FEMALE--	116	6	12	23	18	7	5	2	4	10	5	2
ALABAMA -----	81	1	8	6	4	6	3	11	8	5	7	7
WHITE-----MALE----	47	1	6	3	1	3	3	6	4	2	7	5
FEMALE--	8	-	1	1	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	25	-	1	2	3	3	-	4	3	2	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	24	-	1	2	3	3	-	4	2	2	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	19	-	3	2	-	1	2	3	1	1	5	1
WHITE-----MALE----	7	-	1	1	-	-	-	-	1	1	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	1	-	1	2	3	-	-	3	-
FEMALE--	2	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	86	1	24	6	1	8	4	3	9	9	4	2
WHITE-----MALE----	45	1	13	3	-	3	-	1	5	6	3	-
FEMALE--	21	-	10	1	-	1	1	1	-	2	-	1
ALL OTHER--MALE----	18	-	1	1	-	4	3	1	4	1	1	1
FEMALE--	2	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	5	-	1	-	-	2	-	1	1	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ARKANSAS -----	54	1	9	4	9	1	6	5	4	3	5	1
WHITE-----MALE----	30	1	2	2	3	1	5	4	3	3	4	1
FEMALE--	10	-	6	1	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	7	-	1	1	2	-	1	-	1	-	-	-
FEMALE--	7	-	-	-	4	-	-	-	-	-	-	-
BLACK---MALE----	6	-	1	1	2	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	4	-	-	-	-	-	-	-
CALIFORNIA -----	465	7	72	26	28	36	24	28	31	26	41	22
WHITE-----MALE----	277	6	37	10	15	22	13	18	24	19	28	15
FEMALE--	84	1	22	2	4	3	4	1	2	1	5	4
ALL OTHER--MALE----	77	-	8	10	7	10	7	9	2	2	6	2
FEMALE--	27	-	5	4	2	1	-	-	3	4	2	1
BLACK---MALE----	27	-	2	4	3	3	2	2	2	2	3	1
FEMALE--	12	-	2	3	1	1	-	-	-	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,954
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ACCIDENTAL DROWNING AND SUBMERSION (E910)												
COLORADO -----	48	1	5	6	2	3	2	5	5	1	3	5
WHITE-----MALE----	29	1	3	3	1	3	2	1	4	1	-	3
FEMALE--	12	-	2	1	1	-	-	3	1	-	2	1
ALL OTHER--MALE----	5	-	-	2	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	31	-	3	-	1	3	2	3	3	4	2	1
WHITE-----MALE----	27	-	3	-	-	2	2	2	3	4	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	9	-	3	-	-	-	-	1	-	1	1	1
WHITE-----MALE----	6	-	2	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	5	-	-	-	1	-	-	-	1	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	313	3	70	21	13	8	15	16	19	21	26	16
WHITE-----MALE----	172	-	37	5	2	5	12	10	13	5	20	13
FEMALE--	59	3	16	1	2	1	-	1	-	8	3	2
ALL OTHER--MALE----	66	-	11	13	5	2	3	5	6	7	3	1
FEMALE--	16	-	6	2	4	-	-	-	-	1	-	-
BLACK---MALE----	64	-	11	13	5	2	3	5	5	7	3	1
FEMALE--	13	-	5	2	4	-	-	-	-	1	-	-
GEORGIA -----	123	2	14	16	11	10	16	9	5	11	2	6
WHITE-----MALE----	60	-	12	3	1	7	8	2	2	7	2	4
FEMALE--	16	1	-	-	4	1	1	1	-	1	-	1
ALL OTHER--MALE----	33	-	2	7	4	2	7	5	2	2	-	-
FEMALE--	14	1	-	6	2	-	-	1	1	1	-	1
BLACK---MALE----	29	-	1	6	4	2	6	4	2	2	-	-
FEMALE--	13	1	-	6	2	-	-	-	1	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,954
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL DROWNING AND SUBMERSION (E910)												
COLORADO -----	1	-	4	1	1	-	1	1	1	-	-	-
WHITE-----MALE----	1	-	3	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	2	1	1	1	2	-	1	-	-	-	-
WHITE-----MALE----	1	2	-	1	1	2	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	8	9	11	6	17	13	12	6	3	-	-	-
WHITE-----MALE----	4	5	8	4	10	9	5	4	1	-	-	-
FEMALE--	1	3	1	1	3	4	6	2	1	-	-	-
ALL OTHER--MALE----	3	1	2	1	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	3	-	-	-	-	-	-	-
BLACK---MALE----	3	1	2	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
GEORGIA -----	3	3	4	2	3	3	2	1	-	-	-	-
WHITE-----MALE----	3	2	1	-	3	2	1	-	-	-	-	-
FEMALE--	-	-	3	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,956
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL DROWNING AND SUBMERSION (E910)												
KENTUCKY -----	61	2	4	-	3	9	8	5	8	3	5	3
WHITE-----MALE----	47	1	3	-	1	6	8	4	6	3	5	3
FEMALE--	8	-	1	-	2	-	-	1	-	-	-	-
ALL OTHER--MALE----	6	1	-	-	-	3	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	1	-	-	-	3	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	97	-	10	10	4	7	14	7	6	5	10	5
WHITE-----MALE----	48	-	6	2	-	3	7	5	5	2	3	4
FEMALE--	7	-	3	-	-	-	-	1	-	-	2	-
ALL OTHER--MALE----	36	-	1	7	3	4	7	1	1	3	5	1
FEMALE--	6	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	34	-	1	6	3	4	6	1	1	3	5	1
FEMALE--	6	-	-	1	1	-	-	-	-	-	-	-
MAINE -----	13	-	3	1	2	-	-	1	1	1	1	2
WHITE-----MALE----	11	-	2	1	2	-	-	-	1	1	1	2
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	43	-	5	2	2	4	5	3	4	2	3	2
WHITE-----MALE----	23	-	4	1	-	2	-	2	4	2	-	1
FEMALE--	4	-	-	1	1	-	-	-	-	-	1	-
ALL OTHER--MALE----	13	-	-	-	1	2	5	1	-	-	2	1
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	1	2	5	1	-	-	2	1
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	51	2	4	-	3	3	3	3	4	6	8	2
WHITE-----MALE----	34	1	2	-	1	1	2	3	1	4	7	2
FEMALE--	6	-	2	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	10	1	-	-	1	2	1	-	2	1	1	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	2	-	-	1	1	1	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN -----	100	6	8	11	3	11	5	6	10	4	4	6
WHITE-----MALE----	51	2	6	4	1	8	1	5	3	3	1	4
FEMALE--	19	1	1	3	-	-	2	-	1	-	1	2
ALL OTHER--MALE----	21	2	-	2	2	3	2	1	6	-	1	-
FEMALE--	9	1	1	2	-	-	-	-	-	1	1	-
BLACK---MALE----	19	2	-	2	2	3	1	1	6	-	-	-
FEMALE--	9	1	1	2	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,956
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL DROWNING AND SUBMERSION (E910)												
KENTUCKY -----	3	-	3	-	3	1	1	-	-	-	-	-
WHITE-----MALE----	2	-	2	-	2	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	4	5	2	3	1	3	-	-	-	-	-
WHITE-----MALE----	1	1	3	1	3	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	2	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	2	1	1	-	-	-	-	-	-	-	-
MAINE -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	-	1	1	1	4	1	-	-	-	-	-
WHITE-----MALE----	3	-	-	1	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
MASSACHUSETTS -----	4	3	2	-	2	-	1	1	-	-	-	-
WHITE-----MALE----	4	3	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	4	2	3	3	2	6	3	-	3	-	-	-
WHITE-----MALE----	2	1	3	2	1	1	2	-	1	-	-	-
FEMALE--	-	-	-	1	1	4	1	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,960
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL DROWNING AND SUBMERSION (E910)												
SOUTH DAKOTA -----	14	1	2	1	1	1	-	-	1	-	1	2
WHITE-----MALE----	8	-	2	1	1	1	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	94	1	6	5	9	7	13	8	8	7	7	7
WHITE-----MALE----	54	-	1	-	3	6	10	6	6	4	5	2
FEMALE--	13	-	2	-	-	1	1	-	-	-	2	4
ALL OTHER--MALE----	23	1	3	5	5	-	2	2	2	-	-	1
FEMALE--	4	-	-	-	1	-	-	-	-	3	-	-
BLACK---MALE----	23	1	3	5	5	-	2	2	2	-	-	1
FEMALE--	4	-	-	-	1	-	-	-	-	3	-	-
TEXAS -----	310	9	43	17	16	42	32	24	18	28	19	13
WHITE-----MALE----	195	4	19	7	10	27	24	17	12	18	14	9
FEMALE--	63	5	18	4	1	5	1	3	2	7	4	1
ALL OTHER--MALE----	45	-	4	4	5	10	5	4	3	3	1	3
FEMALE--	7	-	2	2	-	-	2	-	1	-	-	-
BLACK---MALE----	38	-	4	3	5	9	3	4	2	2	1	2
FEMALE--	3	-	2	-	-	-	1	-	-	-	-	-
UTAH -----	20	-	3	-	1	4	4	1	-	1	1	2
WHITE-----MALE----	17	-	2	-	1	3	4	1	-	-	1	2
FEMALE--	3	-	1	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	7	1	-	-	1	-	-	1	1	1	1	1
WHITE-----MALE----	3	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	4	1	-	-	1	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	99	1	5	4	6	10	4	9	6	8	12	9
WHITE-----MALE----	50	-	2	2	3	5	3	4	4	6	5	4
FEMALE--	12	-	2	2	-	-	-	1	-	-	2	-
ALL OTHER--MALE----	31	-	1	-	3	4	1	4	2	2	4	4
FEMALE--	6	1	-	-	-	1	-	-	-	-	1	1
BLACK---MALE----	30	-	1	-	3	4	1	3	2	2	4	4
FEMALE--	6	1	-	-	-	1	-	-	-	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,960
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL DROWNING AND SUBMERSION (E910)												
SOUTH DAKOTA -----	2	1	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	2	4	5	-	1	2	-	-	-	-	-
WHITE-----MALE----	2	1	3	4	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	7	5	5	5	5	7	3	5	1	-	-	6
WHITE-----MALE----	6	5	3	5	3	3	2	1	-	-	-	6
FEMALE--	-	-	1	-	1	4	1	4	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	1	-	2	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	10	5	2	2	2	3	1	-	-	-	-	-
WHITE-----MALE----	6	2	1	2	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	3	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	3	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,962

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
UNITED STATES --	3,275	76	71	19	19	16	26	50	47	72	93	97
WHITE-----MALE----	1,407	31	26	11	7	6	11	27	27	37	46	56
FEMALE--	1,321	18	18	1	4	4	6	16	11	23	18	24
ALL OTHER--MALE----	269	17	17	4	3	3	5	4	5	9	16	5
FEMALE--	278	10	10	3	5	3	4	3	4	3	13	12
BLACK---MALE----	242	17	14	4	3	2	5	4	4	8	14	4
FEMALE--	247	9	8	2	5	3	3	2	3	3	13	12
ALABAMA -----	106	5	1	-	2	-	1	-	3	2	4	1
WHITE-----MALE----	26	2	-	-	1	-	1	-	-	2	-	-
FEMALE--	42	1	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	18	1	1	-	-	-	-	-	-	-	2	-
FEMALE--	20	1	-	-	1	-	-	-	2	-	1	-
BLACK---MALE----	18	1	1	-	-	-	-	-	-	-	2	-
FEMALE--	20	1	-	-	1	-	-	-	2	-	1	-
ALASKA -----	4	-	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	57	3	-	-	1	-	-	3	-	-	3	-
WHITE-----MALE----	26	1	-	-	-	-	-	2	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	1	-	-	2	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	2	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	1	-	-	1	-	-	-	-	-	-	-
ARKANSAS -----	47	5	-	-	-	-	1	2	-	1	4	2
WHITE-----MALE----	14	2	-	-	-	-	-	1	-	-	1	-
FEMALE--	20	1	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	7	1	-	-	-	-	-	-	-	1	2	-
FEMALE--	6	1	-	-	-	-	1	-	-	-	1	1
BLACK---MALE----	7	1	-	-	-	-	-	-	-	1	2	-
FEMALE--	6	1	-	-	-	-	1	-	-	-	1	1
CALIFORNIA -----	140	9	11	2	1	4	1	8	1	4	3	5
WHITE-----MALE----	76	7	3	1	1	3	1	3	1	2	2	3
FEMALE--	43	2	2	-	-	-	-	2	-	1	1	1
ALL OTHER--MALE----	13	-	5	1	-	1	-	1	-	-	-	1
FEMALE--	8	-	1	-	-	-	-	2	-	1	-	-
BLACK---MALE----	8	-	3	1	-	-	-	1	-	-	-	1
FEMALE--	4	-	1	-	-	-	-	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,963

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)												
COLORADO -----	51	3	1	1	-	-	-	-	-	3	2	4
WHITE-----MALE----	34	1	1	1	-	-	-	-	-	2	2	2
FEMALE--	17	2	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	54	-	1	-	-	1	-	-	-	2	-	-
WHITE-----MALE----	20	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	33	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	12	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	18	-	-	-	-	-	-	-	-	2	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	191	4	4	-	-	1	-	1	1	2	6	7
WHITE-----MALE----	79	-	1	-	-	-	-	-	1	1	2	5
FEMALE--	88	2	1	-	-	1	-	1	-	1	1	1
ALL OTHER--MALE----	15	2	2	-	-	-	-	-	-	-	2	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	15	2	2	-	-	-	-	-	-	-	2	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	1
GEORGIA -----	110	2	2	-	-	-	-	2	-	2	4	4
WHITE-----MALE----	43	-	-	-	-	-	-	1	-	1	1	2
FEMALE--	34	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	14	2	1	-	-	-	-	-	-	1	1	1
FEMALE--	19	-	1	-	-	-	-	1	-	-	1	1
BLACK---MALE----	14	2	1	-	-	-	-	-	-	1	1	1
FEMALE--	18	-	1	-	-	-	-	1	-	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,963

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	3	1	1	3	7	8	5	1	4	3	1	-
WHITE-----MALE----	1	1	1	3	2	6	4	1	4	2	-	-
FEMALE--	2	-	-	-	5	2	1	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	1	2	2	2	6	14	7	9	6	-	-
WHITE-----MALE----	1	-	1	1	1	2	3	3	4	2	-	-
FEMALE--	-	1	1	1	1	4	11	3	5	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DELAWARE -----	-	-	-	1	1	2	4	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	3	3	1	3	1	3	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	1	-	3	-	1	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	2	1	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	1	-	-	-
FLORIDA -----	7	4	3	11	17	24	33	38	20	7	1	-
WHITE-----MALE----	1	4	2	2	10	11	9	18	9	3	-	-
FEMALE--	2	-	1	8	5	10	23	18	8	4	1	-
ALL OTHER--MALE----	3	-	-	1	-	2	1	1	1	-	-	-
FEMALE--	1	-	-	-	2	1	-	1	2	-	-	-
BLACK---MALE----	3	-	-	1	-	2	1	1	1	-	-	-
FEMALE--	1	-	-	-	2	1	-	1	2	-	-	-
GEORGIA -----	3	5	1	9	9	9	20	23	6	8	1	-
WHITE-----MALE----	2	3	-	3	4	4	8	9	3	2	-	-
FEMALE--	-	-	-	2	4	2	7	10	3	4	1	-
ALL OTHER--MALE----	-	1	-	3	-	1	2	1	-	-	-	-
FEMALE--	1	1	1	1	1	2	3	3	-	2	-	-
BLACK---MALE----	-	1	-	3	-	1	2	1	-	-	-	-
FEMALE--	1	1	1	1	1	2	2	3	-	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,965

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)												
KENTUCKY -----	2	3	4	2	2	6	13	15	8	2	-	-
WHITE-----MALE----	1	1	3	2	1	4	4	6	2	1	-	-
FEMALE--	1	1	-	-	1	1	8	7	5	1	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
LOUISIANA -----	3	3	2	4	4	5	11	13	8	2	3	-
WHITE-----MALE----	-	2	-	2	1	2	4	3	2	-	-	-
FEMALE--	-	-	1	1	3	1	4	7	4	1	2	-
ALL OTHER--MALE----	2	-	1	1	-	2	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	3	2	2	1	1	-
BLACK---MALE----	1	-	1	1	-	2	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	3	2	2	1	1	-
MAINE -----	-	-	1	1	1	1	5	3	-	2	1	-
WHITE-----MALE----	-	-	1	1	1	-	4	3	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	2	3	1	4	9	7	10	8	3	1	-
WHITE-----MALE----	1	1	2	-	2	3	2	5	1	-	1	-
FEMALE--	1	-	-	1	1	5	3	2	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	1	-	-
FEMALE--	1	1	1	-	1	1	1	2	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	1	-	-
FEMALE--	1	1	-	-	1	1	1	2	1	1	-	-
MASSACHUSETTS -----	-	2	2	5	2	14	13	17	10	3	1	-
WHITE-----MALE----	-	1	1	4	2	5	2	7	3	-	-	-
FEMALE--	-	1	1	1	-	8	11	9	7	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
MICHIGAN -----	1	6	2	6	14	5	8	11	9	1	-	-
WHITE-----MALE----	-	4	-	2	7	3	6	5	3	1	-	-
FEMALE--	1	2	2	4	4	2	1	6	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,968

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)												
OHIO -----	165	2	1	1	2	-	-	2	2	2	1	1
WHITE-----MALE----	78	-	-	1	-	-	-	-	1	2	-	1
FEMALE--	68	2	1	-	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	9	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	9	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	1	-	-	-	-	-	1	-
OKLAHOMA -----	55	1	1	-	-	2	3	-	-	1	1	1
WHITE-----MALE----	25	1	1	-	-	1	2	-	-	-	1	1
FEMALE--	24	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	21	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	224	3	3	-	1	-	2	3	3	6	3	5
WHITE-----MALE----	103	2	1	-	-	-	1	1	2	5	2	3
FEMALE--	94	1	2	-	1	-	-	2	-	1	1	2
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	13	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	12	-	-	-	-	-	1	-	-	-	-	-
RHODE ISLAND -----	12	-	1	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	88	2	-	-	-	1	1	-	1	3	4	4
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	33	-	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	15	1	-	-	-	-	1	-	1	1	1	-
FEMALE--	20	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	15	1	-	-	-	-	1	-	1	1	1	-
FEMALE--	20	1	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,968

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)												
OHIO -----	3	3	5	11	10	34	34	21	22	7	1	-
WHITE-----MALE----	3	2	4	5	5	18	18	6	8	4	-	-
FEMALE--	-	1	-	4	3	12	13	12	13	3	1	-
ALL OTHER--MALE----	-	-	-	1	-	4	-	2	1	-	-	-
FEMALE--	-	-	1	1	2	-	3	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	4	-	2	1	-	-	-
FEMALE--	-	-	1	1	2	-	3	1	-	-	-	-
OKLAHOMA -----	2	2	2	2	5	7	5	10	7	1	2	-
WHITE-----MALE----	-	2	1	2	3	3	1	3	1	1	1	-
FEMALE--	1	-	1	-	1	3	4	6	5	-	1	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
OREGON -----	-	-	-	-	1	5	5	5	1	3	-	-
WHITE-----MALE----	-	-	-	-	-	4	2	2	1	-	-	-
FEMALE--	-	-	-	-	1	1	3	2	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	6	5	12	4	22	29	42	41	25	5	4	-
WHITE-----MALE----	-	3	7	2	11	19	23	13	8	-	-	-
FEMALE--	4	-	2	2	7	6	14	28	15	2	4	-
ALL OTHER--MALE----	-	1	2	-	2	3	2	-	1	2	-	-
FEMALE--	2	1	1	-	2	1	3	-	1	1	-	-
BLACK---MALE----	-	1	2	-	2	3	2	-	1	2	-	-
FEMALE--	2	-	1	-	2	1	3	-	1	1	-	-
RHODE ISLAND -----	1	1	-	-	3	1	3	-	-	1	-	-
WHITE-----MALE----	-	1	-	-	2	1	3	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	1	3	9	11	12	14	10	6	2	2	-
WHITE-----MALE----	-	-	-	4	1	4	4	-	1	-	-	-
FEMALE--	1	-	-	3	5	4	3	8	2	2	2	-
ALL OTHER--MALE----	-	1	3	1	2	2	1	-	-	-	-	-
FEMALE--	1	-	-	1	3	2	6	2	3	-	-	-
BLACK---MALE----	-	1	3	1	2	2	1	-	-	-	-	-
FEMALE--	1	-	-	1	3	2	6	2	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,969

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	96	3	-	2	-	-	-	1	3	3	2	3
WHITE-----MALE----	33	-	-	1	-	-	-	1	-	1	1	3
FEMALE--	43	1	-	-	-	-	-	-	2	1	1	-
ALL OTHER--MALE----	13	2	-	1	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	13	2	-	1	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
TEXAS -----	188	6	8	4	2	1	1	6	4	6	6	3
WHITE-----MALE----	87	3	2	2	1	-	1	2	3	2	5	3
FEMALE--	73	2	1	-	1	1	-	1	1	3	1	-
ALL OTHER--MALE----	17	1	3	-	-	-	-	3	-	-	-	-
FEMALE--	11	-	2	2	-	-	-	-	-	1	-	-
BLACK---MALE----	15	1	2	-	-	-	-	3	-	-	-	-
FEMALE--	11	-	2	2	-	-	-	-	-	1	-	-
UTAH -----	17	-	3	-	-	-	1	-	-	-	1	-
WHITE-----MALE----	8	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	1	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	10	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	98	1	-	-	3	-	-	2	-	2	3	5
WHITE-----MALE----	46	1	-	-	1	-	-	1	-	-	2	1
FEMALE--	35	-	-	-	-	-	-	1	-	-	-	2
ALL OTHER--MALE----	7	-	-	-	1	-	-	-	-	1	-	1
FEMALE--	10	-	-	-	1	-	-	-	-	1	1	1
BLACK---MALE----	7	-	-	-	1	-	-	-	-	1	-	1
FEMALE--	10	-	-	-	1	-	-	-	-	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2,969

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	2	3	5	8	8	11	12	18	7	1	-
WHITE-----MALE----	2	-	3	1	4	1	1	6	6	2	-	-
FEMALE--	-	1	-	3	3	6	6	4	11	4	-	-
ALL OTHER--MALE----	1	1	-	1	-	1	4	-	-	1	-	-
FEMALE--	1	-	-	-	1	-	-	2	1	-	1	-
BLACK---MALE----	1	1	-	1	-	1	4	-	-	1	-	-
FEMALE--	1	-	-	-	1	-	-	2	1	-	1	-
TEXAS -----	6	10	10	12	11	18	25	23	18	8	-	-
WHITE-----MALE----	5	6	5	2	4	9	10	12	6	4	-	-
FEMALE--	-	3	4	7	6	6	12	11	9	4	-	-
ALL OTHER--MALE----	-	-	1	2	1	2	1	-	3	-	-	-
FEMALE--	1	1	-	1	-	1	2	-	-	-	-	-
BLACK---MALE----	-	-	1	2	1	2	1	-	2	-	-	-
FEMALE--	1	1	-	1	-	1	2	-	-	-	-	-
UTAH -----	-	2	1	1	-	2	-	2	3	1	-	-
WHITE-----MALE----	-	2	1	-	-	2	-	-	2	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	1	3	4	-	1	1	-
WHITE-----MALE----	-	-	-	-	-	1	-	2	-	-	1	-
FEMALE--	-	-	-	-	-	-	3	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	5	4	1	10	14	15	17	12	1	1	-
WHITE-----MALE----	1	4	2	-	8	8	6	7	4	-	-	-
FEMALE--	-	-	1	1	2	3	6	10	7	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	1	1	-	-	2	2	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	1	1	-	-	2	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2,995
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL (E923)												
OHIO -----	8	-	-	-	1	3	-	1	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	3	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	7	-	-	-	1	1	1	-	1	1	-	-
WHITE-----MALE----	6	-	-	-	1	1	1	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	5	-	-	-	-	-	-	2	-	-	2	-
WHITE-----MALE----	5	-	-	-	-	-	-	2	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	1	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	-	-	-	-	1	-	-	1	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,016

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906,E908-E909,E913-E921,E927-E929)												
0 UNITED STATES --	8,832	356	202	124	159	256	323	360	402	551	598	560
WHITE-----MALE----	5,223	127	101	66	110	175	228	248	283	378	413	388
FEMALE--	2,205	99	54	33	25	41	40	46	45	89	75	75
ALL OTHER--MALE----	989	75	29	15	14	33	45	56	49	72	92	78
FEMALE--	415	55	18	10	10	7	10	10	25	12	18	19
BLACK---MALE----	802	70	18	12	10	25	36	45	38	61	74	65
FEMALE--	349	49	13	9	5	7	8	6	21	8	10	15
ALABAMA -----	262	9	5	3	3	8	8	15	11	19	9	11
WHITE-----MALE----	132	2	1	2	2	3	6	6	6	13	8	7
FEMALE--	64	2	1	-	1	4	1	6	-	3	1	-
ALL OTHER--MALE----	41	3	1	-	-	1	1	2	4	2	-	3
FEMALE--	25	2	2	1	-	-	-	1	1	1	-	1
BLACK---MALE----	39	3	-	-	-	-	1	2	4	2	-	3
FEMALE--	25	2	2	1	-	-	-	1	1	1	-	1
ALASKA -----	27	1	2	1	-	1	2	3	-	3	3	1
WHITE-----MALE----	16	-	1	1	-	1	1	3	-	2	2	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	8	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	190	10	7	1	8	1	6	10	12	10	18	13
WHITE-----MALE----	114	4	4	1	6	1	5	5	7	5	10	12
FEMALE--	35	4	1	-	-	-	-	2	2	1	1	-
ALL OTHER--MALE----	31	2	1	-	2	-	-	3	2	3	5	1
FEMALE--	10	-	1	-	-	-	1	-	1	1	2	-
BLACK---MALE----	4	2	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
ARKANSAS -----	153	3	3	2	3	4	7	8	8	8	14	8
WHITE-----MALE----	87	-	2	-	-	3	5	5	7	1	9	7
FEMALE--	32	1	-	-	2	1	2	1	1	2	-	1
ALL OTHER--MALE----	25	1	-	2	1	-	-	2	-	4	4	-
FEMALE--	9	1	1	-	-	-	-	-	-	1	1	-
BLACK---MALE----	24	1	-	2	1	-	-	2	-	3	4	-
FEMALE--	9	1	1	-	-	-	-	-	-	1	1	-
CALIFORNIA -----	711	27	20	10	12	22	40	46	58	52	64	56
WHITE-----MALE----	457	13	9	5	10	15	33	32	43	38	46	34
FEMALE--	171	9	6	2	-	2	4	7	9	9	12	10
ALL OTHER--MALE----	60	3	4	2	-	4	2	5	5	4	6	11
FEMALE--	23	2	1	1	2	1	1	2	1	1	-	1
BLACK---MALE----	33	3	2	1	-	2	2	2	3	2	3	8
FEMALE--	7	1	-	-	-	1	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 3,016

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA	AUSE BY AREA	RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0		ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906,E908-E909,E913-E921,E927-E929)												
0		UNITED STATES --	483	439	434	452	605	689	734	601	339	127	24	14
		WHITE-----MALE----	334	312	271	302	340	355	370	247	124	36	5	10
		FEMALE--	66	53	78	79	183	241	294	312	181	81	13	2
		ALL OTHER--MALE----	65	59	69	50	52	61	38	21	12	4	-	-
		FEMALE--	18	15	16	21	30	32	21	22	6	6	6	2
		BLACK---MALE----	51	46	56	40	38	58	29	18	11	1	-	-
		FEMALE--	15	13	16	19	28	27	29	18	20	6	5	2
		ALABAMA -----	20	12	13	21	17	21	27	14	11	5	-	-
		WHITE-----MALE----	10	9	7	13	5	8	13	5	5	1	-	-
		FEMALE--	2	1	3	3	6	9	10	6	2	3	-	-
		ALL OTHER--MALE----	6	2	2	3	4	2	3	1	-	1	-	-
		FEMALE--	2	-	1	2	2	2	1	2	4	-	-	-
		BLACK---MALE----	6	2	2	3	4	2	3	1	-	1	-	-
		FEMALE--	2	-	1	2	2	2	1	2	4	-	-	-
		ALASKA -----	2	-	3	-	4	1	-	-	-	-	-	-
		WHITE-----MALE----	1	-	1	-	1	1	-	-	-	-	-	-
		FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
		ALL OTHER--MALE----	-	-	2	-	3	-	-	-	-	-	-	-
		FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
		BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
		FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
		ARIZONA -----	10	8	5	8	11	16	12	10	10	1	-	3
		WHITE-----MALE----	6	5	2	5	3	12	6	6	7	-	-	2
		FEMALE--	-	1	-	2	6	2	6	3	3	-	-	1
		ALL OTHER--MALE----	3	1	3	1	2	1	-	-	-	1	-	-
		FEMALE--	1	1	-	-	-	1	-	1	-	-	-	-
		BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
		FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
		ARKANSAS -----	11	8	6	9	9	10	9	11	7	2	1	2
		WHITE-----MALE----	5	6	3	4	6	8	5	6	4	-	-	1
		FEMALE--	3	2	2	1	1	-	3	3	3	2	1	-
		ALL OTHER--MALE----	2	-	1	3	2	1	1	1	-	-	-	-
		FEMALE--	1	-	-	1	-	1	-	1	-	-	-	1
		BLACK---MALE----	2	-	1	3	2	1	1	1	-	-	-	-
		FEMALE--	1	-	-	1	-	1	-	1	-	-	-	1
		CALIFORNIA -----	47	32	29	22	44	37	35	27	16	8	-	7
		WHITE-----MALE----	38	25	18	14	27	17	19	8	6	1	-	6
		FEMALE--	7	6	8	6	14	16	10	18	9	6	-	1
		ALL OTHER--MALE----	1	1	2	1	2	2	4	-	-	1	-	-
		FEMALE--	1	-	1	1	1	2	2	1	1	-	-	-
		BLACK---MALE----	-	-	1	-	-	2	2	-	-	-	-	-
		FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,017

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906,E908-E909,E913-E921,E927-E929)												
COLORADO -----	130	4	3	-	6	3	4	7	7	14	8	8
WHITE-----MALE----	82	2	1	-	6	1	3	4	5	11	6	4
FEMALE--	40	-	2	-	-	2	-	2	1	2	1	3
ALL OTHER--MALE----	6	1	-	-	-	-	1	1	1	1	-	1
FEMALE--	2	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	1	-	-	-	-	1	1	-	1	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	85	1	6	1	1	2	1	3	2	2	5	4
WHITE-----MALE----	45	-	3	1	-	1	-	2	1	2	4	2
FEMALE--	30	1	1	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	9	-	2	-	1	1	-	-	1	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	9	-	2	-	1	1	-	-	1	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	30	1	-	-	-	1	-	1	4	2	3	2
WHITE-----MALE----	14	-	-	-	-	-	-	1	2	2	1	1
FEMALE--	7	1	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	2	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	2	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	15	-	-	-	-	-	-	1	-	2	1	1
WHITE-----MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	379	24	11	8	6	6	18	22	17	29	25	32
WHITE-----MALE----	245	11	8	4	6	5	10	17	12	20	16	25
FEMALE--	70	5	2	4	-	-	3	-	2	3	3	3
ALL OTHER--MALE----	51	5	1	-	-	1	4	5	2	4	6	4
FEMALE--	13	3	-	-	-	-	1	-	1	2	-	-
BLACK---MALE----	50	4	1	-	-	1	4	5	2	4	6	4
FEMALE--	13	3	-	-	-	-	1	-	1	2	-	-
GEORGIA -----	230	13	10	2	5	12	7	8	11	17	19	20
WHITE-----MALE----	110	3	6	-	3	7	5	4	8	9	8	11
FEMALE--	37	1	-	1	1	-	1	1	1	1	-	2
ALL OTHER--MALE----	62	9	3	1	-	4	1	3	-	7	10	3
FEMALE--	21	-	1	-	1	1	-	-	2	-	1	4
BLACK---MALE----	61	9	3	1	-	4	1	3	-	7	10	3
FEMALE--	20	-	-	-	1	1	-	-	2	-	1	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 3,017

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906,E908-E909,E913-E921,E927-E929)												
COLORADO -----	9	8	7	2	7	10	5	11	6	1	-	-
WHITE-----MALE----	8	7	2	2	5	4	3	6	2	-	-	-
FEMALE--	1	1	5	-	2	6	2	5	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	2	1	4	6	8	18	11	3	1	-	-
WHITE-----MALE----	2	1	1	3	3	3	10	6	-	-	-	-
FEMALE--	-	1	-	1	3	5	8	4	3	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	1	2	3	3	1	2	3	-	-	-	-
WHITE-----MALE----	-	1	2	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	2	-	-	-	3	2	2	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	-	1	-	-	-
BLACK---MALE----	1	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	-	1	-	-	-
FLORIDA -----	15	23	16	19	18	28	20	25	11	5	1	-
WHITE-----MALE----	12	17	11	12	12	16	10	12	5	4	-	-
FEMALE--	-	1	2	4	4	8	7	12	5	1	1	-
ALL OTHER--MALE----	3	5	3	2	2	2	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	1	1	-	-	-
BLACK---MALE----	3	5	3	2	2	2	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	1	1	-	-	-
GEORGIA -----	6	10	16	11	16	14	11	12	8	2	-	-
WHITE-----MALE----	4	6	5	5	9	5	4	4	3	1	-	-
FEMALE--	-	-	5	1	3	4	4	6	4	1	-	-
ALL OTHER--MALE----	2	1	4	4	2	5	2	1	-	-	-	-
FEMALE--	-	3	2	1	2	-	1	1	1	-	-	-
BLACK---MALE----	2	1	4	4	1	5	2	1	-	-	-	-
FEMALE--	-	3	2	1	2	-	1	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,019

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906,E908-E909,E913-E921,E927-E929)												
KENTUCKY -----	194	10	3	4	1	10	7	15	3	10	13	8
WHITE-----MALE----	132	3	3	2	1	8	6	13	3	10	13	7
FEMALE--	46	3	-	-	-	1	1	2	-	-	-	1
ALL OTHER--MALE----	11	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	5	2	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	10	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	2	-	1	-	1	-	-	-	-	-	-
LOUISIANA -----	170	6	2	5	-	6	7	10	6	8	12	7
WHITE-----MALE----	87	1	-	4	-	4	6	5	2	4	3	5
FEMALE--	35	2	2	1	-	-	-	-	1	2	1	-
ALL OTHER--MALE----	38	2	-	-	-	2	1	4	3	2	6	2
FEMALE--	10	1	-	-	-	-	-	1	-	-	2	-
BLACK---MALE----	37	2	-	-	-	2	1	4	2	2	6	2
FEMALE--	9	1	-	-	-	-	-	1	-	-	1	-
MAINE -----	39	-	1	2	-	-	1	-	2	1	1	2
WHITE-----MALE----	23	-	-	1	-	-	1	-	1	1	1	2
FEMALE--	16	-	1	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	142	3	1	2	1	2	1	1	6	6	8	11
WHITE-----MALE----	70	-	1	1	-	2	-	-	5	4	5	6
FEMALE--	39	-	-	1	-	-	1	1	1	-	1	1
ALL OTHER--MALE----	20	1	-	-	-	-	-	-	-	-	2	4
FEMALE--	13	2	-	-	1	-	-	-	-	2	-	-
BLACK---MALE----	20	1	-	-	-	-	-	-	-	-	2	4
FEMALE--	12	1	-	-	1	-	-	-	-	2	-	-
MASSACHUSETTS -----	133	1	1	1	4	4	-	4	4	4	11	7
WHITE-----MALE----	76	-	-	1	2	4	-	3	2	3	10	7
FEMALE--	52	1	-	-	1	-	-	1	2	1	-	-
ALL OTHER--MALE----	3	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
MICHIGAN -----	324	18	4	3	7	9	19	13	21	19	20	15
WHITE-----MALE----	162	2	1	1	5	6	11	10	14	12	13	9
FEMALE--	102	10	-	1	2	2	2	2	2	6	1	2
ALL OTHER--MALE----	40	2	2	1	-	1	6	1	4	-	4	4
FEMALE--	20	4	1	-	-	-	-	-	1	1	2	-
BLACK---MALE----	36	2	1	1	-	1	6	1	4	-	3	4
FEMALE--	20	4	1	-	-	-	-	-	1	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 3,019

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906,E908-E909,E913-E921,E927-E929)												
KENTUCKY -----	12	7	8	11	18	13	19	15	5	1	1	-
WHITE-----MALE----	10	5	6	9	10	8	9	6	-	-	-	-
FEMALE--	1	1	1	2	6	2	9	9	5	1	1	-
ALL OTHER--MALE----	1	1	1	-	2	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	2	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	13	12	13	11	13	8	12	11	6	1	1	-
WHITE-----MALE----	10	10	4	7	5	5	6	6	-	-	-	-
FEMALE--	1	1	3	1	6	2	3	5	4	-	-	-
ALL OTHER--MALE----	2	1	5	2	2	1	1	-	2	-	-	-
FEMALE--	-	-	1	1	-	-	2	-	-	1	1	-
BLACK---MALE----	2	1	5	2	2	1	1	-	2	-	-	-
FEMALE--	-	-	1	1	-	-	2	-	-	1	1	-
MAINE -----	3	1	3	2	5	3	6	3	3	-	-	-
WHITE-----MALE----	2	1	2	-	4	2	2	2	1	-	-	-
FEMALE--	1	-	1	2	1	1	4	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	13	5	6	4	15	24	15	9	7	1	-	1
WHITE-----MALE----	10	3	2	3	5	8	10	2	3	-	-	-
FEMALE--	1	-	2	1	8	8	3	7	2	1	-	-
ALL OTHER--MALE----	2	2	2	-	1	4	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	4	-	-	2	-	-	1
BLACK---MALE----	2	2	2	-	1	4	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	4	-	-	2	-	-	1
MASSACHUSETTS -----	6	2	8	9	3	12	15	20	10	7	-	-
WHITE-----MALE----	2	2	6	7	3	5	8	7	3	1	-	-
FEMALE--	3	-	2	2	-	7	6	13	7	6	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	15	21	16	16	20	23	21	19	17	8	-	-
WHITE-----MALE----	7	11	10	6	10	8	12	6	5	3	-	-
FEMALE--	5	3	3	3	8	15	7	13	11	4	-	-
ALL OTHER--MALE----	3	5	2	2	1	-	1	-	1	-	-	-
FEMALE--	-	2	1	5	1	-	1	-	-	1	-	-
BLACK---MALE----	3	3	2	2	1	-	1	-	1	-	-	-
FEMALE--	-	2	1	5	1	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,022

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906,E908-E909,E913-E921,E927-E929)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	413	19	8	7	5	14	10	13	11	30	29	18
WHITE-----MALE----	242	4	1	1	4	12	7	10	10	18	19	13
FEMALE--	120	5	4	3	1	2	1	1	1	8	8	2
ALL OTHER--MALE----	36	7	2	3	-	-	-	2	-	4	1	3
FEMALE--	15	3	1	-	-	-	2	-	-	-	1	-
BLACK---MALE----	35	7	2	2	-	-	-	2	-	4	1	3
FEMALE--	13	3	1	-	-	-	2	-	-	-	-	-
OKLAHOMA -----	127	4	7	-	1	5	4	5	3	10	10	4
WHITE-----MALE----	80	3	3	-	1	4	3	5	2	6	5	4
FEMALE--	32	1	2	-	-	1	-	-	1	3	3	-
ALL OTHER--MALE----	11	-	2	-	-	-	1	-	-	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	2	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
OREGON -----	110	6	4	-	1	4	7	1	5	6	11	13
WHITE-----MALE----	72	3	2	-	1	3	4	1	4	5	8	10
FEMALE--	33	2	1	-	-	-	1	-	1	1	3	3
ALL OTHER--MALE----	4	-	1	-	-	1	2	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	465	8	6	7	7	10	12	10	15	20	26	30
WHITE-----MALE----	282	2	5	5	5	7	9	7	12	16	21	19
FEMALE--	138	-	1	2	-	1	2	-	2	3	2	7
ALL OTHER--MALE----	31	3	-	-	2	1	1	3	1	1	3	3
FEMALE--	14	3	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	31	3	-	-	2	1	1	3	1	1	3	3
FEMALE--	14	3	-	-	-	1	-	-	-	-	-	1
RHODE ISLAND -----	23	-	-	-	-	1	-	-	-	1	1	3
WHITE-----MALE----	14	-	-	-	-	1	-	-	-	1	-	2
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	138	12	1	1	3	6	8	4	7	7	9	11
WHITE-----MALE----	70	3	-	1	2	4	4	3	4	5	5	6
FEMALE--	16	2	-	-	-	1	-	-	1	-	2	2
ALL OTHER--MALE----	34	5	-	-	1	1	3	1	1	1	2	3
FEMALE--	18	2	1	-	-	-	1	-	1	1	-	-
BLACK---MALE----	33	5	-	-	1	1	3	1	1	1	2	3
FEMALE--	18	2	1	-	-	-	1	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 3,022

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906, E908-E909, E913-E921, E927-E929)												
OHIO -----	20	21	19	20	30	43	36	34	19	6	1	-
WHITE-----MALE----	13	16	14	17	20	24	18	13	6	1	1	-
FEMALE--	4	1	1	1	7	14	18	20	13	5	-	-
ALL OTHER--MALE----	1	4	3	2	2	2	-	-	-	-	-	-
FEMALE--	2	-	1	-	1	3	-	1	-	-	-	-
BLACK---MALE----	1	4	3	2	2	2	-	-	-	-	-	-
FEMALE--	2	-	1	-	1	2	-	1	-	-	-	-
OKLAHOMA -----	7	8	9	6	7	6	9	10	6	4	2	-
WHITE-----MALE----	5	8	8	3	3	5	4	6	1	1	-	-
FEMALE--	1	-	-	1	3	1	3	4	4	3	1	-
ALL OTHER--MALE----	1	-	1	1	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
OREGON -----	4	5	3	6	5	8	10	6	1	3	1	-
WHITE-----MALE----	4	3	3	5	2	6	4	2	1	1	-	-
FEMALE--	-	2	-	1	3	2	6	4	-	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	21	22	18	23	36	53	65	48	21	5	2	-
WHITE-----MALE----	17	14	15	17	19	26	36	20	9	1	-	-
FEMALE--	3	4	2	5	13	21	29	26	10	4	1	-
ALL OTHER--MALE----	1	3	1	1	1	4	-	1	1	-	-	-
FEMALE--	-	1	-	-	3	2	-	1	1	-	1	-
BLACK---MALE----	1	3	1	1	1	4	-	1	1	-	-	-
FEMALE--	-	1	-	-	3	2	-	1	1	-	1	-
RHODE ISLAND -----	2	-	1	-	2	3	4	2	2	1	-	-
WHITE-----MALE----	2	-	1	-	-	2	3	1	1	-	-	-
FEMALE--	-	-	-	-	2	1	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	9	8	10	7	8	10	9	3	3	2	-	-
WHITE-----MALE----	3	5	3	5	5	4	3	2	1	2	-	-
FEMALE--	-	-	1	-	2	2	3	-	-	-	-	-
ALL OTHER--MALE----	5	2	3	2	-	2	1	1	-	-	-	-
FEMALE--	1	1	3	-	1	2	2	-	2	-	-	-
BLACK---MALE----	5	2	3	1	-	2	1	1	-	-	-	-
FEMALE--	1	1	3	-	1	2	2	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,023

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906,E908-E909,E913-E921,E927-E929)												
SOUTH DAKOTA -----	35	2	1	2	1	1	-	4	-	3	2	4
WHITE-----MALE----	18	-	1	1	-	-	-	1	-	2	2	2
FEMALE--	5	1	-	1	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	10	1	-	-	-	1	-	2	-	-	-	2
FEMALE--	2	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	248	7	3	4	4	7	6	8	8	19	13	20
WHITE-----MALE----	149	3	2	2	2	5	5	6	6	13	8	13
FEMALE--	64	2	1	2	2	-	1	1	-	3	2	5
ALL OTHER--MALE----	29	-	-	-	-	2	-	1	1	3	3	2
FEMALE--	6	2	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	29	-	-	-	-	2	-	1	1	3	3	2
FEMALE--	6	2	-	-	-	-	-	-	1	-	-	-
TEXAS -----	599	39	11	13	18	35	31	31	19	37	40	32
WHITE-----MALE----	370	16	7	5	11	23	26	23	13	22	24	25
FEMALE--	147	11	3	4	6	9	1	4	3	10	10	3
ALL OTHER--MALE----	47	6	-	1	-	3	3	3	1	5	5	3
FEMALE--	35	6	1	3	1	-	1	1	2	-	1	1
BLACK---MALE----	44	6	-	1	-	3	3	3	1	4	5	2
FEMALE--	35	6	1	3	1	-	1	1	2	-	1	1
UTAH -----	74	7	3	1	3	2	6	2	4	3	7	4
WHITE-----MALE----	52	4	3	1	2	1	4	1	4	3	4	3
FEMALE--	17	2	-	-	1	1	1	1	-	-	1	1
ALL OTHER--MALE----	4	1	-	-	-	-	1	-	-	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	25	-	1	-	1	2	1	-	-	1	1	2
WHITE-----MALE----	16	-	-	-	-	2	1	-	-	1	1	1
FEMALE--	8	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	252	6	7	1	2	7	13	8	8	14	13	11
WHITE-----MALE----	120	2	2	1	1	4	10	4	4	8	10	4
FEMALE--	66	2	2	-	1	1	-	1	2	3	2	2
ALL OTHER--MALE----	47	2	1	-	-	2	3	3	1	3	1	3
FEMALE--	19	-	2	-	-	-	-	-	1	-	-	2
BLACK---MALE----	47	2	1	-	-	2	3	3	1	3	1	3
FEMALE--	18	-	2	-	-	-	-	-	1	-	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 3,023

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906,E908-E909,E913-E921,E927-E929)												
SOUTH DAKOTA -----	3	3	3	1	2	1	1	1	-	-	-	-
WHITE-----MALE----	3	1	1	1	2	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	2	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	10	12	23	16	15	20	19	24	7	-	3	-
WHITE-----MALE----	7	9	17	11	9	8	9	10	3	-	1	-
FEMALE--	1	2	3	3	3	9	8	12	3	-	1	-
ALL OTHER--MALE----	2	1	3	2	3	3	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	1	-
BLACK---MALE----	2	1	3	2	3	3	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	1	-
TEXAS -----	36	26	33	36	32	39	40	18	24	9	-	-
WHITE-----MALE----	31	18	19	27	21	25	18	7	6	3	-	-
FEMALE--	3	4	6	5	9	8	19	10	15	4	-	-
ALL OTHER--MALE----	2	1	6	1	1	3	2	1	-	-	-	-
FEMALE--	-	3	2	3	1	3	1	-	3	2	-	-
BLACK---MALE----	2	1	6	1	1	3	2	-	-	-	-	-
FEMALE--	-	3	2	3	1	3	1	-	3	2	-	-
UTAH -----	2	-	2	6	8	3	5	2	2	2	-	-
WHITE-----MALE----	2	-	1	5	6	3	4	-	-	1	-	-
FEMALE--	-	-	1	1	1	-	1	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	3	2	2	3	3	1	-	1	1	-	-
WHITE-----MALE----	-	3	1	2	2	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	11	16	13	14	22	23	24	26	7	5	1	-
WHITE-----MALE----	4	7	10	8	9	10	10	9	1	2	-	-
FEMALE--	2	4	1	4	6	5	9	11	5	3	-	-
ALL OTHER--MALE----	4	5	2	1	3	7	2	4	-	-	-	-
FEMALE--	1	-	-	1	4	1	3	2	1	-	1	-
BLACK---MALE----	4	5	2	1	3	7	2	4	-	-	-	-
FEMALE--	1	-	-	1	4	1	3	1	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,026
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DRUGS, MEDICAMENTS, AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE (E930-E949)												
COLORADO -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	13	-	-	-	-	1	-	-	-	-	-	3
WHITE-----MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	11	1	-	1	1	1	-	-	1	1	-	-
WHITE-----MALE----	4	1	-	1	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 3,026
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DRUGS, MEDICAMENTS, AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE (E930-E949)												
COLORADO -----	-	2	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	1	2	2	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	2	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	1	1	-	1	-	-	1	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 3,027

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 DRUGS, MEDICAMENTS, AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE (E930-E949)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1	-	-	2	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA -----	1	-	-	2	5	1	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	2	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	1	-	-	-	-	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,028

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DRUGS, MEDICAMENTS, AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE (E930-E949)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	3	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	7	-	-	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	1	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	10	-	-	-	-	-	-	-	-	1	2	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	4	-	-	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	12	-	-	-	-	-	-	2	1	-	2	-
WHITE-----MALE----	7	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,032
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DRUGS, MEDICAMENTS, AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE (E930-E949)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	-	-	-	-	1	-	-	-	2	1	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
TEXAS -----	21	-	-	-	-	-	2	1	1	1	-	3
WHITE-----MALE----	8	-	-	-	-	-	1	1	1	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	1	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	12	-	-	-	-	-	-	1	3	1	4	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	1	-	3	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	2	1	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	2	1	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,034
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	30,535	4	303	1,802	2,384	2,709	2,963	3,407	3,323	2,801
WHITE-----MALE----	22,042	2	192	1,252	1,689	1,923	2,103	2,393	2,327	1,968
FEMALE--	5,471	1	60	257	258	383	478	673	716	629
ALL OTHER--MALE----	2,450	1	38	238	380	340	318	280	223	148
FEMALE--	572	-	13	55	57	63	64	61	57	56
BLACK---MALE----	1,764	-	28	171	276	243	249	201	172	104
FEMALE--	339	-	12	40	26	35	40	44	36	34
ALABAMA -----	512	-	4	25	36	47	47	51	56	43
WHITE-----MALE----	344	-	3	16	18	28	22	32	40	30
FEMALE--	92	-	1	3	6	6	13	15	8	8
ALL OTHER--MALE----	59	-	-	5	10	9	11	4	6	5
FEMALE--	17	-	-	1	2	4	1	-	2	-
BLACK---MALE----	59	-	-	5	10	9	11	4	6	5
FEMALE--	17	-	-	1	2	4	1	-	2	-
ALASKA -----	128	1	2	12	8	13	20	20	18	10
WHITE-----MALE----	62	-	2	2	3	6	11	10	7	7
FEMALE--	21	-	-	-	-	-	1	5	6	3
ALL OTHER--MALE----	39	1	-	10	4	5	7	4	4	-
FEMALE--	6	-	-	-	1	2	1	1	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	1	-
ARIZONA -----	757	-	5	64	66	76	65	72	93	59
WHITE-----MALE----	560	-	2	45	45	53	49	53	69	43
FEMALE--	127	-	1	8	8	13	8	13	17	10
ALL OTHER--MALE----	57	-	1	8	11	8	8	5	5	6
FEMALE--	13	-	1	3	2	2	-	1	2	-
BLACK---MALE----	15	-	-	1	4	1	3	1	1	2
FEMALE--	4	-	-	2	-	1	-	1	-	-
ARKANSAS -----	356	-	2	23	29	31	35	48	39	39
WHITE-----MALE----	262	-	2	16	22	24	28	36	28	24
FEMALE--	65	-	-	4	4	4	4	10	7	11
ALL OTHER--MALE----	26	-	-	3	3	3	2	2	4	4
FEMALE--	3	-	-	-	-	-	1	-	-	-
BLACK---MALE----	25	-	-	2	3	3	2	2	4	4
FEMALE--	2	-	-	-	-	-	1	-	-	-
CALIFORNIA -----	3,430	-	25	155	244	307	299	360	383	324
WHITE-----MALE----	2,334	-	12	105	169	203	209	243	258	217
FEMALE--	659	-	8	24	18	46	47	68	90	77
ALL OTHER--MALE----	322	-	4	16	50	42	34	38	28	18
FEMALE--	115	-	1	10	7	16	9	11	7	12
BLACK---MALE----	122	-	3	7	20	12	19	15	12	5
FEMALE--	28	-	1	3	1	4	3	6	3	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 3,034
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUICIDE (E950-E959)												
UNITED STATES --	2,147	1,702	1,244	1,291	1,372	1,303	957	561	202	36	6	18
WHITE-----MALE----	1,487	1,224	942	993	1,064	1,048	775	449	164	31	4	12
FEMALE--	531	358	215	209	233	204	142	86	32	4	1	1
ALL OTHER--MALE----	94	97	68	71	55	41	31	18	5	-	-	4
FEMALE--	35	23	19	18	20	10	9	8	1	1	1	1
BLACK---MALE----	60	62	45	48	41	27	18	12	3	-	-	4
FEMALE--	20	12	12	9	9	4	3	-	-	1	1	1
ALABAMA -----	41	30	25	19	25	30	21	9	3	-	-	-
WHITE-----MALE----	29	25	16	16	19	25	15	8	2	-	-	-
FEMALE--	7	4	5	3	5	4	2	1	1	-	-	-
ALL OTHER--MALE----	4	1	1	-	-	-	3	-	-	-	-	-
FEMALE--	1	-	3	-	1	1	1	-	-	-	-	-
BLACK---MALE----	4	1	1	-	-	-	3	-	-	-	-	-
FEMALE--	1	-	3	-	1	1	1	-	-	-	-	-
ALASKA -----	5	8	4	1	3	1	1	-	1	-	-	-
WHITE-----MALE----	3	3	3	-	2	1	1	-	1	-	-	-
FEMALE--	2	3	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	49	26	27	26	42	37	29	16	4	-	-	1
WHITE-----MALE----	35	18	24	22	35	29	22	13	2	-	-	1
FEMALE--	11	8	2	3	6	7	7	3	2	-	-	-
ALL OTHER--MALE----	2	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	18	21	13	12	9	17	8	11	1	-	-	-
WHITE-----MALE----	12	18	8	9	7	12	6	9	1	-	-	-
FEMALE--	6	2	4	2	2	3	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	1	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CALIFORNIA -----	267	191	141	143	184	177	99	85	31	12	1	2
WHITE-----MALE----	175	111	101	101	129	124	76	62	25	11	1	2
FEMALE--	71	55	24	22	35	39	17	12	5	1	-	-
ALL OTHER--MALE----	16	18	13	14	12	8	3	7	1	-	-	-
FEMALE--	5	7	3	6	8	6	3	4	-	-	-	-
BLACK---MALE----	5	5	3	6	4	3	-	2	1	-	-	-
FEMALE--	1	1	1	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,035

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SUICIDE (E950-E959)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	611	-	10	41	46	71	59	62	75	61
WHITE-----MALE----	469	-	8	31	37	59	41	52	50	48
FEMALE--	118	-	1	8	5	7	14	9	23	11
ALL OTHER--MALE----	19	-	1	2	2	5	3	1	1	2
FEMALE--	5	-	-	-	2	-	1	-	1	-
BLACK---MALE----	11	-	-	1	1	4	2	1	-	1
FEMALE--	2	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	259	-	5	9	13	21	31	28	35	23
WHITE-----MALE----	191	-	3	6	9	13	29	20	23	17
FEMALE--	46	-	-	2	2	4	1	8	7	4
ALL OTHER--MALE----	17	-	2	1	-	4	1	-	5	1
FEMALE--	5	-	-	-	2	-	-	-	-	1
BLACK---MALE----	16	-	2	1	-	4	1	-	5	-
FEMALE--	3	-	-	-	-	-	-	-	-	1
DELAWARE -----	87	-	2	6	4	6	8	13	8	7
WHITE-----MALE----	66	-	1	3	3	3	8	12	8	5
FEMALE--	13	-	-	-	1	1	-	-	-	2
ALL OTHER--MALE----	7	-	1	3	-	2	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	1	3	-	2	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	35	-	-	6	4	2	6	1	4	1
WHITE-----MALE----	7	-	-	1	2	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	2	1
ALL OTHER--MALE----	19	-	-	4	2	2	4	-	1	-
FEMALE--	3	-	-	1	-	-	-	1	1	-
BLACK---MALE----	17	-	-	4	2	2	2	-	1	-
FEMALE--	3	-	-	1	-	-	-	1	1	-
FLORIDA -----	2,098	-	16	69	112	155	175	203	212	218
WHITE-----MALE----	1,527	-	9	44	70	112	121	139	155	148
FEMALE--	431	-	2	14	29	24	31	50	46	56
ALL OTHER--MALE----	114	-	2	8	10	17	20	12	9	11
FEMALE--	26	-	3	3	3	2	3	2	2	3
BLACK---MALE----	105	-	1	8	7	15	19	12	9	10
FEMALE--	19	-	3	3	1	2	2	2	1	1
GEORGIA -----	903	-	7	48	65	74	90	117	107	88
WHITE-----MALE----	604	-	5	24	42	36	59	71	75	63
FEMALE--	154	-	2	7	6	15	14	22	17	16
ALL OTHER--MALE----	117	-	-	14	16	18	13	20	11	7
FEMALE--	28	-	-	3	1	5	4	4	4	2
BLACK---MALE----	111	-	-	13	14	17	13	19	11	6
FEMALE--	25	-	-	2	1	5	4	4	4	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 3,035

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SUICIDE (E950-E959)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	46	35	17	20	24	15	15	7	7	-	-	-
WHITE-----MALE----	32	27	11	17	19	13	11	7	6	-	-	-
FEMALE--	14	7	5	3	5	2	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	22	9	14	9	14	8	11	6	-	-	1	-
WHITE-----MALE----	15	6	11	8	9	8	8	6	-	-	-	-
FEMALE--	6	1	3	1	4	-	3	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	10	3	5	4	3	4	2	2	-	-	-	-
WHITE-----MALE----	7	2	3	3	3	2	2	1	-	-	-	-
FEMALE--	2	1	2	1	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	3	3	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	152	116	99	112	119	141	105	60	22	5	1	6
WHITE-----MALE----	112	85	77	97	85	110	89	45	20	4	1	4
FEMALE--	39	24	14	13	29	29	14	13	2	1	-	1
ALL OTHER--MALE----	-	5	8	2	4	2	2	1	-	-	-	1
FEMALE--	1	2	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	5	7	2	4	2	2	1	-	-	-	1
FEMALE--	1	2	-	-	1	-	-	-	-	-	-	-
GEORGIA -----	66	52	36	47	34	35	22	14	1	-	-	-
WHITE-----MALE----	47	39	28	35	25	29	14	11	1	-	-	-
FEMALE--	16	10	6	6	3	6	6	2	-	-	-	-
ALL OTHER--MALE----	1	3	2	6	4	-	1	1	-	-	-	-
FEMALE--	2	-	-	-	2	-	1	-	-	-	-	-
BLACK---MALE----	1	3	2	6	4	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,036

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA	AUSE BY AREA	RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII	-----	-----	138	-	2	4	8	14	14	22	12	16
	WHITE	-----MALE	48	-	-	1	1	2	4	8	6	6
		FEMALE	16	-	-	1	2	1	2	2	2	3
	ALL OTHER	-----MALE	62	-	2	3	5	9	7	11	3	7
		FEMALE	12	-	-	1	1	2	1	1	1	-
	BLACK	-----MALE	-	-	-	-	-	-	-	-	-	-
		FEMALE	1	-	-	-	-	-	-	-	-	-
IDAHO	-----	-----	209	-	6	22	15	18	16	20	24	23
	WHITE	-----MALE	176	-	5	19	14	13	12	18	20	21
		FEMALE	27	-	1	2	-	2	3	2	4	2
	ALL OTHER	-----MALE	5	-	-	1	1	2	1	-	-	-
		FEMALE	1	-	-	-	1	-	-	-	-	-
	BLACK	-----MALE	-	-	-	-	-	-	-	-	-	-
		FEMALE	-	-	-	-	-	-	-	-	-	-
ILLINOIS	-----	-----	901	-	10	54	83	79	93	93	93	92
	WHITE	-----MALE	637	-	8	37	56	59	58	67	68	57
		FEMALE	143	-	1	5	9	9	18	15	16	17
	ALL OTHER	-----MALE	104	-	1	12	17	9	16	8	9	14
		FEMALE	17	-	-	-	1	2	1	3	-	4
	BLACK	-----MALE	96	-	1	12	14	9	15	8	9	12
		FEMALE	13	-	-	-	-	2	1	2	-	4
INDIANA	-----	-----	729	-	6	32	72	79	78	92	70	58
	WHITE	-----MALE	563	-	4	25	56	58	61	66	50	47
		FEMALE	118	-	2	4	9	8	13	20	17	6
	ALL OTHER	-----MALE	39	-	-	3	7	12	4	4	3	3
		FEMALE	9	-	-	-	1	-	2	-	-	2
	BLACK	-----MALE	35	-	-	3	6	11	3	4	3	2
		FEMALE	8	-	-	-	1	-	1	-	-	2
IOWA	-----	-----	345	-	-	29	39	36	32	38	36	20
	WHITE	-----MALE	273	-	-	22	34	25	27	27	24	18
		FEMALE	59	-	-	5	5	7	2	9	11	2
	ALL OTHER	-----MALE	10	-	-	1	-	3	3	1	1	-
		FEMALE	3	-	-	1	-	1	-	1	-	-
	BLACK	-----MALE	6	-	-	-	2	2	-	-	1	-
		FEMALE	1	-	-	-	-	-	1	-	-	-
KANSAS	-----	-----	320	-	8	24	26	32	36	38	33	23
	WHITE	-----MALE	250	-	7	19	17	27	28	23	27	17
		FEMALE	54	-	1	3	3	2	7	14	5	6
	ALL OTHER	-----MALE	15	-	-	2	6	2	1	1	1	-
		FEMALE	1	-	-	-	-	1	-	-	-	-
	BLACK	-----MALE	11	-	-	2	4	2	1	-	1	-
		FEMALE	1	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,037
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SUICIDE (E950-E959)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	488	1	3	24	31	43	52	55	55	42
WHITE-----MALE----	397	1	3	22	26	37	42	45	37	29
FEMALE--	75	-	-	1	3	2	7	9	18	10
ALL OTHER--MALE----	10	-	-	1	1	3	3	1	-	-
FEMALE--	6	-	-	-	1	1	-	-	-	3
BLACK---MALE----	10	-	-	1	1	3	3	1	-	-
FEMALE--	4	-	-	-	1	-	-	-	-	2
LOUISIANA -----	528	-	4	50	60	50	44	51	54	35
WHITE-----MALE----	331	-	-	30	32	28	30	31	30	24
FEMALE--	106	-	1	5	9	8	7	11	17	9
ALL OTHER--MALE----	77	-	3	12	17	13	6	8	6	2
FEMALE--	14	-	-	3	2	1	1	1	1	-
BLACK---MALE----	74	-	3	11	17	12	6	8	6	2
FEMALE--	13	-	-	3	1	1	1	1	1	-
MAINE -----	137	-	2	14	6	9	12	12	9	12
WHITE-----MALE----	108	-	2	11	5	7	10	11	8	9
FEMALE--	27	-	-	3	1	2	2	1	1	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	519	-	2	23	49	30	53	67	62	59
WHITE-----MALE----	345	-	1	15	29	22	34	45	42	34
FEMALE--	86	-	-	3	6	3	8	10	8	14
ALL OTHER--MALE----	77	-	-	4	12	5	10	11	11	8
FEMALE--	11	-	1	1	2	-	1	1	1	3
BLACK---MALE----	70	-	-	4	10	4	9	9	11	8
FEMALE--	11	-	1	1	2	-	1	1	1	3
MASSACHUSETTS -----	492	-	2	26	37	33	64	64	55	49
WHITE-----MALE----	371	-	1	21	27	25	45	48	35	39
FEMALE--	91	-	-	3	5	5	14	13	18	9
ALL OTHER--MALE----	22	-	1	2	3	3	4	2	1	1
FEMALE--	8	-	-	-	2	-	1	1	1	-
BLACK---MALE----	18	-	1	2	2	2	4	1	1	1
FEMALE--	2	-	-	-	1	-	-	1	-	-
MICHIGAN -----	1,010	-	11	76	83	70	96	132	106	74
WHITE-----MALE----	738	-	10	56	56	55	68	103	76	51
FEMALE--	167	-	-	6	9	7	10	19	20	18
ALL OTHER--MALE----	90	-	1	12	18	8	16	7	8	4
FEMALE--	15	-	-	2	-	-	2	3	2	1
BLACK---MALE----	76	-	-	9	15	8	13	6	8	4
FEMALE--	11	-	-	2	-	-	-	2	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 3,037
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SUICIDE (E950-E959)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	29	31	26	29	12	23	22	7	3	-	-	-
WHITE-----MALE----	23	25	22	23	11	23	19	6	3	-	-	-
FEMALE--	6	5	3	6	1	-	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	29	38	15	23	23	23	21	6	1	1	-	-
WHITE-----MALE----	18	25	12	16	18	15	16	4	1	1	-	-
FEMALE--	7	12	1	3	5	4	5	2	-	-	-	-
ALL OTHER--MALE----	3	-	1	4	-	2	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	2	-	-	-	-	-	-
BLACK---MALE----	2	-	1	4	-	2	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	2	-	-	-	-	-	-
MAINE -----	8	12	8	12	9	5	5	2	-	-	-	-
WHITE-----MALE----	5	8	7	11	5	4	3	2	-	-	-	-
FEMALE--	2	4	1	1	3	1	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	36	29	16	23	21	16	18	10	2	1	-	2
WHITE-----MALE----	26	17	14	17	13	12	15	7	1	1	-	-
FEMALE--	6	6	1	5	7	3	3	2	1	-	-	-
ALL OTHER--MALE----	4	6	1	1	1	1	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	5	1	1	1	1	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	1
MASSACHUSETTS -----	32	26	19	19	22	17	17	6	4	-	-	-
WHITE-----MALE----	26	19	14	15	20	13	14	5	4	-	-	-
FEMALE--	5	6	4	2	2	4	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	64	58	35	45	57	51	27	13	10	-	1	1
WHITE-----MALE----	44	40	20	32	45	42	21	11	7	-	1	-
FEMALE--	18	12	13	9	9	9	4	1	3	-	-	-
ALL OTHER--MALE----	1	6	1	3	2	-	2	-	-	-	-	1
FEMALE--	1	-	1	1	1	-	-	1	-	-	-	-
BLACK---MALE----	1	5	1	3	1	-	1	-	-	-	-	1
FEMALE--	1	-	1	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,038
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SUICIDE (E950-E959)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	472	-	7	36	34	41	38	62	64	40
WHITE-----MALE----	372	-	5	27	25	33	31	46	52	31
FEMALE--	73	-	2	6	4	5	3	13	11	5
ALL OTHER--MALE----	26	-	-	3	5	3	4	3	1	3
FEMALE--	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	1	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	339	-	5	28	24	29	31	43	34	33
WHITE-----MALE----	228	-	2	15	14	14	20	23	28	24
FEMALE--	50	-	1	1	3	9	3	9	4	4
ALL OTHER--MALE----	51	-	1	10	7	6	4	10	2	4
FEMALE--	10	-	1	2	-	-	4	1	-	1
BLACK---MALE----	47	-	1	9	7	5	4	8	2	4
FEMALE--	10	-	1	2	-	-	4	1	-	1
MISSOURI -----	710	-	8	45	45	59	99	94	58	43
WHITE-----MALE----	556	-	4	36	36	41	79	68	48	29
FEMALE--	116	-	3	5	7	11	13	19	7	12
ALL OTHER--MALE----	32	-	-	4	2	7	6	6	1	1
FEMALE--	6	-	1	-	-	-	1	1	2	1
BLACK---MALE----	32	-	-	4	2	7	6	6	1	1
FEMALE--	5	-	1	-	-	-	-	1	2	1
MONTANA -----	183	-	-	13	14	17	15	24	20	9
WHITE-----MALE----	143	-	-	10	10	15	11	20	13	7
FEMALE--	32	-	-	2	4	-	3	3	6	2
ALL OTHER--MALE----	4	-	-	-	-	2	1	-	-	-
FEMALE--	4	-	-	1	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	176	-	3	13	15	14	18	19	19	15
WHITE-----MALE----	133	-	2	11	11	13	14	7	13	8
FEMALE--	39	-	1	2	3	1	3	10	6	7
ALL OTHER--MALE----	3	-	-	-	1	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-
NEVADA -----	411	-	3	12	23	30	43	48	50	39
WHITE-----MALE----	302	-	2	10	15	23	32	35	29	28
FEMALE--	78	-	1	1	2	4	6	11	19	9
ALL OTHER--MALE----	28	-	-	1	4	3	5	2	1	2
FEMALE--	3	-	-	-	2	-	-	-	1	-
BLACK---MALE----	18	-	-	1	2	3	4	1	1	2
FEMALE--	1	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,040
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SUICIDE (E950-E959)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	1,126	-	18	60	98	99	128	121	123	95
WHITE-----MALE----	833	-	12	46	71	76	89	92	84	72
FEMALE--	199	-	3	9	8	15	23	22	24	19
ALL OTHER--MALE----	78	-	2	4	18	8	16	5	11	2
FEMALE--	16	-	1	1	1	-	-	2	4	2
BLACK---MALE----	77	-	2	4	18	8	16	5	10	2
FEMALE--	14	-	1	1	1	-	-	2	3	2
OKLAHOMA -----	497	-	4	37	40	51	47	54	61	41
WHITE-----MALE----	369	-	3	27	32	39	33	42	43	32
FEMALE--	87	-	1	4	3	4	9	9	14	9
ALL OTHER--MALE----	30	-	-	5	4	6	4	3	2	-
FEMALE--	11	-	-	1	1	2	1	-	2	-
BLACK---MALE----	12	-	-	2	2	3	2	1	-	-
FEMALE--	5	-	-	1	1	1	1	-	1	-
OREGON -----	534	-	7	23	36	48	37	49	57	66
WHITE-----MALE----	408	-	4	16	29	40	28	36	44	48
FEMALE--	108	-	3	5	5	7	6	10	10	17
ALL OTHER--MALE----	12	-	-	-	2	-	2	3	2	1
FEMALE--	6	-	-	2	-	1	1	-	1	-
BLACK---MALE----	5	-	-	-	1	-	1	2	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	1,412	-	11	67	102	131	135	177	162	135
WHITE-----MALE----	1,073	-	8	46	78	98	109	136	123	103
FEMALE--	233	-	3	13	7	19	18	28	25	24
ALL OTHER--MALE----	89	-	-	5	14	13	7	11	10	7
FEMALE--	17	-	-	3	3	1	1	2	4	1
BLACK---MALE----	78	-	-	4	14	10	6	10	8	7
FEMALE--	13	-	-	3	2	1	1	1	3	1
RHODE ISLAND -----	72	-	-	3	11	8	9	7	5	4
WHITE-----MALE----	58	-	-	3	7	7	8	6	2	4
FEMALE--	10	-	-	-	4	-	-	1	2	-
ALL OTHER--MALE----	4	-	-	-	-	1	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	432	-	4	18	41	42	42	44	43	45
WHITE-----MALE----	278	-	2	9	29	25	23	24	24	32
FEMALE--	84	-	1	2	5	8	7	11	10	11
ALL OTHER--MALE----	60	-	1	5	5	8	11	8	8	1
FEMALE--	10	-	-	2	2	1	1	1	1	1
BLACK---MALE----	59	-	1	5	5	8	11	7	8	1
FEMALE--	10	-	-	2	2	1	1	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,041
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SUICIDE (E950-E959)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	127	-	2	17	14	9	9	16	9	8
WHITE-----MALE----	92	-	1	9	8	5	5	10	6	8
FEMALE--	13	-	1	1	1	1	1	4	2	-
ALL OTHER--MALE----	21	-	-	7	5	3	2	2	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	729	1	7	43	44	57	74	99	75	66
WHITE-----MALE----	510	-	4	33	23	41	48	70	50	41
FEMALE--	139	1	1	5	5	8	10	21	22	23
ALL OTHER--MALE----	63	-	2	4	14	7	11	7	2	-
FEMALE--	17	-	-	1	2	1	5	1	1	2
BLACK---MALE----	59	-	2	4	14	7	11	7	2	-
FEMALE--	15	-	-	1	1	1	5	1	1	1
TEXAS -----	2,146	-	18	184	164	206	211	238	252	201
WHITE-----MALE----	1,576	-	11	132	136	154	153	160	170	144
FEMALE--	401	-	7	30	7	27	40	53	65	49
ALL OTHER--MALE----	132	-	-	14	18	21	13	19	15	5
FEMALE--	37	-	-	8	3	4	5	6	2	3
BLACK---MALE----	108	-	-	13	13	19	12	16	12	2
FEMALE--	27	-	-	8	1	2	3	5	2	2
UTAH -----	301	-	7	42	29	29	39	30	24	22
WHITE-----MALE----	229	-	4	33	26	23	31	19	16	16
FEMALE--	62	-	1	7	-	5	8	11	7	5
ALL OTHER--MALE----	8	-	2	2	2	1	-	-	-	1
FEMALE--	2	-	-	-	1	-	-	-	1	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
VERMONT -----	73	-	2	1	5	7	8	7	15	7
WHITE-----MALE----	57	-	1	-	5	6	5	7	11	5
FEMALE--	16	-	1	1	-	1	3	-	4	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	762	1	10	50	66	46	75	82	73	85
WHITE-----MALE----	532	1	6	34	43	30	51	58	50	60
FEMALE--	130	-	1	6	5	6	11	13	17	17
ALL OTHER--MALE----	86	-	1	9	17	9	11	10	6	3
FEMALE--	14	-	2	1	1	1	2	1	-	5
BLACK---MALE----	79	-	1	9	14	8	11	10	6	3
FEMALE--	12	-	2	1	1	-	1	1	-	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,043

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)												
0 UNITED STATES --	3,108	-	13	53	130	221	310	457	486	469
WHITE-----MALE----	1,387	-	2	13	69	107	157	220	225	209
FEMALE--	1,470	-	10	29	44	83	121	200	222	228
ALL OTHER--MALE----	111	-	-	3	9	15	16	15	14	16
FEMALE--	140	-	1	8	8	16	16	22	25	16
BLACK---MALE----	80	-	-	2	7	9	11	12	12	11
FEMALE--	86	-	1	6	2	6	9	20	16	10
ALABAMA -----	28	-	-	-	3	2	3	7	6	1
WHITE-----MALE----	10	-	-	-	1	1	-	2	2	-
FEMALE--	14	-	-	-	1	1	1	5	4	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	1
FEMALE--	2	-	-	-	1	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	1
FEMALE--	2	-	-	-	1	-	1	-	-	-
ALASKA -----	11	-	-	-	-	1	1	1	3	1
WHITE-----MALE----	2	-	-	-	-	-	1	-	-	1
FEMALE--	7	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-
ARIZONA -----	72	-	-	-	4	4	7	10	7	6
WHITE-----MALE----	34	-	-	-	3	2	3	6	3	4
FEMALE--	33	-	-	-	1	1	3	3	4	2
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	1	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-
ARKANSAS -----	27	-	-	-	1	3	2	7	4	5
WHITE-----MALE----	13	-	-	-	-	3	2	3	1	2
FEMALE--	12	-	-	-	1	-	-	4	2	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	479	-	3	3	19	32	45	67	66	64
WHITE-----MALE----	225	-	1	-	9	15	20	40	31	30
FEMALE--	214	-	2	2	5	10	18	25	29	31
ALL OTHER--MALE----	18	-	-	-	3	3	4	-	2	-
FEMALE--	22	-	-	1	2	4	3	2	4	3
BLACK---MALE----	8	-	-	-	3	-	2	-	1	-
FEMALE--	7	-	-	-	-	-	1	2	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,044
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)												
COLORADO -----	52	-	-	1	3	3	4	5	8	6
WHITE-----MALE----	19	-	-	1	3	1	-	5	4	-
FEMALE--	30	-	-	-	-	2	3	-	4	5
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	9	-	-	1	-	-	1	1	-	2
WHITE-----MALE----	5	-	-	-	-	-	1	1	-	1
FEMALE--	3	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1
DELAWARE -----	13	-	-	-	-	1	-	2	-	1
WHITE-----MALE----	7	-	-	-	-	1	-	2	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	4	-	-	-	1	-	-	-	2	1
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	257	-	2	1	6	16	23	37	39	39
WHITE-----MALE----	134	-	1	-	1	9	15	21	23	20
FEMALE--	109	-	-	1	4	5	7	13	16	16
ALL OTHER--MALE----	6	-	-	-	-	1	-	2	-	2
FEMALE--	8	-	1	-	1	1	1	1	-	1
BLACK---MALE----	5	-	-	-	-	1	-	2	-	1
FEMALE--	5	-	1	-	-	1	1	1	-	-
GEORGIA -----	74	-	-	1	2	8	8	12	13	8
WHITE-----MALE----	19	-	-	-	-	-	5	2	1	4
FEMALE--	42	-	-	1	1	5	3	6	10	2
ALL OTHER--MALE----	5	-	-	-	1	2	-	2	-	-
FEMALE--	8	-	-	-	-	1	-	2	2	2
BLACK---MALE----	5	-	-	-	1	2	-	2	-	-
FEMALE--	7	-	-	-	-	1	-	2	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,046
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)												
KENTUCKY -----	38	-	-	1	1	5	2	6	7	8
WHITE-----MALE----	19	-	-	-	1	3	1	4	4	3
FEMALE--	16	-	-	1	-	-	1	2	3	5
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
LOUISIANA -----	47	-	-	2	4	2	1	7	11	6
WHITE-----MALE----	20	-	-	-	3	2	-	2	5	4
FEMALE--	21	-	-	1	1	-	1	4	5	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	1	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	1	-	-	-	1	1	-
MAINE -----	12	-	-	-	1	-	1	5	1	-
WHITE-----MALE----	8	-	-	-	-	-	-	4	1	-
FEMALE--	3	-	-	-	1	-	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	66	-	-	-	3	2	5	11	9	16
WHITE-----MALE----	30	-	-	-	1	1	2	7	3	7
FEMALE--	31	-	-	-	2	1	3	3	4	7
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	1	1	2
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	1	1	2
MASSACHUSETTS -----	67	-	-	2	3	4	10	8	15	3
WHITE-----MALE----	32	-	-	1	2	2	4	4	7	1
FEMALE--	34	-	-	1	1	2	6	4	7	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	81	-	-	2	4	6	7	12	8	12
WHITE-----MALE----	30	-	-	1	1	4	3	6	2	3
FEMALE--	45	-	-	-	3	1	3	5	6	9
ALL OTHER--MALE----	4	-	-	-	-	1	1	-	-	-
FEMALE--	2	-	-	1	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,062
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY GASES AND VAPORS (E951-E952)												
COLORADO -----	47	-	-	2	1	7	4	4	4	6
WHITE-----MALE----	40	-	-	2	1	7	3	3	3	6
FEMALE--	7	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	25	-	-	-	-	-	3	3	3	4
WHITE-----MALE----	20	-	-	-	-	-	3	3	2	4
FEMALE--	5	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	5	-	-	-	-	-	-	1	-	2
WHITE-----MALE----	3	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	120	-	-	3	5	9	4	14	26	17
WHITE-----MALE----	87	-	-	2	4	6	2	12	22	8
FEMALE--	30	-	-	-	1	3	2	2	4	8
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	1	-	-	-	-	-	-
GEORGIA -----	40	-	-	-	3	5	6	6	5	9
WHITE-----MALE----	32	-	-	-	3	3	4	6	4	8
FEMALE--	5	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,070
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION (E953)												
0 UNITED STATES --	5,413	2	154	473	535	660	624	675	580	396
WHITE-----MALE----	3,881	1	101	333	370	498	467	492	438	300
FEMALE--	785	-	26	75	61	67	62	80	63	50
ALL OTHER--MALE----	624	1	21	50	88	86	86	91	72	35
FEMALE--	123	-	6	15	16	9	9	12	7	11
BLACK---MALE----	376	-	13	26	56	54	64	64	48	20
FEMALE--	41	-	6	9	5	4	2	3	4	3
ALABAMA -----	47	-	1	3	2	6	3	8	8	3
WHITE-----MALE----	36	-	1	3	1	5	3	6	5	2
FEMALE--	3	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	1	1	-	2	1	1
FEMALE--	2	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	1	1	-	2	1	1
FEMALE--	2	-	-	-	-	-	-	-	1	-
ALASKA -----	17	1	1	2	1	4	1	2	3	-
WHITE-----MALE----	5	-	1	-	-	2	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	8	1	-	2	-	2	-	-	2	-
FEMALE--	3	-	-	-	1	-	1	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	114	-	2	15	12	13	14	16	14	4
WHITE-----MALE----	79	-	-	9	8	11	11	11	12	3
FEMALE--	15	-	1	2	-	1	-	1	1	1
ALL OTHER--MALE----	18	-	1	2	4	1	3	4	1	-
FEMALE--	2	-	-	2	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	1	-	1	1	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-
ARKANSAS -----	55	-	2	5	5	6	5	13	5	3
WHITE-----MALE----	42	-	2	4	4	5	4	9	5	1
FEMALE--	8	-	-	-	1	-	1	2	-	1
ALL OTHER--MALE----	5	-	-	1	-	1	-	2	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	1	-	1	-	2	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	703	-	14	43	62	85	76	91	78	61
WHITE-----MALE----	457	-	8	26	43	62	60	64	52	44
FEMALE--	113	-	4	9	5	8	8	9	14	5
ALL OTHER--MALE----	94	-	2	4	11	12	8	14	11	8
FEMALE--	39	-	-	4	3	3	-	4	1	4
BLACK---MALE----	27	-	1	1	4	3	3	5	4	1
FEMALE--	5	-	-	2	-	1	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,071
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION (E953)												
COLORADO -----	123	-	6	9	12	19	13	13	12	10
WHITE-----MALE----	99	-	5	5	11	17	8	12	9	8
FEMALE--	19	-	-	4	1	2	3	1	2	2
ALL OTHER--MALE----	4	-	1	-	-	-	2	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	77	-	3	4	8	9	6	6	12	7
WHITE-----MALE----	47	-	1	3	5	4	6	3	8	5
FEMALE--	22	-	-	1	2	3	-	3	2	1
ALL OTHER--MALE----	7	-	2	-	-	2	-	-	2	1
FEMALE--	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	6	-	2	-	-	2	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	24	-	2	1	2	1	4	5	4	-
WHITE-----MALE----	21	-	1	1	2	1	4	5	4	-
FEMALE--	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	13	-	-	1	1	-	4	1	-	-
WHITE-----MALE----	4	-	-	1	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	6	-	-	-	1	-	2	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-
FLORIDA -----	321	-	8	21	20	31	27	32	36	29
WHITE-----MALE----	242	-	6	15	13	26	21	24	29	23
FEMALE--	52	-	-	4	3	3	3	4	4	2
ALL OTHER--MALE----	22	-	1	1	3	2	2	4	3	3
FEMALE--	5	-	1	1	1	-	1	-	-	1
BLACK---MALE----	18	-	-	1	2	1	2	4	3	3
FEMALE--	2	-	1	1	-	-	-	-	-	-
GEORGIA -----	106	-	5	13	15	9	20	14	12	8
WHITE-----MALE----	72	-	3	6	11	6	16	7	10	5
FEMALE--	9	-	2	-	1	-	1	2	-	2
ALL OTHER--MALE----	20	-	-	4	3	2	3	5	1	1
FEMALE--	5	-	-	3	-	1	-	-	1	-
BLACK---MALE----	17	-	-	3	3	1	3	4	1	1
FEMALE--	4	-	-	2	-	1	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,077
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION (E953)												
SOUTH DAKOTA -----	27	-	-	10	3	3	3	1	1	-
WHITE-----MALE----	14	-	-	3	2	2	2	-	1	-
FEMALE--	3	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	10	-	-	6	1	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	88	-	3	6	8	8	5	18	13	9
WHITE-----MALE----	62	-	3	6	5	6	3	12	9	7
FEMALE--	15	-	-	-	1	-	1	3	3	1
ALL OTHER--MALE----	9	-	-	-	1	2	1	3	1	-
FEMALE--	2	-	-	-	1	-	-	-	-	1
BLACK---MALE----	8	-	-	-	1	2	1	3	1	-
FEMALE--	1	-	-	-	1	-	-	-	-	-
TEXAS -----	326	-	10	42	37	51	50	36	40	14
WHITE-----MALE----	255	-	6	31	30	40	42	26	32	11
FEMALE--	38	-	4	7	3	2	5	6	3	2
ALL OTHER--MALE----	29	-	-	2	3	9	3	4	5	-
FEMALE--	4	-	-	2	1	-	-	-	-	1
BLACK---MALE----	23	-	-	2	2	7	3	4	3	-
FEMALE--	2	-	-	2	-	-	-	-	-	-
UTAH -----	55	-	5	11	8	8	6	6	-	3
WHITE-----MALE----	45	-	2	8	7	7	6	5	-	3
FEMALE--	4	-	1	1	-	-	-	1	-	-
ALL OTHER--MALE----	6	-	2	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
VERMONT -----	9	-	1	1	1	-	2	-	2	-
WHITE-----MALE----	5	-	-	-	1	-	1	-	2	-
FEMALE--	4	-	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	102	-	3	15	9	9	14	14	12	8
WHITE-----MALE----	70	-	2	12	4	5	8	11	12	8
FEMALE--	13	-	-	3	-	2	1	1	-	-
ALL OTHER--MALE----	14	-	-	-	4	1	4	2	-	-
FEMALE--	5	-	1	-	1	1	1	-	-	-
BLACK---MALE----	11	-	-	-	4	1	4	2	-	-
FEMALE--	4	-	1	-	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,079
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY HANDGUN (E955.0)												
0 UNITED STATES --	3,519	-	32	179	262	278	281	322	321	280
WHITE-----MALE----	2,706	-	18	122	195	189	202	224	231	211
FEMALE--	538	-	7	29	18	42	44	76	73	54
ALL OTHER--MALE----	238	-	4	23	48	41	29	19	13	11
FEMALE--	37	-	3	5	1	6	6	3	4	4
BLACK---MALE----	160	-	3	16	31	27	24	13	9	5
FEMALE--	28	-	3	5	1	5	4	1	2	3
ALABAMA -----	79	-	1	2	6	7	9	5	10	5
WHITE-----MALE----	49	-	-	1	1	3	5	1	9	3
FEMALE--	17	-	1	-	1	1	3	3	1	1
ALL OTHER--MALE----	11	-	-	1	4	1	1	1	-	1
FEMALE--	2	-	-	-	-	2	-	-	-	-
BLACK---MALE----	11	-	-	1	4	1	1	1	-	1
FEMALE--	2	-	-	-	-	2	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	120	-	1	9	11	14	6	10	13	11
WHITE-----MALE----	99	-	1	6	8	11	6	8	12	8
FEMALE--	14	-	-	-	1	2	-	2	-	3
ALL OTHER--MALE----	6	-	-	2	2	1	-	-	1	-
FEMALE--	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	1	-
FEMALE--	1	-	-	1	-	-	-	-	-	-
ARKANSAS -----	6	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	846	-	5	37	58	67	69	62	80	67
WHITE-----MALE----	631	-	2	27	40	46	46	39	60	47
FEMALE--	124	-	2	6	4	10	9	12	16	12
ALL OTHER--MALE----	83	-	1	4	14	10	12	9	4	7
FEMALE--	8	-	-	-	-	1	2	2	-	1
BLACK---MALE----	38	-	1	2	4	5	8	4	1	3
FEMALE--	3	-	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,081
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY HANDGUN (E955.0)												
HAWAII -----	3	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
IDAHO -----	31	-	2	2	3	2	2	3	3	3
WHITE-----MALE----	25	-	1	1	3	2	2	2	2	2
FEMALE--	5	-	1	-	-	-	-	1	1	1
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	88	-	1	1	5	7	8	11	7	9
WHITE-----MALE----	68	-	1	1	4	5	4	8	4	5
FEMALE--	17	-	-	-	-	1	4	3	3	4
ALL OTHER--MALE----	3	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
INDIANA -----	80	-	-	4	10	9	7	7	9	3
WHITE-----MALE----	66	-	-	3	7	5	6	7	7	2
FEMALE--	4	-	-	-	2	-	-	-	-	1
ALL OTHER--MALE----	9	-	-	1	1	4	1	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	1	1	3	1	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
IOWA -----	78	-	-	8	5	7	7	8	4	3
WHITE-----MALE----	64	-	-	6	5	6	6	6	1	3
FEMALE--	13	-	-	2	-	-	1	2	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
KANSAS -----	32	-	1	3	3	3	2	2	1	-
WHITE-----MALE----	20	-	1	2	-	1	2	1	1	-
FEMALE--	7	-	-	1	-	1	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	3	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	3	-	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,083

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA	AUSE BY AREA	RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY HANDGUN (E955.0)														
MINNESOTA	-----		5	-	-	1	1	1	-	1	-	
WHITE	-----	MALE----	5	-	-	1	1	1	-	1	-	
		FEMALE--	-	-	-	-	-	-	-	-	-	
ALL OTHER	--	MALE----	-	-	-	-	-	-	-	-	-	
		FEMALE--	-	-	-	-	-	-	-	-	-	
BLACK	---	MALE----	-	-	-	-	-	-	-	-	-	
		FEMALE--	-	-	-	-	-	-	-	-	-	
MISSISSIPPI	-----		78	-	2	6	6	7	9	6	12	
WHITE	-----	MALE----	53	-	1	5	4	3	3	2	6	10
		FEMALE--	14	-	-	-	2	1	6	-	1	
ALL OTHER	--	MALE----	7	-	-	-	2	2	1	-	-	
		FEMALE--	4	-	1	1	-	1	-	-	1	
BLACK	---	MALE----	6	-	-	-	2	1	2	1	-	
		FEMALE--	4	-	1	1	-	1	-	-	1	
MISSOURI	-----		166	-	2	5	5	12	18	23	13	8
WHITE	-----	MALE----	131	-	1	4	3	6	13	18	11	7
		FEMALE--	25	-	-	-	1	4	2	4	2	1
ALL OTHER	--	MALE----	8	-	-	1	1	2	3	-	-	
		FEMALE--	2	-	1	-	-	-	1	-	-	
BLACK	---	MALE----	8	-	-	1	1	2	3	-	-	
		FEMALE--	2	-	1	-	-	-	1	-	-	
MONTANA	-----		20	-	-	1	2	-	2	2	4	1
WHITE	-----	MALE----	17	-	-	-	2	-	2	2	2	1
		FEMALE--	3	-	-	1	-	-	-	2	-	
ALL OTHER	--	MALE----	-	-	-	-	-	-	-	-	-	
		FEMALE--	-	-	-	-	-	-	-	-	-	
BLACK	---	MALE----	-	-	-	-	-	-	-	-	-	
		FEMALE--	-	-	-	-	-	-	-	-	-	
NEBRASKA	-----		2	-	-	-	-	-	-	-	-	
WHITE	-----	MALE----	2	-	-	-	-	-	-	-	-	
		FEMALE--	-	-	-	-	-	-	-	-	-	
ALL OTHER	--	MALE----	-	-	-	-	-	-	-	-	-	
		FEMALE--	-	-	-	-	-	-	-	-	-	
BLACK	---	MALE----	-	-	-	-	-	-	-	-	-	
		FEMALE--	-	-	-	-	-	-	-	-	-	
NEVADA	-----		129	-	2	4	9	5	11	10	16	11
WHITE	-----	MALE----	95	-	1	2	6	3	8	9	7	9
		FEMALE--	23	-	1	1	1	-	1	1	8	2
ALL OTHER	--	MALE----	9	-	-	1	1	2	2	-	-	
		FEMALE--	2	-	-	-	1	-	-	-	1	
BLACK	---	MALE----	8	-	-	1	1	2	2	-	-	
		FEMALE--	1	-	-	-	1	-	-	-	-	

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,085
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY HANDGUN (E955.0)												
OHIO -----	49	-	-	4	4	6	11	4	3	3
WHITE-----MALE----	35	-	-	2	2	4	8	3	1	3
FEMALE--	7	-	-	1	-	-	2	1	1	-
ALL OTHER--MALE----	7	-	-	1	2	2	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	1	2	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	4	-	-	1	1	-	-	1	-	-
WHITE-----MALE----	4	-	-	1	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
OREGON -----	221	-	3	10	16	21	6	20	17	23
WHITE-----MALE----	183	-	2	7	15	16	4	14	12	20
FEMALE--	34	-	1	3	1	5	2	4	4	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	2	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	61	-	2	1	1	6	5	3	6	3
WHITE-----MALE----	50	-	2	1	1	6	5	3	4	2
FEMALE--	9	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	34	-	-	3	2	-	1	2	5	6
WHITE-----MALE----	20	-	-	1	2	-	-	2	3	5
FEMALE--	9	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	1	-
FEMALE--	2	-	-	2	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	1	-
FEMALE--	2	-	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,086
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY HANDGUN (E955.0)												
SOUTH DAKOTA -----	23	-	-	1	1	1	1	5	2	2
WHITE-----MALE----	21	-	-	1	1	1	1	4	2	2
FEMALE--	2	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	23	-	-	2	2	1	4	2	1	1
WHITE-----MALE----	16	-	-	1	-	1	3	1	-	1
FEMALE--	3	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	4	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
TEXAS -----	118	-	-	9	6	6	16	9	3	9
WHITE-----MALE----	94	-	-	5	6	6	13	7	3	7
FEMALE--	18	-	-	1	-	-	3	2	-	2
ALL OTHER--MALE----	4	-	-	2	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-
BLACK---MALE----	3	-	-	2	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-
UTAH -----	91	-	2	11	12	4	13	6	6	7
WHITE-----MALE----	73	-	2	10	11	3	9	4	5	6
FEMALE--	16	-	-	1	-	1	4	2	1	-
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
VERMONT -----	6	-	-	-	1	-	1	1	1	-
WHITE-----MALE----	5	-	-	-	1	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	171	-	2	6	22	5	15	15	15	14
WHITE-----MALE----	120	-	-	2	17	2	10	8	10	9
FEMALE--	24	-	-	-	1	1	1	4	3	3
ALL OTHER--MALE----	23	-	1	4	4	2	3	3	2	-
FEMALE--	4	-	1	-	-	-	1	-	-	2
BLACK---MALE----	21	-	1	4	3	1	3	3	2	-
FEMALE--	3	-	1	-	-	-	-	-	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,088
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)												
0 UNITED STATES --	14,047	1	94	956	1,190	1,199	1,252	1,384	1,294	1,166
WHITE-----MALE----	11,114	1	65	690	856	891	927	1,072	1,000	920
FEMALE--	1,656	-	15	104	106	127	174	199	209	174
ALL OTHER--MALE----	1,136	-	11	140	210	160	139	103	77	59
FEMALE--	141	-	3	22	18	21	12	10	8	13
BLACK---MALE----	910	-	11	110	168	127	112	76	62	47
FEMALE--	111	-	2	17	14	15	10	9	6	12
ALABAMA -----	312	-	2	18	23	30	24	25	24	29
WHITE-----MALE----	223	-	2	10	14	18	10	19	20	22
FEMALE--	46	-	-	3	3	4	8	5	1	5
ALL OTHER--MALE----	32	-	-	4	5	6	6	1	2	2
FEMALE--	11	-	-	1	1	2	-	-	1	-
BLACK---MALE----	32	-	-	4	5	6	6	1	2	2
FEMALE--	11	-	-	1	1	2	-	-	1	-
ALASKA -----	85	-	1	9	7	6	16	13	10	9
WHITE-----MALE----	47	-	1	2	3	3	9	6	6	6
FEMALE--	10	-	-	-	-	-	1	3	2	3
ALL OTHER--MALE----	28	-	-	7	4	3	6	4	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	377	-	2	40	33	41	26	29	45	28
WHITE-----MALE----	296	-	1	30	24	27	20	23	31	21
FEMALE--	51	-	-	6	4	8	3	5	11	2
ALL OTHER--MALE----	27	-	-	4	5	5	3	1	2	5
FEMALE--	3	-	1	-	-	1	-	-	1	-
BLACK---MALE----	8	-	-	1	2	1	1	-	-	2
FEMALE--	1	-	-	-	-	1	-	-	-	-
ARKANSAS -----	236	-	-	18	20	20	25	25	20	26
WHITE-----MALE----	182	-	-	12	16	15	20	21	13	20
FEMALE--	38	-	-	4	2	3	3	4	5	5
ALL OTHER--MALE----	14	-	-	2	2	2	1	-	2	1
FEMALE--	2	-	-	-	-	-	1	-	-	-
BLACK---MALE----	13	-	-	1	2	2	1	-	2	1
FEMALE--	2	-	-	-	-	-	1	-	-	-
CALIFORNIA -----	884	-	2	62	74	81	54	81	76	72
WHITE-----MALE----	683	-	1	44	51	53	41	62	62	57
FEMALE--	102	-	-	6	4	11	6	10	11	13
ALL OTHER--MALE----	80	-	-	8	18	11	5	8	3	2
FEMALE--	19	-	1	4	1	6	2	1	-	-
BLACK---MALE----	37	-	-	4	9	3	3	4	2	1
FEMALE--	8	-	1	1	1	2	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 3,088

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)												
0 UNITED STATES --	925	842	626	708	782	715	530	273	87	14	3	6
WHITE-----MALE----	749	685	524	591	665	645	481	250	82	13	3	4
FEMALE--	137	104	65	70	77	46	32	14	3	-	-	-
ALL OTHER--MALE----	35	48	31	42	31	22	16	9	2	-	-	1
FEMALE--	4	5	6	5	9	2	1	-	-	1	-	1
BLACK---MALE----	28	33	27	37	28	19	14	8	2	-	-	1
FEMALE--	2	3	5	4	7	2	1	-	-	1	-	1
ALABAMA -----	22	21	17	12	17	25	14	7	2	-	-	-
WHITE-----MALE----	15	18	11	10	14	23	9	6	2	-	-	-
FEMALE--	4	2	3	2	2	1	2	1	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	3	-	1	1	1	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	3	-	1	1	1	-	-	-	-	-
ALASKA -----	3	3	3	1	1	1	1	-	1	-	-	-
WHITE-----MALE----	3	1	3	-	1	1	1	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	23	11	13	16	24	22	15	7	1	-	-	1
WHITE-----MALE----	19	7	13	14	24	19	15	6	1	-	-	1
FEMALE--	3	4	-	2	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	11	18	10	7	8	13	6	9	-	-	-	-
WHITE-----MALE----	7	15	7	4	7	12	5	8	-	-	-	-
FEMALE--	4	2	2	2	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CALIFORNIA -----	64	58	42	39	57	54	30	24	8	3	1	2
WHITE-----MALE----	51	42	34	33	44	44	30	20	8	3	1	2
FEMALE--	9	6	3	4	9	9	-	1	-	-	-	-
ALL OTHER--MALE----	4	9	4	2	2	1	-	3	-	-	-	-
FEMALE--	-	1	1	-	2	-	-	-	-	-	-	-
BLACK---MALE----	2	2	2	2	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,089
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)												
COLORADO -----	281	-	3	24	23	30	27	29	32	31
WHITE-----MALE----	231	-	2	19	17	26	19	27	22	27
FEMALE--	38	-	1	3	3	1	7	2	9	3
ALL OTHER--MALE----	9	-	-	2	1	3	1	-	-	1
FEMALE--	3	-	-	-	2	-	-	-	1	-
BLACK---MALE----	7	-	-	1	1	3	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	106	-	-	4	2	8	16	15	13	7
WHITE-----MALE----	92	-	-	3	2	7	16	12	9	5
FEMALE--	9	-	-	-	-	-	-	3	3	2
ALL OTHER--MALE----	5	-	-	1	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	1	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	34	-	-	5	1	4	4	3	2	1
WHITE-----MALE----	27	-	-	2	1	1	4	3	2	1
FEMALE--	2	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	5	-	-	3	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	3	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	13	-	-	4	2	2	2	-	-	-
WHITE-----MALE----	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	4	1	2	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	4	1	2	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1,071	-	5	36	70	77	94	92	72	101
WHITE-----MALE----	839	-	2	22	45	56	66	64	56	73
FEMALE--	163	-	2	8	19	10	13	23	12	24
ALL OTHER--MALE----	61	-	-	5	5	10	15	4	4	3
FEMALE--	8	-	1	1	1	1	-	1	-	1
BLACK---MALE----	58	-	-	5	3	10	14	4	4	3
FEMALE--	8	-	1	1	1	1	-	1	-	1
GEORGIA -----	620	-	2	33	42	46	50	79	70	54
WHITE-----MALE----	438	-	2	17	26	25	31	51	56	39
FEMALE--	88	-	-	6	3	9	9	13	5	9
ALL OTHER--MALE----	83	-	-	10	12	10	8	13	8	6
FEMALE--	11	-	-	-	1	2	2	2	1	-
BLACK---MALE----	80	-	-	10	10	10	8	13	8	5
FEMALE--	10	-	-	-	1	2	2	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 3,089
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)												
COLORADO -----	16	12	4	12	14	7	9	5	3	-	-	-
WHITE-----MALE----	13	10	4	12	11	7	7	5	3	-	-	-
FEMALE--	3	2	-	-	3	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	8	4	7	4	7	1	6	4	-	-	-	-
WHITE-----MALE----	7	3	7	4	6	1	6	4	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	4	1	2	2	3	-	1	1	-	-	-	-
WHITE-----MALE----	3	1	2	2	3	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	2	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	76	61	47	74	72	91	64	27	8	2	1	1
WHITE-----MALE----	61	47	42	68	61	80	58	26	8	2	1	1
FEMALE--	15	9	3	4	7	9	4	1	-	-	-	-
ALL OTHER--MALE----	-	4	2	2	3	2	2	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	4	2	2	3	2	2	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
GEORGIA -----	43	39	30	39	32	31	18	11	1	-	-	-
WHITE-----MALE----	35	30	26	29	23	26	13	8	1	-	-	-
FEMALE--	7	7	2	4	3	5	4	2	-	-	-	-
ALL OTHER--MALE----	-	2	2	6	4	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	2	2	6	4	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,091
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)												
KENTUCKY -----	312	-	1	13	22	28	28	31	34	24
WHITE-----MALE----	263	-	1	12	19	25	24	24	22	20
FEMALE--	43	-	-	-	2	2	4	6	12	3
ALL OTHER--MALE----	4	-	-	1	-	1	-	1	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	1
BLACK---MALE----	4	-	-	1	-	1	-	1	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	1
LOUISIANA -----	377	-	2	36	44	35	33	30	31	23
WHITE-----MALE----	253	-	-	21	22	20	25	19	20	16
FEMALE--	64	-	1	4	5	6	4	5	9	6
ALL OTHER--MALE----	56	-	1	9	16	9	4	6	2	1
FEMALE--	4	-	-	2	1	-	-	-	-	-
BLACK---MALE----	53	-	1	8	16	8	4	6	2	1
FEMALE--	4	-	-	2	1	-	-	-	-	-
MAINE -----	54	-	1	5	2	1	6	1	2	6
WHITE-----MALE----	47	-	1	5	2	1	5	1	2	5
FEMALE--	6	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	260	-	-	11	31	15	26	30	27	26
WHITE-----MALE----	185	-	-	6	19	11	17	20	21	17
FEMALE--	21	-	-	1	2	1	2	4	1	4
ALL OTHER--MALE----	49	-	-	3	8	3	7	6	5	4
FEMALE--	5	-	-	1	2	-	-	-	-	1
BLACK---MALE----	44	-	-	3	6	2	7	5	5	4
FEMALE--	5	-	-	1	2	-	-	-	-	1
MASSACHUSETTS -----	126	-	-	5	10	10	10	16	7	9
WHITE-----MALE----	116	-	-	4	7	9	9	14	6	9
FEMALE--	6	-	-	1	2	-	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	1	1	-	-	-
FEMALE--	2	-	-	-	1	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-
MICHIGAN -----	539	-	-	41	43	35	50	67	54	36
WHITE-----MALE----	442	-	-	33	29	29	39	60	43	30
FEMALE--	42	-	-	1	2	1	2	3	8	2
ALL OTHER--MALE----	51	-	-	6	12	5	9	3	3	4
FEMALE--	4	-	-	1	-	-	-	1	-	-
BLACK---MALE----	47	-	-	6	11	5	8	2	3	4
FEMALE--	3	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,094
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)												
OHIO -----	566	-	8	24	59	42	58	49	55	49
WHITE-----MALE----	461	-	6	17	42	35	39	43	47	39
FEMALE--	59	-	1	4	3	3	12	5	5	9
ALL OTHER--MALE----	40	-	1	3	13	4	7	1	3	-
FEMALE--	6	-	-	-	1	-	-	-	-	1
BLACK---MALE----	40	-	1	3	13	4	7	1	3	-
FEMALE--	6	-	-	-	1	-	-	-	-	1
OKLAHOMA -----	310	-	4	24	22	31	25	33	30	24
WHITE-----MALE----	237	-	3	19	16	22	15	26	21	20
FEMALE--	46	-	1	2	1	3	7	5	8	4
ALL OTHER--MALE----	20	-	-	2	4	4	2	2	1	-
FEMALE--	7	-	-	1	1	2	1	-	-	-
BLACK---MALE----	10	-	-	1	2	3	1	1	-	-
FEMALE--	4	-	-	1	1	1	1	-	-	-
OREGON -----	110	-	-	6	9	12	10	4	13	16
WHITE-----MALE----	97	-	-	6	7	12	9	4	11	12
FEMALE--	10	-	-	-	1	-	1	-	1	3
ALL OTHER--MALE----	3	-	-	-	1	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	732	-	5	41	63	69	64	85	67	66
WHITE-----MALE----	607	-	4	27	48	51	55	75	56	61
FEMALE--	80	-	1	7	5	9	7	8	8	3
ALL OTHER--MALE----	40	-	-	5	10	9	1	2	3	1
FEMALE--	5	-	-	2	-	-	1	-	-	1
BLACK---MALE----	36	-	-	4	10	6	1	2	3	1
FEMALE--	5	-	-	2	-	-	1	-	-	1
RHODE ISLAND -----	25	-	-	2	6	2	3	2	1	-
WHITE-----MALE----	20	-	-	2	4	2	3	2	-	-
FEMALE--	4	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	270	-	3	10	24	26	24	28	21	28
WHITE-----MALE----	191	-	2	6	19	16	16	15	15	19
FEMALE--	39	-	-	2	1	5	3	7	2	7
ALL OTHER--MALE----	34	-	1	2	3	4	5	5	3	1
FEMALE--	6	-	-	-	1	1	-	1	1	1
BLACK---MALE----	34	-	1	2	3	4	5	5	3	1
FEMALE--	6	-	-	-	1	1	-	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,095
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)												
SOUTH DAKOTA -----	50	-	1	5	6	4	2	4	3	4
WHITE-----MALE----	44	-	1	4	4	2	2	4	2	4
FEMALE--	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	1	2	2	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	481	-	4	31	30	36	48	62	37	39
WHITE-----MALE----	363	-	1	24	17	28	34	47	28	27
FEMALE--	68	-	1	4	2	2	7	11	8	11
ALL OTHER--MALE----	43	-	2	3	11	5	7	3	-	-
FEMALE--	7	-	-	-	-	1	-	1	1	1
BLACK---MALE----	41	-	2	3	11	5	7	3	-	-
FEMALE--	7	-	-	-	-	1	-	1	1	1
TEXAS -----	1,243	-	7	123	97	114	97	115	133	106
WHITE-----MALE----	976	-	5	91	82	89	68	88	92	84
FEMALE--	173	-	2	18	2	12	20	17	34	18
ALL OTHER--MALE----	84	-	-	10	13	11	8	10	6	4
FEMALE--	10	-	-	4	-	2	1	-	1	-
BLACK---MALE----	70	-	-	9	10	11	7	8	5	2
FEMALE--	7	-	-	4	-	1	1	-	1	-
UTAH -----	77	-	-	11	5	9	8	8	8	5
WHITE-----MALE----	64	-	-	7	5	7	7	6	6	4
FEMALE--	13	-	-	4	-	2	1	2	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
VERMONT -----	35	-	1	-	3	4	3	5	5	3
WHITE-----MALE----	32	-	1	-	3	4	3	5	2	3
FEMALE--	3	-	-	-	-	-	-	-	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	328	1	5	25	27	22	29	32	28	34
WHITE-----MALE----	251	1	4	18	18	15	19	27	20	27
FEMALE--	34	-	1	2	1	1	6	3	5	4
ALL OTHER--MALE----	41	-	-	4	8	6	4	2	3	2
FEMALE--	2	-	-	1	-	-	-	-	-	1
BLACK---MALE----	39	-	-	4	6	6	4	2	3	2
FEMALE--	2	-	-	1	-	-	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,097
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELF-INFLICTED INJURY (E954,E955.5-E959)												
0 UNITED STATES --	2,428	1	9	99	168	190	288	294	306	237
WHITE-----MALE----	1,488	-	6	59	118	117	185	180	195	143
FEMALE--	548	1	2	14	17	36	40	59	64	63
ALL OTHER--MALE----	280	-	1	22	21	28	44	43	36	23
FEMALE--	112	-	-	4	12	9	19	12	11	8
BLACK---MALE----	195	-	-	17	14	19	35	30	31	18
FEMALE--	62	-	-	2	4	4	14	9	7	3
ALABAMA -----	25	-	-	-	1	2	4	4	5	3
WHITE-----MALE----	9	-	-	-	-	1	1	2	2	1
FEMALE--	8	-	-	-	1	-	-	2	-	2
ALL OTHER--MALE----	8	-	-	-	-	1	3	-	3	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	1	3	-	3	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ALASKA -----	5	-	-	1	-	1	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	1	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	35	-	-	-	3	2	7	3	4	5
WHITE-----MALE----	22	-	-	-	-	1	5	3	2	4
FEMALE--	5	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	1	1	-	1	1
FEMALE--	4	-	-	-	2	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	17	-	-	-	2	-	2	-	7	2
WHITE-----MALE----	9	-	-	-	1	-	1	-	6	-
FEMALE--	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	1	-	1	-	1	2
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	1	-	1	-	1	2
FEMALE--	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	371	-	-	8	25	33	44	43	57	40
WHITE-----MALE----	234	-	-	6	23	19	33	27	34	23
FEMALE--	74	-	-	1	-	6	4	8	14	12
ALL OTHER--MALE----	38	-	-	-	1	6	5	6	7	1
FEMALE--	25	-	-	1	1	2	2	2	2	4
BLACK---MALE----	10	-	-	-	-	1	3	2	4	-
FEMALE--	5	-	-	-	-	-	-	2	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,098
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELF-INFLICTED INJURY (E954,E955.5-E959)												
COLORADO -----	32	-	1	1	2	3	5	1	9	1
WHITE-----MALE----	26	-	1	1	2	3	5	1	5	1
FEMALE--	6	-	-	-	-	-	-	-	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	42	-	2	-	3	4	5	3	7	3
WHITE-----MALE----	27	-	2	-	2	2	3	1	4	2
FEMALE--	7	-	-	-	-	1	1	2	1	1
ALL OTHER--MALE----	5	-	-	-	-	1	1	-	2	-
FEMALE--	3	-	-	-	1	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	1	1	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-
DELAWARE -----	10	-	-	-	1	-	-	2	2	2
WHITE-----MALE----	7	-	-	-	-	-	-	1	2	2
FEMALE--	2	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	5	-	-	1	-	-	-	-	2	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	1	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	1	-	-	-	-	1	-
FLORIDA -----	175	-	-	6	6	12	19	17	17	16
WHITE-----MALE----	108	-	-	3	5	8	11	10	11	12
FEMALE--	46	-	-	1	-	1	5	5	3	2
ALL OTHER--MALE----	18	-	-	2	1	3	3	2	1	2
FEMALE--	3	-	-	-	-	-	-	-	2	-
BLACK---MALE----	17	-	-	2	1	2	3	2	1	2
FEMALE--	2	-	-	-	-	-	-	-	1	-
GEORGIA -----	31	-	-	1	3	4	3	4	4	3
WHITE-----MALE----	19	-	-	1	2	2	-	3	2	3
FEMALE--	6	-	-	-	1	1	-	1	1	-
ALL OTHER--MALE----	3	-	-	-	-	1	1	-	1	-
FEMALE--	3	-	-	-	-	-	2	-	-	-
BLACK---MALE----	3	-	-	-	-	1	1	-	1	-
FEMALE--	3	-	-	-	-	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 3,098

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELF-INFLICTED INJURY (E954,E955.5-E959)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	3	2	-	1	-	1	1	-	1	-	-	-
WHITE-----MALE----	1	2	-	1	-	1	1	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	3	4	2	2	1	-	-	-	-	1	-
WHITE-----MALE----	1	2	4	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	-	-	1	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	2	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	10	12	9	6	10	13	11	8	2	1	-	-
WHITE-----MALE----	8	7	6	4	4	7	8	2	2	-	-	-
FEMALE--	2	4	1	2	5	6	3	5	-	1	-	-
ALL OTHER--MALE----	-	-	2	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	4	2	-	-	-	-	2	1	-	-	-	-
WHITE-----MALE----	3	2	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,100
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELF-INFLICTED INJURY (E954,E955.5-E959)												
KENTUCKY -----	14	-	-	-	2	-	2	-	-	3
WHITE-----MALE----	8	-	-	-	2	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	24	-	-	1	3	3	4	3	5	-
WHITE-----MALE----	8	-	-	-	1	-	1	2	3	-
FEMALE--	5	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	7	-	-	1	1	2	1	1	1	-
FEMALE--	4	-	-	-	1	1	1	-	-	-
BLACK---MALE----	7	-	-	1	1	2	1	1	1	-
FEMALE--	3	-	-	-	-	1	1	-	-	-
MAINE -----	12	-	-	1	1	1	1	-	1	1
WHITE-----MALE----	8	-	-	1	1	-	1	-	1	-
FEMALE--	4	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	66	-	-	3	4	3	5	6	8	8
WHITE-----MALE----	37	-	-	2	1	3	3	4	6	4
FEMALE--	16	-	-	-	1	-	-	-	1	2
ALL OTHER--MALE----	12	-	-	1	2	-	1	2	1	2
FEMALE--	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	10	-	-	1	2	-	-	1	1	2
FEMALE--	1	-	-	-	-	-	1	-	-	-
MASSACHUSETTS -----	63	-	-	2	7	5	10	12	5	7
WHITE-----MALE----	38	-	-	2	5	5	5	4	2	4
FEMALE--	16	-	-	-	1	-	2	6	3	2
ALL OTHER--MALE----	6	-	-	-	-	-	2	2	-	1
FEMALE--	3	-	-	-	1	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	2	1	-	1
FEMALE--	1	-	-	-	1	-	-	-	-	-
MICHIGAN -----	67	-	1	7	3	5	9	10	5	6
WHITE-----MALE----	36	-	1	4	1	5	3	6	3	2
FEMALE--	16	-	-	-	-	-	3	2	1	3
ALL OTHER--MALE----	10	-	-	3	2	-	2	1	-	-
FEMALE--	5	-	-	-	-	-	1	1	1	1
BLACK---MALE----	7	-	-	1	1	-	2	1	-	-
FEMALE--	4	-	-	-	-	-	-	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 3,100

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELF-INFLICTED INJURY (E954,E955.5-E959)												
KENTUCKY -----	2	1	-	1	-	1	2	-	-	-	-	-
WHITE-----MALE----	2	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	3	-	-	-	-	-	2	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	1	2	-	-	-	3	-	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	5	3	4	2	5	3	3	2	1	-	-	1
WHITE-----MALE----	3	2	3	1	1	1	2	1	-	-	-	-
FEMALE--	2	-	1	1	4	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	4	-	1	3	3	2	2	-	-	-	-	-
WHITE-----MALE----	3	-	1	2	2	2	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	4	2	2	4	3	-	2	-	-	-	1
WHITE-----MALE----	3	-	2	1	1	2	-	2	-	-	-	-
FEMALE--	-	3	-	1	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,103
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELF-INFLICTED INJURY (E954,E955.5-E959)												
OHIO -----	93	-	1	4	6	4	12	8	14	10
WHITE-----MALE----	59	-	-	4	5	3	11	5	8	7
FEMALE--	25	-	1	-	1	1	-	1	5	1
ALL OTHER--MALE----	8	-	-	-	-	-	1	2	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	1	2	1	2
FEMALE--	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	18	-	-	-	2	1	3	2	3	1
WHITE-----MALE----	14	-	-	-	2	1	2	2	3	1
FEMALE--	3	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
OREGON -----	35	-	-	1	2	2	3	5	3	4
WHITE-----MALE----	22	-	-	-	2	1	2	4	3	1
FEMALE--	12	-	-	-	-	1	1	1	-	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	132	-	-	3	9	16	11	19	14	10
WHITE-----MALE----	84	-	-	2	7	9	10	12	8	5
FEMALE--	28	-	-	1	1	5	-	3	3	2
ALL OTHER--MALE----	15	-	-	-	-	1	1	3	1	3
FEMALE--	5	-	-	-	1	1	-	1	2	-
BLACK---MALE----	13	-	-	-	-	1	1	2	1	3
FEMALE--	3	-	-	-	-	1	-	-	2	-
RHODE ISLAND -----	9	-	-	-	-	1	1	1	1	1
WHITE-----MALE----	6	-	-	-	-	1	1	-	1	1
FEMALE--	2	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	20	-	-	2	2	1	4	2	2	-
WHITE-----MALE----	10	-	-	1	1	1	2	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	1	-	-	1	2	-	-
FEMALE--	2	-	-	-	1	-	1	-	-	-
BLACK---MALE----	3	-	-	1	-	-	1	1	-	-
FEMALE--	2	-	-	-	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,104
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELF-INFLICTED INJURY (E954,E955.5-E959)												
SOUTH DAKOTA -----	6	-	-	-	2	1	-	2	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	2	1	-
ALL OTHER--MALE----	3	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	45	1	-	2	1	1	6	6	5	5
WHITE-----MALE----	25	-	-	2	-	1	3	4	3	2
FEMALE--	13	1	-	-	-	-	-	2	1	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	1	-	3	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	3	-	-	-
TEXAS -----	103	-	-	3	6	7	12	15	16	12
WHITE-----MALE----	74	-	-	1	5	5	10	10	10	10
FEMALE--	21	-	-	2	-	2	-	3	4	1
ALL OTHER--MALE----	7	-	-	-	1	-	1	2	2	1
FEMALE--	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	5	-	-	-	1	-	1	1	2	-
FEMALE--	1	-	-	-	-	-	1	-	-	-
UTAH -----	9	-	-	2	-	1	2	-	-	2
WHITE-----MALE----	7	-	-	2	-	1	2	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	-	-	-	-	2	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	43	-	-	1	2	2	5	7	4	7
WHITE-----MALE----	30	-	-	-	1	2	5	3	2	6
FEMALE--	7	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	5	-	-	1	1	-	-	3	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	5	-	-	1	1	-	-	3	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,106
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
0 UNITED STATES --	19,846	317	375	174	283	2,618	3,528	2,747	2,328	2,067	1,610	1,189
WHITE-----MALE----	7,343	121	119	52	105	869	1,115	961	879	783	651	498
FEMALE--	2,570	68	93	46	44	211	233	245	297	297	225	191
ALL OTHER--MALE----	8,106	61	90	43	95	1,367	1,951	1,312	916	752	549	388
FEMALE--	1,827	67	73	33	39	171	229	229	236	235	185	112
BLACK---MALE----	7,601	51	84	34	83	1,284	1,876	1,247	868	696	505	352
FEMALE--	1,652	59	63	30	33	154	215	215	220	215	167	94
ALABAMA -----	520	7	6	7	7	52	73	81	61	55	52	33
WHITE-----MALE----	125	3	3	2	1	6	9	9	12	19	20	10
FEMALE--	55	-	-	3	-	4	3	5	10	4	3	1
ALL OTHER--MALE----	270	-	2	-	3	39	48	59	29	27	22	18
FEMALE--	70	4	1	2	3	3	13	8	10	5	7	4
BLACK---MALE----	269	-	2	-	3	38	48	59	29	27	22	18
FEMALE--	69	4	1	2	3	3	13	8	10	5	6	4
ALASKA -----	55	5	1	-	2	8	1	4	5	7	11	3
WHITE-----MALE----	24	1	-	-	2	3	-	1	3	3	5	3
FEMALE--	6	1	1	-	-	-	1	-	-	1	1	-
ALL OTHER--MALE----	20	2	-	-	-	4	-	3	2	3	4	-
FEMALE--	5	1	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	1	-	1	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ARIZONA -----	431	6	4	3	5	56	77	78	50	47	31	21
WHITE-----MALE----	283	3	4	2	2	36	47	53	35	25	23	15
FEMALE--	57	1	-	1	2	7	7	8	4	9	5	3
ALL OTHER--MALE----	70	1	-	-	-	11	20	15	8	8	2	1
FEMALE--	21	1	-	-	1	2	3	2	3	5	1	2
BLACK---MALE----	40	-	-	-	-	7	12	10	5	4	1	-
FEMALE--	3	-	-	-	-	-	2	1	-	-	-	-
ARKANSAS -----	298	5	5	3	-	35	38	38	31	33	30	27
WHITE-----MALE----	102	1	1	3	-	6	5	14	15	17	10	9
FEMALE--	42	2	2	-	-	4	1	4	4	6	4	5
ALL OTHER--MALE----	121	2	2	-	-	16	28	15	11	10	13	8
FEMALE--	33	-	-	-	-	9	4	5	1	-	3	5
BLACK---MALE----	120	2	2	-	-	16	28	15	11	9	13	8
FEMALE--	33	-	-	-	-	9	4	5	1	-	3	5
CALIFORNIA -----	2,838	36	59	32	36	442	555	415	347	264	198	155
WHITE-----MALE----	1,576	16	20	14	19	272	324	235	188	135	114	88
FEMALE--	319	10	19	7	2	32	27	35	33	30	30	26
ALL OTHER--MALE----	783	5	11	6	13	127	185	125	115	74	32	34
FEMALE--	160	5	9	5	2	11	19	20	11	25	22	7
BLACK---MALE----	629	3	10	3	9	87	160	111	99	58	25	26
FEMALE--	119	4	6	3	1	9	16	16	7	23	13	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 3,106

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
0 UNITED STATES --	680	491	362	290	255	205	130	100	35	13	1	48
WHITE-----MALE----	331	245	167	134	106	82	48	32	12	7	1	25
FEMALE--	112	94	60	65	85	72	56	46	17	4	-	9
ALL OTHER--MALE----	184	117	100	64	49	33	14	9	4	1	-	7
FEMALE--	53	35	35	27	15	18	12	13	2	1	-	7
BLACK---MALE----	164	103	89	56	43	32	14	9	3	1	-	7
FEMALE--	40	29	33	23	15	15	11	12	2	1	-	6
ALABAMA -----	19	15	13	8	9	9	4	8	1	-	-	-
WHITE-----MALE----	9	6	4	3	4	2	1	2	-	-	-	-
FEMALE--	3	5	4	3	1	4	1	1	-	-	-	-
ALL OTHER--MALE----	5	3	4	2	1	3	2	2	1	-	-	-
FEMALE--	2	1	1	-	3	-	-	3	-	-	-	-
BLACK---MALE----	5	3	4	2	1	3	2	2	1	-	-	-
FEMALE--	2	1	1	-	3	-	-	3	-	-	-	-
ALASKA -----	5	-	2	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	20	9	6	3	5	4	2	2	-	1	-	1
WHITE-----MALE----	16	5	6	3	2	2	1	2	-	-	-	1
FEMALE--	1	2	-	-	3	2	1	-	-	1	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	17	3	4	9	5	5	3	3	3	1	-	-
WHITE-----MALE----	8	1	1	3	2	3	2	1	-	-	-	-
FEMALE--	2	-	1	2	2	1	-	-	2	-	-	-
ALL OTHER--MALE----	7	1	2	2	1	1	-	-	1	1	-	-
FEMALE--	-	1	-	2	-	-	1	2	-	-	-	-
BLACK---MALE----	7	1	2	2	1	1	-	-	1	1	-	-
FEMALE--	-	1	-	2	-	-	1	2	-	-	-	-
CALIFORNIA -----	88	52	42	36	24	16	19	5	5	1	-	11
WHITE-----MALE----	46	26	23	21	10	6	7	-	3	1	-	8
FEMALE--	14	8	5	8	8	7	11	5	1	-	-	1
ALL OTHER--MALE----	17	11	11	6	5	2	1	-	1	-	-	2
FEMALE--	11	7	3	1	1	1	-	-	-	-	-	-
BLACK---MALE----	11	7	8	5	3	1	1	-	-	-	-	2
FEMALE--	8	4	2	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,107
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
COLORADO -----	183	8	5	-	4	26	33	17	16	13	16	13
WHITE-----MALE----	102	3	1	-	4	13	18	12	9	8	10	6
FEMALE--	35	2	2	-	-	3	7	2	4	2	3	3
ALL OTHER--MALE----	30	1	1	-	-	8	5	3	2	3	2	-
FEMALE--	16	2	1	-	-	2	3	-	1	-	1	4
BLACK---MALE----	25	1	1	-	-	6	4	2	2	3	2	-
FEMALE--	12	2	1	-	-	2	2	-	-	-	1	3
CONNECTICUT -----	129	2	5	2	4	17	31	15	11	13	8	4
WHITE-----MALE----	41	1	2	-	2	5	11	2	1	3	3	1
FEMALE--	14	-	1	1	-	1	-	-	1	3	2	1
ALL OTHER--MALE----	58	-	1	-	2	11	19	12	6	4	1	1
FEMALE--	16	1	1	1	-	-	1	1	3	3	2	1
BLACK---MALE----	56	-	1	-	2	11	19	11	6	4	1	1
FEMALE--	16	1	1	1	-	-	1	1	3	3	2	1
DELAWARE -----	32	-	3	-	-	4	2	6	6	3	4	-
WHITE-----MALE----	9	-	1	-	-	-	1	1	3	-	2	-
FEMALE--	6	-	-	-	-	-	-	-	1	2	-	-
ALL OTHER--MALE----	13	-	1	-	-	3	1	4	1	1	2	-
FEMALE--	4	-	1	-	-	1	-	1	1	-	-	-
BLACK---MALE----	13	-	1	-	-	3	1	4	1	1	2	-
FEMALE--	4	-	1	-	-	1	-	1	1	-	-	-
DISTRICT OF COLUMBIA ----	255	1	3	1	4	59	75	35	20	14	13	11
WHITE-----MALE----	9	-	-	-	-	-	4	1	1	1	1	-
FEMALE--	8	-	-	-	-	-	3	3	-	-	-	-
ALL OTHER--MALE----	205	-	1	1	3	59	61	27	17	9	8	9
FEMALE--	33	1	2	-	1	-	7	4	2	4	4	2
BLACK---MALE----	204	-	1	1	3	59	60	27	17	9	8	9
FEMALE--	32	1	2	-	1	-	7	4	2	4	4	2
FLORIDA -----	1,128	17	24	6	11	107	149	150	139	140	102	89
WHITE-----MALE----	446	8	8	1	4	33	50	52	50	56	53	42
FEMALE--	187	6	6	2	2	11	7	16	19	24	21	17
ALL OTHER--MALE----	409	-	5	2	3	56	79	71	55	45	27	26
FEMALE--	86	3	5	1	2	7	13	11	15	15	1	4
BLACK---MALE----	404	-	4	1	3	56	79	70	54	44	27	26
FEMALE--	84	3	5	1	2	7	13	11	15	13	1	4
GEORGIA -----	655	12	9	5	7	72	90	97	67	81	73	52
WHITE-----MALE----	171	2	1	1	2	14	18	22	16	23	17	13
FEMALE--	57	-	2	2	-	3	4	6	6	6	10	6
ALL OTHER--MALE----	323	4	2	2	4	46	57	47	32	40	33	28
FEMALE--	104	6	4	-	1	9	11	22	13	12	13	5
BLACK---MALE----	316	4	2	2	4	45	57	46	31	40	32	27
FEMALE--	103	6	4	-	1	9	11	22	13	12	13	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 3,107

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
COLORADO -----	6	7	2	5	4	4	-	2	2	-	-	-
WHITE-----MALE----	5	4	1	1	2	3	-	2	-	-	-	-
FEMALE--	-	1	-	3	-	1	-	-	2	-	-	-
ALL OTHER--MALE----	-	1	1	1	2	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	5	3	2	4	1	1	1	-	-	-	-	-
WHITE-----MALE----	4	1	1	2	1	1	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	3	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	5	5	1	-	1	3	2	1	-	-	-	1
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	1	-	1	1	2	-	-	-	-	1
FEMALE--	1	2	-	-	-	2	-	1	-	-	-	-
BLACK---MALE----	2	2	1	-	1	1	2	-	-	-	-	1
FEMALE--	1	2	-	-	-	1	-	1	-	-	-	-
FLORIDA -----	47	35	29	19	19	18	11	8	2	1	-	5
WHITE-----MALE----	28	14	17	8	6	8	2	3	-	1	-	2
FEMALE--	4	9	7	5	10	7	7	4	2	-	-	1
ALL OTHER--MALE----	14	9	5	5	3	2	-	1	-	-	-	1
FEMALE--	1	3	-	1	-	1	2	-	-	-	-	1
BLACK---MALE----	14	9	5	5	3	2	-	1	-	-	-	1
FEMALE--	1	3	-	1	-	1	2	-	-	-	-	1
GEORGIA -----	27	25	10	8	8	4	4	3	-	-	-	1
WHITE-----MALE----	13	12	7	2	3	2	1	1	-	-	-	1
FEMALE--	2	1	1	2	2	1	1	2	-	-	-	-
ALL OTHER--MALE----	11	10	2	2	3	-	-	-	-	-	-	-
FEMALE--	1	2	-	2	-	1	2	-	-	-	-	-
BLACK---MALE----	10	9	2	2	3	-	-	-	-	-	-	-
FEMALE--	-	2	-	2	-	1	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,108

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
HAWAII -----	48	2	3	-	1	2	7	6	4	8	3	4
WHITE-----MALE----	10	-	-	-	-	-	3	1	-	2	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	25	-	-	-	1	1	3	5	3	3	2	2
FEMALE--	13	2	3	-	-	1	1	-	1	3	-	1
BLACK---MALE----	2	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	44	1	1	1	1	1	4	8	2	6	9	2
WHITE-----MALE----	34	-	1	1	1	1	4	8	2	2	7	2
FEMALE--	7	1	-	-	-	-	-	-	-	2	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,161	18	20	9	15	214	267	165	114	84	91	51
WHITE-----MALE----	305	7	5	1	6	47	58	42	26	20	27	18
FEMALE--	97	1	1	2	2	14	7	10	10	13	9	4
ALL OTHER--MALE----	634	6	9	2	5	136	188	98	62	35	42	24
FEMALE--	125	4	5	4	2	17	14	15	16	16	13	5
BLACK---MALE----	631	6	9	2	5	135	188	98	62	35	42	23
FEMALE--	124	4	5	4	2	17	14	15	16	16	13	4
INDIANA -----	432	9	4	3	2	48	90	62	66	41	30	24
WHITE-----MALE----	126	5	3	-	2	7	18	16	27	8	9	6
FEMALE--	63	3	-	1	-	8	7	6	8	8	2	6
ALL OTHER--MALE----	210	1	-	1	-	31	60	36	26	19	16	8
FEMALE--	33	-	1	1	-	2	5	4	5	6	3	4
BLACK---MALE----	210	1	-	1	-	31	60	36	26	19	16	8
FEMALE--	33	-	1	1	-	2	5	4	5	6	3	4
IOWA -----	70	6	3	1	1	10	10	5	7	4	3	9
WHITE-----MALE----	33	4	1	1	1	5	2	-	5	2	2	5
FEMALE--	23	1	1	-	-	4	5	1	2	1	1	2
ALL OTHER--MALE----	11	-	-	-	-	1	3	4	-	1	-	2
FEMALE--	3	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	1	3	3	-	1	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
KANSAS -----	159	-	7	-	1	31	32	14	21	10	17	10
WHITE-----MALE----	60	-	3	-	-	7	11	5	11	5	7	4
FEMALE--	27	-	1	-	-	3	4	2	6	-	4	2
ALL OTHER--MALE----	59	-	2	-	1	18	15	6	4	4	3	4
FEMALE--	13	-	1	-	-	3	2	1	-	1	3	-
BLACK---MALE----	56	-	-	-	1	18	15	5	4	4	3	4
FEMALE--	9	-	1	-	-	2	1	-	-	1	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,109

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
KENTUCKY -----	256	4	5	2	1	37	38	32	26	25	19	19
WHITE-----MALE----	126	1	3	1	-	6	13	20	9	17	15	9
FEMALE--	52	3	1	-	1	6	7	4	7	5	1	7
ALL OTHER--MALE----	67	-	1	1	-	23	17	7	7	3	2	3
FEMALE--	11	-	-	-	-	2	1	1	3	-	1	-
BLACK---MALE----	67	-	1	1	-	23	17	7	7	3	2	3
FEMALE--	11	-	-	-	-	2	1	1	3	-	1	-
LOUISIANA -----	702	4	10	3	9	102	151	111	76	71	46	41
WHITE-----MALE----	119	3	2	1	-	17	13	11	10	16	11	6
FEMALE--	53	-	-	1	2	4	8	5	7	7	-	3
ALL OTHER--MALE----	437	-	3	1	5	76	116	84	42	35	26	25
FEMALE--	93	1	5	-	2	5	14	11	17	13	9	7
BLACK---MALE----	431	-	3	1	5	76	116	83	40	34	26	23
FEMALE--	93	1	5	-	2	5	14	11	17	13	9	7
MAINE -----	22	1	1	-	1	3	7	1	3	1	-	1
WHITE-----MALE----	17	-	-	-	1	3	6	1	3	1	-	1
FEMALE--	5	1	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	554	4	5	4	10	90	112	73	84	59	37	27
WHITE-----MALE----	64	-	-	1	1	5	4	9	9	10	3	6
FEMALE--	30	1	-	-	-	2	2	2	5	5	4	1
ALL OTHER--MALE----	395	2	3	-	6	79	98	55	55	41	27	13
FEMALE--	65	1	2	3	3	4	8	7	15	3	3	7
BLACK---MALE----	389	2	3	-	6	77	98	55	55	40	26	12
FEMALE--	61	1	1	2	3	3	8	7	14	3	3	7
MASSACHUSETTS -----	142	3	2	-	4	21	21	17	16	16	8	10
WHITE-----MALE----	62	2	2	-	2	8	9	4	10	5	2	4
FEMALE--	30	1	-	-	1	2	1	4	2	4	4	4
ALL OTHER--MALE----	39	-	-	-	-	9	8	7	3	6	2	2
FEMALE--	11	-	-	-	1	2	3	2	1	1	-	-
BLACK---MALE----	37	-	-	-	-	9	7	6	3	6	2	2
FEMALE--	8	-	-	-	-	1	3	2	-	1	-	-
MICHIGAN -----	787	14	11	6	15	104	140	122	90	85	59	47
WHITE-----MALE----	151	6	4	1	4	13	18	23	18	13	14	12
FEMALE--	74	1	2	-	2	9	5	6	12	7	3	5
ALL OTHER--MALE----	450	2	5	4	7	69	103	76	44	50	29	25
FEMALE--	112	5	-	1	2	13	14	17	16	15	13	5
BLACK---MALE----	439	2	5	4	7	68	101	76	43	47	28	24
FEMALE--	110	5	-	1	2	13	14	17	16	15	12	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 3,109

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
KENTUCKY -----	12	16	6	1	4	5	4	-	-	-	-	-
WHITE-----MALE----	7	12	5	-	2	2	4	-	-	-	-	-
FEMALE--	3	2	1	1	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
LOUISIANA -----	19	11	13	10	10	7	1	1	3	3	-	-
WHITE-----MALE----	8	4	5	2	3	3	-	-	2	2	-	-
FEMALE--	1	3	2	4	3	2	1	-	-	-	-	-
ALL OTHER--MALE----	10	3	3	3	4	1	-	-	-	-	-	-
FEMALE--	-	1	3	1	-	1	-	1	1	1	-	-
BLACK---MALE----	10	3	3	3	4	1	-	-	-	-	-	-
FEMALE--	-	1	3	1	-	1	-	1	1	1	-	-
MAINE -----	-	3	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	9	8	9	3	9	3	2	2	-	1	-	3
WHITE-----MALE----	3	2	3	1	2	2	1	1	-	1	-	-
FEMALE--	1	2	2	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	3	4	2	-	6	-	-	-	-	-	-	1
FEMALE--	2	-	2	1	1	1	-	-	-	-	-	2
BLACK---MALE----	3	4	2	-	5	-	-	-	-	-	-	1
FEMALE--	2	-	2	1	1	1	-	-	-	-	-	2
MASSACHUSETTS -----	5	6	4	3	2	2	1	-	1	-	-	-
WHITE-----MALE----	-	5	2	3	2	2	-	-	-	-	-	-
FEMALE--	4	-	1	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	24	14	13	12	10	9	5	4	-	-	-	3
WHITE-----MALE----	10	1	3	2	1	4	2	1	-	-	-	1
FEMALE--	2	2	2	1	8	4	1	1	-	-	-	1
ALL OTHER--MALE----	11	9	4	7	1	1	2	1	-	-	-	-
FEMALE--	1	2	4	2	-	-	-	1	-	-	-	1
BLACK---MALE----	10	8	4	7	1	1	2	1	-	-	-	-
FEMALE--	-	2	4	2	-	-	-	1	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,110
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
MINNESOTA -----	133	-	1	2	3	26	19	15	13	16	16	8
WHITE-----MALE----	55	-	-	-	-	7	3	6	9	9	11	3
FEMALE--	20	-	-	1	1	2	5	2	2	1	1	1
ALL OTHER--MALE----	51	-	-	1	2	15	11	7	1	5	4	4
FEMALE--	7	-	1	-	-	2	-	-	1	1	-	-
BLACK---MALE----	38	-	-	1	-	12	9	5	1	4	2	3
FEMALE--	5	-	1	-	-	1	-	-	1	1	-	-
MISSISSIPPI -----	387	5	5	4	3	43	74	36	51	47	38	23
WHITE-----MALE----	95	-	2	-	1	4	9	6	17	9	13	11
FEMALE--	29	-	-	-	-	2	2	3	5	2	2	-
ALL OTHER--MALE----	201	4	2	1	2	32	53	23	21	24	17	7
FEMALE--	62	1	1	3	-	5	10	4	8	12	6	5
BLACK---MALE----	198	4	2	1	2	32	53	23	21	23	16	7
FEMALE--	61	1	1	3	-	4	10	4	8	12	6	5
MISSOURI -----	434	7	8	3	5	54	67	56	60	46	42	23
WHITE-----MALE----	125	4	3	1	-	8	10	14	15	16	15	7
FEMALE--	58	-	3	-	2	6	3	4	9	10	3	3
ALL OTHER--MALE----	203	1	2	2	1	37	48	32	30	14	14	11
FEMALE--	48	2	-	-	2	3	6	6	6	6	10	2
BLACK---MALE----	201	-	2	2	1	36	48	32	30	14	14	11
FEMALE--	46	2	-	-	2	3	5	6	6	6	10	2
MONTANA -----	37	-	1	-	2	3	3	4	7	2	7	1
WHITE-----MALE----	24	-	1	-	2	2	2	2	4	1	4	1
FEMALE--	9	-	-	-	-	1	1	1	1	1	3	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	65	4	3	1	1	12	6	4	8	8	5	4
WHITE-----MALE----	31	1	2	1	1	5	4	1	2	4	2	2
FEMALE--	12	2	1	-	-	-	-	-	3	2	2	-
ALL OTHER--MALE----	20	1	-	-	-	6	2	3	2	2	1	2
FEMALE--	2	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	19	1	-	-	-	6	2	3	2	2	1	1
FEMALE--	2	-	-	-	-	1	-	-	1	-	-	-
NEVADA -----	176	5	5	-	1	20	24	20	19	17	15	14
WHITE-----MALE----	99	3	2	-	-	13	13	13	10	10	4	10
FEMALE--	41	1	2	-	-	3	4	2	3	3	8	3
ALL OTHER--MALE----	28	-	-	-	1	3	6	5	4	4	3	1
FEMALE--	8	1	1	-	-	1	1	-	2	-	-	-
BLACK---MALE----	24	-	-	-	-	3	6	4	4	3	2	1
FEMALE--	7	-	1	-	-	1	1	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,112
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
OHIO -----	487	15	11	7	8	59	75	65	58	49	50	25
WHITE-----MALE----	149	5	3	1	6	10	17	14	25	17	18	7
FEMALE--	72	2	4	4	-	7	6	8	8	5	6	5
ALL OTHER--MALE----	217	6	1	1	1	38	47	33	18	25	17	10
FEMALE--	49	2	3	1	1	4	5	10	7	2	9	3
BLACK---MALE----	214	5	1	1	1	38	47	32	18	24	17	10
FEMALE--	48	2	3	1	1	4	5	9	7	2	9	3
OKLAHOMA -----	289	5	7	2	15	44	39	27	30	37	18	28
WHITE-----MALE----	123	2	1	1	6	12	12	13	20	22	5	13
FEMALE--	54	1	2	-	5	3	6	6	2	6	6	7
ALL OTHER--MALE----	87	-	3	1	3	23	16	6	7	9	6	6
FEMALE--	25	2	1	-	1	6	5	2	1	-	1	2
BLACK---MALE----	63	-	3	-	3	19	14	5	4	6	2	3
FEMALE--	12	2	-	-	1	2	3	-	1	-	-	-
OREGON -----	133	3	5	3	5	7	17	17	12	23	7	8
WHITE-----MALE----	77	3	2	1	3	4	8	9	7	13	5	7
FEMALE--	31	-	3	2	1	-	2	3	2	7	1	1
ALL OTHER--MALE----	22	-	-	-	1	2	7	5	2	3	1	-
FEMALE--	3	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	16	-	-	-	-	2	5	4	-	3	1	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA -----	786	12	15	11	12	107	159	116	84	64	57	49
WHITE-----MALE----	218	6	5	-	2	32	34	29	18	15	17	16
FEMALE--	100	2	3	4	1	6	9	12	6	11	10	13
ALL OTHER--MALE----	396	1	4	5	5	62	109	66	52	29	22	16
FEMALE--	72	3	3	2	4	7	7	9	8	9	8	4
BLACK---MALE----	387	1	4	5	4	60	107	66	52	28	22	15
FEMALE--	68	3	3	2	3	7	6	9	8	9	8	2
RHODE ISLAND -----	28	-	-	-	1	4	8	1	6	1	1	3
WHITE-----MALE----	7	-	-	-	-	-	4	1	-	-	1	-
FEMALE--	8	-	-	-	1	1	1	-	1	-	-	2
ALL OTHER--MALE----	13	-	-	-	-	3	3	-	5	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	3	3	-	5	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	358	3	6	1	4	33	47	41	60	42	37	26
WHITE-----MALE----	118	-	-	1	3	5	8	14	20	14	16	11
FEMALE--	44	1	1	-	-	3	2	4	8	5	2	7
ALL OTHER--MALE----	151	1	2	-	1	20	35	18	19	19	14	7
FEMALE--	45	1	3	-	-	5	2	5	13	4	5	1
BLACK---MALE----	148	1	2	-	1	20	35	18	18	18	13	7
FEMALE--	44	1	3	-	-	5	2	5	13	4	5	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 3,112

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
OHIO -----	14	16	5	9	8	6	4	2	-	1	-	-
WHITE-----MALE----	4	7	3	5	2	3	1	-	-	1	-	-
FEMALE--	-	5	-	2	4	1	3	2	-	-	-	-
ALL OTHER--MALE----	10	4	2	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	10	4	2	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
OKLAHOMA -----	10	5	5	3	5	3	4	1	-	-	-	1
WHITE-----MALE----	6	4	3	-	2	-	-	-	-	-	-	1
FEMALE--	2	-	1	-	1	2	3	1	-	-	-	-
ALL OTHER--MALE----	2	1	1	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	-	-	-	-
OREGON -----	7	7	3	3	4	1	1	-	-	-	-	-
WHITE-----MALE----	3	5	1	3	2	-	1	-	-	-	-	-
FEMALE--	4	2	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	22	27	10	7	7	14	8	4	1	-	-	-
WHITE-----MALE----	12	11	5	4	-	4	6	2	-	-	-	-
FEMALE--	4	4	-	2	4	7	1	-	1	-	-	-
ALL OTHER--MALE----	5	11	4	1	-	2	1	1	-	-	-	-
FEMALE--	1	1	1	-	3	1	-	1	-	-	-	-
BLACK---MALE----	5	10	3	1	-	2	1	1	-	-	-	-
FEMALE--	1	1	1	-	3	1	-	1	-	-	-	-
RHODE ISLAND -----	2	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	11	15	12	5	5	5	2	-	2	-	-	1
WHITE-----MALE----	5	10	6	2	1	2	-	-	-	-	-	-
FEMALE--	2	1	1	1	2	1	-	-	2	-	-	1
ALL OTHER--MALE----	4	2	4	2	1	1	1	-	-	-	-	-
FEMALE--	-	2	1	-	1	1	1	-	-	-	-	-
BLACK---MALE----	4	2	4	2	1	1	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,113

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
SOUTH DAKOTA -----	22	2	1	-	2	1	2	4	1	3	4	-
WHITE-----MALE----	7	1	1	-	1	-	-	1	1	-	1	-
FEMALE--	5	-	-	-	-	1	-	1	-	2	-	-
ALL OTHER--MALE----	8	1	-	-	-	-	2	2	-	-	3	-
FEMALE--	2	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	556	8	3	3	4	63	83	88	59	73	51	45
WHITE-----MALE----	210	4	-	2	2	14	23	31	28	31	18	21
FEMALE--	70	-	1	1	1	5	6	5	10	7	8	9
ALL OTHER--MALE----	233	2	1	-	-	42	50	44	19	25	19	11
FEMALE--	43	2	1	-	1	2	4	8	2	10	6	4
BLACK---MALE----	230	2	1	-	-	41	50	44	19	25	18	11
FEMALE--	39	2	1	-	1	2	4	7	2	10	6	3
TEXAS -----	1,487	22	30	15	26	198	248	201	179	164	130	86
WHITE-----MALE----	743	7	8	5	11	105	124	105	99	75	63	45
FEMALE--	236	9	12	5	8	20	24	28	19	26	25	17
ALL OTHER--MALE----	402	2	5	2	6	61	87	56	49	49	34	17
FEMALE--	106	4	5	3	1	12	13	12	12	14	8	7
BLACK---MALE----	379	2	5	2	5	60	81	54	47	46	31	14
FEMALE--	103	4	5	3	1	11	13	12	12	13	7	7
UTAH -----	63	2	-	1	1	16	12	4	6	4	3	5
WHITE-----MALE----	38	-	-	-	1	9	9	2	5	2	-	4
FEMALE--	16	1	-	1	-	4	2	2	1	2	-	-
ALL OTHER--MALE----	7	1	-	-	-	1	1	-	-	-	3	1
FEMALE--	2	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	4	1	-	-	-	-	1	-	-	-	2	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
VERMONT -----	11	-	1	1	-	-	-	-	3	1	2	2
WHITE-----MALE----	6	-	-	1	-	-	-	-	2	-	1	2
FEMALE--	5	-	1	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	510	7	7	1	7	70	106	75	57	61	36	17
WHITE-----MALE----	126	2	1	-	-	18	18	18	13	22	9	2
FEMALE--	56	2	3	-	-	7	7	3	8	10	2	2
ALL OTHER--MALE----	263	2	2	1	4	41	66	42	32	20	19	10
FEMALE--	65	1	1	-	3	4	15	12	4	9	6	3
BLACK---MALE----	253	2	2	-	2	40	66	42	31	19	17	9
FEMALE--	62	1	1	-	3	4	14	12	4	8	6	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 3,113

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
SOUTH DAKOTA -----	1	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	15	21	13	3	9	5	4	3	-	-	-	3
WHITE-----MALE----	7	12	5	2	4	1	3	1	-	-	-	1
FEMALE--	1	4	2	1	4	3	-	1	-	-	-	1
ALL OTHER--MALE----	7	5	5	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	1
BLACK---MALE----	7	5	4	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
TEXAS -----	51	40	23	19	18	16	4	9	2	1	-	5
WHITE-----MALE----	31	22	5	10	10	7	2	4	-	1	-	4
FEMALE--	7	10	6	1	7	5	1	3	2	-	-	1
ALL OTHER--MALE----	7	8	7	6	1	2	1	2	-	-	-	-
FEMALE--	6	-	5	2	-	2	-	-	-	-	-	-
BLACK---MALE----	6	8	6	6	1	2	1	2	-	-	-	-
FEMALE--	6	-	5	2	-	2	-	-	-	-	-	-
UTAH -----	1	-	1	3	1	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	2	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	23	12	9	7	8	3	1	1	-	-	-	2
WHITE-----MALE----	10	5	3	2	1	1	1	-	-	-	-	-
FEMALE--	4	3	-	2	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	5	3	5	3	4	1	-	1	-	-	-	2
FEMALE--	4	1	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	4	3	5	3	4	1	-	1	-	-	-	2
FEMALE--	3	1	1	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,115
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY HANDGUN (E965.0)												
0 UNITED STATES --	1,307	-	7	9	24	213	286	203	182	118	74	59
WHITE-----MALE----	518	-	3	3	7	87	102	73	63	52	34	29
FEMALE--	129	-	2	2	4	11	14	10	21	14	13	4
ALL OTHER--MALE----	589	-	1	2	10	104	159	112	88	40	24	21
FEMALE--	71	-	1	2	3	11	11	8	10	12	3	5
BLACK---MALE----	549	-	1	-	7	96	153	108	83	36	21	20
FEMALE--	61	-	1	2	3	10	9	8	10	10	2	4
ALABAMA -----	60	-	-	1	1	7	11	15	9	3	4	4
WHITE-----MALE----	6	-	-	-	-	-	2	2	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	44	-	-	-	-	7	7	13	8	3	2	3
FEMALE--	8	-	-	1	1	-	2	-	1	-	1	1
BLACK---MALE----	44	-	-	-	-	7	7	13	8	3	2	3
FEMALE--	8	-	-	1	1	-	2	-	1	-	1	1
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	9	-	-	1	-	6	-	1	-	-	-	1
WHITE-----MALE----	6	-	-	-	-	4	-	1	-	-	-	1
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	368	-	2	3	6	71	85	62	39	36	16	16
WHITE-----MALE----	191	-	1	1	3	41	44	36	15	17	8	10
FEMALE--	32	-	1	1	2	5	3	1	3	6	3	-
ALL OTHER--MALE----	135	-	-	1	1	24	35	24	21	11	4	6
FEMALE--	10	-	-	-	-	1	3	1	-	2	1	-
BLACK---MALE----	114	-	-	-	1	19	33	21	17	9	3	5
FEMALE--	6	-	-	-	-	1	2	1	-	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,117
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY HANDGUN (E965.0)												
HAWAII -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	56	-	-	-	1	8	18	9	6	4	2	4
WHITE-----MALE----	14	-	-	-	1	1	2	2	1	2	1	1
FEMALE--	4	-	-	-	-	-	1	1	-	1	-	1
ALL OTHER--MALE----	35	-	-	-	-	6	14	6	4	1	1	2
FEMALE--	3	-	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	34	-	-	-	-	5	14	6	4	1	1	2
FEMALE--	3	-	-	-	-	1	1	-	1	-	-	-
INDIANA -----	7	-	-	1	-	-	2	-	1	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	2	-	1	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	2	-	1	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
IOWA -----	13	-	-	-	-	3	4	-	2	-	1	1
WHITE-----MALE----	8	-	-	-	-	1	2	-	2	-	1	1
FEMALE--	3	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	14	-	-	-	1	5	4	1	2	-	1	-
WHITE-----MALE----	4	-	-	-	-	-	3	-	1	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	7	-	-	-	1	3	1	1	-	-	1	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	1	3	1	1	-	-	1	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,119
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY HANDGUN (E965.0)												
MINNESOTA -----	1	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	70	-	2	-	1	8	17	7	12	9	6	6
WHITE-----MALE----	20	-	-	-	-	-	3	3	4	4	2	3
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	39	-	1	-	1	8	12	4	5	2	3	2
FEMALE--	10	-	1	-	-	-	2	-	2	3	1	1
BLACK---MALE----	38	-	1	-	1	8	12	4	5	2	2	2
FEMALE--	10	-	1	-	-	-	2	-	2	3	1	1
MISSOURI -----	84	-	-	-	-	8	18	13	12	9	5	8
WHITE-----MALE----	27	-	-	-	-	2	1	4	3	3	3	2
FEMALE--	7	-	-	-	-	-	1	-	1	1	1	2
ALL OTHER--MALE----	42	-	-	-	-	4	16	7	7	3	1	3
FEMALE--	8	-	-	-	-	2	-	2	1	2	-	1
BLACK---MALE----	42	-	-	-	-	4	16	7	7	3	1	3
FEMALE--	8	-	-	-	-	2	-	2	1	2	-	1
MONTANA -----	3	-	-	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	-	-	-	-	-	1	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	49	-	1	-	1	6	8	5	13	3	1	-
WHITE-----MALE----	25	-	1	-	-	5	4	2	6	-	-	-
FEMALE--	7	-	-	-	-	-	1	1	1	-	1	-
ALL OTHER--MALE----	15	-	-	-	1	1	3	2	4	3	-	-
FEMALE--	2	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	13	-	-	-	-	1	3	2	4	2	-	-
FEMALE--	2	-	-	-	-	-	-	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,121
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY HANDGUN (E965.0)												
OHIO -----	16	-	-	-	-	2	4	3	4	2	-	-
WHITE-----MALE----	3	-	-	-	-	-	1	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	2	3	2	2	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	11	-	-	-	-	2	3	2	2	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	33	-	-	1	-	2	7	5	3	8	2	1
WHITE-----MALE----	17	-	-	1	-	1	4	1	2	4	1	1
FEMALE--	5	-	-	-	-	-	1	1	1	1	-	-
ALL OTHER--MALE----	11	-	-	-	-	1	2	3	-	3	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	1	1	3	-	3	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	12	-	-	-	1	1	2	1	3	1	-	1
WHITE-----MALE----	7	-	-	-	1	1	1	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	1	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	1	1	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	2	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	24	-	-	-	1	2	3	6	6	2	-	-
WHITE-----MALE----	11	-	-	-	-	-	1	2	4	2	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	1	2	2	2	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	9	-	-	-	1	2	2	2	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 3,121
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASSAULT BY HANDGUN (E965.0)												
OHIO -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	2	-	1	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	1	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	2	1	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,122
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY HANDGUN (E965.0)												
SOUTH DAKOTA -----	3	-	-	-	-	-	-	1	-	1	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	7	-	-	-	-	1	1	1	1	1	1	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	2	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	18	-	-	-	1	1	2	2	4	2	2	2
WHITE-----MALE----	8	-	-	-	-	1	1	-	3	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	6	-	-	-	1	-	1	2	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	1	2	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	7	-	-	-	-	3	2	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	3	2	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	160	-	-	1	3	28	38	29	26	17	7	4
WHITE-----MALE----	35	-	-	-	-	5	6	3	8	6	4	1
FEMALE--	9	-	-	-	-	1	2	-	3	2	-	-
ALL OTHER--MALE----	105	-	-	1	2	22	28	22	15	6	3	2
FEMALE--	11	-	-	-	1	-	2	4	-	3	-	1
BLACK---MALE----	102	-	-	-	1	22	28	22	15	6	2	2
FEMALE--	9	-	-	-	1	-	1	4	-	2	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,124
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)												
0 UNITED STATES --	11,945	9	46	68	183	2,003	2,608	1,890	1,431	1,151	874	629
WHITE-----MALE----	4,265	1	17	25	76	644	751	624	557	443	353	259
FEMALE--	1,113	2	14	19	18	110	115	123	134	147	123	98
ALL OTHER--MALE----	5,775	2	7	13	67	1,138	1,601	1,022	634	483	320	227
FEMALE--	792	4	8	11	22	111	141	121	106	78	78	45
BLACK---MALE----	5,508	2	6	13	59	1,077	1,560	985	610	454	301	205
FEMALE--	723	4	7	10	19	99	133	115	102	73	69	36
ALABAMA -----	311	1	2	1	6	38	52	47	36	33	31	18
WHITE-----MALE----	87	-	2	1	1	6	5	4	10	17	13	5
FEMALE--	29	-	-	-	-	4	1	3	5	2	2	-
ALL OTHER--MALE----	165	-	-	-	3	25	39	35	15	12	15	12
FEMALE--	30	1	-	-	2	3	7	5	6	2	1	1
BLACK---MALE----	164	-	-	-	3	24	39	35	15	12	15	12
FEMALE--	30	1	-	-	2	3	7	5	6	2	1	1
ALASKA -----	31	-	-	-	2	7	1	-	3	4	9	3
WHITE-----MALE----	16	-	-	-	2	2	-	-	2	1	4	3
FEMALE--	3	-	-	-	-	-	1	-	-	1	1	-
ALL OTHER--MALE----	10	-	-	-	-	4	-	-	1	2	3	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ARIZONA -----	276	-	2	1	2	41	60	55	37	29	18	15
WHITE-----MALE----	197	-	2	1	2	26	40	40	28	20	13	11
FEMALE--	25	-	-	-	-	6	4	4	1	5	2	3
ALL OTHER--MALE----	50	-	-	-	-	8	14	11	8	4	2	1
FEMALE--	4	-	-	-	-	1	2	-	-	-	1	-
BLACK---MALE----	36	-	-	-	-	6	12	9	5	2	1	-
FEMALE--	2	-	-	-	-	-	2	-	-	-	-	-
ARKANSAS -----	196	-	-	1	-	27	31	29	23	25	19	13
WHITE-----MALE----	70	-	-	1	-	5	4	11	11	13	8	4
FEMALE--	20	-	-	-	-	2	1	2	3	4	1	3
ALL OTHER--MALE----	86	-	-	-	-	13	24	12	8	8	8	5
FEMALE--	20	-	-	-	-	7	2	4	1	-	2	1
BLACK---MALE----	85	-	-	-	-	13	24	12	8	7	8	5
FEMALE--	20	-	-	-	-	7	2	4	1	-	2	1
CALIFORNIA -----	1,607	2	12	14	20	327	366	254	207	139	104	71
WHITE-----MALE----	919	1	6	8	11	205	212	141	115	65	62	43
FEMALE--	132	1	5	3	-	18	15	19	17	13	14	12
ALL OTHER--MALE----	486	-	-	2	8	95	129	81	70	54	17	13
FEMALE--	70	-	1	1	1	9	10	13	5	7	11	3
BLACK---MALE----	395	-	-	2	4	63	112	76	63	40	13	10
FEMALE--	50	-	-	-	-	7	9	12	3	6	6	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,125
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)												
COLORADO -----	88	-	1	-	3	17	16	12	8	9	9	4
WHITE-----MALE----	53	-	-	-	3	9	8	10	5	6	5	2
FEMALE--	12	-	1	-	-	1	1	1	2	1	2	1
ALL OTHER--MALE----	18	-	-	-	-	7	4	1	1	2	1	-
FEMALE--	5	-	-	-	-	-	3	-	-	-	1	1
BLACK---MALE----	14	-	-	-	-	6	3	-	1	2	1	-
FEMALE--	4	-	-	-	-	-	2	-	-	-	1	1
CONNECTICUT -----	80	-	-	1	2	14	25	13	4	10	3	1
WHITE-----MALE----	23	-	-	-	-	4	8	2	-	3	2	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	48	-	-	-	2	10	17	11	3	3	-	1
FEMALE--	5	-	-	1	-	-	-	-	1	3	-	-
BLACK---MALE----	46	-	-	-	2	10	17	10	3	3	-	1
FEMALE--	5	-	-	1	-	-	-	-	1	3	-	-
DELAWARE -----	15	-	-	-	-	2	2	4	1	2	2	-
WHITE-----MALE----	5	-	-	-	-	-	1	-	1	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	7	-	-	-	-	2	1	3	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	7	-	-	-	-	2	1	3	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	201	-	-	1	2	56	70	25	16	5	7	9
WHITE-----MALE----	5	-	-	-	-	-	3	1	-	-	1	-
FEMALE--	7	-	-	-	-	-	3	2	-	-	-	-
ALL OTHER--MALE----	173	-	-	1	2	56	58	20	15	4	4	7
FEMALE--	16	-	-	-	-	-	6	2	1	1	2	2
BLACK---MALE----	172	-	-	1	2	56	57	20	15	4	4	7
FEMALE--	15	-	-	-	-	-	6	2	1	1	2	2
FLORIDA -----	692	1	3	3	11	86	119	118	84	80	54	50
WHITE-----MALE----	261	-	2	1	4	25	38	38	31	36	25	25
FEMALE--	84	1	1	1	2	7	6	12	6	10	9	8
ALL OTHER--MALE----	306	-	-	-	3	50	67	62	41	26	19	16
FEMALE--	41	-	-	1	2	4	8	6	6	8	1	1
BLACK---MALE----	305	-	-	-	3	50	67	61	41	26	19	16
FEMALE--	40	-	-	1	2	4	8	6	6	7	1	1
GEORGIA -----	438	-	1	3	6	60	74	76	42	49	43	35
WHITE-----MALE----	117	-	-	1	2	11	13	19	11	13	11	10
FEMALE--	30	-	1	1	-	1	2	3	5	3	7	2
ALL OTHER--MALE----	246	-	-	1	4	41	52	41	22	29	21	22
FEMALE--	45	-	-	-	-	7	7	13	4	4	4	1
BLACK---MALE----	240	-	-	1	4	40	52	40	22	29	20	21
FEMALE--	44	-	-	-	-	7	7	13	4	4	4	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 3,125
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)												
COLORADO -----	1	3	-	2	2	-	-	-	1	-	-	-
WHITE-----MALE----	1	3	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	1	1	2	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	4	1	1	-	1	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	2	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
FLORIDA -----	22	18	14	7	6	4	4	2	2	-	-	4
WHITE-----MALE----	12	6	8	3	2	2	-	1	-	-	-	2
FEMALE--	1	6	3	-	3	2	3	1	2	-	-	-
ALL OTHER--MALE----	9	5	3	3	1	-	-	-	-	-	-	1
FEMALE--	-	1	-	1	-	-	1	-	-	-	-	1
BLACK---MALE----	9	5	3	3	1	-	-	-	-	-	-	1
FEMALE--	-	1	-	1	-	-	1	-	-	-	-	1
GEORGIA -----	19	11	8	2	2	3	2	1	-	-	-	1
WHITE-----MALE----	11	5	6	1	-	2	-	-	-	-	-	1
FEMALE--	1	1	-	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	6	4	2	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	2	-	-	-	-	-
BLACK---MALE----	5	3	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,126
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)												
HAWAII -----	17	-	-	-	1	1	6	4	1	3	-	-
WHITE-----MALE----	4	-	-	-	-	-	3	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	1	1	2	4	1	1	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	24	-	-	-	1	1	2	5	2	2	7	1
WHITE-----MALE----	21	-	-	-	1	1	2	5	2	2	5	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	779	-	2	3	11	186	224	121	74	47	49	23
WHITE-----MALE----	202	-	1	-	4	40	47	30	20	14	16	9
FEMALE--	41	-	-	2	-	13	2	5	2	5	7	1
ALL OTHER--MALE----	482	-	-	-	5	119	164	82	46	25	21	10
FEMALE--	54	-	1	1	2	14	11	4	6	3	5	3
BLACK---MALE----	481	-	-	-	5	119	164	82	46	25	21	9
FEMALE--	53	-	1	1	2	14	11	4	6	3	5	2
INDIANA -----	311	-	-	1	1	44	75	48	50	25	23	17
WHITE-----MALE----	87	-	-	-	1	7	14	13	22	4	7	3
FEMALE--	31	-	-	-	-	4	3	2	5	7	1	5
ALL OTHER--MALE----	178	-	-	1	-	31	54	31	22	12	13	8
FEMALE--	15	-	-	-	-	2	4	2	1	2	2	1
BLACK---MALE----	178	-	-	1	-	31	54	31	22	12	13	8
FEMALE--	15	-	-	-	-	2	4	2	1	2	2	1
IOWA -----	14	-	-	-	1	4	3	1	1	2	-	1
WHITE-----MALE----	6	-	-	-	1	2	-	-	1	1	-	1
FEMALE--	5	-	-	-	-	1	2	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	88	-	1	-	-	21	23	4	13	6	6	4
WHITE-----MALE----	33	-	-	-	-	6	7	2	7	3	3	2
FEMALE--	12	-	-	-	-	-	3	1	3	-	1	-
ALL OTHER--MALE----	38	-	1	-	-	14	12	1	3	3	1	2
FEMALE--	5	-	-	-	-	1	1	-	-	-	1	-
BLACK---MALE----	37	-	-	-	-	14	12	1	3	3	1	2
FEMALE--	3	-	-	-	-	-	1	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,127
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)												
KENTUCKY -----	159	-	-	1	1	30	30	19	17	18	8	9
WHITE-----MALE----	74	-	-	1	-	4	11	10	5	13	6	5
FEMALE--	28	-	-	-	1	3	6	2	4	3	1	4
ALL OTHER--MALE----	52	-	-	-	-	22	13	7	6	2	-	-
FEMALE--	5	-	-	-	-	1	-	-	2	-	1	-
BLACK---MALE----	52	-	-	-	-	22	13	7	6	2	-	-
FEMALE--	5	-	-	-	-	1	-	-	2	-	1	-
LOUISIANA -----	532	-	3	2	7	85	134	94	56	43	36	33
WHITE-----MALE----	83	-	-	-	-	13	9	8	8	10	10	6
FEMALE--	27	-	-	1	1	2	5	2	3	5	-	2
ALL OTHER--MALE----	369	-	1	1	4	66	108	79	35	22	21	19
FEMALE--	53	-	2	-	2	4	12	5	10	6	5	6
BLACK---MALE----	363	-	1	1	4	66	108	78	33	21	21	17
FEMALE--	53	-	2	-	2	4	12	5	10	6	5	6
MAINE -----	4	-	-	-	-	1	-	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	416	-	1	2	6	82	100	63	58	37	25	18
WHITE-----MALE----	39	-	-	-	1	2	3	9	5	6	3	2
FEMALE--	11	-	-	-	-	2	-	-	3	2	1	1
ALL OTHER--MALE----	325	-	-	-	4	75	90	49	39	28	19	11
FEMALE--	41	-	1	2	1	3	7	5	11	1	2	4
BLACK---MALE----	320	-	-	-	4	73	90	49	39	27	18	10
FEMALE--	40	-	1	2	1	2	7	5	11	1	2	4
MASSACHUSETTS -----	65	-	-	-	3	11	14	9	9	4	3	4
WHITE-----MALE----	28	-	-	-	1	5	4	3	6	3	-	1
FEMALE--	8	-	-	-	1	-	1	-	-	-	2	2
ALL OTHER--MALE----	24	-	-	-	-	5	7	5	3	1	1	1
FEMALE--	5	-	-	-	1	1	2	1	-	-	-	-
BLACK---MALE----	23	-	-	-	-	5	6	5	3	1	1	1
FEMALE--	4	-	-	-	-	1	2	1	-	-	-	-
MICHIGAN -----	537	1	2	3	11	84	117	98	61	58	37	24
WHITE-----MALE----	92	-	-	1	4	9	15	18	14	8	10	4
FEMALE--	30	-	-	-	1	4	2	2	5	5	2	2
ALL OTHER--MALE----	361	-	2	1	5	60	92	70	33	41	20	16
FEMALE--	54	1	-	1	1	11	8	8	9	4	5	2
BLACK---MALE----	354	-	2	1	5	59	90	70	33	39	20	15
FEMALE--	52	1	-	1	1	11	8	8	9	4	4	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,128
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)												
MINNESOTA -----	77	-	-	2	2	22	14	9	5	9	5	6
WHITE-----MALE----	26	-	-	-	-	5	2	3	4	4	4	3
FEMALE--	11	-	-	1	-	2	4	-	1	1	-	1
ALL OTHER--MALE----	38	-	-	1	2	13	8	6	-	4	1	2
FEMALE--	2	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	33	-	-	1	-	11	8	5	-	4	1	2
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
MISSISSIPPI -----	210	-	-	1	2	27	44	22	32	24	21	11
WHITE-----MALE----	49	-	-	-	1	3	5	1	11	4	9	4
FEMALE--	15	-	-	-	-	2	-	2	4	-	1	-
ALL OTHER--MALE----	120	-	-	1	1	18	36	17	12	14	10	4
FEMALE--	26	-	-	-	-	4	3	2	5	6	1	3
BLACK---MALE----	119	-	-	1	1	18	36	17	12	14	10	4
FEMALE--	25	-	-	-	-	3	3	2	5	6	1	3
MISSOURI -----	211	-	-	-	1	39	42	36	30	16	21	8
WHITE-----MALE----	43	-	-	-	-	4	6	8	6	3	7	2
FEMALE--	21	-	-	-	-	2	1	1	4	6	1	1
ALL OTHER--MALE----	130	-	-	-	1	32	30	25	18	7	9	4
FEMALE--	17	-	-	-	-	1	5	2	2	-	4	1
BLACK---MALE----	129	-	-	-	1	31	30	25	18	7	9	4
FEMALE--	16	-	-	-	-	1	5	2	2	-	4	1
MONTANA -----	21	-	-	-	2	1	2	2	4	1	4	1
WHITE-----MALE----	13	-	-	-	2	1	1	1	3	-	1	1
FEMALE--	8	-	-	-	-	-	1	1	1	1	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	34	-	-	-	1	11	3	3	2	5	3	1
WHITE-----MALE----	16	-	-	-	1	4	1	-	2	3	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	-	-	-	-	6	2	3	-	2	1	1
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	15	-	-	-	-	6	2	3	-	2	1	1
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
NEVADA -----	60	-	-	-	-	13	9	9	2	6	8	7
WHITE-----MALE----	37	-	-	-	-	8	5	7	2	4	2	5
FEMALE--	10	-	-	-	-	2	1	-	-	1	3	2
ALL OTHER--MALE----	10	-	-	-	-	2	2	2	-	1	3	-
FEMALE--	3	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	2	2	1	-	1	2	-
FEMALE--	3	-	-	-	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,130

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA	AUSE BY AREA	RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)														
OHIO	-----		275	-	-	1	4	42	54	42	36	32	21	12
	WHITE	-----MALE	81	-	-	-	3	8	8	9	19	11	6	3
		FEMALE	28	-	-	1	-	2	2	-	4	4	5	2
	ALL OTHER	--MALE	145	-	-	-	-	29	41	25	11	16	9	5
		FEMALE	21	-	-	-	1	3	3	8	2	1	1	2
	BLACK	---MALE	144	-	-	-	-	29	41	25	11	15	9	5
		FEMALE	20	-	-	-	1	3	3	7	2	1	1	2
OKLAHOMA	-----		184	-	-	1	12	35	28	16	21	27	12	17
	WHITE	-----MALE	85	-	-	1	6	10	9	8	16	17	4	6
		FEMALE	26	-	-	-	2	1	4	2	1	4	4	5
	ALL OTHER	--MALE	60	-	-	-	3	20	13	5	3	6	3	4
		FEMALE	13	-	-	-	1	4	2	1	1	-	1	2
	BLACK	---MALE	48	-	-	-	3	17	11	5	1	6	2	2
		FEMALE	4	-	-	-	1	1	-	-	1	-	-	-
OREGON	-----		44	-	1	-	5	4	8	7	4	8	1	1
	WHITE	-----MALE	23	-	-	-	3	2	3	6	2	5	-	-
		FEMALE	11	-	1	-	1	-	1	-	-	3	1	1
	ALL OTHER	--MALE	8	-	-	-	1	1	4	1	1	-	-	-
		FEMALE	2	-	-	-	-	1	-	-	1	-	-	-
	BLACK	---MALE	5	-	-	-	-	1	4	-	-	-	-	-
		FEMALE	1	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA	-----		544	-	2	3	9	92	138	93	65	39	33	30
	WHITE	-----MALE	131	-	1	-	1	26	24	24	14	8	8	9
		FEMALE	48	-	-	2	1	2	6	6	4	5	5	10
	ALL OTHER	--MALE	337	-	1	1	4	60	105	58	46	22	16	10
		FEMALE	28	-	-	-	3	4	3	5	1	4	4	1
	BLACK	---MALE	330	-	1	1	4	58	103	58	46	21	16	9
		FEMALE	25	-	-	-	2	4	2	5	1	4	4	-
RHODE ISLAND	-----		12	-	-	-	-	2	4	1	3	1	1	-
	WHITE	-----MALE	5	-	-	-	-	-	3	1	-	-	1	-
		FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER	--MALE	7	-	-	-	-	2	1	-	3	1	-	-
		FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK	---MALE	7	-	-	-	-	2	1	-	3	1	-	-
		FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	-----		208	1	-	-	2	26	41	25	38	19	17	13
	WHITE	-----MALE	69	-	-	-	2	5	7	9	11	4	8	7
		FEMALE	20	-	-	-	-	2	2	2	4	1	1	3
	ALL OTHER	--MALE	98	-	-	-	-	15	31	14	13	14	5	3
		FEMALE	21	1	-	-	-	4	1	-	10	-	3	-
	BLACK	---MALE	96	-	-	-	-	15	31	14	12	13	5	3
		FEMALE	20	1	-	-	-	4	1	-	10	-	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,131
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)												
SOUTH DAKOTA -----	3	-	-	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	412	1	1	3	3	55	70	71	44	56	39	27
WHITE-----MALE----	155	-	-	2	2	13	19	22	24	26	15	11
FEMALE--	37	-	1	1	1	2	2	5	2	3	7	5
ALL OTHER--MALE----	195	1	-	-	-	39	46	37	17	22	13	8
FEMALE--	25	-	-	-	-	1	3	7	1	5	4	3
BLACK---MALE----	192	1	-	-	-	38	46	37	17	22	12	8
FEMALE--	22	-	-	-	-	1	3	6	1	5	4	2
TEXAS -----	933	2	-	8	20	162	180	152	102	99	72	45
WHITE-----MALE----	457	-	-	3	9	88	86	75	53	40	31	23
FEMALE--	117	-	-	3	5	10	12	19	10	19	17	7
ALL OTHER--MALE----	303	1	-	1	5	57	75	48	31	33	19	13
FEMALE--	56	1	-	1	1	7	7	10	8	7	5	2
BLACK---MALE----	286	1	-	1	5	56	69	46	30	32	18	10
FEMALE--	53	1	-	1	1	6	7	10	8	6	4	2
UTAH -----	28	-	-	-	-	7	7	2	4	2	-	4
WHITE-----MALE----	20	-	-	-	-	4	6	1	4	1	-	3
FEMALE--	6	-	-	-	-	2	1	1	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	9	-	1	1	-	-	-	-	3	-	2	1
WHITE-----MALE----	5	-	-	1	-	-	-	-	2	-	1	1
FEMALE--	4	-	1	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	210	-	2	-	4	30	53	27	20	23	16	7
WHITE-----MALE----	51	-	-	-	-	8	9	7	2	9	2	1
FEMALE--	24	-	-	-	-	4	2	1	4	4	1	-
ALL OTHER--MALE----	107	-	1	-	2	16	33	15	13	7	9	5
FEMALE--	28	-	1	-	2	2	9	4	1	3	4	1
BLACK---MALE----	102	-	1	-	1	15	33	15	12	7	9	4
FEMALE--	27	-	1	-	2	2	9	4	1	3	4	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,133
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)												
0 UNITED STATES --	2,246	2	7	14	22	170	297	287	288	321	256	167
WHITE-----MALE----	839	-	3	2	4	61	142	123	106	104	84	58
FEMALE--	356	1	1	6	8	25	32	25	50	46	25	31
ALL OTHER--MALE----	751	-	1	5	6	70	92	107	87	119	100	57
FEMALE--	300	1	2	1	4	14	31	32	45	52	47	21
BLACK---MALE----	678	-	1	5	5	64	77	94	80	111	90	51
FEMALE--	276	1	1	-	3	12	31	30	38	49	46	20
ALABAMA -----	69	-	-	3	-	4	5	11	11	11	7	6
WHITE-----MALE----	9	-	-	-	-	-	1	1	1	1	-	3
FEMALE--	12	-	-	3	-	-	1	1	2	1	1	1
ALL OTHER--MALE----	38	-	-	-	-	4	1	7	6	8	4	2
FEMALE--	10	-	-	-	-	-	2	2	2	1	2	-
BLACK---MALE----	38	-	-	-	-	4	1	7	6	8	4	2
FEMALE--	10	-	-	-	-	-	2	2	2	1	2	-
ALASKA -----	9	-	-	-	-	-	-	3	2	2	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	1	1	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	2	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	40	-	-	-	1	1	5	10	8	6	2	-
WHITE-----MALE----	26	-	-	-	-	1	3	7	5	2	2	-
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	8	-	-	-	1	-	-	2	2	3	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ARKANSAS -----	35	-	-	-	-	4	4	5	1	3	4	7
WHITE-----MALE----	10	-	-	-	-	-	1	1	1	3	-	3
FEMALE--	4	-	-	-	-	1	-	-	-	-	1	1
ALL OTHER--MALE----	17	-	-	-	-	3	2	3	-	-	3	1
FEMALE--	4	-	-	-	-	-	1	1	-	-	-	2
BLACK---MALE----	17	-	-	-	-	3	2	3	-	-	3	1
FEMALE--	4	-	-	-	-	-	1	1	-	-	-	2
CALIFORNIA -----	284	1	-	-	2	19	53	48	39	34	26	27
WHITE-----MALE----	175	-	-	-	1	14	38	30	27	21	15	13
FEMALE--	44	1	-	-	-	1	4	6	5	3	4	7
ALL OTHER--MALE----	48	-	-	-	1	4	9	10	6	5	6	5
FEMALE--	17	-	-	-	-	-	2	2	1	5	1	2
BLACK---MALE----	37	-	-	-	1	3	5	7	5	5	6	3
FEMALE--	14	-	-	-	-	-	2	1	-	5	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,134
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)												
COLORADO -----	23	-	-	-	1	1	8	-	2	2	2	2
WHITE-----MALE----	13	-	-	-	1	-	5	-	1	-	2	1
FEMALE--	4	-	-	-	-	1	2	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	4	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	16	-	-	-	1	2	1	1	3	2	2	-
WHITE-----MALE----	5	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	1	1	-	1	1	-	-
FEMALE--	5	-	-	-	-	-	-	1	2	-	2	-
BLACK---MALE----	4	-	-	-	-	1	1	-	1	1	-	-
FEMALE--	5	-	-	-	-	-	-	1	2	-	2	-
DELAWARE -----	8	-	-	-	-	2	-	-	4	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	1	-	1	-
FEMALE--	2	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	-	1	-	1	-
FEMALE--	2	-	-	-	-	1	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	22	-	-	-	1	3	2	6	2	2	3	1
WHITE-----MALE----	3	-	-	-	-	-	1	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	-	-	-	-	3	-	6	1	1	2	1
FEMALE--	4	-	-	-	1	-	1	-	-	-	1	-
BLACK---MALE----	15	-	-	-	-	3	-	6	1	1	2	1
FEMALE--	4	-	-	-	1	-	1	-	-	-	1	-
FLORIDA -----	119	-	1	1	-	6	14	9	20	22	10	9
WHITE-----MALE----	41	-	1	-	-	4	6	1	5	6	7	-
FEMALE--	26	-	-	1	-	1	1	-	5	5	1	3
ALL OTHER--MALE----	40	-	-	-	-	1	5	5	9	8	2	5
FEMALE--	12	-	-	-	-	-	2	3	1	3	-	1
BLACK---MALE----	39	-	-	-	-	1	5	5	8	8	2	5
FEMALE--	12	-	-	-	-	-	2	3	1	3	-	1
GEORGIA -----	70	-	-	1	-	3	8	7	8	11	15	6
WHITE-----MALE----	12	-	-	-	-	1	2	-	2	2	1	1
FEMALE--	5	-	-	1	-	-	1	1	-	-	1	1
ALL OTHER--MALE----	35	-	-	-	-	2	3	2	4	6	7	3
FEMALE--	18	-	-	-	-	-	2	4	2	3	6	1
BLACK---MALE----	35	-	-	-	-	2	3	2	4	6	7	3
FEMALE--	18	-	-	-	-	-	2	4	2	3	6	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,136
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)												
KENTUCKY -----	27	-	-	1	-	2	4	4	4	2	4	1
WHITE-----MALE----	17	-	-	-	-	2	1	3	3	2	3	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	6	-	-	1	-	-	3	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	6	-	-	1	-	-	3	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
LOUISIANA -----	76	-	-	1	1	10	9	7	9	15	6	3
WHITE-----MALE----	14	-	-	1	-	2	3	1	1	1	1	-
FEMALE--	11	-	-	-	-	1	2	-	1	2	-	1
ALL OTHER--MALE----	35	-	-	-	1	6	4	5	5	9	1	1
FEMALE--	16	-	-	-	-	1	-	1	2	3	4	1
BLACK---MALE----	35	-	-	-	1	6	4	5	5	9	1	1
FEMALE--	16	-	-	-	-	1	-	1	2	3	4	1
MAINE -----	2	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	47	-	1	1	2	2	4	3	11	11	3	3
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	28	-	-	-	1	1	4	3	7	7	3	-
FEMALE--	10	-	1	1	1	1	-	-	3	1	-	1
BLACK---MALE----	27	-	-	-	1	1	4	3	7	7	3	-
FEMALE--	7	-	-	-	1	1	-	-	2	1	-	1
MASSACHUSETTS -----	30	-	1	-	-	2	5	4	4	6	1	1
WHITE-----MALE----	10	-	1	-	-	-	4	-	2	-	-	-
FEMALE--	10	-	-	-	-	-	-	2	2	2	1	1
ALL OTHER--MALE----	8	-	-	-	-	2	1	1	-	4	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	7	-	-	-	-	2	1	-	-	4	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	84	-	2	2	-	6	8	8	12	11	8	7
WHITE-----MALE----	14	-	-	-	-	1	1	2	2	2	-	2
FEMALE--	11	-	1	-	-	1	-	-	4	-	-	1
ALL OTHER--MALE----	39	-	1	2	-	4	4	4	4	5	4	4
FEMALE--	20	-	-	-	-	-	3	2	2	4	4	-
BLACK---MALE----	38	-	1	2	-	4	4	4	4	4	4	4
FEMALE--	20	-	-	-	-	-	3	2	2	4	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,139
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)												
OHIO -----	41	-	-	-	-	4	6	4	7	4	5	4
WHITE-----MALE----	16	-	-	-	-	-	4	4	1	1	3	-
FEMALE--	5	-	-	-	-	-	-	-	2	-	-	1
ALL OTHER--MALE----	16	-	-	-	-	4	1	-	2	3	2	3
FEMALE--	4	-	-	-	-	-	1	-	2	-	-	-
BLACK---MALE----	16	-	-	-	-	4	1	-	2	3	2	3
FEMALE--	4	-	-	-	-	-	1	-	2	-	-	-
OKLAHOMA -----	27	-	-	-	2	3	4	3	2	2	4	5
WHITE-----MALE----	9	-	-	-	-	1	1	2	1	1	-	2
FEMALE--	8	-	-	-	2	1	1	1	1	-	1	1
ALL OTHER--MALE----	9	-	-	-	-	1	1	-	-	1	3	2
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	1	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
OREGON -----	14	-	-	-	-	1	2	3	1	2	-	-
WHITE-----MALE----	9	-	-	-	-	1	1	2	1	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	73	-	-	-	1	4	8	6	9	10	9	7
WHITE-----MALE----	21	-	-	-	-	1	5	1	2	2	1	2
FEMALE--	13	-	-	-	-	-	-	3	1	2	1	3
ALL OTHER--MALE----	27	-	-	-	1	1	2	2	4	5	4	1
FEMALE--	12	-	-	-	-	2	1	-	2	1	3	1
BLACK---MALE----	25	-	-	-	-	1	2	2	4	5	4	1
FEMALE--	12	-	-	-	-	2	1	-	2	1	3	1
RHODE ISLAND -----	4	-	-	-	-	2	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	43	-	-	-	-	3	-	6	4	6	10	3
WHITE-----MALE----	10	-	-	-	-	-	-	-	1	3	2	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	18	-	-	-	-	3	-	2	1	1	5	1
FEMALE--	10	-	-	-	-	-	-	4	1	2	2	-
BLACK---MALE----	17	-	-	-	-	3	-	2	1	1	4	1
FEMALE--	10	-	-	-	-	-	-	4	1	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,140
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)												
SOUTH DAKOTA -----	5	-	-	-	-	-	1	1	-	-	2	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	1	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	62	-	-	-	-	3	9	12	6	5	6	8
WHITE-----MALE----	19	-	-	-	-	1	3	5	1	1	1	3
FEMALE--	12	-	-	-	-	-	2	-	3	2	-	1
ALL OTHER--MALE----	23	-	-	-	-	2	3	6	1	1	3	3
FEMALE--	8	-	-	-	-	-	1	1	1	1	2	1
BLACK---MALE----	23	-	-	-	-	2	3	6	1	1	3	3
FEMALE--	7	-	-	-	-	-	1	1	1	1	2	1
TEXAS -----	169	-	1	3	1	8	29	16	27	19	22	11
WHITE-----MALE----	89	-	-	1	-	5	21	10	19	9	11	4
FEMALE--	30	-	-	1	1	1	3	4	2	1	2	2
ALL OTHER--MALE----	37	-	-	1	-	2	3	2	5	8	7	3
FEMALE--	13	-	1	-	-	-	2	-	1	1	2	2
BLACK---MALE----	36	-	-	1	-	2	3	2	5	7	7	3
FEMALE--	13	-	1	-	-	-	2	-	1	1	2	2
UTAH -----	7	-	-	-	-	1	3	-	1	1	-	-
WHITE-----MALE----	3	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	53	-	-	-	-	7	6	8	2	9	7	1
WHITE-----MALE----	14	-	-	-	-	3	2	4	-	2	1	-
FEMALE--	7	-	-	-	-	1	-	2	-	2	1	-
ALL OTHER--MALE----	23	-	-	-	-	1	2	2	1	3	4	1
FEMALE--	9	-	-	-	-	2	2	-	1	2	1	-
BLACK---MALE----	21	-	-	-	-	1	2	2	1	2	3	1
FEMALE--	9	-	-	-	-	2	2	-	1	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 3,140
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)												
SOUTH DAKOTA -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	3	1	1	1	1	-	-	-	-	-	1
WHITE-----MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	5	7	5	4	3	4	-	3	1	-	-	-
WHITE-----MALE----	3	1	1	1	1	1	-	1	-	-	-	-
FEMALE--	1	5	2	-	2	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	2	-	2	-	1	-	-	-	-
FEMALE--	1	-	2	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	2	-	2	-	1	-	-	-	-
FEMALE--	1	-	2	1	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	4	1	4	2	1	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	4	-	3	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	4	-	3	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,142
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)												
0 UNITED STATES --	3,993	306	315	83	53	215	291	319	361	410	365	306
WHITE-----MALE----	1,496	120	96	22	18	64	96	112	117	141	152	131
FEMALE--	960	65	76	19	14	64	71	84	89	89	64	58
ALL OTHER--MALE----	874	59	81	23	11	52	78	55	80	88	92	76
FEMALE--	663	62	62	19	10	35	46	68	75	92	57	41
BLACK---MALE----	761	49	76	16	11	44	68	45	69	74	84	69
FEMALE--	591	54	54	18	8	33	42	62	70	82	50	34
ALABAMA -----	74	6	4	2	-	3	5	6	5	7	8	5
WHITE-----MALE----	19	3	1	1	-	-	1	1	1	-	4	2
FEMALE--	12	-	-	-	-	-	1	1	3	1	-	-
ALL OTHER--MALE----	21	-	2	-	-	3	1	3	-	4	1	1
FEMALE--	22	3	1	1	-	-	2	1	1	2	3	2
BLACK---MALE----	21	-	2	-	-	3	1	3	-	4	1	1
FEMALE--	21	3	1	1	-	-	2	1	1	2	2	2
ALASKA -----	15	5	1	-	-	1	-	1	-	1	1	-
WHITE-----MALE----	4	1	-	-	-	1	-	-	-	-	1	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	2	-	-	-	-	-	1	-	1	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	84	6	2	1	2	4	9	9	4	8	9	3
WHITE-----MALE----	38	3	2	1	-	1	2	3	2	1	6	1
FEMALE--	25	1	-	-	2	1	3	4	1	2	3	-
ALL OTHER--MALE----	13	1	-	-	-	2	3	2	-	3	-	-
FEMALE--	8	1	-	-	-	-	1	-	1	2	-	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	58	5	5	2	-	4	2	4	4	5	5	5
WHITE-----MALE----	18	1	1	2	-	1	-	2	3	1	1	-
FEMALE--	18	2	2	-	-	1	-	2	1	2	2	1
ALL OTHER--MALE----	13	2	2	-	-	-	1	-	-	2	1	2
FEMALE--	9	-	-	-	-	2	1	-	-	-	1	2
BLACK---MALE----	13	2	2	-	-	-	1	-	-	2	1	2
FEMALE--	9	-	-	-	-	2	1	-	-	-	1	2
CALIFORNIA -----	521	33	45	15	8	23	43	40	48	48	48	39
WHITE-----MALE----	250	15	13	5	4	10	26	19	23	28	25	20
FEMALE--	111	8	13	3	-	8	5	9	8	8	9	7
ALL OTHER--MALE----	98	5	11	3	3	4	8	8	12	2	5	10
FEMALE--	62	5	8	4	1	1	4	4	5	10	9	2
BLACK---MALE----	70	3	10	1	3	2	7	5	9	2	3	8
FEMALE--	48	4	6	3	1	1	3	2	4	9	6	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 3,142

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)												
0 UNITED STATES --	189	153	112	102	114	113	76	56	24	7	1	22
WHITE-----MALE----	90	79	47	46	46	49	30	18	7	4	1	10
FEMALE--	38	26	21	24	41	36	36	24	12	2	-	7
ALL OTHER--MALE----	38	35	33	20	20	15	6	6	4	-	-	2
FEMALE--	23	13	11	12	7	13	4	8	1	1	-	3
BLACK---MALE----	31	30	28	17	18	15	6	6	3	-	-	2
FEMALE--	18	11	11	10	7	12	3	7	1	1	-	3
ALABAMA -----	4	1	2	1	4	4	1	5	1	-	-	-
WHITE-----MALE----	1	-	1	-	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	1	1	2	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	1	-	1	1	-	-	-
FEMALE--	1	1	-	-	2	-	-	2	-	-	-	-
BLACK---MALE----	1	-	1	-	1	1	-	1	1	-	-	-
FEMALE--	1	1	-	-	2	-	-	2	-	-	-	-
ALASKA -----	2	-	2	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	6	4	1	3	3	2	1	-	1	-	-
WHITE-----MALE----	4	3	4	1	1	1	1	1	-	-	-	-
FEMALE--	1	1	-	-	2	2	1	-	-	1	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	2	-	2	4	1	2	2	3	-	-	-
WHITE-----MALE----	1	-	-	1	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	-	-	-	-
CALIFORNIA -----	32	20	14	21	12	7	12	2	5	1	-	5
WHITE-----MALE----	14	12	6	11	5	3	4	-	3	1	-	3
FEMALE--	6	2	2	5	4	3	7	2	1	-	-	1
ALL OTHER--MALE----	8	3	5	5	2	1	1	-	1	-	-	1
FEMALE--	4	3	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	4	1	4	4	1	1	1	-	-	-	-	1
FEMALE--	3	2	1	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,143

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	57	8	4	-	-	5	7	2	3	2	2	6
WHITE-----MALE----	22	3	1	-	-	1	3	-	-	2	-	2
FEMALE--	19	2	1	-	-	1	4	1	2	-	1	2
ALL OTHER--MALE----	7	1	1	-	-	1	-	1	1	-	1	-
FEMALE--	9	2	1	-	-	2	-	-	-	-	-	2
BLACK---MALE----	6	1	1	-	-	-	-	1	1	-	1	-
FEMALE--	7	2	1	-	-	2	-	-	-	-	-	1
CONNECTICUT -----	32	2	5	1	1	1	4	1	4	1	3	3
WHITE-----MALE----	13	1	2	-	1	-	3	-	1	-	1	1
FEMALE--	8	-	1	1	-	1	-	-	1	1	1	1
ALL OTHER--MALE----	5	-	1	-	-	-	-	1	2	-	1	-
FEMALE--	6	1	1	-	-	-	1	-	-	-	-	1
BLACK---MALE----	5	-	1	-	-	-	-	1	2	-	1	-
FEMALE--	6	1	1	-	-	-	1	-	-	-	-	1
DELAWARE -----	9	-	3	-	-	-	-	2	1	1	1	-
WHITE-----MALE----	3	-	1	-	-	-	-	1	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	1	-	-	-	-	1	-	-	1	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	-	-	-	1	-	-	1	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	30	1	3	-	1	-	3	3	2	7	2	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	15	-	1	-	1	-	3	-	1	4	1	1
FEMALE--	13	1	2	-	-	-	-	2	1	3	1	-
BLACK---MALE----	15	-	1	-	1	-	3	-	1	4	1	1
FEMALE--	13	1	2	-	-	-	-	2	1	3	1	-
FLORIDA -----	274	16	20	2	-	10	8	17	26	34	34	30
WHITE-----MALE----	125	8	5	-	-	3	3	8	10	14	20	17
FEMALE--	73	5	5	-	-	3	-	4	5	9	11	6
ALL OTHER--MALE----	44	-	5	2	-	2	2	3	3	7	3	5
FEMALE--	32	3	5	-	-	2	3	2	8	4	-	2
BLACK---MALE----	42	-	4	1	-	2	2	3	3	7	3	5
FEMALE--	31	3	5	-	-	2	3	2	8	3	-	2
GEORGIA -----	133	12	8	1	1	8	8	12	13	19	13	9
WHITE-----MALE----	36	2	1	-	-	2	3	3	-	6	5	1
FEMALE--	20	-	1	-	-	2	1	2	1	3	-	3
ALL OTHER--MALE----	36	4	2	1	-	2	2	2	5	5	5	2
FEMALE--	41	6	4	-	1	2	2	5	7	5	3	3
BLACK---MALE----	35	4	2	1	-	2	2	2	4	5	5	2
FEMALE--	41	6	4	-	1	2	2	5	7	5	3	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 3,143

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	3	4	-	2	2	4	-	2	1	-	-	-
WHITE-----MALE----	2	1	-	-	2	3	-	2	-	-	-	-
FEMALE--	-	1	-	2	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	1	1	-	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	3	-	-	-	1	1	-	-	-	-	1
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	1
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	1
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
FLORIDA -----	14	14	11	7	9	12	4	5	-	1	-	-
WHITE-----MALE----	7	7	6	5	2	6	1	2	-	1	-	-
FEMALE--	3	3	4	2	5	4	2	2	-	-	-	-
ALL OTHER--MALE----	3	4	1	-	2	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	3	4	1	-	2	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
GEORGIA -----	2	9	2	6	5	1	2	2	-	-	-	-
WHITE-----MALE----	1	5	1	1	3	-	1	1	-	-	-	-
FEMALE--	1	-	1	2	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	3	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	3	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,144
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)												
HAWAII -----	20	2	3	-	-	-	-	1	1	4	2	3
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	1	2	1	1
FEMALE--	8	2	3	-	-	-	-	-	-	2	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	15	1	1	1	-	-	-	2	-	4	2	1
WHITE-----MALE----	9	-	1	1	-	-	-	2	-	-	2	1
FEMALE--	3	1	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	213	18	18	6	2	12	14	19	26	16	22	17
WHITE-----MALE----	59	7	4	1	1	4	6	2	4	1	5	7
FEMALE--	35	1	1	-	1	-	3	4	6	3	2	2
ALL OTHER--MALE----	68	6	9	2	-	7	4	3	8	5	9	7
FEMALE--	51	4	4	3	-	1	1	10	8	7	6	1
BLACK---MALE----	68	6	9	2	-	7	4	3	8	5	9	7
FEMALE--	51	4	4	3	-	1	1	10	8	7	6	1
INDIANA -----	68	9	4	1	1	2	5	6	8	10	5	2
WHITE-----MALE----	22	5	3	-	1	-	1	1	2	1	1	2
FEMALE--	19	3	-	1	-	2	2	2	2	1	1	-
ALL OTHER--MALE----	16	1	-	-	-	-	2	1	2	4	2	-
FEMALE--	11	-	1	-	-	-	-	2	2	4	1	-
BLACK---MALE----	16	1	-	-	-	-	2	1	2	4	2	-
FEMALE--	11	-	1	-	-	-	-	2	2	4	1	-
IOWA -----	24	6	3	1	-	-	1	1	2	1	1	4
WHITE-----MALE----	12	4	1	1	-	-	-	-	2	1	1	1
FEMALE--	9	1	1	-	-	-	1	1	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
KANSAS -----	34	-	6	-	-	4	3	4	3	2	5	4
WHITE-----MALE----	12	-	3	-	-	1	-	2	1	1	1	1
FEMALE--	12	-	1	-	-	2	1	1	2	-	3	1
ALL OTHER--MALE----	4	-	1	-	-	-	1	-	-	-	-	2
FEMALE--	6	-	1	-	-	1	1	1	-	1	1	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	-	2
FEMALE--	4	-	1	-	-	1	-	-	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,145

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	60	4	5	-	-	3	4	8	5	5	6	7
WHITE-----MALE----	31	1	3	-	-	-	1	6	1	2	5	4
FEMALE--	20	3	1	-	-	3	1	2	2	-	-	3
ALL OTHER--MALE----	6	-	1	-	-	-	1	-	1	1	1	-
FEMALE--	3	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	6	-	1	-	-	-	1	-	1	1	1	-
FEMALE--	3	-	-	-	-	-	1	-	1	-	-	-
LOUISIANA -----	87	4	7	-	1	6	7	10	10	11	4	4
WHITE-----MALE----	19	3	2	-	-	1	1	2	1	3	-	-
FEMALE--	15	-	-	-	1	1	1	3	3	-	-	-
ALL OTHER--MALE----	29	-	2	-	-	4	3	-	1	4	4	4
FEMALE--	24	1	3	-	-	-	2	5	5	4	-	-
BLACK---MALE----	29	-	2	-	-	4	3	-	1	4	4	4
FEMALE--	24	1	3	-	-	-	2	5	5	4	-	-
MAINE -----	9	1	1	-	-	-	2	-	3	1	-	-
WHITE-----MALE----	5	-	-	-	-	-	1	-	3	1	-	-
FEMALE--	4	1	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	78	4	3	1	2	6	5	6	10	9	8	5
WHITE-----MALE----	17	-	-	1	-	3	1	-	2	2	-	1
FEMALE--	14	1	-	-	-	-	2	1	1	2	3	-
ALL OTHER--MALE----	33	2	3	-	1	3	1	3	6	4	4	2
FEMALE--	14	1	-	-	1	-	1	2	1	1	1	2
BLACK---MALE----	33	2	3	-	1	3	1	3	6	4	4	2
FEMALE--	14	1	-	-	1	-	1	2	1	1	1	2
MASSACHUSETTS -----	39	3	1	-	1	5	1	3	3	4	4	5
WHITE-----MALE----	19	2	1	-	1	2	-	-	2	1	2	3
FEMALE--	12	1	-	-	-	2	-	2	-	2	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	4	-	-	-	-	1	1	-	1	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	2	-	-	-	-	-	1	-	-	1	-	-
MICHIGAN -----	149	13	7	1	3	11	11	14	15	15	13	14
WHITE-----MALE----	38	6	4	-	-	2	-	3	1	2	4	4
FEMALE--	32	1	1	-	1	4	3	3	3	2	1	2
ALL OTHER--MALE----	41	2	2	1	1	3	5	1	6	4	4	5
FEMALE--	38	4	-	-	1	2	3	7	5	7	4	3
BLACK---MALE----	40	2	2	1	1	3	5	1	5	4	4	5
FEMALE--	38	4	-	-	1	2	3	7	5	7	4	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 3,145

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	3	2	1	1	1	4	1	-	-	-	-	-
WHITE-----MALE----	2	2	1	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	2	4	2	4	5	1	1	1	1	-	-
WHITE-----MALE----	-	-	2	-	-	3	-	-	1	-	-	-
FEMALE--	-	1	1	1	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	1	-	-
BLACK---MALE----	2	1	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	1	-	-
MAINE -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	3	3	1	3	2	2	1	-	1	-	1
WHITE-----MALE----	2	-	-	-	1	1	1	1	-	1	-	-
FEMALE--	-	2	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	-	-	-	-	1
BLACK---MALE----	-	1	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	-	-	-	-	1
MASSACHUSETTS -----	2	-	1	1	2	2	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	2	2	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	6	4	2	1	4	5	4	4	-	-	-	2
WHITE-----MALE----	4	-	1	-	-	3	2	1	-	-	-	1
FEMALE--	-	2	-	-	4	2	1	1	-	-	-	1
ALL OTHER--MALE----	2	2	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	2	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,148

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	147	15	11	6	4	11	11	14	8	10	22	9
WHITE-----MALE----	44	5	3	1	3	2	4	1	2	3	7	4
FEMALE--	38	2	4	3	-	5	4	7	2	1	1	2
ALL OTHER--MALE----	42	6	1	1	1	3	2	4	2	5	6	2
FEMALE--	23	2	3	1	-	1	1	2	2	1	8	1
BLACK---MALE----	40	5	1	1	1	3	2	3	2	5	6	2
FEMALE--	23	2	3	1	-	1	1	2	2	1	8	1
OKLAHOMA -----	73	5	7	1	1	5	6	8	7	7	2	4
WHITE-----MALE----	24	2	1	-	-	-	1	3	3	3	1	3
FEMALE--	20	1	2	-	1	1	1	3	-	2	1	1
ALL OTHER--MALE----	18	-	3	1	-	2	2	1	4	2	-	-
FEMALE--	11	2	1	-	-	2	2	1	-	-	-	-
BLACK---MALE----	12	-	3	-	-	1	2	-	3	-	-	-
FEMALE--	7	2	-	-	-	1	2	-	-	-	-	-
OREGON -----	37	3	4	2	-	-	-	2	4	5	4	4
WHITE-----MALE----	24	3	2	-	-	-	-	-	2	3	4	4
FEMALE--	11	-	2	2	-	-	-	2	1	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	150	12	13	8	1	10	9	14	7	13	14	10
WHITE-----MALE----	56	6	4	-	-	4	3	4	1	4	7	4
FEMALE--	38	2	3	2	-	4	3	3	-	4	4	-
ALL OTHER--MALE----	24	1	3	4	-	1	-	3	1	1	2	4
FEMALE--	32	3	3	2	1	1	3	4	5	4	1	2
BLACK---MALE----	24	1	3	4	-	1	-	3	1	1	2	4
FEMALE--	31	3	3	2	1	1	3	4	5	4	1	1
RHODE ISLAND -----	8	-	-	-	1	-	3	-	1	-	-	2
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	5	-	-	-	1	-	1	-	1	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	78	2	6	1	1	2	3	4	10	15	7	10
WHITE-----MALE----	24	-	-	1	1	-	-	3	3	5	3	3
FEMALE--	18	1	1	-	-	1	-	1	3	4	-	3
ALL OTHER--MALE----	25	1	2	-	-	-	2	-	3	4	4	3
FEMALE--	11	-	3	-	-	1	1	-	1	2	-	1
BLACK---MALE----	25	1	2	-	-	-	2	-	3	4	4	3
FEMALE--	11	-	3	-	-	1	1	-	1	2	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 3,148

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)												
OHIO -----	2	7	2	3	4	5	1	1	-	1	-	-
WHITE-----MALE----	1	2	1	2	-	2	-	-	-	1	-	-
FEMALE--	-	2	-	-	2	1	1	1	-	-	-	-
ALL OTHER--MALE----	1	3	1	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	3	1	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
OKLAHOMA -----	5	2	3	1	3	2	3	1	-	-	-	-
WHITE-----MALE----	2	2	1	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	1	2	1	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
OREGON -----	1	3	1	-	2	1	1	-	-	-	-	-
WHITE-----MALE----	1	2	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	6	7	1	3	5	7	7	2	1	-	-	-
WHITE-----MALE----	3	4	1	2	-	2	6	1	-	-	-	-
FEMALE--	3	1	-	-	3	4	1	-	1	-	-	-
ALL OTHER--MALE----	-	2	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	-	-	-
BLACK---MALE----	-	2	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	2	3	-	2	3	1	-	2	-	-	1
WHITE-----MALE----	-	2	2	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	2	-	-	1
ALL OTHER--MALE----	2	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,149
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)												
SOUTH DAKOTA -----	11	2	1	-	2	1	1	1	1	1	1	-
WHITE-----MALE----	4	1	1	-	1	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	4	1	-	-	-	-	1	1	-	-	1	-
FEMALE--	2	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	72	7	2	-	1	4	3	4	7	9	5	9
WHITE-----MALE----	31	4	-	-	-	-	1	4	2	2	1	6
FEMALE--	19	-	-	-	-	2	2	-	4	2	1	3
ALL OTHER--MALE----	12	1	1	-	-	1	-	-	1	1	3	-
FEMALE--	10	2	1	-	1	1	-	-	-	4	-	-
BLACK---MALE----	12	1	1	-	-	1	-	-	1	1	3	-
FEMALE--	10	2	1	-	1	1	-	-	-	4	-	-
TEXAS -----	307	20	29	4	4	27	33	27	30	25	26	25
WHITE-----MALE----	147	7	8	1	2	11	13	16	17	12	16	13
FEMALE--	84	9	12	1	2	9	8	5	6	5	5	8
ALL OTHER--MALE----	39	1	5	-	-	2	8	4	4	2	4	1
FEMALE--	37	3	4	2	-	5	4	2	3	6	1	3
BLACK---MALE----	37	1	5	-	-	2	8	4	3	2	3	1
FEMALE--	37	3	4	2	-	5	4	2	3	6	1	3
UTAH -----	18	2	-	1	1	4	-	2	1	1	3	-
WHITE-----MALE----	8	-	-	-	1	2	-	1	1	-	-	-
FEMALE--	5	1	-	1	-	1	-	1	-	1	-	-
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	-	3	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	2	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	73	7	5	-	-	4	9	7	8	7	6	5
WHITE-----MALE----	17	2	1	-	-	1	1	1	3	3	2	-
FEMALE--	16	2	3	-	-	1	3	-	1	2	-	2
ALL OTHER--MALE----	23	2	1	-	-	2	3	2	2	1	3	2
FEMALE--	17	1	-	-	-	-	2	4	2	1	1	1
BLACK---MALE----	23	2	1	-	-	2	3	2	2	1	3	2
FEMALE--	17	1	-	-	-	-	2	4	2	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,160
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER LEGAL INTERVENTION AND LATE EFFECTS OF INJURY DUE TO LEGAL INTERVENTION (E970-E977)												
0 UNITED STATES --	285	-	-	-	1	17	45	44	52	48	26	21
WHITE-----MALE----	182	-	-	-	-	13	23	26	31	31	19	16
FEMALE--	12	-	-	-	-	1	1	3	3	1	-	-
ALL OTHER--MALE----	90	-	-	-	1	3	21	15	18	15	7	5
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	79	-	-	-	1	3	18	14	17	14	4	5
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALABAMA -----	3	-	-	-	-	-	-	2	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	20	-	-	-	-	4	3	3	1	4	2	1
WHITE-----MALE----	14	-	-	-	-	4	2	2	-	2	2	1
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	5	-	-	-	-	-	1	-	2	-	2	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	2	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	1	-	2	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	58	-	-	-	-	2	8	11	14	7	4	2
WHITE-----MALE----	41	-	-	-	-	2	4	9	8	4	4	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	-	-	-	-	-	4	2	6	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	13	-	-	-	-	-	3	2	5	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,169

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-E989)												
0 UNITED STATES --	3,657	57	40	16	32	146	214	263	453	659	638	417
WHITE-----MALE----	2,039	25	11	6	24	78	123	148	263	398	363	242
FEMALE--	800	13	11	3	4	25	30	47	92	125	138	83
ALL OTHER--MALE----	617	12	8	3	3	38	50	52	72	104	107	71
FEMALE--	201	7	10	4	1	5	11	16	26	32	30	21
BLACK---MALE----	556	9	7	3	3	35	44	46	69	95	95	64
FEMALE--	174	5	10	4	1	4	7	14	25	28	28	16
ALABAMA -----	52	-	-	1	-	3	3	7	8	3	8	3
WHITE-----MALE----	21	-	-	-	-	1	2	2	2	1	3	2
FEMALE--	12	-	-	-	-	1	-	2	3	1	2	-
ALL OTHER--MALE----	15	-	-	-	-	1	1	2	2	1	3	1
FEMALE--	4	-	-	1	-	-	-	1	1	-	-	-
BLACK---MALE----	15	-	-	-	-	1	1	2	2	1	3	1
FEMALE--	4	-	-	1	-	-	-	1	1	-	-	-
ALASKA -----	7	1	-	-	1	2	-	-	1	2	-	-
WHITE-----MALE----	5	1	-	-	1	1	-	-	1	1	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	78	2	2	1	1	7	6	4	6	10	9	8
WHITE-----MALE----	47	2	1	1	1	3	3	2	4	6	5	7
FEMALE--	20	-	1	-	-	2	-	1	2	3	2	1
ALL OTHER--MALE----	9	-	-	-	-	2	2	1	-	1	2	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	59	-	-	-	-	3	3	5	5	14	14	2
WHITE-----MALE----	34	-	-	-	-	2	1	3	1	10	7	2
FEMALE--	14	-	-	-	-	-	1	1	2	2	3	-
ALL OTHER--MALE----	8	-	-	-	-	1	1	1	1	1	3	-
FEMALE--	3	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	8	-	-	-	-	1	1	1	1	1	3	-
FEMALE--	3	-	-	-	-	-	-	-	1	1	1	-
CALIFORNIA -----	199	5	4	-	2	10	14	12	24	26	27	28
WHITE-----MALE----	115	5	2	-	2	8	8	9	10	15	14	16
FEMALE--	56	-	1	-	-	2	2	2	6	9	10	6
ALL OTHER--MALE----	17	-	-	-	-	-	2	1	5	1	3	3
FEMALE--	11	-	1	-	-	-	2	-	3	1	-	3
BLACK---MALE----	11	-	-	-	-	-	-	-	4	1	2	3
FEMALE--	9	-	1	-	-	-	1	-	2	1	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,170

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-E989)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	68	-	1	-	-	-	3	4	6	13	7	9
WHITE-----MALE----	40	-	-	-	-	-	3	3	3	8	5	7
FEMALE--	25	-	1	-	-	-	-	1	1	5	2	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	23	-	-	-	-	-	1	2	2	6	8	3
WHITE-----MALE----	15	-	-	-	-	-	1	1	1	4	6	1
FEMALE--	7	-	-	-	-	-	-	1	1	1	2	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	15	-	-	-	-	1	1	1	3	3	3	3
WHITE-----MALE----	7	-	-	-	-	1	-	-	2	2	-	2
FEMALE--	5	-	-	-	-	-	1	-	1	1	2	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	19	-	-	-	-	1	1	1	1	5	5	3
WHITE-----MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	1	-	1	-	3	5	3
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	14	-	-	-	-	1	-	1	-	3	5	3
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
FLORIDA -----	109	1	1	1	1	7	9	6	11	16	13	14
WHITE-----MALE----	69	-	1	-	1	5	6	4	7	11	10	10
FEMALE--	24	1	-	-	-	1	1	1	2	3	2	4
ALL OTHER--MALE----	12	-	-	1	-	1	2	-	2	1	1	-
FEMALE--	4	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	11	-	-	1	-	1	1	-	2	1	1	-
FEMALE--	3	-	-	-	-	-	-	1	-	1	-	-
GEORGIA -----	71	2	3	1	-	5	3	9	7	9	9	4
WHITE-----MALE----	26	-	1	-	-	-	1	1	3	7	3	2
FEMALE--	17	-	1	1	-	-	-	1	2	2	3	1
ALL OTHER--MALE----	20	1	-	-	-	4	2	6	1	-	1	1
FEMALE--	8	1	1	-	-	1	-	1	1	-	2	-
BLACK---MALE----	20	1	-	-	-	4	2	6	1	-	1	1
FEMALE--	8	1	1	-	-	1	-	1	1	-	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 3,170

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-E989)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	6	8	5	-	2	1	1	1	1	-	-	-
WHITE-----MALE----	1	4	4	-	1	-	-	1	-	-	-	-
FEMALE--	5	3	1	-	1	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	8	6	3	2	1	2	1	3	2	-	-	1
WHITE-----MALE----	4	2	1	2	1	1	-	1	2	-	-	-
FEMALE--	1	2	1	-	-	1	1	2	-	-	-	1
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	3	5	1	2	3	1	2	2	-	-	-	-
WHITE-----MALE----	-	3	1	1	2	1	-	-	-	-	-	-
FEMALE--	2	1	-	-	1	-	-	2	-	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,172

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-E989)												
KENTUCKY -----	30	4	-	-	-	2	1	1	4	3	3	2
WHITE-----MALE----	18	2	-	-	-	-	-	-	4	3	2	1
FEMALE--	7	1	-	-	-	1	-	-	-	-	1	1
ALL OTHER--MALE----	4	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	4	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	66	1	1	1	1	6	6	11	7	12	6	2
WHITE-----MALE----	24	-	-	-	1	2	-	6	1	6	2	-
FEMALE--	11	-	-	-	-	-	1	-	4	3	2	1
ALL OTHER--MALE----	25	1	-	1	-	4	5	4	-	3	2	1
FEMALE--	6	-	1	-	-	-	-	1	2	-	-	-
BLACK---MALE----	25	1	-	1	-	4	5	4	-	3	2	1
FEMALE--	6	-	1	-	-	-	-	1	2	-	-	-
MAINE -----	5	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	494	-	1	1	-	7	18	42	71	130	118	61
WHITE-----MALE----	211	-	-	-	-	5	9	21	29	57	55	21
FEMALE--	37	-	1	1	-	2	2	3	5	6	6	3
ALL OTHER--MALE----	198	-	-	-	-	-	3	13	30	56	45	32
FEMALE--	48	-	-	-	-	-	4	5	7	11	12	5
BLACK---MALE----	196	-	-	-	-	-	3	12	29	56	45	32
FEMALE--	48	-	-	-	-	-	4	5	7	11	12	5
MASSACHUSETTS -----	409	-	-	1	1	8	17	32	65	93	87	51
WHITE-----MALE----	267	-	-	-	1	4	11	17	52	55	63	37
FEMALE--	97	-	-	-	-	3	4	11	7	27	19	9
ALL OTHER--MALE----	34	-	-	-	-	1	2	4	5	8	4	5
FEMALE--	11	-	-	1	-	-	-	-	1	3	1	-
BLACK---MALE----	31	-	-	-	-	1	2	4	5	6	4	5
FEMALE--	10	-	-	1	-	-	-	-	1	3	1	-
MICHIGAN -----	143	1	3	1	1	5	8	13	17	26	29	14
WHITE-----MALE----	68	1	1	-	1	2	1	10	10	15	16	7
FEMALE--	43	-	-	-	-	-	1	1	5	8	7	7
ALL OTHER--MALE----	21	-	2	-	-	3	6	1	2	1	4	-
FEMALE--	11	-	-	1	-	-	-	1	-	2	2	-
BLACK---MALE----	21	-	2	-	-	3	6	1	2	1	4	-
FEMALE--	11	-	-	1	-	-	-	1	-	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 3,172

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-E989)												
KENTUCKY -----	3	3	1	1	2	-	-	-	-	-	-	-
WHITE-----MALE----	2	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	4	2	1	1	1	-	-	-	-	3	-	-
WHITE-----MALE----	2	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	2	-	-
MAINE -----	-	-	1	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	21	9	5	3	1	-	1	-	1	-	-	4
WHITE-----MALE----	9	1	3	1	-	-	-	-	-	-	-	-
FEMALE--	2	2	2	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	9	5	-	-	1	-	-	-	-	-	-	4
FEMALE--	1	1	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	9	5	-	-	1	-	-	-	-	-	-	4
FEMALE--	1	1	-	1	-	-	-	-	1	-	-	-
MASSACHUSETTS -----	23	14	3	4	2	4	1	2	-	-	-	1
WHITE-----MALE----	14	6	-	3	1	1	1	1	-	-	-	-
FEMALE--	8	4	1	1	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	3	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	-	-	-	-	-	1
BLACK---MALE----	-	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	-	-	-	-	-	-
MICHIGAN -----	9	4	4	1	3	1	3	-	-	-	-	-
WHITE-----MALE----	2	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	2	3	1	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,173

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-E989)												
MINNESOTA -----	27	3	-	-	-	1	2	1	2	5	6	3
WHITE-----MALE----	15	1	-	-	-	-	1	-	1	5	3	1
FEMALE--	7	1	-	-	-	-	-	1	1	-	2	1
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	1	1	-	-	-	-	1
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	33	1	3	-	1	3	4	1	5	5	2	3
WHITE-----MALE----	10	-	-	-	-	1	1	-	2	3	1	-
FEMALE--	4	-	1	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	13	-	1	-	-	2	2	1	1	1	-	3
FEMALE--	6	1	1	-	-	-	-	-	2	1	1	-
BLACK---MALE----	13	-	1	-	-	2	2	1	1	1	-	3
FEMALE--	6	1	1	-	-	-	-	-	2	1	1	-
MISSOURI -----	41	-	-	-	-	2	5	3	7	10	3	2
WHITE-----MALE----	20	-	-	-	-	1	-	1	4	6	1	2
FEMALE--	9	-	-	-	-	-	-	-	2	2	2	-
ALL OTHER--MALE----	11	-	-	-	-	1	5	2	1	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	1	5	2	1	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA -----	9	-	-	-	-	1	-	-	1	2	2	2
WHITE-----MALE----	5	-	-	-	-	1	-	-	-	2	1	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	16	-	-	-	-	1	-	2	-	3	4	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	3	1	-
FEMALE--	8	-	-	-	-	1	-	2	-	-	3	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	64	-	2	-	-	1	2	2	7	12	12	16
WHITE-----MALE----	44	-	1	-	-	1	1	-	4	11	7	13
FEMALE--	13	-	-	-	-	-	1	-	1	1	4	3
ALL OTHER--MALE----	4	-	1	-	-	-	-	1	1	-	1	-
FEMALE--	3	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	3	-	-	-	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,175

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-E989)												
OHIO -----	69	2	1	-	3	1	5	3	8	7	14	8
WHITE-----MALE----	38	1	-	-	1	1	2	3	2	5	10	4
FEMALE--	23	-	-	-	2	-	1	-	6	1	4	2
ALL OTHER--MALE----	4	-	-	-	-	-	2	-	-	1	-	-
FEMALE--	4	1	1	-	-	-	-	-	-	-	-	2
BLACK---MALE----	3	-	-	-	-	-	2	-	-	1	-	-
FEMALE--	4	1	1	-	-	-	-	-	-	-	-	2
OKLAHOMA -----	43	1	1	-	-	2	3	2	3	4	9	9
WHITE-----MALE----	22	-	1	-	-	-	1	1	2	1	6	6
FEMALE--	13	-	-	-	-	-	1	-	1	3	2	1
ALL OTHER--MALE----	4	-	-	-	-	2	1	1	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	4	-	-	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	43	3	-	-	1	3	1	1	4	9	10	8
WHITE-----MALE----	27	1	-	-	1	3	1	1	3	4	5	5
FEMALE--	11	2	-	-	-	-	-	-	-	3	5	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	205	-	4	2	2	6	26	14	29	43	32	26
WHITE-----MALE----	133	-	1	-	1	3	17	10	21	35	25	13
FEMALE--	44	-	-	-	-	2	6	4	5	3	5	9
ALL OTHER--MALE----	19	-	1	1	1	1	3	-	2	5	-	2
FEMALE--	9	-	2	1	-	-	-	-	1	-	2	2
BLACK---MALE----	19	-	1	1	1	1	3	-	2	5	-	2
FEMALE--	9	-	2	1	-	-	-	-	1	-	2	2
RHODE ISLAND -----	54	-	-	-	-	3	1	3	9	15	11	5
WHITE-----MALE----	43	-	-	-	-	3	1	2	5	13	10	5
FEMALE--	9	-	-	-	-	-	-	1	2	2	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	13	-	-	-	1	1	3	-	1	4	-	1
WHITE-----MALE----	6	-	-	-	1	-	2	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	2	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	-	-	2	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 3,175

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-E989)												
OHIO -----	6	1	2	2	2	2	-	-	-	-	-	2
WHITE-----MALE----	2	-	2	2	1	1	-	-	-	-	-	1
FEMALE--	4	1	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	2	1	1	-	3	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	1	1	-	-	-	-
FEMALE--	2	1	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	2	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	6	4	3	1	2	1	1	1	1	-	-	1
WHITE-----MALE----	2	2	-	-	-	1	-	1	-	-	-	1
FEMALE--	3	-	2	1	2	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	3	3	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,176

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-E989)												
SOUTH DAKOTA -----	4	1	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	70	1	1	2	2	2	4	3	8	6	7	9
WHITE-----MALE----	47	1	1	2	1	1	4	1	7	3	4	6
FEMALE--	18	-	-	-	-	-	-	1	1	3	3	2
ALL OTHER--MALE----	3	-	-	-	-	1	-	1	-	-	-	1
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
TEXAS -----	178	7	2	-	3	10	9	10	26	22	31	15
WHITE-----MALE----	101	5	-	-	2	8	6	5	14	10	19	8
FEMALE--	53	-	1	-	1	1	2	4	10	9	6	4
ALL OTHER--MALE----	15	1	-	-	-	1	-	1	2	3	4	1
FEMALE--	9	1	1	-	-	-	1	-	-	-	2	2
BLACK---MALE----	14	1	-	-	-	1	-	1	2	3	3	1
FEMALE--	6	1	1	-	-	-	-	-	-	-	1	1
UTAH -----	127	1	-	-	1	3	8	7	19	28	21	22
WHITE-----MALE----	90	1	-	-	1	1	7	6	15	23	13	16
FEMALE--	33	-	-	-	-	1	1	1	4	5	8	5
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	8	-	-	-	-	1	-	2	-	-	3	2
WHITE-----MALE----	4	-	-	-	-	1	-	2	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	30	1	1	-	-	2	3	2	5	3	1	2
WHITE-----MALE----	13	-	-	-	-	-	1	1	1	2	1	1
FEMALE--	6	1	1	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	1	2	-	1	1	-	1
FEMALE--	3	-	-	-	-	1	-	1	1	-	-	-
BLACK---MALE----	8	-	-	-	-	1	2	-	1	1	-	1
FEMALE--	3	-	-	-	-	1	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,178

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 FROM POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E980.0-E980.5)												
0 UNITED STATES --	2,200	2	3	3	4	48	106	152	324	508	457	309
WHITE-----MALE----	1,236	1	1	-	4	28	71	83	186	311	259	174
FEMALE--	519	-	1	2	-	16	19	31	74	94	104	66
ALL OTHER--MALE----	336	-	1	-	-	2	10	29	48	80	78	54
FEMALE--	109	1	-	1	-	2	6	9	16	23	16	15
BLACK---MALE----	316	-	1	-	-	1	10	26	46	75	75	50
FEMALE--	101	1	-	1	-	2	5	8	15	21	16	13
ALABAMA -----	8	-	-	-	-	-	-	-	2	2	4	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	2	1	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	2	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	24	-	1	-	-	-	-	1	1	7	4	4
WHITE-----MALE----	16	-	1	-	-	-	-	1	1	4	3	4
FEMALE--	8	-	-	-	-	-	-	-	-	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	31	-	-	-	-	1	2	3	5	10	6	1
WHITE-----MALE----	16	-	-	-	-	1	1	1	1	7	2	1
FEMALE--	10	-	-	-	-	-	1	1	2	2	3	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
CALIFORNIA -----	81	1	-	-	-	1	4	3	20	10	11	13
WHITE-----MALE----	31	1	-	-	-	1	2	2	8	3	3	5
FEMALE--	34	-	-	-	-	-	1	1	5	6	7	4
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	4	-	1	1
FEMALE--	9	-	-	-	-	-	1	-	3	1	-	3
BLACK---MALE----	5	-	-	-	-	-	-	-	3	-	1	1
FEMALE--	8	-	-	-	-	-	1	-	2	1	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,179
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 FROM POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E980.0-E980.5)												
COLORADO -----	36	-	-	-	-	-	2	1	2	7	5	7
WHITE-----MALE----	17	-	-	-	-	-	2	-	1	4	3	5
FEMALE--	17	-	-	-	-	-	-	1	-	3	2	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	18	-	-	-	-	-	1	1	1	5	7	2
WHITE-----MALE----	11	-	-	-	-	-	1	-	-	4	5	-
FEMALE--	7	-	-	-	-	-	-	1	1	1	2	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	12	-	-	-	-	1	1	1	2	3	3	1
WHITE-----MALE----	5	-	-	-	-	1	-	-	1	2	-	1
FEMALE--	5	-	-	-	-	-	1	-	1	1	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	14	-	-	-	-	-	1	-	1	4	5	3
WHITE-----MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	3	5	3
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	3	5	3
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
FLORIDA -----	50	-	-	-	-	3	3	2	6	10	7	10
WHITE-----MALE----	34	-	-	-	-	2	3	1	4	7	6	7
FEMALE--	15	-	-	-	-	1	-	1	2	2	1	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
GEORGIA -----	19	-	-	1	-	1	-	-	1	5	4	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	4	1	-
FEMALE--	9	-	-	1	-	-	-	-	1	1	3	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 3,179
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 FROM POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E980.0-E980.5)												
COLORADO -----	4	5	1	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	4	2	1	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	2	1	-	-	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,181

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA	AUSE BY AREA	RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0	FROM POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E980.0-E980.5)													
KENTUCKY	-----		13	-	-	-	1	-	1	1	3	2	1	
	WHITE	-----MALE	7	-	-	-	-	-	-	1	3	1	-	
		FEMALE	5	-	-	-	1	-	-	-	-	1	1	
	ALL OTHER	--MALE	1	-	-	-	-	-	1	-	-	-	-	
		FEMALE	-	-	-	-	-	-	-	-	-	-	-	
	BLACK	---MALE	1	-	-	-	-	-	1	-	-	-	-	
		FEMALE	-	-	-	-	-	-	-	-	-	-	-	
LOUISIANA	-----		39	-	-	-	2	3	8	4	7	6	-	
	WHITE	-----MALE	17	-	-	-	2	-	3	1	4	2	-	
		FEMALE	7	-	-	-	-	-	-	3	2	2	-	
	ALL OTHER	--MALE	13	-	-	-	-	3	4	-	1	2	-	
		FEMALE	2	-	-	-	-	-	1	-	-	-	-	
	BLACK	---MALE	13	-	-	-	-	3	4	-	1	2	-	
		FEMALE	2	-	-	-	-	-	1	-	-	-	-	
MAINE	-----		1	-	-	-	-	-	-	-	1	-	-	
	WHITE	-----MALE	1	-	-	-	-	-	-	-	1	-	-	
		FEMALE	-	-	-	-	-	-	-	-	-	-	-	
	ALL OTHER	--MALE	-	-	-	-	-	-	-	-	-	-	-	
		FEMALE	-	-	-	-	-	-	-	-	-	-	-	
	BLACK	---MALE	-	-	-	-	-	-	-	-	-	-	-	
		FEMALE	-	-	-	-	-	-	-	-	-	-	-	
MARYLAND	-----		464	-	1	-	6	16	38	68	128	113	59	
	WHITE	-----MALE	197	-	-	-	4	9	18	28	57	51	20	
		FEMALE	31	-	1	-	2	1	2	5	6	6	3	
	ALL OTHER	--MALE	190	-	-	-	-	2	13	28	54	44	31	
		FEMALE	46	-	-	-	-	4	5	7	11	12	5	
	BLACK	---MALE	188	-	-	-	-	2	12	27	54	44	31	
		FEMALE	46	-	-	-	-	4	5	7	11	12	5	
MASSACHUSETTS	-----		361	-	1	-	5	17	24	60	89	82	45	
	WHITE	-----MALE	238	-	-	-	2	11	13	48	53	59	34	
		FEMALE	84	-	-	-	2	4	9	7	25	18	7	
	ALL OTHER	--MALE	30	-	-	-	1	2	2	5	8	4	4	
		FEMALE	9	-	1	-	-	-	-	-	3	1	-	
	BLACK	---MALE	28	-	-	-	1	2	2	5	6	4	4	
		FEMALE	9	-	1	-	-	-	-	-	3	1	-	
MICHIGAN	-----		96	-	-	-	1	3	10	13	18	23	13	
	WHITE	-----MALE	52	-	-	-	1	1	9	8	12	12	7	
		FEMALE	33	-	-	-	-	1	-	4	5	7	6	
	ALL OTHER	--MALE	7	-	-	-	-	1	1	1	-	4	-	
		FEMALE	4	-	-	-	-	-	-	-	1	-	-	
	BLACK	---MALE	7	-	-	-	-	1	1	1	-	4	-	
		FEMALE	4	-	-	-	-	-	-	-	1	-	-	

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 3,181
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 FROM POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E980.0-E980.5)												
KENTUCKY -----	1	-	1	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	4	1	1	1	-	-	-	-	-	2	-	-
WHITE-----MALE----	2	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	20	7	2	-	1	-	1	-	1	-	-	3
WHITE-----MALE----	8	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	9	5	-	-	1	-	-	-	-	-	-	3
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	9	5	-	-	1	-	-	-	-	-	-	3
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
MASSACHUSETTS -----	17	11	3	2	2	2	1	-	-	-	-	-
WHITE-----MALE----	10	5	-	1	1	-	1	-	-	-	-	-
FEMALE--	6	2	1	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	-	-	-	-	-	-
MICHIGAN -----	7	3	3	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	3	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,182

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 FROM POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E980.0-E980.5)												
MINNESOTA -----	9	-	-	-	-	-	2	1	1	2	1	2
WHITE-----MALE----	5	-	-	-	-	-	1	-	-	2	1	1
FEMALE--	3	-	-	-	-	-	-	1	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	6	-	-	-	-	1	1	-	2	2	-	-
WHITE-----MALE----	5	-	-	-	-	1	1	-	2	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
MISSOURI -----	10	-	-	-	-	-	-	-	3	3	2	2
WHITE-----MALE----	8	-	-	-	-	-	-	-	2	3	1	2
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA -----	6	-	-	-	-	-	-	-	1	2	2	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	10	-	-	-	-	1	-	2	-	1	3	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	1	-	2	-	-	3	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	49	-	-	-	-	1	2	2	5	10	8	15
WHITE-----MALE----	32	-	-	-	-	1	1	-	2	9	4	12
FEMALE--	11	-	-	-	-	-	1	-	1	1	3	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	3	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	3	-	-	-	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,203
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 FROM INJURY BY HANDGUN (E985.0)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	-	-	-	-	1	1	2	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,208
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 FROM INJURY BY ALL OTHER AND UNSPECIFIED FIREARMS (E985.1-E985.4)												
KENTUCKY -----	4	-	-	-	-	-	-	-	2	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	7	-	-	1	-	1	1	3	-	1	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	3	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	5	-	-	-	-	-	2	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	2	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	2	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	5	-	-	-	-	2	1	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,212
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 FROM INJURY BY ALL OTHER AND UNSPECIFIED FIREARMS (E985.1-E985.4)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	24	-	-	-	2	2	3	1	3	1	1	1
WHITE-----MALE----	20	-	-	-	1	1	3	1	3	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
TEXAS -----	32	-	-	-	1	4	5	2	4	2	6	-
WHITE-----MALE----	20	-	-	-	-	3	3	-	3	1	4	-
FEMALE--	7	-	-	-	1	-	1	1	1	1	1	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	2	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	-	-	-	-	1	1	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,215
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 FROM INJURY BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY, UNDETER WHETHER ACCIDENTALLY OR PURPOSELY INFL (E981-E984,E985.5-E989)												
COLORADO -----	19	-	1	-	-	-	-	1	2	3	2	-
WHITE-----MALE----	10	-	-	-	-	-	-	1	-	1	2	-
FEMALE--	8	-	1	-	-	-	-	-	1	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	-	-	-	-	-	-	-	1	1	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	-	-	-	-	-	-	-	1	-	-	2
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	49	1	1	1	1	3	3	3	5	4	4	4
WHITE-----MALE----	30	-	1	-	1	2	3	2	3	2	4	3
FEMALE--	7	1	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	9	-	-	1	-	1	-	-	2	1	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	9	-	-	1	-	1	-	-	2	1	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
GEORGIA -----	29	2	3	-	-	-	2	2	5	3	1	1
WHITE-----MALE----	11	-	1	-	-	-	1	-	2	3	-	-
FEMALE--	6	-	1	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	8	1	-	-	-	-	1	-	1	-	1	1
FEMALE--	4	1	1	-	-	-	-	1	1	-	-	-
BLACK---MALE----	8	1	-	-	-	-	1	-	1	-	1	1
FEMALE--	4	1	1	-	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,217

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 FROM INJURY BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY, UNDETER WHETHER ACCIDENTALLY OR PURPOSELY INFL (E981-E984,E985.5-E989)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	11	4	-	-	-	-	1	-	1	-	1	-
WHITE-----MALE----	6	2	-	-	-	-	-	-	1	-	1	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	19	1	1	-	1	3	1	-	3	4	-	2
WHITE-----MALE----	4	-	-	-	1	-	-	-	-	2	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	9	1	-	-	-	3	1	-	-	2	-	1
FEMALE--	4	-	1	-	-	-	-	-	2	-	-	-
BLACK---MALE----	9	1	-	-	-	3	1	-	-	2	-	1
FEMALE--	4	-	1	-	-	-	-	-	2	-	-	-
MAINE -----	4	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	22	-	1	-	-	1	-	4	-	1	4	2
WHITE-----MALE----	12	-	-	-	-	1	-	3	-	-	3	1
FEMALE--	5	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	44	-	-	-	-	3	-	6	5	4	4	6
WHITE-----MALE----	27	-	-	-	-	2	-	4	4	2	3	3
FEMALE--	12	-	-	-	-	1	-	1	-	2	1	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
MICHIGAN -----	39	1	3	1	1	2	4	3	4	5	5	1
WHITE-----MALE----	13	1	1	-	1	-	-	1	2	2	3	-
FEMALE--	9	-	-	-	-	-	-	1	1	2	-	1
ALL OTHER--MALE----	12	-	2	-	-	2	4	-	1	1	-	-
FEMALE--	5	-	-	1	-	-	-	1	-	-	2	-
BLACK---MALE----	12	-	2	-	-	2	4	-	1	1	-	-
FEMALE--	5	-	-	1	-	-	-	1	-	-	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,220
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 FROM INJURY BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY, UNDETER WHETHER ACCIDENTALLY OR PURPOSELY INFL (E981-E984,E985.5-E989)												
OHIO -----	36	2	1	-	2	-	2	2	4	2	6	5
WHITE-----MALE----	21	1	-	-	-	-	1	2	1	2	4	3
FEMALE--	10	-	-	-	2	-	-	-	3	-	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	1	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	1	1	-	-	-	-	-	-	-	-	1
OKLAHOMA -----	15	1	1	-	-	-	-	2	-	2	5	1
WHITE-----MALE----	9	-	1	-	-	-	-	1	-	1	3	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	17	3	-	-	-	-	1	1	2	2	3	4
WHITE-----MALE----	10	1	-	-	-	-	1	1	2	-	2	2
FEMALE--	5	2	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	38	-	4	2	2	2	3	2	3	3	5	5
WHITE-----MALE----	14	-	1	-	1	2	1	-	2	2	1	2
FEMALE--	10	-	-	-	-	-	1	2	-	-	2	2
ALL OTHER--MALE----	7	-	1	1	1	-	1	-	1	1	-	-
FEMALE--	7	-	2	1	-	-	-	-	-	-	2	1
BLACK---MALE----	7	-	1	1	1	-	1	-	1	1	-	-
FEMALE--	7	-	2	1	-	-	-	-	-	-	2	1
RHODE ISLAND -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	8	-	-	-	-	-	2	-	1	2	-	1
WHITE-----MALE----	3	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 3,220

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 FROM INJURY BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY, UNDETER WHETHER ACCIDENTALLY OR PURPOSELY INFL (E981-E984,E985.5-E989)												
OHIO -----	1	1	2	2	1	1	-	-	-	-	-	2
WHITE-----MALE----	-	-	2	2	1	1	-	-	-	-	-	1
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	1	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	2	-	-	1	-	1	1	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	1	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3,221

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 FROM INJURY BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY, UNDETER WHETHER ACCIDENTALLY OR PURPOSELY INFL (E981-E984,E985.5-E989)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	3	1	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	19	1	1	2	-	-	-	-	2	1	2	1
WHITE-----MALE----	12	1	1	2	-	-	-	-	2	-	2	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	53	6	2	-	-	2	1	4	6	5	9	4
WHITE-----MALE----	35	5	-	-	-	2	-	4	4	3	7	3
FEMALE--	10	-	1	-	-	-	1	-	1	1	1	-
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	1	1	1	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	1	-	-	-	-	-	-	1	1	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
UTAH -----	16	1	-	-	1	-	3	1	1	-	1	1
WHITE-----MALE----	11	1	-	-	1	-	2	1	1	-	1	1
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	12	1	1	-	-	-	-	-	1	1	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

